

**Phase One Environmental Site Assessment  
Burnside Site, NCC Property Asset 95979  
Ottawa, Ontario**

Revision: 0 (Final)

**Prepared for:**

**National Capital Commission  
202-40 Elgin Street  
Ottawa, ON  
K1P 1C7**

**Prepared by:**




1 Raymond St., Suite 200  
Ottawa, Ontario K1R 1A2  
Tel: (613) 232-2525  
Fax: (613) 232-7149

[www.geofirma.com](http://www.geofirma.com)

**Project Number: 18-262-1**

**Document ID: 18-262-1\_Burnside Phase One Report\_R0.docx**

**June 28, 2019**

Title:	Phase One Environmental Site Assessment, Burnside Site, NCC Property Asset 95979, Ottawa, Ontario	
Client:	National Capital Commission	
Document ID:	18-262-1_Burnside Phase One Report_R0.docx	
Revision Number:	0	Date: June 28, 2019
Prepared by:	Angela Garrison	
Reviewed by:	Kenneth Raven	
Approved by:	 Kenneth Raven, QP <sub>ESA</sub> , P.Eng., P.Geo.	

## TABLE OF CONTENTS

<b>1</b>	<b>EXECUTIVE SUMMARY .....</b>	<b>1</b>
<b>2</b>	<b>INTRODUCTION .....</b>	<b>3</b>
<b>3</b>	<b>SCOPE OF INVESTIGATION .....</b>	<b>4</b>
	<b>3.1 Purpose and Objectives.....</b>	<b>4</b>
	<b>3.2 Scope of Work, Methodology and Limitations .....</b>	<b>4</b>
	<b>3.3 Occupant Description .....</b>	<b>5</b>
	<b>3.4 Adjacent Properties .....</b>	<b>5</b>
<b>4</b>	<b>RECORDS REVIEW .....</b>	<b>6</b>
	<b>4.1 General.....</b>	<b>6</b>
	4.1.1 Phase One Study Area Determination .....	6
	4.1.2 First Development Use Determination.....	6
	4.1.3 Fire Insurance Plans and City Directories .....	6
	4.1.3.1 The Site .....	6
	4.1.3.2 Study Area.....	7
	4.1.4 Chain of Title.....	7
	4.1.5 Environmental Reports.....	8
	4.1.5.1 Mapping and Assessment of Former Industrial Sites – Intera Technologies Ltd. (1988) .....	8
	4.1.5.2 Phase I and II Environmental Site Assessment - DE&S (2000).....	8
	4.1.5.3 Phase II Environmental Site Assessment – DE&S (2001) .....	9
	4.1.5.4 Risk Assessment and Risk Strategy Report - Intera Engineering Ltd. (2002a)..	10
	4.1.5.5 Inspection and Groundwater Monitoring - Intera Engineering Ltd. (2002b).....	11
	4.1.5.6 2003 Inspection and Groundwater Monitoring - Intera Engineering Ltd. (2003)..	11
	4.1.5.7 Lemieux Forcemain Easement Properties, Phase 2 ESA - CH2MHILL (2005)..	11
	4.1.5.8 Enhanced Phase I ESA - Trow Associates Inc. (2008).....	12
	4.1.5.9 Surface Soil and Groundwater Monitoring Program - Trow Associates Inc. (2010) .....	13
	4.1.5.10 November 2012 Groundwater Monitoring and Sampling – SNC (2013) .....	14
	4.1.5.11 Fall 2014 Groundwater Monitoring – Stantec Consulting Ltd. (2014) .....	14
	4.1.5.12 Preliminary Geotechnical Investigation – EXP (2018) .....	15
	4.1.5.13 Phase Two ESA, West Portion of Bayview Yard – AMEC Earth and Environmental (2014).....	15
	4.1.6 City of Ottawa Zoning .....	16
	4.1.7 Environmental Source Information, Database Review .....	17
	4.1.7.1 Old Landfill Management Strategy .....	17
	4.1.7.2 Areas of Natural and Scientific Interest .....	17
	4.1.7.3 EcoLog ERIS Report .....	17
	<b>4.2 Physical Setting Sources.....</b>	<b>20</b>
	4.2.1 Aerial Photographs .....	20
	4.2.1 Topography.....	22
	4.2.2 Geology .....	22
	4.2.3 Fill Materials.....	23
	4.2.4 Water Bodies and Areas of Natural Significance .....	23
	4.2.5 Well Records .....	23
	<b>4.3 Site Operating Records.....</b>	<b>23</b>

<b>5</b>	<b>INTERVIEWS</b>	<b>24</b>
<b>6</b>	<b>SITE RECONNAISSANCE</b>	<b>25</b>
6.1	General Requirements	25
6.2	Specific Observations at Phase One ESA Property	25
6.2.1	Utilities	25
6.2.2	Heating and Cooling Systems	25
6.2.3	Drains and Sumps	26
6.2.4	Unidentified Substances	26
6.2.5	Odours	26
6.2.6	Staining	26
6.2.7	Stressed Vegetation	26
6.2.8	Fill Materials	26
6.2.9	Waste Materials	26
6.2.10	Pits and Lagoons	26
6.2.11	Watercourses, Ditches, Standing Water	26
6.2.12	Well Locations and Details	26
6.2.13	Storage Tanks	27
6.3	Summary Description of Investigations	27
<b>7</b>	<b>REVIEW AND EVALUATION OF INFORMATION</b>	<b>28</b>
7.1	Current and Past Uses	28
7.2	Potentially Contaminating Activities	29
7.3	Areas of Potential Environmental Concern	31
7.4	Phase One Conceptual Site Model	31
<b>8</b>	<b>CONCLUSIONS</b>	<b>33</b>
<b>9</b>	<b>REFERENCES</b>	<b>34</b>

## LIST OF FIGURES

Figure A.1	Site Location
Figure A.2	Site Layout
Figure A.3	Historical Investigations
Figure A.4	Proposed Development
Figure A.5	Zoning Information
Figure A.6	Topographic Map
Figure A.7	Location of Potentially Contaminating Activities
Figure A.8	Areas of Potential Environmental Concern
Figure A.9	Conceptual Site Model, Cross Section A-A´
Figure A.10	Conceptual Site Model, Cross Section B-B´



## LIST OF APPENDICES

APPENDIX A	Site Figures
APPENDIX B	Title Search
APPENDIX C	EcoLog ERIS Documentation
APPENDIX D	Aerial Photographs
APPENDIX E	Interview Documentation
APPENDIX F	Photographs of Site Features

## LIST OF ACRONYMS

APEC - Area of Potential Environmental Concern  
AST – Aboveground Storage Tank  
BTEX – Benzene, Toluene, Ethylbenzene, Xylenes  
CCME – Canadian Council Ministers of the Environment  
COPC – Contaminant of Potential Concern  
CSM – Conceptual Site Model  
ESA – Environmental Site Assessment  
FIGQG – Federal Interim Groundwater Quality Guidelines  
FIP – Fire Insurance Plan  
GIS – Geographical Information System  
mBGS – metres below ground surface  
MOE – Ontario Ministry of the Environment (information prior to June 24, 2014)  
MNR – Ontario Ministry of Natural Resources  
MOECC - Ontario Ministry of the Environment and Climate Change (information after June 24, 2014)  
MECP – Ontario Ministry of the Environment, Conservation and Parks (information after June 28, 2019)  
NCC – National Capital Commission  
ODWS – Ontario Drinking Water Standards  
OGS – Ontario Geological Survey  
PCA – Potentially Contaminating Activity  
PCB – Polychlorinated Biphenyls  
PAH – Polycyclic Aromatic Hydrocarbon  
PHC – Petroleum Hydrocarbons  
QP – Qualified Person  
RSC – Record of Site Condition  
SJMP – Sir John A. Macdonald Parkway  
SSRA – Site Specific Risk Assessment  
TPH – Total Petroleum Hydrocarbons  
TSSA – Technical Standards and Safety Authority  
UST – Underground Storage Tank  
WWIS – Water Well Information System

## 1 EXECUTIVE SUMMARY

Geofirma Engineering Ltd. was retained by the National Capital Commission (NCC), to conduct a Phase One Environmental Site Assessment (ESA) for the Burnside property, in Ottawa, Ontario (the site). The site includes several smaller properties and municipal PIN numbers. The site is currently owned by the National Capital Commission.

The NCC intends on applying for a municipal zoning change for the Phase One ESA property from parkland to diplomatic missions use to facilitate development the site. The Phase One ESA was completed in accordance with the general requirements of O. Reg. 153/04 as requested by the NCC for the planned City of Ottawa zoning application. The Phase One ESA is not intended to support filing for a Record of Site Condition.

The Phase One ESA property is bordered by parkland and the Sir John A. Macdonald Parkway to the north; Slidell Street and the City of Ottawa Bayview Works Yard to the east; Burnside Avenue and residential uses to the south; and Hinchey Avenue and residential uses and Forward Avenue and the Embassy of Indonesia to the west. The irregular-shaped site has an area of approximately 3 hectares and is vacant grassed parkland with minor wooded areas.

In accordance with O.Reg. 153/04, the Phase One ESA includes a records review, interviews, site reconnaissance, review and evaluation of information and conclusions. A significant and important part of the records review involved the review of the results of previous environmental investigations of the site and immediate surrounding area.

Numerous potentially contaminating activities (PCAs) are located within the Phase One study area according to the historical review. The City of Ottawa Bayview Works Yard, Bayview and Slidell Landfill, Stonehurst and Bayview Landfill; Modern Containers Ltd., and gasoline service stations/garages are located within the study area. Although the Phase One ESA identifies several PCAs within the Phase One study area, historical soil and groundwater quality investigations on the site, show that none of the identified PCA's surrounding the site have negatively impacted environmental conditions on the site.

Historical use of the property included lumber yards, parkland, residential housing and the importation of large amounts of fill materials in the area of Lazy Bay and over the remainder of the site. Fill materials in these areas consist of a mixture of silt, sand, clay, cobbles and boulders with debris including asphalt, brick, concrete, plastics, glass, metal, cinders, ashes and wood pieces. The Phase One ESA identifies one APEC for the entire Phase One ESA site related to importation of fill of poor quality (PCA #30). Extensive historical testing of the overburden fill at the site shows that fill is contaminated by metals including in order of decreasing frequency of exceedence of MECP Table 7 standards: lead, barium, zinc, selenium, copper, vanadium, mercury, antimony, molybdenum and cadmium. PAHs including light to heavy molecular weight compounds are also present throughout the fill layer. PHCs and BTEX are occasional COPCs. Surficial fill is generally of better quality than deeper fill. Based on measured soil pH, the site is not environmentally sensitive as per Section 41 of O.Reg. 153/04. Several years of groundwater sampling completed at the site over a 13 year period (i.e., 2001 to 2014) show that these soil COPCs do not create groundwater contamination at the site.

Review of historical soil quality testing shows that such testing does not encompass the full suite of metals, PHCs and other inorganic contaminants currently regulated under O.Reg. 153/04. Historical soil quality testing typically did not analyze soil for boron, hot-water-soluble boron, hexavalent chromium, mercury, uranium, cyanide, electrical conductivity and SAR (sodium adsorption ratio) and PHC-F1 to -F4. Historical test pit and borehole drilling investigations also typically did not investigate fill quality below a depth of 3.0 mBGS.

Phase Two ESA investigations should include drilling boreholes and laboratory testing in areas of fill thickness greater than 3 m in and near the Lazy Bay fill area. Additional testing of fill for metals and PAHs is recommended to improve spatial coverage and address O.Reg. 153/04 delineation requirements in selected areas. Testing of fill quality for PHC-F1 to -F4 and BTEX near the historical TPH<sub>gas/diesel</sub> and TPH<sub>heavy oil</sub> and BTEX hotspots is also recommended to address O.Reg. 153/04 delineation requirements.

## 2 INTRODUCTION

Geofirma Engineering Ltd. was retained by the National Capital Commission (NCC), to conduct a Phase One Environmental Site Assessment (ESA) for the Burnside property, in Ottawa, Ontario (the site). The site includes several smaller properties and municipal PIN numbers and is currently parkland. The site is currently owned by the National Capital Commission. The main contact for the assessment of the site is Andrea McKenzie, Senior Environmental Advisor, National Capital Commission, 202-40 Elgin Street, Ottawa, ON, K1P 1C7.

The Phase One ESA property is bordered by parkland and the Sir John A. Macdonald Parkway (the parkway or SJMP) to the north; Slidell Street and the City of Ottawa Bayview Works Yard to the east; Burnside Avenue and residential uses to the south; and Hinchey Avenue and residential uses and Forward Avenue and the Embassy of Indonesia to the west.

The site location plan showing the location of the site relative to local streets and the Ottawa River is provided as Figure A.1, Appendix A. The irregular-shaped site has an area of approximately 3 hectares and is vacant parklands with minor wooded areas.

Previous environmental investigations have been completed at the site and immediate surrounding area.

The NCC intends on applying for a municipal zoning change for the Phase One ESA property from parkland to diplomatic missions use, in hopes of developing the site. The Phase One ESA was completed in accordance with the requirements of O. Reg. 153/04 as requested by the NCC for the planned City of Ottawa zoning application.

The Phase One Environmental Site Assessment was conducted by Geofirma personnel Angela Garrison and supervised by Kenneth Raven.

- Angela Garrison is an Environmental Technologist with Geofirma Engineering Ltd. She has 20 years of experience in the completion of over 200 Phase I ESAs and numerous Designated Substances Audits for residential, commercial and industrial properties for private and government clients in her time with Geofirma. She graduated from Algonquin College in 1997 and has been employed with Geofirma Engineering Ltd. since graduation.
- Kenneth Raven, M.Sc., P.Eng., P.Geo. and Senior Engineer/Hydrogeologist with Geofirma Engineering Ltd., is a QP<sub>ESA</sub> and QP<sub>RA</sub> in accordance with O.Reg. 153/04. Mr. Raven has over 30 years of experience and expertise in environmental site assessments. He has completed and supervised several hundred Phase I, II and III environmental site assessments of landfills and former industrial and commercial properties potentially contaminated with metals, PAHs, BTEX/PHCs and VOCs for federal, provincial and municipal organizations as well as private sector clients. He has recently also completed Phase One and Phase Two environmental site assessments in accordance with O.Reg. 153/04 requirements. He has also completed human health and ecological risk assessments in accordance with federal and provincial guidance including those under O.Reg. 153/04. He is currently a registered Professional Engineer (license #38239018) and Professional Geoscientist (license #1275) in the Province of Ontario.

### 3 SCOPE OF INVESTIGATION

#### 3.1 Purpose and Objectives

A Phase One ESA (MOE, 2011b) involves an assessment of the environmental liability of a property based on a review of reasonably ascertainable information from public records, a site reconnaissance visit and interviews, as appropriate. The purpose of a Phase One ESA is to determine whether conditions exist, based on present or prior land use, tenants or owners, to warrant further exploratory work.

The purpose of this Phase One ESA is to support the future potential zoning change application for the site from parkland to residential or commercial. The Phase One ESA is intended to address conditions existing today and will support a subsequent Phase Two ESA.

In accordance with Section 24 of O.Reg.153/04, the Phase One ESA was undertaken to meet the following general objectives:

- To develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the phase one property;
- To determine the need for a Phase Two Environmental Site Assessment;
- To provide a basis for carrying out any Phase Two Environmental Site Assessment required; and
- To provide adequate preliminary information about environmental conditions in the land or water on, in or under the Phase One property for the conduct of a Risk Assessment following completion of a Phase Two Environmental Site Assessment.

#### 3.2 Scope of Work, Methodology and Limitations

In accordance with Section 25 of O.Reg.153/04, the Phase One ESA of the site consisted of the following components:

- Records review completed prior to interviews and site reconnaissance;
- Interviews completed on June 7, 2019;
- Site reconnaissance completed on April 16, 2019. The site inspection was conducted by Angela Garrison.
- Evaluation of information from records review, interviews and site reconnaissance and completion of a conceptual site model (CSM);
- Preparation of Phase One ESA report; and
- Delivery of Phase One ESA report to the client.

Historical aerial photographs were reviewed at the National Air Photo Library, in Ottawa and on-line from the City of Ottawa, geoOttawa website. Fire Insurance Plans were reviewed at the National Archives of Canada.

A land title search was completed by Wentzell Titles on April 17, 2019 for the site.

A database search was performed by EcoLog ERIS, of Toronto, Ontario on April 17, 2019. The type of report completed is referred to as a RSC (Record of Site Condition) Report (Urban). The report is designed to meet the requirements of the amended Regulation 153/04. All Ontario databases (federal, public and private) were searched for a radius of 300 m from the boundaries of the site.

The Phase One Conceptual Site Model is discussed in Section 6.4 of this report and is depicted on Figure A.9, Appendix A.

### **3.3 Occupant Description**

The site is currently owned by the National Capital Commission. The site consists of vacant parkland with minimal treed areas. For the purposes of this report, the Sir John A. Macdonald Parkway (SJMP) is considered to be located north of the site. The site layout plan is provided as Figure A.2, Appendix A.

### **3.4 Adjacent Properties**

Land uses in the area immediately surrounding the site include:

North – Sir John A. Macdonald Parkway, parkland and the Ottawa River;

South – Burnside Avenue, residential and commercial lands;

East – Slidell Street and the City of Ottawa Bayview Works Yard; and

West – Hinchey Avenue, Forward Avenue, residential lands and the Embassy of Indonesia.

## 4 RECORDS REVIEW

### 4.1 General

Historical land use was determined through a review of Fire Insurance Plans, database searches, aerial photographs, physical setting sources and review of historical reports for the site.

#### 4.1.1 Phase One Study Area Determination

The Phase One ESA property is bordered by parkland and the parkway to the north; Slidell Street and the City of Ottawa Bayview Works Yard to the east; Burnside Avenue to the south; and Hinchey Avenue, Forward Avenue, residential lands and the Embassy of Indonesia to the west.

The Phase One study area includes an area within a circular radius of 250 m of the boundaries of the site. The 250 m radius study area includes roadways, the Ottawa River, City of Ottawa Bayview Works Yard, parkland, recreational lands (Laroche Park), government buildings, NCC lands, and commercial lands. The study area is shown on Figure A.2, in Appendix A.

O.Reg 153/04 defines an enhanced investigation property as a property “*that is used or has ever been used, in whole or in part, for an industrial use or for any of the following commercial uses: as a garage, a bulk liquid dispensing facility (including a gasoline outlet), or for the operation of dry cleaning equipment.*” Based on historical land use, mainly as vacant parkland, residential land and lumber storage, the site would not be considered an enhanced investigation property in accordance with Section 32 of O.Reg 153/04.

#### 4.1.2 First Development Use Determination

Lands were transferred to private owners from the Crown between 1801 and 1824. It is unknown when the first residential structures were erected on the site, however no structures were shown on the 1901 fire insurance plans for the area. The title search for the site identified the Bronson and Weston Lumber Company as the first commercial owner of part of the site in 1874 and a lumber yard was identified on the 1901 fire insurance plan.

Based on this information, the date of first developed use is approximately 1874.

#### 4.1.3 Fire Insurance Plans and City Directories

Fire Insurance Plans (FIPs) from 1901, 1912, 1948, and 1956 were reviewed for the site and surrounding area. FIPs after 1956 were not available for the site. Selected City of Ottawa city directories were reviewed to supplement FIP data.

##### 4.1.3.1 The Site

Lazy Bay extended onto the central portion of the site in all FIPs reviewed.

The majority of the site was vacant land in the 1901 FIP and a portion of the eastern side of the site was part of the William Mason & Sons Lumber Yard with wood pilings located on the site, which was confirmed in the 1901 city directory.



In 1912, the FIP showed Stonehurst Avenue, Carruthers Avenue and Hinchey Avenue extending onto the site. The east portion was part of the Hull Lumber Company and the Shepard Morse Lumber Co. and there were several buildings, presumably residential on the western half of the site.

Lumber yard areas were observed to have become vacant land by the 1948 FIP, however “cordwood piled” remained noted at the eastern portion of the site but nothing surrounding the site remained. Additional residential structures were located in the western portion of the site. Demolition of the residential structures began prior to the 1956 with much fewer structures shown on the site. FIPs after 1956 were not available for the site.

#### 4.1.3.2 Study Area

Lands to the northeast of the site consisted of the Ottawa River and the Mason & Sons Lumber Yard and Saw Mill in 1901. The name of the lumber yard had changed to the Hull Lumber Co. & Shepard Morse Lumber Co. in the 1912 FIP. Lumber yards had been removed by the time of the 1948 FIP.

The City of Ottawa Works Yard was identified immediately east of the site at 7 Bayview Road in 1948 which included four underground storage tanks (USTs) along Bayview Road. The buildings located on the Works Yard included offices, water trucks building, warehouses, machine shop, tractor repair building, tractor garage and civic garage.

A garage was shown at 55 Carruthers Avenue in the 1948 and 1956 FIP. City Directories listed Ouimet’s Garage, Hanks Auto Service and Gordie’s Hydraulic Service at this address. This property is located approximately 65 m south of the site.

City directories listed Crawford’s Motors Garage, Rideau Pump Service and Mario’s Garage at 140 Hinchey Avenue. This property is located approximately 70 m south of the site.

City directories listed Bastien Fuels Ltd. at 154 Hinchey Avenue. This property is located approximately 120 m south of the site.

Modern Containers Ltd. was located southeast of the site at 80 Bayview Road in the 1948 FIP which included toilet tube manufacturing. Keyes Supply Limited was located here in the 1956 FIP which was a machine shop, automotive supply and garage. The property also included a 2000 gal fuel oil container. This property is located approximately 160 m southeast of the site.

The Canadian Pacific Railway was shown south of the study area.

#### 4.1.4 Chain of Title

A Land Title Search was completed for the site by Wentzell Titles on April 17, 2019. A copy of the Land Title Search is provided in Appendix B. In accordance with O. Reg 153/04, the search was done back to crown ownership for the site. The site is comprised of several smaller parcels of land and includes many PIN numbers for the site. The legal description for the site is provided in Appendix B.

Parts of the site included mixed residential land use with several lots and parts of lots historically with numerous private residential owners, trust companies and land associations. Owners of parts of the site that are not considered private residential include the following:

- **Crown** owned the majority of the land prior to 1801 and 1824. It appeared that parts of the site were transferred back to the Crown between 1948 and 1950 before being sold once again to private ownership or the NCC.
- **Bronson & Weston Lumber Company** (1874 to 1896)
- **William Mason (William Mason & Sons Lumber Co.)** (1896 to 1903)
- **Shepard & Morse Lumber Company** (1903 to 1931)
- **City of Ottawa** owned parts of the site between 1909 and 1969 for the construction of streets and easements.
- **Federal District Commission/National Capital Commission** (current owner) acquired parts of the site between 1947 (expropriation) and August 1969 when it became the sole owner of the site.

Various easements were granted across the site to the City of Ottawa and Hydro Ottawa.

Only the lumber companies pose a potential environmental concern to the site. These owners were part of a much larger parcel of land that extends to the north, off the site and the amount of lumber storage and type of operations on the actual site may be limited based on historical air photos and fire insurance plans reviewed.

#### 4.1.5 Environmental Reports

Several environmental reports were completed for the site and immediate surrounding area. Historical soil and groundwater investigation locations, as discussed below, are shown on Figure A.3, in Appendix A.

##### 4.1.5.1 Mapping and Assessment of Former Industrial Sites – Intera Technologies Ltd. (1988)

This report entitled: *Mapping and Assessment of Former Industrial Sites, City of Ottawa – July 1988* was completed for the City of Ottawa to identify and inventory former industrial sites within the City from 1850 to 1984 that potentially handled or produced hazardous chemicals and therefore might create site contamination.

No former industrial sites were identified on the site.

The Bayview and Slidell Landfill was identified approximately 50 m east of the site and the Stonehurst and Bayview Landfill was identified approximately 200 m south of the site, however no additional information for these landfills was provided in the report.

The closest former industrial property was located approximately 100 m south of the site. Modern Containers Ltd. was reported at 20 Bayview Road and was in operation in the 1940's. This company was the manufacturer of metal toilet tube containers. No additional information was provided for the property.

No other industrial sites were identified within the study area.

##### 4.1.5.2 Phase I and II Environmental Site Assessment - DE&S (2000)

This report entitled: *Phase I and II Environmental Site Assessment, Burnside Vacant Land, Ottawa,*

*Ontario – July 2000* was completed for the National Capital Commission on a small part of the current NCC Burnside site along Forward Avenue to identify any potential historical land uses of environmental concern and investigate potential soil contamination concerns based on landfilling and historical industrial activities in the surrounding area.

The Phase I ESA portion of the report did not identify any historical owners on the subject property of environmental concern, however it was noted that Lazy Bay was infilled in the 1960's.

As part of the Phase II ESA investigation, a total of ten test pits (TP1 to TP10) were excavated in the northern portion of the property as the southern portion was being used as a temporary gravel parking lot at the time of the work. Minimal overburden was encountered on the property and waste fill materials were found in 8 of the 10 test pits. Waste materials including wood, metals and concrete were identified at surface in the treed areas and concrete building foundations were also observed. Waste materials identified in the test pits, mainly along the western boundary and near the parking area included concrete, brick, plastic, polystyrene insulation, asphalt, asphalt singles, metal and glass. Three soil samples were submitted for metals and one for polycyclic aromatic hydrocarbons (PAH). There were no total petroleum hydrocarbon (TPH) soil samples submitted as there was no visual or olfactory evidence of potential contamination. Groundwater was not encountered and therefore not sampled as part of this work.

Soil samples were compared to the 1997 *Ontario Ministry of the Environment, Guideline for Use at Contaminated Sites in Ontario* (MOE Guideline), Table F (background values). Table F values were used as the overburden encountered was less than 2 meters thick across the site, making it considered a sensitive site according to the regulation. Soil was also compared to the 1999 *Canadian Council of Ministers of the Environment, Interim Canadian Environmental Quality Criteria for Contaminated Sites* (CCME Guideline) or 1997 *Recommended Canadian Soil Quality Guidelines* for residential/parkland land use.

The soil sample from TP-3 exceeded both MOE Table F and CCME guidelines for lead, molybdenum and zinc. The soil sample from TP-1 and TP-6 exceeded MOE Table F guideline for molybdenum. The soil sample collected TP-7 exceeded all 16 PAH parameters when compared to MOE Table F guidelines and 8 PAH parameters when compared to CCME guidelines.

Additional investigations were recommended to further characterize the site.

It should be noted to avoid confusion with later sampling at the site these test pits are labelled as TP#A on figures in this report showing historical sampling locations.

#### 4.1.5.3 Phase II Environmental Site Assessment – DE&S (2001)

This report entitled: *Phase II ESA, Burnside Site – April 2001* was completed for the National Capital Commission to investigate soil and groundwater conditions at the site to address the filling of Lazy Bay, the presence of surface and subsurface construction debris and elevated polycyclic aromatic hydrocarbons (PAH) historically identified in soils. The site was separated into three distinct areas, Area A, B and C. Area A is the part of the site previously investigated by DE&S in 2000.

A total of 49 test pits (TP1 to TP49) were excavated across the site to bedrock refusal or a maximum of 3 meters below ground surface (mBGS). It was reported that the majority of the site was covered in

approximately 0.2 m of topsoil underlain by sand and gravel fill with metals, bricks, ash, glass and wood overlying the bedrock. Some of the test pits also included plastic, concrete and fabrics. Overburden ranged from 0.2 m to greater than 3 m with no native soils encountered on the site. Soil sample analyses included a total of samples for 55 metals, 21 samples for PAHs and 5 samples for benzene, ethylbenzene, toluene, xylenes (BTEX) and TPH. Groundwater was only encountered in one test pit TP6 and was sampled for metals and general chemistry parameters.

For the purposes of this report MOE Table F guidelines were not used, and instead the MOE Table B guidelines for surface soil and groundwater criteria in a residential/parkland land use for a non-potable groundwater condition was used in addition to the CCME guidelines used previously.

A total of 17 of the 37 metals soil samples showed exceedences of CCME and/or MOE Table B guidelines with these mainly distributed across areas A and B. Metals parameters exceeding guidelines included lead, copper, zinc, barium and total chromium. A total of 7 of the 15 PAH soil samples showed exceedences of CCME and/or MOE Table B guidelines with these distributed across areas A and B. Of the 4 BTEX/TPH soil samples, only one exceeded CCME guidelines. The groundwater sample showed no exceedences of applicable guidelines.

Although this ESA report provides the most extensive set of soil sampling and laboratory analyses, the analyte lists are incomplete with respect to current MOE (2011a) standard lists. Soil sampling did not include testing for boron, hot-water soluble boron, hexavalent chromium, mercury and uranium, as well as general inorganic parameters of cyanide, electrical conductivity and SAR. As this work predates development CCME PHC-F1 to -F4, such analyses are lacking, and instead TPH<sub>gas</sub>, TPH<sub>diesel</sub> and TPH<sub>heavy oil</sub> results are reported.

It was recommended that a Site Specific Risk Assessment be completed for the site.

#### 4.1.5.4 Risk Assessment and Risk Strategy Report - Intera Engineering Ltd. (2002a)

This report entitled: *Risk Assessment & Risk Strategy Report, Burnside Site, Ottawa, ON – March 2002* was completed for the National Capital Commission as recommended in the former Phase II ESA report.

Five groundwater monitoring wells (MW-1 to MW-5) were drilled as part of the site-specific risk assessment (SSRA) and sampled for general chemistry, metals and PAHs. Groundwater results were compared to 1997 MOE Table B guidelines for metals and PAHs, however because there were no guideline values for general chemistry parameters, these parameters were compared to 2001 *Ontario Drinking Water Quality Standards/Objectives* (ODWS). There were no exceedences of metals or PAH parameters when compared to applicable guidelines. Elevated levels of chloride in groundwater were reported which was attributed to road salting activities.

Submission of surficial soil samples from 2001 was also completed as part of this risk assessment for PAHs and metals. Once again all soil results (historical test pitting results and current surficial soil samples) were compared to MOE Table B guidelines. It was noted that none of the soil contaminants exceeding MOE Table B criteria had cleanup guidelines based on soil to groundwater leaching and metals and PAHs were not shown in groundwater concentrations above MOE non-potable groundwater guidelines, which was the reasoning for using the MOE Table B guidelines.

Deeper soil samples showed exceedences of MOE and CCME guidelines for copper, lead, zinc and total chromium, and PAH parameters. One sample marginally exceeded the benzene guideline in the former parking area on Area A. No exceedences of TPH were noted in deeper soils.

Marginal exceedences of beryllium, total chromium and selenium were noted in surficial soils when compared to applicable guidelines. Four marginal exceedences of PAH parameters were noted when compared to CCME guidelines, but these met MOE guidelines.

The results of the SSRA showed that the human exposure to metals and PAHs was limited by the 0.2 m of clean surficial soil covering the site. The SSRA also showed that risks to soil microorganisms, microbial processes and some terrestrial invertebrates were not considered significant.

Based on the above, it was recommended that residential or institutional uses that would involve human occupancy should be prohibited until an SSRA demonstrates that it does not pose undue risks. It was also recommended that food for human consumption should be prohibited.

Ongoing groundwater monitoring was recommended as well as continued annual inspections to ensure contaminated soils were not exposed at surface.

#### 4.1.5.5 Inspection and Groundwater Monitoring - Intera Engineering Ltd. (2002b)

This report entitled: *Inspection and Groundwater Monitoring, Burnside Site, Ottawa – December 2002* was completed for the National Capital Commission to satisfy the recommendation in the above risk assessment report for the inspection of surficial soils and annual groundwater monitoring.

A site inspection showed that contaminated soils were not being exposed at surface and no stressed vegetation was observed.

The five monitoring wells located on the site were sampled and analysed for metals and PAHs. There were no exceedences of 1998 MOE Table B guidelines in any of the samples.

#### 4.1.5.6 2003 Inspection and Groundwater Monitoring - Intera Engineering Ltd. (2003)

This report entitled: *2003 Inspection and Groundwater Monitoring, Burnside Site – November 2003* was completed for the National Capital Commission to as part of the annual surficial soils inspection and groundwater monitoring.

A site inspection showed that contaminated soils were not being exposed at surface and no stressed vegetation was observed.

The five monitoring wells located on the site were sampled and analysed for metals and PAHs. There were no exceedences of 1998 MOE Table B guidelines in any of the samples.

#### 4.1.5.7 Lemieux Forcemain Easement Properties, Phase 2 ESA - CH2MHILL (2005)

This report entitled: *Lemieux Forcemain Easement Properties, Ottawa, Ontario, Phase 2 Environmental Site Assessment – November 2005 (DRAFT)* was completed for the City of Ottawa to assess soil and groundwater conditions within the easement lands for the proposed forcemain and to identify any health and safety issues that would need to be addressed during construction.



Soil and groundwater conditions were investigated by drilling two boreholes which were completed as monitoring wells (CH2M MW-1 and CH2M MW-2), as well as excavating three test pits (CH2M-TP3 to CH2M-TP5). Soils encountered at the site included fill materials consisting of sand and gravel with some brick, wood, and glass.

Soil and groundwater samples were submitted for selected parameters including metals, VOCs, PAH, petroleum hydrocarbons (PHC), polychlorinated biphenyls (PCBs) and pH.

MOE *Ontario Regulation 153/04 (O. Reg 153/04)* came into effect in 2004 and replaced the former 1998 MOE Guidelines. The *Soil, Ground Water and Sediment Standards for Use under Part XV.1 of the Environmental Protection Act (2004)* was used to assess groundwater and soil conditions at the site. MOE Table 1 values (background) were used as it was determined that soils along the easement were less than 2 m thick, therefore making the work area a sensitive site under the regulation.

Metals parameters in soil exceeded MOE Table 1 standards in all boreholes and test pits except CM2M MW-2. Soil BTEX parameters exceeded MOE Table 1 standards in all five samples submitted for analysis. PAH soil exceedences of MOE Table 1 standards were identified in CH2M-TP5. There were no exceedences of PHC or PCB standards.

Groundwater exceedences of metals MOE Table 1 standards for cobalt and/or copper in all samples (except the duplicate). PAH exceedences were noted in all samples, except CH2M MW-2, however this sample had laboratory analytical detection limits above that of the applicable standards. There were no exceedences of BTEX, VOC, PHC or PCB standards.

#### 4.1.5.8 Enhanced Phase I ESA - Trow Associates Inc. (2008)

This report entitled: *Enhanced Phase I Environmental Site Assessment, Ottawa River Parkway, Ottawa, Ontario, Property Asset #95979 – December 2008* was completed for the National Capital Commission to determine if land uses on and surrounding the site impacted environmental conditions at the site.

This Phase I ESA covered a much larger stretch of the Parkway and was divided into five separate sections (Section A to E). Only Section E covered the subject site, however Section E also covered a larger amount of land to the west and north.

The Burnside site was identified as an area of potential environmental concern (APEC) in the report with potential contaminants of potential concern (COPCs) included PAHs, PHCs, VOCs and metals. It was reported that soils on the site were shown to be contaminated with PAHs and metals. Even though the wells had previously shown no exceedences, it was recommended they be sampled once to confirm there were still no exceedences and then decommissioned.

It was also reported that the filling of Lazy Bay was an APEC for the site with COPCs including PAHs, PHCs, BTEX and metals. A Phase II ESA was recommended in this area with additional boreholes/monitoring wells being drilled north of the parkway to assess fill quality.

In addition, two landfills were reported in the area of the site. Bayview and Slidell Landfill and Stonehurst and Bayview Landfill were identified east and south of the site respectively.

Modern Containers – Metal Tube Manufacturers was also identified south of the site at 80 Bayview Road. The report included a plan showing the location of TCE contaminated groundwater on the property and adjacent Laroche Park.

#### 4.1.5.9 Surface Soil and Groundwater Monitoring Program - Trow Associates Inc. (2010)

This report entitled: *Surface Soil and Groundwater Monitoring Program, Burnside Site, Ottawa, ON (Property Asset #95979) – January 2010* was completed for the National Capital Commission to inspect ground surface at the site to ensure contaminated soils were not exposed and to confirm surface soil and groundwater quality posed no risk to human health and the environment.

A total of ten surficial soil samples were collected across the site (SS1 to SS10) from a depth of 0-0.1 m. Groundwater sampling was also conducted from the six monitoring wells remaining on the site (MW-1 to MW-5 and a CH2MHILL well) for PHCs, VOCs, PAHs and metals. It was reported that CH2M MW-1 was sampled and CH2M MW-2 had been destroyed during the installation of a sewer line. It should be noted that when comparing this Trow report with the former CH2MHILL report, the CM2M well locations were switched on the plan and in the report, meaning the well destroyed was actually CH2M MW-1, located at the northeast corner of the site and the well sampled was actually CH2M MW-2.

The primary guidelines for soil quality comparison were the 2008 CCME *Canadian Soil Quality Guidelines for the Protection of Environment and Human Health* for parkland/residential use. The 2008 CCME *Canada-Wide Standards for Petroleum Hydrocarbons in Soil* was used for PHC soil samples. The 2004 MOE Table 1 (background) and Table 3 (residential/parkland in a non-potable groundwater condition) standards was also used for comparison.

CCME did not have groundwater guidelines for a non-potable groundwater condition. For comparative purposes, the MOE Table 1 (background) and MOE Table 3 (non-potable groundwater) values were used. As these MOE guidelines did not include values for PHCs, Trow used the *Atlantic Partners in Risk Based Corrective Action (RBCA) Implementation (2003)* Tier 1 values (residential/parkland in a non-potable groundwater condition) for these values. It was also noted that based on the close proximity of the site to the Ottawa River, the CCME *Canadian Water Quality Guidelines for the Protection of Aquatic Life (2007)* was used for comparison purposes only and did not actually apply to groundwater, only to surface water.

No exceedences of PAHs were noted in any of the soil samples. Three of the soil samples (SS3, SS4, SS5) marginally exceeded CCME and MOE Table 1 guidelines and standards for chromium, and MOE Table 1 standards for barium.

All groundwater analyses were less than MOE Table 3 standards and PHC values were less than the Atlantic RBCA criteria.

It was noted that TCE was not detected in any of the groundwater samples suggesting the two TCE plumes identified in the area of the site (Bayview Works Yard) and south of the site (80 Bayview Road and Laroche Park) did not extend to the groundwater at the site.

Bi-yearly groundwater monitoring was recommended to ensure current conditions remain unchanged.

It should be noted to avoid confusion with later other surficial soil sampling at the site, these soil samples are labelled as SST# on figures in this report showing historical sampling locations.

#### 4.1.5.10 November 2012 Groundwater Monitoring and Sampling – SNC (2013)

This report entitled: *November 2012 Groundwater Monitoring and Sampling, Burnside Site, Ottawa, Ontario (NCC Property Asset Number 95979) – February 2013* was completed for the National Capital Commission to satisfy recommendations from the previous report and to ensure groundwater conditions remain unchanged.

The CH2M well confusion continues in this report. It was noted that MW-1 to MW-5 wells were found and used for groundwater sampling. SNC reported that CH2M MW-1 was found as a flush-mount well and was located in a wooded area. It was also reported that an unknown stick-up well was identified in the southeastern portion of the site near the roundabout. It is Geofirma's position that the unknown stick-up well found by SNC was actually CH2M MW-2. However, since CH2M MW-1 was destroyed historically during the construction of the forcemain, it is unknown what the flush-mount well found was. None of the documentation provided to Geofirma describes any flush-mount wells being drilled on the site. SNC sampled groundwater from the flush-mount, but not the stick-up (CH2M MW-2). Six groundwater samples were submitted for VOCs, PAHs, PHCs and metals.

Groundwater results were compared against the 2012 *Guidance Document on Federal Interim Groundwater Quality Guidelines for Federal Contaminated Sites* (FIGQG) Table 2, Tier 2 for residential/parkland land use, and the MOE (2011a) Table 7 standards for shallow soil sites in a non-potable groundwater condition. All samples satisfied MOE and FIGQG for VOC parameters. There were no exceedences of PAHs, PHCs or metals MOE Table 7 standards, however several PAH and metals parameters exceeded FIGQG values in a few of the wells. PAH exceedences were noted in MW-1, MW-2 and MW-5. Metals exceeded for selenium in MW-4, and chromium and copper in MW-5.

Recommendations for the site included continued biannual monitoring of groundwater at the site, as well as a few monitoring well repairs and resolving the monitoring well discrepancies identified.

#### 4.1.5.11 Fall 2014 Groundwater Monitoring – Stantec Consulting Ltd. (2014)

This report entitled: *Fall 2014 Groundwater Monitoring, Burnside Site, Ottawa, ON, NCC Property Asset 95979 – November 2014* was completed for the National Capital Commission as part of the biannual monitoring of the site.

Groundwater samples were collected at the site for PHCs, metals, PAHs and VOCs. Assessment criteria used included the 2014 FIGQG Table 2, Tier 2 guidelines and the MOE (2011a) Table 7 standards as in the above report.

All parameters measured in groundwater at the site were below applicable guidelines and standards with the exception of FIGQGs for iron in MW-1, iron and pyrene in MW-2, iron in MW-3 and cadmium in MW-5.



It was recommended that no further sampling be conducted at the site and the monitoring wells be decommissioned.

#### 4.1.5.12 Preliminary Geotechnical Investigation – EXP Services Inc. (2018)

This report entitled: *Preliminary Geotechnical Investigation, Burnside OPA & ZBLA Supporting Studies, Burnside Avenue, City of Ottawa, Ontario – May 2018 (DRAFT)* was completed for the National Capital Commission in support of the proposed development at the site. The development plan included dividing the site into four separate buildable parcels in addition to green space. The usage of the parcels was unknown at the time of the report. A total of four boreholes were drilled and 13 test pits excavated on the site. No groundwater or soil sampling occurred as part of this report.

It was reported that fill materials were encountered from depths of 0.2 to 1.7 m occasionally underlain by glacial till veneer to the surface of shallow limestone bedrock. One of the boreholes (BH-4) on the site was drilled in the area of the Lazy Bay infilling. Fill materials were encountered in this hole to a depth of 7.4 m with glacial till to the bottom of the hole at 24.1m. Bedrock was not encountered in this hole. In addition to the infilling area, this borehole was reportedly also drilled in the area of splays of the regionally extensive Gloucester Fault that runs through the site.

It was reported that building on Lots 1-3 was considered feasible however the fill from the infilling of Lazy Bay on Lot 4 made this area more problematic and challenging for development.

The proposed EXP development plan is provided in Figure A.4, in Appendix A.

#### 4.1.5.13 Phase Two ESA, West Portion of Bayview Yard – AMEC Earth and Environmental (2014)

This report entitled: *Phase Two Environmental Site Assessment, West Portion of Bayview Yard, 7 Bayview Road, Ottawa, ON - AMEC Earth and Environmental – June 2014*, describes a Phase Two ESA prepared in accordance with O.Reg. 153/04. This report was completed for just the western portion of the adjacent City of Ottawa Bayview Works Yard to address APECs identified in a Phase One ESA historically completed for the entire yard in 2013, as well as to provide a Phase Two ESA using the updated MOE O. Reg. 153/04 standards (MOE, 2011a) to support the potential future requirement for an RSC in the event of site redevelopment. This property is located immediately east off the site and is considered a potentially contaminating activity (PCA) with respect to the subject site.

A total of 37 APECs were identified for the entire yard in 2001. The City Works Yard included: storage, use and handling of chlorinated solvent by the former Regional Test Lab and the subsequent disposal of spent solvent into two dry wells located north of the building; a former Fleet Vehicle Refueling Facility; several former aboveground storage tanks (ASTs) and underground storage tanks (USTs) containing different petroleum hydrocarbon products; a former PCB storage site; a historical maintenance garage; and a former machine shop, just to name a few.

It was reported that MOE (2011a) Table 7 standards for both residential/parkland and commercial/industrial were used based on the results of the Phase II ESA drilling and overburden depths being generally less than 2 m across the property. However, it was also reported that bedrock was encountered during investigations at a depth of up to 6.7 mBGS at the northeast corner of the Phase II ESA site boundary.

Soil exceedences of MOE (2011a) Table 7 residential/parkland standards for PHCs, PAHs, and metals were found on the property.

Groundwater exceedences of MOE Table 7 residential/parkland standards for PHCs, VOCs, PAHs, sodium and chloride, were also found on the property. A known VOC (TCE and degradation products) plume extends to the north of the Works Yard property.

#### 4.1.6 City of Ottawa Zoning

According to the City of Ottawa Zoning information provided on the geoOttawa website, the central and eastern portions of the site are currently zoned as O1 – Parks and Open Space Zone. The purposes of this zoning designation as provided in the official City of Ottawa By-Laws is quoted below:

*The purpose of the **O1-Parks and Open Space Zone** is to:*

- (1) permit parks, open space and related and compatible uses to locate in areas designated as General Urban Area, General Rural Area, Major Open Space, Mixed Use Centre, Village, Greenbelt Rural and Central Area as well as in Major Recreational Pathway areas and along River Corridors as identified in the Official Plan, and*
- (2) ensure that the range of permitted uses and applicable regulations is in keeping with the low scale, low intensity open space nature of these lands.*

The western portion of the site is currently zones as R5 – Residential Fifth Density Zone. The purposes of this zoning designation as provided in the official City of Ottawa By-Laws is quoted below:

*The purpose of the **R5-Residential Fifth Density Zone** is to:*

- (1) allow a wide mix of residential building forms ranging from detached to mid-high rise apartment dwellings in areas designated as General Urban Area, Mixed Use Centre or Central Area in the Official Plan;*
- (2) allow a number of other residential uses to provide additional housing choices within the fifth density residential areas;*
- (3) permit ancillary uses to the principal residential use to allow residents to work at home and to accommodate convenience retail and service uses of limited size ;*
- (4) ensure that residential uses predominate in selected areas of the Central Area, while allowing limited commercial uses;*
- (5) regulate development in a manner that is compatible with existing land use patterns so that the mixed building form, residential character of a neighbourhood is maintained or enhanced; and (By-law 2009-392); and*
- (6) permit different development standards identified in the Z subzone, primarily for areas designated as Developing Communities, which promote efficient land use and compact form while showcasing newer design approaches.*

The City of Ottawa Zoning map is provided as Figure A.5, in Appendix A. The NCC intends on applying for a zone change to the site to allow for development of the site into residential or commercial uses.

#### 4.1.7 Environmental Source Information, Database Review

##### 4.1.7.1 Old Landfill Management Strategy

Golder Associates Ltd. (2004) completed a report entitled: *Old Landfill Management Strategy – Phase I – Identification of Sites, City of Ottawa, Ontario - 2004* for the City of Ottawa to identify current and historical landfill sites across the City.

The Bayview and Slidell Landfill is located approximately 50 m east of the site and in the surrounding area (see Figure A.7). This landfill was in operation from 1933 to 1946. The waste depth is reportedly 0.1 metres (m) along the northwest portion of the landfill to 7.6 m at the northeast corner. The waste type was identified as domestic based on City records. Domestic and industrial solid wastes were encountered below ground level in historical investigations. Heavy metal impacted soil was reportedly found from 0.45 m to 5.91 m below ground level and impacted the majority of the fill encountered at the landfill. PAH impacts were found sporadically throughout the property. The water table was reportedly located within the limestone bedrock in the western portion of the property and in the fill/waste in the eastern portion of the property.

A second landfill was identified approximately 200 m south of the site (see Figure A.7). The Stonehurst and Bayview Landfill was in operation from 1928 to 1932. The waste depth was unknown and the waste type was identified as cinder, ash, glass and cobbles in a silty sand textured soil. Soil quality results were completed but not available. It was reported that clean fill had been placed over landfill materials, however the thickness of this cover was also unknown.

##### 4.1.7.2 Areas of Natural and Scientific Interest

The Areas of Natural and Scientific Interest (ANSI) database with information collected by the Ontario Ministry of Natural Resources (2012) was reviewed by Geofirma. ANSI's are special polygon features that represent lands and waters containing important natural landscapes or features that are important for natural heritage, protection, appreciation, scientific study or education.

No ANSI's were identified on the site or within 250 metres of the boundaries of the site.

##### 4.1.7.3 EcoLog ERIS Report

Environmental source information was compiled by EcoLog ERIS (2019) for the site on April 17, 2019, and included a 300 metre search radius from the boundaries of the site. The complete report is included in Appendix C.

In all of the databases searched, there were 7 occurrences identified on the Phase One ESA site and an additional 405 within 300 m of the site. Occurrences are provided by site location/address. Some addresses may only contain one occurrence while others may have numerous different entries. The information provided below are for occurrences on the site only.

The following databases, were consulted:

- Abandoned Aggregate Inventory
- Aggregate Inventory
- Abandoned Mine Information System
- **Anderson's Waste Disposal Sites (1)** - The database, dated 1860s-Present identified The Bayview and Slidell Landfill on the site which was in operation from 1947-1960. However, the layout of the landfill is well documented in various reports prepared for the City of Ottawa and the landfill did not appear to extend onto the site.
- Automobile Wrecking & Supplies
- **Borehole (3)** - The Borehole database, dated 1875-July 2014 identified 3 boreholes located on the site. All of these holes were for geotechnical investigations in 1982. There are no environmental concerns associated with these boreholes.
- Certificates of Approval
- Commercial Fuel Oil Tanks
- Chemical Register
- Inventory of Coal Gasification Plants and Coal Tar Sites
- Compliance and Convictions
- Certificates of Property Use
- Drill Hole Database
- Environmental Activity and Sector Registry
- Environmental Registry
- Environmental Compliance Approval
- Environmental Effects Monitoring
- **ERIS Historical Searches (1)** - The ERIS Historical Search database, dated 1999-Jan 31, 2019 identified one entry, addressed as Slidell Street & Burnside Street and was completed in 2005.
- Environmental Issues Information System
- Environmental Management Historical Event
- List of TSSA Expired Facilities
- Federal Convictions
- Contaminated Sites on Federal Land
- Fisheries & Oceans Fuel Tanks
- Fuel Storage Tank
- Fuel Storage Tank - Historic
- Ontario Regulation 347 Waste Generators Summary
- Greenhouse Gas Emissions from Large Facilities
- TSSA Historic Incidents
- Indian & Northern Affairs Fuel Tanks
- TSSA Incidents

- Landfill Inventory Management Ontario
- Canadian Mine Locations
- Mineral Occurrences
- National Analysis of Trends in Emergencies System (NATES)
- Non-Compliance Reports
- National Defence & Canadian Forces Fuel Tanks
- National Defence & Canadian Forces Spills
- National Defence & Canadian Forces Waste Disposal Sites
- National Energy Board Wells
- National Environmental Emergencies System (NEES)
- National PCB Inventory
- National Pollutant Release Inventory
- Oil and Gas Wells
- Ontario Oil and Gas Wells
- Inventory of PCB Storage Sites
- Orders
- Canadian Pulp and Paper
- Parks Canada Fuel Storage Tanks
- Pesticide Register
- TSSA Pipeline Incidents
- Private and Retail Fuel Storage
- Permit to Take Water
- Ontario Regulation 347 Waste Receivers Summary
- Record of Site Condition
- Retail Fuel Storage Tanks
- Scott's Manufacturing Directory
- Ontario Spills
- Wastewater Discharger Registration Database
- Anderson's Storage Tanks
- Transport Canada Fuel Storage Tanks
- TSSA Variances for Abandonment of Underground Storage Tanks
- Waste Disposal Sites - MOE CA Inventory
- Waste Disposal Sites - MOE 1991 Historical Approval Inventory
- **Water Well Information System (2)** - The Water Wells Information System database, dated Dec 31, 2017 identified two entries on the site. One was a monitoring well that was abandoned

in 2014 which was listed at 7 Bayview Road, which is actually located east of the site at the City of Ottawa Bayview Works Yard. The second entry was for an observation well located at River Street at Slidell that was installed in 2005, however the margin of error for the location of this well is 30-100 m, so it is unknown if this well is actually located on the site. These wells do not pose an environmental concern to the site.

Occurrences within 300m of the site included: Anderson’s Waste Disposal Sites (3); Boreholes (30); Certificates of Approval (17); Environmental Registry (1); Environmental Compliance Approvals (20); ERIS Historical Searches (14); List of TSSA Expired Facilities (23); Contaminated Sites on Federal Land (9); Ontario Regulation 347 Waste Generators Summary (89); TSSA Historic Incidents (3); National PCB Inventory (3); National Pollutant Release Inventory (20); Inventory of PCB Storage Sites (5); Orders (1); Pesticide Register (4); Private and Retail Fuel Storage Tanks (3); Permit to Take Water (2); Record of Site Condition (1); Scot’s Manufacturing Directory (1); Ontario Spills (48); Waste Disposal Sites – MOE 1991 Historical Approval Inventory (3); and Water Well Information System (105).

Even though many of the above occurrences in the surrounding study area pose the potential of affecting soil and/or groundwater quality on the site, it is known based on historical soil and groundwater sampling at the site, that this is not the case. Therefore, the occurrences identified in the surrounding area do not pose a significant environmental concern to the site for the purposes of this report.

Individual searches for Technical Standards and Safety Authority (TSSA), Ministry of the Environment, Conservation and Parks (MECP) waste disposal inventory and polychlorinated biphenyl (PCB) inventory were not conducted as similar information was searched as part of the EcoLog ERIS database search.

## 4.2 Physical Setting Sources

### 4.2.1 Aerial Photographs

Aerial photographs from 1928 to 2018 were examined from the National Air Photo Library, the City of Ottawa geoOttawa website and Google Earth website. Air photos at approximately 10-20 year intervals were reviewed, to supplement historic information for the site. The air photo coverage reviewed was deemed adequate based on the pre development through current conditions observed in air photos reviewed. Air photographs for the site were not available prior to 1928. Selected photos reviewed are reproduced in Appendix D. The following provides a list of the aerial photographs reviewed by photo year, line number, and photo number.

<i>Date (yyyy/mm/dd)</i>	<i>Line Number</i>	<i>Photo Number</i>
1938	A6351	30
1945	A9547	10
1928, 1958, 1965, 1976, 1991, 1999, 2005, 2007, 2008, 2015	geoOttawa	Not applicable
2018	Google Earth	Not applicable



The following information summarizes the findings of the air photos reviewed for the site and adjacent properties within a 250 metre radius of the site.

**1928** – A large portion of the central part of the site was part of Lazy Bay. The land to the east of the bay was a lumber yard with minimal wood pilings. Areas west of the bay appeared to be residential lands with several dwellings. Roadways extended onto the site from the south including Stonehurst Avenue, Carruthers Avenue and Hinchey Avenue. Surrounding land used included: Lazy Bay, the Ottawa River, lumber yards with a saw mill, residential land and vacant lands to the north; lumber yards to the east; Burnside Avenue, residential and a potential lumber yard/commercial yard to the south; and residential and vacant lands to the west.

**1938** – Lazy Bay appeared to be dry and was vacant land. Additional lumber pilings were located at the eastern boundary of the site with highly developed residential in the western portion. Stonehurst Avenue did not appear to be in use in the air photo reviewed. Surrounding land used included: vacant land and the Ottawa River to the north; the City of Ottawa works yard to the east; Burnside Avenue, residential and a potential lumber yard/commercial yard to the south; and residential and vacant lands to the west.

**1945** – The site and surrounding area appeared relatively unchanged from 1938 with the exception that Lazy Bay was once again filled with water and the City Works Yard to the east was a larger scale operation with several buildings.

**1958** – Lazy Bay appeared to be water filled and extended onto the site, however the water level looked lower with less water area on the actual site. The former lumber yard had been cleared and resurfaced into vacant land. The western portion of the site remained residential with only Hinchey Avenue remaining. Surrounding land used included: Lazy Bay, vacant land and the Ottawa River to the north; the expanded City of Ottawa works yard to the east; Burnside Avenue, residential and a commercial lands to the south; and residential, vacant, government buildings (Tunney's Pasture) and the current embassy building to the west.

**1965** – Lazy Bay had been infilled to well north of the site boundary. Residential structures had been removed, with the exception of one house at the southwest corner, leaving the majority of the site vacant with minimal treed areas. Hinchey Avenue remained on the site but was not in use. One very small parking area was located at the eastern boundary of the site, however this area did not appear to be paved or gravel covered. Surrounding land used included: the infilled Lazy Bay, vacant land and the Ottawa River to the north; the once again expanded City of Ottawa Works Yard to the east; Burnside Avenue, residential and additional commercial lands to the south; and residential, vacant, government buildings (Tunney's Pasture) and the current embassy building to the west.

**1976** – The majority of the site was vacant and treed parkland with a few cleared areas in the western portion of the site in the area of a former roadway and residential properties. Surrounding land used included: vacant parkland, the Sir John A. Macdonald Parkway, the Ottawa River, and a former snow dumping area to the north; the City of Ottawa works yard to the east; Burnside Avenue, residential, commercial lands and a City of Ottawa public recreational park to the south; and residential, vacant, government buildings (Tunney's Pasture) and the current embassy building to the west.

**1991 and 1999** – The site consisted mainly of manicured parkland with treed areas. Surrounding land uses remained virtually unchanged from 1976, with the exception of the former snow dumping area located northeast of the site was being used as a staging area for the construction of a bridge, which was grown over by 1999. The snow dumping area had been moved to the City Works Yard.

**2005, 2007, 2008, 2015, 2018** – The site and surrounding land uses remained virtually unchanged throughout the years with a few small clearings identified on the site. A clearing was noted along the eastern boundary of the site in 2007 which may have been associated with the construction of the forcemain that crosses the site during that time frame. Another cleared area was noted at the end of Carruthers Avenue in 2018, presumably for temporary parking of some sort.

The air photo review identified a few potential environmental concerns for the site:

- Lazy Bay was subject to a large scale infilling of unknown fill quality.
- The eastern portion of the site was used by a lumber yard for the storage of wood piles.
- Several former residential buildings have been identified on the western portion of the site. The heating source for these buildings is unknown. Demolished buildings poses the potential for fill material on the site in these areas.
- Roadways were historically located on the site, indicating the potential for fill material on the site in these areas.
- Cleared areas have been noted on the site, indicating the potential for fill material on the site in these areas.
- Surrounding land used have included various commercial lands, the City of Ottawa Bayview Works Yard and snow dumps.

#### 4.2.1 Topography

Topographical relief at the site is governed by bedrock depths and fill areas on the site. The highest area of the site, with an elevation of approximately 63 metres above sea level (mASL) is at the corner of Burnside Avenue and Hinchey Street, along the southwestern boundary of the site. The site slopes to the northwest corner and to the eastern boundary, both with elevations of approximately 58 mASL according to Google Earth elevation information. The lowest point on the site appears to be approximately 55 mASL along the SJMP in the northcentral portion of the site. Figure A.6 shows the contoured ground surface topography based on publically available ESRI GIS sources which generally corresponds to the values identified in the Google Earth resource.

#### 4.2.2 Geology

Ontario Geological Survey (OGS, 2010) describe the surficial geology of the majority of the site as Paleozoic bedrock and a small sliver at the western boundary as stone-poor sandy silty to silty sand-textured till on Paleozoic terrain. Bedrock outcrops were observed on the site at the time of the Geofirma site inspection. Based on site investigations, fill materials were encountered from depths of 0.2 to 1.7 m and consisted of a mixture of silt, sand, clay, cobbles and boulders with debris including asphalt, brick, concrete, plastics, glass, metal, ash and wood pieces. One hole drilled on the site (EXP BH-4) in the area of the Lazy Bay infilling showed fill to a depth of 7.4 m with glacial till to the bottom of the hole at 24.1 m. Bedrock was not encountered in this hole. In addition to the infilling area, this borehole was reportedly also drilled in the area of the Gloucester Fault that runs through the



site (EXP, 2008).

Armstrong and Dodge (2007) map the bedrock of the site as Bobcaygeon Formation consisting of limestone with minor shales in the upper part. Williams et al., (1984) maps several northwest-striking splays of the regional Gloucester Fault as being present near the eastern site boundary. Based on site investigations, the underlying limestone bedrock was reportedly interbedded with varying amount of shale.

#### 4.2.3 Fill Materials

The eastern part of the site was subject to landfilling as part of the filling of Lazy Bay between 1958 and 1965. The western portion of the site was historically developed residential lands which were demolished between 1958 and 1965. Additional areas across the site have been used for parking areas and former roadways and filling in these areas is also likely. Historical investigations have shown that fill is located across the site with no native materials found above bedrock except in one location (near a splay of the bedrock Gloucester Fault). Fill materials at the site consisted of a mixture of silt, sand, clay, cobbles and boulders with debris including asphalt, brick, concrete, plastics, glass, metal, cinders, ash and wood pieces.

#### 4.2.4 Water Bodies and Areas of Natural Significance

The site is located approximately 70 m south of the Ottawa River. Regional and local groundwater flow is north towards the Ottawa River. There are no areas of natural significance, as defined by the Ontario Ministry of Natural Resources and provided in the MNR GIS database or the EcoLog ERIS database, located on or within 250 m of the site.

#### 4.2.5 Well Records

The EcoLog ERIS report (EcoLog ERIS, 2019) provided the following information with regards to wells:

- The Water Well Information System (WWIS) provides the location, stratigraphic details and date of installation for water wells found within Ontario in accordance with Regulation 903. Details on who the wells were installed by or purpose of the wells is not provided.
- The Water Well Information System database identified 2 wells being located on the site and an additional 105 wells located within 30 metres of the site.

The MOE online WWIS was also reviewed and showed the locations of the two wells located on the site, which correspond to the monitoring wells installed by CH2MHILL in 2005. An additional 102 wells were identified within 250m of the site.

### 4.3 **Site Operating Records**

The site is a vacant parcel of land. There are no site operating records available or required for the site.

## 5 INTERVIEWS

Mr. Michael Muir was identified as the main contact for the site. He has been the NCC Land Manager for the site for the past 15 years. In that time, the land use has remained unchanged as parkland use. The NCC maintains the site through the use of a contractor (Cedar Springs Landscape) and it was reported no chemicals are used on the site during maintenance activities.

A copy of the interview documentation is included in Appendix E.

## 6 SITE RECONNAISSANCE

### 6.1 General Requirements

The site reconnaissance visit was conducted around 11:00 am on April 17, 2019 by Geofirma personnel (Angela Garrison). The inspection lasted approximately a half an hour and included a visual inspection of the vacant lands and surrounding land.

It was sunny and 10 degrees Celsius at the time of the site reconnaissance. There were no limitations to the visual inspection at the time of the visit.

The site is not considered an enhanced investigation property under Ontario Regulation 153/04 (as amended). The site is a vacant parcel of parkland with no structures and is not currently in use. There are currently no operations of concern at the site.

Photographs were taken to document conditions at the site. Site photographs, including descriptions, are provided in Appendix F.

### 6.2 Specific Observations at Phase One ESA Property

The site is bounded by the SJMP to the north, Slidell Road to the east, Burnside Avenue and residential to the south, and Hinchey Avenue, Forward Avenue, residential lands and the Embassy of Indonesia to the west.

The site is vacant parkland that is fenced on three sides (east, south and west) and there are no buildings currently located on the site.

#### 6.2.1 Utilities

Utilities are present along roadways surrounding the site and transecting the site. Several sanitary and storm manholes were observed on the site during the site inspection, as well as a hydro pole and power lines extending onto the site near the former Carruthers Street extension.

Sanitary sewers extend onto the site east from Emmerson Avenue, north from Hinchey Avenue and north from Carruthers Avenue. Storm sewers discharging to the Ottawa River transect all or part of the site along the northwest and eastern property boundaries, as well as in western and eastern parts of the site. A low pressure forcemain is located on site near the eastern property boundary. All of these utility corridors are assumed to be excavated into bedrock.

No other utilities are provided to the site currently.

#### 6.2.2 Heating and Cooling Systems

There are no requirements for heating and cooling to the site currently. It is unknown how the former residential buildings in the western portion of the site were heated, however several intrusive investigations in this area suggest no groundwater or soil quality issues in these areas.

### 6.2.3 Drains and Sumps

No drains or sumps were observed at the time of the site inspection.

### 6.2.4 Unidentified Substances

No unidentified substances were observed at the time of the site inspection.

### 6.2.5 Odours

No odours were observed at the time of the site inspection.

### 6.2.6 Staining

No areas of staining were observed on the site.

### 6.2.7 Stressed Vegetation

No areas of vegetation were observed on the site. However, it appeared that a former wooded/vegetation area along the eastern boundary of the site had been cleared manually.

### 6.2.8 Fill Materials

Fill materials including gravel and larger stone pieces were visible at ground surface in a few areas where test pitting had occurred by EXP in 2018. Asphalt, concrete and gravel was also observed at ground surface in a former parking area at the end of Hinchey Avenue.

Fill materials were generally not exposed at ground surface across the site with the exception of the above noted small areas.

### 6.2.9 Waste Materials

No waste materials were observed on the site.

### 6.2.10 Pits and Lagoons

No pits or lagoons were observed on the site.

### 6.2.11 Watercourses, Ditches, Standing Water

There are no watercourses, ditches or standing water on the site. However, the site is located immediately adjacent to the SJMP which includes small swales along the road to provide drainage.

### 6.2.12 Well Locations and Details

A total of six stick-up monitoring wells were identified on the site, in addition to a few small PVC piezometers. All wells appeared in good condition at the time of the site inspection. Another former monitoring well located at the corner of Slidell Road and the SJMP had reportedly been demolished during the installation of the forcemain across the site.

### 6.2.13 Storage Tanks

There are no storage tanks currently located on the site.

## 6.3 **Summary Description of Investigations**

Several intrusive investigations have been completed on the site including test pitting, borehole and monitoring well installation and geotechnical investigations. Soil and groundwater quality has been assessed at the site on several occasions. Detailed descriptions of investigations and the results are given in Section 3.1.5 of this report.

In summary, these historical investigations show that the site stratigraphy is mostly a thin veneer of fill overlying Paleozoic limestone bedrock. The fill is frequently contaminated with metals and PAHs and to a lesser degree potentially PHCs and BTEX above applicable MECP Table 7 standards for coarse textured soil in a non-potable groundwater condition. The groundwater table is found at or near the bedrock surface and is not contaminated. Groundwater flow is from south to north across the site with discharge to the Ottawa River.

## 7 REVIEW AND EVALUATION OF INFORMATION

### 7.1 Current and Past Uses

The site is currently vacant parkland with no municipal address.

Form A2 below, provides a summary of past uses of the site, and is provided in the format specified in O.Reg 153/04. Normally the form is divided into two sections; the first section provides a summary based on ownership, while the second section of the table provides a summary based on occupants of the site. However, with this site, these are the same and are only provided once. All known occupants for the site are listed on Form A2. All information was collected through the historical review for the site. Most entries below are for parts of the site as the site was separated into several different parts prior to NCC final acquisition of the property in its entirety in 1969.

#### Form A2

#### Table of Current and Past Uses of the Phase One ESA Property

(Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04)

<i>Year</i>	<i>Name of Owner</i>	<i>Description of Property Use</i>	<i>Property Use</i>	<i>Other Observation from Aerial Photographs, Fire Insurance Plans, etc.</i>
Parts between 1947-1969 to Present (All)	National Capital Commission	Vacant parkland	Parkland	The site is currently vacant parkland with treed areas. Clearing of the land began between 1945 and 1958 according to air photos reviewed when the NCC started acquiring parcels of the site. The majority of the site had been cleared by 1965 and was completely cleared by the 1976 air photo. A clearing along the eastern boundary was shown in the 1965 air photo for a temporary parking lot. A clearing was noted on the site in 2007 along the eastern boundary for the construction of the forcemain crossing the site. A clearing, presumably for temporary parking, was noted at the end of Carruthers Avenue in 2018. Lazy Bay extended onto the property in the north central portion and was filled between 1958 and 1965 according to air photo review.
1909-1969 (Part)	City of Ottawa	Roadways	Community	Stonehurst Ave., Carruthers Ave., and Hinchey Ave. were all shown on the site in the FIP from 1912, 1948 and 1956. However the air photo review better showed when the roads were actually in use. Stonehurst Ave. appeared to be in use from 1912 to 1928. Carruthers Avenue appeared to be in use from 1901 to 1945. Hinchey Ave. appeared to be in use from 1901 to 1958.

<b>Year</b>	<b>Name of Owner</b>	<b>Description of Property Use</b>	<b>Property Use</b>	<b>Other Observation from Aerial Photographs, Fire Insurance Plans, etc.</b>
1903-1931 (Part)	Shepard & Morse Lumber Company	Lumber yard	Industrial	Title records for the property show this company owning part of the property. FIP from 1901 also shows a lumber yard on eastern portion of the site which also includes the Hull Lumber Co. Wood pilings were shown on the site. The air photo from 1928 also shows the eastern portion of the site as a lumber yard with wood pilings. This piece compiles a small portion of a much larger operation extending to the north and east of the site. Cordwood piles remained on the eastern portion of the site in 1938/1945 air photos and 1948 FIP, however these were no longer associated with a larger lumber company.
1896-1903	William Mason & Sons Lumber Company	Lumber Yard	Industrial	Title records for the property show William Manson owning part of the property. FIP from 1901 also shows a lumber yard on the site with the name William Mason & Sons Lumber Company. Wood pilings were shown on the site. The 1901 FIP shows this is part of a much larger operation extending to the north and east of the site.
1874-1896	Bronson & Weston Lumber Company	Lumber Yard	Industrial	Historical information prior to 1901 is based on the title search only.
1801-1969 (Part)	Various private owners	Vacant and residential dwellings	Residential	Historical information prior to 1901 is based on the title search only. Several owners of parts of the site were identified in the title search for the property. Several residential structures were observed in FIP from 1912, 1948 and fewer in 1956. This was supplemented with structures visible in the 1928 to 1958 air photos. One residence remained in the 1965 air photo, however was demolished by the time of the 1976 air photo.
Pre 1801 and 1824 (Part)	Crown	Agricultural and/or vacant	Agricultural or other use	Historical information prior to 1901 is based on the title search only.

## 7.2 Potentially Contaminating Activities

The former infilling of Lazy Bay and the presence of fill across the site have the potential to contaminate the subsurface soils and groundwater beneath the site and are identified as a potentially contaminating activity (PCA). Fill materials in these areas consist of a mixture of silt, sand, clay, cobbles and boulders with debris including asphalt, brick, concrete, plastics, glass, metal and wood pieces.

Numerous potentially contaminating activities are located within the study area according to the historical review. The City of Ottawa Bayview Works Yard, Bayview and Slidell Landfill, Stonehurst and Bayview Landfill; Modern Containers Ltd., and gasoline service stations/garages located within the study area have the potential to contaminate the subsurface soils and groundwater beneath the site and are identified as potentially contaminating activities (PCA).

A list of potentially contaminating activities, according to Table 2, in Schedule D of the applicable regulation, for properties located on the subject site and within 250 m of the site is provided below. Figure A.7 shows the locations of PCAs on site and within the Phase One ESA study area.

<b>Address</b>	<b>Business Name</b>	<b>PCA #</b>	<b>Potential Issue</b>
<b>On-Site</b>			
Entire site	National Capital Commission	30	Importation of fill material of unknown quality
<b>Off-Site</b>			
Bayview and Slidell Street	Bayview and Slidell Landfill	58, 30	Waste Disposal, Importation of fill material of unknown quality
Stonehurst and Bayview Road	Stonehurst and Bayview Landfill	58, 30	Waste Disposal, Importation of fill material of unknown quality
7 Bayview Road	City of Ottawa Bayview Works Yard	28, 52	Gasoline and associated products stored in fixed tanks, Fuelling and repair of transportation vehicles
80 Bayview Road	Modern Containers Ltd. – Metal Tube Manufacturing	34	Metal Fabrication
80 Bayview Road	Keyes Supply Co. Ltd.	28	Gasoline and associated products stored in fixed tanks
55 Carruthers Avenue	Gordie's Hydraulic Service	28	Gasoline and associated products stored in fixed tanks
55 Carruthers Avenue	Ouimet's Garage	28	Gasoline and associated products stored in fixed tanks
55 Carruthers Avenue	Hank's Auto Service	28	Gasoline and associated products stored in fixed tanks
140 Hinchey Avenue	Crawford's Motors Garage	28	Gasoline and associated products stored in fixed tanks
140 Hinchey Avenue	Mario's Garage	28	Gasoline and associated products stored in fixed tanks
140 Hinchey Avenue	Rideau Pump Service	28	Gasoline and associated products stored in fixed tanks
154 Hinchey Avenue	Bastien Fuels Ltd.	28	Gasoline and associated products stored in fixed tanks

Based on historical soil and groundwater quality investigations on the site, it does not appear that any of the identified PCA's surrounding the site have negatively impacted environmental conditions on the site and are therefore not used when determining areas of potential environmental concerns for the site.



### 7.3 Areas of Potential Environmental Concern

Areas of potential environmental concern (APECs) for the site are identified based on review of environmental source information, site reconnaissance and interviews.

Form A1 below provides table of APECs for the property, and is provided in the format specified in O.Reg 153/04. The “Potentially Contaminating Activity” (PCA) column is filled out in accordance with those activities categorized in Column A of Table 2, Schedule D of O.Reg 153/04, and the “Contaminants of Potential Concern” are identified using the method groups identified in the laboratory protocols outlined in Part XV.1 of the Environmental Protection Act.

#### Form A1

#### Table of Areas of Potential Environmental Concern

(Refer to clause 16(2)(a), Schedule D, O. Reg. 153/04)

<b>Area of Potential Environmental Concern</b>	<b>Location of Area of Potential Environmental Concern on Phase One Property</b>	<b>Potentially Contaminating Activity (PCA#)</b>	<b>Location of PCA (on-site or off-site)</b>	<b>Contaminants of Potential Concern</b>	<b>Media Potentially Impacted (Groundwater, soil and/or sediment)</b>
Fill Materials (APEC-1)	All of the site with the deepest areas in the former Lazy Bay (central portion)	Importation of fill of unknown quality (PCA #30)	On-site	PAHs, Metals*, PHCs, BTEX	Soil and groundwater

\*Metals includes MOECC Method Groups of Metals, As, Sb, and Se, and B-HWS

The former infilling of Lazy Bay and the presence of fill across the site have the potential to contaminate the subsurface soils and groundwater beneath the site and is identified as a potentially contaminating activity. Fill materials in these areas consist of a mixture of silt, sand, clay, cobbles and boulders with debris including asphalt, brick, concrete, plastics, glass, metal and wood pieces. The identified APEC is identified in Figure A.8, Appendix A.

### 7.4 Phase One Conceptual Site Model

Interpreting the probable environmental conditions of the site is undertaken by reference to a Phase One Conceptual Site Model (CSM). A Conceptual Site Model is an idealization of potential site contaminants and their interaction with the hydrogeologic system and surrounding properties, based on the known conditions of a site. The Conceptual Site Model includes a description of the potentially contaminating activities at the Phase One ESA property and surrounding properties, identifying contaminants of concern and their source locations. The model also demonstrates the interaction of these contaminants with the natural environment (soil, groundwater, bedrock, water bodies) and the built environment (utilities, buildings), identifying potential receptors.

The Phase One ESA study area is located in a predominately residential and parkland area about 70 m south of the Ottawa River. The site has had former use as a lumber yard, parkland and residential housing and has been subject to importation of fill of poor quality. The site is currently parkland located between the Sir John A. MacDonald Parkway and residential neighbourhoods.

Figures A.7, A.8, A.9 and A.10 illustrate the CSM for the site. Figure A.7 identifies PCAs on the site and within the Phase One study area, as well as the locations of waterbodies, former Lazy Bay, existing buildings, and roads (as applicable). Although Figure A.7 identifies several PCAs within the Phase One study area, historical soil and groundwater quality investigations on the site, show that none of the identified PCA's surrounding the site have negatively impacted environmental conditions on the site.

Figure A.8 identifies one APEC for the entire Phase One ESA site related to importation of fill of poor quality. The former infilling of Lazy Bay and the presence of fill across the site have the potential to contaminate the subsurface soils and groundwater beneath the site and is the only APEC identified for the site. Fill materials in this APEC consist of a mixture of silt, sand, clay, cobbles and boulders with debris including asphalt, brick, concrete, plastics, glass, metal, cinders, ash and wood pieces. Extensive historical testing of the overburden fill at the site shows that fill is contaminated by metals including in order of decreasing frequency of exceedence of MECP Table 7 standards: lead, barium, zinc, selenium, copper, vanadium, mercury, antimony, molybdenum and cadmium. PAHs including light to heavy molecular weight compounds are also present throughout the fill layer. PHCs and BTEX are occasional COPCs. Surficial fill is generally of better quality than deeper fill. Based on measured soil pH, the site is not environmentally sensitive as per Section 41 of O.Reg. 153/04. Several years of groundwater sampling completed at the site over a 13 year period (i.e., 2001 to 2014) show that these soil COPCs do not create groundwater contamination at the site. Figure A.8 also shows the location of existing groundwater monitoring wells and Phase One CSM cross sections A-A' and B-B'.

Figures A.9 and A.10 demonstrate the interaction of the identified APEC with the surrounding natural and built environment through two cross sections (A-A' and B-B') constructed through the site. Figures A.9 and A.10 show the current understanding of former land uses of concern, COPCs in soil and groundwater, site stratigraphy, groundwater and bedrock conditions, and shallow utility corridors excavated into bedrock.

The overburden thickness at the site is generally less than 2 m identifying the property as a shallow soil site under O.Reg. 153/04. Overburden thickness is negligible in the northwestern and southeastern parts of the site where bedrock is exposed at ground surface. Overburden thickness is thicker in the former Lazy Bay fill area and greatest at 24.1 m in EXP (2018) BH-4 that is interpreted to intersect an eroded splay of the regionally significant northwest striking bedrock Gloucester Fault.

Groundwater flow occurs primarily within the bedrock as the groundwater table is typically found at or below the bedrock surface at the site. Groundwater flow discharges to the Ottawa River located about 70 m north of the northern property line. Some groundwater flow will discharge via overburden infill of Lazy Bay and to the bedrock depression created by splays of the Gloucester Fault.

## 8 CONCLUSIONS

Based on the results of this Phase One ESA, a supplementary Phase Two ESA is recommended to further assess the identified APEC of importation of fill of poor quality.

Historical site use of the property included the importation of large amounts of fill materials in the area of Lazy Bay and over the remainder of the site. Historical site investigations show that the imported fill is generally of poor quality being contaminated by metals, PAHs and potentially PHCs and BTEX above applicable MECP Table 7 standards for the a coarse-textured shallow soil site under non-potable groundwater conditions.

Review of historical soil quality testing shows that such testing does not encompass the full suite of metals, PHCs and other inorganic contaminants currently regulated under O.Reg. 153/04. Historical soil quality testing typically did not analyze soil for boron, hot-water-soluble boron, hexavalent chromium, mercury, uranium, cyanide, electrical conductivity and SAR (sodium adsorption ratio) and PHC-F1 to -F4. Historical test pit and borehole drilling investigations also did not investigate fill quality below a depth of 3.0 mBGS.

Phase Two ESA investigations should include drilling boreholes and laboratory testing in areas of fill thickness greater than 3 m (e.g., near DE&S MW-2, MW-5 and TP20, as well as EXP BH-4) in and near the Lazy Bay fill area. Additional testing of fill for metals and PAHs near DE&S TP34 and TP9A is recommended to improve spatial coverage and address O.Reg. 153/04 delineation requirements. Testing of fill quality for PHC-F1 to -F4 and BTEX near the historical TPH<sub>gas/diesel</sub> and TPH<sub>heavy oil</sub> hotspot at DE&S TP29 as well as similar testing at the benzene hotspot at DE&S TP41 is also recommended to address O.Reg. 153/04 delineation requirements. All borehole soil samples should be field screened using a combustible gas detector or organic vapour meter.

This Phase One ESA was prepared under the supervision of Mr. Kenneth Raven, Qualified Person for environmental site assessment under O Reg. 153/04. Mr. Raven has reviewed all information included in this Phase One ESA report, and confirms the findings and conclusions contained herein.

Respectfully submitted,



Angela Garrison,  
Environmental Technologist



Kenneth Raven, QP<sub>ESA</sub>, P. Eng., P.Geo.  
Principal

## 9 REFERENCES

AMEC Earth and Environmental (AMEC), 2014. Phase Two Environmental Site Assessment, West Portion of Bayview Yard, 7 Bayview Road, Ottawa, Ontario, Report prepared for City of Ottawa, June.

Armstrong, D.K., and J.E.P. Dodge, 2007. Paleozoic Geology of Southern Ontario, Miscellaneous release – Data 219.

CH2MHILL, 2005. Lemieux Forcemain Easement Properties, Ottawa, Ontario, Phase 2 Environmental Site Assessment, Report prepared for City of Ottawa, November.

City of Ottawa, 2019. <http://maps.ottawa.ca/geoOttawa/>

Duke Engineering & Services (Canada) Inc. (DE&S), 2000. Phase I and II Environmental Site Assessment, Burnside Vacant Land, Ottawa, Ontario, Report prepared for National Capital Commission, July.

Duke Engineering & Services (Canada) Inc. (DE&S), 2001. Phase II ESA, Burnside Site, Areas A, B & C, Ottawa, Ontario, Part of Property Asset #95979, Report prepared for National Capital Commission, April.

EcoLog ERIS, 2019. Burnside Avenue, Ottawa, Ontario – RSC Report (Urban) – 0.3km search radius, April 17, 2019.

EXP Services Inc., 2018. Preliminary Geotechnical Investigation, Burnside OPA & ZBLA Supporting Studies, Burnside Avenue, City of Ottawa, Ontario, Report prepared for National Capital Commission, May.

Golder Associates Ltd., 2004. Old Landfill Management Strategy – Phase I – Identification of Sites, City of Ottawa, Ontario, Report prepared for the City of Ottawa.

Inera Engineering Ltd., 2002a. Risk Assessment and Risk Strategy Report, Burnside Site, Ottawa, Ontario, Report prepared for National Capital Commission, March.

Inera Engineering Ltd., 2002b. Inspection and Groundwater Monitoring - Burnside Site, Ottawa, Report prepared for National Capital Commission, December.

Inera Engineering Ltd., 2003. 2003 Inspection and Groundwater Monitoring - Burnside Site, Report prepared for National Capital Commission, November.

Inera Technologies Ltd., 1988. Mapping and Assessment of Former Industrial Sites, City of Ottawa, Report prepared for the City of Ottawa, July.

Ontario Geological Survey (OGS), 2010. 1:50,000 Surficial Geology of Southern Ontario, Miscellaneous Release Data - MRD128\_Rev.

Ontario Ministry of the Environment, 2011a. Ontario Regulation 153/04 Records of Site Condition – Part XV.1 of the Environmental Protection Act, Schedule D. E-laws currency date, May 31, 2019.

Ontario Ministry of the Environment, 2011b. Guide of Completing Phase One Environmental Site Assessments under Ontario Regulation 153/04, June.

Ontario Ministry of Natural Resources, 2012. Areas of Natural and Scientific Interest, Land Information Ontario, March.

SNC Lavalin Environment, 2013. November 2012 Groundwater Monitoring and Sampling, Burnside Site, Ottawa, Ontario (NCC Property Asset Number 95979), Report prepared for National Capital Commission, February.

Stantec Consulting Ltd., 2014. Fall 2014 Groundwater Monitoring, Burnside Site, Ottawa, ON, NCC Property Asset 95979, Report prepared for National Capital Commission, November.

Trow Associates Inc., 2008. Enhanced Phase I Environmental Site Assessment, Ottawa River Parkway, Ottawa, Ontario, Property Asset #95979, Report prepared for National Capital Commission, December.

Trow Associates Inc., 2010. Surface Soil and Groundwater Monitoring Program, Burnside Site, Ottawa, ON (Property Asset #95979), Report prepared for National Capital Commission, January.

Williams, D.A., A.M. Rae and R. R. Wolf, 1984. Paleozoic Geology, Ottawa Area, Southern Ontario, Ontario Geological Survey Preliminary Map P.2716, Scale 1:50,000.


## **APPENDIX A**


### **Site Figures**






**LEGEND**

 Burnside Site Boundary



**Figure A.1**  
Site Location



Coordinate System: NAD 1983 MTM 9  
 Source: NCC property boundary  
 Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community


PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0

DATE: 07/06/2019








**LEGEND**

- Burnside Site Boundary
- Study Area
- 1928 Shoreline

**Figure A.2  
Site Layout**



Coordinate System: NAD 1983 MTM 9  
 Source: NCC property boundary  
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community


PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0



DATE: 07/06/2019






**LEGEND**

- Burnside Site Boundary
- 1928 Shoreline
- Historical On-Site Investigations**
- + Monitoring Well, Intera
- + Monitoring Well, CH2MHILL
- + Test Pit, DE&S
- + Test Pit, CH2MHILL
- + Test Pit, Trow
- + Test Pit, EXP
- + Borehole, EXP

**Figure A.3**  
**Historical On-Site Investigations**



Coordinate System: NAD 1983 MTM 9  
 Source: NCC property boundary, CH2MHILL, Trow, EXP  
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0







DATE: 24/06/2019






**LEGEND**

-  Burnside Site Boundary
-  1928 Shoreline
-  Proposed Lots
-  Buildable Area

**Figure A.4  
Proposed Development**



Coordinate System: NAD 1983 MTM 9  
 Source: NCC property boundary, EXP  
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community


PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0



DATE: 10/06/2019






**LEGEND**

Burnside Site Boundary

Zoning:  
 O1 – Parks and Open Space Zone  
 R5 – Residential Fifth Density Zone

**Figure A.5**  
**Zoning Information**



Coordinate System: NAD 1983 MTM 9  
 Source: NCC property boundary, EXP  
 Service Layer Credits:


PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0




DATE: 07/06/2019






**LEGEND**

- Burnside Site Boundary
- Study Area
- Ground Surface Contour (mASL)



**Figure A.6  
Topographic Map**



Coordinate System: NAD 1983 MTM 9  
 Source: NCC property boundary, City of Ottawa Lidar, 2006  
 Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community


PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0



DATE: 12/06/2019










**LEGEND**

- Burnside Site Boundary
- Cross Sections Lines
- + Existing Monitoring Wells

**Area of Potential Environmental Concern**

- APEC-1, Unknown Quality Fill

**Figure A.8**  
**Areas of Potential Environmental Concern**




Coordinate System: NAD 1983 MTM 9  
 Source: NCC property boundary  
 Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0



DATE: 12/06/2019



**LEGEND**

- Fill
- Glacial Till
- Limestone Bedrock
- Groundwater Table
- Interpreted Groundwater Flow Direction


Conceptual Site Model, Cross Section A-A'  
Phase One ESA, Burnside Site, Ottawa, ON

Prepared by: NMP/ADG  
Reviewed by: KGR  
Doc. No.: 0  
Date: 11 Jun 2019



**FIGURE A.9**

Doc: 18-262-1\_Burnside\_FA9\_CSM\_AA\_R0.cdr"



**LEGEND**

- Fill
- Limestone Bedrock
- Groundwater Table
- Interpreted Groundwater Flow Direction

Conceptual Site Model, Cross Section B-B'  
 Phase One ESA, Burnside Site, Ottawa, ON

**FIGURE A.10** Doc: 18-262-1\_Burnside\_FA10\_CSM\_BB\_R0.cdr"

Prepared by: NMP/ADG  
 Reviewed by: KGR  
 Doc. No.: 0  
 Date: 11 Jun 2019





## **APPENDIX B**

### **Title Search**

Attn: Angie Garrison  
 ENVIRONMENTAL SEARCH

Re: Lakeside Property

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
	Patent	May 17 1824	Crown	Thomas Read (Lot 37, Con. A.-O.F.)
R 02323	Deed	Aug 17 1844	Thomas Read	Daniel MacEachern
R 04187	Deed	May 12 1849	Daniel MacEachern	Nicholas Sparks
NP 4327	Deed	Feb 23 1876	Estate of Nicholas Sparks	Esther Slater - Part Mary Sparks - Part
NP 15590	Deed	Feb 4 1892	Mary Sparks	Nicholas C. Sparks (Part)
NP 17089	Deed	Jan 4 1896	Nicholas C. Sparks	George Mason William T. Mason (as in NP 15590)
NP 19630	Deed	May 14 1903	George Mason William T. Mason (William Mason & sons)	Shepard & Morse Lumber Company (as in NP 17089)
CR 205890	Deed	Nov 9 1931	Shepard & Morse Lumber Company	Charles E. Vachon & Wilfred Vachon c.o.b. Charles Vachon & sons (as in NP 19630)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 266278	Exprop- riation	July 25 1947	Federal District Commission (Both Parts)	
CR 319326	Deed	Mar 15 1954	Estate of Esther slater (Part as in NP432)	Federal District Commission (Now N.C.C. - Current Owner)
CR 335194	Deed	July 5 1955	Estate of Charles E. Vachon & Wilfred Vachon	Federal District Commission (Now N.C.C. - Current Owner)
	Patent	June 30 1801	Crown	Janet Strathern (Pat 36, Lon. A.O.F.)
* Note -	there is a gap in appears below		the title at this point	. The next entry
R0 2417	Deed	Jan 1 1845	Robert Arwin	Alexander Christy
R0 3403	Power of Sale	May 28 1847	Perkins & Mebiliway	Nicholas Sparks



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
R018859	Will	Mar 7 1862	Nicholas Sparks	Nicholas Sparks
NP540	Deed	July 13 1870	Nicholas Sparks	Alanson Baldwin
NP2550	Deed	Mar 20 1874	Alanson Baldwin	Brisson & Weston Purdie Company (Part)
NP6798	Three- closure	Apr 30 1880	Court of Chancery	Philip Thompson (all)
NP11818	Deed	June 17 1887	Philip Thompson	G. B. Greene (Part)
NP7433	Deed	Aug 27 1881	Philip Thompson	Johnston Eraham (Part)
NP9418	Deed	July 31 1883	Johnston Eraham	Marciase Samuel (as in NP 7433)
NP13580	Deed	Sept 14 1888	G. B. Greene	Marciase Samuel (as in NP11818)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
NP17973	Deed	Oct 8 1898	Marcelle Sawicki	Agnes Sawicki (2 parts)
CR389848 CR389849	Power of Sale	June 22 1959	Augustine H. Cura	Federal District Commission (now N.C.C. - Current cases)
* Note - See pages 243 up until instrument no. NP6798 for the chain of title continued below.				
NP7641	Deed	Feb 14 1882	Philip Thompson	Hyacinthe Valonde
NP18557	Deed	May 28 1900	Hyacinthe Valonde	Jean B. Rousson
CR148577	Deed	Nov 18 1919	Jean B Rousson	Rev. Francis A. Seguin
CR152085	Deed	May 21 1920	Francis A. Seguin	Charles A. Seguin Max Altman



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR168269	Deed	Apr 11 1923	Charles A. Sequin (1/2 interest)	Max Altman
CR330906	Deed	Mar 7 1955	Max Altman	Federal District Commission (now N.C.C. - current owner)
NP9467	Deed	Sept 24 1883	Philip Thompson	Camille Talonde
NP16605	Deed	July 4 1894	Camille Tatreille (Talonde)	Telephore Perrin
NP16918	Deed	June 14 1895	Telephore Perrin	Theophile Mallette
NP16927	Quit claim Deed	June 26 1895	Theophile Mallette	Telephore Perrin
NP18900	Order	Apr 9 1901	High Court of Justice	Telephore Perrin



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
NP18931	Deed	Apr 25 1981 (1901)	Telephone Perris	Perris Siquin
CR196259	Deed	Apr 17 1929	Caroline Siquin Carbonneau (Heir)	Adelaide Tadeoute Marie L. Tadeoute
CR261584	Deed	Oct 23 1946	Adelaide Tadeoute Marie L. Tadeoute	Daniel A. Michal Margaret Michal Violet McBill
CR265811	Deed	June 30 1947	Daniel A. Michal Margaret Michal Violet McBill	Gerald Taverty
CR279154	Deed	Sept 6 1949	Gerald Taverty	Olivia A. Farley
CR284837	Deed	July 21 1950	Olivia A. Farley	Celina M. Taverty
CR329695	Deed	Jan 24 1955	Estate of Celina M. Taverty	Federal District Commission (now N.C.C. - Current owner)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
X Proto-Deed	Pages 2 & 3 up until instrument no. NP11818 for the previous sums of the following chain of title.			
NP17388	Deed	Dec 21 1846	Sodfrey B Greene Benson & West Printer Company	The Ottawa Land Association (all chains are from this deed)
258	Plan of Subdivision	Jan 25 1909	Ottawa Land Association Limited	City of Ottawa Re: Streets
CR 562025	Deed	Aug 18 1969	The Corporation of the City of Ottawa Re: Streets	National Capital Commission (Current Owner)
CR 224753	Tax Deed	May 23 1938	City of Ottawa	City of Ottawa (part)
CR 224759	Tax Deed	May 23 1938	City of Ottawa	City of Ottawa (part)
CR 238161	Tax Deed	Apr 28 1942	City of Ottawa	City of Ottawa (part)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR238163	Tax Deed	Apr 28 1942	City of Ottawa	City of Ottawa (Part)
CR417170	Deed	Jan 3 1961	City of Ottawa	National Capital Commission (Current owner - parts)
NP24491	Deed	July 11 1911	Ottawa Land Association Limited	Alfred Perouin (Lot 26)
CR113140	Deed	May 30 1912	Alfred Perouin	Bladenure Ellis
CR190824	Tax Deed	Jan 6 1928	City of Ottawa	City of Ottawa
CR274880	Deed	Dec 22 1948	City of Ottawa	Eugene Tamousaux
CR276124	Deed	Mar 16 1949	Eugene Tamousaux	Federal District Commission (now N.C.C. - Current owner)

## ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
NP 23617	Deed	June 23 1910	The Ottawa Land Association Limited	Francis H. Dauve (lot 27)
CR 114593	Deed	Aug 7 1912	Francis H. Dauve	Frontiers Junges
CR 143566	Deed	Oct 2 1918	Fortunat Junges	Alexandre Roussy
CR 149226	Deed	Jan 9 1920	Alexandre Roussy	Victor E. Trotter
CR 189764	Deed	Oct 14 1927	Victor E. Trotter	Dominic Roy Claire Roy
CR 189765	Deed	Oct 14 1927	Dominic Roy Claire Roy	Regina Harache
CR 262041	Deed	Nov 13 1946	Regina Harache	Ronel Siquin
CR 281664	Deed	Jan 26 1950	Ronel Siquin	The Crown



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 297534	Deed	Jan 2 1951	The Crown	Federal District Commission (now N.C.C. - Current owner)
* Note - all chains to "The Crown" end with this Deed.				
N/P 23617	Deed	June 23 1910	The Ottawa Land Association Limited	Francis H. Sauve (Lot 28)
CR 121690	Deed	Sept 22 1913	Francis H. Sauve	George Prudhomme
CR 138238	Deed	Feb 24 1917	George Prudhomme	Donat Abouin
CR 164921	Deed	Aug 22 1922	Donat Abouin	Zenaide Rachon
CR 249690	Deed	Mar 9 1944	Zenaide Rachon	Rene Rachon
CR 279913	Deed	Oct 15 1949	Rene Rachon	The Crown



## ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
NP 23413	Deed	Apr 6 1910	The Ottawa Land Association Limited	Eugene Provesalle (Pat 29)
CR 324126 2	Deed	Aug 5 1954	Mary L. Kennedy (Wife of Eugene Provesalle)	Federal District Commission - now N.C.C. (current owner)
CR 143862	Deed	Nov 6 1918	Ottawa Land Association Limited	Peter Girard (Pat 32)
CR 178778	Deed	May 1 1925	Peter Girard	Charles Vachon
CR 224095	Deed	Mar 18 1938	Estate of Charles Vachon	Zenaide Vachon
CR 249549	Deed	Mar 2 1944	Zenaide Vachon	Rasul Vachon
CR 278218	Deed	July 11 1949	Rasul Vachon	The Crown

11

ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 174256	Deed	May 19 1924	The Ottawa Land Association Limited	Josephat Gougen (Lot 35)
CR 241699	Deed	Apr 7 1943	Estate of Josephat Gougen	Victor Gougen
CR 277084	Deed	May 9 1949	Estate of Victor Gougen	The Crown
CR 130013	Deed	Mar 6 1915	Ottawa Land Association Limited	Joseph E. Fegault (Lot 36)
CR 138975	Release of Equity	May 4 1917	Joseph E. Fegault	Adele Talonde
CR 230765	Deed	Mar 28 1940	Adele Talonde	Melina Bouguignon
CR 230814	Deed	Apr 2 1940	Melina Bouguignon	Marie Jesse



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 276599	Deed	Apr 14 1949	Marie Jessup	The Crown
CR 224760	Tax Deed	May 23 1938	City of Ottawa	City of Ottawa (Lot 37) (Lot 38)
CR 262539	Deed	Dec 3 1946	City of Ottawa	Wilfrid Tadouceur
CR 274645	Deed	Dec 9 1948	Wilfrid Tadouceur	Federal District Commission (now N.C.C. - Current name)
CR 160406	Deed	Oct 21 1921	Ottawa Land Association Limited	Charles Vachon
CR 206269	Deed	Dec 18 1931	Charles Vachon	Charles, Wilfrid & Emmanuel Vachon c.o.b. as Charles Vachon & sons



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 335194	Deed	July 5 1955	Estate of Charles Vachon Wilfred Vachon & Emerald Vachon	Federal District Commission (now N.C.C. - Current Owner)
CR 113061	Deed	May 28 1972	Ottawa Land Association Limited	Eusibar Berniques (Lot 40)
CR 190824	Tax Deed	Jan 6 1928	City of Ottawa	City of Ottawa
CR 272602	Deed	Aug 20 1948	City of Ottawa	Federal District Commission - now N.C.C. - Current Owner
CR 135396	Deed	May 15 1916	Ottawa Land Association Limited	William J. Burton (Lot 41)
CR 322855	Deed	June 29 1954	William J. Burton	Federal District Commission (now N.C.C. - Current Owner)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 114952	Deed	Sept 6 1912	Ottawa Land Association Limited	Joseph Faurin (lot 50)
CR 147369	Deed	Sept 5 1919	Joseph Faurin	Henri Sigouin
CR 163937	Deed	June 15 1922	Estate of Henri Sigouin	Adelard Tederoute Marie C. Tederoute
CR 200792	Tax Deed	June 20 1930	City of Ottawa	City of Ottawa
CR 417170	Deed	Jan 3 1961	City of Ottawa	National Capital Commission (Current Owner)
CR 137041	Deed	Oct 21 1916	Ottawa Land Association Limited	Joseph Hudon
CR 292552	Deed	June 20 1951	Auguste Hudon Curé (Heir of Joseph Hudon)	Federal District Commission (now N.C.C. - Current Owner)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
NP 24066 2	Deed	Feb 30 1911	Ottawa Land Association Limited	Edward Tollanc (Pat 54)
CR 187501	Deed	Apr 8 1927	Edward Tollanc	Agnes Tocelle
CR 228802	Tax Deed	Aug 11 1939	City of Ottawa	City of Ottawa
CR 251592	Deed	Mar 23 1945	City of Ottawa	Antonio Tremblay
CR 342944	Deed	Feb 10 1956	Antonio Tremblay	Federal District Commission (now N.C.C. - Current owner)
CR 201583	Deed	Sept 13 1930	Ottawa Land Association Limited	Rene Tobregue (Pat 55)
CR 212176	Deed	May 18 1934	Rene Tobregue	Joseph Tobregue



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR302216	Deed	July 7 1952	Joseph Lafance	Federal District Commissioner - see N.C.C. (Current owner)
CR201620	Deed	Sept 16 1930	Ottawa Land Association Limited	George Robillard (Lot 56)
CR224759	Tax Deed	May 23 1938	City of Ottawa	City of Ottawa
CR253930	Deed	July 31 1945	City of Ottawa	Joe N. Bergeron Joy D. Bergeron
CR261420	Deed	Oct 12 1946	Joe N. Bergeron Joy D. Bergeron	Frederick Blakney Margaret Blakney
CR274577	Deed	Dec 6 1948	Frederick Blakney Margaret Blakney	The Crown



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 201986	Deed	Oct 17 1930	Ottawa Land Associations Limited	Fred Artelle, Jr. (Lot 57)
CR 225679	Tax Deed	Sept 8 1938	City of Ottawa	City of Ottawa
CR 274276	Deed	Nov 19 1948	City of Ottawa	Gordon A. Roque
CR 274277	Deed	Nov 19 1948	Gordon A. Roque	Federal District Commission - (now N.C.C. - Current owner)
CR 224759	Tax Deed	May 23 1938	City of Ottawa	City of Ottawa (Lot 58)
CR 262682	Deed	Dec 27 1946	City of Ottawa	Joseph O. Bergeon
CR 312435	Deed	July 3 1953	Joseph O. Bergeon	Federal District Commission (now N.C.C. - Current owner)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 20 2324	Deed	Nov 17 1930	Ottawa Land Association Limited	Olivius Bergerson (1st 59)
CR 20 7038	Deed	Apr 1 1932	Olivius Bergerson	Charles Vachon
CR 22 4095	Quit Claims Deed	Mar 18 1938	Estate of Charles Vachon	Zenaida Vachon
CR 24 9950	Deed	Nov 2 1944	Zenaida Vachon	Jules Tofflamme Lucia Tofflamme
CR 35 4092	Deed	Dec 6 1956	Lucia Tofflamme	Federal District Commission (now N.C.C. - current owner)
CR 13 5395	Deed	Nov 15 1916	Ottawa Land Association Limited	William J. Burton (1st 69)
CR 24 9666	Deed	Nov 8 1944	William J. Burton	Campbell A. Burton (Part)



ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 322855	Deed	June 29 1954	William J. Burton (Part)	Federal District Commission - now N.C.C. (current owner)
CR 322856	Deed	June 29 1954	Campbell A. Burton	Federal District Commission - now N.C.C. - (current owner)
CR 122360	Deed	Oct 31 1913	Ottawa Land Association Limited	Delore Tadroute (E 1/2 lot 75)
CR 122361	Deed	Oct 31 1913	Ottawa Land Association Limited	Henry Seguin (W 1/2 lot 75)
CR 130860	Deed	May 4 1915	Delore Tadroute	Ernest Poubeau (as in CR 122360)
CR 136062	Deed	July 10 1916	Henry Seguin (d.k.a. Siguin)	Mary Melampy (as in CR 122361)
CR 143245	Deed	Aug 23 1918	Mary Melampy	Henri Siguin (as in CR 136062)

ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
CR 148206	Deed	Oct 27 1919	Hemi Sigouin	Honorius Fournier (As in CR 143215)
CR 173935	Deed	May 11 1924	Honorius Fournier	Theophile Dorion (As in CR 148206)
CR 202894	Deed	Jan 22 1931	Ernest Rouleau	Emela Rouleau (As in CR 130860)
CR 202895	Deed	Jan 22 1931	Emela Rouleau	Moise Rouleau (As in CR 202894)
CR 218070	Deed	May 30 1936	Estate of Theophile Dorion	Eugene Rouleau (As in CR 173935)
CR 259078	Deed	June 4 1946	Eugene Rouleau	Milfred Rouleau Yvonne Rouleau (As in CR 218070)
CR 272695	Deed	Aug 28 1948	Milfred Rouleau Yvonne Rouleau	The Crown (As in CR 259078)
CR 28420	Deed	Feb 27 1950	Moise Rouleau	The Crown (As in CR 202895)





LAND  
REGISTRY  
OFFICE #4

04097-0202 (LT)

PAGE 1 OF 2  
PREPARED FOR DAVE  
ON 2019/04/17 AT 09:04:11

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION:

PART OF EMMERSON AVENUE (FORMERLY SPRUCE STREET) ON PLAN 258, (CLOSED BY BYLAW CR472431) ; AND PART OF CARRUTHERS AVENUE (FORMERLY SECOND STREET) ON PLAN 258, (CLOSED BY BYLAW CR472431) ; AND PART OF STONEHURST AVENUE (FORMERLY FIRST STREET) ON PLAN 258, (CLOSED BY BYLAW CR472431) ; AND PART OF THE BED OF THE OTTAWA RIVER LYING IN FRONT OF PLAN 60 OR 74 AND 258 IN LOTS 36 & 37, CONCESSION A, NEPEAN (OTTAWA FRONT) ; AND PART OF ISABEL ISLAND LYING IN FRONT OF PLAN 60 OR 74 AND 258 IN LOTS 36 & 37, CONCESSION A NEPEAN (OTTAWA FRONT) ; AND LOTS 22, 23, 24, 25 AND 31 ON PLAN 258 ; AND LOTS 26 AND 29 ON PLAN 258 ; AND PART OF LOTS 30, 33, 34, 48, 49, 50 AND 51 ON PLAN 258 ; AND PART OF LOT 32 ON PLAN 258 ; AND LOTS UNNUMBERED LOTS 27 AND 28 ON PLAN 258 ADJOINING LOT 22 ; AND PART OF BLOCKS N, O AND P ON PLAN 74, MAY ALSO BE SHOWN ON PLAN 60, ALL BEING PART 13 ON 4R-459 SAVE AND EXCEPT PARTS 1, 2 AND 3 ON PLAN 4R-23932. SUBJECT TO AN EASEMENT IN FAVOUR OF THE CORPORATION OF THE CITY OF OTTAWA AS IN CR132720. SUBJECT TO AN EASEMENT IN FAVOUR OF THE CORPORATION OF THE CITY OF OTTAWA AS IN CR628581. SUBJECT TO AN EASEMENT IN GROSS OVER PARTS 1 AND 2 PLAN 4R-21406 AS IN OC657335.; SUBJECT TO AN EASEMENT IN GROSS OVER PART OF BLOCK P ON PLAN 74, BEING PARTS 4 AND 5 ON PLAN 4R-23932 UNTIL 2058/10/03 AS IN OC1053214; CITY OF OTTAWA

PROPERTY REMARKS:

ESTATE/QUALIFIER:  
FEE SIMPLE  
LT CONVERSION QUALIFIED

RECENTLY:  
DIVISION FROM 04097-0031

PIN CREATION DATE:  
2009/11/24

OWNERS' NAMES  
NATIONAL CAPITAL COMMISSION

CAPACITY SHARE  
BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 2009/11/24 **						
**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:						
** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *						
** AND ESCHEATS OR FORFEITURE TO THE CROWN.						
** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF						
** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY						
** CONVENTION.						
** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.						
**DATE OF CONVERSION TO LAND TITLES: 1997/03/17 **						
CR132720	1915/09/29	TRANSFER EASEMENT			THE CORPORATION OF THE CITY OF OTTAWA	C
CR319326	1954/03/15	TRANSFER	\$4,763	CURRIER, CYRIL SHERWOOD, LIVIUS PERCY SLATER, ROBERT KENNETH SLATER, ESTHER - ESTATE	FEDERAL DISTRICT COMMISSION	C
CR319377	1954/03/16	TRANSFER	\$4,719	SLATER, ROBERT KENNETH SHERWOOD, LIVIUS PERCY SHERWOOD, EDSON CRAWFORD SHERWOOD, ESHER ALBERTA - ESTATE	FEDERAL DISTRICT COMMISSION	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
CR335194	1955/07/05	TRANSFER	\$12,000	GUARANTY TRUST COMPANY OF CANADA VACHON, CHARLES - ESTATE VACHON, WILFRED VACHON, EMMANUEL	FEDERAL DISTRICT COMMISSION	C
CR493787	1965/05/27	ORDER				C
4R388	1972/08/30	PLAN REFERENCE				C
4R459	1973/03/29	PLAN REFERENCE				C
CR628581	1973/04/04	TRANSFER EASEMENT <i>REMARKS: SKETCH ATTACHED</i>			THE CORPORATION OF THE CITY OF OTTAWA	C
5R6892	1982/12/10	PLAN REFERENCE				C
4R21406	2006/09/12	PLAN REFERENCE				C
OC657335	2006/11/02	TRANSFER EASEMENT	\$34,645	NATIONAL CAPITAL COMMISSION	CITY OF OTTAWA	C
4R23932	2009/09/16	PLAN REFERENCE				C
OC1053214	2009/11/20	TRANSFER EASEMENT <i>REMARKS: EXPIRES OCTOBER 3RD, 2009</i>	\$540	NATIONAL CAPITAL COMMISSION	HYDRO OTTAWA LIMITED	C
4R25646	2011/10/07	PLAN REFERENCE				C

LAND  
 REGISTRY  
 OFFICE #4

04097-0031 (LT)

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

*Parent  
 PIN  
 of  
 -0202*

PROPERTY DESCRIPTION:

PT EMMERSON AV, PL 258 , (FORMERLY SPRUCE ST.), AS CLOSED BY BYLAW CR472431 ; PT CARRUTHERS AV, PL 258 , (FORMERLY SECOND ST.), AS CLOSED BY BYLAW CR472431 ; PT STONEHURST AV, PL 258 , (FORMERLY FIRST ST.), AS CLOSED BY BYLAW CR472431 ; PT BED OF OTTAWA RIVER LYING , IN FRONT OF PL 60 OR 74 & 258 IN LOTS 36 & 37, CON A (OF) NP ; PT ISABEL ISLAND LYING , IN FRONT OF PL 60 OR 74 & 258 IN LOTS 36 & 37, CON A (OF) NP ; LTS 22, 23, 24, 25 & 31, PL 258 ; LTS 26 & 29, PL 258 ; PT LTS 30, 33, 34, 48, 49, 50 & 51, PL 258 ; PT LT 32, PL 258 ; LTS UNNUMBERED LT, 27 & 28, PL 258 , ADJOINING LOT 22 ; PT BLKS N, O & P, PL 74 , MAY ALSO BE SHOWN ON PLAN 60 ; PT 13, 4R459 ; S/T CR132720, CR628581. OTTAWA/NEPEAN. S/T AN EASEMENT IN GROSS OVER PARTS 1 AND 2 PLAN 4R21406 AS IN OC657335.; SUBJECT TO AN EASEMENT IN GROSS OVER PART OF BLOCK P ON PLAN 74, BEING PARTS 4 AND 5 ON PLAN 4R-23932 UNTIL 2058/10/03 AS IN OC1053214

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE  
 LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK

PIN CREATION DATE:

1997/03/17

OWNERS' NAMES

NATIONAL CAPITAL COMMISSION

CAPACITY SHARE

BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p><b>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**</b></p> <p><b>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**</b></p> <p><b>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1997/03/14 **</b></p> <p><b>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</b></p> <p><b>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN. * * * * *</b></p> <p><b>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION. * * * * *</b></p> <p><b>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES. * * * * *</b></p> <p><b>**DATE OF CONVERSION TO LAND TITLES: 1997/03/17 **</b></p> <p><b>NOTE: THIS PROPERTY WAS RETIRED ON 2009/11/24. THIS PROPERTY IS NOW DIVIDED INTO THE FOLLOWING PROPERTIES: 04097-0201 TO 04097-0202</b></p>						
CR132720	1915/09/29	TRANSFER EASEMENT			THE CORPORATION OF THE CITY OF OTTAWA	C
CR319326	1954/03/15	TRANSFER	\$4,763	CURRIER, CYRIL SHERWOOD, LIVIUS PERCY SLATER, ROBERT KENNETH SLATER, ESTHER - ESTATE	FEDERAL DISTRICT COMMISSION	C
CR319377	1954/03/16	TRANSFER	\$4,719	SLATER, ROBERT KENNETH SHERWOOD, LIVIUS PERCY	FEDERAL DISTRICT COMMISSION	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
 NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.


LAND  
 REGISTRY  
 OFFICE #4

04097-0031 (LT)

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHRD
CR335194	1955/07/05	TRANSFER	\$12,000	SHERWOOD, EDSON CRAWFORD SHERWOOD, ESHER ALBERTA - ESTATE GUARANTY TRUST COMPANY OF CANADA VACHON, CHARLES - ESTATE VACHON, WILFRED VACHON, EMMANUEL	FEDERAL DISTRICT COMMISSION	C
CR493787	1965/05/27	ORDER				C
4R388	1972/08/30	PLAN REFERENCE				C
4R459	1973/03/29	PLAN REFERENCE				C
CR628581	1973/04/04	TRANSFER EASEMENT <i>REMARKS: SKETCH ATTACHED</i>			THE CORPORATION OF THE CITY OF OTTAWA	C
5R6892	1982/12/10	PLAN REFERENCE				C
OC462040	2005/05/12	LR'S ORDER <i>REMARKS: ADDING CR319326, CR335194, CR319377</i>		LAND REGISTRAR		C
4R21406	2006/09/12	PLAN REFERENCE				C
OC657335	2006/11/02	TRANSFER EASEMENT	\$34,645	NATIONAL CAPITAL COMMISSION	CITY OF OTTAWA	C
4R23932	2009/09/16	PLAN REFERENCE				C
OC1053213	2009/11/20	TRANSFER	\$45,499	NATIONAL CAPITAL COMMISSION	CITY OF OTTAWA	C
OC1053214	2009/11/20	TRANSFER EASEMENT <i>REMARKS: EXPIRES OCTOBER 3RD, 2009</i>	\$540	NATIONAL CAPITAL COMMISSION	HYDRO OTTAWA LIMITED	C





LAND  
 REGISTRY  
 OFFICE #4

04097-0029 (LT)

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION:

PT BED OF OTTAWA RIVER LYING , FRONT OF LT36, CON 'A' (OF) NP & LOT 30, REG'D. PLAN 258 ; PT LTS 35 & 36, CON AOF , AS CLOSED BY BYLAW (24-64) CR472431 ; PT RDAL BTN LTS 35&36, CON AOF ; PT LANES, PL 396 , LYING TO THE N OF LOTS 3046, 3047, 3048 & REAR OF LOTS 3040 - 3047 INCL., AS CLOSED BY BYLAW (24-64) CR472431 ; PT FORWARD AV, PL 258 , (FORMERLY FOURTH ST), AS CLOSED BY BYLAW (45-69) CR558167; AS CLOSED BY BYLAW (24-64) CR472431 ; PT PARKDALE AV, PL 258 , (FORMERLY FIFTH ST), AS CLOSED BY BYLAW (24-64) CR472431 ; PT EMMERSON AV, PL 41, (FORMERLY SPRUCE ST), AS CLOSED BY BYLAW (24-64) CR472431 ; PT HINCHEY AV, PL 258 , (FORMERLY THIRD ST), AS CLOSED BY BYLAW (24-64) CR472431 ; PT LTS 3040, 3048, 3049, 3050 & 3051, PL 396 ; LTS 3041, 3042, 3043, 3044, 3045, 3046 & 3047, PL 396 ; PT LT 98, PL 258 ; PT LT 30 & LTS 42, 46 & 47 & PT LTS 48 & 49 & LTS 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 77, 78, 79, 80, 81, 82, 83, 84, 85 & 86 & PT LTS 87, 88 & 89 & LTS 91, 92, 93, 94, 95, 96, 97, 102, 103, 104, 105, 106, 107 & 108, PL 258 ; LT 75, PL 258 ; LTS 61, 62 & 63, PL 258 ; LT 76, PL 258 ; LT 90, PL 258 ; LTS 43 & 44, PL 258 ; LT 45, PL 258 ; PT 5, 4R459, LESS PT 7, R-35 ; SUBJECT TO THE INTEREST IF ANY IN CR610267 ; OTTAWA/NEPEAN

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE  
 LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK

PIN CREATION DATE:

1997/03/17

OWNERS' NAMES

NATIONAL CAPITAL COMMISSION

CAPACITY SHARE

BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1997/03/14 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 4(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1997/03/17 **</p>						
R35	1969/12/04	PLAN REFERENCE				C
4R307	1972/01/12	PLAN REFERENCE				C
CR610267	1972/05/11	AGREEMENT			THE CORPORATION OF THE CITY OF OTTAWA	C
		REMARKS: EASEMENTS, SKETCH ATTACHED				
4R379	1972/08/11	PLAN REFERENCE				C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

04097-0029 (LT)

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
CR627089	1973/03/05	ORDER IN COUNCIL			NATIONAL CAPITAL COMMISSION	C
4R459	1973/03/29	PLAN REFERENCE				C
4R15491	2000/03/01	PLAN REFERENCE				C

LAND  
REGISTRY  
OFFICE #4

04097-0034 (LT)

PAGE 1 OF 1  
PREPARED FOR DAVE  
ON 2019/04/17 AT 09:04:35

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: PT CARRUTHERS AV, PL 258 , (FORMERLY SECOND ST); PT12, 4R459, AS CLOSED BY BYLAW CR472431 ; OTTAWA/NEPEAN

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE  
LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK

PIN CREATION DATE:

1997/03/17

OWNERS' NAMES

NATIONAL CAPITAL COMMISSION

CAPACITY SHARE

BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
		**EFFECTIVE 2000/07/29		THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**		
		**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**				
		** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1997/03/14 **				
		**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:				
		** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *				
		** AND ESCHEATS OR FORFEITURE TO THE CROWN.				
		** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF				
		** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY				
		** CONVENTION.				
		** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.				
		**DATE OF CONVERSION TO LAND TITLES: 1997/03/17 **				
4R459	1973/03/29	PLAN REFERENCE				C



LAND  
 REGISTRY  
 OFFICE #4

04097-0033 (LT)

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

**PROPERTY DESCRIPTION:** PT HINCHEY AV, PL 258 , (FORMERLY THIRD AV), AS CLOSED BY BYLAW CR472431 ; PT CARRUTHERS AV, PL 258 , (FORMERLY SECOND ST), AS CLOSED BY BYLAW CR472431 ; PT LTS 33, 34 & 35 & LTS 36, 37, 38, 39, 40 & 41 & PT LTS 50, 51 & 52 & LTS 53, 54, 55, 56, 57, 58, 59 & 60, PL 258 ; PT 10, 4R459 ; OTTAWA/NEPEAN

**PROPERTY REMARKS:**

**ESTATE/QUALIFIER:**  
 FEE SIMPLE  
 LT CONVERSION QUALIFIED

**RECENTLY:**  
 FIRST CONVERSION FROM BOOK 179

**PIN CREATION DATE:**  
 1997/03/17

**OWNERS' NAMES**  
 NATIONAL CAPITAL COMMISSION

**CAPACITY SHARE**  
 BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
**EFFECTIVE	2000/07/29	THE NOTATION OF THE	"BLOCK IMPLEMENTATION DATE"	OF 1997/03/17 ON THIS PIN**		
**WAS REPLACED WITH THE	"PIN CREATION DATE"	OF 1997/03/17**				
** PRINTOUT	INCLUDES ALL DOCUMENT TYPES AND	DELETED INSTRUMENTS	SINCE 1997/03/14 **			
** NO INSTRUMENT WITHIN	THE SELECTED CRITERIA EXISTS IN THE AUTOMATED SYSTEM **					
**SUBJECT,	ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:					
**	SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *					
**	AND ESCHEATS OR FORFEITURE TO THE CROWN.					
**	THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF					
**	IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY					
**	CONVENTION.					
**	ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.					
**DATE OF CONVERSION TO	LAND TITLES: 1997/03/17 **					

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
 NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND  
REGISTRY  
OFFICE #4

04097-0035 (LT)

PAGE 1 OF 1  
PREPARED FOR DAVE  
ON 2019/04/17 AT 09:05:15

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: PT CARRUTHERS AV, PL 258 , (FORMERLY SECOND ST), AS CLOSED BY BYLAW CR472431 ; PT 11, 4R459 ; OTTAWA/NEPEAN

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE  
LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK 179

PIN CREATION DATE:

1997/03/17

OWNERS' NAMES

NATIONAL CAPITAL COMMISSION

CAPACITY SHARE

BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
		**EFFECTIVE 2000/07/29		THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**		
		**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**				
		** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1997/03/14 **				
		**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:				
		** SUBSECTION 41(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *				
		** AND ESCHEATS OR FORFEITURE TO THE CROWN.				
		** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF				
		** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY				
		** CONVENTION.				
		** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.				
		**DATE OF CONVERSION TO LAND TITLES: 1997/03/17 **				
4R459	1973/03/29	PLAN REFERENCE				C

LAND  
 REGISTRY  
 OFFICE #4

04097-0013 (LT)

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION:

PT EMMERSON AV, PL 41 , (FORMERLY SPRUCE ST, AS CHANGED BY CR113543), LYING E OF THE PRODUCTION OF THE W LIMIT OF LT 11 E FORWARD AV, CLOSED BY BYLAW CR472431 & ORDER CR493787 ; PT HINCHEY AV, PL 41 , (FORMERLY THIRD ST, AS CHANGED BY CR113543); LYING N OF THE ELY PRODUCTION OF THE LINE BTWN N AND S HALVES OF LT 7 W HINCHEY AV CLOSED BY BYLAW CR472431 & ORDER CR493787 ; PART 7 PLAN 4R459 ; OTTAWA/NEPEAN.

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE  
 LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK 70

PIN CREATION DATE:

1997/03/17

OWNERS' NAMES

NATIONAL CAPITAL COMMISSION

CAPACITY SHARE

BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
**EFFECTIVE	2000/07/29	THE NOTATION OF THE	"BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**			
**WAS REPLACED WITH THE	"PIN CREATION DATE"	OF 1997/03/17**				
** PRINTOUT	INCLUDES ALL DOCUMENT TYPES AND	DELETED INSTRUMENTS SINCE 1997/03/14 **				
**SUBJECT,	ON FIRST REGISTRATION UNDER THE	LAND TITLES ACT, TO:				
**	SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *					
**	AND ESCHEATS OR FORFEITURE TO THE CROWN.					
**	THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF					
**	IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY					
**	CONVENTION.					
**	ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.					
**DATE OF CONVERSION TO	LAND TITLES: 1997/03/17 **					
PLMECH41	1873/03/10	PLAN SUBDIVISION				C
4R459	1973/03/29	PLAN REFERENCE				C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



LAND  
 REGISTRY  
 OFFICE #4

04097-0006 (LT)

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: LTS 8, 9, 10 & 11, PL 41 , E OF FORWARD AV (FORMERLY FOURTH AV) ; PT LT 7, PL 41 , LTS 8, 9, 10 & 11, PL 41 , PART OF EMERSON ST. (FORMERLY SPRUCE ST), CLOSED BY BYLAW CR472431 & ORDER CR493787, PART 8, PL 4R459, W OF HINCHEY AV (FORMERLY THIRD AV) ; OTTAWA/NEPEAN

PROPERTY REMARKS:

ESTATE/QUALIFIER:  
 FEE SIMPLE  
 LT CONVERSION QUALIFIED

RECENTLY:  
 FIRST CONVERSION FROM BOOK 70

PIN CREATION DATE:  
 1997/03/17


OWNERS' NAMES  
 NATIONAL CAPITAL COMMISSION

CAPACITY SHARE  
 BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
**EFFECTIVE	2000/07/29	THE NOTATION OF THE	"BLOCK IMPLEMENTATION DATE"	OF 1997/03/17 ON THIS PIN**		
**WAS REPLACED WITH THE	"PIN CREATION DATE"	OF 1997/03/17**				
** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1997/03/14 **						
**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:						
**		SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *				
**		AND ESCHEATS OR FORFEITURE TO THE CROWN.				
**		THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF				
**		IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY				
**		CONVENTION.				
**		ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.				
**DATE OF CONVERSION TO	LAND TITLES: 1997/03/17 **					
4R459	1973/03/29	PLAN REFERENCE				C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
 NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

*PN map*



BLOCK 04032

*4131*

BLK 15282

REG PLAN 41  
EAST PARKDALE AVE

CARLETON CONDO  
PLAN 282

BLK 15384

CARLETON CONDO  
PLAN 384

REG PLAN 41  
EAST FORWARD AVE

BLK 15494

CARLETON CONDO  
PLAN 394

REG PLAN 41  
EAST FORWARD AVE

REG PLAN 41  
WEST HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 41  
WEST OF FORWARD

0027 BURNSIDE AVE

CARRUTHERS AVE  
(CLOSED)

STONEHURST AVE  
(CLOSED)

BLOCK P  
REG PLAN 74

BLOCK J  
REG PLAN 74

BLOCK H  
REG PLAN 74

BLOCK G  
REG PLAN 74

BLOCK F  
REG PLAN 60

BLOCK K  
REG PLAN 74

BLOCK L  
REG PLAN 74

BLOCK M  
REG PLAN 74

BLOCK N  
REG PLAN 74

EMERSON ST  
0032 (CLOSED)

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

REG PLAN 258  
HINCHEY AVE

*4R23 932*

*4R-22*

*202*

*0029*

*0030*

*0035*

*0033*

*0006*

*0005*

*0009*

*0011*

*0010*

*0018*

*0019*

*0021*

*0020*

*0022*

*0023*

*0024*

*0025*

*0026*

*0027*

*0028*

*0029*

*0030*

*0031*

*0032*

*0033*

*0034*

*0035*

*0036*

*0037*

*0038*

*0039*

*0040*

*0041*

*0042*

*0043*

*0044*

*0045*

*0046*

*0047*

*0048*

*0049*

*0050*

*0051*

*0052*

*0053*

*0054*

*0055*

*0056*

*0057*

*0058*

*0059*

*0060*

*0061*

*0062*

*0063*

*0064*

*0065*

*0066*

*0067*

*0068*

*0069*

*0070*

*0071*

*0072*

*0073*

*0074*

*0075*

*0076*

*0077*

*0078*

*0079*

*0080*

*0081*

*0082*

*0083*

*0084*

*0085*

*0086*

*0087*

*0088*

*0089*

*0090*

*0091*

*0092*

*0093*

*0094*

*0095*

*0096*

*0097*

*0098*

*0099*

*0100*

*0101*

*0102*

*0103*

*0104*

*0105*

*0106*

*0107*

*0108*

*0109*

*0110*

*0111*

*0112*

*0113*

*0114*

*0115*

*0116*

*0117*

*0118*

*0119*

*0120*

*0121*

*0122*

*0123*

*0124*

*0125*

*0126*

*0127*

*0128*

*0129*

*0130*

*0131*

*0132*

*0133*

*0134*

*0135*

*0136*

*0137*

*0138*

*0139*

*0140*

*0141*

*0142*

*0143*

*0144*

*0145*

*0146*

*0147*

*0148*

*0149*

*0150*

*0151*

*0152*

*0153*

*0154*

*0155*

*0156*

*0157*

*0158*

*0159*

*0160*

*0161*

*0162*

*0163*

*0164*

*0165*

*0166*

*0167*

*0168*

*0169*

*0170*

*0171*

*0172*

*0173*

*0174*

*0175*

*0176*

*0177*

*0178*

*0179*

*0180*

*0181*

*0182*

*0183*

*0184*

*0185*

*0186*

*0187*

*0188*

*0189*

*0190*

*0191*

*0192*

*0193*

*0194*

*0195*

*0196*

*0197*

*0198*

*0199*

*0200*

*0201*

*0202*

*0203*

*0204*

*0205*

*0206*

*0207*

*0208*

*0209*

*0210*

*0211*

*0212*

*0213*

*0214*

*0215*

*0216*

*0217*

*0218*

*0219*

*0220*

## **APPENDIX C**

### **EcoLog ERIS Documentation**





# DATABASE REPORT

**Project Property:** *18-262-1\_Burnside  
Burnside Avenue  
Ottawa ON K1Y*

**Project No:**

**Report Type:** *RSC Report - Quote*

**Order No:** *20190410145*

**Requested by:** *Geofirma Engineering*

**Date Completed:** *April 17, 2019*

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	39
Map.....	79
Aerial.....	80
Topographic Map.....	81
Detail Report.....	82
Unplottable Summary.....	523
Unplottable Report.....	528
Appendix: Database Descriptions.....	559
Definitions.....	568

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** 18-262-1\_Burnside  
Burnside Avenue Ottawa ON K1Y

**Project No:**

## **Order Information:**

**Order No:** 20190410145  
**Date Requested:** April 10, 2019  
**Requested by:** Geofirma Engineering  
**Report Type:** RSC Report - Quote

## **Historical/Products:**

**Topographic Map** Ontario Base Map (OBM)



## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.30km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	1	3	4
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	3	30	33
CA	<i>Certificates of Approval</i>	Y	0	17	17
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DRYCLEANERS	<i>Dry Cleaning Facilities</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	1	1
ECA	<i>Environmental Compliance Approval</i>	Y	0	20	20
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	14	15
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EXP	<i>List of TSSA Expired Facilities</i>	Y	0	23	23
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	9	9
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	89	89
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	3	3
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>TSSA Incidents</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MISA PENALTY	<i>Environmental Penalty Annual Report</i>	Y	0	0	0

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.30km</b>	<b>Total</b>
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBW	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	3	3
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	20	20
OGW	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	5	5
ORD	<i>Orders</i>	Y	0	1	1
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	4	4
PINC	<i>TSSA Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	3	3
PTTW	<i>Permit to Take Water</i>	Y	0	2	2
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	1	1
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	1	1
SPL	<i>Ontario Spills</i>	Y	0	48	48
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>TSSA Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	3	3
WWIS	<i>Water Well Information System</i>	Y	2	105	107
<b>Total:</b>			7	405	412

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	BORE		ON	-/0.0	-5.03	<a href="#">82</a>
<a href="#">2</a>	EHS		Slidell Street & Burnside Street Ottawa ON	-/0.0	-5.03	<a href="#">82</a>
<a href="#">3</a>	BORE		ON	-/0.0	-3.57	<a href="#">82</a>
<a href="#">4</a>	ANDR	Bayview & Slidell Dump (alt)	Ottawa ON K1Y	-/0.0	-2.21	<a href="#">83</a>
<a href="#">5</a>	WWIS		Ottawa ON  <i>Well ID:</i> 7231504	-/0.0	-2.21	<a href="#">84</a>
<a href="#">6</a>	BORE		ON	-/0.0	-2.51	<a href="#">86</a>
<a href="#">7</a>	WWIS		OTTAWA ON  <i>Well ID:</i> 1536052	-/0.0	-6.21	<a href="#">86</a>



## Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">8</a>	BORE		ON	WNW/5.7	-3.29	<a href="#">90</a>
<a href="#">9</a>	GEN	lafleur de da capital	11 bayview road ottawa ON K1Y 2C5	E/12.2	-3.16	<a href="#">90</a>
<a href="#">9</a>	GEN	Lafleur De La Capitale Inc.	11 Bayview Rd Ottawa ON K1Y 2C5	E/12.2	-3.16	<a href="#">90</a>
<a href="#">9</a>	GEN	lafleur de da capital	11 bayview road ottawa ON K1Y 2C5	E/12.2	-3.16	<a href="#">91</a>
<a href="#">9</a>	GEN	lafleur de da capital	11 bayview road ottawa ON K1Y 2C5	E/12.2	-3.16	<a href="#">92</a>
<a href="#">10</a>	CA	OTTAWA CITY	BURNSIDE AVE./HINCHEY AVE. OTTAWA CITY ON	SSW/13.8	1.79	<a href="#">92</a>
<a href="#">11</a>	GEN	National Capital Commission	Slidell Street and Ottawa River Parkway Former Ottawa Landfill Ottawa ON	ENE/16.8	-7.26	<a href="#">92</a>
<a href="#">12</a>	BORE		ON	NE/20.9	-5.09	<a href="#">93</a>
<a href="#">13</a>	PES	DANIEL BAKER	100 HINCHEY AVE; #921 OTTAWA ON K1Y4L9	SW/25.8	1.79	<a href="#">93</a>
<a href="#">13</a>	PES	DANIEL C BAKER	921-100 HINCHEY AVENUE OTTAWA ON K1Y 4L9	SW/25.8	1.79	<a href="#">93</a>
<a href="#">14</a>	SPL	UNKNOWN	OTTAWA RIVER AT END OF BAYVIEW RD/PARKWAY OTTAWA CITY ON	ENE/26.9	-7.26	<a href="#">94</a>
<a href="#">15</a>	GEN	CCC384	44 EMMERSON AVE OTTAWA ON K1Y 2L8	W/27.0	-0.24	<a href="#">94</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">16</a>	WWIS		Ottawa ON <i>Well ID:</i> 7231501	E/32.0	-4.74	<a href="#">94</a>
<a href="#">17</a>	WWIS		ON <i>Well ID:</i> 7201544	ENE/32.7	-6.21	<a href="#">96</a>
<a href="#">18</a>	WWIS		Ottawa ON <i>Well ID:</i> 7182763	E/33.7	-4.21	<a href="#">97</a>
<a href="#">19</a>	WWIS		Ottawa ON <i>Well ID:</i> 7187781	E/34.0	-4.74	<a href="#">100</a>
<a href="#">20</a>	BORE		ON	NW/34.2	-4.96	<a href="#">103</a>
<a href="#">21</a>	BORE		ON	ESE/37.8	-2.64	<a href="#">103</a>
<a href="#">22</a>	WWIS		Ottawa ON <i>Well ID:</i> 7182760	E/38.2	-5.29	<a href="#">104</a>
<a href="#">23</a>	GEN	OTTAWA COMMUNITY HOUSING CORP.	18 BURNSIDE AVE., OTTAWA ON K1Y 4V7	SSE/38.7	-0.21	<a href="#">107</a>
<a href="#">23</a>	SPL		18 Burnside Ave. OTTAWA HOUSING GARAGE<UNOFFICIAL> Ottawa ON K1Y 4V7	SSE/38.7	-0.21	<a href="#">107</a>
<a href="#">24</a>	WWIS		Ottawa ON <i>Well ID:</i> 7227883	ESE/38.8	-2.21	<a href="#">107</a>
<a href="#">25</a>	WWIS		ON <i>Well ID:</i> 7231499	ENE/39.1	-5.93	<a href="#">110</a>
<a href="#">26</a>	PES	OTTAWA & DIST ASSOC FOR THE MENTALLY RETARDED	55 PARKDALE AVENUE NORTH OTTAWA ON K2H 8H8	WNW/47.1	-2.90	<a href="#">112</a>
<a href="#">27</a>	WWIS		Ottawa ON	E/47.3	-5.29	<a href="#">112</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7187776			
<a href="#">28</a>	BORE		ON	NE/49.0	-7.21	<a href="#">115</a>
<a href="#">29</a>	PTTW	Canada Lands Company CLC Limited	Lot: 21-25, Concession: 1 on Ottawa River, Geographic Township: GLOUCESTER, Ottawa, City CITY OF OTTAWA ON	NW/51.9	-5.94	<a href="#">116</a>
<a href="#">30</a>	BORE		ON	ESE/55.2	-2.21	<a href="#">116</a>
<a href="#">31</a>	WWIS		Ottawa ON <b>Well ID:</b> 7182762	E/55.5	-5.29	<a href="#">116</a>
<a href="#">32</a>	WDSH		Burnside .Ave. & Slidell St. OTTAWA ON	SE/56.6	-1.18	<a href="#">119</a>
<a href="#">33</a>	BORE		ON	NW/57.0	-6.63	<a href="#">119</a>
<a href="#">34</a>	SPL		50 Burnside Ave Ottawa ON	SSW/58.1	1.79	<a href="#">120</a>
<a href="#">35</a>	WWIS		Ottawa ON <b>Well ID:</b> 7207343	SSE/58.8	0.88	<a href="#">120</a>
<a href="#">36</a>	EHS		52 Bayview Road Ottawa ON	ESE/59.8	-3.96	<a href="#">123</a>
<a href="#">37</a>	SPL	Unknown<UNOFFICIAL>	55 Carruthers Ave. Ottawa Ottawa ON	SSE/60.6	-0.21	<a href="#">124</a>
<a href="#">37</a>	SPL		In front of 55 Carruthers Street<UNOFFICIAL> Ottawa ON K1Y 1N3	SSE/60.6	-0.21	<a href="#">124</a>
<a href="#">38</a>	WWIS		Ottawa ON <b>Well ID:</b> 7201623	S/60.8	0.79	<a href="#">125</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">39</a>	ANDR	Burnside & Slidell Dump	Ottawa ON K1Y	SE/60.9	-1.78	<a href="#">127</a>
<a href="#">40</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231507	E/63.1	-5.18	<a href="#">128</a>
<a href="#">41</a>	WWIS		ON <b>Well ID:</b> 7219176	SSE/64.7	-0.21	<a href="#">130</a>
<a href="#">42</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231508	E/65.0	-5.18	<a href="#">130</a>
<a href="#">43</a>	WWIS		Ottawa ON <b>Well ID:</b> 7187773	ENE/66.1	-6.21	<a href="#">132</a>
<a href="#">43</a>	WWIS		Ottawa ON <b>Well ID:</b> 7187778	ENE/66.1	-6.21	<a href="#">135</a>
<a href="#">44</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231497	E/66.2	-5.90	<a href="#">138</a>
<a href="#">44</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231498	E/66.2	-5.90	<a href="#">140</a>
<a href="#">44</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7213386	E/66.2	-5.90	<a href="#">142</a>
<a href="#">45</a>	HINC		56 CARRUTHERS AVENUE OTTAWA ON K1Y 1N2	S/67.3	0.79	<a href="#">145</a>
<a href="#">45</a>	SPL		56 Carruthers Avenue Ottawa ON K1Y 1N2	S/67.3	0.79	<a href="#">145</a>
<a href="#">46</a>	WWIS		Ottawa ON <b>Well ID:</b> 7213390	E/67.5	-5.90	<a href="#">146</a>
<a href="#">47</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231509	E/68.8	-4.12	<a href="#">149</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">48</a>	WWIS		Ottawa ON <b>Well ID:</b> 7182764	E/69.2	-4.12	<a href="#">151</a>
<a href="#">49</a>	RSC	JOHN HOWARD SOCIETY OF OTTAWA	59 CARRUTHERS AVENUE, OTTAWA, ON K1Y 1N3 Ottawa ON	SSE/69.5	-0.21	<a href="#">154</a>
<a href="#">50</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231511	E/70.0	-5.18	<a href="#">155</a>
<a href="#">50</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231505	E/70.0	-5.18	<a href="#">157</a>
<a href="#">50</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231506	E/70.0	-5.18	<a href="#">159</a>
<a href="#">50</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231510	E/70.0	-5.18	<a href="#">160</a>
<a href="#">51</a>	ECA	City of Ottawa	Forward Avenue, Lyndale Avenue and Hinchey Avenue Ottawa ON K1N 5A1	SW/70.0	1.79	<a href="#">162</a>
<a href="#">52</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7264754	SSE/72.1	-0.21	<a href="#">163</a>
<a href="#">53</a>	BORE		ON	NNE/72.8	-11.61	<a href="#">165</a>
<a href="#">54</a>	BORE		ON	NW/73.2	-6.63	<a href="#">166</a>
<a href="#">55</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231503	E/73.8	-4.14	<a href="#">166</a>
<a href="#">56</a>	CA	Asbex Ltd.	9 Bayview Road, Unit D Ottawa ON	E/75.5	-4.14	<a href="#">168</a>
<a href="#">56</a>	ECA	Asbex Ltd.	9 Bayview Rd Ottawa ON	E/75.5	-4.14	<a href="#">168</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">56</a>	GEN	Asbex	9 Bayview Drive Ottawa ON K1Y 2C5	E/75.5	-4.14	<a href="#">168</a>
<a href="#">56</a>	GEN	Asbex Ltd	9 Bayview, Unit D Ottawa ON K1Y 2C5	E/75.5	-4.14	<a href="#">169</a>
<a href="#">56</a>	GEN	Asbex	9 Bayview Drive Ottawa ON K1Y 2C5	E/75.5	-4.14	<a href="#">169</a>
<a href="#">56</a>	GEN	R J W Stonemason	9 Bayview Rd, Unit E Ottawa ON K1Y 2C5	E/75.5	-4.14	<a href="#">169</a>
<a href="#">56</a>	GEN	R.J.W STONEMASONS	9 BAYVIEW RD OTTAWA ON K1Y 2C5	E/75.5	-4.14	<a href="#">170</a>
<a href="#">56</a>	GEN	Asbex Ltd	9 Bayview, Unit D Ottawa ON	E/75.5	-4.14	<a href="#">170</a>
<a href="#">57</a>	WWIS		Ottawa ON <b>Well ID:</b> 7213391	E/75.6	-5.18	<a href="#">170</a>
<a href="#">58</a>	HINC		58 CARRUTHERS AVENUE OTTAWA ON K1Y 1N2	S/75.7	0.79	<a href="#">173</a>
<a href="#">58</a>	SPL	S. 21(1)(f)	58 Carruthers Avenue Ottawa ON K1Y 1N2	S/75.7	0.79	<a href="#">174</a>
<a href="#">59</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7213387	E/77.6	-5.54	<a href="#">174</a>
<a href="#">60</a>	WWIS		Ottawa ON <b>Well ID:</b> 7187774	E/79.1	-6.18	<a href="#">177</a>
<a href="#">61</a>	BORE		ON	NW/79.2	-6.63	<a href="#">180</a>
<a href="#">62</a>	WWIS		Ottawa ON	E/79.6	-6.18	<a href="#">180</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID: 7187775</b>			
<a href="#">63</a>	WWIS		Ottawa ON <b>Well ID: 7187777</b>	E/82.4	-6.18	<a href="#">183</a>
<a href="#">64</a>	EHS		101 Parkdale Avenue Ottawa ON K1Y 1E6	WSW/83.4	0.82	<a href="#">186</a>
<a href="#">65</a>	SPL	PRIVATE RESIDENCE	63 CARRUTHURS AVENUE FURNACE OIL TANK OTTAWA CITY ON	SSE/84.5	-0.21	<a href="#">186</a>
<a href="#">66</a>	BORE		ON	ESE/85.2	-2.51	<a href="#">186</a>
<a href="#">67</a>	EHS		99-107 Parkdale Avenue (odd numbers only) Ottawa ON	WSW/87.0	0.79	<a href="#">187</a>
<a href="#">68</a>	WWIS		Ottawa ON <b>Well ID: 7231502</b>	E/88.1	-4.16	<a href="#">187</a>
<a href="#">69</a>	CA	City of Ottawa	Emmerson Avenue and Parkdale Avenue Ottawa ON	W/90.6	-0.51	<a href="#">189</a>
<a href="#">69</a>	ECA	City of Ottawa	Emmerson Avenue and Parkdale Ave Ottawa ON K1S 5K2	W/90.6	-0.51	<a href="#">189</a>
<a href="#">69</a>	ECA	City of Ottawa	Emmerson Avenue and Parkdale Ave Ottawa ON K1S 5K2	W/90.6	-0.51	<a href="#">189</a>
<a href="#">70</a>	WWIS		OTTAWA ON <b>Well ID: 7050793</b>	NE/90.8	-8.21	<a href="#">190</a>
<a href="#">71</a>	PTTW	Riverbend Golf Club	3089 Regional Road 10, Lot 8, Concession IV GOULBOURN ON	WSW/92.3	0.22	<a href="#">193</a>
<a href="#">72</a>	WWIS		OTTAWA ON <b>Well ID: 7267421</b>	ESE/95.1	-3.41	<a href="#">193</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">73</a>	BORE		ON	ESE/95.6	-2.21	<a href="#">196</a>
<a href="#">74</a>	WWIS		OTTAWA ON <i>Well ID: 7267420</i>	ESE/96.5	-3.41	<a href="#">197</a>
<a href="#">75</a>	BORE		ON	NW/98.3	-11.21	<a href="#">200</a>
<a href="#">76</a>	WWIS		Ottawa ON <i>Well ID: 7231519</i>	E/100.5	-5.51	<a href="#">200</a>
<a href="#">76</a>	WWIS		Ottawa ON <i>Well ID: 7231518</i>	E/100.5	-5.51	<a href="#">202</a>
<a href="#">76</a>	WWIS		OTTAWA ON <i>Well ID: 7213388</i>	E/100.5	-5.51	<a href="#">204</a>
<a href="#">77</a>	WWIS		Ottawa ON <i>Well ID: 7182761</i>	E/100.8	-6.16	<a href="#">207</a>
<a href="#">78</a>	WWIS		OTTAWA ON <i>Well ID: 7050792</i>	NE/102.5	-8.21	<a href="#">210</a>
<a href="#">79</a>	WWIS		Ottawa ON <i>Well ID: 7227884</i>	ESE/104.2	-2.51	<a href="#">213</a>
<a href="#">80</a>	WWIS		Ottawa ON <i>Well ID: 7231517</i>	E/105.7	-5.51	<a href="#">216</a>
<a href="#">81</a>	BORE		ON	ENE/107.0	-7.54	<a href="#">218</a>
<a href="#">82</a>	WWIS		Ottawa ON <i>Well ID: 7231515</i>	E/110.2	-4.16	<a href="#">218</a>
<a href="#">83</a>	WWIS		Ottawa ON <i>Well ID: 7205866</i>	SW/110.9	0.79	<a href="#">220</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">84</a>	EHS		71 Carruthers Ave Ottawa ON K1Y1N3	SSE/111.1	-0.21	<a href="#">223</a>
<a href="#">85</a>	WWIS		Ottawa ON <b>Well ID:</b> 7182759	E/112.1	-5.21	<a href="#">223</a>
<a href="#">86</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231513	E/112.6	-4.16	<a href="#">226</a>
<a href="#">86</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231512	E/112.6	-4.16	<a href="#">228</a>
<a href="#">87</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231516	E/113.0	-5.21	<a href="#">230</a>
<a href="#">88</a>	ECA	City of Ottawa	Ottawa ON K2G 5J9	E/113.8	-5.21	<a href="#">231</a>
<a href="#">88</a>	ECA	City of Ottawa	Ottawa ON K2G 6J8	E/113.8	-5.21	<a href="#">232</a>
<a href="#">88</a>	ECA	City of Ottawa	Bayview Road between Stonehurst Avenue and Wellington Street West Ottawa ON K2G 6J8	E/113.8	-5.21	<a href="#">232</a>
<a href="#">89</a>	WWIS		ON <b>Well ID:</b> 7201541	E/114.2	-5.21	<a href="#">232</a>
<a href="#">90</a>	BORE		ON	ESE/115.0	-2.51	<a href="#">233</a>
<a href="#">91</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231520	E/116.3	-5.51	<a href="#">233</a>
<a href="#">92</a>	WWIS		Ottawa ON <b>Well ID:</b> 7182766	E/117.7	-4.13	<a href="#">235</a>
<a href="#">92</a>	WWIS		Ottawa ON <b>Well ID:</b> 7182765	E/117.7	-4.13	<a href="#">239</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">93</a>	BORE		ON	ENE/121.0	-7.21	<a href="#">242</a>
<a href="#">94</a>	SPL	PRIVATE RESIDENCE	AT RESIDENCE AT 154 HINCHY AVE. FURNACE OIL TANK OTTAWA CITY ON	S/121.3	0.79	<a href="#">243</a>
<a href="#">95</a>	ECA	8609454 Canada Inc.	121 Parkdale Ave Ottawa ON K1J 7S6	SW/121.4	0.79	<a href="#">243</a>
<a href="#">95</a>	EHS		121 Parkdale Ave Ottawa ON K1Y2M3	SW/121.4	0.79	<a href="#">244</a>
<a href="#">96</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7242768	ENE/122.0	-7.21	<a href="#">244</a>
<a href="#">97</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7242769	ENE/122.1	-7.21	<a href="#">246</a>
<a href="#">98</a>	WWIS		Ottawa ON <b>Well ID:</b> 7240369	W/122.5	-0.21	<a href="#">248</a>
<a href="#">99</a>	WWIS		Ottawa ON <b>Well ID:</b> 7187779	E/123.6	-4.13	<a href="#">250</a>
<a href="#">100</a>	WWIS		Ottawa ON <b>Well ID:</b> 7240371	W/123.7	-0.21	<a href="#">253</a>
<a href="#">101</a>	GEN	City of Ottawa	52 Bayview Road Ottawa ON K1Y 4L6	SE/126.8	-1.69	<a href="#">256</a>
<a href="#">101</a>	GEN	City of Ottawa Environmental Remediation Unit	52 Bayview Road Ottawa ON K1Y 4L6	SE/126.8	-1.69	<a href="#">256</a>
<a href="#">101</a>	GEN	City of Ottawa	52 Bayview Road Ottawa ON K1Y 4L6	SE/126.8	-1.69	<a href="#">256</a>
<a href="#">102</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7242767	E/127.8	-6.16	<a href="#">257</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">102</a>	WWIS		OTTAWA ON <i>Well ID: 7242766</i>	E/127.8	-6.16	<a href="#">259</a>
<a href="#">103</a>	WWIS		Ottawa ON <i>Well ID: 7227766</i>	ESE/128.6	-3.21	<a href="#">261</a>
<a href="#">104</a>	WWIS		OTTAWA ON <i>Well ID: 7242765</i>	E/128.9	-6.16	<a href="#">264</a>
<a href="#">105</a>	WWIS		OTTAWA ON <i>Well ID: 7242775</i>	E/129.1	-6.16	<a href="#">265</a>
<a href="#">106</a>	WWIS		Ottawa ON <i>Well ID: 7240373</i>	W/134.9	-0.21	<a href="#">267</a>
<a href="#">107</a>	WWIS		Ottawa ON <i>Well ID: 7227765</i>	ESE/135.7	-3.21	<a href="#">270</a>
<a href="#">108</a>	GEN	JOHANNES POTHUMA	80 CARRUTHERS AVE. OTTAWA ON K1Y 1N2	SSE/137.0	-0.21	<a href="#">273</a>
<a href="#">108</a>	GEN	JOHANNES POTHUMA 22-285	80 CARRUTHERS AVE. OTTAWA ON K1Y 1N2	SSE/137.0	-0.21	<a href="#">273</a>
<a href="#">109</a>	WWIS		OTTAWA ON <i>Well ID: 7267373</i>	ESE/139.6	-2.13	<a href="#">274</a>
<a href="#">110</a>	WWIS		OTTAWA ON <i>Well ID: 7267422</i>	ESE/139.9	-2.13	<a href="#">277</a>
<a href="#">111</a>	WWIS		OTTAWA ON <i>Well ID: 7242770</i>	ENE/140.2	-7.21	<a href="#">281</a>
<a href="#">112</a>	BORE		ON	WSW/141.1	-0.21	<a href="#">283</a>
<a href="#">113</a>	WWIS		lot 37 con A OTTAWA ON <i>Well ID: 1535114</i>	ESE/142.4	-4.06	<a href="#">283</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">114</a>	WWIS		Ottawa ON <i>Well ID: 7207737</i>	ESE/145.0	-3.21	<a href="#">285</a>
<a href="#">115</a>	WWIS		OTTAWA ON <i>Well ID: 7242777</i>	ENE/145.9	-7.53	<a href="#">287</a>
<a href="#">115</a>	WWIS		OTTAWA ON <i>Well ID: 7242778</i>	ENE/145.9	-7.53	<a href="#">289</a>
<a href="#">116</a>	WWIS		OTTAWA ON <i>Well ID: 7242776</i>	ENE/146.2	-7.53	<a href="#">291</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 0K9	SW/147.3	0.79	<a href="#">293</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	SW/147.3	0.79	<a href="#">294</a>
<a href="#">117</a>	GEN	Public Works and Government Services	120 Parkdale Ottawa ON K1A 1B4	SW/147.3	0.79	<a href="#">295</a>
<a href="#">117</a>	GEN	SNC LAVALIN O & M	120 PARKDALE AVENUE VARIOUS BUILDINGS OTTAWA ON	SW/147.3	0.79	<a href="#">296</a>
<a href="#">117</a>	GEN	Public Works and Government Services	120 Parkdale Ottawa ON K1A 1B4	SW/147.3	0.79	<a href="#">297</a>
<a href="#">117</a>	GEN	Public Services & Procurement Canada ESD/AFD	120 Parkdale, Ottawa ON K1A 0K9	SW/147.3	0.79	<a href="#">297</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	SW/147.3	0.79	<a href="#">299</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1B4	SW/147.3	0.79	<a href="#">300</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	SW/147.3	0.79	<a href="#">301</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 0K9	SW/147.3	0.79	<a href="#">302</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 0K9	SW/147.3	0.79	<a href="#">303</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	SW/147.3	0.79	<a href="#">304</a>
<a href="#">117</a>	GEN	Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON	SW/147.3	0.79	<a href="#">305</a>
<a href="#">117</a>	GEN	SNC LAVALIN O & M	120 PARKDALE AVENUE VARIOUS BUILDINGS OTTAWA ON	SW/147.3	0.79	<a href="#">306</a>
<a href="#">117</a>	NPRI	SNC-LAVALIN PROFAC	120 Parkdale Avenue Ottawa ON K1A6T6	SW/147.3	0.79	<a href="#">306</a>
<a href="#">117</a>	SCT	Statistics Canada	120 Parkdale Ave Ottawa ON K1A 0K9	SW/147.3	0.79	<a href="#">307</a>
<a href="#">117</a>	SPL		120 Parkdale Avenue Ottawa ON K1A 1K6	SW/147.3	0.79	<a href="#">308</a>
<a href="#">117</a>	SPL	STATISTICS CANADA BUILDING	120 PARKDALE AVE 120 PARDALE AVENUE, OTTAWA OTTAWA CITY ON K1A 0K9	SW/147.3	0.79	<a href="#">308</a>
<a href="#">117</a>	SPL	BROOKFIELD LEPAGE JOHNSON CONT	PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON K1A 0K9	SW/147.3	0.79	<a href="#">309</a>
<a href="#">118</a>	FCS	Former Bayview Landfill	Ottawa ON	ENE/148.7	-9.24	<a href="#">309</a>
<a href="#">119</a>	WWIS		Ottawa ON <b>Well ID:</b> 7227885	SE/150.8	-1.18	<a href="#">317</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">120</a>	EHS		131 Parkdale Ave Ottawa ON K1Y1E7	SW/151.1	0.79	<a href="#">319</a>
<a href="#">121</a>	BORE		ON	SW/152.7	0.79	<a href="#">320</a>
<a href="#">122</a>	WWIS		Ottawa ON <i>Well ID: 7227886</i>	SE/152.9	-1.21	<a href="#">320</a>
<a href="#">123</a>	WWIS		Ottawa ON <i>Well ID: 7240370</i>	WSW/153.0	-0.21	<a href="#">323</a>
<a href="#">124</a>	WWIS		ON <i>Well ID: 7154749</i>	ENE/155.1	-7.53	<a href="#">326</a>
<a href="#">125</a>	WWIS		ON <i>Well ID: 7290570</i>	SE/156.3	-1.52	<a href="#">326</a>
<a href="#">126</a>	WWIS		Ottawa ON <i>Well ID: 7248713</i>	E/156.8	-5.51	<a href="#">327</a>
<a href="#">127</a>	WWIS		Ottawa ON <i>Well ID: 7248715</i>	E/156.9	-5.51	<a href="#">330</a>
<a href="#">128</a>	WWIS		Ottawa ON <i>Well ID: 7240372</i>	W/160.7	-0.21	<a href="#">333</a>
<a href="#">129</a>	WWIS		Ottawa ON <i>Well ID: 7227767</i>	ESE/161.8	-2.12	<a href="#">336</a>
<a href="#">130</a>	WWIS		Ottawa ON <i>Well ID: 7248714</i>	E/163.6	-5.51	<a href="#">339</a>
<a href="#">131</a>	WWIS		OTTAWA ON <i>Well ID: 7242779</i>	ENE/164.1	-7.53	<a href="#">343</a>
<a href="#">132</a>	FCS	Environmental Health Centre	Ottawa ON	W/165.1	-0.21	<a href="#">345</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">133</a>	EHS		131 PARKDALE AVENUE OTTAWA ON K1Y 1E7	SW/165.3	0.79	<a href="#">349</a>
<a href="#">134</a>	WWIS		OTTAWA ON <i>Well ID: 7242774</i>	E/165.9	-7.29	<a href="#">349</a>
<a href="#">135</a>	BORE		ON	ESE/166.0	-2.12	<a href="#">351</a>
<a href="#">136</a>	WWIS		Ottawa ON <i>Well ID: 7207736</i>	ESE/167.2	-3.21	<a href="#">351</a>
<a href="#">137</a>	BORE		ON	ESE/170.2	-2.12	<a href="#">354</a>
<a href="#">138</a>	WWIS		Ottawa ON <i>Well ID: 7101198</i>	ENE/171.2	-7.29	<a href="#">354</a>
<a href="#">139</a>	WWIS		Ottawa ON <i>Well ID: 7187780</i>	E/177.5	-7.29	<a href="#">357</a>
<a href="#">140</a>	WWIS		OTTAWA ON <i>Well ID: 7242771</i>	ENE/177.5	-7.29	<a href="#">360</a>
<a href="#">141</a>	WWIS		ON <i>Well ID: 7200461</i>	ESE/180.8	-2.97	<a href="#">362</a>
<a href="#">142</a>	WWIS		Ottawa ON <i>Well ID: 7290577</i>	ESE/182.7	-2.90	<a href="#">362</a>
<a href="#">143</a>	GEN	LA FLEUR DE LA CAPITAL	84 BAYVIEW ROAD OTTAWA ON K1Y 4L6	ESE/188.3	-3.21	<a href="#">365</a>
<a href="#">143</a>	GEN	LA FLEUR DE LA CAPITALE	84 BAYVIEW ROAD OTTAWA ON	ESE/188.3	-3.21	<a href="#">365</a>
<a href="#">143</a>	PES	LAFLEUR DE LA CAPITALE INC.	84 BAYVIEW ROAD OTTAWA ON K1Y 4L6	ESE/188.3	-3.21	<a href="#">366</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">144</a>	EXP	DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">366</a>
<a href="#">144</a>	EXP	DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON	ESE/193.3	-2.90	<a href="#">366</a>
<a href="#">144</a>	EXP	DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON	ESE/193.3	-2.90	<a href="#">366</a>
<a href="#">144</a>	EXP	DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">367</a>
<a href="#">144</a>	EXP	DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON	ESE/193.3	-2.90	<a href="#">367</a>
<a href="#">144</a>	EXP	DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">367</a>
<a href="#">144</a>	EXP	DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">367</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	ESE/193.3	-2.90	<a href="#">368</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 BAYVIEW ROAD, OTTAWA, ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">369</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">369</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	ESE/193.3	-2.90	<a href="#">370</a>
<a href="#">144</a>	GEN	GVT. OF CAN-NATIONAL CAPITAL COMM.	80 BAYVIEW ROAD, OTTAWA, ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">371</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION 18-282	80 BAYVIEW ROAD OTTAWA ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">371</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	ESE/193.3	-2.90	<a href="#">371</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	ESE/193.3	-2.90	<a href="#">372</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">373</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 BAYVIEW ROAD OTTAWA ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">374</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">374</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">375</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">376</a>
<a href="#">144</a>	GEN	NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">377</a>
<a href="#">144</a>	PRT	DIRECTOR RICHMOND REGION	80 BAYVIEW OTTAWA ON K1Y 4L6	ESE/193.3	-2.90	<a href="#">378</a>
<a href="#">144</a>	WWIS		Ottawa ON <b>Well ID:</b> 7209274	ESE/193.3	-2.90	<a href="#">378</a>
<a href="#">145</a>	ECA	The Corporation of the City of Ottawa	Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON K1N 5A1	SSE/194.2	-0.21	<a href="#">381</a>
<a href="#">146</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7242772	ENE/194.5	-6.21	<a href="#">381</a>
<a href="#">147</a>	CA		Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON	SSE/195.3	0.79	<a href="#">383</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">147</a>	CA		Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON	SSE/195.3	0.79	<a href="#">384</a>
<a href="#">148</a>	EHS		80-84 Bayview Avenue Ottawa ON K1Y 4L6	ESE/196.3	-4.28	<a href="#">384</a>
<a href="#">149</a>	FCS	80 Bayview Main Building	Ottawa ON	ESE/196.4	-3.21	<a href="#">384</a>
<a href="#">150</a>	BORE		ON	SW/200.5	0.79	<a href="#">387</a>
<a href="#">151</a>	WWIS		ON <i>Well ID: 7250768</i>	E/203.2	-6.16	<a href="#">387</a>
<a href="#">152</a>	FCS	Bayview	Ottawa ON	ESE/203.9	-2.90	<a href="#">388</a>
<a href="#">153</a>	CA	ADAMAS ENVIRONMENTAL INC.	7 BAYVIEW ROAD OTTAWA CITY ON K1Y 2C5	E/205.4	-5.21	<a href="#">395</a>
<a href="#">153</a>	CA	ADAMAS ENVIRONMENTAL INC.	7 BAYVIEW ROAD OTTAWA CITY ON K1Y 2C5	E/205.4	-5.21	<a href="#">396</a>
<a href="#">153</a>	EBR	Adamas Environmental Inc.	7 Bayview CITY OF OTTAWA ON	E/205.4	-5.21	<a href="#">396</a>
<a href="#">153</a>	EHS		7 Bayview Rd Ottawa ON K1Y 2C5	E/205.4	-5.21	<a href="#">396</a>
<a href="#">153</a>	EHS		7 Bayview Road Ottawa, ON ON K1Y 2C5	E/205.4	-5.21	<a href="#">397</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">397</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">397</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON	E/205.4	-5.21	<a href="#">397</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">398</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">398</a>
<a href="#">153</a>	EXP	CORP CITY OF OTTAWA ATTN J GUILBAULT	7 BAYVIEW RD OTTAWA ON	E/205.4	-5.21	<a href="#">398</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON	E/205.4	-5.21	<a href="#">398</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON	E/205.4	-5.21	<a href="#">398</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">399</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">399</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">399</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">399</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">400</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">400</a>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">400</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">153</a>	EXP	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">400</a>
<a href="#">153</a>	GEN	City of Ottawa	7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">401</a>
<a href="#">153</a>	GEN	City of Ottawa	7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">401</a>
<a href="#">153</a>	GEN	OLRT Constructors/Dragados/EllisDon Corp	7 bayview road - Bayview Yard Ottawa ON K1Y3B5	E/205.4	-5.21	<a href="#">401</a>
<a href="#">153</a>	GEN	City of Ottawa	7 Bayview Road Ottawa ON K1Y 2C5	E/205.4	-5.21	<a href="#">401</a>
<a href="#">153</a>	GEN	OTTAWA/CARLTON (OUT OF BUSINESS) 29-161	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">402</a>
<a href="#">153</a>	GEN	City of Ottawa	7 Bayview Road Ottawa ON K1Y 2C5	E/205.4	-5.21	<a href="#">402</a>
<a href="#">153</a>	GEN	OLRT Constructors/Dragados/EllisDon Corp	7 bayview road - Bayview Station Ottawa ON K1Y 3B5	E/205.4	-5.21	<a href="#">402</a>
<a href="#">153</a>	GEN	City of Ottawa Environmental Remediation Unit	7 Bayview Road Ottawa ON K1Y 2C5	E/205.4	-5.21	<a href="#">403</a>
<a href="#">153</a>	GEN	OTTAWA/CARLTON (OUT OF BUSINESS)	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">403</a>
<a href="#">153</a>	GEN	OTTAWA, CITY OF 29-167	7 BAYVIEW ROAD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">404</a>
<a href="#">153</a>	GEN	OTTAWA-CARLTON (OUT OF BUSINESS)	7 BAYVIEW ROAD BUILDING 3, TEST LABORATORY OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">404</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">153</a>	GEN	City of Ottawa	7 Bayview Road Ottawa ON K1Y 2C5	E/205.4	-5.21	<a href="#">404</a>
<a href="#">153</a>	GEN	OTTAWA/CARLETON (OUT OF BUSINESS)	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">405</a>
<a href="#">153</a>	GEN	OTTAWA/CARLETON, REGIONAL MUN. OF	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">405</a>
<a href="#">153</a>	GEN	OTTAWA, CORPORATION OF THE CITY OF	7 BAYVIEW ROAD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">405</a>
<a href="#">153</a>	GEN	OTTAWA, CITY OF	DEPARTMENT OF PHYSICAL ENVIRONMENT 7 BAYVIEW ROAD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">406</a>
<a href="#">153</a>	NPCB	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">407</a>
<a href="#">153</a>	NPCB	CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">407</a>
<a href="#">153</a>	NPCB	CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA ON ONT RIO	E/205.4	-5.21	<a href="#">407</a>
<a href="#">153</a>	OPCB	CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	E/205.4	-5.21	<a href="#">409</a>
<a href="#">153</a>	OPCB	CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	E/205.4	-5.21	<a href="#">409</a>
<a href="#">153</a>	OPCB	CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	E/205.4	-5.21	<a href="#">409</a>
<a href="#">153</a>	OPCB	CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	E/205.4	-5.21	<a href="#">409</a>
<a href="#">153</a>	OPCB	CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	E/205.4	-5.21	<a href="#">410</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">153</a>	ORD	Adamas Environmental Inc.	7 BAYVIEW ROAD CITY OF OTTAWA ON	E/205.4	-5.21	<a href="#">410</a>
<a href="#">153</a>	PRT	CORP CITY OF OTTAWA	7 BAYVIEW OTTAWA ON K1Y2C5	E/205.4	-5.21	<a href="#">410</a>
<a href="#">153</a>	PRT	CORP CITY OF OTTAWA	7 BAYVIEW OTTAWA ON K1Y 2C5	E/205.4	-5.21	<a href="#">411</a>
<a href="#">153</a>	SPL	Bellai Brothers<UNOFFICIAL>	7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">411</a>
<a href="#">153</a>	SPL		7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">411</a>
<a href="#">153</a>	SPL		7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">412</a>
<a href="#">153</a>	SPL	Thomas Cavanagh Construction Limited	7 Bayview Rd. Ottawa ON	E/205.4	-5.21	<a href="#">412</a>
<a href="#">153</a>	SPL		7 Bayview Street Ottawa ON	E/205.4	-5.21	<a href="#">413</a>
<a href="#">153</a>	SPL	OTTAWA PUBLIC WORKS	7 BAYVIEW RD. FUEL STORAGE TANK OTTAWA CITY ON K1Y 2C5	E/205.4	-5.21	<a href="#">413</a>
<a href="#">153</a>	SPL		7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">414</a>
<a href="#">153</a>	SPL	Thomas Cavanagh Construction Limited	7 Bayview Rd Ottawa ON	E/205.4	-5.21	<a href="#">414</a>
<a href="#">153</a>	SPL		7 Bayview Rd Ottawa ON K1Y 4T1	E/205.4	-5.21	<a href="#">415</a>
<a href="#">153</a>	SPL	City of Ottawa	7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">415</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">153</a>	SPL		7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">416</a>
<a href="#">153</a>	SPL		7 Bayview Rd. Ottawa ON	E/205.4	-5.21	<a href="#">416</a>
<a href="#">153</a>	SPL		7 Bayview Road Ottawa ON	E/205.4	-5.21	<a href="#">417</a>
<a href="#">153</a>	SPL		7 Bayview Rd Ottawa ON	E/205.4	-5.21	<a href="#">417</a>
<a href="#">154</a>	WWIS		Ottawa ON <b>Well ID:</b> 7231500	E/205.5	-6.16	<a href="#">417</a>
<a href="#">155</a>	WWIS		Ottawa ON <b>Well ID:</b> 7227768	ESE/206.5	-2.17	<a href="#">419</a>
<a href="#">156</a>	BORE		ON	SE/210.5	-2.17	<a href="#">423</a>
<a href="#">157</a>	WWIS		lot 37 con A OTTAWA ON <b>Well ID:</b> 1535113	ESE/211.0	-2.18	<a href="#">423</a>
<a href="#">158</a>	WWIS		Ottawa ON <b>Well ID:</b> 7227769	SE/213.2	-2.17	<a href="#">424</a>
<a href="#">159</a>	BORE		ON	W/213.3	-0.21	<a href="#">427</a>
<a href="#">160</a>	ECA	City of Ottawa	Forward Avenue, Lyndale Avenue and Hinchey Avenue Ottawa ON K1N 5A1	S/213.4	0.79	<a href="#">428</a>
<a href="#">161</a>	CA	Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">428</a>
<a href="#">161</a>	CA	Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">428</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">161</a>	CA	Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">429</a>
<a href="#">161</a>	CA	City of Ottawa	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">429</a>
<a href="#">161</a>	CA	Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">430</a>
<a href="#">161</a>	CA	R.M. OF OTTAWA-CARLETON	1 RIVER ST.,LEMIEUX ISLAND WPP OTTAWA CITY ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">430</a>
<a href="#">161</a>	CA	R.M. OF OTTAWA-CARLETON	1 RIVER ST., LEMIEUX ISLAND OTTAWA CITY ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">430</a>
<a href="#">161</a>	CA	R.M. OF OTTAWA-CARLETON	1 RIVER ST.,LEMIEUX ISLAND WPP OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">431</a>
<a href="#">161</a>	CA	Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">431</a>
<a href="#">161</a>	CA	Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">431</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1P 1J1	NNE/221.8	-9.15	<a href="#">432</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K2G 6J8	NNE/221.8	-9.15	<a href="#">432</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1P 1J1	NNE/221.8	-9.15	<a href="#">432</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River St Ottawa ON K2G 6J8	NNE/221.8	-9.15	<a href="#">432</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1P 1J1	NNE/221.8	-9.15	<a href="#">433</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1P 1J1	NNE/221.8	-9.15	<a href="#">433</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">433</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1P 1J1	NNE/221.8	-9.15	<a href="#">434</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1P 1J1	NNE/221.8	-9.15	<a href="#">434</a>
<a href="#">161</a>	ECA	City of Ottawa	1 River Street Ottawa ON K1P 1J1	NNE/221.8	-9.15	<a href="#">434</a>
<a href="#">161</a>	EHS		1 River St Ottawa ON K1Y2C4	NNE/221.8	-9.15	<a href="#">434</a>
<a href="#">161</a>	EHS		1 River Street Ottawa ON	NNE/221.8	-9.15	<a href="#">435</a>
<a href="#">161</a>	GEN	Jacques Whitford Limited	1 River Street (Lemiux Island Pumping Station) Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">435</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">435</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">436</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">437</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">437</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">438</a>
<a href="#">161</a>	GEN	City of Ottawa Public Works and Environmental Services Department	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 ONIGAM STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">439</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON	NNE/221.8	-9.15	<a href="#">440</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">441</a>
<a href="#">161</a>	GEN	OTTAWA-CARLTON, REGIONAL MUNICIPALITY OF	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1A 1B6	NNE/221.8	-9.15	<a href="#">442</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1A 1B6	NNE/221.8	-9.15	<a href="#">442</a>
<a href="#">161</a>	GEN	City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">443</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">444</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">445</a>
<a href="#">161</a>	NPRI	REGION OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">446</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">447</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">448</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">449</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">449</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">450</a>
<a href="#">161</a>	NPRI	REGIONAL MUNICIPALITY OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">451</a>
<a href="#">161</a>	NPRI	REGION OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">452</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">453</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">454</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">454</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA, ENVIRONMENTAL SERVICES DEPARTMENT	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">455</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">456</a>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">457</a>
<a href="#">161</a>	NPRI	REGIONAL MUNICIPALITY OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">457</a>
<a href="#">161</a>	NPRI	LEMIEUX ISLAND WPP, R.M.O.C.	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">459</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">161</a>	NPRI	CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NNE/221.8	-9.15	<a href="#">460</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">461</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">461</a>
<a href="#">161</a>	SPL		1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">461</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">462</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">462</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River Street Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">463</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">463</a>
<a href="#">161</a>	SPL		1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">464</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St LEMIEUX ISLAND WATER PURIFICATION PLANT Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">464</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">465</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">465</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">466</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">161</a>	SPL		1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">466</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">467</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">467</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">468</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">468</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON	NNE/221.8	-9.15	<a href="#">469</a>
<a href="#">161</a>	SPL	City of Ottawa	1 River St Ottawa ON K1Y 2C4	NNE/221.8	-9.15	<a href="#">469</a>
<a href="#">162</a>	WWIS		Ottawa ON <b>Well ID:</b> 7207735	ESE/227.4	-2.18	<a href="#">470</a>
<a href="#">163</a>	BORE		ON	WSW/233.3	0.49	<a href="#">473</a>
<a href="#">164</a>	WWIS		OTTAWA ON <b>Well ID:</b> 1536309	SE/233.5	-1.21	<a href="#">473</a>
<a href="#">165</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7250143	E/238.5	-4.73	<a href="#">476</a>
<a href="#">166</a>	FCS	80 Bayview Shed	Ottawa ON	ESE/238.8	-2.21	<a href="#">479</a>
<a href="#">167</a>	BORE		ON	SE/239.7	-2.21	<a href="#">481</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">168</a>	FCS	80 Bayview Shed 2	Ottawa ON	ESE/242.4	-2.54	<a href="#">482</a>
<a href="#">169</a>	SPL	PRIVATE RESIDENCE	185 HINCHEY FURNACE OIL TANK OTTAWA CITY ON K1Y 1L6	S/251.5	0.47	<a href="#">484</a>
<a href="#">169</a>	SPL	PRIVATE RESIDENCE	185 HINCHEY AVE. FURNACE OIL TANK OTTAWA CITY ON K1Y 1L6	S/251.5	0.47	<a href="#">484</a>
<a href="#">170</a>	FCS	80 Bayview Garage	Ottawa ON	ESE/254.0	-2.45	<a href="#">485</a>
<a href="#">171</a>	EHS		200 Tunneys Pasture Driveway Ottawa ON K1Y4G8	WSW/255.1	0.79	<a href="#">487</a>
<a href="#">172</a>	BORE		ON	WNW/255.9	-3.82	<a href="#">487</a>
<a href="#">173</a>	WWIS		OTTAWA ON <b>Well ID:</b> 7250146	E/256.6	-3.78	<a href="#">488</a>
<a href="#">174</a>	BORE		ON	ENE/260.4	-7.93	<a href="#">491</a>
<a href="#">175</a>	GEN	FRANK & SONS PAINTING & DECORATING LTD.	184 FORWARD AVENUE OTTAWA ON K1Y 1L2	S/263.1	0.79	<a href="#">491</a>
<a href="#">175</a>	GEN	FRANK & SONS PAINTING & DECORATING LTD.	184 FORWARD AVENUE OTTAWA ON K1Y 1L2	S/263.1	0.79	<a href="#">491</a>
<a href="#">175</a>	GEN	FRANK & SONS PAINTING & DECORATING LTD.	184 FORWARD AVENUE OTTAWA ON K1Y 1L2	S/263.1	0.79	<a href="#">492</a>
<a href="#">176</a>	FCS	90 Bayview Rd	Ottawa ON	ESE/264.3	-2.45	<a href="#">492</a>
<a href="#">177</a>	ANDR	Bayview & Slidell Dump (official)	Ottawa ON K1Y	NNE/265.7	-11.21	<a href="#">499</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">178</a>	WDSH		Bayview Rd. & Slidell St. OTTAWA ON	NNE/268.5	-11.21	<a href="#">500</a>
<a href="#">179</a>	WWIS		OTTAWA ON <i>Well ID:</i> 7250149	E/273.0	-3.21	<a href="#">500</a>
<a href="#">180</a>	WWIS		OTTAWA ON <i>Well ID:</i> 7250145	E/273.5	-3.21	<a href="#">503</a>
<a href="#">181</a>	BORE		ON	S/276.3	0.79	<a href="#">506</a>
<a href="#">182</a>	EHS		192 Forward Ave Ottawa ON K1Y1E8	S/278.1	0.79	<a href="#">507</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">507</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">507</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">508</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">508</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">509</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON	ESE/278.2	-2.21	<a href="#">509</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">510</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">510</a>



<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">511</a>
<a href="#">183</a>	GEN	Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	ESE/278.2	-2.21	<a href="#">512</a>
<a href="#">183</a>	HINC		90 BAYVIEW ROAD OTTAWA ON	ESE/278.2	-2.21	<a href="#">512</a>
<a href="#">184</a>	FCS	Ottawa River Parkway, North of Bayview Road	Ottawa ON	E/286.4	-3.44	<a href="#">513</a>
<a href="#">185</a>	WDSH		Scott St. (Laroche Park) OTTAWA ON	SE/287.1	-1.27	<a href="#">520</a>
<a href="#">186</a>	SPL	PRIVATE RESIDENCE	129 CARRUTHER ST. STORAGE TANK/BARREL OTTAWA CITY ON K1Y 1N4	SSE/290.9	-0.21	<a href="#">521</a>
<a href="#">187</a>	ANDR	Laroche Pk Dump	Ottawa ON K1Y	SE/293.2	-1.21	<a href="#">521</a>
<a href="#">188</a>	BORE		ON	S/296.5	0.79	<a href="#">522</a>
<a href="#">189</a>	BORE		ON	SE/297.4	-1.18	<a href="#">522</a>

# Executive Summary: Summary By Data Source

## **ANDR - Anderson's Waste Disposal Sites**

A search of the ANDR database, dated 1860s-Present has found that there are 4 ANDR site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Bayview & Slidell Dump (alt)	Ottawa ON K1Y	0.0	<a href="#"><u>4</u></a>
Burnside & Slidell Dump	Ottawa ON K1Y	60.9	<a href="#"><u>39</u></a>
Bayview & Slidell Dump (official)	Ottawa ON K1Y	265.7	<a href="#"><u>177</u></a>
Laroche Pk Dump	Ottawa ON K1Y	293.2	<a href="#"><u>187</u></a>

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2014 has found that there are 33 BORE site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	0.0	<a href="#"><u>1</u></a>
	ON	0.0	<a href="#"><u>3</u></a>
	ON	0.0	<a href="#"><u>6</u></a>
	ON	5.7	<a href="#"><u>8</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	20.9	<a href="#"><u>12</u></a>
	ON	34.2	<a href="#"><u>20</u></a>
	ON	37.8	<a href="#"><u>21</u></a>
	ON	49.0	<a href="#"><u>28</u></a>
	ON	55.2	<a href="#"><u>30</u></a>
	ON	57.0	<a href="#"><u>33</u></a>
	ON	72.8	<a href="#"><u>53</u></a>
	ON	73.2	<a href="#"><u>54</u></a>
	ON	79.2	<a href="#"><u>61</u></a>
	ON	85.2	<a href="#"><u>66</u></a>
	ON	95.6	<a href="#"><u>73</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	98.3	<a href="#"><u>75</u></a>
	ON	107.0	<a href="#"><u>81</u></a>
	ON	115.0	<a href="#"><u>90</u></a>
	ON	121.0	<a href="#"><u>93</u></a>
	ON	141.1	<a href="#"><u>112</u></a>
	ON	152.7	<a href="#"><u>121</u></a>
	ON	166.0	<a href="#"><u>135</u></a>
	ON	170.2	<a href="#"><u>137</u></a>
	ON	200.5	<a href="#"><u>150</u></a>
	ON	210.5	<a href="#"><u>156</u></a>
	ON	213.3	<a href="#"><u>159</u></a>
	ON	233.3	<a href="#"><u>163</u></a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	239.7	<a href="#">167</a>
	ON	255.9	<a href="#">172</a>
	ON	260.4	<a href="#">174</a>
	ON	276.3	<a href="#">181</a>
	ON	296.5	<a href="#">188</a>
	ON	297.4	<a href="#">189</a>

### **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 17 CA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OTTAWA CITY	BURNSIDE AVE./HINCHEY AVE. OTTAWA CITY ON	13.8	<a href="#">10</a>
Asbex Ltd.	9 Bayview Road, Unit D Ottawa ON	75.5	<a href="#">56</a>
City of Ottawa	Emmerson Avenue and Parkdale Avenue Ottawa ON	90.6	<a href="#">69</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON	195.3	<a href="#"><u>147</u></a>
	Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON	195.3	<a href="#"><u>147</u></a>
ADAMAS ENVIRONMENTAL INC.	7 BAYVIEW ROAD OTTAWA CITY ON K1Y 2C5	205.4	<a href="#"><u>153</u></a>
ADAMAS ENVIRONMENTAL INC.	7 BAYVIEW ROAD OTTAWA CITY ON K1Y 2C5	205.4	<a href="#"><u>153</u></a>
Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
R.M. OF OTTAWA-CARLETON	1 RIVER ST.,LEMIEUX ISLAND WPP OTTAWA CITY ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
R.M. OF OTTAWA-CARLETON	1 RIVER ST., LEMIEUX ISLAND OTTAWA CITY ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
R.M. OF OTTAWA-CARLETON	1 RIVER ST.,LEMIEUX ISLAND WPP OTTAWA ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
Lemieux Island Water Purification Plant	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>

### **EBR - Environmental Registry**

A search of the EBR database, dated 1994-Mar 31, 2019 has found that there are 1 EBR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Adamas Environmental Inc.	7 Bayview CITY OF OTTAWA ON	205.4	<a href="#">153</a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011-Mar 31, 2019 has found that there are 20 ECA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	Forward Avenue, Lyndale Avenue and Hinchey Avenue Ottawa ON K1N 5A1	70.0	<a href="#">51</a>
Asbex Ltd.	9 Bayview Rd Ottawa ON	75.5	<a href="#">56</a>
City of Ottawa	Emmerson Avenue and Parkdale Ave Ottawa ON K1S 5K2	90.6	<a href="#">69</a>
City of Ottawa	Emmerson Avenue and Parkdale Ave Ottawa ON K1S 5K2	90.6	<a href="#">69</a>
City of Ottawa	Ottawa ON K2G 6J8	113.8	<a href="#">88</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
City of Ottawa	Ottawa ON K2G 5J9	113.8	<a href="#"><u>88</u></a>
City of Ottawa	Bayview Road between Stonehurst Avenue and Wellington Street West Ottawa ON K2G 6J8	113.8	<a href="#"><u>88</u></a>
8609454 Canada Inc.	121 Parkdale Ave Ottawa ON K1J 7S6	121.4	<a href="#"><u>95</u></a>
The Corporation of the City of Ottawa	Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON K1N 5A1	194.2	<a href="#"><u>145</u></a>
City of Ottawa	Forward Avenue, Lyndale Avenue and Hinchey Avenue Ottawa ON K1N 5A1	213.4	<a href="#"><u>160</u></a>
City of Ottawa	1 River Street Ottawa ON K1P 1J1	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River Street Ottawa ON K2G 6J8	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River Street Ottawa ON K1P 1J1	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River St Ottawa ON K2G 6J8	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River Street Ottawa ON K1P 1J1	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River Street Ottawa ON K1P 1J1	221.8	<a href="#"><u>161</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	1 River Street Ottawa ON K1P 1J1	221.8	<a href="#">161</a>
City of Ottawa	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River Street Ottawa ON K1P 1J1	221.8	<a href="#">161</a>
City of Ottawa	1 River Street Ottawa ON K1P 1J1	221.8	<a href="#">161</a>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Jan 31, 2019 has found that there are 15 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Slidell Street & Burnside Street Ottawa ON	0.0	<a href="#">2</a>
	52 Bayview Road Ottawa ON	59.8	<a href="#">36</a>
	101 Parkdale Avenue Ottawa ON K1Y 1E6	83.4	<a href="#">64</a>
	99-107 Parkdale Avenue (odd numbers only) Ottawa ON	87.0	<a href="#">67</a>
	71 Carruthers Ave Ottawa ON K1Y1N3	111.1	<a href="#">84</a>
	121 Parkdale Ave Ottawa ON K1Y2M3	121.4	<a href="#">95</a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	131 Parkdale Ave Ottawa ON K1Y1E7	151.1	<a href="#">120</a>
	131 PARKDALE AVENUE OTTAWA ON K1Y 1E7	165.3	<a href="#">133</a>
	80-84 Bayview Avenue Ottawa ON K1Y 4L6	196.3	<a href="#">148</a>
	7 Bayview Road Ottawa, ON ON K1Y 2C5	205.4	<a href="#">153</a>
	7 Bayview Rd Ottawa ON K1Y 2C5	205.4	<a href="#">153</a>
	1 River Street Ottawa ON	221.8	<a href="#">161</a>
	1 River St Ottawa ON K1Y2C4	221.8	<a href="#">161</a>
	200 Tunneys Pasture Driveway Ottawa ON K1Y4G8	255.1	<a href="#">171</a>
	192 Forward Ave Ottawa ON K1Y1E8	278.1	<a href="#">182</a>

### **EXP - List of TSSA Expired Facilities**

A search of the EXP database, dated Feb 28, 2017 has found that there are 23 EXP site(s) within approximately 0.30 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	193.3	<a href="#">144</a>
DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	193.3	<a href="#">144</a>
DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON	193.3	<a href="#">144</a>
DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	193.3	<a href="#">144</a>
DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON	193.3	<a href="#">144</a>
DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON	193.3	<a href="#">144</a>
DIRECTOR RICHMOND REGION	80 BAYVIEW RD OTTAWA ON K1Y 4L6	193.3	<a href="#">144</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON	205.4	<a href="#">153</a>
CORP CITY OF OTTAWA ATTN J GUILBAULT	7 BAYVIEW RD OTTAWA ON	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>

## **FCS - Contaminated Sites on Federal Land**

A search of the FCS database, dated Jun 2000-Oct 2018 has found that there are 9 FCS site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Former Bayview Landfill	Ottawa ON	148.7	<a href="#"><u>118</u></a>
Environmental Health Centre	Ottawa ON	165.1	<a href="#"><u>132</u></a>
80 Bayview Main Building	Ottawa ON	196.4	<a href="#"><u>149</u></a>
Bayview	Ottawa ON	203.9	<a href="#"><u>152</u></a>
80 Bayview Shed	Ottawa ON	238.8	<a href="#"><u>166</u></a>
80 Bayview Shed 2	Ottawa ON	242.4	<a href="#"><u>168</u></a>
80 Bayview Garage	Ottawa ON	254.0	<a href="#"><u>170</u></a>
90 Bayview Rd	Ottawa ON	264.3	<a href="#"><u>176</u></a>
Ottawa River Parkway, North of Bayview Road	Ottawa ON	286.4	<a href="#"><u>184</u></a>

## **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Dec 31, 2018 has found that there are 89 GEN site(s) within approximately 0.30 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
lafleur de da capital	11 bayview road ottawa ON K1Y 2C5	12.2	<a href="#"><u>9</u></a>
Lafleur De La Capitale Inc.	11 Bayview Rd Ottawa ON K1Y 2C5	12.2	<a href="#"><u>9</u></a>
lafleur de da capital	11 bayview road ottawa ON K1Y 2C5	12.2	<a href="#"><u>9</u></a>
lafleur de da capital	11 bayview road ottawa ON K1Y 2C5	12.2	<a href="#"><u>9</u></a>
National Capital Commission	Slidell Street and Ottawa River Parkway Former Ottawa Landfill Ottawa ON	16.8	<a href="#"><u>11</u></a>
CCC384	44 EMMERSON AVE OTTAWA ON K1Y 2L8	27.0	<a href="#"><u>15</u></a>
OTTAWA COMMUNITY HOUSING CORP.	18 BURNSIDE AVE., OTTAWA ON K1Y 4V7	38.7	<a href="#"><u>23</u></a>
Asbex	9 Bayview Drive Ottawa ON K1Y 2C5	75.5	<a href="#"><u>56</u></a>
Asbex Ltd	9 Bayview, Unit D Ottawa ON K1Y 2C5	75.5	<a href="#"><u>56</u></a>
Asbex	9 Bayview Drive Ottawa ON K1Y 2C5	75.5	<a href="#"><u>56</u></a>
R J W Stonemason	9 Bayview Rd, Unit E Ottawa ON K1Y 2C5	75.5	<a href="#"><u>56</u></a>
R.J.W STONEMASONS	9 BAYVIEW RD OTTAWA ON K1Y 2C5	75.5	<a href="#"><u>56</u></a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Asbex Ltd	9 Bayview, Unit D Ottawa ON	75.5	<a href="#"><u>56</u></a>
City of Ottawa	52 Bayview Road Ottawa ON K1Y 4L6	126.8	<a href="#"><u>101</u></a>
City of Ottawa Environmental Remediation Unit	52 Bayview Road Ottawa ON K1Y 4L6	126.8	<a href="#"><u>101</u></a>
City of Ottawa	52 Bayview Road Ottawa ON K1Y 4L6	126.8	<a href="#"><u>101</u></a>
JOHANNES POTHUMA	80 CARRUTHERS AVE. OTTAWA ON K1Y 1N2	137.0	<a href="#"><u>108</u></a>
JOHANNES POTHUMA 22-285	80 CARRUTHERS AVE. OTTAWA ON K1Y 1N2	137.0	<a href="#"><u>108</u></a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 0K9	147.3	<a href="#"><u>117</u></a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	147.3	<a href="#"><u>117</u></a>
Public Works and Government Services	120 Parkdale Ottawa ON K1A 1B4	147.3	<a href="#"><u>117</u></a>
SNC LAVALIN O & M	120 PARKDALE AVENUE VARIOUS BUILDINGS OTTAWA ON	147.3	<a href="#"><u>117</u></a>
Public Works and Government Services	120 Parkdale Ottawa ON K1A 1B4	147.3	<a href="#"><u>117</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Public Services & Procurement Canada ESD/AFD	120 Parkdale, Ottawa ON K1A 0K9	147.3	<a href="#">117</a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	147.3	<a href="#">117</a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1B4	147.3	<a href="#">117</a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	147.3	<a href="#">117</a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 0K9	147.3	<a href="#">117</a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 0K9	147.3	<a href="#">117</a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	147.3	<a href="#">117</a>
Public Works and Government Services Canada	120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON	147.3	<a href="#">117</a>
SNC LAVALIN O & M	120 PARKDALE AVENUE VARIOUS BUILDINGS OTTAWA ON	147.3	<a href="#">117</a>
LA FLEUR DE LA CAPITAL	84 BAYVIEW ROAD OTTAWA ON K1Y 4L6	188.3	<a href="#">143</a>
LA FLEUR DE LA CAPITALE	84 BAYVIEW ROAD OTTAWA ON	188.3	<a href="#">143</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	193.3	<a href="#">144</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
NATIONAL CAPITAL COMMISSION	80 BAYVIEW ROAD, OTTAWA, ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	193.3	<a href="#">144</a>
GVT. OF CAN-NATIONAL CAPITAL COMM.	80 BAYVIEW ROAD, OTTAWA, ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION 18-282	80 BAYVIEW ROAD OTTAWA ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 BAYVIEW ROAD OTTAWA ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	193.3	<a href="#">144</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	193.3	<a href="#">144</a>
NATIONAL CAPITAL COMMISSION	80 Bayview Street Ottawa ON K1Y 4L6	193.3	<a href="#">144</a>
City of Ottawa	7 Bayview Road Ottawa ON	205.4	<a href="#">153</a>
City of Ottawa	7 Bayview Road Ottawa ON	205.4	<a href="#">153</a>
OLRT Constructors/Dragados/EllisDon Corp	7 bayview road - Bayview Yard Ottawa ON K1Y3B5	205.4	<a href="#">153</a>
City of Ottawa	7 Bayview Road Ottawa ON K1Y 2C5	205.4	<a href="#">153</a>
OTTAWA/CARLTON (OUT OF BUSINESS) 29-161	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
City of Ottawa	7 Bayview Road Ottawa ON K1Y 2C5	205.4	<a href="#">153</a>
OLRT Constructors/Dragados/EllisDon Corp	7 bayview road - Bayview Station Ottawa ON K1Y 3B5	205.4	<a href="#">153</a>
City of Ottawa Environmental Remediation Unit	7 Bayview Road Ottawa ON K1Y 2C5	205.4	<a href="#">153</a>
OTTAWA/CARLTON (OUT OF BUSINESS)	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
OTTAWA, CITY OF 29-167	7 BAYVIEW ROAD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
OTTAWA-CARLTON (OUT OF BUSINESS)	7 BAYVIEW ROAD BUILDING 3, TEST LABORATORY OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
City of Ottawa	7 Bayview Road Ottawa ON K1Y 2C5	205.4	<a href="#">153</a>
OTTAWA/CARLETON (OUT OF BUSINESS)	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
OTTAWA/CARLETON, REGIONAL MUN. OF	BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
OTTAWA, CORPORATION OF THE CITY OF	7 BAYVIEW ROAD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
OTTAWA, CITY OF	DEPARTMENT OF PHYSICAL ENVIRONMENT 7 BAYVIEW ROAD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
Jacques Whitford Limited	1 River Street (Lemiux Island Pumping Station) Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa Public Works and Environmental Services Department	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 ONIGAM STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>
OTTAWA-CARLTON, REGIONAL MUNICIPALITY OF	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1A 1B6	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1A 1B6	221.8	<a href="#">161</a>
City of Ottawa	LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	221.8	<a href="#">161</a>
FRANK & SONS PAINTING & DECORATING LTD.	184 FORWARD AVENUE OTTAWA ON K1Y 1L2	263.1	<a href="#">175</a>
FRANK & SONS PAINTING & DECORATING LTD.	184 FORWARD AVENUE OTTAWA ON K1Y 1L2	263.1	<a href="#">175</a>
FRANK & SONS PAINTING & DECORATING LTD.	184 FORWARD AVENUE OTTAWA ON K1Y 1L2	263.1	<a href="#">175</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>
Merkley Supply Ltd.	100 Bayview Road Ottawa ON K1Y 4L6	278.2	<a href="#">183</a>

### **HINC - TSSA Historic Incidents**

A search of the HINC database, dated 2006-June 2009\* has found that there are 3 HINC site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	56 CARRUTHERS AVENUE OTTAWA ON K1Y 1N2	67.3	<a href="#">45</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	58 CARRUTHERS AVENUE OTTAWA ON K1Y 1N2	75.7	<a href="#">58</a>
	90 BAYVIEW ROAD OTTAWA ON	278.2	<a href="#">183</a>

### **NPCB - National PCB Inventory**

A search of the NPCB database, dated 1988-2008\* has found that there are 3 NPCB site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA ON ONT RIO	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW RD OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>

### **NPRI - National Pollutant Release Inventory**

A search of the NPRI database, dated 1993-May 2017 has found that there are 20 NPRI site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SNC-LAVALIN PROFAC	120 Parkdale Avenue Ottawa ON K1A6T6	147.3	<a href="#">117</a>
REGION OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#">161</a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#">161</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
REGION OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
REGIONAL MUNICIPALITY OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA, ENVIRONMENTAL SERVICES DEPARTMENT	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>
REGIONAL MUNICIPALITY OF OTTAWA CARLETON	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#"><u>161</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
LEMIEUX ISLAND WPP, R.M.O.C.	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#">161</a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#">161</a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#">161</a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#">161</a>
CITY OF OTTAWA	1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	221.8	<a href="#">161</a>

### **OPCB - Inventory of PCB Storage Sites**

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 5 OPCB site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	205.4	<a href="#">153</a>
CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	205.4	<a href="#">153</a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CITY OF OTTAWA	7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	205.4	<a href="#">153</a>

### **ORD - Orders**

A search of the ORD database, dated 1994-Mar 31, 2019 has found that there are 1 ORD site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Adamas Environmental Inc.	7 BAYVIEW ROAD CITY OF OTTAWA ON	205.4	<a href="#">153</a>

### **PES - Pesticide Register**

A search of the PES database, dated 1988-Sep 2018 has found that there are 4 PES site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DANIEL BAKER	100 HINCHEY AVE; #921 OTTAWA ON K1Y4L9	25.8	<a href="#">13</a>
DANIEL C BAKER	921-100 HINCHEY AVENUE OTTAWA ON K1Y 4L9	25.8	<a href="#">13</a>
OTTAWA & DIST ASSOC FOR THE MENTALLY RETARDED	55 PARKDALE AVENUE NORTH OTTAWA ON K2H 8H8	47.1	<a href="#">26</a>
LAFLEUR DE LA CAPITALE INC.	84 BAYVIEW ROAD OTTAWA ON K1Y 4L6	188.3	<a href="#">143</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 3 PRT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DIRECTOR RICHMOND REGION	80 BAYVIEW OTTAWA ON K1Y 4L6	193.3	<a href="#">144</a>
CORP CITY OF OTTAWA	7 BAYVIEW OTTAWA ON K1Y2C5	205.4	<a href="#">153</a>
CORP CITY OF OTTAWA	7 BAYVIEW OTTAWA ON K1Y 2C5	205.4	<a href="#">153</a>

### **PTTW - Permit to Take Water**

A search of the PTTW database, dated 1994-Mar 31, 2019 has found that there are 2 PTTW site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Canada Lands Company CLC Limited	Lot: 21-25, Concession: 1 on Ottawa River, Geographic Township: GLOUCESTER, Ottawa, City CITY OF OTTAWA ON	51.9	<a href="#">29</a>
Riverbend Golf Club	3089 Regional Road 10, Lot 8, Concession IV GOULBOURN ON	92.3	<a href="#">71</a>

### **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Jan 2019 has found that there are 1 RSC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
JOHN HOWARD SOCIETY OF OTTAWA	59 CARRUTHERS AVENUE, OTTAWA, ON K1Y 1N3 Ottawa ON	69.5	<a href="#">49</a>

### **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 1 SCT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Statistics Canada	120 Parkdale Ave Ottawa ON K1A 0K9	147.3	<a href="#">117</a>

## **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Dec 2018 has found that there are 48 SPL site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
UNKNOWN	OTTAWA RIVER AT END OF BAYVIEW RD/PARKWAY OTTAWA CITY ON	26.9	<a href="#">14</a>
	18 Burnside Ave. OTTAWA HOUSING GARAGE<UNOFFICIAL> Ottawa ON K1Y 4V7	38.7	<a href="#">23</a>
	50 Burnside Ave Ottawa ON	58.1	<a href="#">34</a>
	In front of 55 Carruthers Street<UNOFFICIAL> Ottawa ON K1Y 1N3	60.6	<a href="#">37</a>
Unknown<UNOFFICIAL>	55 Carruthers Ave. Ottawa Ottawa ON	60.6	<a href="#">37</a>
	56 Carruthers Avenue Ottawa ON K1Y 1N2	67.3	<a href="#">45</a>
S. 21(1)(f)	58 Carruthers Avenue Ottawa ON K1Y 1N2	75.7	<a href="#">58</a>
PRIVATE RESIDENCE	63 CARRUTHURS AVENUE FURNACE OIL TANK OTTAWA CITY ON	84.5	<a href="#">65</a>
PRIVATE RESIDENCE	AT RESIDENCE AT 154 HINCHY AVE. FURNACE OIL TANK OTTAWA CITY ON	121.3	<a href="#">94</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	120 Parkdale Avenue Ottawa ON K1A 1K6	147.3	<a href="#">117</a>
STATISTICS CANADA BUILDING	120 PARKDALE AVE 120 PARDALE AVENUE, OTTAWA OTTAWA CITY ON K1A 0K9	147.3	<a href="#">117</a>
BROOKFIELD LEPAGE JOHNSON CONT	PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON K1A 0K9	147.3	<a href="#">117</a>
Bellai Brothers<UNOFFICIAL>	7 Bayview Road Ottawa ON	205.4	<a href="#">153</a>
	7 Bayview Road Ottawa ON	205.4	<a href="#">153</a>
	7 Bayview Road Ottawa ON	205.4	<a href="#">153</a>
Thomas Cavanagh Construction Limited	7 Bayview Rd. Ottawa ON	205.4	<a href="#">153</a>
	7 Bayview Street Ottawa ON	205.4	<a href="#">153</a>
OTTAWA PUBLIC WORKS	7 BAYVIEW RD. FUEL STORAGE TANK OTTAWA CITY ON K1Y 2C5	205.4	<a href="#">153</a>
	7 Bayview Road Ottawa ON	205.4	<a href="#">153</a>
Thomas Cavanagh Construction Limited	7 Bayview Rd Ottawa ON	205.4	<a href="#">153</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	7 Bayview Rd Ottawa ON K1Y 4T1	205.4	<a href="#"><u>153</u></a>
City of Ottawa	7 Bayview Road Ottawa ON	205.4	<a href="#"><u>153</u></a>
	7 Bayview Road Ottawa ON	205.4	<a href="#"><u>153</u></a>
	7 Bayview Rd. Ottawa ON	205.4	<a href="#"><u>153</u></a>
	7 Bayview Road Ottawa ON	205.4	<a href="#"><u>153</u></a>
	7 Bayview Rd Ottawa ON	205.4	<a href="#"><u>153</u></a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>
City of Ottawa	1 River Street Ottawa ON K1Y 2C4	221.8	<a href="#"><u>161</u></a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St LEMIEUX ISLAND WATER PURIFICATION PLANT Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	1 River St Ottawa ON	221.8	<a href="#">161</a>
City of Ottawa	1 River St Ottawa ON K1Y 2C4	221.8	<a href="#">161</a>
PRIVATE RESIDENCE	185 HINCHEY FURNACE OIL TANK OTTAWA CITY ON K1Y 1L6	251.5	<a href="#">169</a>
PRIVATE RESIDENCE	185 HINCHEY AVE. FURNACE OIL TANK OTTAWA CITY ON K1Y 1L6	251.5	<a href="#">169</a>
PRIVATE RESIDENCE	129 CARRUTHER ST. STORAGE TANK/BARREL OTTAWA CITY ON K1Y 1N4	290.9	<a href="#">186</a>

### **WDSH - Waste Disposal Sites - MOE 1991 Historical Approval Inventory**

A search of the WDSH database, dated Up to Oct 1990\* has found that there are 3 WDSH site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Burnside .Ave. & Slidell St. OTTAWA ON	56.6	<a href="#">32</a>
	Bayview Rd. & Slidell St. OTTAWA ON	268.5	<a href="#">178</a>
	Scott St. (Laroche Park) OTTAWA ON	287.1	<a href="#">185</a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Dec 31, 2017 has found that there are 107 WWIS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Ottawa ON <i>Well ID: 7231504</i>	0.0	<a href="#"><u>5</u></a>
	OTTAWA ON <i>Well ID: 1536052</i>	0.0	<a href="#"><u>7</u></a>
	Ottawa ON <i>Well ID: 7231501</i>	32.0	<a href="#"><u>16</u></a>
	ON <i>Well ID: 7201544</i>	32.7	<a href="#"><u>17</u></a>
	Ottawa ON <i>Well ID: 7182763</i>	33.7	<a href="#"><u>18</u></a>
	Ottawa ON <i>Well ID: 7187781</i>	34.0	<a href="#"><u>19</u></a>
	Ottawa ON <i>Well ID: 7182760</i>	38.2	<a href="#"><u>22</u></a>
	Ottawa ON <i>Well ID: 7227883</i>	38.8	<a href="#"><u>24</u></a>
	ON <i>Well ID: 7231499</i>	39.1	<a href="#"><u>25</u></a>
	Ottawa ON <i>Well ID: 7187776</i>	47.3	<a href="#"><u>27</u></a>
	Ottawa ON <i>Well ID: 7182762</i>	55.5	<a href="#"><u>31</u></a>
	Ottawa ON	58.8	<a href="#"><u>35</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7207343</i>		
	Ottawa ON	60.8	<a href="#"><u>38</u></a>
	<i>Well ID: 7201623</i>		
	Ottawa ON	63.1	<a href="#"><u>40</u></a>
	<i>Well ID: 7231507</i>		
	ON	64.7	<a href="#"><u>41</u></a>
	<i>Well ID: 7219176</i>		
	Ottawa ON	65.0	<a href="#"><u>42</u></a>
	<i>Well ID: 7231508</i>		
	Ottawa ON	66.1	<a href="#"><u>43</u></a>
	<i>Well ID: 7187773</i>		
	Ottawa ON	66.1	<a href="#"><u>43</u></a>
	<i>Well ID: 7187778</i>		
	Ottawa ON	66.2	<a href="#"><u>44</u></a>
	<i>Well ID: 7231497</i>		
	Ottawa ON	66.2	<a href="#"><u>44</u></a>
	<i>Well ID: 7231498</i>		
	OTTAWA ON	66.2	<a href="#"><u>44</u></a>
	<i>Well ID: 7213386</i>		
	Ottawa ON	67.5	<a href="#"><u>46</u></a>
	<i>Well ID: 7213390</i>		
	Ottawa ON	68.8	<a href="#"><u>47</u></a>
	<i>Well ID: 7231509</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Ottawa ON <i>Well ID: 7182764</i>	69.2	<a href="#"><u>48</u></a>
	Ottawa ON <i>Well ID: 7231511</i>	70.0	<a href="#"><u>50</u></a>
	Ottawa ON <i>Well ID: 7231505</i>	70.0	<a href="#"><u>50</u></a>
	Ottawa ON <i>Well ID: 7231506</i>	70.0	<a href="#"><u>50</u></a>
	Ottawa ON <i>Well ID: 7231510</i>	70.0	<a href="#"><u>50</u></a>
	OTTAWA ON <i>Well ID: 7264754</i>	72.1	<a href="#"><u>52</u></a>
	Ottawa ON <i>Well ID: 7231503</i>	73.8	<a href="#"><u>55</u></a>
	Ottawa ON <i>Well ID: 7213391</i>	75.6	<a href="#"><u>57</u></a>
	OTTAWA ON <i>Well ID: 7213387</i>	77.6	<a href="#"><u>59</u></a>
	Ottawa ON <i>Well ID: 7187774</i>	79.1	<a href="#"><u>60</u></a>
	Ottawa ON <i>Well ID: 7187775</i>	79.6	<a href="#"><u>62</u></a>
	Ottawa ON	82.4	<a href="#"><u>63</u></a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7187777</i>		
	Ottawa ON	88.1	<a href="#"><u>68</u></a>
	<i>Well ID: 7231502</i>		
	OTTAWA ON	90.8	<a href="#"><u>70</u></a>
	<i>Well ID: 7050793</i>		
	OTTAWA ON	95.1	<a href="#"><u>72</u></a>
	<i>Well ID: 7267421</i>		
	OTTAWA ON	96.5	<a href="#"><u>74</u></a>
	<i>Well ID: 7267420</i>		
	Ottawa ON	100.5	<a href="#"><u>76</u></a>
	<i>Well ID: 7231519</i>		
	Ottawa ON	100.5	<a href="#"><u>76</u></a>
	<i>Well ID: 7231518</i>		
	OTTAWA ON	100.5	<a href="#"><u>76</u></a>
	<i>Well ID: 7213388</i>		
	Ottawa ON	100.8	<a href="#"><u>77</u></a>
	<i>Well ID: 7182761</i>		
	OTTAWA ON	102.5	<a href="#"><u>78</u></a>
	<i>Well ID: 7050792</i>		
	Ottawa ON	104.2	<a href="#"><u>79</u></a>
	<i>Well ID: 7227884</i>		
	Ottawa ON	105.7	<a href="#"><u>80</u></a>
	<i>Well ID: 7231517</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
		110.2	<a href="#"><u>82</u></a>
	Ottawa ON <i>Well ID: 7231515</i>		
		110.9	<a href="#"><u>83</u></a>
	Ottawa ON <i>Well ID: 7205866</i>		
		112.1	<a href="#"><u>85</u></a>
	Ottawa ON <i>Well ID: 7182759</i>		
		112.6	<a href="#"><u>86</u></a>
	Ottawa ON <i>Well ID: 7231513</i>		
		112.6	<a href="#"><u>86</u></a>
	Ottawa ON <i>Well ID: 7231512</i>		
		113.0	<a href="#"><u>87</u></a>
	Ottawa ON <i>Well ID: 7231516</i>		
		114.2	<a href="#"><u>89</u></a>
	ON <i>Well ID: 7201541</i>		
		116.3	<a href="#"><u>91</u></a>
	Ottawa ON <i>Well ID: 7231520</i>		
		117.7	<a href="#"><u>92</u></a>
	Ottawa ON <i>Well ID: 7182766</i>		
		117.7	<a href="#"><u>92</u></a>
	Ottawa ON <i>Well ID: 7182765</i>		
		122.0	<a href="#"><u>96</u></a>
	OTTAWA ON <i>Well ID: 7242768</i>		
		122.1	<a href="#"><u>97</u></a>
	OTTAWA ON		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7242769</i>		
	Ottawa ON	122.5	<a href="#"><u>98</u></a>
	<i>Well ID: 7240369</i>		
	Ottawa ON	123.6	<a href="#"><u>99</u></a>
	<i>Well ID: 7187779</i>		
	Ottawa ON	123.7	<a href="#"><u>100</u></a>
	<i>Well ID: 7240371</i>		
	OTTAWA ON	127.8	<a href="#"><u>102</u></a>
	<i>Well ID: 7242767</i>		
	OTTAWA ON	127.8	<a href="#"><u>102</u></a>
	<i>Well ID: 7242766</i>		
	Ottawa ON	128.6	<a href="#"><u>103</u></a>
	<i>Well ID: 7227766</i>		
	OTTAWA ON	128.9	<a href="#"><u>104</u></a>
	<i>Well ID: 7242765</i>		
	OTTAWA ON	129.1	<a href="#"><u>105</u></a>
	<i>Well ID: 7242775</i>		
	Ottawa ON	134.9	<a href="#"><u>106</u></a>
	<i>Well ID: 7240373</i>		
	Ottawa ON	135.7	<a href="#"><u>107</u></a>
	<i>Well ID: 7227765</i>		
	OTTAWA ON	139.6	<a href="#"><u>109</u></a>
	<i>Well ID: 7267373</i>		


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	OTTAWA ON <i>Well ID: 7267422</i>	139.9	<a href="#">110</a>
	OTTAWA ON <i>Well ID: 7242770</i>	140.2	<a href="#">111</a>
	lot 37 con A OTTAWA ON <i>Well ID: 1535114</i>	142.4	<a href="#">113</a>
	Ottawa ON <i>Well ID: 7207737</i>	145.0	<a href="#">114</a>
	OTTAWA ON <i>Well ID: 7242777</i>	145.9	<a href="#">115</a>
	OTTAWA ON <i>Well ID: 7242778</i>	145.9	<a href="#">115</a>
	OTTAWA ON <i>Well ID: 7242776</i>	146.2	<a href="#">116</a>
	Ottawa ON <i>Well ID: 7227885</i>	150.8	<a href="#">119</a>
	Ottawa ON <i>Well ID: 7227886</i>	152.9	<a href="#">122</a>
	Ottawa ON <i>Well ID: 7240370</i>	153.0	<a href="#">123</a>
	ON <i>Well ID: 7154749</i>	155.1	<a href="#">124</a>
	ON	156.3	<a href="#">125</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7290570</i>		
	Ottawa ON	156.8	<a href="#">126</a>
	<i>Well ID: 7248713</i>		
	Ottawa ON	156.9	<a href="#">127</a>
	<i>Well ID: 7248715</i>		
	Ottawa ON	160.7	<a href="#">128</a>
	<i>Well ID: 7240372</i>		
	Ottawa ON	161.8	<a href="#">129</a>
	<i>Well ID: 7227767</i>		
	Ottawa ON	163.6	<a href="#">130</a>
	<i>Well ID: 7248714</i>		
	OTTAWA ON	164.1	<a href="#">131</a>
	<i>Well ID: 7242779</i>		
	OTTAWA ON	165.9	<a href="#">134</a>
	<i>Well ID: 7242774</i>		
	Ottawa ON	167.2	<a href="#">136</a>
	<i>Well ID: 7207736</i>		
	Ottawa ON	171.2	<a href="#">138</a>
	<i>Well ID: 7101198</i>		
	Ottawa ON	177.5	<a href="#">139</a>
	<i>Well ID: 7187780</i>		
	OTTAWA ON	177.5	<a href="#">140</a>
	<i>Well ID: 7242771</i>		



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7200461</i>	180.8	<a href="#">141</a>
	Ottawa ON <i>Well ID: 7290577</i>	182.7	<a href="#">142</a>
	Ottawa ON <i>Well ID: 7209274</i>	193.3	<a href="#">144</a>
	OTTAWA ON <i>Well ID: 7242772</i>	194.5	<a href="#">146</a>
	ON <i>Well ID: 7250768</i>	203.2	<a href="#">151</a>
	Ottawa ON <i>Well ID: 7231500</i>	205.5	<a href="#">154</a>
	Ottawa ON <i>Well ID: 7227768</i>	206.5	<a href="#">155</a>
	lot 37 con A OTTAWA ON <i>Well ID: 1535113</i>	211.0	<a href="#">157</a>
	Ottawa ON <i>Well ID: 7227769</i>	213.2	<a href="#">158</a>
	Ottawa ON <i>Well ID: 7207735</i>	227.4	<a href="#">162</a>
	OTTAWA ON <i>Well ID: 1536309</i>	233.5	<a href="#">164</a>
	OTTAWA ON	238.5	<a href="#">165</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7250143</i>		
	OTTAWA ON	256.6	<a href="#">173</a>
	<i>Well ID: 7250146</i>		
	OTTAWA ON	273.0	<a href="#">179</a>
	<i>Well ID: 7250149</i>		
	OTTAWA ON	273.5	<a href="#">180</a>
	<i>Well ID: 7250145</i>		



### Map : 0.3 Kilometer Radius


Order No: 20190410145

Address: Burnside Avenue, Ottawa, ON, K1Y



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		





# Aerial (2017)

Address: Burnside Avenue, Ottawa, ON, K1Y


Source: ESRI World Imagery

Order No: 20190410145



© ERIS Information Limited Partnership





Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

# Topographic Map

Address: Burnside Avenue, Ottawa, ON, K1Y

Source: ESRI World Topographic Map

Order No: 20190410145



© ERIS Information Limited Partnership



# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	-/0.0	55.1 / -5.03	ON	BORE
<b>Borehole ID:</b> 800423 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Boring <b>Easting:</b> 442884.68 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 3.4 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> 20-AUG-1982 <b>Primary Water Use:</b>		<b>Type:</b> Borehole <b>Status:</b> <b>UTM Zone:</b> 18 <b>Northing:</b> 5028761.43 <b>Orig. Ground Elev m:</b> 57.2 <b>DEM Ground Elev m:</b> 56.2 <b>Primary Name:</b> AH 17 <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> -999.9 <b>Sec. Water Use:</b>			
<b>--Details--</b>					
<b>Stratum ID:</b> 218564952		<b>Top Depth(m):</b> 0.0		<b>Stratum Desc:</b> Topsoil	
<b>Bottom Depth(m):</b> 0.2					
<b>Stratum ID:</b> 218564953		<b>Top Depth(m):</b> 0.2		<b>Stratum Desc:</b> Brown Fill-Misc Silt - Sand With: Gr W Blds	
<b>Bottom Depth(m):</b> 1.8					
<b>Stratum ID:</b> 218564954		<b>Top Depth(m):</b> 1.8		<b>Stratum Desc:</b> Grey-Brown Silt - Sand With: Gr W Cob Trace: Cl	
<b>Bottom Depth(m):</b> 3.4					
<u>2</u>	1 of 1	-/0.0	55.1 / -5.03	Slidell Street & Burnside Street Ottawa ON	EHS
<b>Order No:</b> 20050317017 <b>Status:</b> C <b>Report Type:</b> <b>Report Date:</b> 3/23/2005 <b>Date Received:</b> 3/17/2005 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; Aerials Photos and/or Topographical Maps		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -75.729787 <b>Y:</b> 45.410036			
<u>3</u>	1 of 1	-/0.0	56.5 / -3.57	ON	BORE
<b>Borehole ID:</b> 800421 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Hollow stem auger <b>Easting:</b> 442906.01 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 6.8 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> 23-AUG-1982		<b>Type:</b> Borehole <b>Status:</b> <b>UTM Zone:</b> 18 <b>Northing:</b> 5028730.53 <b>Orig. Ground Elev m:</b> 55.8 <b>DEM Ground Elev m:</b> 56.4 <b>Primary Name:</b> BH 16 <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> -999.9			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564944			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564945			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	1.3			<b>Stratum Desc:</b>	Brown Fill-Misc Silt - Sand With: Cl W Gr W Blds
<b>Stratum ID:</b>	218564946			<b>Top Depth(m):</b>	1.3
<b>Bottom Depth(m):</b>	2.0			<b>Stratum Desc:</b>	Dark Grey Cinder Ash With: Brk Frag
<b>Stratum ID:</b>	218564947			<b>Top Depth(m):</b>	2.0
<b>Bottom Depth(m):</b>	2.2			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564948			<b>Top Depth(m):</b>	2.2
<b>Bottom Depth(m):</b>	3.8			<b>Stratum Desc:</b>	Dark Grey Very Loose Alluvium Silt - Sand With: Gr Trace: Org M
<b>Stratum ID:</b>	218564949			<b>Top Depth(m):</b>	3.8
<b>Bottom Depth(m):</b>	4.2			<b>Stratum Desc:</b>	Grey-Brown Till
<b>Stratum ID:</b>	218564950			<b>Top Depth(m):</b>	4.2
<b>Bottom Depth(m):</b>	5.4			<b>Stratum Desc:</b>	Grey Bedrock Limestone fairly sound to moderate fractured limestone
<b>Stratum ID:</b>	218564951			<b>Top Depth(m):</b>	5.4
<b>Bottom Depth(m):</b>	6.8			<b>Stratum Desc:</b>	Grey Bedrock Limestone fairly sound limestone, occasional dark grey limy shale bands

4

1 of 1

-0.0

57.9 / -2.21

Bayview & Slidell Dump (alt)

ANDR

Ottawa ON K1Y

**Legal Description:** Nepean  
**Location Description:** at Slidell St\* & Bayview Ave\*, on Burnside Ave\*, W of Bayview Ave\*, N of park  
**Municipality:** Ottawa City  
**Current Municipality:** Ottawa City  
**RM:** Ottawa-Carleton Region  
**Facility:** Dump  
**Date Active:** 1947-60  
**Date Begun:**  
**Date Complete:** 1947  
**Area (Ha):**  
**Landfill Type:**  
**Group Name:** Ottawa River  
**Operated By:** Ottawa C  
**Serial:** MOEE 1010 (alt)  
**NTS:** 31G05  
**Diameter (m):**

**Historical Summary:**

Bayview & Slidell Dump (alt) This datapoint created as a plausible alternate to MOEE 1010 (Bayview Rd & Slidell St) whose UTM co-ordinates plot the site within the Ottawa River. 1965 Military Town Plan ASE 306 Not marked, site is on Burnside Ave\*, W of Bayview Ave\*, N of park [1965 Military Town Plan Ottawa-Hull ASE 306 Edition 1 (produced 1965)]. 1973 Military Town Plan MCE 306 Not marked, site is at Slidell St\* & Bayview Ave\*, N of park [1973 Military Town Plan Ottawa-Hull MCE 306 Edition 2 (information 1972, produced 1973)]. \*[1992] MapArt Corporation Ontario, Towns and Cities [Street Atlas]. Bayview Rd Snow Dump An article on snow clearing lists some of the snow dumps which area available to citizens wishing to remove cleared snow: the list includes a dump at Bayview Rd (Ottawa Citizen Jan 4 1960 p. 2).

**Waste Type:** MSW ICI snow & ice

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
UTM X Nad 27:		442880			
UTM Y Nad 27:		5028480			
UTM Zone:		18			

5	1 of 1	-/0.0	57.9 / -2.21	Ottawa ON	WWIS
<b>Well ID:</b>	7231504			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z187738			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005215523	<b>Elevation:</b>	56.28
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	442917
<b>Code OB Desc:</b>		<b>North83:</b>	5028716
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-OCT-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291370
<b>Layer:</b>	2
<b>Plug From:</b>	1.5
<b>Plug To:</b>	6.1
<b>Plug Depth UOM:</b>	m

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291369
<b>Layer:</b>	1

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		0			
<i>Plug To:</i>		1.5			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005291368			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005291360			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005291364			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>		5.2			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005291365			
<i>Layer:</i>		1			
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1005291363			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1005291362			
<i>Diameter:</i>		6.03			
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.5			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">6</a>	1 of 1	-0.0	57.6 / -2.51	ON	BORE
<b>Borehole ID:</b>	800420			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	18
<b>Easting:</b>	442920.87			<b>Northing:</b>	5028708.26
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	56.2
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	56.4
<b>Total Depth m:</b>	5.3			<b>Primary Name:</b>	AH 15
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	24-AUG-1982			<b>Static Water Level:</b>	2.7
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564940			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564941			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	Light Brown Fill-Misc Silt - Sand
<b>Stratum ID:</b>	218564942			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	Dark Brown to Black Fill-Misc Sand - Gravel With: Constr Debris
<b>Stratum ID:</b>	218564943			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	Grey-Brown Silt - Sand With: Gr Trace: Cl

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">7</a>	1 of 1	-0.0	53.9 / -6.21	OTTAWA ON	WWIS
<b>Well ID:</b>	1536052			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	11/30/2005
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z36584			<b>Owner:</b>	
<b>Tag:</b>	A029521			<b>Street Name:</b>	RIVER STREET @ SLIDELL
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	11316591			<b>Elevation:</b>	56.88
<b>DP2BR:</b>	1			<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>	h			<b>East83:</b>	442968
<b>Code OB Desc:</b>	Mixed in a Layer			<b>North83:</b>	5028792



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	13-OCT-05			Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 4 margin of error : 30 m - 100 m wwr
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		932997895			
Layer:		5			
Color:		1			
General Color:		WHITE			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		08			
Other Materials:		FINE SAND			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		1.2			
Formation End Depth:		1.6			
Formation End Depth UOM:		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		932997892			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		26			
Other Materials:		ROCK			
Mat3:					
Other Materials:					
Formation Top Depth:		.2			
Formation End Depth:		.3			
Formation End Depth UOM:		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		932997896			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		81			
Other Materials:		SANDY			
Mat3:					
Other Materials:					
Formation Top Depth:		1.6			
Formation End Depth:		2.2			
Formation End Depth UOM:		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			932997893		
<b>Layer:</b>			3		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			09		
<b>Most Common Material:</b>			MEDIUM SAND		
<b>Mat2:</b>			08		
<b>Other Materials:</b>			FINE SAND		
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			.3		
<b>Formation End Depth:</b>			.8		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			932997897		
<b>Layer:</b>			7		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>			17		
<b>Other Materials:</b>			SHALE		
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			2.2		
<b>Formation End Depth:</b>			5.79		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			932997891		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.2		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			932997894		
<b>Layer:</b>			4		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.8			
<b>Formation End Depth:</b>		1.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933282090			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		2.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961536052			
<b>Method Construction Code:</b>		7			
<b>Method Construction:</b>		Diamond			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11331446			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930856131			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.1			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933415726			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.1			
<b>Screen End Depth:</b>		5.79			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11534226			
<b>Diameter:</b>		20			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.73			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11534227			
<b>Diameter:</b>		10			
<b>Depth From:</b>		2.13			
<b>Depth To:</b>		6			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>8</u></b>	<b>1 of 1</b>	<b>WNW/5.7</b>	<b>56.8 / -3.29</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	801006			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>				<b>UTM Zone:</b>	18
<b>Easting:</b>	442634.51			<b>Northing:</b>	5028807.59
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	58.7
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	58.8
<b>Total Depth m:</b>	1.6			<b>Primary Name:</b>	PT C13
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	04-SEP-1971			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218566365			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.6			<b>Stratum Desc:</b>	Fill-Misc PROBABLY
<b><u>9</u></b>	<b>1 of 4</b>	<b>E/12.2</b>	<b>56.9 / -3.16</b>	<b>lafleur de da capital 11 bayview road ottawa ON K1Y 2C5</b>	<b>GEN</b>
<b>Generator No:</b>	ON9861576			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	561730				
<b>SIC Description:</b>	Landscaping Services				
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b><u>9</u></b>	<b>2 of 4</b>	<b>E/12.2</b>	<b>56.9 / -3.16</b>	<b>Lafleur De La Capitale Inc. 11 Bayview Rd</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Ottawa ON K1Y 2C5</i>					
<b>Generator No:</b>	ON8399063			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	561730				
<b>SIC Description:</b>	Landscaping Services				
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	242				
<b>Waste Description:</b>	HALOGENATED PESTICIDES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>9</b>	<b>3 of 4</b>	<b>E/12.2</b>	<b>56.9 / -3.16</b>	<b>lafleur de da capital 11 bayview road ottawa ON K1Y 2C5</b>	<b>GEN</b>
<b>Generator No:</b>	ON9861576			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	561730, 238230				
<b>SIC Description:</b>	Landscaping Services				
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">9</a>	4 of 4	E/12.2	56.9 / -3.16	laflour de da capital 11 bayview road ottawa ON K1Y 2C5	GEN
<b>Generator No:</b>	ON9861576			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	561730, 238230				
<b>SIC Description:</b>	Landscaping Services				
<b>--Details--</b>					
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<a href="#">10</a>	1 of 1	SSW/13.8	61.9 / 1.79	OTTAWA CITY BURNSIDE AVE./HINCHEY AVE. OTTAWA CITY ON	CA
<b>Certificate #:</b>	3-0468-99-				
<b>Application Year:</b>	99				
<b>Issue Date:</b>	5/17/1999				
<b>Approval Type:</b>	Municipal sewage				
<b>Status:</b>	Approved				
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">11</a>	1 of 1	ENE/16.8	52.8 / -7.26	National Capital Commission Slidell Street and Ottawa River Parkway Former Ottawa Landfill Ottawa ON	GEN
<b>Generator No:</b>	ON7234046			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<b>--Details--</b>					
<b>Waste Code:</b>	241				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">12</a>	1 of 1	NE/20.9	55.0 / -5.09	ON	BORE
<b>Borehole ID:</b>	800424			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	18
<b>Easting:</b>	442868.07			<b>Northing:</b>	5028785.23
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	55.2
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	54.7
<b>Total Depth m:</b>	4.1			<b>Primary Name:</b>	AH 18
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	23-AUG-1982			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564955			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564956			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	Grey-Brown Fill-Misc Silty Clay Trace: Gr
<b>Stratum ID:</b>	218564957			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	4.1			<b>Stratum Desc:</b>	Dark Brown to Grey Fill-Misc sand silt With: Cl W Gr W Cob
<a href="#">13</a>	1 of 2	SW/25.8	61.9 / 1.79	DANIEL BAKER 100 HINCHEY AVE; #921 OTTAWA ON K1Y4L9	PES
<b>Billing No:</b>				<b>Op Municipality:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Licence No:</b>				<b>Operator District:</b>	
<b>Detail Licence No:</b>				<b>Operator County:</b>	
<b>Licence Type Code:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	
<b>Licence Class:</b>				<b>Operator Ext:</b>	
<b>Licence Control:</b>				<b>Region:</b>	
<b>Operator No:</b>				<b>County:</b>	
<b>Operator Class:</b>				<b>District:</b>	
<b>Operator Type:</b>				<b>Lot:</b>	
<b>Operator Lot:</b>				<b>Concession:</b>	
<b>Oper Concession:</b>				<b>Post Office Box:</b>	
<b>Operator Box:</b>				<b>Report Source:</b>	
<a href="#">13</a>	2 of 2	SW/25.8	61.9 / 1.79	DANIEL C BAKER 921-100 HINCHEY AVENUE OTTAWA ON K1Y 4L9	PES
<b>Billing No:</b>				<b>Op Municipality:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Licence No:</b>				<b>Operator District:</b>	
<b>Detail Licence No:</b>				<b>Operator County:</b>	
<b>Licence Type Code:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	
<b>Licence Class:</b>				<b>Operator Ext:</b>	
<b>Licence Control:</b>				<b>Region:</b>	
<b>Operator No:</b>				<b>County:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188326			<b>Owner:</b>	
<b>Tag:</b>	A132470			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005215514			<b>Elevation:</b>	57.33
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443007
<b>Code OB Desc:</b>				<b>North83:</b>	5028752
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291328
<b>Layer:</b>	2
<b>Plug From:</b>	1.5
<b>Plug To:</b>	4.88
<b>Plug Depth UOM:</b>	m

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291327
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1.5
<b>Plug Depth UOM:</b>	m

**Method of Construction & Well Use**

<b>Method Construction ID:</b>	1005291326
<b>Method Construction Code:</b>	
<b>Method Construction:</b>	
<b>Other Method Construction:</b>	

**Pipe Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1005291318			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1005291322			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1005291323			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<b><u>Water Details</u></b>					
Water ID:		1005291321			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291320			
Diameter:		6.03			
Depth From:		0			
Depth To:		1.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

17

1 of 1

ENE/32.7

53.9 / -6.21

ON

WWIS

Well ID: 7201544  
Construction Date:  
Primary Water Use:  
Sec. Water Use:  
Final Well Status:  
Water Type:  
Casing Material:  
Audit No: C19523  
Tag: A130102  
Construction Method:  
Elevation (m):

Data Entry Status: Yes  
Data Src:  
Date Received: 5/14/2013  
Selected Flag: Yes  
Abandonment Rec:  
Contractor: 1844  
Form Version: 8  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OTTAWA CITY



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004298055 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 31-AUG-12 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 57.54 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 443011 <b>North83:</b> 5028792 <b>Org CS:</b> MTM09 <b>UTMRC:</b> 5 <b>UTMRC Desc:</b> margin of error : 100 m - 300 m <b>Location Method:</b> wwr	

<a href="#">18</a>	1 of 1	E/33.7	55.9 / -4.21	Ottawa ON	WWIS
<b>Well ID:</b> 7182763 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z146392 <b>Tag:</b> A132468 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 6/19/2012 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 9 BAYVIEW DR <b>County:</b> OTTAWA-CARLETON <b>Municipality:</b> NEPEAN TOWNSHIP <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	

<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1003927730 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 26-APR-12 <b>Remarks:</b>				<b>Elevation:</b> 57.13 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 442992 <b>North83:</b> 5028714 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>			1004365371		
<i>Layer:</i>			3		
<i>Color:</i>			2		
<i>General Color:</i>			GREY		
<i>Mat1:</i>			15		
<i>Most Common Material:</i>			LIMESTONE		
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>			71		
<i>Other Materials:</i>			FRACTURED		
<i>Formation Top Depth:</i>			.91		
<i>Formation End Depth:</i>			4.88		
<i>Formation End Depth UOM:</i>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>			1004365369		
<i>Layer:</i>			1		
<i>Color:</i>			8		
<i>General Color:</i>			BLACK		
<i>Mat1:</i>			27		
<i>Most Common Material:</i>			OTHER		
<i>Mat2:</i>			11		
<i>Other Materials:</i>			GRAVEL		
<i>Mat3:</i>			77		
<i>Other Materials:</i>			LOOSE		
<i>Formation Top Depth:</i>			0		
<i>Formation End Depth:</i>			.31		
<i>Formation End Depth UOM:</i>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>			1004365370		
<i>Layer:</i>			2		
<i>Color:</i>			6		
<i>General Color:</i>			BROWN		
<i>Mat1:</i>			28		
<i>Most Common Material:</i>			SAND		
<i>Mat2:</i>			12		
<i>Other Materials:</i>			STONES		
<i>Mat3:</i>			85		
<i>Other Materials:</i>			SOFT		
<i>Formation Top Depth:</i>			.31		
<i>Formation End Depth:</i>			.91		
<i>Formation End Depth UOM:</i>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>			1004365380		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	.31				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004365381				
<b>Layer:</b>	2				
<b>Plug From:</b>	.31				
<b>Plug To:</b>	3.1				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004365382				
<b>Layer:</b>	3				
<b>Plug From:</b>	3.1				
<b>Plug To:</b>	4.88				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1004365379				
<b>Method Construction Code:</b>	5				
<b>Method Construction:</b>	Air Percussion				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1004365368				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1004365375				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	3.35				
<b>Casing Diameter:</b>	5.2				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1004365376				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	3.35				
<b>Screen End Depth:</b>	4.88				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>	cm				
<b>Screen Diameter:</b>	6.02				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

Water ID: 1004365374  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1004365373  
 Diameter: 7.62  
 Depth From: 1.59  
 Depth To: 4.88  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Hole Diameter**

Hole ID: 1004365372  
 Diameter: 11.43  
 Depth From: 0  
 Depth To: 1.59  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**19**      1 of 1      **E/34.0**      **55.3 / -4.74**      **Ottawa ON**      **WWIS**

Well ID: 7187781  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z157231  
 Tag: A125780  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 9/24/2012  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 7 BAYVIEW RD  
 County: OTTAWA-CARLETON  
 Municipality: NEPEAN TOWNSHIP  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1004162398  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Open Hole:  
 Cluster Kind:  
 Date Completed: 23-AUG-12

Elevation: 57.31  
 Elevrc:  
 Zone: 18  
 East83: 443006  
 North83: 5028742  
 Org CS: UTM83  
 UTMRC: 4  
 UTMRC Desc: margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Remarks:</b>				<b>Location Method:</b>	WWF
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004437198			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		1.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004437199			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		1.5			
<b>Formation End Depth:</b>		12.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004437197			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1004437221			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437226			
<b>Layer:</b>		3			
<b>Plug From:</b>		8.89			
<b>Plug To:</b>		12.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437223			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		8.84			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004437212			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004437196			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004437205			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		9.14			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004437206			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		9.14			
<b>Screen End Depth:</b>		12.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1004437204			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004437203			
Diameter:		7.62			
Depth From:		1.6			
Depth To:		12.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004437202			
Diameter:		11.43			
Depth From:		0			
Depth To:		1.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>20</u>	1 of 1	NW/34.2	55.1 / -4.96	ON	BORE
Borehole ID:		801004		Type:	Borehole
Use:		Geotechnical/Geological Investigation		Status:	
Drill Method:				UTM Zone:	18
Easting:		442644.08		Northing:	5028834.4
Location Accuracy:				Orig. Ground Elev m:	58.5
Elev. Reliability Note:				DEM Ground Elev m:	58.1
Total Depth m:		2		Primary Name:	PT C12
Township:				Concession:	
Lot:				Municipality:	
Completion Date:		04-SEP-1971		Static Water Level:	-999.9
Primary Water Use:				Sec. Water Use:	
<u>--Details--</u>					
Stratum ID:		218566361		Top Depth(m):	0.0
Bottom Depth(m):		2.0		Stratum Desc:	Fill-Misc Sand - Gravel

<u>21</u>	1 of 1	ESE/37.8	57.4 / -2.64	ON	BORE
Borehole ID:		800418		Type:	Borehole
Use:		Geotechnical/Geological Investigation		Status:	
Drill Method:		Hollow stem auger		UTM Zone:	18
Easting:		442945.54		Northing:	5028673.8
Location Accuracy:				Orig. Ground Elev m:	56.9
Elev. Reliability Note:				DEM Ground Elev m:	57
Total Depth m:		2.2		Primary Name:	BH 14
Township:				Concession:	
Lot:				Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Completion Date:</b>	20-AUG-1982			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564924			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564925			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	Brown Cinder Ash cinders and ashes
<b>Stratum ID:</b>	218564926			<b>Top Depth(m):</b>	1.5
<b>Bottom Depth(m):</b>	1.7			<b>Stratum Desc:</b>	Dark Brown Silt With: Org M
<b>Stratum ID:</b>	218564927			<b>Top Depth(m):</b>	1.7
<b>Bottom Depth(m):</b>	1.9			<b>Stratum Desc:</b>	Grey-Brown Very Stiff Silty Clay
<b>Stratum ID:</b>	218564928			<b>Top Depth(m):</b>	1.9
<b>Bottom Depth(m):</b>	2.2			<b>Stratum Desc:</b>	Brown Compact Sand With: Gr

<a href="#">22</a>	1 of 1	E/38.2	54.8 / -5.29	Ottawa ON	WWIS
<b>Well ID:</b>	7182760			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/19/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z146391			<b>Owner:</b>	
<b>Tag:</b>	A132470			<b>Street Name:</b>	9 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003927721			<b>Elevation:</b>	57.31
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443011
<b>Code OB Desc:</b>				<b>North83:</b>	5028744
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	27-APR-12			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365173		
<b>Layer:</b>			2		
<b>Color:</b>			1		
<b>General Color:</b>			WHITE		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			73		
<b>Other Materials:</b>			HARD		
<b>Formation Top Depth:</b>			.91		
<b>Formation End Depth:</b>			4.88		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365172		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			01		
<b>Most Common Material:</b>			FILL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			77		
<b>Other Materials:</b>			LOOSE		
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.91		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1004365182		
<b>Layer:</b>			1		
<b>Plug From:</b>			0		
<b>Plug To:</b>			.31		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1004365183		
<b>Layer:</b>			2		
<b>Plug From:</b>			.31		
<b>Plug To:</b>			3.11		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1004365184		
<b>Layer:</b>			3		
<b>Plug From:</b>			3.11		
<b>Plug To:</b>			4.88		
<b>Plug Depth UOM:</b>			m		
<b><u>Method of Construction &amp; Well</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Use</u></b>					
<i>Method Construction ID:</i>		1004365181			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004365171			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004365177			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		3.35			
<i>Casing Diameter:</i>		5.2			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004365178			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3.35			
<i>Screen End Depth:</i>		4.88			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004365176			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1004365174			
<i>Diameter:</i>		11.43			
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.5			
<i>Hole Depth UOM:</i>		ft			
<i>Hole Diameter UOM:</i>		inch			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1004365175			
<i>Diameter:</i>		7.62			
<i>Depth From:</i>		1.5			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		4.88			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<a href="#">23</a>	1 of 2	SSE/38.7	59.9 / -0.21	OTTAWA COMMUNITY HOUSING CORP. 18 BURNSIDE AVE., OTTAWA ON K1Y 4V7	GEN
Generator No:	ON7534774			PO Box No:	
Status:				Country:	
Approval Years:	06			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531111				
SIC Description:	Lessors of Residential Buildings and Dwellings (ex				
<b>--Details--</b>					
Waste Code:	221				
Waste Description:	LIGHT FUELS				
<a href="#">23</a>	2 of 2	SSE/38.7	59.9 / -0.21	18 Burnside Ave. OTTAWA HOUSING GARAGE<UNOFFICIAL> Ottawa ON K1Y 4V7	SPL
Ref No:	5505-6NMPTR			Discharger Report:	
Site No:				Material Group:	Wastes
Incident Dt:	4/7/2006			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Other Discharges			Sector Type:	Other
Incident Event:				Agency Involved:	
Contaminant Code:	41			Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL AND WATER MIXTURE			Site Address:	18 BURNSIDE AVE.
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	Ottawa
Nature of Impact:	Soil Contamination; Surface Water Pollution			Site Lot:	
Receiving Medium:	Land & Water			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	4/7/2006			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	Other - Reason not otherwise defined			Source Type:	
Site Name:	18 BURNSIDE AVE.				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Ottawa Housing, 18 Burnside: diesel spill into sewer.				
Contaminant Qty:	Not Specific Unknown				
<a href="#">24</a>	1 of 1	ESE/38.8	57.9 / -2.21	Ottawa ON	WWIS
Well ID:	7227883			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	9/22/2014
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z188366			Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A152069			Street Name:	BAYVIEW DRIVE
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1005131635	Elevation:	57.02
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442938
Code OB Desc:		North83:	5028670
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	15-AUG-14	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	1005401119
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	13
Other Materials:	BOULDERS
Mat3:	
Other Materials:	
Formation Top Depth:	.31
Formation End Depth:	3.66
Formation End Depth UOM:	m

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	1005401118
Layer:	1
Color:	4
General Color:	GREEN
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	.31

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005401120			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3.66			
<b>Formation End Depth:</b>		5.33			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005401130			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.83			
<b>Plug To:</b>		5.33			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005401128			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005401129			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		1.83			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005401127			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005401117			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:	1005401123				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0				
Depth To:	2.13				
Casing Diameter:	4.03				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<b><u>Construction Record - Screen</u></b>					
Screen ID:	1005401124				
Layer:	1				
Slot:	10				
Screen Top Depth:	2.13				
Screen End Depth:	5.33				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	4.82				
<b><u>Water Details</u></b>					
Water ID:	1005401122				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
<b><u>Hole Diameter</u></b>					
Hole ID:	1005401121				
Diameter:	8.25				
Depth From:	0				
Depth To:	5.33				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

[25](#)    1 of 1    **ENE/39.1**    **54.2 / -5.93**    **ON**    **WWIS**

<b>Well ID:</b>	7231499	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z188322	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	7 BAYVIEW ST OTTAWA
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005215508		<b>Elevation:</b> 57.41	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 443019	
<b>Code OB Desc:</b>				<b>North83:</b> 5028776	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		07-OCT-14		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291305			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291306			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		17.07			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291304			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291296			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291300			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth From:</b> <b>Depth To:</b> <b>Casing Diameter:</b> 5.2 <b>Casing Diameter UOM:</b> cm <b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1005291301 <b>Layer:</b> <b>Slot:</b> <b>Screen Top Depth:</b> <b>Screen End Depth:</b> <b>Screen Material:</b> <b>Screen Depth UOM:</b> m <b>Screen Diameter UOM:</b> cm <b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1005291299 <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1005291298 <b>Diameter:</b> 6.03 <b>Depth From:</b> 0 <b>Depth To:</b> 1.5 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">26</a>	1 of 1	WNW/47.1	57.2 / -2.90	OTTAWA & DIST ASSOC FOR THE MENTALLY RETARDED 55 PARKDALE AVENUE NORTH OTTAWA ON K2H 8H8	PES
<b>Billing No:</b> <b>Trade Name:</b> <b>Licence No:</b> <b>Detail Licence No:</b> <b>Licence Type Code:</b> <b>Licence Type:</b> Operator <b>Licence Class:</b> <b>Licence Control:</b> <b>Operator No:</b> <b>Operator Class:</b> <b>Operator Type:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Box:</b>				<b>Op Municipality:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Region:</b> <b>County:</b> <b>District:</b> <b>Lot:</b> <b>Concession:</b> <b>Post Office Box:</b> <b>Report Source:</b>	
<a href="#">27</a>	1 of 1	E/47.3	54.8 / -5.29	Ottawa ON	WWIS
<b>Well ID:</b> 7187776 <b>Construction Date:</b>				<b>Data Entry Status:</b> <b>Data Src:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	9/24/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z157243			<b>Owner:</b>	
<b>Tag:</b>	A133628			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

### Bore Hole Information

<b>Bore Hole ID:</b>	1004162323	<b>Elevation:</b>	57.25
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443016
<b>Code OB Desc:</b>		<b>North83:</b>	5028730
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	22-AUG-12	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1004436913
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	80
<b>Other Materials:</b>	POROUS
<b>Mat3:</b>	73
<b>Other Materials:</b>	HARD
<b>Formation Top Depth:</b>	1.5
<b>Formation End Depth:</b>	15.21
<b>Formation End Depth UOM:</b>	m

### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1004436912
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004436922			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004436924			
<b>Layer:</b>		3			
<b>Plug From:</b>		13.4			
<b>Plug To:</b>		15.21			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004436923			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		13.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004436921			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004436911			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004436917			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		13.71			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

**Screen ID:** 1004436918  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 13.71  
**Screen End Depth:** 15.21  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 4.82

**Water Details**

**Water ID:** 1004436916  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004436914  
**Diameter:** 11.43  
**Depth From:** 0  
**Depth To:** 1.83  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1004436915  
**Diameter:** 8  
**Depth From:** 1.83  
**Depth To:** 15.21  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

28    1 of 1    **NE/49.0**    **52.9 / -7.21**    **ON**    **BORE**

<b>Borehole ID:</b> 800426 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Hollow stem auger <b>Easting:</b> 442851.62 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 3 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> 23-AUG-1982 <b>Primary Water Use:</b>	<b>Type:</b> Borehole <b>Status:</b> <b>UTM Zone:</b> 18 <b>Northing:</b> 5028810.04 <b>Orig. Ground Elev m:</b> 54.5 <b>DEM Ground Elev m:</b> 54.4 <b>Primary Name:</b> AH 19 <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> -999.9 <b>Sec. Water Use:</b>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**--Details--**

<b>Stratum ID:</b> 218564966 <b>Bottom Depth(m):</b> 0.2	<b>Top Depth(m):</b> 0.0 <b>Stratum Desc:</b> Topsoil
<b>Stratum ID:</b> 218564967 <b>Bottom Depth(m):</b> 3.0	<b>Top Depth(m):</b> 0.2 <b>Stratum Desc:</b> Dark Brown to Grey Fill-Misc sand silt With: Cl

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

W Gr Trace: Constr Debris

<a href="#">29</a>	1 of 1	NW/51.9	54.1 / -5.94	Canada Lands Company CLC Limited Lot: 21-25, Concession: 1 on Ottawa River, Geographic Township: GLOUCESTER, Ottawa, City CITY OF OTTAWA ON	PTTW
<b>EBR Registry No:</b>	012-4134			<b>Proposal Date:</b>	May 12, 2015
<b>Ministry Ref. No:</b>	7044-9W9JMA			<b>Notice Date:</b>	July 13, 2016
<b>Notice Type:</b>	Instrument Decision			<b>Year:</b>	2015
<b>Company Name:</b>	Canada Lands Company CLC Limited				
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	30 Metcalfe Street, Suite 601, Ottawa Ontario, Canada K1P 5L4				
<b>Instrument Type:</b>	(OWRA s. 34) - Permit to Take Water				
<b>Location Other:</b>					
<b>URL:</b>					

**Location:**

Lot: 21-25, Concession: 1 on Ottawa River, Geographic Township: GLOUCESTER, Ottawa, City CITY OF OTTAWA

<a href="#">30</a>	1 of 1	ESE/55.2	57.9 / -2.21	ON	BORE
<b>Borehole ID:</b>	800417			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	18
<b>Easting:</b>	442954.73			<b>Northing:</b>	5028658.63
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	56.8
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	56.8
<b>Total Depth m:</b>	3.4			<b>Primary Name:</b>	AH 13
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	24-AUG-1982			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564921			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564922			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	2.1			<b>Stratum Desc:</b>	Brown Fill-Misc Silt - Sand With: Gr W Brk Frag W Cob W Constr Debris
<b>Stratum ID:</b>	218564923			<b>Top Depth(m):</b>	2.1
<b>Bottom Depth(m):</b>	3.4			<b>Stratum Desc:</b>	Grey-Brown Silt - Sand With: Gr Trace: CI

<a href="#">31</a>	1 of 1	E/55.5	54.8 / -5.29	Ottawa ON	WWIS
<b>Well ID:</b>	7182762			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/19/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z146393			<b>Owner:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A132469			Street Name:	9 BAYVIEW ST
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1003927727	Elevation:	57.29
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443027
Code OB Desc:		North83:	5028737
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	26-APR-12	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	1004365344
Layer:	2
Color:	1
General Color:	WHITE
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	73
Other Materials:	HARD
Formation Top Depth:	1.83
Formation End Depth:	4.88
Formation End Depth UOM:	m

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	1004365343
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	1.83

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365353			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365354			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		3.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365355			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.1			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004365352			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004365342			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004365348			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.35			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004365349			
<b>Layer:</b>		1			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Slot:** 10  
**Screen Top Depth:** 3.35  
**Screen End Depth:** 4.88  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03

Water Details

**Water ID:** 1004365347  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

Hole Diameter

**Hole ID:** 1004365345  
**Diameter:** 11.43  
**Depth From:** 0  
**Depth To:** 2.13  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

Hole Diameter

**Hole ID:** 1004365346  
**Diameter:** 7.62  
**Depth From:** 2.13  
**Depth To:** 4.88  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

<a href="#">32</a>	1 of 1	SE/56.6	58.9 / -1.18	Burnside .Ave. & Slidell St. OTTAWA ON	WDSH
--------------------	--------	---------	--------------	-------------------------------------------	------

**Site No.:** X1020  
**Region:** SOUTHEAST  
**County:** OTTAWA CARLETON  
**Concession:**  
**Lot:** Burnside .Ave. & Slidell St.  
**Easting:** 442900  
**Northing:** 5028420  
**Zone:** 18  
**Date Closed:** 1947  
**Status:** CLOSED  
**Classification:** A5 - POTENTIAL HUMAN IMPACT-URBAN MUNICIPAL/DOMESTIC WASTE - CLOSED 10-20 YRS  
**%CommercialWste:** n/a  
**%DomesticWste Rec:** n/a  
**%LiquidWste Rec:** n/a  
**%HazardousWste Rec:** n/a  
**%Non-haz.Wste Rec:** n/a  
**%Sewage/Sludge Rec:** n/a  
**%Other Wste Rec:** n/a

<a href="#">33</a>	1 of 1	NW/57.0	53.5 / -6.63	ON	BORE
--------------------	--------	---------	--------------	----	------

**Borehole ID:** 800997 **Type:** Borehole

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Rotary (conventional)			<b>UTM Zone:</b>	18
<b>Easting:</b>	442652.32			<b>Northing:</b>	5028855.75
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	57.6
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	57.5
<b>Total Depth m:</b>	4.1			<b>Primary Name:</b>	BH C10
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	04-SEP-1971			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218566327			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218566328			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	1.7			<b>Stratum Desc:</b>	Brown Compact to Dense Fill-Misc Sand - Gravel
<b>Stratum ID:</b>	218566329			<b>Top Depth(m):</b>	1.7
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	Black Silt With: Org M
<b>Stratum ID:</b>	218566330			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	2.5			<b>Stratum Desc:</b>	Grey-Brown Compact Till Silt - Sand
<b>Stratum ID:</b>	218566331			<b>Top Depth(m):</b>	2.5
<b>Bottom Depth(m):</b>	4.1			<b>Stratum Desc:</b>	Light Grey Bedrock Limestone Fine Grained
<b>34</b>	1 of 1	SSW/58.1	61.9 / 1.79	50 Burnside Ave Ottawa ON	SPL
<b>Ref No:</b>	1051-A7UU8M			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/03/08			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Communal
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	FUEL (N.O.S.)			<b>Site Address:</b>	50 Burnside Ave
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Surface Water			<b>Northing:</b>	
<b>MOE Response:</b>	No			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2016/03/08			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	
<b>Site Name:</b>	spill<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Ottawa small fuel spill from a car				
<b>Contaminant Qty:</b>	1 L				
<b>35</b>	1 of 1	SSE/58.8	61.0 / 0.88	Ottawa ON	WWIS
<b>Well ID:</b>	7207343			<b>Data Entry Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> 0 <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z170501 <b>Tag:</b> A137249 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Src:</b> <b>Date Received:</b> 9/4/2013 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 6964 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 52 CARRUTHERS AVENUE <b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004558658 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 12-MAR-13 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> UTM83 <b>UTMRC:</b> 9 <b>UTMRC Desc:</b> unknown UTM <b>Location Method:</b> wwr			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1004587098 <b>Layer:</b> 2 <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> 01 <b>Most Common Material:</b> FILL <b>Mat2:</b> 81 <b>Other Materials:</b> SANDY <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> .05 <b>Formation End Depth:</b> .61 <b>Formation End Depth UOM:</b> m					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1004587097 <b>Layer:</b> 1 <b>Color:</b> <b>General Color:</b> <b>Mat1:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.05			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004587099			
<b>Layer:</b>		3			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		26			
<b>Other Materials:</b>		ROCK			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.61			
<b>Formation End Depth:</b>		4.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004587106			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004587108			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.2			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004587107			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1004587105			
<b>Method Construction Code:</b>		7			
<b>Method Construction:</b>		Diamond			
<b>Other Method Construction:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004587096			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004587103			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.15			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004587104			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.15			
<b>Screen End Depth:</b>		4.2			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004587102			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		2.81			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004587101			
<b>Diameter:</b>		9.5			
<b>Depth From:</b>		.8			
<b>Depth To:</b>		4.2			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004587100			
<b>Diameter:</b>		11.2			
<b>Depth From:</b>		0			
<b>Depth To:</b>		.8			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b>36</b>	<b>1 of 1</b>	<b>ESE/59.8</b>	<b>56.1 / -3.96</b>	<b>52 Bayview Road Ottawa ON</b>	<b>EHS</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Order No:</b> 20050811016 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 8/22/2005 <b>Date Received:</b> 8/11/2005 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> 2.7 ha <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> Burnside Ave and Springhurst Ave <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.5 <b>X:</b> -75.728487 <b>Y:</b> 45.409311					
<a href="#">37</a>	1 of 2	SSE/60.6	59.9 / -0.21	Unknown<UNOFFICIAL> 55 Carruthers Ave. Ottawa Ottawa ON	SPL
<b>Ref No:</b> 3467-AWPPHU <b>Site No:</b> NA <b>Incident Dt:</b> 2018/03/09 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Dumping <b>Contaminant Code:</b> 27 <b>Contaminant Name:</b> CONCRETE <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> n/a <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land; Surface Water; Ground Water <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2018/03/09 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Unknown / N/A <b>Site Name:</b> 55 Carruthers Ave<UNOFFICIAL> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Ottawa: unknown amount of concrete to CB <b>Contaminant Qty:</b> 0 other - see incident description					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment <b>Client Type:</b> <b>Sector Type:</b> Unknown / N/A <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 55 Carruthers Ave. Ottawa <b>Site District Office:</b> Ottawa <b>Site Postal Code:</b> <b>Site Region:</b> Eastern <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> 5028652.98 <b>Easting:</b> 442823.4 <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Source Type:</b> Unknown / N/A					
<a href="#">37</a>	2 of 2	SSE/60.6	59.9 / -0.21	In front of 55 Carruthers Street<UNOFFICIAL> Ottawa ON K1Y 1N3	SPL
<b>Ref No:</b> 2625-6HHURD <b>Site No:</b> <b>Incident Dt:</b> 10/25/2005 <b>Year:</b> <b>Incident Cause:</b> Overflow (Tanks Lagoons) <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> TRANSMISSION OIL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> <b>Receiving Medium:</b> Water <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 10/25/2005 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Equipment Failure					
<b>Discharger Report:</b> 0 <b>Material Group:</b> Oil <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Other Motor Vehicle <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> Ottawa <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Name:		In front of 55 Carruthers Street<UNOFFICIAL>			
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		Transmission fluid to c/b, cleaned, EGN			
Contaminant Qty:					

<a href="#">38</a>	1 of 1	S/60.8	60.9 / 0.79	Ottawa ON	WWIS
<b>Well ID:</b>	7201623			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	5/15/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z151017			<b>Owner:</b>	
<b>Tag:</b>	A145384			<b>Street Name:</b>	52 CARRUTHERS AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1004301252	<b>Elevation:</b>	63.28
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	442809
<b>Code OB Desc:</b>		<b>North83:</b>	5028596
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	05-APR-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1004835352
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	71
<b>Other Materials:</b>	FRACTURED
<b>Formation Top Depth:</b>	.61

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		4.88			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004835351			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		02			
<b>Other Materials:</b>		TOPSOIL			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.61			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004835361			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004835362			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		1.52			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004835363			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.52			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004835360			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004835350			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1004835356  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 1.83  
**Casing Diameter:** 5.2  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1004835357  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 1.83  
**Screen End Depth:** 4.88  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03

**Water Details**

**Water ID:** 1004835355  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004835353  
**Diameter:** 11.43  
**Depth From:** 0  
**Depth To:** 1.22  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1004835354  
**Diameter:** 7.62  
**Depth From:** 1.22  
**Depth To:** 4.88  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">39</a>	1 of 1	SE/60.9	58.3 / -1.78	Burnside & Slidell Dump Ottawa ON K1Y	ANDR
--------------------	--------	---------	--------------	------------------------------------------	------

**Legal Description:** Nepean  
**Location Description:** a park S of Burnside Ave\*, W of Bayview Ave\*  
**Municipality:** Ottawa City  
**Current Municipality:** Ottawa City  
**RM:** Ottawa-Carleton Region

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility:</b>		Dump			
<b>Date Active:</b>		1947			
<b>Date Begun:</b>					
<b>Date Complete:</b>		1947			
<b>Area (Ha):</b>					
<b>Landfill Type:</b>					
<b>Group Name:</b>		Ottawa River			
<b>Operated By:</b>					
<b>Serial:</b>		MOEE 1020			
<b>NTS:</b>		31G05			
<b>Diameter (m):</b>					
<b>Historical Summary:</b>					
Burnside & Slidell Dump MOEE 1994 Burnside Ave & Slidell St cited as closed waste disposal site ([Ontario Ministry of the Environment [1994] Waste disposal site inventory, [Toronto]: Ontario Environment, 1994., i, 196 p. : maps. ISBN 0772984093 ). 1965 Military Town Plan ASE 306 Not marked, site is a park S of Burnside Ave*, W of Bayview Ave* [1965 Military Town Plan Ottawa-Hull ASE 306 Edition 1 (produced 1965)]. *[1992] MapArt Corporation Ontario, Towns and Cities [Street Atlas].					
<b>Waste Type:</b>					
<b>UTM X Nad 27:</b>		442900			
<b>UTM Y Nad 27:</b>		5028420			
<b>UTM Zone:</b>		18			

<a href="#">40</a>	1 of 1	E/63.1	54.9 / -5.18	Ottawa ON	WWIS
<b>Well ID:</b>		7231507		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b>	
<b>Sec. Water Use:</b>		0		11/12/2014	
<b>Final Well Status:</b>		Abandoned-Other		<b>Selected Flag:</b>	
<b>Water Type:</b>				Yes	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z193826		<b>Contractor:</b>	
<b>Tag:</b>		A132489		7241	
<b>Construction Method:</b>				<b>Form Version:</b>	
<b>Elevation (m):</b>				7	
<b>Elevation Reliability:</b>				<b>Owner:</b>	
<b>Depth to Bedrock:</b>				<b>Street Name:</b>	
<b>Well Depth:</b>				7 BAYVIEW ST	
<b>Overburden/Bedrock:</b>				<b>County:</b>	
<b>Pump Rate:</b>				OTTAWA-CARLETON	
<b>Static Water Level:</b>				<b>Municipality:</b>	
<b>Flowing (Y/N):</b>				NEPEAN TOWNSHIP	
<b>Flow Rate:</b>				<b>Site Info:</b>	
<b>Clear/Cloudy:</b>				<b>Lot:</b>	
				<b>Concession:</b>	
				<b>Concession Name:</b>	
				<b>Easting NAD83:</b>	
				<b>Northing NAD83:</b>	
				<b>Zone:</b>	
				<b>UTM Reliability:</b>	
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>		1005215532		<b>Elevation:</b>	
<b>DP2BR:</b>				57.26	
<b>Spatial Status:</b>				<b>Elevrc:</b>	
<b>Code OB:</b>				18	
<b>Code OB Desc:</b>				<b>Zone:</b>	
<b>Open Hole:</b>				443031	
<b>Cluster Kind:</b>				<b>East83:</b>	
<b>Date Completed:</b>		07-OCT-14		5028725	
<b>Remarks:</b>				<b>North83:</b>	
<b>Elevrc Desc:</b>				5028725	
<b>Location Source Date:</b>				<b>Org CS:</b>	
<b>Improvement Location Source:</b>				UTM83	
<b>Improvement Location Method:</b>				<b>UTMRC:</b>	
				4	
				<b>UTMRC Desc:</b>	
				margin of error : 30 m - 100 m	
				<b>Location Method:</b>	
				wwr	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291418			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291417			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291416			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291408			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291412			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291413			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Water Details</u></b>					
Water ID:		1005291411			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291410			
Diameter:		6.03			
Depth From:		0			
Depth To:		1.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">41</a>	1 of 1	SSE/64.7	59.9 / -0.21	ON	WWIS
Well ID:	7219176			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	4/14/2014
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6964
Casing Material:				Form Version:	8
Audit No:	C22316			Owner:	
Tag:	A137254			Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1004731379			Elevation:	61.93
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442867
Code OB Desc:				North83:	5028615
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	28-OCT-13			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<a href="#">42</a>	1 of 1	E/65.0	54.9 / -5.18	Ottawa ON	WWIS



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7231508			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z193827			<b>Owner:</b>	
<b>Tag:</b>	A133628			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005215535	<b>Elevation:</b>	57.26
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443033
<b>Code OB Desc:</b>		<b>North83:</b>	5028725
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-OCT-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291431
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1.5
<b>Plug Depth UOM:</b>	m

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291432
<b>Layer:</b>	2
<b>Plug From:</b>	1.5
<b>Plug To:</b>	15.24
<b>Plug Depth UOM:</b>	m

**Method of Construction & Well Use**

<b>Method Construction ID:</b>	1005291430
<b>Method Construction Code:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Method Construction:  
Other Method Construction:

Pipe Information

Pipe ID: 1005291422  
Casing No: 0  
Comment:  
Alt Name:

Construction Record - Casing

Casing ID: 1005291426  
Layer: 1  
Material: 5  
Open Hole or Material: PLASTIC  
Depth From:  
Depth To:  
Casing Diameter: 4.03  
Casing Diameter UOM: cm  
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005291427  
Layer: 1  
Slot:  
Screen Top Depth:  
Screen End Depth:  
Screen Material:  
Screen Depth UOM: m  
Screen Diameter UOM: cm  
Screen Diameter: 4.82

Water Details

Water ID: 1005291425  
Layer:  
Kind Code:  
Kind:  
Water Found Depth:  
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005291424  
Diameter: 4.82  
Depth From: 0  
Depth To: 1.5  
Hole Depth UOM: m  
Hole Diameter UOM: cm

[43](#) 1 of 2 ENE/66.1 53.9 / -6.21 Ottawa ON [WWIS](#)

Well ID: 7187773	Data Entry Status:
Construction Date:	Data Src:
Primary Water Use: Monitoring and Test Hole	Date Received: 9/24/2012
Sec. Water Use: 0	Selected Flag: Yes
Final Well Status: Test Hole	Abandonment Rec:
Water Type:	Contractor: 7241

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z157227			<b>Owner:</b>	
<b>Tag:</b>	A125777			<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>				<b>Elevation:</b>	57.45
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443046
<b>Code OB Desc:</b>				<b>North83:</b>	5028787
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>				<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>				1004436825	
<b>Layer:</b>				1	
<b>Color:</b>				6	
<b>General Color:</b>				BROWN	
<b>Mat1:</b>				28	
<b>Most Common Material:</b>				SAND	
<b>Mat2:</b>				11	
<b>Other Materials:</b>				GRAVEL	
<b>Mat3:</b>				85	
<b>Other Materials:</b>				SOFT	
<b>Formation Top Depth:</b>				0	
<b>Formation End Depth:</b>				1.03	
<b>Formation End Depth UOM:</b>				m	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>				1004436826	
<b>Layer:</b>				2	
<b>Color:</b>				2	
<b>General Color:</b>				GREY	
<b>Mat1:</b>				15	
<b>Most Common Material:</b>				LIMESTONE	
<b>Mat2:</b>				85	
<b>Other Materials:</b>				SOFT	
<b>Mat3:</b>				80	
<b>Other Materials:</b>				POROUS	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		1.03			
<b>Formation End Depth:</b>		9.14			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004436836			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		5.79			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004436837			
<b>Layer:</b>		3			
<b>Plug From:</b>		5.79			
<b>Plug To:</b>		9.14			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004436835			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004436834			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004436824			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004436830			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.1			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Screen ID:		1004436831			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.1			
Screen End Depth:		9.14			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1004436829			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004436827			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.13			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004436828			
Diameter:		7.62			
Depth From:		2.13			
Depth To:		9.14			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">43</a>	2 of 2	ENE/66.1	53.9 / -6.21	Ottawa ON	WWIS
<hr/>					
Well ID:	7187778			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	9/24/2012
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z157226			Owner:	
Tag:	A125778			Street Name:	7 BAYVIEW RD
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1004162329			<b>Elevation:</b>	57.45
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443046
<b>Code OB Desc:</b>				<b>North83:</b>	5028787
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	23-AUG-12			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1004437027
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	1.83
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1004437028
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	85
<b>Other Materials:</b>	SOFT
<b>Mat3:</b>	80
<b>Other Materials:</b>	POROUS
<b>Formation Top Depth:</b>	1.83
<b>Formation End Depth:</b>	9.75
<b>Formation End Depth UOM:</b>	m

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b>	1004437039
<b>Layer:</b>	3
<b>Plug From:</b>	6.4
<b>Plug To:</b>	9.75
<b>Plug Depth UOM:</b>	m

**Annular Space/Abandonment  
Sealing Record**



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1004437037			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437038			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		6.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004437036			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004437026			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004437032			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.71			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004437033			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		6.71			
<b>Screen End Depth:</b>		9.75			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		1.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004437031			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004437029			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.44			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004437030			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		2.44			
<b>Depth To:</b>		9.75			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">44</a>	1 of 3	E/66.2	54.2 / -5.90	Ottawa ON	WWIS
<b>Well ID:</b>		7231497		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b>	
<b>Sec. Water Use:</b>		0		11/12/2014	
<b>Final Well Status:</b>		Abandoned-Other		<b>Selected Flag:</b>	
<b>Water Type:</b>				Yes	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z188321		<b>Contractor:</b>	
<b>Tag:</b>		A155676		7241	
<b>Construction Method:</b>				<b>Form Version:</b>	
<b>Elevation (m):</b>				7	
<b>Elevation Reliability:</b>				<b>Owner:</b>	
<b>Depth to Bedrock:</b>				<b>Street Name:</b>	
<b>Well Depth:</b>				7 BAYVIEW ST	
<b>Overburden/Bedrock:</b>				<b>County:</b>	
<b>Pump Rate:</b>				OTTAWA-CARLETON	
<b>Static Water Level:</b>				<b>Municipality:</b>	
<b>Flowing (Y/N):</b>				NEPEAN TOWNSHIP	
<b>Flow Rate:</b>				<b>Site Info:</b>	
<b>Clear/Cloudy:</b>				<b>Lot:</b>	
				<b>Concession:</b>	
				<b>Concession Name:</b>	
				<b>Easting NAD83:</b>	
				<b>Northing NAD83:</b>	
				<b>Zone:</b>	
				<b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005215502		<b>Elevation:</b>	
<b>DP2BR:</b>				57.36	
<b>Spatial Status:</b>				<b>Elevrc:</b>	
<b>Code OB:</b>				18	
<b>Code OB Desc:</b>				<b>East83:</b>	
<b>Open Hole:</b>				443043	
<b>Cluster Kind:</b>				<b>North83:</b>	
<b>Date Completed:</b>		07-OCT-14		5028762	
<b>Remarks:</b>				<b>Org CS:</b>	
<b>Elevrc Desc:</b>				UTM83	
<b>Location Source Date:</b>				<b>UTMRC:</b>	
<b>Improvement Location Source:</b>				4	
<b>Improvement Location Method:</b>				<b>UTMRC Desc:</b>	
<b>Source Revision Comment:</b>				margin of error : 30 m - 100 m	
<b>Supplier Comment:</b>				<b>Location Method:</b>	
				wwr	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291260			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		8.23			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291259			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291258			
<b>Method Construction Code:</b>		0			
<b>Method Construction:</b>		Not Known			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291250			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291254			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291255			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1005291253			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291252			
Diameter:		4.82			
Depth From:		0			
Depth To:		1.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">44</a>	2 of 3	E/66.2	54.2 / -5.90	Ottawa ON	WWIS
Well ID:	7231498			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/12/2014
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z193828			Owner:	
Tag:	A155677			Street Name:	7 BAYVIEW ST
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1005215505	Elevation:	57.35
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443044
Code OB Desc:		North83:	5028761
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	07-OCT-14	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment  
Sealing Record**

Plug ID: 1005291289

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		13.72			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291288			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291287			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291279			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291283			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291284			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291282			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291281			
Diameter:		4.82			
Depth From:		0			
Depth To:		1.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">44</a>	3 of 3	E/66.2	54.2 / -5.90	OTTAWA ON	WWIS
<b>Well ID:</b>	7213386			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/18/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z179920			<b>Owner:</b>	
<b>Tag:</b>	A155677			<b>Street Name:</b>	7 BAYVIEW AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004670099	<b>Elevation:</b>	57.35
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443044
<b>Code OB Desc:</b>		<b>North83:</b>	5028761
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-NOV-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005032545
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	35



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>		WOOD FRAGMENTS			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		1.83			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005032546			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		74			
<b>Other Materials:</b>		LAYERED			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.83			
<b>Formation End Depth:</b>		13.72			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005032544			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005032556			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		11.89			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005032555			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug ID:</b>		1005032557			
<b>Layer:</b>		3			
<b>Plug From:</b>		11.89			
<b>Plug To:</b>		13.72			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005032554			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005032543			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005032550			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		12.19			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005032551			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		12.19			
<b>Screen End Depth:</b>		13.72			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005032549			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005032547			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.13			
<b>Hole Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005032548			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		2.13			
<b>Depth To:</b>		8.53			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">45</a>	1 of 2	S/67.3	60.9 / 0.79	56 CARRUTHERS AVENUE OTTAWA ON K1Y 1N2	HINC
<b>External File Num:</b>		FS INC 0712-07564			
<b>Fuel Occurrence Type:</b>		Leak			
<b>Date of Occurrence:</b>		12/11/2007			
<b>Fuel Type Involved:</b>		Fuel Oil			
<b>Status Desc:</b>		Completed - No Action Required			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Private Dwelling			
<b>Service Interruptions:</b>		No			
<b>Property Damage:</b>		No			
<b>Fuel Life Cycle Stage:</b>		Utilization			
<b>Root Cause:</b>					
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Liquid Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Ottawa			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

<a href="#">45</a>	2 of 2	S/67.3	60.9 / 0.79	56 Carruthers Avenue Ottawa ON K1Y 1N2	SPL
<b>Ref No:</b>		3252-79V3XQ		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b> Oil	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b> private residence	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		13		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		FURNACE OIL		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		Not Anticipated		<b>Site Municipality:</b> Ottawa	
<b>Nature of Impact:</b>		soil contamination		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		land		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b> 5028636	
<b>MOE Response:</b>		Referral to others		<b>Easting:</b> 442827	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>		12/13/2007		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>				<b>Source Type:</b>	
<b>Site Name:</b>		56 Carruthers Avenue<UNOFFICIAL>			
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Summary:</b>		Private Residence-Ukn Qty Furnace Oil to Ground,Tank Leak.			
<b>Contaminant Qty:</b>		5 l			

<u>46</u>	1 of 1	E/67.5	54.2 / -5.90	Ottawa ON	WWIS
<b>Well ID:</b>	7213390			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/18/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z179919			<b>Owner:</b>	
<b>Tag:</b>	A156330			<b>Street Name:</b>	7 BAYVIEW AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1004670111	<b>Elevation:</b>	57.36
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443045
<b>Code OB Desc:</b>		<b>North83:</b>	5028762
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-NOV-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1005009991
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	73
<b>Other Materials:</b>	HARD
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.31
<b>Formation End Depth UOM:</b>	m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005009992			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		1.83			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005009993			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		74			
<b>Other Materials:</b>		LAYERED			
<b>Formation Top Depth:</b>		1.83			
<b>Formation End Depth:</b>		8.53			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005010003			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		6.71			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005010002			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005010004			
<b>Layer:</b>		3			
<b>Plug From:</b>		6.71			
<b>Plug To:</b>		8.53			
<b>Plug Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005010001			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005009990			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005009997			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7.01			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005009998			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		7.01			
<b>Screen End Depth:</b>		8.53			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005009996			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005009995			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		2.13			
<b>Depth To:</b>		8.53			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005009994			
<b>Diameter:</b>		11.43			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0			
Depth To:		2.13			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">47</a>	1 of 1	E/68.8	56.0 / -4.12	Ottawa ON	WWIS
<b>Well ID:</b>	7231509			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188225			<b>Owner:</b>	
<b>Tag:</b>	A132467			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005215538	<b>Elevation:</b>	57.11
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443025
<b>Code OB Desc:</b>		<b>North83:</b>	5028701
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>		<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Annular Space/Abandonment

##### Sealing Record

<b>Plug ID:</b>	1005291449
<b>Layer:</b>	2
<b>Plug From:</b>	1.5
<b>Plug To:</b>	4.57
<b>Plug Depth UOM:</b>	m

#### Annular Space/Abandonment

##### Sealing Record

<b>Plug ID:</b>	1005291448
<b>Layer:</b>	1
<b>Plug From:</b>	0

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291447			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291439			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291443			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>					
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291444			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291442			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005291441			
<b>Diameter:</b>		6.3			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">48</a>	1 of 1	E/69.2	56.0 / -4.12	Ottawa ON	WWIS
<b>Well ID:</b>		7182764		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 6/19/2012	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z145216		<b>Owner:</b>	
<b>Tag:</b>		A132467		<b>Street Name:</b> 9 BAYVIEW ST	
<b>Construction Method:</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevation (m):</b>				<b>Municipality:</b> NEPEAN TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1003927733		<b>Elevation:</b> 57.12	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 443026	
<b>Code OB Desc:</b>				<b>North83:</b> 5028702	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		26-APR-12		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004365386			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		.91			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004365384			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004365385			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		12			
<b>Other Materials:</b>		STONES			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		.91			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365395			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365397			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.74			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365396			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		2.74			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1004365394			
<b>Method Construction Code:</b>		5			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004365383			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004365390			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		-1			
<b>Depth To:</b>		3.1			
<b>Casing Diameter:</b>		4.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004365391			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.1			
<b>Screen End Depth:</b>		6.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004365389			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004365387			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.44			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004365388			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		2.44			
<b>Depth To:</b>		6.1			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">49</a>	1 of 1	SSE/69.5	59.9 / -0.21	JOHN HOWARD SOCIETY OF OTTAWA 59 CARRUTHERS AVENUE, OTTAWA, ON K1Y 1N3 Ottawa ON	RSC
<b>Reg No:</b>	223048			<b>Cert Date:</b>	
<b>RA No:</b>				<b>Cert Prop Use No:</b>	
<b>RSC Type:</b>	Phase 1 and 2 RSC			<b>Intended Prop Use:</b>	Residential
<b>Curr Property Use:</b>	Commercial			<b>Nm of Qual. Person:</b>	ADRIAN MENYHART
<b>District Office:</b>	Ottawa District Office			<b>Stratified (Y/N):</b>	
<b>Date Submitted:</b>	2017/03/14			<b>Audit (Y/N):</b>	
<b>Date Ack:</b>				<b>Entire Leg Prop. (Y/N):</b>	
<b>Date Returned:</b>				<b>Accuracy Estimate:</b>	
<b>Restoration Type:</b>				<b>Telephone:</b>	
<b>Soil Type:</b>				<b>Fax:</b>	
<b>Criteria:</b>				<b>Email:</b>	
<b>CPU Issued Sect 1686:</b>					
<b>Asmt Roll No:</b>					
<b>Prop. ID No:</b>	04096-0254 (LT)				
<b>Property Municipal Address:</b>	55 CARRUTHERS AVENUE, OTTAWA, ON K1Y 1N3, 59 CARRUTHERS AVENUE, OTTAWA, ON K1Y 1N3				
<b>Mailing Address:</b>					
<b>Latitude &amp; Latitude:</b>					
<b>UTM Coordinates:</b>					
<b>Consultant:</b>					
<b>Filing Owner:</b>	JOHN HOWARD SOCIETY OF OTTAWA				
<b>Legal Desc:</b>					
<b>Measurement Method:</b>					
<b>Applicable Standards:</b>					
<b>RSC PDF:</b>				<a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75990&amp;fileName=BROWNFIELDS-E.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75990&amp;fileName=BROWNFIELDS-E.pdf</a>	
<b>--Details--</b>					
<b>Document Heading:</b>	Supporting Documents				
<b>Document Type:</b>	Certificate of Status				
<b>Document Name:</b>	Certificate Status jan 2017.pdf				
<b>Document Link:</b>	<a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75988&amp;fileName=Certificate+Status+jan+2017.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75988&amp;fileName=Certificate+Status+jan+2017.pdf</a>				
<b>Document Heading:</b>	Supporting Documents				
<b>Document Type:</b>	Copy of any deed(s), transfer(s) or other document(s)				
<b>Document Name:</b>	Transfer Complete.pdf				
<b>Document Link:</b>	<a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75991&amp;fileName=Transfer+Complete.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75991&amp;fileName=Transfer+Complete.pdf</a>				
<b>Document Heading:</b>	Supporting Documents				
<b>Document Type:</b>	Phase 2 Conceptual Site Model				
<b>Document Name:</b>	PhaseTwo.pdf				
<b>Document Link:</b>	<a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=78082&amp;fileName=PhaseTwo.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=78082&amp;fileName=PhaseTwo.pdf</a>				
<b>Document Heading:</b>	Supporting Documents				
<b>Document Type:</b>	Area(s) of Potential Environmental Concern				
<b>Document Name:</b>	APEC Table.pdf				
<b>Document Link:</b>	<a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75982&amp;fileName=APEC+Table.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75982&amp;fileName=APEC+Table.pdf</a>				
<b>Document Heading:</b>	Supporting Documents				
<b>Document Type:</b>	Lawyer's letter consisting of a legal description of the property				
<b>Document Name:</b>	Lawyer Letter NOV 25 2016.pdf				
<b>Document Link:</b>	<a href="https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75986&amp;fileName=Lawyer+Letter+NOV+25+2016.pdf">https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75986&amp;fileName=Lawyer+Letter+NOV+25+2016.pdf</a>				
<b>Document Heading:</b>	Supporting Documents				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Document Type:</b>		Table of Current and Past Property Use			
<b>Document Name:</b>		Table of current and past uses.pdf			
<b>Document Link:</b>		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75987&fileName=Table+of+current+and+past+uses.pdf			
<b>Document Heading:</b>		Supporting Documents			
<b>Document Type:</b>		A Current plan of Survey			
<b>Document Name:</b>		Plan of Survey - January 2017.pdf			
<b>Document Link:</b>		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=75981&fileName=Plan+of+Survey+-+January+2017.pdf			

<a href="#">50</a>	1 of 4	E/70.0	54.9 / -5.18	Ottawa ON	WWIS
<b>Well ID:</b>	7231511			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188224			<b>Owner:</b>	
<b>Tag:</b>	A133629			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005215544	<b>Elevation:</b>	57.34
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443046
<b>Code OB Desc:</b>		<b>North83:</b>	5028755
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-OCT-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Annular Space/Abandonment Sealing Record

<b>Plug ID:</b>	1005291530
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1.5
<b>Plug Depth UOM:</b>	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1005291531		
<b>Layer:</b>			2		
<b>Plug From:</b>			1.5		
<b>Plug To:</b>			10.38		
<b>Plug Depth UOM:</b>			ft		
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>			1005291529		
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			1005291521		
<b>Casing No:</b>			0		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1005291525		
<b>Layer:</b>			1		
<b>Material:</b>			5		
<b>Open Hole or Material:</b>			PLASTIC		
<b>Depth From:</b>			0		
<b>Depth To:</b>			7.32		
<b>Casing Diameter:</b>			4.03		
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>			1005291526		
<b>Layer:</b>			1		
<b>Slot:</b>			10		
<b>Screen Top Depth:</b>			7.32		
<b>Screen End Depth:</b>			10.38		
<b>Screen Material:</b>			5		
<b>Screen Depth UOM:</b>			ft		
<b>Screen Diameter UOM:</b>			inch		
<b>Screen Diameter:</b>			4.82		
<b><u>Water Details</u></b>					
<b>Water ID:</b>			1005291524		
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>			ft		
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>			1005291523		
<b>Diameter:</b>			8.3		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0			
Depth To:		10.38			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">50</a>	2 of 4	E/70.0	54.9 / -5.18	Ottawa ON	WWIS
<b>Well ID:</b>	7231505			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z187851			<b>Owner:</b>	
<b>Tag:</b>	A155680			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005215526			<b>Elevation:</b>	57.34
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443046
<b>Code OB Desc:</b>				<b>North83:</b>	5028755
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

#### Annular Space/Abandonment

##### Sealing Record

<b>Plug ID:</b>	1005291386
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1.5
<b>Plug Depth UOM:</b>	m

#### Annular Space/Abandonment

##### Sealing Record

<b>Plug ID:</b>	1005291387
<b>Layer:</b>	2
<b>Plug From:</b>	1.5

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		8.53			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291385			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291377			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291381			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291382			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291380			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005291379			
<b>Diameter:</b>		4.82			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">50</a>	3 of 4	E/70.0	54.9 / -5.18	Ottawa ON	WWIS
<b>Well ID:</b>		7231506		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 11/12/2014	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Abandoned-Other		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z193825		<b>Owner:</b>	
<b>Tag:</b>		A155678		<b>Street Name:</b> 7 BAYVIEW ST	
<b>Construction Method:</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevation (m):</b>				<b>Municipality:</b> NEPEAN TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005215529		<b>Elevation:</b> 57.34	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 443046	
<b>Code OB Desc:</b>				<b>North83:</b> 5028754	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		07-OCT-14		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291404			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		8.53			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291403			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction ID:</b>		1005291402			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291394			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291398			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291399			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291397			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005291396			
<b>Diameter:</b>		4.82			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[50](#)

4 of 4

E/70.0

54.9 / -5.18

Ottawa ON

WWIS

**Well ID:** 7231510  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 11/12/2014  
**Selected Flag:** Yes



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z189040			<b>Owner:</b>	
<b>Tag:</b>	A133630			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005215541			<b>Elevation:</b>	57.34
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443046
<b>Code OB Desc:</b>				<b>North83:</b>	5028754
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291465
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1.5
<b>Plug Depth UOM:</b>	m

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291466
<b>Layer:</b>	2
<b>Plug From:</b>	1.5
<b>Plug To:</b>	7.62
<b>Plug Depth UOM:</b>	m

**Method of Construction & Well Use**

<b>Method Construction ID:</b>	1005291464
<b>Method Construction Code:</b>	
<b>Method Construction:</b>	
<b>Other Method Construction:</b>	

**Pipe Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1005291456			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1005291460			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:					
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1005291461			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:		7.62			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<b><u>Water Details</u></b>					
Water ID:		1005291459			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291458			
Diameter:		8.3			
Depth From:		0			
Depth To:		7.62			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[51](#)    1 of 1    SW/70.0    61.9 / 1.79    City of Ottawa  
 Forward Avenue, Lyndale Avenue and Hinchey Avenue    ECA  
 Ottawa ON K1N 5A1

Approval No:	8821-4WDQDT	MOE District:	Ottawa
Approval Date:	2001-05-04	City:	
Status:	Approved	Longitude:	-75.7326
Record Type:	ECA	Latitude:	45.4089
Link Source:	IDS	Geometry X:	
SWP Area Name:	Rideau Valley	Geometry Y:	
Approval Type:	ECA-Municipal and Private Water Works		
Project Type:	Municipal and Private Water Works		
Address:	Forward Avenue, Lyndale Avenue and Hinchey Avenue		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Full Address:</i>					
<i>Full PDF Link:</i>					

<a href="#">52</a>	1 of 1	SSE/72.1	59.9 / -0.21	OTTAWA ON	WWIS
<b>Well ID:</b>	7264754			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	6/15/2016
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7328
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z227936			<b>Owner:</b>	
<b>Tag:</b>	A153920			<b>Street Name:</b>	55 CARRUTHERS AVENUE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006052743	<b>Elevation:</b>	62.66
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	442857
<b>Code OB Desc:</b>		<b>North83:</b>	5028603
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	05-MAY-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	digit
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006105785
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	1.52
<b>Formation End Depth UOM:</b>	m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006105786			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		26			
<b>Most Common Material:</b>		ROCK			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.52			
<b>Formation End Depth:</b>		9.15			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006105794			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		5.18			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006105793			
<b>Method Construction Code:</b>		F			
<b>Method Construction:</b>		H.S.A.			
<b>Other Method Construction:</b>		DIAMOND			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006105784			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006105790			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.1			
<b>Casing Diameter:</b>		3.18			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006105791			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		6.1			
<b>Screen End Depth:</b>		9.15			
<b>Screen Material:</b>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		3.89			
<b><u>Water Details</u></b>					
Water ID:		1006105789			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		5.93			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006105788			
Diameter:		7.62			
Depth From:		1.52			
Depth To:		9.15			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006105787			
Diameter:		20.3			
Depth From:		0			
Depth To:		1.52			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>53</u>	1 of 1	NNE/72.8	48.5 / -11.61	ON	BORE
<b>Borehole ID:</b>	800427			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Hollow stem auger			<b>UTM Zone:</b>	18
<b>Easting:</b>	442836.55			<b>Northing:</b>	5028831.31
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	53.8
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	53.6
<b>Total Depth m:</b>	6.3			<b>Primary Name:</b>	BH 20
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	23-AUG-1982			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564968			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	4.0			<b>Stratum Desc:</b>	Dark Brown Very Loose to Compact Fill-Misc sand silt With: Gr W Cob Trace: Constr Debris sandy silt to sand and gravel, some cobbles, occasional wood and metal fragments
<b>Stratum ID:</b>	218564969			<b>Top Depth(m):</b>	4.0
<b>Bottom Depth(m):</b>	4.2			<b>Stratum Desc:</b>	Dark Brown Wood wood chips
<b>Stratum ID:</b>	218564970			<b>Top Depth(m):</b>	4.2
<b>Bottom Depth(m):</b>	4.2			<b>Stratum Desc:</b>	Grey Bedrock Limestone
<b>Stratum ID:</b>	218564971			<b>Top Depth(m):</b>	4.2
<b>Bottom Depth(m):</b>	6.3			<b>Stratum Desc:</b>	Grey Bedrock Limestone fairly sound to moderately fractured limestone

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">54</a>	1 of 1	NW/73.2	53.5 / -6.63	ON	<a href="#">BORE</a>
<b>Borehole ID:</b>	801000			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>				<b>UTM Zone:</b>	18
<b>Easting:</b>	442657.48			<b>Northing:</b>	5028871.15
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	57.6
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	56.3
<b>Total Depth m:</b>	3.5			<b>Primary Name:</b>	PT C11
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	04-SEP-1971			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218566340			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	Fill-Misc Sand - Gravel PROBABLY
<b>Stratum ID:</b>	218566341			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	2.1			<b>Stratum Desc:</b>	Silt With: Org M PROBABLY
<b>Stratum ID:</b>	218566342			<b>Top Depth(m):</b>	2.1
<b>Bottom Depth(m):</b>	3.5			<b>Stratum Desc:</b>	Till Silt - Sand PROBABLY
<a href="#">55</a>	1 of 1	E/73.8	55.9 / -4.14	Ottawa ON	<a href="#">WWIS</a>
<b>Well ID:</b>	7231503			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188325			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005215520			<b>Elevation:</b>	57.05
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443022
<b>Code OB Desc:</b>				<b>North83:</b>	5028687
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291355			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291356			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291354			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291346			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291350			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291351			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291349			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005291348			
<b>Diameter:</b>		6.03			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#">56</a>	1 of 8	E/75.5	55.9 / -4.14	Asbex Ltd. 9 Bayview Road, Unit D Ottawa ON	CA
<b>Certificate #:</b>		A860381			
<b>Application Year:</b>		2002			
<b>Issue Date:</b>		10/11/2002			
<b>Approval Type:</b>		Waste Management Systems			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">56</a>	2 of 8	E/75.5	55.9 / -4.14	Asbex Ltd. 9 Bayview Rd Ottawa ON	ECA
<b>Approval No:</b>		A860381		<b>MOE District:</b>	
<b>Approval Date:</b>		2002-10-11		<b>City:</b>	Ottawa
<b>Status:</b>		Approved		<b>Longitude:</b>	
<b>Record Type:</b>		ECA		<b>Latitude:</b>	
<b>Link Source:</b>		IDS		<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>		ECA-WASTE MANAGEMENT SYSTEMS			
<b>Project Type:</b>		WASTE MANAGEMENT SYSTEMS			
<b>Address:</b>		9 Bayview Rd			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2252-5D8RW4-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2252-5D8RW4-14.pdf</a>			
<a href="#">56</a>	3 of 8	E/75.5	55.9 / -4.14	Asbex 9 Bayview Drive Ottawa ON K1Y 2C5	GEN
<b>Generator No:</b>		ON9432406		<b>PO Box No:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 2012 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 562110 <b>SIC Description:</b> Waste Collection					
<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<a href="#">56</a>	4 of 8	E/75.5	55.9 / -4.14	Asbex Ltd 9 Bayview, Unit D Ottawa ON K1Y 2C5	GEN
<b>Generator No:</b> ON8337630 <b>Status:</b> <b>Approval Years:</b> 04,06 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<b>Waste Code:</b> 145 <b>Waste Description:</b> PAINT/PIGMENT/COATING RESIDUES					
<b>Waste Code:</b> 146 <b>Waste Description:</b> OTHER SPECIFIED INORGANICS					
<a href="#">56</a>	5 of 8	E/75.5	55.9 / -4.14	Asbex 9 Bayview Drive Ottawa ON K1Y 2C5	GEN
<b>Generator No:</b> ON9432406 <b>Status:</b> <b>Approval Years:</b> 2011 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 562110 <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<a href="#">56</a>	6 of 8	E/75.5	55.9 / -4.14	R J W Stonemason 9 Bayview Rd, Unit E Ottawa ON K1Y 2C5	GEN
<b>Generator No:</b> ON8324853 <b>Status:</b> <b>Approval Years:</b> 07,08 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 238140 <b>SIC Description:</b> Masonry Contractors					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 150 <b>Waste Description:</b> INERT INORGANIC WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">56</a>	7 of 8	E/75.5	55.9 / -4.14	R.J.W STONEMASONS 9 BAYVIEW RD OTTAWA ON K1Y 2C5	GEN
<b>Generator No:</b>	ON5433098			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<a href="#">56</a>	8 of 8	E/75.5	55.9 / -4.14	Asbex Ltd 9 Bayview, Unit D Ottawa ON	GEN
<b>Generator No:</b>	ON8337630			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	231410				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<a href="#">57</a>	1 of 1	E/75.6	54.9 / -5.18	Ottawa ON	WWIS
<b>Well ID:</b>	7213391			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/18/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z168846			<b>Owner:</b>	
<b>Tag:</b>	A155678			<b>Street Name:</b>	7 BAYVIEW AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	1004670114			<b>Elevation:</b>	57.32

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443050
<b>Code OB Desc:</b>				<b>North83:</b>	5028744
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-NOV-13			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005010008  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:** 74  
**Other Materials:** LAYERED  
**Formation Top Depth:** 1.52  
**Formation End Depth:** 15.24  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005010006  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:**  
**Most Common Material:**  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 73  
**Other Materials:** HARD  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005010007  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 01  
**Other Materials:** FILL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** .31

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		1.52			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005010019			
<b>Layer:</b>		3			
<b>Plug From:</b>		11.89			
<b>Plug To:</b>		15.24			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005010018			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		11.89			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005010017			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005010016			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005010005			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005010012			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		12.19			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005010013			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		1			
Slot:		10			
Screen Top Depth:		12.19			
Screen End Depth:		15.24			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1005010011			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005010009			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.13			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005010010			
Diameter:		7.62			
Depth From:		2.13			
Depth To:		15.24			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<a href="#">58</a>	1 of 2	S/75.7	60.9 / 0.79	58 CARRUTHERS AVENUE OTTAWA ON K1Y 1N2	HINC
External File Num:		FS INC 0712-07805			
Fuel Occurrence Type:		Leak			
Date of Occurrence:		12/12/2007			
Fuel Type Involved:		Fuel Oil			
Status Desc:		Completed - No Action Required			
Job Type Desc:		Incident/Near-Miss Occurrence (FS)			
Oper. Type Involved:		Private Dwelling			
Service Interruptions:		No			
Property Damage:		No			
Fuel Life Cycle Stage:		Utilization			
Root Cause:					
Reported Details:					
Fuel Category:		Liquid Fuel			
Occurrence Type:		Incident			
Affiliation:		Member of the General Public			
County Name:		Ottawa			
Approx. Quant. Rel:					
Nearby body of water:					
Enter Drainage Syst.:					
Approx. Quant. Unit:					
Environmental Impact:					
<hr/>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">58</a>	2 of 2	S/75.7	60.9 / 0.79	S. 21(1)(f) 58 Carruthers Avenue Ottawa ON K1Y 1N2	SPL
<b>Ref No:</b>	7536-7A9Q2M			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Tank (Above Ground) Leak			<b>Sector Type:</b>	Other Storage Facility
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	FURNACE OIL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	12/26/2007			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	1/4/2008			<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	Corrosion - All forms of internal/external corrosion			<b>Source Type:</b>	
<b>Site Name:</b>	Basement<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	38 Carruthers Ave - spill to bsmt				
<b>Contaminant Qty:</b>	4.5 L				

<a href="#">59</a>	1 of 1	E/77.6	54.5 / -5.54	OTTAWA ON	WWIS
<b>Well ID:</b>	7213387			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/18/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z168847			<b>Owner:</b>	
<b>Tag:</b>	A155680			<b>Street Name:</b>	7 BAYVIEW
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004670102			<b>Elevation:</b>	57.32
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443052
<b>Code OB Desc:</b>				<b>North83:</b>	5028744
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	11-NOV-13			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005032575  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 73  
**Other Materials:** HARD  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005032576  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** .31  
**Formation End Depth:** 1.52  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005032577  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 74  
**Other Materials:** LAYERED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 1.52  
**Formation End Depth:** 8.23  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1005032586			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005032588			
<i>Layer:</i>		3			
<i>Plug From:</i>		6.4			
<i>Plug To:</i>		8.23			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005032587			
<i>Layer:</i>		2			
<i>Plug From:</i>		.31			
<i>Plug To:</i>		6.4			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005032585			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005032574			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005032581			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		6.7			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005032582			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		6.7			
<i>Screen End Depth:</i>		8.23			
<i>Screen Material:</i>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1005032580			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005032579			
Diameter:		7.62			
Depth From:		2.13			
Depth To:		8.23			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005032578			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.13			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[60](#)

1 of 1

E/79.1

53.9 / -6.18

Ottawa ON

[WWIS](#)

**Well ID:** 7187774  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z157235  
**Tag:** A125776  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 9/24/2012  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 7 BAYVIEW RD  
**County:** OTTAWA-CARLETON  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 1004162307  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**

**Elevation:** 57.41  
**Elevrc:**  
**Zone:** 18  
**East83:** 443058  
**North83:** 5028767

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	22-AUG-12			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004436857			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004436858			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Mat3:</b>		80			
<b>Other Materials:</b>		POROUS			
<b>Formation Top Depth:</b>		2.13			
<b>Formation End Depth:</b>		16.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004436869			
<b>Layer:</b>		3			
<b>Plug From:</b>		14.9			
<b>Plug To:</b>		16.7			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004436868			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		14.9			
<b>Plug Depth UOM:</b>		m			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004436867			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004436866			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004436856			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004436862			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15.2			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004436863			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		15.2			
<b>Screen End Depth:</b>		16.7			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004436861			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Hole ID:</b>		1004436859			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.44			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004436860			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		2.44			
<b>Depth To:</b>		16.7			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<hr/>					
<a href="#">61</a>	1 of 1	NW/79.2	53.5 / -6.63	ON	BORE
<b>Borehole ID:</b>	800991			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Rotary (conventional)			<b>UTM Zone:</b>	18
<b>Easting:</b>	442659.86			<b>Northing:</b>	5028876.6
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	57.3
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	55.8
<b>Total Depth m:</b>	7.9			<b>Primary Name:</b>	BH C9
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	26-AUG-1971			<b>Static Water Level:</b>	3
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218566310			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	3.4			<b>Stratum Desc:</b>	Brown Compact Fill-Misc Sand - Gravel With: Cl W Brk Frag W Blds
<b>Stratum ID:</b>	218566311			<b>Top Depth(m):</b>	3.4
<b>Bottom Depth(m):</b>	7.9			<b>Stratum Desc:</b>	Light Grey Limestone fine grained with some shale partings and laminae
<hr/>					
<a href="#">62</a>	1 of 1	E/79.6	53.9 / -6.18	Ottawa ON	WWIS
<b>Well ID:</b>	7187775			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	9/24/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z157237			<b>Owner:</b>	
<b>Tag:</b>	A133629			<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004162310	<b>Elevation:</b>	57.4
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443058
<b>Code OB Desc:</b>		<b>North83:</b>	5028764
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	22-AUG-12	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004436878
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	80
<b>Other Materials:</b>	POROUS
<b>Formation Top Depth:</b>	1.83
<b>Formation End Depth:</b>	10.38
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004436877
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	1.83
<b>Formation End Depth UOM:</b>	m

**Annular Space/Abandonment**

**Sealing Record**

<b>Plug ID:</b>	1004436889
<b>Layer:</b>	3
<b>Plug From:</b>	8.53
<b>Plug To:</b>	10.38
<b>Plug Depth UOM:</b>	m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1004436887			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1004436888			
<i>Layer:</i>		2			
<i>Plug From:</i>		.31			
<i>Plug To:</i>		8.53			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004436886			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004436876			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004436882			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		8.84			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004436883			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		8.84			
<i>Screen End Depth:</i>		10.38			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.82			
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water ID:</b>		1004436881			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004436879			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.74			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004436880			
<b>Diameter:</b>		8			
<b>Depth From:</b>		2.74			
<b>Depth To:</b>		10.38			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b>63</b>	<b>1 of 1</b>	<b>E/82.4</b>	<b>53.9 / -6.18</b>	<b>Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7187777		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 9/24/2012	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z157234		<b>Owner:</b>	
<b>Tag:</b>		A133630		<b>Street Name:</b> 7 BAYVIEW RD	
<b>Construction Method:</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevation (m):</b>				<b>Municipality:</b> NEPEAN TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1004162326		<b>Elevation:</b> 57.42	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 443061	
<b>Code OB Desc:</b>				<b>North83:</b> 5028765	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		22-AUG-12		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004436979			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.83			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004436980			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		1.83			
<b>Formation End Depth:</b>		7.62			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004436991			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.27			
<b>Plug To:</b>		7.62			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004436990			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		4.27			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004436989			
<b>Layer:</b>		1			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		0			
<i>Plug To:</i>		.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004436988			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004436978			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004436984			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		4.57			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004436985			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		4.57			
<i>Screen End Depth:</i>		7.62			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.82			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004436983			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1004436981			
<i>Diameter:</i>		11.43			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.44			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1004436982			
Diameter:		8			
Depth From:		2.44			
Depth To:		7.62			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>64</u></b>	<b>1 of 1</b>	<b>WSW/83.4</b>	<b>60.9 / 0.82</b>	<b>101 Parkdale Avenue Ottawa ON K1Y 1E6</b>	<b>EHS</b>
Order No:	20101223007			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	12/30/2010			Search Radius (km):	0.25
Date Received:	12/23/2010 10:53:30 AM			X:	-75.733877
Previous Site Name:				Y:	45.408983
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory				
<b><u>65</u></b>	<b>1 of 1</b>	<b>SSE/84.5</b>	<b>59.9 / -0.21</b>	<b>PRIVATE RESIDENCE 63 CARRUTHURS AVENUE FURNACE OIL TANK OTTAWA CITY ON</b>	<b>SPL</b>
Ref No:	132408			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	9/26/1996			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	ABOVE-GROUND TANK LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	CONFIRMED			Site Municipality:	20101
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	WORKS, MCCR
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	9/27/1996			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	CORROSION			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	PRIVATE RESIDENT'S FUEL OIL TANK LEAKS FUEL TO DIRT BASEMENT FLOOR				
Contaminant Qty:					
<b><u>66</u></b>	<b>1 of 1</b>	<b>ESE/85.2</b>	<b>57.6 / -2.51</b>	<b>ON</b>	<b>BORE</b>
Borehole ID:	800406			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status:	
Drill Method:	Hollow stem auger			UTM Zone:	18
Easting:	442978.83			Northing:	5028636.19
Location Accuracy:				Orig. Ground Elev m:	56.9
Elev. Reliability Note:				DEM Ground Elev m:	56.8
Total Depth m:	.9			Primary Name:	AH 11

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	20-AUG-1982			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564891			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564892			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	Brown Fill-Misc sand silt With: Gr W Constr Debris
<a href="#">67</a>	1 of 1	WSW/87.0	60.9 / 0.79	99-107 Parkdale Avenue (odd numbers only) Ottawa ON	EHS
<b>Order No:</b>	20111121018			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	11/28/2011			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/21/2011 12:28:47 PM			<b>X:</b>	-75.733773
<b>Previous Site Name:</b>				<b>Y:</b>	45.40888
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">68</a>	1 of 1	E/88.1	55.9 / -4.16	Ottawa ON	WWIS
<b>Well ID:</b>	7231502			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188324			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	1005215517			<b>Elevation:</b>	57.22
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443041
<b>Code OB Desc:</b>				<b>North83:</b>	5028690
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005291339			
<i>Layer:</i>		2			
<i>Plug From:</i>		1.5			
<i>Plug To:</i>		13.71			
<i>Plug Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1005291338			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1.5			
<i>Plug Depth UOM:</i>		m			
<u><i>Method of Construction &amp; Well Use</i></u>					
<i>Method Construction ID:</i>		1005291337			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<u><i>Pipe Information</i></u>					
<i>Pipe ID:</i>		1005291329			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u><i>Construction Record - Casing</i></u>					
<i>Casing ID:</i>		1005291333			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u><i>Construction Record - Screen</i></u>					
<i>Screen ID:</i>		1005291334			
<i>Layer:</i>		1			
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1005291332			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291331			
Diameter:		4.82			
Depth From:		0			
Depth To:		13.71			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">69</a>	1 of 3	W/90.6	59.6 / -0.51	City of Ottawa Emmerson Avenue and Parkdale Avenue Ottawa ON	CA
Certificate #:		1966-5LGHCQ			
Application Year:		2003			
Issue Date:		4/10/2003			
Approval Type:		Municipal and Private Sewage Works			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
<a href="#">69</a>	2 of 3	W/90.6	59.6 / -0.51	City of Ottawa Emmerson Avenue and Parkdale Ave Ottawa ON K1S 5K2	ECA
Approval No:		9595-5LGHK5		MOE District:	
Approval Date:		2003-04-10		City:	
Status:		Approved		Longitude:	
Record Type:		ECA		Latitude:	
Link Source:		IDS		Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:		ECA-Municipal and Private Water Works			
Project Type:		Municipal and Private Water Works			
Address:		Emmerson Avenue and Parkdale Ave			
Full Address:					
Full PDF Link:					
<a href="#">69</a>	3 of 3	W/90.6	59.6 / -0.51	City of Ottawa Emmerson Avenue and Parkdale Ave Ottawa ON K1S 5K2	ECA
Approval No:		1966-5LGHCQ		MOE District:	
Approval Date:		2003-04-10		City: Ottawa	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Address:</b>	Emmerson Avenue and Parkdale Ave				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5211-5KXLKQ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5211-5KXLKQ-14.pdf</a>				

70      1 of 1      **NE/90.8**      **51.9 / -8.21**      **OTTAWA ON**      **WWIS**

<b>Well ID:</b>	7050793	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used	<b>Date Received:</b>	10/15/2007
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1119
<b>Casing Material:</b>		<b>Form Version:</b>	4
<b>Audit No:</b>	Z69701	<b>Owner:</b>	
<b>Tag:</b>	A059554	<b>Street Name:</b>	OTTAWA RIVER PARKWAY
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	23050793	<b>Elevation:</b>	55.98
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	442972
<b>Code OB Desc:</b>		<b>North83:</b>	5028895
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	01-AUG-07	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1000013621
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.98			
<b>Formation End Depth:</b>		45.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1000013620			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.98			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1000013624			
<b>Layer:</b>		2			
<b>Plug From:</b>		42.1			
<b>Plug To:</b>		34			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1000013623			
<b>Layer:</b>		1			
<b>Plug From:</b>		45.7			
<b>Plug To:</b>		42.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1000013625			
<b>Layer:</b>		3			
<b>Plug From:</b>		34			
<b>Plug To:</b>		29.6			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1000013626			
<b>Layer:</b>		4			
<b>Plug From:</b>		29.6			
<b>Plug To:</b>		20.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1000013630			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1000013618			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1000013627			
<b>Layer:</b>					
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		.15			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1000013628			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1000013619			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1000013622			
<b>Diameter:</b>		15			
<b>Depth From:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		45.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[71](#) 1 of 1 WSW/92.3 60.3 / 0.22 Riverbend Golf Club  
3089 Regional Road 10, Lot 8, Concession IV  
GOULBOURN ON PTTW

EBR Registry No: IA8E1305  
Ministry Ref. No: ER-4907  
Notice Type: Instrument Decision  
Company Name: Riverbend Golf Club  
Proponent Name:  
Proponent Address: 489 Regional Road 10, Richmond (Franktown Road) Ontario, K0A 2Z0  
Instrument Type: (OWRA s. 34) - Permit to Take Water  
Location Other:  
URL:

Proposal Date: September 15, 1998  
Notice Date: January 12, 1999  
Year: 1998

**Location:**

3089 Regional Road 10, Lot 8, Concession IV GOULBOURN

[72](#) 1 of 1 ESE/95.1 56.7 / -3.41 OTTAWA ON WWIS

Well ID: 7267421  
Construction Date:  
Primary Water Use: Monitoring and Test Hole  
Sec. Water Use: 0  
Final Well Status: Monitoring and Test Hole  
Water Type:  
Casing Material:  
Audit No: Z229769  
Tag: A173857  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src:  
Date Received: 7/21/2016  
Selected Flag: Yes  
Abandonment Rec:  
Contractor: 7241  
Form Version: 7  
Owner:  
Street Name: 52 BAYVIEW AVE  
County: OTTAWA-CARLETON  
Municipality: OTTAWA CITY  
Site Info:  
Lot:  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1006166318  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc:  
Open Hole:  
Cluster Kind:  
Date Completed: 17-JUN-16  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:

Elevation: 57.15  
Elevrc:  
Zone: 18  
East83: 443020  
North83: 5028655  
Org CS: UTM83  
UTMRC: 4  
UTMRC Desc: margin of error : 30 m - 100 m  
Location Method: wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		1006173124			
<i>Layer:</i>		3			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		06			
<i>Most Common Material:</i>		SILT			
<i>Mat2:</i>		28			
<i>Other Materials:</i>		SAND			
<i>Mat3:</i>		66			
<i>Other Materials:</i>		DENSE			
<i>Formation Top Depth:</i>		2.13			
<i>Formation End Depth:</i>		2.74			
<i>Formation End Depth UOM:</i>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		1006173125			
<i>Layer:</i>		4			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		15			
<i>Most Common Material:</i>		LIMESTONE			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>		74			
<i>Other Materials:</i>		LAYERED			
<i>Formation Top Depth:</i>		2.74			
<i>Formation End Depth:</i>		9.14			
<i>Formation End Depth UOM:</i>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		1006173123			
<i>Layer:</i>		2			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>		01			
<i>Other Materials:</i>		FILL			
<i>Mat3:</i>		85			
<i>Other Materials:</i>		SOFT			
<i>Formation Top Depth:</i>		.31			
<i>Formation End Depth:</i>		2.13			
<i>Formation End Depth UOM:</i>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		1006173122			
<i>Layer:</i>		1			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006173134			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006173135			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		7.32			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006173136			
<b>Layer:</b>		3			
<b>Plug From:</b>		7.32			
<b>Plug To:</b>		9.14			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006173133			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006173121			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006173129			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7.62			
<b>Casing Diameter:</b>		5.2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006173130			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		7.62			
<b>Screen End Depth:</b>		9.14			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006173128			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006173126			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.35			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006173127			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		3.35			
<b>Depth To:</b>		9.14			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

73      1 of 1      ESE/95.6      57.9 / -2.21      ON      BORE

<b>Borehole ID:</b>	800410	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status:</b>	
<b>Drill Method:</b>	Hollow stem auger	<b>UTM Zone:</b>	18
<b>Easting:</b>	442971.72	<b>Northing:</b>	5028621.82
<b>Location Accuracy:</b>		<b>Orig. Ground Elev m:</b>	56.8
<b>Elev. Reliability Note:</b>		<b>DEM Ground Elev m:</b>	56.8
<b>Total Depth m:</b>	.9	<b>Primary Name:</b>	AH 12
<b>Township:</b>		<b>Concession:</b>	
<b>Lot:</b>		<b>Municipality:</b>	
<b>Completion Date:</b>	24-AUG-1982	<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>		<b>Sec. Water Use:</b>	

**--Details--**

<b>Stratum ID:</b>	218564903	<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1	<b>Stratum Desc:</b>	Topsoil



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum ID:</b>	218564904			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	Brown Fill-Misc sand silt With: Gr W Constr Debris

<a href="#">74</a>	1 of 1	ESE/96.5	56.7 / -3.41	OTTAWA ON	WWIS
<b>Well ID:</b>	7267420			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	7/21/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z229768			<b>Owner:</b>	
<b>Tag:</b>	A173859			<b>Street Name:</b>	52 BAYVIEW AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1006166315			<b>Elevation:</b>	57.18
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443021
<b>Code OB Desc:</b>				<b>North83:</b>	5028654
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	17-JUN-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1006173097
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	02
<b>Most Common Material:</b>	TOPSOIL
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	77
<b>Other Materials:</b>	LOOSE
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.31
<b>Formation End Depth UOM:</b>	m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006173099			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		2.13			
<b>Formation End Depth:</b>		2.74			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006173098			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006173100			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		74			
<b>Other Materials:</b>		LAYERED			
<b>Formation Top Depth:</b>		2.74			
<b>Formation End Depth:</b>		12.19			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006173111			
<b>Layer:</b>		3			
<b>Plug From:</b>		10.36			
<b>Plug To:</b>		12.19			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006173110			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		10.36			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006173109			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006173108			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006173096			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006173104			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		10.67			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006173105			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10.67			
<b>Screen End Depth:</b>		12.19			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006173103			
<b>Layer:</b>					
<b>Kind Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006173102			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		3.35			
<b>Depth To:</b>		12.19			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006173101			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.35			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<b><u>75</u></b>	<b>1 of 1</b>	<b>NW/98.3</b>	<b>48.9 / -11.21</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	800987			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Rotary (conventional)			<b>UTM Zone:</b>	18
<b>Easting:</b>	442667.68			<b>Northing:</b>	5028893.96
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	55.8
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	54.6
<b>Total Depth m:</b>	7.3			<b>Primary Name:</b>	BH C8
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	26-AUG-1971			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218566296			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	4.8			<b>Stratum Desc:</b>	Grey Bedrock Limestone fine grained, with irregular shale partings and laminae
<b>Stratum ID:</b>	218566297			<b>Top Depth(m):</b>	4.8
<b>Bottom Depth(m):</b>	7.3			<b>Stratum Desc:</b>	Light Grey Bedrock Limestone fine grained

<b><u>76</u></b>	<b>1 of 3</b>	<b>E/100.5</b>	<b>54.6 / -5.51</b>	<b>Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7231519			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188378			<b>Owner:</b>	
<b>Tag:</b>	A155679			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1005215693           08-OCT-14			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	57.41   18 443076 5028750 UTM83 4 margin of error : 30 m - 100 m wwr
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1005291636 1 0 1.5 m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1005291637 2 1.5 m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>	1005291635				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> <b>Casing No:</b> <b>Comment:</b> <b>Alt Name:</b>	1005291627 0				
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b> 1005291631					
<b>Layer:</b> 1					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b> 0					
<b>Depth To:</b> 7.62					
<b>Casing Diameter:</b> 4.03					
<b>Casing Diameter UOM:</b> cm					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1005291632					
<b>Layer:</b> 1					
<b>Slot:</b> 10					
<b>Screen Top Depth:</b> 7.62					
<b>Screen End Depth:</b> 10.67					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b> cm					
<b>Screen Diameter:</b> 4.82					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1005291630					
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1005291629					
<b>Diameter:</b> 8.3					
<b>Depth From:</b> 0					
<b>Depth To:</b> 10.67					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					

76

2 of 3

E/100.5

54.6 / -5.51

Ottawa ON

WWIS

**Well ID:** 7231518  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Abandoned-Other  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z188377  
**Tag:** A155681  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 11/12/2014  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 7 BAYVIEW ST  
**County:** OTTAWA-CARLETON  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Clear/Cloudy:</i>					
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1005215690			<i>Elevation:</i>	57.4
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	443076
<i>Code OB Desc:</i>				<i>North83:</i>	5028749
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>				<i>UTMRC:</i>	4
<i>Date Completed:</i>	08-OCT-14			<i>UTMRC Desc:</i>	margin of error : 30 m - 100 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>	1005291625				
<i>Layer:</i>	1				
<i>Plug From:</i>	0				
<i>Plug To:</i>	1.5				
<i>Plug Depth UOM:</i>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>	1005291626				
<i>Layer:</i>	2				
<i>Plug From:</i>	1.5				
<i>Plug To:</i>	15.24				
<i>Plug Depth UOM:</i>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>	1005291624				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>	1005291616				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>	1005291620				
<i>Layer:</i>	1				
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>	0				
<i>Depth To:</i>	12.1				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291621			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		12.1			
<b>Screen End Depth:</b>		15.24			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291619			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005291618			
<b>Diameter:</b>		8.3			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15.24			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">76</a>	3 of 3	E/100.5	54.6 / -5.51	OTTAWA ON	WWIS
<b>Well ID:</b>		7213388		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 12/18/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z168848		<b>Owner:</b>	
<b>Tag:</b>		A155681		<b>Street Name:</b> 7 BAYVIEW AVE	
<b>Construction Method:</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevation (m):</b>				<b>Municipality:</b> NEPEAN TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004670105	<b>Elevation:</b>	57.41
<b>DP2BR:</b>		<b>Elevrc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443077
<b>Code OB Desc:</b>				<b>North83:</b>	5028750
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>		11-NOV-13	<b>UTMRC Desc:</b>		margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1005032590  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 73  
**Other Materials:** HARD  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1005032591  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 01  
**Other Materials:** FILL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** .31  
**Formation End Depth:** 2.13  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1005032592  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 74  
**Other Materials:** LAYERED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 2.13  
**Formation End Depth:** 10.67

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation End Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005032601			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005032603			
<i>Layer:</i>		3			
<i>Plug From:</i>		8.84			
<i>Plug To:</i>		10.67			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005032602			
<i>Layer:</i>		2			
<i>Plug From:</i>		.31			
<i>Plug To:</i>		8.84			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005032600			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005032589			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005032596			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		9.14			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005032597			
<i>Layer:</i>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Slot:		10			
Screen Top Depth:		9.14			
Screen End Depth:		10.67			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1005032595			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005032593			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.44			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005032594			
Diameter:		7.62			
Depth From:		2.44			
Depth To:		10.67			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<u>77</u>	1 of 1	E/100.8	53.9 / -6.16	Ottawa ON	WWIS
Well ID:	7182761			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	6/19/2012
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z120999			Owner:	
Tag:	A126606			Street Name:	9 BAYVIEW DR
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003927724			Elevation:	57.67

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443081
<b>Code OB Desc:</b>				<b>North83:</b>	5028780
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	27-APR-12			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004365221  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 27  
**Most Common Material:** OTHER  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004365223  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 2.13  
**Formation End Depth:** 4.88  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004365222  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 05  
**Other Materials:** CLAY  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** .31

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365232			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365234			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.1			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365233			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		3.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004365231			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004365220			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004365227			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.35			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004365228			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Slot:	10				
Screen Top Depth:	3.35				
Screen End Depth:	4.88				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.03				

**Water Details**

Water ID: 1004365226  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1004365224  
 Diameter: 11.43  
 Depth From: 0  
 Depth To: 1.83  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Hole Diameter**

Hole ID: 1004365225  
 Diameter: 7.62  
 Depth From: 1.83  
 Depth To: 4.88  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

[78](#)

1 of 1

NE/102.5

51.9 / -8.21

OTTAWA ON

WWIS

Well ID: 7050792  
 Construction Date:  
 Primary Water Use: Not Used  
 Sec. Water Use:  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z69702  
 Tag: A059556  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 10/15/2007  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 1119  
 Form Version: 4  
 Owner:  
 Street Name: OTTAWA RIVER PARKWAY  
 County: OTTAWA-CARLETON  
 Municipality: OTTAWA CITY  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	23050792			<b>Elevation:</b>	55.79
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443007
<b>Code OB Desc:</b>				<b>North83:</b>	5028900
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	02-AUG-07			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1000013606  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 3.35  
**Formation End Depth:** 45.7  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1000013605  
**Layer:** 1  
**Color:**  
**General Color:**  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0  
**Formation End Depth:** 3.35  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1000013609  
**Layer:** 2  
**Plug From:** 42  
**Plug To:** 34.3  
**Plug Depth UOM:** m

**Annular Space/Abandonment**

**Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1000013610			
<b>Layer:</b>		3			
<b>Plug From:</b>		34.3			
<b>Plug To:</b>		29.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1000013608			
<b>Layer:</b>		1			
<b>Plug From:</b>		45.7			
<b>Plug To:</b>		42			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1000013611			
<b>Layer:</b>		4			
<b>Plug From:</b>		29.1			
<b>Plug To:</b>		21.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1000013615			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1000013603			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1000013612			
<b>Layer:</b>					
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		.15			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1000013613			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Screen Diameter:

**Results of Well Yield Testing**

Pump Test ID: 1000013604  
 Pump Set At:  
 Static Level:  
 Final Level After Pumping:  
 Recommended Pump Depth:  
 Pumping Rate:  
 Flowing Rate:  
 Recommended Pump Rate:  
 Levels UOM: m  
 Rate UOM: LPM  
 Water State After Test Code: 0  
 Water State After Test:  
 Pumping Test Method: 0  
 Pumping Duration HR:  
 Pumping Duration MIN:  
 Flowing:

**Hole Diameter**

Hole ID: 1000013607  
 Diameter: 15  
 Depth From:  
 Depth To: 45.7  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

<a href="#">79</a>	1 of 1	ESE/104.2	57.6 / -2.51	Ottawa ON	WWIS
--------------------	--------	-----------	--------------	-----------	------

Well ID: 7227884  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Monitoring and Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z188365  
 Tag: A154030  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 9/22/2014  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 53 BAYVIEW DRIVE  
 County: OTTAWA-CARLETON  
 Municipality: NEPEAN TOWNSHIP  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1005131651  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Open Hole:  
 Elevation: 56.96  
 Elevrc:  
 Zone: 18  
 East83: 442989  
 North83: 5028620  
 Org CS: UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	15-AUG-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005401148			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Other Materials:</b>		BOULDERS			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		3.66			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005401149			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3.66			
<b>Formation End Depth:</b>		5.18			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005401147			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1005401157			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.21			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1005401159			
<i>Layer:</i>		3			
<i>Plug From:</i>		1.83			
<i>Plug To:</i>		5.15			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1005401158			
<i>Layer:</i>		2			
<i>Plug From:</i>		.31			
<i>Plug To:</i>		1.83			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005401156			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005401146			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005401152			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.13			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005401153			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		2.13			
<i>Screen End Depth:</i>		5.18			
<i>Screen Material:</i>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1005401151			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005401150			
Diameter:		8.25			
Depth From:		0			
Depth To:		5.18			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">80</a>	1 of 1	E/105.7	54.6 / -5.51	Ottawa ON	WWIS
Well ID:	7231517			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/12/2014
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z188379			Owner:	
Tag:				Street Name:	7 BAYVIEW ST
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1005215562	Elevation:	57.41
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443079
Code OB Desc:		North83:	5028736
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	08-OCT-14	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

*Supplier Comment:*

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1005291608  
**Layer:** 1  
**Plug From:** 0  
**Plug To:** 1.5  
**Plug Depth UOM:** m

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1005291609  
**Layer:** 2  
**Plug From:** 1.5  
**Plug To:** 9.45  
**Plug Depth UOM:** m

**Method of Construction & Well Use**

**Method Construction ID:** 1005291607  
**Method Construction Code:**  
**Method Construction:**  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 1005291599  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1005291603  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 6.4  
**Casing Diameter:** 5.2  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1005291604  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 6.4  
**Screen End Depth:** 9.45  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03

**Water Details**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1005291602			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291601			
Diameter:		8.3			
Depth From:		0			
Depth To:		9.45			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">81</a>	1 of 1	ENE/107.0	52.6 / -7.54	ON	BORE
Borehole ID:		613216		Type:	Borehole
Use:				Status:	
Drill Method:				UTM Zone:	18
Easting:		443071		Northing:	5028842
Location Accuracy:				Orig. Ground Elev m:	57.3
Elev. Reliability Note:				DEM Ground Elev m:	60.5
Total Depth m:		-999		Primary Name:	
Township:				Concession:	
Lot:				Municipality:	
Completion Date:		MAR-1964		Static Water Level:	4.2
Primary Water Use:				Sec. Water Use:	
<b><u>--Details--</u></b>					
Stratum ID:		218394174		Top Depth(m):	0.0
Bottom Depth(m):		7.1		Stratum Desc:	FILL.
Stratum ID:		218394175		Top Depth(m):	7.1
Bottom Depth(m):				Stratum Desc:	BEDROCK. WATER STABLE AT 174.1 FEET.M. SAND. LOOSE. BEDROCK. . CLAY. BROWN,GREY,
<a href="#">82</a>	1 of 1	E/110.2	55.9 / -4.16	Ottawa ON	WWIS
Well ID:		7231515		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received:	11/12/2014
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Abandoned-Other		Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:		Z188220		Owner:	
Tag:		A125779		Street Name:	7 BAYVIEW ST
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005215556			<b>Elevation:</b>	57.63
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443065
<b>Code OB Desc:</b>				<b>North83:</b>	5028688
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005291577				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1.5				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005291578				
<b>Layer:</b>	2				
<b>Plug From:</b>	1.5				
<b>Plug To:</b>	10.67				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1005291576				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1005291568				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1005291572				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		7.62			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1005291573			
Layer:		1			
Slot:		10			
Screen Top Depth:		7.62			
Screen End Depth:		10.67			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1005291571			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005291570			
Diameter:		8.3			
Depth From:		0			
Depth To:		1.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">83</a>	1 of 1	SW/110.9	60.9 / 0.79	Ottawa ON	WWIS
Well ID:		7205866		<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:		Monitoring		<b>Date Received:</b> 8/6/2013	
Sec. Water Use:				<b>Selected Flag:</b> Yes	
Final Well Status:		Observation Wells		<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b> 7328	
Casing Material:				<b>Form Version:</b> 7	
Audit No:		Z171309		<b>Owner:</b>	
Tag:		A147953		<b>Street Name:</b> 111 PARKDALE AVENUE 121	
Construction Method:				<b>County:</b> OTTAWA-CARLETON	
Elevation (m):				<b>Municipality:</b> OTTAWA CITY	
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:		1004490019		<b>Elevation:</b> 60.76	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	442616
<b>Code OB Desc:</b>				<b>North83:</b>	5028596
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAR-12			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004918951  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 05  
**Other Materials:** CLAY  
**Formation Top Depth:** .6  
**Formation End Depth:** 1.19  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004918950  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 84  
**Other Materials:** SILTY  
**Formation Top Depth:** 0  
**Formation End Depth:** .6  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004918952  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 26  
**Most Common Material:** ROCK  
**Mat2:** 15  
**Other Materials:** LIMESTONE  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 1.19

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		18.44			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004918960			
<b>Layer:</b>		1			
<b>Plug From:</b>		.4			
<b>Plug To:</b>		14.9			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004918959			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HSA, DIAMOND			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004918949			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004918956			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004918957			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004918955			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter

Hole ID: 1004918954  
 Diameter: 7.62  
 Depth From: 1.19  
 Depth To: 18.44  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004918953  
 Diameter: 20.3  
 Depth From: 0  
 Depth To: 1.19  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

[84](#) 1 of 1 SSE/111.1 59.9 / -0.21 71 Carruthers Ave Ottawa ON K1Y1N3 EHS

Order No:	20131210024	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Standard Select Report	Client Prov/State:	ON
Report Date:	12-DEC-13	Search Radius (km):	.25
Date Received:	10-DEC-13	X:	-75.730032
Previous Site Name:		Y:	45.408291
Lot/Building Size:			
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Title Searches; Topographic Maps; City Directory		

[85](#) 1 of 1 E/112.1 54.9 / -5.21 Ottawa ON WWIS

Well ID:	7182759	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	6/19/2012
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z146394	Owner:	
Tag:	A126607	Street Name:	9 BAYVIEW ST
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1003927718	Elevation:	57.52
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443078
Code OB Desc:		North83:	5028711
Open Hole:		Org CS:	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	27-APR-12			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004365065			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004365066			
<b>Layer:</b>		2			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		2.13			
<b>Formation End Depth:</b>		4.88			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365076			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		3.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365075			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365077			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.1			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004365074			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004365064			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004365070			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.35			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004365071			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.35			
<b>Screen End Depth:</b>		4.88			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004365069			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004365068			
<b>Diameter:</b>		7.62			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		2.74			
Depth To:		4.88			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004365067			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.74			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">86</a>	1 of 2	E/112.6	55.9 / -4.16	Ottawa ON	WWIS
<b>Well ID:</b>	7231513			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188221			<b>Owner:</b>	
<b>Tag:</b>	A132466			<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005215550			<b>Elevation:</b>	57.63
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443067
<b>Code OB Desc:</b>				<b>North83:</b>	5028687
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1005291555				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005291556			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		5.18			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291554			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291546			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291550			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.13			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291551			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.13			
<b>Screen End Depth:</b>		5.18			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291549			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1005291548			
Diameter:		8.3			
Depth From:		0			
Depth To:		5.18			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>86</u>	2 of 2	E/112.6	55.9 / -4.16	Ottawa ON	WWIS
Well ID:	7231512			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
Sec. Water Use:	0			<b>Selected Flag:</b>	Yes
Final Well Status:	Abandoned-Other			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	7241
Casing Material:				<b>Form Version:</b>	7
Audit No:	Z188222			<b>Owner:</b>	
Tag:	A132465			<b>Street Name:</b>	7 BAYVIEW ST
Construction Method:				<b>County:</b>	OTTAWA-CARLETON
Elevation (m):				<b>Municipality:</b>	NEPEAN TOWNSHIP
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1005215547			<b>Elevation:</b>	57.64
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b>	18
Code OB:				<b>East83:</b>	443067
Code OB Desc:				<b>North83:</b>	5028686
Open Hole:				<b>Org CS:</b>	UTM83
Cluster Kind:				<b>UTMRC:</b>	4
Date Completed:	08-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
Remarks:				<b>Location Method:</b>	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Annular Space/Abandonment Sealing Record

Plug ID:	1005291541
Layer:	1
Plug From:	0
Plug To:	1.5
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1005291542			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		9.14			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005291540			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005291532			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005291536			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.1			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005291537			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		6.1			
<b>Screen End Depth:</b>		9.14			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005291535			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005291534			
<b>Diameter:</b>		8.3			
<b>Depth From:</b>		0			
<b>Depth To:</b>		9.14			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">87</a>	1 of 1	E/113.0	54.9 / -5.21	Ottawa ON	WWIS
<b>Well ID:</b>	7231516			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188380			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005215559	<b>Elevation:</b>	57.5
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443080
<b>Code OB Desc:</b>		<b>North83:</b>	5028714
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-OCT-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Annular Space/Abandonment Sealing Record

<b>Plug ID:</b>	1005291591
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1.5
<b>Plug Depth UOM:</b>	m

#### Annular Space/Abandonment Sealing Record

<b>Plug ID:</b>	1005291592
<b>Layer:</b>	2
<b>Plug From:</b>	1.5
<b>Plug To:</b>	5.18
<b>Plug Depth UOM:</b>	m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Method of Construction & Well Use**

Method Construction ID: 1005291590  
Method Construction Code:  
Method Construction:  
Other Method Construction:

**Pipe Information**

Pipe ID: 1005291582  
Casing No: 0  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 1005291586  
Layer: 1  
Material:  
Open Hole or Material:  
Depth From: 0  
Depth To: 2.13  
Casing Diameter: 4.03  
Casing Diameter UOM: cm  
Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1005291587  
Layer: 1  
Slot: 10  
Screen Top Depth: 2.13  
Screen End Depth: 5.18  
Screen Material: 5  
Screen Depth UOM: m  
Screen Diameter UOM: cm  
Screen Diameter: 4.82

**Water Details**

Water ID: 1005291585  
Layer:  
Kind Code:  
Kind:  
Water Found Depth:  
Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1005291584  
Diameter: 8.3  
Depth From: 0  
Depth To: 5.18  
Hole Depth UOM: m  
Hole Diameter UOM: cm



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ottawa ON K2G 5J9</b>					
<b>Approval No:</b>	9954-75MKC6			<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2007-08-01			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	-75.7274
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.409600000000005
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-Municipal Drinking Water Systems				
<b>Project Type:</b>	Municipal Drinking Water Systems				
<b>Address:</b>					
<b>Full Address:</b>					
<b>Full PDF Link:</b>					
<a href="#"><u>88</u></a>	2 of 3	E/113.8	54.9 / -5.21	City of Ottawa	ECA
<b>Ottawa ON K2G 6J8</b>					
<b>Approval No:</b>	5278-7L2KL9			<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2008-12-15			<b>City:</b>	Ottawa
<b>Status:</b>	Approved			<b>Longitude:</b>	-75.7274
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.4096
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Address:</b>					
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9367-7KAR8L-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9367-7KAR8L-14.pdf</a>				
<a href="#"><u>88</u></a>	3 of 3	E/113.8	54.9 / -5.21	City of Ottawa Bayview Road between Stonehurst Avenue and Wellington Street West Ottawa ON K2G 6J8	ECA
<b>Approval No:</b>	5369-7DXJES			<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2008-04-22			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	-75.7274
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.409600000000005
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-Municipal Drinking Water Systems				
<b>Project Type:</b>	Municipal Drinking Water Systems				
<b>Address:</b>	Bayview Road between Stonehurst Avenue and Wellington Street West				
<b>Full Address:</b>					
<b>Full PDF Link:</b>					
<a href="#"><u>89</u></a>	1 of 1	E/114.2	54.9 / -5.21	ON	WWIS
<b>Well ID:</b>	7201541			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	5/14/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	8
<b>Audit No:</b>	C15849			<b>Owner:</b>	
<b>Tag:</b>	A122964			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	OTTAWA CITY
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004298035 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 07-MAY-12 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> 57.55 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 443078 <b>North83:</b> 5028705 <b>Org CS:</b> MTM09 <b>UTMRC:</b> 5 <b>UTMRC Desc:</b> margin of error : 100 m - 300 m <b>Location Method:</b> wwr			
<a href="#">90</a>	1 of 1	ESE/115.0	57.6 / -2.51	ON	BORE
<b>Borehole ID:</b> 800404 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Boring <b>Easting:</b> 442999.76 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 4 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> 24-AUG-1982 <b>Primary Water Use:</b>		<b>Type:</b> Borehole <b>Status:</b> <b>UTM Zone:</b> 18 <b>Northing:</b> 5028613.8 <b>Orig. Ground Elev m:</b> 56.7 <b>DEM Ground Elev m:</b> 57.1 <b>Primary Name:</b> AH 10 <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> -999.9 <b>Sec. Water Use:</b>			
<b>--Details--</b>					
<b>Stratum ID:</b> 218564886 <b>Bottom Depth(m):</b> 0.2		<b>Top Depth(m):</b> 0.0 <b>Stratum Desc:</b> Topsoil			
<b>Stratum ID:</b> 218564887 <b>Bottom Depth(m):</b> 1.5		<b>Top Depth(m):</b> 0.2 <b>Stratum Desc:</b> Brown Fill-Misc Sand With: Gr Occasional: Brk Frag			
<b>Stratum ID:</b> 218564888 <b>Bottom Depth(m):</b> 4.0		<b>Top Depth(m):</b> 1.5 <b>Stratum Desc:</b> Grey-Brown Silt - Sand With: Gr			
<a href="#">91</a>	1 of 1	E/116.3	54.6 / -5.51	Ottawa ON	WWIS
<b>Well ID:</b> 7231520 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 11/12/2014 <b>Selected Flag:</b> Yes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z189039			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005215696	<b>Elevation:</b>	57.46
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443092
<b>Code OB Desc:</b>		<b>North83:</b>	5028749
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-OCT-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291647
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1.5
<b>Plug Depth UOM:</b>	m

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005291648
<b>Layer:</b>	2
<b>Plug From:</b>	1.5
<b>Plug To:</b>	8.53
<b>Plug Depth UOM:</b>	m

**Method of Construction & Well Use**

<b>Method Construction ID:</b>	1005291646
<b>Method Construction Code:</b>	
<b>Method Construction:</b>	
<b>Other Method Construction:</b>	

**Pipe Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Pipe ID: 1005291638  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1005291642  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0  
 Depth To: 2.44  
 Casing Diameter: 4.03  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1005291643  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 2.44  
 Screen End Depth: 5.49  
 Screen Material: 5  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter: 4.82

**Water Details**

Water ID: 1005291641  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1005291640  
 Diameter: 8.3  
 Depth From: 0  
 Depth To: 5.49  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

92      1 of 2      E/117.7      56.0 / -4.13      Ottawa ON      WWIS

Well ID: 7182766  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z146395  
 Tag: A132466  
 Construction Method:  
 Elevation (m):

Data Entry Status:  
 Data Src:  
 Date Received: 6/19/2012  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 9 BAYVIEW ST  
 County: OTTAWA-CARLETON  
 Municipality: OTTAWA CITY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1003927739 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 26-APR-12 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 57.61 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 443073 <b>North83:</b> 5028688 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1004365484 <b>Layer:</b> 5 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 15 <b>Most Common Material:</b> LIMESTONE <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> 71 <b>Other Materials:</b> FRACTURED <b>Formation Top Depth:</b> 3.1 <b>Formation End Depth:</b> 8.53 <b>Formation End Depth UOM:</b> m					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1004365481 <b>Layer:</b> 2 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 28 <b>Most Common Material:</b> SAND <b>Mat2:</b> 12 <b>Other Materials:</b> STONES <b>Mat3:</b> 85 <b>Other Materials:</b> SOFT <b>Formation Top Depth:</b> .31 <b>Formation End Depth:</b> 1.54 <b>Formation End Depth UOM:</b> m					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365483		
<b>Layer:</b>			4		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			71		
<b>Other Materials:</b>			FRACTURED		
<b>Formation Top Depth:</b>			2.44		
<b>Formation End Depth:</b>			3.1		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365482		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			71		
<b>Other Materials:</b>			FRACTURED		
<b>Formation Top Depth:</b>			1.54		
<b>Formation End Depth:</b>			2.44		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365480		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			77		
<b>Other Materials:</b>			LOOSE		
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.31		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1004365495		
<b>Layer:</b>			3		
<b>Plug From:</b>			6.71		
<b>Plug To:</b>			8.53		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug ID:</b>		1004365494			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		6.71			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004365493			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004365492			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004365479			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004365488			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		-1			
<b>Depth To:</b>		7.01			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004365489			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		7.01			
<b>Screen End Depth:</b>		8.53			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004365487			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004365486			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		2.44			
<b>Depth To:</b>		8.53			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004365485			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.44			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">92</a>	2 of 2	E/117.7	56.0 / -4.13	Ottawa ON	WWIS
<b>Well ID:</b>		7182765		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b>	
<b>Sec. Water Use:</b>		0		6/19/2012	
<b>Final Well Status:</b>		Test Hole		<b>Selected Flag:</b>	
<b>Water Type:</b>				Yes	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z146396		<b>Contractor:</b>	
<b>Tag:</b>		A132465		7241	
<b>Construction Method:</b>				<b>Form Version:</b>	
<b>Elevation (m):</b>				7	
<b>Elevation Reliability:</b>				<b>Owner:</b>	
<b>Depth to Bedrock:</b>				<b>Street Name:</b>	
<b>Well Depth:</b>				9 BAYVIEW ST	
<b>Overburden/Bedrock:</b>				<b>County:</b>	
<b>Pump Rate:</b>				OTTAWA-CARLETON	
<b>Static Water Level:</b>				<b>Municipality:</b>	
<b>Flowing (Y/N):</b>				OTTAWA CITY	
<b>Flow Rate:</b>				<b>Site Info:</b>	
<b>Clear/Cloudy:</b>				<b>Lot:</b>	
				<b>Concession:</b>	
				<b>Concession Name:</b>	
				<b>Easting NAD83:</b>	
				<b>Northing NAD83:</b>	
				<b>Zone:</b>	
				<b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1003927736		<b>Elevation:</b>	
<b>DP2BR:</b>				57.6	
<b>Spatial Status:</b>				<b>Elevrc:</b>	
<b>Code OB:</b>				18	
<b>Code OB Desc:</b>				<b>East83:</b>	
<b>Open Hole:</b>				443074	
<b>Cluster Kind:</b>				<b>North83:</b>	
<b>Date Completed:</b>		26-APR-12		5028688	
<b>Remarks:</b>				<b>Org CS:</b>	
<b>Elevrc Desc:</b>				UTM83	
<b>Location Source Date:</b>				<b>UTMRC:</b>	
<b>Improvement Location Source:</b>				4	
<b>Improvement Location Method:</b>				<b>UTMRC Desc:</b>	
<b>Source Revision Comment:</b>				margin of error : 30 m - 100 m	
<b>Supplier Comment:</b>				<b>Location Method:</b>	
				digit	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365400		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			11		
<b>Other Materials:</b>			GRAVEL		
<b>Mat3:</b>			12		
<b>Other Materials:</b>			STONES		
<b>Formation Top Depth:</b>			.31		
<b>Formation End Depth:</b>			1.54		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365402		
<b>Layer:</b>			4		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			71		
<b>Other Materials:</b>			FRACTURED		
<b>Formation Top Depth:</b>			2.44		
<b>Formation End Depth:</b>			3.1		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365403		
<b>Layer:</b>			5		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			71		
<b>Other Materials:</b>			FRACTURED		
<b>Formation Top Depth:</b>			3.1		
<b>Formation End Depth:</b>			4.88		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004365401		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		1.54			
<b>Formation End Depth:</b>		2.44			
<b>Formation End Depth UOM:</b>		m			
 <b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004365399			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
 <b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365414			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.1			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
 <b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365413			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		3.1			
<b>Plug Depth UOM:</b>		m			
 <b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004365412			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
 <b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1004365411			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
 <b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1004365398			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1004365407			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		-1			
Depth To:		3.35			
Casing Diameter:		3.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004365408			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.35			
Screen End Depth:		4.88			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<b><u>Water Details</u></b>					
Water ID:		1004365406			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004365405			
Diameter:		7.62			
Depth From:		2.44			
Depth To:		4.88			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004365404			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.44			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">93</a>	1 of 1	ENE/121.0	52.9 / -7.21	ON	BORE
Borehole ID:	613212			Type:	Borehole
Use:				Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Drill Method:</b>				<b>UTM Zone:</b>	18
<b>Easting:</b>	443101			<b>Northing:</b>	5028792
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	57.9
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	57.9
<b>Total Depth m:</b>	-999			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	MAR-1964			<b>Static Water Level:</b>	4.6
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218394159			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	6.3			<b>Stratum Desc:</b>	FILL.
<b>Stratum ID:</b>	218394160			<b>Top Depth(m):</b>	6.3
<b>Bottom Depth(m):</b>				<b>Stratum Desc:</b>	BEDROCK. WATER STABLE AT 174.9 FEET.INE. CLAY. BROWN,GREY,HARD,FISSURED. CLAY. BROWN,GREY,

<b>94</b>	<b>1 of 1</b>	<b>S/121.3</b>	<b>60.9 / 0.79</b>	<b>PRIVATE RESIDENCE AT RESIDENCE AT 154 HINCHY AVE. FURNACE OIL TANK OTTAWA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	174104			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	//			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	ABOVE-GROUND TANK LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	20101
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	REPORT FAXED TO TSSA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	10/23/1999			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	CORROSION			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	RESIDENCE - FURNACE OIL TO EARTHEN BASEMENT IN HOME FROM STORAGE TANK.				
<b>Contaminant Qty:</b>					

<b>95</b>	<b>1 of 2</b>	<b>SW/121.4</b>	<b>60.9 / 0.79</b>	<b>8609454 Canada Inc. 121 Parkdale Ave Ottawa ON K1J 7S6</b>	<b>ECA</b>
<b>Approval No:</b>	0456-ATJM6R			<b>MOE District:</b>	
<b>Approval Date:</b>	2017-11-30			<b>City:</b>	Ottawa
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b>		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS			
<b>Project Type:</b>		MUNICIPAL AND PRIVATE SEWAGE WORKS			
<b>Address:</b>		121 Parkdale Ave			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7476-ATET63-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7476-ATET63-14.pdf</a>			

<a href="#">95</a>	2 of 2	SW/121.4	60.9 / 0.79	121 Parkdale Ave Ottawa ON K1Y2M3	EHS
<b>Order No:</b>	20180406111			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Site Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	09-APR-18			<b>Search Radius (km):</b>	.001
<b>Date Received:</b>	06-APR-18			<b>X:</b>	-75.73346
<b>Previous Site Name:</b>				<b>Y:</b>	45.408451
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">96</a>	1 of 1	ENE/122.0	52.9 / -7.21	OTTAWA ON	WWIS
<b>Well ID:</b>	7242768			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201414			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005402676	<b>Elevation:</b>	58.09
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443101
<b>Code OB Desc:</b>		<b>North83:</b>	5028798
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Annular Space/Abandonment

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005657640			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005657641			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		12			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657639			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HARD PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657631			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657635			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657636			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657634			
<b>Layer:</b>					
<b>Kind Code:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005657633			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">97</a>	1 of 1	ENE/122.1	52.9 / -7.21	OTTAWA ON	WWIS
<b>Well ID:</b>		7242769		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b>	
<b>Sec. Water Use:</b>		0		6/9/2015	
<b>Final Well Status:</b>		Abandoned-Other		<b>Selected Flag:</b>	
<b>Water Type:</b>				Yes	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z201413		Yes	
<b>Tag:</b>		A132401		<b>Contractor:</b>	
<b>Construction Method:</b>				7241	
<b>Elevation (m):</b>				<b>Form Version:</b>	
<b>Elevation Reliability:</b>				7	
<b>Depth to Bedrock:</b>				<b>Owner:</b>	
<b>Well Depth:</b>				7 BAYVIEW RD	
<b>Overburden/Bedrock:</b>				<b>Street Name:</b>	
<b>Pump Rate:</b>				OTTAWA-CARLETON	
<b>Static Water Level:</b>				<b>County:</b>	
<b>Flowing (Y/N):</b>				NEPEAN TOWNSHIP	
<b>Flow Rate:</b>				<b>Municipality:</b>	
<b>Clear/Cloudy:</b>				Site Info:	
				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	

**Bore Hole Information**

<b>Bore Hole ID:</b>		1005402679		<b>Elevation:</b>		58.6	
<b>DP2BR:</b>				<b>Elevrc:</b>			
<b>Spatial Status:</b>				<b>Zone:</b>		18	
<b>Code OB:</b>				<b>East83:</b>		443099	
<b>Code OB Desc:</b>				<b>North83:</b>		5028809	
<b>Open Hole:</b>				<b>Org CS:</b>		UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b>		4	
<b>Date Completed:</b>		12-MAY-15		<b>UTMRC Desc:</b>		margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b>		wwr	
<b>Elevrc Desc:</b>							
<b>Location Source Date:</b>							
<b>Improvement Location Source:</b>							
<b>Improvement Location Method:</b>							
<b>Source Revision Comment:</b>							
<b>Supplier Comment:</b>							

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>		1005657672	
<b>Layer:</b>		2	
<b>Plug From:</b>		1	
<b>Plug To:</b>		21	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005657671			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657670			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HAND PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657662			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657666			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		6.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657667			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657665			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1005657664			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">98</a>	1 of 1	W/122.5	59.9 / -0.21	Ottawa ON	WWIS
Well ID:	7240369			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	4/22/2015
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z207413			Owner:	
Tag:	A178458			Street Name:	50 COLOMBINE DRIVEWAY
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

#### Bore Hole Information

Bore Hole ID:	1005327882	Elevation:	59.15
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442510
Code OB Desc:		North83:	5028678
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	30-MAR-15	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

#### Overburden and Bedrock Materials Interval

Formation ID:	1005598989
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Other Materials:	SAND
Mat3:	85
Other Materials:	SOFT

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.22			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005598990			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		1.22			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005598999			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599000			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599001			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005598998			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005598988			
<b>Casing No:</b>		0			
<b>Comment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

**Construction Record - Casing**

Casing ID: 1005598994  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0  
 Depth To: 1.5  
 Casing Diameter: 5.2  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1005598995  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 1.5  
 Screen End Depth: 6.1  
 Screen Material: 5  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter: 6.03

**Water Details**

Water ID: 1005598993  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1005598991  
 Diameter: 11.43  
 Depth From: 0  
 Depth To: 1.5  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Hole Diameter**

Hole ID: 1005598992  
 Diameter: 7.62  
 Depth From: 1.5  
 Depth To: 6.1  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

[99](#) 1 of 1 E/123.6 56.0 / -4.13 Ottawa ON [WWIS](#)

Well ID: 7187779  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Test Hole

Data Entry Status:  
 Data Src:  
 Date Received: 9/24/2012  
 Selected Flag: Yes  
 Abandonment Rec:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z157236			<b>Owner:</b>	
<b>Tag:</b>	A125779			<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004162382	<b>Elevation:</b>	57.51
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443076
<b>Code OB Desc:</b>		<b>North83:</b>	5028680
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	24-AUG-12	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004437081
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.91
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004437082
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	73
<b>Other Materials:</b>	HARD
<b>Mat3:</b>	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.91			
<b>Formation End Depth:</b>		10.67			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437091			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437092			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		7.32			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437093			
<b>Layer:</b>		3			
<b>Plug From:</b>		7.32			
<b>Plug To:</b>		10.62			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004437090			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004437080			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004437086			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7.62			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen ID:</b> 1004437087					
<b>Layer:</b> 1					
<b>Slot:</b> 10					
<b>Screen Top Depth:</b> 7.62					
<b>Screen End Depth:</b> 10.67					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b> cm					
<b>Screen Diameter:</b> 4.02					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1004437085					
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004437084					
<b>Diameter:</b> 7.62					
<b>Depth From:</b> 1.22					
<b>Depth To:</b> 10.67					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004437083					
<b>Diameter:</b> 11.43					
<b>Depth From:</b> 0					
<b>Depth To:</b> 1.22					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					

[100](#)

1 of 1

W/123.7

59.9 / -0.21

Ottawa ON

WWIS

**Well ID:** 7240371  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z207415  
**Tag:** A178460  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 4/22/2015  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 50 COLOMBINE DRIVEWAY  
**County:** OTTAWA-CARLETON  
**Municipality:** OTTAWA CITY  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005327888			<b>Elevation:</b>	58.91
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	442502
<b>Code OB Desc:</b>				<b>North83:</b>	5028694
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	30-MAR-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005599049				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>	71				
<b>Other Materials:</b>	FRACTURED				
<b>Formation Top Depth:</b>	1.22				
<b>Formation End Depth:</b>	4.51				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005599048				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	11				
<b>Most Common Material:</b>	GRAVEL				
<b>Mat2:</b>	28				
<b>Other Materials:</b>	SAND				
<b>Mat3:</b>	85				
<b>Other Materials:</b>	SOFT				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	1.22				
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1005599059				
<b>Layer:</b>	2				
<b>Plug From:</b>	.31				
<b>Plug To:</b>	1.5				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005599058			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005599060			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005599057			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005599047			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005599053			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005599054			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005599052			
<b>Layer:</b>					
<b>Kind Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005599050			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005599051			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		2.5			
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<a href="#">101</a>	1 of 3	SE/126.8	58.4 / -1.69	City of Ottawa 52 Bayview Road Ottawa ON K1Y 4L6	GEN
<b>Generator No:</b>		ON4217493		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>		2016		<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>		Yes		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		No		<b>Phone No Admin:</b>	
<b>SIC Code:</b>		913910			
<b>SIC Description:</b>		913910			
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">101</a>	2 of 3	SE/126.8	58.4 / -1.69	City of Ottawa Environmental Remediation Unit 52 Bayview Road Ottawa ON K1Y 4L6	GEN
<b>Generator No:</b>		ON4217493		<b>PO Box No:</b>	
<b>Status:</b>		Registered		<b>Country:</b>	Canada
<b>Approval Years:</b>		As of Dec 2018		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		241 L			
<b>Waste Description:</b>		Halogenated solvents and residues			
<a href="#">101</a>	3 of 3	SE/126.8	58.4 / -1.69	City of Ottawa 52 Bayview Road Ottawa ON K1Y 4L6	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON4217493			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	Yes			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>		913910			
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			

<u>102</u>	1 of 2	E/127.8	53.9 / -6.16	OTTAWA ON	WWIS
<b>Well ID:</b>	7242767			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201415			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005402673	<b>Elevation:</b>	57.85
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443108
<b>Code OB Desc:</b>		<b>North83:</b>	5028783
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005657630
<b>Layer:</b>	2
<b>Plug From:</b>	1
<b>Plug To:</b>	15

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005657629			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657628			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HAND PULL']			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657620			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657624			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657625			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657623			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1005657622			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">102</a>	2 of 2	E/127.8	53.9 / -6.16	OTTAWA ON	WWIS
---------------------	--------	---------	--------------	-----------	------

<b>Well ID:</b>	7242766	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other	<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z201417	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005402670	<b>Elevation:</b>	57.85
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443108
<b>Code OB Desc:</b>		<b>North83:</b>	5028783
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	02-MAY-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Annular Space/Abandonment Sealing Record

<b>Plug ID:</b>	1005657613
<b>Layer:</b>	2
<b>Plug From:</b>	1
<b>Plug To:</b>	29
<b>Plug Depth UOM:</b>	ft

#### Annular Space/Abandonment Sealing Record



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug ID:</b>		1005657612			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657611			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HARD PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657603			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657607			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657608			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657606			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005657605			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter UOM: inch

[103](#) 1 of 1 ESE/128.6 56.9 / -3.21 Ottawa ON [WWIS](#)

<b>Well ID:</b>	7227766	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	9/22/2014
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z188390	<b>Owner:</b>	
<b>Tag:</b>	A170533	<b>Street Name:</b>	53 BAYVIEW
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005130296	<b>Elevation:</b>	57.54
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443038
<b>Code OB Desc:</b>		<b>North83:</b>	5028626
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-AUG-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**  
**Materials Interval**

<b>Formation ID:</b>	1005381834
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	01
<b>Other Materials:</b>	FILL
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	.31
<b>Formation End Depth:</b>	3.1
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1005381835		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			74		
<b>Other Materials:</b>			LAYERED		
<b>Formation Top Depth:</b>			3.1		
<b>Formation End Depth:</b>			9.14		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1005381833		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.31		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1005381844		
<b>Layer:</b>			1		
<b>Plug From:</b>			0		
<b>Plug To:</b>			.31		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1005381846		
<b>Layer:</b>			3		
<b>Plug From:</b>			7.32		
<b>Plug To:</b>			9.14		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1005381845		
<b>Layer:</b>			2		
<b>Plug From:</b>			.31		
<b>Plug To:</b>			7.32		
<b>Plug Depth UOM:</b>			m		
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Method Construction ID:</b>		1005381843			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005381832			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005381839			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7.62			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005381840			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		7.62			
<b>Screen End Depth:</b>		9.14			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005381838			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005381836			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.1			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005381837			
<b>Diameter:</b>		7.63			
<b>Depth From:</b>		3.1			
<b>Depth To:</b>		9.14			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">104</a>	1 of 1	E/128.9	53.9 / -6.16	OTTAWA ON	WWIS
<b>Well ID:</b>	7242765			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201419			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005402667	<b>Elevation:</b>	57.55
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443107
<b>Code OB Desc:</b>		<b>North83:</b>	5028758
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Annular Space/Abandonment

##### Sealing Record

<b>Plug ID:</b>	1005657581
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1
<b>Plug Depth UOM:</b>	ft

#### Annular Space/Abandonment

##### Sealing Record

<b>Plug ID:</b>	1005657582
<b>Layer:</b>	2
<b>Plug From:</b>	1
<b>Plug To:</b>	19
<b>Plug Depth UOM:</b>	ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Method of Construction & Well Use**

Method Construction ID: 1005657580  
Method Construction Code: B  
Method Construction: Other Method  
Other Method Construction: HARD PULL

**Pipe Information**

Pipe ID: 1005657572  
Casing No: 0  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 1005657576  
Layer: 1  
Material: 5  
Open Hole or Material: PLASTIC  
Depth From:  
Depth To:  
Casing Diameter: 1.61  
Casing Diameter UOM: inch  
Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1005657577  
Layer: 1  
Slot:  
Screen Top Depth:  
Screen End Depth:  
Screen Material: 5  
Screen Depth UOM: ft  
Screen Diameter UOM: inch  
Screen Diameter: 1.9

**Water Details**

Water ID: 1005657575  
Layer:  
Kind Code:  
Kind:  
Water Found Depth:  
Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1005657574  
Diameter:  
Depth From:  
Depth To:  
Hole Depth UOM: ft  
Hole Diameter UOM: inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7242775			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201418			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005402697			<b>Elevation:</b>	57.73
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443109
<b>Code OB Desc:</b>				<b>North83:</b>	5028773
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657789				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657790				
<b>Layer:</b>	2				
<b>Plug From:</b>	1				
<b>Plug To:</b>	13				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1005657788				
<b>Method Construction Code:</b>	B				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HAND PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657780			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657784			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657785			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657783			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005657782			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[106](#)

1 of 1

W/134.9

59.9 / -0.21

Ottawa ON

WWIS

**Well ID:** 7240373  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Test Hole  
**Water Type:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 4/22/2015  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z207416			<b>Owner:</b>	
<b>Tag:</b>	A178459			<b>Street Name:</b>	50 COLOMBINE DRIVEWAY
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005327894			<b>Elevation:</b>	58.77
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	442482
<b>Code OB Desc:</b>				<b>North83:</b>	5028713
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	30-MAR-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005599130				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	11				
<b>Most Common Material:</b>	GRAVEL				
<b>Mat2:</b>	28				
<b>Other Materials:</b>	SAND				
<b>Mat3:</b>	85				
<b>Other Materials:</b>	SOFT				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	.91				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005599131				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>	71				
<b>Other Materials:</b>	FRACTURED				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		.91			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599140			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599142			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599141			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005599139			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005599129			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005599135			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Screen ID:		1005599136			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		6.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<u>Water Details</u>					
Water ID:		1005599134			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005599132			
Diameter:		11.43			
Depth From:		0			
Depth To:		1.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005599133			
Diameter:		7.62			
Depth From:		1.5			
Depth To:		6.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">107</a>	1 of 1	ESE/135.7	56.9 / -3.21	Ottawa ON	WWIS
<hr/>					
Well ID:	7227765			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	9/22/2014
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z188368			Owner:	
Tag:	A165618			Street Name:	63 BAYVIEW AVE.
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1005130293			<b>Elevation:</b>	57.47
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443036
<b>Code OB Desc:</b>				<b>North83:</b>	5028615
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-AUG-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005381820  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 01  
**Other Materials:** FILL  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** .31  
**Formation End Depth:** 1.22  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005381819  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005381821  
**Layer:** 3  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 85

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		1.22			
<b>Formation End Depth:</b>		3.35			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005381829			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005381830			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		.91			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005381831			
<b>Layer:</b>		3			
<b>Plug From:</b>		.91			
<b>Plug To:</b>		3.35			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005381828			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005381818			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005381824			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.22			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen ID:</b> 1005381825					
<b>Layer:</b> 1					
<b>Slot:</b> 10					
<b>Screen Top Depth:</b> 1.22					
<b>Screen End Depth:</b> 3.35					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b> cm					
<b>Screen Diameter:</b> 4.82					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1005381823					
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1005381822					
<b>Diameter:</b> 11.43					
<b>Depth From:</b> 0					
<b>Depth To:</b> 3.35					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<a href="#">108</a>	1 of 2	SSE/137.0	59.9 / -0.21	JOHANNES POTHUMA 80 CARRUTHERS AVE. OTTAWA ON K1Y 1N2	GEN
<b>Generator No:</b>		ON1024000	<b>PO Box No:</b>		
<b>Status:</b>			<b>Country:</b>		
<b>Approval Years:</b>		88,89,90	<b>Choice of Contact:</b>		
<b>Contam. Facility:</b>			<b>Co Admin:</b>		
<b>MHSW Facility:</b>			<b>Phone No Admin:</b>		
<b>SIC Code:</b>		6542			
<b>SIC Description:</b>		BICYCLE SHOPS			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">108</a>	2 of 2	SSE/137.0	59.9 / -0.21	JOHANNES POTHUMA 22-285 80 CARRUTHERS AVE. OTTAWA ON K1Y 1N2	GEN
<b>Generator No:</b>		ON1024000	<b>PO Box No:</b>		
<b>Status:</b>			<b>Country:</b>		
<b>Approval Years:</b>		92,93,94,95,96,97,98	<b>Choice of Contact:</b>		
<b>Contam. Facility:</b>			<b>Co Admin:</b>		
<b>MHSW Facility:</b>			<b>Phone No Admin:</b>		
<b>SIC Code:</b>		6542			
<b>SIC Description:</b>		BICYCLE SHOPS			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

[109](#) 1 of 1 ESE/139.6 58.0 / -2.13 OTTAWA ON [WWIS](#)

<b>Well ID:</b>	7267373	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	7/21/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z229767	<b>Owner:</b>	
<b>Tag:</b>	A173856	<b>Street Name:</b>	52 BAYVIEW AVE
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006164610	<b>Elevation:</b>	57.22
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443022
<b>Code OB Desc:</b>		<b>North83:</b>	5028599
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	15-JUN-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**  
**Materials Interval**

<b>Formation ID:</b>	1006172378
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	11
<b>Most Common Material:</b>	GRAVEL
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	66
<b>Other Materials:</b>	DENSE
<b>Formation Top Depth:</b>	5.79
<b>Formation End Depth:</b>	6.4
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1006172376		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			01		
<b>Other Materials:</b>			FILL		
<b>Mat3:</b>			66		
<b>Other Materials:</b>			DENSE		
<b>Formation Top Depth:</b>			.31		
<b>Formation End Depth:</b>			3.1		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1006172377		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			06		
<b>Other Materials:</b>			SILT		
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		
<b>Formation Top Depth:</b>			3.1		
<b>Formation End Depth:</b>			5.79		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1006172379		
<b>Layer:</b>			5		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			74		
<b>Other Materials:</b>			LAYERED		
<b>Formation Top Depth:</b>			6.4		
<b>Formation End Depth:</b>			9.14		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1006172375		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006172390			
<b>Layer:</b>		3			
<b>Plug From:</b>		7.32			
<b>Plug To:</b>		9.14			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006172389			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		7.32			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006172388			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006172387			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006172374			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006172383			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7.62			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1006172384			
Layer:		1			
Slot:		10			
Screen Top Depth:		7.62			
Screen End Depth:		9.14			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<b><u>Water Details</u></b>					
Water ID:		1006172382			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006172380			
Diameter:		11.43			
Depth From:		0			
Depth To:		7.32			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006172381			
Diameter:		7.62			
Depth From:		7.32			
Depth To:		9.14			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

**110**      1 of 1      **ESE/139.9**      **58.0 / -2.13**      **OTTAWA ON**      **WWIS**

<b>Well ID:</b>	7267422	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	7/21/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z229766	<b>Owner:</b>	
<b>Tag:</b>	A173858	<b>Street Name:</b>	52 BAYVIEW AVE
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1006166321			<b>Elevation:</b>	57.2
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443021
<b>Code OB Desc:</b>				<b>North83:</b>	5028598
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	15-JUN-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1006173143  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 3.1  
**Formation End Depth:** 5.79  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1006173142  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 01  
**Other Materials:** FILL  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** .31  
**Formation End Depth:** 3.1  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1006173141  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 85

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006173145			
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		74			
<b>Other Materials:</b>		LAYERED			
<b>Formation Top Depth:</b>		6.4			
<b>Formation End Depth:</b>		12.19			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006173144			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		5.79			
<b>Formation End Depth:</b>		6.4			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006173156			
<b>Layer:</b>		3			
<b>Plug From:</b>		10.36			
<b>Plug To:</b>		12.19			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006173154			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006173155			
<b>Layer:</b>		2			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		.31			
<i>Plug To:</i>		10.36			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006173153			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006173140			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006173149			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		10.67			
<i>Casing Diameter:</i>		5.2			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006173150			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		10.67			
<i>Screen End Depth:</i>		12.19			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1006173148			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1006173147			
<i>Diameter:</i>		7.62			
<i>Depth From:</i>		7.32			
<i>Depth To:</i>		12.19			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Hole Diameter**

Hole ID: 1006173146  
Diameter: 11.43  
Depth From: 0  
Depth To: 7.32  
Hole Depth UOM: m  
Hole Diameter UOM: cm

[111](#) 1 of 1 ENE/140.2 52.9 / -7.21 OTTAWA ON WWIS

Well ID: 7242770  
Construction Date:  
Primary Water Use: Monitoring and Test Hole  
Sec. Water Use: 0  
Final Well Status: Abandoned-Other  
Water Type:  
Casing Material:  
Audit No: Z201409  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src:  
Date Received: 6/9/2015  
Selected Flag: Yes  
Abandonment Rec: Yes  
Contractor: 7241  
Form Version: 7  
Owner:  
Street Name: 7 BAYVIEW RD  
County: OTTAWA-CARLETON  
Municipality: NEPEAN TOWNSHIP  
Site Info:  
Lot:  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1005402682  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc:  
Open Hole:  
Cluster Kind:  
Date Completed: 12-MAY-15  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Elevation: 58.8  
Elevrc:  
Zone: 18  
East83: 443118  
North83: 5028807  
Org CS: UTM83  
UTMRC: 4  
UTMRC Desc: margin of error : 30 m - 100 m  
Location Method: wwr

**Annular Space/Abandonment Sealing Record**

Plug ID: 1005657711  
Layer: 2  
Plug From: 1  
Plug To: 14  
Plug Depth UOM: ft

**Annular Space/Abandonment Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1005657710			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657709			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HAND PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657701			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657705			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657706			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657704			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005657703			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#">112</a>	1 of 1	WSW/141.1	59.9 / -0.21	ON	BORE
<b>Borehole ID:</b>	613201			<b>Type:</b>	Borehole
<b>Use:</b>				<b>Status:</b>	
<b>Drill Method:</b>				<b>UTM Zone:</b>	18
<b>Easting:</b>	442501			<b>Northing:</b>	5028652
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	60.9
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	59.7
<b>Total Depth m:</b>	-999			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	NOV-1962			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218394116			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.0			<b>Stratum Desc:</b>	SAND. LOOSE.
<b>Stratum ID:</b>	218394117			<b>Top Depth(m):</b>	1.0
<b>Bottom Depth(m):</b>	2.6			<b>Stratum Desc:</b>	SAND. FIRM.
<b>Stratum ID:</b>	218394118			<b>Top Depth(m):</b>	2.6
<b>Bottom Depth(m):</b>				<b>Stratum Desc:</b>	BEDROCK. ED. CLAY. GREY,STIFF. 00000005 SAND. LOOSE TO COMPACT. UNSPECIFIED. DENSE.
<a href="#">113</a>	1 of 1	ESE/142.4	56.0 / -4.06	lot 37 con A OTTAWA ON	WWIS
<b>Well ID:</b>	1535114			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>				<b>Date Received:</b>	10/14/2004
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z20807			<b>Owner:</b>	
<b>Tag:</b>	A011961			<b>Street Name:</b>	80 BAYVIEW
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	037
<b>Well Depth:</b>				<b>Concession:</b>	A
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	11172866			<b>Elevation:</b>	57.37
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443082
<b>Code OB Desc:</b>	No formation data			<b>North83:</b>	5028653
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	01-SEP-04			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	961535114				
<b>Method Construction Code:</b>	4				
<b>Method Construction:</b>	Rotary (Air)				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	11181385				
<b>Casing No:</b>	1				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	930843183				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>	5				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	933409112				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>	cm				
<b>Screen Diameter:</b>	6				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	11306037				
<b>Diameter:</b>	10				
<b>Depth From:</b>	2.5				
<b>Depth To:</b>	7				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	11306036				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		20			
Depth From:		0			
Depth To:		2.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[114](#) 1 of 1 ESE/145.0 56.9 / -3.21 Ottawa ON WWIS

<b>Well ID:</b>	7207737	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	9/11/2013
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z151005	<b>Owner:</b>	
<b>Tag:</b>	A150097	<b>Street Name:</b>	80 BAYVIEW
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

#### Bore Hole Information

<b>Bore Hole ID:</b>	1004564179	<b>Elevation:</b>	57.66
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443060
<b>Code OB Desc:</b>		<b>North83:</b>	5028624
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-AUG-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1004599136
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	73
<b>Other Materials:</b>	HARD
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	1.5

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004599137			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		1.5			
<b>Formation End Depth:</b>		9.14			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004599146			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004599147			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		5.79			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004599148			
<b>Layer:</b>		3			
<b>Plug From:</b>		5.79			
<b>Plug To:</b>		9.14			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004599145			
<b>Method Construction Code:</b>		7			
<b>Method Construction:</b>		Diamond			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004599135			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1004599141  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 6.1  
**Casing Diameter:** 5.2  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1004599142  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 6.1  
**Screen End Depth:** 9.14  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03

**Water Details**

**Water ID:** 1004599140  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004599139  
**Diameter:** 8  
**Depth From:** 2.44  
**Depth To:** 9.14  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1004599138  
**Diameter:** 11.43  
**Depth From:** 0  
**Depth To:** 2.44  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">115</a>	1 of 2	ENE/145.9	52.6 / -7.53	OTTAWA ON	WWIS
<b>Well ID:</b>	7242777			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Audit No:</b>	Z201411			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005402703			<b>Elevation:</b>	60.12
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443119
<b>Code OB Desc:</b>				<b>North83:</b>	5028825
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657814				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657815				
<b>Layer:</b>	2				
<b>Plug From:</b>	1				
<b>Plug To:</b>	38				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1005657813				
<b>Method Construction Code:</b>	B				
<b>Method Construction:</b>	Other Method				
<b>Other Method Construction:</b>	HAND PULL				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1005657805				
<b>Casing No:</b>	0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1005657809		
<b>Layer:</b>			1		
<b>Material:</b>			5		
<b>Open Hole or Material:</b>			PLASTIC		
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>			2.067		
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>			1005657810		
<b>Layer:</b>			1		
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>			5		
<b>Screen Depth UOM:</b>			ft		
<b>Screen Diameter UOM:</b>			inch		
<b>Screen Diameter:</b>			2.375		
<b><u>Water Details</u></b>					
<b>Water ID:</b>			1005657808		
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>			ft		
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>			1005657807		
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>			ft		
<b>Hole Diameter UOM:</b>			inch		

[115](#)

2 of 2

ENE/145.9

52.6 / -7.53

OTTAWA ON

WWIS

**Well ID:** 7242778  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Abandoned-Other  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z201412  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 6/9/2015  
**Selected Flag:** Yes  
**Abandonment Rec:** Yes  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 7 BAYVIEW RD  
**County:** OTTAWA-CARLETON  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005402706			<b>Elevation:</b>	60.05
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443120
<b>Code OB Desc:</b>				<b>North83:</b>	5028824
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657825				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657826				
<b>Layer:</b>	2				
<b>Plug From:</b>	1				
<b>Plug To:</b>	21				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1005657824				
<b>Method Construction Code:</b>	B				
<b>Method Construction:</b>	Other Method				
<b>Other Method Construction:</b>	HAND PULL				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1005657816				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1005657820				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		1.61			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657821			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.9			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657819			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005657818			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

116

1 of 1

ENE/146.2

52.6 / -7.53

OTTAWA ON

WWIS

**Well ID:** 7242776  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Abandoned-Other  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z201410  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 6/9/2015  
**Selected Flag:** Yes  
**Abandonment Rec:** Yes  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 7 BAYVIEW RD  
**County:** OTTAWA-CARLETON  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005402700	<b>Elevation:</b>	60.29
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443119
<b>Code OB Desc:</b>		<b>North83:</b>	5028827
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005657803
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1
<b>Plug Depth UOM:</b>	ft

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005657804
<b>Layer:</b>	2
<b>Plug From:</b>	1
<b>Plug To:</b>	15
<b>Plug Depth UOM:</b>	ft

**Method of Construction & Well Use**

<b>Method Construction ID:</b>	1005657802
<b>Method Construction Code:</b>	B
<b>Method Construction:</b>	Other Method
<b>Other Method Construction:</b>	HAND PULL

**Pipe Information**

<b>Pipe ID:</b>	1005657794
<b>Casing No:</b>	0
<b>Comment:</b>	
<b>Alt Name:</b>	

**Construction Record - Casing**

<b>Casing ID:</b>	1005657798
<b>Layer:</b>	1
<b>Material:</b>	5
<b>Open Hole or Material:</b>	PLASTIC
<b>Depth From:</b>	
<b>Depth To:</b>	
<b>Casing Diameter:</b>	2.067

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657799			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657797			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005657796			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">117</a>	1 of 19	SW/147.3	60.9 / 0.79	Public Works and Government Services Canada 120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 0K9	GEN
---------------------	---------	----------	-------------	-------------------------------------------------------------------------------------------------------------------------	-----

<b>Generator No:</b>	ON4690864	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2015	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No	<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910		
<b>SIC Description:</b>	911910		

**--Details--**

<b>Waste Code:</b>	243
<b>Waste Description:</b>	PCBS
<b>Waste Code:</b>	252
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS
<b>Waste Code:</b>	251
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Code:</b>	113
<b>Waste Description:</b>	ACID WASTE - OTHER METALS
<b>Waste Code:</b>	213
<b>Waste Description:</b>	PETROLEUM DISTILLATES

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			

<a href="#">117</a>	2 of 19	SW/147.3	60.9 / 0.79	Public Works and Government Services Canada 120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	GEN
---------------------	---------	----------	-------------	-------------------------------------------------------------------------------------------------------------------------	-----

<b>Generator No:</b>	ON4690864	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	2011	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910		
<b>SIC Description:</b>	Other Federal Government Public Administration		

**--Details--**

<b>Waste Code:</b>	213
<b>Waste Description:</b>	PETROLEUM DISTILLATES
<b>Waste Code:</b>	112
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS
<b>Waste Code:</b>	113
<b>Waste Description:</b>	ACID WASTE - OTHER METALS
<b>Waste Code:</b>	146
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Code:</b>	251



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			

<a href="#">117</a>	3 of 19	SW/147.3	60.9 / 0.79	Public Works and Government Services 120 Parkdale Ottawa ON K1A 1B4	GEN
---------------------	---------	----------	-------------	---------------------------------------------------------------------------	-----

<b>Generator No:</b>	ON9360293	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	05,06	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910		
<b>SIC Description:</b>	Other Federal Government Public Administration		

**--Details--**

<b>Waste Code:</b>	112
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS
<b>Waste Code:</b>	212
<b>Waste Description:</b>	ALIPHATIC SOLVENTS
<b>Waste Code:</b>	263
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Code:</b>	331
<b>Waste Description:</b>	WASTE COMPRESSED GASES

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>117</b>	<b>4 of 19</b>	<b>SW/147.3</b>	<b>60.9 / 0.79</b>	<b>SNC LAVALIN O &amp; M 120 PARKDALE AVENUE VARIOUS BUILDINGS OTTAWA ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON8217071			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">117</a>	5 of 19	SW/147.3	60.9 / 0.79	Public Works and Government Services 120 Parkdale Ottawa ON K1A 1B4	GEN
<b>Generator No:</b>	ON9360293			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<b>--Details--</b>					
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<a href="#">117</a>	6 of 19	SW/147.3	60.9 / 0.79	Public Services & Procurement Canada ESD/AFD 120 Parkdale, Ottawa ON K1A 0K9	GEN
<b>Generator No:</b>	ON4690864			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	112 C				
<b>Waste Description:</b>	Acid solutions - containing heavy metals				
<b>Waste Code:</b>	113 C				
<b>Waste Description:</b>	Acid solutions - containing other metals and non-metals				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>			114 C		
<b>Waste Description:</b>			Other inorganic acid wastes		
<b>Waste Code:</b>			121 C		
<b>Waste Description:</b>			Alkaline slutions - containing heavy metals		
<b>Waste Code:</b>			122 C		
<b>Waste Description:</b>			Alkaline slutions - containing other metals and non-metals (not cyanide)		
<b>Waste Code:</b>			145 I		
<b>Waste Description:</b>			Wastes from the use of pigments, coatings and paints		
<b>Waste Code:</b>			145 L		
<b>Waste Description:</b>			Wastes from the use of pigments, coatings and paints		
<b>Waste Code:</b>			146 L		
<b>Waste Description:</b>			Other specified inorganic sludges, slurries or solids		
<b>Waste Code:</b>			146 R		
<b>Waste Description:</b>			Other specified inorganic sludges, slurries or solids		
<b>Waste Code:</b>			146 T		
<b>Waste Description:</b>			Other specified inorganic sludges, slurries or solids		
<b>Waste Code:</b>			148 B		
<b>Waste Description:</b>			Misc. wastes and inorganic chemicals		
<b>Waste Code:</b>			148 C		
<b>Waste Description:</b>			Misc. wastes and inorganic chemicals		
<b>Waste Code:</b>			148 L		
<b>Waste Description:</b>			Misc. wastes and inorganic chemicals		
<b>Waste Code:</b>			212 B		
<b>Waste Description:</b>			Aliphatic solvents and residues		
<b>Waste Code:</b>			212 L		
<b>Waste Description:</b>			Aliphatic solvents and residues		
<b>Waste Code:</b>			213 B		
<b>Waste Description:</b>			Petroleum distillates		
<b>Waste Code:</b>			213 I		
<b>Waste Description:</b>			Petroleum distillates		
<b>Waste Code:</b>			221 I		
<b>Waste Description:</b>			Light fuels		
<b>Waste Code:</b>			221 L		
<b>Waste Description:</b>			Light fuels		
<b>Waste Code:</b>			243 D		
<b>Waste Description:</b>			PCB		
<b>Waste Code:</b>			251 L		
<b>Waste Description:</b>			Waste oils/sludges (petroleum based)		
<b>Waste Code:</b>			252 L		
<b>Waste Description:</b>			Waste crankcase oils and lubricants		
<b>Waste Code:</b>			263 B		
<b>Waste Description:</b>			Misc. waste organic chemicals		
<b>Waste Code:</b>			263 C		
<b>Waste Description:</b>			Misc. waste organic chemicals		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Waste Code:</b>		263 I			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		264 C			
<b>Waste Description:</b>		Photoprocessing wastes			
<b>Waste Code:</b>		264 L			
<b>Waste Description:</b>		Photoprocessing wastes			
<b>Waste Code:</b>		264 T			
<b>Waste Description:</b>		Photoprocessing wastes			
<b>Waste Code:</b>		331 I			
<b>Waste Description:</b>		Waste compressed gases including cylinders			
<a href="#">117</a>	7 of 19	SW/147.3	60.9 / 0.79	Public Works and Government Services Canada 120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	GEN
<b>Generator No:</b>	ON4690864			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>117</b>	<b>8 of 19</b>	<b>SW/147.3</b>	<b>60.9 / 0.79</b>	<b>Public Works and Government Services Canada 120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1B4</b>	<b>GEN</b>
<b>Generator No:</b>	ON4690864			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<hr/>					
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<hr/>					
<a href="#"><u>117</u></a>	9 of 19	SW/147.3	60.9 / 0.79	Public Works and Government Services Canada 120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6	GEN
<b>Generator No:</b>	ON4690864			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<hr/>					
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			

[117](#)    10 of 19    **SW/147.3**    **60.9 / 0.79**    **Public Works and Government Services Canada**  
**120 Parkdale, Tunneys Pasture, Various**  
**Buildings**  
**Ottawa ON K1A 0K9**    **GEN**

<b>Generator No:</b>	ON4690864	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2014	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	Anna Lacelle
<b>MHSW Facility:</b>	No	<b>Phone No Admin:</b>	613-993-5639 Ext.
<b>SIC Code:</b>	911910		
<b>SIC Description:</b>	911910		

**--Details--**

<b>Waste Code:</b>	112
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS
<b>Waste Code:</b>	146
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Code:</b>	148
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Code:</b>	212
<b>Waste Description:</b>	ALIPHATIC SOLVENTS
<b>Waste Code:</b>	331
<b>Waste Description:</b>	WASTE COMPRESSED GASES
<b>Waste Code:</b>	113
<b>Waste Description:</b>	ACID WASTE - OTHER METALS
<b>Waste Code:</b>	145
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			

[117](#)

11 of 19

SW/147.3

60.9 / 0.79

Public Works and Government Services Canada  
120 Parkdale, Tunneys Pasture, Various  
Buildings  
Ottawa ON K1A 0K9

GEN

**Generator No:** ON4690864  
**Status:**  
**Approval Years:** 2016  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 264  
**Waste Description:** PHOTOPROCESSING WASTES

**Waste Code:** 145  
**Waste Description:** PAINT/PIGMENT/COATING RESIDUES

**Waste Code:** 252  
**Waste Description:** WASTE OILS & LUBRICANTS

**Waste Code:** 148  
**Waste Description:** INORGANIC LABORATORY CHEMICALS

**Waste Code:** 112  
**Waste Description:** ACID WASTE - HEAVY METALS

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

**Waste Code:** 121

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			

<b>117</b>	<b>12 of 19</b>	<b>SW/147.3</b>	<b>60.9 / 0.79</b>	<b>Public Works and Government Services Canada 120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON K1A 1K6</b>	<b>GEN</b>
<b>Generator No:</b>	ON4690864			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCBS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	114				
<b>Waste Description:</b>	OTHER INORGANIC ACID WASTES				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			

<a href="#"><u>117</u></a>	13 of 19	SW/147.3	60.9 / 0.79	Public Works and Government Services Canada 120 Parkdale, Tunneys Pasture, Various Buildings Ottawa ON	GEN
<b>Generator No:</b>	ON4690864			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			

<a href="#">117</a>	14 of 19	SW/147.3	60.9 / 0.79	SNC LAVALIN O & M 120 PARKDALE AVENUE VARIOUS BUILDINGS OTTAWA ON	GEN
<b>Generator No:</b>	ON8217071			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				

<a href="#">117</a>	15 of 19	SW/147.3	60.9 / 0.79	SNC-LAVALIN PROFAC 120 Parkdale Avenue Ottawa ON K1A6T6	NPRI
<b>NPRI ID:</b>	8800001457			<b>Org ID:</b>	
<b>Other ID:</b>				<b>Submit Date:</b>	
<b>No Other ID:</b>				<b>Last Modified:</b>	
<b>Track ID:</b>				<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>				<b>Contact Title:</b>	
<b>Rpt Type ID:</b>				<b>Cont First Name:</b>	
<b>Report Year:</b>	2004			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>				<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>				<b>Contact Fax:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac ID:</b>				<b>Contact Ph.:</b>	
<b>Fac Name:</b>	MAIN STATISTICS, JEAN TALON, R.H. COATS			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>				<b>Contact Tel.:</b>	
<b>Fac Address2:</b>				<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>				<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>				<b>Contact Fax:</b>	
<b>Facility Long:</b>				<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	
<b>Facility DLS:</b>				<b>Longitude:</b>	
<b>Datum:</b>				<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	4000			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	53				
<b>NAICS 2 Description:</b>	Real Estate and Rental and Leasing				
<b>NAICS Code (4 digit):</b>	5311				
<b>NAICS 4 Description:</b>	Lessors of Real Estate				
<b>NAICS Code (6 digit):</b>	531120				
<b>NAICS 6 Description:</b>	Lessors of Non-Residential Buildings (except Mini-Warehouses)				
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b>	11104-93-1				
<b>Report ID:</b>					
<b>Rpt Period:</b>	2004				
<b>Subst Released:</b>	Nitrogen oxides (expressed as NO2)				
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>	tonnes				
<b>CAS No:</b>	7446-09-5				
<b>Report ID:</b>					
<b>Rpt Period:</b>	2004				
<b>Subst Released:</b>	Sulphur dioxide				
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>	tonnes				
<b>CAS No:</b>	811-97-2				
<b>Report ID:</b>					
<b>Rpt Period:</b>	2004				
<b>Subst Released:</b>	HFC-134a Hydrofluorocarbon				
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>	tonnes				
<a href="#">117</a>	16 of 19	SW/147.3	60.9 / 0.79	Statistics Canada 120 Parkdale Ave	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON K1A 0K9					
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Book Publishers			
<b>SIC/NAICS Code:</b>		511130			
<b>Description:</b>		Veterinary Services			
<b>SIC/NAICS Code:</b>		541940			

<a href="#">117</a>	17 of 19	SW/147.3	60.9 / 0.79	120 Parkdale Avenue Ottawa ON K1A 1K6	SPL
<b>Ref No:</b>	2126-5MCP8H			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	5/8/2003			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Unknown
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	GAS OIL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	5/8/2003			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Spills
<b>Incident Reason:</b>				<b>Source Type:</b>	
<b>Site Name:</b>	NATIONAL DEFENCE CENTRE - PKG LOT, NORTH OF BLDG #16<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Unkwn amt oil/gas to fed. pkg lot.				
<b>Contaminant Qty:</b>					

<a href="#">117</a>	18 of 19	SW/147.3	60.9 / 0.79	STATISTICS CANADA BUILDING 120 PARKDALE AVE 120 PARDALE AVENUE, OTTAWA OTTAWA CITY ON K1A 0K9	SPL
<b>Ref No:</b>	200676			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	5/15/2001			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	OTHER CAUSE (N.O.S.)			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	20107
<b>Nature of Impact:</b>	Air Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Air			<b>Site Conc:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	5/15/2001    EQUIPMENT FAILURE			Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:  STATS CANADA BUILDING: 470 LBS. HALON 1301 TO AIR. FAULTY HEAT DETECTOR	

<a href="#">117</a>	19 of 19	SW/147.3	60.9 / 0.79	BROOKFIELD LEPAGE JOHNSON CONT PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON K1A 0K9	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	194974  2/13/2001  OTHER TRANSPORTATION ACCIDENT     Possible Water course or lake Land, Water   2/14/2001  ERROR			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20107 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
				BLJ CONTROLS GLYCOL SPILL TO GROUND CATCH BASIN	

<a href="#">118</a>	1 of 1	ENE/148.7	50.8 / -9.24	Former Bayview Landfill  Ottawa ON	FCS
SGC: Site ID: Departmental ID: Depart Code: Class Type: Class: Site Name: Site Name (FR): Site Status: Site Status Desc: Site Status (FR): Description (FR): Involv Code: Census Division: Municipality:	3506008 00023315 96014 NCC 2 Medium Priority for Action Former Bayview Landfill Ancien dépotoire de Bayview Active Detailed testing completed. Remediation / risk management planned. Active Analyse détaillée terminée. Stratégie d'assainissement ou mesures de gestion des risques prévues. Ottawa Ottawa				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Census Sub Class:</b>	1				
<b>Latitude:</b>		45.411187			
<b>Longitude:</b>		-75.727235			
<b>Location:</b>					
<b>Protected Data:</b>	0				
<b>FED:</b>	75				
<b>Fed Electoral District:</b>		Ottawa Centre			
<b>Fed Electoral District (FR):</b>		Ottawa-Centre			
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b>	5				
<b>Site Deleted Flag:</b>					
<b>Created:</b>		2008-06-20T08:11:00			
<b>Modified:</b>		2018-05-23T11:03:30.500			
<b>Property No.:</b>	2640				
<b>Est m<sup>3</sup> Contmnted:</b>					
<b>Est Ha Contmnted:</b>	4.0631				
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b>	8,403				
<b>Est Population at 10 Km:</b>	655,087				
<b>Est Population at 25 Km:</b>	1,226,368				
<b>Est Population at 5 Km:</b>	216,622				
<b>Est Population at 50 Km:</b>	1,440,875				
<b>Reporting Org:</b>		National Capital Commission			
<b>Reporting Org (FR):</b>		Commission de la Capitale nationale			
<b>Reason for Involv:</b>		Federal Real Property			
<b>Reason for Involv (FR):</b>		Biens immobiliers fédéraux			
<b>Liabile Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention moyenne			
<b>Action Plan:</b>					
<b>Action Plan (FR):</b>					
<b>Site Mgmt Strategy:</b>		Additional assessment, Continous Monitoring			
<b>Minimap URL:</b>		<a href="http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023315">http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023315</a>			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					
<b><u>Management</u></b>					
<b>Management Code:</b>	3				
<b>Management Type (EN):</b>		Continous Monitoring			
<b>Management Type (FR):</b>		Surveillance constante			
<b>Management Code:</b>	5				
<b>Management Type (EN):</b>		Additional assessment			
<b>Management Type (FR):</b>		Évaluation complémentaire			
<b><u>Contamination</u></b>					
<b>Contaminant:</b>		PHCs (petroleum hydrocarbons)			
<b>Contamination (FR):</b>		HCP (hydrocarbures pétroliers)			
<b>Medium Code:</b>	5				
<b>Medium:</b>		Soil			
<b>Medium (FR):</b>		Sol			
<b>Contaminant:</b>		Metal, metalloid, and organometallic			
<b>Contamination (FR):</b>		Métaux, métalloïdes, et organométalliques			
<b>Medium Code:</b>	5				
<b>Medium:</b>		Soil			
<b>Medium (FR):</b>		Sol			
<b>Contaminant:</b>		Halogenated Hydrocarbon			
<b>Contamination (FR):</b>		Hydrocarbures halogénés			
<b>Medium Code:</b>	2				
<b>Medium:</b>		Groundwater			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Medium (FR): Eau souterraine

**Annual Data**

**Fiscal Year:** 2012-2013  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 5  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2009-2010  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

**Annual Data**

**Fiscal Year:** 2007-2008  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 2  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 4.0631  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2013-2014  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 5  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>	0				
<b>Actual Hectares Rem:</b>	0				
<b>Actual Tons Remediated:</b>	0				
<b>Total Asmt Expenditure:</b>	\$0.00				
<b>Total Remediation Expenditure:</b>	\$0.00				
<b>Total Care/Maint Expenditur:</b>	\$0.00				
<b>Total Mntring Expenditure:</b>	\$0.00				
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>	\$0.00				
<b>FCSAP Remed Expenditure:</b>	\$0.00				
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00				
<b>FCSAP Mntring Expenditure:</b>	\$0.00				

**Annual Data**

<b>Fiscal Year:</b>	2015-2016
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	5
<b>Highest Step Completed Desc:</b>	
<b>Planned Compl Date Step7:</b>	
<b>Planned Compl Date Step8:</b>	
<b>Planned Compl Date Step9:</b>	
<b>Created:</b>	
<b>Modified:</b>	
<b>NCSCS Year:</b>	
<b>Closed:</b>	No
<b>Actual Cubic Metres Rem:</b>	0
<b>Actual Hectares Rem:</b>	0
<b>Actual Tons Remediated:</b>	0
<b>Total Asmt Expenditure:</b>	\$0.00
<b>Total Remediation Expenditure:</b>	\$0.00
<b>Total Care/Maint Expenditur:</b>	\$0.00
<b>Total Mntring Expenditure:</b>	\$0.00
<b>Ttl Expenditure Reduc Liabil:</b>	
<b>FCSAP Asmt Expenditure:</b>	\$0.00
<b>FCSAP Remed Expenditure:</b>	\$0.00
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00
<b>FCSAP Mntring Expenditure:</b>	\$0.00

**Annual Data**

<b>Fiscal Year:</b>	2016-2017
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	5
<b>Highest Step Completed Desc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b> No					
<b>Actual Cubic Metres Rem:</b> 0					
<b>Actual Hectares Rem:</b> 0					
<b>Actual Tons Remediated:</b> 0					
<b>Total Asmt Expenditure:</b> \$0.00					
<b>Total Remediation Expenditure:</b> \$0.00					
<b>Total Care/Maint Expenditur:</b> \$0.00					
<b>Total Mntring Expenditure:</b> \$0.00					
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b> \$0.00					
<b>FCSAP Remed Expenditure:</b> \$0.00					
<b>FCSAP Care/Maint Expenditur:</b> \$0.00					
<b>FCSAP Mntring Expenditure:</b> \$0.00					

**Annual Data**

<b>Fiscal Year:</b>	2017-2018
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	5
<b>Highest Step Completed Desc:</b>	
<b>Planned Compl Date Step7:</b>	
<b>Planned Compl Date Step8:</b>	
<b>Planned Compl Date Step9:</b>	
<b>Created:</b>	
<b>Modified:</b>	
<b>NCSCS Year:</b>	
<b>Closed:</b>	No
<b>Actual Cubic Metres Rem:</b>	0
<b>Actual Hectares Rem:</b>	0
<b>Actual Tons Remediated:</b>	0
<b>Total Asmt Expenditure:</b>	\$0.00
<b>Total Remediation Expenditure:</b>	\$0.00
<b>Total Care/Maint Expenditur:</b>	\$0.00
<b>Total Mntring Expenditure:</b>	\$0.00
<b>Ttl Expenditure Reduc Liabil:</b>	
<b>FCSAP Asmt Expenditure:</b>	\$0.00
<b>FCSAP Remed Expenditure:</b>	\$0.00
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00
<b>FCSAP Mntring Expenditure:</b>	\$0.00

**Annual Data**

<b>Fiscal Year:</b>	2008-2009
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$24,608.32  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$19,686.66  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2010-2011  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 5  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$137,752.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$137,752.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2011-2012



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		5			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$29,001.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$23,200.80			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			
 <b>Annual Data</b>					
<b>Fiscal Year:</b>		2014-2015			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		5			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
FCSAP Mntring Expenditure:		\$0.00			

<a href="#">119</a>	1 of 1	SE/150.8	58.9 / -1.18	Ottawa ON	WWIS
<b>Well ID:</b>	7227885			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	9/22/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z193853			<b>Owner:</b>	
<b>Tag:</b>	A165588			<b>Street Name:</b>	52 BAYVIEW
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005131654	<b>Elevation:</b>	57.04
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	442966
<b>Code OB Desc:</b>		<b>North83:</b>	5028561
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-AUG-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1005401164
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	02
<b>Most Common Material:</b>	TOPSOIL
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.61
<b>Formation End Depth UOM:</b>	m

#### Overburden and Bedrock

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1005401165		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			01		
<b>Most Common Material:</b>			FILL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		
<b>Formation Top Depth:</b>			.61		
<b>Formation End Depth:</b>			2.49		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1005401166		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			05		
<b>Most Common Material:</b>			CLAY		
<b>Mat2:</b>			84		
<b>Other Materials:</b>			SILTY		
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		
<b>Formation Top Depth:</b>			2.49		
<b>Formation End Depth:</b>			4.57		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1005401175		
<b>Layer:</b>			2		
<b>Plug From:</b>			.31		
<b>Plug To:</b>			1.22		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1005401174		
<b>Layer:</b>			1		
<b>Plug From:</b>			0		
<b>Plug To:</b>			.31		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1005401176		
<b>Layer:</b>			3		
<b>Plug From:</b>			1.22		
<b>Plug To:</b>			4.57		
<b>Plug Depth UOM:</b>			m		
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction ID:</b>		1005401173			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005401163			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005401169			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005401170			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005401168			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005401167			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<a href="#">120</a>	1 of 1	SW/151.1	60.9 / 0.79	131 Parkdale Ave Ottawa ON K1Y1E7	EHS
<b>Order No:</b>	20150130072	<b>Nearest Intersection:</b>			
<b>Status:</b>	C	<b>Municipality:</b>			
<b>Report Type:</b>	Custom Report	<b>Client Prov/State:</b>		ON	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report Date:</b> 05-FEB-15 <b>Date Received:</b> 30-JAN-15 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>				<b>Search Radius (km):</b> .25 <b>X:</b> -75.733185 <b>Y:</b> 45.408101	
<a href="#">121</a>	1 of 1	SW/152.7	60.9 / 0.79	ON	BORE
<b>Borehole ID:</b> 808555 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Rotary (conventional) <b>Easting:</b> 442584.04 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 9.7 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> 05-DEC-1972 <b>Primary Water Use:</b>				<b>Type:</b> Borehole <b>Status:</b> <b>UTM Zone:</b> 18 <b>Northing:</b> 5028560.56 <b>Orig. Ground Elev m:</b> 60.4 <b>DEM Ground Elev m:</b> 60.6 <b>Primary Name:</b> BH C14 <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> 2.4 <b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b> 218596834 <b>Bottom Depth(m):</b> 0.1				<b>Top Depth(m):</b> 0.0 <b>Stratum Desc:</b> Topsoil	
<b>Stratum ID:</b> 218596835 <b>Bottom Depth(m):</b> 0.6				<b>Top Depth(m):</b> 0.1 <b>Stratum Desc:</b> Brown Fill-Misc Silt - Sand With: Gr	
<b>Stratum ID:</b> 218596836 <b>Bottom Depth(m):</b> 9.7				<b>Top Depth(m):</b> 0.6 <b>Stratum Desc:</b> Grey Limestone	
<a href="#">122</a>	1 of 1	SE/152.9	58.9 / -1.21	Ottawa ON	WWIS
<b>Well ID:</b> 7227886 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z193852 <b>Tag:</b> A165589 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 9/22/2014 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 52 BAYVIEW ROAD <b>County:</b> OTTAWA-CARLETON <b>Municipality:</b> NEPEAN TOWNSHIP <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1005131657 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b>				<b>Elevation:</b> 57.03 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 442961	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB Desc:</b>				<b>North83:</b>	5028557
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-AUG-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1005401180  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:**  
**Other Materials:**  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 2.44  
**Formation End Depth:** 3.1  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1005401179  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 01  
**Most Common Material:** FILL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** .61  
**Formation End Depth:** 2.44  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1005401178  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 0  
**Formation End Depth:** .61  
**Formation End Depth UOM:** m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005401190			
<i>Layer:</i>		3			
<i>Plug From:</i>		.91			
<i>Plug To:</i>		3.1			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005401188			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005401189			
<i>Layer:</i>		2			
<i>Plug From:</i>		.31			
<i>Plug To:</i>		.91			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005401187			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005401177			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005401183			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		.91			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005401184			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		.91			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen End Depth:</b>		3.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005401182			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005401181			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.1			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[123](#)    1 of 1       **WSW/153.0**    **59.9 / -0.21**    **Ottawa ON**    **WWIS**

<b>Well ID:</b>	7240370	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	4/22/2015
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z207414	<b>Owner:</b>	
<b>Tag:</b>	A178457	<b>Street Name:</b>	50 COLOMBINE DRIVEWAY
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005327885	<b>Elevation:</b>	59.46
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	442482
<b>Code OB Desc:</b>		<b>North83:</b>	5028666
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	30-MAR-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005599023			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.91			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005599024			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		.91			
<b>Formation End Depth:</b>		5.79			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005599035			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		5.79			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005599034			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005599033			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005599032			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005599022			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005599028			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005599029			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		5.79			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005599027			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005599025			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Diameter</b>					
Hole ID:		1005599026			
Diameter:		7.62			
Depth From:		1.5			
Depth To:		5.79			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">124</a>	1 of 1	ENE/155.1	52.6 / -7.53	ON	WWIS
Well ID:	7154749			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	11/19/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6894
Casing Material:				Form Version:	5
Audit No:	M04998			Owner:	
Tag:	A084438			Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

<b>Bore Hole Information</b>					
Bore Hole ID:	1003411148			Elevation:	61.58
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	443122
Code OB Desc:				North83:	5028844
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	28-OCT-10			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

<a href="#">125</a>	1 of 1	SE/156.3	58.6 / -1.52	ON	WWIS
Well ID:	7290570			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	7/18/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	8
Audit No:	C35578			Owner:	
Tag:	A198913			Street Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	OTTAWA-CARLETON NEPEAN TOWNSHIP

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006635118	<b>Elevation:</b>	57.14
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443003
<b>Code OB Desc:</b>		<b>North83:</b>	5028569
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	22-NOV-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<a href="#">126</a>	1 of 1	E/156.8	54.6 / -5.51	Ottawa ON	WWIS
<b>Well ID:</b> 7248713 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z215208 <b>Tag:</b> A165698 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 9/21/2015 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 7 BAYVIEW STREET <b>County:</b> OTTAWA-CARLETON <b>Municipality:</b> OTTAWA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005697031	<b>Elevation:</b>	57.56
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443133
<b>Code OB Desc:</b>		<b>North83:</b>	5028746
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Completed:</b>	21-AUG-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005721912  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005721913  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 01  
**Other Materials:** FILL  
**Formation Top Depth:** .31  
**Formation End Depth:** 2.13  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1005721914  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 2.13  
**Formation End Depth:** 3.81  
**Formation End Depth UOM:** m

**Annular Space/Abandonment  
Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1005721925			
<b>Layer:</b>		3			
<b>Plug From:</b>		2			
<b>Plug To:</b>		3.81			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721924			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		2			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721923			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005721922			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005721911			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005721917			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.29			
<b>Casing Diameter:</b>		3.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005721918			
<b>Layer:</b>		2			
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005721919			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.29			
<b>Screen End Depth:</b>		3.81			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005721916			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005721915			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.81			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

127    1 of 1    E/156.9    54.6 / -5.51    Ottawa ON    WWIS

<b>Well ID:</b>	7248715	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	9/21/2015
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z215209	<b>Owner:</b>	
<b>Tag:</b>	A165697	<b>Street Name:</b>	7 BAYVIEW
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005697037	<b>Elevation:</b>	57.62
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB:</b>				<b>East83:</b>	443134
<b>Code OB Desc:</b>				<b>North83:</b>	5028750
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	21-AUG-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005721944  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 01  
**Other Materials:** FILL  
**Formation Top Depth:** .31  
**Formation End Depth:** 2.13  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005721946  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 17  
**Other Materials:** SHALE  
**Mat3:** 74  
**Other Materials:** LAYERED  
**Formation Top Depth:** 4.27  
**Formation End Depth:** 7.32  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005721943  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005721945			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		2.13			
<b>Formation End Depth:</b>		4.27			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721956			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		5.49			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721955			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721957			
<b>Layer:</b>		3			
<b>Plug From:</b>		5.49			
<b>Plug To:</b>		7.32			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005721954			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005721942			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1005721950  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 5.79  
**Casing Diameter:** 5.2  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1005721951  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 5.79  
**Screen End Depth:** 7.32  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03

**Water Details**

**Water ID:** 1005721949  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1005721947  
**Diameter:** 11.43  
**Depth From:** 0  
**Depth To:** 4.57  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1005721948  
**Diameter:** 7.62  
**Depth From:** 4.57  
**Depth To:** 7.32  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">128</a>	1 of 1	W/160.7	59.9 / -0.21	Ottawa ON	WWIS
---------------------	--------	---------	--------------	-----------	------

**Well ID:** 7240372  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z207412

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 4/22/2015  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A178463			Street Name:	50 COLOMBINE DRIVEWAY
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

#### Bore Hole Information

Bore Hole ID:	1005327891	Elevation:	58.8
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442453
Code OB Desc:		North83:	5028718
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	30-MAR-15	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

#### Overburden and Bedrock

##### Materials Interval

Formation ID:	1005599080
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	85
Other Materials:	SOFT
Formation Top Depth:	0
Formation End Depth:	1.22
Formation End Depth UOM:	m

#### Overburden and Bedrock

##### Materials Interval

Formation ID:	1005599081
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	71
Other Materials:	FRACTURED
Formation Top Depth:	1.22
Formation End Depth:	4.57

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599090			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599092			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005599091			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005599089			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005599079			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005599085			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005599086			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<b><u>Water Details</u></b>					
Water ID:		1005599084			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005599082			
Diameter:		11.43			
Depth From:		0			
Depth To:		1.83			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005599083			
Diameter:		7.62			
Depth From:		1.83			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[129](#)    1 of 1    **ESE/161.8**    **58.0 / -2.12**    **Ottawa ON**    **WWIS**

<b>Well ID:</b>	7227767	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	9/22/2014
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z188369	<b>Owner:</b>	
<b>Tag:</b>	A157949	<b>Street Name:</b>	53 BAYVIEW
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

**Bore Hole ID:** 1005130299    **Elevation:** 57.41



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443049
<b>Code OB Desc:</b>				<b>North83:</b>	5028592
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-AUG-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005381848  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005381850  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 06  
**Other Materials:** SILT  
**Formation Top Depth:** 3.1  
**Formation End Depth:** 5.49  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005381851  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:** 74  
**Other Materials:** LAYERED  
**Formation Top Depth:** 5.49

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		12.19			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005381849			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		3.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005381862			
<b>Layer:</b>		3			
<b>Plug From:</b>		10.36			
<b>Plug To:</b>		12.19			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005381860			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005381861			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		10.36			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005381859			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005381847			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1005381855  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 10.67  
**Casing Diameter:** 4.03  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1005381856  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 10.67  
**Screen End Depth:** 12.19  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 4.82

**Water Details**

**Water ID:** 1005381854  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1005381853  
**Diameter:** 11.43  
**Depth From:** 0  
**Depth To:** 5.49  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1005381852  
**Diameter:** 7.62  
**Depth From:** 5.49  
**Depth To:** 12.19  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

[130](#)    1 of 1    **E/163.6**    **54.6 / -5.51**    **Ottawa ON**    **WWIS**

<b>Well ID:</b> 7248714	<b>Data Entry Status:</b>
<b>Construction Date:</b>	<b>Data Src:</b>
<b>Primary Water Use:</b> Monitoring and Test Hole	<b>Date Received:</b> 9/21/2015
<b>Sec. Water Use:</b> 0	<b>Selected Flag:</b> Yes
<b>Final Well Status:</b> Monitoring and Test Hole	<b>Abandonment Rec:</b>
<b>Water Type:</b>	<b>Contractor:</b> 7241

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z215207			<b>Owner:</b>	
<b>Tag:</b>	A165696			<b>Street Name:</b>	7 BAYVIEW STREET
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005697034			<b>Elevation:</b>	57.57
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443137
<b>Code OB Desc:</b>				<b>North83:</b>	5028730
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	21-AUG-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005721927				
<b>Layer:</b>	1				
<b>Color:</b>	8				
<b>General Color:</b>	BLACK				
<b>Mat1:</b>	11				
<b>Most Common Material:</b>	GRAVEL				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>	66				
<b>Other Materials:</b>	DENSE				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	.31				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005721930				
<b>Layer:</b>	4				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>	17				
<b>Other Materials:</b>	SHALE				
<b>Mat3:</b>	74				
<b>Other Materials:</b>	LAYERED				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		3.1			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005721929			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		2.13			
<b>Formation End Depth:</b>		3.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005721928			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721941			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.27			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721940			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		4.27			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005721939			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005721938			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005721926			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005721934			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.57			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005721935			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4.57			
<b>Screen End Depth:</b>		6.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005721933			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005721931			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.35			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:			1005721932		
Diameter:			7.62		
Depth From:			3.35		
Depth To:			6.1		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		

<a href="#">131</a>	1 of 1	ENE/164.1	52.6 / -7.53	OTTAWA ON	WWIS
<b>Well ID:</b>	7242779			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201407			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005402709	<b>Elevation:</b>	60.57
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443138
<b>Code OB Desc:</b>		<b>North83:</b>	5028826
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1005657836
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1
<b>Plug Depth UOM:</b>	ft

**Annular Space/Abandonment Sealing Record**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug ID:</b>		1005657837			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		18			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657835			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HAND PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657827			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657831			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657832			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657830			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005657829			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#">132</a>	1 of 1	<b>W/165.1</b>	<b>59.9 / -0.21</b>	<b>Environmental Health Centre</b>	<b>FCS</b>
<b>Ottawa ON</b>					
<b>SGC:</b>		3506008			
<b>Site ID:</b>		50064001			
<b>Departmental ID:</b>		LAB-OT-05			
<b>Depart Code:</b>		SHC			
<b>Class Type:</b>		3			
<b>Class:</b>		Low Priority for Action			
<b>Site Name:</b>		Environmental Health Centre			
<b>Site Name (FR):</b>		Centre de santé environnementale			
<b>Site Status:</b>		Closed			
<b>Site Status Desc:</b>		Confirmatory sampling completed. No further action required.			
<b>Site Status (FR):</b>		Fermé			
<b>Description (FR):</b>		Échantillonnage de confirmation terminé. Aucune autre mesure nécessaire.			
<b>Involv Code:</b>					
<b>Census Division:</b>		Ottawa			
<b>Municipality:</b>		Ottawa			
<b>Census Sub Class:</b>		1			
<b>Latitude:</b>		45.409269			
<b>Longitude:</b>		-75.735275			
<b>Location:</b>					
<b>Protected Data:</b>		0			
<b>FED:</b>		75			
<b>Fed Electoral District:</b>		Ottawa Centre			
<b>Fed Electoral District (FR):</b>		Ottawa-Centre			
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b>		9			
<b>Site Deleted Flag:</b>					
<b>Created:</b>		2005-07-28T11:44:00			
<b>Modified:</b>		2013-07-19T15:54:50.177			
<b>Property No.:</b>		8752			
<b>Est m³ Contmnted:</b>		44			
<b>Est Ha Contmnted:</b>					
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b>		6,760			
<b>Est Population at 10 Km:</b>		649,599			
<b>Est Population at 25 Km:</b>		1,226,766			
<b>Est Population at 5 Km:</b>		210,436			
<b>Est Population at 50 Km:</b>		1,442,120			
<b>Reporting Org:</b>		Health Canada			
<b>Reporting Org (FR):</b>		Santé Canada			
<b>Reason for Involv:</b>		Federal Real Property			
<b>Reason for Involv (FR):</b>		Biens immobiliers fédéraux			
<b>Liable Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention faible			
<b>Action Plan:</b>		Based upon the results of an assessment completed in 2009-10, it has been determined that natural attenuation of contamination is occurring at the site. An ongoing monitoring program is in place to ensure risks to human health and the environment remain neutralized.			
<b>Action Plan (FR):</b>		Sur la base des résultats d'une évaluation effectuée en 2009-10, il a été déterminé que l'atténuation naturelle de la contamination se produit sur le site. Un programme de surveillance continue est en place pour s'assurer que les risques pour la santé humaine et l'environnement restent neutralisés.			
<b>Site Mgmt Strategy:</b>		Other			
<b>Minimap URL:</b>		<a href="http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=50064001">http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=50064001</a>			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					

**Management**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Management Code:</i>	9				
<i>Management Type (EN):</i>		Other			
<i>Management Type (FR):</i>		Autre type de gestion			
<b><u>Contamination</u></b>					
<i>Contaminant:</i>		PHCs (petroleum hydrocarbons)			
<i>Contamination (FR):</i>		HCP (hydrocarbures pétroliers)			
<i>Medium Code:</i>	2				
<i>Medium:</i>		Groundwater			
<i>Medium (FR):</i>		Eau souterraine			
<i>Contaminant:</i>		PHCs (petroleum hydrocarbons)			
<i>Contamination (FR):</i>		HCP (hydrocarbures pétroliers)			
<i>Medium Code:</i>	5				
<i>Medium:</i>		Soil			
<i>Medium (FR):</i>		Sol			
<b><u>Annual Data</u></b>					
<i>Fiscal Year:</i>	2007-2008				
<i>Reporting Organization:</i>	SHC				
<i>Reporting Organization (EN):</i>	Health Canada				
<i>Reporting Organization (FR):</i>	Santé Canada				
<i>Class Type:</i>					
<i>Class (EN):</i>					
<i>Class (FR):</i>					
<i>CCME Flag:</i>					
<i>CCME NCS Year:</i>					
<i>Step Name (EN):</i>					
<i>Step Name (FR):</i>					
<i>Highest Step Completed:</i>	7				
<i>Highest Step Completed Desc:</i>					
<i>Planned Compl Date Step7:</i>					
<i>Planned Compl Date Step8:</i>					
<i>Planned Compl Date Step9:</i>					
<i>Created:</i>					
<i>Modified:</i>					
<i>NCSCS Year:</i>		No			
<i>Closed:</i>		No			
<i>Actual Cubic Metres Rem:</i>	0				
<i>Actual Hectares Rem:</i>	0				
<i>Actual Tons Remediated:</i>	0				
<i>Total Asmt Expenditure:</i>	\$0.00				
<i>Total Remediation Expenditure:</i>	\$0.00				
<i>Total Care/Maint Expenditur:</i>	\$0.00				
<i>Total Mntring Expenditure:</i>	\$0.00				
<i>Ttl Expenditure Reduc Liabil:</i>					
<i>FCSAP Asmt Expenditure:</i>	\$0.00				
<i>FCSAP Remed Expenditure:</i>	\$0.00				
<i>FCSAP Care/Maint Expenditur:</i>	\$0.00				
<i>FCSAP Mntring Expenditure:</i>	\$0.00				
<b><u>Annual Data</u></b>					
<i>Fiscal Year:</i>	2008-2009				
<i>Reporting Organization:</i>	SHC				
<i>Reporting Organization (EN):</i>	Health Canada				
<i>Reporting Organization (FR):</i>	Santé Canada				
<i>Class Type:</i>					
<i>Class (EN):</i>					
<i>Class (FR):</i>					
<i>CCME Flag:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 8  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2006-2007  
**Reporting Organization:** SHC  
**Reporting Organization (EN):** Health Canada  
**Reporting Organization (FR):** Santé Canada  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 7  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$24,872.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2005-2006  
**Reporting Organization:** SHC

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Reporting Organization (EN):</b>		Health Canada			
<b>Reporting Organization (FR):</b>		Santé Canada			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>	7				
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$11,000.00			
<b>Total Remediation Expenditure:</b>		\$11,000.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

**Annual Data**

<b>Fiscal Year:</b>	2009-2010
<b>Reporting Organization:</b>	SHC
<b>Reporting Organization (EN):</b>	Health Canada
<b>Reporting Organization (FR):</b>	Santé Canada
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	9
<b>Highest Step Completed Desc:</b>	
<b>Planned Compl Date Step7:</b>	
<b>Planned Compl Date Step8:</b>	
<b>Planned Compl Date Step9:</b>	
<b>Created:</b>	
<b>Modified:</b>	
<b>NCSCS Year:</b>	
<b>Closed:</b>	Yes
<b>Actual Cubic Metres Rem:</b>	45
<b>Actual Hectares Rem:</b>	0
<b>Actual Tons Remediated:</b>	0
<b>Total Asmt Expenditure:</b>	\$24,392.00
<b>Total Remediation Expenditure:</b>	\$0.00
<b>Total Care/Maint Expenditur:</b>	\$0.00
<b>Total Mntring Expenditure:</b>	\$0.00
<b>Ttl Expenditure Reduc Liabil:</b>	
<b>FCSAP Asmt Expenditure:</b>	\$0.00
<b>FCSAP Remed Expenditure:</b>	\$0.00
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00
<b>FCSAP Mntring Expenditure:</b>	\$0.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">133</a>	1 of 1	SW/165.3	60.9 / 0.79	131 PARKDALE AVENUE OTTAWA ON K1Y 1E7	EHS
<b>Order No:</b>	20070322027			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	CAN - Custom Report			<b>Client Prov/State:</b>	
<b>Report Date:</b>	4/2/2007			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	3/22/2007			<b>X:</b>	-75.733357
<b>Previous Site Name:</b>				<b>Y:</b>	45.40804
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans				

<a href="#">134</a>	1 of 1	E/165.9	52.8 / -7.29	OTTAWA ON	WWIS
<b>Well ID:</b>	7242774			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201479			<b>Owner:</b>	
<b>Tag:</b>	A058378			<b>Street Name:</b>	7 BAYVIEW RD.
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005402694	<b>Elevation:</b>	58.95
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443145
<b>Code OB Desc:</b>		<b>North83:</b>	5028800
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b>	1005657773
<b>Layer:</b>	2
<b>Plug From:</b>	1
<b>Plug To:</b>	17

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005657772			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657771			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HAND PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657763			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657767			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657768			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657766			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole ID: 1005657765  
Diameter:  
Depth From:  
Depth To:  
Hole Depth UOM: ft  
Hole Diameter UOM: inch

[135](#) 1 of 1 ESE/166.0 58.0 / -2.12 ON **BORE**

<b>Borehole ID:</b>	800398	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status:</b>	
<b>Drill Method:</b>	Boring	<b>UTM Zone:</b>	18
<b>Easting:</b>	443037.36	<b>Northing:</b>	5028577.6
<b>Location Accuracy:</b>		<b>Orig. Ground Elev m:</b>	56.7
<b>Elev. Reliability Note:</b>		<b>DEM Ground Elev m:</b>	57.2
<b>Total Depth m:</b>	4.8	<b>Primary Name:</b>	AH 8
<b>Township:</b>		<b>Concession:</b>	
<b>Lot:</b>		<b>Municipality:</b>	
<b>Completion Date:</b>	24-AUG-1982	<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>		<b>Sec. Water Use:</b>	

--Details--

<b>Stratum ID:</b>	218564872	<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2	<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564873	<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	1.8	<b>Stratum Desc:</b>	Brown Fill-Misc Sand With: Gr W Constr Debris
<b>Stratum ID:</b>	218564874	<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	4.8	<b>Stratum Desc:</b>	Light Brown Sand With: Gr

[136](#) 1 of 1 ESE/167.2 56.9 / -3.21 Ottawa ON **WWIS**

<b>Well ID:</b>	7207736	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	9/12/2013
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z151004	<b>Owner:</b>	
<b>Tag:</b>	A150096	<b>Street Name:</b>	80 BAYVIEW
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004564176	<b>Elevation:</b>	57.89
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB:</b>				<b>East83:</b>	443091
<b>Code OB Desc:</b>				<b>North83:</b>	5028624
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-AUG-13			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004599116  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 73  
**Other Materials:** HARD  
**Formation Top Depth:** 0  
**Formation End Depth:** 1.83  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004599117  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 73  
**Other Materials:** HARD  
**Mat3:** 71  
**Other Materials:** FRACTURED  
**Formation Top Depth:** 1.83  
**Formation End Depth:** 9.14  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1004599128  
**Layer:** 3  
**Plug From:** 5.79  
**Plug To:** 9.14  
**Plug Depth UOM:** m

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1004599127  
**Layer:** 2  
**Plug From:** .31



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug To:</i>		5.79			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1004599126			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004599125			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004599115			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004599121			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		6.1			
<i>Casing Diameter:</i>		5.2			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004599122			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		6.1			
<i>Screen End Depth:</i>		9.14			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004599120			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004599118			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.83			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004599119			
<b>Diameter:</b>		8			
<b>Depth From:</b>		1.83			
<b>Depth To:</b>		9.14			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>137</u></b>	<b>1 of 1</b>	<b>ESE/170.2</b>	<b>58.0 / -2.12</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	800400			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Hollow stem auger			<b>UTM Zone:</b>	18
<b>Easting:</b>	443039.7			<b>Northing:</b>	5028574.06
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	56.6
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	57.2
<b>Total Depth m:</b>	5.4			<b>Primary Name:</b>	BH 9
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	20-AUG-1982			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564877			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	2.1			<b>Stratum Desc:</b>	Dark Brown Silt With: Org M
<b>Stratum ID:</b>	218564878			<b>Top Depth(m):</b>	2.1
<b>Bottom Depth(m):</b>	2.4			<b>Stratum Desc:</b>	Grey-Brown Very Stiff Weathered Crust Silty Clay
<b>Stratum ID:</b>	218564879			<b>Top Depth(m):</b>	2.4
<b>Bottom Depth(m):</b>	5.2			<b>Stratum Desc:</b>	Brown Very Dense to Compact Sand With: Gr
<b>Stratum ID:</b>	218564880			<b>Top Depth(m):</b>	5.2
<b>Bottom Depth(m):</b>	5.4			<b>Stratum Desc:</b>	Grey-Brown Till
<b>Stratum ID:</b>	218564875			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564876			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	Brown Loose Cinder Ash cinders and ashes
<b><u>138</u></b>	<b>1 of 1</b>	<b>ENE/171.2</b>	<b>52.8 / -7.29</b>	<b>Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7101198			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	10/24/2007
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M00091			<b>Owner:</b>	
<b>Tag:</b>	A058378			<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001480757			<b>Elevation:</b>	59.1
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443150
<b>Code OB Desc:</b>				<b>North83:</b>	5028803
<b>Open Hole:</b>	N			<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	22-AUG-07			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1002534979				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	11				
<b>Other Materials:</b>	GRAVEL				
<b>Mat3:</b>	01				
<b>Other Materials:</b>	FILL				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	.3				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1002534980				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	84				
<b>Other Materials:</b>	SILTY				
<b>Mat3:</b>	01				
<b>Other Materials:</b>	FILL				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		.3			
<b>Formation End Depth:</b>		5.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1002534981			
<b>Layer:</b>		3			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		26			
<b>Most Common Material:</b>		ROCK			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		5.5			
<b>Formation End Depth:</b>		6.4			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002534983			
<b>Layer:</b>		1			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		2			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002534987			
<b>Method Construction Code:</b>		E			
<b>Method Construction:</b>		Auger			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002534978			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002534984			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.4			
<b>Casing Diameter:</b>		51			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002534985			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	58				
<b><u>Hole Diameter</u></b>					
Hole ID:		1002534982			
Diameter:		20			
Depth From:		0			
Depth To:		6.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">139</a>	1 of 1	E/177.5	52.8 / -7.29	Ottawa ON	WWIS
<b>Well ID:</b>	7187780			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	9/24/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z157233			<b>Owner:</b>	
<b>Tag:</b>	A125781			<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004162385	<b>Elevation:</b>	58.82
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443157
<b>Code OB Desc:</b>		<b>North83:</b>	5028797
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	24-AUG-12	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1004437144			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		1.22			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004437145			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		1.22			
<b>Formation End Depth:</b>		13.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004437143			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437154			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437156			
<b>Layer:</b>		3			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug From:</b>		10.36			
<b>Plug To:</b>		13.7			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004437155			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		10.36			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004437153			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004437142			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004437149			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		10.67			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004437150			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10.67			
<b>Screen End Depth:</b>		13.7			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004437148			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1004437146			
Diameter:		11.43			
Depth From:		0			
Depth To:		1.22			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004437147			
Diameter:		7.62			
Depth From:		1.22			
Depth To:		13.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">140</a>	1 of 1	ENE/177.5	52.8 / -7.29	OTTAWA ON	WWIS
<b>Well ID:</b>	7242771			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201408			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005402685	<b>Elevation:</b>	59.72
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443155
<b>Code OB Desc:</b>		<b>North83:</b>	5028812
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	5
<b>Date Completed:</b>	12-MAY-15	<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment  
Sealing Record**



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1005657727			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005657728			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		13			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005657726			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HAND PULL			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005657718			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005657722			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		2.067			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005657723			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005657721			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b>Hole Diameter</b>					
<b>Hole ID:</b>		1005657720			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">141</a>	1 of 1	ESE/180.8	57.1 / -2.97	ON	WWIS
<b>Well ID:</b>		7200461		<b>Data Entry Status:</b> Yes	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b> 4/17/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 1844	
<b>Casing Material:</b>				<b>Form Version:</b> 8	
<b>Audit No:</b> C20632				<b>Owner:</b>	
<b>Tag:</b> A122944				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevation (m):</b>				<b>Municipality:</b> OTTAWA CITY	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>		1004275584		<b>Elevation:</b> 57.47	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 443068	
<b>Code OB Desc:</b>				<b>North83:</b> 5028583	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b> 30-JUL-12				<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<a href="#">142</a>	1 of 1	ESE/182.7	57.2 / -2.90	Ottawa ON	WWIS
<b>Well ID:</b>		7290577		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b> 7/18/2017	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b> 0				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 1844	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z232163			<b>Owner:</b>	
<b>Tag:</b>	A202156			<b>Street Name:</b>	52-80 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1006635180		<b>Elevation:</b>	57.49
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443071
<b>Code OB Desc:</b>				<b>North83:</b>	5028583
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>		17-MAR-17		<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006698867			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		17			
<b>Other Materials:</b>		SHALE			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.2			
<b>Formation End Depth:</b>		11.6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006698866			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Mat3:</b>					
<b>Other Materials:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006698873			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		8.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006698872			
<b>Method Construction Code:</b>		7			
<b>Method Construction:</b>		Diamond			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006698865			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006698870			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		10.06			
<b>Casing Diameter:</b>		3.18			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006698871			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10.06			
<b>Screen End Depth:</b>		11.58			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		3.88			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006698869			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1006698868			
Diameter:		7.62			
Depth From:		0			
Depth To:		11.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">143</a>	1 of 3	ESE/188.3	56.9 / -3.21	LA FLEUR DE LA CAPITAL 84 BAYVIEW ROAD OTTAWA ON K1Y 4L6	GEN
Generator No:	ON2640400			PO Box No:	
Status:				Country:	
Approval Years:	01,02			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4411				
SIC Description:		CONSTR. PROJ. MGMT.			
<b><u>--Details--</u></b>					
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
<a href="#">143</a>	2 of 3	ESE/188.3	56.9 / -3.21	LA FLEUR DE LA CAPITALE 84 BAYVIEW ROAD OTTAWA ON	GEN
Generator No:	ON2640400			PO Box No:	
Status:				Country:	
Approval Years:	03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	561730				
SIC Description:		Landscaping Services			
<b><u>--Details--</u></b>					
Waste Code:		212			
Waste Description:		ALIPHATIC SOLVENTS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		331			
Waste Description:		WASTE COMPRESSED GASES			
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">143</a>	3 of 3	ESE/188.3	56.9 / -3.21	LAFLEUR DE LA CAPITALE INC. 84 BAYVIEW ROAD OTTAWA ON K1Y 4L6	PES
<b>Billing No:</b> <b>Trade Name:</b> <b>Licence No:</b> <b>Detail Licence No:</b> <b>Licence Type Code:</b> <b>Licence Type:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Operator No:</b> <b>Operator Class:</b> <b>Operator Type:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Box:</b>		<b>Op Municipality:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Region:</b> <b>County:</b> <b>District:</b> <b>Lot:</b> <b>Concession:</b> <b>Post Office Box:</b> <b>Report Source:</b>			
<a href="#">144</a>	1 of 23	ESE/193.3	57.2 / -2.90	DIRECTOR RICHMOND REGION 80 BAYVIEW RD OTTAWA ON K1Y 4L6	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10901042 FS Liquid Fuel Tank EXPIRED  12/14/1990			
<a href="#">144</a>	2 of 23	ESE/193.3	57.2 / -2.90	DIRECTOR RICHMOND REGION 80 BAYVIEW RD OTTAWA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10901033 51326 FS Piping FS Piping EXPIRED     			
<a href="#">144</a>	3 of 23	ESE/193.3	57.2 / -2.90	DIRECTOR RICHMOND REGION 80 BAYVIEW RD OTTAWA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10901048 51023 FS Piping FS Piping EXPIRED     			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">144</a>	4 of 23	ESE/193.3	57.2 / -2.90	DIRECTOR RICHMOND REGION 80 BAYVIEW RD OTTAWA ON K1Y 4L6	EXP
<p>Instance No: 10901024  Instance ID:  Instance Type: FS Liquid Fuel Tank  Description:  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date: 12/14/1990</p>					
<a href="#">144</a>	5 of 23	ESE/193.3	57.2 / -2.90	DIRECTOR RICHMOND REGION 80 BAYVIEW RD OTTAWA ON	EXP
<p>Instance No: 9380135  Instance ID: 380925  Instance Type: FS Facility  Description: Fuels Safety Private Fuel Outlet - Self Serve  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">144</a>	6 of 23	ESE/193.3	57.2 / -2.90	DIRECTOR RICHMOND REGION 80 BAYVIEW RD OTTAWA ON K1Y 4L6	EXP
<p>Instance No: 10901024  Instance ID:  Instance Type: FS Liquid Fuel Tank  Description: Fuels Safety Private Fuel Outlet - Self Serve  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type: FS Liquid Fuel Tank  Expired Date: 12/14/1990</p>					
<a href="#">144</a>	7 of 23	ESE/193.3	57.2 / -2.90	DIRECTOR RICHMOND REGION 80 BAYVIEW RD OTTAWA ON K1Y 4L6	EXP
<p>Instance No: 10901042  Instance ID:  Instance Type: FS Liquid Fuel Tank  Description: Fuels Safety Private Fuel Outlet - Self Serve  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type: FS Liquid Fuel Tank  Expired Date: 12/14/1990</p>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<a href="#">144</a>	8 of 23	ESE/193.3	57.2 / -2.90	NATIONAL CAPITAL COMMISSION 80 Bayview Street Ottawa ON	GEN
<b>Generator No:</b>	ON4263465			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	114				
<b>Waste Description:</b>	OTHER INORGANIC ACID WASTES				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	267				
<b>Waste Description:</b>	ORGANIC ACIDS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	123				
<b>Waste Description:</b>	ALKALINE PHOSPHATES				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">144</a>	9 of 23	ESE/193.3	57.2 / -2.90	NATIONAL CAPITAL COMMISSION 80 BAYVIEW ROAD, OTTAWA, ON K1Y 4L6	GEN
<b>Generator No:</b>	ON0128802			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8164				
<b>SIC Description:</b>	REC./CULTURE ADMIN.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">144</a>	10 of 23	ESE/193.3	57.2 / -2.90	NATIONAL CAPITAL COMMISSION 80 Bayview Street Ottawa ON K1Y 4L6	GEN
<b>Generator No:</b>	ON4263465			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Pierre Lalonde
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-239-5350 Ext.
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	911910				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	267				
<b>Waste Description:</b>	ORGANIC ACIDS				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		123			
<b>Waste Description:</b>		ALKALINE PHOSPHATES			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			

<a href="#">144</a>	11 of 23	<b>ESE/193.3</b>	<b>57.2 / -2.90</b>	<b>NATIONAL CAPITAL COMMISSION 80 Bayview Street Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON4263465			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<b>--Details--</b>					
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		123			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ALKALINE PHOSPHATES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<a href="#">144</a>	12 of 23	ESE/193.3	57.2 / -2.90	GVT. OF CAN-NATIONAL CAPITAL COMM. 80 BAYVIEW ROAD, OTTAWA, ON K1Y 4L6	GEN
<b>Generator No:</b>		ON0128802		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		86,87		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		0000			
<b>SIC Description:</b>		*** NOT DEFINED ***			
<a href="#">144</a>	13 of 23	ESE/193.3	57.2 / -2.90	NATIONAL CAPITAL COMMISSION 18-282 80 BAYVIEW ROAD OTTAWA ON K1Y 4L6	GEN
<b>Generator No:</b>		ON0128802		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		92,93,94,95,96,97		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		8164			
<b>SIC Description:</b>		REC./CULTURE ADMIN.			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<a href="#">144</a>	14 of 23	ESE/193.3	57.2 / -2.90	NATIONAL CAPITAL COMMISSION 80 Bayview Street Ottawa ON	GEN
<b>Generator No:</b>		ON4263465		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2010		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>		Other Federal Government Public Administration			
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>	331				
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>	212				
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>	121				
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>	267				
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>	123				
<b>Waste Description:</b>		ALKALINE PHOSPHATES			
<b>Waste Code:</b>	263				
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>	112				
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>	114				
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>	145				
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>	221				
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>	122				
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>	262				
<b>Waste Description:</b>		DETERGENTS/SOAPS			

[144](#)

15 of 23

ESE/193.3

57.2 / -2.90

NATIONAL CAPITAL COMMISSION  
80 Bayview Street  
Ottawa ON

GEN

**Generator No:**

ON4263465

**Status:**

**PO Box No:**

**Approval Years:**

2009

**Country:**

**Contam. Facility:**

**Choice of Contact:**

**MHSW Facility:**

**Co Admin:**

**SIC Code:**

911910

**Phone No Admin:**

**SIC Description:**

Other Federal Government Public Administration

**--Details--**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		123			
<b>Waste Description:</b>		ALKALINE PHOSPHATES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">144</a>	16 of 23	<b>ESE/193.3</b>	<b>57.2 / -2.90</b>	<b>NATIONAL CAPITAL COMMISSION 80 Bayview Street Ottawa ON K1Y 4L6</b>	<b>GEN</b>
<b>Generator No:</b>	ON4263465			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

**--Details--**

<b>Waste Code:</b>	112 C
<b>Waste Description:</b>	Acid solutions - containing heavy metals
<b>Waste Code:</b>	121 C
<b>Waste Description:</b>	Alkaline slutions - containing heavy metals
<b>Waste Code:</b>	145 I
<b>Waste Description:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Code:</b>	145 L
<b>Waste Description:</b>	Wastes from the use of pigments, coatings and paints

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		146 T			
<b>Waste Description:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Code:</b>		148 C			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		213 L			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		221 I			
<b>Waste Description:</b>		Light fuels			
<b>Waste Code:</b>		241 H			
<b>Waste Description:</b>		Halogenated solvents and residues			
<b>Waste Code:</b>		241 L			
<b>Waste Description:</b>		Halogenated solvents and residues			
<b>Waste Code:</b>		241 T			
<b>Waste Description:</b>		Halogenated solvents and residues			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		263 I			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		263 L			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		267 L			
<b>Waste Description:</b>		Organic acids			
<b>Waste Code:</b>		331 I			
<b>Waste Description:</b>		Waste compressed gases including cylinders			

<a href="#">144</a>	17 of 23	<b>ESE/193.3</b>	<b>57.2 / -2.90</b>	<b>NATIONAL CAPITAL COMMISSION 80 BAYVIEW ROAD OTTAWA ON K1Y 4L6</b>	<b>GEN</b>
<b>Generator No:</b>	ON0128802			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8164				
<b>SIC Description:</b>	REC./CULTURE ADMIN.				
<b>--Details--</b>					
<b>Waste Code:</b>	222				
<b>Waste Description:</b>	HEAVY FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				

<a href="#">144</a>	18 of 23	<b>ESE/193.3</b>	<b>57.2 / -2.90</b>	<b>NATIONAL CAPITAL COMMISSION 80 Bayview Street</b>	<b>GEN</b>
---------------------	----------	------------------	---------------------	----------------------------------------------------------	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ottawa ON K1Y 4L6</b>					
<b>Generator No:</b>	ON4263465			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>	Other Federal Government Public Administration				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	267				
<b>Waste Description:</b>	ORGANIC ACIDS				
<b>Waste Code:</b>	114				
<b>Waste Description:</b>	OTHER INORGANIC ACID WASTES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	123				
<b>Waste Description:</b>	ALKALINE PHOSPHATES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>144</b>	19 of 23	<b>ESE/193.3</b>	<b>57.2 / -2.90</b>	<b>NATIONAL CAPITAL COMMISSION</b> 80 Bayview Street Ottawa ON K1Y 4L6	<b>GEN</b>
<b>Generator No:</b>	ON4263465			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Pierre Lalonde
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-239-5350 Ext.
<b>SIC Code:</b>	911910				
<b>SIC Description:</b>		911910			
<b>--Details--</b>					
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		123			
<b>Waste Description:</b>		ALKALINE PHOSPHATES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>144</b>	<b>20 of 23</b>	<b>ESE/193.3</b>	<b>57.2 / -2.90</b>	<b>NATIONAL CAPITAL COMMISSION</b> <b>80 Bayview Street</b> <b>Ottawa ON K1Y 4L6</b>	<b>GEN</b>
<b>Generator No:</b>	ON4263465			<b>PO Box No:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	114				
<b>Waste Description:</b>	OTHER INORGANIC ACID WASTES				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	123				
<b>Waste Description:</b>	ALKALINE PHOSPHATES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

[144](#)    21 of 23    **ESE/193.3**    **57.2 / -2.90**    **NATIONAL CAPITAL COMMISSION**  
**80 Bayview Street**  
**Ottawa ON K1Y 4L6**    **GEN**

<b>Generator No:</b>	ON4263465	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2014	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	Pierre Lalonde
<b>MHSW Facility:</b>	No	<b>Phone No Admin:</b>	613-239-5350 Ext.
<b>SIC Code:</b>	911910		
<b>SIC Description:</b>	911910		

**--Details--**

**Waste Code:** 263  
**Waste Description:** ORGANIC LABORATORY CHEMICALS

**Waste Code:** 122  
**Waste Description:** ALKALINE WASTES - OTHER METALS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		123			
<b>Waste Description:</b>		ALKALINE PHOSPHATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			

[144](#)    22 of 23    **ESE/193.3**    **57.2 / -2.90**    **DIRECTOR RICHMOND REGION  
80 BAYVIEW  
OTTAWA ON K1Y 4L6**    **PRT**

**Location ID:** 10870  
**Type:** private  
**Expiry Date:**  
**Capacity (L):** 9000.00  
**Licence #:** 0001048805

[144](#)    23 of 23    **ESE/193.3**    **57.2 / -2.90**    **Ottawa ON**    **WWIS**

**Well ID:** 7209274    **Data Entry Status:**  
**Construction Date:**    **Data Src:**  
**Primary Water Use:** Monitoring    **Date Received:** 10/10/2013

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1119
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z155052			<b>Owner:</b>	
<b>Tag:</b>	A135307			<b>Street Name:</b>	80 BAYVIEW ROAD
<b>Construction Method:</b>				<b>County:</b>	
<b>Elevation (m):</b>				<b>Municipality:</b>	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004599259			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	
<b>Code OB Desc:</b>				<b>North83:</b>	
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	9
<b>Date Completed:</b>	06-AUG-13			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1004669299				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	32				
<b>Formation End Depth:</b>	100				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1004669298				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	11				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		13			
<b>Other Materials:</b>		BOULDERS			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		32			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004669308			
<b>Layer:</b>		1			
<b>Plug From:</b>		50			
<b>Plug To:</b>		42			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004669309			
<b>Layer:</b>		2			
<b>Plug From:</b>		42			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004669307			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004669297			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004669304			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004669305			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1004669303				
<b>Layer:</b>	2				
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>	94				
<b>Water Found Depth UOM:</b>	ft				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1004669302				
<b>Layer:</b>	1				
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>	66				
<b>Water Found Depth UOM:</b>	ft				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1004669300				
<b>Diameter:</b>	9.75				
<b>Depth From:</b>	0				
<b>Depth To:</b>	52				
<b>Hole Depth UOM:</b>	ft				
<b>Hole Diameter UOM:</b>	inch				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1004669301				
<b>Diameter:</b>	5.9375				
<b>Depth From:</b>	52				
<b>Depth To:</b>	100				
<b>Hole Depth UOM:</b>	ft				
<b>Hole Diameter UOM:</b>	inch				
<a href="#">145</a>	1 of 1	SSE/194.2	59.9 / -0.21	The Corporation of the City of Ottawa Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON K1N 5A1	ECA
<b>Approval No:</b>	2010-4KNPH8	<b>MOE District:</b>		Ottawa	
<b>Approval Date:</b>	2000-05-31	<b>City:</b>		Ottawa	
<b>Status:</b>	Approved	<b>Longitude:</b>		-75.7249	
<b>Record Type:</b>	ECA	<b>Latitude:</b>		45.3989	
<b>Link Source:</b>	IDS	<b>Geometry X:</b>			
<b>SWP Area Name:</b>	Rideau Valley	<b>Geometry Y:</b>			
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Address:</b>	Carruthers Ave., Hinchey Ave. & Lyndale Ave.				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5380-4KEN3T-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5380-4KEN3T-14.pdf</a>				
<a href="#">146</a>	1 of 1	ENE/194.5	53.9 / -6.21	OTTAWA ON	WWIS
<b>Well ID:</b>	7242772	<b>Data Entry Status:</b>			
<b>Construction Date:</b>		<b>Data Src:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	6/9/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z201406			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	7 BAYVIEW RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005402688			<b>Elevation:</b>	59.45
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443173
<b>Code OB Desc:</b>				<b>North83:</b>	5028807
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-MAY-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657742				
<b>Layer:</b>	2				
<b>Plug From:</b>	1				
<b>Plug To:</b>	19				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005657741				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1005657740				
<b>Method Construction Code:</b>	B				
<b>Method Construction:</b>	Other Method				
<b>Other Method Construction:</b>	HAND PULL				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1005657732  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1005657736  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From:  
 Depth To:  
 Casing Diameter: 2.067  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1005657737  
 Layer: 1  
 Slot:  
 Screen Top Depth:  
 Screen End Depth:  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 2.375

**Water Details**

Water ID: 1005657735  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1005657734  
 Diameter:  
 Depth From:  
 Depth To:  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<a href="#">147</a>	1 of 2	SSE/195.3	60.9 / 0.79	Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON	CA
---------------------	--------	-----------	-------------	-----------------------------------------------------------	----

Certificate #: 6262-4KNPVR  
 Application Year: 00  
 Issue Date: 5/31/00  
 Approval Type: Municipal & Private water  
 Status: Approved  
 Application Type: New Certificate of Approval  
 Client Name: Corporation of the Regional Municipality of Ottawa-Carleton  
 Client Address: 111 Lisgar Street

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client City:</b>		Ottawa			
<b>Client Postal Code:</b>		K2P 2L7			
<b>Project Description:</b>		Construction of Watermains on Carruthers Ave., Hinchey Ave. & Lyndale Ave., City of Ottawa			
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">147</a>	2 of 2	SSE/195.3	60.9 / 0.79	Carruthers Ave., Hinchey Ave. & Lyndale Ave. Ottawa ON	CA
<b>Certificate #:</b>		2010-4KNPH8			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		5/31/00			
<b>Approval Type:</b>		Municipal & Private sewage			
<b>Status:</b>		Approved			
<b>Application Type:</b>		New Certificate of Approval			
<b>Client Name:</b>		Corporation of the City of Ottawa			
<b>Client Address:</b>		111 Sussex Drive, 7th Floor			
<b>Client City:</b>		Ottawa			
<b>Client Postal Code:</b>		K1N 5A1			
<b>Project Description:</b>		Construction of Storm & Sanitary Sewers on Carruthers Ave., Hinchey Ave. & Lyndale Ave., City of Ottawa			
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">148</a>	1 of 1	ESE/196.3	55.8 / -4.28	80-84 Bayview Avenue Ottawa ON K1Y 4L6	EHS
<b>Order No:</b>		20040726007		<b>Nearest Intersection:</b> Wellington	
<b>Status:</b>		C		<b>Municipality:</b> Regional Municipality of Ottawa-Carleton	
<b>Report Type:</b>		Complete Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		7/30/04		<b>Search Radius (km):</b> 0.30	
<b>Date Received:</b>		7/26/04		<b>X:</b> -75.726979	
<b>Previous Site Name:</b>				<b>Y:</b> 45.408704	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">149</a>	1 of 1	ESE/196.4	56.9 / -3.21	80 Bayview Main Building Ottawa ON	FCS
<b>SGC:</b>		3506008			
<b>Site ID:</b>		00024000			
<b>Departmental ID:</b>					
<b>Depart Code:</b>		NCC			
<b>Class Type:</b>		1			
<b>Class:</b>		High Priority for Action			
<b>Site Name:</b>		80 Bayview Main Building			
<b>Site Name (FR):</b>		80 Bayview bâtiment principal			
<b>Site Status:</b>		Active			
<b>Site Status Desc:</b>		Detailed testing completed. Remedial action plan under development.			
<b>Site Status (FR):</b>		Active			
<b>Description (FR):</b>		Analyse détaillée terminée. Élaboration du plan d'assainissement en cours.			
<b>Involv Code:</b>					
<b>Census Division:</b>					
<b>Municipality:</b>		Ottawa			
<b>Census Sub Class:</b>					
<b>Latitude:</b>		45.408637			
<b>Longitude:</b>		-75.726977			
<b>Location:</b>					
<b>Protected Data:</b>					
<b>FED:</b>		75			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Fed Electoral District:</b>		Ottawa Centre			
<b>Fed Electoral District (FR):</b>		Ottawa-Centre			
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b>	6				
<b>Site Deleted Flag:</b>					
<b>Created:</b>		2017-06-19T02:05:00			
<b>Modified:</b>		2018-05-24T09:58:19.790			
<b>Property No.:</b>		4638			
<b>Est m<sup>3</sup> Contmnted:</b>					
<b>Est Ha Contmnted:</b>	0.266				
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b>	10,587				
<b>Est Population at 10 Km:</b>	654,829				
<b>Est Population at 25 Km:</b>	1,226,705				
<b>Est Population at 5 Km:</b>	218,259				
<b>Est Population at 50 Km:</b>	1,441,164				
<b>Reporting Org:</b>		National Capital Commission			
<b>Reporting Org (FR):</b>		Commission de la Capitale nationale			
<b>Reason for Involv:</b>		Federal Real Property			
<b>Reason for Involv (FR):</b>		Biens immobiliers fédéraux			
<b>Liabile Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention élevée			
<b>Action Plan:</b>					
<b>Action Plan (FR):</b>					
<b>Site Mgmt Strategy:</b>		Periodic Monitoring			
<b>Minimap URL:</b>		<a href="http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024000">http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024000</a>			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					
<b><u>Management</u></b>					
<b>Management Code:</b>	4				
<b>Management Type (EN):</b>		Periodic Monitoring			
<b>Management Type (FR):</b>		Surveillance périodique			
<b><u>Contamination</u></b>					
<b>Contaminant:</b>		Halogenated Hydrocarbon			
<b>Contamination (FR):</b>		Hydrocarbures halogénés			
<b>Medium Code:</b>	2				
<b>Medium:</b>		Groundwater			
<b>Medium (FR):</b>		Eau souterraine			
<b>Contaminant:</b>		PHCs (petroleum hydrocarbons)			
<b>Contamination (FR):</b>		HCP (hydrocarbures pétroliers)			
<b>Medium Code:</b>	6				
<b>Medium:</b>		Air			
<b>Medium (FR):</b>		Air			
<b>Contaminant:</b>		Halogenated Hydrocarbon			
<b>Contamination (FR):</b>		Hydrocarbures halogénés			
<b>Medium Code:</b>	6				
<b>Medium:</b>		Air			
<b>Medium (FR):</b>		Air			
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>	2016-2017				
<b>Reporting Organization:</b>	NCC				
<b>Reporting Organization (EN):</b>	National Capital Commission				
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale				
<b>Class Type:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>					
	6				
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>					
	No				
<b>Actual Cubic Metres Rem:</b>					
	0				
<b>Actual Hectares Rem:</b>					
	0				
<b>Actual Tons Remediated:</b>					
	0				
<b>Total Asmt Expenditure:</b>					
	\$0.00				
<b>Total Remediation Expenditure:</b>					
	\$0.00				
<b>Total Care/Maint Expenditur:</b>					
	\$0.00				
<b>Total Mntring Expenditure:</b>					
	\$0.00				
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>					
	\$0.00				
<b>FCSAP Remed Expenditure:</b>					
	\$0.00				
<b>FCSAP Care/Maint Expenditur:</b>					
	\$0.00				
<b>FCSAP Mntring Expenditure:</b>					
	\$0.00				
 <b>Annual Data</b>					
<b>Fiscal Year:</b>					
	2017-2018				
<b>Reporting Organization:</b>					
	NCC				
<b>Reporting Organization (EN):</b>					
	National Capital Commission				
<b>Reporting Organization (FR):</b>					
	Commission de la Capitale nationale				
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>					
	6				
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>					
	No				
<b>Actual Cubic Metres Rem:</b>					
	0				
<b>Actual Hectares Rem:</b>					
	0				
<b>Actual Tons Remediated:</b>					
	0				
<b>Total Asmt Expenditure:</b>					
	\$0.00				
<b>Total Remediation Expenditure:</b>					
	\$0.00				
<b>Total Care/Maint Expenditur:</b>					
	\$0.00				
<b>Total Mntring Expenditure:</b>					
	\$0.00				
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>					
	\$0.00				
<b>FCSAP Remed Expenditure:</b>					
	\$0.00				
<b>FCSAP Care/Maint Expenditur:</b>					
	\$0.00				
<b>FCSAP Mntring Expenditure:</b>					
	\$0.00				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">150</a>	1 of 1	SW/200.5	60.9 / 0.79	ON	<b>BORE</b>
<b>Borehole ID:</b>	613172			<b>Type:</b>	Borehole
<b>Use:</b>				<b>Status:</b>	
<b>Drill Method:</b>				<b>UTM Zone:</b>	18
<b>Easting:</b>	442551			<b>Northing:</b>	5028522
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	60.8
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	61.1
<b>Total Depth m:</b>	4.8			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	JUN-1966			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218394002			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.8			<b>Stratum Desc:</b>	ARTIFICIAL.
<b>Stratum ID:</b>	218394003			<b>Top Depth(m):</b>	0.8
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	ARTIFICIAL. BROWN,GREY.
<b>Stratum ID:</b>	218394004			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	3.3			<b>Stratum Desc:</b>	BEDROCK.
<b>Stratum ID:</b>	218394005			<b>Top Depth(m):</b>	3.3
<b>Bottom Depth(m):</b>	4.8			<b>Stratum Desc:</b>	BEDROCK.00025 008 00060 020 00025042000600860060003NE. DENSE. SAND-FINE. VERY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">151</a>	1 of 1	E/203.2	53.9 / -6.16	ON	<b>WWIS</b>
<b>Well ID:</b>	7250768			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	10/20/2015
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	8
<b>Audit No:</b>	C23780			<b>Owner:</b>	
<b>Tag:</b>	A187203			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005760189			<b>Elevation:</b>	58.23
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443183
<b>Code OB Desc:</b>				<b>North83:</b>	5028769
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Completed:</b> 10-SEP-15				<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<a href="#">152</a>	1 of 1	<b>ESE/203.9</b>	<b>57.2 / -2.90</b>	<b>Bayview</b> <b>Ottawa ON</b>	<b>FCS</b>
<b>SGC:</b> 3506008					
<b>Site ID:</b> 00022831					
<b>Departmental ID:</b> 616					
<b>Depart Code:</b> NCC					
<b>Class Type:</b> 1					
<b>Class:</b> High Priority for Action					
<b>Site Name:</b> Bayview					
<b>Site Name (FR):</b> Bayview					
<b>Site Status:</b> Active					
<b>Site Status Desc:</b> Detailed testing completed. Remedial action plan under development.					
<b>Site Status (FR):</b> Active					
<b>Description (FR):</b> Analyse détaillée terminée. Élaboration du plan d'assainissement en cours.					
<b>Involv Code:</b>					
<b>Census Division:</b> Ottawa					
<b>Municipality:</b> Ottawa					
<b>Census Sub Class:</b> 1					
<b>Latitude:</b> 45.408458					
<b>Longitude:</b> -75.727086					
<b>Location:</b>					
<b>Protected Data:</b> 0					
<b>FED:</b> 75					
<b>Fed Electoral District:</b> Ottawa Centre					
<b>Fed Electoral District (FR):</b> Ottawa-Centre					
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b> 8					
<b>Site Deleted Flag:</b>					
<b>Created:</b> 2006-11-30T04:43:00					
<b>Modified:</b> 2018-05-23T11:27:06.157					
<b>Property No.:</b> 1502					
<b>Est m³ Contmnted:</b>					
<b>Est Ha Contmnted:</b> 1.1749					
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b> 10,677					
<b>Est Population at 10 Km:</b> 654,761					
<b>Est Population at 25 Km:</b> 1,226,733					
<b>Est Population at 5 Km:</b> 218,266					
<b>Est Population at 50 Km:</b> 1,441,207					
<b>Reporting Org:</b> National Capital Commission					
<b>Reporting Org (FR):</b> Commission de la Capitale nationale					
<b>Reason for Involv:</b> Federal Real Property					
<b>Reason for Involv (FR):</b> Biens immobiliers fédéraux					
<b>Liabile Third Party:</b>					
<b>Class (FR):</b> Priorité d'intervention élevée					
<b>Action Plan:</b> Pump and Treat Remediation is ongoing. Further assessment require to delineate the plume and to determine source.					
<b>Action Plan (FR):</b> La décontamination de l'eau souterraine a lieu en ce moment. De études supplémentaires sont nécessaires pour délimiter l'étendu de la contamination.					
<b>Site Mgmt Strategy:</b> Additional assessment, Continous Monitoring, Remediation					
<b>Minimap URL:</b> <a href="http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00022831">http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00022831</a>					
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Management**

**Management Code:** 5  
**Management Type (EN):** Additional assessment  
**Management Type (FR):** Évaluation complémentaire

**Management Code:** 2  
**Management Type (EN):** Remediation  
**Management Type (FR):** Restauration

**Management Code:** 3  
**Management Type (EN):** Continous Monitoring  
**Management Type (FR):** Surveillance constante

**Contamination**

**Contaminant:** Halogenated Hydrocarbon  
**Contamination (FR):** Hydrocarbures halogénés  
**Medium Code:** 2  
**Medium:** Groundwater  
**Medium (FR):** Eau souterraine

**Annual Data**

**Fiscal Year:** 2015-2016  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 6  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$69,693.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$59,239.05  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2010-2011  
**Reporting Organization:** NCC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		7			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$48,965.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$48,965.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

**Annual Data**

<b>Fiscal Year:</b>	2014-2015
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	6
<b>Highest Step Completed Desc:</b>	
<b>Planned Compl Date Step7:</b>	
<b>Planned Compl Date Step8:</b>	
<b>Planned Compl Date Step9:</b>	
<b>Created:</b>	
<b>Modified:</b>	
<b>NCSCS Year:</b>	
<b>Closed:</b>	No
<b>Actual Cubic Metres Rem:</b>	0
<b>Actual Hectares Rem:</b>	0
<b>Actual Tons Remediated:</b>	0
<b>Total Asmt Expenditure:</b>	\$0.00
<b>Total Remediation Expenditure:</b>	\$127,660.00
<b>Total Care/Maint Expenditur:</b>	\$0.00
<b>Total Mntring Expenditure:</b>	\$0.00
<b>Ttl Expenditure Reduc Liabil:</b>	
<b>FCSAP Asmt Expenditure:</b>	\$0.00
<b>FCSAP Remed Expenditure:</b>	\$108,511.00
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00
<b>FCSAP Mntring Expenditure:</b>	\$0.00

**Annual Data**

**Fiscal Year:** 2009-2010  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 7  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$16,281.30  
**Total Remediation Expenditure:** \$70,887.60  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$16,281.30  
**FCSAP Remed Expenditure:** \$70,887.60  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2008-2009  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 8  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$8,873.89  
**Total Remediation Expenditure:** \$26,500.50  
**Total Care/Maint Expenditur:** \$0.00

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$7,099.11			
<b>FCSAP Remed Expenditure:</b>		\$21,200.40			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

**Annual Data**

**Fiscal Year:** 2013-2014  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 6  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$61,579.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$52,342.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2006-2007  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Actual Cubic Metres Rem:</b>	0				
<b>Actual Hectares Rem:</b>	0				
<b>Actual Tons Remediated:</b>	0				
<b>Total Asmt Expenditure:</b>	\$0.00				
<b>Total Remediation Expenditure:</b>	\$0.00				
<b>Total Care/Maint Expenditur:</b>	\$0.00				
<b>Total Mntring Expenditure:</b>	\$0.00				
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>	\$0.00				
<b>FCSAP Remed Expenditure:</b>	\$0.00				
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00				
<b>FCSAP Mntring Expenditure:</b>	\$0.00				

**Annual Data**

**Fiscal Year:** 2012-2013  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 6  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$48,773.00  
**Total Remediation Expenditure:** \$11,379.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$39,018.00  
**FCSAP Remed Expenditure:** \$9,672.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2011-2012  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 6  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$31,804.00  
**Total Remediation Expenditure:** \$34,361.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$25,443.20  
**FCSAP Remed Expenditure:** \$29,206.85  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2007-2008  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 8  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$853.30  
**Total Remediation Expenditure:** \$89,473.45  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$682.64  
**FCSAP Remed Expenditure:** \$71,578.76  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2016-2017  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b> 6					
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b> No					
<b>Actual Cubic Metres Rem:</b> 0					
<b>Actual Hectares Rem:</b> 0					
<b>Actual Tons Remediated:</b> 0					
<b>Total Asmt Expenditure:</b> \$0.00					
<b>Total Remediation Expenditure:</b> \$112,483.00					
<b>Total Care/Maint Expenditur:</b> \$0.00					
<b>Total Mntring Expenditure:</b> \$0.00					
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b> \$0.00					
<b>FCSAP Remed Expenditure:</b> \$95,611.00					
<b>FCSAP Care/Maint Expenditur:</b> \$0.00					
<b>FCSAP Mntring Expenditure:</b> \$0.00					
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b> 2017-2018					
<b>Reporting Organization:</b> NCC					
<b>Reporting Organization (EN):</b> National Capital Commission					
<b>Reporting Organization (FR):</b> Commission de la Capitale nationale					
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b> 6					
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b> No					
<b>Actual Cubic Metres Rem:</b> 0					
<b>Actual Hectares Rem:</b> 0					
<b>Actual Tons Remediated:</b> 0					
<b>Total Asmt Expenditure:</b> \$0.00					
<b>Total Remediation Expenditure:</b> \$60,333.00					
<b>Total Care/Maint Expenditur:</b> \$0.00					
<b>Total Mntring Expenditure:</b> \$0.00					
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b> \$0.00					
<b>FCSAP Remed Expenditure:</b> \$51,283.00					
<b>FCSAP Care/Maint Expenditur:</b> \$0.00					
<b>FCSAP Mntring Expenditure:</b> \$0.00					
<a href="#">153</a>	1 of 62	E/205.4	54.9 / -5.21	ADAMAS ENVIRONMENTAL INC. 7 BAYVIEW ROAD OTTAWA CITY ON K1Y 2C5	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Certificate #:</b>		8-4101-96-			
<b>Application Year:</b>		96			
<b>Issue Date:</b>		7/31/1996			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		GROUNDWATER REMEDIATION			
<b>Contaminants:</b>		Benzene (Carcinogen Requires Bact), Ethyl Benzene, Toluene(Pentyl Methane)(Methyl Benzene), Xylene			
<b>Emission Control:</b>		Act. Charcoal Filter			

<a href="#">153</a>	2 of 62	E/205.4	54.9 / -5.21	ADAMAS ENVIRONMENTAL INC. 7 BAYVIEW ROAD OTTAWA CITY ON K1Y 2C5	CA
<b>Certificate #:</b>		4-0088-96-			
<b>Application Year:</b>		96			
<b>Issue Date:</b>		9/13/1996			
<b>Approval Type:</b>		Industrial wastewater			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		BAYVIEW WARD YARD G-WATER REMEDIATION			
<b>Contaminants:</b>					
<b>Emission Control:</b>					

<a href="#">153</a>	3 of 62	E/205.4	54.9 / -5.21	Adamas Environmental Inc. 7 Bayview CITY OF OTTAWA ON	EBR
<b>EBR Registry No:</b>	IA6E0854			<b>Proposal Date:</b>	May 30, 1996
<b>Ministry Ref. No:</b>	8410196 19960425			<b>Notice Pub Date:</b>	August 01, 1996
<b>Notice Type:</b>	Instrument Decision			<b>Year:</b>	1996
<b>Company Name:</b>	Adamas Environmental Inc.				
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	40 Camelot Drive, Ottawa Ontario, K2G 5X8				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Location Other:</b>					
<b>URL:</b>					
<b>Location:</b>					
	7 Bayview CITY OF OTTAWA				

<a href="#">153</a>	4 of 62	E/205.4	54.9 / -5.21	7 Bayview Rd Ottawa ON K1Y 2C5	EHS
<b>Order No:</b>	20130314016			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	RSC Report (Urban)			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	18-APR-13			<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	14-MAR-13			<b>X:</b>	0
<b>Previous Site Name:</b>				<b>Y:</b>	0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Lot/Building Size:</i> <i>Additional Info Ordered:</i>					
<a href="#">153</a>	5 of 62	E/205.4	54.9 / -5.21	7 Bayview Road Ottawa, ON ON K1Y 2C5	EHS
<i>Order No:</i>	20110922002			<i>Nearest Intersection:</i>	
<i>Status:</i>	C			<i>Municipality:</i>	
<i>Report Type:</i>	Custom Report			<i>Client Prov/State:</i>	ON
<i>Report Date:</i>	9/30/2011			<i>Search Radius (km):</i>	0.25
<i>Date Received:</i>	9/22/2011 9:56:31 AM			<i>X:</i>	-75.72781
<i>Previous Site Name:</i>				<i>Y:</i>	45.409644
<i>Lot/Building Size:</i>					
<i>Additional Info Ordered:</i>	Fire Insur. Maps and/or Site Plans				
<a href="#">153</a>	6 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<i>Instance No:</i>	11188854				
<i>Instance ID:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Description:</i>					
<i>Status:</i>	EXPIRED				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>	4/19/2013 17:32				
<a href="#">153</a>	7 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<i>Instance No:</i>	11188927				
<i>Instance ID:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Description:</i>					
<i>Status:</i>	EXPIRED				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>	11/9/1990				
<a href="#">153</a>	8 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON	EXP
<i>Instance No:</i>	11188946				
<i>Instance ID:</i>	72529				
<i>Instance Type:</i>	FS Piping				
<i>Description:</i>	FS Piping				
<i>Status:</i>	EXPIRED				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">153</a>	9 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
Instance No:		11188968			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		11/9/1990			
<a href="#">153</a>	10 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
Instance No:		11188815			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		4/19/2013 17:32			
<a href="#">153</a>	11 of 62	E/205.4	54.9 / -5.21	CORP CITY OF OTTAWA ATTN J GUILBAULT 7 BAYVIEW RD OTTAWA ON	EXP
Instance No:		10462761			
Instance ID:		18590			
Instance Type:		FS Highway Tank - Gas/Diesel			
Description:		FS HIGHWAY TANK - GASOLINE/DIESEL			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
<a href="#">153</a>	12 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON	EXP
Instance No:		11188988			
Instance ID:		72340			
Instance Type:		FS Piping			
Description:		FS Piping			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
<a href="#">153</a>	13 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><i>Instance No:</i> 10026109  <i>Instance ID:</i> 10512  <i>Instance Type:</i> FS Facility  <i>Description:</i> Fuels Safety Private Fuel Outlet - Self Serve  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i>  <i>Expired Date:</i></p>					
<a href="#">153</a>	14 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<p><i>Instance No:</i> 11188897  <i>Instance ID:</i>  <i>Instance Type:</i> FS Liquid Fuel Tank  <i>Description:</i>  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i>  <i>Expired Date:</i> 4/19/2013 17:32</p>					
<a href="#">153</a>	15 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<p><i>Instance No:</i> 11188771  <i>Instance ID:</i>  <i>Instance Type:</i> FS Liquid Fuel Tank  <i>Description:</i>  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i>  <i>Expired Date:</i> 4/19/2013 17:32</p>					
<a href="#">153</a>	16 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<p><i>Instance No:</i> 11188897  <i>Instance ID:</i>  <i>Instance Type:</i> FS Liquid Fuel Tank  <i>Description:</i> Fuels Safety Private Fuel Outlet - Self Serve  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i> FS Liquid Fuel Tank  <i>Expired Date:</i> 4/19/2013 5:32:49 PM</p>					
<a href="#">153</a>	17 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<p><i>Instance No:</i> 11188927  <i>Instance ID:</i></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		11/9/1990			
<a href="#">153</a>	18 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<b>Instance No:</b>		11188771			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		4/19/2013 5:32:49 PM			
<a href="#">153</a>	19 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<b>Instance No:</b>		11188815			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		4/19/2013 5:32:49 PM			
<a href="#">153</a>	20 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<b>Instance No:</b>		11188854			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		4/19/2013 5:32:49 PM			
<a href="#">153</a>	21 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	EXP
<b>Instance No:</b>		11188968			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		11/9/1990			
<a href="#">153</a>	22 of 62	E/205.4	54.9 / -5.21	City of Ottawa 7 Bayview Road Ottawa ON	GEN
<b>Generator No:</b>	ON7373635			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<a href="#">153</a>	23 of 62	E/205.4	54.9 / -5.21	City of Ottawa 7 Bayview Road Ottawa ON	GEN
<b>Generator No:</b>	ON7373635			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	Other Local Municipal and Regional Public Administration				
<a href="#">153</a>	24 of 62	E/205.4	54.9 / -5.21	OLRT Constructors/Dragados/EllisDon Corp 7 bayview road - Bayview Yard Ottawa ON K1Y3B5	GEN
<b>Generator No:</b>	ON4795925			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	251 L				
<b>Waste Description:</b>	Waste oils/sludges (petroleum based)				
<b>Waste Code:</b>	263 I				
<b>Waste Description:</b>	Misc. waste organic chemicals				
<a href="#">153</a>	25 of 62	E/205.4	54.9 / -5.21	City of Ottawa 7 Bayview Road	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Ottawa ON K1Y 2C5</i>					
<b>Generator No:</b>	ON7373635			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	Yes			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	913910				
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">153</a>	26 of 62	<i>E/205.4</i>	<i>54.9 / -5.21</i>	<b>OTTAWA/CARLTON (OUT OF BUSINESS) 29-161 BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5</b>	<b>GEN</b>
<b>Generator No:</b>	ON0303105			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8321				
<b>SIC Description:</b>	COURTS OF LAW				
<a href="#">153</a>	27 of 62	<i>E/205.4</i>	<i>54.9 / -5.21</i>	<b>City of Ottawa 7 Bayview Road Ottawa ON K1Y 2C5</b>	<b>GEN</b>
<b>Generator No:</b>	ON7373635			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	Yes			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	913910				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">153</a>	28 of 62	<i>E/205.4</i>	<i>54.9 / -5.21</i>	<b>OLRT Constructors/Dragados/EllisDon Corp 7 bayview road - Bayview Station Ottawa ON K1Y 3B5</b>	<b>GEN</b>
<b>Generator No:</b>	ON3963515			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Co Admin:</b> <b>Phone No Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		270 L			
<b>Waste Description:</b>		Other specified organic sludges, slurries or solids			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<a href="#">153</a>	29 of 62	E/205.4	54.9 / -5.21	City of Ottawa Environmental Remediation Unit 7 Bayview Road Ottawa ON K1Y 2C5	GEN
<b>Generator No:</b>		ON7373635		<b>PO Box No:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Dec 2018		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		221 I			
<b>Waste Description:</b>		Light fuels			
<b>Waste Code:</b>		221 L			
<b>Waste Description:</b>		Light fuels			
<b>Waste Code:</b>		241 L			
<b>Waste Description:</b>		Halogenated solvents and residues			
<a href="#">153</a>	30 of 62	E/205.4	54.9 / -5.21	OTTAWA/CARLTON (OUT OF BUSINESS) BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	GEN
<b>Generator No:</b>		ON0303105		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		89,90		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		8321			
<b>SIC Description:</b>		COURTS OF LAW			
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">153</a>	31 of 62	E/205.4	54.9 / -5.21	OTTAWA, CITY OF 29-167 7 BAYVIEW ROAD OTTAWA ON K1Y 2C5	GEN
<b>Generator No:</b>	ON0136208			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8371				
<b>SIC Description:</b>	TRANSPORTATION ADMIN				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	222				
<b>Waste Description:</b>	HEAVY FUELS				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">153</a>	32 of 62	E/205.4	54.9 / -5.21	OTTAWA-CARLTON (OUT OF BUSINESS) 7 BAYVIEW ROAD BUILDING 3, TEST LABORATORY OTTAWA ON K1Y 2C5	GEN
<b>Generator No:</b>	ON0303105			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8321				
<b>SIC Description:</b>	COURTS OF LAW				
<a href="#">153</a>	33 of 62	E/205.4	54.9 / -5.21	City of Ottawa 7 Bayview Road Ottawa ON K1Y 2C5	GEN
<b>Generator No:</b>	ON7373635			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> Yes <b>MHSW Facility:</b> No <b>SIC Code:</b> 913910 <b>SIC Description:</b> 913910 <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 221					
<b>Waste Description:</b> LIGHT FUELS					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<a href="#">153</a>	34 of 62	E/205.4	54.9 / -5.21	OTTAWA/CARLETON (OUT OF BUSINESS) BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	GEN
<b>Generator No:</b> ON0303105 <b>Status:</b> <b>Approval Years:</b> 88 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 8321 <b>SIC Description:</b> COURTS OF LAW <b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 148					
<b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 263					
<b>Waste Description:</b> ORGANIC LABORATORY CHEMICALS					
<a href="#">153</a>	35 of 62	E/205.4	54.9 / -5.21	OTTAWA/CARLETON, REGIONAL MUN. OF BLDG 3, TEST LABORATORY 7 BAYVIEW RD. OTTAWA ON K1Y 2C5	GEN
<b>Generator No:</b> ON0303105 <b>Status:</b> <b>Approval Years:</b> 86,87 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 8321 <b>SIC Description:</b> COURTS OF LAW <b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 148					
<b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 263					
<b>Waste Description:</b> ORGANIC LABORATORY CHEMICALS					
<a href="#">153</a>	36 of 62	E/205.4	54.9 / -5.21	OTTAWA, CORPORATION OF THE CITY OF 7 BAYVIEW ROAD	GEN

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>OTTAWA ON K1Y 2C5</b>					
<b>Generator No:</b>	ON0136208			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01,02,03,04,05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8371				
<b>SIC Description:</b>		TRANSPORTATION ADMIN.			
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			

<a href="#">153</a>	37 of 62	<i>E/205.4</i>	<i>54.9 / -5.21</i>	<b>OTTAWA, CITY OF DEPARTMENT OF PHYSICAL ENVIRONMENT 7 BAYVIEW ROAD OTTAWA ON K1Y 2C5</b>	<b>GEN</b>
---------------------	----------	----------------	---------------------	--------------------------------------------------------------------------------------------------------	------------

<b>Generator No:</b>	ON0136208			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8371				
<b>SIC Description:</b>		TRANSPORTATION ADMIN.			

<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<a href="#">153</a>	38 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	NPCB
<b>Company Code:</b>		F1363			
<b>Industry:</b>		UNDEFINED			
<b>Site Status:</b>					
<b>Transaction Date:</b>					
<b>Inspection Date:</b>					
<a href="#">153</a>	39 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW RD OTTAWA ON K1Y 2C5	NPCB
<b>Company Code:</b>		O005157			
<b>Industry:</b>		GOVERNMENT (NOT FEDERAL)			
<b>Site Status:</b>		NO MORE PCB'S ON THIS SITE			
<b>Transaction Date:</b>					
<b>Inspection Date:</b>					
<a href="#">153</a>	40 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW ROAD OTTAWA ON ONT R10	NPCB
<b>Company Code:</b>		F1526			
<b>Industry:</b>					
<b>Site Status:</b>					
<b>Transaction Date:</b>		1/29/1996			
<b>Inspection Date:</b>					
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		95.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Unknown concentration			
<b>Location:</b>					
<b>Item/State:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		170.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Low 50 - 10,000 ppm			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		400.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		High > 10,000 ppm			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		750.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Low 50 - 10,000 ppm			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		900.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		High > 10,000 ppm			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		1600.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Unknown concentration			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		490.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		574.00 KG			
<b>Label:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Serial No.:</b> <b>PCB Type/Code:</b> Askarel <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 600.00 KG					
<a href="#">153</a>	41 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	OPCB
<b>Year:</b> 2004 <b>Site Number:</b> 40294A014 <b>Name Owner:</b> <b>Additional Site Information:</b>					
<a href="#">153</a>	42 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	OPCB
<b>Year:</b> 2000 <b>Site Number:</b> 40294A014 <b>Name Owner:</b> <b>Additional Site Information:</b>					
<b>--Details--</b>					
<b>Quantity:</b> 24.00					
<b>Address Site:</b>					
<b>Description:</b> Number of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<b>Quantity:</b> 4800.00					
<b>Address Site:</b>					
<b>Description:</b> Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<a href="#">153</a>	43 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	OPCB
<b>Year:</b> 1999 <b>Site Number:</b> 40294A014 <b>Name Owner:</b> <b>Additional Site Information:</b>					
<b>--Details--</b>					
<b>Quantity:</b> 24.00					
<b>Address Site:</b>					
<b>Description:</b> Number of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<b>Quantity:</b> 4800.00					
<b>Address Site:</b>					
<b>Description:</b> Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<a href="#">153</a>	44 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	OPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year:</b> 2003 <b>Site Number:</b> 40294A014 <b>Name Owner:</b> <b>Additional Site Information:</b>					
<b>--Details--</b>					
<b>Quantity:</b> 22.00					
<b>Address Site:</b>					
<b>Description:</b> Number of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<b>Quantity:</b> 4400.00					
<b>Address Site:</b>					
<b>Description:</b> Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<a href="#">153</a>	45 of 62	E/205.4	54.9 / -5.21	CITY OF OTTAWA 7 BAYVIEW ROAD OTTAWA, ON K1Y 2C5	OPCB
<b>Year:</b> 1998 <b>Site Number:</b> 40294A014 <b>Name Owner:</b> <b>Additional Site Information:</b>					
<b>--Details--</b>					
<b>Quantity:</b> 8.00					
<b>Address Site:</b>					
<b>Description:</b> Number of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<b>Quantity:</b> 1600.00					
<b>Address Site:</b>					
<b>Description:</b> Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)					
<a href="#">153</a>	46 of 62	E/205.4	54.9 / -5.21	Adamas Environmental Inc. 7 BAYVIEW ROAD CITY OF OTTAWA ON	ORD
<b>EBR Registry No:</b> IA6E1202 <b>Ministry Ref. No:</b> 4008896 19960726 <b>Notice Type:</b> Instrument Decision <b>Company Name:</b> Adamas Environmental Inc. <b>Proponent Name:</b> <b>Proponent Address:</b> 40 Camelot Drive, Ottawa Ontario, K2G 5X8 <b>Instrument Type:</b> (OWRA s. 53(3)) - Order for unapproved sewage works. <b>Location Other:</b> <b>URL:</b>  <b>Location:</b> 7 BAYVIEW ROAD CITY OF OTTAWA					
<b>Proposal Date:</b> August 02, 1996 <b>Notice Date:</b> September 20, 1996 <b>Year:</b> 1996					
<a href="#">153</a>	47 of 62	E/205.4	54.9 / -5.21	CORP CITY OF OTTAWA 7 BAYVIEW OTTAWA ON K1Y2C5	PRT
<b>Location ID:</b> 24697 <b>Type:</b> retail <b>Expiry Date:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Capacity (L):		45400			
Licence #:		0001039413			
<a href="#">153</a>	48 of 62	E/205.4	54.9 / -5.21	CORP CITY OF OTTAWA 7 BAYVIEW OTTAWA ON K1Y 2C5	PRT
Location ID:		24697			
Type:		private			
Expiry Date:					
Capacity (L):		72736.00			
Licence #:		0001023532			
<a href="#">153</a>	49 of 62	E/205.4	54.9 / -5.21	Bellai Brothers<UNOFFICIAL> 7 Bayview Road Ottawa ON	SPL
Ref No:		7132-B4QDB5		Discharger Report:	
Site No:		NA		Material Group:	
Incident Dt:		2018/09/17		Health/Env Conseq: 2 - Minor Environment	
Year:				Client Type:	
Incident Cause:				Sector Type: Miscellaneous Industrial	
Incident Event:		Dumping		Agency Involved:	
Contaminant Code:		41		Nearest Watercourse:	
Contaminant Name:		SLURRY (N.O.S.)		Site Address: 7 Bayview Road	
Contaminant Limit 1:				Site District Office: Ottawa	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:		n/a		Site Region: Eastern	
Environment Impact:				Site Municipality: Ottawa	
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:		Land; Source Water Zone		Northing: 5028639	
MOE Response:		No		Easting: 443138	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:		2018/09/18		Site Map Datum:	
Dt Document Closed:				SAC Action Class: Land Spills	
Incident Reason:		Deliberate Act		Source Type: Motor Vehicle	
Site Name:		Service yard<UNOFFICIAL>			
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		OLRT: ~ 20 L of concrete slurry to gravel surface, clnup ongn			
Contaminant Qty:		20 L			
<a href="#">153</a>	50 of 62	E/205.4	54.9 / -5.21	7 Bayview Road Ottawa ON	SPL
Ref No:		3420-ANQMT2		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		6/27/2017		Health/Env Conseq: 2 - Minor Environment	
Year:				Client Type:	
Incident Cause:				Sector Type: Unknown / N/A	
Incident Event:		Leak/Break		Agency Involved:	
Contaminant Code:		15		Nearest Watercourse:	
Contaminant Name:		HYDRAULIC OIL		Site Address: 7 Bayview Road	
Contaminant Limit 1:				Site District Office: Ottawa	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:		n/a		Site Region: Eastern	
Environment Impact:				Site Municipality: Ottawa	
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	Land  6/27/2017 Equipment Failure Construction Lot<UNOFFICIAL>  10-30 metres eg. Medium Quality GPS OLRT: 20 L hydraulic oil to ground; cleaned 20 L			Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	5028689 443029   Motor Vehicle

<a href="#">153</a>	51 of 62	E/205.4	54.9 / -5.21	7 Bayview Road Ottawa ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	4341-ADLQJ7 NA 9/7/2016  Leak/Break 15 HYDRAULIC OIL  Land  9/8/2016 Unknown / N/A Bayview Station - under construction<UNOFFICIAL>  OLRT: 0.25 L hyd. oil to soil; clnd 0.25 L			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	Miscellaneous Industrial  7 Bayview Road  Ottawa  Land Spills

<a href="#">153</a>	52 of 62	E/205.4	54.9 / -5.21	Thomas Cavanagh Construction Limited 7 Bayview Rd. Ottawa ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn:	7337-AC7Q5Q NA 2016/07/20  Leak/Break 15 HYDRAULIC OIL  Land No			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu:	Miscellaneous Industrial  7 Bayview Rd.  Ottawa  5028734 443117

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>MOE Reported Dt:</b> 2016/07/25  <b>Dt Document Closed:</b>  <b>Incident Reason:</b> Equipment Failure  <b>Site Name:</b> Tunneys Station&lt;UNOFFICIAL&gt;  <b>Site County/District:</b>  <b>Site Geo Ref Meth:</b>  <b>Incident Summary:</b> Thomas Cavanagh Construction: 5 L hydraulic oil to ground. Cleaned  <b>Contaminant Qty:</b> 5 L</p> <p><b>Site Map Datum:</b>  <b>SAC Action Class:</b> Land Spills  <b>Source Type:</b></p>					
<a href="#">153</a>	53 of 62	E/205.4	54.9 / -5.21	7 Bayview Street Ottawa ON	SPL
<p><b>Ref No:</b> 7171-AC7RLL  <b>Site No:</b> NA  <b>Incident Dt:</b> 2016/07/21  <b>Year:</b>  <b>Incident Cause:</b>  <b>Incident Event:</b> Dumping  <b>Contaminant Code:</b> 28  <b>Contaminant Name:</b> WASHWATER (N.O.S.)  <b>Contaminant Limit 1:</b>  <b>Contam Limit Freq 1:</b>  <b>Contaminant UN No 1:</b>  <b>Environment Impact:</b>  <b>Nature of Impact:</b>  <b>Receiving Medium:</b>  <b>Receiving Env:</b> Surface Water  <b>MOE Response:</b> No  <b>Dt MOE Arvl on Scn:</b>  <b>MOE Reported Dt:</b> 2016/07/25  <b>Dt Document Closed:</b>  <b>Incident Reason:</b> Operator/Human Error  <b>Site Name:</b> Spill Site Address &lt;UNOFFICIAL&gt;  <b>Site County/District:</b>  <b>Site Geo Ref Meth:</b>  <b>Incident Summary:</b> Cement Truck Wash Water to Ground, cnted, chned.  <b>Contaminant Qty:</b> 0 L</p> <p><b>Discharger Report:</b>  <b>Material Group:</b>  <b>Health/Env Conseq:</b>  <b>Client Type:</b>  <b>Sector Type:</b> Miscellaneous Industrial  <b>Agency Involved:</b>  <b>Nearest Watercourse:</b>  <b>Site Address:</b> 7 Bayview Street  <b>Site District Office:</b>  <b>Site Postal Code:</b>  <b>Site Region:</b>  <b>Site Municipality:</b> Ottawa  <b>Site Lot:</b>  <b>Site Conc:</b>  <b>Northing:</b> 5028682  <b>Easting:</b> 443037  <b>Site Geo Ref Accu:</b>  <b>Site Map Datum:</b>  <b>SAC Action Class:</b> Land Spills  <b>Source Type:</b></p>					
<a href="#">153</a>	54 of 62	E/205.4	54.9 / -5.21	OTTAWA PUBLIC WORKS 7 BAYVIEW RD. FUEL STORAGE TANK OTTAWA CITY ON K1Y 2C5	SPL
<p><b>Ref No:</b> 45689  <b>Site No:</b>  <b>Incident Dt:</b> 1/15/1991  <b>Year:</b>  <b>Incident Cause:</b> PIPE/HOSE LEAK  <b>Incident Event:</b>  <b>Contaminant Code:</b>  <b>Contaminant Name:</b>  <b>Contaminant Limit 1:</b>  <b>Contam Limit Freq 1:</b>  <b>Contaminant UN No 1:</b>  <b>Environment Impact:</b> NOT ANTICIPATED  <b>Nature of Impact:</b>  <b>Receiving Medium:</b> LAND  <b>Receiving Env:</b>  <b>MOE Response:</b>  <b>Dt MOE Arvl on Scn:</b>  <b>MOE Reported Dt:</b> 1/15/1991  <b>Dt Document Closed:</b>  <b>Incident Reason:</b> EQUIPMENT FAILURE</p> <p><b>Discharger Report:</b>  <b>Material Group:</b>  <b>Health/Env Conseq:</b>  <b>Client Type:</b>  <b>Sector Type:</b>  <b>Agency Involved:</b>  <b>Nearest Watercourse:</b>  <b>Site Address:</b>  <b>Site District Office:</b>  <b>Site Postal Code:</b>  <b>Site Region:</b>  <b>Site Municipality:</b> 20101  <b>Site Lot:</b>  <b>Site Conc:</b>  <b>Northing:</b>  <b>Easting:</b>  <b>Site Geo Ref Accu:</b>  <b>Site Map Datum:</b>  <b>SAC Action Class:</b>  <b>Source Type:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> OTTAWA WORKS: 200L DIESELFUEL TO GROUND FROM PUMP DUE TO NOZZLE MALFUNCTION <b>Contaminant Qty:</b>					
<a href="#">153</a>	55 of 62	E/205.4	54.9 / -5.21	7 Bayview Road Ottawa ON	SPL
<b>Ref No:</b>	8551-B2DJMJ			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2018/07/03			<b>Health/Env Conseq:</b>	2 - Minor Environment
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Communal
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	27			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CONCRETE			<b>Site Address:</b>	7 Bayview Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	n/a			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	5028686
<b>MOE Response:</b>	No			<b>Easting:</b>	443467
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2018/07/05			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	Container/Drum/Tote
<b>Site Name:</b>	Bayview Station<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	OLRT 4 L of concrete slurry to grnd, cleaned				
<b>Contaminant Qty:</b>	4 L				

<a href="#">153</a>	56 of 62	E/205.4	54.9 / -5.21	Thomas Cavanagh Construction Limited 7 Bayview Rd Ottawa ON	SPL
<b>Ref No:</b>	2843-AGDJWF			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/12/06			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	15			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	7 Bayview Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land; Source Water Zone			<b>Northing:</b>	5028682
<b>MOE Response:</b>	No			<b>Easting:</b>	443037
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2016/12/06			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Equipment Failure			<b>Source Type:</b>	
<b>Site Name:</b>	Pimisi Station Area<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Summary:</b>		Thomas Cavanagh Const: 3 L Hyd. Oil to Grnd- Cont/ClnD			
<b>Contaminant Qty:</b>		3 L			
<a href="#">153</a>	57 of 62	E/205.4	54.9 / -5.21	7 Bayview Rd Ottawa ON K1Y 4T1	SPL
<b>Ref No:</b>	2025-AFSUCV			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/11/17			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Communal
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	15			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	7 Bayview Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	K1Y 4T1
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	4845317
<b>MOE Response:</b>	No			<b>Easting:</b>	630068
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2016/11/17			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Material Failure - Poor Design/Substandard Material			<b>Source Type:</b>	
<b>Site Name:</b>	spill<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	OLRT hydraulic oil 1.5 L to grd				
<b>Contaminant Qty:</b>	1.5 L				
<a href="#">153</a>	58 of 62	E/205.4	54.9 / -5.21	City of Ottawa 7 Bayview Road Ottawa ON	SPL
<b>Ref No:</b>	2766-B59KM3			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2018/10/04			<b>Health/Env Conseq:</b>	2 - Minor Environment
<b>Year:</b>				<b>Client Type:</b>	Municipal Government
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Dumping			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	27			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CONCRETE			<b>Site Address:</b>	7 Bayview Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	n/a			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	5028691
<b>MOE Response:</b>	No			<b>Easting:</b>	443279
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2018/10/05			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Intentional Discharge			<b>Source Type:</b>	Truck - Transport/Hauling
<b>Site Name:</b>	OLRT<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	OLRT: concrete wash-out to soil.				
<b>Contaminant Qty:</b>	20 L				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">153</a>	59 of 62	E/205.4	54.9 / -5.21	7 Bayview Road Ottawa ON	SPL
<b>Ref No:</b>	5481-ABTSGE			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/07/13			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Dumping			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	46			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	WATER WATER CONTAINING LIME			<b>Site Address:</b>	7 Bayview Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	
<b>MOE Response:</b>	No			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2016/07/13			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Deliberate Act			<b>Source Type:</b>	
<b>Site Name:</b>	Construction Site<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Ottawa LRTC 20L of concrete washout to grnd, clnd - Ottawa				
<b>Contaminant Qty:</b>	20 L				
<a href="#">153</a>	60 of 62	E/205.4	54.9 / -5.21	7 Bayview Rd. Ottawa ON	SPL
<b>Ref No:</b>	4365-ABTSEX			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/07/13			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Dumping			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	28			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CONCRETE ADMIXTURE (DE-WATERING)			<b>Site Address:</b>	7 Bayview Rd.
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	5028682
<b>MOE Response:</b>	No			<b>Easting:</b>	443037
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2016/07/13			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	
<b>Site Name:</b>	H.C. Matcon - Concrete Spill<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	H.C. Matcon: 20L Concrete/water mixture to grd - Cleaned				
<b>Contaminant Qty:</b>	20 L				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">153</a>	61 of 62	E/205.4	54.9 / -5.21	7 Bayview Road Ottawa ON	SPL
<b>Ref No:</b>	3520-ADSGA8			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	9/12/2016			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Unknown / N/A			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	27			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CONCRETE			<b>Site Address:</b>	7 Bayview Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	9/14/2016			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	
<b>Site Name:</b>	Construction Site<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	OLRT: 40 L of Concrete wash out to ground; contd & clnd				
<b>Contaminant Qty:</b>	40 L				
<a href="#">153</a>	62 of 62	E/205.4	54.9 / -5.21	7 Bayview Rd Ottawa ON	SPL
<b>Ref No:</b>	1744-AEETES			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	10/4/2016			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Unknown / N/A
<b>Incident Event:</b>	Unknown / N/A			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	27			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CONCRETE			<b>Site Address:</b>	7 Bayview Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	5028682
<b>MOE Response:</b>				<b>Easting:</b>	443037
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	10/4/2016			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	
<b>Site Name:</b>	OLRT Contruction Site<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	OLRT: 3-5000 Gallons of Concrete Slurry to Grnd. Ctnd.				
<b>Contaminant Qty:</b>	5000 gal-US				
<a href="#">154</a>	1 of 1	E/205.5	53.9 / -6.16	Ottawa ON	WWIS
<b>Well ID:</b>	7231500			<b>Data Entry Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	11/12/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188323			<b>Owner:</b>	
<b>Tag:</b>	A125780			<b>Street Name:</b>	7 BAYVIEW
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005215511			<b>Elevation:</b>	58.15
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443185
<b>Code OB Desc:</b>				<b>North83:</b>	5028764
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-OCT-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005291317				
<b>Layer:</b>	2				
<b>Plug From:</b>	1.5				
<b>Plug To:</b>	12.19				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1005291316				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1.5				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1005291315				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 1005291307  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1005291311  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 4.03  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1005291312  
**Layer:**  
**Slot:**  
**Screen Top Depth:**  
**Screen End Depth:**  
**Screen Material:**  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:**

**Water Details**

**Water ID:** 1005291310  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1005291309  
**Diameter:** 4.82  
**Depth From:** 0  
**Depth To:** 1.5  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

[155](#)

1 of 1

ESE/206.5

57.9 / -2.17

Ottawa ON

WWIS

**Well ID:** 7227768  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Monitoring and Test Hole  
**Water Type:**  
**Casing Material:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 9/22/2014  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Audit No:</b>	Z188370			<b>Owner:</b>	
<b>Tag:</b>	A157975			<b>Street Name:</b>	53 BAYVIEW
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005130302	<b>Elevation:</b>	57.3
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443068
<b>Code OB Desc:</b>		<b>North83:</b>	5028550
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-AUG-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1005381866
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	05
<b>Other Materials:</b>	CLAY
<b>Mat3:</b>	12
<b>Other Materials:</b>	STONES
<b>Formation Top Depth:</b>	3.35
<b>Formation End Depth:</b>	6.4
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1005381867
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	74
<b>Other Materials:</b>	LAYERED
<b>Formation Top Depth:</b>	6.4

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>			12.19		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1005381865		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			01		
<b>Other Materials:</b>			FILL		
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		
<b>Formation Top Depth:</b>			.31		
<b>Formation End Depth:</b>			3.35		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1005381864		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.31		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1005381877		
<b>Layer:</b>			2		
<b>Plug From:</b>			.31		
<b>Plug To:</b>			10.36		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1005381876		
<b>Layer:</b>			1		
<b>Plug From:</b>			0		
<b>Plug To:</b>			.31		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1005381878		
<b>Layer:</b>			3		
<b>Plug From:</b>			10.36		
<b>Plug To:</b>			12.19		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005381875			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005381863			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005381871			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		10.67			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005381872			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10.67			
<b>Screen End Depth:</b>		12.19			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.87			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005381870			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005381868			
<b>Diameter:</b>		11.43			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.4			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b>		1005381869			
<b>Diameter:</b>		7.62			
<b>Depth From:</b>		6.4			
<b>Depth To:</b>		12.19			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<a href="#">156</a>	1 of 1	SE/210.5	57.9 / -2.17	ON	BORE
<b>Borehole ID:</b>		800396		<b>Type:</b>	Borehole
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status:</b>	
<b>Drill Method:</b>		Hollow stem auger		<b>UTM Zone:</b>	18
<b>Easting:</b>		443068.66		<b>Northing:</b>	5028545.52
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	56.5
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	57.3
<b>Total Depth m:</b>		3.7		<b>Primary Name:</b>	BH 7
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>		20-AUG-1982		<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>		218564860		<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>		0.2		<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>		218564861		<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>		1.0		<b>Stratum Desc:</b>	Brown Fill-Misc sand silt With: Gr Trace: Cl
<b>Stratum ID:</b>		218564862		<b>Top Depth(m):</b>	1.0
<b>Bottom Depth(m):</b>		3.7		<b>Stratum Desc:</b>	Brown Very Loose Cinder Ash cinders and ashes
<a href="#">157</a>	1 of 1	ESE/211.0	57.9 / -2.18	lot 37 con A OTTAWA ON	WWIS
<b>Well ID:</b>		1535113		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>				<b>Date Received:</b>	10/14/2004
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>		Abandoned-Other		<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>		Z20805		<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	80 BAYVIEW AVENUE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	037
<b>Well Depth:</b>				<b>Concession:</b>	A
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		11172865		<b>Elevation:</b>	57.42
<b>DP2BR:</b>				<b>Elevrc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443084
<b>Code OB Desc:</b> No formation data				<b>North83:</b>	5028557
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b> 02-SEP-04				<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>				933253282	
<b>Layer:</b>				2	
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>				m	
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>				933253281	
<b>Layer:</b>				1	
<b>Plug From:</b>				0	
<b>Plug To:</b>				8.2	
<b>Plug Depth UOM:</b>				m	
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>				961535113	
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>				11181384	
<b>Casing No:</b>				1	
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>				11306035	
<b>Diameter:</b>				20	
<b>Depth From:</b>				0	
<b>Depth To:</b>				8.2	
<b>Hole Depth UOM:</b>				m	
<b>Hole Diameter UOM:</b>				cm	

[158](#)

1 of 1

SE/213.2

57.9 / -2.17

Ottawa ON

WWIS

**Well ID:** 7227769  
**Construction Date:**

**Data Entry Status:**  
**Data Src:**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	9/22/2014
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z188392			<b>Owner:</b>	
<b>Tag:</b>	A157971			<b>Street Name:</b>	53 BAYVIEW
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

### Bore Hole Information

<b>Bore Hole ID:</b>	1005130305	<b>Elevation:</b>	57.3
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443070
<b>Code OB Desc:</b>		<b>North83:</b>	5028543
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-AUG-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1005381894
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	01
<b>Other Materials:</b>	FILL
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	.31
<b>Formation End Depth:</b>	1.52
<b>Formation End Depth UOM:</b>	m

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1005381895
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		74			
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		LAYERED			
<b>Formation End Depth:</b>		1.52			
<b>Formation End Depth UOM:</b>		9.14			
		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>					
		1005381893			
<b>Layer:</b>					
		1			
<b>Color:</b>					
		6			
<b>General Color:</b>					
		BROWN			
<b>Mat1:</b>					
		02			
<b>Most Common Material:</b>					
		TOPSOIL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		85			
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		SOFT			
<b>Formation End Depth:</b>		0			
<b>Formation End Depth UOM:</b>		.31			
		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>					
		1005381904			
<b>Layer:</b>					
		1			
<b>Plug From:</b>					
		0			
<b>Plug To:</b>					
		.31			
<b>Plug Depth UOM:</b>					
		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>					
		1005381905			
<b>Layer:</b>					
		2			
<b>Plug From:</b>					
		.31			
<b>Plug To:</b>					
		7.32			
<b>Plug Depth UOM:</b>					
		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>					
		1005381906			
<b>Layer:</b>					
		3			
<b>Plug From:</b>					
		7.32			
<b>Plug To:</b>					
		9.14			
<b>Plug Depth UOM:</b>					
		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>					
		1005381903			
<b>Method Construction Code:</b>					
		5			
<b>Method Construction:</b>					
		Air Percussion			
<b>Other Method Construction:</b>					

**Pipe Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe ID:** 1005381892  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1005381899  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 7.62  
**Casing Diameter:** 4.03  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1005381900  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 7.62  
**Screen End Depth:** 9.14  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 4.82

**Water Details**

**Water ID:** 1005381898  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1005381896  
**Diameter:** 11.43  
**Depth From:** 0  
**Depth To:** 1.52  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1005381897  
**Diameter:** 7.63  
**Depth From:** 1.52  
**Depth To:** 9.14  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

---

<a href="#">159</a>	1 of 1	W/213.3	59.9 / -0.21	ON	BORE
<b>Borehole ID:</b>	613208			<b>Type:</b>	Borehole

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Use:</b> <b>Drill Method:</b> <b>Easting:</b> 442391 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> -999 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> <b>Primary Water Use:</b>					
<b>Status:</b> <b>UTM Zone:</b> 18 <b>Northing:</b> 5028752 <b>Orig. Ground Elev m:</b> 58.7 <b>DEM Ground Elev m:</b> 58.7 <b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> -999.9 <b>Sec. Water Use:</b>					
<b>--Details--</b>					
<b>Stratum ID:</b> 218394138 <b>Bottom Depth(m):</b> 1.1 <b>Stratum ID:</b> 218394139 <b>Bottom Depth(m):</b> 2.4 <b>Stratum ID:</b> 218394140 <b>Bottom Depth(m):</b>					
<b>Top Depth(m):</b> 0.0 <b>Stratum Desc:</b> SAND. FIRM. <b>Top Depth(m):</b> 1.1 <b>Stratum Desc:</b> LIMESTONE. COMPACT,BROKEN. <b>Top Depth(m):</b> 2.4 <b>Stratum Desc:</b> BEDROCK. 0075 068 0000003300075001 00150 067 0000000800050005GREY,STIFF,FISSURE					
<a href="#">160</a>	1 of 1	S/213.4	60.9 / 0.79	City of Ottawa Forward Avenue, Lyndale Avenue and Hinchey Avenue Ottawa ON K1N 5A1	ECA
<b>Approval No:</b> 8746-4WDR47 <b>Approval Date:</b> 2001-05-04 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Rideau Valley <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Address:</b> Forward Avenue, Lyndale Avenue and Hinchey Avenue <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7782-4WBQ6E-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7782-4WBQ6E-14.pdf</a>					
<a href="#">161</a>	1 of 72	NNE/221.8	50.9 / -9.15	Lemieux Island Water Purification Plant 1 River Street Ottawa ON K1Y 2C4	CA
<b>Certificate #:</b> 7816-56WM2Y <b>Application Year:</b> 02 <b>Issue Date:</b> 7/31/02 <b>Approval Type:</b> Municipal & Private water <b>Status:</b> Revoked and/or Replaced <b>Application Type:</b> New Certificate of Approval <b>Client Name:</b> City of Ottawa <b>Client Address:</b> 1 River Street <b>Client City:</b> Ottawa <b>Client Postal Code:</b> K1Y 2C4 <b>Project Description:</b> Amendment to CofA to correct typo <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">161</a>	2 of 72	NNE/221.8	50.9 / -9.15	Lemieux Island Water Purification Plant 1 River Street	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Ottawa ON K1Y 2C4

**Certificate #:** 4289-543LRT  
**Application Year:** 02  
**Issue Date:** 5/10/02  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** Revocation  
**Client Name:** City of Ottawa  
**Client Address:** 1 River Street  
**Client City:** Ottawa  
**Client Postal Code:** K1Y 2C4  
**Project Description:** The original water purification plant went into service in 1932. Major components of the water treatment plant and associated high lift pumping include: - four (4) river intake lines - two (2) interconnected pump suction wells - one (1) travelling screen - five (5) low lift pumps - mixing and flocculation chambers - original plant - six (6) rows of four (4) chambers each - plant addition - four (4) rows of three (3) chambers each - settling basins - three (3) in the original plant, two (2) in the expansion - twelve (12) dual media, anthracite and sand, filter basins - chemical mixing tank - one (1) clearwell - divided into two (2) cells (north and south) - - two (2) backwash systems - one consisting of an elevated backwash tank and the other consisting of two (2) pumps - four (4) high lift pumps - on-site - five (5) high lift pumps - off-site (extension of on-site pumping station) - standby power to operate the plant through a combination of diesel generated power and combination diesel-electric pump drives. - chemicals applied include: - alum - primary coagulant added at the intake well - sulphuric acid - for pH adjustment and to activate sodium silicate - chlorine gas - pre-chlorination at the intake well - sodium silicate - flocculant aid is added in the low lift discharge header - lime - pH adjustment added to the chemical mixing tank - fluoride - tooth decay prevention added to the chemical mixing tank - chloramine (chlorine gas and aqueous ammonia) - added in the high lift suction header - sodium bisulphite - added to dechlorinate filter waste water prior to discharge to river

**Contaminants:**  
**Emission Control:**

<a href="#">161</a>	3 of 72	NNE/221.8	50.9 / -9.15	Lemieux Island Water Purification Plant 1 River Street Ottawa ON K1Y 2C4	CA
---------------------	---------	-----------	--------------	--------------------------------------------------------------------------------	----

**Certificate #:** 4289-543LRT  
**Application Year:** 02  
**Issue Date:** 5/10/02  
**Approval Type:** Municipal & Private water  
**Status:** Revoked and/or Replaced  
**Application Type:** New Certificate of Approval  
**Client Name:** City of Ottawa  
**Client Address:** 110 Laurier Avenue West  
**Client City:** City of Ottawa  
**Client Postal Code:** K1P 1J1  
**Project Description:** The original water purification plant went into service in 1932. Major components of the water treatment plant and associated high lift pumping include: - four (4) river intake lines - two (2) interconnected pump suction wells - one (1) travelling screen - five (5) low lift pumps - mixing and flocculation chambers - original plant - six (6) rows of four (4) chambers each - plant addition - four (4) rows of three (3) chambers each - settling basins - three (3) in the original plant, two (2) in the expansion - twelve (12) dual media, anthracite and sand, filter basins - chemical mixing tank - one (1) clearwell - divided into two (2) cells (north and south) - - two (2) backwash systems - one consisting of an elevated backwash tank and the other consisting of two (2) pumps - four (4) high lift pumps - on-site - five (5) high lift pumps - off-site (extension of on-site pumping station) - standby power to operate the plant through a combination of diesel generated power and combination diesel-electric pump drives. - chemicals applied include: - alum - primary coagulant added at the intake well - sulphuric acid - for pH adjustment and to activate sodium silicate - chlorine gas - pre-chlorination at the intake well - sodium silicate - flocculant aid is added in the low lift discharge header - lime - pH adjustment added to the chemical mixing tank - fluoride - tooth decay prevention added to the chemical mixing tank - chloramine (chlorine gas and aqueous ammonia) - added in the high lift suction header - sodium bisulphite - added to dechlorinate filter waste water prior to discharge to river

**Contaminants:**  
**Emission Control:**

<a href="#">161</a>	4 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street	CA
---------------------	---------	-----------	--------------	----------------------------------	----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Ottawa ON K1Y 2C4</i>					
				<b>Certificate #:</b> 8452-5GAR95 <b>Application Year:</b> 2002 <b>Issue Date:</b> 11/28/2002 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>	
<a href="#">161</a>	5 of 72	NNE/221.8	50.9 / -9.15	<b>Lemieux Island Water Purification Plant</b> <b>1 River Street</b> <b>Ottawa ON K1Y 2C4</b>	CA
				<b>Certificate #:</b> 5182-59HRGW <b>Application Year:</b> 02 <b>Issue Date:</b> 7/31/02 <b>Approval Type:</b> Municipal & Private water <b>Status:</b> Revoked and/or Replaced <b>Application Type:</b> Amended CofA <b>Client Name:</b> City of Ottawa <b>Client Address:</b> 110 Laurier Avenue West <b>Client City:</b> Ottawa <b>Client Postal Code:</b> K1P 1J1 <b>Project Description:</b> Amendment for new generators in existing building, replace diesel driver for high lift No. 2, replace low lift pump motor starters. <b>Contaminants:</b> <b>Emission Control:</b>	
<a href="#">161</a>	6 of 72	NNE/221.8	50.9 / -9.15	<b>R.M. OF OTTAWA-CARLETON</b> <b>1 RIVER ST., LEMIEUX ISLAND WPP</b> <b>OTTAWA CITY ON K1Y 2C4</b>	CA
				<b>Certificate #:</b> 8-4005-96- <b>Application Year:</b> 96 <b>Issue Date:</b> 2/7/1996 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> CHLORINE SCRUBBER FOR WATER PURIF. PLANT <b>Contaminants:</b> Chlorine <b>Emission Control:</b> Spray Chamber,	
<a href="#">161</a>	7 of 72	NNE/221.8	50.9 / -9.15	<b>R.M. OF OTTAWA-CARLETON</b> <b>1 RIVER ST., LEMIEUX ISLAND</b> <b>OTTAWA CITY ON K1Y 2C4</b>	CA
				<b>Certificate #:</b> 7-0071-96- <b>Application Year:</b> 96 <b>Issue Date:</b> 4/1/1996	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		Municipal water Approved			
<a href="#">161</a>	8 of 72	NNE/221.8	50.9 / -9.15	R.M. OF OTTAWA-CARLETON 1 RIVER ST.,LEMIEUX ISLAND WPP OTTAWA ON K1Y 2C4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		3-0989-98- 98 7/15/1998 Municipal sewage Approved			
<a href="#">161</a>	9 of 72	NNE/221.8	50.9 / -9.15	Lemieux Island Water Purification Plant 1 River Street Ottawa ON K1Y 2C4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		3740-57TLK4 02 4/23/02 Municipal & Private water Approved Amended CofA City of Ottawa 110 Laurier Avenue West Ottawa K1P 1J1 Water Quality Improvement Project- Specifically: Clearwell Baffling.			
<a href="#">161</a>	10 of 72	NNE/221.8	50.9 / -9.15	Lemieux Island Water Purification Plant 1 River Street Ottawa ON K1Y 2C4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b>		6328-5E2PQ8 02 10/1/02 Municipal & Private water Approved Amended CofA The Corporation of the City of Ottawa 110 Laurier Avenue West Ottawa			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client Postal Code:</b> <b>Project Description:</b>		K1P 1J1 This application is for water quality improvement chemical system upgrade at Lemieux Island Water Purification Plant. The project includes: installation of sodium hydroxide, sodium hypochlorite and carbon dioxide storage and feed systems, decommission of existing chlorine gas and lime systems and a new backwash tank fill pump.			
<b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">161</a>	11 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1P 1J1	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		6328-5E2PQ8 2002-10-01 Revoked and/or Replaced ECA IDS ECA-Municipal and Private Water Works Municipal and Private Water Works 1 River Street		<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">161</a>	12 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K2G 6J8	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		1130-65QHDC 2004-10-15 Approved ECA IDS ECA-Municipal Drinking Water Systems Municipal Drinking Water Systems 1 River Street		<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">161</a>	13 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1P 1J1	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		5182-59HRGW 2002-07-31 Revoked and/or Replaced ECA IDS ECA-Municipal and Private Water Works Municipal and Private Water Works 1 River Street		<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">161</a>	14 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K2G 6J8	ECA



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p> <b>Approval No:</b> 9449-7P6RD4  <b>Approval Date:</b> 2009-02-13  <b>Status:</b> Approved  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b>  <b>Approval Type:</b> ECA-Municipal Drinking Water Systems  <b>Project Type:</b> Municipal Drinking Water Systems  <b>Address:</b> 1 River St  <b>Full Address:</b>  <b>Full PDF Link:</b> </p>					
<a href="#">161</a>	15 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1P 1J1	ECA
<p> <b>Approval No:</b> 3740-57TLK4  <b>Approval Date:</b> 2002-04-23  <b>Status:</b> Revoked and/or Replaced  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b>  <b>Approval Type:</b> ECA-Municipal and Private Water Works  <b>Project Type:</b> Municipal and Private Water Works  <b>Address:</b> 1 River Street  <b>Full Address:</b>  <b>Full PDF Link:</b> </p>					
<a href="#">161</a>	16 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1P 1J1	ECA
<p> <b>Approval No:</b> 3611-6FBJE3  <b>Approval Date:</b> 2005-08-19  <b>Status:</b> Revoked and/or Replaced  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b>  <b>Approval Type:</b> ECA-Municipal Drinking Water Systems  <b>Project Type:</b> Municipal Drinking Water Systems  <b>Address:</b> 1 River Street  <b>Full Address:</b>  <b>Full PDF Link:</b> </p>					
<a href="#">161</a>	17 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1Y 2C4	ECA
<p> <b>Approval No:</b> 7816-56WM2Y  <b>Approval Date:</b> 2002-07-31  <b>Status:</b> Revoked and/or Replaced  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b>  <b>Approval Type:</b> ECA-Municipal and Private Water Works  <b>Project Type:</b> Municipal and Private Water Works  <b>Address:</b> 1 River Street  <b>Full Address:</b>  <b>Full PDF Link:</b> </p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">161</a>	18 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1P 1J1	ECA
<b>Approval No:</b> 4289-543LRT <b>Approval Date:</b> 2002-05-10 <b>Status:</b> Revoked and/or Replaced <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-Municipal and Private Water Works <b>Project Type:</b> Municipal and Private Water Works <b>Address:</b> 1 River Street <b>Full Address:</b> <b>Full PDF Link:</b>				<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">161</a>	19 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1P 1J1	ECA
<b>Approval No:</b> 8452-5GAR95 <b>Approval Date:</b> 2002-11-28 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Address:</b> 1 River Street <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3079-58WRR8-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3079-58WRR8-14.pdf</a>				<b>MOE District:</b> <b>City:</b> Ottawa <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">161</a>	20 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River Street Ottawa ON K1P 1J1	ECA
<b>Approval No:</b> 5831-6TYKWB <b>Approval Date:</b> 2006-11-27 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-Municipal Drinking Water Systems <b>Project Type:</b> Municipal Drinking Water Systems <b>Address:</b> 1 River Street <b>Full Address:</b> <b>Full PDF Link:</b>				<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">161</a>	21 of 72	NNE/221.8	50.9 / -9.15	1 River St Ottawa ON K1Y2C4	EHS
<b>Order No:</b> 20160623132 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 30-JUN-16 <b>Date Received:</b> 23-JUN-16 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> 23 acres <b>Additional Info Ordered:</b> City Directory; Aerial Photos				<b>Nearest Intersection:</b> <b>Municipality:</b> Township of Nepean, Carleton County, City of Ottawa <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.729666 <b>Y:</b> 45.415287	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">161</a>	22 of 72	NNE/221.8	50.9 / -9.15	1 River Street Ottawa ON	EHS
<b>Order No:</b>	20140908069			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	Ottawa
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	15-SEP-14			<b>Search Radius (km):</b>	.4
<b>Date Received:</b>	08-SEP-14			<b>X:</b>	-75.729639
<b>Previous Site Name:</b>	City of Ottawa Water Purification Plant			<b>Y:</b>	45.416311
<b>Lot/Building Size:</b>	5 acres				
<b>Additional Info Ordered:</b>					
<a href="#">161</a>	23 of 72	NNE/221.8	50.9 / -9.15	Jacques Whitford Limited 1 River Street (Lemiux Island Pumping Station) Ottawa ON K1Y 2C4	GEN
<b>Generator No:</b>	ON2847077			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	238910				
<b>SIC Description:</b>	Site Preparation Contractors				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<a href="#">161</a>	24 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	GEN
<b>Generator No:</b>	ON0303107			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	221310				
<b>SIC Description:</b>	Water Supply and Irrigation Systems				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	113				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<a href="#">161</a>	25 of 72	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>City of Ottawa LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4</b>	<b>GEN</b>
<b>Generator No:</b>		ON0303107		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>		2016		<b>Choice of Contact:</b> CO_OFFICIAL	
<b>Contam. Facility:</b>		No		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		No		<b>Phone No Admin:</b>	
<b>SIC Code:</b>		221310			
<b>SIC Description:</b>		WATER SUPPLY AND IRRIGATION SYSTEMS			
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Generator No:</b>	ON0303107			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	221310				
<b>SIC Description:</b>		Water Supply and Irrigation Systems			
<b>--Details--</b>					
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			

**161**    28 of 72    **NNE/221.8**    **50.9 / -9.15**    **City of Ottawa**  
**LEMIEUX ISLAND WATER PURIFICATION**  
**PLANT 1 RIVER STREET**  
**OTTAWA ON K1Y 2C4**    **GEN**

**Generator No:** ON0303107    **PO Box No:**  
**Status:**    **Country:** Canada  
**Approval Years:** 2014    **Choice of Contact:** CO\_OFFICIAL  
**Contam. Facility:** No    **Co Admin:**  
**MHSW Facility:** No    **Phone No Admin:**  
**SIC Code:** 221310  
**SIC Description:** WATER SUPPLY AND IRRIGATION SYSTEMS

**--Details--**  
**Waste Code:** 221  
**Waste Description:** LIGHT FUELS  
**Waste Code:** 122  
**Waste Description:** ALKALINE WASTES - OTHER METALS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

<a href="#">161</a>	29 of 72	NNE/221.8	50.9 / -9.15	<b>City of Ottawa Public Works and Environmental Services Department LEMIEUX ISLAND WATER PURIFICATION PLANT 1 ONIGAM STREET OTTAWA ON K1Y 2C4</b>	<b>GEN</b>
<b>Generator No:</b>	ON0303107			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

**--Details--**

<b>Waste Code:</b>	112 C
<b>Waste Description:</b>	Acid solutions - containing heavy metals
<b>Waste Code:</b>	113 C
<b>Waste Description:</b>	Acid solutions - containing other metals and non-metals
<b>Waste Code:</b>	113 L
<b>Waste Description:</b>	Acid solutions - containing other metals and non-metals
<b>Waste Code:</b>	122 C
<b>Waste Description:</b>	Alkaline slutions - containing other metals and non-metals (not cyanide)

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		145 I			
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>		145 T			
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>		146 C			
<b>Waste Description:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Code:</b>		146 L			
<b>Waste Description:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Code:</b>		148 B			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		212 L			
<b>Waste Description:</b>		Aliphatic solvents and residues			
<b>Waste Code:</b>		213 I			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		221 L			
<b>Waste Description:</b>		Light fuels			
<b>Waste Code:</b>		243 D			
<b>Waste Description:</b>		PCB			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		331 I			
<b>Waste Description:</b>		Waste compressed gases including cylinders			

<b>161</b>	<b>30 of 72</b>	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>City of Ottawa LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON0303107			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	221310				
<b>SIC Description:</b>	WATER SUPPLY AND IRRIGATION SYSTEMS				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			

**161**    31 of 72    **NNE/221.8**    **50.9 / -9.15**    **City of Ottawa  
LEMIEUX ISLAND WATER PURIFICATION  
PLANT 1 RIVER STREET  
OTTAWA ON K1Y 2C4**    **GEN**

<b>Generator No:</b>	ON0303107	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2015	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No	<b>Phone No Admin:</b>	
<b>SIC Code:</b>	221310		
<b>SIC Description:</b>	WATER SUPPLY AND IRRIGATION SYSTEMS		

**--Details--**

<b>Waste Code:</b>	121
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Code:</b>	122
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Code:</b>	145
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Code:</b>	331
<b>Waste Description:</b>	WASTE COMPRESSED GASES
<b>Waste Code:</b>	221
<b>Waste Description:</b>	LIGHT FUELS
<b>Waste Code:</b>	113
<b>Waste Description:</b>	ACID WASTE - OTHER METALS
<b>Waste Code:</b>	212
<b>Waste Description:</b>	ALIPHATIC SOLVENTS
<b>Waste Code:</b>	213

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			

<a href="#">161</a>	32 of 72	NNE/221.8	50.9 / -9.15	OTTAWA-CARLTON, REGIONAL MUNICIPALITY OF LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1A 1B6	GEN
<b>Generator No:</b>	ON0303107			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8372				
<b>SIC Description:</b>	REG. CONS./IND. DEV.				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				

<a href="#">161</a>	33 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1A 1B6	GEN
<b>Generator No:</b>	ON0303107			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>SIC Description:</i>					
<i>--Details--</i>					
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			

<a href="#">161</a>	34 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa LEMIEUX ISLAND WATER PURIFICATION PLANT 1 RIVER STREET OTTAWA ON K1Y 2C4	GEN
<b>Generator No:</b>	ON0303107			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	221310				
<b>SIC Description:</b>	Water Supply and Irrigation Systems				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			212		
<b>Waste Description:</b>			ALIPHATIC SOLVENTS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			221		
<b>Waste Description:</b>			LIGHT FUELS		
<b>Waste Code:</b>			251		
<b>Waste Description:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			331		
<b>Waste Description:</b>			WASTE COMPRESSED GASES		

<b>161</b>	<b>35 of 72</b>	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4</b>	<b>NPRI</b>
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	42966
<b>Other ID:</b>	Y			<b>Submit Date:</b>	7/2/2003
<b>No Other ID:</b>	2			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	76785			<b>Contact ID:</b>	206776
<b>Report ID:</b>	161334			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	2002			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MECHANICAL ENGINEERING TECHNOLOGIST
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	6135802424
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	35802424
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	22031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	ROBERT.WALLACE@OTTAWA.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.city.ottawa.on.ca			<b>UTM Easting:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No of Empl.:	70			Waste Streams:	False
Parent Co.:	*			No Streams:	0
No Parent Co.:	1			Waste Off Sites:	False
Pollut Prev Cmnts:	False			No Off Sites:	0
Stacks:	False			Shutdown:	False
No of Stacks:				No of Shutdown:	0
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	22				
NAICS 2 Description:	Utilities				
NAICS Code (4 digit):	2213				
NAICS 4 Description:	Water, sewage and other systems				
NAICS Code (6 digit):	221310				
NAICS 6 Description:	Water supply and irrigation systems				

### Substance Release Report

Category Type ID:	13
Category Type Desc:	All Media
Category Type Desc (fr):	Rejets à tous les médias
Grouping:	Total All Media<1t
Trans Code:	
Chem:	Chlorine
Chem (fr):	Chlore
Quantity:	.945
Unit:	tonnes
Basis of Estimate Cd:	O
Basis of Estimate Desc:	O- Engineering Estimates

161	36 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
NPRI ID:	4754			Org ID:	42966
Other ID:	Y			Submit Date:	5/22/2002
No Other ID:	2.00			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	13977			Contact ID:	106143
Report ID:				Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	ROBERT
Report Year:	2001			Cont Last Name:	WALLACE
Not-Current Rpt?:	No			Contact Position:	ENGINEERING TECHNOLOGIST
Yr of Last Filed Rpt:	2013			Contact Fax:	6137285479
Fac ID:	225609			Contact Ph.:	6135802424
Fac Name:	LEMIEUX ISLAND WATER PURIFICATION PLANT			Cont Area Code:	613
Fac Address1:	1 RIVER STREET			Contact Tel.:	35802424
Fac Address2:	NOT AVAILABLE			Contact Ext.:	22031
Fac Postal Zip:	K1Y2C4			Cont Fax Area Cde:	613
Facility Lat:	45.4151			Contact Fax:	37285479
Facility Long:	-75.73			Contact Email:	ROBERT.WALLACE@CITY.OTTAWA.ON.CA
DLS (Last Filed Rpt):				Latitude:	45.4151
Facility DLS:				Longitude:	-75.73
Datum:	1983			UTM Zone:	
Facility Cmnts:	No			UTM Northing:	
URL:	www.city.ottawa.on.ca			UTM Easting:	
No of Empl.:	70			Waste Streams:	Yes
Parent Co.:	*			No Streams:	1.00
No Parent Co.:	1.00			Waste Off Sites:	No
Pollut Prev Cmnts:	No			No Off Sites:	0.00
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		22			
<b>NAICS 2 Description:</b>		Utilities			
<b>NAICS Code (4 digit):</b>		2213			
<b>NAICS 4 Description:</b>		Water, sewage and other systems			
<b>NAICS Code (6 digit):</b>		221310			
<b>NAICS 6 Description:</b>		Water supply and irrigation systems			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Sulphuric acid			
<b>Chem (fr):</b>		Acide sulfurique			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		7			
<b>Category Type Desc:</b>		Direct Discharges			
<b>Category Type Desc (fr):</b>		Évacuation directes			
<b>Grouping:</b>		Total Water			
<b>Trans Code:</b>		WatD			
<b>Chem:</b>		Chlorine			
<b>Chem (fr):</b>		Chlore			
<b>Quantity:</b>		1.03			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Ammonia (total)			
<b>Chem (fr):</b>		Ammoniac (total)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">161</a>	37 of 72	NNE/221.8	50.9 / -9.15	REGION OF OTTAWA CARLETON 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	18468
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/31/1999
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	13980			<b>Contact ID:</b>	106150
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	1998			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	TECHNICAL ASSISTANT
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	50320			<b>Contact Ph.:</b>	6137244248

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac Name:</b>	LEMIEUX ISLAND WPP			<b>Cont Area Code:</b> 613	
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b> 37244248	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b> 2031	
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b> 613	
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b> 37285479	
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b> WALLACERO@RMOC.ON.CA	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b> 45.4151	
<b>Facility DLS:</b>				<b>Longitude:</b> -75.73	
<b>Datum:</b>	1983			<b>UTM Zone:</b> 18	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b> 5029100	
<b>URL:</b>	www.rmoc.on.ca			<b>UTM Easting:</b> 442850	
<b>No of Empl.:</b>	70			<b>Waste Streams:</b> False	
<b>Parent Co.:</b>	Y			<b>No Streams:</b> 0	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b> False	
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b> 0	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

**Substance Release Report**

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Chlorine
<b>Chem (fr):</b>	Chlore
<b>Quantity:</b>	.106
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates

<a href="#">161</a>	38 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b> 101367	
<b>Other ID:</b>				<b>Submit Date:</b> 6/27/2012	
<b>No Other ID:</b>				<b>Last Modified:</b> 5/29/2015 3:28:24 PM	
<b>Track ID:</b>	102336			<b>Contact ID:</b>	
<b>Report ID:</b>	7202			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2011			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b> 45.4151	
<b>Facility DLS:</b>				<b>Longitude:</b> -75.73	
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	50			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

<a href="#">161</a>	39 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b> 42966	
<b>Other ID:</b>	Y			<b>Submit Date:</b> 5/23/2007	
<b>No Other ID:</b>	2			<b>Last Modified:</b> 5/29/2015 3:28:24 PM	
<b>Track ID:</b>	43910			<b>Contact ID:</b> 206776	
<b>Report ID:</b>	105438			<b>Cont Type:</b> MED	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b> ROBERT	
<b>Report Year:</b>	2006			<b>Cont Last Name:</b> WALLACE	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b> MECHANICAL ENGINEERING TECHNOLOGIST	
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b> 6137285479	
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b> 6135802424	
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b> 613	
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b> 35802424	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b> 22031	
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b> 613	
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b> 37285479	
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b> ROBERT.WALLACE@OTTAWA.CA	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b> 45.4151	
<b>Facility DLS:</b>				<b>Longitude:</b> -75.73	
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	70			<b>Waste Streams:</b> True?	
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b> False	
<b>Pollut Prev Cmnts:</b>	Fals			<b>No Off Sites:</b>	
<b>Stacks:</b>	True			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>NAICS 6 Description:</b>		Water supply and irrigation systems			
<a href="#">161</a>	40 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b> 101367	
<b>Other ID:</b>				<b>Submit Date:</b> 5/26/2015	
<b>No Other ID:</b>				<b>Last Modified:</b> 6/10/2015 10:59:04 AM	
<b>Track ID:</b>	129108			<b>Contact ID:</b>	
<b>Report ID:</b>	54278			<b>Cont Type:</b>	
<b>Report Type:</b>	DNMC			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	2			<b>Cont First Name:</b>	
<b>Report Year:</b>	2013			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b> 45.4151	
<b>Facility DLS:</b>				<b>Longitude:</b> -75.73	
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>				<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

<a href="#">161</a>	41 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b> 42966	
<b>Other ID:</b>	Y			<b>Submit Date:</b> 5/25/2009	
<b>No Other ID:</b>	2			<b>Last Modified:</b> 5/29/2015 3:28:24 PM	
<b>Track ID:</b>	63697			<b>Contact ID:</b> 206776	
<b>Report ID:</b>	124581			<b>Cont Type:</b> MED	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b> ROBERT	
<b>Report Year:</b>	2008			<b>Cont Last Name:</b> WALLACE	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b> MECHANICAL ENGINEERING TECHNOLOGIST	
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b> 6137285479	
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b> 6135802424	
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b> 613	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	35802424
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	22031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	ROBERT.WALLACE@OTTAWA.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

<a href="#">161</a>	42 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	42966
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/25/2006
<b>No Other ID:</b>	2			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	35862			<b>Contact ID:</b>	206776
<b>Report ID:</b>	98268			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	2005			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MECHANICAL ENGINEERING TECHNOLOGIST
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	6135802424
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	35802424
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	22031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	ROBERT.WALLACE@OTTAWA.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	Fals			<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	False
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	False
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	
<b>Stacks:</b>	False			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>NAICS Code (2 digit):</b>		22			
<b>NAICS 2 Description:</b>		Utilities			
<b>NAICS Code (4 digit):</b>		2213			
<b>NAICS 4 Description:</b>		Water, sewage and other systems			
<b>NAICS Code (6 digit):</b>		221310			
<b>NAICS 6 Description:</b>		Water supply and irrigation systems			

<a href="#">161</a>	43 of 72	NNE/221.8	50.9 / -9.15	REGIONAL MUNICIPALITY OF OTTAWA CARLETON 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	18493
<b>Other ID:</b>	Y			<b>Submit Date:</b>	9/17/1997
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	13978			<b>Contact ID:</b>	106149
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	1996			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	TECHNICAL ASSISTANT
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	50320			<b>Contact Ph.:</b>	6137244248
<b>Fac Name:</b>	LEMIEUX ISLAND WPP			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	37244248
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	2031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	18
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	5029100
<b>URL:</b>				<b>UTM Easting:</b>	442850
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	*			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	0			<b>Waste Off Sites:</b>	FALSE
<b>Pollut Prev Cmnts:</b>	FALSE			<b>No Off Sites:</b>	0
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		22			
<b>NAICS 2 Description:</b>		Utilities			
<b>NAICS Code (4 digit):</b>		2213			
<b>NAICS 4 Description:</b>		Water, sewage and other systems			
<b>NAICS Code (6 digit):</b>		221310			
<b>NAICS 6 Description:</b>		Water supply and irrigation systems			

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Ammonia (total)
<b>Chem (fr):</b>	Ammoniac (total)
<b>Quantity:</b>	.034
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Chlorine			
<b>Chem (fr):</b>		Chlore			
<b>Quantity:</b>		.108			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">161</a>	44 of 72	NNE/221.8	50.9 / -9.15	REGION OF OTTAWA CARLETON 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	18468
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/23/2000
<b>No Other ID:</b>	2			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	13981			<b>Contact ID:</b>	106144
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	1999			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	ENGINEERING TECHNOLOGIST
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	50320			<b>Contact Ph.:</b>	6137244248
<b>Fac Name:</b>	LEMIEUX ISLAND WPP			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	37244248
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	2031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	WALLACERO@RMOC.ON.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	18
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	5029100
<b>URL:</b>	www.rmoc.on.ca			<b>UTM Easting:</b>	442850
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	Yes
<b>Parent Co.:</b>	*			<b>No Streams:</b>	1
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	0
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

#### Substance Release Report

<b>Category Type ID:</b>	7
<b>Category Type Desc:</b>	Direct Discharges
<b>Category Type Desc (fr):</b>	Évacuation directes
<b>Grouping:</b>	Total Water
<b>Trans Code:</b>	WatD
<b>Chem:</b>	Chlorine

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem (fr):</b>		Chlore			
<b>Quantity:</b>		1.722			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">161</a>	45 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	42966
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/25/2004
<b>No Other ID:</b>	2			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	73374			<b>Contact ID:</b>	206776
<b>Report ID:</b>	152908			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	2003			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MECHANICAL ENGINEERING TECHNOLOGIST
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	6135802424
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	35802424
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	22031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	ROBERT.WALLACE@OTTAWA.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.city.ottawa.on.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	True?
<b>Parent Co.:</b>	*			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	False
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	
<b>Stacks:</b>	True			<b>Shutdown:</b>	True
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Chlorine
<b>Chem (fr):</b>	Chlore
<b>Quantity:</b>	.941
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">161</a>	46 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	101367
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/13/2011
<b>No Other ID:</b>	3			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	95115			<b>Contact ID:</b>	
<b>Report ID:</b>	149167			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2010			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	50			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	*			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

<a href="#">161</a>	47 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	42966
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/30/2001
<b>No Other ID:</b>	2.00			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	13976			<b>Contact ID:</b>	106143
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	2000			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	ENGINEERING TECHNOLOGIST
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	6135802424
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	35802424
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	22031

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	ROBERT.WALLACE@CITY.OTTAWA.ON.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.city.ottawa.on.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	Yes
<b>Parent Co.:</b>	*			<b>No Streams:</b>	1
<b>No Parent Co.:</b>	1.00			<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	0.00
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Ammonia (total)				
<b>Chem (fr):</b>	Ammoniac (total)				
<b>Quantity:</b>	.091				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	7				
<b>Category Type Desc:</b>	Direct Discharges				
<b>Category Type Desc (fr):</b>	Évacuation directes				
<b>Grouping:</b>	Total Water				
<b>Trans Code:</b>	WatD				
<b>Chem:</b>	Chlorine				
<b>Chem (fr):</b>	Chlore				
<b>Quantity:</b>	1.067				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>161</b>	<b>48 of 72</b>	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>CITY OF OTTAWA, ENVIRONMENTAL SERVICES DEPARTMENT 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4</b>	<b>NPRI</b>
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	42969
<b>Other ID:</b>				<b>Submit Date:</b>	5/28/2013
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	110918			<b>Contact ID:</b>	
<b>Report ID:</b>	20125			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2012			<b>Cont Last Name:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	50			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	22				
<b>NAICS 2 Description:</b>	Utilities				
<b>NAICS Code (4 digit):</b>	2213				
<b>NAICS 4 Description:</b>	Water, sewage and other systems				
<b>NAICS Code (6 digit):</b>	221310				
<b>NAICS 6 Description:</b>	Water supply and irrigation systems				

<a href="#">161</a>	49 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>	4754			<b>Org ID:</b>	42966
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/22/2008
<b>No Other ID:</b>	2.00			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	53331			<b>Contact ID:</b>	206776
<b>Report ID:</b>	114811			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	2007			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MECHANICAL ENGINEERING TECHNOLOGIST
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	225609			<b>Contact Ph.:</b>	6135802424
<b>Fac Name:</b>	LEMIEUX ISLAND WATER PURIFICATION PLANT			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	35802424
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	22031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	ROBERT.WALLACE@OTTAWA.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.ottawa.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	True?
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	True?
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	
<b>Stacks:</b>	True			<b>Shutdown:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 22 <b>NAICS 2 Description:</b> Utilities <b>NAICS Code (4 digit):</b> 2213 <b>NAICS 4 Description:</b> Water, sewage and other systems <b>NAICS Code (6 digit):</b> 221310 <b>NAICS 6 Description:</b> Water supply and irrigation systems				<b>No of Shutdown:</b>	
<a href="#">161</a>	50 of 72	NNE/221.8	50.9 / -9.15	<b>CITY OF OTTAWA</b> <b>1 RIVER STREET NOT AVAILABLE</b> <b>OTTAWA ON K1Y2C4</b>	<b>NPRI</b>
<b>NPRI ID:</b> 4754 <b>Other ID:</b> Y <b>No Other ID:</b> 2 <b>Track ID:</b> 83507 <b>Report ID:</b> 137367 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2009 <b>Not-Current Rpt?:</b> No  <b>Yr of Last Filed Rpt:</b> 2013 <b>Fac ID:</b> 225609 <b>Fac Name:</b> LEMIEUX ISLAND WATER PURIFICATION PLANT  <b>Fac Address1:</b> 1 RIVER STREET <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> K1Y2C4 <b>Facility Lat:</b> 45.4151 <b>Facility Long:</b> -75.73 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> No <b>URL:</b> www.ottawa.ca <b>No of Empl.:</b> 70 <b>Parent Co.:</b> N <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> No <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 22 <b>NAICS 2 Description:</b> Utilities <b>NAICS Code (4 digit):</b> 2213 <b>NAICS 4 Description:</b> Water, sewage and other systems <b>NAICS Code (6 digit):</b> 221310 <b>NAICS 6 Description:</b> Water supply and irrigation systems				<b>Org ID:</b> 42966 <b>Submit Date:</b> 5/11/2010 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> 206776 <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> ROBERT <b>Cont Last Name:</b> WALLACE <b>Contact Position:</b> MECHANICAL ENGINEERING TECHNOLOGIST <b>Contact Fax:</b> 6137285479 <b>Contact Ph.:</b> 6135802424 <b>Cont Area Code:</b> 613  <b>Contact Tel.:</b> 35802424 <b>Contact Ext.:</b> 22031 <b>Cont Fax Area Cde:</b> 613 <b>Contact Fax:</b> 37285479 <b>Contact Email:</b> ROBERT.WALLACE@OTTAWA.CA <b>Latitude:</b> 45.4151 <b>Longitude:</b> -75.73 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> No <b>No Streams:</b> <b>Waste Off Sites:</b> No <b>No Off Sites:</b> <b>Shutdown:</b> No <b>No of Shutdown:</b>	

<a href="#">161</a>	51 of 72	NNE/221.8	50.9 / -9.15	<b>REGIONAL MUNICIPALITY OF OTTAWA</b> <b>CARLETON</b> <b>1 RIVER STREET NOT AVAILABLE</b> <b>OTTAWA ON K1Y2C4</b>	<b>NPRI</b>
<b>NPRI ID:</b> 4754 <b>Other ID:</b> Y				<b>Org ID:</b> 18493 <b>Submit Date:</b> 5/11/1998	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	13979			<b>Contact ID:</b>	106149
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	1997			<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	TECHNICAL ASSISTANT
<b>Yr of Last Filed Rpt:</b>	2013			<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>	50320			<b>Contact Ph.:</b>	6137244248
<b>Fac Name:</b>	LEMIEUX ISLAND WPP			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET			<b>Contact Tel.:</b>	37244248
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	2031
<b>Fac Postal Zip:</b>	K1Y2C4			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151			<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>	-75.73			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983			<b>UTM Zone:</b>	18
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	5029100
<b>URL:</b>				<b>UTM Easting:</b>	442850
<b>No of Empl.:</b>	70			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	*			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	FALSE
<b>Pollut Prev Cmnts:</b>	FALSE			<b>No Off Sites:</b>	0
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		22			
<b>NAICS 2 Description:</b>		Utilities			
<b>NAICS Code (4 digit):</b>		2213			
<b>NAICS 4 Description:</b>		Water, sewage and other systems			
<b>NAICS Code (6 digit):</b>		221310			
<b>NAICS 6 Description:</b>		Water supply and irrigation systems			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Ammonia (total)			
<b>Chem (fr):</b>		Ammoniac (total)			
<b>Quantity:</b>		.017			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Chlorine			
<b>Chem (fr):</b>		Chlore			
<b>Quantity:</b>		.106			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">161</a>	52 of 72	NNE/221.8	50.9 / -9.15	LEMIEUX ISLAND WPP, R.M.O.C. 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI

<b>NPRI ID:</b>	4754	<b>Org ID:</b>	15257
<b>Other ID:</b>	Y	<b>Submit Date:</b>	9/26/2001
<b>No Other ID:</b>	1	<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	13975	<b>Contact ID:</b>	106198
<b>Report ID:</b>		<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>	ROBERT B
<b>Report Year:</b>	1995	<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	NOT AVAILABLE
<b>Yr of Last Filed Rpt:</b>	2013	<b>Contact Fax:</b>	6137281963
<b>Fac ID:</b>	50314	<b>Contact Ph.:</b>	6137244248
<b>Fac Name:</b>	NOT AVAILABLE	<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	1 RIVER STREET	<b>Contact Tel.:</b>	37244248
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>	2031
<b>Fac Postal Zip:</b>	K1Y2C4	<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4151	<b>Contact Fax:</b>	37281963
<b>Facility Long:</b>	-75.73	<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>		<b>Longitude:</b>	-75.73
<b>Datum:</b>	1983	<b>UTM Zone:</b>	18
<b>Facility Cmnts:</b>	FALSE	<b>UTM Northing:</b>	5029100
<b>URL:</b>		<b>UTM Easting:</b>	442850
<b>No of Empl.:</b>	70	<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	*	<b>No Streams:</b>	0
<b>No Parent Co.:</b>	0	<b>Waste Off Sites:</b>	FALSE
<b>Pollut Prev Cmnts:</b>	FALSE	<b>No Off Sites:</b>	0
<b>Stacks:</b>		<b>Shutdown:</b>	
<b>No of Stacks:</b>		<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>			
<b>Canadian SIC Code:</b>			
<b>SIC Code Description:</b>			
<b>American SIC Code:</b>			
<b>NAICS Code (2 digit):</b>	22		
<b>NAICS 2 Description:</b>	Utilities		
<b>NAICS Code (4 digit):</b>	2213		
<b>NAICS 4 Description:</b>	Water, sewage and other systems		
<b>NAICS Code (6 digit):</b>	221310		
<b>NAICS 6 Description:</b>	Water supply and irrigation systems		

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Ammonia (total)
<b>Chem (fr):</b>	Ammoniac (total)
<b>Quantity:</b>	.034
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Chlorine
<b>Chem (fr):</b>	Chlore
<b>Quantity:</b>	.003

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<a href="#">161</a>	53 of 72	NNE/221.8	50.9 / -9.15	CITY OF OTTAWA 1 RIVER STREET NOT AVAILABLE OTTAWA ON K1Y2C4	NPRI
<b>NPRI ID:</b>		4754		<b>Org ID:</b>	42966
<b>Other ID:</b>		Y		<b>Submit Date:</b>	5/12/2005
<b>No Other ID:</b>		2		<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>		25385		<b>Contact ID:</b>	206776
<b>Report ID:</b>		84978		<b>Cont Type:</b>	MED
<b>Report Type:</b>		NPRI		<b>Contact Title:</b>	
<b>Rpt Type ID:</b>		1		<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>		2004		<b>Cont Last Name:</b>	WALLACE
<b>Not-Current Rpt?:</b>		No		<b>Contact Position:</b>	MECHANICAL ENGINEERING TECHNOLOGIST
<b>Yr of Last Filed Rpt:</b>		2013		<b>Contact Fax:</b>	6137285479
<b>Fac ID:</b>		225609		<b>Contact Ph.:</b>	6135802424
<b>Fac Name:</b>		LEMIEUX ISLAND WATER PURIFICATION PLANT		<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>		1 RIVER STREET		<b>Contact Tel.:</b>	35802424
<b>Fac Address2:</b>		NOT AVAILABLE		<b>Contact Ext.:</b>	22031
<b>Fac Postal Zip:</b>		K1Y2C4		<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>		45.4151		<b>Contact Fax:</b>	37285479
<b>Facility Long:</b>		-75.73		<b>Contact Email:</b>	ROBERT.WALLACE@OTTAWA.CA
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4151
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.73
<b>Datum:</b>		1983		<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>		True		<b>UTM Northing:</b>	
<b>URL:</b>		www.ottawa.ca		<b>UTM Easting:</b>	
<b>No of Empl.:</b>		70		<b>Waste Streams:</b>	False
<b>Parent Co.:</b>		N		<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	False
<b>Pollut Prev Cmnts:</b>		True		<b>No Off Sites:</b>	
<b>Stacks:</b>		No		<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		22			
<b>NAICS 2 Description:</b>		Utilities			
<b>NAICS Code (4 digit):</b>		2213			
<b>NAICS 4 Description:</b>		Water, sewage and other systems			
<b>NAICS Code (6 digit):</b>		221310			
<b>NAICS 6 Description:</b>		Water supply and irrigation systems			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Chlorine			
<b>Chem (fr):</b>		Chlore			
<b>Quantity:</b>		.706			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">161</a>	54 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K1Y 2C4	SPL
<b>Ref No:</b>	7636-9SKR72			<b>Discharger Report:</b>	
<b>Site No:</b>	6346-4VVU7Z			<b>Material Group:</b>	
<b>Incident Dt:</b>	1/8/2015			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Leak/Break			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	41			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	SLUDGE (N.O.S.)			<b>Site Address:</b>	1 River St
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	K1Y 2C4
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	5028864
<b>MOE Response:</b>	N			<b>Easting:</b>	442950
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	GPS
<b>MOE Reported Dt:</b>	1/8/2015			<b>Site Map Datum:</b>	NAD27
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Primary Assessment of Spills
<b>Incident Reason:</b>	Power Interruption/Loss			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>	10-30 metres eg. Medium Quality GPS				
<b>Incident Summary:</b>	Lemieux Island WPP: aluminum hydroxide sludge frozen to building				
<b>Contaminant Qty:</b>	50 L				

<a href="#">161</a>	55 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K1Y 2C4	SPL
<b>Ref No:</b>	7585-7FNENR			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Sector Type:</b>	Water Supply
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	Low pH water (6)			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	6/16/2008			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	9/9/2008			<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Power Interruption - Loss of electrical power			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux Island WTP: 14200 m3 of Low pH Water to Ottawa R				
<b>Contaminant Qty:</b>	14200 m3				

<a href="#">161</a>	56 of 72	NNE/221.8	50.9 / -9.15	1 River St Ottawa ON K1Y 2C4	SPL
---------------------	----------	-----------	--------------	---------------------------------	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ref No:</b>	6516-B2QRYY			<b>Discharger Report:</b>	
<b>Site No:</b>	6346-4VVU7Z			<b>Material Group:</b>	
<b>Incident Dt:</b>	2018/07/13			<b>Health/Env Conseq:</b>	2 - Minor Environment
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Other
<b>Incident Event:</b>	Process Upset/Malfunction			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	22			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	ALUMINUM HYDROXIDE GEL			<b>Site Address:</b>	1 River St
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	K1Y 2C4
<b>Contaminant UN No 1:</b>	n/a			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	NA
<b>Receiving Env:</b>	Surface Water			<b>Northing:</b>	5028864
<b>MOE Response:</b>	No			<b>Easting:</b>	442950
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	GPS
<b>MOE Reported Dt:</b>	2018/07/16			<b>Site Map Datum:</b>	NAD27
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	Sewage Treatment
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>	NA				
<b>Site Geo Ref Meth:</b>	10-30 metres eg. Medium Quality GPS				
<b>Incident Summary:</b>	CoOttawa: Alum. hydroxide sludge release to Ottawa River				
<b>Contaminant Qty:</b>	34 mg/L				

[161](#) 57 of 72 NNE/221.8 50.9 / -9.15 City of Ottawa 1 River St Ottawa ON K1Y 2C4 [SPL](#)

<b>Ref No:</b>	2465-7LKLEZ			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Sector Type:</b>	Other
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	41			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	WATER (ACIDIC, IE: LOW PH)			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>				<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	11/20/2008			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Spill			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	6.2 pH water to Ottawa River, Lemieux Water Treatment Plant				
<b>Contaminant Qty:</b>					

[161](#) 58 of 72 NNE/221.8 50.9 / -9.15 City of Ottawa 1 River St Ottawa ON K1Y 2C4 [SPL](#)

<b>Ref No:</b>	6655-7KNKNL			<b>Discharger Report:</b>	
----------------	-------------	--	--	---------------------------	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Start-Ups / Shutdowns / Interruptions			<b>Sector Type:</b>	Water Supply
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	41			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	PROCESS WATER LOW PH			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	10/22/2008			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	11/3/2008			<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Power Interruption - Loss of electrical power			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux Isl. WTP: low pH process water to Ottawa River				
<b>Contaminant Qty:</b>	500 m3				

[161](#) 59 of 72 NNE/221.8 50.9 / -9.15 City of Ottawa 1 River Street Ottawa ON K1Y 2C4 SPL

<b>Ref No:</b>	7223-6ALLSF			<b>Discharger Report:</b>	0
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	3/18/2005			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Pipe Or Hose Leak			<b>Sector Type:</b>	Other Motor Vehicle
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Soil Contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	5030879
<b>MOE Response:</b>				<b>Easting:</b>	365085
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	3/18/2005			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Spill to Land
<b>Incident Reason:</b>	Equipment Failure - Malfunction of system components			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux Isl. WTP - 35 L Hydraulic Oil to Ground				
<b>Contaminant Qty:</b>					

[161](#) 60 of 72 NNE/221.8 50.9 / -9.15 City of Ottawa 1 River St Ottawa ON K1Y 2C4 SPL

<b>Ref No:</b>	4110-7NK2JJ			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
<b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>		Process Upset  TOTAL SUSPENDED MATTER  Not Anticipated Surface Water Pollution  Planned Field Response  1/22/2009  Process upset Lemieux Island Water Purification Plant  Lemieux Island WPP: CofA exceedence for TSS. 114 mg/L		<b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>		

<a href="#">161</a>	61 of 72	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>1 River St Ottawa ON K1Y 2C4</b>	<b>SPL</b>	
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b>  <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>		0121-7YPM5U  Unknown  Surface Water Pollution  Equipment Failure - Malfunction of system components Lemieux Island Water Purification Plant  Lemieux Island WPP: Duplicate see IDS 1747-7YPM27		<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>		

<a href="#">161</a>	62 of 72	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>City of Ottawa 1 River St LEMIEUX ISLAND WATER PURIFICATION PLANT Ottawa ON K1Y 2C4</b>	<b>SPL</b>	
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b>		3257-6W8NUS  12/5/2006		<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b>		



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Sector Type:</b>	Water Supply
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	99			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	treated river water			<b>Site Address:</b>	1 RIVER ST
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Other Impact(s); Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>				<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	12/6/2006			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	Spill			<b>Source Type:</b>	
<b>Site Name:</b>	1 RIVER ST				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux Island WTP - treated river water to Ottawa R				
<b>Contaminant Qty:</b>	21200000 L				

<a href="#">161</a>	63 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K1Y 2C4	SPL
<b>Ref No:</b>	6874-7JD6W9			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Other Discharges			<b>Sector Type:</b>	Water Supply
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	22			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	ALUMINUM HYDROXIDE GEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	Priority Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>	9/11/2008			<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	9/11/2008			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Unknown - Reason not determined			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux Island WTP - aluminum hydroxide to Ottawa River				
<b>Contaminant Qty:</b>	150000 L				

<a href="#">161</a>	64 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K1Y 2C4	SPL
<b>Ref No:</b>	5736-83FSKD			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Sector Type:</b>	Water Supply

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	99			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CHLORINATED WATER			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	3/11/2010			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Spill			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux Island WPP: 80 m3 Chlorinated Water to Ottawa R.				
<b>Contaminant Qty:</b>	0.11 mg/L				

<a href="#">161</a>	65 of 72	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>City of Ottawa 1 River St Ottawa ON K1Y 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	7725-8M3P8K			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	9/26/2011			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Pipe Or Hose Leak			<b>Sector Type:</b>	Water Supply
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	21			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	HYDROFLUOROSILICIC ACID (FLOURIDE)			<b>Site Address:</b>	1 River St
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Human Health/Safety; Other Impact(s)			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	Planned Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>	9/27/2011			<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	9/26/2011			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Primary Assessment of Spills
<b>Incident Reason:</b>				<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux Island WPP:spill HFS to drain, sewers ~20L				
<b>Contaminant Qty:</b>	20 L				

<a href="#">161</a>	66 of 72	<b>NNE/221.8</b>	<b>50.9 / -9.15</b>	<b>1 River St Ottawa ON K1Y 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	8413-7MAM68			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	41			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	HIGH PH EFFLUENT (N.O.S.)			<b>Site Address:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
				<b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> Surface Water Pollution <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/13/2008 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Other - Reason not otherwise defined <b>Site Name:</b> Lemieux Island Water Purification Plant <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Lemieux WTP- 83m 3 of high pH water to Ottawa River <b>Contaminant Qty:</b> 83 m3	<b>Site District Office:</b> Ottawa <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Source Type:</b>	
<a href="#">161</a>	67 of 72	NNE/221.8	50.9 / -9.15	<b>City of Ottawa</b> <b>1 River St</b> <b>Ottawa ON K1Y 2C4</b>	SPL	
				<b>Ref No:</b> 1723-7KVMWC <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Discharge Or Bypass To A Watercourse <b>Incident Event:</b> <b>Contaminant Code:</b> 99 <b>Contaminant Name:</b> CHLORINATED WATER <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> Surface Water Pollution <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 10/29/2008 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Process upset <b>Site Name:</b> Lemieux Island Water Purification Plant <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Lemieux Island WTP: Chlorinated water to the Ottawa River. <b>Contaminant Qty:</b> 1.9 mg/L	<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> Ottawa <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Source Type:</b>	
<a href="#">161</a>	68 of 72	NNE/221.8	50.9 / -9.15	<b>City of Ottawa</b> <b>1 River St</b> <b>Ottawa ON K1Y 2C4</b>	SPL	
				<b>Ref No:</b> 1747-7YPM27 <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Valve / Fitting Leak Or Failure <b>Incident Event:</b> <b>Contaminant Code:</b> 99 <b>Contaminant Name:</b> WATER (HIGH CHLORINE) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b>	<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Water Supply <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Surface Water Pollution <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/13/2009 <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> Lemieux Island Water Purification Plant <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Lemieux Island WPP: CI2 feeder line leak to Ottawa R. <b>Contaminant Qty:</b> 600 L					
<a href="#">161</a>	69 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K1Y 2C4	SPL
<b>Ref No:</b> 8773-7LPUP2 <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Discharge Or Bypass To A Watercourse <b>Incident Event:</b> <b>Contaminant Code:</b> 22 <b>Contaminant Name:</b> ALUMINUM HYDROXIDE GEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Surface Water Pollution <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 11/24/2008 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Equipment Failure <b>Site Name:</b> Lemieux Island Water Purification Plant <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Spill to Ottawa River of aluminum hydroxide , Lemieux WTP <b>Contaminant Qty:</b> 4 hr					
<a href="#">161</a>	70 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K1Y 2C4	SPL
<b>Ref No:</b> 6023-7NBQMD <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Discharge Or Bypass To A Watercourse <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> WATER/SEDIMENT <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Possible					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Water Supply <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> Ottawa <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Source Type:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	Surface Water Pollution    1/15/2009   Other - Reason not otherwise defined Lemieux Island Water Purification Plant   City of Ottawa: Lemieux Island WPP high TSS to Ottawa R. 500 m3			<b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	NA NA  Watercourse Spills

<a href="#">161</a>	71 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	7816-8ZDRFU  24-OCT-12   41 WATER (BASIC, IE: HIGH PH)    Surface Water Pollution   24-OCT-12   Lemieux Island Water Purification Plant  10-30 metres eg. Medium Quality GPS City of Ottawa: minor pH spike to Ottawa River. 24.1 m <sup>3</sup>			<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	Water Supply  1 River St  Ottawa  5028864 442950 GPS NAD27 Watercourse Spills

<a href="#">161</a>	72 of 72	NNE/221.8	50.9 / -9.15	City of Ottawa 1 River St Ottawa ON K1Y 2C4	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b>	1173-8M3QGQ  9/26/2011  Discharge Or Bypass To A Watercourse  41 WATER (BASIC, IE: HIGH PH)  Confirmed Other Impact(s); Surface Water Pollution			<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b>	Water Supply  1 River St  Ottawa

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	Planned Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>	9/27/2011			<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	9/26/2011			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Primary Assessment of Spills
<b>Incident Reason:</b>	Error- Operator error			<b>Source Type:</b>	
<b>Site Name:</b>	Lemieux Island Water Purification Plant				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lemieux WTP - 488m <sup>3</sup> high pH H <sub>2</sub> O (>10.8) to Ottawa R				
<b>Contaminant Qty:</b>	488 m <sup>3</sup>				

[162](#)    1 of 1    **ESE/227.4**    **57.9 / -2.18**    **Ottawa ON**    [WWIS](#)

<b>Well ID:</b>	7207735	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	9/12/2013
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z151003	<b>Owner:</b>	
<b>Tag:</b>	A150095	<b>Street Name:</b>	80 BAYVIEW ST.
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004564173	<b>Elevation:</b>	57.41
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443089
<b>Code OB Desc:</b>		<b>North83:</b>	5028540
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-AUG-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004599095
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	11

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		GRAVEL			
<b>Other Materials:</b>		28			
<b>Mat3:</b>		SAND			
<b>Other Materials:</b>		73			
<b>Formation Top Depth:</b>		HARD			
<b>Formation End Depth:</b>		3.66			
<b>Formation End Depth UOM:</b>		6.71			
		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>					
<b>Layer:</b>		1004599094			
<b>Color:</b>		1			
<b>General Color:</b>		6			
<b>Mat1:</b>		BROWN			
<b>Most Common Material:</b>		28			
<b>Mat2:</b>		SAND			
<b>Other Materials:</b>		11			
<b>Mat3:</b>		GRAVEL			
<b>Other Materials:</b>		85			
<b>Formation Top Depth:</b>		SOFT			
<b>Formation End Depth:</b>		0			
<b>Formation End Depth UOM:</b>		3.66			
		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>					
<b>Layer:</b>		1004599096			
<b>Color:</b>		3			
<b>General Color:</b>		2			
<b>Mat1:</b>		GREY			
<b>Most Common Material:</b>		15			
<b>Mat2:</b>		LIMESTONE			
<b>Other Materials:</b>					
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		6.71			
<b>Formation End Depth:</b>		9.14			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>					
<b>Layer:</b>		1004599108			
<b>Plug From:</b>		4			
<b>Plug To:</b>		7.32			
<b>Plug Depth UOM:</b>		9.14			
		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>					
<b>Layer:</b>		1004599105			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		.31			
		m			
<b><u>Annular Space/Abandonment</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004599107			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.1			
<b>Plug To:</b>		7.32			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004599106			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		3.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004599104			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004599093			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004599100			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7.62			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004599101			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		7.62			
<b>Screen End Depth:</b>		9.14			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004599099			
<b>Layer:</b>					
<b>Kind Code:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004599097					
<b>Diameter:</b> 11.43					
<b>Depth From:</b> 0					
<b>Depth To:</b> 7.01					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004599098					
<b>Diameter:</b> 8					
<b>Depth From:</b> 7.01					
<b>Depth To:</b> 9.14					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<a href="#">163</a>	1 of 1	WSW/233.3	60.6 / 0.49	ON	BORE
<b>Borehole ID:</b> 613202					
<b>Use:</b>					
<b>Drill Method:</b>					
<b>Easting:</b> 442401					
<b>Location Accuracy:</b>					
<b>Elev. Reliability Note:</b>					
<b>Total Depth m:</b> -999					
<b>Township:</b>					
<b>Lot:</b>					
<b>Completion Date:</b> NOV-1962					
<b>Primary Water Use:</b>					
<b>Type:</b> Borehole					
<b>Status:</b>					
<b>UTM Zone:</b> 18					
<b>Northing:</b> 5028652					
<b>Orig. Ground Elev m:</b> 60.7					
<b>DEM Ground Elev m:</b> 59.9					
<b>Primary Name:</b>					
<b>Concession:</b>					
<b>Municipality:</b>					
<b>Static Water Level:</b> 3					
<b>Sec. Water Use:</b>					
<b>--Details--</b>					
<b>Stratum ID:</b> 218394119					
<b>Bottom Depth(m):</b> 3.5					
<b>Top Depth(m):</b> 0.0					
<b>Stratum Desc:</b> SAND. FIRM.					
<b>Stratum ID:</b> 218394120					
<b>Bottom Depth(m):</b>					
<b>Top Depth(m):</b> 3.5					
<b>Stratum Desc:</b> BEDROCK. WATER STABLE AT 189.0 FEET.GREY,STIFF. 00000005 SAND. LOOSE TO COMPACT. UNSPECI					
<a href="#">164</a>	1 of 1	SE/233.5	58.9 / -1.21	OTTAWA ON	WWIS
<b>Well ID:</b> 1536309					
<b>Construction Date:</b>					
<b>Primary Water Use:</b>					
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b> Observation Wells					
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b> Z42958					
<b>Tag:</b> A038590					
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b>					
<b>Date Received:</b> 4/27/2006					
<b>Selected Flag:</b> Yes					
<b>Abandonment Rec:</b>					
<b>Contractor:</b> 1844					
<b>Form Version:</b> 3					
<b>Owner:</b>					
<b>Street Name:</b> 52 BAYVIEW ROAD					
<b>County:</b> OTTAWA-CARLETON					
<b>Municipality:</b> OTTAWA CITY					
<b>Site Info:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933060375			
<b>Layer:</b>		4			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		81			
<b>Other Materials:</b>		SANDY			
<b>Mat3:</b>		26			
<b>Other Materials:</b>		ROCK			
<b>Formation Top Depth:</b>		3.2			
<b>Formation End Depth:</b>		3.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933060376			
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		61			
<b>Other Materials:</b>		CLAYEY			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3.7			
<b>Formation End Depth:</b>		4.6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933060374			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Formation Top Depth:</b>		2.1			
<b>Formation End Depth:</b>		3.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933295920			
<b>Layer:</b>		1			
<b>Plug From:</b>		2.5			
<b>Plug To:</b>		2.8			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction ID:</b>		961536309			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11559982			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930881185			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.5			
<b>Casing Diameter:</b>		50			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933419126			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.7			
<b>Screen End Depth:</b>		4.6			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		58			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11681068			
<b>Diameter:</b>		20			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.6			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[165](#)

1 of 1

E/238.5

55.4 / -4.73

OTTAWA ON

WWIS

**Well ID:** 7250143  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Observation Wells  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z214867  
**Tag:** A186563  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 10/16/2015  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 7 BAYVIEW AVE.  
**County:** OTTAWA-CARLETON  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1005743806  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc:  
Open Hole:  
Cluster Kind:  
Date Completed: 04-SEP-15  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Elevation: 57.74  
Elevrc:  
Zone: 18  
East83: 443212  
North83: 5028724  
Org CS: UTM83  
UTMRC: 4  
UTMRC Desc: margin of error : 30 m - 100 m  
Location Method: wwr

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1005776454  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 01  
Most Common Material: FILL  
Mat2: 12  
Other Materials: STONES  
Mat3: 77  
Other Materials: LOOSE  
Formation Top Depth: 0  
Formation End Depth: .31  
Formation End Depth UOM: m

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1005776456  
Layer: 3  
Color: 8  
General Color: BLACK  
Mat1: 28  
Most Common Material: SAND  
Mat2: 11  
Other Materials: GRAVEL  
Mat3: 85  
Other Materials: SOFT  
Formation Top Depth: 2.13  
Formation End Depth: 4.57  
Formation End Depth UOM: m

**Overburden and Bedrock  
Materials Interval**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1005776455			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005776465			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005776464			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005776466			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005776463			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005776453			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005776459			
<b>Layer:</b>		1			
<b>Material:</b>		5			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<hr/>					
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.52			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005776460			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.52			
<i>Screen End Depth:</i>		4.57			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.82			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1005776458			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1005776457			
<i>Diameter:</i>		8.25			
<i>Depth From:</i>		0			
<i>Depth To:</i>		4.57			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<hr/>					
<a href="#">166</a>	1 of 1	<b>ESE/238.8</b>	<b>57.9 / -2.21</b>	<b>80 Bayview Shed</b>	<b>FCS</b>
				<b>Ottawa ON</b>	
<i>SGC:</i>		3506008			
<i>Site ID:</i>		00024001			
<i>Departmental ID:</i>					
<i>Depart Code:</i>		NCC			
<i>Class Type:</i>		1			
<i>Class:</i>		High Priority for Action			
<i>Site Name:</i>		80 Bayview Shed			
<i>Site Name (FR):</i>		80 Bayview cabanon			
<i>Site Status:</i>		Active			
<i>Site Status Desc:</i>		Detailed testing completed. Remedial action plan under development.			
<i>Site Status (FR):</i>		Active			
<i>Description (FR):</i>		Analyse détaillée terminée. Élaboration du plan d'assainissement en cours.			
<i>Involv Code:</i>					
<i>Census Division:</i>					
<i>Municipality:</i>		Ottawa			
<i>Census Sub Class:</i>					
<i>Latitude:</i>		45.407989			
<i>Longitude:</i>		-75.727162			
<i>Location:</i>					
<i>Protected Data:</i>					
<i>FED:</i>		75			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Fed Electoral District:</b>		Ottawa Centre			
<b>Fed Electoral District (FR):</b>		Ottawa-Centre			
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b>	6				
<b>Site Deleted Flag:</b>					
<b>Created:</b>		2017-06-19T02:15:00			
<b>Modified:</b>		2018-05-24T10:00:36.353			
<b>Property No.:</b>		4641			
<b>Est m<sup>3</sup> Contmnted:</b>					
<b>Est Ha Contmnted:</b>	0.013				
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b>		11,006			
<b>Est Population at 10 Km:</b>		654,684			
<b>Est Population at 25 Km:</b>		1,226,794			
<b>Est Population at 5 Km:</b>		218,529			
<b>Est Population at 50 Km:</b>		1,441,282			
<b>Reporting Org:</b>		National Capital Commission			
<b>Reporting Org (FR):</b>		Commission de la Capitale nationale			
<b>Reason for Involv:</b>		Federal Real Property			
<b>Reason for Involv (FR):</b>		Biens immobiliers fédéraux			
<b>Liabile Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention élevée			
<b>Action Plan:</b>					
<b>Action Plan (FR):</b>					
<b>Site Mgmt Strategy:</b>		Periodic Monitoring			
<b>Minimap URL:</b>		<a href="http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024001">http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024001</a>			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					
<b><u>Management</u></b>					
<b>Management Code:</b>	4				
<b>Management Type (EN):</b>		Periodic Monitoring			
<b>Management Type (FR):</b>		Surveillance périodique			
<b><u>Contamination</u></b>					
<b>Contaminant:</b>		Halogenated Hydrocarbon			
<b>Contamination (FR):</b>		Hydrocarbures halogénés			
<b>Medium Code:</b>		2			
<b>Medium:</b>		Groundwater			
<b>Medium (FR):</b>		Eau souterraine			
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>		2016-2017			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>	6				
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Modified:**

**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2017-2018  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 6  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

[167](#)    1 of 1    **SE/239.7**    **57.9 / -2.21**    **ON**    **BORE**

<b>Borehole ID:</b>	800394	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status:</b>	
<b>Drill Method:</b>	Boring	<b>UTM Zone:</b>	18
<b>Easting:</b>	443085.11	<b>Northing:</b>	5028521.22
<b>Location Accuracy:</b>		<b>Orig. Ground Elev m:</b>	56.4
<b>Elev. Reliability Note:</b>		<b>DEM Ground Elev m:</b>	57.3
<b>Total Depth m:</b>	3.5	<b>Primary Name:</b>	AH 6
<b>Township:</b>		<b>Concession:</b>	
<b>Lot:</b>		<b>Municipality:</b>	
<b>Completion Date:</b>	20-AUG-1982	<b>Static Water Level:</b>	3.2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564856			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	Topsoil
<b>Stratum ID:</b>	218564857			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	Light Brown Fill-Misc Silt - Sand With: Gr
<b>Stratum ID:</b>	218564858			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	3.2			<b>Stratum Desc:</b>	Brown Fill-Misc Sand With: Gr W Cob Trace: Constr Debris occasional glass and wood
<b>Stratum ID:</b>	218564859			<b>Top Depth(m):</b>	3.2
<b>Bottom Depth(m):</b>	3.5			<b>Stratum Desc:</b>	Dark Brown to Black Fill-Misc Sand With: Org M

<a href="#">168</a>	1 of 1	<b>ESE/242.4</b>	<b>57.5 / -2.54</b>	<b>80 Bayview Shed 2</b>	<b>FCS</b>
<b>Ottawa ON</b>					
<b>SGC:</b>	3506008				
<b>Site ID:</b>	00024002				
<b>Departmental ID:</b>					
<b>Depart Code:</b>	NCC				
<b>Class Type:</b>	1				
<b>Class:</b>	High Priority for Action				
<b>Site Name:</b>	80 Bayview Shed 2				
<b>Site Name (FR):</b>	80 Bayview Shed 2				
<b>Site Status:</b>	Active				
<b>Site Status Desc:</b>	Detailed testing completed. Remedial action plan under development.				
<b>Site Status (FR):</b>	Active				
<b>Description (FR):</b>	Analyse détaillée terminée. Élaboration du plan d'assainissement en cours.				
<b>Involv Code:</b>					
<b>Census Division:</b>					
<b>Municipality:</b>	Ottawa				
<b>Census Sub Class:</b>					
<b>Latitude:</b>	45.408234				
<b>Longitude:</b>	-75.726707				
<b>Location:</b>					
<b>Protected Data:</b>					
<b>FED:</b>	75				
<b>Fed Electoral District:</b>	Ottawa Centre				
<b>Fed Electoral District (FR):</b>	Ottawa-Centre				
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b>	6				
<b>Site Deleted Flag:</b>					
<b>Created:</b>	2017-06-19T02:20:00				
<b>Modified:</b>	2018-05-24T10:02:42.747				
<b>Property No.:</b>	4646				
<b>Est m³ Contmnted:</b>					
<b>Est Ha Contmnted:</b>	0.013				
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b>	11,002				
<b>Est Population at 10 Km:</b>	654,880				
<b>Est Population at 25 Km:</b>	1,226,739				
<b>Est Population at 5 Km:</b>	218,864				
<b>Est Population at 50 Km:</b>	1,441,166				
<b>Reporting Org:</b>	National Capital Commission				
<b>Reporting Org (FR):</b>	Commission de la Capitale nationale				
<b>Reason for Involv:</b>	Federal Real Property				
<b>Reason for Involv (FR):</b>	Biens immobiliers fédéraux				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Liabile Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention élevée			
<b>Action Plan:</b>					
<b>Action Plan (FR):</b>					
<b>Site Mgmt Strategy:</b>		Periodic Monitoring			
<b>Minimap URL:</b>		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024002			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					
 <b><u>Management</u></b>					
<b>Management Code:</b>		4			
<b>Management Type (EN):</b>		Periodic Monitoring			
<b>Management Type (FR):</b>		Surveillance périodique			
 <b><u>Contamination</u></b>					
<b>Contaminant:</b>		Halogenated Hydrocarbon			
<b>Contamination (FR):</b>		Hydrocarbures halogénés			
<b>Medium Code:</b>		2			
<b>Medium:</b>		Groundwater			
<b>Medium (FR):</b>		Eau souterraine			
 <b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>		2016-2017			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		6			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			
 <b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>		2017-2018			
<b>Reporting Organization:</b>		NCC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		6			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

<a href="#">169</a>	1 of 2	S/251.5	60.6 / 0.47	PRIVATE RESIDENCE 185 HINCHEY FURNACE OIL TANK OTTAWA CITY ON K1Y 1L6	SPL
<b>Ref No:</b>		171722		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>		8/20/1999		<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>		UNKNOWN		<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		NOT ANTICIPATED		<b>Site Municipality:</b> 20101	
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>		WATER		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>		8/20/1999		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>		UNKNOWN		<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>		PRIVATE RESIDENCE: UNK AMT OF FUEL OIL TO SANI, PUMPED BY SEWERMATIC.			
<b>Contaminant Qty:</b>					

<a href="#">169</a>	2 of 2	S/251.5	60.6 / 0.47	PRIVATE RESIDENCE 185 HINCHEY AVE. FURNACE OIL TANK	SPL
---------------------	--------	---------	-------------	--------------------------------------------------------	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>OTTAWA CITY ON K1Y 1L6</b>					
<b>Ref No:</b>	171547			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	8/10/1999			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	ABOVE-GROUND TANK LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	20101
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	8/16/1999			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	UNKNOWN			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	PRIVATE RESIDENCE-UNKNW AMOUNT FURNACE OIL TO GRDBASEMENT. TANK LEAK.				
<b>Contaminant Qty:</b>					

<a href="#">170</a>	1 of 1	<b>ESE/254.0</b>	<b>57.6 / -2.45</b>	<b>80 Bayview Garage</b>	<b>FCS</b>
<b>Ottawa ON</b>					
<b>SGC:</b>	3506008				
<b>Site ID:</b>	00024003				
<b>Departmental ID:</b>					
<b>Depart Code:</b>	NCC				
<b>Class Type:</b>	1				
<b>Class:</b>	High Priority for Action				
<b>Site Name:</b>	80 Bayview Garage				
<b>Site Name (FR):</b>	80 Bayview Garage				
<b>Site Status:</b>	Active				
<b>Site Status Desc:</b>	Detailed testing completed. Remedial action plan under development.				
<b>Site Status (FR):</b>	Active				
<b>Description (FR):</b>	Analyse détaillée terminée. Élaboration du plan d'assainissement en cours.				
<b>Involv Code:</b>					
<b>Census Division:</b>					
<b>Municipality:</b>	Ottawa				
<b>Census Sub Class:</b>					
<b>Latitude:</b>	45.408128				
<b>Longitude:</b>	-75.726649				
<b>Location:</b>					
<b>Protected Data:</b>					
<b>FED:</b>	75				
<b>Fed Electoral District:</b>	Ottawa Centre				
<b>Fed Electoral District (FR):</b>	Ottawa-Centre				
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b>	6				
<b>Site Deleted Flag:</b>					
<b>Created:</b>	2017-06-19T02:23:00				
<b>Modified:</b>	2018-05-24T10:04:45.223				
<b>Property No.:</b>	4648				
<b>Est m³ Contmnted:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Est Ha Contmnted:</b>		0.013			
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b>		11,107			
<b>Est Population at 10 Km:</b>		654,886			
<b>Est Population at 25 Km:</b>		1,226,748			
<b>Est Population at 5 Km:</b>		219,010			
<b>Est Population at 50 Km:</b>		1,441,170			
<b>Reporting Org:</b>		National Capital Commission			
<b>Reporting Org (FR):</b>		Commission de la Capitale nationale			
<b>Reason for Involv:</b>		Federal Real Property			
<b>Reason for Involv (FR):</b>		Biens immobiliers fédéraux			
<b>Liabile Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention élevée			
<b>Action Plan:</b>					
<b>Action Plan (FR):</b>					
<b>Site Mgmt Strategy:</b>		Periodic Monitoring			
<b>Minimap URL:</b>		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024003			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					
<b><u>Management</u></b>					
<b>Management Code:</b>		4			
<b>Management Type (EN):</b>		Periodic Monitoring			
<b>Management Type (FR):</b>		Surveillance périodique			
<b><u>Contamination</u></b>					
<b>Contaminant:</b>		Halogenated Hydrocarbon			
<b>Contamination (FR):</b>		Hydrocarbures halogénés			
<b>Medium Code:</b>		2			
<b>Medium:</b>		Groundwater			
<b>Medium (FR):</b>		Eau souterraine			
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>		2016-2017			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		6			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			
<b>Annual Data</b>					
<b>Fiscal Year:</b>		2017-2018			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		6			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

[171](#) 1 of 1 WSW/255.1 60.9 / 0.79 200 Tunneys Pasture Driveway Ottawa ON K1Y4G8 EHS

<b>Order No:</b>	20170605059	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	09-JUN-17	<b>Search Radius (km):</b>	.1
<b>Date Received:</b>	05-JUN-17	<b>X:</b>	-75.735326
<b>Previous Site Name:</b>		<b>Y:</b>	45.407822
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

[172](#) 1 of 1 WNW/255.9 56.3 / -3.82 ON BORE

<b>Borehole ID:</b>	613218	<b>Type:</b>	Borehole
<b>Use:</b>		<b>Status:</b>	
<b>Drill Method:</b>		<b>UTM Zone:</b>	18
<b>Easting:</b>	442361	<b>Northing:</b>	5028862
<b>Location Accuracy:</b>		<b>Orig. Ground Elev m:</b>	56.4
<b>Elev. Reliability Note:</b>		<b>DEM Ground Elev m:</b>	58.5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Depth m: Township: Lot: Completion Date: Primary Water Use:	-999   DEC-1962			Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use:	3.3
<b>--Details--</b>					
Stratum ID: Bottom Depth(m):	218394178 0.5			Top Depth(m): Stratum Desc:	0.0 SAND. LOOSE.
Stratum ID: Bottom Depth(m):	218394179			Top Depth(m): Stratum Desc:	0.5 BEDROCK. STABLE AT 174.1 FEET.M. SAND. LOOSE. BEDROCK. . CLAY. BROWN,GREY,VERY SO

[173](#)    1 of 1    E/256.6    56.3 / -3.78    OTTAWA ON    [WWIS](#)

Well ID: 7250146  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z215165  
 Tag: A175578  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 10/16/2015  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 7 BAYVIEW AVE.  
 County: OTTAWA-CARLETON  
 Municipality: NEPEAN TOWNSHIP  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1005743815  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Open Hole:  
 Cluster Kind:  
 Date Completed: 16-SEP-15  
 Remarks:  
 Elevrc Desc:  
 Location Source Date:  
 Improvement Location Source:  
 Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

Elevation: 57.44  
 Elevrc:  
 Zone: 18  
 East83: 443211  
 North83: 5028654  
 Org CS: UTM83  
 UTMRC: 4  
 UTMRC Desc: margin of error : 30 m - 100 m  
 Location Method: wwr

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1005776543  
 Layer: 1



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>	8				
<b>General Color:</b>		BLACK			
<b>Mat1:</b>	11				
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>	66				
<b>Other Materials:</b>		DENSE			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	.31				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005776545				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>		GREY			
<b>Mat1:</b>	15				
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>	74				
<b>Other Materials:</b>		LAYERED			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	2.44				
<b>Formation End Depth:</b>	16.76				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005776544				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>		BROWN			
<b>Mat1:</b>	28				
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>	11				
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>	77				
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>	.31				
<b>Formation End Depth:</b>	2.44				
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1005776555				
<b>Layer:</b>	2				
<b>Plug From:</b>	.31				
<b>Plug To:</b>	14.94				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1005776554				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	.31				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005776556			
<b>Layer:</b>		3			
<b>Plug From:</b>		14.94			
<b>Plug To:</b>		16.76			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005776553			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005776542			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005776549			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15.24			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005776550			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		15.27			
<b>Screen End Depth:</b>		16.76			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005776548			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> 1005776547 <b>Diameter:</b> 7.62 <b>Depth From:</b> 3.1 <b>Depth To:</b> 16.76 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1005776546 <b>Diameter:</b> 11.43 <b>Depth From:</b> 0 <b>Depth To:</b> 3.1 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">174</a>	1 of 1	ENE/260.4	52.2 / -7.93	ON	BORE
<b>Borehole ID:</b> 613217 <b>Use:</b> <b>Drill Method:</b> <b>Easting:</b> 443231 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> -999 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> JAN-1964 <b>Primary Water Use:</b>					
<b>Type:</b> Borehole <b>Status:</b> <b>UTM Zone:</b> 18 <b>Northing:</b> 5028852 <b>Orig. Ground Elev m:</b> 58 <b>DEM Ground Elev m:</b> 64.3 <b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> 4.9 <b>Sec. Water Use:</b>					
<b>--Details--</b>					
<b>Stratum ID:</b> 218394176 <b>Bottom Depth(m):</b> 7.7					
<b>Stratum ID:</b> 218394177 <b>Bottom Depth(m):</b>					
<b>Top Depth(m):</b> 0.0 <b>Stratum Desc:</b> FILL.					
<b>Top Depth(m):</b> 7.7 <b>Stratum Desc:</b> BEDROCK. WATER STABLE AT 174.1 FEET.M. SAND. LOOSE. BEDROCK. . CLAY. BROWN,GREY,					
<a href="#">175</a>	1 of 3	S/263.1	60.9 / 0.79	FRANK & SONS PAINTING & DECORATING LTD. 184 FORWARD AVENUE OTTAWA ON K1Y 1L2	GEN
<b>Generator No:</b> ON2361400 <b>Status:</b> <b>Approval Years:</b> 2009 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 238320 <b>SIC Description:</b> Painting and Wall Covering Contractors					
<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 213 <b>Waste Description:</b> PETROLEUM DISTILLATES					
<a href="#">175</a>	2 of 3	S/263.1	60.9 / 0.79	FRANK & SONS PAINTING & DECORATING LTD. 184 FORWARD AVENUE	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>OTTAWA ON K1Y 1L2</b>					
<b>Generator No:</b>	ON2361400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01,02,03,04,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	4275				
<b>SIC Description:</b>	PAINT. & DECOR. WORK				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">175</a>	3 of 3	S/263.1	60.9 / 0.79	<b>FRANK &amp; SONS PAINTING &amp; DECORATING LTD. 184 FORWARD AVENUE OTTAWA ON K1Y 1L2</b>	<b>GEN</b>
<b>Generator No:</b>	ON2361400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	238320				
<b>SIC Description:</b>	Painting and Wall Covering Contractors				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">176</a>	1 of 1	ESE/264.3	57.6 / -2.45	<b>90 Bayview Rd Ottawa ON</b>	<b>FCS</b>
<b>SGC:</b>	3506008				
<b>Site ID:</b>	00023301				
<b>Departmental ID:</b>	747				
<b>Depart Code:</b>	NCC				
<b>Class Type:</b>	2				
<b>Class:</b>	Medium Priority for Action				
<b>Site Name:</b>	90 Bayview Rd				
<b>Site Name (FR):</b>	90 rue Bayview				
<b>Site Status:</b>	Active				
<b>Site Status Desc:</b>	Initial testing completed. Detailed testing underway.				
<b>Site Status (FR):</b>	Active				
<b>Description (FR):</b>	Première analyse terminée. Analyse détaillée en cours.				
<b>Involv Code:</b>					
<b>Census Division:</b>	Ottawa				
<b>Municipality:</b>	Ottawa				
<b>Census Sub Class:</b>	1				
<b>Latitude:</b>	45.408126				
<b>Longitude:</b>	-75.726464				
<b>Location:</b>					
<b>Protected Data:</b>	0				
<b>FED:</b>	75				
<b>Fed Electoral District:</b>	Ottawa Centre				
<b>Fed Electoral District (FR):</b>	Ottawa-Centre				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Metro:</b>					
<b>Nearest Pop. Area:</b>					
<b>Highest Step Cmpltd:</b>	4				
<b>Site Deleted Flag:</b>					
<b>Created:</b>		2008-06-19T10:57:00			
<b>Modified:</b>		2018-05-23T15:54:47.137			
<b>Property No.:</b>		1850			
<b>Est m<sup>3</sup> Contmnted:</b>					
<b>Est Ha Contmnted:</b>					
<b>Est Tons Contamin:</b>					
<b>Est Population at 1 Km:</b>	11,187				
<b>Est Population at 10 Km:</b>	654,953				
<b>Est Population at 25 Km:</b>	1,226,737				
<b>Est Population at 5 Km:</b>	219,211				
<b>Est Population at 50 Km:</b>	1,441,137				
<b>Reporting Org:</b>		National Capital Commission			
<b>Reporting Org (FR):</b>		Commission de la Capitale nationale			
<b>Reason for Involv:</b>		Federal Real Property			
<b>Reason for Involv (FR):</b>		Biens immobiliers fédéraux			
<b>Liabile Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention moyenne			
<b>Action Plan:</b>					
<b>Action Plan (FR):</b>					
<b>Site Mgmt Strategy:</b>		Additional assessment			
<b>Minimap URL:</b>		<a href="http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023301">http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023301</a>			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					
<b><u>Management</u></b>					
<b>Management Code:</b>	5				
<b>Management Type (EN):</b>		Additional assessment			
<b>Management Type (FR):</b>		Évaluation complémentaire			
<b><u>Contamination</u></b>					
<b>Contaminant:</b>		Metal, metalloid, and organometallic			
<b>Contamination (FR):</b>		Métaux, métalloïdes, et organométalliques			
<b>Medium Code:</b>	5				
<b>Medium:</b>		Soil			
<b>Medium (FR):</b>		Sol			
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>		2012-2013			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>	4				
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>	0				
<b>Actual Hectares Rem:</b>	0				
<b>Actual Tons Remediated:</b>	0				
<b>Total Asmt Expenditure:</b>	\$0.00				
<b>Total Remediation Expenditure:</b>	\$0.00				
<b>Total Care/Maint Expenditur:</b>	\$0.00				
<b>Total Mntring Expenditure:</b>	\$0.00				
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>	\$0.00				
<b>FCSAP Remed Expenditure:</b>	\$0.00				
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00				
<b>FCSAP Mntring Expenditure:</b>	\$0.00				

**Annual Data**

<b>Fiscal Year:</b>	2010-2011
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	4
<b>Highest Step Completed Desc:</b>	
<b>Planned Compl Date Step7:</b>	
<b>Planned Compl Date Step8:</b>	
<b>Planned Compl Date Step9:</b>	
<b>Created:</b>	
<b>Modified:</b>	
<b>NCSCS Year:</b>	
<b>Closed:</b>	No
<b>Actual Cubic Metres Rem:</b>	0
<b>Actual Hectares Rem:</b>	0
<b>Actual Tons Remediated:</b>	0
<b>Total Asmt Expenditure:</b>	\$0.00
<b>Total Remediation Expenditure:</b>	\$0.00
<b>Total Care/Maint Expenditur:</b>	\$0.00
<b>Total Mntring Expenditure:</b>	\$0.00
<b>Ttl Expenditure Reduc Liabil:</b>	
<b>FCSAP Asmt Expenditure:</b>	\$0.00
<b>FCSAP Remed Expenditure:</b>	\$0.00
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00
<b>FCSAP Mntring Expenditure:</b>	\$0.00

**Annual Data**

<b>Fiscal Year:</b>	2016-2017
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	4
<b>Highest Step Completed Desc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b> No					
<b>Actual Cubic Metres Rem:</b> 0					
<b>Actual Hectares Rem:</b> 0					
<b>Actual Tons Remediated:</b> 0					
<b>Total Asmt Expenditure:</b> \$0.00					
<b>Total Remediation Expenditure:</b> \$0.00					
<b>Total Care/Maint Expenditur:</b> \$0.00					
<b>Total Mntring Expenditure:</b> \$0.00					
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b> \$0.00					
<b>FCSAP Remed Expenditure:</b> \$0.00					
<b>FCSAP Care/Maint Expenditur:</b> \$0.00					
<b>FCSAP Mntring Expenditure:</b> \$0.00					

**Annual Data**

<b>Fiscal Year:</b>	2007-2008
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b>	2
<b>Highest Step Completed Desc:</b>	
<b>Planned Compl Date Step7:</b>	
<b>Planned Compl Date Step8:</b>	
<b>Planned Compl Date Step9:</b>	
<b>Created:</b>	
<b>Modified:</b>	
<b>NCSCS Year:</b>	
<b>Closed:</b>	No
<b>Actual Cubic Metres Rem:</b>	0
<b>Actual Hectares Rem:</b>	0
<b>Actual Tons Remediated:</b>	0
<b>Total Asmt Expenditure:</b>	\$0.00
<b>Total Remediation Expenditure:</b>	\$0.00
<b>Total Care/Maint Expenditur:</b>	\$0.00
<b>Total Mntring Expenditure:</b>	\$0.00
<b>Ttl Expenditure Reduc Liabil:</b>	
<b>FCSAP Asmt Expenditure:</b>	\$0.00
<b>FCSAP Remed Expenditure:</b>	\$0.00
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00
<b>FCSAP Mntring Expenditure:</b>	\$0.00

**Annual Data**

<b>Fiscal Year:</b>	2009-2010
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 2  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2017-2018  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2011-2012



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		4			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			
 <b>Annual Data</b>					
<b>Fiscal Year:</b>		2013-2014			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		4			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>FCSAP Mntring Expenditure:</b>		\$0.00			
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>	2015-2016				
<b>Reporting Organization:</b>	NCC				
<b>Reporting Organization (EN):</b>	National Capital Commission				
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale				
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>	4				
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>	No				
<b>Actual Cubic Metres Rem:</b>	0				
<b>Actual Hectares Rem:</b>	0				
<b>Actual Tons Remediated:</b>	0				
<b>Total Asmt Expenditure:</b>	\$0.00				
<b>Total Remediation Expenditure:</b>	\$0.00				
<b>Total Care/Maint Expenditur:</b>	\$0.00				
<b>Total Mntring Expenditure:</b>	\$0.00				
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>	\$0.00				
<b>FCSAP Remed Expenditure:</b>	\$0.00				
<b>FCSAP Care/Maint Expenditur:</b>	\$0.00				
<b>FCSAP Mntring Expenditure:</b>	\$0.00				

**Annual Data**

<b>Fiscal Year:</b>	2008-2009				
<b>Reporting Organization:</b>	NCC				
<b>Reporting Organization (EN):</b>	National Capital Commission				
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale				
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>	2				
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>	No				
<b>Actual Cubic Metres Rem:</b>	0				
<b>Actual Hectares Rem:</b>	0				
<b>Actual Tons Remediated:</b>	0				
<b>Total Asmt Expenditure:</b>	\$3,857.00				
<b>Total Remediation Expenditure:</b>	\$0.00				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>		2014-2015			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		4			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0			
<b>Actual Hectares Rem:</b>		0			
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

[177](#) 1 of 1 **NNE/265.7** **48.9 / -11.21** **Bayview & Slidell Dump (official)** **ANDR**  
**Ottawa ON K1Y**

**Legal Description:** Nepean  
**Location Description:** within Ottawa R, NE of River Rd\*, S of Lemieux Is.,  
**Municipality:** Ottawa City  
**Current Municipality:** Ottawa City  
**RM:** Ottawa-Carleton Region  
**Facility:** Dump  
**Date Active:** 1947  
**Date Begun:**  
**Date Complete:** 1947  
**Area (Ha):**  
**Landfill Type:**  
**Group Name:** Ottawa River  
**Operated By:**  
**Serial:** MOEE 1010  
**NTS:** 31G05  
**Diameter (m):**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Historical Summary:**

Bayview & Slidell Dump (official) MOEE 1994 Bayview Rd & Slidell St cited as closed waste disposal site ([Ontario Ministry of the Environment [1994] Waste disposal site inventory, [Toronto]: Ontario Environment, 1994., i, 196 p. : maps. ISBN 0772984093 ). 1965 Military Town Plan ASE 306 Not marked, site is within Ottawa R, NE of River Rd\*, S of Lemieux Is., [1965 Military Town Plan Ottawa-Hull ASE 306 Edition 1 (produced 1965)]. \*[1992] MapArt Corporation Ontario, Towns and Cities [Street Atlas].

**Waste Type:**

**UTM X Nad 27:** 442880  
**UTM Y Nad 27:** 5028840  
**UTM Zone:** 18

<a href="#">178</a>	1 of 1	<b>NNE/268.5</b>	<b>48.9 / -11.21</b>	<b>Bayview Rd. &amp; Slidell St. OTTAWA ON</b>	<b>WDSH</b>
---------------------	--------	------------------	----------------------	----------------------------------------------------	-------------

**Site No.:** X1010  
**Region:** SOUTHEAST  
**County:** OTTAWA CARLETON  
**Concession:**  
**Lot:** Bayview Rd. & Slidell St.  
**Easting:** 442880  
**Northing:** 5028840  
**Zone:** 18  
**Date Closed:** 1947  
**Status:** CLOSED  
**Classification:** A5 - POTENTIAL HUMAN IMPACT-URBAN MUNICIPAL/DOMESTIC WASTE - CLOSED 10-20 YRS  
**%CommercialWste:** n/a  
**%DomesticWste Rec:** n/a  
**%LiquidWste Rec:** n/a  
**%HazardousWste Rec:** n/a  
**%Non-haz.Wste Rec:** n/a  
**%Sewage/Sludge Rec:** n/a  
**%Other Wste Rec:** n/a

<a href="#">179</a>	1 of 1	<b>E/273.0</b>	<b>56.9 / -3.21</b>	<b>OTTAWA ON</b>	<b>WWIS</b>
---------------------	--------	----------------	---------------------	------------------	-------------

<b>Well ID:</b> 7250149	<b>Data Entry Status:</b>
<b>Construction Date:</b>	<b>Data Src:</b>
<b>Primary Water Use:</b> Monitoring and Test Hole	<b>Date Received:</b> 10/16/2015
<b>Sec. Water Use:</b> 0	<b>Selected Flag:</b> Yes
<b>Final Well Status:</b> Observation Wells	<b>Abandonment Rec:</b>
<b>Water Type:</b>	<b>Contractor:</b> 7241
<b>Casing Material:</b>	<b>Form Version:</b> 7
<b>Audit No:</b> Z215003	<b>Owner:</b>
<b>Tag:</b> A170497	<b>Street Name:</b> 7 BAYVIEW AVE.
<b>Construction Method:</b>	<b>County:</b> OTTAWA-CARLETON
<b>Elevation (m):</b>	<b>Municipality:</b> NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>	<b>Site Info:</b>
<b>Depth to Bedrock:</b>	<b>Lot:</b>
<b>Well Depth:</b>	<b>Concession:</b>
<b>Overburden/Bedrock:</b>	<b>Concession Name:</b>
<b>Pump Rate:</b>	<b>Easting NAD83:</b>
<b>Static Water Level:</b>	<b>Northing NAD83:</b>
<b>Flowing (Y/N):</b>	<b>Zone:</b>
<b>Flow Rate:</b>	<b>UTM Reliability:</b>
<b>Clear/Cloudy:</b>	

**Bore Hole Information**

**Bore Hole ID:** 1005743824      **Elevation:** 57.35

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443225
<b>Code OB Desc:</b>				<b>North83:</b>	5028645
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-SEP-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005776594  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 74  
**Other Materials:** LAYERED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 2.49  
**Formation End Depth:** 16.76  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005776593  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** .31  
**Formation End Depth:** 2.49  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005776592  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 66  
**Other Materials:** DENSE  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation End Depth:</i>		.31			
<i>Formation End Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005776605			
<i>Layer:</i>		3			
<i>Plug From:</i>		14.95			
<i>Plug To:</i>		16.76			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005776604			
<i>Layer:</i>		2			
<i>Plug From:</i>		.31			
<i>Plug To:</i>		14.94			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005776603			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005776602			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005776591			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005776598			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		15.24			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005776599			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		10			
Screen Top Depth:		15.24			
Screen End Depth:		16.76			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			

**Water Details**

Water ID: 1005776597  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1005776596  
 Diameter: 7.62  
 Depth From: 2.83  
 Depth To: 16.76  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Hole Diameter**

Hole ID: 1005776595  
 Diameter: 11.43  
 Depth From: 0  
 Depth To: 2.83  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

[180](#)

1 of 1

E/273.5

56.9 / -3.21

OTTAWA ON

WWIS

Well ID: 7250145  
 Construction Date:  
 Primary Water Use:  
 Sec. Water Use:  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z215002  
 Tag: A170496  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 10/16/2015  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 7 BAYVIEW AVE.  
 County: OTTAWA-CARLETON  
 Municipality: NEPEAN TOWNSHIP  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1005743812			<b>Elevation:</b>	57.34
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443226
<b>Code OB Desc:</b>				<b>North83:</b>	5028646
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-SEP-15			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005776518  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:** 74  
**Other Materials:** LAYERED  
**Formation Top Depth:** 2.44  
**Formation End Depth:** 13.71  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005776517  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** .31  
**Formation End Depth:** 2.44  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005776516  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:**  
**Most Common Material:**  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 66  
**Other Materials:** DENSE



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005776525			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005776526			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		11.89			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005776527			
<b>Layer:</b>		3			
<b>Plug From:</b>		11.89			
<b>Plug To:</b>		13.71			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005776524			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005776515			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005776522			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		12.19			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Screen ID:		1005776523			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.19			
Screen End Depth:		13.71			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Water Details</u>					
Water ID:		1005776521			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005776520			
Diameter:		7.62			
Depth From:		2.83			
Depth To:		13.71			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005776519			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.83			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<a href="#">181</a>	1 of 1	S/276.3	60.9 / 0.79	ON	BORE
Borehole ID:	807438			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status:	
Drill Method:	Rotary (conventional)			UTM Zone:	18
Easting:	442794.7			Northing:	5028364.66
Location Accuracy:				Orig. Ground Elev m:	62.3
Elev. Reliability Note:				DEM Ground Elev m:	62.2
Total Depth m:	2.7			Primary Name:	BH 5
Township:				Concession:	
Lot:				Municipality:	
Completion Date:	08-FEB-1990			Static Water Level:	.8
Primary Water Use:				Sec. Water Use:	
<u>--Details--</u>					
Stratum ID:	218592929			Top Depth(m):	0.0
Bottom Depth(m):	0.6			Stratum Desc:	Dark Brown Topsoil organic material Trace: Constr Debris Occasional: Gr
Stratum ID:	218592930			Top Depth(m):	0.6
Bottom Depth(m):	1.1			Stratum Desc:	Fill-Misc Sand With: Cob W Org M
Stratum ID:	218592931			Top Depth(m):	1.1
Bottom Depth(m):	2.7			Stratum Desc:	Grey Bedrock Limestone

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

<a href="#">182</a>	1 of 1	S/278.1	60.9 / 0.79	192 Forward Ave Ottawa ON K1Y1E8	EHS
<b>Order No:</b>	20141021028			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	27-OCT-14			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	21-OCT-14			<b>X:</b>	-75.731656
<b>Previous Site Name:</b>				<b>Y:</b>	45.406406
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				

<a href="#">183</a>	1 of 11	ESE/278.2	57.9 / -2.21	Merkley Supply Ltd. 100 Bayview Road Ottawa ON K1Y 4L6	GEN
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	General Freight Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	233				
<b>Waste Description:</b>	OTHER POLYMERIC WASTES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				

<a href="#">183</a>	2 of 11	ESE/278.2	57.9 / -2.21	Merkley Supply Ltd. 100 Bayview Road Ottawa ON K1Y 4L6	GEN
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	General Freight Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>183</b>	<b>3 of 11</b>	<b>ESE/278.2</b>	<b>57.9 / -2.21</b>	<b>Merkley Supply Ltd. 100 Bayview Road Ottawa ON K1Y 4L6</b>	<b>GEN</b>
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	General Freight Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>183</b>	<b>4 of 11</b>	<b>ESE/278.2</b>	<b>57.9 / -2.21</b>	<b>Merkley Supply Ltd. 100 Bayview Road Ottawa ON K1Y 4L6</b>	<b>GEN</b>
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	General Freight Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>		331			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">183</a>	5 of 11	ESE/278.2	57.9 / -2.21	Merkley Supply Ltd. 100 Bayview Road Ottawa ON K1Y 4L6	GEN
<b>Generator No:</b>		ON5701370		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		484110			
<b>SIC Description:</b>		General Freight Trucking Local			
<b>--Details--</b>					
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">183</a>	6 of 11	ESE/278.2	57.9 / -2.21	Merkley Supply Ltd. 100 Bayview Road Ottawa ON	GEN
<b>Generator No:</b>		ON5701370		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		484110			
<b>SIC Description:</b>		GENERAL FREIGHT TRUCKING, LOCAL			

**--Details--**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			

<a href="#">183</a>	7 of 11	<b>ESE/278.2</b>	<b>57.9 / -2.21</b>	<b>Merkley Supply Ltd.</b> 100 Bayview Road Ottawa ON K1Y 4L6	<b>GEN</b>
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Robert Merkley
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	6137282693 Ext.
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	GENERAL FREIGHT TRUCKING, LOCAL				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	233				
<b>Waste Description:</b>	OTHER POLYMERIC WASTES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				

<a href="#">183</a>	8 of 11	<b>ESE/278.2</b>	<b>57.9 / -2.21</b>	<b>Merkley Supply Ltd.</b> 100 Bayview Road Ottawa ON K1Y 4L6	<b>GEN</b>
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Robert Merkley
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	6137282693 Ext.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>		GENERAL FREIGHT TRUCKING, LOCAL			
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>	331				
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>	145				
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>	233				
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>	232				
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>	263				
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>183</b>	9 of 11	<b>ESE/278.2</b>	<b>57.9 / -2.21</b>	<b>Merkley Supply Ltd. 100 Bayview Road Ottawa ON K1Y 4L6</b>	<b>GEN</b>
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	122 C				
<b>Waste Description:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Code:</b>	122 L				
<b>Waste Description:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Code:</b>	145 I				
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>	232 L				
<b>Waste Description:</b>		Polymeric resins			
<b>Waste Code:</b>	233 L				
<b>Waste Description:</b>		Other polymeric wastes			
<b>Waste Code:</b>	252 L				
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>	263 I				
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>	331 I				
<b>Waste Description:</b>		Waste compressed gases including cylinders			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">183</a>	10 of 11	ESE/278.2	57.9 / -2.21	Merkley Supply Ltd. 100 Bayview Road Ottawa ON K1Y 4L6	GEN
<b>Generator No:</b>	ON5701370			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Robert Merkley
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	6137282693 Ext.
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	GENERAL FREIGHT TRUCKING, LOCAL				
<b>--Details--</b>					
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	233				
<b>Waste Description:</b>	OTHER POLYMERIC WASTES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<a href="#">183</a>	11 of 11	ESE/278.2	57.9 / -2.21	90 BAYVIEW ROAD OTTAWA ON	HINC
<b>External File Num:</b>	FS INC 0902-00747				
<b>Fuel Occurrence Type:</b>	Pipeline Strike				
<b>Date of Occurrence:</b>	1/27/2009				
<b>Fuel Type Involved:</b>	Natural Gas				
<b>Status Desc:</b>	Completed - Causal Analysis(End)				
<b>Job Type Desc:</b>	Incident/Near-Miss Occurrence (FS)				
<b>Oper. Type Involved:</b>	Construction Site (pipeline strike)				
<b>Service Interruptions:</b>	Yes				
<b>Property Damage:</b>	Yes				
<b>Fuel Life Cycle Stage:</b>	Transmission, Distribution and Transportation				
<b>Root Cause:</b>	Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:Yes Training:No Management:Yes Human Factors:Yes				
<b>Reported Details:</b>					
<b>Fuel Category:</b>	Gaseous Fuel				
<b>Occurrence Type:</b>	Incident				
<b>Affiliation:</b>	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)				
<b>County Name:</b>	Ottawa				
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">184</a>	1 of 1	E/286.4	56.6 / -3.44	Ottawa River Parkway, North of Bayview Road Ottawa ON	FCS

**SGC:** 3506008  
**Site ID:** 00023298  
**Departmental ID:** 601  
**Depart Code:** NCC  
**Class Type:** 1  
**Class:** High Priority for Action  
**Site Name:** Ottawa River Parkway, North of Bayview Road  
**Site Name (FR):** Promenade de l'Outaouais, au nord de chemin Bayview  
**Site Status:** Active  
**Site Status Desc:** Initial testing completed. Detailed testing underway.  
**Site Status (FR):** Active  
**Description (FR):** Première analyse terminée. Analyse détaillée en cours.  
**Involv Code:**  
**Census Division:** Ottawa  
**Municipality:** Ottawa  
**Census Sub Class:** 1  
**Latitude:** 45.410176  
**Longitude:** -75.72502  
**Location:**  
**Protected Data:** 0  
**FED:** 75  
**Fed Electoral District:** Ottawa Centre  
**Fed Electoral District (FR):** Ottawa-Centre  
**Metro:**  
**Nearest Pop. Area:**  
**Highest Step Cmpltd:** 4  
**Site Deleted Flag:**  
**Created:** 2008-06-19T09:45:00  
**Modified:** 2018-05-22T10:36:00.683  
**Property No.:** 1477  
**Est m<sup>2</sup> Contmnted:**  
**Est Ha Contmnted:** 0.1482  
**Est Tons Contamin:**  
**Est Population at 1 Km:** 10,253  
**Est Population at 10 Km:** 656,174  
**Est Population at 25 Km:** 1,226,372  
**Est Population at 5 Km:** 219,003  
**Est Population at 50 Km:** 1,440,628  
**Reporting Org:** National Capital Commission  
**Reporting Org (FR):** Commission de la Capitale nationale  
**Reason for Involv:** Federal Real Property  
**Reason for Involv (FR):** Biens immobiliers fédéraux  
**Liabile Third Party:**  
**Class (FR):** Priorité d'intervention élevée  
**Action Plan:**  
**Action Plan (FR):**  
**Site Mgmt Strategy:** Additional assessment  
**Minimap URL:** <http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023298>  
**Additional Info:**  
**Additional Info (FR):**

#### Management

**Management Code:** 5  
**Management Type (EN):** Additional assessment  
**Management Type (FR):** Évaluation complémentaire

#### Contamination

**Contaminant:** PAHs (polycyclic aromatic hydrocarbon)

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		HAP (hydrocarbures aromatiques polycycliques)	5	Soil Sol	
<b>Contaminant:</b> <b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		Other organics Autre matériel organique	6	Air Air	
<b>Contaminant:</b> <b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		PHCs (petroleum hydrocarbons) HCP (hydrocarbures pétroliers)	5	Soil Sol	
<b>Contaminant:</b> <b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		PAHs (polycyclic aromatic hydrocarbon) HAP (hydrocarbures aromatiques polycycliques)	2	Groundwater Eau souterraine	
<b>Contaminant:</b> <b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		Metal, metalloid, and organometallic Métaux, métalloïdes, et organométalliques	2	Groundwater Eau souterraine	
<b>Contaminant:</b> <b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		PHCs (petroleum hydrocarbons) HCP (hydrocarbures pétroliers)	2	Groundwater Eau souterraine	
<b>Contaminant:</b> <b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		Metal, metalloid, and organometallic Métaux, métalloïdes, et organométalliques	5	Soil Sol	
<b>Contaminant:</b> <b>Contamination (FR):</b> <b>Medium Code:</b> <b>Medium:</b> <b>Medium (FR):</b>		Other organics Autre matériel organique	2	Groundwater Eau souterraine	
<b>Annual Data</b>					
<b>Fiscal Year:</b>		2013-2014			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		4			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Created:  
 Modified:  
 NCSCS Year:  
 Closed: No  
 Actual Cubic Metres Rem: 0  
 Actual Hectares Rem: 0  
 Actual Tons Remediated: 0  
 Total Asmt Expenditure: \$0.00  
 Total Remediation Expenditure: \$0.00  
 Total Care/Maint Expenditur: \$0.00  
 Total Mntring Expenditure: \$0.00  
 Ttl Expenditure Reduc Liabil:  
 FCSAP Asmt Expenditure: \$0.00  
 FCSAP Remed Expenditure: \$0.00  
 FCSAP Care/Maint Expenditur: \$0.00  
 FCSAP Mntring Expenditure: \$0.00

**Annual Data**

Fiscal Year: 2008-2009  
 Reporting Organization: NCC  
 Reporting Organization (EN): National Capital Commission  
 Reporting Organization (FR): Commission de la Capitale nationale  
 Class Type:  
 Class (EN):  
 Class (FR):  
 CCME Flag:  
 CCME NCS Year:  
 Step Name (EN):  
 Step Name (FR):  
 Highest Step Completed: 4  
 Highest Step Completed Desc:  
 Planned Compl Date Step7:  
 Planned Compl Date Step8:  
 Planned Compl Date Step9:  
 Created:  
 Modified:  
 NCSCS Year:  
 Closed: No  
 Actual Cubic Metres Rem: 0  
 Actual Hectares Rem: 0  
 Actual Tons Remediated: 0  
 Total Asmt Expenditure: \$0.00  
 Total Remediation Expenditure: \$0.00  
 Total Care/Maint Expenditur: \$0.00  
 Total Mntring Expenditure: \$0.00  
 Ttl Expenditure Reduc Liabil:  
 FCSAP Asmt Expenditure: \$0.00  
 FCSAP Remed Expenditure: \$0.00  
 FCSAP Care/Maint Expenditur: \$0.00  
 FCSAP Mntring Expenditure: \$0.00

**Annual Data**

Fiscal Year: 2012-2013  
 Reporting Organization: NCC  
 Reporting Organization (EN): National Capital Commission  
 Reporting Organization (FR): Commission de la Capitale nationale  
 Class Type:  
 Class (EN):  
 Class (FR):  
 CCME Flag:  
 CCME NCS Year:  
 Step Name (EN):

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2015-2016  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2017-2018  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b> 4					
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b> No					
<b>Actual Cubic Metres Rem:</b> 0					
<b>Actual Hectares Rem:</b> 0					
<b>Actual Tons Remediated:</b> 0					
<b>Total Asmt Expenditure:</b> \$0.00					
<b>Total Remediation Expenditure:</b> \$0.00					
<b>Total Care/Maint Expenditur:</b> \$0.00					
<b>Total Mntring Expenditure:</b> \$0.00					
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b> \$0.00					
<b>FCSAP Remed Expenditure:</b> \$0.00					
<b>FCSAP Care/Maint Expenditur:</b> \$0.00					
<b>FCSAP Mntring Expenditure:</b> \$0.00					

**Annual Data**

<b>Fiscal Year:</b>	2016-2017
<b>Reporting Organization:</b>	NCC
<b>Reporting Organization (EN):</b>	National Capital Commission
<b>Reporting Organization (FR):</b>	Commission de la Capitale nationale
<b>Class Type:</b>	
<b>Class (EN):</b>	
<b>Class (FR):</b>	
<b>CCME Flag:</b>	
<b>CCME NCS Year:</b>	
<b>Step Name (EN):</b>	
<b>Step Name (FR):</b>	
<b>Highest Step Completed:</b> 4	
<b>Highest Step Completed Desc:</b>	
<b>Planned Compl Date Step7:</b>	
<b>Planned Compl Date Step8:</b>	
<b>Planned Compl Date Step9:</b>	
<b>Created:</b>	
<b>Modified:</b>	
<b>NCSCS Year:</b>	
<b>Closed:</b> No	
<b>Actual Cubic Metres Rem:</b> 0	
<b>Actual Hectares Rem:</b> 0	
<b>Actual Tons Remediated:</b> 0	
<b>Total Asmt Expenditure:</b> \$0.00	
<b>Total Remediation Expenditure:</b> \$0.00	
<b>Total Care/Maint Expenditur:</b> \$0.00	
<b>Total Mntring Expenditure:</b> \$0.00	
<b>Ttl Expenditure Reduc Liabil:</b>	
<b>FCSAP Asmt Expenditure:</b> \$0.00	
<b>FCSAP Remed Expenditure:</b> \$0.00	
<b>FCSAP Care/Maint Expenditur:</b> \$0.00	
<b>FCSAP Mntring Expenditure:</b> \$0.00	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Annual Data**

**Fiscal Year:** 2011-2012  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2010-2011  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

**Annual Data**

**Fiscal Year:** 2014-2015  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

**Annual Data**

**Fiscal Year:** 2009-2010  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Actual Tons Remediated:</b>		0			
<b>Total Asmt Expenditure:</b>		\$0.00			
<b>Total Remediation Expenditure:</b>		\$0.00			
<b>Total Care/Maint Expenditur:</b>		\$0.00			
<b>Total Mntring Expenditure:</b>		\$0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		\$0.00			
<b>FCSAP Remed Expenditure:</b>		\$0.00			
<b>FCSAP Care/Maint Expenditur:</b>		\$0.00			
<b>FCSAP Mntring Expenditure:</b>		\$0.00			

**Annual Data**

**Fiscal Year:** 2007-2008  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 4  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0  
**Actual Hectares Rem:** 0.1482  
**Actual Tons Remediated:** 0  
**Total Asmt Expenditure:** \$0.00  
**Total Remediation Expenditure:** \$0.00  
**Total Care/Maint Expenditur:** \$0.00  
**Total Mntring Expenditure:** \$0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** \$0.00  
**FCSAP Remed Expenditure:** \$0.00  
**FCSAP Care/Maint Expenditur:** \$0.00  
**FCSAP Mntring Expenditure:** \$0.00

[185](#)    1 of 1    **SE/287.1**    **58.8 / -1.27**    **Scott St. (Laroche Park)**  
**OTTAWA ON**    **WDSH**

**Site No.:** X1021  
**Region:** SOUTHEAST  
**County:** OTTAWA CARLETON  
**Concession:**  
**Lot:** Scott St. (Laroche Park)  
**Easting:** 443050  
**Northing:** 5028230  
**Zone:** 18  
**Date Closed:** 1920  
**Status:** CLOSED  
**Classification:** A5 - POTENTIAL HUMAN IMPACT-URBAN MUNICIPAL/DOMESTIC WASTE - CLOSED 10-20 YRS  
**%CommercialWste:** n/a  
**%DomesticWste Rec:** n/a  
**%LiquidWste Rec:** n/a  
**%HazardousWste Rec:** n/a



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
%Non-haz.Wste Rec:		n/a			
%Sewage/Sludge Rec:		n/a			
%Other Wste Rec:		n/a			

<a href="#">186</a>	1 of 1	SSE/290.9	59.9 / -0.21	PRIVATE RESIDENCE 129 CARRUTHER ST. STORAGE TANK/BARREL OTTAWA CITY ON K1Y 1N4	SPL
<b>Ref No:</b>	5035			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	6/11/1988			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	ABOVE-GROUND TANK LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	20101
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	6/11/1988			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	MATERIAL FAILURE			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	200 LTR. FUEL OIL FROM RESIDENTIAL TANK TO SOIL.				
<b>Contaminant Qty:</b>					

<a href="#">187</a>	1 of 1	SE/293.2	58.9 / -1.21	Laroche Pk Dump Ottawa ON K1Y	ANDR
<b>Legal Description:</b>	Nepean				
<b>Location Description:</b>	site is wooded, N of CPR R-O-W, N of Scott St, W of Stonehurst Ave, SW of Bayview Ave, S of Burnside				
<b>Municipality:</b>	Ottawa City				
<b>Current Municipality:</b>	Ottawa City				
<b>RM:</b>	Ottawa-Carleton Region				
<b>Facility:</b>	Dump				
<b>Date Active:</b>	1920				
<b>Date Begun:</b>					
<b>Date Complete:</b>	1920				
<b>Area (Ha):</b>					
<b>Landfill Type:</b>					
<b>Group Name:</b>	Ottawa River				
<b>Operated By:</b>					
<b>Serial:</b>	MOEE 1021				
<b>NTS:</b>	31G05				
<b>Diameter (m):</b>					
<b>Historical Summary:</b>	Laroche Park Dump MOEE 1994 Scott St [Laroche Par] cited as closed waste disposal site (Ontario Ministry of the Environment [1994] Waste disposal site inventory, [Toronto]: Ontario Environment, 1994., i, 196 pp., maps, ISBN 0772984093). 1965 Military Town Plan ASE 306 Not marked, site is wooded, N of CPR R-O-W, N of Scott St*, W of Stonehurst Ave*, SW of Bayview Ave*, S of Burnside Ave* [1965 Military Town Plan Ottawa-Hull ASE 306 Edition 1 (produced 1965)]. 1968 NTS Map 31G05 Not marked [1968 NTS Map Ottawa-Hull Sheet 31G05 edition 7 (air photos 1967, publication 1968 )]. 1973 Military Town Plan MCE 306 Not marked, site is industrial, within Laroche Park district [1973 Military Town Plan Ottawa-Hull				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MCE 306 Edition 2 (information 1972, produced 1973). *[1992] MapArt Corporation Ontario, Towns and Cities [Street Atlas].					
<b>Waste Type:</b>					
<b>UTM X Nad 27:</b>		443050			
<b>UTM Y Nad 27:</b>		5028230			
<b>UTM Zone:</b>		18			

<u>188</u>	1 of 1	S/296.5	60.9 / 0.79	ON	BORE
<b>Borehole ID:</b>	807436			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Hollow stem auger			<b>UTM Zone:</b>	18
<b>Easting:</b>	442777.25			<b>Northing:</b>	5028341.98
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	61.7
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	61.7
<b>Total Depth m:</b>	.8			<b>Primary Name:</b>	BH 4
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	08-FEB-1990			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218592918			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.8			<b>Stratum Desc:</b>	Dark Brown to Black Fill-Misc Silt - Sand With: Gr W Cob W Org M

<u>189</u>	1 of 1	SE/297.4	58.9 / -1.18	ON	BORE
<b>Borehole ID:</b>	800393			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	18
<b>Easting:</b>	443112.46			<b>Northing:</b>	5028469.72
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	57.1
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	58.1
<b>Total Depth m:</b>	.5			<b>Primary Name:</b>	AH 5
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	20-AUG-1982			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218564855			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	Brown Fill-Misc Silt - Sand With: Gr W Constr Debris

# Unplottable Summary

Total: **80** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Canada Lands Company CLC Limited		Ottawa ON	
CA	Canada Lands Company CLC Limited	Part of Lot 10, Concession 4, Rideau Front	Ottawa ON	
CA	Canada Lands Company CLC Limited	Part Lots 9 & 10, Concession 4 Rideau Front	Ottawa ON	
CA	City of Ottawa	Bayview Rd	Ottawa ON	
CA	City of Ottawa	Parkdale Avenue	Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited and the National Capital Commission		Ottawa ON	
CA	NATIONAL CAPITAL COMMISSION	UPGRADE RICHMOND LANDING P.S.	OTTAWA ON	
CA		Scott Street (Parkdale to Merton)	Ottawa ON	
CA	National Capital Commission		Ottawa ON	
CA	National Capital Commission		Ottawa ON	
CA	National Capital Commission		Ottawa ON	
CA	National Capital Commission		Ottawa ON	
CA	Public Works and Government Services Canada		Ottawa ON	
CA	Public Works and Government Services Canada		Ottawa ON	
CA	Thomas Cavanagh Construction Limited		Ottawa ON	
CA	Thomas Cavanagh Construction Limited		Ottawa ON	

CA	Thomas Cavanagh Construction Limited		Ottawa ON	
CA	Thomas Cavanagh Construction Limited	Geographic Township of Goulbourn	Ottawa ON	
CA	Thomas Cavanagh Construction Limited		Ottawa ON	
CA	Thomas Cavanagh Construction Limited		Ottawa ON	
CA	Thomas Cavanagh Construction Limited		Ottawa ON	
CA	V. REV. D. SEVER	STONEHURST AVE.	OTTAWA CITY ON	
CA	V. REV. D. SEVER	STONEHURST AVE.	OTTAWA CITY ON	
CA		Scott Street (Parkdale to Merton)	Ottawa ON	
EBR	Thomas Cavanagh Construction Limited,	West 1/2 of Lot 4, Concession 5 in the City of Ottawa (Fitzroy Ward in the former Township of West Carleton) CITY OF OTTAWA	ON	
EBR	Thomas Cavanagh Construction Limited,	West 1/2 of Lot 4, Concession 5 in the City of Ottawa, Fitzroy Ward in the former Township of West Carleton CITY OF OTTAWA	ON	
EBR	Thomas Cavanagh Construction Limited,	Part Lot 22, Concession 4, City of Ottawa, formerly the Township of West Carleton (Fitzroy Ward) CITY OF OTTAWA	ON	
EBR	Thomas Cavanagh Construction Limited,	Pt. Lot 22, Conc. VII, geographic Township of Goulbourn CITY OF OTTAWA	ON	
EBR	Thomas Cavanagh Construction Limited,	Part Lot 12, Concession X (10), Geographic Township of Goulbourn CITY OF OTTAWA	ON	
EBR	Thomas Cavanagh Construction Limited,	West half of Lot 4, Concession 5, City of Ottawa (Fitzroy Ward in the former Township of West Carleton) CITY OF OTTAWA	ON	
EBR	Thomas Cavanagh Construction Limited,	Part of Lot 13, Concession VIII, Geographic Township of Huntley, Formerly the Township of West Carleton CITY OF OTTAWA	ON	
ECA	Thomas Cavanagh Construction Limited		Ottawa ON	K0A 1B0
ECA	Public Works and Government Services Canada	Area Number 9	Ottawa ON	K1A 0S5
ECA	Canada Lands Company CLC Limited		Ottawa ON	K1P 5L4
ECA	Thomas Cavanagh Construction Limited	Former Geographic Township of Goulbourn, now in the amalgamated City of Ottawa	Ottawa ON	
ECA	Dragados Canada, Inc., Ellis-Don Corporation, and SNC-Lavalin Constructors	(Pacific) Inc. Bayview	Ottawa ON	K1Z 1G3

ECA	SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon	Corporation Confederation Line From Bayview Road to City Centre	Ottawa ON	K1Z 1G3
ECA	Thomas Cavanagh Construction Limited		Ottawa ON	K0A 1B0
ECA	Canada Lands Company CLC Limited		Ottawa ON	K1P 5L4
EHS		From Parkdale Ave to McFarlane Ave	Ottawa ON	
FSTH	DIRECTOR RICHMOND REGION	CONFEDERATION HTS	OTTAWA ON	
GEN	National Capital Commission	Hurdman Park	Ottawa ON	K1P 1C7
GEN	National Capital Commission	Parking Lot 19 P19	Ottawa ON	K1P1C7
GEN	National Capital Commission	Parking Lot 19 P19	Ottawa ON	K1P1C7
GEN	National Capital Commission	Hurdman Park	Ottawa ON	K1P 1C7
GEN	National Capital Commission	Hurdman Park	Ottawa ON	K1P 1C7
GEN	National Capital Commission	River Road North	Ottawa ON	K1P1C7
GEN	National Capital Commission	Parking Lot 19 P19	Ottawa ON	K1P1C7
GEN	NATIONAL CAPITAL COMMISSION	RIDEAU RIVER PARK	OTTAWA ON	K1A 1L5
GEN	GVT. OF CAN. - SUPPLY AND SERVICES18-201	COMMUNICATIONS SERVICES - PHOTO CENTRE BLDG #18 GOLDENROD ST TUNNEY'S PASTURE	OTTAWA ON	K1A 0T1
GEN	GVT. OF CAN. - SUPPLY AND SERVICES	COMMUNICATIONS SERVICES - PHOTO CENTRE BLDG #18 GOLDENROD ST TUNNEY'S PASTURE	OTTAWA ON	K1A 0T1
GEN	CANADIAN MUSEUM CONTEMPORARY PHOTOGRAPHY	TUNNEY'S PASTURE PERSONNEL RECORDS CTR. BUILDING 18, GOLDENROD AVENUE	OTTAWA ON	K1N 9N6
GEN	National Capital Commission	Parking Lot 19 P19	Ottawa ON	K1P1C7
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7
GEN	National Capital Commission	Hurdman Park	Ottawa ON	K1P 1C7
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7
GEN	Canada Lands Company CLC Limited	Codd's Road	Ottawa ON	K1K 2G7

LIMO		Lot 38 Concession A ON OTTAWA RIVER NEPEAN Ottawa	ON
LIMO	Bayview And Slidell Dump	Ottawa	ON
NPRI	PUBLIC WORKS AND GOVERNMENT SERVICES CANADA		Ottawa ON
PRT	DIRECTOR RICHMOND REGION	CONFEDERATION HTS	OTTAWA ON
PTTW	Thomas Cavanagh Construction Limited,	Part of Lot 12, Concession X, Original Geographic Township Goulbourn, City of Ottawa OTTAWAY	ON
PTTW	Thomas Cavanagh Construction Limited,	The site of water taking is located on Lot 12, Concession X, Ottawa (formerly Goulbourn Township) GOULBOURN	ON
PTTW	Thomas Cavanagh Construction Limited	West Carleton Quarry \ Almonte Quarry Lots 14 and 15, Concession 1, City of Ottawa HUNTLEY	ON
PTTW	Thomas Cavanagh Construction Limited		ON
SPL	Thomas Cavanagh Construction Limited	West of Dwyre Hill Rd and East of Ashton Stn. Rd.	Ottawa ON
SPL	Public Works and Government Services Canada<UNOFFICIAL>	Parliament Hill	Ottawa ON
SPL	Public Works and Government Services Canada	Tunney's Pasture Heating Plant<UNOFFICIAL>	Ottawa ON
SPL	Public Works and Government Services Canada	Terrace Bay Pulp Mill	Ottawa ON
SPL	OTTAWA PUBLIC WORKS	LAKESIDE GARDENS FUEL STORAGE TANK	OTTAWA CITY ON
SPL	Thomas Cavanagh Construction Limited		Ottawa ON
SPL	O.C. TRANSP0	ON CARLING AVE. IN BETWEEN PARKDALE & HOLLAND ST. OTTAWA SITE 1500 ST. LAURENT BOULEVARD	OTTAWA CITY ON
SPL	National Capital Commission	Ottawa River Pkwy at the Parkdale Off Ramp West Bound	Ottawa ON
SPL	NATIONAL CAPITAL COMMISSION	PATTERSON'S CREEK STORAGE TANKS	OTTAWA CITY ON
SPL	Federal Public Works and Government Services Canada<UNOFFICIAL>	MacDonald-Cartier Bridge on northbound side	Ottawa ON
SPL	BUS	OTTAWA RIVER PKWY & LINCOLN FIELDS MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON
SPL	Thomas Cavanagh Construction Limited		Ottawa ON

SPL	O.C. TRANSP	PARKDALE ROAD (BETWEEN HOLLAND AND WELLINGTON) OTTAWA SITE 1500 ST. LAURENT BOULEVARD	OTTAWA CITY ON
WWIS		lot 37	ON
WWIS		lot 36	ON

# Unplottable Report

---

**Site:** *Canada Lands Company CLC Limited  
Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 4783-5JNRC5  
**Application Year:** 2003  
**Issue Date:** 2/13/2003  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Canada Lands Company CLC Limited  
Part of Lot 10, Concession 4, Rideau Front Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 2195-6DJP2A  
**Application Year:** 2005  
**Issue Date:** 6/22/2005  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Canada Lands Company CLC Limited  
Part Lots 9 & 10, Concession 4 Rideau Front Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 7908-5JCLER  
**Application Year:** 2003  
**Issue Date:** 2/6/2003  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *City of Ottawa  
Bayview Rd Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 3915-7EKRF3



**Application Year:** 2008  
**Issue Date:** 5/13/2008  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *City of Ottawa  
Parkdale Avenue Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 1490-6ENNR6  
**Application Year:** 2005  
**Issue Date:** 7/27/2005  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *DCR/Phoenix Development Corporation Limited and the National Capital Commission  
Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 1108-64ENJ3  
**Application Year:** 2004  
**Issue Date:** 10/7/2004  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *NATIONAL CAPITAL COMMISSION  
UPGRADE RICHMOND LANDING P.S. OTTAWA ON*

**Database:**  
[CA](#)

**Certificate #:** 3-1598-98-  
**Application Year:** 98  
**Issue Date:** 11/6/1998  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Scott Street (Parkdale to Merton) Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 7515-4HMRDR  
**Application Year:** 00  
**Issue Date:** 3/22/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the City of Ottawa  
**Client Address:** 111 Sussex Drive, 7th Floor  
**Client City:** Ottawa  
**Client Postal Code:** K1N 5A1  
**Project Description:** Sanitary sewers to be constructed.  
**Contaminants:**  
**Emission Control:**

---

**Site:** *National Capital Commission  
Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 3232-5R2TP9  
**Application Year:** 2003  
**Issue Date:** 9/11/2003  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *National Capital Commission  
Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 8221-5UJJDN  
**Application Year:** 2003  
**Issue Date:** 12/24/2003  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *National Capital Commission  
Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 2774-5STJYB  
**Application Year:** 2003  
**Issue Date:** 11/3/2003  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**

**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *National Capital Commission*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 7369-5VVHZ7  
**Application Year:** 2004  
**Issue Date:** 2/6/2004  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Public Works and Government Services Canada*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 4810-6ASSBE  
**Application Year:** 2005  
**Issue Date:** 4/1/2005  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Public Works and Government Services Canada*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 5638-6AXR4D  
**Application Year:** 2005  
**Issue Date:** 3/29/2005  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Thomas Cavanagh Construction Limited*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 0598-5FTQFY  
**Application Year:** 2002

**Issue Date:** 11/20/2002  
**Approval Type:** Industrial Sewage Works  
**Status:** Revoked and/or Replaced  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Thomas Cavanagh Construction Limited  
Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 9927-6G8LNP  
**Application Year:** 2005  
**Issue Date:** 9/19/2005  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Thomas Cavanagh Construction Limited  
Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 1332-67RGUN  
**Application Year:** 2005  
**Issue Date:** 1/6/2005  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Thomas Cavanagh Construction Limited  
Geographic Township of Goulbourn Ottawa ON*

**Database:**  
[CA](#)

**Certificate #:** 7448-7HENB5  
**Application Year:** 2008  
**Issue Date:** 8/25/2008  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Thomas Cavanagh Construction Limited  
Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 4624-6CPJGJ  
**Application Year:** 2005  
**Issue Date:** 6/13/2005  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Thomas Cavanagh Construction Limited  
Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 5915-7K9JUV  
**Application Year:** 2008  
**Issue Date:** 10/17/2008  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Thomas Cavanagh Construction Limited  
Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 7389-5HYQMW  
**Application Year:** 2004  
**Issue Date:** 2/24/2004  
**Approval Type:** Industrial Sewage Works  
**Status:** Revoked and/or Replaced  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *V. REV. D. SEVER  
STONEHURST AVE. OTTAWA CITY ON*

**Database:**  
*CA*

**Certificate #:** 3-0702-87-  
**Application Year:** 87  
**Issue Date:** 5/27/1987  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**

**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** V. REV. D. SEVER  
STONEHURST AVE. OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 7-0589-87-  
**Application Year:** 87  
**Issue Date:** 5/27/1987  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Scott Street (Parkdale to Merton) Ottawa ON

**Database:**  
CA

**Certificate #:** 5431-4HMR4L  
**Application Year:** 00  
**Issue Date:** 3/22/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the Regional Municipality of Ottawa-Carleton  
**Client Address:** 111 Lisgar Street  
**Client City:** Ottawa  
**Client Postal Code:** K2P 2L7  
**Project Description:** Watermain and appurtenances to be constructed.  
**Contaminants:**  
**Emission Control:**

---

**Site:** Thomas Cavanagh Construction Limited,  
West 1/2 of Lot 4, Concession 5 in the City of Ottawa (Fitzroy Ward in the former Township of West Carleton) CITY  
OF OTTAWA ON

**Database:**  
EBR

**EBR Registry No:** IB02E3029  
**Ministry Ref. No:** FSD-KEM 03/02  
**Notice Type:** Instrument Decision  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (ARA s. 13 (2)) - Add, rescind, or vary a condition of a licence  
**Location Other:**  
**URL:**

**Proposal Date:** May 13, 2002  
**Notice Pub Date:** June 17, 2002  
**Year:** 2002

**Location:**

West 1/2 of Lot 4, Concession 5 in the City of Ottawa (Fitzroy Ward in the former Township of West Carleton) CITY OF OTTAWA

---

**Site:** Thomas Cavanagh Construction Limited,  
West 1/2 of Lot 4, Concession 5 in the City of Ottawa, Fitzroy Ward in the former Township of West Carleton CITY  
OF OTTAWA ON

**Database:**  
EBR

**EBR Registry No:** IB04E3053 **Proposal Date:** July 30, 2004  
**Ministry Ref. No:** FSD - PEM 06/04 **Notice Pub Date:** January 20, 2006  
**Notice Type:** Instrument Decision **Year:** 2004  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (ARA s. 13 (2)) - Add, rescind, or vary a condition of a licence  
**Location Other:**  
**URL:**

**Location:**

West 1/2 of Lot 4, Concession 5 in the City of Ottawa, Fitzroy Ward in the former Township of West Carleton CITY OF OTTAWA

---

**Site:** *Thomas Cavanagh Construction Limited,  
Part Lot 22, Concession 4, City of Ottawa, formerly the Township of West Carleton (Fitzroy Ward) CITY OF OTTAWA ON* **Database:**  
*EBR*

**EBR Registry No:** IB03E3042 **Proposal Date:** May 08, 2003  
**Ministry Ref. No:** FSD - PEM 04/03 **Notice Pub Date:** November 05, 2004  
**Notice Type:** Instrument Decision **Year:** 2003  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (ARA s. 16 (2)) - Approval of licensee proposed amendment to a site plan  
**Location Other:**  
**URL:**

**Location:**

Part Lot 22, Concession 4, City of Ottawa, formerly the Township of West Carleton (Fitzroy Ward) CITY OF OTTAWA

---

**Site:** *Thomas Cavanagh Construction Limited,  
Pt. Lot 22, Conc. VII, geographic Township of Goulbourn CITY OF OTTAWA ON* **Database:**  
*EBR*

**EBR Registry No:** IB02E3073 **Proposal Date:** November 14, 2002  
**Ministry Ref. No:** FSD - KEM 06/02 **Notice Pub Date:** September 15, 2006  
**Notice Type:** Instrument Decision **Year:** 2002  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (ARA s. 16 (2)) - Approval of licensee proposed amendment to a site plan  
**Location Other:**  
**URL:**

**Location:**

Pt. Lot 22, Conc. VII, geographic Township of Goulbourn CITY OF OTTAWA

---

**Site:** *Thomas Cavanagh Construction Limited,  
Part Lot 12, Concession X (10), Geographic Township of Goulbourn CITY OF OTTAWA ON* **Database:**  
*EBR*

**EBR Registry No:** IB04E3074 **Proposal Date:** November 15, 2004  
**Ministry Ref. No:** FSD - KEM 04/04 **Notice Pub Date:** February 21, 2006  
**Notice Type:** Instrument Decision **Year:** 2004  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (ARA s. 16 (2)) - Approval of licensee proposed amendment to a site plan  
**Location Other:**  
**URL:**

**Location:**

Part Lot 12, Concession X (10), Geographic Township of Goulbourn CITY OF OTTAWA

---

**Site:** *Thomas Cavanagh Construction Limited,  
West half of Lot 4, Concession 5, City of Ottawa (Fitzroy Ward in the former Township of West Carleton) CITY OF OTTAWA ON*

**Database:**  
[EBR](#)

**EBR Registry No:** IB03E3041  
**Ministry Ref. No:** FSD - PEM 03/03  
**Notice Type:** Instrument Decision  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (ARA s. 13 (2)) - Add, rescind, or vary a condition of a licence  
**Location Other:**  
**URL:**

**Proposal Date:** May 08, 2003  
**Notice Pub Date:** October 27, 2004  
**Year:** 2003

**Location:**

West half of Lot 4, Concession 5, City of Ottawa (Fitzroy Ward in the former Township of West Carleton) CITY OF OTTAWA

---

**Site:** *Thomas Cavanagh Construction Limited,  
Part of Lot 13, Concession VIII, Geographic Township of Huntley, Formerly the Township of West Carleton CITY OF OTTAWA ON*

**Database:**  
[EBR](#)

**EBR Registry No:** IB04E3044  
**Ministry Ref. No:** FSD - PEM 05/04  
**Notice Type:** Instrument Decision  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (ARA s. 16 (2)) - Approval of licensee proposed amendment to a site plan  
**Location Other:**  
**URL:**

**Proposal Date:** June 30, 2004  
**Notice Pub Date:** August 16, 2004  
**Year:** 2004

**Location:**

Part of Lot 13, Concession VIII, Geographic Township of Huntley, Formerly the Township of West Carleton CITY OF OTTAWA

---

**Site:** *Thomas Cavanagh Construction Limited  
Ottawa ON K0A 1B0*

**Database:**  
[ECA](#)

**Approval No:** 3467-9AYP63  
**Approval Date:** 2013-08-30  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/0772-98NN9V-14.pdf>

**MOE District:**  
**City:** Ottawa  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** *Public Works and Government Services Canada  
Area Number 9 Ottawa ON K1A 0S5*

**Database:**  
[ECA](#)

**Approval No:** 7671-4HGSMK  
**MOE District:**



**Approval Date:** 2000-03-31 **City:** Ottawa  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Area Number 9  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1125-4ERTNE-14.pdf>

---

**Site:** **Canada Lands Company CLC Limited** **Database:**  
**Ottawa ON K1P 5L4** **ECA**

**Approval No:** 0824-A8CR5H **MOE District:**  
**Approval Date:** 2016-04-12 **City:** Ottawa  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/3815-A72KG2-14.pdf>

---

**Site:** **Thomas Cavanagh Construction Limited** **Database:**  
**Former Geographic Township of Goulbourn, now in the amalgamated City of Ottawa Ottawa ON** **ECA**

**Approval No:** 9116-8UEU7L **MOE District:**  
**Approval Date:** 5/25/2012 **City:** Ottawa  
**Status:** Approved **Longitude:**  
**Record Type:** **Latitude:**  
**Link Source:** **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:**  
**Project Type:** Air/Noise  
**Address:**  
**Full Address:**  
**Full PDF Link:**

---

**Site:** **Dragados Canada, Inc., Ellis-Don Corporation, and SNC-Lavalin Constructors** **Database:**  
**(Pacific) Inc. Bayview Ottawa ON K1Z 1G3** **ECA**

**Approval No:** 1859-AF6QZE **MOE District:**  
**Approval Date:** 2016-11-03 **City:** Ottawa  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:** Bayview  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/6808-AEMNM5-14.pdf>

---

**Site:** **SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon** **Database:**  
**Corporation Confederation Line From Bayview Road to City Centre Ottawa ON K1Z 1G3** **ECA**

**Approval No:** 0857-A8WJHS **MOE District:**  
**Approval Date:** 2016-04-23 **City:** Ottawa  
**Status:** Approved **Longitude:**

**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:** Confederation Line From Bayview Road to City Centre  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/6565-A7VMFF-14.pdf>

---

**Site:** **Thomas Cavanagh Construction Limited**  
**Ottawa ON K0A 1B0**

**Database:**  
**ECA**

**Approval No:** 7749-8ZJSTU **MOE District:**  
**Approval Date:** 2012-11-09 **City:** Ottawa  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/8951-8Z5PSL-14.pdf>

---

**Site:** **Canada Lands Company CLC Limited**  
**Ottawa ON K1P 5L4**

**Database:**  
**ECA**

**Approval No:** 6929-A7MRBC **MOE District:**  
**Approval Date:** 2016-03-03 **City:** Ottawa  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/3139-A7HSPY-14.pdf>

---

**Site:** **From Parkdale Ave to McFarlane Ave Ottawa ON**

**Database:**  
**EHS**

**Order No:** 20050601023 **Nearest Intersection:**  
**Status:** C **Municipality:**  
**Report Type:** **Client Prov/State:** ON  
**Report Date:** 6/7/2005 **Search Radius (km):** 0.25  
**Date Received:** 6/1/2005 **X:** -75.723143  
**Previous Site Name:** **Y:** 1  
**Lot/Building Size:**  
**Additional Info Ordered:**

---

**Site:** **DIRECTOR RICHMOND REGION**  
**CONFEDERATION HTS OTTAWA ON**

**Database:**  
**FSTH**

**License Issue Date:** 12/19/1990  
**Tank Status:** Licensed  
**Tank Status As Of:** December 2008  
**Operation Type:** Private Fuel Outlet  
**Facility Type:** Gasoline Station - Self Serve

**--Details--**

**Status:** Active

Year of Installation: 1982  
Corrosion Protection:  
Capacity: 4500  
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

---

**Site:** National Capital Commission  
Hurdman Park Ottawa ON K1P 1C7

**Database:**  
GEN

**Generator No:** ON6588263  
**Status:**  
**Approval Years:** 2015  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:** Allison Myatt  
**Phone No Admin:** 613 239-5019 Ext.

**--Details--**

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

**Waste Code:** 149  
**Waste Description:** LANDFILL LEACHATES

---

**Site:** National Capital Commission  
Parking Lot 19 P19 Ottawa ON K1P1C7

**Database:**  
GEN

**Generator No:** ON7977721  
**Status:**  
**Approval Years:** 2016  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

---

**Site:** National Capital Commission  
Parking Lot 19 P19 Ottawa ON K1P1C7

**Database:**  
GEN

**Generator No:** ON7977721  
**Status:**  
**Approval Years:** 2015  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

---

**Site:** National Capital Commission  
Hurdman Park Ottawa ON K1P 1C7

**Database:**  
GEN

**Generator No:** ON6588263  
**Status:**  
**Approval Years:** 2014  
**Contam. Facility:** No

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:** Allison Myatt

**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**Phone No Admin:** 613 239-5019 Ext.

**--Details--**

**Waste Code:** 149  
**Waste Description:** LANDFILL LEACHATES

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

---

**Site:** **National Capital Commission**  
**Hurdman Park Ottawa ON K1P 1C7**

**Database:**  
**GEN**

**Generator No:** ON6588263  
**Status:**  
**Approval Years:** 07,08  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 911910  
**SIC Description:** Other Federal Government Public Administration

**PO Box No:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

**Waste Code:** 149  
**Waste Description:** LANDFILL LEACHATES

---

**Site:** **National Capital Commission**  
**River Road North Ottawa ON K1P1C7**

**Database:**  
**GEN**

**Generator No:** ON9269241  
**Status:**  
**Approval Years:** 2014  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 991910  
**SIC Description:** 991910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 146  
**Waste Description:** OTHER SPECIFIED INORGANICS

**Waste Code:** 252  
**Waste Description:** WASTE OILS & LUBRICANTS

---

**Site:** **National Capital Commission**  
**Parking Lot 19 P19 Ottawa ON K1P1C7**

**Database:**  
**GEN**

**Generator No:** ON7977721  
**Status:** Registered  
**Approval Years:** As of Dec 2018  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 221 L  
**Waste Description:** Light fuels

---

**Site:** NATIONAL CAPITAL COMMISSION  
RIDEAU RIVER PARK OTTAWA ON K1A 1L5

**Database:**  
GEN

**Generator No:** ON7973777  
**Status:**  
**Approval Years:** 04  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 485510  
**SIC Description:** Charter Bus Industry

**PO Box No:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

---

**Site:** GVT. OF CAN. - SUPPLY AND SERVICES18-201  
COMMUNICATIONS SERVICES - PHOTO CENTRE BLDG #18 GOLDENROD ST TUNNEY'S PASTURE OTTAWA ON  
K1A 0T1

**Database:**  
GEN

**Generator No:** ON0249606  
**Status:**  
**Approval Years:** 94,95  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 8159  
**SIC Description:** OTHER GEN. ADMIN.

**PO Box No:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 264  
**Waste Description:** PHOTOPROCESSING WASTES

---

**Site:** GVT. OF CAN. - SUPPLY AND SERVICES  
COMMUNICATIONS SERVICES - PHOTO CENTRE BLDG #18 GOLDENROD ST TUNNEY'S PASTURE OTTAWA ON  
K1A 0T1

**Database:**  
GEN

**Generator No:** ON0249606  
**Status:**  
**Approval Years:** 86,87,88,89,90  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 8159  
**SIC Description:** OTHER GEN. ADMIN.

**PO Box No:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 264  
**Waste Description:** PHOTOPROCESSING WASTES

---

**Site:** CANADIAN MUSEUM CONTEMPORARY PHOTOGRAPHY  
TUNNEY'S PASTURE PERSONNEL RECORDS CTR. BUILDING 18, GOLDENROD AVENUE OTTAWA ON K1N 9N6

**Database:**  
GEN

**Generator No:** ON0129416  
**Status:**  
**Approval Years:** 98  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 9931  
**SIC Description:** PHOTOGRAPHERS

**PO Box No:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 212  
**Waste Description:** ALIPHATIC SOLVENTS

**Waste Code:** 241

Waste Description: HALOGENATED SOLVENTS

**Site:** National Capital Commission  
Parking Lot 19 P19 Ottawa ON K1P1C7

**Database:**  
GEN

**Generator No:** ON7977721  
**Status:**  
**Approval Years:** 2014  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:**  
**Phone No Admin:**

**--Details--**

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

**Site:** Canada Lands Company CLC Limited  
Codd's Road Ottawa ON K1K 2G7

**Database:**  
GEN

**Generator No:** ON8567328  
**Status:**  
**Approval Years:** 2016  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:** Andrew Naoum  
**Phone No Admin:** 613-748-1415 Ext.275

**--Details--**

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

**Waste Code:** 146  
**Waste Description:** OTHER SPECIFIED INORGANICS

**Waste Code:** 243  
**Waste Description:** PCBS

**Waste Code:** 251  
**Waste Description:** OIL SKIMMINGS & SLUDGES

**Site:** National Capital Commission  
Hurdman Park Ottawa ON K1P 1C7

**Database:**  
GEN

**Generator No:** ON6588263  
**Status:**  
**Approval Years:** 2016  
**Contam. Facility:** No  
**MHSW Facility:** No  
**SIC Code:** 911910  
**SIC Description:** 911910

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:** Allison Myatt  
**Phone No Admin:** 613 239-5019 Ext.

**--Details--**

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

**Waste Code:** 149  
**Waste Description:** LANDFILL LEACHATES

**Site:** Canada Lands Company CLC Limited

**Database:**

<b>Generator No:</b>	ON8567328	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2015	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	Eric Sly
<b>MHSW Facility:</b>	No	<b>Phone No Admin:</b>	613-748-1415 Ext.244
<b>SIC Code:</b>	911910		
<b>SIC Description:</b>	911910		

**--Details--**

<b>Waste Code:</b>	221
<b>Waste Description:</b>	LIGHT FUELS
<b>Waste Code:</b>	243
<b>Waste Description:</b>	PCBS
<b>Waste Code:</b>	146
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS

**Site:** Canada Lands Company CLC Limited  
Codd's Road Ottawa ON K1K 2G7

**Database:**  
GEN

<b>Generator No:</b>	ON8567328	<b>PO Box No:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

**--Details--**

<b>Waste Code:</b>	221 L
<b>Waste Description:</b>	Light fuels
<b>Waste Code:</b>	251 L
<b>Waste Description:</b>	Waste oils/sludges (petroleum based)

**Site:** Lot 38 Concession A ON OTTAWA RIVER NEPEAN Ottawa ON

**Database:**  
LIMO

<b>ECA/Instrument No:</b>	X1011	<b>Air Emis Monitor:</b>	
<b>Site Name:</b>		<b>Natural Attenuation:</b>	
<b>Oper Status 2016:</b>	Historic	<b>Liners:</b>	
<b>C of A Issue Date:</b>		<b>Cover Material:</b>	
<b>C of A Issued to:</b>		<b>Leachate Off-Site:</b>	
<b>Lndfl Gas Mgmt (P):</b>		<b>Leachate On Site:</b>	
<b>Lndfl Gas Mgmt (F):</b>		<b>Req Coll Lndfl Gas:</b>	
<b>Lndfl Gas Mgmt (E):</b>		<b>Lndfl Gas Coll:</b>	
<b>Lndfl Gas Mgmt Sys:</b>		<b>Total Waste Rec:</b>	
<b>Landfill Gas Mntr:</b>		<b>TWR Methodology:</b>	
<b>Leachate Coll Sys:</b>		<b>TWR Unit:</b>	
<b>ERC Est Vol (m3):</b>		<b>Tot Aprv Cap Unit:</b>	
<b>ERC Volume Unit:</b>		<b>Financial Assurance:</b>	
<b>ERC Dt Last Det:</b>		<b>Last Report Year:</b>	
<b>Landfill Type:</b>		<b>MOE Region:</b>	
<b>Source File Type:</b>	Historic and Closed Landfills	<b>MOE District:</b>	
<b>Fill Rate:</b>		<b>Site County:</b>	
<b>Fill Rate Unit:</b>		<b>Lot:</b>	
<b>Tot Fill Area (ha):</b>		<b>Concession:</b>	
<b>Tot Site Area (ha):</b>		<b>Latitude:</b>	
<b>Footprint:</b>		<b>Longitude:</b>	
<b>Tot Aprv Cap (m3):</b>		<b>Easting:</b>	
<b>Contam Atten Zone:</b>		<b>Northing:</b>	

Grndwtr Mntr:  
Surf Wtr Mntr:  
Approved Waste Type:  
Client Site Name:  
ERC Methodology:  
Site Location Details:

Lot 38 Concession A ON OTTAWA RIVER NEPEAN  
Ottawa

UTM Zone:  
Data Source:

Service Area:

---

**Site:** Bayview And Slidell Dump  
Ottawa ON

**Database:**  
LIMO

ECA/Instrument No: Y0170  
Site Name:  
Oper Status 2016: Historic  
C of A Issue Date:  
C of A Issued to:  
Lndfl Gas Mgmt (P):  
Lndfl Gas Mgmt (F):  
Lndfl Gas Mgmt (E):  
Lndfl Gas Mgmt Sys:  
Landfill Gas Mntr:  
Leachate Coll Sys:  
ERC Est Vol (m3):  
ERC Volume Unit:  
ERC Dt Last Det:  
Landfill Type:  
Source File Type: Historic and Closed Landfills  
Fill Rate:  
Fill Rate Unit:  
Tot Fill Area (ha):  
Tot Site Area (ha):  
Footprint:  
Tot Apprv Cap (m3):  
Contam Atten Zone:  
Grndwtr Mntr:  
Surf Wtr Mntr:  
Approved Waste Type:  
Client Site Name: Bayview And Slidell Dump  
ERC Methodology:  
Site Location Details:

Air Emis Monitor:  
Natural Attenuation:  
Liners:  
Cover Material:  
Leachate Off-Site:  
Leachate On Site:  
Req Coll Lndfl Gas:  
Lndfl Gas Coll:  
Total Waste Rec:  
TWR Methodology:  
TWR Unit:  
Tot Apprv Cap Unit:  
Financial Assurance:  
Last Report Year:  
MOE Region:  
MOE District:  
Site County:  
Lot:  
Concession:  
Latitude:  
Longitude:  
Easting:  
Northing:  
UTM Zone:  
Data Source:

Service Area: Ottawa

---

**Site:** PUBLIC WORKS AND GOVERNMENT SERVICES CANADA  
Ottawa ON

**Database:**  
NPRI

NPRI ID: 7200010178  
Other ID:  
No Other ID:  
Track ID:  
Report ID: 4783  
Report Type:  
Rpt Type ID:  
Report Year: 2011  
Not-Current Rpt?:  
Yr of Last Filed Rpt:  
Fac ID:  
Fac Name: CLIFF CENTRAL HEATING AND COOLING PLANT  
Fac Address1:  
Fac Address2:  
Fac Postal Zip:

Org ID:  
Submit Date:  
Last Modified:  
Contact ID:  
Cont Type: MED  
Contact Title:  
Cont First Name:  
Cont Last Name:  
Contact Position:  
Contact Fax:  
Contact Ph.:  
Cont Area Code:  
Contact Tel.:  
Contact Ext.:  
Cont Fax Area Cde:



**Facility Lat:**  
**Facility Long:**  
**DLS (Last Filed Rpt):**  
**Facility DLS:**  
**Datum:**  
**Facility Cmnts:**  
**URL:**  
**No of Empl.:**  
**Parent Co.:**  
**No Parent Co.:**  
**Pollut Prev Cmnts:**  
**Stacks:**  
**No of Stacks:**  
**Canadian SIC Code (2 digit):**  
**Canadian SIC Code:**  
**SIC Code Description:**  
**American SIC Code:**  
**NAICS Code (2 digit):**  
**NAICS 2 Description:**  
**NAICS Code (4 digit):**  
**NAICS 4 Description:**  
**NAICS Code (6 digit):**  
**NAICS 6 Description:**

91  
Public Administration  
9119  
Other Federal Government Public Administration  
911910  
Other Federal Government Public Administration

**Contact Fax:**  
**Contact Email:**  
**Latitude:**  
**Longitude:**  
**UTM Zone:**  
**UTM Northing:**  
**UTM Easting:**  
**Waste Streams:**  
**No Streams:**  
**Waste Off Sites:**  
**No Off Sites:**  
**Shutdown:**  
**No of Shutdown:**

---

**Site:** **DIRECTOR RICHMOND REGION**  
**CONFEDERATION HTS OTTAWA ON**

**Database:**  
**PRT**

**Location ID:** 10920  
**Type:** private  
**Expiry Date:**  
**Capacity (L):** 4500.00  
**Licence #:** 0001048815

---

**Site:** **Thomas Cavanagh Construction Limited,**  
**Part of Lot 12, Concession X, Original Geographic Township Goulbourn, City of Ottawa OTTAWAY ON**

**Database:**  
**PTTW**

**EBR Registry No:** 010-5136  
**Ministry Ref. No:** 5234-7L4Q8E  
**Notice Type:** Instrument Decision  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Location Other:**  
**URL:**

**Proposal Date:** November 07, 2008  
**Notice Date:** June 08, 2009  
**Year:** 2008

**Location:**

Part of Lot 12, Concession X, Original Geographic Township Goulbourn, City of Ottawa OTTAWAY

---

**Site:** **Thomas Cavanagh Construction Limited,**  
**The site of water taking is located on Lot 12, Concession X, Ottawa (formerly Goulbourn Township) GOULBOURN ON**

**Database:**  
**PTTW**

**EBR Registry No:** IA03E0968  
**Ministry Ref. No:** ER-18484  
**Notice Type:** Instrument Decision  
**Company Name:** Thomas Cavanagh Construction Limited,  
**Proponent Name:**  
**Proponent Address:** RR 2, Ashton Ontario, K0A 1B0  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Location Other:**  
**URL:**

**Proposal Date:** July 04, 2003  
**Notice Date:** February 24, 2004  
**Year:** 2003

**Location:**

The site of water taking is located on Lot 12, Concession X, Ottawa (formerly Goulbourn Township) GOULBOURN

**Site:** *Thomas Cavanagh Construction Limited*  
*West Carleton Quarry \ Almonte Quarry Lots 14 and 15, Concession 1, City of Ottawa HUNTLEY ON*

**Database:**  
*PTTW*

<b>EBR Registry No:</b>	012-7922	<b>Proposal Date:</b>	June 16, 2016
<b>Ministry Ref. No:</b>	2023-AAVSBK	<b>Notice Date:</b>	January 07, 2019
<b>Notice Type:</b>	Instrument Decision	<b>Year:</b>	2016
<b>Company Name:</b>	Thomas Cavanagh Construction Limited		
<b>Proponent Name:</b>	9094 Cavanagh Road		
<b>Proponent Address:</b>	Ashton Ontario		
	Canada K0A1B0		
<b>Instrument Type:</b>	Permit to Take Water - OWRA s. 34		
<b>Location Other:</b>			
<b>URL:</b>	http://www.ebr.gov.on.ca/ERS-WEB-External/displaynoticecontent.do?noticeId=MTI4OTAy&statusId=MjA4Nzc5&language=en		

**Location:**

West Carleton Quarry \ Almonte Quarry  
 Lots 14 and 15, Concession 1, City of Ottawa  
 HUNTLEY

**Site:** *Thomas Cavanagh Construction Limited*  
*ON*

**Database:**  
*PTTW*

<b>EBR Registry No:</b>	010-5806	<b>Proposal Date:</b>	January 30, 2009
<b>Ministry Ref. No:</b>	7423-7NPJQN	<b>Notice Date:</b>	August 25, 2009
<b>Notice Type:</b>	Instrument Final Decision	<b>Year:</b>	2009
<b>Company Name:</b>	Thomas Cavanagh Construction Limited		
<b>Proponent Name:</b>			
<b>Proponent Address:</b>	(OWRA s. 34) - Permit to Take Water		
<b>Instrument Type:</b>			
<b>Location Other:</b>			
<b>URL:</b>			

**Location:**

Henderson Quarry Address: Lot: 13, Concession: 11, Geographic Town of Goulbourn, Ottawa, City District Office: Ottawa GeoReference: Map Datum: Unknown, Zone: 18, Accuracy Estimate: 10 -100 metres eg. Topographic Map, Method: Map, UTM Easting: 422063, UTM Northing: 5008627 CITY OF OTTAWA GOULBOURN

**Site:** *Thomas Cavanagh Construction Limited*  
*West of Dwyre Hill Rd and East of Ashton Stn. Rd. Ottawa ON*

**Database:**  
*SPL*

<b>Ref No:</b>	1618-7UFMKD	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>		<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	Other Transport Accident	<b>Sector Type:</b>	Motor Vehicle
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible	<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	

**Receiving Medium:**  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 7/30/2009  
**Dt Document Closed:**  
**Incident Reason:** Other - Reason not otherwise defined  
**Site Name:** HWY 7 Construction Site<UNOFFICIAL>  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** Thomas Cavanagh Construction: 100L diesel to grnd, cntd  
**Contaminant Qty:** 50 L

**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:** Land Spills  
**Source Type:**

**Site:** **Public Works and Government Services Canada<UNOFFICIAL>** **Database:**  
**Parliament Hill Ottawa ON** **SPL**

**Ref No:** 2716-7XYQR5  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Valve / Fitting Leak Or Failure  
**Incident Event:**  
**Contaminant Code:** 15  
**Contaminant Name:** HYDRAULIC OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** Not Anticipated  
**Nature of Impact:** Other Impact(s); Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/20/2009  
**Dt Document Closed:** 12/18/2009  
**Incident Reason:** Other - Reason not otherwise defined  
**Site Name:** Parliament Hill<UNOFFICIAL>  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** Government Services Canada:< 5L of Hydraulic oil to asphalt  
**Contaminant Qty:** 5 L

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Other  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:** Primary Assessment of Spills  
**Source Type:**

**Site:** **Public Works and Government Services Canada** **Database:**  
**Tunney's Pasture Heating Plant<UNOFFICIAL> Ottawa ON** **SPL**

**Ref No:** 7033-862QPR  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:**  
**Incident Event:**  
**Contaminant Code:** 38  
**Contaminant Name:** FREON R-22 (CFC)  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** Not Anticipated  
**Nature of Impact:** Air Pollution  
**Receiving Medium:**  
**Receiving Env:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/2/2010  
**Dt Document Closed:**  
**Incident Reason:**  
**Site Name:** Tunney's Pasture Heating Plant<UNOFFICIAL>

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Other  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:** Air Spills - Gases and Vapours  
**Source Type:**

**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** PWGSC: unknown amnt R22 to atm.  
**Contaminant Qty:** 0 other - see incident description

---

**Site:** **Public Works and Government Services Canada**  
**Terrace Bay Pulp Mill Ottawa ON**

**Database:**  
**SPL**

**Ref No:** 0141-72MNRW  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Unknown  
**Incident Event:**  
**Contaminant Code:** 13  
**Contaminant Name:** DIESEL FUEL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** Not Anticipated  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:** Land  
**Receiving Env:**  
**MOE Response:** Referral to others  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 4/26/2007  
**Dt Document Closed:** 5/3/2007  
**Incident Reason:** Unknown - Reason not determined  
**Site Name:** Terrace Bay Pulp Mill  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** EPS: possible leaking AST at Federal building  
**Contaminant Qty:** 0 other - see incident description

**Discharger Report:**  
**Material Group:** Oil  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Pulp and Paper (MISA)  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Terrace Bay  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

---

**Site:** **OTTAWA PUBLIC WORKS**  
**LAKESIDE GARDENS FUEL STORAGE TANK OTTAWA CITY ON**

**Database:**  
**SPL**

**Ref No:** 71671  
**Site No:**  
**Incident Dt:** //  
**Year:**  
**Incident Cause:** UNDERGROUND TANK LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** CONFIRMED  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 5/26/1992  
**Dt Document Closed:**  
**Incident Reason:** MATERIAL FAILURE  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** BACKENTRY - CITY OF OTTAWA: FUEL OIL TANK LEAK  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 20101  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

---

**Site:** **Thomas Cavanagh Construction Limited**

**Database:**

**Ref No:** 8581-ALQMUR  
**Site No:**  
**Incident Dt:** 4/24/2017  
**Year:**  
**Incident Cause:**  
**Incident Event:** Other  
**Contaminant Code:** 15  
**Contaminant Name:** HYDRAULIC OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:** n/a  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:**  
**Receiving Env:** Land  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 4/24/2017  
**Dt Document Closed:**  
**Incident Reason:** Equipment Failure  
**Site Name:** Light Rail Project, Merton Street Entrance<UNOFFICIAL>  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** Thomas Cavanagh Cnst: 2L hydraulic oil to grnd, no CBs, contained  
**Contaminant Qty:** 2 L

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:** 2 - Minor Environment  
**Client Type:** Corporation  
**Sector Type:** Miscellaneous Industrial  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:** Ottawa  
**Site Postal Code:**  
**Site Region:** Eastern  
**Site Municipality:** Ottawa  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:** Other

**Site:** O.C. TRANSPO  
 ON CARLING AVE. IN BETWEEN PARKDALE & HOLLAND ST. OTTAWA SITE 1500 ST. LAURENT BOULEVARD  
 OTTAWA CITY ON

**Database:**  
 SPL

**Ref No:** 113894  
**Site No:**  
**Incident Dt:** 6/1/1995  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/1/1995  
**Dt Document Closed:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** O.C. TRANSPO - UNKNOWN AMOUNT OF MOTOR OIL TO RD. & SEWER FROM BUS.  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:** 20101  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** WORKS DEPT.  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

**Site:** National Capital Commission  
 Ottawa River Pkwy at the Parkdale Off Ramp West Bound Ottawa ON

**Database:**  
 SPL

**Ref No:** 3376-7TLV2S  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Other Transport Accident

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Motor Vehicle

<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	OIL (PETROLEUM BASED, NOT SPECIFIED)	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated	<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Surface Water Pollution	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>		<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	7/3/2009	<b>Site Map Datum:</b>	Land Spills
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	Spill	<b>Source Type:</b>	
<b>Site Name:</b>	Road way<UNOFFICIAL>		
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	MVA: 4 L Oil to Rd and CB		
<b>Contaminant Qty:</b>	4 L		

**Site:** NATIONAL CAPITAL COMMISSION  
PATTERSON'S CREEK STORAGE TANKS OTTAWA CITY ON **Database:**  
SPL

<b>Ref No:</b>	157288	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	6/26/1998	<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	UNKNOWN	<b>Sector Type:</b>	
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED	<b>Site Municipality:</b>	20101
<b>Nature of Impact:</b>	Water course or lake	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	WATER	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>		<b>Easting:</b>	WORKS, PARKS CANADA
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	6/26/1998	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	UNKNOWN	<b>Source Type:</b>	
<b>Site Name:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	NATIONAL CAPITAL COM. - OIL TO PATTERSON'S CREEK.		
<b>Contaminant Qty:</b>			

**Site:** Federal Public Works and Government Services Canada<UNOFFICIAL>  
MacDonald-Cartier Bridge on northbound side Ottawa ON **Database:**  
SPL

<b>Ref No:</b>	7155-8VVPZG	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	15-MAY-12	<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	Other Discharges	<b>Sector Type:</b>	Other
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	28	<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	WINDSHIELD WASHER ANTI-FREEZE	<b>Site Address:</b>	MacDonald-Cartier Bridge on northbound side
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated	<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>		<b>Site Lot:</b>	

**Receiving Medium:** Sewage - Municipal/Private and Commercial  
**Receiving Env:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 04-JUL-12  
**Dt Document Closed:**  
**Incident Reason:** Spill  
**Site Name:** MacDonald-Cartier Bridge on northbound side<UNOFFICIAL>  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** MacDonald-Cartier Bridge: 1100L windshield fluid to storm  
**Contaminant Qty:**

**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:** Watercourse Spills  
**Source Type:**

**Site:** **BUS**  
**OTTAWA RIVER PKWY & LINCOLN FIELDS MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON**

**Database:**  
**SPL**

**Ref No:** 58039  
**Site No:**  
**Incident Dt:** 10/1/1991  
**Year:**  
**Incident Cause:** OTHER TRANSPORTATION ACCIDENT  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 10/1/1991  
**Dt Document Closed:**  
**Incident Reason:** ERROR  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** OC TRANSP BUS - 20-30 L DIESEL FUEL TO GRND WHEN 2 BUSES COLLIDED.  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 20101  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

**Site:** **Thomas Cavanagh Construction Limited**  
**Ottawa ON**

**Database:**  
**SPL**

**Ref No:** 5552-8XKTLB  
**Site No:**  
**Incident Dt:** 27-AUG-12  
**Year:**  
**Incident Cause:**  
**Incident Event:**  
**Contaminant Code:** 15  
**Contaminant Name:** HYDRAULIC OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** Not Anticipated  
**Nature of Impact:**  
**Receiving Medium:**  
**Receiving Env:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 27-AUG-12  
**Dt Document Closed:**  
**Incident Reason:**  
**Site Name:** The Queensway between Hwy 7 and Eagleson Rd<UNOFFICIAL>

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Motor Vehicle  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Ottawa  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:** Land Spills  
**Source Type:**



Site County/District:  
Site Geo Ref Meth:  
Incident Summary: Cabanah Const'n, 50 L hydraulic oil to The Queensway, cont'd  
Contaminant Qty: 50 L

**Site:** O.C. TRANSP  
PARKDALE ROAD (BETWEEN HOLLAND AND WELLINGTON) OTTAWA SITE 1500 ST. LAURENT BOULEVARD  
OTTAWA CITY ON

**Database:**  
SPL

<b>Ref No:</b>	110312	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	2/23/1995	<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	VALVE/FITTING LEAK OR FAILURE	<b>Sector Type:</b>	
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED	<b>Site Municipality:</b>	20101
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>		<b>Easting:</b>	WORKS
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2/23/1995	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	EQUIPMENT FAILURE	<b>Source Type:</b>	
<b>Site Name:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	O.C. TRANSP BUS: 20 L TRANSMISSION OIL TO ROAD-WAY; CLEANED UP: WORKS		
<b>Contaminant Qty:</b>			

**Site:** lot 37 ON

**Database:**  
WWIS

<b>Well ID:</b>	1522817	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	10/26/1988
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	3644
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>	18416	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	037
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	10044624	<b>Elevation:</b>	
<b>DP2BR:</b>	70	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	



**Code OB Desc:** Bedrock  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 21-JUN-88  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**North83:**  
**Org CS:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931052668  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0  
**Formation End Depth:** 30  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931052669  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 30  
**Formation End Depth:** 70  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931052670  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 70  
**Formation End Depth:** 143  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961522817  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10593194  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930078056  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 73  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930078057  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 143  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991522817  
**Pump Set At:**  
**Static Level:** 10  
**Final Level After Pumping:** 70  
**Recommended Pump Depth:** 70  
**Pumping Rate:** 15  
**Flowing Rate:**  
**Recommended Pump Rate:** 12  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934386980  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 70  
**Test Level UOM:** ft

Draw Down & Recovery

**Pump Test Detail ID:** 934905171  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 70  
**Test Level UOM:** ft

Draw Down & Recovery

**Pump Test Detail ID:** 934111557  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 70  
**Test Level UOM:** ft

Draw Down & Recovery

**Pump Test Detail ID:** 934647963  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 70  
**Test Level UOM:** ft

Water Details

**Water ID:** 933480848  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 80  
**Water Found Depth UOM:** ft

Water Details

**Water ID:** 933480849  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 139  
**Water Found Depth UOM:** ft

Site: lot 36 ON

**Database:**  
[WWIS](#)

**Well ID:** 1521191  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 04514  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 2/6/1987  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 1558  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** NEPEAN TOWNSHIP  
**Site Info:**  
**Lot:** 036  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

<b>Bore Hole ID:</b>	10043027	<b>Elevation:</b>	
<b>DP2BR:</b>	68	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	9
<b>Date Completed:</b>	07-NOV-86	<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>		<b>Location Method:</b>	na
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	931047137
<b>Layer:</b>	3
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	13
<b>Other Materials:</b>	BOULDERS
<b>Formation Top Depth:</b>	39
<b>Formation End Depth:</b>	68
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	931047138
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	68
<b>Formation End Depth:</b>	200
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	931047135
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	01
<b>Other Materials:</b>	FILL
<b>Mat3:</b>	12

**Other Materials:** STONES  
**Formation Top Depth:** 0  
**Formation End Depth:** 3  
**Formation End Depth UOM:** ft

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 931047136  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 13  
**Other Materials:** BOULDERS  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 3  
**Formation End Depth:** 39  
**Formation End Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961521191  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10591597  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930075108  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 71  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930075109  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 200  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991521191

**Pump Set At:**  
**Static Level:** 15  
**Final Level After Pumping:** 85  
**Recommended Pump Depth:** 85  
**Pumping Rate:** 3  
**Flowing Rate:**  
**Recommended Pump Rate:** 3  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934651137  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 85  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934389009  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 85  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934105890  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 85  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934908366  
**Test Type:** Draw Down  
**Test Duration:** 60  
**Test Level:** 85  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933478679  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 193  
**Water Found Depth UOM:** ft

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Sep 2018**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Oct 2018**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Jan 31, 2019**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2014**

## **Certificates of Approval:**

Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Commercial Fuel Oil Tanks:**

Provincial **CFOT**

List of commercial underground fuel oil tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Note: the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of commercial fuel tanks in the province. The TSSA updates information in its system on an ongoing basis; this listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Chemical Register:**

Private **CHEM**

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2019**

**Compressed Natural Gas Stations:**

Private **CNG**

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 - Dec 2018**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial **COAL**

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial **CONV**

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Jan 2019**

**Certificates of Property Use:**

Provincial **CPU**

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994-Mar 31, 2019**

**Drill Hole Database:**

Provincial **DRL**

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Oct 2018**

**Dry Cleaning Facilities:**

Federal **DRYCLEANERS**

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2017**

**Environmental Activity and Sector Registry:**

Provincial **EASR**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011-Mar 31, 2019**



**Environmental Registry:**

Provincial **EBR**

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994-Mar 31, 2019**

**Environmental Compliance Approval:**

Provincial **ECA**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011-Mar 31, 2019**

**Environmental Effects Monitoring:**

Federal **EEM**

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\***

**ERIS Historical Searches:**

Private **EHS**

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Jan 31, 2019**

**Environmental Issues Inventory System:**

Federal **EIIS**

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***

**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016**

**List of TSSA Expired Facilities:**

Provincial **EXP**

List of facilities and tanks - for which there was once a registration - no longer registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed from the ground are included in the expired facilities inventory held by the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

**Government Publication Date: Jun 2000-Oct 2018**

**Fisheries & Oceans Fuel Tanks:**

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2018**

**Fuel Storage Tank:**

Provincial

FST

List of registered private and retail fuel storage tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel storage tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Fuel Storage Tank - Historic:**

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-Dec 31, 2018**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

**Government Publication Date: 2013-Dec 2016**

**TSSA Historic Incidents:**

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**TSSA Incidents:**

Provincial [INC](#)

List of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC) and made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Landfill Inventory Management Ontario:**

Provincial [LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Sep 30, 2017**

**Canadian Mine Locations:**

Private [MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Environmental Penalty Annual Report:**

Provincial [MISA PENALTY](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2017**

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Jan 2018**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2016**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Sep 30, 2018**

**National Energy Board Wells:**

Federal

NEBW

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-Feb 28, 2019**

**Ontario Oil and Gas Wells:**

Provincial

OGGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-May 2018**

**Inventory of PCB Storage Sites:**

Provincial [OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial [ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994-Mar 31, 2019**

**Canadian Pulp and Paper:**

Private [PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal [PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial [PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: 1988-Sep 2018**

**TSSA Pipeline Incidents:**

Provincial [PINC](#)

List of pipeline incidents (strikes, leaks, spills) made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of pipeline incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Private and Retail Fuel Storage Tanks:**

Provincial [PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial [PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994-Mar 31, 2019**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial [REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-2016**



**Record of Site Condition:**

Provincial [RSC](#)

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2019**

**Retail Fuel Storage Tanks:**

Private [RST](#)

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Jan 31, 2019**

**Scott's Manufacturing Directory:**

Private [SCT](#)

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial [SPL](#)

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date: 1988-Dec 2018**

**Wastewater Discharger Registration Database:**

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2016**

**Anderson's Storage Tanks:**

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970-Aug 2018**

**TSSA Variances for Abandonment of Underground Storage Tanks:**

Provincial [VAR](#)

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of tank variances in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011-Mar 31, 2019**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Dec 31, 2017**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



75°44'30"W

75°44'W

75°43'30"W

75°43'W

75°42'30"W

★ Site / Boundary 2000m Buffer

Source: ANSI (ANSI) March 2017, Ontario Ministry of Natural Resources

251213625 VICTORIA ISLAND

45°25'30"N

45°25'N

45°25'N

45°24'30"N

45°24'30"N

45°24'N

45°24'N

45°23'30"N

1:18866



### Area of Natural & Scientific Interest (ANSI) Order No. 20190410145

+	Spot Height	—	Transportation Structure	—	Contour Line	■	Wooded Area
■	Building Point	—	Utility Line	■	Pit or Quarry	■	Conservation Authority
⊙	Towers	—	Water Structure	■	Waterbody	■	Conservation Area
●	Utility Site Point	—	Drainage Line Feature	■	Wetlands	■	Municipal Park
—	Misc. Line	—	River or Stream	■	Concession	■	Provincial Park
—	Railroads	■	Airports	■	Lots	■	National Park
—	Roads	■	Tanks	■	Municipality	■	Nature Reserve
- - -	Trail	■	Building to Scale	■	Land Ownership	■	ANSI Area



# ANSI Report

ANSI Units Found within 2000 m of  
Burnside Avenue, Ottawa, ON, K1Y



**ANSI Name:** VICTORIA ISLAND

**ID:** 251213625 | **Type:** ANSI, Earth Science | **Significance:** Provincial | **Management Plan:** No | **Area (sqm):** 856.746 | **Comments:**







**ID:** 24362 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

**ID:** 26669 | **Unit Name:** Till |  
**Deposit Type Code:** 1a | **Deposit Age:** Quaternary | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** diamicton | **Primary Material Modifier:** sandy silt to silty sand | **Secondary Material:** | **Primary General:** glacial |  
**Primary General Modifier:** | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** N-NE | **Carbon Content:** | **Formation:** Undifferentiated silty-sandy till on Paleozoic terrain | **Permeability:** Low-Medium |  
**Material Description:** Sandy and silty compact diamicton, grey at depth but brown where oxidized; calcareous where derived from sedimentary rocks and not leached; consists dominantly of lodgment till. In areas that lie below marine limit (198 m a.s.l.) it is overlain by a disc

**ID:** 26727 | **Unit Name:** Till |  
**Deposit Type Code:** 1a | **Deposit Age:** Quaternary | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** diamicton | **Primary Material Modifier:** sandy silt to silty sand | **Secondary Material:** | **Primary General:** glacial |  
**Primary General Modifier:** | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** N-NE | **Carbon Content:** | **Formation:** Undifferentiated silty-sandy till on Paleozoic terrain | **Permeability:** Low-Medium |  
**Material Description:** Sandy and silty compact diamicton, grey at depth but brown where oxidized; calcareous where derived from sedimentary rocks and not leached; consists dominantly of lodgment till. In areas that lie below marine limit (198 m a.s.l.) it is overlain by a disc

**ID:** 27094 | **Unit Name:** Till |  
**Deposit Type Code:** 1a | **Deposit Age:** Quaternary | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** diamicton | **Primary Material Modifier:** sandy silt to silty sand | **Secondary Material:** | **Primary General:** glacial |  
**Primary General Modifier:** | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** N-NE | **Carbon Content:** | **Formation:** Undifferentiated silty-sandy till on Paleozoic terrain | **Permeability:** Low-Medium |  
**Material Description:** Sandy and silty compact diamicton, grey at depth but brown where oxidized; calcareous where derived from sedimentary rocks and not leached; consists dominantly of lodgment till. In areas that lie below marine limit (198 m a.s.l.) it is overlain by a disc

**ID:** 27166 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.



**ID:** 27487 | **Unit Name:** Dunes |  
**Deposit Type Code:** dun | **Deposit Age:** Recent | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** sand | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** eolian | **Primary General Modifier:** | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Medium-High | **Material Description:** Dunes (largely stabilized) and sand deposits generally reworked by the wind.

**ID:** 28038 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

**ID:** 28128 | **Unit Name:** Till |  
**Deposit Type Code:** 1a | **Deposit Age:** Quaternary | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** diamicton | **Primary Material Modifier:** sandy silt to silty sand | **Secondary Material:** | **Primary General:** glacial | **Primary General Modifier:** | **Veneer:** | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** N-NE | **Carbon Content:** | **Formation:** Undifferentiated silty-sandy till on Paleozoic terrain | **Permeability:** Low-Medium | **Material Description:** Sandy and silty compact diamicton, grey at depth but brown where oxidized; calcareous where derived from sedimentary rocks and not leached; consists dominantly of lodgment till. In areas that lie below marine limit (198 m a.s.l.) it is overlain by a disc

**ID:** 28138 | **Unit Name:** Offshore marine deposits |  
**Deposit Type Code:** 3a | **Deposit Age:** Quaternary (Champlain Sea) | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** clay, silt | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** glaciomarine | **Primary General Modifier:** foreshore/basinal | **Veneer:** silt, sand | **Episode:** Wisconsin | **Sub Episode:** Michigan | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Low | **Material Description:** Clay and silt underlying erosional terraces; upper part of marine deposits removed to variable depths by fluvial erosion so in places clay is uniform blue-grey; unit includes lenses, bars and channel fills to sand and pockets of nonmarine silt that were

**ID:** 28172 | **Unit Name:** Alluvial deposits |  
**Deposit Type Code:** 6b | **Deposit Age:** Recent | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** sand | **Primary Material Modifier:** | **Secondary Material:** silt | **Primary General:** fluvial | **Primary General Modifier:** abandoned floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Medium grained stratified sand with some silt; in the form of fluvial terraces and channels cut in marine clay, and bars and spits within abandoned channels.



**ID:** 28173 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

**ID:** 28223 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

**ID:** 28326 | **Unit Name:** Alluvial deposits |  
**Deposit Type Code:** 6b | **Deposit Age:** Recent | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** sand | **Primary Material Modifier:** | **Secondary Material:** silt | **Primary General:** fluvial | **Primary General Modifier:** abandoned floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Medium grained stratified sand with some silt; in the form of fluvial terraces and channels cut in marine clay, and bars and spits within abandoned channels.

**ID:** 28329 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

**ID:** 28365 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 |  
**Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface |  
**Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.



**ID:** 28428 | **Unit Name:** Alluvial deposits |  
**Deposit Type Code:** 6b | **Deposit Age:** Recent | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** sand | **Primary Material Modifier:** | **Secondary Material:** silt | **Primary General:** fluvial | **Primary General Modifier:** abandoned floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Medium grained stratified sand with some silt; in the form of fluvial terraces and channels cut in marine clay, and bars and spits within abandoned channels.

**ID:** 28437 | **Unit Name:** Alluvial deposits |  
**Deposit Type Code:** 6b | **Deposit Age:** Recent | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** sand | **Primary Material Modifier:** | **Secondary Material:** silt | **Primary General:** fluvial | **Primary General Modifier:** abandoned floodplain | **Veneer:** | **Episode:** Hudson | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Medium grained stratified sand with some silt; in the form of fluvial terraces and channels cut in marine clay, and bars and spits within abandoned channels.

**ID:** 28452 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

**ID:** 28483 | **Unit Name:** Bedrock |  
**Deposit Type Code:** Pa | **Deposit Age:** Paleozoic | **Map Number:** of3103 | **Map Name:** Ottawa | **Source Map Scale:** 1:50 000 | **Primary Material:** Paleozoic Bedrock | **Primary Material Modifier:** | **Secondary Material:** | **Primary General:** | **Primary General Modifier:** | **Veneer:** clay, silt, sand, gravel, diamicton | **Episode:** | **Sub Episode:** | **Phase:** | **Stratus Modifier:** Surface | **Provenance:** | **Carbon Content:** | **Formation:** | **Permeability:** Variable | **Material Description:** Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m (3 ft) thick.



# Surface Geology Report Metadata

Ontario Geological Survey 2010. Surficial geology of southern Ontario;  
Ontario Geological Survey, Miscellaneous Release - Data 128 - Revised.

ONTARIO MINISTRY OF NORTHERN DEVELOPMENT, MINES AND FORESTRY



**ID** - ID applied to the Unit

**Unit Name** - Name of deposit

**Deposit Type Code** - The geological unit number taken from the original map legend.

**Deposit Age** - to show the age when the sediments were deposited, e.g., Wisconsinan, postglacial or recent.

**Map Number** - Original map series number, eg., 'M2402' or 'P1973'. Each sgu\_point feature is tagged to its original map.

**Map Name** - Usually NTS area where mapping was completed, e.g., 'Golden Lake'

**Source Map Scale** - The scale at which the original map was captured, e.g., '1:50 000'

**Primary Material** - This attribute provides the user with information regarding the most prevalent material present within a given area.

**Primary Material Modifier** - This attribute provides the user with a more refined description of the lithological classification of the primary material.

**Secondary Material** - This attribute provides the user with information regarding subordinate materials present within a given area.

**Primary General** - This attribute provides the user with an interpretation of the depositional environment within which the primary material was deposited.

**Primary General Modifier** - This attribute provides the user with a refined interpretation of the primary genetic modifier.

**Veneer** - This attribute provides the user with information regarding the type of material that forms a thin, discontinuous veneer over the primary material.

**Sub Episode** - A diachronic stratigraphic unit in a lower order than Episode and the proposed sequence-stratigraphic classification, consists in descending order of Michigan, Elgin and Ontario in the eastern and northern Great Lakes area in the Wisconsin Episode (Johnson et al. 1997; Karrow et al. 2000).

**Sub Episode** - A diachronic stratigraphic unit in a lower order than Episode and the proposed sequence-stratigraphic classification, consists in descending order of Michigan, Elgin and Ontario in the eastern and northern Great Lakes area in the Wisconsin Episode (Johnson et al. 1997; Karrow et al. 2000).

**Phase** - A diachronic stratigraphic unit in a lower order than Subepisode, and the proposed sequence-stratigraphic classification is listed in the following table in the eastern and northern Great Lakes area (Karrow et al. 2000)

**Stratus Modifier** - This attribute provides the user information regarding the stratigraphic position of the mapped unit (i.e., whether the unit occurs primarily on the surface or in the subsurface).

**Provenance** - This attribute provides the user with information regarding the provenance of a particular till unit (i.e. direction or lobe from which the till is derived).


**Carbon Content** - This attribute provides the user with information regarding the carbonate content of till.

**Formation** - This attribute provides the user with information regarding the formation to which a given primary material belongs (e.g., Tavistock Till, Port Stanley Till, Scarborough Formation). This attribute is seamless and allows the user to create a map based on formation.

**Permeability** - This attribute provides the user with basic information about permeability of the sediments in a ranking of high, medium and low.

**Material Description** - Material or sediment description, e.g., 'sand and silty fine sand', 'silty sand and gravel' and 'silty till with low stone content'.





# Detailed Soil Survey (ON Soils)

Order No. 20190410145

+	Spot Height		Lots
	Railroads		Pit or Quarry
	Roads		Airports
	Contour Lines		Wetlands
	Streams		Waterbody




# Soils Report

Soil Map Units Found within 2000 m of  
Burnside Avenue, Ottawa, ON, K1Y




Soil ID: OND401072947

**Component No** : 1 | **Components(%)** : 100 | **Soil Name ID** : ONZUN~~~~N | **Surface Stoniness Class** : Not Applicable | **Slop Steepness(%)** : None | **Slop Length(m)** : -9 | **Drainage** : Not Applicable | **Hydrological Soil Groups** : None | **Soil Texture of A Horizon** : None | **Field Crops Capability** : None | **First CLI Limitation Subclass** : None | **Second CLI Limitation Subclass** : None | **Soil Name** : UNCLASSIFIED | **Water Table Characteristics** : Unspecified period | **Soil Drainage Class** : Not applicable | **Kind of Surface Material** : Unclassified | **Layer that Restricts Root Growth** : No root restricting layer | **Type of Root Restricting Layer** : n/a | **Parent Material 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Mode of Deposition 1|2|3** : Not Applicable; Not Applicable; Not Applicable | **Parent Material Chemical Property 1|2|3** : Not Applicable; Not Applicable; Not Applicable |



# Physiography of Southern Ontario

Order No. 20190410145





75°44'30"W

75°44"W

75°43'30"W

75°43"W

75°42'30"W

75°42"W

45°26'N

45°25'30"N

45°25'N

45°24'30"N


45°24'N

45°25'N


45°24'30"N

45°24'N

45°23'30"N



Source: Ontario Base Mapping (OBM), 2010. Ontario Ministry of Natural Resources



# Ontario Base Mapping (OBM) Data

Order No. 20190410145

+ Spot Height (metre)	— Transportation Structure	— Contour Line	Wooded Area
■ Building Point	— Utility Line	▭ Pit or Quarry	▭ Conservation Authority
⊕ Towers	— Water Structure	▭ Waterbody	▭ Conservation Area
● Utility Site Point	— Drainage Line Feature	▭ Wetlands	▭ Municipal Park
— Misc. Line	— River or Stream	▭ Concession	▭ Provincial Park
— Railroads	▭ Airports	▭ Lots	▭ National Park
— Roads	▭ Tanks	▭ Municipality	▭ Nature Reserve
- - - Trail	▭ Building to Scale	▭ Land Ownership	

75°44'30"W

75°44'W

75°43'30"W

75°43'W

75°42'30"W

75°42'W

45°26'N

45°25'30"N

45°25'N

45°24'30"N

45°24'N

45°25'N


45°24'30"N

45°24'N

45°23'30"N

★ Site / Boundary 2000m Buffer

Source: Ontario Geological Survey 2011. 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release---Data 126-Revision 1



# Bedrock Geology of Ontario

Order No. 20190410145

<ul style="list-style-type: none"> <li>+ Spot Height</li> <li>— Roads</li> <li>— Contour Lines</li> <li>— Streams</li> <li>— Railroads</li> <li>— Lots</li> <li>— Pit or Quarry</li> <li>— Airports</li> <li>— Waterbody</li> <li>— Wetlands</li> </ul>	<p><b>Bedrock Geology Lines</b></p> <ul style="list-style-type: none"> <li>— CONTACT, GEOPHYSICAL, TREND, INTERPRETED</li> <li>— CONTACT, SHARP, TREND, INTERPRETED</li> <li>— CONTACT, SHARP, TREND, OBSERVED</li> <li>— FAULT, DEXTRAL HORIZONTAL COMPONENT, TREND, INTERPRETED, UNKNOWN GENERATION</li> <li>— FAULT, PROJECTED FAULT, INTERPRETED, UNKNOWN GENERATION</li> <li>— FAULT, SINISTRAL HORIZONTAL COMPONENT, TREND, INTERPRETED, UNKNOWN GENERATION</li> <li>— FAULT, SINISTRAL HORIZONTAL COMPONENT, TREND, OBSERVED, UNKNOWN GENERATION</li> <li>— FAULT, UNKNOWN HORIZONTAL COMPONENT, INCLINED-REVERSE, INTERPRETED, UNKNOWN GENERATION</li> <li>— FAULT, UNKNOWN HORIZONTAL COMPONENT, INCLINED-REVERSE, OBSERVED, UNKNOWN GENERATION</li> <li>— FAULT, UNKNOWN HORIZONTAL COMPONENT, TREND, INTERPRETED, UNKNOWN GENERATION</li> <li>— FAULT, UNKNOWN HORIZONTAL COMPONENT, TREND, OBSERVED, UNKNOWN GENERATION</li> <li>— NEATLINE</li> <li>— ONTARIO BORDER</li> <li>— Marble, chert, iron formation, minor metavolcanic rocks</li> </ul>	<p><b>Dikes</b></p> <ul style="list-style-type: none"> <li>— Abitibi mafic dike</li> <li>— Biscotasing mafic dike</li> <li>— Empey Lake mafic dike</li> <li>— Felsic to intermediate intrusive rocks</li> <li>— Fort Frances mafic dike</li> <li>— Frontenac mafic dike</li> <li>— Grenville mafic dike</li> <li>— Logan and Nipigon mafic sills</li> <li>— Mackenzie mafic dike</li> <li>— Mafic dikes of uncertain age</li> <li>— Mafic sills and dikes</li> <li>— Marathon mafic dike</li> <li>— Marathon, Kapuskasing or Biscotasing mafic dike</li> <li>— Matachewan mafic dike</li> <li>— Mine Centre mafic dike</li> <li>— Molson mafic dike</li> <li>— North Channel mafic dike</li> <li>— Pickle Crow mafic dike (Molson swarm) normal</li> <li>— Pickle Crow mafic dike (Molson swarm) reverse</li> <li>— Rideau mafic dike</li> <li>— Sudbury mafic dike</li> <li>— Ultramafic, gabbroic and granophytic intrusions</li> <li>— Unsubdivided mafic dike</li> <li>— Unsubdivided mafic dike (Keweenaw age)</li> <li>— unknown</li> </ul>	<p><b>C Lines</b></p> <ul style="list-style-type: none"> <li>— FOLD, ANTICLINE, INTERPRETED, UNKNOWN GENERATION</li> <li>— FOLD, ANTICLINE, OBSERVED, UNKNOWN GENERATION</li> <li>— FOLD, ANTICLINE, SYNFORMAL, INTERPRETED, SECOND GENERATION</li> <li>— FOLD, ANTIFORM, INTERPRETED, UNKNOWN GENERATION</li> <li>— FOLD, SYNCLINE, INTERPRETED, UNKNOWN GENERATION</li> <li>— FOLD, SYNCLINE, OBSERVED, UNKNOWN GENERATION</li> <li>— FOLD, SYNFORM, INTERPRETED, UNKNOWN GENERATION</li> </ul>	<ul style="list-style-type: none"> <li>▲ Kimberlite</li> </ul>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------






# Bedrock Geology Report

Bedrock Geology units found within 2000 m of  
Burnside Avenue, Ottawa, ON, K1Y



**ID:** 13300 | **Unit Name:** |  
**Type (All):** 54a | **Type (Primary):** 54a | **Type (Secondary):** | **Type (Tertiary):** | **Rock Type (Primary):** Limestone, dolostone, shale, arkose, sandstone | **Strata (Primary):** Ottawa Group; Simcoe Group; Shadow Lake Formation | **Super Eon (Primary):** | **Eon (Primary):** PHANEROZOIC (Present to 542.0 Ma) | **Era (Primary):** PALEOZOIC (251.0 Ma to 542.0 Ma) | **Period (Primary):** ORDOVICIAN (443.7 Ma to 488.3 Ma) | **Epoch (Primary):** MIDDLE ORDOVICIAN (now considered UPPER DEVONIAN) | **Province (Primary):**







**ID - Unit ID**      **Unit Name** - Generalized geological unit classification

**Type (All)** - The geological unit number(s) or code(s) for all rock types present in an individual polygon.

**Type (Primary)** - The primary geological unit number or code for the primary rock type in an individual polygon

**Type (Secondary)** - The secondary geological unit number or code for the secondary rock type, if present, in an individual polygon

**Type (Tertiary)** - The tertiary geological unit number or code for the tertiary rock type, if present, in an individual polygon

**Rock Type (Primary)** - Rock type or sub-unit description

**Status (Primary)** - The Stratigraphic unit. Divided into:

Supergroup (two or more groups and lone formations)  
Group (two or more formations)  
Formation (primary unit of lithostratigraphy)  
Member (named lithologic subdivision of a formation)  
Bed (named distinctive layer in a member or formation)

**Super Eon (Primary)** - A name given to the largest defined unit of geological time, divided into Eons. Unique values which this field may contain (Domains) are:

PRECAMBRIAN (0.542 Ga to <3.85 Ga)

**Eon (Primary)** - A name given to a defined unit of geological time, divided into Eras. Unique values which this field may contain (Domains) are:

ARCHEAN (2.5 Ga to <3.85 Ga)  
PROTEROZOIC (0.542 Ga to 2.50 Ga)  
PHANEROZOIC (Present to 542.0 Ma)

**Era (Primary)** - A name given to a defined unit of geological time, divided into Periods. Each era on the scale is separated from the next by a major event or change. Unique values which this field may contain (Domains) are:

MESOARCHEAN (2.8 Ga to 3.2 Ga)	MESOPROTEROZOIC (1.0 Ga to 1.6 Ga)
NEO-TO MESOARCHEAN (2.5 Ga to 3.2 Ga)	EARLY PALEOZOIC TO NEOPROTEROZOIC (443.7 Ma to 1.0 Ga)
NEOARCHEAN (2.5 Ga to 2.8 Ga)	NEO-TO MESOPROTEROZOIC (0.542 Ga to 1.6 Ga)
PALEOPROTEROZOIC (1.6 Ga to 2.5 Ga)	PALEOZOIC (251.0 Ma to 542.0 Ma)
MESO-TO PALEOPROTEROZOIC (1.0 Ga to 2.5 Ga)	MESOZOIC (65.5 Ma to 251.0 Ma)

**Period (Primary)** - A name given to a defined unit of geological time, divided into Epochs. Unique values which this field may contain (Domains) are:

CAMBRIAN (488.3 Ma to 542.0 Ma)  
ORDOVICIAN (443.7 Ma to 488.3 Ma)  
SILURIAN (416.0 Ma to 443.7 Ma)  
DEVONIAN (359.2 Ma to 416.0 Ma)  
MISSISSIPPIAN TO DEVONIAN (318.1 Ma to 416.0 Ma)  
JURASSIC (145.5 Ma to 199.6 Ma)  
CRETACEOUS AND JURASSIC (65.5 Ma to 199.6 Ma)

**Epoch (Primary)** - A name given to a defined unit of geological time. Unique values which this field may contain (Domains) are:


LOWER ORDOVICIAN	UPPER SILURIAN
MIDDLE ORDOVICIAN	LOWER DEVONIAN
UPPER ORDOVICIAN	MIDDLE DEVONIAN
MIDDLE AND LOWER SILURIAN	UPPER DEVONIAN
UPPER SILURIAN TO LOWER DEVONIAN	LOWER CRETACEOUS AND MIDDLE JURASSIC

**Province (Primary)** - The Geological Province the geological unit is in. Unique values which this field may contain (Domains) are:

SUPERIOR  
SOUTHERN  
SUPERIOR  
GRENVILLE



**APPENDIX D**  
**Aerial Photographs**






OTTAWA RIVER

**LEGEND**

-  Burnside Site Boundary
-  Study Area

**1928 Air Photo**



Coordinate System: NAD 1983 MTM 9  
Source: City of Ottawa geoOttawa website

PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0

DATE: 10/06/2019










OTTAWA RIVER

**LEGEND**

-  Burnside Site Boundary
-  Study

**1938 Air Photo**



Coordinate System: NAD 1983 MTM 9  
Source: National Air Photo Library A6531-30

PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0





DATE: 10/06/2019




OTTAWA RIVER

### LEGEND

-  Burnside Site Boundary
-  Study

### 1945 Air Photo



Scale 1:4,500  
Coordinate System: NAD 1983 MTM 9  
Source: National Air Photo Library A9547-10


PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0





DATE: 10/06/2019






OTTAWA RIVER

### LEGEND

-  Burnside Site Boundary
-  Study

### 1958 Air Photo



Scale 1:4,500  
Coordinate System: NAD 1983 MTM 9  
Source: National Air Photo Library A9547-10


PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0

DATE: 10/06/2019










OTTAWA RIVER

**LEGEND**

-  Burnside Site Boundary
-  Study

**1965 Air Photo**



Coordinate System: NAD 1983 MTM 9  
Source: City of Ottawa geoOttawa website

PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0



DATE: 10/06/2019








**LEGEND**

-  Burnside Site Boundary
-  Study

**1976 Air Photo**



Coordinate System: NAD 1983 MTM 9  
 Source: City of Ottawa geoOttawa website


PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0





DATE: 10/06/2019






OTTAWA RIVER

**LEGEND**

-  Burnside Site Boundary
-  Study Area

**1991 Air Photo**



Coordinate System: NAD 1983 MTM 9  
Source: City of Ottawa geoOttawa website


PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0





DATE: 10/06/2019






OTTAWA RIVER

### LEGEND

-  Burnside Site Boundary
-  Study

### 1999 Air Photo



Scale 1:4,500  
Coordinate System: NAD 1983 MTM 9  
Source: City of Ottawa geoOttawa website


PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0



DATE: 10/06/2019






**LEGEND**

- Burnside Site Boundary
- Study

**2005 Air Photo**



Coordinate System: NAD 1983 MTM 9  
 Source: City of Ottawa geoOttawa website

PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0





DATE: 10/06/2019






### LEGEND

-  Burnside Site Boundary
-  Study

### 2007 Air Photo



Coordinate System: NAD 1983 MTM 9  
Source: City of Ottawa geoOttawa website

PROJECT No. 18-262-1


Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0

DATE: 10/06/2019








OTTAWA RIVER

**LEGEND**

- Burnside Site Boundary
- Study

**2008 Air Photo**



Coordinate System: NAD 1983 MTM 9  
 Source: City of Ottawa geoOttawa website

PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0





DATE: 10/06/2019






**LEGEND**

-  Burnside Site Boundary
-  Study Area

**2015 Air Photo**



Coordinate System: NAD 1983 MTM 9  
Source: City of Ottawa geoOttawa website

PROJECT No. 18-262-1  
Phase One Environmental Site Assessment  
Burnside Site, Ottawa, ON

DESIGN: ADG  
CAD/GIS: ADG  
CHECK: KGR  
REV: 0



DATE: 10/06/2019








**LEGEND**

-  Burnside Site Boundary
-  Study Area

**2017 Air Photo**



Coordinate System: NAD 1983 MTM 9  
 Source: City of Ottawa geoOttawa website

PROJECT No. 18-262-1  
 Phase One Environmental Site Assessment  
 Burnside Site, Ottawa, ON

DESIGN: ADG  
 CAD/GIS: ADG  
 CHECK: KGR  
 REV: 0



DATE: 10/06/2019

## **APPENDIX E**

### **Interview Documentation**

# WI02-1 PHASE I ESA CHECKLIST - Interview Questions

Site Location: Burnside Site

Project Ref: 18-262-1

Interviewee: Michael Muir

Date: June 7, 2019

Interviewer: Angela Garrison

What is your position/role at the site? How long you been involved with the site?	Land Manager 15 years
What was site use(s) prior to your involvement with the site?	Same
Has the site use(s) changed since you've been involved with the site?	No
Who maintains the site? Landscape maintenance? Building maintenance? Agricultural Field Maintenance and Use? Chemicals Used	NCC, through maintenance contractor:Cedar Springs Landsscape. No Chemicals used on-site.
What municipal services/utilities are provided to the site? Water? Sewage? Waste/Recycling? Hydro? Natural Gas?	No Services to site
Are there any water wells on site? Domestic water supply? Monitoring? How many? Where? Are they being used? Sample results?	Several monitoring wells are located on the site
Is there a septic system on site? Septic Tank location? Leach Field location?	No
Is waste other than domestic waste generated on site? How is that waste managed?	No
How are the buildings heated?	No buildings
Have there ever been fuels or other chemicals stored on the site? Underground Storage Tanks (USTs)?	No
Have there been any fuel or chemical spills reported at the site? If "Yes", describe.	No
Have there been any complaints of an environmental nature associated with the site? Dumping? Odours? Discharges?	No
Have there been any other environmental assessments previously completed at the site? Phase I ESAs? Phase II ESAs? When?	Several. Consultant has copies of many of these
Have any Designated Substances audits been previously conducted? Asbestos? PCBs? Lead? Other Hazardous Materials?	Not applicable
Are there any other people/contacts that would know about the site and its history?	No



**APPENDIX F**

**Photographs of Site Features**





Looking west across the southern boundary of the site



Looking north from CH2M MW-2 along the eastern boundary



Several utilities run across the site (looking northwest)



Looking west along the southern boundary of the site (MW-5)





EXP TP13 showing fill at ground surface



Looking south at the former Carruthers Ave. extension



Former Hinchey Ave. extension on the site



Looking east across the central portion of the site





Looking at the southeastern portion of the site (EXP BH1/TP1)



Bedrock outcrop in the south eastern portion of the site



Looking east across the southern boundary of the site (MW-2)



Looking east from MW-1 along the southern boundary