


Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.



Legend



Notes

- ALL CATCH BASINS AND TRENCH DRAINS TO BE CONNECTED TO INTERNAL PLUMBING AND COLLECTED IN STORM WATER MANAGEMENT CISTERN. INSTALLATION BY OTHERS.
- INTERNAL PLUMBING AND SUMP PUMPS TO BE DESIGNED BY THE MECHANICAL CONSULTANT.
- STORMWATER MANAGEMENT TO BE PROVIDED THROUGH A 52m³ CISTERN LOCATED IN THE UNDERGROUND PARKING.

DRAIN TYPE	TRIBUTARY AREA ID	# OF DRAINS	100YR Head (m)	100YR RELEASE RATE (L/s)
WATS ACCFLOW (75% OPEN)	ROOF 1	4	0.141	6.0
WATS ACCFLOW (75% OPEN)	ROOF 3	4	0.145	6.1
WATS ACCFLOW (50% OPEN)	ROOF 4	4	0.149	5.0
WATS ACCFLOW (75% OPEN)	ROOF 5	6	0.145	9.2



Revision	By	Appd.	Date	
0	ISSUED FOR SPA	MJS	AMP	21.06.09

File Name:	MJS	AMP	MJS	21.06.01
160401536 DB DWG	Dwn.	Chkd.	Dgn.	YY.MM.DD

Permit-Seal

Client/Project
BRIGIL HOMES

MOONEY'S BAY
729 RIDGEWOOD AVENUE
OTTAWA, ON, CANADA

Title
STORM DRAINAGE PLAN

Project No. 160401536	Scale 1:300	Sheet 6 of 7	Revision 0
--------------------------	----------------	-----------------	---------------