

# 1400 Bank Street Transportation Impact Assessment

Step 1 Screening Report

Step 2 Scoping Report

Step 3 Forecasting Report

Step 4 Strategy Report

Prepared for:

SerCo Realty Group  
9 Capella Court, Unit 200  
Ottawa, ON K2E 8A7

Prepared by:



13 Markham Avenue  
Ottawa, ON K2G 3Z1

November 2021

PN: 2021-093

## Table of Contents

1	Screening .....	1
2	Existing and Planned Conditions .....	1
2.1	Proposed Development .....	1
2.2	Existing Conditions .....	3
2.2.1	Area Road Network .....	3
2.2.2	Existing Intersections .....	3
2.2.3	Existing Driveways .....	4
2.2.4	Cycling and Pedestrian Facilities .....	5
2.2.5	Existing Transit .....	8
2.2.6	Existing Area Traffic Management Measures .....	9
2.2.7	Existing Peak Hour Travel Demand .....	9
2.2.8	Collision Analysis .....	11
2.3	Planned Conditions .....	13
2.3.1	Changes to the Area Transportation Network .....	13
2.3.2	Other Study Area Developments .....	14
3	Study Area and Time Periods .....	15
3.1	Study Area .....	15
3.2	Time Periods .....	15
3.3	Horizon Years .....	15
4	Exemption Review .....	15
5	Development-Generated Travel Demand .....	16
5.1	Mode Shares .....	16
5.2	Trip Generation .....	16
5.3	Trip Distribution .....	18
5.4	Trip Assignment .....	18
6	Background Network Travel Demands .....	19
6.1	Transportation Network Plans .....	19
6.2	Background Growth .....	19
6.3	Other Developments .....	20
7	Demand Rationalization .....	20
7.1	2026 Future Background Operations .....	20
7.2	2031 Future Background Operations .....	21
7.3	Modal Share Sensitivity and Demand Rationalization Conclusions .....	22
8	Transportation Demand Management .....	23
8.1	Context for TDM .....	23
8.2	Need and Opportunity .....	23
8.3	TDM Program .....	23
9	Neighbourhood Traffic Management .....	23
10	Transit .....	23
10.1	Route Capacity .....	23
10.2	Transit Priority .....	24
11	Network Intersection Design .....	24

11.1 Network Intersection Control..... 24

11.2 Network Intersection Design..... 24

    11.2.1 2026 Future Total Network Intersection Operations ..... 24

    11.2.2 2031 Future Total Network Intersection Operations ..... 26

    11.2.3 Network Intersection MMLOS..... 27

    11.2.4 Recommended Design Elements..... 27

12 Summary of Improvements Indicated and Modifications Options..... 28

13 Next Steps..... 29

## List of Figures

Figure 1: Area Context Plan ..... 1

Figure 2: Concept Plan..... 2

Figure 3: Existing Driveways ..... 4

Figure 4: Study Area Pedestrian Facilities ..... 5

Figure 5: Study Area Cycling Facilities ..... 6

Figure 6: Existing Pedestrian Volumes ..... 7

Figure 7: Existing Cyclist Volumes ..... 7

Figure 8: Existing Study Area Transit Service..... 8

Figure 9: Existing Study Area Transit Stops ..... 9

Figure 10: Existing Traffic Counts ..... 10

Figure 11: Study Area Collision Records – Representation of 2015-2019..... 11

Figure 12: Bank Street Renewal – Preliminary Proposed Study Area Changes..... 14

Figure 13: New Site Generation Auto Volumes..... 19

Figure 14: 2026 Future Background Volumes ..... 20

Figure 15: 2031 Future Background Volumes ..... 22

Figure 16: 2026 Future Total Volumes ..... 25

Figure 17: 2031 Future Total Volumes ..... 26

## Table of Tables

Table 1: Intersection Count Date..... 9

Table 2: Existing Intersection Operations..... 10

Table 3: Study Area Collision Summary, 2015-2019 ..... 11

Table 4: Summary of Collision Locations, 2015-2019 ..... 12

Table 5: Bank Street at Belanger Avenue/Lamira Street Collision Summary..... 12

Table 6: Bank Steet Segment Between Belanger Avenue & Rockingham Avenue Collision Summary..... 13

Table 7: Exemption Review ..... 15

Table 8: TRANS Trip Generation Manual Recommended Mode Shares – Alta Vista ..... 16

Table 9: Proposed Development Mode Shares – Within 700 m of Rapid Transit..... 16

Table 10: Trip Generation Person Trip Rates by Peak Period..... 17

Table 11: Total Person Trip Generation by Peak Period..... 17

Table 12: Internal Capture Rates..... 17

Table 13: Trip Generation by Mode ..... 18

Table 14: OD Survey Distribution – Alta Vista ..... 18  
Table 15: Trip Assignment ..... 19  
Table 16: Applied Study Area Growth Rates ..... 20  
Table 17: 2026 Future Background Intersection Operations ..... 21  
Table 18: 2031 Future Background Intersection Operations ..... 22  
Table 19: Trip Generation by Transit Mode ..... 24  
Table 20: 2026 Future Total Network Intersection Operations ..... 25  
Table 21: 2031 Future Total Network Intersection Operations ..... 26  
Table 22: Study Area Intersection MMLOS Analysis ..... 27

### List of Appendices

- Appendix A – TIA Screening Form and Certification Form
- Appendix B – Turning Movement Count Data
- Appendix C – Synchro Intersection Worksheets – Existing Conditions
- Appendix D – Collision Data
- Appendix E – Synchro Intersection Worksheets – 2026 Future Background Conditions
- Appendix F – Synchro Intersection Worksheets – 2031 Future Background Conditions
- Appendix G – MMLOS Analysis
- Appendix H – Synchro Intersection Worksheets – 2026 Future Total Conditions
- Appendix I – Synchro Intersection Worksheets – 2031 Future Total Conditions
- Appendix J – TDM Checklist



## 1 Screening


This study has been prepared according to the City of Ottawa's 2017 Transportation Impact Assessment (TIA) Guidelines. Accordingly, a Step 1 Screening Form has been prepared and is included as Appendix A, along with the Certification Form for the TIA Study PM. As shown in the Screening Form, a TIA is required including the Design Review component (during site plan) and the Network Impact Component. This study has been prepared to support an Official Plan Amendment and Zoning Bylaw Amendment applications.

## 2 Existing and Planned Conditions

### 2.1 Proposed Development


The existing site, located at 1400 Bank Street, is zoned as Arterial Mainstreet Zone (AM1 (1913)). The existing site includes a commercial/retail building with a flower shop, a cash advance business, and a surface parking lot that loops behind the building between Belanger Avenue and Bank Street. The proposed redevelopment consists of a 16-storey mixed-use building with a total of 3,791 sq. ft. of commercial space, 5,365 sq. ft. of office space, a total of 160 apartment units, and 66 underground parking spaces. The anticipated full build-out and occupancy horizon is 2026 with construction occurring in a single phase. Along with the removal of one existing driveway access, the concept plan proposes the relocation of an existing full-movements access onto Belanger Avenue as an underground parking access, and the main entrance will be located at the corner at Bank Street. The site is located within the Bank Street Secondary Plan and intersects the Bank Arterial Mainstreet design priority area. Figure 1 illustrates the study area context. Figure 2 illustrates the proposed concept plan.

Figure 1: Area Context Plan



Source: <http://maps.ottawa.ca/geoOttawa/> Accessed: August 12, 2021





**KEY PLAN**



**PROPERTY DESCRIPTION**  
 SIXTEEN STOREY MIXED-USE RESIDENTIAL BUILDING  
 CITY OF OTTAWA PIN NUMBER  
 MUNICIPAL ADDRESS 1400 BANK STREET


**SITE INFORMATION**  
 LOT AREA: 1482m<sup>2</sup>  
 LOT FRONTAGE: 42m (BANK STREET), 25.6m (BELANGER AVE.)  
 LOT DEPTH: 25.6m (NORTH) & 51m (SOUTH)

**BUILDING INFORMATION**  
 BUILDING AREA: 1,083 m<sup>2</sup>  
 GROSS AREA: 17,079 m<sup>2</sup>  
 PROPOSED USE: MIXED-USE RESIDENTIAL  
 UNIT BREAKDOWN: LEVEL 2: 6 UNITS; LEVEL 3-6: 12 UNITS EA.; LEVEL 7-8: 12 UNITS EA.; LEVEL 10-16: 10 UNITS EA.  
 RETAIL/OFFICE USE: LEVEL 1: 352 m<sup>2</sup>; LEVEL 2: 500 m<sup>2</sup>

**ZONING TABLE**  
 AMI (1913) - ARTERIAL MAINSTREET, SUBZONE 1, EXCEPTION 1913

CITY OF OTTAWA ZONING BY-LAW No. 2008-230	REQUIRED	PROPOSED
MINIMUM LOT AREA	NO MINIMUM	1,459m <sup>2</sup>
MINIMUM LOT WIDTH	NO MINIMUM	N/A
MINIMUM FRONT YARD SETBACK	0 m	VARIES
MINIMUM INTERIOR SIDE YARD SETBACK	7.5m (ADJUTING RESIDENTIAL ZONE)	N/A
MINIMUM REAR YARD SETBACK (south)	7.5m (REAR LOT LINE ADJUTING RESIDENTIAL ZONE)	9.3m - GROUND FLOOR 9m - LEVEL 2-9 11.5m - LEVEL 10-16
MINIMUM CORNER SIDEYARD SETBACK	0 m	0.8 m
MAXIMUM BUILDING HEIGHT	25 m	50 m
MAXIMUM FLOOR SPACE INDEX	3.5	5
MAX # of RESIDENTIAL UNITS	N/A	N/A
LANDSCAPED AREA	N/A	N/A
VEHICLE PARKING REQUIREMENTS	RESIDENTIAL: 80 SPACES VISITORS: 14-8 SPACES RETAIL: N/A OFFICE: 5	86 SPACES BALCONIES: 696 m <sup>2</sup> ROOF AMENITY: 379 m <sup>2</sup> EXTERIOR: 134 m <sup>2</sup>
AMENITY AREA REQUIREMENTS	960 m <sup>2</sup> Area 1: 100% of residential floor area Area 2: 100% of residential floor area Area 3: 100% of residential floor area Area 4: 100% of residential floor area Area 5: 100% of residential floor area Area 6: 100% of residential floor area Area 7: 100% of residential floor area Area 8: 100% of residential floor area Area 9: 100% of residential floor area Area 10: 100% of residential floor area Area 11: 100% of residential floor area Area 12: 100% of residential floor area Area 13: 100% of residential floor area Area 14: 100% of residential floor area Area 15: 100% of residential floor area Area 16: 100% of residential floor area Area 17: 100% of residential floor area Area 18: 100% of residential floor area Area 19: 100% of residential floor area Area 20: 100% of residential floor area Area 21: 100% of residential floor area Area 22: 100% of residential floor area Area 23: 100% of residential floor area Area 24: 100% of residential floor area Area 25: 100% of residential floor area Area 26: 100% of residential floor area Area 27: 100% of residential floor area Area 28: 100% of residential floor area Area 29: 100% of residential floor area Area 30: 100% of residential floor area Area 31: 100% of residential floor area Area 32: 100% of residential floor area Area 33: 100% of residential floor area Area 34: 100% of residential floor area Area 35: 100% of residential floor area Area 36: 100% of residential floor area Area 37: 100% of residential floor area Area 38: 100% of residential floor area Area 39: 100% of residential floor area Area 40: 100% of residential floor area Area 41: 100% of residential floor area Area 42: 100% of residential floor area Area 43: 100% of residential floor area Area 44: 100% of residential floor area Area 45: 100% of residential floor area Area 46: 100% of residential floor area Area 47: 100% of residential floor area Area 48: 100% of residential floor area Area 49: 100% of residential floor area Area 50: 100% of residential floor area Area 51: 100% of residential floor area Area 52: 100% of residential floor area Area 53: 100% of residential floor area Area 54: 100% of residential floor area Area 55: 100% of residential floor area Area 56: 100% of residential floor area Area 57: 100% of residential floor area Area 58: 100% of residential floor area Area 59: 100% of residential floor area Area 60: 100% of residential floor area Area 61: 100% of residential floor area Area 62: 100% of residential floor area Area 63: 100% of residential floor area Area 64: 100% of residential floor area Area 65: 100% of residential floor area Area 66: 100% of residential floor area Area 67: 100% of residential floor area Area 68: 100% of residential floor area Area 69: 100% of residential floor area Area 70: 100% of residential floor area Area 71: 100% of residential floor area Area 72: 100% of residential floor area Area 73: 100% of residential floor area Area 74: 100% of residential floor area Area 75: 100% of residential floor area Area 76: 100% of residential floor area Area 77: 100% of residential floor area Area 78: 100% of residential floor area Area 79: 100% of residential floor area Area 80: 100% of residential floor area Area 81: 100% of residential floor area Area 82: 100% of residential floor area Area 83: 100% of residential floor area Area 84: 100% of residential floor area Area 85: 100% of residential floor area Area 86: 100% of residential floor area Area 87: 100% of residential floor area Area 88: 100% of residential floor area Area 89: 100% of residential floor area Area 90: 100% of residential floor area Area 91: 100% of residential floor area Area 92: 100% of residential floor area Area 93: 100% of residential floor area Area 94: 100% of residential floor area Area 95: 100% of residential floor area Area 96: 100% of residential floor area Area 97: 100% of residential floor area Area 98: 100% of residential floor area Area 99: 100% of residential floor area Area 100: 100% of residential floor area	
BICYCLE PARKING SPACES	0.5 per dwelling unit = 80 1 PER 200m <sup>2</sup> OF A3 3.4	186 SPACES

**LEGEND**



- 1 2021-09-29 FOR COORD.
- 2 2021-10-15 FOR COORD.
- 3 2021-10-21 FOR COORD.
- 4 2021-10-26 OFFICIAL PLAN AMENDMENT AND ZONING BY-LAW AMENDMENT



**NOVATECH ENGINEERING CONSULTANTS LTD.**  
 1600 BANK STREET  
 OTTAWA, ONTARIO  
 K1P 6K2  
 TEL: (613) 820-1111  
 WWW.NOVATECH-CA.COM

**LRJ**  
 LANDSCAPE ARCHITECTS  
 1000 BANK STREET  
 OTTAWA, ONTARIO  
 K1P 6K2  
 TEL: (613) 820-1111  
 WWW.LRJ.COM

**SeCo**  
 STRUCTURAL ENGINEERS  
 1000 BANK STREET  
 OTTAWA, ONTARIO  
 K1P 6K2  
 TEL: (613) 820-1111  
 WWW.SECO.COM

**figurr architects collective**  
 1000 BANK STREET  
 OTTAWA, ONTARIO  
 K1P 6K2  
 TEL: (613) 820-1111  
 WWW.FIGURR.COM

**16-STOREY MIXED-USE RESIDENTIAL BUILDING**  
 1400 BANK ST.  
 OTTAWA, ON

**SITE PLAN**  
 Drawn by: [Name]  
 Checked by: [Name]  
 Date: [Date]

**A-105**

## 2.2 Existing Conditions

### 2.2.1 Area Road Network

**Bank Street:** Bank Street is a City of Ottawa arterial road. The roadway has a divided four-lane urban cross-section north of Randall Avenue and has a five-lane urban cross-section including a two-way left-turn lane south of Randall Avenue. Sidewalks are provided on both sides of the road. The posted limit is 40 km/h north of Riverdale Avenue and 50 km/h south of Riverdale Avenue. North of Ohio Street, a southbound bike lane is provided and a northbound bike lane begins approximately 110 metres to the north. The City-protected right of way is 37.5 metres. Bank Street is designated as a truck route.

**Lamira Street:** Lamira Street is a collector road with a two-lane urban cross-section. A sidewalk is provided on north side of the road. The unposted speed limit is assumed to be 50 km/h and the existing right of way provided is 27.0 metres.

**Transitway Access:** The Transitway access is a roadway that is restricted to buses only. The road is between Bank Street and Data Centre Road and serves as a bus connection to the Transitway.

**Ohio Street:** Ohio Street is a local road with a two-lane urban cross-section. Sidewalks are present on the north side of the road for 65.0 metres, and along the south side of the road. The unposted speed limit is assumed to be 50 km/h and the existing right of way provided is 3.0 metres.

**Belanger Avenue:** Belanger Avenue is a local road with an undivided two-lane urban cross-section. Sidewalks are present on both sides of the road. The unposted speed limit is assumed to be 50 km/h and the existing right of way provided is 18.5 metres.

**Rockingham Avenue:** Rockingham Avenue is a local road with a two-lane urban cross-section. Sidewalks are present on both sides of the road. The unposted speed limit is assumed to be 50 km/h and the existing right of way provided is 18.5 metres.

**Randall Avenue:** Randall Avenue is a local road with a two-lane urban cross-section. The unposted speed limit is assumed to be 50 km/h and the existing right of way provided is 20.0 metres.

**Clementine Boulevard:** Clementine Boulevard is a local road with a two-lane urban cross-section. Sidewalks are present on east side of the road. The posted limit is 40 km/h and the existing right of way provided is 12.0 metres.

### 2.2.2 Existing Intersections

The existing signalized area intersections within 400 metre of the site have been summarized below:

<i>Bank Street at Belanger Avenue/ Lamira Street</i>	The intersection of Bank Street and Belanger Avenue/ Lamira Street is a signalized intersection. The northbound and southbound approaches each consist of an auxiliary left-turn lane, a through lane, and a shared through/right-turn lane. The westbound approach consists of a shared left-turn/through lane and an auxiliary, channelized right-turn lane, and the eastbound approach consists of a shared all-movement lane. Vehicles are prohibited from making westbound through movements during weekdays between 7:00–9:00 AM and eastbound through movements during weekdays between 3:30-5:30 PM. Bicycles are permitted to make these movements.
--	--


*Bank Street at Randall Avenue*

The intersection of Bank Street and Randall Avenue is a signalized intersection. The northbound approach consists of a through lane and a shared through/right-turn lane, and the southbound approach consists of an auxiliary left-turn lane and two through lanes. The westbound approach consists of a right-turn lane. Northbound and southbound U-turn movements, and westbound left-turn movements are prohibited.

2.2.3 Existing Driveways

Within 200 metres of the site access, driveways to four low-rise buildings and five semi-detached dwellings are located on Belanger Avenue, and a driveway to a parking lot is present on Lamira Street. Driveways to two mid-rise buildings, a commercial building, a clinic building, a mixed-use building, and a church are present on Bank Street. Driveways to three commercial buildings, eight low-rise building, one mid-rise building, and four detached dwellings are also present on Rockingham Avenue, and driveways to three semi-detached dwellings, one low-rise building, two detached dwellings are located on Clementine Boulevard. Figure 3 illustrates the existing driveways.

Figure 3: Existing Driveways



Source: <http://maps.ottawa.ca/geoOttawa/> Accessed: August 12, 2021




2.2.4 Cycling and Pedestrian Facilities

Figure 4 illustrates the pedestrian facilities in the study area and Figure 5 illustrates the cycling facilities.

Sidewalks are provided along both sides of Bank Street, Belanger Avenue, and Ohio Street. Sidewalks are also provided along the north side of Randall Avenue and the Transitway access, on the east side of Clementine Boulevard, on the west side of Lamira Street, and on part of the south side of Rockingham Avenue east of Clementine Boulevard.


Cycling facilities include a bike lane along Bank Street north of Ohio Street to Riverside Drive, and a cycletrack along Heron Road. A multi-use pathway runs along the north side of Riverside Drive westbound. Bank Street and Heron Road are spine routes, and Data Centre Road and the MUP north of Riverside Drive are major pathways. Lamira Street, Belanger Avenue, and Clementine Boulevard south of Belanger Avenue are identified as local cycling routes. Bank Street north of Heron Road and Heron Road are designated as cross-town bikeways.

Figure 4: Study Area Pedestrian Facilities



Source: <http://maps.ottawa.ca/geoOttawa/> Accessed: August 12, 2021

Figure 5: Study Area Cycling Facilities



Source: <http://maps.ottawa.ca/geoOttawa/> Accessed: August 12, 2021

Pedestrian and cyclist volumes included in study area intersection counts, presented in Section 2.2.7, have been compiled and are illustrated in Figure 6 and Figure 7 respectively.

Figure 6: Existing Pedestrian Volumes





Figure 7: Existing Cyclist Volumes



2.2.5 Existing Transit

Within the study area, the route #6 travels along Bank Street, the routes #46, #140, and #141 travels along Bank Street, Belanger Avenue, and Clementine Boulevard, and the route #48 travels along Bank Street and Lamira Street.

Primary stops are located at the intersections of Bank Street at Ohio Street, Bank Street at Belanger Avenue, Bank Street at Lamira Street, and Bank Street at Clementine Boulevard. The frequency of these routes within proximity of the proposed site currently are:

- Route # 6 – 15-minute service all day, 30-minute service after 8:00 PM
- Route # 46 – 15-minute service in peak direction/period, 30-minute service all day
- Route # 48 – 30-minute service all day
- Route #140 –30-minute service in peak direction/period
- Route # 141 – 1-hr service in peak direction/period

Figure 8 illustrates the transit system map in the study area and Figure 9 illustrates nearby transit stops.


Figure 8: Existing Study Area Transit Service



Source: <http://www.octranspo.com/> Accessed: August 12, 2021



Figure 9: Existing Study Area Transit Stops



Source: <http://www.octranspo.com/> Accessed: August 12, 2021

2.2.6 Existing Area Traffic Management Measures

There are no existing area traffic management measures within the study area.

2.2.7 Existing Peak Hour Travel Demand

Existing turning movement counts were acquired from the City of Ottawa for the existing study area intersections. Table 1 summarizes the intersection count dates.

Table 1: Intersection Count Date

Intersection	Count Date
Bank Street at Belanger Avenue/Lamira Street	Wednesday, 28 January 2015
Bank Street at Randall Avenue	Thursday, July 30, 2015

Figure 10 illustrates the existing traffic counts and Table 2 summarizes the existing intersection operations. The level of service for signalized intersections is based on HCM 2010 v/c calculations for individual lane movements and HCM 2000 v/c calculations for the overall intersection. Detailed turning movement count data is included in Appendix B and the Synchro worksheets are provided in Appendix C.



Figure 10: Existing Traffic Counts




Table 2: Existing Intersection Operations

Intersection	Lane	AM Peak Hour				PM Peak Hour			
		LOS	V/C	Delay	Q (95 <sup>th</sup> )	LOS	V/C	Delay	Q (95 <sup>th</sup> )
Bank Street & Belanger Avenue / Lamira Street <i>Signalized</i>	EB	A	0.40	29.2	28.3	A	0.39	27.1	21.4
	WBL/T	A	0.40	31.8	28.6	B	0.69	44.5	46.9
	WBR	A	0.56	7.2	17.9	A	0.36	6.9	13.1
	NBL	A	0.10	14.5	m6.5	A	0.26	26.3	15.4
	NBT/R	D	0.90	31.8	#180.1	B	0.66	25.7	91.8
	SBL	B	0.67	31.0	#39.3	B	0.63	19.2	#69.0
	SBT/R	A	0.26	10.6	34.7	A	0.51	11.0	90.2
<b>Overall</b>	<b>C</b>	<b>0.72</b>	<b>24.0</b>	-	<b>B</b>	<b>0.68</b>	<b>19.4</b>	-	
Bank Street & Randall Avenue <i>Signalized</i>	WBR	A	0.12	0.5	0.0	A	0.04	3.0	2.7
	NBT	A	0.49	10.8	58.0	C	0.74	18.7	66.4
	SBL	A	0.05	5.0	m2.0	A	0.22	16.5	7.5
	SBT/R	A	0.31	6.5	20.4	C	0.76	19.6	70.5
	<b>Overall</b>	<b>A</b>	<b>0.35</b>	<b>8.8</b>	-	<b>A</b>	<b>0.39</b>	<b>18.9</b>	-

Notes: Saturation flow rate of 1800 veh/h/lane  
PHF = 0.90

m = metered queue  
# = queue exceeds storage or mid-block length

During both the AM and PM peak hours, the study area intersections are anticipated to operate well.

The intersection of the Bank Street at Belanger Avenue/Lamira Street may exhibit extended queues on the northbound shared through/right-turn movements during the AM peak hour, and on the southbound left-turn movement during both peak hours.

2.2.8 Collision Analysis

Collision data have been acquired from the City of Ottawa open data website (data.ottawa.ca) for five years prior to the commencement of this TIA for the surrounding study area road network. Table 3 summarizes the collisions types and conditions in the study area, Figure 11 illustrates the intersections and segments analyzed, and Table 4 summarizes the total collisions for each of these locations. Collision data are included in Appendix D.

Table 3: Study Area Collision Summary, 2015-2019

Total Collisions		Number	%
		<b>62</b>	<b>100%</b>
Classification	Fatality	0	0%
	Non-Fatal Injury	19	31%
	Property Damage Only	43	69%
Initial Impact Type	Angle	11	18%
	Rear end	21	34%
	Sideswipe	3	5%
	Turning Movement	13	21%
	SMV Unattended	3	5%
	SMV Other	6	10%
	Other	5	8%
Road Surface Condition	Dry	40	65%
	Wet	13	21%
	Loose Snow	5	8%
	Slush	3	5%
	Ice	1	2%
Pedestrian Involved		8	13%
Cyclists Involved		7	11%

Figure 11: Study Area Collision Records – Representation of 2015-2019




Table 4: Summary of Collision Locations, 2015-2019

	Number	%
<b>Intersections / Segments</b>	<b>62</b>	<b>100%</b>
Bank St @ Ohio St	1	2%
Bank St @ Belanger Ave/Lamira St	38	61%
Bank St @ Rockingham Ave	3	5%
Belanger Ave Btwn Clementine Blvd & Bank St	4	6%
Bank St Btwn Ohio St & Belanger Ave	4	6%
Bank St Btwn Belanger Ave & Rockingham Ave	12	19%

Within the study area, the intersection of Bank Street at Belanger Avenue/Lamira Street and the segment of Bank Street between Belanger Avenue and Rockingham Avenue are noted to have experienced higher collisions than other locations. Table 5 and Table 6 summarize the collision types and conditions for these locations.

Table 5: Bank Street at Belanger Avenue/Lamira Street Collision Summary

		Number	%
<b>Total Collisions</b>		<b>38</b>	<b>100%</b>
<b>Classification</b>	Fatality	0	0%
	Non-Fatal Injury	14	37%
	Property Damage Only	24	63%
<b>Initial Impact Type</b>	Angle	5	13%
	Rear end	12	32%
	Sideswipe	1	3%
	Turning Movement	13	34%
	SMV Other	4	11%
	Other	3	8%
<b>Road Surface Condition</b>	Dry	26	68%
	Wet	9	24%
	Loose Snow	3	8%
<b>Pedestrian Involved</b>		3	8%
<b>Cyclists Involved</b>		0	0%

The Bank Street at Belanger Avenue/Lamira Street intersection had a total of 38 collisions during the 2015-2019 time period, with 24 involving property damage only and the remaining 14 having non-fatal injuries. The collision types are most represented by turning movement with 13 collisions, followed by twelve rear end collisions, with the remaining collision types represented by angle, SMV other, other, and sideswipe. Turning movement collisions are likely due to the channelized right-turn from Lamira Street and the skewed geometry of the intersection. The rear end collisions are typical of congested conditions and the shared through/right-turn lanes. Weather conditions are not considered to have influenced collisions at this location. The Bank Street Renewal will remove the channelized right-turn from Lamira Street and the protected intersection design will likely reduce collisions in the future. No further action is recommended at this time.

Table 6: Bank Street Segment Between Belanger Avenue &amp; Rockingham Avenue Collision Summary

		Number	%
<b>Total Collisions</b>		<b>12</b>	<b>100%</b>
<b>Classification</b>	<b>Fatality</b>	0	0%
	<b>Non-Fatal Injury</b>	0	0%
	<b>Property Damage Only</b>	12	100%
<b>Initial Impact Type</b>	<b>Angle</b>	4	33%
	<b>Rear end</b>	6	50%
	<b>Sideswipe</b>	2	17%
<b>Road Surface Condition</b>	<b>Dry</b>	8	67%
	<b>Loose Snow</b>	2	17%
	<b>Slush</b>	2	17%
<b>Pedestrian Involved</b>		0	0%
<b>Cyclists Involved</b>		0	0%

The Bank Street segment between Belanger Avenue and Rockingham had a total of 12 collisions during the 2015-2019 time period, all involving property damage only. The collision types are most represented by rear end with six collisions, followed by angle with four collisions with the remaining two sideswipe collisions. Rear end collisions are typical of congested areas. Angled collisions are generally represented by left-turning movements and may be influenced by the private accesses along the segment. Weather conditions are not considered to have influenced collisions at this location.


## 2.3 Planned Conditions

### 2.3.1 Changes to the Area Transportation Network

The Transportation Master Plan's (TMP) Rapid Transit and Transit Priority Network (RTTP) identifies isolated transit priority measures along Bank Street within the Affordable Network diagram.

The Bank Street Renewal (Riverside Drive (Westbound) to Ledbury Avenue) is a project that is currently in the detailed design phase of the project underway by the City of Ottawa. The construction is scheduled in early Winter 2022, and the completion of the entire project will be based on the future budget. The renewal will include cycletracks along Bank Street, protected intersection configurations and a raised centre median. Figure 12 illustrates examples of the changes anticipated to the area intersections.

Figure 12: Bank Street Renewal – Preliminary Proposed Study Area Changes



Source: <https://ottawa.ca/en/city-hall/public-engagement/projects/bank-street-renewal-riverside-drive-westbound-ledbury-avenue> Accessed: September 2, 2021

### 2.3.2 Other Study Area Developments

#### 1330, 1344 and 1346 Bank Street, and 2211 Riverside Drive

The proposed development application includes a Zoning By-law Amendment to allow the construction of a 27-storey mixed use building with 309 residential units and 3,603 ft<sup>2</sup> commercial space as well as a 29-storey apartment building with 228 residential units. The development is predicted to generate 73 new AM two-way peak-hour auto trips and 54 new PM two-way peak-hour auto trips. (Parsons, 2021)

#### 1335 and 1339 Bank Street

The proposed development application includes a Zoning By-law Amendment to allow the construction of a 26-storey mixed use building with 391 residential units and 525 m<sup>2</sup> commercial space. The development is forecasted



to generate 61 new AM two-way peak-hour auto trips and 37 new PM two-way peak-hour auto trips. (Parsons, 2020)

### 3 Study Area and Time Periods

#### 3.1 Study Area

The study area will include the intersections of:

- Bank Street at:
  - Belanger Avenue/Lamira Street
  - Randall Avenue
- Belanger Avenue at:
  - Site Access (Future Conditions)

The boundary road will be Belanger Avenue and Bank Street, and no screenlines are present within proximity to the site.

#### 3.2 Time Periods

As the proposed development is mixed-use development with residential units, commercial units, and office units, therefore, the AM and PM peak hours will be examined.

#### 3.3 Horizon Years

The anticipated build-out year is 2026. As a result, the full build-out plus five years horizon year is 2031.

### 4 Exemption Review

Table 7 summarizes the exemptions for this TIA.

*Table 7: Exemption Review*

Module	Element	Explanation	Exempt/Required
<b>Design Review Component</b>			
<b>4.1 Development Design</b>	4.1.2 Circulation and Access	Only required for site plans	Required at Site Plan Application
	4.1.3 New Street Networks	Only required for plans of subdivision	Exempt
<b>4.2 Parking</b>	4.2.1 Parking Supply	Only required for site plans	Required at Site Plan Application
	4.2.2 Spillover Parking	Only required for site plans where parking supply is 15% below unconstrained demand	Exempt. May be required at Site Plan Application
<b>Network Impact Component</b>			
<b>4.5 Transportation Demand Management</b>	All Elements	Not required for site plans expected to have fewer than 60 employees and/or students on location at any given time	Required
<b>4.6 Neighbourhood Traffic Management</b>	4.6.1 Adjacent Neighbourhoods	Only required when the development relies on local or collector streets for access and total volumes exceed ATM capacity thresholds	Required
<b>4.8 Network Concept</b>		Only required when proposed development generates more than 200 person-trips during the peak hour in excess	Exempt

Module	Element	Explanation	Exempt/Required
		of equivalent volume permitted by established zoning	

## 5 Development-Generated Travel Demand

### 5.1 Mode Shares

Examining the mode shares presented in the TRANS Trip Generation Manual (2020) for the district derived from the most recent National Capital Region Origin-Destination survey (OD Survey), the existing mode shares by land use and peak period for Alta Vista have been summarized in Table 8.

*Table 8: TRANS Trip Generation Manual Recommended Mode Shares – Alta Vista*

Travel Mode	Multi-Unit (High-Rise)		Commercial Generator		Employment Generator
	AM	PM	AM	PM	AM and PM
<b>Auto Driver</b>	38%	45%	64%	60%	69%
<b>Auto Passenger</b>	12%	16%	9%	20%	7%
<b>Transit</b>	42%	28%	12%	9%	18%
<b>Cycling</b>	2%	2%	1%	0%	3%
<b>Walking</b>	7%	9%	14%	11%	3%
<b>Total</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>

Being within 700 metres-walk (or a 400 metres linear distance) of the Billing’s Bridge BRT station, a higher transit mode is considered achievable at this location. Given that the residential transit mode share is already high (42%) during AM peak, this mode share is proposed to remain, and a seven percent shift to transit mode taken from the auto mode is proposed for PM peak. A ten percent shift to transit mode from the auto mode is proposed for each the commercial and employment generator land uses. The proposed modified mode share targets are summarized in Table 9.

*Table 9: Proposed Development Mode Shares – Within 700 m of Rapid Transit*

Travel Mode	Multi-Unit (High-Rise)		Commercial Generator		Employment Generator
	AM	PM	AM	PM	AM and PM
<b>Auto Driver</b>	38%	38%	54%	50%	59%
<b>Auto Passenger</b>	12%	16%	9%	20%	7%
<b>Transit</b>	42%	35%	22%	19%	28%
<b>Cycling</b>	2%	2%	1%	0%	3%
<b>Walking</b>	7%	9%	14%	11%	3%
<b>Total</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>	<b>100%</b>

### 5.2 Trip Generation

This TIA has been prepared using the vehicle and person trip rates for the residential dwellings using the TRANS Trip Generation Manual (2020) and the vehicle trip rates and derived person trip rates for commercial component from the ITE Trip Generation Manual 10th Edition (2017) using the City-prescribed conversion factor of 1.28. Table 10 summarizes the person trip rates for the proposed residential land uses for each peak period and the person trip rates for the non-residential land uses by peak hour.

Table 10: Trip Generation Person Trip Rates by Peak Period

Land Use	Land Use Code	Peak Period	Vehicle Trip Rate	Person Trip Rates
Multi-Unit High-Rise	221 & 222 (TRANS)	AM	-	0.80
		PM	-	0.90
Land Use	Land Use Code	Peak Hour	Vehicle Trip Rate	Person Trip Rates
General Office	710 (ITE)	AM	1.16	1.48
		PM	1.15	1.47
Shopping Centre	820 (ITE)	AM	0.94	1.20
		PM	3.81	4.88

Using the above person trip rates, the total person trip generation has been estimated. Table 11 summarizes the total person trip generation for the residential and non-residential land uses.

Table 11: Total Person Trip Generation by Peak Period

Land Use	Units	AM Peak Period			PM Peak Period		
		In	Out	Total	In	Out	Total
Multi-Unit (High-Rise)	160	40	88	128	84	60	144
Land Use	Units / GFA	AM Peak Hour			PM Peak Hour		
		In	Out	Total	In	Out	Total
General Office	5,365 ft <sup>2</sup>	7	1	8	1	7	8
Shopping Centre	3,791 ft <sup>2</sup>	3	2	5	9	10	19

Internal capture rates from the ITE Trip Generation Handbook 3<sup>rd</sup> Edition have been assigned to the development’s retail component for mixed-use developments. The rates summarized in Table 12 represent the percentage of trips to/from the retail use based on the residential component.

Table 12: Internal Capture Rates

Land Use	AM		PM	
	In	Out	In	Out
Residential to/from Shopping Centre	17%	14%	10%	26%

Pass-by reductions applied to the retail trip generation at a rate of 35% have been included, a value taken as a moderately conservative interpretation from the rates presented in the ITE Trip Generation Handbook 3<sup>rd</sup> Edition.

Using the above mode share targets for a BRT area, the internal capture and pass-by rates, and the person trip rates, the person trips by mode have been projected. Table 13 summarizes the trip generation by mode and peak hour using the residential peak hour adjustment factor and the non-residential trip generation using the internal capture and pass-by reductions.

Table 13: Trip Generation by Mode

Travel Mode		AM Peak Hour				PM Peak Hour			
		Mode Share	In	Out	Total	Mode Share	In	Out	Total
Multi-Unit (High-Rise)	Auto Driver	38%	7	16	23	38%	14	10	24
	Auto Passenger	12%	2	5	7	16%	6	4	10
	Transit	42%	9	20	29	35%	14	10	24
	Cycling	2%	1	1	2	2%	1	0	1
	Walking	7%	2	3	5	9%	4	3	7
	<b>Total</b>	<b>100%</b>	<b>20</b>	<b>44</b>	<b>64</b>	<b>100%</b>	<b>37</b>	<b>26</b>	<b>63</b>
General Office	Auto Driver	59%	4	1	5	59%	1	4	5
	Auto Passenger	7%	0	0	1	7%	0	0	1
	Transit	28%	2	0	2	28%	0	2	2
	Cycling	3%	0	0	0	3%	0	0	0
	Walking	3%	0	0	0	3%	0	0	0
	<b>Total</b>	<b>100%</b>	<b>7</b>	<b>1</b>	<b>8</b>	<b>100%</b>	<b>1</b>	<b>7</b>	<b>8</b>
Shopping Centre	Auto Driver	54%	1	1	2	50%	3	2	5
	Auto Passenger	9%	0	0	0	20%	1	1	2
	Transit	22%	0	0	1	19%	1	1	2
	Cycling	1%	0	0	0	0%	0	0	0
	Walking	14%	0	0	0	11%	1	0	1
	Internal Capture	varies	0	0	0	varies	-1	-2	-3
	Pass-by	35%	-1	-1	-2	35%	-3	-4	-7
<b>Total</b>	<b>100%</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>100%</b>	<b>5</b>	<b>4</b>	<b>9</b>	
Total	Auto Driver	-	12	18	30	-	18	16	34
	Auto Passenger	-	2	5	7	-	7	5	13
	Transit	-	11	20	31	-	15	13	28
	Cycling	-	1	1	2	-	1	0	1
	Walking	-	2	3	5	-	5	3	8
	<b>Total</b>	<b>-</b>	<b>29</b>	<b>46</b>	<b>75</b>	<b>-</b>	<b>43</b>	<b>37</b>	<b>80</b>

As shown above, a total of 30 new AM and 34 new PM peak hour two-way vehicle trips are projected as a result of the proposed development.

### 5.3 Trip Distribution

To understand the travel patterns of the subject development, the OD Survey has been reviewed to determine the travel for the existing district travel and these patterns were applied based on the build-out of Alta Vista. Table 14 below summarizes the distributions.

Table 14: OD Survey Distribution – Alta Vista

To/From	% of Trips
North	30%
South	15%
East	10%
West	45%
<b>Total</b>	<b>100%</b>

### 5.4 Trip Assignment


Using the distribution outlined above, turning movement splits, and access to major transportation infrastructure, the trips generated by the site have been assigned to the study area road network. Table 15 summarizes the

proportional assignment to the study area roadways, and Figure 13 illustrates the new site generated and pass-by volumes.

Table 15: Trip Assignment

To/From	Via
North	30% Bank Street (N)
South	15% Bank Street (S)
East	10% Bank Street (N)
West	20% Bank Street (N), 25% Bank Street (S)
<b>Total</b>	<b>100%</b>

Figure 13: New Site Generation and Pass-by Auto Volumes



## 6 Background Network Travel Demands

### 6.1 Transportation Network Plans

The transportation network plans were discussed in Section 2.3 . and have been incorporated into the road network analysis.

### 6.2 Background Growth

A review of the background projections from the City’s TRANS Regional Model for the 2011 and 2031 horizons was completed to determine the background growth for each of the study area roadways. The TRANS model plots and a summary of the results of the model interpolation are provided in Appendix E.

In general, the growth rates in the study area derived from the two TRANS model horizons are projected to be negative in the northbound direction and slightly positive in the southbound direction. When reviewing the existing volumes, it was noted that the southbound volumes were lower than historical values. Resultantly, growth rates derived from the existing horizon to the 2031 model horizon will be peak-directionally applied to the



appropriate roadway’s mainline volumes as a conservative growth scenario. Table 16 summarizes the growth rates applied within the study area.

Table 16: Applied Study Area Growth Rates

Street	AM Peak Hour		PM Peak Hour	
	Northbound	Southbound	Northbound	Southbound
Bank Street	-	1.80%	1.80%	-

### 6.3 Other Developments

The background developments explicitly considered in the background conditions (Section 6.2) include:

- 1330, 1344 and 1346 Bank Street, and 2211 Riverside Dive
- 1335 and 1339 Bank Street

The background development volumes within the study area have been provided in Appendix G.

## 7 Demand Rationalization

### 7.1 2026 Future Background Operations

Figure 14 illustrates the 2026 background volumes and Table 17 summarizes the 2026 background intersection operations. The level of service for signalized intersections is based on HCM 2010 v/c calculations for individual lane movements and HCM 2000 v/c calculations for the overall intersection. The synchro worksheets for the 2026 future background horizon are provided in Appendix E.

Figure 14: 2026 Future Background Volumes




Table 17: 2026 Future Background Intersection Operations

Intersection	Lane	AM Peak Hour				PM Peak Hour			
		LOS	V/C	Delay	Q (95 <sup>th</sup> )	LOS	V/C	Delay	Q (95 <sup>th</sup> )
<b>Bank Street &amp; Belanger Avenue / Lamira Street</b> <i>Signalized</i>	EB	A	0.35	27.7	25.7	A	0.35	26.1	19.1
	WBL/T	A	0.39	31.6	26.4	B	0.65	43.7	42.3
	WBR	A	0.53	7.0	17.3	A	0.35	7.3	12.5
	NBL	A	0.10	14.5	m6.8	A	0.21	23.4	13.6
	NBT/R	C	0.80	25.9	#155.7	B	0.68	25.8	#111.1
	SBL	B	0.61	24.7	#30.3	B	0.61	18.8	#63.5
	SBT/R	A	0.29	10.8	39.3	A	0.46	9.9	78.3
	<b>Overall</b>	<b>B</b>	<b>0.65</b>	<b>20.2</b>	-	<b>B</b>	<b>0.67</b>	<b>19.3</b>	-
<b>Bank Street &amp; Randall Avenue</b> <i>Signalized</i>	WBR	A	0.10	0.4	0.0	A	0.04	4.3	3.2
	NBT	A	0.44	10.2	50.7	D	0.81	21.5	#77.4
	SBL	A	0.04	4.8	m1.7	A	0.23	17.6	7.2
	SBT/R	A	0.35	6.4	20.4	B	0.69	17.8	61.6
	<b>Overall</b>	<b>A</b>	<b>0.32</b>	<b>8.2</b>	-	<b>A</b>	<b>0.41</b>	<b>19.6</b>	-

Notes: Saturation flow rate of 1800 veh/h/lane  
PHF = 1.00

m = metered queue  
# = queue exceeds storage or mid-block length

During both the AM and PM peak hours at the 2026 future background horizon, the study area intersections operate similarly to the existing conditions. Extended queues are forecasted along Bank Street on the northbound approaches at both study area intersections during the PM peak hour.

### 7.2 2031 Future Background Operations

Figure 15 illustrates the 2031 background volumes and Table 18 summarizes the 2031 background intersection operations. The level of service for signalized intersections is based on HCM 2010 v/c calculations for individual lane movements and HCM 2000 v/c calculations for the overall intersection. The synchro worksheets for the 2031 future background horizon are provided in Appendix F.

Figure 15: 2031 Future Background Volumes




Table 18: 2031 Future Background Intersection Operations

Intersection	Lane	AM Peak Hour				PM Peak Hour			
		LOS	V/C	Delay	Q (95 <sup>th</sup> )	LOS	V/C	Delay	Q (95 <sup>th</sup> )
Bank Street & Belanger Avenue/Lamira Street <i>Signalized</i>	EB	A	0.35	27.7	25.7	A	0.35	26.1	19.1
	WBL/T	A	0.39	31.6	26.4	B	0.65	43.7	42.3
	WBR	A	0.53	7.0	17.3	A	0.35	7.3	12.5
	NBL	A	0.10	14.6	m6.9	A	0.21	23.4	13.6
	NBT/R	C	0.80	25.9	#155.7	C	0.74	27.8	#127.5
	SBL	B	0.61	24.7	#30.3	B	0.64	23.3	#71.1
	SBT/R	A	0.32	11.0	43.2	A	0.46	9.9	78.3
<b>Overall</b>	<b>B</b>	<b>0.65</b>	<b>20.0</b>	-	<b>C</b>	<b>0.71</b>	<b>20.6</b>	-	
Bank Street & Randall Avenue <i>Signalized</i>	WBR	A	0.10	0.4	0.0	A	0.04	5.6	3.7
	NBT	A	0.44	10.2	50.7	D	0.88	25.9	#99.2
	SBL	A	0.04	4.7	m1.6	A	0.23	17.6	7.1
	SBT/R	A	0.38	6.5	21.5	B	0.69	17.8	61.6
	<b>Overall</b>	<b>A</b>	<b>0.32</b>	<b>8.2</b>	-	<b>A</b>	<b>0.45</b>	<b>22.1</b>	-

Notes: Saturation flow rate of 1800 veh/h/lane  
PHF = 1.00

m = metered queue  
# = queue exceeds storage or mid-block length

The intersections at the 2031 future background horizon are anticipated to operate similarly to the 2026 background conditions. No new capacity issues are forecasted.

### 7.3 Modal Share Sensitivity and Demand Rationalization Conclusions

No capacity constraints are noted within the study area. As such, no rationalization of the modal share and projected volumes is required.

## 8 Transportation Demand Management

### 8.1 Context for TDM

The mode shares used within the TIA represent a shift from auto modes to transit modes. Overall, the modal shares are likely to be achieved and supporting TDM measures should be provided.

The subject site is within a within the Bank Arterial Mainstreet design priority area. Total bedrooms within the development are subject to the final unit count and layout selections by purchasers. No age restrictions are noted.

### 8.2 Need and Opportunity

The subject site has been assumed to rely predominantly on auto travel with an increase in transit ridership with the proximity to the BRT station, and those assumptions have been carried through the analysis. The study area intersections are anticipated to have residual capacity and the increase in transit ridership is achievable.

### 8.3 TDM Program

The “suite of post occupancy TDM measures” has been summarized in the TDM checklists for the both the residential and non-residential land uses. The checklist is provided in Appendix J. The key TDM measures recommended include:

- Display local area maps with walking and cycling routes, and transit route information and schedules at major entrances
- Provide a multimodal travel option information package to new residents
- Contract with providers to install on-site bikeshare (or other micro-mobility, e.g. scootershare) and carshare spaces
- Inclusion of a 1-year Presto card for first time new townhome purchase and apartment rental, with a set time frame for this offer (e.g. 6-months) from the initial opening of the site
- Unbundle parking cost from purchase or rental costs

## 9 Neighbourhood Traffic Management

Site traffic is proposed to access the arterial network via Belanger Avenue. The TIA Guidelines propose a threshold of 120 vehicles per peak hour for the classification of local roads, equivalent to two total cars per minute, which per City guidance is to be interpreted as two-way volumes.

The existing volumes on Belanger Avenue are 148 two-way vehicles in the AM peak hour and 196 two-way vehicles in the PM peak hour. Overall, the site is anticipated to generate approximately 30 and 34 two-way vehicle trips during the AM and PM peak hours, respectively, all of which will access Belanger Avenue. The site traffic will account for approximately 14-17% of the total traffic on Belanger Avenue, or a single vehicle every two minutes on either direction during the peak hours. While over the prescribed theoretical local road capacity, this volume increase is not considered a significant relative impact on Belanger Avenue and is furthermore confined to the under 25-metre section of road between the intersection and the site access.

## 10 Transit

### 10.1 Route Capacity

In Section 5.1 the trip generation by mode was estimated, including an estimate of the number of transit trips that will be generated by the proposed development. Table 19 summarizes the transit trip generation.

Table 19: Trip Generation by Transit Mode

Travel Mode	Mode Share	AM Peak Period			PM Peak Period		
		In	Out	Total	In	Out	Total
Transit	Varies	11	20	31	15	13	28

The proposed development is anticipated to generate an additional 31 AM peak hour transit trips and 28 PM peak hour transit trips. Of these trips, 20 outbound AM trips and 13 inbound PM trips are anticipated. From the trip distribution found in Section 5.3, these values can be further broken down.

Site-generated outbound AM trips break down to six trips to the north, three trips to the south, two trips to the east, and nine trips to the west. Site-generated inbound PM trips break down to five trips from the north, two trips each from the south and east, and six trips from the west.

The existing transit routes provide up to 11 buses in the peak direction, which would result in an averaged increase of under two additional riders per bus. Therefore, no service changes are anticipated as being required to accommodate site-generated transit trips.

### 10.2 Transit Priority

At the intersection of Belanger Avenue/Lamira Street and Bank Street, the site volumes will result in an approximate increase in delay for the southbound through/right-turn of maximum 0.1 seconds, the eastbound movement of maximum 3.3 seconds. No decrease in transit level of service is noted by these impacts.

## 11 Network Intersection Design

### 11.1 Network Intersection Control

No change to the existing signalized control is recommended for the network intersections.

### 11.2 Network Intersection Design

#### 11.2.1 2026 Future Total Network Intersection Operations

Figure 16 illustrates the 2026 future total volumes and 2026 future total network intersection operations are summarized below in Table 20. The level of service for signalized intersections is based on HCM 2010 v/c calculations for individual lane movements and HCM 2000 v/c calculations for the overall intersection. The synchro worksheets have been provided in Appendix H.

Figure 16: 2026 Future Total Volumes




Table 20: 2026 Future Total Network Intersection Operations

Intersection	Lane	AM Peak Hour				PM Peak Hour			
		LOS	V/C	Delay	Q (95 <sup>th</sup> )	LOS	V/C	Delay	Q (95 <sup>th</sup> )
Bank Street & Belanger Avenue / Lamira Street <i>Signalized</i>	EB	A	0.42	29.2	29.7	A	0.46	29.4	23.5
	WBL/T	A	0.36	30.8	26.1	B	0.66	44.5	42.5
	WBR	A	0.53	7.0	17.3	A	0.36	7.3	12.5
	NBL	A	0.11	14.9	m8.2	A	0.26	24.8	16.6
	NBT/R	D	0.81	26.0	#155.5	B	0.68	25.5	#110.7
	SBL	B	0.61	24.8	#30.3	B	0.61	18.6	#62.9
	SBT/R	A	0.30	10.9	39.8	A	0.46	9.9	79.6
<b>Overall</b>	<b>B</b>	<b>0.67</b>	<b>20.3</b>	-	<b>B</b>	<b>0.67</b>	<b>19.4</b>	-	
Bank Street & Randall Avenue <i>Signalized</i>	WBR	A	0.10	0.4	0.0	A	0.04	4.3	3.2
	NBT	A	0.45	10.3	51.2	D	0.82	21.8	#79.3
	SBL	A	0.04	4.8	m1.8	A	0.23	17.6	7.2
	SBT/R	A	0.35	6.6	21.6	B	0.70	17.9	62.2
	<b>Overall</b>	<b>A</b>	<b>0.32</b>	<b>8.3</b>	-	<b>A</b>	<b>0.41</b>	<b>19.8</b>	-

Notes: Saturation flow rate of 1800 veh/h/lane  
PHF = 1.00

m = metered queue  
# = queue exceeds storage or mid-block length

The intersections for the 2026 future total horizon in the study area generally operate similarly to the 2026 future background conditions during the peak hours. No new capacity issues are noted.



11.2.2 2031 Future Total Network Intersection Operations

Figure 17 illustrates the 2031 future total volumes and the 2031 future total network intersection operations are summarized below in Table 21. The level of service for signalized intersections is based on HCM 2010 v/c calculations for individual lane movements and HCM 2000 v/c calculations for the overall intersection. The synchro worksheets have been provided in Appendix I.

Figure 17: 2031 Future Total Volumes




Table 21: 2031 Future Total Network Intersection Operations

Intersection	Lane	AM Peak Hour				PM Peak Hour			
		LOS	V/C	Delay	Q (95 <sup>th</sup> )	LOS	V/C	Delay	Q (95 <sup>th</sup> )
Bank Street & Belanger Avenue / Lamira Street <i>Signalized</i>	EB	A	0.42	29.2	29.7	A	0.45	29.4	23.5
	WBL/T	A	0.36	30.8	26.1	B	0.66	44.5	42.5
	WBR	A	0.53	7.0	17.3	A	0.36	7.3	12.5
	NBL	A	0.12	15.1	m8.4	A	0.26	24.8	16.5
	NBT/R	D	0.81	26.0	#155.5	C	0.74	27.6	#127.2
	SBL	B	0.61	24.8	#30.3	B	0.64	22.9	#70.7
	SBT/R	A	0.32	11.1	43.6	A	0.46	9.9	79.6
	<b>Overall</b>	<b>B</b>	<b>0.67</b>	<b>20.2</b>	-	<b>C</b>	<b>0.71</b>	<b>20.7</b>	-

Intersection	Lane	AM Peak Hour				PM Peak Hour			
		LOS	V/C	Delay	Q (95 <sup>th</sup> )	LOS	V/C	Delay	Q (95 <sup>th</sup> )
<b>Bank Street &amp; Randall Avenue Signalized</b>	WBR	A	0.10	0.4	0.0	A	0.04	5.8	3.8
	NBT	A	0.45	10.3	51.2	D	0.89	26.3	#100.2
	SBL	A	0.04	4.8	m1.6	A	0.23	17.6	7.1
	SBT/R	A	0.38	6.7	22.6	B	0.70	17.9	62.2
	<b>Overall</b>	<b>A</b>	<b>0.32</b>	<b>8.3</b>	<b>-</b>	<b>A</b>	<b>0.45</b>	<b>22.3</b>	<b>-</b>

Notes: Saturation flow rate of 1800 veh/h/lane  
PHF = 1.00

m = metered queue  
# = queue exceeds storage or mid-block length

The intersections for the 2031 future total horizon in the study area operate similarly to the 2031 future background conditions during the peak hours. No new capacity issues are noted.

### 11.2.3 Network Intersection MMLOS

Table 22 summarizes the MMLOS analysis for the network intersections of Bank Street at Belanger Avenue/Lamira Street and Bank Street at Randall Avenue. The existing and future conditions will be the different and are considered in separate rows. The intersection analysis is based on the policy area of “Within 600 m of a rapid transit station.” The MMLOS worksheets has been provided in Appendix G.

Table 22: Study Area Intersection MMLOS Analysis

Intersection	Pedestrian LOS		Bicycle LOS		Transit LOS		Truck LOS		Auto LOS	
	PLOS	Target	BLOS	Target	TLOS	Target	TrLOS	Target	ALOS	Target
<b>Bank Street &amp; Belanger Avenue / Lamira Street (Existing)</b>	F	A	F	A	F	D	-	D	C	E
<b>Bank Street &amp; Belanger Avenue / Lamira Street (Future)</b>	F	A	A	A	F	D	-	D	D	E
<b>Bank Street &amp; Randall Avenue (Existing)</b>	F	A	F	A	C	D	-	D	A	E
<b>Bank Street &amp; Randall Avenue (Future)</b>	E	A	A	A	D	D	-	D	A	E

The pedestrian LOS targets will not be met at the existing or future intersections along Bank Street. As is typical for arterial roads, the crossing distance does not permit the targets to be met, and to meet pedestrian LOS targets, the maximum crossing distance on all pedestrian crossings would need to be reduced to two lane-widths.

The bicycle LOS targets are not met for the existing intersection geometries but will be met once the Bank Street Renewal is complete.

The transit LOS targets will not be met at the existing or future intersections at the intersection of Bank Street at Belanger Avenue/Lamira Street. To meet transit LOS, the delay would need to be reduced to below 30 seconds on all transit approach movements.

### 11.2.4 Recommended Design Elements

No study area intersection design elements are proposed as part of this study.

## 12 Summary of Improvements Indicated and Modifications Options

The following summarizes the analysis and results presented in this TIA report:

### Proposed Site and Screening

- The proposed site includes 160 apartment units with a total of 3,791 sq. ft. of commercial space and 5,365 sq. ft. of office space
- Accesses is proposed to Belanger Avenue via a full-moves access
- The development is proposed to be completed as a single phase by 2026
- The trip generation, location and safety triggers were met for the TIA Screening
- This report accompanies Official Plan Amendment and Zoning Bylaw Amendment

### Existing Conditions

- Bank Street is an arterial road, and Lamira Street is a collector road in the study area
- Sidewalks are provided along both sides on Bank Street, Belanger Avenue, Heron Road, and Ohio Street, and one side on of Randall Avenue, the Transitway access, Clementine Boulevard, Lamira Street, and part of Rockingham Avenue
- A bike lane is provided along Bank Street north of Ohio Street to Riverside Drive, and a cycle track provided along Heron Road, and a multi-use pathway runs along the north side of Riverside Drive westbound
- Bank Street and Heron Road are spine routes, Lamira Street, Belanger Avenue, and Clementine Boulevard south of Belanger Avenue are local routes, Data Centre Road and the MUP north of Riverside Drive are major pathways, and Bank Street north of Heron Road and Heron Road are cross-town bikeways
- The high volumes roadways have produced a high number of collisions at the study area intersections, primarily at the Bank Street at Belanger Avenue/Lamira Street intersection, but also on the segment of Bank Street between Belanger Avenue and Rockingham Avenue
- The collisions are predominantly turning movement and rear end at the Bank Street at Belanger Avenue/Lamira Street intersection, and predominantly rear end and angled on the segment of Bank Street between Belanger Avenue and Rockingham Avenue, both locations will be improved through the City's Bank Street Revitalization project in the future
- Some extended queues on the northbound shared through/right-turn movements and southbound left-turn movement are noted at the Bank Street and Belanger Avenue/Lamira Street intersection at peak hours, but generally the intersections operate well

### Development Generated Travel Demand

- The proposed development is forecasted produce 77 two-way people trips during the AM peak hour and 90 two-way people trips during the PM peak hour
- Of the forecasted people trips, 30 two-way trips will be vehicle trips during the AM peak hour and 34 two-way trips will be vehicle trips during the PM peak hour based on a higher transit modal share target due to the development being within 700 metres-walk of the Billing's Bridge BRT station
- Of the forecasted trips, 30% are anticipated to travel north, 10% to the east, 45% to the west, and 15% to the south

### Background Conditions

- The background growth applied is an annual 1.80% growth on existing Bank Street mainline volumes
- All study area intersections will operate similarly to the existing conditions

**TDM**

- Supportive TDM measures to be provided as part of the proposed development should include:
  - Display local area maps with walking and cycling routes, and transit route information and schedules at major entrances
  - Provide a multimodal travel option information package to new residents
  - Contract with providers to install on-site bikeshare (or other micromobility, e.g. scootershare) and carshare spaces
  - Inclusion of a 1-year Presto card for first time new townhome purchase and apartment rental, with a set time frame for this offer (e.g. 6-months) from the initial opening of the site
  - Unbundle parking cost from purchase or rental costs

**NTM**

- The site traffic will account for approximately 14-17% of the total traffic on Belanger Avenue, which is over the local road thresholds in both peak hours, however any site impacts are confined to the short stretch of roadway between the site access and the intersection

**Transit**

- 20 outbound AM transit trips and 15 inbound PM transit trips are anticipated from the development
- The existing transit routes provide up to 11 buses in the peak direction, which would result in under two passengers increase per bus and no service changes are anticipated as being required to accommodate site-generated transit trips
- At the intersection of Bank Street and Belanger Avenue/Lamira Street, the additional site volumes will result in an approximate increase in delay for the southbound through/right-turn of maximum 0.1 seconds, the eastbound movement of maximum 3.3 seconds. No decrease in transit level of service is noted by these impacts

**Network Intersection Design**

- Generally, the network intersections at the future total horizons will operate similarly to the background conditions
- The pedestrian LOS targets will not be met at the existing or future intersections along Bank Street as crossing distances are in excess of two lane-widths
- The bicycle LOS targets are not met for the existing intersection geometries but will be met once the Bank Street Renewal is complete
- The transit LOS targets will not be met at the existing or future intersections at the intersection of Bank Street at Belanger Avenue/Lamira Street due to delays in excess of 30 seconds

## 13 Next Steps

Following the circulation and review of the TIA, any outstanding comments will be documents within the context of the Official Plan Amendment and Zoning Bylaw Amendment in the Step 4 Strategy Report. Once remaining TIA Steps are completed and sign-off has been received from City Transportation Project Manager, a signed and stamped final report will be provided to City staff.

# Appendix A

TIA Screening Form and PM Certification Form

DRAFT

City of Ottawa 2017 TIA Guidelines  
Step 1 - Screening Form

Date: 27-Oct-21  
Project Number: 2021-093  
Project Reference: 1400 Bank Street

1.1 Description of Proposed Development	
Municipal Address	1400 Bank Street
Description of Location	Ward 17, Southwest corner of the Bank Street and Belanger Avenue/Lamira Street intersection
Land Use Classification	Arterial Mainstreet Zone (AM1 (1913))
Development Size	160 apartment units, 3,791 sq. ft. of commercial space, and 5,365 sq. ft. of office space
Accesses	One full-moves access onto Belange Avenue
Phase of Development	Single Phase
Buildout Year	2026
TIA Requirement	Full TIA Required

1.2 Trip Generation Trigger	
Land Use Type	Townhomes or apartments
Development Size	160 Units
Trip Generation Trigger	Yes

1.3 Location Triggers	
Does the development propose a new driveway to a boundary street that is designated as part of the City's Transit Priority, Rapid Transit or Spine Bicycle Networks?	No
Is the development in a Design Priority Area (DPA) or Transit-oriented Development (TOD) zone?	Yes
Location Trigger	Yes

1.4. Safety Triggers	
Are posted speed limits on a boundary street 80 km/hr or greater?	No
Are there any horizontal/vertical curvatures on a boundary street limits sight lines at a proposed driveway?	No
Is the proposed driveway within the area of influence of an adjacent traffic signal or roundabout (i.e. within 300 m of intersection in rural conditions, or within 150 m of intersection in urban/ suburban conditions)?	Yes
Is the proposed driveway within auxiliary lanes of an intersection?	No
Does the proposed driveway make use of an existing median break that serves an existing site?	No
Is there is a documented history of traffic operations or safety concerns on the boundary streets within 500 m of the development?	Yes
Does the development include a drive-thru facility?	No
Safety Trigger	Yes



# Appendix B

Turning Movement Counts

DRAFT



# Transportation Services - Traffic Services

Work Order  
34332

## Turning Movement Count - Full Study Summary Report

### BANK ST @ KILBORN AVE/BELANGER AVE

Survey Date: Wednesday, January 28, 2015

Total Observed U-Turns

AADT Factor

Northbound: 73	Southbound: 17	1.00
Eastbound: 0	Westbound: 2	

#### Full Study

Period	BANK ST								KILBORN AVE/BELANGER AVE								STR TOT	Grand Total	
	Northbound				Southbound				Eastbound				Westbound						
	LT	ST	RT	NB TOT	LT	ST	RT	SB TOT	STR TOT	LT	ST	RT	EB TOT	LT	ST	RT			WB TOT
07:00 08:00	22	894	59	975	83	371	12	466	1441	51	22	7	80	56	2	131	189	269	1710
08:00 09:00	25	1014	78	1117	147	456	15	618	1735	57	19	5	81	111	6	291	408	489	2224
09:00 10:00	37	727	59	823	95	575	25	695	1518	45	24	19	88	89	18	181	288	376	1894
11:30 12:30	34	741	76	851	141	707	22	870	1721	57	6	14	77	114	30	151	295	372	2093
12:30 13:30	22	581	75	678	139	711	20	870	1548	57	15	11	83	107	12	154	273	356	1904
15:00 16:00	33	709	63	805	187	856	15	1058	1863	48	12	21	81	101	34	171	306	387	2250
16:00 17:00	32	702	75	809	246	962	20	1228	2037	46	15	21	82	119	54	139	312	394	2431
17:00 18:00	21	695	77	793	216	723	22	961	1754	51	17	11	79	122	25	142	289	368	2122
<b>Sub Total</b>	<b>226</b>	<b>6063</b>	<b>562</b>	<b>6851</b>	<b>1254</b>	<b>5361</b>	<b>151</b>	<b>6766</b>	<b>13617</b>	<b>412</b>	<b>130</b>	<b>109</b>	<b>651</b>	<b>819</b>	<b>181</b>	<b>1360</b>	<b>2360</b>	<b>3011</b>	<b>16628</b>
<b>U Turns</b>				<b>73</b>				<b>17</b>	<b>90</b>				<b>0</b>				<b>2</b>	<b>2</b>	<b>92</b>
<b>Total</b>	<b>226</b>	<b>6063</b>	<b>562</b>	<b>6924</b>	<b>1254</b>	<b>5361</b>	<b>151</b>	<b>6783</b>	<b>13707</b>	<b>412</b>	<b>130</b>	<b>109</b>	<b>651</b>	<b>819</b>	<b>181</b>	<b>1360</b>	<b>2362</b>	<b>3013</b>	<b>16720</b>
<b>EQ 12Hr</b>	<b>314</b>	<b>8428</b>	<b>781</b>	<b>9624</b>	<b>1743</b>	<b>7452</b>	<b>210</b>	<b>9428</b>	<b>19052</b>	<b>573</b>	<b>181</b>	<b>152</b>	<b>905</b>	<b>1138</b>	<b>252</b>	<b>1890</b>	<b>3283</b>	<b>4188</b>	<b>23240</b>
Note: These values are calculated by multiplying the totals by the appropriate expansion factor.										<b>1.39</b>									
<b>AVG 12Hr</b>	<b>314</b>	<b>8428</b>	<b>781</b>	<b>9624</b>	<b>1743</b>	<b>7452</b>	<b>210</b>	<b>9428</b>	<b>19052</b>	<b>573</b>	<b>181</b>	<b>152</b>	<b>905</b>	<b>1138</b>	<b>252</b>	<b>1890</b>	<b>3283</b>	<b>4188</b>	<b>23240</b>
Note: These volumes are calculated by multiplying the Equivalent 12 hr. totals by the AADT factor.										<b>1.00</b>									
<b>AVG 24Hr</b>	<b>412</b>	<b>11040</b>	<b>1023</b>	<b>12608</b>	<b>2283</b>	<b>9762</b>	<b>275</b>	<b>12351</b>	<b>24959</b>	<b>750</b>	<b>237</b>	<b>198</b>	<b>1185</b>	<b>1491</b>	<b>330</b>	<b>2476</b>	<b>4301</b>	<b>5486</b>	<b>30445</b>
Note: These volumes are calculated by multiplying the Average Daily 12 hr. totals by 12 to 24 expansion factor.										<b>1.31</b>									

#### Comments:

Note: U-Turns provided for approach totals. Refer to 'U-Turn' Report for specific breakdown.



# Transportation Services - Traffic Services

## Turning Movement Count - Peak Hour Diagram


### BANK ST @ KILBORN AVE/BELANGER AVE

Survey Date: Wednesday, January 28, 2015

WO No: 34332

Start Time: 07:00

Device: Miovision





# Transportation Services - Traffic Services


## Turning Movement Count - Peak Hour Diagram BANK ST @ KILBORN AVE/BELANGER AVE

Survey Date: Wednesday, January 28, 2015

Start Time: 07:00

WO No: 34332

Device: Miovision



Comments



# Transportation Services - Traffic Services

Work Order 35034

## Turning Movement Count - Full Study Summary Report

### BANK ST @ RANDALL AVE

Survey Date: Thursday, July 30, 2015

Total Observed U-Turns

AADT Factor

Northbound:	1	Southbound:	0
Eastbound:	0	Westbound:	0

.90

### Full Study

Period	BANK ST				RANDALL AVE				Grand Total										
	Northbound		Southbound		Eastbound		Westbound												
	LT	ST	RT	NB TOT	LT	ST	RT	SB TOT	STR TOT	LT	ST	RT	EB TOT	LT	ST	RT	WB TOT	STR TOT	
07:00 08:00	0	672	22	694	11	456	0	467	1161	0	0	0	0	0	0	43	43	43	1204
08:00 09:00	0	836	26	862	12	517	0	529	1391	0	0	0	0	0	0	67	67	67	1458
09:00 10:00	0	791	41	832	9	568	0	577	1409	0	0	0	0	0	0	42	42	42	1451
11:30 12:30	0	823	42	865	12	644	0	656	1521	0	0	0	0	0	0	31	31	31	1552
12:30 13:30	0	909	52	961	30	699	0	729	1690	0	0	0	0	0	0	31	31	31	1721
15:00 16:00	0	841	55	896	31	898	0	929	1825	0	0	0	0	0	0	23	23	23	1848
16:00 17:00	0	778	76	854	37	914	0	951	1805	0	0	0	0	0	0	34	34	34	1839
17:00 18:00	0	805	80	885	24	608	0	632	1517	0	0	0	0	0	0	24	24	24	1541
<b>Sub Total</b>	0	6455	394	<b>6849</b>	166	5304	0	<b>5470</b>	<b>12319</b>	0	0	0	0	0	0	295	295	295	12614
<b>U Turns</b>				<b>1</b>				<b>0</b>	<b>1</b>				<b>0</b>				<b>0</b>	<b>0</b>	<b>1</b>
<b>Total</b>	0	6455	394	<b>6850</b>	166	5304	0	<b>5470</b>	<b>12320</b>	0	0	0	0	0	0	295	295	295	12615
<b>EQ 12Hr</b>	0	8972	548	<b>9522</b>	231	7373	0	<b>7603</b>	<b>17125</b>	0	0	0	0	0	0	410	410	410	17535
Note: These values are calculated by multiplying the totals by the appropriate expansion factor.													<b>1.39</b>						
<b>AVG 12Hr</b>	0	8075	493	<b>8569</b>	208	6635	0	<b>6843</b>	<b>15412</b>	0	0	0	0	0	0	369	369	369	15781
Note: These volumes are calculated by multiplying the Equivalent 12 hr. totals by the AADT factor.													<b>.90</b>						
<b>AVG 24Hr</b>	0	10579	646	<b>11226</b>	272	8692	0	<b>8964</b>	<b>20190</b>	0	0	0	0	0	0	483	483	483	20673
Note: These volumes are calculated by multiplying the Average Daily 12 hr. totals by 12 to 24 expansion factor.													<b>1.31</b>						

### Comments:

Note: U-Turns provided for approach totals. Refer to 'U-Turn' Report for specific breakdown.



# Transportation Services - Traffic Services

## Turning Movement Count - Peak Hour Diagram


### BANK ST @ RANDALL AVE

Survey Date: Thursday, July 30, 2015

Start Time: 07:00

WO No: 35034

Device: Jamar Technologies, Inc



Comments



# Transportation Services - Traffic Services

## Turning Movement Count - Peak Hour Diagram


### BANK ST @ RANDALL AVE

Survey Date: Thursday, July 30, 2015

Start Time: 07:00

WO No: 35034

Device: Jamar Technologies, Inc



Comments

# Appendix C

Synchro Intersection Worksheets – Existing Conditions

DRAFT



Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔	↔	↔	↔		↔	↔	
Traffic Volume (vph)	67	26	6	97	3	283	31	1061	76	140	431	15
Future Volume (vph)	67	26	6	97	3	283	31	1061	76	140	431	15
Satd. Flow (prot)	0	1560	0	0	1665	1469	1595	3180	0	1595	3147	0
Fit Permitted		0.692			0.700		0.470			0.091		
Satd. Flow (perm)	0	1096	0	0	1220	1407	776	3180	0	153	3147	0
Satd. Flow (RTOR)		4				314		9			6	
Lane Group Flow (vph)	0	110	0	0	111	314	34	1263	0	156	496	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0			5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		22.4			20.4	20.4	39.8	39.8		54.4	54.4	
Actuated g/C Ratio		0.25			0.23	0.23	0.44	0.44		0.60	0.60	
v/c Ratio		0.40			0.40	0.56	0.10	0.90		0.67	0.26	
Control Delay		29.2			31.8	7.2	14.5	31.8		31.0	10.6	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		29.2			31.8	7.2	14.5	31.8		31.0	10.6	
LOS		C			C	A	B	C		C	B	
Approach Delay		29.2			13.6			31.3			15.5	
Approach LOS		C			B			C			B	
Queue Length 50th (m)		12.9			14.7	0.0	2.8	~139.5		14.2	24.6	
Queue Length 95th (m)		28.3			28.6	17.9	m6.5	#180.1		#39.3	34.7	
Internal Link Dist (m)		168.3			242.0			149.0			322.6	
Turn Bay Length (m)						65.0	60.0			56.5		
Base Capacity (vph)		361			375	650	342	1409		244	1903	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.30			0.30	0.48	0.10	0.90		0.64	0.26	

Intersection Summary

Cycle Length: 90  
 Actuated Cycle Length: 90  
 Offset: 4 (4%), Referenced to phase 2:NBL and 6:SBTL, Start of Green  
 Natural Cycle: 95  
 Control Type: Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		

Intersection Summary

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Maximum v/c Ratio: 0.90	Intersection LOS: C
Intersection Signal Delay: 24.0	ICU Level of Service D
Intersection Capacity Utilization 80.4%	
Analysis Period (min) 15	
~ Volume exceeds capacity, queue is theoretically infinite.	
Queue shown is maximum after two cycles.	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	
m Volume for 95th percentile queue is metered by upstream signal.	



Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	54	831	31	12	547
Future Volume (vph)	0	54	831	31	12	547
Satd. Flow (prot)	0	1510	3205	0	1658	3221
Fit Permitted					0.258	
Satd. Flow (perm)	0	1484	3205	0	450	3221
Satd. Flow (RTOR)		146	7			
Lane Group Flow (vph)	0	60	957	0	13	608
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	61.0		61.0	61.0
Total Split (%)		32.2%	67.8%		67.8%	67.8%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	54.8		54.8	54.8
Actuated g/C Ratio		0.28	0.61		0.61	0.61
v/c Ratio		0.12	0.49		0.05	0.31
Control Delay		0.5	10.8		5.0	6.5
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		0.5	10.8		5.0	6.5
LOS		A	B		A	A
Approach Delay	0.5		10.8			6.5
Approach LOS	A		B			A
Queue Length 50th (m)		0.0	43.8		0.6	15.8
Queue Length 95th (m)		0.0	58.0		m2.0	20.4
Internal Link Dist (m)	292.7		258.7			149.0
Turn Bay Length (m)					67.5	
Base Capacity (vph)		517	1954		274	1961
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.12	0.49		0.05	0.31

<b>Intersection Summary</b>	
Cycle Length:	90
Actuated Cycle Length:	90
Offset:	72 (80%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle:	60
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Maximum v/c Ratio: 0.49	Intersection LOS: A
Intersection Signal Delay: 8.8	ICU Level of Service A
Intersection Capacity Utilization 54.6%	
Analysis Period (min) 15	

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Bank & Randall



Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕	↕	↕	↕		↕	↕	
Traffic Volume (vph)	46	15	21	119	54	139	40	702	75	248	962	20
Future Volume (vph)	46	15	21	119	54	139	40	702	75	248	962	20
Satd. Flow (prot)	0	1532	0	0	1688	1483	1537	3256	0	1658	3290	0
Fit Permitted		0.670			0.772		0.262			0.177		
Satd. Flow (perm)	0	1049	0	0	1342	1447	418	3256	0	308	3290	0
Satd. Flow (RTOR)		20			154		13			3		
Lane Group Flow (vph)	0	91	0	0	192	154	44	863	0	276	1091	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0	10.0		5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		18.8			18.8	18.8	36.1	36.1		58.0	58.0	
Actuated g/C Ratio		0.21			0.21	0.21	0.40	0.40		0.64	0.64	
v/c Ratio		0.39			0.69	0.36	0.26	0.66		0.63	0.51	
Control Delay		27.1			44.5	6.9	26.3	25.7		19.2	11.0	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		27.1			44.5	6.9	26.3	25.7		19.2	11.0	
LOS		C			D	A	C	C		B	B	
Approach Delay		27.1			27.8			25.7			12.6	
Approach LOS		C			C			C			B	
Queue Length 50th (m)		10.5			30.8	0.0	5.0	61.5		17.5	45.3	
Queue Length 95th (m)		21.4			46.9	13.1	15.4	91.8		#69.0	90.2	
Internal Link Dist (m)		168.3			242.0			148.8			322.6	
Turn Bay Length (m)						65.0	60.0			56.5		
Base Capacity (vph)		336			413	551	167	1314		437	2119	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.27			0.46	0.28	0.26	0.66		0.63	0.51	

<b>Intersection Summary</b>	
Cycle Length:	90
Actuated Cycle Length:	90
Offset:	19 (21%), Referenced to phase 2:NBTL and 6:SBTL, Start of Green
Natural Cycle:	85
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira


09/14/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		
Intersection Summary		

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Maximum v/c Ratio: 0.69	Intersection LOS: B
Intersection Signal Delay: 19.4	ICU Level of Service C
Intersection Capacity Utilization 70.2%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	



Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↗	↖		↘	↙
Traffic Volume (vph)	0	25	850	57	26	942
Future Volume (vph)	0	25	850	57	26	942
Satd. Flow (prot)	0	1510	3273	0	1658	3316
Fit Permitted					0.187	
Satd. Flow (perm)	0	1480	3273	0	324	3316
Satd. Flow (RTOR)		43	14			
Lane Group Flow (vph)	0	28	1007	0	29	1047
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	31.0		31.0	31.0
Total Split (%)		48.3%	51.7%		51.7%	51.7%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	24.8		24.8	24.8
Actuated g/C Ratio		0.42	0.41		0.41	0.41
v/c Ratio		0.04	0.74		0.22	0.76
Control Delay		3.0	18.7		16.5	19.6
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		3.0	18.7		16.5	19.6
LOS		A	B		B	B
Approach Delay	3.0		18.7			19.6
Approach LOS	A		B			B
Queue Length 50th (m)		0.0	46.5		2.0	49.7
Queue Length 95th (m)		2.7	66.4		7.5	70.5
Internal Link Dist (m)	292.7		258.7			148.8
Turn Bay Length (m)					67.5	
Base Capacity (vph)		641	1361		133	1370
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.04	0.74		0.22	0.76

Intersection Summary


Cycle Length: 60
Actuated Cycle Length: 60
Offset: 29 (48%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle: 60
Control Type: Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Maximum v/c Ratio: 0.76	Intersection LOS: B
Intersection Signal Delay: 18.9	ICU Level of Service B
Intersection Capacity Utilization 56.2%	
Analysis Period (min) 15	

Splits and Phases: 2: Bank & Randall





# Appendix D

Collision Data

DRAFT

Accident Date	Accident Year	Accident Time	Location	Environment Condition	Light	Traffic Control	Traffic Control Condition	Classification Of Accident	Initial Impact Type	Road Surface Condition
4/28/2015	2015	17:12	BANK ST @ ROCKINGHAM AVE	01 - Clear	01 - Daylight	02 - Stop sign		02 - Non-fatal injury	02 - Angle	01 - Dry
1/7/2015	2015	15:31	BANK ST @ ROCKINGHAM AVE	03 - Snow	01 - Daylight	02 - Stop sign		03 - P.D. only	99 - Other	06 - Ice
2/17/2016	2016	15:30	BANK ST @ ROCKINGHAM AVE	01 - Clear	01 - Daylight	02 - Stop sign		03 - P.D. only	03 - Rear end	02 - Wet
3/4/2015	2015	13:29	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	02 - Angle	01 - Dry
1/6/2015	2015	22:39	BANK ST @ KILBORN AVE/BELANGER AVE	03 - Snow	07 - Dark	01 - Traffic signal		02 - Non-fatal injury	03 - Rear end	03 - Loose snow
4/12/2015	2015	17:00	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	03 - Rear end	01 - Dry
3/30/2015	2015	21:09	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	07 - Dark	01 - Traffic signal		03 - P.D. only	99 - Other	01 - Dry
3/17/2015	2015	7:59	BANK ST @ KILBORN AVE/BELANGER AVE	02 - Rain	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	02 - Wet
3/20/2015	2015	13:18	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	05 - Turning movement	01 - Dry
4/2/2015	2015	20:06	BANK ST @ KILBORN AVE/BELANGER AVE	02 - Rain	07 - Dark	01 - Traffic signal		03 - P.D. only	05 - Turning movement	02 - Wet
6/5/2015	2015	14:38	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
2/28/2015	2015	14:43	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	02 - Angle	01 - Dry
6/09/2015	2015	16:22	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
9/12/2015	2015	10:45	BANK ST @ KILBORN AVE/BELANGER AVE	02 - Rain	01 - Daylight	01 - Traffic signal		03 - P.D. only	05 - Turning movement	02 - Wet
12/4/2015	2015	13:42	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
11/20/2015	2015	9:13	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
9/1/2016	2016	11:46	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	02 - Angle	01 - Dry
10/16/2016	2016	12:05	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	03 - Rear end	01 - Dry
9/25/2016	2016	5:41	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	07 - Dark	01 - Traffic signal		02 - Non-fatal injury	02 - Angle	01 - Dry
8/12/2016	2016	14:51	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
8/12/2016	2016	14:51	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
6/3/2016	2016	7:03	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
5/13/2017	2017	13:54	BANK ST @ KILBORN AVE/BELANGER AVE	02 - Rain	01 - Daylight	01 - Traffic signal		03 - P.D. only	05 - Turning movement	02 - Wet
11/22/2017	2017	10:49	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	05 - Turning movement	02 - Wet
2/14/2017	2017	18:03	BANK ST @ KILBORN AVE/BELANGER AVE	03 - Snow	07 - Dark	01 - Traffic signal		03 - P.D. only	05 - Turning movement	03 - Loose snow
1/1/2017	2017	11:41	BANK ST @ KILBORN AVE/BELANGER AVE	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	99 - Other	02 - Wet
3/1/2017	2017	8:36	BANK ST @ KILBORN AVE/BELANGER AVE	02 - Rain	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	05 - Turning movement	02 - Wet
1/14/2018	2018	12:21	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	05 - Turning movement	02 - Wet
2/7/2018	2018	17:20	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	03 - Snow	05 - Dusk	01 - Traffic signal		03 - P.D. only	05 - Turning movement	03 - Loose snow
2/14/2018	2018	21:50	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	07 - Dark	01 - Traffic signal		02 - Non-fatal injury	07 - SMV other	01 - Dry
5/31/2018	2018	13:32	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	07 - SMV other	01 - Dry
7/5/2018	2018	15:20	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	07 - SMV other	01 - Dry
8/1/2018	2018	17:19	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	05 - Turning movement	01 - Dry
8/7/2018	2018	12:46	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		02 - Non-fatal injury	07 - SMV other	01 - Dry
10/18/2018	2018	16:12	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	99 - Other	01 - Dry
10/30/2018	2018	16:10	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	04 - Sideswipe	01 - Dry
10/27/2018	2018	15:04	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	03 - Rear end	01 - Dry
1/14/2019	2019	10:58	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	02 - Angle	01 - Dry
7/18/2019	2019	14:15	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	05 - Turning movement	01 - Dry
8/30/2019	2019	15:15	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	01 - Clear	01 - Daylight	01 - Traffic signal		03 - P.D. only	05 - Turning movement	01 - Dry
10/3/2019	2019	20:16	BANK ST @ KILBORN AVE/BELANGER AVE (0007208)	02 - Rain	07 - Dark	01 - Traffic signal		02 - Non-fatal injury	05 - Turning movement	02 - Wet
9/11/2019	2019	16:16	BANK ST @ OHIO ST (0002239)	01 - Clear	01 - Daylight	02 - Stop sign		03 - P.D. only	99 - Other	01 - Dry
1/27/2015	2015	11:00	BANK ST btwn OHIO ST & BELANGER AVE	01 - Clear	01 - Daylight	10 - No control		02 - Non-fatal injury	07 - SMV other	01 - Dry
8/27/2015	2015	17:40	BANK ST btwn OHIO ST & BELANGER AVE	01 - Clear	01 - Daylight	10 - No control		02 - Non-fatal injury	03 - Rear end	01 - Dry
2/25/2016	2016	1:54	BANK ST btwn OHIO ST & BELANGER AVE	02 - Rain	07 - Dark	10 - No control		02 - Non-fatal injury	07 - SMV other	04 - Slush
3/18/2019	2019	9:02	BANK ST btwn OHIO ST & BELANGER AVE (_32A3BQ)	01 - Clear	01 - Daylight	10 - No control		02 - Non-fatal injury	03 - Rear end	01 - Dry
1/26/2016	2016	13:33	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	03 - Rear end	01 - Dry
5/23/2017	2017	11:48	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	04 - Sideswipe	01 - Dry
5/10/2017	2017	15:00	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	03 - Rear end	01 - Dry
3/26/2017	2017	13:55	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	02 - Rain	01 - Daylight	10 - No control		03 - P.D. only	02 - Angle	03 - Loose snow
1/26/2016	2016	13:33	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	03 - Rear end	01 - Dry
5/23/2017	2017	11:48	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	04 - Sideswipe	01 - Dry
5/10/2017	2017	16:00	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	03 - Rear end	01 - Dry
3/26/2017	2017	13:55	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE	02 - Rain	01 - Daylight	10 - No control		03 - P.D. only	02 - Angle	03 - Loose snow
1/23/2019	2019	18:30	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE (_32B0EG)	03 - Snow	07 - Dark	10 - No control		03 - P.D. only	02 - Angle	04 - Slush
12/2/2019	2019	17:28	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE (_32B0EG)	01 - Clear	07 - Dark	10 - No control		03 - P.D. only	03 - Rear end	01 - Dry
1/23/2019	2019	16:30	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE (_32B0EG)	03 - Snow	07 - Dark	10 - No control		03 - P.D. only	02 - Angle	04 - Slush
12/2/2019	2019	17:28	BANK ST btwn BELANGER AVE & ROCKINGHAM AVE (_32B0EG)	01 - Clear	07 - Dark	10 - No control		03 - P.D. only	03 - Rear end	01 - Dry
4/29/2015	2015	8:30	BELANGER AVE btwn CLEMENTINE BLVD & BANK ST	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	02 - Angle	01 - Dry
2/29/2016	2016	13:05	BELANGER AVE btwn CLEMENTINE BLVD & BANK ST	01 - Clear	01 - Daylight	10 - No control		03 - P.D. only	06 - SMV unattended vehicle	02 - Wet
2/25/2017	2017	16:30	BELANGER AVE btwn CLEMENTINE BLVD & BANK ST	02 - Rain	01 - Daylight	10 - No control		03 - P.D. only	06 - SMV unattended vehicle	02 - Wet
11/13/2018	2018	14:15	BELANGER AVE btwn CLEMENTINE BLVD & BANK ST (_32B0UA)	03 - Snow	01 - Daylight	10 - No control		03 - P.D. only	06 - SMV unattended vehicle	02 - Wet

# Appendix E

Synchro Intersection Worksheets – 2026 Future Background Conditions

DRAFT

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔	↔	↔	↔	↔	↔	↔	↔
Traffic Volume (vph)	67	26	6	97	3	285	31	1066	76	146	540	15
Future Volume (vph)	67	26	6	97	3	285	31	1066	76	146	540	15
Satd. Flow (prot)	0	1561	0	0	1665	1469	1595	3180	0	1595	3156	0
Fit Permitted		0.718			0.661		0.444			0.103		
Satd. Flow (perm)	0	1138	0	0	1152	1407	734	3180	0	173	3156	0
Satd. Flow (RTOR)		4				285		9			4	
Lane Group Flow (vph)	0	99	0	0	100	285	31	1142	0	146	555	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8			2		1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0			5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		22.3			20.3	20.3	40.1	40.1		54.5	54.5	
Actuated g/C Ratio		0.25			0.23	0.23	0.45	0.45		0.61	0.61	
v/c Ratio		0.35			0.39	0.53	0.10	0.80		0.61	0.29	
Control Delay		27.7			31.6	7.0	14.5	25.9		24.7	10.8	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		27.7			31.6	7.0	14.5	25.9		24.7	10.8	
LOS		C			C	A	B	C		C	B	
Approach Delay		27.7			13.4			25.6			13.7	
Approach LOS		C			B			C			B	
Queue Length 50th (m)		11.4			13.2	0.0	2.6	~116.2		13.0	28.3	
Queue Length 95th (m)		25.7			26.4	17.3	m6.8	#155.7		#30.3	39.3	
Internal Link Dist (m)		168.3			242.0			148.9			322.6	
Turn Bay Length (m)						42.0	60.0			56.5		
Base Capacity (vph)		375			354	630	326	1420		255	1914	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.26			0.28	0.45	0.10	0.80		0.57	0.29	

Intersection Summary												
Cycle Length: 90												
Actuated Cycle Length: 90												
Offset: 4 (4%), Referenced to phase 2:NBL and 6:SBTL, Start of Green												
Natural Cycle: 85												
Control Type: Actuated-Coordinated												

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021


Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		

Intersection Summary		
----------------------	--	--

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Maximum v/c Ratio: 0.80	Intersection LOS: C
Intersection Signal Delay: 20.2	ICU Level of Service D
Intersection Capacity Utilization 80.6%	
Analysis Period (min) 15	
~ Volume exceeds capacity, queue is theoretically infinite.	
Queue shown is maximum after two cycles.	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	
m Volume for 95th percentile queue is metered by upstream signal.	



Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	54	836	31	12	682
Future Volume (vph)	0	54	836	31	12	682
Satd. Flow (prot)	0	1510	3205	0	1658	3221
Fit Permitted					0.293	
Satd. Flow (perm)	0	1484	3205	0	510	3221
Satd. Flow (RTOR)		178	7			
Lane Group Flow (vph)	0	54	867	0	12	682
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	61.0		61.0	61.0
Total Split (%)		32.2%	67.8%		67.8%	67.8%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	54.8		54.8	54.8
Actuated g/C Ratio		0.28	0.61		0.61	0.61
v/c Ratio		0.10	0.44		0.04	0.35
Control Delay		0.4	10.2		4.8	6.4
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		0.4	10.2		4.8	6.4
LOS		A	B		A	A
Approach Delay	0.4		10.2			6.3
Approach LOS	A		B			A
Queue Length 50th (m)		0.0	38.2		0.5	16.0
Queue Length 95th (m)		0.0	50.7		m1.7	20.4
Internal Link Dist (m)	292.7		258.7			148.9
Turn Bay Length (m)					67.5	
Base Capacity (vph)		540	1954		310	1961
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.10	0.44		0.04	0.35

Intersection Summary	
Cycle Length:	90
Actuated Cycle Length:	90
Offset:	72 (80%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle:	60
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Maximum v/c Ratio: 0.44	Intersection LOS: A
Intersection Signal Delay: 8.2	ICU Level of Service A
Intersection Capacity Utilization 54.8%	
Analysis Period (min) 15	

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Bank & Randall



Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕	↕	↕	↕		↕	↕	
Traffic Volume (vph)	46	15	21	119	54	142	40	866	75	251	969	20
Future Volume (vph)	46	15	21	119	54	142	40	866	75	251	969	20
Satd. Flow (prot)	0	1530	0	0	1688	1483	1537	3265	0	1658	3290	0
Fit Permitted		0.713			0.774		0.290			0.156		
Satd. Flow (perm)	0	1115	0	0	1346	1447	461	3265	0	271	3290	0
Satd. Flow (RTOR)		20			142		11			3		
Lane Group Flow (vph)	0	82	0	0	173	142	40	941	0	251	989	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0	10.0		5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		17.8			17.8	17.8	37.8	37.8		59.0	59.0	
Actuated g/C Ratio		0.20			0.20	0.20	0.42	0.42		0.66	0.66	
v/c Ratio		0.35			0.65	0.35	0.21	0.68		0.61	0.46	
Control Delay		26.1			43.7	7.3	23.4	25.8		18.8	9.9	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		26.1			43.7	7.3	23.4	25.8		18.8	9.9	
LOS		C			D	A	C	C		B	A	
Approach Delay		26.1			27.3			25.7			11.7	
Approach LOS		C			C			C			B	
Queue Length 50th (m)		9.3			28.0	0.0	4.3	66.7		14.7	36.8	
Queue Length 95th (m)		19.1			42.3	12.5	13.6	#111.1		#63.5	78.3	
Internal Link Dist (m)		168.3			242.0			149.1			322.6	
Turn Bay Length (m)						42.0	60.0			56.5		
Base Capacity (vph)		357			414	543	193	1377		413	2157	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.23			0.42	0.26	0.21	0.68		0.61	0.46	

<b>Intersection Summary</b>	
Cycle Length:	90
Actuated Cycle Length:	90
Offset:	19 (21%), Referenced to phase 2:NBTL and 6:SBTL, Start of Green
Natural Cycle:	85
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		
Intersection Summary		

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Maximum v/c Ratio: 0.68	Intersection LOS: B
Intersection Signal Delay: 19.3	ICU Level of Service D
Intersection Capacity Utilization 74.1%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	





Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	25	1046	57	26	949
Future Volume (vph)	0	25	1046	57	26	949
Satd. Flow (prot)	0	1510	3278	0	1658	3316
Fit Permitted					0.161	
Satd. Flow (perm)	0	1480	3278	0	279	3316
Satd. Flow (RTOR)		30	11			
Lane Group Flow (vph)	0	25	1103	0	26	949
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	31.0		31.0	31.0
Total Split (%)		48.3%	51.7%		51.7%	51.7%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	24.8		24.8	24.8
Actuated g/C Ratio		0.42	0.41		0.41	0.41
v/c Ratio		0.04	0.81		0.23	0.69
Control Delay		4.3	21.5		17.6	17.8
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		4.3	21.5		17.6	17.8
LOS		A	C		B	B
Approach Delay	4.3		21.5			17.7
Approach LOS	A		C			B
Queue Length 50th (m)		0.0	53.3		1.8	43.1
Queue Length 95th (m)		3.2	#77.4		7.2	61.6
Internal Link Dist (m)	292.7		258.7			149.1
Turn Bay Length (m)					67.5	
Base Capacity (vph)		634	1361		115	1370
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.04	0.81		0.23	0.69


Intersection Summary	
Cycle Length:	60
Actuated Cycle Length:	60
Offset:	29 (48%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle:	60
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Maximum v/c Ratio: 0.81	Intersection LOS: B
Intersection Signal Delay: 19.6	ICU Level of Service B
Intersection Capacity Utilization 61.9%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: Bank & Randall



# Appendix F

Synchro Intersection Worksheets – 2031 Future Background Conditions

DRAFT

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔	↔	↔	↔	↔	↔	↔	
Traffic Volume (vph)	67	26	6	97	3	285	31	1066	76	146	589	15
Future Volume (vph)	67	26	6	97	3	285	31	1066	76	146	589	15
Satd. Flow (prot)	0	1561	0	0	1665	1469	1595	3180	0	1595	3158	0
Fit Permitted		0.718			0.661		0.423			0.103		
Satd. Flow (perm)	0	1138	0	0	1152	1407	700	3180	0	173	3158	0
Satd. Flow (RTOR)		4				285		9			4	
Lane Group Flow (vph)	0	99	0	0	100	285	31	1142	0	146	604	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA	pm+pt		NA	
Protected Phases		4			8			2		1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0			5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		22.3			20.3	20.3	40.1	40.1		54.5	54.5	
Actuated g/C Ratio		0.25			0.23	0.23	0.45	0.45		0.61	0.61	
v/c Ratio		0.35			0.39	0.53	0.10	0.80		0.61	0.32	
Control Delay		27.7			31.6	7.0	14.6	25.9		24.7	11.0	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		27.7			31.6	7.0	14.6	25.9		24.7	11.0	
LOS		C			C	A	B	C		C	B	
Approach Delay		27.7			13.4			25.6			13.7	
Approach LOS		C			B			C			B	
Queue Length 50th (m)		11.4			13.2	0.0	2.6	~116.2		13.0	31.4	
Queue Length 95th (m)		25.7			26.4	17.3	m6.9	#155.7		#30.3	43.2	
Internal Link Dist (m)		168.3			242.0			148.9			322.6	
Turn Bay Length (m)						42.0	60.0			56.5		
Base Capacity (vph)		375			354	630	311	1420		255	1915	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.26			0.28	0.45	0.10	0.80		0.57	0.32	

Intersection Summary

Cycle Length: 90
Actuated Cycle Length: 90
Offset: 4 (4%), Referenced to phase 2:NBL and 6:SBTL, Start of Green
Natural Cycle: 85
Control Type: Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		

Intersection Summary

Cycle Length: 90
Actuated Cycle Length: 90
Offset: 4 (4%), Referenced to phase 2:NBL and 6:SBTL, Start of Green
Natural Cycle: 85
Control Type: Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Maximum v/c Ratio: 0.80	Intersection LOS: C
Intersection Signal Delay: 20.0	ICU Level of Service D
Intersection Capacity Utilization 80.6%	
Analysis Period (min) 15	
~ Volume exceeds capacity, queue is theoretically infinite.	
Queue shown is maximum after two cycles.	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	
m Volume for 95th percentile queue is metered by upstream signal.	



Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	54	836	31	12	744
Future Volume (vph)	0	54	836	31	12	744
Satd. Flow (prot)	0	1510	3205	0	1658	3221
Fit Permitted					0.293	
Satd. Flow (perm)	0	1484	3205	0	510	3221
Satd. Flow (RTOR)		178	7			
Lane Group Flow (vph)	0	54	867	0	12	744
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	61.0		61.0	61.0
Total Split (%)		32.2%	67.8%		67.8%	67.8%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	54.8		54.8	54.8
Actuated g/C Ratio		0.28	0.61		0.61	0.61
v/c Ratio		0.10	0.44		0.04	0.38
Control Delay		0.4	10.2		4.7	6.5
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		0.4	10.2		4.7	6.5
LOS		A	B		A	A
Approach Delay	0.4		10.2			6.4
Approach LOS	A		B			A
Queue Length 50th (m)		0.0	38.2		0.5	17.1
Queue Length 95th (m)		0.0	50.7		m1.6	21.5
Internal Link Dist (m)	292.7		258.7			148.9
Turn Bay Length (m)					67.5	
Base Capacity (vph)		540	1954		310	1961
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.10	0.44		0.04	0.38

<b>Intersection Summary</b>	
Cycle Length:	90
Actuated Cycle Length:	90
Offset:	72 (80%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle:	60
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Maximum v/c Ratio: 0.44	Intersection LOS: A
Intersection Signal Delay: 8.2	ICU Level of Service A
Intersection Capacity Utilization 54.8%	
Analysis Period (min) 15	

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Bank & Randall



Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕	↕	↕	↕		↕	↕	
Traffic Volume (vph)	46	15	21	119	54	142	40	946	75	251	969	20
Future Volume (vph)	46	15	21	119	54	142	40	946	75	251	969	20
Satd. Flow (prot)	0	1530	0	0	1688	1483	1537	3269	0	1658	3290	0
Fit Permitted		0.713			0.774		0.290			0.127		
Satd. Flow (perm)	0	1115	0	0	1346	1447	461	3269	0	221	3290	0
Satd. Flow (RTOR)		20			142		10			3		
Lane Group Flow (vph)	0	82	0	0	173	142	40	1021	0	251	989	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0	10.0		5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		17.8			17.8	17.8	37.7	37.7		59.0	59.0	
Actuated g/C Ratio		0.20			0.20	0.20	0.42	0.42		0.66	0.66	
v/c Ratio		0.35			0.65	0.35	0.21	0.74		0.64	0.46	
Control Delay		26.1			43.7	7.3	23.4	27.8		23.3	9.9	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		26.1			43.7	7.3	23.4	27.8		23.3	9.9	
LOS		C			D	A	C	C		C	A	
Approach Delay		26.1			27.3			27.6			12.6	
Approach LOS		C			C			C			B	
Queue Length 50th (m)		9.3			28.0	0.0	4.3	75.2		18.0	36.8	
Queue Length 95th (m)		19.1			42.3	12.5	13.6	#127.5		#71.1	78.3	
Internal Link Dist (m)		168.3			242.0			149.0			322.6	
Turn Bay Length (m)						42.0	60.0			56.5		
Base Capacity (vph)		357			414	543	193	1373		391	2157	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.23			0.42	0.26	0.21	0.74		0.64	0.46	

<b>Intersection Summary</b>	
Cycle Length:	90
Actuated Cycle Length:	90
Offset:	19 (21%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle:	85
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira


09/14/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		
Intersection Summary		

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

09/14/2021

Maximum v/c Ratio: 0.74	Intersection LOS: C
Intersection Signal Delay: 20.6	ICU Level of Service D
Intersection Capacity Utilization 76.4%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	



Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	25	1143	57	26	949
Future Volume (vph)	0	25	1143	57	26	949
Satd. Flow (prot)	0	1510	3283	0	1658	3316
Fit Permitted					0.161	
Satd. Flow (perm)	0	1480	3283	0	280	3316
Satd. Flow (RTOR)		22	10			
Lane Group Flow (vph)	0	25	1200	0	26	949
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	31.0		31.0	31.0
Total Split (%)		48.3%	51.7%		51.7%	51.7%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	24.8		24.8	24.8
Actuated g/C Ratio		0.42	0.41		0.41	0.41
v/c Ratio		0.04	0.88		0.23	0.69
Control Delay		5.6	25.9		17.6	17.8
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		5.6	25.9		17.6	17.8
LOS		A	C		B	B
Approach Delay	5.6		25.9			17.7
Approach LOS	A		C			B
Queue Length 50th (m)		0.2	60.8		1.8	43.1
Queue Length 95th (m)		3.7	#99.2		7.1	61.6
Internal Link Dist (m)	292.7		258.7			149.0
Turn Bay Length (m)					67.5	
Base Capacity (vph)		629	1362		115	1370
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.04	0.88		0.23	0.69

Intersection Summary


Cycle Length: 60
Actuated Cycle Length: 60
Offset: 29 (48%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle: 60
Control Type: Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

09/14/2021

Maximum v/c Ratio: 0.88	Intersection LOS: C
Intersection Signal Delay: 22.1	ICU Level of Service C
Intersection Capacity Utilization 64.7%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: Bank & Randall





# Appendix G

MMLOS Analysis

DRAFT

Multi-Modal Level of Service - Intersections Form

Consultant	CGH Transportation Inc.	Project	1400 BankStreet
Scenario	Existing/Future	Date	9/14/2021
Comments			

INTERSECTIONS		Bank Street at Belanger Avenue/ Lamira Street				Bank Street at Randall Avenue				Bank Street at Belanger Avenue/ Lamira Street (future)				Bank Street at Randall Avenue (future)				
Crossing Side		NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST	
Pedestrian	Lanes	7	8	6	4	6	7	3		6	5	4	3	5	5	3		
	Median	No Median - 2.4 m	No Median - 2.4 m	No Median - 2.4 m	No Median - 2.4 m	No Median - 2.4 m	Median > 2.4 m	No Median - 2.4 m		No Median - 2.4 m	No Median - 2.4 m	No Median - 2.4 m	No Median - 2.4 m	No Median - 2.4 m	Median > 2.4 m	No Median - 2.4 m		
	Conflicting Left Turns	Permissive	Permissive	Protected/Permissive	Permissive	No left turn / Prohib.	No left turn / Prohib.	Permissive		Permissive	Permissive	Permissive	Permissive	No left turn / Prohib.	No left turn / Prohib.	Permissive		
	Conflicting Right Turns	Permissive or yield control	Permissive or yield control	Permissive or yield control	Permissive or yield control	Permissive or yield control	No right turn	Permissive or yield control		Permissive or yield control	Permissive or yield control	Permissive or yield control	Permissive or yield control	Permissive or yield control	No right turn	Permissive or yield control		
	Right Turns on Red (RTOR)?	RTOR allowed	RTOR allowed	RTOR allowed	RTOR allowed	RTOR allowed	RTOR allowed	RTOR allowed		RTOR prohibited	RTOR prohibited	RTOR prohibited	RTOR prohibited	RTOR prohibited	RTOR prohibited	RTOR allowed		
	Ped Signal Leading Interval?	No	No	Yes	Yes	No	No	No		No	No	Yes	Yes	No	No	No		
	Right Turn Channel	No Channel	No Channel	No Channel	Conventional with Receiving Lane	No Channel	No Right Turn	No Channel		No Channel	No Channel	No Channel	No Channel	No Channel	No Channel	No Right Turn	No Channel	
	Corner Radius	15-25m	3-5m	10-15m	10-15m	15-25m	No Right Turn	10-15m		15-25m	5-10m	10-15m	10-15m	15-25m	No Right Turn	10-15m		
	Crosswalk Type	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Std transverse markings	Std transverse markings	Std transverse markings		Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	Zebra stripe hi-vis markings	
	PETSI Score	5	-7	25	59	26	33	70		24	44	61	78	49	69	73		
Ped. Exposure to Traffic LoS	F	F	F	D	F	E	C	-	F	E	C	B	D	C	C	-		
Cycle Length	90	90	90	90	90	90	90		90	90	90	90	90	90	90	90		
Effective Walk Time	16	16	14	29	7	7	41		16	16	14	29	7	7	41			
Average Pedestrian Delay	30	30	32	21	38	38	13		30	30	32	21	38	38	13			
Pedestrian Delay LoS	D	D	D	C	D	D	B	-	D	D	D	C	D	D	B	-		
Level of Service	F	F	F	D	F	E	C	-	F	E	D	C	D	D	C	-		
Approach From		NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST	
Bicycle	Bicycle Lane Arrangement on Approach	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic		Curb Bike Lane, Cycletrack or MUP	Curb Bike Lane, Cycletrack or MUP	Curb Bike Lane, Cycletrack or MUP	Curb Bike Lane, Cycletrack or MUP	Curb Bike Lane, Cycletrack or MUP	Curb Bike Lane, Cycletrack or MUP	Curb Bike Lane, Cycletrack or MUP		
	Right Turn Lane Configuration			≤ 50 m						Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable		
	Right Turning Speed			>25 km/h						Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable		
	Cyclist relative to RT motorists	-	-	E	-	-	-	-	-	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	-	
	Separated or Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	Mixed Traffic	-	Separated	Separated	Separated	Separated	Separated	Separated	Separated	-	
	Left Turn Approach	≥ 2 lanes crossed	≥ 2 lanes crossed	One lane crossed	No lane crossed	≥ 2 lanes crossed	No lane crossed			2-stage, LT box	2-stage, LT box	2-stage, LT box	2-stage, LT box	2-stage, LT box	2-stage, LT box	2-stage, LT box		
Operating Speed	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h			> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h	> 50 to < 60 km/h			
Left Turning Cyclist	F	F	E	C	F	-	C	-	A	A	A	A	A	A	A	-		
Level of Service	-	-	E	-	-	-	-	-	A	A	A	A	A	A	A	-		
Transit	Average Signal Delay	≤ 40 sec	≤ 40 sec	≤ 10 sec	> 40 sec	≤ 20 sec	≤ 20 sec			≤ 30 sec	≤ 40 sec	> 40 sec	≤ 40 sec	≤ 20 sec				
	Level of Service	E	E	B	F	C	C	-	-	D	E	F	E	C	-	-	-	
Truck	Effective Corner Radius																	
	Number of Receiving Lanes on Departure from Intersection																	
Auto	Volume to Capacity Ratio		0.71 - 0.80				0.0 - 0.60				0.81 - 0.90				0.0 - 0.60			
	Level of Service		C				A				D				A			

# Appendix H

Synchro Intersection Worksheets – 2026 Future Total Conditions

DRAFT

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔	↔	↔	↔	↔	↔	↔	↔
Traffic Volume (vph)	79	26	13	97	3	285	37	1065	76	146	540	22
Future Volume (vph)	79	26	13	97	3	285	37	1065	76	146	540	22
Satd. Flow (prot)	0	1553	0	0	1665	1469	1595	3180	0	1595	3140	0
Fit Permitted		0.699			0.693		0.441			0.103		
Satd. Flow (perm)	0	1101	0	0	1207	1407	729	3180	0	173	3140	0
Satd. Flow (RTOR)		7			285		9			6		
Lane Group Flow (vph)	0	118	0	0	100	285	37	1141	0	146	562	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0			5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		22.4			20.4	20.4	39.9	39.9		54.4	54.4	
Actuated g/C Ratio		0.25			0.23	0.23	0.44	0.44		0.60	0.60	
v/c Ratio		0.42			0.36	0.53	0.11	0.81		0.61	0.30	
Control Delay		29.2			30.8	7.0	14.9	26.0		24.8	10.9	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		29.2			30.8	7.0	14.9	26.0		24.8	10.9	
LOS		C			C	A	B	C		C	B	
Approach Delay		29.2			13.2			25.6			13.8	
Approach LOS		C			B			C			B	
Queue Length 50th (m)		13.6			13.1	0.0	3.3	~115.7		13.0	28.7	
Queue Length 95th (m)		29.7			26.1	17.3	m8.2	#155.5		#30.3	39.8	
Internal Link Dist (m)		168.3			242.0			149.3			322.6	
Turn Bay Length (m)						42.0	60.0			56.5		
Base Capacity (vph)		364			371	630	323	1414		254	1899	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.32			0.27	0.45	0.11	0.81		0.57	0.30	

Intersection Summary  
 Cycle Length: 90  
 Actuated Cycle Length: 90  
 Offset: 4 (4%), Referenced to phase 2:NBL and 6:SBTL, Start of Green  
 Natural Cycle: 85  
 Control Type: Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021


Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		

Intersection Summary

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Maximum v/c Ratio: 0.81	Intersection LOS: C
Intersection Signal Delay: 20.3	ICU Level of Service D
Intersection Capacity Utilization 80.6%	
Analysis Period (min) 15	
~ Volume exceeds capacity, queue is theoretically infinite.	
Queue shown is maximum after two cycles.	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	
m Volume for 95th percentile queue is metered by upstream signal.	



Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	54	841	31	12	689
Future Volume (vph)	0	54	841	31	12	689
Satd. Flow (prot)	0	1510	3205	0	1658	3221
Fit Permitted					0.291	
Satd. Flow (perm)	0	1484	3205	0	507	3221
Satd. Flow (RTOR)		176	7			
Lane Group Flow (vph)	0	54	872	0	12	689
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	61.0		61.0	61.0
Total Split (%)		32.2%	67.8%		67.8%	67.8%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	54.8		54.8	54.8
Actuated g/C Ratio		0.28	0.61		0.61	0.61
v/c Ratio		0.10	0.45		0.04	0.35
Control Delay		0.4	10.3		4.8	6.6
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		0.4	10.3		4.8	6.6
LOS		A	B		A	A
Approach Delay	0.4		10.3			6.5
Approach LOS	A		B			A
Queue Length 50th (m)		0.0	38.5		0.5	17.0
Queue Length 95th (m)		0.0	51.2		m1.8	21.6
Internal Link Dist (m)	292.7		258.7			149.3
Turn Bay Length (m)					67.5	
Base Capacity (vph)		539	1954		308	1961
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.10	0.45		0.04	0.35

<b>Intersection Summary</b>						
Cycle Length:	90					
Actuated Cycle Length:	90					
Offset:	72 (80%), Referenced to phase 2:NBT and 6:SBTL, Start of Green					
Natural Cycle:	60					
Control Type:	Actuated-Coordinated					

Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

Maximum v/c Ratio: 0.45	Intersection LOS: A
Intersection Signal Delay: 8.3	ICU Level of Service A
Intersection Capacity Utilization 54.9%	
Analysis Period (min) 15	

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Bank & Randall



Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕	↕	↕	↕		↕	↕	
Traffic Volume (vph)	58	15	29	119	54	142	49	864	75	251	967	33
Future Volume (vph)	58	15	29	119	54	142	49	864	75	251	967	33
Satd. Flow (prot)	0	1523	0	0	1688	1483	1537	3265	0	1658	3274	0
Fit Permitted		0.673			0.765		0.287			0.158		
Satd. Flow (perm)	0	1048	0	0	1330	1447	450	3265	0	275	3274	0
Satd. Flow (RTOR)		23			142		11			5		
Lane Group Flow (vph)	0	102	0	0	173	142	49	939	0	251	1000	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0	10.0		5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		17.7			17.7	17.7	38.0	38.0		59.1	59.1	
Actuated g/C Ratio		0.20			0.20	0.20	0.42	0.42		0.66	0.66	
v/c Ratio		0.46			0.66	0.36	0.26	0.68		0.61	0.46	
Control Delay		29.4			44.5	7.3	24.8	25.5		18.6	9.9	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		29.4			44.5	7.3	24.8	25.5		18.6	9.9	
LOS		C			D	A	C	C		B	A	
Approach Delay		29.4			27.7			25.5			11.6	
Approach LOS		C			C			C			B	
Queue Length 50th (m)		12.1			28.0	0.0	5.3	66.2		14.7	37.2	
Queue Length 95th (m)		23.5			42.5	12.5	16.6	#110.7		#62.9	79.6	
Internal Link Dist (m)		168.3			242.0			149.0			322.6	
Turn Bay Length (m)							42.0	60.0			56.5	
Base Capacity (vph)		338			409	543	190	1384		414	2151	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.30			0.42	0.26	0.26	0.68		0.61	0.46	

<b>Intersection Summary</b>	
Cycle Length:	90
Actuated Cycle Length:	90
Offset:	19 (21%), Referenced to phase 2:NBTL and 6:SBTL, Start of Green
Natural Cycle:	85
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira


11/18/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		
Intersection Summary		

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Maximum v/c Ratio: 0.68	Intersection LOS: B
Intersection Signal Delay: 19.4	ICU Level of Service D
Intersection Capacity Utilization 74.0%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	





Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↗	↖	↗	↖	↗
Traffic Volume (vph)	0	25	1053	57	26	955
Future Volume (vph)	0	25	1053	57	26	955
Satd. Flow (prot)	0	1510	3278	0	1658	3316
Fit Permitted					0.161	
Satd. Flow (perm)	0	1480	3278	0	279	3316
Satd. Flow (RTOR)		30	11			
Lane Group Flow (vph)	0	25	1110	0	26	955
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	31.0		31.0	31.0
Total Split (%)		48.3%	51.7%		51.7%	51.7%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	24.8		24.8	24.8
Actuated g/C Ratio		0.42	0.41		0.41	0.41
v/c Ratio		0.04	0.82		0.23	0.70
Control Delay		4.3	21.8		17.6	17.9
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		4.3	21.8		17.6	17.9
LOS		A	C		B	B
Approach Delay	4.3		21.8			17.8
Approach LOS	A		C			B
Queue Length 50th (m)		0.0	53.8		1.8	43.5
Queue Length 95th (m)		3.2	#79.3		7.2	62.2
Internal Link Dist (m)	292.7		258.7			149.0
Turn Bay Length (m)					67.5	
Base Capacity (vph)		634	1361		115	1370
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.04	0.82		0.23	0.70

Intersection Summary


Cycle Length: 60
Actuated Cycle Length: 60
Offset: 29 (48%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle: 60
Control Type: Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

Maximum v/c Ratio: 0.82	Intersection LOS: B
Intersection Signal Delay: 19.8	ICU Level of Service B
Intersection Capacity Utilization 62.1%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: Bank & Randall



# Appendix I

Synchro Intersection Worksheets – 2031 Future Total Conditions

DRAFT

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔	↔	↔	↔	↔	↔	↔	↔
Traffic Volume (vph)	79	26	13	97	3	285	37	1065	76	146	589	22
Future Volume (vph)	79	26	13	97	3	285	37	1065	76	146	589	22
Satd. Flow (prot)	0	1553	0	0	1665	1469	1595	3180	0	1595	3146	0
Fit Permitted		0.699			0.693		0.421			0.103		
Satd. Flow (perm)	0	1101	0	0	1207	1407	697	3180	0	173	3146	0
Satd. Flow (RTOR)		7			285		9			6		
Lane Group Flow (vph)	0	118	0	0	100	285	37	1141	0	146	611	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA	pm+pt	NA		
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0			5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)		22.4			20.4	20.4	39.9	39.9		54.4	54.4	
Actuated g/C Ratio		0.25			0.23	0.23	0.44	0.44		0.60	0.60	
v/c Ratio		0.42			0.36	0.53	0.12	0.81		0.61	0.32	
Control Delay		29.2			30.8	7.0	15.1	26.0		24.8	11.1	
Queue Delay		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Delay		29.2			30.8	7.0	15.1	26.0		24.8	11.1	
LOS		C			C	A	B	C		C	B	
Approach Delay		29.2			13.2			25.7			13.8	
Approach LOS		C			B			C			B	
Queue Length 50th (m)		13.6			13.1	0.0	3.3	~115.7		13.0	31.8	
Queue Length 95th (m)		29.7			26.1	17.3	m8.4	#155.5		#30.3	43.6	
Internal Link Dist (m)		168.3			242.0			149.1			322.6	
Turn Bay Length (m)						42.0	60.0			56.5		
Base Capacity (vph)		364			371	630	309	1414		254	1903	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.32			0.27	0.45	0.12	0.81		0.57	0.32	

Intersection Summary												
Cycle Length: 90												
Actuated Cycle Length: 90												
Offset: 4 (4%), Referenced to phase 2:NBL and 6:SBL, Start of Green												
Natural Cycle: 85												
Control Type: Actuated-Coordinated												

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		

Intersection Summary		
----------------------	--	--

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Maximum v/c Ratio: 0.81	Intersection Signal Delay: 20.2	Intersection LOS: C
Intersection Capacity Utilization 80.6%	ICU Level of Service D	
Analysis Period (min) 15		
~ Volume exceeds capacity, queue is theoretically infinite.		
Queue shown is maximum after two cycles.		
# 95th percentile volume exceeds capacity, queue may be longer.		
Queue shown is maximum after two cycles.		
m Volume for 95th percentile queue is metered by upstream signal.		



Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	54	841	31	12	751
Future Volume (vph)	0	54	841	31	12	751
Satd. Flow (prot)	0	1510	3205	0	1658	3221
Fit Permitted					0.291	
Satd. Flow (perm)	0	1484	3205	0	507	3221
Satd. Flow (RTOR)		176	7			
Lane Group Flow (vph)	0	54	872	0	12	751
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	61.0		61.0	61.0
Total Split (%)		32.2%	67.8%		67.8%	67.8%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	54.8		54.8	54.8
Actuated g/C Ratio		0.28	0.61		0.61	0.61
v/c Ratio		0.10	0.45		0.04	0.38
Control Delay		0.4	10.3		4.8	6.7
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		0.4	10.3		4.8	6.7
LOS		A	B		A	A
Approach Delay	0.4		10.3			6.6
Approach LOS	A		B			A
Queue Length 50th (m)		0.0	38.5		0.5	18.1
Queue Length 95th (m)		0.0	51.2		m1.6	22.6
Internal Link Dist (m)	292.7		258.7			149.1
Turn Bay Length (m)					67.5	
Base Capacity (vph)		539	1954		308	1961
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.10	0.45		0.04	0.38

<b>Intersection Summary</b>						
Cycle Length: 90						
Actuated Cycle Length: 90						
Offset: 72 (80%), Referenced to phase 2:NBT and 6:SBTL, Start of Green						
Natural Cycle: 60						
Control Type: Actuated-Coordinated						

Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

Maximum v/c Ratio: 0.45	Intersection LOS: A
Intersection Signal Delay: 8.3	ICU Level of Service A
Intersection Capacity Utilization 54.9%	
Analysis Period (min) 15	

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 2: Bank & Randall



Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕	↕	↕	↕		↕	↕	
Traffic Volume (vph)	58	15	29	119	54	142	49	944	75	251	967	33
Future Volume (vph)	58	15	29	119	54	142	49	944	75	251	967	33
Satd. Flow (prot)	0	1523	0	0	1688	1483	1537	3269	0	1658	3274	0
Fit Permitted		0.673			0.765		0.287			0.129		
Satd. Flow (perm)	0	1049	0	0	1330	1447	457	3269	0	224	3274	0
Satd. Flow (RTOR)		23			142		10			5		
Lane Group Flow (vph)	0	102	0	0	173	142	49	1019	0	251	1000	0
Turn Type	Perm	NA		Perm	NA	Perm	Perm	NA		pm+pt	NA	
Protected Phases		4			8		2			1	6	
Permitted Phases	4			8		8	2			6		
Detector Phase	4	4		8	8	8	2	2		1	6	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0	10.0	10.0	10.0		5.0	10.0	
Minimum Split (s)	33.3	33.3		33.3	33.3	33.3	34.9	34.9		10.9	34.9	
Total Split (s)	34.0	34.0		34.0	34.0	34.0	36.0	36.0		15.0	51.0	
Total Split (%)	37.8%	37.8%		37.8%	37.8%	37.8%	40.0%	40.0%		16.7%	56.7%	
Yellow Time (s)	3.3	3.3		3.3	3.3	3.3	3.3	3.3		3.3	3.3	
All-Red Time (s)	3.0	3.0		3.0	3.0	3.0	2.6	2.6		2.6	2.6	
Lost Time Adjust (s)		0.0			0.0	0.0	0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.3			6.3	6.3	5.9	5.9		5.9	5.9	
Lead/Lag	Lag	Lag		Lag	Lag	Lag	Lag	Lag		Lead		
Lead-Lag Optimize?	Yes	Yes		Yes	Yes	Yes	Yes	Yes		Yes		
Recall Mode	None	None		None	None	None	C-Max	C-Max		None	C-Max	
Act Effct Green (s)	17.7	17.7		17.7	17.7	17.7	37.7	37.7		59.1	59.1	
Actuated g/C Ratio	0.20			0.20	0.20	0.42	0.42			0.66	0.66	
v/c Ratio	0.45			0.66	0.36	0.26	0.74			0.64	0.46	
Control Delay	29.4			44.5	7.3	24.8	27.6			22.9	9.9	
Queue Delay	0.0			0.0	0.0	0.0	0.0			0.0	0.0	
Total Delay	29.4			44.5	7.3	24.8	27.6			22.9	9.9	
LOS	C			D	A	C	C			C	A	
Approach Delay	29.4			27.7			27.5			12.5		
Approach LOS	C			C			C			B		
Queue Length 50th (m)	12.1			28.0	0.0	5.3	74.8			17.6	37.2	
Queue Length 95th (m)	23.5			42.5	12.5	16.5	#127.2			#70.7	79.6	
Internal Link Dist (m)	168.3			242.0			149.1				322.6	
Turn Bay Length (m)					42.0	60.0				56.5		
Base Capacity (vph)		338			409	543	191	1376		393	2151	
Starvation Cap Reductn		0			0	0	0	0		0	0	
Spillback Cap Reductn		0			0	0	0	0		0	0	
Storage Cap Reductn		0			0	0	0	0		0	0	
Reduced v/c Ratio		0.30			0.42	0.26	0.26	0.74		0.64	0.46	

<b>Intersection Summary</b>	
Cycle Length: 90	
Actuated Cycle Length: 90	
Offset: 19 (21%), Referenced to phase 2:NBTL and 6:SBTL, Start of Green	
Natural Cycle: 85	
Control Type: Actuated-Coordinated	

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira


11/18/2021

Lane Group	Ø3	Ø7
Lane Configurations		
Traffic Volume (vph)		
Future Volume (vph)		
Satd. Flow (prot)		
Fit Permitted		
Satd. Flow (perm)		
Satd. Flow (RTOR)		
Lane Group Flow (vph)		
Turn Type		
Protected Phases	3	7
Permitted Phases		
Detector Phase		
Switch Phase		
Minimum Initial (s)	1.0	1.0
Minimum Split (s)	5.0	5.0
Total Split (s)	5.0	5.0
Total Split (%)	6%	6%
Yellow Time (s)	2.0	2.0
All-Red Time (s)	0.0	0.0
Lost Time Adjust (s)		
Total Lost Time (s)		
Lead/Lag	Lead	Lead
Lead-Lag Optimize?	Yes	Yes
Recall Mode	None	None
Act Effct Green (s)		
Actuated g/C Ratio		
v/c Ratio		
Control Delay		
Queue Delay		
Total Delay		
LOS		
Approach Delay		
Approach LOS		
Queue Length 50th (m)		
Queue Length 95th (m)		
Internal Link Dist (m)		
Turn Bay Length (m)		
Base Capacity (vph)		
Starvation Cap Reductn		
Spillback Cap Reductn		
Storage Cap Reductn		
Reduced v/c Ratio		
Intersection Summary		

Lanes, Volumes, Timings  
1: Bank & Belanger/Lamira

11/18/2021

Maximum v/c Ratio: 0.74	Intersection LOS: C
Intersection Signal Delay: 20.7	ICU Level of Service D
Intersection Capacity Utilization 76.3%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	



Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

	↙	↖	↑	↗	↘	↓
Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations		↖ ↗	↖ ↗		↖ ↗	↖ ↗
Traffic Volume (vph)	0	25	1150	57	26	955
Future Volume (vph)	0	25	1150	57	26	955
Satd. Flow (prot)	0	1510	3283	0	1658	3316
Fit Permitted					0.161	
Satd. Flow (perm)	0	1480	3283	0	280	3316
Satd. Flow (RTOR)		21	10			
Lane Group Flow (vph)	0	25	1207	0	26	955
Turn Type		Perm	NA		Perm	NA
Protected Phases			2			6
Permitted Phases		8			6	
Detector Phase		8	2		6	6
Switch Phase						
Minimum Initial (s)		5.0	10.0		10.0	10.0
Minimum Split (s)		29.0	29.2		24.2	24.2
Total Split (s)		29.0	31.0		31.0	31.0
Total Split (%)		48.3%	51.7%		51.7%	51.7%
Yellow Time (s)		3.0	3.3		3.3	3.3
All-Red Time (s)		1.0	2.9		2.9	2.9
Lost Time Adjust (s)		0.0	0.0		0.0	0.0
Total Lost Time (s)		4.0	6.2		6.2	6.2
Lead/Lag						
Lead-Lag Optimize?						
Recall Mode		Ped	C-Max		C-Max	C-Max
Act Effct Green (s)		25.0	24.8		24.8	24.8
Actuated g/C Ratio		0.42	0.41		0.41	0.41
v/c Ratio		0.04	0.89		0.23	0.70
Control Delay		5.8	26.3		17.6	17.9
Queue Delay		0.0	0.0		0.0	0.0
Total Delay		5.8	26.3		17.6	17.9
LOS		A	C		B	B
Approach Delay	5.8		26.3			17.8
Approach LOS	A		C			B
Queue Length 50th (m)		0.3	61.2		1.8	43.5
Queue Length 95th (m)		3.8	#100.2		7.1	62.2
Internal Link Dist (m)	292.7		258.7			149.1
Turn Bay Length (m)					67.5	
Base Capacity (vph)		628	1362		115	1370
Starvation Cap Reductn		0	0		0	0
Spillback Cap Reductn		0	0		0	0
Storage Cap Reductn		0	0		0	0
Reduced v/c Ratio		0.04	0.89		0.23	0.70


Intersection Summary	
Cycle Length:	60
Actuated Cycle Length:	60
Offset:	29 (48%), Referenced to phase 2:NBT and 6:SBTL, Start of Green
Natural Cycle:	60
Control Type:	Actuated-Coordinated

Lanes, Volumes, Timings  
2: Bank & Randall

11/18/2021

Maximum v/c Ratio: 0.89	Intersection LOS: C
Intersection Signal Delay: 22.3	ICU Level of Service C
Intersection Capacity Utilization 64.9%	
Analysis Period (min) 15	
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: Bank & Randall





# Appendix J

TDM Checklist

DRAFT

**TDM Measures Checklist:**  
*Residential Developments (multi-family, condominium or subdivision)*

<b>Legend</b>	
<b>BASIC</b>	The measure is generally feasible and effective, and in most cases would benefit the development and its users
<b>BETTER</b>	The measure could maximize support for users of sustainable modes, and optimize development performance
★	The measure is one of the most dependably effective tools to encourage the use of sustainable modes

<b>TDM measures: Residential developments</b>		<b>Check if proposed &amp; add descriptions</b>
<b>1. TDM PROGRAM MANAGEMENT</b>		
<b>1.1 Program coordinator</b>		
BASIC	★	1.1.1 Designate an internal coordinator, or contract with an external coordinator <input type="checkbox"/>
<b>1.2 Travel surveys</b>		
BETTER		1.2.1 Conduct periodic surveys to identify travel-related behaviours, attitudes, challenges and solutions, and to track progress <input type="checkbox"/>
<b>2. WALKING AND CYCLING</b>		
<b>2.1 Information on walking/cycling routes &amp; destinations</b>		
BASIC		2.1.1 Display local area maps with walking/cycling access routes and key destinations at major entrances ( <i>multi-family, condominium</i> ) <input checked="" type="checkbox"/>
<b>2.2 Bicycle skills training</b>		
BETTER		2.2.1 Offer on-site cycling courses for residents, or subsidize off-site courses <input type="checkbox"/>

TDM measures: <i>Residential developments</i>		Check if proposed & add descriptions
<b>3. TRANSIT</b>		
<b>3.1 Transit information</b>		
BASIC	3.1.1 Display relevant transit schedules and route maps at entrances ( <i>multi-family, condominium</i> )	<input checked="" type="checkbox"/>
BETTER	3.1.2 Provide real-time arrival information display at entrances ( <i>multi-family, condominium</i> )	<input type="checkbox"/>
<b>3.2 Transit fare incentives</b>		
BASIC ★	3.2.1 Offer PRESTO cards preloaded with one monthly transit pass on residence purchase/move-in, to encourage residents to use transit	<input checked="" type="checkbox"/>
BETTER	3.2.2 Offer at least one year of free monthly transit passes on residence purchase/move-in	<input checked="" type="checkbox"/>
<b>3.3 Enhanced public transit service</b>		
BETTER ★	3.3.1 Contract with OC Transpo to provide early transit services until regular services are warranted by occupancy levels ( <i>subdivision</i> )	<input type="checkbox"/>
<b>3.4 Private transit service</b>		
BETTER	3.4.1 Provide shuttle service for seniors homes or lifestyle communities (e.g. scheduled mall or supermarket runs)	<input type="checkbox"/>
<b>4. CARSHARING &amp; BIKESHARING</b>		
<b>4.1 Bikeshare stations &amp; memberships</b>		
BETTER	4.1.1 Contract with provider to install on-site bikeshare station ( <i>multi-family</i> )	<input checked="" type="checkbox"/>
BETTER	4.1.2 Provide residents with bikeshare memberships, either free or subsidized ( <i>multi-family</i> )	<input type="checkbox"/>
<b>4.2 Carshare vehicles &amp; memberships</b>		
BETTER	4.2.1 Contract with provider to install on-site carshare vehicles and promote their use by residents	<input checked="" type="checkbox"/>
BETTER	4.2.2 Provide residents with carshare memberships, either free or subsidized	<input type="checkbox"/>
<b>5. PARKING</b>		
<b>5.1 Priced parking</b>		
BASIC ★	5.1.1 Unbundle parking cost from purchase price ( <i>condominium</i> )	<input checked="" type="checkbox"/>
BASIC ★	5.1.2 Unbundle parking cost from monthly rent ( <i>multi-family</i> )	<input checked="" type="checkbox"/>

<b>TDM measures: <i>Residential developments</i></b>		<b>Check if proposed &amp; add descriptions</b>
<b>6. TDM MARKETING &amp; COMMUNICATIONS</b>		
<b>6.1 Multimodal travel information</b>		
<b>BASIC</b> ★	6.1.1 Provide a multimodal travel option information package to new residents	<input checked="" type="checkbox"/>
<b>6.2 Personalized trip planning</b>		
<b>BETTER</b> ★	6.2.1 Offer personalized trip planning to new residents	<input type="checkbox"/>