



Phase Two Environmental Site Assessment

6171 Hazeldean Road, Ottawa, Ontario

Type of Document:

Final

Client:

11654128 Canada Inc.
100-768 St, Joseph Boulevard
Gatineau, Quebec J8Y 4B8

Project Number:

OTT-00258780-C0

Prepared By: Leah Wells, B.A.Sc., E.I.T.

Reviewed By: Chris Kimmerly, M.Sc, P.Geo.

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6
Canada

Date Submitted:

July 24, 2020

Phase Two Environmental Site Assessment 6171 Hazeldean Road, Ottawa, Ontario

Type of Document:

Final

Client:

11654128 Canada Inc.
100-768 St. Joseph Boulevard
Gatineau, Quebec J8Y 4B8

Project Number:

OTT-00258780-C0

Prepared By:

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6
Canada

T: 613 688-1899

F: 613 225-7337

www.exp.com



Leah Wells, B.A.Sc., E.I.T.
Environmental Engineer-in-Training
Earth & Environmental



Chris Kimmerly, M.Sc., P.Geo.
Manager – Senior Geoscientist
Earth & Environmental

The Qualified Person can confirm that the Phase Two Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

Date Submitted:

July 24, 2020

Legal Notification

This report was prepared by EXP Services Inc. for the account of **11654128 Canada Inc.**

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties unless a reliance letter has been addressed to, or otherwise provides reliance to, such third party. EXP Services Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this project.

Executive Summary

EXP Services Inc. (EXP) was retained by 11654128 Canada Inc. to conduct a Phase Two Environmental Site Assessment (ESA) of the property located at 6171 Hazeldean Road in Ottawa (Stittsville), Ontario hereinafter referred to as the “Phase Two property”. The objective of the Phase Two ESA was to address areas of potential environmental concern (APECs) identified in a Phase One ESA conducted at the Phase Two property by EXP.

The Phase Two property is currently vacant and has not been used for any purpose defined by Ontario Regulation 153/04. EXP understands that the proposed future property use is residential.

This report has been prepared in accordance with the Phase Two ESA standard as defined by Ontario Regulation 153/04 (as amended), and in accordance with generally accepted professional practices. Subject to this standard of care, EXP makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Section 7 of this report.

The findings of the Phase One ESA were presented in a report entitled *Phase One Environmental Site Assessment, 6171 Hazeldean Road, Ottawa, Ontario*, EXP Services Inc., dated April 7, 2020. The Phase One ESA identified the following Potentially Contaminating Activities (PCA) and Area of Potential Environmental Concern (APEC):

| Area of Potential Environmental Concern (APEC) | Location of APEC on Phase One Property | Potentially Contaminating Activity (PCA) as per O. Reg 153/04 | Location of PCA (On-Site or Off-Site) | Potential Contaminants of Concern | Media Potentially Impacted (Groundwater, Soil and/or Sediment) |
|--|--|---|---------------------------------------|--|--|
| APEC 1 – Fill material for site is from unknown source | Entire property | PCA#30 – Importation of Fill Material of Unknown Quality | On-site | Benzene, toluene, ethylbenzene, xylene (BTEX), petroleum hydrocarbons (PHC), and/or metals | Soil |

The Phase Two ESA consisted of advancing a total of six boreholes and 16 test pits at the Phase Two property. Soil samples were collected and submitted for laboratory analysis of PHC, BTEX, and metals.

For assessment purposes, EXP selected the 2011 Table 3 Site Condition Standards (SCS) in a non-potable groundwater condition for residential/parkland/institutional property use and coarse textured soil. The results were also compared to Table 1 full depth background SCS. Based on the Phase Two ESA results, the following summary is provided:

- The investigation revealed that the subsurface conditions is comprised of a surficial layer of topsoil or granular fill overlying heterogenous fill material, which is underlain by glacial till or by bedrock. On the south side of the property, near Hazeldean Road, peat was encountered in the boreholes and test pits. The peat and marl layer were encountered at depths between 0.75 to 3.1 mbgs.
- Bedrock, or refusal at probable bedrock, was encountered in all of the boreholes and test pits. Depth to bedrock varied across the property between 0.6 mbgs to 6.2 mbgs. BH-1 to BH-3 were advanced into the bedrock for characterization, all other boreholes and all test pits were terminated at bedrock. Bedrock consisted of dark grey limestone with shale laminations.

- Groundwater measurements taken on May 14, 2020 and July 2, 2020 in monitoring wells installed in three of the boreholes indicate that the groundwater table to be at a depth of 1.2 to 2.6 m in May and 2.02 m to 2.75 m below grade in July. Groundwater flow is interpreted to be towards the northeast. The groundwater table is subject to seasonal fluctuation and may be at higher depths during wet weather conditions.
- Ten soil samples were submitted for laboratory analysis of BTEX and PHC. Twelve soil samples were submitted for metals and inorganics.
- For assessment purposes, EXP selected the 2011 Table 1 (Ontario Background) and Table 3 SCS in a non-potable groundwater condition for residential/parkland/institutional property use and coarse textured soil.
- All of the soil samples were within the MECP (Ministry of the Environment, Conservation and Parks) Table 3 SCS for all parameters that were analysed. All but one soil sample met the criteria for MECP Table 1 SCS.
- Based on the results of the Phase Two ESA, the site meets the SCS for the intended residential land use.
- Soil samples were submitted for laboratory analysis of BTEX, PHC, and metals. All of the soil samples were within the MECP Table 3 SCS for all parameters that were analysed. All but one soil sample met the criteria for MECP Table 1 SCS.
- Based on the results of the Phase Two ESA, the site meets the SCS for the intended residential land use.

The Qualified Person has confirmed that the Phase Two Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

Table of Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 1 |
| | 1.1 Site Description..... | 1 |
| | 1.2 Property Ownership | 1 |
| | 1.3 Current and Proposed Future Uses..... | 1 |
| | 1.4 Applicable Site Condition Standards | 1 |
| 2 | Background Information | 4 |
| | 2.1 Physical Setting | 4 |
| | 2.2 Past Investigations..... | 4 |
| 3 | Scope of the Investigation | 5 |
| | 3.1 Overview of Site Investigation | 5 |
| | 3.2 Scope of Work | 5 |
| | 3.3 Media Investigated..... | 5 |
| | 3.4 Phase One Conceptual Site Model | 5 |
| | 3.5 Deviations from Sampling and Analysis Plan | 6 |
| | 3.6 Impediments | 6 |
| 4 | Investigation Method | 7 |
| | 4.1 General..... | 7 |
| | 4.2 Borehole Drilling | 7 |
| | 4.3 Test Pitting..... | 7 |
| | 4.4 Soil Sampling | 7 |
| | 4.5 Field Screening Measurements..... | 8 |
| | 4.6 Groundwater: Piezometer Installation | 9 |
| | 4.7 Groundwater: Field Measurement of Water Quality Parameters | 9 |
| | 4.8 Groundwater: Sampling | 10 |
| | 4.9 Sediment: Sampling..... | 10 |
| | 4.10 Analytical Testing..... | 10 |
| | 4.11 Residue Management..... | 10 |
| | 4.12 Elevation Surveying | 10 |
| | 4.13 Quality Assurance and Quality Control Measures | 10 |
| 5 | Review and Evaluation | 11 |
| | 5.1 Geology | 11 |
| | 5.2 Groundwater: Elevations..... | 11 |
| | 5.3 Groundwater: Hydraulic Gradients | 11 |
| | 5.4 Soil Texture..... | 12 |

| | | |
|----------|--|-----------|
| 5.5 | Soil: Field Screening | 12 |
| 5.6 | Soil Quality..... | 12 |
| 5.6.1 | Petroleum Hydrocarbons..... | 12 |
| 5.6.2 | Metals | 12 |
| 5.6.3 | Chemical Transformation and Soil Contaminant Sources | 12 |
| 5.6.4 | Evidence of Non-Aqueous Phase Liquid..... | 12 |
| 5.6.5 | Maximum Concentrations..... | 13 |
| 5.7 | Groundwater Quality | 13 |
| 5.8 | Sediment Quality..... | 13 |
| 5.9 | Quality Assurance and Quality Control Results..... | 13 |
| 5.10 | Phase Two Conceptual Site Model | 14 |
| 5.10.1 | Introduction..... | 14 |
| 5.10.2 | Physical Site Description | 14 |
| 5.10.3 | Geological and Hydrogeological Setting | 15 |
| 5.10.4 | Underground Utilities..... | 16 |
| 5.10.5 | Potentially Contaminating Activities | 16 |
| 5.10.6 | Areas of Potential Environmental Concern/Potential Contaminants of Concern | 16 |
| 5.10.7 | Investigation | 16 |
| 5.10.8 | Contaminants of Concern (COC) | 16 |
| 5.10.9 | Contaminant Fate and Transport | 16 |
| 6 | Conclusions | 17 |
| 7 | Limitation of Liability, Scope of Report, and Third Party Reliance | 18 |
| 8 | References | 20 |

List of Appendices

Appendix A: Figures
Appendix B: Survey Plan
Appendix C: Sampling and Analysis Plan
Appendix D: Borehole Logs
Appendix E: Analytical Summary Tables
Appendix F: Laboratory Certificates of Analysis

List of Figures

Figure 1: Site Location Plan
Figure 2: Areas of Potential Environmental Concern
Figure 3: Borehole and Test Pit Location Plan
Figure 4: Cross Section Plan
Figure 5: Cross Section A-A',
Figure 6: Soil Analytical Results - PHC and BTEX
Figure 6A: Soil Analytical Results - PHC and BTEX
Figure 7: Soil Analytical Results - Metals
Figure 7A: Soil Analytical Results - Metals

1 Introduction

EXP Services Inc. (EXP) was retained by 11654128 Canada Inc. to conduct a Phase Two Environmental Site Assessment (ESA) of the property located at 6171 Hazeldean Road in Ottawa (Stittsville), Ontario hereinafter referred to as the “Phase Two property”. The objective of the Phase Two ESA was to address areas of potential environmental concern (APECs) identified in a Phase One ESA that was conducted by EXP.

The Phase Two property is currently vacant and has not been used for any purpose as defined by Ontario Regulation 153/04. EXP understands that the proposed future property use is residential.

This report has been prepared in accordance with the Phase Two ESA standard as defined by Ontario Regulation 153/04 (as amended), and in accordance with generally accepted professional practices. Subject to this standard of care, EXP makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Section 7 of this report.

1.1 Site Description

The Phase Two property is located on the north side of Hazeldean Road, 160 m east of Carp Road, at 6171 Hazeldean Road in Ottawa, Ontario. The Phase Two property is rectangular in shape and has an area of approximately 9.0 hectares. The property is currently vacant. A Site Location Plan is provided as Figure 1 in Appendix A.

The Phase Two property is in an arterial main street zoned area. The property is legally described as PART OF LOT 23 CONCESSION 12, GOULBOURN, PARTS 2, 4 AND 6 PLAN 4R23045 CITY OF OTTAWA and property identification number (PIN) 044871709.

The surrounding area of the Phase Two property was observed to be residential and vacant properties to the north, and residential and commercial properties to the east, south, and west. No environmentally sensitive activities or infrastructures that could present any environmental concerns to the Phase Two property were observed on the adjacent properties based on observations made from the boundaries of the Phase Two property.

1.2 Property Ownership

The Phase Two property is currently owned by Kavanagh Family Investments Limited. Authorization to proceed with this investigation was provided by Carmine Zayoun. Contact information for Mr. Zayoun is 100-768 St. Joseph Boulevard Gatineau, Quebec J8Y 4B8.

1.3 Current and Proposed Future Uses

At the time of the investigation, the Phase Two property was not used for any purpose defined by Ontario Regulation 153/04. The proposed future use for the Phase Two property is residential.

1.4 Applicable Site Condition Standards

Analytical results obtained for soil and groundwater samples were compared to Site Condition Standards (SCS) established under subsection 169.4(1) of the Environmental Protection Act, and presented in the document entitled *Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act*, (MOE, 2011). This document provides tabulated background SCS (Table 1) applicable to environmentally sensitive sites and effects based generic SCS (Tables 2 to 9) applicable to non-environmentally sensitive sites. The effects-based SCS (Tables 2 to 9) are protective of human health and the environment for different groundwater conditions (potable and non-potable), land use scenarios

(residential, parkland, institutional, commercial, industrial, community and agricultural/other), soil texture (coarse or medium/fine) and restoration depth (full or stratified).

Table 1 to 9 SCS are summarized as follows:

- Table 1 – applicable to sites where background concentrations must be met (full depth), such as sensitive sites where site-specific criteria have not been derived
- Table 2 – applicable to sites with potable groundwater and full depth restoration
- Table 3 – applicable to sites with non-potable groundwater and full depth restoration
- Table 4 – applicable to sites with potable groundwater and stratified restoration
- Table 5 – applicable to sites with non-potable groundwater and stratified restoration
- Table 6 – applicable to sites with potable groundwater and shallow soils (bedrock encountered at depths of 2 metres or less across one-third or more of the site)
- Table 7 – applicable to sites with non-potable groundwater and shallow soils (bedrock encountered at depths of 2 metres or less across one-third or more of the site)
- Table 8 – applicable to sites with potable groundwater and that are within 30 m of a water body
- Table 9 – applicable to sites with non-potable groundwater and that are within 30 m of a water body

Application of the generic or background SCS to a specific site is based on a consideration of site conditions related to soil pH, thickness and extent of overburden material, and proximity to an area of environmental sensitivity or of natural significance. For some chemical parameters, consideration is also given to soil textural classification with SCS having been derived for both coarse and medium-fine textured soil conditions.

For assessment purposes, EXP selected the 2011 Table 3 SCS in a non-potable groundwater condition for residential/parkland/institutional property use and coarse textured soil. The selection of this category was based on the following factors:

- Both medium and fine textured and coarse textured soils were identified during the current investigation, coarse texture was selected as the more conservative criteria;
- Bedrock is more than 2 metres below grade for greater than 2/3 of the subject property;
- There are no surface water bodies within 30 metres of the subject property;
- The soil at the Phase Two property has a pH value between 5 and 9 for surficial soils and between 5 and 11 for subsurface soils, as confirmed during the current investigation;
- The Phase Two property is not located within an area of natural significance, does not include nor is adjacent to an area of natural significance, and does not include land that is within 30 metres of an area of natural significance;
- Properties surrounding the subject property are supplied with potable water from the City of Ottawa through its water distribution system;
- The Phase Two property is not located in an area designated in a municipal official plan as a well-head protection area;
- The Phase Two property is planned for residential use; and
- It is the opinion of the Qualified Person who oversaw this work that the Phase Two property is not a sensitive site.

For reference, the analytical results were also compared to Table 1 full depth background SCS.

2 Background Information

2.1 Physical Setting

The Phase One property is located on the north side of Hazeldean Road, 160 m east of Carp Road, at 6171 Hazeldean Road in Ottawa, Ontario. The site has a total area of 9.0 hectares and is approximately rectangular in shape. The site is zoned AM9, arterial main street zoning.

The Phase Two property is located in a residential area. Potable water is available from the City of Ottawa.

Topographically, the Phase Two property is relatively flat, regionally topography slopes to the northeast. Given the topography at the site, groundwater is inferred to flow north to the northeast towards Feedmill Creek, which is approximately 200 m north of the Phase Two property.

In accordance with Section 41 of the Ontario Regulation 153/04 (as amended), the Phase Two property is not an environmentally sensitive area. In addition, the Phase Two property is not located within an area of natural significance and it does not include land that is within 30 metres of an area of natural significance.

Based on the Phase Two ESA investigation, the Phase Two property is not a shallow soil property as defined in Section 43.1 of the regulation. It does not include all or part of a water body or is adjacent to a water body or includes land that is within 30 metres of a water body.

A review of geological maps revealed that, under any fill, the natural overburden deposits in the area is glacial till that would consist of clay, silt, sand, and gravel. Bedrock geology maps indicated limestone of the Bobcaygeon Formation. Based on well records, bedrock is expected approximately 0.5 to 4.5 mbgs.

2.2 Past Investigations

The findings of the Phase One ESA were presented in a report entitled *Phase One Environmental Site Assessment, 6171 Hazeldean Road, Ottawa, Ontario*, EXP Services Inc., dated April 7, 2020. The Phase One ESA identified the following Potentially Contaminating Activities (PCA) and Areas of Potential Environmental Concern (APEC):

Table 2.1 - Areas of Potential Environmental Concern and Potentially Contaminating Activity

| Area of Potential Environmental Concern (APEC) | Location of APEC on Phase One Property | Potentially Contaminating Activity (PCA) as per O. Reg 153/04 | Location of PCA (On-Site or Off-Site) | Potential Contaminants of Concern | Media Potentially Impacted (Groundwater, Soil and/or Sediment) |
|--|--|---|---------------------------------------|--|--|
| APEC 1 – Fill material for site is from unknown source | Entire property | PCA#30 – Importation of Fill Material of Unknown Quality | On-site | Benzene, toluene, ethylbenzene, xylene (BTEX), petroleum hydrocarbons (PHC), and/or metals | Soil |

Other findings of the Phase One ESA are included in Section 3.4 of this report.

The Phase One ESA was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices. A copy of the Phase One conceptual site model is provided as Figure 3 in Appendix A.

3 Scope of the Investigation

3.1 Overview of Site Investigation

The purpose of the Phase Two ESA was to investigate the soil quality at the Phase Two property and to obtain soil data to further characterize conditions in the soil related to the PCA described above and within the APEC shown on Figure 2 in Appendix A.

The property is currently vacant, and not used for any purpose defined by Ontario Regulation 153/04. EXP understands that the property has always been vacant and that the proposed future property use is residential.

3.2 Scope of Work

The scope of work for the Phase Two ESA was as follows:

- Request local utility locating companies (e.g., cable, telephone, gas, hydro) to mark any underground utilities present at the Phase Two property;
- Retain a private utility locating company to mark any underground utilities present in the vicinity of the borehole locations and to clear the individual borehole locations;
- Advance a total of six boreholes and complete three of them as piezometers;
- Excavate a total of 16 test pits;
- Collect representative soil samples for chemical analysis of PHC, BTEX, and metals;
- Measure groundwater levels in the piezometers;
- Complete a survey of the piezometer locations relative to a geodetic or other permanent benchmark and in reference with the Universal Transverse Mercator (UTM) coordinate system for vertical and horizontal control; and
- Review the analytical data and prepare a report of the findings.

Gary Cui, E.I.T. conducted the field assessment work and Leah Wells, B.A.Sc., E.I.T. was the report author for this project. Both were supervised by Chris Kimmerly, M.Sc., P. Geo. Mr. Kimmerly is a Qualified Person, as defined by Ontario Regulation 153/04.

3.3 Media Investigated

The Phase Two ESA included the investigation of soil on the Phase Two property. Based on the nature of the APEC identified in the Phase One, groundwater was not investigated. As there are no water bodies on the Phase Two property, no surface water or sediment sampling was required.

The contaminants of potential concern (COPC) identified in the Phase One ESA were identified as target parameters for this Phase Two ESA. The APEC and COPC identified in the Phase One ESA are outlined in Section 2.2.

3.4 Conceptual Site Model

The Phase Two property is located at 6171 Hazeldean Road in Ottawa, Ontario, as shown on Figure 1 in Appendix A. At the time of the investigation the Phase Two property was vacant, the proposed future property use is residential. The surrounding properties are used for residential and commercial purposes. The Phase Two property has an area of approximately 9.0 hectares. A site plan is presented as Figure 2 in Appendix A.

The Phase One ESA conducted by EXP identified the following on-site PCA. No off-site PCA were identified.

- PCA #30 – Importation of Fill of Unknown Quality

The location of the APEC that may be affected by the PCA are shown on Figure 2 in Appendix A.

3.5 Deviations from Sampling and Analysis Plan

The field investigative and sampling program was carried out following the requirements of the Phase Two property, as described in Section 4. No significant deviations from the sampling and analysis plan (SAAP), as provided in Appendix C, were reported that affected the sampling and data quality objectives for the Phase Two property.

The samples were logged and screened in the field for indications of impact based on visual, olfactory observations and combustible gas measurements however only the first six test pits were field screened with a combustible gas monitor, as the weather prohibited screening of the remainder of the samples. The field screening measurements, in parts per million by volume (ppmv), are presented in the borehole logs provided in Appendix D.

3.6 Impediments

No physical impediments were encountered during the field investigation. The entire Phase Two property was accessible at the time of the investigation.

4 Investigation Method

4.1 General

The Phase Two property investigative activities consisted of the drilling of boreholes and excavating test pits to facilitate the collection of soil samples for chemical analysis and the installation of piezometers for hydrogeological property characterization.

4.2 Borehole Drilling

Prior to the commencement of drilling, the locations of underground public utilities including telephone, natural gas and electrical lines were marked at the Phase Two property by locating companies. A private utility locating contractor was also retained to clear the individual borehole locations.

On March 24, 2020 six boreholes (BH1 to BH6) were advanced at the Phase Two property by George Downing Estate Drilling Ltd. (Downing), a licensed well contractor, under the full-time supervision of EXP staff. A CME 55 track mounted drill rig was used to advance the boreholes. Piezometers were installed in BH-1, BH-3 and BH-5 to facilitate groundwater monitoring. The locations of the boreholes are presented on Figure 3 in Appendix A.

No petroleum-based greases or solvents were used during drilling activities. EXP staff continuously monitored the drilling activities and recorded the depth of soil sample collection and total depth of boring. Field observations are summarized on the borehole logs provided in Appendix D.

4.3 Test Pitting

The site investigative activities consisted of the advancement of 16 test pits to facilitate the collection of soil samples for chemical analysis and to record relevant geotechnical information.

Prior to the commencement of excavation, the locations of underground public utilities including telephone, natural gas and electrical lines were marked at the subject property by public locating companies. A private utility locating contractor was also retained to clear the property.

On March 17, 2020, 16 test pits (TP-01 to TP-16) were advanced at the Phase Two property by Thomas Cavanagh Construction (Cavanagh), under the full-time supervision of EXP staff. A Caterpillar 320D LLR excavator was used to complete the test pits. Dedicated nitrile gloves (one pair per sample) were used during sample handling. TP-01 and TP-02 did not penetrate the frozen ground and were therefore not recorded as part of the investigation, as the conditions observed at these test pits did not accurately reflect the subsurface conditions of the site.

Soil samples for geologic characterization were collected at regular depth intervals to a maximum of 4.2 m in the overburden materials. EXP staff continuously monitored the excavating activities to log the stratigraphy observed from the pits, to record the depth of the samples, to record total depths of excavation, and to screen the samples by recording visual or olfactory observations of potential impacts and measuring petroleum vapours. Field observations are documented on the test pit logs provided in Appendix B.

The locations of the test pits are shown on Figure 3 in Appendix A.

4.4 Soil Sampling

The soil sampling during the completion of this Phase Two ESA was undertaken in general accordance with the SAAP presented in Appendix C.

Grab soil samples for geologic characterization were collected on a continuous basis in the overburden materials during test pit excavation. Soil samples were not collected during the borehole drilling program.

Geologic details of the test pits and recovered cores were logged by EXP field staff. EXP staff continuously monitored the drilling and excavation activities to log the stratigraphy observed from the recovered soil cores, to record the depth of soil sample collection, to record total depths of borings/excavation, and to record visual or olfactory observations of potential impacts. Field observations are summarized on the borehole logs provided in Appendix D.

Soil samples identified for possible laboratory analysis were collected from the test pits and placed directly into pre-cleaned, laboratory-supplied glass sample jars/vials. Samples to be analysed for PHC fraction F1 and BTEX were collected using a soil core sampler and placed into vials containing methanol as a preservative. The jars and vials were sealed with Teflon-lined lids to minimize headspace and reduce the potential for induced volatilization during storage/transport prior to analysis. All soil samples were placed in clean coolers containing ice prior to and during transportation to the subcontract laboratory, Bureau Veritas Laboratories (BV Labs) of Ottawa, Ontario. The samples were transported/submitted within 24 hours of collection to the laboratory following chain of custody protocols for chemical analysis.

4.5 Field Screening Measurements

The remaining portion of each soil sample was placed in a sealed Ziploc plastic bag and allowed to reach ambient temperature prior to field screening with a combustible vapour meter calibrated to hexane gas prior to use. The field screening measurements were made by inserting the instrument's probe into the plastic bag while manipulating the sample to ensure volatilization of the soil gases. These 'headspace' readings provide a real-time indication of the relative concentration of combustible vapours encountered in the subsurface during drilling and are used to aid in the assessment of the vertical and horizontal extent of potential impacts and the selection of soil samples for analysis.

Readings of potential hydrocarbon vapour concentrations in the soil samples collected during the test pitting investigation were recorded using an RKI Eagle 2, where there was sufficient recovery. This instrument is designed to detect and measure concentrations of combustible gas in the atmosphere to within 5 parts per million by volume (ppmv) from 0 ppmv to 200 ppmv, 10 ppmv increments from 200 ppmv to 1,000 ppmv, 50 ppmv increments from 1,000 ppmv to 10,000 ppmv, and 250 ppmv increments above 10,000 ppmv. It is equipped with two ranges of measurement, reading concentrations in ppmv or in percentage lower explosive limit (% LEL). The RKI Eagle 2 instrument can determine combustible vapour concentrations in the range equivalent to 0 to 11,000 ppmv of hexane.

The instrument was configured to eliminate any response from methane for all sampling conducted at the subject property. Instrument calibration is checked on a daily basis in both the ppmv range and % LEL range using standard gases comprised of known concentrations of hexane (400 ppmv, 40% LEL) in air. If the instrument readings are within $\pm 10\%$ of the standard gas value, then the instrument is deemed to be calibrated, however if the readings are greater than $\pm 10\%$ of the standard gas value then the instrument is re-calibrated prior to use.

Only the first six test pits were field screened, as the weather prohibited screening of the remainder of the samples. The field screening measurements, in parts per million by volume (ppmv), are presented in the borehole logs provided in Appendix D.

Soil samples were selected for laboratory analysis based on combustible vapour measurements and visual and olfactory evidence of impacts, where observed. Six fill samples and four native soil samples were submitted for laboratory analysis of PHC and BTEX. Seven fill samples, four native soil samples and on duplicate were submitted for laboratory analysis of metals. All samples were also analysed for pH.

4.6 Groundwater: Piezometer Installation

Piezometers were installed in three of the boreholes. The piezometers were installed in general accordance with the Ontario Water Resources Act - R.R.O. 1990, Regulation 903 (as amended) and were installed by Downing, a licensed well contractor, using a CME 45 track-mounted drill rig.

The piezometers consisted of a 25 mm diameter Schedule 40 PVC screen that was no more than 3.0 m long and a 31 mm diameter Schedule 40 PVC riser pipe that was at least 0.8 m long. The annular space around the wells was backfilled with sand to an average height of 0.3 m above the top of the screen. A bentonite seal was added from the top of the sand pack to approximately 0.3 m below ground surface. Details of the monitoring well installations are shown on the borehole logs provided in Appendix D.

4.7 Groundwater: Field Measurement of Water Quality Parameters

On May 14, 2019, the monitoring wells were inspected for general physical condition and groundwater depth. Groundwater elevations were measured again on July 2, 2020

Table 4.1 – Monitoring and Elevation Data

| Monitoring Well ID | Ground Elevation (m) | Date of Last Reading | Depth to Water (m) | Elevation of Groundwater (m) |
|--------------------|----------------------|----------------------|--------------------|------------------------------|
| BH-01 | 117.1 | May 14, 2020 | 1.20 | 115.94 |
| | | July 2, 2020 | 2.02 | 115.08 |
| BH-03 | 120.4 | May 14, 2020 | 1.60 | 118.77 |
| | | July 2, 2020 | 2.11 | 118.29 |
| BH-05 | 116.5 | May 14, 2020 | 2.60 | 113.90 |
| | | July 2, 2020 | 2.75 | 113.75 |
| TP -7 | 117.6 | Completion | 1.7 | 115.9 |
| TP-11 | 119.2 | Completion | 0.9 | 118.3 |
| TP-12 | 119.6 | Completion | 1.5 | 118.1 |
| TP-13 | 119.4 | Completion | 2.6 | 116.8 |
| TP-17 | 120.8 | Completion | 3.1 | 117.70 |

Water levels observations were made in the exploratory boreholes at the times and under the conditions stated in the scope of services. These data were reviewed and EXP's interpretation of them discussed in the text of the report. Note that fluctuations in the level of the groundwater may occur due to seasonal variation such as precipitation, snowmelt, rainfall activities, and other factors not evident at the time of measurement and therefore may be at a higher level during wet weather periods.

Water levels observations were made in the exploratory boreholes at the times and under the conditions stated in the scope of services. These data were reviewed and EXP's interpretation of them discussed in the text of the report. Note that fluctuations in the level of the groundwater may occur due to seasonal variation such as precipitation, snowmelt, rainfall activities, and other factors not evident at the time of measurement and therefore may be at a higher level during wet weather periods

Groundwater flow direction was determined to be to the northeast.

4.8 Groundwater: Sampling

Based on the nature of the APEC identified in the Phase One report, groundwater sampling was not determined to be required at the Phase Two property.

4.9 Sediment: Sampling

As no water body was present at the Phase Two property, sediment sampling was not part of the Phase Two ESA.

4.10 Analytical Testing

The contracted laboratory selected to perform chemical analysis on all soil samples was BV Labs. BV Labs is an accredited laboratory under the Standards Council of Canada/Canadian Association for Laboratory Accreditation in accordance with ISO/IEC 17025:1999- *General Requirements for the Competence of Testing and Calibration Laboratories*.

4.11 Residue Management

The drill cuttings from drilling activities and soil excavated from test pits were disposed of on site. Fluids from cleaning drilling equipment were disposed of by the driller at their facility.

4.12 Elevation Surveying

A geodetic elevation survey was conducted to obtain vertical control of the piezometer locations. The ground surface elevation of each test pit and borehole location was surveyed using a level and Universal Transverse Mercator (UTM) coordinates.

4.13 Quality Assurance and Quality Control Measures

A QA/QC program was also implemented to ensure that the analytical results received are accurate and dependable. A QA/QC program is a system of documented checks that validate the reliability of the data. Quality Assurance is a system that ensures that quality control procedures are correctly performed and documented. Quality Control refers to the established procedures observed both in the field and in the laboratory, designed to ensure that the resulting end data meet intended quality objectives. The QA/QC program implemented by EXP incorporated the following components:

- Collecting and analysing blind duplicate soil samples to ensure analytical precision
- Using dedicated and/or disposable sampling equipment
- Following proper decontamination protocols to minimize cross-contamination
- Maintaining field notes and completing field forms to document field activities
- Using only laboratory-supplied sample containers and following prescribed sample protocols, including using proper preservation techniques, meeting sample hold times, and documenting sample transmission on chains of custody, to ensure the integrity of the samples is maintained

BV Lab's QA/QC program involved the systematic analysis of control standards for the purpose of optimizing the measuring system as well as establishing system precision and accuracy and included calibration standards, method blanks, reference standards, spiked samples, surrogates and duplicates.

5 Review and Evaluation

5.1 Geology

The detailed soil profiles encountered in the boreholes and test pits are provided on the borehole and test pit logs in Appendix D. Boundaries of soils indicated on the logs are intended to reflect transition zones for the purpose of environmental assessment and should not be interpreted as exact planes of geological change.

A 100 mm to 200 mm thick layer of topsoil was encountered at the surface in Borehole Nos. 2, 6 and at Test Pit Nos. 5, 11, 12 and 13.

Heterogeneous fill material was encountered at all borehole and test pit locations and extended to depths ranging between 0.3 m to 2.9 m (Elevations 119.8 m to 114.2 m). The fill extends to the surface of the bedrock/auger refusal depths of 0.3 m to 2.3 m (Elevation 117.8 m to 115.7 m) in Borehole Nos. 1, 3 and 4 and in Test Pit Nos. 3 to 5, 10, 11, 13 and 14.

Peat/marl complex deposit was encountered underlying the fill material in Borehole Nos. 2, 4 and 5 and in Test Pit Nos. 6 to 9, 12, and 15 at depths ranging from 0.8 m to 2.3 (Elevations 118.8 m to 114.2) and extended to depths ranging from 1.4 m to 3.6 m (Elevations 118.5 m to 113.5 m).

The organic peat in Borehole No. 5 is underlain by a deposit of silty sand with some gravel which extends to 5.3 m depth (Elevation 111.2 m).

The peat/marl in Borehole No. 2 and in Test Pit Nos. 7, 8, 15, fill in Borehole No. 6, Test Pit 16 to 18 and the silty sand in Borehole No. 5 are underlain by glacial till deposit which extends to auger refusal depth, i.e. inferred surface of the bedrock contacted at depths of 1.8 m to 6.2 m (Elevation 118.1 m to 110.3 m). The glacial till is grey and comprised of silty sand with clay and numerous cobbles and boulders.

Refusal to augers or to excavator bucket advancement was encountered in all boreholes/test pits at depths ranging between 0.3 and 6.2 m below the existing ground surface (Elevation 115.3 m to 118.1 m).

Based on the geological profile, a cross-section of the site was prepared, as shown on Figure 5 in Appendix A.

5.2 Groundwater: Elevations

Three piezometers were installed on Phase Two property. The maximum depth of borehole advancement was 7.2 metres below ground surface.

Groundwater elevations and water levels were measured at the Phase Two property on May 14, 2020 and July 2, 2020. These are provided in Table 4.1. Groundwater flow was determined to be to the northeast.

EXP notes that groundwater levels can be influenced by seasonal changes, the presence of subsurface structures, or fill, however based on the presence of Feedmill Creek approximately 200 metres north of the Phase Two property and the lack of utilities on the Phase Two property, it is unlikely that any of these factors will affect the groundwater flow direction at the Phase Two property. Similarly, no buried utilities are present on the Phase Two property; therefore, it is unlikely that the presence of subsurface utilities has affected the direction of groundwater flow.

5.3 Groundwater: Hydraulic Gradients

Horizontal hydraulic gradients were not calculated for the groundwater flow. Groundwater flow direction was determined to be to the northeast.

5.4 Soil Texture

Based on field observations and grain size analysis, the soil texture was determined to be primarily coarse textured, as silty sand and gravel fill is the predominant soil type on site. Grain-size analyses performed on four (4) fill samples (Appendix D). A review of these figures revealed a fill composition of 7 to 51 percent gravel, 39 to 86 percent sand and 7 to 31 percent silt and clay.

5.5 Soil: Field Screening

Field screening involved using the combustible vapour meter to measure vapour concentrations, in ppmv, in the collected soil samples in order to assess the presence of soil gases which would imply potential petroleum hydrocarbon impact. Vapour readings were observed for the first six test pits, after which the weather prohibited vapour readings. The test pit vapour readings ranged from non-detectable to 5 ppmv. No staining or odours were observed in any of the soil samples.

5.6 Soil Quality

In accordance with the scope of work, chemical analyses were performed on selected soil samples recovered from the test pits. The selection of representative "worst case" soil samples from the testpits was based on field visual or olfactory evidence of impacts and/or presence of potential water bearing zones. Copies of the laboratory Certificates of Analysis are provided in Appendix F.

The MECP Table 3 SCS are applicable if soil pH is in the range of 5 to 9 for surficial soil (less than 1.5 m below soil surface) and 5 to 11 for subsurface soil (greater than 1.5 m below soil surface). The Certificates of Analysis include twelve pH measurements. Samples were collected from both depths less than 1.5 mbgs, depths greater than 1.5 mbgs. The pH results for all samples were between 7.12 and 7.80 which is within the acceptable range for the application of MECP Table 3 SCS.

5.6.1 Petroleum Hydrocarbons

Ten soil samples were submitted for chemical analysis of PHC and BTEX. All of the soil samples were within the MECP Table 3 SCS. Nine of the ten soil samples submitted were within the MECP Table 1 SCS.

The PHC and BTEX results are provided in Table 1 in Appendix E and shown on Figures 6 and 6A in Appendix A.

5.6.2 Metals

Twelve soil samples and one field duplicate were submitted for chemical analysis of metals. All of the soil samples were within the MECP Table 3 SCS and the Table 1 Ontario background concentrations

The metals results are provided in Table 2 in Appendix E and shown on Figures 7 and 7A in Appendix A.

5.6.3 Chemical Transformation and Soil Contaminant Sources

There are no soil contaminant sources on the Phase Two property. All parameters met the applicable Table 3 SCS and as such chemical transformations are not a significant concern at the Phase Two property.

5.6.4 Evidence of Non-Aqueous Phase Liquid

Inspection of the soil samples retrieved from the boreholes and test pits did not indicate the presence of non-aqueous phase liquid (NAPL), staining, or sheen. Odours were not observed during soil sampling activities. NAPL is not expected to be present at the Phase Two property.

5.6.5 Maximum Concentrations

None of the soil samples exceeded the applicable Table 3 SCS. Maximum soil concentrations are provided in Table 3 in Appendix E.

5.7 Groundwater Quality

Based on the nature of the APEC identified in the Phase One report, groundwater sampling was not determined to be required at the Phase Two property.

5.8 Sediment Quality

As there were no water bodies on the Phase Two property, surface water and sediment sampling were not required.

5.9 Quality Assurance and Quality Control Results

Quality assurance and quality control measures were taken during the field activities to meet the objectives of the sampling and quality assurance plan to collect unbiased and representative samples to characterize existing conditions in the fill/upper overburden materials and groundwater at the Phase Two property. QA/QC measures, as described in Section 4.13, included:

- Collecting and analysing blind duplicate soil samples to ensure analytical precision
- Using dedicated and/or disposable sampling equipment
- Following proper decontamination protocols to minimize cross-contamination
- Maintaining field notes and completing field forms to document field activities
- Using only laboratory-supplied sample containers and following prescribed sample protocols, including using proper preservation techniques, meeting sample hold times, and documenting sample transmission on chains of custody, to ensure the integrity of the samples is maintained

Duplicate soil sample pairs TP11-Fill and TP21-Fill were submitted for chemical analysis of metals. For QA/QC purposes, the analytical sample results are quantitatively evaluated by calculating the relative percent difference (RPD) between the samples and their duplicates. Since laboratory duplicates are a measure of laboratory precision, while field duplicates are a measure of both field and laboratory precision, the RPD alert limits for field duplicates were determined to be twice the limits for laboratory duplicates. The RPD are provided in Table 4 in Appendix E. All of the RPD were either within the alert limits or not calculable.

Certificates of Analysis were received from BV Labs reporting the results of all the chemical analyses performed on the submitted soil and groundwater samples. Copies of the BV Labs Certificates of Analysis are provided in Appendix F. A review of the Certificates of Analysis prepared by BV Labs indicates that they were in compliance with the requirements set out under subsection 47(3) of Ontario Regulation 153/04 (as amended).

The analytical program conducted by BV Labs included analytical test group specific QA/QC measures to evaluate the accuracy and precision of the analytical results and the efficiency of analyte recovery during solute extraction procedures. The BV Labs laboratory QA/QC program consisted of the preparation and analysis of laboratory duplicate samples to assess precision and sample homogeneity, method blanks to assess analytical bias, spiked blanks and QC standards to evaluate analyte recovery, matrix spikes to evaluate matrix interferences. The laboratory QA/QC results are presented in the Quality Assurance Report provided in the Certificate of Analysis prepared by Maxxam. The QA/QC results are reported as percent recoveries for matrix spikes, spike blanks and QC standards, relative percent difference for laboratory duplicates and analyte concentrations for method blanks.

The BV Labs QA/QC results were assessed against test group control limits in the case of spiked blanks, matrix spikes and surrogate recoveries and alert criteria in the case of method blanks and laboratory duplicates. Review of the laboratory QA/QC results reported by BV Labs indicated that they were within acceptable control limits or below applicable alert criteria for the sampled media and analytical test groups. Based on the assessment of the QA/QC, the analytical results reported by BV Labs are of acceptable quality and data qualifications are not required.

5.10 Phase Two Conceptual Site Model

This section presents a Conceptual Site Model (CSM) providing a narrative, graphical and tabulated description integrating information related to the Phase Two property's geologic and hydrogeological conditions, areas of potential environmental concern/potential contaminating activities, the presence and distribution of contaminants of concern, contaminant fate and transport, and potential exposure pathways.

5.10.1 Introduction

The Phase Two ESA Property is located at 6171 Hazeldean Road in Ottawa, as shown on Figure 1 in Appendix A. The Phase Two property is vacant and has never been developed. The surrounding properties are used for residential and commercial purposes. Future use of the property is intended to be residential.

Refer to Table 5.1 for the Site identification information.

Table 5.1 – Site Identification Details

| | |
|--------------------------------|--|
| Civic Address | 6171 Hazeldean Road, Ottawa, Ontario |
| Current Land Use | Not used for any purpose defined by Ontario Regulation 153/04, vacant land |
| Proposed Future Land Use | Residential |
| Property Identification Number | 044871709 |
| UTM Coordinates | NAD83 Zone 18 426475.08 m E, 5013477.78 m N |
| Site Area | 9.0 ha |
| Property Owner | Kavanagh Family Investments Limited |

5.10.2 Physical Site Description

The Phase Two property is located on the north side of Hazeldean Road, 160 m east of Carp Road, at 6171 Hazeldean Road in Ottawa, Ontario. The Phase Two property is rectangular in shape and has an area of approximately 9.0 hectares. The property is currently vacant field. A Site Location Plan is provided as Figure 1 in Appendix A.

The Phase Two property is in an arterial main street zoned area. The property is legally described as PART OF LOT 23 CONCESSION 12, GOULBOURN, PARTS 2, 4 AND 6 PLAN 4R23045 CITY OF OTTAWA and property identification number (PIN) 044871709.

The surrounding area of the Phase Two property was observed to be residential and vacant properties to the north, and residential and commercial properties to the east, south, and west. No environmentally sensitive activities or infrastructures that could present any environmental concerns to the Phase Two property were observed on the adjacent properties based on observations made from the boundaries of the Phase Two property.

The review of the topographic map indicated that the Phase One property and surrounding area were slope to the northeast. Given the topography at the site, groundwater is inferred to flow north to the northeast towards Feedmill Creek. Feedmill Creek is a tributary to Carp River and located 200 m north of the site.

In accordance with Section 41 of the Ontario Regulation 153/04 (as amended), the Phase Two property is not an environmentally sensitive area. In addition, the Phase Two property is not located within an area of natural significance and it does not include land that is within 30 metres of an area of natural significance.

Based on the Phase Two ESA investigation, the Phase Two property is not a shallow soil property as defined in Section 43.1 of the regulation. It does not include all or part of a water body or is adjacent to a water body or includes land that is within 30 metres of a water body.

5.10.3 Geological and Hydrogeological Setting

The detailed soil profiles encountered in the boreholes and test pits are provided on the borehole and test pit logs in Appendix D. Boundaries of soils indicated on the logs are intended to reflect transition zones for the purpose of environmental assessment and should not be interpreted as exact planes of geological change

The investigation revealed that the subsurface conditions is comprised of a surficial layer of topsoil or granular fill overlying heterogenous fill material, which is underlain by glacial till or by bedrock.

On the south side of the property, near Hazeldean Road, peat was encountered in the boreholes and test pits. The inferred horizontal extent of the peat layer is illustrated on Figure 3. The peat and marl layer was encountered at depths between 0.75 to 3.1 mbgs.

Bedrock, or refusal at probable bedrock, was encountered in all of the boreholes and test pits. Depth to bedrock varied across the property between 0.6 mbgs to 6.2 mbgs. BH-1 to BH-3 were advanced into the bedrock for characterization, all other boreholes and all test pits were terminated at bedrock. Bedrock consisted of dark grey limestone with shale laminations.

Based on the geological profile, a cross-section of the site was prepared, as shown on Figure 5 in Appendix A.

A summary of factors that apply to the Phase Two property is provided in Table 5.2

Table 5.2 Site Characteristics

| Characteristic | Description |
|---|--|
| Minimum Depth to Bedrock | 0.3 mbgs |
| Minimum Depth to Overburden Groundwater | 1.2 mbgs (May 14, 2019) |
| Shallow Soil Property | No, majority of bedrock is greater than 2.0 mbgs |
| Proximity to water body or ANSI | 200 m |
| Soil pH | 7.12 - 7.80 |
| Soil Texture | Coarse |
| Current Property Use | Not defined by O.Reg 153 |

| | |
|---------------------------------|----------------------------------|
| Future Property Use | Residential |
| Proposed Future Building | Single and multi-unit residences |
| Areas Containing Suspected Fill | Entire property |

5.10.4 Underground Utilities

Active utilities are not expected to be present at the Phase Two property. The site is located in an area of municipally supplied water and sewer.

5.10.5 Potentially Contaminating Activities

Ontario Regulation 153/04 defines a PCA as one of 59 operations set out in Table 2 of Schedule D that occurs or has occurred in a Phase Two study area. The following PCA was identified:

- PCA #30 – Importation of Fill of Unknown Quality; and

5.10.6 Areas of Potential Environmental Concern/Potential Contaminants of Concern

Ontario Regulation 153/04 defines an APEC as an area on a property where one or more contaminants are potentially present. The following APEC were identified on the Phase Two property, as shown on Figure 2 in Appendix A:

- APEC #1 – Entirety of the Phase Two property

5.10.7 Investigation

The Phase Two ESA was conducted to assess the soil quality at the Phase Two property. As indicated above, the analytical program of the Phase Two ESA included testing of soil for PHC, BTEX, and metals from the boreholes and test pits on the Phase Two property. The boreholes and test pit locations are shown on Figure 3 in Appendix A.

5.10.8 Contaminants of Concern (COC)

Based on the results of the investigation, no COC at the Phase Two property exceeded the applicable MECP Table 3 SCS. Soil analytical results are provided in Figures 6 and 6A and 7 and 7A in Appendix A.

5.10.9 Contaminant Fate and Transport

Based on the nature of the APEC identified in the Phase One report, groundwater sampling was not determined to be required at the Phase Two property.

6 Conclusions

For assessment purposes, EXP selected the 2011 Table 3 Site Condition Standards (SCS) in a non-potable groundwater condition for residential/parkland/institutional property use and coarse textured soil. The results were also compared to Table 1 full depth background SCS. Based on the Phase Two ESA results, the following summary is provided:

- The investigation revealed that the subsurface conditions is comprised of a surficial layer of topsoil or granular fill overlying heterogenous fill material, which is underlain by glacial till or by bedrock. On the south side of the property, near Hazeldean Road, peat was encountered in the boreholes and test pits. The peat and marl layer were encountered at depths between 0.75 to 3.1 mbgs.
- Bedrock, or refusal at probable bedrock, was encountered in all of the boreholes and test pits. Depth to bedrock varied across the property between 0.6 mbgs to 6.2 mbgs. BH-1 to BH-3 were advanced into the bedrock for characterization, all other boreholes and all test pits were terminated at bedrock. Bedrock consisted of dark grey limestone with shale laminations.
- Groundwater measurements taken on May 14, 2020 and July 2, 2020 in monitoring wells installed in three of the boreholes indicate that the groundwater table to be at a depth of 1.2 to 2.6 m in May and 2.02 m to 2.75 m below grade in July. Groundwater flow is interpreted to be towards the northeast. The groundwater table is subject to seasonal fluctuation and may be at higher depths during wet weather conditions.
- Ten soil samples were submitted for laboratory analysis of BTEX and PHC. Twelve soil samples were submitted for metals and inorganics.
- For assessment purposes, EXP selected the 2011 Table 1 (Ontario Background) and Table 3 SCS in a non-potable groundwater condition for residential/parkland/institutional property use and coarse textured soil.
- All of the soil samples were within the MECP (Ministry of the Environment, Conservation and Parks) Table 3 SCS for all parameters that were analysed. All but one soil sample met the criteria for MECP Table 1 SCS.
- Based on the results of the Phase Two ESA, the site meets the SCS for the intended residential land use.
- Soil samples were submitted for laboratory analysis of BTEX, PHC, and metals. All of the soil samples were within the MECP Table 3 SCS for all parameters that were analysed. All but one soil sample met the criteria for MECP Table 1 SCS.
- Based on the results of the Phase Two ESA, the site meets the SCS for the intended residential land use.

The Qualified Person can confirm that the Phase Two Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

7 Limitation of Liability, Scope of Report, and Third Party Reliance

Basis of Report

This report ("Report") is based on site conditions known or inferred by the investigation undertaken as of the date of the Report. Should changes occur which potentially impact the condition of the site the recommendations of EXP may require re-evaluation. Where special concerns exist, or 11654128 Canada Inc. ("the Client") has special considerations or requirements, these should be disclosed to EXP to allow for additional or special investigations to be undertaken not otherwise within the scope of investigation conducted for the purpose of the Report.

Reliance on Information Provided

The evaluation and conclusions contained in the Report are based on conditions in evidence at the time of site inspections and information provided to EXP by the Client and others. The Report has been prepared for the specific site, development, building, design or building assessment objectives and purpose as communicated by the Client. EXP has relied in good faith upon such representations, information and instructions and accepts no responsibility for any deficiency, misstatement or inaccuracy contained in the Report as a result of any misstatements, omissions, misrepresentation or fraudulent acts of persons providing information. Unless specifically stated otherwise, the applicability and reliability of the findings, recommendations, suggestions or opinions expressed in the Report are only valid to the extent that there has been no material alteration to or variation from any of the information provided to exp. If new information about the environmental conditions at the Site is found, the information should be provided to EXP so that it can be reviewed and revisions to the conclusions and/or recommendations can be made, if warranted.

Standard of Care

The Report has been prepared in a manner consistent with the degree of care and skill exercised by engineering consultants currently practicing under similar circumstances and locale. No other warranty, expressed or implied, is made. Unless specifically stated otherwise, the Report does not contain environmental consulting advice.

Complete Report

All documents, records, data and files, whether electronic or otherwise, generated as part of this assignment form part of the Report. This material includes, but is not limited to, the terms of reference given to EXP by the Client, communications between EXP and the Client, other reports, proposals or documents prepared by EXP for the Client in connection with the site described in the Report. In order to properly understand the suggestions, recommendations and opinions expressed in the Report, reference must be made to the Report in its entirety. EXP is not responsible for use by any party of portions of the Report.

Use of Report

The information and opinions expressed in the Report, or any document forming part of the Report, are for the sole benefit of the Client. No other party may use or rely upon the Report in whole or in part without the written consent of EXP. Any use of the Report, or any portion of the Report, by a third party are the sole responsibility of such third party. EXP is not responsible for damages suffered by any third party resulting from unauthorised use of the Report.

Report Format

Where EXP has submitted both electronic file and a hard copy of the Report, or any document forming part of the Report, only the signed and sealed hard copy shall be the original documents for record and working purposes. In the event of a dispute or discrepancy, the hard copy shall govern. Electronic files transmitted by EXP utilize specific software and hardware systems. EXP makes no representation about the compatibility of these files with the Client's current or future software and hardware systems. Regardless of format, the documents described herein are EXP's instruments of professional service and shall not be altered without the written consent of EXP.

8 References


This study was conducted in general accordance with the applicable Regulations, Guidelines, Policies, Standards, Protocols and Objectives administered by the Ministry of the Environment. Specific reference is made to the following:

- EXP Services Inc., *Phase One Environmental Site Assessment, 6171 Hazeldean Road, Ottawa, Ontario*, April 7, 2020.
- Freeze and Cheery, *Groundwater*, Prentice Hall, 1979. Prentice Hall
- Ontario Ministry of the Environment, *Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario*, December 1996
- Ontario Ministry of the Environment, *Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act*, April 15, 2011
- Ontario Ministry of the Environment, *Guide for Completing Phase Two Environmental Site Assessments under Ontario Regulation 153/04*, June 2011.
- Ontario Ministry of the Environment, *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act*, July 1, 2011.
- Ontario Regulation 153/04, made under the Environmental Protection Act, as amended
- Ontario Regulation 903/90, made under the Water Resources Act, as amended

Appendices

Appendix A : Figures

Filename: e:\ott\00258780-b0\60_execution\65_drawings\6171_hazeldean_fig_1.dwg
 Last Saved: 6/5/2020 2:46:09 PM
 Last Plotted: 6/5/2020 2:47:55 PM
 Pen Table: exp-64.ctb
 Plotted by: CuIG




exp Services Inc. www.exp.com

t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada

| | | | |
|------------------|-----------------|---|--------------------------------|
| DATE MAY 2020 | | CLIENT: 11654128 CANADA LTD. 6171 HAZELDEAN ROAD, OTTAWA, ON | project no. OTT-00258780-B0 |
| DESIGN I.T. | CHECKED I.T. | | scale 1:20,000 |
| DRAWN BY G.C. | | TITLE: SITE LOCATION PLAN | FIG 1 |


File name: e:\ott\0258780-c0160 execution\65 drawings\16171 hazeldean fig_1-fig_e6.dwg
 Last Saved: 4/14/2020 5:26:18 PM
 Last Plotted: 4/14/2020 5:32:48 PM
 Pen Table: exp-64.ctb
 Plotted by: CuIG



LEGEND

 PHASE ONE PROPERTY BOUNDARY

 APEC #1




exp Services Inc. www.exp.com

t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada








| | |
|-------------------|-------------------|
| DATE APR. 2020 | |
| DESIGN L.W. | CHECKED C.T.K. |
| DRAWN BY G.C. | |


| |
|---|
| CLIENT: 11654128 CANADA LTD. 6171 HAZELDEAN ROAD, OTTAWA, ON |
| TITLE: POTENTIALLY CONTAMINATING ACTIVITIES (PCA) & AREAS OF POTENTIAL ENVIRONMENTAL CONCERN (APEC) |

| |
|--------------------------------|
| project no. OTT-00258780-CO |
| scale 1:3,000 |
| FIG 2 |



LEGEND

-  **BH-01** TESTHOLE NUMBER AND LOCATION (EXP, MARCH 2020)
-  **TP-03** TEST PIT NUMBER AND LOCATION (EXP, MARCH 2020)
-  **TP 1-19** TEST PIT NUMBER AND LOCATION (PREVIOUS PATTERSON GROUP INVESTIGATION PG4917-1 DATED MAY 2019)
-  **BH 1-18** TESTHOLE NUMBER AND LOCATION (PREVIOUS PATTERSON GROUP INVESTIGATION PG4706 DATED OCT. 2018)
-  **TP 1-18** TEST PIT NUMBER AND LOCATION (PREVIOUS PATTERSON GROUP INVESTIGATION PG4706 DATED OCT. 2018)
- 117.0 116.2** GEODETIC ELEVATION (m)
- (115.5) [116.6]** BEDROCK ELEVATION (m)
-  APPROXIMATE EXTENT OF PEAT BELOW FILL LAYER (PREVIOUS PATTERSON GROUP INVESTIGATION PG4917-1 DATED MAY 2019)
-  ADDITIONAL EXTENT OF PEAT BELOW FILL LAYER



- NOTES :**
1. THE BOUNDARIES, ROCK TYPES AND SOIL TYPES HAVE BEEN ESTABLISHED ONLY AT BOREHOLE LOCATIONS. BETWEEN BOREHOLES THEY ARE ASSUMED AND MAY BE SUBJECT TO CONSIDERABLE ERROR.
 2. ROCK CORES AND SOIL SAMPLES WILL BE RETAINED IN STORAGE FOR THREE MONTHS AND THEN DESTROYED UNLESS THE CLIENT ADVISES THAT AN EXTENDED TIME PERIOD IS REQUIRED.
 3. ASPHALT AND TOPSOIL QUANTITIES SHOULD NOT BE ESTABLISHED FROM THE INFORMATION PROVIDED AT THE BOREHOLE LOCATIONS.
 4. TESTHOLE ELEVATIONS SHOULD NOT BE USED TO DESIGN BUILDING(S) OR FLOOR SLABS OR PARKING LOT(S) GRADES.
 5. THIS DRAWING FORMS PART OF THE REPORT PROJECT NUMBER AS REFERENCED AND SHOULD BE USED ONLY IN CONJUNCTION WITH THIS REPORT.
 6. BASE PLAN OBTAINED FROM SURVEY PLAN BY FAIRHALL, MOFFATT & WOODLAND LTD., JOB NO. Z38800, REFERENCE NO. 415(A) - 12 GOULBOURN, DATED JANUARY 14, 2020.
 7. TESTHOLES LOCATION BY OTHERS ARE APPROXIMATE - REFER TO ORIGINAL SITE PLAN FOR ACCURATE POSITION





EXP Services Inc.
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6
 Canada

www.exp.com

- BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
- INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

| | | | |
|--------------------------|-----------------|--|---------------------------------------|
| DATE JUNE 2020 | | CLIENT: 11654128 CANADA INC | project no. OTT-00258780-B0 |
| DESIGN I.T. | CHECKED I.T. | TITLE: TESTHOLE LOCATION PLAN PROPOSED RESIDENTIAL DEVELOPMENT 6171 HAZELDEAN ROAD, OTTAWA, ON | |
| DRAWN BY S.K. | | scale 1:1,500 | |
| | | FIG 3 | |

Filename: e:\ott\00258780-b060 execution\65 drawings\proposed bh & tp layout.dwg
 Last Saved: 3/18/2020 7:32:13 PM
 Last Plotted: 3/18/2020 7:33:22 PM
 Pen Table: exp.ctb
 Plotted by: CuiG



LEGEND


TEST PIT
 BOREHOLE
 PROPERTY LINE



EXP Services Inc.
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6
 Canada
www.exp.com

• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
 • INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

| | | | | | |
|----------|------------|---------|---------------------|-------------|-----------------|
| DATE | APRIL 2020 | CLIENT: | 11654128 CANADA INC | project no. | OTT-00258780-C0 |
| DESIGN | CHECKED | TITLE: | CROSS SECTION A-A' | scale | N.T.S. |
| L.W. | C.K. | | | FIG 4 | |
| DRAWN BY | L.W. | | | | |





LEGEND

| | |
|--|--------------|
| | TOPSOIL |
| | FILL |
| | GIACIAL TILL |
| | BEDROCK |

| | | |
|--|---------------|---|
| <p>EXP Services Inc. 1-1-877-688-1080 / 1-1-877-225-737 2650 Queenview Drive, Suite 100 Ottawa, ON K2B 8H6 www.exp.com</p> | | DATE: APRIL 2020 CLIENT: 11654128 CANADA INC TITLE: CROSS SECTION A-A' PROJECT NO: OTT-00258780-C0 |
| DESIGN: L.W. | CHECKED: C.K. | SCALE: N.T.S. |
| DRAWN BY: L.W. | | FIG 5 |

Filename: e:\ottaw\00258780-b0160 execution\65 drawings\proposed bh & tp layout.dwg
 Last Saved: 3/18/2020 7:32:13 PM
 Last Plotted: 3/18/2020 7:33:22 PM
 Pen Table: exp.ctb
 Plotted by: CuiG



| TP-10 | Depth (mbgs) | B | T | E | X | F1 | F2 | F3 | F4 | 17-Mar-20 |
|--------|--------------|--------|--------|--------|--------|-----|-----|-----|-----|-----------|
| Fill | 0.8 - 1.2 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |
| Native | 1.5 - 2.0 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |

| TP-08 | Depth (mbgs) | B | T | E | X | F1 | F2 | F3 | F4 | 17-Mar-20 |
|--------|--------------|--------|--------|--------|--------|-----|-----|-----|-----|-----------|
| Fill | 1.3 - 1.7 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |
| Native | 1.7 - 2.0 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |

| TP-06 | Depth (mbgs) | B | T | E | X | F1 | F2 | F3 | F4 | 17-Mar-20 |
|--------|--------------|--------|--------|--------|--------|-----|-----|-----|-----|-----------|
| Fill | 0.3 - 0.8 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |
| Native | 1.4 - 1.9 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |

| TP-09 | Depth (mbgs) | B | T | E | X | F1 | F2 | F3 | F4 | 17-Mar-20 |
|--------|--------------|--------|--------|--------|--------|-----|-----|------|------|-----------|
| Fill | 1.5 - 2.0 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |
| Native | 2.0 - 2.5 | <0.040 | <0.040 | <0.040 | <0.080 | <20 | <20 | <100 | <100 | |

| TP-14 | Depth (mbgs) | B | T | E | X | F1 | F2 | F3 | F4 | 17-Mar-20 |
|-------|--------------|--------|--------|--------|--------|-----|-----|-----|-----|-----------|
| Fill | 0.7 - 2.3 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |

| TP-15 | Depth (mbgs) | B | T | E | X | F1 | F2 | F3 | F4 | 17-Mar-20 |
|-------|--------------|--------|--------|--------|--------|-----|-----|-----|-----|-----------|
| Fill | 0.1 - 0.8 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | 560 | |

| TP-14 | Depth (mbgs) | B | T | E | X | F1 | F2 | F3 | F4 | 17-Mar-20 |
|-------|--------------|--------|--------|--------|--------|-----|-----|-----|-----|-----------|
| Fill | 0.7 - 2.3 | <0.020 | <0.020 | <0.020 | <0.040 | <10 | <10 | <50 | <50 | |

| PARAMETERS | ABBREVIATION | REG 153/04 TABLE 3 STANDARDS |
|---------------|--------------|------------------------------|
| Benzene | B | 0.17 |
| Toluene | T | 6 |
| Ethylbenzene | E | 15 |
| Total Xylenes | X | 25 |
| F1 | F1 (C6-C10) | 65 |
| F2 | F2 (C10-C16) | 150 |
| F3 | F3 (C16-C34) | 1300 |
| F4 | F4 (C34-C50) | 5600 |

STANDARDS APPLIED ARE FOR RESIDENTIAL PROPERTY USE AND COARSE TEXTURED SOIL.

LOCATION WHERE SOIL SAMPLE IS WITHIN O.REG 153/04 TABLE 3 STANDARDS FOR ALL PARAMETERS ANALYSED IS SHOWN IN GREEN.
 LOCATION WHERE SOIL SAMPLE EXCEEDS O.REG 153/04 TABLE 3 STANDARDS FOR AT LEAST ONE PARAMETER ANALYSED IS SHOWN IN RED.
 CONCENTRATION OF CONTAMINANT EXCEEDING TABLE 3 STANDARD SHOWN IN TEXT AS RED UNDERLINED.

mbgs - METERS BELOW GROUND SURFACE
 ALL RESULTS IN ug/g UNLESS OTHERWISE NOTED
 NA - NOT ANALYZED

LEGEND

- TEST PIT
- BOREHOLE
- PROPERTY LINE




EXP Services Inc.
 T: +1.613.688.1899 | F: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6
 Canada

- BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
- INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

| | | |
|--------------------|--------------------------------|---|
| DATE APRIL 2020 | CLIENT: 11654128 CANADA INC | project no. OTT-00258780-C0 |
| DESIGN L.W. | CHECKED C.K. | scale N.T.S. |
| DRAWN BY L.W. | | TITLE: SOIL ANALYTICAL RESULTS - PETROLEUM HYDROCARBONS |
| | | FIG 7A |

File name: e:\at\01\02\0258780\0160_execution\0165_drawing\proposed bh & tp layout.dwg
 User: Shawn
 Date: 2020/03/23 11:57 AM
 User: Shawn
 Date: 2020/03/23 11:57 AM
 Plotted by: CAUG
 Pen Table: exp.ctb



| PARAMETERS | ABBREVIATION | REG 153/04 TABLE 3 STANDARDS |
|---------------|--------------|------------------------------|
| Benzene | B | 0.17 |
| Toluene | T | 6 |
| Ethylbenzene | E | 15 |
| Total Xylenes | X | 25 |
| F1 | F1 (C6-C10) | 65 |
| F2 | F2 (C10-C16) | 150 |
| F3 | F3 (C16-C34) | 1300 |
| F4 | F4 (C34-C50) | 5600 |

STANDARDS APPLIED ARE FOR RESIDENTIAL PROPERTY USE AND COARSE TEXTURED SOIL.

LOCATION WHERE SOIL SAMPLE IS WITHIN O.REG 153/04 TABLE 3 STADARDS FOR ALL PARAMETERS ANALYSED IS SHOWN IN GREEN.

LOCATION WHERE SOIL SAMPLE EXCEEDS O.REG 153/04 TABLE 3 STADARDS FOR AT LEAST ONE PARAMETER ANALYSED IS SHOWN IN RED.

CONCENTRATION OF CONTAMINANT EXCEEDING TABLE 3 STANDARD SHOWN IN TEXT AS RED UNDERLINED.

mbgs - METERS BELOW GROUND SURFACE
 ALL RESULTS IN ug/g UNLESS OTHERWISE NOTED
 NA - NOT ANALYZED

LEGEND


- TOPSOIL
- FILL
- GACIAL TILL
- BEDROCK

EXP Services Inc.
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6
 Canada

www.exp.com

• BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
 • INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

| | | | | |
|------------------|---------------|---|--|------------------------------|
| DATE: APRIL 2020 | | CLIENT: 11654128 CANADA INC | | project no.: OTT-00258780-C0 |
| DESIGN: L.W. | CHECKED: C.K. | TITLE: SOIL ANALYTICAL RESULTS - PETROLEUM HYDROCARBONS | | scale: N.T.S. |
| DRAWN BY: L.W. | | FIG 6A | | |



| TP-08 | Depth (mbgs) | 17-Mar-20 | | | | | | | | | | | | | | | | | | | | |
|--------|--------------|-----------|------|----|------|---------|------|-------|----|-------|-----|----|-----|--------|-------|-----|-------|-------|-------|------|----|----|
| | | Sb | As | Ba | Be | B (HWS) | B | Cd | Cr | Cr IV | Co | Cu | Mo | Hg | Ni | Na | Se | Ag | Tl | U | V | Zn |
| Fill | 1.3 - 1.7 | <0.20 | <1.0 | 83 | 0.33 | 0.12 | <5.0 | <0.10 | 16 | <0.18 | 5.3 | 12 | 5.1 | <0.050 | <0.50 | 9.5 | <0.50 | <0.20 | 0.11 | 0.61 | 29 | 27 |
| Native | 1.7 - 2.0 | <0.20 | <1.0 | 80 | 0.30 | <0.050 | <5.0 | <0.10 | 15 | <0.18 | 5.2 | 11 | 3.8 | <0.050 | <0.50 | 10 | <0.50 | <0.20 | 0.093 | 0.52 | 27 | 25 |

| TP-06 | Depth (mbgs) | 17-Mar-20 | | | | | | | | | | | | | | | | | | | | |
|--------|--------------|-----------|-----|-----|------|---------|------|-------|----|-------|-----|-----|-----|--------|-------|-----|-------|-------|-------|------|----|----|
| | | Sb | As | Ba | Be | B (HWS) | B | Cd | Cr | Cr IV | Co | Cu | Pb | Hg | Mo | Ni | Se | Ag | Tl | U | V | Zn |
| Fill | 0.3 - 0.8 | 0.38 | 2.0 | 110 | 0.37 | 0.18 | <5.0 | 0.16 | 18 | <0.18 | 7.4 | 6.4 | 47 | <0.050 | <0.50 | 9.0 | <0.50 | <0.20 | 0.13 | 0.55 | 38 | 37 |
| Native | 1.4 - 1.9 | <0.20 | 1.2 | 48 | 0.21 | <0.050 | <5.0 | <0.10 | 14 | <0.18 | 5.2 | 13 | 3.1 | <0.050 | 1.2 | 8.9 | <0.50 | <0.20 | 0.075 | 1.1 | 28 | 23 |

| TP-09 | Depth (mbgs) | 17-Mar-20 | | | | | | | | | | | | | | | | | | | | |
|--------|--------------|-----------|------|-----|-------|---------|------|-------|-----|-------|------|-----|------|--------|-------|-----|-------|-------|-------|------|------|-----|
| | | Sb | As | Ba | Be | B (HWS) | B | Cd | Cr | Cr IV | Co | Cu | Mo | Hg | Ni | Na | Se | Ag | Tl | U | V | Zn |
| Fill | 1.5 - 2.0 | <0.20 | <1.0 | 59 | 0.24 | 0.085 | <5.0 | <0.10 | 13 | <0.18 | 4.5 | 10 | 5.0 | 0.058 | <0.50 | 8.0 | <0.50 | <0.20 | 0.080 | 0.62 | 26 | 26 |
| Native | 2.0 - 2.5 | <0.20 | <1.0 | 190 | <0.20 | 0.094 | <5.0 | <0.10 | 1.1 | <0.18 | 0.58 | 4.3 | <1.0 | <0.050 | 0.99 | 3.5 | <0.50 | <0.20 | 0.15 | 2.0 | <5.0 | 9.7 |

| TP-11 | Depth (mbgs) | 17-Mar-20 | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------|-----------|-----|----|------|---------|------|------|----|-------|-----|----|-----|--------|-------|-----|-------|-------|-------|------|----|----|
| | | Sb | As | Ba | Be | B (HWS) | B | Cd | Cr | Cr IV | Co | Cu | Mo | Hg | Ni | Na | Se | Ag | Tl | U | V | Zn |
| Fill | 0.9 - 1.4 | <0.20 | 1.3 | 65 | 0.35 | 0.11 | <5.0 | 0.11 | 15 | <0.18 | 5.2 | 10 | 9.0 | <0.050 | <0.50 | 9.3 | <0.50 | <0.20 | 0.10 | 0.52 | 29 | 33 |
| Duplicate | 0.9 - 1.4 | <0.20 | 1.4 | 65 | 0.35 | 0.08 | <5.0 | 0.15 | 16 | <0.18 | 5.4 | 10 | 8.9 | <0.050 | <0.50 | 9.8 | <0.50 | <0.20 | 0.087 | 0.50 | 29 | 34 |

| TP-15 | Depth (mbgs) | 17-Mar-20 | | | | | | | | | | | | | | | | | | | | |
|-------|--------------|-----------|-----|-----|------|---------|-----|------|----|-------|----|----|----|-------|------|----|-------|-------|------|------|----|----|
| | | Sb | As | Ba | Be | B (HWS) | B | Cd | Cr | Cr IV | Co | Cu | Mo | Hg | Ni | Na | Se | Ag | Tl | U | V | Zn |
| Fill | 0.1 - 0.8 | <0.20 | 3.5 | 110 | 0.66 | 0.11 | 5.6 | 0.29 | 24 | <0.18 | 11 | 13 | 20 | 0.067 | 0.67 | 18 | <0.50 | <0.20 | 0.27 | 0.58 | 46 | 66 |

| TP-14 | Depth (mbgs) | 17-Mar-20 | | | | | | | | | | | | | | | | | | | | |
|-------|--------------|-----------|-----|----|------|---------|-----|-------|----|-------|----|----|-----|--------|-------|----|-------|-------|------|------|----|----|
| | | Sb | As | Ba | Be | B (HWS) | B | Cd | Cr | Cr IV | Co | Cu | Mo | Hg | Ni | Na | Se | Ag | Tl | U | V | Zn |
| Fill | 0.7 - 2.3 | <0.20 | 2.7 | 66 | 0.56 | 0.055 | 5.3 | <0.10 | 18 | <0.18 | 11 | 15 | 7.1 | <0.050 | <0.50 | 15 | <0.50 | <0.20 | 0.25 | 0.65 | 42 | 69 |




| PARAMETERS | ABBREVIATION | REG 153/04 TABLE 3 STANDARDS |
|---------------------------|--------------|------------------------------|
| Antimony | Sb | 7.5 |
| Arsenic | As | 18 |
| Barium | Ba | 390 |
| Beryllium | Be | 5 |
| Boron (Hot Water Soluble) | B (HWS) | 1.5 |
| Boron | B | 120 |
| Cadmium | Cd | 1.2 |
| Chromium | Cr | 160 |
| Chromium IV | Cr IV | 8 |
| Cobalt | Co | 22 |
| Copper | Cu | 180 |
| Lead | Pb | 120 |
| Mercury | Hg | 0.27 |
| Molybdenum | Mo | 6.9 |
| Nickel | Ni | 130 |
| Selenium | Se | 2.4 |
| Silver | Ag | 25 |
| Thallium | Tl | 1 |
| Uranium | U | 23 |
| Vanadium | V | 86 |
| Zinc | Zn | 290 |

STANDARDS APPLIED ARE FOR RESIDENTIAL PROPERTY USE AND COARSE TEXTURED SOIL.

LOCATION WHERE SOIL SAMPLE IS WITHIN O.REG 153/04 TABLE 3 STANDARDS FOR ALL PARAMETERS ANALYSED IS SHOWN IN GREEN.
 LOCATION WHERE SOIL SAMPLE EXCEEDS O.REG 153/04 TABLE 3 STANDARDS FOR AT LEAST ONE PARAMETER ANALYSED IS SHOWN IN RED.
 CONCENTRATION OF CONTAMINANT EXCEEDING TABLE 3 STANDARD SHOWN IN TEXT AS RED UNDERLINED.

mbgs - METERS BELOW GROUND SURFACE
 ALL RESULTS IN ug/g UNLESS OTHERWISE NOTED
 NA - NOT ANALYZED

LEGEND

-  TEST PIT
-  BOREHOLE
-  PROPERTY LINE




EXP Services Inc.
 T: +1.613.688.1899 | F: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6
 Canada

- BUILDINGS • EARTH & ENVIRONMENT • ENERGY •
- INDUSTRIAL • INFRASTRUCTURE • SUSTAINABILITY •

| | | |
|--------------------|--------------------------------|--|
| DATE APRIL 2020 | CLIENT: 11654128 CANADA INC | project no. OTT-00258780-C0 |
| DESIGN L.W. | CHECKED C.K. | scale N.T.S. |
| DRAWN BY L.W. | | TITLE: SOIL ANALYTICAL RESULTS - METALS |
| | | FIG 8A |

File name: e:\at\01\02\258780\0160_execution\0165_drawing\proposed bh & to layout.dwg
 User: Shawn
 Date: 2020/03/23 11:35:22 AM
 Plot: 2020/03/23 11:35:22 AM
 Plotted by: CUG
 Pen Table: exp.ctb



STANDARDS APPLIED ARE FOR RESIDENTIAL PROPERTY USE AND COARSE TEXTURED SOIL.

LOCATION WHERE SOIL SAMPLE IS WITHIN O.REG 153/04 TABLE 3 STADARDS FOR ALL PARAMETERS ANALYSED IS SHOWN IN GREEN.

LOCATION WHERE SOIL SAMPLE EXCEEDS O.REG 153/04 TABLE 3 STADARDS FOR AT LEAST ONE PARAMETER ANALYSED IS SHOWN IN RED.

CONCENTRATION OF CONTAMINANT EXCEEDING TABLE 3 STANDARD SHOWN IN TEXT AS RED UNDERLINED.

mbgs - METERS BELOW GROUND SURFACE
 ALL RESULTS IN ug/g UNLESS OTHERWISE NOTED
 NA - NOT ANALYZED

LEGEND

- TOPSOIL
- FILL
- GACIAL TILL
- BEDROCK

EXP Services Inc.
 T: +1.613.688.1899 | F: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6
 Canada
 www.exp.com

DATE: APRIL 2020
 DESIGN: L.W.
 DRAWN BY: L.W.

CLIENT: 11654128 CANADA INC
 TITLE: SOIL ANALYTICAL RESULTS - METALS


project no.: OTT-00258780-C0
 scale: N.T.S.

FIG 7A

Appendix B : Survey Plan

METRIC
DISTANCES AND ELEVATIONS SHOWN ON THIS PLAN ARE IN METRES
AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

REGISTERED PLAN 4M-1597



TOPOGRAPHIC PLAN OF
PART OF LOT 23
CONCESSION 12
GEOGRAPHIC TOWNSHIP OF GOULBOURN
CITY OF OTTAWA

SCALE 1 : 500
0 10 20 30 40 50 metres
FAIRHALL, MOFFATT & WOODLAND LIMITED
ONTARIO LAND SURVEYORS

- ELEVATION NOTES**
- ELEVATIONS ARE REFERRED TO GEODETIC DATUM (CGVD28).
 - ELEVATIONS FOR MANHOLE COVERS AND CATCH BASINS HAVE TO BE INDEPENDENTLY CONFIRMED BEFORE THEY CAN BE ACCEPTED FOR FINAL DESIGN OR CONSTRUCTION PURPOSES.
 - IT IS THE RESPONSIBILITY OF THE USER OF THIS INFORMATION TO VERIFY THAT THE JOB BENCH MARK HAS NOT BEEN ALTERED OR DISTURBED AND THAT THE RELATIVE ELEVATION AND DESCRIPTION AGREE WITH THE INFORMATION SHOWN ON THIS DRAWING.

- UTILITY NOTES**
- UNDERGROUND UTILITY INFORMATION HAS BEEN COMPILED FROM PLANS P-0-16, P-7-13 AND RECORD DRAWING No. 131003-110 PROVIDED BY THE CITY OF OTTAWA AND CONFIRMED IN THE FIELD WHERE POSSIBLE.
 - THIS DRAWING CANNOT BE ACCEPTED AS ACKNOWLEDGING ALL OF THE UNDERGROUND UTILITIES AND IT WILL BE THE RESPONSIBILITY OF THE USER TO CONTACT THE RESPECTIVE UTILITY AUTHORITIES FOR CONFIRMATION OR LOCATION.
 - BEFORE ANY WORK INVOLVING PROBING, EXCAVATING, ETC. A FIELD LOCATION OF UNDERGROUND PLANT BY THE PERTINENT UTILITY AUTHORITY IS MANDATORY.

- NOTES**
- BOUNDARY DIMENSIONS HAVE BEEN TAKEN FROM PLAN 4R-23045.
 - THIS SURVEY WAS CARRIED OUT UNDER WINTER CONDITIONS.
 - THE CAD FILE IS REFERENCED TO THE MTM GRID SYSTEM, ZONE 9, NAD83 (ORIGINAL).
 - DISTANCES ARE GROUND AND CAN BE CONVERTED TO GRID BY MULTIPLYING BY THE COMBINED SCALE FACTOR 0.99991.

- LEGEND**
- Ø = DIAMETER
 - = DIAMETER
 - PIN = PROPERTY IDENTIFIER NUMBER
 - PT = PART
 - CB = CATCH BASIN
 - MH = MANHOLE
 - WV = WATER WALK
 - LS = LAMP STANDARD
 - L = LAMP
 - UP = UTILITY POLE
 - HH = HAND HOLE
 - BELP = BELL PEDESTAL
 - W = GUY WIRE AND ANCHOR
 - ▲ = SIGN
 - (with cross) = DECIDUOUS TREE
 - = OVERHEAD UTILITY WIRES
 - (with dots) = CURB (ELEVATIONS AT BOTTOM OF CURB, CURBS 0.15m HIGH)
 - (with dashes) = CURB (UNABLE TO LOCATE - ASSUMED)
 - (with dots) = STORM SEWER
 - (with dashes) = WATERMAIN
 - (with dots) = GAS LINE
 - (with dots) = BELL
 - (with dots) = TRAFFIC
 - (with dots) = STREET LIGHTING

DATE OF SURVEY: JANUARY 14, 2020.
Fairhall
Moffatt &
Woodland
Surveying and Land Information Services
235 TORONTO STREET, OTTAWA, ONTARIO K1P 6B3
TEL: (613) 581-1111 FAX: (613) 581-1495
www.fairhall.com

JOB No. 238800
REFERENCE No. 415(0) - 12 GOULBOURN
5\060\2000\0605 2020-01-15
tp388z.dwg (k5)

© COPYRIGHT 2020. REPRODUCTION, ALTERATION OR DISTRIBUTION
OF THIS PLAN WITHOUT THE WRITTEN CONSENT OF FAIRHALL,
MOFFATT & WOODLAND LIMITED IS PROHIBITED.

Appendix C : Sampling & Analysis Plan

OTT-00258780-C0
6171 Hazeldean Road, Ottawa, Ontario
Sampling and Analysis Plan

Project Objective

Future use of the property is intended to be residential. Based on a Phase One ESA completed by EXP, the previous use of the RSC property was not defined, based on the definitions outlined in Ontario Regulation 153/04. Regulation 153/04 requires that an RSC be filed if the proposed future land use is more sensitive than the previous use.

SAFETY FIRST

- Lead Safety Discussion
- All workers to orient themselves to site
- Plan sequence of drilling and take note of terrain conditions between BH/MW locations
- Check locates
- Review HASP
- Review forecast and plan for changing weather conditions

Drilling

A total of 6 BH will be drilled and piezometers will be installed in 2 of them. A total of 18 test pits will be excavated.

Based on the previous uses of the Phase Two property, the following on-site potentially contaminating activities (PCA) were identified:

- PCA #30 – Importation of Fill of Unknown Quality

No off-site PCA were identified.

Consequently, the following areas of potential environmental concern (APEC) were identified:

- APEC #1 – Entirety of Phase Two property

Drilling requirements are as follows:

- 6 boreholes to be drilled for geotechnical analysis, no soil samples will be taken during the drilling.
- One piezometer to be screened across in the overburden, one piezometer to be screened in the bedrock (3.0 metre screen).
- Bedrock is expected to be present between 0.5 to 4.5 mbgs across the site across the site.

- As drilling progresses, log stratigraphy, describing soil type, colour, staining, odour.

Excavation and soil sampling are as follows:

- All test pits to be excavated to bedrock/refusal.
- Bedrock is expected to be present between 0.5 to 4.5 mbgs across the site
- As drilling/excavation progresses, log each sample, describing soil type, colour, staining, odour, petroleum vapour.
- 2 soil samples from each test pit – 1 fill and 1 native/worst case (water table depth) – to be collected from each test pit. Ten samples shall be submitted for analysis of BTEX, PHC F1 to F4, ICPMS Metals, pH; one field duplicate shall be submitted for analysis of metals.

Locates

- See project folder and HASP binder.

Soil Sampling

- Soil samples should be submitted to Maxxam
- All soil samples should be submitted for analysis of BTEX, PHC F1 to F4, ICPMS metals
- All soil samples from the test pits should be submitted for analysis of pH (make sure the surficial sample is entirely above 1.5 m and the worst case sample is entirely below 1.5 m)
- Based on the above, there should be 10 samples and 1 field duplicate.

Soil Cuttings

- Soil cuttings may be left on site

Appendix D : Borehole Logs

Log of Borehole BH-01



Project No: OTT-00258780-B0

Figure No. 3

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 24, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CME 45 Track-Mounted Drill Rig

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at % Strain at Failure

Shelby Tube

Shear Strength by Penetrometer Test

Logged by: G.C. Checked by: I.T.

Shear Strength by Vane Test

| G W L | S O B Y L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|-----------------------|--|-------------------------|-----------------------|-----------------------------------|--|--|--|---|-----|-----|---------------------------------------|
| | | | | | kPa | | | | 250 | 500 | 750 | |
| | | | | | Shear Strength | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | FILL Sandy silt, trace gravel, trace clay, contains organics and rootlets, dark brown, moist (compact) | 117.1 | 0 | 14 | | | | | X | | SS1 |
| | | LIMESTONE BEDROCK Limestone with minor shaley laminations and turbidites, grey to dark grey, lightly weathered, moderate to closely spaced fractures, (poor to good quality) | 116.4 | 1 | | | | | | | | |
| | | | 115.08 | 2 | | | | | | | | |
| | | | | 3 | | | | | | | | |
| | | | | 4 | | | | | | | | |
| | | Borehole Terminated at 4.2 m Depth | 112.9 | 4 | | | | | | | | |

LOG OF BOREHOLE BH LOGS - 258780.GPJ TROW OTTAWA.GDT 7/23/20

- NOTES:
- Borehole data requires interpretation by EXP before use by others
 - Borehole backfilled upon completion of drilling.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - Log to be read with EXP Report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Date | Water Level (m) | Hole Open To (m) |
| March 24, 2020 | Dry | |
| May 14, 2020 | 1.2 | |
| July 2, 2020 | 2.0 | |

| CORE DRILLING RECORD | | | |
|----------------------|-------------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| 1 | 0.71 - 1.17 | 100 | 61 |
| 2 | 1.17 - 2.67 | 100 | 34 |
| 3 | 2.67 - 4.22 | 98 | 72 |

Log of Borehole BH-02



Project No: OTT-00258780-B0

Figure No. 4

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 24, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CME 45 Track-Mounted Drill Rig

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at % Strain at Failure

Shelby Tube

Shear Strength by Penetrometer Test

Logged by: G.C. Checked by: I.T.

Shear Strength by Vane Test

| GWL | SOIL DESCRIPTION | Geodetic Elevation m | Depth | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ | |
|-----|--|----------------------|-------|-----------------------------------|----|----|----|--|-----|-----|------------------------------------|-------|
| | | | | Shear Strength kPa | | | | 250 | 500 | 750 | | |
| | | | | 20 | 40 | 60 | 80 | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | | |
| | TOPSOIL ~150 mm thick | 119.1 | 0 | | | | | | | | | |
| | FILL Silty gravelly sand, trace clay, contains rootlets and organics, brown, moist, no odor | 119.0 | 0 | | | | | | | | | SS1 |
| | | | 1 | | | | | | | | | SS2 |
| | PEAT Organic, contains numerous bark pieces and roots, dark brown, very moist, no odor | 117.7 | 1 | | | | | | | | | SS3 |
| | | | 2 | | | | | | | | | 11.1 |
| | MARL Grey, very moist, no odor | 116.8 | 2 | | | | | | | | | SS4 |
| | | | 3 | | | | | | | | | SS5 |
| | GLACIAL TILL Gravelly sand, trace silt, trace clay, grey, moist, no odor (very dense) | 115.5 | 3 | | | | | | | | | Run 1 |
| | | | 4 | | | | | | | | | Run 2 |
| | LIMESTONE BEDROCK Limestone with minor shaley laminations and turbidites, grey to dark grey, lightly weathered, moderate to closely spaced fractures. (fair to good quality) | 115.3 | 4 | | | | | | | | | Run 3 |
| | | | 5 | | | | | | | | | |
| | | | 6 | | | | | | | | | |
| | | | 7 | | | | | | | | | |
| | Borehole Terminated at 7.2 m Depth | 111.9 | 7 | | | | | | | | | |

LOG OF BOREHOLE BH LOGS - 258780.GPJ TROW OTTAWA.GDT 7/23/20

- NOTES:
- Borehole data requires interpretation by EXP before use by others
 - Borehole backfilled upon completion of drilling.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - Log to be read with EXP Report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Date | Water Level (m) | Hole Open To (m) |
| March 24, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-------------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| 1 | 3.79 - 4.17 | 100 | 47 |
| 2 | 4.17 - 5.74 | 97 | 39 |
| 3 | 5.74 - 7.24 | 100 | 61 |

Log of Borehole BH-03



Project No: OTT-00258780-B0

Figure No. 5

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 24, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CME 45 Track-Mounted Drill Rig

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at


Shelby Tube

% Strain at Failure

Logged by: G.C. Checked by: I.T.

Shear Strength by Vane Test

Shear Strength by Penetrometer Test



LOG OF BOREHOLE BH LOGS - 258780.GPJ TROW OTTAWA.GDT 7/23/20

- NOTES:
- Borehole data requires interpretation by EXP before use by others
 - Borehole backfilled upon completion of drilling.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - Log to be read with EXP Report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Date | Water Level (m) | Hole Open To (m) |
| March 24, 2020 | Dry | |
| May 14, 2020 | 1.6 | |
| July 2, 2020 | 2.1 | |

| CORE DRILLING RECORD | | | |
|----------------------|-------------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| 1 | 2.03 - 3.2 | 48 | 26 |
| 2 | 3.2 - 3.45 | 100 | 0 |
| 3 | 3.45 - 4.62 | 61 | 30 |
| 4 | 4.62 - 6.15 | 85 | 48 |

Log of Borehole BH-05



Project No: OTT-00258780-B0

Figure No. 7

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 24, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CME 45 Track-Mounted Drill Rig

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at

Shelby Tube

% Strain at Failure

Logged by: G.C. Checked by: I.T.

Shear Strength by Vane Test

Shear Strength by Penetrometer Test

| GWL | SOIL | SOIL DESCRIPTION | Geodetic Elevation m | Depth | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ | |
|-----|------|---|----------------------|-------|-----------------------------------|-----|---------------|-----|--|-----|-----|------------------------------------|-----|
| | | | | | Shear Strength kPa | | | | 250 | 500 | 750 | | |
| | | | | | 20 | 40 | 60 | 80 | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | | |
| | | FILL Gravelly silty sand to sandy silt, cobbles and boulders, grey to brown, moist, no odor Frozen to 0.7 m depth | 116.5 | 0 | 50 | 100 | 150 | 200 | 50 for 130 mm | X | | | SS1 |
| | | | | 1 | 26 | | | | | X | | | SS2 |
| | | | | 2 | | | 60 for 280 mm | | | X | | | SS3 |
| | | PEAT TO ORGANIC SANDY SILT Numerous bark pieces and rootlets, dark brown to green grey, very moist, no odor | 114.2 | 2 | | | | | | X | | | SS4 |
| | | SILTY SAND Some sandy gravel seams or pockets grey to wet, no odor, (compact) | 113.75 | 3 | 15 | | | | | X | | | SS5 |
| | | | 113.5 | 4 | 24 | | | | | X | | | SS6 |
| | | | | 5 | 22 | | | | | X | | | SS7 |
| | | GLACIAL TILL Silty sand, grace gravel, grey, cobbles, occasional boulders, very moist to wet, no dor, (dense to very dense) | 111.2 | 6 | | | 41 | | | X | | | SS8 |
| | | Refusal to Augers at 6.2 m Depth | 110.3 | 6 | | | 50 for 80 mm | | | X | | | SS9 |

LOG OF BOREHOLE BH LOGS - 258780.GPJ TROW OTTAWA.GDT 7/23/20

- NOTES:
- Borehole data requires interpretation by EXP before use by others
 - A 32 mm diameter monitoring well installed as shown.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - Log to be read with EXP Report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Date | Water Level (m) | Hole Open To (m) |
| March 24, 2020 | Dry | |
| May 14, 2020 | 2.4 | |
| July 2, 2020 | 2.8 | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Borehole BH-06



Project No: OTT-00258780-B0

Figure No. 8

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 24, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CME 45 Track-Mounted Drill Rig

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at

Shelby Tube

% Strain at Failure

Logged by: G.C. Checked by: I.T.

Shear Strength by Vane Test

Shear Strength by Penetrometer Test

| G W L | S O B Y L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ | |
|-------------|-----------------------|--|-------------------------|-----------------------|-----------------------------------|----|----|----|---|-----|-----|---------------------------------------|-----|
| | | | | | Shear Strength | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | | |
| | | TOPSOIL ~200 mm, frozen | 120.5 120.3 | 0 | | | | | | | | | |
| | | FILL Sandy silt, trace grave and clay, rootlets and organics, brown, moist, no odor (compact) Frozen to 0.4 m depth | 119.8 | 1 | 25 | | | | | X | X | | SS1 |
| | | TILL Gravelly silty sand, trace clay, numerous cobbles and boulders, brown, moist, no odor (very dense) | | 2 | | 66 | | | | X | | | SS2 |
| | | | | 3 | | | | | | X | | | SS3 |
| | | | | 4 | | | | | | | | | SS4 |
| | | | | 5 | | | | | | X | | | SS5 |
| | | Refusal to Augers at 3.60 m Depth | 116.9 | | | | | | | | | | |

LOG OF BOREHOLE BH LOGS - 258780.GPJ TROW OTTAWA.GDT 7/23/20

- NOTES:
- Borehole data requires interpretation by EXP before use by others
 - Borehole backfilled upon completion of drilling.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - Log to be read with EXP Report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Date | Water Level (m) | Hole Open To (m) |
| March 24, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-03



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 9
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S Y M B O L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | N a t u r a l U n i t W t. k N /m ³ |
|-------------|----------------------------|--|----------------------------|----------------------------|-----------------------------------|-----|-----|-----|---|-----|-----|---|
| | | | | | kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | X | FILL Gravelly sand to silty sand, some cobbles and boulders, clayey silt inclusions, brown, moist, no odor | 116.2 | 0 | 50 | 100 | 150 | 200 | | | | |
| | | Refusal to Excavator Bucket at 0.6 m Depth on Inferred Bedrock | 115.6 | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:**
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-04



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 10
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S Y M B O L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|----------------------------|---|-------------------------|----------------------------|-----------------------------------|----|----|----|---|-----|-----|---------------------------------------|
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | FILL Gravelly sand to silty sand, cobbles and boulders, some clayey silt inclusions, brown, moist | 117.2 | 0 | | | | | | | | |
| | | Refusal to Excavator Bucket at 0.5 m Depth on Inferred Bedrock | 116.7 | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-05



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 11
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S Y M B O L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|----------------------------|---|-------------------------|----------------------------|-----------------------------------|----|----|----|---|-----|-----|---------------------------------------|
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | TOPSOIL ~100 mm thick | 117.6 | 0 | | | | | | | | |
| | | FILL Silty sand, some gravel, brown, moist, no odor | 117.5 | | | | | | | | | |
| | | Refusal to Excavator Bucket at 0.3 m Depth on Inferred Bedrock | 117.3 | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

NOTES:
 1. Borehole/Test Pit data requires Interpretation by exp. before use by others
 2. Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 3. Field work supervised by an EXP representative.
 4. See Notes on Sample Descriptions
 5. This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-06



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 12
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| GWL | SOIL | SOIL DESCRIPTION | Geodetic Elevation m | Depth m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-----|------|--|-------------------------|------------|-----------------------------------|--|--|--|---|-----|-----|---------------------------------------|
| | | | | | kPa | | | | 250 | 500 | 750 | |
| | | | | | Shear Strength | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | FILL Gravelly sand to silty sand, cobbles and boulders, rootlets and organics, brown, moist, no odor | 118.1 | 0 | | | | | | | | |
| | | PEAT Numerous bark pieces and rootlets, dark brown, very moist, no odor | 117.3 | 1 | | | | | | | | |
| | | MARL Green-grey, minor oxidization staining, very moist, no odor | 116.7 | | | | | | | | | |
| | | | 116.4 | | | | | | | | | |
| | | Refusal to Excavator Bucket at 1.9 m Depth on Inferred Bedrock | 116.2 | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | 1.7 | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-07



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 13
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S O I L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|------------------|--|-------------------------|-----------------------|-----------------------------------|----|----|----|----------------------------------|-----|-----|---------------------------------------|
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | FILL Gravelly sand to sandy silt, some clay, cobbles and boulders, brown, moist | 117.6 | 0 | | | | | | | | |
| | | FILL Silty sand, some gravel, cobbles, boulders and wood pieces, brown, moist | 117.0 | | | | | | | | | |
| | | PEAT Organic, numerous bark pieces and rootlets, dark brown, very moist, no odor | 116.3 | 1 | | | | | | | | |
| | | GLACIAL TILL Gravelly silty sand, numerous cobbles and boulders, grey, wet | 116.1 | | | | | | | | | |
| | | Refusal to Excavator Bucket at 2.3 m Depth on Inferred Bedrock | 115.3 | 2 | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-08



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 14
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S O I L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|------------------|---|-------------------------|----------------------------|-----------------------------------|----|----|----|---|-----|-----|---------------------------------------|
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | FILL Gravelly sand to silty sand, cobbles, boulders and wood pieces, brown, moist | 118.8 | 0 | | | | | | | | |
| | | PEAT Organic, numerous bark pieces and rootlets, dark brown, very moist, no odor | 117.6 | 1 | | | | | | | | GS1 |
| | | MARL Green-grey to grey, oxidized stains, very moist to wet, no odor | 117.1 | | | | | | | | | GS2 |
| | | GLACIAL TILL Gravelly sand, some silt, numerous cobbles and boulders, grey, wet | 116.8 | 2 | | | | | | | | |
| | | Refusal to Excavator Bucket at 2.5 m Depth on Inferred Bedrock | 116.3 | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

NOTES:
 1. Borehole/Test Pit data requires Interpretation by exp. before use by others
 2. Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 3. Field work supervised by an EXP representative.
 4. See Notes on Sample Descriptions
 5. This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-09



Project No: OTT-00258780-B0

Figure No. 15

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 17, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CAT 320D Excavator

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at % Strain at Failure

Shelby Tube

Shear Strength by Vane Test

Shear Strength by Penetrometer Test

Logged by: G.C. Checked by: I.T.

| G W L | S O I L D E S C R I P T I O N | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|---|----------------------------|----------------------------|-----------------------------------|--|--|--|---|-----|-----|--|
| | | | | kPa | | | | 250 | 500 | 750 | |
| | | | | Shear Strength | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | FILL Gravelly sand, trace silt, brown, moist, no odor | 118.8 | 0 | | | | | | | | |
| | FILL Silty sand, some gravel, contains cobbles and boulders, contains wood pieces, brown, moist | 118.5 | | | | | | | | | |
| | MARL Green grey, moist | 117.6 | 1 | | | | | | | | |
| | PEAT Numerous bark pieces and rootlets, dark brown, very moist, no odor | 117.3 | | | | | | | | | |
| | CLAY CRUST Silty clay, trace sand and gravel, light brown, no odor | 116.8 | 2 | | | | | | | | GS1 |
| | MARL Green-grey to dark grey, very moist, no odor | 116.3 | | | | | | | | | GS2 |
| | Refusal to Excavator Bucket at 3.1 m Depth on Inferred Bedrock | 115.7 | 3 | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

NOTES:
 1. Borehole/Test Pit data requires Interpretation by exp. before use by others
 2. Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 3. Field work supervised by an EXP representative.
 4. See Notes on Sample Descriptions
 5. This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-10



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 16
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S O I L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|------------------|--|-------------------------|----------------------------|-----------------------------------|----|----|----|---|-----|-----|---------------------------------------|
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | FILL Silty sand, some gravel and frequent wood pieces, brown, moist | 118.7 | 0 | | | | | | | | GS1 |
| | | FILL Silty gravelly sand, numerous cobbles and boulders, brown, moist to wet | 117.6 | 1 | | | | | | | | |
| | | Refusal to Excavator Bucket at 2.3 m Depth on Inferred Bedrock | 116.4 | 2 | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:**
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-11



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 17
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| GWL | SOIL | SOIL DESCRIPTION | Geodetic Elevation (m) | Depth (m) | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-----|------|--|------------------------|-----------|-----------------------------------|----|----|----|----------------------------------|-----|-----|------------------------------------|
| | | | | | Shear Strength (kPa) | | | | Natural Moisture Content % | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | TOPSOIL ~ 100 mm | 119.2 119.1 | 0 | | | | | | | | |
| | | FILL Silty gravelly sand, contains numerous cobbles and boulders, large concrete slabs throughout, brown, moist to wet | | 1 | | | | | | | | |
| | | Refusal to Excavator Bucket at 1.4 m Depth on Inferred Bedrock | 117.8 | | | | | | X | | | GS1 |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | 0.9 | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-12



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 18
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| GWL | SOIL | SOIL DESCRIPTION | Geodetic Elevation (m) | Depth (m) | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-----|------|--|------------------------|-----------|-----------------------------------|----|----|----|----------------------------------|-----|-----|------------------------------------|
| | | | | | Shear Strength (kPa) | | | | Natural Moisture Content % | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | TOPSOIL ~150 mm | 119.6 | 0 | | | | | | | | |
| | | FILL Silty sand, some gravel, cobbles, boulders and wood pieces, brown, moist | 119.5 | | | | | | | | | |
| | | | 118.4 | 1 | | | | | | | | |
| | | | 117.6 | 2 | | | | | | | | |
| | | PEAT Organic, numerous bark pieces and rootlets, dark brown, very moist, no odor | 117.3 | | | | | | | | | GS1 |
| | | Refusal to Excavator Bucket at 2.3 m Depth on Inferred Bedrock | | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | 1.2 | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-13



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 19
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S O I L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | NATURAL UNIT WT. kN/m ³ |
|-------------|------------------|--|-------------------------|----------------------------|-----------------------------------|----|----|----|----------------------------------|-----|-----|------------------------------------|
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | TOPSOIL ~ 220 mm | 119.4 | 0 | | | | | | | | |
| | | FILL Silty gravelly sand, numerous cobbles and boulders, large concrete slabs throughout, brown, moist to wet, no odor | 119.2 | | | | | | | | | |
| | | | | 1 | | | | | | | | |
| | | | | 2 | | | | | | | | |
| | | | 116.8 | | | | | | | | | |
| | | Refusal to Excavator Bucket at 2.9 m Depth on Inferred Bedrock | 116.5 | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/15/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | 2.6 | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-14



Project No: OTT-00258780-B0

Figure No. 20

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 17, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CAT 320D Excavator

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at % Strain at Failure

Shelby Tube

Shear Strength by Penetrometer Test

Logged by: G.C. Checked by: I.T.

Shear Strength by Vane Test

| G W L | S O I L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | N a t u r a l U n i t W t. kN/m ³ |
|-------------|------------------|---|----------------------------|----------------------------|-----------------------------------|-----|-----|-----|---|-----|-----|---|
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | FILL Granular fill over silty sand and gravel, wood pieces, brown, moist, no odor | 120.1 | 0 | 50 | 100 | 150 | 200 | | | | |
| | | BOULDERS AND COBBLES FILL Some silty sand inclusions - possible till in lower levels | 119.4 | 1 | | | | | | | | |
| | | Refusal to Excavator Bucket at 2.3 m Depth on Inferred Bedrock | 117.8 | 2 | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-15



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 21
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| GWL | SOIL | SOIL DESCRIPTION | Geodetic Elevation m | Depth m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-----|------|---|-------------------------|------------|-----------------------------------|-----|-----|-----|---|-----|-----|---------------------------------------|
| | | | | | | | | | 250 | 500 | 750 | |
| | | | | | | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | | | | Shear Strength kPa | | | | | | | |
| | | | | | 50 | 100 | 150 | 200 | 20 | 40 | 60 | |
| | X | FILL Granular fill (150mm) OVER silty sand with gravel, rootlets and asphalt pieces, cobbles and bluders below 0.8 m depth, brown, moist, no odor | 120.2 | 0 | | | | | | | | |
| | | | | 1 | | | | | | | | |
| | X | PEAT Organic, numerous bark pieces and roots, dark brown, very moist, no odor | 118.8 | | | | | | | | | |
| | X | GLACIAL TILL Gravelly sand, trace silt and gravel, oxidized stains, numerous cobbles and boulders, brown, wet | 118.5 | | | | | | | | | |
| | | Refusal to Excavator Bucket at 2.2 m Depth on Inferred Bedrock | 118.0 | 2 | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/5/20

- NOTES:**
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-16



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 22
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S O B L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | S O I L T E M P E R A T U R E | Natural Unit Wt. kN/m ³ |
|-------------|------------------|--|----------------------------|-----------------------|-----------------------------------|-----|-----|-----|---|--|--|---|--|
| | | | | | | | | | 250 500 750 | | | | |
| | | | | | Shear Strength | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | | |
| | | FILL Silty sand, some gravel, wood pieces throughout, brown, moist | 119.9 | 0 | 20 | 40 | 60 | 80 | | | | | |
| | | SILTY SAND (POSSIBLE TILL) Silty gravelly sand, numerous cobbles and boulders, brown, moist to wet | 118.9 | 1 | 50 | 100 | 150 | 200 | | | | | |
| | | Refusal to Excavator Bucket at 1.8 m Depth on Inferred Bedrock | 118.1 | | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/23/20

- NOTES:**
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-17



Project No: OTT-00258780-B0
 Project: Geotechnical Investigation - Proposed Residential Development
 Location: 6171 Hazeldean Road, Ottawa, Ontario
 Date Drilled: March 17, 2020
 Drill Type: CAT 320D Excavator
 Datum: Geodetic Elevation
 Logged by: G.C. Checked by: I.T.

Figure No. 23
 Page. 1 of 1

- Split Spoon Sample
- Auger Sample
- SPT (N) Value
- Dynamic Cone Test
- Shelby Tube
- Shear Strength by Vane Test
- Combustible Vapour Reading
- Natural Moisture Content
- Atterberg Limits
- Undrained Triaxial at % Strain at Failure
- Shear Strength by Penetrometer Test

| G W L | S O I L | SOIL DESCRIPTION | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|------------------|---|-------------------------|----------------------------|-----------------------------------|----|----|----|---|-----|-----|---------------------------------------|
| | | | | | Shear Strength kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | | FILL 150 mm granular fill OVER silty sand and gravel, rootlers, brown, moist, no odor | 120.5 | 0 | | | | | | | | |
| | | BOULDERS AND COBBLES FILL Gravelly silty sand inclusions, some wood pieces, moist | 120.0 | | | | | | | | | |
| | | SILTY GRAVELLY SAND (POSSIBLE TILL) numerous cobbles and boulders, brown, wet | 118.9 | 1 | | | | | | | | |
| | | | | 2 | | | | | | | | |
| | | | | 3 | | | | | | | | |
| | | | 117.4 | 4 | | | | | | | | |
| | | | | | | | | | | | | |
| | | Refusal to Excavator Bucket at 4.2m Depth on Inferred Bedrock | 116.3 | | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA GDT 7/23/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | 3.1 | |

| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |

Log of Test Pit TP-18



Project No: OTT-00258780-B0

Figure No. 24

Project: Geotechnical Investigation - Proposed Residential Development

Page. 1 of 1

Location: 6171 Hazeldean Road, Ottawa, Ontario

Date Drilled: March 17, 2020

Split Spoon Sample

Combustible Vapour Reading

Drill Type: CAT 320D Excavator

Auger Sample

Natural Moisture Content

SPT (N) Value

Atterberg Limits

Datum: Geodetic Elevation

Dynamic Cone Test

Undrained Triaxial at % Strain at Failure

Shelby Tube

Shear Strength by Penetrometer Test

Logged by: G.C. Checked by: I.T.

Shear Strength by Vane Test

| G W L | S O I L D E S C R I P T I O N | Geodetic Elevation m | D e p t h m | Standard Penetration Test N Value | | | | Combustible Vapour Reading (ppm) | | | Natural Unit Wt. kN/m ³ |
|-------------|---|----------------------------|----------------------------|-----------------------------------|----|----|----|---|-----|-----|--|
| | | | | Shear Strength kPa | | | | Natural Moisture Content % Atterberg Limits (% Dry Weight) | | | |
| | | | | 20 | 40 | 60 | 80 | 250 | 500 | 750 | |
| | FILL Granular fill OVER Silty sand with some gravel, brown, moist, no odor | 120.8 | 0 | | | | | | | | |
| | BOULDERS AND COBBLES FILL Gravelly silty sand inclusions, brown, moist | 120.3 | | | | | | | | | |
| | SILTY GRAVELLY SAND (POSSIBLE TILL) Numerous boulders and cobbles, brown, moist | 118.8 | 2 | | | | | | | | |
| | Refusal to Excavator Bucket at 3.7 m Depth on Inferred Bedrock | 117.1 | 3 | | | | | | | | |

LOG OF TEST PIT TP LOGS - 258780.GPJ TROW OTTAWA.GDT 7/23/20

- NOTES:
- Borehole/Test Pit data requires Interpretation by exp. before use by others
 - Test pit backfilled with excavated material and nominally compacted using excavator bucket.
 - Field work supervised by an EXP representative.
 - See Notes on Sample Descriptions
 - This Figure is to read with exp. Services Inc. report OTT-00258780-B0

| WATER LEVEL RECORDS | | |
|---------------------|-----------------|------------------|
| Elapsed Time | Water Level (m) | Hole Open To (m) |
| March 17, 2020 | Dry | |


| CORE DRILLING RECORD | | | |
|----------------------|-----------|--------|-------|
| Run No. | Depth (m) | % Rec. | RQD % |
| | | | |



Grain-Size Distribution Curve Method of Test For Particle Size Analysis of Soil ASTM C-136/ASTM D422

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6

Unified Soil Classification System



| | | | | | |
|----------------------|---------------------------------|--------------------|---|-----------------|----|
| EXP Project No.: | OTT-00258780-B0 | Project Name : | Geotechnical Investigation - Proposed Residential Development | | |
| Client : | 11654128 Canada Inc. | Project Location : | 6171 Hazeldean Rd, Ottawa, ON | | |
| Date Sampled : | March 20, 2020 | Borehole No: | BH2 | Sample No.: SS2 | |
| Sample Description : | % Silt and Clay | 24 | % Sand | 50 | |
| Sample Description : | | | % Gravel | 26 | |
| Sample Description : | Silty Gravelly Sand (SM) | | | Figure : | 25 |




Grain-Size Distribution Curve Method of Test For Sieve Analysis of Aggregate ASTM C-136

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6

Unified Soil Classification System

| CLAY AND SILT | SAND | | | GRAVEL | |
|---------------|------|--------|--------|--------|--------|
| | Fine | Medium | Coarse | Fine | Coarse |




| | | | | |
|----------------------|--------------------------------------|--------------------|---|-------------|
| EXP Project No.: | OTT-00258780-B0 | Project Name : | Geotechnical Investigation - Proposed Residential Development | |
| Client : | 11654128 Canada Inc. | Project Location : | 6171 Hazeldean Rd, Ottawa, ON | |
| Date Sampled : | March 24, 2020 | Borehole No: | BH3 | Sample: SS2 |
| | | Depth (m) : | 0.8-1.4 | |
| Sample Composition : | Gravel (%) | 51 | Sand (%) | 39 |
| | | Silt & Clay (%) | 10 | |
| Sample Description : | Well Graded Sandy Gravel (GW) | | | Figure : |
| | | | | 26 |



Grain-Size Distribution Curve Method of Test For Particle Size Analysis of Soil ASTM C-136/ASTM D422

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6

Unified Soil Classification System




| | | | | | | | |
|----------------------|---------------------------------|--------------------|---|-------------|----------|-------------|-------------|
| EXP Project No.: | OTT-00258780-B0 | Project Name : | Geotechnical Investigation - Proposed Residential Development | | | | |
| Client : | 11654128 Canada Inc. | Project Location : | 6171 Hazeldean Rd, Ottawa, ON | | | | |
| Date Sampled : | March 24, 2020 | Borehole No: | BH4 | Sample No.: | SS1 | Depth (m) : | 0-0.6 |
| Sample Description : | % Silt and Clay | 31 | % Sand | 47 | % Gravel | 22 | Figure : 27 |
| Sample Description : | Silty Gravelly Sand (SM) | | | | | | |



Grain-Size Distribution Curve Method of Test For Sieve Analysis of Aggregate ASTM C-136

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6

Unified Soil Classification System




| | | | | | | |
|----------------------|------------------------------|--------------------|---|-------------|---------------------|---|
| EXP Project No.: | OTT-00258780-B0 | Project Name : | Geotechnical Investigation - Proposed Residential Development | | | |
| Client : | 11654128 Canada Inc. | Project Location : | 6171 Hazeldean Rd, Ottawa, ON | | | |
| Date Sampled : | March 17, 2020 | Borehole No: | TP14 | Sample: AS1 | Depth (m) : 0 - 0.6 | |
| Sample Composition : | Gravel (%) | 7 | Sand (%) | 86 | Silt & Clay (%) | 7 |
| Sample Description : | Well Graded Sand (SW) | | | | Figure : 28 | |



Grain-Size Distribution Curve Method of Test For Particle Size Analysis of Soil ASTM C-136/ASTM D422

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6

Unified Soil Classification System




| | | | | | |
|----------------------|------------------------|--------------------|---|-----------------|----|
| EXP Project No.: | OTT-00258780-B0 | Project Name : | Geotechnical Investigation - Proposed Residential Development | | |
| Client : | 11654128 Canada Inc. | Project Location : | 6171 Hazeldean Rd, Ottawa, ON | | |
| Date Sampled : | March 24, 2020 | Borehole No: | BH5 | Sample No.: SS6 | |
| Sample Description : | % Silt and Clay | 43 | % Sand | 56 | |
| Sample Description : | | | % Gravel | 1 | |
| Sample Description : | Silty Sand (SM) | | | Figure : | 29 |




Grain-Size Distribution Curve Method of Test For Particle Size Analysis of Soil ASTM C-136/ASTM D422

EXP Services Inc.
100-2650 Queensview Drive
Ottawa, ON K2B 8H6

Unified Soil Classification System



| | | | | | | | |
|----------------------|--------------------------|--------------------|---|-------------|----------|-------------|-------------|
| EXP Project No.: | OTT-00258780-B0 | Project Name : | Geotechnical Investigation - Proposed Residential Development | | | | |
| Client : | 1165128 Canada Inc. | Project Location : | 6171 Hazeldean Rd, Ottawa, ON | | | | |
| Date Sampled : | March 24, 2020 | Borehole No: | BH6 | Sample No.: | SS5 | Depth (m) : | 3.0-3.6 |
| Sample Description : | % Silt and Clay | 17 | % Sand | 44 | % Gravel | 39 | Figure : 30 |
| Sample Description : | Silty Sand & Gravel (SM) | | | | | | |



DRY BEDROCK CORES



WET BEDROCK CORES

| | | | |
|-----------------------------|--|---|-------------------------------------|
| Borehole No. BH-1 | Core Runs Run 1 : 0.7 - 1.2 m Run 2 : 1.2 - 2.7 m Run 3 > 2.7 - 4.2 m | Project Name: Proposed Residential Development. 6171 Hazeldean Road, Ottawa, ON | Project No: OTT-000258780-B0 |
| | | ROCK CORE PHOTOGRAPHS | |

3.8 m

4.2 m

5.7 m

7.2 m

DRY BEDROCK CORES

3.8 m

4.2 m

5.7 m

7.2 m

WET BEDROCK CORES

| | | | |
|-----------------------------|---|--|-------------------------------------|
| Borehole No. BH-2 | Core Runs Run 1 : 3.8 - 4.2 m Run 2 : 4.2 - 5.7 m Run 3: 5.7 - 7.2 m | Project Name: Proposed Residential Development. 6171 Hazeldean Road, Ottawa, ON | Project No: OTT-000258780-B0 |
| | | ROCK CORE PHOTOGRAPHS | Figure No: Fig 32 |

2.0 m

3.2 m

3.5 m

4.2 m

6.2 m

DRY BEDROCK CORES

2.0 m

3.5 m

4.2 m

6.2 m

WET BEDROCK CORES

| | | | |
|-----------------------------|---|--|-------------------------------------|
| Borehole No. BH-3 | Core Runs Run 1 : 2.0 - 3.2 m Run 2 : 3.2 - 3.5 m Run 3: 3.5 - 4.6 m Run 4: 4.6 - 6.2 m | Project Name: Propsoed Residential Development. 6171 Hazeldean Road, Ottawa, ON | Project No: OTT-000258780-B0 |
| | | ROCK CORE PHOTOGRAPHS | |

Appendix E : Analytical Summary Tables

Table 1 - Petroleum Hydrocarbons in Soil
 6171 Hazeldean Road, Ottawa, Ontario
 OTT-00258780-C0

| Sample ID | Units | MECP Table 1 SCS ¹ Residential | MECP Table 3 SCS ² Residential | TP06-Fill | TP06-Native | TP08-Fill | TP08-Native | TP09-Fill | TP09-Native | TP10-Fill | TP10-Native | TP14-Fill | TP15-Fill | | |
|------------------------------------|-------|--|--|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-----------|-----------|-----------|
| Sampling Date | | | | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 |
| Sample Depth (mbgs) | | | | 0.3 - 0.8 | 1.4 - 1.9 | 1.3 - 1.7 | 1.7 - 2.0 | 1.5 - 2.0 | 2.0 - 2.5 | 0.8 - 1.2 | 1.5 - 2.0 | 0.7 - 2.3 | 0.1 - 0.8 | | |
| Laboratory ID | | | | MHA371 | MHA372 | MHA373 | MHA374 | MHA375 | MHA376 | MHA377 | 1.5 - 2.0 | MHA379 | MHA380 | | |
| Date of Analysis | | | | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | | |
| Laboratory Certificate of Analysis | | | | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | | |
| Benzene | ug/g | 0.02 | 0.17 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.040 | <0.020 | <0.020 | <0.020 | | |
| Toluene | ug/g | 0.2 | 6 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.040 | <0.020 | <0.020 | <0.020 | <0.020 | | |
| Ethylbenzene | ug/g | 0.05 | 15 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.040 | <0.020 | <0.020 | <0.020 | <0.020 | | |
| Total Xylenes | ug/g | 0.05 | 25 | <0.040 | <0.040 | <0.040 | <0.040 | <0.040 | <0.080 | <0.040 | <0.040 | <0.040 | <0.040 | | |
| F1 (C6-C10) - BTEX* | ug/g | 25 | 65 | <10 | <10 | <10 | <10 | <10 | <20 | <10 | <10 | <10 | <10 | | |
| F2 (C10-C16) | ug/g | 10 | 150 | <10 | <10 | <10 | <10 | <10 | <20 | <10 | <10 | <10 | <10 | | |
| F3 (C16-C34) | ug/g | 240 | 1300 | <50 | <50 | <50 | <50 | <50 | <100 | <50 | <50 | <50 | <50 | | |
| F4 (C34-C50)** | ug/g | 120 | 5600 | <50 | <50 | <50 | <50 | <50 | <100 | <50 | <50 | <50 | 560 | | |

NOTES:

- 1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 1 Full Depth Background Site Condition Standards (SCS) for Residential/Parkland/Institutional property use and coarse textured soils.
- 2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 3 Full Depth Generic Site Condition Standards (SCS) in a Potable Ground Water Condition for Residential/Parkland/Institutional property use and coarse textured soils.
- All results are reported in ppm (ug/g) unless otherwise indicated.
- * F1 fraction does not include BTEX.
- ** In instances where the PHC F2 to F4 chromatogram did not reach baseline, the F4 fraction result shown is the highest value obtained via the gas chromatograph/flame ionization detection method or the gravimetric method.
- <(RDL) Non-detectable results are shown as "< (RDL)" where RDL represents the reporting detection limit.
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Indicates soil exceedance of MECP Table 1 SCS for Residential/Parkland/Institutional property use
- Indicates soil exceedance of MECP Table 3 SCS for Residential/Parkland/Institutional property use
- Indicates RDL exceedance of MECP Table 1 SCS for Residential/Parkland/Institutional property use

Table 2 - Inorganic Parameters in Soil
 6171 Hazeldean Road, Ottawa, Ontario
 OTT-00258780-C0

| Sample ID | Units | MECP Table 1 SCS ¹ Residential | MECP Table 3 SCS ² Residential | TP06-Fill | TP06-Native | TP08-Fill | TP08-Native | TP09-Fill | TP09-Native | TP10-Fill | TP10-Native | TP11-Fill | TP21-Fill (Field Duplicate of TP11-Fill) | TP14-Fill | TP15-Fill | |
|------------------------------------|---------|--|--|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|--|-----------|-----------|-----------|
| Sampling Date | | | | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 | 1.5 - 2.0 | 17-Mar-20 | 17-Mar-20 | 17-Mar-20 |
| Sample Depth (mbgs) | | | | 0.3 - 0.8 | 1.4 - 1.9 | 1.3 - 1.7 | 1.7 - 2.0 | 1.5 - 2.0 | 2.0 - 2.5 | 0.8 - 1.2 | 1.5 - 2.0 | 0.9 - 1.4 | 0.9 - 1.4 | 0.7 - 2.3 | 0.1 - 0.8 | |
| Laboratory ID | | | | MHA371 | MHA372 | MHA373 | MHA374 | MHA375 | MHA376 | MHA377 | MHA378 | MIA870 | MIA871 | MHA379 | MHA380 | |
| Date of Analysis | | | | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 25-Mar-20 | 1-Apr-20 | 1-Apr-20 | 25-Mar-20 | 25-Mar-20 | |
| Laboratory Certificate of Analysis | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C073569 | C078311 | C078311 | C073569 | C073569 | | | |
| Metals | | | | | | | | | | | | | | | | |
| Antimony | ug/g | 1.3 | 7.5 | 0.38 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | |
| Arsenic | ug/g | 18 | 18 | 2.0 | 1.2 | <1.0 | <1.0 | <1.0 | <1.0 | 1.1 | <1.0 | 1.3 | 1.4 | 2.7 | 3.5 | |
| Barium | ug/g | 220 | 390 | 110 | 48 | 83 | 80 | 59 | 190 | 85 | 53 | 65 | 65 | 66 | 110 | |
| Beryllium | ug/g | 2.5 | 5 | 0.37 | 0.21 | 0.33 | 0.30 | 0.24 | <0.20 | 0.41 | 0.23 | 0.35 | 0.35 | 0.56 | 0.66 | |
| Boron (HWS) | ug/g | NV | 1.5 | 0.18 | <0.050 | 0.12 | <0.050 | 0.085 | 0.094 | 0.13 | <0.050 | 0.11 | 0.08 | 0.055 | 0.11 | |
| Boron (Total) | ug/g | 36 | 120 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | 5.3 | 5.6 | |
| Cadmium | ug/g | 1.2 | 1.2 | 0.16 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | 0.11 | 0.15 | <0.10 | 0.29 | |
| Chromium | ug/g | 70 | 160 | 18 | 14 | 16 | 15 | 13 | 1.1 | 19 | 16 | 15 | 16 | 18 | 24 | |
| Chromium VI | ug/g | 0.66 | 8 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | <0.18 | |
| Cobalt | ug/g | 21 | 22 | 7.4 | 5.2 | 5.3 | 5.2 | 4.5 | 0.58 | 7.5 | 9.2 | 5.2 | 5.4 | 11 | 11 | |
| Copper | ug/g | 92 | 180 | 6.4 | 13 | 12 | 11 | 10 | 4.3 | 13 | 24 | 10 | 10 | 15 | 13 | |
| Lead | ug/g | 120 | 120 | 47 | 3.1 | 5.1 | 3.8 | 5.0 | <1.0 | 9.8 | 4.8 | 9.0 | 8.9 | 7.1 | 20 | |
| Mercury | ug/g | 0.27 | 0.27 | <0.050 | <0.050 | <0.050 | <0.050 | 0.058 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | 0.067 | |
| Molybdenum | ug/g | 2 | 6.9 | <0.50 | 1.2 | <0.50 | <0.50 | <0.50 | 0.99 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.67 | |
| Nickel | ug/g | 82 | 130 | 9.0 | 8.9 | 9.5 | 10 | 8.0 | 3.5 | 13 | 13 | 9.3 | 9.8 | 15 | 18 | |
| Selenium | ug/g | 1.5 | 2.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| Silver | ug/g | 0.5 | 25 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | |
| Thallium | ug/g | 1 | 1 | 0.13 | 0.075 | 0.11 | 0.093 | 0.080 | 0.15 | 0.17 | 0.15 | 0.10 | 0.087 | 0.25 | 0.27 | |
| Uranium | ug/g | 2.5 | 23 | 0.55 | 1.1 | 0.61 | 0.52 | 0.62 | 2.0 | 0.59 | 0.49 | 0.52 | 0.50 | 0.65 | 0.58 | |
| Vanadium | ug/g | 86 | 86 | 38 | 28 | 29 | 27 | 26 | <5.0 | 34 | 42 | 29 | 29 | 42 | 46 | |
| Zinc | ug/g | 290 | 340 | 37 | 23 | 27 | 25 | 26 | 9.7 | 35 | 28 | 33 | 34 | 69 | 66 | |
| Other Inorganics | | | | | | | | | | | | | | | | |
| pH | N/A | NV | NV | 7.48 | 7.66 | 7.34 | 7.67 | 7.59 | 7.12 | 7.37 | 7.80 | 7.46 | 7.59 | 7.63 | 7.37 | |
| Conductivity | mS/cm | 0.57 | 0.7 | 0.34 | 0.25 | 0.17 | 0.12 | 0.16 | 0.24 | 0.20 | 0.13 | 0.16 | 0.16 | 0.12 | 0.17 | |
| SAR | N/A | 2.4 | 5 | 0.19 | 0.23 | 0.28 | 0.29 | 0.27 | 0.76 | 0.25 | 0.31 | 0.25 | 0.25 | 0.31 | 0.26 | |
| Cyanide (Free) | ug/g | 0.051 | 0.051 | 0.03 | <0.01 | 0.01 | <0.01 | 0.02 | 0.04 | 0.02 | <0.01 | 0.01 | 0.02 | <0.01 | 0.03 | |

NOTES:

- 1 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 1 Full Depth Background Site Condition Standards (SCS) for Residential/Parkland/Institutional property use and coarse textured soils.
 - 2 Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 3 Full Depth Generic Site Condition Standards (SCS) in a Potable Ground Water Condition for Residential/Parkland/Institutional property use property use and coarse textured soils.
- All results are reported in ppm (ug/g) unless otherwise indicated.
- <(RDL) Non-detectable results are shown as "< (RDL)" where RDL represents the reporting detection limit.
- NV No Value
- N/A Not Applicable
- Parameter not analyzed
- m bgs Metres below ground surface
- Indicates soil exceedance of MECP Table 1 SCS for Residential/Parkland/Institutional property use
- Indicates soil exceedance of MECP Table 3 SCS for Residential/Parkland/Institutional property use

Table 3 - Maximum Concentrations in Soil
6171 Hazeldean Road, Ottawa, Ontario
OTT-00258780-C0

Page 1 of 1

| Parameter | Sample Location | Sample Depth (mbgs) | Sampling Date | Maximum Concentration | MECP Table 3 |
|-------------------------------|-----------------|---------------------|---------------|-----------------------|--------------|
| Petroleum Hydrocarbons | | | | | |
| F1 PHC (C6 - C10) - BTEX | TP-09 | 2.0 - 2.5 | 17-Mar-20 | <20 | 55 |
| F2 PHC (C10-C16) | TP-09 | 2.0 - 2.5 | 17-Mar-20 | <20 | 98 |
| F3 PHC (C16-C34) | TP-09 | 2.0 - 2.5 | 17-Mar-20 | <100 | 300 |
| F4 PHC (C34-C50) | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 560 | 2800 |
| Benzene | TP-09 | 2.0 - 2.5 | 17-Mar-20 | <0.04 | 0.21 |
| Ethylbenzene | TP-09 | 2.0 - 2.5 | 17-Mar-20 | <0.04 | 2 |
| Toluene | TP-09 | 2.0 - 2.5 | 17-Mar-20 | <0.04 | 2.3 |
| Xylenes, total | TP-09 | 2.0 - 2.5 | 17-Mar-20 | <0.08 | 3.1 |
| Inorganic Parameters | | | | | |
| Antimony | TP-06 | 0.3 - 0.8 | 17-Mar-20 | 0.38 | 7.5 |
| Arsenic | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 3.5 | 18 |
| Barium | TP-09 | 2.0 - 2.5 | 17-Mar-20 | 190 | 390 |
| Beryllium | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 0.66 | 4 |
| Boron (HWS) | TP-06 | 0.3 - 0.8 | 17-Mar-20 | 0.18 | |
| Boron | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 5.6 | 120 |
| Cadmium | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 0.29 | 1.2 |
| Chromium | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 24 | 160 |
| Chromium IV | All Locations | 0.1 - 2.5 | 17-Mar-20 | <0.18 | |
| Cobalt | TP-14 | 0.7 - 2.3 | 17-Mar-20 | 11 | 22 |
| | TP-15 | 0.1 - 0.8 | 17-Mar-20 | | |
| Copper | TP-10 | 1.5 - 2.0 | 17-Mar-20 | 24 | 140 |
| Lead | TP-06 | 0.3 - 0.8 | 17-Mar-20 | 47 | 120 |
| Mercury | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 0.067 | |
| Molybdenum | TP-06 | 1.4 - 1.9 | 17-Mar-20 | 1.20 | 6.9 |
| Nickel | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 18 | 100 |
| Selenium | All Locations | 0.1 - 2.5 | 17-Mar-20 | <0.50 | 2.4 |
| Silver | All Locations | 0.1 - 2.5 | 17-Mar-20 | <0.20 | 20 |
| Thallium | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 0.27 | 1 |
| Uranium | TP-09 | 2.0 - 2.5 | 17-Mar-20 | 2.0 | 23 |
| Vanadium | TP-15 | 0.1 - 0.8 | 17-Mar-20 | 46 | 86 |
| Zinc | TP-14 | 0.7 - 2.3 | 17-Mar-20 | 69 | 340 |

NOTES:

Analysis by Maxxam Analytics

All results are in ppm on dry weight basis

Non-detectable results are shown as "< (RDL)" where RDL represents the reporting detection limit.

Results were compared to Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for use under Part XV.1 of the Environmental Protection Act, April 2011, Table 3 Full Depth Generic Site Condition Standards (SCS) in a Non- Potable Ground Water Condition for Residential/Parkland/Institutional property use and coarse textured soils.

Table 4 - Relative Percent Differences - Inorganic Parameters in Soil
 6171 Hazeldean Road, Ottawa, Ontario
 OTT-00258780-C0

Page 1 of 1

| Parameter | Units | RDL | TP11-Fill | Dup 1 | RPD (%) | Alert Limit (%) |
|-----------------------------|-------|-------|-----------|-----------|-----------|-----------------|
| | | | 17-Mar-20 | 17-Mar-20 | | |
| <i>Inorganic Parameters</i> | | | | | | |
| Antimony | ug/g | 0.20 | <0.20 | <0.20 | nc | 60 |
| Arsenic | ug/g | 1.0 | 1.3 | 1.4 | 7 | 60 |
| Barium | ug/g | 0.50 | 65 | 65 | 0 | 60 |
| Beryllium | ug/g | 0.20 | 0.35 | 0.35 | 0 | 60 |
| Boron (HWS) | ug/g | 0.05 | 0.11 | 0.08 | 32 | 60 |
| Boron (Total) | ug/g | 5.0 | <5.0 | <5.0 | nc | 60 |
| Cadmium | ug/g | 0.10 | 0.11 | 0.15 | 31 | 60 |
| Chromium | ug/g | 1.0 | 15 | 16 | 6 | 60 |
| Chromium IV | ug/g | 0.2 | <0.18 | <0.18 | nc | 60 |
| Cobalt | ug/g | 0.10 | 5.2 | 5.4 | 4 | 60 |
| Copper | ug/g | 0.50 | 10 | 10 | 0 | 60 |
| Lead | ug/g | 1.0 | 9 | 8.9 | 1 | 60 |
| Mercury | ug/g | 0.050 | <0.050 | <0.050 | nc | 60 |
| Molybdenum | ug/g | 0.50 | <0.50 | <0.50 | nc | 60 |
| Nickel | ug/g | 0.50 | 9.3 | 9.8 | 5 | 60 |
| Selenium | ug/g | 0.50 | <0.50 | <0.50 | nc | 60 |
| Silver | ug/g | 0.20 | <0.20 | <0.20 | nc | 60 |
| Thallium | ug/g | 0.050 | 0.1 | 0.087 | 14 | 60 |
| Uranium | ug/g | 0.050 | 0.52 | 0.5 | 4 | 60 |
| Vanadium | ug/g | 5.0 | 29 | 29 | 0 | 60 |
| Zinc | ug/g | 5.0 | 33 | 34 | 3 | 60 |
| Cyanide | ug/g | 0.01 | 0.01 | 0.02 | 67 | 60 |

NOTES:

Analysis by Bureau Veritas Laboratories

All results on dry weight basis; <RDL means not detected at reporting detection limit (RDL)

- means "not analysed"

nc means "not calculable" - one (or both) of the results are <5x RDL

Exceedances of alert limits are shown in **bold**

*EXP Services Inc.
11654128 Canada Inc
Phase Two Environmental Site Assessment
6171 Hazeldean Road, Ottawa, Ontario
OTT-00258780-C0
July 24, 2020*

Appendix F : Laboratory Certificates of Analysis



Your Project #: OTT-00258780-CO
 Your C.O.C. #: 764708-02-01

Attention: Chris Kimmerly

exp Services Inc
 Ottawa Branch
 100-2650 Queensview Drive
 Ottawa, ON
 CANADA K2B 8H6

Report Date: 2020/03/25
 Report #: R6123615
 Version: 2 - Final

CERTIFICATE OF ANALYSIS

BV LABS JOB #: C073569

Received: 2020/03/18, 16:20

Sample Matrix: Soil
 # Samples Received: 10

| Analyses | Quantity | Date | | Laboratory Method | Analytical Method |
|--|----------|------------|------------|-------------------|----------------------|
| | | Extracted | Analyzed | | |
| Hot Water Extractable Boron (1) | 10 | 2020/03/20 | 2020/03/23 | CAM SOP-00408 | R153 Ana. Prot. 2011 |
| Free (WAD) Cyanide (1) | 10 | 2020/03/20 | 2020/03/24 | CAM SOP-00457 | OMOE E3015 m |
| Conductivity (1) | 1 | 2020/03/20 | 2020/03/20 | CAM SOP-00414 | OMOE E3530 v1 m |
| Conductivity (1) | 9 | 2020/03/23 | 2020/03/23 | CAM SOP-00414 | OMOE E3530 v1 m |
| Hexavalent Chromium in Soil by IC (1, 2) | 10 | 2020/03/20 | 2020/03/23 | CAM SOP-00436 | EPA 3060/7199 m |
| Petroleum Hydro. CCME F1 & BTEX in Soil (1, 3) | 10 | N/A | 2020/03/22 | CAM SOP-00315 | CCME PHC-CWS m |
| Petroleum Hydrocarbons F2-F4 in Soil (1, 4) | 10 | 2020/03/20 | 2020/03/23 | CAM SOP-00316 | CCME CWS m |
| F4G (CCME Hydrocarbons Gravimetric) (1) | 1 | 2020/03/25 | 2020/03/25 | CAM SOP-00316 | CCME PHC-CWS m |
| Strong Acid Leachable Metals by ICPMS (1) | 10 | 2020/03/20 | 2020/03/20 | CAM SOP-00447 | EPA 6020B m |
| Moisture (1) | 10 | N/A | 2020/03/20 | CAM SOP-00445 | Carter 2nd ed 51.2 m |
| pH CaCl2 EXTRACT (1) | 10 | 2020/03/20 | 2020/03/20 | CAM SOP-00413 | EPA 9045 D m |
| Sodium Adsorption Ratio (SAR) (1) | 1 | N/A | 2020/03/20 | CAM SOP-00102 | EPA 6010C |
| Sodium Adsorption Ratio (SAR) (1) | 9 | N/A | 2020/03/24 | CAM SOP-00102 | EPA 6010C |

Remarks:

Bureau Veritas Laboratories are accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by BV Labs are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in BV Labs profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and BV Labs in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

BV Labs liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. BV Labs has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by BV Labs, unless otherwise agreed in writing. BV Labs is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by BV Labs, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.



Your Project #: OTT-00258780-C0
Your C.O.C. #: 764708-02-01

Attention: Chris Kimmerly

exp Services Inc
Ottawa Branch
100-2650 Queensview Drive
Ottawa, ON
CANADA K2B 8H6

Report Date: 2020/03/25
Report #: R6123615
Version: 2 - Final

CERTIFICATE OF ANALYSIS

BV LABS JOB #: C073569

Received: 2020/03/18, 16:20

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

- (1) This test was performed by Bureau Veritas Laboratories Mississauga
- (2) Soils are reported on a dry weight basis unless otherwise specified.
- (3) No lab extraction date is given for F1BTEX & VOC samples that are field preserved with methanol. Extraction date is the date sampled unless otherwise stated.
- (4) All CCME PHC results met required criteria unless otherwise stated in the report. The CWS PHC methods employed by Bureau Veritas Laboratories conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following "Alberta Environment's Interpretation of the Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil Validation of Performance-Based Alternative Methods September 2003". Documentation is available upon request. Modifications from Reference Method for the Canada-wide Standard for Petroleum Hydrocarbons in Soil-Tier 1 Method: F2/F3/F4 data reported using validated cold solvent extraction instead of Soxhlet extraction.

Encryption Key

Katherine Szozda
Project Manager
25 Mar 2020 15:42:37

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Katherine Szozda, Project Manager
Email: Katherine.Szozda@bvlabs.com
Phone# (613) 274-0573

=====
BV Labs has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

O.REG 153 METALS & INORGANICS PKG (SOIL)

| | | | | | | | | | |
|---------------|--------------|------------------|--------------------|------------------|------------|-----------------|------------------------------|------------|-----------------|
| BV Labs ID | | MHA371 | MHA372 | MHA373 | | | MHA373 | | |
| Sampling Date | | 2020/03/17 | 2020/03/17 | 2020/03/17 | | | 2020/03/17 | | |
| COC Number | | 764708-02-01 | 764708-02-01 | 764708-02-01 | | | 764708-02-01 | | |
| | UNITS | TP06-FILL | TP06-NATIVE | TP08-FILL | RDL | QC Batch | TP08-FILL Lab-Dup | RDL | QC Batch |

Calculated Parameters

| | | | | | | | | | |
|-------------------------|-----|------|------|------|--|---------|--|--|--|
| Sodium Adsorption Ratio | N/A | 0.19 | 0.23 | 0.28 | | 6644792 | | | |
|-------------------------|-----|------|------|------|--|---------|--|--|--|

Inorganics

| | | | | | | | | | |
|----------------------|-------|-------|-------|-------|-------|---------|--|--|--|
| Conductivity | mS/cm | 0.34 | 0.25 | 0.17 | 0.002 | 6648741 | | | |
| Available (CaCl2) pH | pH | 7.48 | 7.66 | 7.34 | | 6646370 | | | |
| WAD Cyanide (Free) | ug/g | 0.03 | <0.01 | 0.01 | 0.01 | 6646601 | | | |
| Chromium (VI) | ug/g | <0.18 | <0.18 | <0.18 | 0.18 | 6645790 | | | |

Metals

| | | | | | | | | | |
|----------------------------------|------|--------|--------|--------|-------|---------|------|-------|---------|
| Hot Water Ext. Boron (B) | ug/g | 0.18 | <0.050 | 0.12 | 0.050 | 6646529 | 0.12 | 0.050 | 6646529 |
| Acid Extractable Antimony (Sb) | ug/g | 0.38 | <0.20 | <0.20 | 0.20 | 6646434 | | | |
| Acid Extractable Arsenic (As) | ug/g | 2.0 | 1.2 | <1.0 | 1.0 | 6646434 | | | |
| Acid Extractable Barium (Ba) | ug/g | 110 | 48 | 83 | 0.50 | 6646434 | | | |
| Acid Extractable Beryllium (Be) | ug/g | 0.37 | 0.21 | 0.33 | 0.20 | 6646434 | | | |
| Acid Extractable Boron (B) | ug/g | <5.0 | <5.0 | <5.0 | 5.0 | 6646434 | | | |
| Acid Extractable Cadmium (Cd) | ug/g | 0.16 | <0.10 | <0.10 | 0.10 | 6646434 | | | |
| Acid Extractable Chromium (Cr) | ug/g | 18 | 14 | 16 | 1.0 | 6646434 | | | |
| Acid Extractable Cobalt (Co) | ug/g | 7.4 | 5.2 | 5.3 | 0.10 | 6646434 | | | |
| Acid Extractable Copper (Cu) | ug/g | 6.4 | 13 | 12 | 0.50 | 6646434 | | | |
| Acid Extractable Lead (Pb) | ug/g | 47 | 3.1 | 5.1 | 1.0 | 6646434 | | | |
| Acid Extractable Molybdenum (Mo) | ug/g | <0.50 | 1.2 | <0.50 | 0.50 | 6646434 | | | |
| Acid Extractable Nickel (Ni) | ug/g | 9.0 | 8.9 | 9.5 | 0.50 | 6646434 | | | |
| Acid Extractable Selenium (Se) | ug/g | <0.50 | <0.50 | <0.50 | 0.50 | 6646434 | | | |
| Acid Extractable Silver (Ag) | ug/g | <0.20 | <0.20 | <0.20 | 0.20 | 6646434 | | | |
| Acid Extractable Thallium (Tl) | ug/g | 0.13 | 0.075 | 0.11 | 0.050 | 6646434 | | | |
| Acid Extractable Uranium (U) | ug/g | 0.55 | 1.1 | 0.61 | 0.050 | 6646434 | | | |
| Acid Extractable Vanadium (V) | ug/g | 38 | 28 | 29 | 5.0 | 6646434 | | | |
| Acid Extractable Zinc (Zn) | ug/g | 37 | 23 | 27 | 5.0 | 6646434 | | | |
| Acid Extractable Mercury (Hg) | ug/g | <0.050 | <0.050 | <0.050 | 0.050 | 6646434 | | | |

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch
Lab-Dup = Laboratory Initiated Duplicate



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

O.REG 153 METALS & INORGANICS PKG (SOIL)

| | | | | | | | | | | |
|---------------|--------------|--------------------|------------|-----------------|----------------------------|------------|-----------------|------------------|------------|-----------------|
| BV Labs ID | | MHA374 | | | MHA374 | | | MHA375 | | |
| Sampling Date | | 2020/03/17 | | | 2020/03/17 | | | 2020/03/17 | | |
| COC Number | | 764708-02-01 | | | 764708-02-01 | | | 764708-02-01 | | |
| | UNITS | TP08-NATIVE | RDL | QC Batch | TP08-NATIVE Lab-Dup | RDL | QC Batch | TP09-FILL | RDL | QC Batch |

Calculated Parameters

| | | | | | | | | | | |
|-------------------------|-----|------|--|---------|--|--|--|------|--|---------|
| Sodium Adsorption Ratio | N/A | 0.29 | | 6644792 | | | | 0.27 | | 6644792 |
|-------------------------|-----|------|--|---------|--|--|--|------|--|---------|

Inorganics

| | | | | | | | | | | |
|----------------------|-------|-------|-------|---------|-------|-------|---------|-------|-------|---------|
| Conductivity | mS/cm | 0.12 | 0.002 | 6646314 | 0.12 | 0.002 | 6646314 | 0.16 | 0.002 | 6648741 |
| Available (CaCl2) pH | pH | 7.67 | | 6646370 | 7.71 | | 6646370 | 7.59 | | 6646370 |
| WAD Cyanide (Free) | ug/g | <0.01 | 0.01 | 6646601 | <0.01 | 0.01 | 6646601 | 0.02 | 0.01 | 6646601 |
| Chromium (VI) | ug/g | <0.18 | 0.18 | 6645790 | <0.18 | 0.18 | 6645790 | <0.18 | 0.18 | 6645790 |

Metals

| | | | | | | | | | | |
|----------------------------------|------|--------|-------|---------|--|--|--|-------|-------|---------|
| Hot Water Ext. Boron (B) | ug/g | <0.050 | 0.050 | 6646529 | | | | 0.085 | 0.050 | 6646529 |
| Acid Extractable Antimony (Sb) | ug/g | <0.20 | 0.20 | 6646434 | | | | <0.20 | 0.20 | 6646434 |
| Acid Extractable Arsenic (As) | ug/g | <1.0 | 1.0 | 6646434 | | | | <1.0 | 1.0 | 6646434 |
| Acid Extractable Barium (Ba) | ug/g | 80 | 0.50 | 6646434 | | | | 59 | 0.50 | 6646434 |
| Acid Extractable Beryllium (Be) | ug/g | 0.30 | 0.20 | 6646434 | | | | 0.24 | 0.20 | 6646434 |
| Acid Extractable Boron (B) | ug/g | <5.0 | 5.0 | 6646434 | | | | <5.0 | 5.0 | 6646434 |
| Acid Extractable Cadmium (Cd) | ug/g | <0.10 | 0.10 | 6646434 | | | | <0.10 | 0.10 | 6646434 |
| Acid Extractable Chromium (Cr) | ug/g | 15 | 1.0 | 6646434 | | | | 13 | 1.0 | 6646434 |
| Acid Extractable Cobalt (Co) | ug/g | 5.2 | 0.10 | 6646434 | | | | 4.5 | 0.10 | 6646434 |
| Acid Extractable Copper (Cu) | ug/g | 11 | 0.50 | 6646434 | | | | 10 | 0.50 | 6646434 |
| Acid Extractable Lead (Pb) | ug/g | 3.8 | 1.0 | 6646434 | | | | 5.0 | 1.0 | 6646434 |
| Acid Extractable Molybdenum (Mo) | ug/g | <0.50 | 0.50 | 6646434 | | | | <0.50 | 0.50 | 6646434 |
| Acid Extractable Nickel (Ni) | ug/g | 10 | 0.50 | 6646434 | | | | 8.0 | 0.50 | 6646434 |
| Acid Extractable Selenium (Se) | ug/g | <0.50 | 0.50 | 6646434 | | | | <0.50 | 0.50 | 6646434 |
| Acid Extractable Silver (Ag) | ug/g | <0.20 | 0.20 | 6646434 | | | | <0.20 | 0.20 | 6646434 |
| Acid Extractable Thallium (Tl) | ug/g | 0.093 | 0.050 | 6646434 | | | | 0.080 | 0.050 | 6646434 |
| Acid Extractable Uranium (U) | ug/g | 0.52 | 0.050 | 6646434 | | | | 0.62 | 0.050 | 6646434 |
| Acid Extractable Vanadium (V) | ug/g | 27 | 5.0 | 6646434 | | | | 26 | 5.0 | 6646434 |
| Acid Extractable Zinc (Zn) | ug/g | 25 | 5.0 | 6646434 | | | | 26 | 5.0 | 6646434 |
| Acid Extractable Mercury (Hg) | ug/g | <0.050 | 0.050 | 6646434 | | | | 0.058 | 0.050 | 6646434 |

RDL = Reportable Detection Limit
 QC Batch = Quality Control Batch
 Lab-Dup = Laboratory Initiated Duplicate



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

O.REG 153 METALS & INORGANICS PKG (SOIL)

| BV Labs ID | | MHA376 | MHA377 | MHA378 | MHA379 | | |
|---------------|--------------|--------------------|------------------|--------------------|------------------|------------|-----------------|
| Sampling Date | | 2020/03/17 | 2020/03/17 | 2020/03/17 | 2020/03/17 | | |
| COC Number | | 764708-02-01 | 764708-02-01 | 764708-02-01 | 764708-02-01 | | |
| | UNITS | TP09-NATIVE | TP10-FILL | TP10-NATIVE | TP14-FILL | RDL | QC Batch |

Calculated Parameters

| | | | | | | | |
|-------------------------|-----|------|------|------|------|--|---------|
| Sodium Adsorption Ratio | N/A | 0.76 | 0.25 | 0.31 | 0.31 | | 6644792 |
|-------------------------|-----|------|------|------|------|--|---------|

Inorganics

| | | | | | | | |
|----------------------|-------|-------|-------|-------|-------|-------|---------|
| Conductivity | mS/cm | 0.24 | 0.20 | 0.13 | 0.12 | 0.002 | 6648741 |
| Available (CaCl2) pH | pH | 7.12 | 7.37 | 7.80 | 7.63 | | 6646370 |
| WAD Cyanide (Free) | ug/g | 0.04 | 0.02 | <0.01 | <0.01 | 0.01 | 6646601 |
| Chromium (VI) | ug/g | <0.18 | <0.18 | <0.18 | <0.18 | 0.18 | 6645790 |

Metals

| | | | | | | | |
|----------------------------------|------|--------|--------|--------|--------|-------|---------|
| Hot Water Ext. Boron (B) | ug/g | 0.094 | 0.13 | <0.050 | 0.055 | 0.050 | 6646529 |
| Acid Extractable Antimony (Sb) | ug/g | <0.20 | <0.20 | <0.20 | <0.20 | 0.20 | 6646434 |
| Acid Extractable Arsenic (As) | ug/g | <1.0 | 1.1 | <1.0 | 2.7 | 1.0 | 6646434 |
| Acid Extractable Barium (Ba) | ug/g | 190 | 85 | 53 | 66 | 0.50 | 6646434 |
| Acid Extractable Beryllium (Be) | ug/g | <0.20 | 0.41 | 0.23 | 0.56 | 0.20 | 6646434 |
| Acid Extractable Boron (B) | ug/g | <5.0 | <5.0 | <5.0 | 5.3 | 5.0 | 6646434 |
| Acid Extractable Cadmium (Cd) | ug/g | <0.10 | <0.10 | <0.10 | <0.10 | 0.10 | 6646434 |
| Acid Extractable Chromium (Cr) | ug/g | 1.1 | 19 | 16 | 18 | 1.0 | 6646434 |
| Acid Extractable Cobalt (Co) | ug/g | 0.58 | 7.5 | 9.2 | 11 | 0.10 | 6646434 |
| Acid Extractable Copper (Cu) | ug/g | 4.3 | 13 | 24 | 15 | 0.50 | 6646434 |
| Acid Extractable Lead (Pb) | ug/g | <1.0 | 9.8 | 4.8 | 7.1 | 1.0 | 6646434 |
| Acid Extractable Molybdenum (Mo) | ug/g | 0.99 | <0.50 | <0.50 | <0.50 | 0.50 | 6646434 |
| Acid Extractable Nickel (Ni) | ug/g | 3.5 | 13 | 13 | 15 | 0.50 | 6646434 |
| Acid Extractable Selenium (Se) | ug/g | <0.50 | <0.50 | <0.50 | <0.50 | 0.50 | 6646434 |
| Acid Extractable Silver (Ag) | ug/g | <0.20 | <0.20 | <0.20 | <0.20 | 0.20 | 6646434 |
| Acid Extractable Thallium (Tl) | ug/g | 0.15 | 0.17 | 0.15 | 0.25 | 0.050 | 6646434 |
| Acid Extractable Uranium (U) | ug/g | 2.0 | 0.59 | 0.49 | 0.65 | 0.050 | 6646434 |
| Acid Extractable Vanadium (V) | ug/g | <5.0 | 34 | 42 | 42 | 5.0 | 6646434 |
| Acid Extractable Zinc (Zn) | ug/g | 9.7 | 35 | 28 | 69 | 5.0 | 6646434 |
| Acid Extractable Mercury (Hg) | ug/g | <0.050 | <0.050 | <0.050 | <0.050 | 0.050 | 6646434 |

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

O.REG 153 METALS & INORGANICS PKG (SOIL)

| | | | | | | | |
|---------------|--------------|------------------------------|------------|-----------------|------------------|------------|-----------------|
| BV Labs ID | | MHA379 | | | MHA380 | | |
| Sampling Date | | 2020/03/17 | | | 2020/03/17 | | |
| COC Number | | 764708-02-01 | | | 764708-02-01 | | |
| | UNITS | TP14-FILL Lab-Dup | RDL | QC Batch | TP15-FILL | RDL | QC Batch |

Calculated Parameters

| | | | | | | | |
|-------------------------|-----|--|--|--|------|--|---------|
| Sodium Adsorption Ratio | N/A | | | | 0.26 | | 6644792 |
|-------------------------|-----|--|--|--|------|--|---------|

Inorganics

| | | | | | | | |
|----------------------|-------|--|--|--|-------|-------|---------|
| Conductivity | mS/cm | | | | 0.17 | 0.002 | 6648741 |
| Available (CaCl2) pH | pH | | | | 7.37 | | 6646370 |
| WAD Cyanide (Free) | ug/g | | | | 0.03 | 0.01 | 6646601 |
| Chromium (VI) | ug/g | | | | <0.18 | 0.18 | 6645790 |

Metals

| | | | | | | | |
|----------------------------------|------|--------|-------|---------|-------|-------|---------|
| Hot Water Ext. Boron (B) | ug/g | | | | 0.11 | 0.050 | 6646529 |
| Acid Extractable Antimony (Sb) | ug/g | <0.20 | 0.20 | 6646434 | <0.20 | 0.20 | 6646434 |
| Acid Extractable Arsenic (As) | ug/g | 2.9 | 1.0 | 6646434 | 3.5 | 1.0 | 6646434 |
| Acid Extractable Barium (Ba) | ug/g | 62 | 0.50 | 6646434 | 110 | 0.50 | 6646434 |
| Acid Extractable Beryllium (Be) | ug/g | 0.54 | 0.20 | 6646434 | 0.66 | 0.20 | 6646434 |
| Acid Extractable Boron (B) | ug/g | 5.2 | 5.0 | 6646434 | 5.6 | 5.0 | 6646434 |
| Acid Extractable Cadmium (Cd) | ug/g | 0.13 | 0.10 | 6646434 | 0.29 | 0.10 | 6646434 |
| Acid Extractable Chromium (Cr) | ug/g | 18 | 1.0 | 6646434 | 24 | 1.0 | 6646434 |
| Acid Extractable Cobalt (Co) | ug/g | 11 | 0.10 | 6646434 | 11 | 0.10 | 6646434 |
| Acid Extractable Copper (Cu) | ug/g | 14 | 0.50 | 6646434 | 13 | 0.50 | 6646434 |
| Acid Extractable Lead (Pb) | ug/g | 6.9 | 1.0 | 6646434 | 20 | 1.0 | 6646434 |
| Acid Extractable Molybdenum (Mo) | ug/g | <0.50 | 0.50 | 6646434 | 0.67 | 0.50 | 6646434 |
| Acid Extractable Nickel (Ni) | ug/g | 15 | 0.50 | 6646434 | 18 | 0.50 | 6646434 |
| Acid Extractable Selenium (Se) | ug/g | <0.50 | 0.50 | 6646434 | <0.50 | 0.50 | 6646434 |
| Acid Extractable Silver (Ag) | ug/g | <0.20 | 0.20 | 6646434 | <0.20 | 0.20 | 6646434 |
| Acid Extractable Thallium (Tl) | ug/g | 0.26 | 0.050 | 6646434 | 0.27 | 0.050 | 6646434 |
| Acid Extractable Uranium (U) | ug/g | 0.64 | 0.050 | 6646434 | 0.58 | 0.050 | 6646434 |
| Acid Extractable Vanadium (V) | ug/g | 43 | 5.0 | 6646434 | 46 | 5.0 | 6646434 |
| Acid Extractable Zinc (Zn) | ug/g | 67 | 5.0 | 6646434 | 66 | 5.0 | 6646434 |
| Acid Extractable Mercury (Hg) | ug/g | <0.050 | 0.050 | 6646434 | 0.067 | 0.050 | 6646434 |

RDL = Reportable Detection Limit
 QC Batch = Quality Control Batch
 Lab-Dup = Laboratory Initiated Duplicate

BUREAU
VERITASBV Labs Job #: C073569
Report Date: 2020/03/25exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC**O.REG 153 PHCS, BTEX/F1-F4 (SOIL)**

| BV Labs ID | | MHA371 | MHA372 | MHA373 | MHA374 | MHA375 | | |
|--|-------|--------------|--------------|--------------|--------------|--------------|-------|----------|
| Sampling Date | | 2020/03/17 | 2020/03/17 | 2020/03/17 | 2020/03/17 | 2020/03/17 | | |
| COC Number | | 764708-02-01 | 764708-02-01 | 764708-02-01 | 764708-02-01 | 764708-02-01 | | |
| | UNITS | TP06-FILL | TP06-NATIVE | TP08-FILL | TP08-NATIVE | TP09-FILL | RDL | QC Batch |
| Inorganics | | | | | | | | |
| Moisture | % | 17 | 11 | 16 | 17 | 16 | 1.0 | 6645991 |
| BTEX & F1 Hydrocarbons | | | | | | | | |
| Benzene | ug/g | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| Toluene | ug/g | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| Ethylbenzene | ug/g | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| o-Xylene | ug/g | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| p+m-Xylene | ug/g | <0.040 | <0.040 | <0.040 | <0.040 | <0.040 | 0.040 | 6647927 |
| Total Xylenes | ug/g | <0.040 | <0.040 | <0.040 | <0.040 | <0.040 | 0.040 | 6647927 |
| F1 (C6-C10) | ug/g | <10 | <10 | <10 | <10 | <10 | 10 | 6647927 |
| F1 (C6-C10) - BTEX | ug/g | <10 | <10 | <10 | <10 | <10 | 10 | 6647927 |
| F2-F4 Hydrocarbons | | | | | | | | |
| F2 (C10-C16 Hydrocarbons) | ug/g | <10 | <10 | <10 | <10 | <10 | 10 | 6646100 |
| F3 (C16-C34 Hydrocarbons) | ug/g | <50 | <50 | <50 | <50 | <50 | 50 | 6646100 |
| F4 (C34-C50 Hydrocarbons) | ug/g | <50 | <50 | <50 | <50 | <50 | 50 | 6646100 |
| Reached Baseline at C50 | ug/g | Yes | Yes | Yes | Yes | Yes | | 6646100 |
| Surrogate Recovery (%) | | | | | | | | |
| 1,4-Difluorobenzene | % | 101 | 100 | 98 | 102 | 100 | | 6647927 |
| 4-Bromofluorobenzene | % | 100 | 98 | 98 | 97 | 98 | | 6647927 |
| D10-Ethylbenzene | % | 104 | 99 | 104 | 97 | 109 | | 6647927 |
| D4-1,2-Dichloroethane | % | 103 | 103 | 102 | 103 | 101 | | 6647927 |
| o-Terphenyl | % | 73 | 71 | 79 | 69 | 69 | | 6646100 |
| RDL = Reportable Detection Limit QC Batch = Quality Control Batch | | | | | | | | |



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

O.REG 153 PHCS, BTEX/F1-F4 (SOIL)

| BV Labs ID | | MHA376 | | MHA377 | MHA378 | MHA379 | MHA380 | | |
|--|-------|--------------|-------|--------------|--------------|--------------|--------------|-------|----------|
| Sampling Date | | 2020/03/17 | | 2020/03/17 | 2020/03/17 | 2020/03/17 | 2020/03/17 | | |
| COC Number | | 764708-02-01 | | 764708-02-01 | 764708-02-01 | 764708-02-01 | 764708-02-01 | | |
| | UNITS | TP09-NATIVE | RDL | TP10-FILL | TP10-NATIVE | TP14-FILL | TP15-FILL | RDL | QC Batch |
| Inorganics | | | | | | | | | |
| Moisture | % | 57 | 1.0 | 16 | 11 | 12 | 13 | 1.0 | 6645991 |
| BTEX & F1 Hydrocarbons | | | | | | | | | |
| Benzene | ug/g | <0.040 | 0.040 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| Toluene | ug/g | <0.040 | 0.040 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| Ethylbenzene | ug/g | <0.040 | 0.040 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| o-Xylene | ug/g | <0.040 | 0.040 | <0.020 | <0.020 | <0.020 | <0.020 | 0.020 | 6647927 |
| p+m-Xylene | ug/g | <0.080 | 0.080 | <0.040 | <0.040 | <0.040 | <0.040 | 0.040 | 6647927 |
| Total Xylenes | ug/g | <0.080 | 0.080 | <0.040 | <0.040 | <0.040 | <0.040 | 0.040 | 6647927 |
| F1 (C6-C10) | ug/g | <20 | 20 | <10 | <10 | <10 | <10 | 10 | 6647927 |
| F1 (C6-C10) - BTEX | ug/g | <20 | 20 | <10 | <10 | <10 | <10 | 10 | 6647927 |
| F2-F4 Hydrocarbons | | | | | | | | | |
| F2 (C10-C16 Hydrocarbons) | ug/g | <20 | 20 | <10 | <10 | <10 | <10 | 10 | 6646100 |
| F3 (C16-C34 Hydrocarbons) | ug/g | <100 | 100 | <50 | <50 | <50 | <50 | 50 | 6646100 |
| F4 (C34-C50 Hydrocarbons) | ug/g | <100 | 100 | <50 | <50 | <50 | 86 | 50 | 6646100 |
| Reached Baseline at C50 | ug/g | Yes | | Yes | Yes | Yes | No | | 6646100 |
| Surrogate Recovery (%) | | | | | | | | | |
| 1,4-Difluorobenzene | % | 100 | | 100 | 98 | 102 | 99 | | 6647927 |
| 4-Bromofluorobenzene | % | 99 | | 97 | 99 | 100 | 98 | | 6647927 |
| D10-Ethylbenzene | % | 106 | | 109 | 99 | 106 | 110 | | 6647927 |
| D4-1,2-Dichloroethane | % | 104 | | 104 | 104 | 104 | 104 | | 6647927 |
| o-Terphenyl | % | 76 | | 80 | 79 | 86 | 78 | | 6646100 |
| RDL = Reportable Detection Limit QC Batch = Quality Control Batch | | | | | | | | | |



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

PETROLEUM HYDROCARBONS (CCME)

| | | | | |
|-----------------------------------|--------------|------------------|------------|-----------------|
| BV Labs ID | | MHA380 | | |
| Sampling Date | | 2020/03/17 | | |
| COC Number | | 764708-02-01 | | |
| | UNITS | TP15-FILL | RDL | QC Batch |
| F2-F4 Hydrocarbons | | | | |
| F4G-sg (Grav. Heavy Hydrocarbons) | ug/g | 560 | 100 | 6652658 |
| RDL = Reportable Detection Limit | | | | |
| QC Batch = Quality Control Batch | | | | |



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

TEST SUMMARY

BV Labs ID: MHA371
Sample ID: TP06-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |

BV Labs ID: MHA372
Sample ID: TP06-NATIVE
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |

BV Labs ID: MHA373
Sample ID: TP08-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

TEST SUMMARY

BV Labs ID: MHA373 Dup
Sample ID: TP08-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|-----------------------------|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |

BV Labs ID: MHA374
Sample ID: TP08-NATIVE
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6646314 | 2020/03/20 | 2020/03/20 | Kazzandra Adeva |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/20 | Automated Statchk |

BV Labs ID: MHA374 Dup
Sample ID: TP08-NATIVE
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|-----------------------------------|-----------------|---------|------------|---------------|-----------------|
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6646314 | 2020/03/20 | 2020/03/20 | Kazzandra Adeva |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |

BV Labs ID: MHA375
Sample ID: TP09-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

TEST SUMMARY

BV Labs ID: MHA376
Sample ID: TP09-NATIVE
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |

BV Labs ID: MHA377
Sample ID: TP10-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |

BV Labs ID: MHA378
Sample ID: TP10-NATIVE
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

TEST SUMMARY

BV Labs ID: MHA379
Sample ID: TP14-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |

BV Labs ID: MHA379 Dup
Sample ID: TP14-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---------------------------------------|-----------------|---------|------------|---------------|--------------------|
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |

BV Labs ID: MHA380
Sample ID: TP15-FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/18

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---|-----------------|---------|------------|---------------|----------------------|
| Hot Water Extractable Boron | ICP | 6646529 | 2020/03/20 | 2020/03/23 | Suban Kanapathipplai |
| Free (WAD) Cyanide | TECH | 6646601 | 2020/03/20 | 2020/03/24 | Louise Harding |
| Conductivity | AT | 6648741 | 2020/03/23 | 2020/03/23 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6645790 | 2020/03/20 | 2020/03/23 | Violeta Porcila |
| Petroleum Hydro. CCME F1 & BTEX in Soil | HSGC/MSFD | 6647927 | N/A | 2020/03/22 | Abdikarim Ali |
| Petroleum Hydrocarbons F2-F4 in Soil | GC/FID | 6646100 | 2020/03/20 | 2020/03/23 | Ksenia Trofimova |
| F4G (CCME Hydrocarbons Gravimetric) | BAL | 6652658 | 2020/03/25 | 2020/03/25 | Rashmi Dubey |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6646434 | 2020/03/20 | 2020/03/20 | Viviana Canzonieri |
| Moisture | BAL | 6645991 | N/A | 2020/03/20 | Kruti Jitesh Patel |
| pH CaCl2 EXTRACT | AT | 6646370 | 2020/03/20 | 2020/03/20 | Surinder Rai |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6644792 | N/A | 2020/03/24 | Automated Statchk |



GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

| | |
|-----------|-------|
| Package 1 | 6.3°C |
|-----------|-------|

Sample MHA371 [TP06-FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA372 [TP06-NATIVE] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA373 [TP08-FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA374 [TP08-NATIVE] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA375 [TP09-FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA376 [TP09-NATIVE] : F1 BTEX analysis : Detection limits were adjusted for high moisture content .

F2 F4 Analysis: Detection limits were adjusted for high moisture content.

Sample MHA377 [TP10-FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA378 [TP10-NATIVE] : F1/BTEX Analysis: Greater than 10g of soil was submitted in the field preserved vial. This significantly exceeds the protocol specification of approximately 5g. Additional methanol was added to the vial to ensure extraction efficiency.
SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA379 [TP14-FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MHA380 [TP15-FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Results relate only to the items tested.



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

QUALITY ASSURANCE REPORT

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

| QC Batch | Parameter | Date | Matrix Spike | | SPIKED BLANK | | Method Blank | | RPD | |
|----------|----------------------------------|------------|--------------|-----------|--------------|-----------|--------------|-------|-----------|-----------|
| | | | % Recovery | QC Limits | % Recovery | QC Limits | Value | UNITS | Value (%) | QC Limits |
| 6646100 | o-Terphenyl | 2020/03/23 | 87 | 60 - 130 | 89 | 60 - 130 | 73 | % | | |
| 6647927 | 1,4-Difluorobenzene | 2020/03/22 | 99 | 60 - 140 | 102 | 60 - 140 | 100 | % | | |
| 6647927 | 4-Bromofluorobenzene | 2020/03/22 | 99 | 60 - 140 | 101 | 60 - 140 | 100 | % | | |
| 6647927 | D10-Ethylbenzene | 2020/03/22 | 92 | 60 - 140 | 104 | 60 - 140 | 104 | % | | |
| 6647927 | D4-1,2-Dichloroethane | 2020/03/22 | 104 | 60 - 140 | 107 | 60 - 140 | 104 | % | | |
| 6645790 | Chromium (VI) | 2020/03/23 | 63 (1) | 70 - 130 | 90 | 80 - 120 | <0.18 | ug/g | NC | 35 |
| 6645991 | Moisture | 2020/03/20 | | | | | | | 3.5 | 20 |
| 6646100 | F2 (C10-C16 Hydrocarbons) | 2020/03/23 | 86 | 50 - 130 | 86 | 80 - 120 | <10 | ug/g | NC | 30 |
| 6646100 | F3 (C16-C34 Hydrocarbons) | 2020/03/23 | 86 | 50 - 130 | 88 | 80 - 120 | <50 | ug/g | NC | 30 |
| 6646100 | F4 (C34-C50 Hydrocarbons) | 2020/03/23 | 87 | 50 - 130 | 90 | 80 - 120 | <50 | ug/g | NC | 30 |
| 6646314 | Conductivity | 2020/03/20 | | | 104 | 90 - 110 | <0.002 | mS/cm | 0.94 | 10 |
| 6646370 | Available (CaCl2) pH | 2020/03/20 | | | 100 | 97 - 103 | | | 0.54 | N/A |
| 6646434 | Acid Extractable Antimony (Sb) | 2020/03/20 | 91 | 75 - 125 | 104 | 80 - 120 | <0.20 | ug/g | NC | 30 |
| 6646434 | Acid Extractable Arsenic (As) | 2020/03/20 | 96 | 75 - 125 | 104 | 80 - 120 | <1.0 | ug/g | 5.7 | 30 |
| 6646434 | Acid Extractable Barium (Ba) | 2020/03/20 | NC | 75 - 125 | 99 | 80 - 120 | <0.50 | ug/g | 6.0 | 30 |
| 6646434 | Acid Extractable Beryllium (Be) | 2020/03/20 | 98 | 75 - 125 | 99 | 80 - 120 | <0.20 | ug/g | 5.0 | 30 |
| 6646434 | Acid Extractable Boron (B) | 2020/03/20 | 96 | 75 - 125 | 97 | 80 - 120 | <5.0 | ug/g | 3.6 | 30 |
| 6646434 | Acid Extractable Cadmium (Cd) | 2020/03/20 | 98 | 75 - 125 | 99 | 80 - 120 | <0.10 | ug/g | 24 | 30 |
| 6646434 | Acid Extractable Chromium (Cr) | 2020/03/20 | 100 | 75 - 125 | 98 | 80 - 120 | <1.0 | ug/g | 1.0 | 30 |
| 6646434 | Acid Extractable Cobalt (Co) | 2020/03/20 | 95 | 75 - 125 | 101 | 80 - 120 | <0.10 | ug/g | 1.3 | 30 |
| 6646434 | Acid Extractable Copper (Cu) | 2020/03/20 | 96 | 75 - 125 | 101 | 80 - 120 | <0.50 | ug/g | 4.8 | 30 |
| 6646434 | Acid Extractable Lead (Pb) | 2020/03/20 | 98 | 75 - 125 | 98 | 80 - 120 | <1.0 | ug/g | 1.9 | 30 |
| 6646434 | Acid Extractable Mercury (Hg) | 2020/03/20 | 90 | 75 - 125 | 96 | 80 - 120 | <0.050 | ug/g | NC | 30 |
| 6646434 | Acid Extractable Molybdenum (Mo) | 2020/03/20 | 97 | 75 - 125 | 102 | 80 - 120 | <0.50 | ug/g | NC | 30 |
| 6646434 | Acid Extractable Nickel (Ni) | 2020/03/20 | 98 | 75 - 125 | 102 | 80 - 120 | <0.50 | ug/g | 2.5 | 30 |
| 6646434 | Acid Extractable Selenium (Se) | 2020/03/20 | 99 | 75 - 125 | 103 | 80 - 120 | <0.50 | ug/g | NC | 30 |
| 6646434 | Acid Extractable Silver (Ag) | 2020/03/20 | 96 | 75 - 125 | 102 | 80 - 120 | <0.20 | ug/g | NC | 30 |
| 6646434 | Acid Extractable Thallium (Tl) | 2020/03/20 | 97 | 75 - 125 | 99 | 80 - 120 | <0.050 | ug/g | 1.8 | 30 |
| 6646434 | Acid Extractable Uranium (U) | 2020/03/20 | 98 | 75 - 125 | 97 | 80 - 120 | <0.050 | ug/g | 2.4 | 30 |
| 6646434 | Acid Extractable Vanadium (V) | 2020/03/20 | NC | 75 - 125 | 101 | 80 - 120 | <5.0 | ug/g | 2.7 | 30 |
| 6646434 | Acid Extractable Zinc (Zn) | 2020/03/20 | NC | 75 - 125 | 97 | 80 - 120 | <5.0 | ug/g | 2.0 | 30 |
| 6646529 | Hot Water Ext. Boron (B) | 2020/03/23 | 93 | 75 - 125 | 91 | 75 - 125 | <0.050 | ug/g | 0.27 | 40 |



BUREAU
VERITAS

BV Labs Job #: C073569

Report Date: 2020/03/25

QUALITY ASSURANCE REPORT(CONT'D)

exp Services Inc

Client Project #: OTT-00258780-C0

Sampler Initials: GC

| QC Batch | Parameter | Date | Matrix Spike | | SPIKED BLANK | | Method Blank | | RPD | |
|----------|-----------------------------------|------------|--------------|-----------|--------------|-----------|--------------|-------|-----------|-----------|
| | | | % Recovery | QC Limits | % Recovery | QC Limits | Value | UNITS | Value (%) | QC Limits |
| 6646601 | WAD Cyanide (Free) | 2020/03/24 | 95 | 75 - 125 | 99 | 80 - 120 | <0.01 | ug/g | NC | 35 |
| 6647927 | Benzene | 2020/03/22 | 74 | 60 - 140 | 97 | 60 - 140 | <0.020 | ug/g | NC | 50 |
| 6647927 | Ethylbenzene | 2020/03/22 | 82 | 60 - 140 | 104 | 60 - 140 | <0.020 | ug/g | NC | 50 |
| 6647927 | F1 (C6-C10) - BTEX | 2020/03/22 | | | | | <10 | ug/g | NC | 30 |
| 6647927 | F1 (C6-C10) | 2020/03/22 | 72 | 60 - 140 | 85 | 80 - 120 | <10 | ug/g | NC | 30 |
| 6647927 | o-Xylene | 2020/03/22 | 83 | 60 - 140 | 101 | 60 - 140 | <0.020 | ug/g | NC | 50 |
| 6647927 | p+m-Xylene | 2020/03/22 | 83 | 60 - 140 | 103 | 60 - 140 | <0.040 | ug/g | NC | 50 |
| 6647927 | Toluene | 2020/03/22 | 79 | 60 - 140 | 100 | 60 - 140 | <0.020 | ug/g | NC | 50 |
| 6647927 | Total Xylenes | 2020/03/22 | | | | | <0.040 | ug/g | NC | 50 |
| 6648741 | Conductivity | 2020/03/23 | | | 102 | 90 - 110 | <0.002 | mS/cm | 1.2 | 10 |
| 6652658 | F4G-sg (Grav. Heavy Hydrocarbons) | 2020/03/25 | 98 | 65 - 135 | 101 | 65 - 135 | <100 | ug/g | 0 | 50 |

N/A = Not Applicable

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spike amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than the native sample concentration)

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference <= 2x RDL).

(1) The matrix spike recovery was below the lower control limit. This may be due in part to the reducing environment of the sample. The sample was reanalyzed with the same results.



BUREAU
VERITAS

BV Labs Job #: C073569
Report Date: 2020/03/25

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Anastassia Hamanov, Scientific Specialist

BV Labs has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



Bureau Veritas Laboratories
6740 Campbell Road, Mississauga, Ontario Canada L5N 2L8 Tel:(905) 817-5700 Toll-free:800-563-6266 Fax:(905) 817-5777 www.bvlabs.com

18-Mar-20 16:20

Page of

Katherine Szozda

C073569

URE ENV-812

INVOICE TO:
Company Name: #17498 exp Services Inc
Attention: Accounts Payable
Address: 100-2650 Queensview Drive
Ottawa ON K2B 8H6
Tel: (613) 688-1899 Fax: (613) 225-7337
Email: accounting_ottawa@exp.com; Karen.Burke@exp.com;

REPORT TO:
Company Name:
Attention: Chris Kimmerly
Address:
Tel:
Email: Chris.Kimmerly@exp.com

PROJECT INFORMATION:
Quotation #: B91718
P.O. #:
Project: OTT-00258780-C0
Project Name:
Site #:
Sampled By: G Chapman

Barcode: C073569
Bottle Order #: 784708
Project Manager: Katherine Szozda
COC #: CW764708-02-01

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE BV LABS DRINKING WATER CHAIN OF CUSTODY

Regulation 153 (2011)
 Table 1 Res/Park Medium/Fine
 Table 2 Ind/Comm Coarse
 Table 3 Agri/Other For RSC
 Table 7

Other Regulations
 CCME Sanitary Sewer Bylaw
 Reg 558 Storm Sewer Bylaw
 MISA Municipality _____
 PWOQ
 Other _____

Special Instructions

ANALYSIS REQUESTED (PLEASE BE SPECIFIC)

| | | | | | | | | | | | | | | | | | | | | |
|---|---------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Field Filtered (please circle): Metals / Hg / CrVI | O Reg 153 PHCs BTEX/F+FA (Soil) | O Reg 153 Metals & Inorganics Pkg (Soil) | | | | | | | | | | | | | | | | | | |
|---|---------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Turnaround Time (TAT) Required:
Please provide advance notice for rush projects

Regular (Standard) TAT:
(will be applied if Rush TAT is not specified)
Standard TAT = 5-7 Working days for most tests.
Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.

Job Specific Rush TAT (if applies to entire submission)
Date Required _____ Time Required: _____
Rush Confirmation Number: _____ (call lab for #)

| Sample Barcode Label | Sample (Location) Identification | Date Sampled | Time Sampled | Matrix | Field Filtered (please circle): Metals / Hg / CrVI | O Reg 153 PHCs BTEX/F+FA (Soil) | O Reg 153 Metals & Inorganics Pkg (Soil) | | | | | | | | | | | | | | # of Bottles | Comments |
|----------------------|----------------------------------|--------------|--------------|--------|---|---------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------|----------|
| 1 | TP06-Fill | 20/03/17 | PM | S | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 2 | TP06-Native | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 3 | TP08-Fill | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 4 | TP08-Native | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 5 | TP09-Fill | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 6 | TP09-Native | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 7 | TP10-Fill | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 8 | TP10-Native | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 9 | TP14-Fill | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | |
| 10 | TP15-Fill | " | " | " | ✓ | ✓ | | | | | | | | | | | | | | | 4 | 24 Dec |

*** RELINQUISHED BY: (Signature/Print)** Chris Kimmerly
Date: (YY/MM/DD) 20/03/17
Time 3:00pm
RECEIVED BY: (Signature/Print) [Signature]
Date: (YY/MM/DD) 20/03/18
Time 16:20

jars used and not submitted

Laboratory Use Only

| | | | | |
|----------------|----------------------------|----------------------|-----|----|
| Time Sensitive | Temperature (°C) on Recept | Custody Seal Present | Yes | No |
| | 6:4.9 | Intact | ✓ | |

* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BV LABS' STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVLABS.COM/TERMS-AND-CONDITIONS.


* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS. G. G. G.

** SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT WWW.BVLABS.COM/RESOURCES/CHAIN-OF-CUSTODY-FORMS.


SAMPLES MUST BE KEPT COOL (< 10° C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BV LABS

White: BV Labs Yellow: Client

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26


Kerosene: C8 - C16

Motor Oils: C16 - C50


Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.

Petroleum Hydrocarbons F2-F4 in Soil Chromatogram



Reference Spectrum



TYPICAL PRODUCT CARBON NUMBER RANGES

Gasoline: C6 - C12

Diesel: C10 - C24

Jet Fuels: C6 - C16

Varsol: C8 - C12

Fuel Oils: C6 - C32

Creosote: C10 - C26

Kerosene: C8 - C16

Motor Oils: C16 - C50

Asphalt: C18 - C50+

Note: This information is provided for reference purposes only. Should detailed chemist interpretation or fingerprinting be required, please contact the laboratory.



Your Project #: OTT-00258780-CO
 Your C.O.C. #: 764708-01-01

Attention: Chris Kimmerly

exp Services Inc
 Ottawa Branch
 100-2650 Queensview Drive
 Ottawa, ON
 CANADA K2B 8H6

Report Date: 2020/04/01
 Report #: R6131711
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BV LABS JOB #: C078311

Received: 2020/03/25, 12:45

Sample Matrix: Soil
 # Samples Received: 2

| Analyses | Quantity | Date Extracted | Date Analyzed | Laboratory Method | Analytical Method |
|---|-----------------|---------------------------|--------------------------|--------------------------|--------------------------|
| Hot Water Extractable Boron (1) | 2 | 2020/03/27 | 2020/03/30 | CAM SOP-00408 | R153 Ana. Prot. 2011 |
| Free (WAD) Cyanide (1) | 2 | 2020/03/26 | 2020/03/31 | CAM SOP-00457 | OMOE E3015 m |
| Conductivity (1) | 2 | 2020/03/30 | 2020/03/30 | CAM SOP-00414 | OMOE E3530 v1 m |
| Hexavalent Chromium in Soil by IC (1, 2) | 2 | 2020/03/26 | 2020/03/27 | CAM SOP-00436 | EPA 3060/7199 m |
| Strong Acid Leachable Metals by ICPMS (1) | 2 | 2020/03/27 | 2020/03/27 | CAM SOP-00447 | EPA 6020B m |
| Moisture (1) | 2 | N/A | 2020/03/26 | CAM SOP-00445 | Carter 2nd ed 51.2 m |
| pH CaCl2 EXTRACT (1) | 2 | 2020/03/26 | 2020/03/26 | CAM SOP-00413 | EPA 9045 D m |
| Sodium Adsorption Ratio (SAR) (1) | 2 | N/A | 2020/03/30 | CAM SOP-00102 | EPA 6010C |

Remarks:

Bureau Veritas Laboratories are accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by BV Labs are based upon recognized Provincial, Federal or US method compendia such as CCME, MELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in BV Labs profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and BV Labs in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

BV Labs liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. BV Labs has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by BV Labs, unless otherwise agreed in writing. BV Labs is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by BV Labs, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) This test was performed by Bureau Veritas Laboratories Mississauga

(2) Soils are reported on a dry weight basis unless otherwise specified.



Your Project #: OTT-00258780-C0
Your C.O.C. #: 764708-01-01

Attention: Chris Kimmerly

exp Services Inc
Ottawa Branch
100-2650 Queensview Drive
Ottawa, ON
CANADA K2B 8H6

Report Date: 2020/04/01
Report #: R6131711
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BV LABS JOB #: C078311

Received: 2020/03/25, 12:45

Encryption Key

Katherine Szozda
Project Manager
01 Apr 2020 15:27:10

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Katherine Szozda, Project Manager
Email: Katherine.Szozda@bvlabs.com
Phone# (613) 274-0573

=====

BV Labs has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



BUREAU
VERITAS

BV Labs Job #: C078311
Report Date: 2020/04/01

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

O.REG 153 METALS & INORGANICS PKG (SOIL)

| BV Labs ID | | MIA870 | MIA871 | | |
|----------------------------------|--------------|-------------------|-------------------|------------|-----------------|
| Sampling Date | | 2020/03/17 | 2020/03/17 | | |
| COC Number | | 764708-01-01 | 764708-01-01 | | |
| | UNITS | TP-11 FILL | TP-21 FILL | RDL | QC Batch |
| Calculated Parameters | | | | | |
| Sodium Adsorption Ratio | N/A | 0.25 | 0.25 | | 6653547 |
| Inorganics | | | | | |
| Conductivity | mS/cm | 0.16 | 0.16 | 0.002 | 6659737 |
| Moisture | % | 16 | 17 | 1.0 | 6655496 |
| Available (CaCl2) pH | pH | 7.46 | 7.59 | | 6655411 |
| WAD Cyanide (Free) | ug/g | 0.01 | 0.02 | 0.01 | 6656316 |
| Chromium (VI) | ug/g | <0.18 | <0.18 | 0.18 | 6655240 |
| Metals | | | | | |
| Hot Water Ext. Boron (B) | ug/g | 0.11 | 0.080 | 0.050 | 6657283 |
| Acid Extractable Antimony (Sb) | ug/g | <0.20 | <0.20 | 0.20 | 6657277 |
| Acid Extractable Arsenic (As) | ug/g | 1.3 | 1.4 | 1.0 | 6657277 |
| Acid Extractable Barium (Ba) | ug/g | 65 | 65 | 0.50 | 6657277 |
| Acid Extractable Beryllium (Be) | ug/g | 0.35 | 0.35 | 0.20 | 6657277 |
| Acid Extractable Boron (B) | ug/g | <5.0 | <5.0 | 5.0 | 6657277 |
| Acid Extractable Cadmium (Cd) | ug/g | 0.11 | 0.15 | 0.10 | 6657277 |
| Acid Extractable Chromium (Cr) | ug/g | 15 | 16 | 1.0 | 6657277 |
| Acid Extractable Cobalt (Co) | ug/g | 5.2 | 5.4 | 0.10 | 6657277 |
| Acid Extractable Copper (Cu) | ug/g | 10 | 10 | 0.50 | 6657277 |
| Acid Extractable Lead (Pb) | ug/g | 9.0 | 8.9 | 1.0 | 6657277 |
| Acid Extractable Molybdenum (Mo) | ug/g | <0.50 | <0.50 | 0.50 | 6657277 |
| Acid Extractable Nickel (Ni) | ug/g | 9.3 | 9.8 | 0.50 | 6657277 |
| Acid Extractable Selenium (Se) | ug/g | <0.50 | <0.50 | 0.50 | 6657277 |
| Acid Extractable Silver (Ag) | ug/g | <0.20 | <0.20 | 0.20 | 6657277 |
| Acid Extractable Thallium (Tl) | ug/g | 0.10 | 0.087 | 0.050 | 6657277 |
| Acid Extractable Uranium (U) | ug/g | 0.52 | 0.50 | 0.050 | 6657277 |
| Acid Extractable Vanadium (V) | ug/g | 29 | 29 | 5.0 | 6657277 |
| Acid Extractable Zinc (Zn) | ug/g | 33 | 34 | 5.0 | 6657277 |
| Acid Extractable Mercury (Hg) | ug/g | <0.050 | <0.050 | 0.050 | 6657277 |
| RDL = Reportable Detection Limit | | | | | |
| QC Batch = Quality Control Batch | | | | | |



BUREAU
VERITAS

BV Labs Job #: C078311
Report Date: 2020/04/01

exp Services Inc
Client Project #: OTT-00258780-C0
Sampler Initials: GC

TEST SUMMARY

BV Labs ID: MIA870
Sample ID: TP-11 FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/25

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---------------------------------------|-----------------|---------|------------|---------------|-------------------|
| Hot Water Extractable Boron | ICP | 6657283 | 2020/03/27 | 2020/03/30 | Jolly John |
| Free (WAD) Cyanide | TECH | 6656316 | 2020/03/26 | 2020/03/31 | Louise Harding |
| Conductivity | AT | 6659737 | 2020/03/30 | 2020/03/30 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6655240 | 2020/03/26 | 2020/03/27 | Violeta Porcila |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6657277 | 2020/03/27 | 2020/03/27 | Daniel Teclu |
| Moisture | BAL | 6655496 | N/A | 2020/03/26 | Prgya Panchal |
| pH CaCl2 EXTRACT | AT | 6655411 | 2020/03/26 | 2020/03/26 | Kazzandra Adeva |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6653547 | N/A | 2020/03/30 | Automated Statchk |

BV Labs ID: MIA871
Sample ID: TP-21 FILL
Matrix: Soil

Collected: 2020/03/17
Shipped:
Received: 2020/03/25

| Test Description | Instrumentation | Batch | Extracted | Date Analyzed | Analyst |
|---------------------------------------|-----------------|---------|------------|---------------|-------------------|
| Hot Water Extractable Boron | ICP | 6657283 | 2020/03/27 | 2020/03/30 | Jolly John |
| Free (WAD) Cyanide | TECH | 6656316 | 2020/03/26 | 2020/03/31 | Louise Harding |
| Conductivity | AT | 6659737 | 2020/03/30 | 2020/03/30 | Mandeep Kaur |
| Hexavalent Chromium in Soil by IC | IC/SPEC | 6655240 | 2020/03/26 | 2020/03/27 | Violeta Porcila |
| Strong Acid Leachable Metals by ICPMS | ICP/MS | 6657277 | 2020/03/27 | 2020/03/27 | Daniel Teclu |
| Moisture | BAL | 6655496 | N/A | 2020/03/26 | Prgya Panchal |
| pH CaCl2 EXTRACT | AT | 6655411 | 2020/03/26 | 2020/03/26 | Kazzandra Adeva |
| Sodium Adsorption Ratio (SAR) | CALC/MET | 6653547 | N/A | 2020/03/30 | Automated Statchk |



GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

| | |
|-----------|-------|
| Package 1 | 3.7°C |
|-----------|-------|

Sample MIA870 [TP-11 FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Sample MIA871 [TP-21 FILL] : SAR Analysis: Sodium was not detected. To report SAR the sodium detection limit was used in the calculation. This value represents a maximum ratio.

Results relate only to the items tested.



BUREAU
VERITAS

BV Labs Job #: C078311

Report Date: 2020/04/01

QUALITY ASSURANCE REPORT

exp Services Inc

Client Project #: OTT-00258780-C0

Sampler Initials: GC

| QC Batch | Parameter | Date | Matrix Spike | | SPIKED BLANK | | Method Blank | | RPD | |
|----------|----------------------------------|------------|--------------|-----------|--------------|-----------|--------------|-------|-----------|-----------|
| | | | % Recovery | QC Limits | % Recovery | QC Limits | Value | UNITS | Value (%) | QC Limits |
| 6655240 | Chromium (VI) | 2020/03/27 | 80 | 70 - 130 | 90 | 80 - 120 | <0.18 | ug/g | NC | 35 |
| 6655411 | Available (CaCl2) pH | 2020/03/26 | | | 99 | 97 - 103 | | | 0.088 | N/A |
| 6655496 | Moisture | 2020/03/26 | | | | | | | 17 | 20 |
| 6656316 | WAD Cyanide (Free) | 2020/03/31 | 81 | 75 - 125 | 95 | 80 - 120 | <0.01 | ug/g | NC | 35 |
| 6657277 | Acid Extractable Antimony (Sb) | 2020/03/27 | 87 | 75 - 125 | 95 | 80 - 120 | <0.20 | ug/g | NC | 30 |
| 6657277 | Acid Extractable Arsenic (As) | 2020/03/27 | 97 | 75 - 125 | 101 | 80 - 120 | <1.0 | ug/g | 19 | 30 |
| 6657277 | Acid Extractable Barium (Ba) | 2020/03/27 | NC | 75 - 125 | 93 | 80 - 120 | <0.50 | ug/g | 4.5 | 30 |
| 6657277 | Acid Extractable Beryllium (Be) | 2020/03/27 | 99 | 75 - 125 | 96 | 80 - 120 | <0.20 | ug/g | 2.5 | 30 |
| 6657277 | Acid Extractable Boron (B) | 2020/03/27 | 98 | 75 - 125 | 95 | 80 - 120 | <5.0 | ug/g | 4.3 | 30 |
| 6657277 | Acid Extractable Cadmium (Cd) | 2020/03/27 | 96 | 75 - 125 | 94 | 80 - 120 | <0.10 | ug/g | 7.5 | 30 |
| 6657277 | Acid Extractable Chromium (Cr) | 2020/03/27 | 95 | 75 - 125 | 94 | 80 - 120 | <1.0 | ug/g | 0.70 | 30 |
| 6657277 | Acid Extractable Cobalt (Co) | 2020/03/27 | 92 | 75 - 125 | 98 | 80 - 120 | <0.10 | ug/g | 0.56 | 30 |
| 6657277 | Acid Extractable Copper (Cu) | 2020/03/27 | 93 | 75 - 125 | 95 | 80 - 120 | <0.50 | ug/g | 1.4 | 30 |
| 6657277 | Acid Extractable Lead (Pb) | 2020/03/27 | 95 | 75 - 125 | 96 | 80 - 120 | <1.0 | ug/g | 5.0 | 30 |
| 6657277 | Acid Extractable Mercury (Hg) | 2020/03/27 | 87 | 75 - 125 | 87 | 80 - 120 | <0.050 | ug/g | NC | 30 |
| 6657277 | Acid Extractable Molybdenum (Mo) | 2020/03/27 | 99 | 75 - 125 | 94 | 80 - 120 | <0.50 | ug/g | NC | 30 |
| 6657277 | Acid Extractable Nickel (Ni) | 2020/03/27 | 92 | 75 - 125 | 95 | 80 - 120 | <0.50 | ug/g | 9.1 | 30 |
| 6657277 | Acid Extractable Selenium (Se) | 2020/03/27 | 103 | 75 - 125 | 99 | 80 - 120 | <0.50 | ug/g | NC | 30 |
| 6657277 | Acid Extractable Silver (Ag) | 2020/03/27 | 95 | 75 - 125 | 97 | 80 - 120 | <0.20 | ug/g | NC | 30 |
| 6657277 | Acid Extractable Thallium (Tl) | 2020/03/27 | 98 | 75 - 125 | 97 | 80 - 120 | <0.050 | ug/g | 11 | 30 |
| 6657277 | Acid Extractable Uranium (U) | 2020/03/27 | 99 | 75 - 125 | 95 | 80 - 120 | <0.050 | ug/g | 3.7 | 30 |
| 6657277 | Acid Extractable Vanadium (V) | 2020/03/27 | NC | 75 - 125 | 96 | 80 - 120 | <5.0 | ug/g | 0.60 | 30 |
| 6657277 | Acid Extractable Zinc (Zn) | 2020/03/27 | NC | 75 - 125 | 98 | 80 - 120 | <5.0 | ug/g | 3.6 | 30 |
| 6657283 | Hot Water Ext. Boron (B) | 2020/03/30 | 86 | 75 - 125 | 103 | 75 - 125 | <0.050 | ug/g | 6.1 | 40 |



BUREAU
VERITAS

BV Labs Job #: C078311

Report Date: 2020/04/01

QUALITY ASSURANCE REPORT(CONT'D)

exp Services Inc

Client Project #: OTT-00258780-C0

Sampler Initials: GC

| QC Batch | Parameter | Date | Matrix Spike | | SPIKED BLANK | | Method Blank | | RPD | |
|----------|--------------|------------|--------------|-----------|--------------|-----------|--------------|-------|-----------|-----------|
| | | | % Recovery | QC Limits | % Recovery | QC Limits | Value | UNITS | Value (%) | QC Limits |
| 6659737 | Conductivity | 2020/03/30 | | | 101 | 90 - 110 | <0.002 | mS/cm | 7.0 | 10 |

N/A = Not Applicable

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spike amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than the native sample concentration)

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference <= 2x RDL).



BUREAU
VERITAS

BV Labs Job #: C078311

Report Date: 2020/04/01

exp Services Inc

Client Project #: OTT-00258780-C0

Sampler Initials: GC

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Anastassia Hamanov, Scientific Specialist

Ewa Pranjic, M.Sc., C.Chem, Scientific Specialist

BV Labs has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



| | | | | | | | |
|---|-------------------------------|----------------------------|----------------|-----------------------------|------------------|-----------------------------|--|
| INVOICE TO: | | REPORT TO: | | PROJECT INFORMATION: | | Laboratory Use Only: | |
| Company Name: #17498 exp Services Inc | Company Name: | Quotation #: B91718 | BV Labs Job #: | Bottle Order #: | 764708 | | |
| Attention: Accounts Payable | Attention: Chris Kimmerly | P.O. #: | COC #: | Project Manager: | Katherine Szozda | | |
| Address: 100-2650 Queensview Drive Ottawa ON K2B 8H6 | Address: | Project: OTT-00258780-C0 | C#764708-01-01 | | | | |
| Tel: (613) 688-1899 Fax: (613) 225-7337 | Tel: Fax: | Project Name: | | | | | |
| Email: accounting.ottawa@exp.com; Karen.Burke@exp.com; | Email: Chris.Kimmerly@exp.com | Site #: | | | | | |
| | | Sampled By: <i>S. Chin</i> | | | | | |

| MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE BV LABS DRINKING WATER CHAIN OF CUSTODY | | | | | ANALYSIS REQUESTED (PLEASE BE SPECIFIC) | | | | | | | | | | Turnaround Time (TAT) Required: Please provide advance notice for rush projects | | | | | | | | | |
|---|-------------------------------------|--------------------------------------|-----------------------------------|---|---|----------------------|--|--|---|-----------------------------------|--|---------------|--|--|--|----------|--|--|--|--|--|--|--|--|
| Regulation 153 (2011) | | | Other Regulations | | | Special Instructions | | | Field Filtered (please circle): Metals / Hg / Cr / V / | O.Reg 153 PHCs, BTEX/FI-F4 (Soil) | O.Reg 153 Metals & Inorganics Pkg (Soil) | O.Reg 153 Pkg | | | | | | | | | | | Regular (Standard) TAT: <small>(will be applied if Rush TAT is not specified); Standard TAT = 5-7 Working days for most tests. Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details.</small> | |
| <input type="checkbox"/> Table 1 | <input type="checkbox"/> Ras/Park | <input type="checkbox"/> Medium/Fine | <input type="checkbox"/> CCME | <input type="checkbox"/> Sanitary Sewer Bylaw | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Table 2 | <input type="checkbox"/> Ind/Comm | <input type="checkbox"/> Coarse | <input type="checkbox"/> Reg 558. | <input type="checkbox"/> Storm Sewer Bylaw | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Table 3 | <input type="checkbox"/> Agri/Other | <input type="checkbox"/> For RSC | <input type="checkbox"/> MISA | Municipality _____ | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Table _____ | | | <input type="checkbox"/> PWQO | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Other _____ | | | | | | | | | | | | | | | | | | | Job Specific Rush TAT (if applies to entire submission) Date Required: _____ Time Required: _____ Rush Confirmation Number: _____ (call lab for #) | | | | | |
| Include Criteria on Certificate of Analysis (Y/N)? | | | | | | | | | | | | | | | # of Bottles | Comments | | | | | | | | |
| Sample Barcode Label | Sample (Location) Identification | Date Sampled | Time Sampled | Matrix | | | | | | | | | | | | | | | | | | | | |
| 1 TP-11 Fill | | 2020/03/17 | PM | S | | | | | | | | | | | | | | | | | | | | |
| 2 TP-21 Fill | | 2020/03/17 | PM | S | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 Analysis only for metals + inorganics | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | |

25-Mar-20 12:45
Katherine Szozda
C078311
KJY OTT-001

| | | | | | | | | | | | | | |
|---|--|--------------------------------|------------|---|--|--------------------------------|---------------|-------------------------------|-------------------------------------|--------------|--|-----|----|
| * RELINQUISHED BY: (Signature/Print) <i>Chris Kimmerly</i> | | Date: (YY/MM/DD) 2020/03/25 | Time AM | RECEIVED BY: (Signature/Print) <i>Chris Kimmerly</i> | | Date: (YY/MM/DD) 2020/03/25 | Time 12:45 | # jars used and not submitted | Laboratory Use Only | | | | |
| | | | | | | | | Time Sensitive | Temperature (°C) on Recept 41.43 | Custody Seal | | Yes | No |
| | | | | | | | | | | Intact | | | |

* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BV LABS' STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVLABS.COM/TERMS-AND-CONDITIONS.
* IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.
** SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT WWW.BVLABS.COM/RESOURCES/CHAIN-OF-CUSTODY-FORMS.



Bureau Veritas Laboratories
6740 Campbell Road, Mississauga, Ontario Canada L5N 2L8 Tel:(905) 817-5700 Toll-free 800-563-6266 Fax:(905) 817-5777 www.bvlabs.com

CHAIN OF CUSTODY RECORD

| | | | | | | | |
|---|-------------------------------|--------------------------|----------------|-----------------------------|------------------|-----------------------------|--|
| INVOICE TO: | | REPORT TO: | | PROJECT INFORMATION: | | Laboratory Use Only: | |
| Company Name: #17498 exp Services Inc | Company Name: | Quotation #: B91718 | BV Labs Job #: | Bottle Order #: | 764708 | | |
| Attention: Accounts Payable | Attention: Chris Kimmerly | P.O. #: | COC #: | | Project Manager: | | |
| Address: 100-2650 Queensview Drive Ottawa ON K2B 8H6 | Address: | Project: OTT-00258780-C0 | COC #: | | Project Manager: | | |
| Tel: (613) 688-1899 Fax: (613) 225-7337 | Tel: | Site #: | COC #: | | Katherine Szozda | | |
| Email: accounting.ottawa@exp.com; Karen.Burke@exp.com | Email: Chris.Kimmerly@exp.com | Sampled By: <u>Schin</u> | COC #: | | C#754708-01-01 | | |

| MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE BV LABS DRINKING WATER CHAIN OF CUSTODY | | | | | | ANALYSIS REQUESTED (PLEASE BE SPECIFIC) | | Turnaround Time (TAT) Required: Please provide advance notice for rush projects | |
|---|---------------------------------------|--------------------------------------|----------------------------------|---|--|--|---|--|--|
| Regulation 153 (2011) | | Other Regulations | | Special Instructions | | Field Filtered (please circle): Metals / Hg / Cr VI | | Regular (Standard) TAT: (will be applied if Rush TAT is not specified): Standard TAT = 5-7 Working days for most tests. Please note: Standard TAT for certain tests such as BOD and Dioxins/Furans are > 5 days - contact your Project Manager for details. | |
| <input type="checkbox"/> Table 1 | <input type="checkbox"/> Res/Park | <input type="checkbox"/> Medium/Fine | <input type="checkbox"/> CCME | <input type="checkbox"/> Sanitary Sewer Bylaw | | <input type="checkbox"/> Metals | <input type="checkbox"/> Hg | <input type="checkbox"/> Cr VI | <input type="checkbox"/> Job Specific Rush TAT (if applies to entire submission) Date Required: _____ Time Required: _____ Rush Confirmation Number: _____ (call lab for #) |
| <input type="checkbox"/> Table 2 | <input type="checkbox"/> Ind/Comm | <input type="checkbox"/> Coarse | <input type="checkbox"/> Reg 558 | <input type="checkbox"/> Storm Sewer Bylaw | | <input type="checkbox"/> 0 Reg 153 PHCs, BTEX/F1-F4 (Soil) | <input type="checkbox"/> 0 Reg 153 Metals & Inorganics Pkg (Soil) | <input type="checkbox"/> 0 Reg 153 Pkg | |
| <input type="checkbox"/> Table 3 | <input type="checkbox"/> Agri/Other | <input type="checkbox"/> For RSC | <input type="checkbox"/> MISA | Municipality _____ | | <input type="checkbox"/> 0 Reg 153 Pkg | <input type="checkbox"/> 0 Reg 153 Pkg | <input type="checkbox"/> 0 Reg 153 Pkg | |
| <input type="checkbox"/> Table | | | <input type="checkbox"/> PWQO | <input type="checkbox"/> Other _____ | | <input type="checkbox"/> 0 Reg 153 Pkg | <input type="checkbox"/> 0 Reg 153 Pkg | <input type="checkbox"/> 0 Reg 153 Pkg | |
| Include Criteria on Certificate of Analysis (Y/N)? | | | | | | | | | |
| Sample Barcode Label | Sample (Location) Identification | Date Sampled | Time Sampled | Matrix | | | | # of Bottles | Comments |
| 1 TP-11 Fill | | 2020/03/17 | PM | S | | | | | |
| 2 TP-21 Fill | | 2020/03/17 | PM | S | | | | | |
| 3 | | | | | | | | | |
| 4 | | | | | | | | | |
| 5 | | | | | | | | | |
| 6 | | | | | | | | | |
| 7 | | | | | | | | | |
| 8 | Analysis only for metals + inorganics | | | | | | | | |
| 9 | | CTIC | | | | | | | on file |
| 10 | | | | | | | | | |

25-Mar-20 12:45
Katherine Szozda
C078311
KJY OTT-001

| | | | | | | | | | | |
|---|--------------------------------|------------|--|--------------------------------|---------------|-------------------------------|---------------------|--------------------------------------|------------------------|---|
| * RELINQUISHED BY: (Signature/Print) <u>Chris Kimmerly</u> | Date: (YY/MM/DD) 2020/03/25 | Time Am | RECEIVED BY: (Signature/Print) <u>[Signature]</u> | Date: (YY/MM/DD) 2020/03/25 | Time 12:45 | # jars used and not submitted | Laboratory Use Only | | | |
| | | | | | | | Time Sensitive | Temperature (°C) on Receipt 41.43 | Custody Seal Intact | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> |

* UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BV LABS' STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVLABS.COM/TERMS-AND-CONDITIONS.
 * IT IS THE RESPONSIBILITY OF THE RELINQUISHER TO ENSURE THE ACCURACY OF THE CHAIN OF CUSTODY RECORD. AN INCOMPLETE CHAIN OF CUSTODY MAY RESULT IN ANALYTICAL TAT DELAYS.
 ** SAMPLE CONTAINER, PRESERVATION, HOLD TIME AND PACKAGE INFORMATION CAN BE VIEWED AT WWW.BVLABS.COM/RESOURCES/CHAIN-OF-CUSTODY-FORMS.