patersongroup

Consulting Engineers

August 26, 2020 File: PE4999-LET.01 154 Colonnade Road South Ottawa, Ontario Canada, K2E 7J5 Tel: (613) 226-7381 Fax: (613) 226-6344

Richcraft Group of Companies 2280 St. Laurent Boulevard, Suite 201 Ottawa, Ontario K1G 4K1 Geotechnical Engineering Environmental Engineering Hydrogeology Geological Engineering Materials Testing Building Science Archaeological Studies

Attention: Mr. Patrick Gaudreault

www.patersongroup.ca

Subject: Phase I - Environmental Site Assessment Update

Trails Edge – Phase 4 (South)

Ottawa, Ontario

Dear Sir,

Further to your request and authorization, Paterson Group (Paterson) conducted a Phase I – Environmental Site Assessment (Phase I ESA) Update for the aforementioned property. This report updates a previous Phase I ESA, completed by Paterson in February 2015. This letter report is intended to meet the requirements for an updated Phase I ESA, as per Ontario Regulation 153/04, and is to be read in conjunction with the previous 2015 Phase I ESA report.

Site Information

The subject site is located on the north and south sides of Brian Coburn Boulevard, between Mer Bleue Road and Fern Casey Street, in the City of Ottawa, Ontario. The subject site currently consists predominantly of vacant land, with the exception of a small metal workshop building (currently vacant), and a storage shed. These structures are located at 2284 Mer Bleue Road, situated in the eastern portion of the subject site.

Previous Engineering Report

The following report was reviewed prior to conducting this assessment:

"Phase I Environmental Site Assessment, East Urban Mixed-Use Community, Ottawa, Ontario" prepared by Paterson Group and dated February 27, 2015.

According to the findings of the previous 2015 Phase I ESA, three (3) potentially contaminating activities (PCAs), resulting in areas of potential environmental concern (APECs), were identified on the subject site. These APECs include:

Page 2

File: PE4999-LET.01

A former metal workshop building situated at 2284 Mer Bleue Road, located in the eastern portion of the subject site;
The placement of fill material in the area surrounding the former metal workshop, located in the eastern portion of the subject site;
The placement of fill material in the northeastern portion of the subject site, adjacent to a neighbouring excavation contractor's storage yard.

Several other off-site PCAs were also identified by the Phase I ESA, however, based on their significant distances or their cross-gradient or down-gradient orientation, the uses of these properties were not considered to pose an environmental concern to the subject site.

Based on the findings of the Phase I ESA, Paterson recommended that a Phase II ESA be completed for the subject site to investigate the above noted APECs.

Historical Records Review

Phase I ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I study area for this assignment. Properties located outside of this radius are not considered to have had the potential to impact the subject site, based on their significant separation distances.

First Developed Use Determination

Based on a review of available historical information, the subject site has been primarily vacant or used for agricultural purposes. Some of the properties fronting Mer Bleue Road were first developed for residential and/or commercial purposes sometime in the late 1970's or early 1980's.

National Pollutant Release Inventory

A search of the National Pollutant Release Inventory (NPRI) database did not identify any records of pollutant releases pertaining to the subject site or the neighbouring properties.

PCB Waste Storage Site Inventory

A search of the national PCB waste storage site inventory was conducted as part of this assessment. The search did not identify any current or former PCB waste storage sites situated within the Phase I study area.

Page 3

File: PE4999-LET.01

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed as part of this assessment. This document provides a reference to the locations of former plants with respect to the subject site. A review of this document did not identify any former coal gasification plants located on the subject site or within the Phase I study area.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of this assessment. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants, and coal tar distillation plants situated in the Province of Ontario. A review of this document did not identify any relevant records pertaining to the subject site or for properties located within the Phase I study area.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry was conducted as part of this assessment. No Records of Site Condition (RSCs) were filed for the subject site or for any properties situated within the Phase I study area.

City of Ottawa Historical Land Use Inventory (HLUI) Database

As part of this assessment, a requisition form was submitted to the City of Ottawa to request information from the City's Historical Land Use Inventory (HLUI 2005) database for any environmental records pertaining to the subject site as well as any properties situated within the Phase I study area.

A response from the City had not been received prior to the issuance of this report, but will be forwarded to the client should it contain any pertinent information.

City of Ottawa Former Landfill Sites

The document prepared by Golder Associates entitled, "Old Landfill Management Strategy, Phase I - Identification of Sites, City of Ottawa", was reviewed as part of this assessment. No former landfill sites were identified on the subject site or within the Phase I study area.

Page 4

File: PE4999-LET.01

ERIS Database Report

A database report, prepared by ERIS (Environmental Risk Information Services) Ltd., dated August 19, 2020, was acquired and reviewed as part of this assessment. The complete ERIS report has been appended to this letter.

□ On-Site Records:

The ERIS report identified six (6) environmental records pertaining to the subject site. A review of these records did not identify any environmental concerns associated with the subject site.

□ Off-Site Records:

The ERIS report identified thirty-three (33) environmental records pertaining to properties located within a 300 m radius of the subject site. These off-site records are listed for properties which are situated at a significant distance away, or are situated in a downgradient or cross-gradient orientation with respect to the subject site, and thus are not considered to pose an environmental concern to the property.

Aerial Photographs

The most recent photograph reviewed in the 2015 Phase I ESA report was taken in 2011. For this update, more recent aerial photographs, taken in 2014 and 2018, were reviewed as part of our assessment.

In the 2014 aerial photograph, no significant changes were apparent with respect to the subject site or the surrounding properties.

In the 2018 aerial photograph, the ground surface within the western portion of the subject site appears to have been reworked in preparation for future development. Brian Coburn Boulevard can be seen in its current configuration.

A copy of the 2014 and 2018 aerial photographs have been appended to this letter.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on the mapping information from NRCAN, the bedrock within the area of the subject site consists of interbedded limestone and shale of the Lindsay Formation, whereas the surficial geology consists of offshore marine deposits (clay and silt) with an overburden thickness ranging from approximately 15 m to 50 m.

Page 5

File: PE4999-LET.01

Topographic Maps

A topographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website as part of this assessment. The topographic map indicates that the general elevation of the subject site is approximately 85 m above sea level. The regional topography in the general area of the subject site slopes down towards the south, in the direction of Mer Bleue Bog. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this letter.

Physiographic Maps

A physiographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website, as a part of this assessment. According to the publication and mapping information, the subject site is situated within the St. Lawrence Lowlands. According to the description provided: "The lowlands are plain-like areas that were affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets." The subject site is specifically located within the Central St. Lawrence Lowland area, which is rarely more than 150 m above sea level.

Water Bodies

No water bodies are present on the subject site or within the Phase I study area. The nearest named water body with respect to the subject site is Mer Bleue Bog, located approximately 2.25 km to the south.

MECP Water Well Records

A search of the MECPs website for all drilled well records within a 250 m radius of the subject site was conducted as part of this assessment. The search did not identify any well records pertaining to the subject site, however, the search did identify ten (10) well records within the Phase I study area. These records pertain to wells installed between 1962 and 2018 and used for domestic household, agricultural, or groundwater observation purposes. It is likely that some of the residential properties adjacent to Mer Bleue Road still utilize private drinking water wells.

According to the well records, the overburden stratigraphy in the area of the subject site generally consists of brown/blue clay, underlain by coarse gravel. Bedrock, consisting of grey limestone, was typically encountered at depths ranging from approximately 10 m to 25 m below ground surface.

Page 6

File: PE4999-LET.01

OMNRF Areas of Natural and Scientific Interest

A search for areas of natural and scientific interest situated within the Phase I study area was conducted electronically via the Ontario Ministry of Natural Resources and Forestry (OMNRF) website. The search did not identify any natural features of areas of natural significance within the Phase I study area.

Personal Interview

Mr. Patrick Gaudreault, a representative with Richcraft Homes, was contacted via email to respond to questions. According to Mr. Gaudreault, the subject site contains numerous soil stockpiles and soil berms, produced as a result of the reworking of the subject site in preparation for future development, as well as locally from the development of the surrounding properties. Mr. Gaudreault was aware of the presence of fill material within the northeastern portion of the subject site, adjacent to the neighbouring excavation contractor's storage yard. Mr. Gaudreault stated that the metal workshop building ceased operations sometime circa 2011, and that the building has been vacant ever since.

Site Reconnaissance

The site inspection was conducted on August 17, 2020, between 9:00 AM and 10:00 AM, by personnel from Paterson's environmental department. In addition to the subject site, the present-day uses of the neighbouring properties within the Phase I study area were also assessed at the time of the site inspection.

Exterior Assessment

Buildings and Structures

The subject site is currently occupied with a one (1) storey, slab-on-grade, former metal workshop building (now currently vacant), as well as a one (1) storey, slab-on-grade, storage shed. These structures are located at 2284 Mer Bleue Road, situated in the eastern portion of the subject site.

The workshop and the storage barn are both finished on the exterior with metal siding and a sloped metal roof. While the workshop is not currently being heated, there does exist an oil-fired furnace system within the building.

Site Description

The subject site consists predominantly of vacant grassland, with the exception of a gravel surfaced area in the vicinity of the vacant workshop building and storage barn. Several large soil berms and stockpiles are present throughout the subject site, however according to our information, this material originated locally from the development of the surrounding properties.

Page 7

File: PE4999-LET.01

The subject site is considered to be at grade with the adjacent roads as well as the surrounding properties. The site topography is relatively flat, whereas the regional topography slopes very gently down towards the south, in the general direction of Mer Bleue Bog.

Water drainage on the subject site occurs primarily via infiltration throughout the property, as well as via surface run-off towards drainage ditches present along the adjacent roads. No ponded water, stressed vegetation, or any other indications of potential sub-surface contamination were observed on-site at the time of the site inspection.

Potential Environmental Concerns

☐ Fuels and Chemical Storage

No chemical storage areas, above ground storage tanks (ASTs), or signs of underground storage tanks (USTs) were observed on the exterior of the subject site at the time of the site inspection.

Vent and fill pipes were observed to be protruding from the north side of the workshop building, which were later determined to connect to an interior fuel oil AST, discussed further in this letter.

No hazardous materials, unidentified chemicals, spills, stains, or abnormal odours were on the exterior of the subject site at the time of the site inspection.

☐ Waste Management

No waste materials are current being generated on the subject site.

☐ Polychlorinated Biphenyls (PCBs)

No sources of PCBs were observed on the exterior of the subject site at the time of the site inspection.

Interior Assessment

A general description of the interior of the former metal workshop at 2284 Mer Bleue Road is described as follows:

The floors consist of poured concrete, linoleum flooring, ceramic tile, and carpet;
The walls consist of drywall and metal;
The ceilings consist of stipple plaster, drywall, and suspended ceiling tiles;
Lighting throughout the building is provided by incandescent and fluorescent light fixtures.

Page 8

File: PE4999-LET.01

Potentially Hazardous Building Materials

☐ Asbestos Containing Materials (ACMs)

Based on the age of the former metal workshop (c.1970s/1980's), asbestos containing building materials may be potentially present within the structure. The potential ACMs identified at the time of the site inspection include the linoleum flooring on the second floor, the suspended ceiling tiles in the ground floor bathroom, and the drywall joint compound throughout the building. These materials were generally observed to be in good condition at the time of the site inspection.

□ Polychlorinated Biphenyls (PCBs)

No sources of PCBs were observed within the subject building at the time of the site inspection.

□ Lead-Based Paints

Based on the age of the subject building (c.1970's/1980's), lead-based paints may be present beneath more recent paints, on any original or older painted surfaces. Painted surfaces were generally observed to be in good condition at the time of the site inspection and do not represent an immediate concern.

☐ Urea Formaldehyde Foam Insulation (UFFI)

UFFI was not observed within the subject building at the time of the site inspection, however, wall cavities were not inspected for insulation type.

Other Potential Environmental Concerns

☐ Fuels and Chemical Storage

One (1) above ground storage tank was identified inside the workshop building at the time of the site inspection. The AST manufacturer's information plaque could not be located on the tank, however it appeared to be constructed with a single 2 mm thick steel wall and contain a capacity for approximately 900-1000 L of fuel oil. The tank was noted to be empty and in good condition, with no signs of leaks or stains observed at the time of the site inspection. The underlying poured concrete floor was also observed to be in good condition, with no cracks or holes visible on the surface. The presence of this AST is not considered to pose an environmental concern to the subject site.

No hazardous materials, unidentified chemicals, spills, stains, or abnormal odours were observed within the workshop building at the time of the site inspection. No environmental concerns were identified with respect to chemical storage practices on the subject site.

Page 9

File: PE4999-LET.01

☐ Wastewater Drainage

No wastewater is currently being discharged from the workshop building. Roof drainage from the workshop is discharged into the surrounding gravel areas adjacent to the building. Multiple floor drains were observed within the ground floor of the workshop building, however, access to their interiors were not possible at the time of the site inspection. No environmental concerns were identified with respect to wastewater drainage on the subject site.

□ Ozone Depleting Substances (ODSs)

Potential sources of ODSs observed on the subject site include fire extinguishers, and a window mounted air conditioning unit. These appliances appeared to be in good condition at the time of the site inspection and should be regularly serviced by a licensed contractor.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the subject site was observed as follows:

North: An excavation contractor's storage yard, followed by a hydro corridor,

a City of Ottawa snow disposal site, and vacant land;

☐ East: Mer Bleue Road, followed by residential dwellings, an auto service

garage, and vacant/agricultural land;

☐ West: Fern Casey Street, followed by residential dwellings;

□ South: Vacant land.

Based on the presence of multiple aboveground fuel storage tanks, as well as its close proximity, the neighbouring contractor's equipment storage yard is considered to represent an APEC with respect to the northern portion of the subject site.

Based on their separation distances as well as their down-gradient or cross-gradient orientations, the City of Ottawa snow disposal site to the north as well as the auto service garage to the southeast, are not considered pose an environmental concern to the subject site.

Current land use within the Phase I study area is illustrated on Drawing PE4999-2 Surrounding Land Use Plan, appended to this letter.

Page 10

File: PE4999-LET.01

Review and Evaluation of Information

Land Use History

The following table outlines the current and previous uses of the subject site, as well as any associated potentially contaminating activities, dating back to the first developed use of the property.

Table 1 Land Use History							
Time Period	Land Use	PCAs (O.Reg. 153/04 – Table 2)	APEC? (Y/N)				
2226 Mer Bleue	Road						
c.1976-c.2014	Residential / Agricultural	"Item 30: Importation of Fill	Val				
c.2014-Present	Vacant	Material of Unknown Quality"	Yes				
2284 Mer Bleue	Road						
c.1979-c.1992	Residential / Commercial	None	No				
c.1992-c.2005	Residential / Commercial: Leblanc Roger Welding Ltd.	"Item 30: Importation of Fill Material of Unknown Quality" "Item 34: Metal Fabrication"	Yes				
c.2005-Present	Vacant	None	No				

The presence of fill material of unknown quality, as well as the former use of the building situated at 2284 Mer Bleue Road as a metal workshop, are considered to result in areas of potential environmental concern with respect to the subject site.

Potentially Contaminating Activities (PCAs)

As defined by Table 2 of O.Reg 153/04, four (4) potentially contaminating activities (PCAs) were deemed to result in APECs with respect to the subject site. These PCAs include: the former use of the building situated at 2284 Mer Bleue Road as a metal workshop, the importation of fill material of unknown quality onto the eastern and northeastern portions of the subject site, as well as the neighbouring contractor's equipment storage yard to the north.

Two (2) off-site PCAs were also identified within the Phase I study area, however, based on their separation distances, as well as their down-gradient or cross-gradient orientation, they are not considered to pose an environmental concern to the subject site. No new PCAs were identified within the Phase I study area since the time of the previous 2015 Phase I ESA.

Page 11

File: PE4999-LET.01

Areas of Potential Environmental Concern (APECs)

The areas of potential environmental concern identified in this Phase I ESA Update are summarized below in Table 2:

Table 2									
Areas of Pot	Areas of Potential Environmental Concern								
APEC	Location of APEC	PCA (O. Reg. 153/04 – Table 2)	Location of PCA	Contaminants of Potential Concern	Media Potentially Impacted				
APEC #1 Former Welding Workshop	Eastern portion of subject site	"Item 34: Metal Fabrication"	On-Site	VOCs PHCs (F ₁ -F ₄) Metals	Soil and/or Groundwater				
APEC #2 Fill Material of Unknown Quality	Eastern portion of subject site	"Item 30: Importation of Fill	On-Site	BTEX PHCs (F ₁ -F ₄) PAHs Metals	Soil (Fill)				
APEC #3 Fill Material of Unknown Quality	Northeastern portion of subject site	Material of Unknown Quality"	On-Site	BTEX PHCs (F ₁ -F ₄) PAHs Metals	Soil (Fill)				
APEC #4 Contractor's Equipment Storage Yard	Northern portion of subject site	"Item 28: Gasoline and Associated Products Storage in Fixed Tanks"	Adjacent to North	BTEX PHCs (F ₁ -F ₄)	Groundwater				

All PCAs and APECs identified within the Phase I study area are presented on Drawing PE4999-2 Surrounding Land Use Plan, appended to this letter.

Contaminants of Potential Concern (CPC)

As noted in Table 2, the contaminants of potential concern (CPCs) associated with the aforementioned APECs are considered to be:

Volatile Organic Compounds (VOCs);
BTEX (benzene, toluene, ethylbenzene, and xylenes);
PHCs (petroleum hydrocarbons, fractions F ₁ -F ₄);
Polycyclic Aromatic Hydrocarbons (PAHs);
Metals (including Mercury and Hexavalent Chromium).

These CPCs have the potential to be present in the soil/fill matrix and/or the groundwater situated beneath the subject site.

Page 12

File: PE4999-LET.01

Conceptual Site Model

Geological and Hydrogeological Setting

Based on the mapping information from NRCAN, the bedrock within the area of the subject site consists of interbedded limestone and shale of the Lindsay Formation, whereas the surficial geology consists of offshore marine deposits (clay and silt) with an overburden thickness ranging from approximately 15 m to 50 m.

Based on the regional topography, the groundwater is interpreted to be moving in a southerly direction towards Mer Bleue Bog.

Existing Buildings and Structures

The subject site is currently occupied with a one (1) storey, slab-on-grade, former metal workshop building (currently vacant), as well as a storage shed.

Water Bodies and Areas of Natural and Scientific Interest

No areas of natural and scientific interest are known to exist within the Phase I study area. The nearest named water body with respect to the subject site is Mer Bleue Bog, located approximately 2.25 km to the south.

Drinking Water Wells

Based on the available MECP water well records, it is likely that some of the residential properties adjacent to Mer Bleue Road may still utilize private drinking water wells.

Neighbouring Land Use

The neighbouring lands within the Phase I study area consist of residential properties, a contractor's equipment storage yard, and/or vacant land.

Potentially Contaminating Activities and Areas of Potential Environmental Concerns

Based on the findings of this Phase I ESA Update, a total of four (4) potentially contaminating activities (PCAs), resulting in areas of potential environmental concern (APECs), were identified as pertaining to the subject site. These APECs include:

☐ The former use of the building situated at 2284 Mer Bleue Road as a metal workshop, located within the eastern portion of the subject site;

Mr. Patrick Gaudreault Page 13 File: PE4999-LET.01 The presence of fill material of unknown quality, located within the eastern portion of the subject site, in the vicinity of the former metal workshop at 2282 Mer Bleue Road; The presence of fill material of unknown quality, located within the northwestern portion of the subject site. The presence of a contractor's equipment storage yard, located immediately to the north of the subject site. Two (2) off-site PCAs were identified within the Phase I study area, however, based on their separation distances as well as their down-gradient or cross-gradient orientations, they are not considered to have had the potential to impact the subject site. **Contaminants of Potential Concern** The contaminants of potential concern (CPCs) associated with the aforementioned APECs are considered to be: Volatile Organic Compounds (VOCs); BTEX (benzene, toluene, ethylbenzene, and xylenes); PHCs (petroleum hydrocarbons, fractions F₁-F₄);

These CPCs have the potential to be present in the soil/fill matrix and/or the groundwater situated beneath the subject site.

Assessment of Uncertainty and/or Absence of Information

Metals (including Mercury and Hexavalent Chromium).

Polycyclic Aromatic Hydrocarbons (PAHs);

The information available for review as part of the preparation of this Phase I ESA Update is considered to be sufficient to conclude that there are PCAs and APECs associated with the subject site.

The presence of these PCAs were confirmed by a variety of independent sources, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

Page 14

File: PE4999-LET.01

Conclusions and Recommendations

A review of more recent historical information, in combination with personal interviews and a site inspection, generally confirmed the findings presented in the previous 2015 Phase I ESA. The subject site has not changed significantly since the time of the previous 2015 Phase I ESA and no new environmental concerns were identified as part of this assessment. It is our opinion that a Phase II ESA will be required for the subject site.

Based on the age of the subject building (c.1970's-1980's), asbestos containing building materials may be potentially present within the structure. The potential ACMs identified at the time of the site inspection include the linoleum flooring on the second floor, the suspended ceiling tiles in the ground floor bathroom, and the drywall joint compound throughout the building. These building materials were generally observed to be in good condition at the time of the site inspection and do not pose an immediate concern. An asbestos survey of the building should be conducted in accordance with O.Reg. 278/05, under the Occupational Health and Safety Act, prior to any renovation or demolition activities, if one has not already been conducted.

Based on the age of the subject building (c.1970's/1980's), lead-based paints may be present on any original or older painted surfaces. Painted surfaces were generally observed to be in good condition at the time of the site inspection and do not represent an immediate concern. Major work involving lead-based paint or other lead containing products must be done in accordance with O.Reg. 843, under the Occupational Health and Safety Act.

Statement of Limitations

This Phase I - Environmental Site Assessment (Phase I ESA) Update report has been prepared in general accordance with Ontario Regulation 153/04, as amended, under the Environmental Protection Act. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of this Phase I ESA Update are based on a review of readily available geological, historical, and regulatory information and a cursory review made at the time of the field assessment.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Richcraft Homes Ltd. Permission and notification from Richcraft Homes Ltd. and Paterson Group will be required prior to the release of this report to any other party.

Page 15

File: PE4999-LET.01

We trust that this submission satisfies your current requirements. Should you have any questions, please contact the undersigned.

Regards,

Paterson Group Inc.



Nick Sullivan, B.Sc.





Mark S. D'Arcy, P.Eng., QPESA

Report Distribution:

ш	Mr. F	atrick	Gaudre	eault
---	-------	--------	--------	-------

□ Paterson Group

Figures:

- ☐ Figure 1 Key Plan
- ☐ Figure 2 Topographic Map
- □ Drawing PE4999-1 Site Plan
- □ Drawing PE4999-2 Surrounding Land Use Plan

Appendix:

- □ 2014 & 2018 Aerial Photographs
- ERIS Database Report




FIGURE 1 KEY PLAN

patersongroup -






FIGURE 2 TOPOGRAPHIC MAP

patersongroup -







AERIAL PHOTOGRAPH 2014



AERIAL PHOTOGRAPH 2018



Project Property: Phase I ESA

Trails Edge - Phase 4 (South)

Ottawa ON

Project No: PE4999

Report Type: RSC Report - Quote

Order No: 20200814021

Requested by: Paterson Group Inc.

Date Completed: August 19, 2020

Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	10
Map	15
Aerial	
Topographic Map	17
Detail Report	18
Unplottable Summary	71
Unplottable Report	
Appendix: Database Descriptions	
Definitions	164

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

_			
$\nu r \cap$	nortv	Intorn	nation:
	DELLA	1111011	nauvn.

Project Property: Phase I ESA

Trails Edge - Phase 4 (South) Ottawa ON

Order No: 20200814021

Project No: PE4999

Order Information:

Order No: 20200814021
Date Requested: August 14, 2020
Requested by: Paterson Group Inc.
Report Type: RSC Report - Quote

Historical/Products:

Topographic Map RSC Maps

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
AAGR	Abandoned Aggregate Inventory	Υ	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Υ	1	6	7
CA	Certificates of Approval	Υ	0	0	0
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Υ	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Υ	0	0	0
ECA	Environmental Compliance Approval	Υ	2	4	6
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	1	6	7
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Υ	0	0	0
FCON	Federal Convictions	Υ	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Υ	0	0	0
FSTH	Fuel Storage Tank - Historic	Υ	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Υ	0	1	1
GHG	Greenhouse Gas Emissions from Large Facilities	Υ	0	0	0
HINC	TSSA Historic Incidents	Υ	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Υ	0	0	0
INC	Fuel Oil Spills and Leaks	Υ	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Υ	0	0	0
NCPL	(NATES) Non-Compliance Reports	Υ	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Υ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Υ	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Υ	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Υ	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Υ	0	0	0
PTTW	Permit to Take Water	Υ	0	1	1
REC	Ontario Regulation 347 Waste Receivers Summary	Υ	0	0	0
RSC	Record of Site Condition	Υ	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	3	3
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Υ	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Υ	0	0	0
WWIS	Water Well Information System	Υ	2	11	13
	-	Total:	6	33	39

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	wwis		lot 3 con 11 ON	WSW/0.0	0.73	<u>18</u>
			Well ID: 1512856			
1	wwis		lot 1 con 3 ON	NNE/0.0	0.73	<u>20</u>
			Well ID: 1519786			
<u>1</u>	BORE		ON	WSW/0.0	0.73	<u>23</u>
<u>1</u>	ECA	Innes Shopping Centres Limited	Ottawa ON L4K 5X3	NNE/0.0	0.73	<u>24</u>
<u>1</u>	ECA	Innes Shopping Centres Limited	Ottawa ON L4K 5X3	NNE/0.0	0.73	<u>24</u>
<u>1</u>	EHS		Trailsedge - Blocks 193 & 194 Ottawa ON	WSW/0.0	0.73	<u>24</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>2</u>	ECA	City of Ottawa	Mer Bleue Rd and Brian Coburn Blvd. Ottawa ON K2G 6J8	ENE/30.6	2.69	<u>25</u>
<u>3</u>	WWIS		lot 3 con 11 ON <i>Well ID:</i> 1519531	E/34.6	1.55	<u>25</u>
<u>4</u>	WWIS		lot 3 con 11 ON <i>Well ID:</i> 1512855	E/38.3	1.89	<u>28</u>
<u>5</u>	BORE		ON	E/38.4	1.89	<u>30</u>
<u>6</u>	WWIS		lot 2 con 11 ON <i>Well ID:</i> 7310118	NE/43.4	2.17	<u>31</u>
7_	ECA	Richcraft Homes Ltd.	6429 Renaud Rd Part of Lots 2 and 3, Concession 3 (Ottawa Front) Ottawa ON K1G 4K1	S/45.8	-0.05	<u>33</u>
<u>8</u> .	EHS		2215 Mer Bleue Ottawa ON	NE/49.9	2.32	<u>34</u>
<u>9</u> .	EHS		Chemin Mer Bleue Ottawa ON	N/56.7	1.06	<u>34</u>
<u>10</u> ·	WWIS		lot 2 con 11 ON <i>Well ID</i> : 1513953	NE/57.1	1.35	<u>34</u>
<u>11</u>	WWIS		Orl?ans ON Well ID: 7291135	NE/57.8	2.41	<u>37</u>
<u>12</u>	BORE		ON	E/82.5	0.88	<u>39</u>
<u>13</u>	WWIS		lot 2 con 11 ON	NE/89.9	2.76	<u>40</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1512854			
<u>14</u>	BORE		ON	NE/89.9	2.76	<u>43</u>
<u>15</u>	wwis		lot 3 con 1 CUMBERLAND ON Well ID: 1536382	E/94.8	0.95	<u>44</u>
<u>16</u>	wwis		lot 2 con 11 ON <i>Well ID:</i> 1512852	NNE/99.6	1.45	<u>51</u>
<u>17</u>	wwis		lot 2 con 11 ON <i>Well ID</i> : 1512853	NNE/141.6	1.33	<u>53</u>
<u>18</u>	BORE		ON	NNE/141.7	1.33	<u>56</u>
<u>19</u>	wwis		lot 2 con 11 ON <i>Well ID:</i> 1512081	NNE/162.4	1.22	<u>57</u>
<u>20</u>	ECA	Minto Communities Inc.	Ottawa ON K1P 0B6	W/166.8	0.78	<u>60</u>
<u>21</u>	wwis		lot 1 con 3 ON <i>Well ID:</i> 1510719	NNE/188.1	0.84	<u>60</u>
<u>22</u>	BORE		ON	NNE/188.3	0.84	<u>63</u>
<u>23</u>	EHS		Mer Blue Rd & Navan Rd Ottawa ON	WSW/212.8	-1.22	<u>65</u>
<u>24</u>	SPL	Enbridge Energy Distribution Inc.	510 Yellow Birch St, Navan Ottawa ON	SW/218.2	-2.22	<u>65</u>
<u>25</u>	EHS		Navan, Renaud, and Mer Bleue Roads Ottawa ON	SSE/220.0	1.12	<u>65</u>
<u>26</u>	PTTW	Richcraft Homes Limited	ON	SE/224.4	2.02	<u>66</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	EHS		2225 Mer Bleue Rd Ottawa ON K4A3T9	NE/230.3	3.44	<u>66</u>
<u>28</u>	GEN	minto communities	6371 Renaud rd Ottawa ON	SW/239.7	-2.22	<u>66</u>
<u>28</u>	ECA	Richcraft Homes Ltd.	6255, 6275, and 6371 Renaud Rd Lot 3 and 4, Concession 3 Ottawa Front Ottawa ON K1G 4K1	SW/239.7	-2.22	<u>67</u>
<u>29</u>	BORE		ON	ESE/268.7	1.32	<u>67</u>
<u>30</u>	EHS		2233 Mer Bleue Ottawa ON K4A 3T9	NE/278.6	3.62	<u>68</u>
<u>31</u>	PINC		519 CHAPERAL PRIVATE, OTTAWA ON	ENE/286.9	3.15	<u>68</u>
<u>31</u>	SPL		519 chaperal private Ottawa ON	ENE/286.9	3.15	<u>69</u>
<u>31</u>	SPL	Enbridge Gas Distribution Inc.	519 Chaperal Private, Orleans Ottawa ON	ENE/286.9	3.15	<u>69</u>

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 7 BORE site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
	ON	0.0	1
	ON	38.4	<u>5</u>
	ON	82.5	12
	ON	89.9	<u>14</u>
	ON	141.7	<u>18</u>
	ON	188.3	22
	ON	268.7	<u>29</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Jul 31, 2020 has found that there are 6 ECA site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	<u>Map Key</u>
Innes Shopping Centres Limited		0.0	1
0	Ottawa ON L4K 5X3		_

Site	<u>Address</u>	Distance (m)	<u>Map Key</u>
Innes Shopping Centres Limited	Ottawa ON L4K 5X3	0.0	1
City of Ottawa	Mer Bleue Rd and Brian Coburn Blvd. Ottawa ON K2G 6J8	30.6	2
Richcraft Homes Ltd.	6429 Renaud Rd Part of Lots 2 and 3, Concession 3 (Ottawa Front) Ottawa ON K1G 4K1	45.8	<u>7</u>
Minto Communities Inc.	Ottawa ON K1P 0B6	166.8	<u>20</u>
Richcraft Homes Ltd.	6255, 6275, and 6371 Renaud Rd Lot 3 and 4, Concession 3 Ottawa Front Ottawa ON K1G 4K1	239.7	<u>28</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Apr 30, 2020 has found that there are 7 EHS site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
	Trailsedge - Blocks 193 & 194 Ottawa ON	0.0	1
	2215 Mer Bleue Ottawa ON	49.9	<u>8</u>
	Chemin Mer Bleue Ottawa ON	56.7	<u>9</u>
	Mer Blue Rd & Navan Rd Ottawa ON	212.8	<u>23</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	Navan, Renaud, and Mer Bleue Roads Ottawa ON	220.0	<u>25</u>
	2225 Mer Bleue Rd Ottawa ON K4A3T9	230.3	<u>27</u>
	2233 Mer Bleue Ottawa ON K4A 3T9	278.6	<u>30</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Apr 30, 2020 has found that there are 1 GEN site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
minto communities	6371 Renaud rd	239.7	28
	Ottawa ON		

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 1 PINC site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
	519 CHAPERAL PRIVATE, OTTAWA ON	286.9	<u>31</u>

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994-Jul 31, 2020 has found that there are 1 PTTW site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	<u>Map Key</u>
Richcraft Homes Limited	au.	224.4	<u> 26</u>
	ON		

SPL - Ontario Spills

A search of the SPL database, dated 1988-Nov 2019 has found that there are 3 SPL site(s) within approximately 0.30 kilometers of the project property.

Site Enbridge Energy Distribution Inc.	Address 510 Yellow Birch St, Navan Ottawa ON	Distance (m) 218.2	Map Key 24
	519 chaperal private Ottawa ON	286.9	<u>31</u>
Enbridge Gas Distribution Inc.	519 Chaperal Private, Orleans Ottawa ON	286.9	<u>31</u>


WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2020 has found that there are 13 WWIS site(s) within approximately 0.30 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
	lot 3 con 11 ON	0.0	1
	Well ID: 1512856		
	lot 1 con 3 ON	0.0	1
	Well ID: 1519786		
	lot 3 con 11 ON	34.6	<u>3</u>
	Well ID: 1519531		
	lot 3 con 11 ON	38.3	<u>4</u>
	Well ID: 1512855		
	lot 2 con 11 ON	43.4	<u>6</u>
	Well ID: 7310118		
	lot 2 con 11 ON	57.1	<u>10</u>

Si	<u>te</u>

Address Well ID: 1513953	Distance (m)	Map Key
Orl?ans ON	57.8	<u>11</u>
Well ID: 7291135 lot 2 con 11 ON	89.9	<u>13</u>
Well ID: 1512854	94.8	15
CUMBERLAND ON Well ID: 1536382		_
lot 2 con 11 ON <i>Well ID</i> : 1512852	99.6	<u>16</u>
lot 2 con 11 ON	141.6	<u>17</u>
Well ID: 1512853	162.4	19
ON Well ID: 1512081		_
lot 1 con 3 ON <i>Well ID:</i> 1510719	188.1	<u>21</u>



Source: © 2015 DMTI Spatial Inc.



Aerial Year: 2019

Address: Trails Edge - Phase 4 (South), Ottawa, ON

Source: ESRI World Imagery

Order Number: 20200814021



Topographic Map

Address: Trails Edge - Phase 4 (South), ON

Source: ESRI World Topographic Map

Order Number: 20200814021



Detail Report

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>1</u> 1 of 6	1 of 6		WSW/0.0	86.8 / 0.73	lot 3 con 11 ON		wwis
Well ID:		1512856			Data Entry Status:		
Construction	Date:				Data Src:	1	
Primary Wate	er Use:	Domestic			Date Received:	1/19/1965	
Sec. Water U		0			Selected Flag:	Yes	
Final Well Status: Water Supp		ly		Abandonment Rec:			
Water Type:					Contractor:	1504	
Casing Mater	rial:				Form Version:	1	
Audit No:					Owner:		
Tag:					Street Name:		
Construction	1				County:	OTTAWA	
Method:							
Elevation (m)):				Municipality:	CUMBERLAND TOWNSHIP	
Elevation Re	liability:				Site Info:		
Depth to Bed	lrock:				Lot:	003	
Well Depth:					Concession:	11	
Overburden/	Bedrock:				Concession Name:	CON	
Pump Rate:					Easting NAD83:		
Static Water					Northing NAD83:		
Flowing (Y/N):				Zone:		
Flow Rate:					UTM Reliability:		
Clear/Cloudy	' :						

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1512856.pdf

Order No: 20200814021

Bore Hole Information

 Bore Hole ID:
 10034844
 Elevation:
 88.018615

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 0
 East83:
 460251.8

 Code OB:
 0
 Easts3:
 460251.8

 Code OB Desc:
 Overburden
 North83:
 5032002

Code OB Desc: Overburden North83: 5032002

Open Hole: Org CS:
Cluster Kind: UTMRC: 9

Date Completed: 7/30/1964 UTMRC Desc: unknown UTM

Remarks: Location Method: p5
Elevrc Desc:
Location Source Date:

Overburden and Bedrock

Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID: 931021737

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 75
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931021738

Layer:

Color:

General Color:

Mat1: 11

Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 75
Formation End Depth: 81
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961512856

Method Construction Code: 7

Method Construction: Diamond

Other Method Construction:

Pipe Information

Pipe ID: 10583414

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930061716

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:
Depth To:
Saing Diameter:
Casing Diameter UOM:
Casing Depth UOM:

tt

Results of Well Yield Testing

Pump Test ID: 991512856

Pump Set At: Static Level:

Final Level After Pumping: 20 Recommended Pump Depth: 20 Pumping Rate: 6

Flowing Rate:

Recommended Pump Rate: 6

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: 3 **Pumping Duration HR: Pumping Duration MIN:** 0 Flowing: Yes

Water Details

933468346 Water ID:

Layer: Kind Code: 1 **FRESH** Kind: Water Found Depth: 81 Water Found Depth UOM: ft

2 of 6 NNE/0.0 86.8 / 0.73 lot 1 con 3 1 **WWIS** ON

OTTAWA

Order No: 20200814021

1519786 Well ID: Data Entry Status:

Construction Date: Data Src:

7/30/1985 Domestic Date Received: Primary Water Use: Sec. Water Use: Commerical Selected Flag: Yes Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 2351 Casing Material: Form Version: Audit No: Owner: Tag:

Street Name: Construction County:

Method: Municipality: **GLOUCESTER TOWNSHIP**

Elevation (m): Elevation Reliability: Site Info: Depth to Bedrock: Lot: 001 Well Depth: Concession: 03

Overburden/Bedrock: OF Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: UTM Reliability:

Flow Rate: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1519786.pdf

Bore Hole Information

10041639 89.256828 Bore Hole ID: Elevation:

DP2BR: Elevrc: 18 Spatial Status: Improved Zone: Code OB: East83: 460743 Code OB Desc: **Bedrock** North83: 5032672 Open Hole: Org CS: N83 Cluster Kind: UTMRC: 8

margin of error: 3 km - 10 km 6/10/1985 Date Completed: UTMRC Desc:

Remarks: Location Method:

Elevrc Desc: Location Source Date: July 2001

PWPF-SDG/PWPF-PRU Eastern Ontario 2000 GWS\E.Ontario GW Study - DigitalFiles\E.O.W.R.M.S\Water Well Improvement Location Source:

Record Database\arc-info coverage.well location.e00

Improvement Location Method: GIS10000

Source Revision Comment: Coordinate change in shapefile

no metadata on shp file, but seems ~4000 wells updated out of ~48000, (however nothing in report to describe Supplier Comment:

these changes); diffeast:539287, diffnorth:4967549; original coordinates =9999...

Overburden and Bedrock

Materials Interval

Formation ID: 931042727

 Layer:
 3

 Color:
 8

 General Color:
 BLACK

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 34
Formation End Depth: 43
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931042726

 Layer:
 2

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 9
Formation End Depth: 34
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931042725

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 9
Formation End Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID: 961519786

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10590209

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930072710

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 34
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991519786

Pump Set At:

Static Level: 4 28 Final Level After Pumping: Recommended Pump Depth: 40 35 Pumping Rate: Flowing Rate: Recommended Pump Rate: 15 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 2 CLOUDY Water State After Test: Pumping Test Method: **Pumping Duration HR: Pumping Duration MIN:** 10 Flowing: No

Draw Down & Recovery

Pump Test Detail ID:934654942Test Type:Draw Down

 Test Duration:
 45

 Test Level:
 34

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934894726Test Type:Draw DownTest Duration:60

Test Level: 34
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934109672Test Type:Draw DownTest Duration:15

Test Level: 34
Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 934384401

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 34

 Test Level UOM:
 ft

Water Details

Water ID: 933476860

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 42

 Water Found Depth UOM:
 ft

1 3 of 6 WSW/0.0 86.8 / 0.73
ON
BORE

Borehole ID: 616278 Inclin FLG: No

OGF ID: 215517067 SP Status: Initial Entry

Status:Surv Elev:NoType:BoreholePiezometer:No

Use: Primary Name:
Completion Date: JUL-1964 Municipality:

Static Water Level: Lot: Primary Water Use: Township:

 Sec. Water Use:
 Latitude DD:
 45.440413

 Total Depth m:
 24.7
 Longitude DD:
 -75.50823

 Depth Ref:
 Ground Surface
 UTM Zone:
 18

 Depth Elev:
 Easting:
 460252

 Drill Method:
 Northing:
 5032002

Orig Ground Elev m: 87.5 Location Accuracy:

Elev Reliabil Note: Accuracy: Not Applicable
DEM Ground Elev m: 88
Concession:

Borehole Geology Stratum

Location D: Survey D: Comments:

Geology Stratum ID: 218403541 Mat Consistency:
Top Depth: 22.9 Material Moisture:
Bottom Depth: 24.7 Material Toyture:

Bottom Depth:24.7Material Texture:Material Color:Non Geo Mat Type:Material 1:GravelGeologic Formation:Material 2:Geologic Group:

Material 2: Geologic Group:
Material 3: Geologic Period:
Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: GRAVEL. 00081 1000. UNSPECIFIED. SEISMIC VELOCITY = 4900. BEDROCK. SEISMIC VELOCITY = 18000

**Note: Many records provided by the department have a truncated [Stratum Description] field.

Order No: 20200814021

Geology Stratum ID:218403540Mat Consistency:Top Depth:0Material Moisture:Bottom Depth:22.9Material Texture:Material Color:BlueNon Geo Mat Type:Material 1:ClayGeologic Formation:

Material 1:ClayGeologic FormationMaterial 2:Geologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Number of Direction/ Elev/Diff Site DΒ Map Key (m)

Records Distance (m)

Gsc Material Description:

Stratum Description: CLAY. BLUE.

Source

Data Survey Spatial/Tabular Source Type: Source Appl:

Source Oria: Geological Survey of Canada Source Iden:

Source Date: 1956-1972 Varies Scale or Res: Confidence: Horizontal: NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)

Source Details: File: OTTAWA2.txt RecordID: 08786 NTS_Sheet:

Source List

Confiden 1:

NAD27 Source Identifier: Horizontal Datum:

Data Survey Source Type: Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Universal Transverse Mercator Projection Name:

Scale or Resolution: Varies Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

4 of 6 NNE/0.0 86.8 / 0.73 Innes Shopping Centres Limited 1 **ECA**

Ottawa ON L4K 5X3

Approval No: 1719-6SJJ6X **MOE District:** Ottawa

Approval Date: 2006-08-16 City:

Status: Approved Longitude: -75.5021

Record Type: **ECA** Latitude: 45.446400000000004

Link Source: **IDS** Geometry X: SWP Area Name: South Nation Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type:

MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3055-6NSPDF-14.pdf

1 5 of 6 NNE/0.0 86.8 / 0.73 Innes Shopping Centres Limited **ECA**

Ottawa ON L4K 5X3

6167-79NM49 **MOE District:** Approval No: Ottawa 2007-12-10 Approval Date: City: Status: Approved Longitude: -75.5021

ECA 45.446400000000004 Record Type: Latitude:

Link Source: **IDS** Geometry X: SWP Area Name: South Nation Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3060-79LSM6-14.pdf

6 of 6 WSW/0.0 86.8 / 0.73 Trailsedge - Blocks 193 & 194 1

Ottawa ON

EHS

Order No: 20200814021

20200615176

Nearest Intersection: Order No:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Status: С

Municipality: Standard Report Report Type: Client Prov/State: ON 18-JUN-20 Report Date: Search Radius (km): .25

15-JUN-20 -75.50770436 Date Received: X: Previous Site Name: Y: 45.44053741 Lot/Building Size: Additional Info Ordered:

2 1 of 1 ENE/30.6 88.8 / 2.69 City of Ottawa

Mer Bleue Rd and Brian Coburn Blvd.

OTTAWA

ECA

Order No: 20200814021

Ottawa ON K2G 6J8

Approval No: 6579-9X5SCM MOE District: Approval Date: 2015-06-15 City: Status: Approved Longitude: Record Type: ECA Latitude: **IDS** Link Source: Geometry X:

Geometry Y: SWP Area Name: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Address: Mer Bleue Rd and Brian Coburn Blvd.

Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8616-9X3Q6H-14.pdf

1 of 1 E/34.6 3 87.7 / 1.55 lot 3 con 11 WWIS ON

Well ID: 1519531 Data Entry Status:

Construction Date: Data Src:

4/19/1985 Primary Water Use: Irrigation Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec: 2351 Water Type: Contractor:

Casing Material: Form Version: 1 Audit No: Owner:

Tag: Street Name: **Construction Method:** County:

Municipality: **CUMBERLAND TOWNSHIP** Elevation (m): Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 003 Well Depth: Concession: 11

. Overburden/Bedrock: Concession Name: CON Easting NAD83: Pump Rate:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1519531.pdf PDF URL (Map):

Bore Hole Information

Bore Hole ID: 10041401 Elevation: 88.395172

DP2BR: Flevro: Spatial Status: Zone:

18 Code OB: East83: 461129.8 Code OB Desc: Overburden North83: 5032321

Open Hole: Org CS: 4 Cluster Kind: **UTMRC:**

margin of error: 30 m - 100 m Date Completed: 3/25/1985 **UTMRC Desc:**

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

 Formation ID:
 931041958

 Layer:
 2

 Color:
 3

General Color: BLUE Mat1: 05
Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6
Formation End Depth: 119
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931041957

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 02

 Most Common Material:
 TOPSOIL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 6
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931041959

 Layer:
 3

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 119
Formation End Depth: 120
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961519531

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10589971

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930072292

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:
Depth To: 120
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991519531

Pump Set At:

Static Level:45Final Level After Pumping:105Recommended Pump Depth:116Pumping Rate:20

Flowing Rate:

Recommended Pump Rate: 14
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 2
Pumping Duration HR: 1

Pumping Duration HR:1Pumping Duration MIN:0Flowing:No

Draw Down & Recovery

Pump Test Detail ID:934653315Test Type:Draw Down

 Test Duration:
 45

 Test Level:
 105

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934109164

Test Type: Draw Down Test Duration: 15

Test Level: 90
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934894077

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Draw Down Test Type: Test Duration: 60 105 Test Level: Test Level UOM: ft

Draw Down & Recovery

934383338 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 30 105 Test Level: Test Level UOM: ft

Water Details

Water ID: 933476558 Layer: 1

Kind Code: **FRESH** Kind: Water Found Depth: 120 Water Found Depth UOM: ft

1 of 1 E/38.3 88.0 / 1.89 lot 3 con 11 4 **WWIS** ON

1512855 Well ID: Data Entry Status:

Construction Date: Data Src:

9/5/1962 Primary Water Use: Domestic Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 1504 Casing Material: Form Version:

Audit No: Owner: Street Name: Tag: **Construction Method:** County:

OTTAWA CUMBERLAND TOWNSHIP Elevation (m): Municipality: Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 003 Well Depth: Concession: 11

Overburden/Bedrock: Concession Name: CON Easting NAD83: Pump Rate:

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1512855.pdf PDF URL (Map):

Bore Hole Information

Improvement Location Source:

Bore Hole ID: 10034843 88.378608 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18

Code OB: 461141.8 East83: Code OB Desc: Overburden North83: 5032302

Open Hole: Org CS: Cluster Kind: **UTMRC**:

Date Completed: 7/30/1962 **UTMRC Desc:** margin of error: 100 m - 300 m

Order No: 20200814021

Location Method: Remarks: р5

Elevrc Desc:

Location Source Date:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

931021735 Formation ID:

Layer: 1 Color: 3 General Color: BLUE 05 Mat1: Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 70 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931021736

Layer: 2

Color: General Color:

Mat1:

Most Common Material: **GRAVEL**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 70 Formation End Depth: 78 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961512855

Method Construction Code:

Diamond **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 10583413

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930061715

Layer: Material: STEEL Open Hole or Material:

Depth From:

Depth To: 78 Casing Diameter:

Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

991512855 Pump Test ID:

Pump Set At: Static Level:

2 Final Level After Pumping: 20 Recommended Pump Depth: 20 8

Pumping Rate: Flowing Rate:

Recommended Pump Rate: 8 Levels UOM: ft Rate UOM: **GPM**

Water State After Test Code:

Water State After Test: **CLEAR** Pumping Test Method: **Pumping Duration HR:** 2 **Pumping Duration MIN:** Nο Flowing:

Water Details

Water ID: 933468345

Layer: 1 Kind Code: 1

FRESH Kind: Water Found Depth: 78 Water Found Depth UOM: ft

5 1 of 1 E/38.4 88.0 / 1.89

Borehole ID: 616285 Inclin FLG: No

215517074 OGF ID: SP Status: **Initial Entry** Status: Surv Elev: No Type: Borehole Piezometer: No Primary Name:

Use: Completion Date: JUL-1962

Static Water Level: 3.7

Primary Water Use: Sec. Water Use:

Total Depth m: 23.8

Ground Surface Depth Ref:

Depth Elev: Drill Method:

Orig Ground Elev m: 87.5

Elev Reliabil Note:

DEM Ground Elev m:

Concession: Location D: Survey D: Comments:

Accuracy: 88.4

Borehole Geology Stratum

Geology Stratum ID: 218403561 Top Depth: 0

Bottom Depth: 21.3 Material Color: Blue Material 1: Clay

Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation:

ON

Municipality:

Township:

UTM Zone:

Easting:

Northing:

Latitude DD:

Longitude DD:

Location Accuracy:

45.443163

-75.496874

18

461142

5032302

Not Applicable

Lot:

DB

BORE

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Material 2:Geologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: CLAY. BLUE.

Geology Stratum ID: 218403562 Mat Consistency: 21.3 Material Moisture: Top Depth: **Bottom Depth:** 23.8 Material Texture: Material Color: Blue Non Geo Mat Type: Material 1: Gravel Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: GRAVEL. 00078BLE AT 275.0 FEET.. CLAY. BLUE. GRAVEL. LIMESTONE. GREY. 00122 18000 **Note: Many

records provided by the department have a truncated [Stratum Description] field.

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:Horizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA2.txt RecordID: 08793 NTS_Sheet:

Confiden 1:

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies
Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

6 1 of 1 NE/43.4 88.3 / 2.17 lot 2 con 11 WWIS

Order No: 20200814021

Well ID: 7310118 Data Entry Status:

Construction Date:

Primary Water Use:

Data Src:

Pate Received:

Sec. Water Use:

Selected Flag:

Yes

Sec. Water Use:Selected Flag:YesFinal Well Status:Abandoned-OtherAbandonment Rec:YesWater Type:Contractor:1119

Casing Material:Form Version:7Audit No:Z237206Owner:

Tag: Street Name: 2215 MER BLEUE RD
Construction Method: County: OTTAWA

Construction Method:County:OTTAWAElevation (m):Municipality:CUMBERLAND TOWNSHIP

Elevation Reliability: Site Info:

 Depth to Bedrock:
 Lot:
 002

 Well Depth:
 Concession:
 11

 Overburden/Bedrock:
 Concession Name:
 CON

Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:Flow Rate:UTM Reliability:

Flow Rate: Clear/Cloudy:

PDF URL (Map):

Map Key Number of Direction/ Elev/Diff Site DB

Elevation:

18

460942 5032794

UTM83

wwr

margin of error: 30 m - 100 m

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Records

cords Distance (m)

(m)

Bore Hole Information

Bore Hole ID: 1007031733

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind: Date Completed:

i: 1/4/2018

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1007257597

 Layer:
 1

 Plug From:
 0

 Plug To:
 53

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007257598

 Layer:
 1

 Plug From:
 53

 Plug To:
 5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007257599

 Layer:
 2

 Plug From:
 5

 Plug To:
 0

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 1007257596

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1007257590

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007257594

Layer: Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007257595

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Water Details

Water ID: 1007257593

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007257592

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

S/45.8 86.1 / -0.05 Richcraft Homes Ltd. 7 1 of 1

6429 Renaud Rd Part of Lots 2 and 3,

ECA

Order No: 20200814021

Concession 3 (Ottawa Front) Ottawa ON K1G 4K1

5712-B65KDA **MOE District:** Approval No: Approval Date: 2018-11-06 City: Status: Approved Longitude:

Record Type: ECA Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: 6429 Renaud Rd Part of Lots 2 and 3, Concession 3 (Ottawa Front) Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7475-B5VLLN-14.pdf

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) NE/49.9 2215 Mer Bleue 8 1 of 1 88.4 / 2.32 **EHS** Ottawa ON 20160418041 Order No: Nearest Intersection: Status: Municipality: Ottawa Report Type: Standard Report Client Prov/State: ON Search Radius (km): 22-APR-16 .25 Report Date: Date Received: 18-APR-16 -75.499348 X: 45.44753 Previous Site Name: Lot/Building Size: 0.43 Acres Additional Info Ordered: Topographic Maps; City Directory; Aerial Photos 1 of 1 N/56.7 Chemin Mer Bleue 9 87.2 / 1.06

EHS Ottawa ON Order No: 20060208025 Nearest Intersection: Municipality:

Status: Report Type: Custom Report Report Date: 2/14/2006 2/7/2006 Date Received:

Previous Site Name: Lot/Building Size:

Additional Info Ordered: City Directory

10 1 of 1 NE/57.1 lot 2 con 11 **WWIS** ON

Y:

Well ID: 1513953

Construction Date: Primary Water Use: **Domestic**

Sec. Water Use: 0

Final Well Status: Water Supply

Water Type: Casing Material: Audit No: Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

87.5 / 1.35

Client Prov/State:

Search Radius (km):

Data Entry Status: Data Src:

Date Received: 3/18/1974 Selected Flag: Yes

Abandonment Rec:

Contractor: 1504 Form Version: 1 Owner:

Street Name:

County: **OTTAWA**

Municipality: **CUMBERLAND TOWNSHIP**

18

6

460935.8

5032842

Order No: 20200814021

ON

0.25

-75.503118

45.446521

Site Info:

Lot: 002 Concession: 11 Concession Name: CON

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1513953.pdf

Bore Hole Information

10035935 89.18576 Bore Hole ID: Elevation:

DP2BR: 37

Spatial Status:

Code OB: Code OB Desc: **Bedrock**

Open Hole: Cluster Kind:

6/8/1973 Date Completed:

UTMRC:

Elevrc:

East83:

North83:

Org CS:

Zone:

margin of error: 300 m - 1 km Location Method:

UTMRC Desc: Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 931024894

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 37
Formation End Depth: 53
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931024893

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 37 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961513953Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 10584505

Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930063495

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Map Key	Number of	Direction/	Elev/Diff	Site	DB
	Records	Distance (m)	(m)		

Depth To: 44 Casing Diameter: 2 Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

991513953 Pump Test ID:

Pump Set At:

Static Level: 4 20 Final Level After Pumping: Recommended Pump Depth: 30 Pumping Rate: 6

Flowing Rate:

6 Recommended Pump Rate: Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: Water State After Test: **CLEAR** Pumping Test Method: **Pumping Duration HR:** 2 Pumping Duration MIN: 0

Flowing:

Draw Down & Recovery

Pump Test Detail ID: 934641792 Test Type: Recovery Test Duration: 45 Test Level: 4 Test Level UOM: ft

No

Draw Down & Recovery

Pump Test Detail ID: 934099725 Test Type: Recovery Test Duration: 15 Test Level: 15 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934380799 Recovery Test Type: Test Duration: 30 Test Level: 10 Test Level UOM: ft

Draw Down & Recovery

934899262 Pump Test Detail ID: Test Type: Recovery Test Duration: 60 Test Level: 4 Test Level UOM: ft

Water Details

Water ID: 933469707

Layer: Kind Code:

FRESH

Water Found Depth: 53 Water Found Depth UOM: ft

> 1 of 1 NE/57.8 88.5 / 2.41 11 **WWIS** Orl?ans ON

Well ID: 7291135

Construction Date:

Primary Water Use: Test Hole Sec. Water Use: Monitoring

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Kind:

Z215089 Audit No: A190013 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Data Entry Status: Data Src:

Date Received: 7/28/2017 Selected Flag: Yes

Abandonment Rec:

Contractor: 7241 Form Version:

Owner:

Street Name: 2225 MER BLEUE

County: **OTTAWA**

CUMBERLAND TOWNSHIP Municipality:

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006673061 Elevation: 89.01918

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 6/7/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevrc:

Zone: 18 East83: 461001 North83: 5032690 Org CS: UTM83 **UTMRC**:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 20200814021

Location Method: wwr

Overburden and Bedrock

Materials Interval

1006817734 Formation ID:

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 SOFT Mat3 Desc: Formation Top Depth: 2

4.57

Formation End Depth:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1006817733

Layer: 2 2 Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material: 06 Mat2: Mat2 Desc: SILT Mat3: 85 SOFT Mat3 Desc: Formation Top Depth: 1 Formation End Depth: 2 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006817732

Layer: Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 02 Mat2 Desc: **TOPSOIL** 66 Mat3: **DENSE** Mat3 Desc: Formation Top Depth: 0 Formation End Depth: Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006817742

 Layer:
 1

 Plug From:
 0

 Plug To:
 1.16

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1006817743

 Layer:
 2

 Plug From:
 1.16

 Plug To:
 4.57

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1006817741

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1006817731

Casing No: (Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1006817737

Layer: 1 Material: 5

Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 1.47
Casing Diameter: 4.03
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1006817738

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 1.47

 Screen End Depth:
 4.57

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 4.82

Water Details

Water ID: 1006817736

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1006817735

 Diameter:
 8.3

 Depth From:
 0

 Depth To:
 4.57

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

12 1 of 1 E/82.5 87.0 / 0.88 ON

Borehole ID: 616284 Inclin FLG: No

 OGF ID:
 215517073
 SP Status:
 Initial Entry

 Status:
 Surv Elev:
 No

Status:Surv Elev:NoType:BoreholePiezometer:No

Use: Primary Name:
Completion Date: JUL-1962 Municipality:
Static Water Level: 3.0 Lot:

Static Water Level: 3.0 Lot:
Primary Water Use: Township:

Sec. Water Use: 45.442356

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

 Total Depth m:
 -999
 Longitude DD:
 -75.496112

 Depth Ref:
 Ground Surface
 UTM Zone:
 18

Depth Elev: Drill Method:
 Ground Surface
 UTM Zone:
 18

 Easting:
 461201

 Northing:
 5032212

Orig Ground Elev m: 86.9

Elev Reliabil Note:

DEM Ground Elev m: 88.4

Concession: Location D: Survey D: Comments: Location Accuracy:
Accuracy: Not Applicable

Borehole Geology Stratum

Geology Stratum ID: 218403560 Mat Consistency:
Top Depth: 21.3 Material Moisture:
Bottom Depth: Material Color: Blue Non Geo Mat Type

Material Color:BlueNon Geo Mat Type:Material 1:GravelGeologic Formation:Material 2:Geologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: GRAVEL. WATER STABLE AT 275.0 FEET.. CLAY. BLUE. GRAVEL. LIMESTONE. GREY. 00122 18000 **Note:

Many records provided by the department have a truncated [Stratum Description] field.

Geology Stratum ID: 218403559 Mat Consistency: Top Depth: Material Moisture: 0 **Bottom Depth:** 21.3 Material Texture: Material Color: Blue Non Geo Mat Type: Material 1: Clay Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: CLAY. BLUE.

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:MHorizontal:NAD27Observatio:Verticalda:Mean Average Sea Level

 Observatio:
 Verticalda:

 Source Name:
 Urban Geology Automated Information System (UGAIS)

Source Details: Ordan Geology Automated Information System (OGAIS)

File: OTTAWA2.txt RecordID: 087920 NTS_Sheet: 31G06E

Confiden 1: Reliable information but incomplete.

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

13 1 of 1 NE/89.9 88.9 / 2.76 lot 2 con 11

Order No: 20200814021

Well ID: 1512854 Data Entry Status:

Construction Date: Data Src: 1

Primary Water Use: Livestock

Sec. Water Use: 0

Final Well Status: Water Supply

Water Type: Casing Material: Audit No:

Audit No: Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N):
Flow Rate:

Clear/Cloudy:

Date Received: 7/30/1970
Selected Flag: Yes

Abandonment Rec:

Contractor: 1504 Form Version: 1

Owner: Street Name:

County: OTTAWA
Municipality: CUMBERLAND TOWNSHIP

CON

89.029968

461030.8

5032702

margin of error: 30 m - 100 m

Order No: 20200814021

18

Municipality: Site Info:

 Lot:
 002

 Concession:
 11

Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1512854.pdf

Bore Hole Information

Bore Hole ID: 10034842

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 7/15/1969

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931021733

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 40
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931021734

 Layer:
 2

 Color:
 2

 General Color:
 GREY

11 Mat1:

Most Common Material: Mat2: Mat2 Desc: Mat3:

GRAVEL

Mat3 Desc: Formation Top Depth: 40 Formation End Depth: 48 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961512854

Method Construction Code:

Method Construction: Diamond

Other Method Construction:

Pipe Information

Pipe ID: 10583412

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930061714

Layer: 1 Material:

GALVANIZED Open Hole or Material:

Depth From:

Depth To: 48 Casing Diameter: 2 Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991512854

Pump Set At: Static Level:

2 Final Level After Pumping: 20 25 Recommended Pump Depth: Pumping Rate: 10 Flowing Rate: Recommended Pump Rate: 6 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: 1 **Pumping Duration HR:** 2 **Pumping Duration MIN:** 0 No Flowing:

Draw Down & Recovery

Pump Test Detail ID: 934896482 Test Type: Draw Down Test Duration: 60 20

Order No: 20200814021

Test Level:

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 934098889 Draw Down Test Type:

ft

Test Duration: 15 20 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934639000 Test Type: Draw Down

Test Duration: 45 20 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934378002 Draw Down Test Type:

Test Duration: 30 20 Test Level: Test Level UOM: ft

Water Details

Water ID: 933468344

Layer: Kind Code: 1 Kind: **FRESH** Water Found Depth: 48 ft Water Found Depth UOM:

14 1 of 1 NE/89.9 88.9 / 2.76

616290 Borehole ID:

Borehole

OGF ID: 215517079 Status:

Type: Use:

Completion Date: JUL-1969 Static Water Level: Primary Water Use:

Sec. Water Use:

14.6 Total Depth m:

Ground Surface Depth Ref:

Depth Elev: Drill Method:

Orig Ground Elev m: 89.9 Elev Reliabil Note:

89 DEM Ground Elev m:

Concession: Location D: Survey D: Comments:

Location Accuracy: Accuracy: Not Applicable

No

No

No

18

Initial Entry

45.446757

-75.498325

461031

5032702

ON

Inclin FLG:

SP Status:

Surv Elev:

Piezometer:

Primary Name:

Municipality:

Township:

UTM Zone:

Easting:

Northing:

Latitude DD:

Longitude DD:

Lot:

BORE

Order No: 20200814021

Borehole Geology Stratum

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Geology Stratum ID: 218403576 Mat Consistency: Top Depth: 0

Material Moisture: 12.2 **Bottom Depth:** Material Texture: Material Color: Blue Non Geo Mat Type: Material 1: Clay Geologic Formation: Geologic Group: Material 2: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: CLAY. BLUE.

Geology Stratum ID: 218403577 Mat Consistency: Top Depth: 12.2 Material Moisture: Bottom Depth: 14.6 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Gravel Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period: Material 4 Depositional Gen:

Gsc Material Description:

GRAVEL. GREY. 00048 UNSPECIFIED. SEISMIC VELOCITY = 6300. BEDROCK. SEISMIC VELOCITY = 19500 Stratum Description:

**Note: Many records provided by the department have a truncated [Stratum Description] field.

<u>Source</u>

Data Survey Source Type: Source Appl: Spatial/Tabular

Source Orig: Geological Survey of Canada Source Iden: Source Date: Scale or Res: 1956-1972 Varies

Confidence: Horizontal: NAD27

Observatio: Verticalda: Mean Average Sea Level

Urban Geology Automated Information System (UGAIS) Source Name: Source Details: File: OTTAWA2.txt RecordID: 08798 NTS_Sheet:

Confiden 1:

Source List

NAD27 Source Identifier: Horizontal Datum:

Source Type: Data Survey Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Universal Transverse Mercator Projection Name:

Scale or Resolution: Varies Urban Geology Automated Information System (UGAIS) Source Name:

Source Originators: Geological Survey of Canada

87.1 / 0.95 E/94.8 15 1 of 1 lot 3 con 1 **WWIS CUMBERLAND ON**

Order No: 20200814021

Well ID: 1536382 Data Entry Status:

Construction Date: Data Src:

Domestic 6/12/2006 Primary Water Use: Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 1119 Casing Material: Form Version:

Audit No: Z39926 Owner:

Tag: A023034 Street Name: 2319 MERBLEUE ROAD

Construction Method: **OTTAWA** County:

Elevation (m): Municipality: **CUMBERLAND TOWNSHIP** Elevation Reliability: Site Info:

Depth to Bedrock: 003 Lot: Well Depth: Concession: 01 CON

Overburden/Bedrock: Concession Name: Easting NAD83: Pump Rate: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536382.pdf

Bore Hole Information

Bore Hole ID: 11550448 **Elevation:** 88.249923

 DP2BR:
 78
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:
 461191

 Code OB Desc:
 Bedrock
 North83:
 5032176

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 3

Date Completed:5/5/2006UTMRC Desc:margin of error: 10 - 30 mRemarks:Location Method:wwr

Elevrc Desc:

Overburden and Bedrock

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

 Formation ID:
 933055411

 Layer:
 3

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 23.77
Formation End Depth: 103.63
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933055409

Layer: 1

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 3.35

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933055410

Layer: 2

Color:

General Color:

Mat1: 05
Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 3.35
Formation End Depth: 23.77
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933294366

 Layer:
 2

 Plug From:
 21.03

 Plug To:
 0

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933294365

 Layer:
 1

 Plug From:
 24.08

 Plug To:
 21.03

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:961536382Method Construction Code:5Method Construction:Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 11560055
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

 Casing ID:
 930880319

 Layer:
 2

Material: 4

Open Hole or Material:OPEN HOLEDepth From:24.08Depth To:103.63Casing Diameter:cmCasing Depth UOM:m

Construction Record - Casing

Casing ID: 930880318

Map Key	Number of	Direction/	Elev/Diff	Site	DB
	Records	Distance (m)	(m)		

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0

 Depth To:
 24.69

 Casing Diameter:
 15.88

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Results of Well Yield Testing

11569464 Pump Test ID: 91.44 Pump Set At: Static Level: 1.25 Final Level After Pumping: 56.38 Recommended Pump Depth: 91.44 22.74 Pumping Rate: Flowing Rate: Recommended Pump Rate: 22.71 Levels UOM: m Rate UOM: LPM Water State After Test Code: CLOUDY Water State After Test: Pumping Test Method:

Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:

Flowing:

Draw Down & Recovery

 Pump Test Detail ID:
 11630887

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 15.95

 Test Level UOM:
 m

0

Draw Down & Recovery

 Pump Test Detail ID:
 11631169

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 45.3

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630886

 Test Type:
 Recovery

 Test Duration:
 10

 Test Level:
 52.76

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630877

 Test Type:
 Draw Down

 Test Duration:
 2

 Test Level:
 3.21

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID: 11630883
Test Type: Draw Down

 Test Duration:
 5

 Test Level:
 6.25

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11631168

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 26.72

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11631172

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 42.7

Test Level: 42
Test Level UOM: m

Draw Down & Recovery

 Pump Test Detail ID:
 11631171

 Test Type:
 Recovery

 Test Duration:
 40

 Test Level:
 41

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630884

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 54.25

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630880

 Test Type:
 Recovery

 Test Duration:
 3

 Test Level:
 54.9

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11631173

 Test Type:
 Recovery

 Test Duration:
 50

 Test Level:
 37.9

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11631175Test Type:RecoveryTest Duration:60

Test Level: 35.1
Test Level UOM: m

Draw Down & Recovery

 Pump Test Detail ID:
 11631166

 Test Type:
 Draw Down

 Test Duration:
 25

 Test Level:
 23.73

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630889

 Test Type:
 Draw Down

 Test Duration:
 20

 Test Level:
 20.65

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630879

 Test Type:
 Draw Down

 Test Duration:
 3

 Test Level:
 4.25

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630890

 Test Type:
 Recovery

 Test Duration:
 20

 Test Level:
 48.8

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11631170

 Test Type:
 Draw Down

 Test Duration:
 40

 Test Level:
 33.4

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630881

 Test Type:
 Draw Down

 Test Duration:
 4

 Test Level:
 5.25

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630876

 Test Type:
 Recovery

 Test Duration:
 1

 Test Level:
 55.15

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630878

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 55

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630882

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 54.56

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11631167

 Test Type:
 Recovery

 Test Duration:
 25

 Test Level:
 46.9

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630885

 Test Type:
 Draw Down

 Test Duration:
 10

 Test Level:
 10.85

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11631174

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 56.38

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630888

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 50.8

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11630875

 Test Type:
 Draw Down

 Test Duration:
 1

 Test Level:
 2.12

 Test Level UOM:
 m

Water Details

 Water ID:
 934076133

 Layer:
 1

Kind Code: Kind:

99.06 Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 11681155 Diameter: 15.23 Depth From: 0 103.63 Depth To: Hole Depth UOM: m Hole Diameter UOM: cm

87.6 / 1.45 16 1 of 1 NNE/99.6 lot 2 con 11 **WWIS** ON

Well ID: 1512852 Data Entry Status:

Data Src: Construction Date:

12/7/1962 Primary Water Use: Livestock Date Received: Sec. Water Use: Domestic Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec: 1504 Water Type: Contractor: Casing Material: Form Version: 1

Audit No: Owner: Street Name: Tag:

Construction Method: County: **OTTAWA** Municipality: **CUMBERLAND TOWNSHIP** Elevation (m): Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 002 Well Depth: Concession: 11

Overburden/Bedrock: Concession Name: CON Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1512852.pdf

Bore Hole Information

Bore Hole ID: 10034840 Elevation: 89.123374

DP2BR: Elevrc: Spatial Status: Zone:

Code OB: East83: 460931.8 Code OB Desc: Overburden North83: 5032900

Open Hole: Org CS: UTMRC: Cluster Kind:

Date Completed: 9/6/1962 UTMRC Desc: margin of error: 100 m - 300 m

18

Order No: 20200814021

Location Method: Remarks: Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location Method:

Overburden and Bedrock Materials Interval

Source Revision Comment: Supplier Comment:

Formation ID: 931021728

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 40
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931021729

Layer: 2
Color:

General Color:

Mat1: 11

Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 40
Formation End Depth: 45
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961512852

Method Construction Code: 7

Method Construction: Diamond

Other Method Construction:

Pipe Information

Pipe ID: 10583410

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 930061711

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 45
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991512852

Pump Set At:

Static Level: 3

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level A	fter Pumping:	15			
	ed Pump Depth:	15			
Pumping Ra	te:	10			
Flowing Rate:					
Recommend	ed Pump Rate:	10			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State	After Test Code:	1			
Water State	After Test:	CLEAR			
Pumping Tes	st Method:	1			
Pumping Du	ration HR:	4			
Pumping Duration MIN:		0			
Flowing:		No			
Water Details	<u>S</u>				
Water ID:		933468342			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found	Depth:	45			
	Depth UOM:	ft			

17 1 of 1 NNE/141.6 87.4 / 1.33 lot 2 con 11 ON WWIS

Well ID: 1512853 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 8/27/1963

Sec. Water Use: 0 Selected Flag: Yes

Final Well Status: Water Supply

Water Type:
Casing Material:

Water Supply

Abandonment Rec:
Contractor: 1504

Form Version: 1

Casing Material: Form Version:
Audit No: Owner:
Tag: Street Name:

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 CUMBERI

 Elevation (m):
 Municipality:
 CUMBERLAND TOWNSHIP

 Elevation Reliability:
 Site Info:

 Depth to Bedrock:
 Lot:
 002

 Well Depth:
 Concession:
 11

Well Depth: Concession: 11
Overburden/Bedrock: Concession Name: CON
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1512853.pdf

Bore Hole Information

Bore Hole ID: 10034841 **Elevation:** 89.459899

DP2BR: 10 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:
 460884.8

 Code OB Desc:
 Bedrock
 North83:
 5032952

Open Hole: Org CS:

 Cluster Kind:
 UTMRC:
 5

 Date Completed:
 8/12/1963
 UTMRC Desc:
 margin of error: 100 m - 300 m

Order No: 20200814021

Remarks: Location Method: p5
Elevrc Desc:

Location Source Date:

Improvement Location Source:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

931021731 Formation ID:

2 Layer:

Color: General Color:

Mat1:

COARSE SAND Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

8 Formation Top Depth: Formation End Depth: 10 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931021730

Layer: Color: 3 **BLUE** General Color: Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 8 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931021732

Layer: 2 Color: General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

10 Formation Top Depth: Formation End Depth: 22 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961512853

Method Construction Code:

Method Construction: Diamond

Other Method Construction:

Pipe Information

 Pipe ID:
 10583411

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930061713

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:22Casing Diameter:2Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID:930061712Layer:1Material:1Open Hole or Material:STEELDepth From:300061712

Depth To: 11
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991512853

Pump Set At:
Static Level: 3
Final Level After Pumping: 10
Recommended Pump Depth: 20
Pumping Rate: 10

Flowing Rate:

Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1

Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 2
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933468343

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 22

 Water Found Depth UOM:
 ft

Map Key	Number of	Direction/	Elev/Diff	Site	DB
	Records	Distance (m)	(m)		

87.4 / 1.33 18 1 of 1 NNE/141.7 **BORE** ON

Borehole ID: 616294 Inclin FLG: No OGF ID: 215517083 SP Status: Initial Entry

Status:

Surv Elev: **Borehole** Type: Piezometer: No

Use: Primary Name: AUG-1963 Completion Date: Municipality: Static Water Level: Lot: Primary Water Use: Township:

45.448999 Sec. Water Use: Latitude DD: Total Depth m: -75.500211 6.7 Longitude DD: **Ground Surface** UTM Zone: Depth Ref: 18

Depth Elev: Easting: 460885 Drill Method: Northing: 5032952

Orig Ground Elev m: 89.9 Location Accuracy:

Elev Reliabil Note: Accuracy: Not Applicable DEM Ground Elev m: 89.5

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 218403588 Mat Consistency: Top Depth: 0 Material Moisture: **Bottom Depth:** 2.4 Material Texture: Material Color: Blue Non Geo Mat Type: Material 1: Geologic Formation: Clay Material 2: Geologic Group: Material 3: Geologic Period: Depositional Gen:

Material 4: Gsc Material Description:

CLAY. BLUE. Stratum Description:

218403589 Geology Stratum ID: Mat Consistency: Top Depth: 2.4 Material Moisture: **Bottom Depth:** Material Texture: 3 Material Color: Non Geo Mat Type: Geologic Formation: Material 1: Sand Material 2: Geologic Group: Geologic Period:

Material 3: Depositional Gen: Material 4:

Gsc Material Description:

SAND. Stratum Description:

Geology Stratum ID: 218403590 Mat Consistency: Top Depth: 3 Material Moisture: **Bottom Depth:** 6.7 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Limestone Geologic Formation: Material 2: Geologic Group: Geologic Period: Material 3: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: LIMESTONE. GREY. 00022ED. SEISMIC VELOCITY = 5300. BEDROCK. SEISMIC VELOCITY = 19500. K.

Order No: 20200814021

Source

Source Type: **Data Survey** Source Appl: Spatial/Tabular

Source Orig: Geological Survey of Canada Source Iden: Source Date: 1956-1972 Scale or Res: Varies

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

NAD27 Confidence: Horizontal:

Observatio: Mean Average Sea Level Verticalda:

Source Name: Urban Geology Automated Information System (UGAIS) Source Details:

Confiden 1:

File: OTTAWA2.txt RecordID: 08802 NTS_Sheet:

Source List

Source Identifier: Horizontal Datum: NAD27

Source Type: Data Survey Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Universal Transverse Mercator Projection Name:

Scale or Resolution: Varies

Urban Geology Automated Information System (UGAIS) Source Name:

Source Originators: Geological Survey of Canada

1 of 1 NNE/162.4 87.3 / 1.22 lot 2 con 11 19 **WWIS** ON

1512081 Well ID: Data Entry Status:

Construction Date: Data Src:

Date Received: 4/7/1972 Primary Water Use: Livestock Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec: Water Type: Contractor: 1504

Casing Material: Form Version: 1 Audit No: Owner:

Tag: Street Name:

Construction Method: OTTAWA County: Elevation (m): Municipality: **CUMBERLAND TOWNSHIP**

Elevation Reliability: Site Info:

Depth to Bedrock: 002 Lot: Well Depth: Concession: 11 Overburden/Bedrock: Concession Name: CON

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1512081.pdf

Elevrc:

18

Order No: 20200814021

Zone:

Bore Hole Information

Bore Hole ID: 10034074 89.686996 Elevation:

DP2BR: 21

Spatial Status:

Code OB: 460870.8 East83: Code OB Desc: **Bedrock** North83: 5032972

Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 12/10/1971 **UTMRC Desc:** margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931019570

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 20
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931019571

 Layer:
 2

 Color:
 2

 Consequence
 GPEV

General Color: GREY Mat1: 07

Most Common Material: QUICKSAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 20 Formation End Depth: 21 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931019572

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 21
Formation End Depth: 49
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961512081

Method Construction Code: 1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10582644

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930060471

Layer: 2

Material: 4

Open Hole or Material: OPEN HOLE

Depth From: 49

Casing Diameter:
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930060470

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:24Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991512081

Pump Set At:
Static Level: 10
Final Level After Pumping: 10
Recommended Pump Depth: 20
Pumping Rate: 20

Flowing Rate:

Recommended Pump Rate: 6 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: 2 2 Pumping Duration HR: Pumping Duration MIN: 0 Flowing: No

Draw Down & Recovery

Pump Test Detail ID:934098711Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 10

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934376304

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 10

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934894796

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 10

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934646639Test Type:Draw DownTest Duration:45

Test Level: 10
Test Level UOM: ft

Water Details

Water ID: 933467423

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 49

 Water Found Depth UOM:
 ft

20 1 of 1 W/166.8 86.9 / 0.78 Minto Communities Inc.

Ottawa ON K1P 0B6

Approval No: 2443-9UPNXE MOE District: Ottawa

Approval Date: 2015-03-17 City:

 Status:
 Approved
 Longitude:
 -75.51100000000001

 Record Type:
 ECA
 Latitude:
 45.442800000000005

Link Source: IDS Geometry X:
SWP Area Name: Rideau Valley Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0331-9UFPKR-14.pdf

21 1 of 1 NNE/188.1 86.9 / 0.84 lot 1 con 3 ON WWIS

Well ID: Data Entry Status:

Construction Date: Data Src:

Primary Water Use:DomesticDate Received:2/23/1971Sec. Water Use:0Selected Flag:Yes

Final Well Status: Water Supply

Abandonment Rec:
Water Type:
Contractor: 1504

Water Type: Contractor: 1504
Casing Material: Form Version: 1
Audit No: Owner:

Tag: Street Name: Construction Method: County:

Elevation (m):Municipality:GLOUCESTER TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock: Lot: 001
Well Depth: Concession: 03
Overburden/Bedrock: Concession Name: OF

Overburden/Bedrock:Concession Name:Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:

Flow Rate: UTM Reliability:

Zone:

OTTAWA

Flowing (Y/N):

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510719.pdf

Bore Hole Information

Bore Hole ID: 10032736 **Elevation:** 89.220108

 DP2BR:
 90
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:
 460810.8

 Code OB Desc:
 Bedrock
 North83:
 5032982

Open Hole: Org CS:

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 12/18/1970
 UTMRC Desc:
 margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931015650

Layer: 3 Color: 6

General Color: BROWN Mat1: 19
Most Common Material: SLATE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 90
Formation End Depth: 97
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931015648

 Layer:
 1

 Color:
 5

 General Color:
 YELLOW

Mat1: 09

Most Common Material: MEDIUM SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 3 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931015649

 Layer:
 2

 Color:
 3

General Color: BLUE Mat1: 05

Most Common Material: CLAY
Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 3
Formation End Depth: 90
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961510719Method Construction Code:7

Method Construction: Diamond

Other Method Construction:

Pipe Information

 Pipe ID:
 10581306

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930058039

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 97

Casing Diameter:

Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930058038

Layer: 1
Material: 2

Open Hole or Material: GALVANIZED

Depth From:

Depth To:92Casing Diameter:2Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991510719

Pump Set At:
Static Level: 30
Final Level After Pumping: 50
Recommended Pump Depth: 60
Pumping Rate: 6
Flowing Rate:

Recommended Pump Rate: 6
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code: 2

Water State After Test: CLOUDY

Pumping Test Method:1Pumping Duration HR:2Pumping Duration MIN:0Flowing:No

Draw Down & Recovery

Pump Test Detail ID:934641622Test Type:Draw Down

 Test Duration:
 45

 Test Level:
 50

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934897990Test Type:Draw Down

 Test Duration:
 60

 Test Level:
 50

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934097310Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 50

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934380045Test Type:Draw Down

 Test Duration:
 30

 Test Level:
 50

 Test Level UOM:
 ft

Water Details

Water ID: 933465752

Layer:

Kind Code: 3

Kind: SULPHUR
Water Found Depth: 97
Water Found Depth UOM: ft

22 1 of 1 NNE/188.3 86.9 / 0.84 ON BORE

Order No: 20200814021

Borehole ID: 616295 Inclin FLG: No

OGF ID: 215517084 SP Status: Initial Entry

Status:Surv Elev:NoType:BoreholePiezometer:No

Use: Primary Name: Completion Date: DEC-1970 Municipality:

Static Water Level: Lot:

Primary Water Use: Township:
Sec. Water Use: Latitude DD:

 Sec. Water Use:
 Latitude DD:
 45.449265

 Total Depth m:
 29.6
 Longitude DD:
 -75.50116

Depth Ref: Ground Surface

Depth Elev: Drill Method:

Orig Ground Elev m: 89.6

Elev Reliabil Note:

DEM Ground Elev m: 89.2

Concession: Location D: Survey D: Comments: UTM Zone: 18

Easting: 460811 **Northing:** 5032982

Location Accuracy:

Accuracy: Not Applicable

Borehole Geology Stratum

Geology Stratum ID: 218403591 Mat Consistency: Top Depth: 0 Material Moisture: Bottom Depth: .9 Material Texture: Material Color: Yellow Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: SAND. YELLOW.

Geology Stratum ID: 218403593 Mat Consistency: Top Depth: 27.4 Material Moisture: **Bottom Depth:** 29.6 Material Texture: Material Color: Brown Non Geo Mat Type: Material 1: Slate Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: SLATE. BROWN. 00097SEISMIC VELOCITY = 5300. BEDROCK. SEISMIC VELOCITY = 19500. K. DARK,G

**Note: Many records provided by the department have a truncated [Stratum Description] field.

Order No: 20200814021

218403592 Geology Stratum ID: Mat Consistency: Top Depth: .9 Material Moisture: Bottom Depth: 27.4 Material Texture: Material Color: Blue Non Geo Mat Type: Material 1: Geologic Formation: Clay Material 2: Geologic Group: Geologic Period: Material 3: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: CLAY. BLUE.

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:Horizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA2.txt RecordID: 08803 NTS_Sheet:

Confiden 1:

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Number of Direction/ Elev/Diff Site DΒ Map Key (m)

Records Distance (m)

Varies

Scale or Resolution: Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

23 1 of 1 WSW/212.8 84.9 / -1.22 Mer Blue Rd & Navan Rd **EHS** Ottawa ON

20130509006 Order No: Nearest Intersection: Municipality:

Status: С

Report Type: **Custom Report** Report Date: 01-AUG-13 Date Received: 09-MAY-13

Previous Site Name: Lot/Building Size: Additional Info Ordered:

Incident Cause:

Client Prov/State: ON Search Radius (km): .25 -75.51051 X:

Y: 45.43894

24 1 of 1 SW/218.2 83.9 / -2.22 Enbridge Energy Distribution Inc.

510 Yellow Birch St, Navan

Unknown / N/A

Pipeline/Components

Order No: 20200814021

SPL

Ottawa ON

Sector Type:

Ref No: 5061-APTRWD Discharger Report: Site No: NA Material Group:

Incident Dt: 8/1/2017 Health/Env Conseq: 2 - Minor Environment Client Type: Corporation Year:

Leak/Break Agency Involved: Incident Event:

Contaminant Code: Nearest Watercourse: Contaminant Name: NATURAL GAS (METHANE) Site Address: 510 Yellow Birch St, Navan

Contaminant Limit 1: Site District Office: Ottawa

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: 1075 Site Region: Eastern Site Municipality: **Environment Impact:** Ottawa

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Air Receiving Env: Northing: MOE Response: No Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 8/1/2017 Site Map Datum:

10/21/2017 TSSA - Fuel Safety Branch - Hydrocarbon Fuel **Dt Document Closed:** SAC Action Class:

Release/Spill Source Type:

Operator/Human Error Incident Reason: Site Name: Residental<UNOFFICIAL>

Site County/District:

Site Geo Ref Meth:

Incident Summary: TSSA FSB: 1/2" pl IP linestrike, made safe

Contaminant Qty: 0 L

25 1 of 1 SSE/220.0 87.2 / 1.12 Navan, Renaud, and Mer Bleue Roads **EHS** Ottawa ON

Order No: 20070419014 Nearest Intersection: Municipality: Status: C Client Prov/State: Report Type: CAN - Custom Report

Report Date: 4/27/2007 Search Radius (km): 0.25 4/19/2007 -75.50156 Date Received: X: Y: 45.439086 Previous Site Name:

Lot/Building Size: Additional Info Ordered:

26 1 of 1 SE/224.4 88.1 / 2.02 Richcraft Homes Limited

PTTW

ON

Section:

Act 1:

Decision Posted:

Exception Posted:

Section 34

Ontario Water Resources Act, R.S.O. 1990

Order No: 20200814021

EBR Registry No: 013-1804
Ministry Ref No: 7878-ASRLU7
Notice Type: Instrument
Notice Stage: Proposal

Instrument Proposal

Notice Date:Act 2:Ontario Water Resources ActProposal Date:November 8, 2017Site Location Map:45.439898,-75.498803

Year: 2017

Instrument Type: Permit to take water

Off Instrument Name: Permit to Take Water (OWRA s. 34)

Posted By: Ministry of the Environment, Conservation and Parks

Company Name: Site Address: Location Other:

Proponent Name:Richcraft Homes LimitedProponent Address:2280 St. Laurent Boulevard

Suite 201 Ottawa, ON K1G 4K1 Canada

Comment Period: November 8, 2017 - December 8, 2017 (30 days) Closed

URL: https://ero.ontario.ca/notice/013-1804

Site Location Details:

6429 Renaud Road Ottawa

and 2284 Mer Bleue Road

Ottawa

27 1 of 1 NE/230.3 89.5 / 3.44 2225 Mer Bleue Rd Ottawa ON K4A3T9

Order No: 20170517044

Status: C

Report Type: Custom Report Report Date: 02-JUN-17
Date Received: 17-MAY-17

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection:

Municipality:

Client Prov/State: ON Search Radius (km): .25

X: -75.49679 **Y:** 45.447446

28 1 of 2 SW/239.7 83.9 / -2.22 minto communities 6371 Renaud rd Ottawa ON

Generator No: ON2987464 PO Box No: Status: Country:

Status: Country: Approval Years: 2009 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

S/C Code: 236110

SIC Description: Residential Building Construction

Detail(s)

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m)

(m)

148 Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: **GRAPHIC ART WASTES**

28 2 of 2 SW/239.7 83.9 / -2.22 Richcraft Homes Ltd. **ECA**

6255, 6275, and 6371 Renaud Rd Lot 3 and 4, Concession 3 Ottawa Front

No

45.440559

Order No: 20200814021

Ottawa ON K1G 4K1

Approval No: 5391-9REPVA **MOE District:** 2015-01-14 Approval Date: City: Approved Status: Longitude: **ECA** Record Type: Latitude: Link Source: **IDS** Geometry X:

SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Address: 6255, 6275, and 6371 Renaud Rd Lot 3 and 4, Concession 3 Ottawa Front

Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4234-9QBJ42-14.pdf

29 1 of 1 ESE/268.7 87.4 / 1.32 **BORE** ON

Borehole ID: 616280 Inclin FLG: No

OGF ID: 215517069 SP Status: Initial Entry Status: Surv Elev: No

Type: Borehole Piezometer: Use: Primary Name: Completion Date: JUL-1964 Municipality:

Static Water Level: 3.0 Lot:

Primary Water Use: Township: Sec. Water Use: Latitude DD:

Total Depth m: -999 Longitude DD: -75.495329 **Ground Surface** UTM Zone: Depth Ref: 18 Depth Elev: Easting: 461261 5032012 Northing: Drill Method:

Orig Ground Elev m: 86.9 Location Accuracy:

Elev Reliabil Note: Accuracy: Not Applicable 87.8 DEM Ground Elev m:

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 218403546 Mat Consistency: Top Depth: 22.9 Material Moisture: Bottom Depth: Material Texture: Material Color: Non Geo Mat Type: Material 1: Gravel Geologic Formation:

Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

GRAVEL. WATER STABLE AT 275.0 FEET.57SMIC VELOCITY = 4900. BEDROCK. SEISMIC VELOCITY = Stratum Description:

18000 **Note: Many records provided by the department have a truncated [Stratum Description] field.

218403545 Geology Stratum ID: Mat Consistency:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Geologic Period:

Depositional Gen:

Material Moisture: Top Depth: 0 **Bottom Depth:** 22.9 Material Texture: Material Color: Blue Non Geo Mat Type: Material 1: Clay Geologic Formation: Material 2: Geologic Group:

Material 3: Material 4:

Gsc Material Description: CLAY, BLUE, Stratum Description:

Source

Source Type: **Data Survey** Source Appl: Spatial/Tabular

Source Orig: Geological Survey of Canada Source Iden: Source Date: 1956-1972 Scale or Res: Varies Confidence: Horizontal: NAD27 М

Observatio: Verticalda: Mean Average Sea Level Urban Geology Automated Information System (UGAIS) Source Name:

File: OTTAWA2.txt RecordID: 087880 NTS_Sheet: 31G06E Source Details:

Confiden 1: Reliable information but incomplete.

Source List

NAD27 Source Identifier: Horizontal Datum:

Source Type: Data Survey Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Projection Name: Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

89.7 / 3.62 2233 Mer Bleue **30** 1 of 1 NE/278.6 **EHS** Ottawa ON K4A 3T9

Order No: 20091215034 Nearest Intersection: Mer Bleue & Innes Road Status: Municipality: Ottawa-Carleton

Report Type: **Custom Report** Client Prov/State: ON Report Date: 12/24/2009 Search Radius (km): 0.25 -75.496616 Date Received: 12/15/2009 X:

Previous Site Name: Y: Lot/Building Size: approx 19.5 acres

Additional Info Ordered: Fire Insur. Maps and/or Site Plans;

519 CHAPERAL PRIVATE, OTTAWA 31 1 of 3 ENE/286.9 89.3 / 3.15

ON

45.448268

PINC

Order No: 20200814021

Incident ID: Health Impact: 1729458 Incident No: Environment Impact:

FS-Pipeline Incident Property Damage: Type: No Status Code: Pipeline Damage Reason Est Service Interupt:

Enforce Policy: Fuel Occurrence Tp: Yes

Fuel Type: Public Relation: Tank Status: RC Established Pipeline System: Depth: 5885606 Task No:

Spills Action Centre: Pipe Material: Method Details: E-mail PSIG: Fuel Category: Natural Gas Attribute Category:

FS-Perform P-line Inc Invest Date of Occurrence: Regulator Location:

2015/09/30 Occurrence Start

erisinfo.com | Environmental Risk Information Services

Operation Type: Pipeline Type: Regulator Type:

Date:

Number of Elev/Diff Site DΒ Map Key Direction/

Records Distance (m)

519 CHAPERAL PRIVATE, OTTAWA - PIPELINE HIT - 2" Summary:

Reported By: Affiliation:

Pierre Potvin - ENBRIDGE

Occurrence Desc: Damage Reason:

Excavation practices not sufficient

Notes:

ENE/286.9 2 of 3 89.3 / 3.15 519 chaperal private 31 SPL

Ottawa ON

Ref No: 2052-A2UKLH Site No: NA

Incident Dt: 9/30/2015 Year:

Incident Cause:

Incident Event: Contaminant Code: 35

NATURAL GAS (METHANE) Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: **Environment Impact:** Nature of Impact: Receiving Medium:

Receiving Env: MOE Response: No

Dt MOE Arvl on Scn:

9/30/2015 MOE Reported Dt: **Dt Document Closed:** 11/27/2015

Incident Reason: Operator/Human Error

Site Name:

Site County/District:

Site Geo Ref Meth:

31

Incident Summary: Contaminant Qty:

Discharger Report: Material Group: Health/Env Conseq:

Client Type:

Sector Type: Miscellaneous Industrial

519 chaperal private

SPL

Order No: 20200814021

Agency Involved: Nearest Watercourse:

Site Address: Site District Office:

Site Postal Code: Site Region:

Site Municipality: Ottawa

Site Lot: Site Conc: Northing: Easting:

Site Geo Ref Accu: Site Map Datum:

SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill

Source Type:

3 of 3 ENE/286.9 89.3 / 3.15

pipeline<UNOFFICIAL>

TSSA: Chaperal service damage

0 other - see incident description

Ottawa ON

Ref No: 4805-A2VGEH Site No: NA Incident Dt: 9/30/2015

Year: Incident Cause:

Incident Event: Contaminant Code:

NATURAL GAS (METHANE) Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: **Environment Impact:**

Nature of Impact: Receiving Medium: Receiving Env:

MOE Response: No

Dt MOE Arvl on Scn: 10/1/2015 MOE Reported Dt: **Dt Document Closed:** 10/3/2015

Operator/Human Error Incident Reason:

Enbridge Gas Distribution Inc. 519 Chaperal Private, Orleans

Discharger Report: Material Group: Health/Env Conseq:

Client Type: Sector Type:

Unknown / N/A

Agency Involved: Nearest Watercourse:

Site Address: 519 Chaperal Private, Orleans

Site District Office: Site Postal Code:

Site Municipality: Ottawa

Site Lot: Site Conc: Northing: Easting:

Site Region:

Site Geo Ref Accu: Site Map Datum: SAC Action Class:

TSSA - Fuel Safety Branch - Hydrocarbon Fuel

Release/Spill

Source Type:

erisinfo.com | Environmental Risk Information Services

Site Name:

Enbridge - gasline<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: TSSA/Enbridge: 2 " gasline damage Contaminant Qty: 0 other - see incident description

Unplottable Summary

Total: 64 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Richcraft Homes Ltd.		Ottawa ON	
CA	Minto Communities Inc.	Ward 21	Ottawa ON	
CA	City of Ottawa	Mer Bleue Rd (Innes Rd 700m south)	Ottawa ON	
CA	Richcraft Homes Ltd.		Ottawa ON	
CA	Minto Communities Inc.		Ottawa ON	
CA	City of Ottawa	Mer Bleue Rd (Innes Rd 700m south)	Ottawa ON	
CA	Richcraft Homes Ltd.		Ottawa ON	
CA	Taggart Construction Limited	Mobile Facility	Ottawa ON	
CA	Richcraft Homes Ltd.		Ottawa ON	
CA	Richcraft Homes Ltd.		Ottawa ON	
CONV	Taggart Construction Limited		Ottawa ON	
EBR	Richcraft Homes Ltd.	Ottawa, ON Canada	ON	
EBR	Taggart Construction Limited	Mobile Facility Ottawa Ontario Ottawa	ON	
EBR	Minto Communities Inc.	Ottawa, Ontario CITY OF OTTAWA	ON	
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6

ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Richcraft Homes Ltd.		Ottawa ON	K1G 4K1
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Richcraft Homes Ltd.		Ottawa ON	K1G 4K1
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Taggart Construction Limited	Mobile Facility	Ottawa ON	K1V 8Y3
ECA	Richcraft Homes Ltd.		Ottawa ON	K1G 4K1
ECA	Richcraft Homes Ltd.		Ottawa ON	K1G 4K1
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	City of Ottawa	Brian Coburn Blvd Navan Road	Ottawa ON	K2G 6J8
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
PINC		DECOEUR DR & MAGNOLIA ST, OTTAWA	ON	
PTTW	Minto Communities Inc.		ON	
PTTW	Minto Communities Inc.		ON	
SPL	Taggart Construction Limited		Ottawa ON	
SPL	Enbridge Gas Distribution Inc.	On Decoeur Drive at Decoeur Dr. and Magnolia St. (S/W of Magnolia), Orleans	Ottawa ON	

wwis	lot 4	ON
wwis	lot 4	ON

Unplottable Report

Site: Richcraft Homes Ltd.

Ottawa ON

Database: CA

3841-632P4R Certificate #: Application Year: 2004 7/20/2004 Issue Date:

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Minto Communities Inc. Site: Ward 21 Ottawa ON

Database:

6616-7XYSBE Certificate #: Application Year: 2009 12/4/2009 Issue Date:

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:

Contaminants: **Emission Control:**

Site: City of Ottawa

Mer Bleue Rd (Innes Rd 700m south) Ottawa ON

Database:

Certificate #: 8790-6VKTPK Application Year: 2007 Issue Date: 4/26/2007

Approval Type: Municipal and Private Sewage Works

Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Site: Richcraft Homes Ltd.

Ottawa ON

Database:

Certificate #: 9080-5UYQRL

2004 Application Year: 1/8/2004 Issue Date:

Municipal and Private Sewage Works Approval Type:

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Approved

Database:

Site: Minto Communities Inc.

Ottawa ON

Certificate #: 3058-7JZKTF 2008 Application Year: 10/7/2008 Issue Date:

Municipal and Private Sewage Works Approval Type:

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:

Contaminants: **Emission Control:**

Site: City of Ottawa

Mer Bleue Rd (Innes Rd 700m south) Ottawa ON

Certificate #: 2501-6V7Q25 Application Year: 2006 Issue Date: 11/10/2006

Municipal and Private Sewage Works Approval Type:

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: Contaminants: **Emission Control:**

Richcraft Homes Ltd. Site:

Ottawa ON

Certificate #: 1207-5YPRH9 Application Year: 2004 Issue Date: 5/6/2004

Municipal and Private Sewage Works Approval Type:

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: Contaminants: **Emission Control:**

Database:

CA

Database: CA

Site: Taggart Construction Limited

Mobile Facility Ottawa ON

Database:

 Certificate #:
 0636-7KEL2F

 Application Year:
 2008

 Issue Date:
 11/19/2008

 Approval Type:
 Air

 Status:
 Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Richcraft Homes Ltd.

Ottawa ON

Database:

 Certificate #:
 9817-7WNR3C

 Application Year:
 2009

 Issue Date:
 10/15/2009

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Richcraft Homes Ltd.

Ottawa ON

Database:

 Certificate #:
 7432-7UVKBU

 Application Year:
 2009

 Issue Date:
 8/13/2009

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Taggart Construction Limited

Ottawa ON

Database:

File No: 012802 Location: Crown Brief No: Region:

Court Location: Publication City: Publication Title:

Act: Act(s): First Matter: Region: Ministry District:

Second Matter: Investigation 1: Investigation 2: Penalty Imposed: Description:

Taggart Construction Limited, Paterson Group Inc. and Robert Passmore have been fined \$5,000 each, totalling \$15,000 plus a victim fine surcharge, after pleading guilty on January 15, 2009 to violations under the Ontario Water Resources Act. Taggart Construction Limited and Paterson Group Inc. were convicted of failing to comply with a Provincial Officer Order by taking more than 50,000 litres of water per day, and Mr. Passmore was convicted of giving false or misleading information to the ministry. The parties were given six months to pay the fine. The Court heard that Taggart Construction Limited was contracted by a developer to install municipal services at a subdivision in Ottawa which required dewatering activities. After being issued a Provincial Officer Order to restrict water taking activities to below 50,000 litres per day until a permit had been obtained, Taggart hired Paterson Group Inc. to submit an application for the permit. Taggart then pumped over 50,000 litres of water based on information provided by Paterson Group employee, Mr. Passmore, that the go ahead to pump had been given when a permit had yet to be issued. In an interview with ministry investigators, Mr. Passmore denied giving Taggart verbal approval to pump in excess of 50,000 litres per day. Taggart Construction Limited, Paterson Group Inc. and Mr. Passmore were charged following an investigation by the Ministry of the Environment's Investigations and Enforcement Branch.

Order No: 20200814021

Background:

URL:

Additional Details

Publication Date:

Count:

OWRA Act:

Regulation:

Section:

Act/Regulation/Section: **OWRA**

Date of Offence: Date of Conviction:

Date Charged: January 15, 2009

fine, victim fine surcharge Charge Disposition:

Fine: \$5,000

Synopsis:

Richcraft Homes Ltd. Site: Database: **EBR** Ottawa, ON Canada ON

EBR Registry No: 019-1273 Decision Posted: KV-C-001-18 Ministry Ref No: **Exception Posted:**

Notice Type: Instrument Section 17 (2) (c) Section:

Endangered Species Act, R.S.O. 2007 Notice Stage: Proposal Act 1: Act 2 Endangered Species Act, 2007

Notice Date:

February 27, 2020 Proposal Date: Site Location Map:

2020 Year:

Permit for activities to achieve an overall benefit to a species Instrument Type:

Off Instrument Name: Permit for activities with conditions to achieve overall benefit to the species (ESA s.17(2) (c))

Posted By: Ministry of the Environment, Conservation and Parks

Company Name: Site Address: Ottawa,

ON Canada

Location Other:

Richcraft Homes Ltd. Proponent Name: Proponent Address: 2280 St. Laurent Boulevard

> **Unit 201** Ottawa. ON K1G4K1 Canada

February 27, 2020 - March 28, 2020 (30 days) Closed **Comment Period:**

URL: https://ero.ontario.ca/notice/019-1273

Site Location Details:

Part of Lot 8, Concession 1 in the Geographic Township of March, Ottawa.

Site: **Taggart Construction Limited**

Mobile Facility Ottawa Ontario Ottawa ON

Decision Posted:

IA07E0165 EBR Registry No: Ministry Ref No: 8556-6XWUA3 Exception Posted:

Notice Type: Instrument Decision Section: Notice Stage: 803008003 Act 1: Notice Date: December 09, 2008 Act 2:

Proposal Date: January 30, 2007 Site Location Map:

2007 Year:

Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)

Off Instrument Name:

Posted By:

Taggart Construction Limited Company Name:

Site Address: **Location Other:** Proponent Name: Proponent Address:

3187 Albion Rd S, Ottawa Ontario, K1V 8Y3

Comment Period:

URI ·

Site Location Details:

Mobile Facility Ottawa Ontario Ottawa

Site: Minto Communities Inc.

Ottawa, Ontario CITY OF OTTAWA ON

Database: **EBR**

EBR Registry No: 013-0315 Decision Posted: MNRF INST 30/17 Ministry Ref No: **Exception Posted:**

Instrument Decision Section: Notice Type: Notice Stage: 860201441 Act 1: Notice Date: September 28, 2017 Act 2

Proposal Date: April 10, 2017 Site Location Map:

2017 Year:

(ESA s.17(2) (c)) - Permit for activities with conditions to achieve overall benefit to the species Instrument Type:

Off Instrument Name:

Posted By:

Company Name: Minto Communities Inc.

Site Address: Location Other: Proponent Name:

180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite Proponent Address:

200, Ottawa Ontario, Canada K1P 0B6

Comment Period:

URL:

Site Location Details:

Ottawa, Ontario CITY OF OTTAWA

Minto Communities Inc. Site: Database: Ottawa ON K1P 0B6 **ECA**

3002-8PBSB4 Approval No: MOE District: Approval Date: 2012-01-31 City: Revoked and/or Replaced Status: Longitude: Record Type: **ECA** Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type:

Database:

EBR

Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6465-8NETCD-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Approval No: 0195-95LSVA **MOE District:** Approval Date: 2013-03-22 City: Status: Approved Longitude: Record Type: **ECA** Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1964-8XNJA4-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Approval No: 1554-8Y2HZ6 **MOE District:** 2012-09-14 Approval Date: City: Status: Revoked and/or Replaced Longitude: Latitude: Record Type: **ECA** Geometry X: Link Source: **IDS** SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1100-8WTMSY-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

3053-8YJNWU Approval No: **MOE District:** Approval Date: 2012-10-01 City: Status: Approved Longitude: ECA Latitude: Record Type: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1397-8XNJGH-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Order No: 20200814021

7202-97BLB4 **MOE District:** Approval No: Approval Date: 2013-05-23 City: Status: Revoked and/or Replaced Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: MUNICIPAL AND PRIVATE SEWAGE

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4553-95ZKWJ-14.pdf

<u>Site:</u> Minto Communities Inc.

Ottawa ON K1P 0B6

Database: ECA

Approval No: 8813-9WYQ2J **MOE District:** 2015-06-08 Approval Date: City: Status: Approved Longitude: Record Type: ECA Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4625-9WXRTA-14.pdf

Site: Minto Communities Inc.

Ottawa ON K1P 0B6

Database: ECA

Database:

ECA

Order No: 20200814021

7971-9EAST8 Approval No: **MOE District:** Approval Date: 2014-01-10 City: Status: Approved Longitude: Record Type: ECA Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7322-9E4LGN-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6

8270-A3ZLU2 **MOE District:** Approval No: Approval Date: 2015-11-10 City: Approved Longitude: Status: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8185-A3PRB5-14.pdf

Site: Richcraft Homes Ltd.
Ottawa ON K1G 4K1
Database: ECA

Approval No: 6566-A7AMSG MOE District: Approval Date: 2016-02-23 City: Approved Longitude: Status: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1204-A4KTW4-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

7661-ABCKQL Approval No: MOE District: Approval Date: 2016-06-30 City: Status: Approved Longitude: Record Type: ECA Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5664-AB4KGV-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

0606-AHXJCH **MOE District:** Approval No: Approval Date: 2017-02-02 City: Approved Longitude: Status: Record Type: ECA Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4552-AHSJ74-14.pdf

Site: Richcraft Homes Ltd.
Ottawa ON K1G 4K1
Database:
ECA

Approval No: 9080-5UYQRL MOE District: Approval Date: 2004-01-08 City: Approved Longitude: Status: Record Type: **ECA** Latitude: IDS Geometry X: Link Source: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5802-5UQM74-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Order No: 20200814021

2268-9WYR3F Approval No: **MOE District:** Approval Date: 2015-06-08 City: Approved Longitude: Status: **ECA** Record Type: Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3873-9WWLDY-14.pdf

Taggart Construction Limited Site:

Mobile Facility Ottawa ON K1V 8Y3

MOE District: Approval No: 0636-7KEL2F 2008-11-19 Approval Date: City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: Geometry Y:

SWP Area Name:

Approval Type: **ECA-AIR** Project Type: AIR Address:

Full Address:

Mobile Facility

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8556-6XWUA3-14.pdf

Site: Richcraft Homes Ltd.

Ottawa ON K1G 4K1

5800-5UYNQD MOE District: 2004-01-08 City:

Municipal Drinking Water Systems

ECA-Municipal and Private Water Works

Approval Date: Status: Approved Longitude: Record Type: ECA Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y: **ECA-Municipal Drinking Water Systems**

Approval Type: Project Type: Address: Full Address: Full PDF Link:

Approval No:

Richcraft Homes Ltd. Site:

Ottawa ON K1G 4K1

Approval No: 5204-4RGRNN **MOE District:** Approval Date: 2000-12-01 City: Approved Status: Longitude: Record Type: ECA Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: Project Type: Address:

Municipal and Private Water Works Full Address: Full PDF Link:

Site: Minto Communities Inc.

Ottawa ON K1P 0B6

7598-94TRX3 **MOE District:** Approval No: 2013-02-26 Approval Date: City: Approved Status: Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

Approval Type: Project Type: Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2553-8VDQUF-14.pdf

MUNICIPAL AND PRIVATE SEWAGE WORKS

Minto Communities Inc. Site:

Ottawa ON K1P 0B6

Database: **ECA**

Order No: 20200814021

Database:

ECA

Database: **ECA**

Database: **ECA**

Database: **ECA**

MOE District: Approval No: 1720-AKJGKQ 2017-03-24 Approval Date: City: Status: Approved Longitude: **ECA** Record Type: Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1769-AKEQQZ-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Approval No: 3128-AQGJ6T MOE District: Approval Date: 2017-08-23 City: Approved Longitude: Status: Record Type: ECA Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4569-AQCRKJ-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Approval No: 8605-AYUHJG **MOE District:** Approval Date: 2018-05-30 City: Approved Longitude: Status: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7723-AYKNXD-14.pdf

Site: City of Ottawa Database:
Brian Coburn Blvd Navan Road Ottawa ON K2G 6J8 ECA

 Approval No:
 3536-AZPKY6
 MOE District:

 Approval Date:
 2018-06-29
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

SWP Area Name:

Approval Type:

Project Type:

Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Brian Coburn Blvd Navan Road

Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9726-AZERBS-14.pdf

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Order No: 20200814021

Approval No: 6142-BEJHCE MOE District:

Approval Date: 2019-08-01 **City**:

Status:ApprovedLongitude:Record Type:ECALatitude:

 Link Source:
 IDS
 Geometry X:
 -8403007.4223

 SWP Area Name:
 Geometry Y:
 5691058.511699997

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0892-BDSKVQ-14.pdf

Site:

Database:

Enforce Policy:

Public Relation:

Pipeline System:

Regulator Location:

Yes

Order No: 20200814021

DECOEUR DR & MAGNOLIA ST, OTTAWA ON

Incident ID:Health Impact:Incident No:1882562Environment Impact:

Type: FS-Pipeline Incident Property Damage: No Status Code: Pipeline Damage Reason Est Service Interupt:

Fuel Occurrence Tp:

Fuel Type:
Tank Status: RC Established

Task No: 6204208 Depth:
Spills Action Centre: Pipe Material:

Method Details: E-mail PSIG:

Fuel Category: Natural Gas Attribute Category: FS-Perform P-line Inc Invest

Date of Occurrence:

Occurrence Start 2016/06/13

Date:

Operation Type: Pipeline Type: Regulator Type:

Summary: DECOEUR DR & MAGNOLIA ST, OTTAWA - PIPELINE HIT - 2"

Reported By: Ben Lauzon - ENBRIDGE

Affiliation:
Occurrence Desc:

Damage Reason: Excavation practices not sufficient

Notes:

Site: Minto Communities Inc. Database:

EBR Registry No: 012-9800 Decision Posted:
Ministry Ref No: 5771-AJEJDR Exception Posted:

Notice Type:Instrument DecisionSection:Notice Stage:Act 1:Notice Date:October 06, 2017Act 2:

Notice Date:October 06, 2017Act 2:Proposal Date:February 13, 2017Site Location Map:

Year: 2017

Instrument Type: (OWRA s. 34) - Permit to Take Water

Off Instrument Name:

ON

Posted By:

Company Name: Minto Communities Inc.

Site Address: Location Other: Proponent Name:

Proponent Address: 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite

200, Ottawa Ontario, Canada K1P 0B6

Comment Period:

URL:

Site Location Details:

Avalon West Community Address: Lot: 3 & Part of Lot 4, Concession: 11, Geographic Township: CUMBERLAND, Ottawa, City District Office: Ottawa GeoReference: Zone: 18, UTM Easting: 461611, UTM Northing: 5032496, UTM Location Description: S1- Lot 3 Concession 11, Site #: 5712-AJEJLA CITY OF OTTAWA

<u>Site:</u> Minto Communities Inc.

Database:

ON PTTW

EBR Registry No:011-4898Decision Posted:Ministry Ref No:3046-8MLKW5Exception Posted:

Notice Type:Instrument DecisionSection:Notice Stage:Act 1:Notice Date:December 17, 2014Act 2:

Proposal Date: November 04, 2011 Site Location Map:

Year: 2011

Instrument Type: (OWRA s. 34) - Permit to Take Water

Off Instrument Name:

Posted By:

Company Name: Minto Communities Inc.

Site Address: Location Other: Proponent Name:

Proponent Address: 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite

200, Ottawa Ontario, Canada K1P 0B6

Comment Period:

URL:

Site Location Details:

Mahogany Community Development Address: Lot: Part of Lots 4 and 5, Concession: A (Broken Front), Ottawa, City District Office: Ottawa GeoReference: Map Datum: NAD83, Zone: 18, Accuracy Estimate: 1-10 metres eg. Good Quality GPS, UTM Easting: 446650, UTM Northing: 5007555, LIO GeoReference: Zone: , UTM Easting: , UTM Northing: , Latitude: , Longitude: CITY OF OTTAWA

Site: Taggart Construction Limited Database:
Ottawa ON SPL

 Ref No:
 7584-BB3KRQ
 Discharger Report:

 Site No:
 NA
 Material Group:

 Incident Dt:
 4/4/2019
 Health/Env Conseq:

Year: Client Type: Corporation Incident Cause: Sector Type:

Incident Event: Agency Involved:
Contaminant Code: Nearest Watercourse:
Contaminant Name: Site Address:

Contaminant Limit 1: Site District Office: Ottawa

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1:Site Region:EasternEnvironment Impact:Site Municipality:OttawaNature of Impact:Site Lot:

Receiving Medium:

Receiving Env:

MOE Response:

Site Lot:

Site Conc:

Northing:

Easting:

Dt MOE Arvl on Scn:Site Geo Ref Accu:MOE Reported Dt:4/9/2019Site Map Datum:Dt Document Closed:SAC Action Class:Incident Reason:Source Type:

Site Name: 1896 John Quinn rd, Metcalfe<UNOFFICIAL>

Site Name: 1896 John Quinn ra, Metcalle CONOFFICIAL Site County/District:

Site Geo Ref Meth:
Incident Summary:

Mobile Crusher Relocation - 2019

Site: Enbridge Gas Distribution Inc. Database:

On Decoeur Drive at Decoeur Dr. and Magnolia St. (S/W of Magnolia), Orleans Ottawa ON

Order No: 20200814021

 Ref No:
 4061-AAQVQZ
 Discharger Report:

 Site No:
 NA
 Material Group:

 Incident Dt:
 2016/06/08
 Health/Env Conseq:

Contaminant Qty:

Year: Client Type:

 Incident Cause:
 Sector Type:
 Miscellaneous Communal

 Incident Event:
 Leak/Break
 Agency Involved:

Contaminant Code: 35

Contaminant Name: NATURAL GAS (METHANE) Site Address: On Decoeur Drive at Decoeur Dr. and Magnolia

Nearest Watercourse:

Ottawa

Order No: 20200814021

St. (S/W of Magnolia), Orleans

Contaminant Limit 1: Site District Office:
Contam Limit Freq 1: Site Postal Code:
Contaminant UN No 1: Site Region:
Environment Impact: Site Municipality:

Nature of Impact:Site Lot:Receiving Medium:Site Conc:Receiving Env:AirNorthing:

MOE Response:NoEasting:Dt MOE Arvl on Scn:Site Geo Ref Accu:MOE Reported Dt:2016/06/08Site Map Datum:

MOE Reported Dt:2016/06/08Site Map Datum:Dt Document Closed:2016/08/10SAC Action Class:TSSA - Fuel Safety Branch - Hydrocarbon Fuel

Release/Spill

Incident Reason: Operator/Human Error Source Type:

Site Name: Residential<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: TSSA FSB: 2" plastic main line strike to atm.

Contaminant Qty: 0 other - see incident description

Site: Database: WWIS

Well ID: 1523464 Data Entry Status:

Construction Date: Data Src: 1

Primary Water Use:DomesticDate Received:6/26/1989Sec. Water Use:Selected Flag:Yes

Final Well Status: Water Supply

Water Type:

Water Supply

Abandonment Rec:
Contractor: 3749

Casing Material: Form Version: 1
Audit No: 40121 Owner:

Tag: Street Name:
Construction Method: County: OTTAWA

Elevation (m): Municipality: CUMBERLAND TOWNSHIP

Elevation Reliability:

Depth to Bedrock:

Lot:

004

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:

Static Water Level:

Flowing (Y/N):

Easting NAD83:

Northing NAD83:

Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Source Revision Comment: Supplier Comment:

Bore Hole ID: 10045239 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18

Code OB:0East83:Code OB Desc:OverburdenNorth83:Open Hole:Org CS:

Cluster Kind: UTMRC: 9

Date Completed: 6/1/1989 UTMRC Desc: unknown UTM

Remarks: Location Method: na

Elevro Desc:

Location Source Date: Improvement Location Source:

Improvement Location Source:
Improvement Location Method:

erisinfo.com | Environmental Risk Information Services

Overburden and Bedrock **Materials Interval**

Formation ID: 931054700

Layer: 8 Color: General Color: **BLACK** 02 Mat1: Most Common Material: **TOPSOIL**

Mat2: 12 Mat2 Desc: **STONES** Mat3: 77 LOOSE Mat3 Desc: Formation Top Depth: 2 Formation End Depth: 3 ft Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

931054701 Formation ID:

Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 73 HARD Mat2 Desc:

Mat3:

Mat3 Desc:

3 Formation Top Depth: Formation End Depth: 195 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931054699

Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 01 Mat2 Desc: **FILL**

Mat3: Mat3 Desc:

0 Formation Top Depth: Formation End Depth: 2 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

931054704 Formation ID:

Layer: 6 Color: 2 General Color: **GREY** Mat1: 11 Most Common Material: **GRAVEL** Mat2: 08 Mat2 Desc: **FINE SAND**

Mat3: Mat3 Desc: LOOSE

274 Formation Top Depth: Formation End Depth: 288 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931054703

Layer:

Color: General Color:

BROWN Mat1: 28 Most Common Material: SAND 00 Mat2:

UNKNOWN TYPE Mat2 Desc:

Mat3:

Mat3 Desc:

Formation Top Depth: 242 Formation End Depth: 274 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931054702

Layer: Color: 3 General Color: **BLUE** 05 Mat1: Most Common Material: CLAY Mat2: 85 SOFT Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 195 242 Formation End Depth: Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961523464

Method Construction Code:

Rotary (Air) Method Construction:

Other Method Construction:

Pipe Information

Pipe ID: 10593809

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930079159

Layer: 1 Material: Open Hole or Material: **STEEL**

Depth From:

Depth To: 288 Casing Diameter: 7 Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991523464

Pump Set At:

Static Level:

Final Level After Pumping: 145 180 Recommended Pump Depth:

Pumping Rate:

Flowing Rate:

Recommended Pump Rate: 6 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: **CLEAR** Water State After Test:

Pumping Test Method: **Pumping Duration HR:** 1 30 **Pumping Duration MIN:** Flowing: No

Draw Down & Recovery

934104990 Pump Test Detail ID:

Test Type:

Test Duration: 15 Test Level: 65 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934650200

Test Type:

Test Duration: 45 Test Level: 145 ft Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 934389219

Test Type:

Test Duration: 30 Test Level: 110 ft Test Level UOM:

Water Details

Water ID: 933481732

Layer: 1 Kind Code: **FRESH** Kind: Water Found Depth: 288 Water Found Depth UOM: ft

Site: Database:

lot 4 ON

Data Entry Status:

Abandonment Rec:

Order No: 20200814021

Well ID: 1521309

Construction Date: Data Src:

Date Received: 5/14/1987 Primary Water Use: **Domestic** Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply

2351 Water Type: Contractor: Casing Material: Form Version: 1

NA Audit No: Owner: Street Name: Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: County: OTTAWA

Municipality: CUMBERLAND TOWNSHIP

Site Info:

Lot: 004

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID:

10043131

DP2BR: Spatial Status:

Spatiai Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 4/15/1987

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931047529

 Layer:
 4

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: 31

Mat2 Desc: COARSE GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 64
Formation End Depth: 69
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931047527

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6
Formation End Depth: 13
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931047526

Layer: Color: 6 General Color: **BROWN** Mat1: 01 **FILL** Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 6 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931047528

Layer: 3 Color: 3 **BLUE** General Color: Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 13 Formation End Depth: 64 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961521309 **Method Construction Code:**

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

10591701 Pipe ID: Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930075308

Layer: Material: Open Hole or Material: **STEEL**

Depth From: 69 Depth To: Casing Diameter: 6

Casing Diameter UOM: inch Casing Depth UOM:

Results of Well Yield Testing

Pump Test ID: 991521309

Pump Set At:

Static Level: 34

Final Level After Pumping: 56 Recommended Pump Depth: 62 13 Pumping Rate: Flowing Rate:

Recommended Pump Rate: 8 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 2

CLOUDY Water State After Test: Pumping Test Method: **Pumping Duration HR: Pumping Duration MIN:** 10 Flowing: No

Draw Down & Recovery

934651234 Pump Test Detail ID: Test Type: Draw Down Test Duration: 45

Test Level: 56 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934390087 Test Type: Draw Down Test Duration: 30 56

Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934909442 Draw Down Test Type:

Test Duration: 60 Test Level: 56 Test Level UOM: ft

Draw Down & Recovery

934105988 Pump Test Detail ID: Draw Down Test Type:

Test Duration: 15 Test Level: 45 Test Level UOM: ft

Water Details

933478814 Water ID:

Layer: 1 Kind Code: 2 SALTY Kind: Water Found Depth: 69 Water Found Depth UOM:

Site: Database: lot 4 ON

Order No: 20200814021

1522281 Data Entry Status:

Well ID: **Construction Date:** Data Src:

Domestic Date Received: 5/26/1988 Primary Water Use: Sec. Water Use: Selected Flag: Yes Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 2351 Casing Material:

Audit No: 26024

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth:

Overburden/Bedrock:
Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Form Version: 1

Owner: Street Name:

County: OTTAWA

Municipality: CUMBERLAND TOWNSHIP

Site Info: Lot:

Lot: 004
Concession:
Concession Name:

Northing NAD83: Zone:

UTM Reliability:

Easting NAD83:

Bore Hole Information

Bore Hole ID: 10044094

DP2BR: 16

Spatial Status:

Code OB:

Code OB Desc: Bedrock

Open Hole: Cluster Kind:

Date Completed: 4/6/1988

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931050801

Layer: 1 **Color:** 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 16
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931050802

 Layer:
 2

 Color:
 3

 General Color:
 BLUE

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 16
Formation End Depth: 108
Formation End Depth UOM: ft

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961522281

Method Construction Code: 1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10592664

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930077116

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 40
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991522281

Pump Set At:

Static Level: 45
Final Level After Pumping: 100
Recommended Pump Depth: 102
Pumping Rate: 8
Flowing Rate:
Recommended Pump Rate: 6
Levels UOM: ft

Rate UOM:

Water State After Test Code:

Water State After Test:

Pumping Test Method:

2

Pumping Duration HR:

1

Pumping Duration HR:1Pumping Duration MIN:10Flowing:No

Draw Down & Recovery

 Pump Test Detail ID:
 934903456

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 100

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934655041

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 100

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934385792Test Type:Draw Down

Test Duration: 30
Test Level: 100
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934109809Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 85

 Test Level UOM:
 ft

Water Details

Water ID: 933480109

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 87

 Water Found Depth UOM:
 ft

Well ID: 1521574 Data Entry Status:

Construction Date:Data Src:1Primary Water Use:DomesticDate Received:8/17/1987

Primary Water Use:DomesticDate Received:8/17/1987Sec. Water Use:Selected Flag:Yes

Final Well Status: Water Supply Abandonment Rec:
Water Type: Contractor: 2351

Casing Material: Form Version: 1
Audit No: 12554 Owner: 1

Tag: Street Name: Construction Method: County: OTTAWA

Elevation (m):Municipality:CUMBERLAND TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock:Lot:004Well Depth:Concession:

Overburden/Bedrock:Concession Name:Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

 Bore Hole ID:
 10043396
 Elevation:

 DP2BR:
 46
 Elevrc:

Spatial Status: Zone: 18

Code OB:rEast83:Code OB Desc:BedrockNorth83:Open Hole:Org CS:

 Cluster Kind:
 UTMRC:
 9

 Date Completed:
 7/8/1987
 UTMRC Desc:
 unknown UTM

Order No: 20200814021

Remarks: Location Method: na

Elevrc Desc:
Location Source Date:

Improvement Location Source:
Improvement Location Method:
Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931048526

Layer: 3 Color: General Color: **BLUE** 17 Mat1: Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 46 Formation End Depth: 86 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

931048525 Formation ID:

Layer: Color: 6 General Color: **BROWN** Mat1: 14 Most Common Material: **HARDPAN**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0 Formation Top Depth: Formation End Depth: 46 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961521574

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10591966 Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930075804

Layer: Material: Open Hole or Material: STEEL

Depth From: Depth To:

46 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991521574

Pump Set At:
Static Level: 9
Final Level After Pumping: 74
Recommended Pump Depth: 82
Pumping Rate: 14

Flowing Rate:

 Recommended Pump Rate:
 10

 Levels UOM:
 ft

 Rate UOM:
 GPM

 Water State After Test Code:
 2

 Water State After Test:
 CLOUDY

Pumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:10Flowing:No

Draw Down & Recovery

Pump Test Detail ID:934107049Test Type:Draw Down

Test Duration: 15
Test Level: 65
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934909942Test Type:Draw Down

 Test Duration:
 60

 Test Level:
 74

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934652292Test Type:Draw DownTest Duration:45

Test Level: 74
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934390731Test Type:Draw Down

Test Duration: 30
Test Level: 74
Test Level UOM: ft

Water Details

Water ID: 933479197

<u>Site:</u>

| lot 4 | ON | Database: | WWIS | | WWIS | |

Order No: 20200814021

Well ID: 1521312 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 5/22/1987

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: 05913

Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Selected Flag: Yes
Abandonment Rec:
Contractor: 1517
Form Version: 1

Owner: Street Name:

County: OTTAWA

Municipality: CUMBERLAND TOWNSHIP

Site Info:

Lot: 004

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10043134

17

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Bedrock

Open Hole:

Cluster Kind:

Date Completed: 5/8/1987

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931047539

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 26 Mat2 Desc: ROCK

Mat3: Mat3 Desc:

Formation Top Depth: 17
Formation End Depth: 80

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931047537

Layer: 1 **Color:** 6

General Color: BROWN Mat1: 05
Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc: Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

0 Formation Top Depth: Formation End Depth: 6 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931047538

Layer: Color:

BROWN General Color: Mat1: 14

Most Common Material: **HARDPAN**

28 Mat2: Mat2 Desc: SAND Mat3: 11 **GRAVEL** Mat3 Desc:

Formation Top Depth: 6 17 Formation End Depth: Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933109367

Layer: Plug From: 0 Plug To: 24 Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961521312

Method Construction Code:

Cable Tool **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 10591704

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930075311

Layer: Material: Open Hole or Material: **STEEL**

Depth From: Depth To: 25 Casing Diameter: inch Casing Diameter UOM: Casing Depth UOM:

Results of Well Yield Testing

991521312 Pump Test ID:

Pump Set At:

25 Static Level: 40 Final Level After Pumping: Recommended Pump Depth: 60

20 Pumping Rate: Flowing Rate: Recommended Pump Rate: 10 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 2 Water State After Test: CLOUDY Pumping Test Method: 2 **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934909445

Test Type:

60 Test Duration: Test Level: 40 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934390090

Test Type:

Test Duration: 30 Test Level: 35 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934651237

Test Type:

Test Duration: 45 40 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934105991

Test Type:

Test Duration: 15 30 Test Level: Test Level UOM: ft

Water Details

933478817 Water ID:

Layer: Kind Code: **FRESH** Kind: Water Found Depth: 79 Water Found Depth UOM: ft

Database: Site: lot 4 ON **WWIS**

Order No: 20200814021

1520202 Data Entry Status:

Well ID: Construction Date: Data Src:

Primary Water Use: Domestic Date Received:

12/4/1985 Sec. Water Use: Selected Flag: Yes Final Well Status: Water Supply

Abandonment Rec: 2351 Water Type: Contractor:

Casing Material: Form Version: 1 Audit No: Owner:

Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Street Name:

OTTAWA County: Municipality:

CUMBERLAND TOWNSHIP

Order No: 20200814021

Site Info:

Lot: 004

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

10042047 Bore Hole ID:

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 11/8/1985

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

931044052 Formation ID: Layer: Color: 8

General Color: **BLACK** Mat1: 11

GRAVEL

Most Common Material:

Mat2: Mat2 Desc: Mat3:

Mat3 Desc: Formation Top Depth: 181 Formation End Depth: 187 ft

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931044051

Layer: 2 Color: 3 General Color: **BLUE** 05 Mat1: Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 11 Formation End Depth: 181 Formation End Depth UOM:

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931044050

 Layer:
 1

 Color:
 7

 General Color:
 RED

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 11
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961520202

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

 Pipe ID:
 10590617

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930073385

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To:187Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991520202

Pump Set At:

Static Level:80Final Level After Pumping:110Recommended Pump Depth:140Pumping Rate:18

Flowing Rate:

Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2

Water State After Test:CLOUDYPumping Test Method:2Pumping Duration HR:1

Pumping Duration MIN: 0 No

Draw Down & Recovery

Pump Test Detail ID:934656006Test Type:Draw Down

 Test Duration:
 45

 Test Level:
 110

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934377252

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 110

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934111432
Test Type: Draw Down

 Test Duration:
 15

 Test Level:
 110

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934904975

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 110

ft

Water Details

Test Level UOM:

 Water ID:
 933477383

 Layer:
 1

 Kind Code:
 1

Kind: FRESH
Water Found Depth: 187
Water Found Depth UOM: ft

Site: lot 4 ON

Well ID: 1530273 Data Entry Status:

Construction Date: Data Src:

 Primary Water Use:
 Domestic
 Date Received:
 11/6/1998

 Sec. Water Use:
 Selected Flag:
 Yes

Sec. Water Use: Selected Flag: Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 6006
Casing Material: Form Version: 1

Casing Material: Form Version: 1
Audit No: 191060 Owner: 1

Tag:Street Name:Construction Method:County:OTTAWA

Elevation (m): Municipality: CUMBERLAND TOWNSHIP

Database:

Order No: 20200814021

WWIS

Elevation Reliability:

Depth to Bedrock:

Lot:

004

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:

Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:
Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10051808 **DP2BR:** 50

DP2BR: 5:
Spatial Status:
Code OB: r

Code OB Desc: Bedrock

Open Hole:

Cluster Kind:

Date Completed: 10/6/1998

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931075023

 Layer:
 1

 Color:
 7

 General Color:
 RED

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 85

 Mat2 Desc:
 SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 10
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931075027

| Layer: 5 | 5 | Color: 6 | General Color: BROWN | Mat1: 17 | Most Common Material: SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 50
Formation End Depth: 56
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931075025

 Layer:
 3

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 85

 Mat2 Desc:
 SOFT

 Mat3:

Mat3 Desc:

Formation Top Depth:

Formation End Depth: 42

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

32

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931075024

ft

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 85

 Mat2 Desc:
 SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 10
Formation End Depth: 32
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931075026

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 42
Formation End Depth: 50
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933115405

 Layer:
 1

 Plug From:
 0

 Plug To:
 20

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961530273

Method Construction Code: 1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10600378

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930090279

Layer: 2

Material:

Open Hole or Material: **OPEN HOLE**

Depth From: 56 Depth To: Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

930090278 Casing ID:

Layer: 1 Material: Open Hole or Material:

STEEL

Depth From:

50 Depth To: Casing Diameter: 6 Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991530273

Pump Set At:

Static Level: 12 Final Level After Pumping: 30 Recommended Pump Depth: 46 Pumping Rate: 12 Flowing Rate: Recommended Pump Rate: 10

Levels UOM: ft GPM Rate UOM: Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: 2 **Pumping Duration HR:** Pumping Duration MIN: 0 Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934910965 Test Type: Recovery 60 Test Duration: Test Level: 12 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934117864 Test Type: Recovery Test Duration: 15 12 Test Level: Test Level UOM: ft

Draw Down & Recovery

934392848 Pump Test Detail ID: Test Type: Recovery Test Duration: 30 Test Level: 12 Test Level UOM: ft

Draw Down & Recovery

934662419 Pump Test Detail ID: Test Type: Recovery Test Duration: 45 Test Level: 12 Test Level UOM: ft

Water Details

Water ID: 933490341

Layer: 1 Kind Code:

Kind: **FRESH** Water Found Depth: 50 Water Found Depth UOM:

Database: Site: **WWIS** lot 4 ON

Well ID: 1532284 Data Entry Status:

Construction Date: Data Src: Primary Water Use: Domestic Date Received: 9/17/2001

Sec. Water Use: Selected Flag: Yes Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 1414

Casing Material: Form Version: 1 Audit No: 232367 Owner: Tag: Street Name:

Construction Method: County: **OTTAWA CUMBERLAND TOWNSHIP** Elevation (m): Municipality:

Elevation Reliability: Site Info:

18

Order No: 20200814021

Depth to Bedrock: 004 Lot: Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

10516734 Bore Hole ID: Elevation: DP2BR: 242 Elevrc:

Spatial Status: Zone: Code OB:

East83: Code OB Desc: North83: Bedrock Open Hole: Org CS:

Cluster Kind: UTMRC: 9 9/4/2001 UTMRC Desc: unknown UTM Date Completed:

Remarks: Location Method: Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Location Source Date:

Overburden and Bedrock Materials Interval

Formation ID: 932832369 2 Layer: Color: **GREY** General Color: Mat1:

Most Common Material:CLAYMat2:85Mat2 Desc:SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 10
Formation End Depth: 225
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932832371

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material:LIMESTONEMat2:26Mat2 Desc:ROCKMat3:71

Mat3 Desc: FRACTURED

Formation Top Depth: 242
Formation End Depth: 245
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932832368

Layer: 1 Color: 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 66

 Mat2 Desc:
 DENSE

Mat3:

Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 10
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932832370

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 77

 Mat2 Desc:
 LOOSE

Mat3:

Mat3 Desc:

Formation Top Depth: 225
Formation End Depth: 242
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933219734

 Layer:
 1

Plug From: 0
Plug To: 25
Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961532284
Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

 Pipe ID:
 11065304

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930094527

Layer: 2

Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930094526

Layer: 1

Material: 4

Open Hole or Material: OPEN HOLE

Depth From: Depth To:

Casing Diameter: 8
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930094528

Layer: 3

Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991532284

Pump Set At:

Static Level:20Final Level After Pumping:245Recommended Pump Depth:100Pumping Rate:35

Flowing Rate:

Recommended Pump Rate: 10 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 2 **CLOUDY** Water State After Test: Pumping Test Method: Pumping Duration HR: **Pumping Duration MIN:** 0 No Flowing:

Draw Down & Recovery

Pump Test Detail ID: 934660405 Recovery Test Type: Test Duration: 45 20 Test Level: ft Test Level UOM:

Draw Down & Recovery

934116269 Pump Test Detail ID: Test Type: Recovery Test Duration: 15 20 Test Level: Test Level UOM: ft

Draw Down & Recovery

934917291 Pump Test Detail ID: Test Type: Recovery Test Duration: 60 20 Test Level: Test Level UOM: ft

Draw Down & Recovery

934399883 Pump Test Detail ID: Recovery Test Type: Test Duration: 30 Test Level: 20 Test Level UOM: ft

Water Details

Water ID: 934008456 Layer: Kind Code: Kind: **FRESH** Water Found Depth: 244 Water Found Depth UOM: ft

Site: Database: **WWIS** lot 4 ON

Order No: 20200814021

1532469 Data Entry Status:

Well ID: **Construction Date:** Data Src:

Primary Water Use: Domestic Date Received: 11/9/2001 Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 6006 Casing Material: Form Version: 1

237273 Audit No: Owner: Street Name: Tag:

Construction Method: County: **OTTAWA** Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

CUMBERLAND TOWNSHIP Municipality:

Site Info: 004 Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

10516919 Bore Hole ID: DP2BR:

Spatial Status:

Code OB: h

Code OB Desc: Mixed in a Layer

Open Hole: Cluster Kind:

Date Completed: 10/8/2001

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 932832928

Layer: 6 Color: **BROWN** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 17 SHALE Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 4 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932832930 Layer:

Color: 6 General Color: **BROWN** Mat1: 15

Most Common Material: LIMESTONE

Mat2: 73 HARD Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 80 Formation End Depth: 135 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na **Formation ID:** 932832932

 Layer:
 5

 Color:
 8

 General Color:
 BLACK

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 73
Mat2 Desc: HARD

Mat3: Mat3 Desc:

Formation Top Depth: 200
Formation End Depth: 256
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 932832929

 Layer:
 2

 Color:
 2

General Color: GREY **Mat1:** 15

Most Common Material: LIMESTONE

Mat2: 73 Mat2 Desc: HARD

Mat3: Mat3 Desc:

Formation Top Depth: 4
Formation End Depth: 80
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932832931

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 73 Mat2 Desc: HARD

Mat3: Mat3 Desc:

Formation Top Depth: 135
Formation End Depth: 200

Formation End Depth: 200
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933219906

 Layer:
 1

 Plug From:
 0

 Plug To:
 90

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961532469

Method Construction Code:

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 11065489

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 930094904

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930094903

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991532469

Pump Set At:

Static Level:23Final Level After Pumping:250Recommended Pump Depth:250Pumping Rate:4

Flowing Rate:

Recommended Pump Rate: 3
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1

Water State After Test: CLEAR
Pumping Test Method: 2
Pumping Duration HR: 2
Pumping Duration MIN: 30
Flowing: No

Draw Down & Recovery

 Pump Test Detail ID:
 934660991

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 140

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934917737Test Type:RecoveryTest Duration:60

Test Level: 100
Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 934401024

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 170

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934116856

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 205

 Test Level UOM:
 ft

Water Details

Water ID: 934008686

 Layer:
 2

 Kind Code:
 1

 Kind:
 FRESH

Water Found Depth: 130
Water Found Depth UOM: ft

Water Details

Water ID: 934008685

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 90
Water Found Depth UOM: ft

<u>Site:</u>

| lot 4 | ON | Database: | WWIS | | WWIS | |

Order No: 20200814021

Well ID: 1533667 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:DomesticDate Received:4/14/2003Sec. Water Use:Selected Flag:Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 3749
Casing Material: Form Version: 1

Casing Material: Form Version: 1
Audit No: 221961 Owner:

Tag: Street Name:
Construction Method: County: OTTAWA

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 CUMBERLAND TOWNSHIP

Elevation Reliability: Site Info:
Depth to Bedrock: Lot: 004

Well Depth: Concession:
Overburden/Bedrock: Concession Name:

Overburden/Bedrock:Concession NamPump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10537501 Elevation:

DP2BR: 5

Spatial Status: Code OB:

Code OB Desc:

Bedrock

Open Hole:

Cluster Kind:

7/18/2002 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 932905477

Layer:

Color: 6 **BROWN** General Color: Mat1: 05

Most Common Material: CLAY 12 Mat2: Mat2 Desc: **STONES** 77 Mat3: Mat3 Desc: LOOSE Formation Top Depth: 0

Formation End Depth: 5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932905478 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 5 Formation End Depth: 455

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

933236219 Plug ID:

Layer: Plug From: 8 Plug To: 44 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961533667

Method Construction Code:

Method Construction: Rotary (Air)

Other Method Construction:

Elevrc:

18 Zone:

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

Pipe Information

Pipe ID: 11086071

Casing No:
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930097422

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 44
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991533667

Pump Set At:

Static Level:150Final Level After Pumping:455Recommended Pump Depth:430Pumping Rate:4Flowing Rate:

Recommended Pump Rate: 4
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

 Pump Test Detail ID:
 934121212

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 225

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934913472

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 407

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934665345

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 343

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934395648Test Type:Draw DownTest Duration:30

Test Level: 293
Test Level UOM: ft

<u>Site:</u>

| lot 4 | ON | Database: | WWIS | | WWIS | |

Well ID: 1534039

Construction Date:
Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: 263134

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src: 1

Date Received: 8/5/2003 Selected Flag: Yes

Abandonment Rec:

Contractor: 6006 Form Version: 1

Owner:

Street Name:

County: OTTAWA

Municipality: CUMBERLAND TOWNSHIP

Site Info:

Lot: 004

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10543154

DP2BR: 7

Spatial Status:

Code OB:

Code OB Desc: Mixed in a Layer

Open Hole:

Cluster Kind:

Date Completed: 7/2/2003

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 932924907

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 17

 Mat2 Desc:
 SHALE

 Mat3:
 11

 Mat3 Desc:
 GRAVEL

Formation Top Depth: 7
Formation End Depth: 12
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932924908

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 73 Mat2 Desc: HARD

Mat3: Mat3 Desc:

Formation Top Depth: 12
Formation End Depth: 169
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932924906

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 85

 Mat2 Desc:
 SOFT

0

Mat3: Mat3 Desc:

Formation Top Depth: Formation End Depth:

Formation End Depth: /
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933240928

 Layer:
 1

 Plug From:
 0

 Plug To:
 20

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961534039

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 11091724

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930098140

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From: Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930098139

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From: Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991534039

Pump Set At: Static Level:

Final Level After Pumping: 160
Recommended Pump Depth: 160
Pumping Rate: 8

Flowing Rate:

Flowing:

Recommended Pump Rate: 8
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 30

Draw Down & Recovery

Pump Test Detail ID:934657147Test Type:Draw DownTest Duration:45

No

 Test Duration:
 45

 Test Level:
 100

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934396770

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 100

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934914594

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 100

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934113573 Draw Down Test Type:

Test Duration: 15 100 Test Level: Test Level UOM: ft

Water Details

934036928 Water ID:

Layer: Kind Code:

Kind: **FRESH** Water Found Depth: 155 ft Water Found Depth UOM:

Site: Database: lot 4 ON **WWIS**

Well ID: 1534040 Data Entry Status:

Construction Date: Data Src: 8/5/2003 Primary Water Use: Not Used Date Received:

Sec. Water Use: Selected Flag: Yes

Final Well Status: Abandoned-Other Abandonment Rec: Water Type: 6006 Contractor:

Casing Material: Form Version: 1 263135 Audit No: Owner:

Street Name: Tag: Construction Method: County: **OTTAWA**

CUMBERLAND TOWNSHIP Elevation (m): Municipality: Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 004

Well Depth: Concession: Overburden/Bedrock: Concession Name: Easting NAD83: Pump Rate: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole ID: 10543155 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18

Code OB: East83: Code OB Desc: No formation data North83:

Open Hole: Org CS: Cluster Kind: UTMRC:

7/17/2003 **UTMRC Desc:** unknown UTM Date Completed:

Order No: 20200814021

Location Method: Remarks: na Elevrc Desc:

Method of Construction & Well

Bore Hole Information

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Method Construction ID: 961534040

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

<u>Use</u>

Pipe Information

Pipe ID: 11091725

Casing No: Comment: Alt Name:

Site: Database: lot 4 ON **WWIS**

Well ID: 1534093 Data Entry Status:

Construction Date: Data Src: Primary Water Use: Domestic Date Received: 9/9/2003 Yes

Sec. Water Use: Selected Flag: Final Well Status: Water Supply Abandonment Rec:

1517 Water Type: Contractor: Casing Material: Form Version: 1

Audit No: 249120 Owner: Street Name: Tag: **Construction Method:** County:

OTTAWA CUMBERLAND TOWNSHIP Elevation (m): Municipality: Site Info:

Elevation Reliability: Depth to Bedrock: Lot: 004

Well Depth: Concession:

Concession Name: Overburden/Bedrock: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

10543208 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18

Code OB: East83:

Code OB Desc: Unknown type above a bedrock layer North83: Open Hole: Org CS:

Cluster Kind: **UTMRC**:

Date Completed: 7/9/2003 UTMRC Desc: unknown UTM

Location Method: Remarks: na Elevrc Desc:

Overburden and Bedrock

Materials Interval

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

932925034 Formation ID:

Layer: 3 Color: 6

BROWN General Color:

Mat1: 15

LIMESTONE Most Common Material: Mat2: 26

ROCK Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 210 Formation End Depth: 250 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932925032

Layer:

Color:

General Color:

Mat1: 00

Most Common Material: UNKNOWN TYPE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 65
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932925033

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 26 Mat2 Desc: ROCK

Mat3: Mat3 Desc:

Formation Top Depth: 65
Formation End Depth: 210
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961534093Method Construction Code:1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 11091778

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930098255

Layer: 1

Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991534093

Pump Set At:

Static Level:110Final Level After Pumping:160Recommended Pump Depth:240Pumping Rate:10

Flowing Rate:

Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2

Water State After Test: CLOUDY
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 30
Flowing: No

Draw Down & Recovery

 Pump Test Detail ID:
 934113622

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 120

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934914643

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 160

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934397236

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 130

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934657196

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 145

 Test Level UOM:
 ft

Water Details

 Water ID:
 934037012

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 245

 Water Found Depth UOM:
 ft

Order No: 20200814021

Well ID: 1529602 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 9/10/1997
Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Casing Material:

Audit No: 176782

Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Contractor: 6006 Form Version: 1

Owner: Street Name:

County: OTTAWA

Municipality: CUMBERLAND TOWNSHIP

Site Info:

Lot: 004

Concession:

Concession Name: CON

Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 10051137

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 7/30/1997

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931073270

 Layer:
 2

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

 Most Common Material:
 GRAVEL

 Mat2:
 85

 Mat2 Desc:
 SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 12
Formation End Depth: 23
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931073269

Layer: 1 **Color:** 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 85

 Mat2 Desc:
 SOFT

Mat3:

Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 12

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931073271

ft

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

 Mat2:
 13

Mat2 Desc:BOULDERSMat3:85Mat3 Desc:SOFTFormation Top Depth:23Formation End Depth:36Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114627

 Layer:
 1

 Plug From:
 0

 Plug To:
 20

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961529602

Method Construction Code:

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 10599707

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930089263

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 36
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991529602

Pump Set At:

Static Level: 12
Final Level After Pumping: 20
Recommended Pump Depth: 27
Pumping Rate: 25

Flowing Rate:

Recommended Pump Rate: 10 Levels UOM: ft Rate UOM: GPM Water State After Test Code: 1 **CLEAR** Water State After Test: Pumping Test Method: Pumping Duration HR: **Pumping Duration MIN:** 0 No Flowing:

Draw Down & Recovery

 Pump Test Detail ID:
 934909261

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 12

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934391143

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 12

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934116171

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 12

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934660307

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 12

 Test Level UOM:
 ft

Water Details

 Water ID:
 933489617

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 36

 Water Found Depth UOM:
 ft

Site:

lot 4 ON

Database:

WWIS

Order No: 20200814021

Well ID: 1528175 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 9/15/1994
Sec. Water Use: Selected Flag: Yes

Sec. Water Use: Selected Flag: Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 6455

Casing Material:Form Version:1Audit No:115159Owner:

Tag: Street Name:
Construction Method: County: OTTAWA

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Municipality: CUMBERLAND TOWNSHIP

Site Info: Lot: 004

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049714

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole: Cluster Kind:

Date Completed: 9/2/1994

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931068830

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 30
Formation End Depth: 49
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931068828

Layer: 1 **Color:** 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 77

 Mat2 Desc:
 LOOSE

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 11
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Elevation: Elevro:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na

Formation ID: 931068832

 Layer:
 5

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

 Most Common Material:
 GRAVEL

 Mat2:
 79

 Mat2 Desc:
 PACKED

Mat3: Mat3 Desc:

Formation Top Depth: 59
Formation End Depth: 67
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931068831

Layer: Color: 2 **GREY** General Color: Mat1: 05 Most Common Material: CLAY 12 Mat2: Mat2 Desc: **STONES** Mat3: 14 Mat3 Desc: **HARDPAN**

Formation Top Depth: 49
Formation End Depth: 59
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931068829

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 88

 Mat2 Desc:
 THICK

Mat3: Mat3 Desc:

Formation Top Depth: 11
Formation End Depth: 30
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933113016

 Layer:
 1

 Plug From:
 0

 Plug To:
 20

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961528175

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10598284

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 930086896

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 67
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930086895

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To:65Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991528175

Pump Set At:

Static Level:30Final Level After Pumping:42Recommended Pump Depth:60Pumping Rate:10Flowing Rate:

Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM

Rate UOM: GPM
Water State After Test Code: 2

Water State After Test: CLOUDY
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID:934648176Test Type:Draw Down

 Test Duration:
 45

 Test Level:
 42

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934387239Test Type:Draw DownTest Duration:30

42 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934112430 Draw Down Test Type:

Test Duration: 15 Test Level: 36 Test Level UOM: ft

Draw Down & Recovery

934905359 Pump Test Detail ID: Test Type: Draw Down

60 Test Duration: Test Level: 42 Test Level UOM: ft

Water Details

933487774 Water ID:

Layer: Kind Code: 3

SULPHUR Kind: Water Found Depth: 66 Water Found Depth UOM: ft

Site: Database: lot 4 ON **WWIS**

1525984 Well ID: Data Entry Status:

Construction Date: Data Src:

12/9/1991 Date Received: Primary Water Use: Domestic

Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 6587 Form Version:

Casing Material: 1 Audit No: 111453 Owner:

Street Name: Tag: **Construction Method:** County:

OTTAWA Elevation (m): Municipality: **CUMBERLAND TOWNSHIP**

Elevation Reliability: Site Info:

004 Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83: Northing NAD83: Static Water Level:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

Bore Hole Information

Clear/Cloudy:

Bore Hole ID: 10047719 Elevation: DP2BR: Elevrc: 11

Spatial Status: 18 Zone: Code OB: East83:

Code OB Desc: Bedrock North83: Open Hole: Org CS:

Cluster Kind: UTMRC:

Date Completed: 11/16/1991 UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: Remarks: na Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 931062872

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 85

 Mat2 Desc:
 SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 16
Formation End Depth: 48
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931062871

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 80

 Mat2 Desc:
 POROUS

Mat3: Mat3 Desc:

Formation Top Depth: 11
Formation End Depth: 16
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931062870

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

Mat1: 14

HARDPAN Most Common Material: Mat2: 28 Mat2 Desc: SAND Mat3: 85 SOFT Mat3 Desc: Formation Top Depth: 0 Formation End Depth: 11 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933111478

 Layer:
 1

 Plug From:
 0

 Plug To:
 20

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961525984

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10596289

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930083555

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:
Depth To: 20

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930083556

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:40Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991525984

Pump Set At:

Static Level: 15
Final Level After Pumping: 45
Recommended Pump Depth: 45
Pumping Rate: 6
Flowing Rate:

Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code:

Water State After Test:

Pumping Test Method:

Pumping Duration HR:

Pumping Duration MIN:

O

Flowing:

No

Draw Down & Recovery

Pump Test Detail ID: 934389813

Test Type:

 Test Duration:
 30

 Test Level:
 45

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934106179

Test Type:

Test Duration: 15
Test Level: 35
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934907533

Test Type:

Test Duration: 60
Test Level: 45
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934650336

Test Type:

 Test Duration:
 45

 Test Level:
 45

 Test Level UOM:
 ft

Water Details

Water ID: 933485148

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 45

 Water Found Depth UOM:
 ft

Abandonment Rec:

Order No: 20200814021

Owner:

Well ID: 1524643 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 7/20/1990
Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply

Water Type: Contractor: 2351
Casing Material: Form Version: 1

Audit No: 67168 **Tag:**

Tag:Street Name:Construction Method:County:OTTAWA

Elevation (m): Municipality: CUMBERLAND TOWNSHIP

Elevation Reliability: Site Info:

Depth to Bedrock:Lot:004Well Depth:Concession:

Overburden/Bedrock:Concession Name:Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:Flow Rate:UTM Reliability:

Bore Hole Information

Clear/Cloudy:

 Bore Hole ID:
 10046391
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

Code OB: 0 East83:

Code OB Desc: Overburden

Open Hole: Cluster Kind:

Date Completed: 7/3/1990 Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

931058619 Formation ID:

Layer: Color: 8 General Color: **BLACK** Mat1: 11

Most Common Material: **GRAVEL**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 53 58 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931058618 Layer: 3 Color:

BLUE General Color: Mat1: 05 Most Common Material: CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 7 Formation End Depth: 53 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931058617

Layer: Color: 6

General Color: **BROWN** Mat1: 28 Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: ft Formation End Depth UOM:

Method of Construction & Well

<u>Use</u>

Org CS: UTMRC: UTMRC Desc:

North83:

9 unknown UTM

Location Method:

Method Construction ID: 961524643

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10594961

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930081229

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:
Depth To: 58
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991524643

Pump Set At:
Static Level: 24
Final Level After Pumping: 47
Recommended Pump Depth: 52
Pumping Rate: 18

Flowing Rate:

Flowing:

 Recommended Pump Rate:
 6

 Levels UOM:
 ft

 Rate UOM:
 GPM

 Water State After Test Code:
 2

Water State After Test: CLOUDY
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 45

Draw Down & Recovery

Pump Test Detail ID:934902991Test Type:Draw Down

No

Test Duration: 60
Test Level: 47
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934109418Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 38

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934384831Test Type:Draw Down

Test Duration: 30
Test Level: 46
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934654610Test Type:Draw Down

 Test Duration:
 45

 Test Level:
 47

 Test Level UOM:
 ft

Water Details

Water ID: 933483326

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 58
Water Found Depth UOM: ft

Well ID: 1524123 Data Entry Status:

Construction Date: Data Src: 1

Primary Water Use: Domestic Data Received: 1/26/1990

Primary Water Use:DomesticDate Received:1/26/1990Sec. Water Use:Selected Flag:Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 3644
Casing Material: Form Version: 1

 Audit No:
 56300
 Owner:

 Tag:
 Street Name:

Construction Method:County:OTTAWAElevation (m):Municipality:GLOUCESTER TO

Elevation (m):Municipality:GLOUCESTER TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock:Lot:004Well Depth:Concession:

Overburden/Bedrock:Concession Name:Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:

Flowing (Y/N):

Flow Rate:

Northing NAD83

Zone:

UTM Reliability:

Clear/Cloudy:

Bore Hole ID: 10045895 Elevation:

 DP2BR:
 56
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:

Code OB Desc: Bedrock North83:
Open Hole: Org CS:

Cluster Kind: UTMRC: 9

Date Completed:9/14/1989UTMRC Desc:unknown UTMRemarks:Location Method:na

Order No: 20200814021

Elevrc Desc:

Location Source Date:
Improvement Location Source:
Improvement Location Method:

Overburden and Bedrock Materials Interval

Source Revision Comment: Supplier Comment:

Bore Hole Information

erisinfo.com | Environmental Risk Information Services

Formation ID: 931056931

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 28
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931056933

 Layer:
 3

 Color:
 2

 General Color:
 GREY

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 56
Formation End Depth: 84
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931056932

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 14

Most Common Material:HARDPANMat2:13Mat2 Desc:BOULDERS

Mat3: Mat3 Desc:

Formation Top Depth: 28
Formation End Depth: 56

Formation End Depth: 5
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961524123

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10594465

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930080343

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To: 59
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930080344

Layer: 2 Material: 3

Open Hole or Material: CONCRETE

Depth From:

Depth To: 84
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991524123

Pump Set At:

Static Level: 20 75 Final Level After Pumping: Recommended Pump Depth: 75 7 Pumping Rate: Flowing Rate: Recommended Pump Rate: 7 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: Water State After Test: CLOUDY Pumping Test Method: **Pumping Duration HR:** 1 Pumping Duration MIN: 0 Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934391933

Test Type:

 Test Duration:
 30

 Test Level:
 75

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934107704

Test Type:

Test Duration: 15
Test Level: 75
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934652483

Test Type:

 Test Duration:
 45

 Test Level:
 75

 Test Level UOM:
 ft

Draw Down & Recovery

934910103 Pump Test Detail ID:

Test Type:

Test Duration: 60 75 Test Level: Test Level UOM: ft

Water Details

Water ID: 933482665

Layer: Kind Code: 3

Kind: **SULPHUR** Water Found Depth: 78 Water Found Depth UOM: ft

Site: Database: lot 4 ON

Well ID: 1523900

Construction Date:

Primary Water Use: Domestic Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: 44250

Tag:

Construction Method:

Elevation (m): Elevation Reliability:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Abandonment Rec: Contractor:

1517 Form Version: 1

Owner: Street Name:

Data Src:

Data Entry Status:

Date Received:

Selected Flag:

County: **OTTAWA**

Municipality: **CUMBERLAND TOWNSHIP**

10/12/1989

Yes

Site Info:

004 Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

10045672 Bore Hole ID:

DP2BR: 65 Spatial Status: Code OB:

Code OB Desc: **Bedrock**

Open Hole:

Cluster Kind:

9/6/1989 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931056135

Layer:

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na
 Color:
 7

 General Color:
 RED

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 5
Formation End Depth: 12
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931056137

Layer: 4
Color: 6

BROWN General Color: 05 Mat1: Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 11 Mat3 Desc: **GRAVEL** Formation Top Depth: 44 65 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Most Common Material:

Materials Interval

 Formation ID:
 931056138

 Layer:
 5

 Color:
 3

 Constal Color:
 PLUE

General Color: BLUE **Mat1:** 15

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 65
Formation End Depth: 100
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931056134

Layer: 1 **Color:** 6

General Color: **BROWN** Mat1: 02 Most Common Material: **TOPSOIL** Mat2: SANDY Mat2 Desc: Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 0 Formation End Depth: 5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Order No: 20200814021

LIMESTONE

Formation ID: 931056136

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 12
Formation End Depth: 44
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933110470

 Layer:
 1

 Plug From:
 2

 Plug To:
 25

Plug To: 25
Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961523900Method Construction Code:4Method Construction:Rotary (Air)

Other Method Construction:

Pipe Information

 Pipe ID:
 10594242

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930079941

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 65
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991523900

Pump Set At:

Static Level:

Final Level After Pumping: 70
Recommended Pump Depth: 80
Pumping Rate: 20
Flowing Rate:

Recommended Pump Rate: 15
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code: Water State After Test:

2 Pumping Test Method: Pumping Duration HR: 1 Pumping Duration MIN: 0 No Flowing:

Draw Down & Recovery

Pump Test Detail ID: 934390890

Test Type:

Test Duration: 30 60 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934651864

Test Type:

Test Duration: 45 65 Test Level: Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 934106661

Test Type:

Test Duration: 15 50 Test Level: Test Level UOM:

Draw Down & Recovery

934909068 Pump Test Detail ID:

Test Type:

Test Duration: 60 70 Test Level: Test Level UOM:

Water Details

Water ID: 933482337

Layer: Kind Code: 1

FRESH Kind: Water Found Depth: 98 ft Water Found Depth UOM:

Site: Database: lot 4 ON **WWIS**

Abandonment Rec:

6455

Order No: 20200814021

1

Contractor:

Owner: Street Name:

Form Version:

1530022 Well ID: Data Entry Status:

Construction Date: Data Src:

6/11/1998 Primary Water Use: Domestic Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: 180720

Tag:

Construction Method: County: **OTTAWA**

Elevation (m): Municipality: **GLOUCESTER TOWNSHIP** Elevation Reliability: Site Info:

004 Depth to Bedrock: Lot: Well Depth: Concession:

Overburden/Bedrock: Concession Name: LI Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10051557 DP2BR: 54

Spatial Status:

Code OB:

Code OB Desc: Bedrock

Open Hole: Cluster Kind:

5/22/1998 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931074231 Layer: Color: **GREY** General Color: Mat1: 15

Most Common Material: LIMESTONE

Mat2: 78

MEDIUM-GRAINED Mat2 Desc:

Mat3: 73 Mat3 Desc: **HARD** Formation Top Depth: 54 70 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931074230

Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 28 SAND Mat2 Desc: Mat3: 14 **HARDPAN** Mat3 Desc:

Formation Top Depth: 36 Formation End Depth: 54 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931074228

Layer: Color: General Color: **BROWN** Elevation: Elevrc:

18 Zone:

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Location Method: na Mat1: 05 CLAY Most Common Material: Mat2: 81 Mat2 Desc: SANDY Mat3: 88 Mat3 Desc: THICK Formation Top Depth: 0 Formation End Depth: 25 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931074229

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 88

 Mat2 Desc:
 THICK

Mat3: Mat3 Desc:

Formation Top Depth: 25
Formation End Depth: 36
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933115138

 Layer:
 1

 Plug From:
 0

 Plug To:
 21

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961530022

Method Construction Code: 1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

 Pipe ID:
 10600127

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930089821

Layer: 2

Material: 4

Open Hole or Material: OPEN HOLE

Depth From:
Depth To: 70
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

930089820 Casing ID:

Layer: Material:

STEEL Open Hole or Material:

Depth From:

Depth To: 54 Casing Diameter: 6 Casing Diameter UOM: inch Casing Depth UOM:

Results of Well Yield Testing

991530022 Pump Test ID:

Pump Set At:

Static Level: 17 26 Final Level After Pumping: Recommended Pump Depth: 40 Pumping Rate: 50 Flowing Rate:

Recommended Pump Rate: 10 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 1 Water State After Test: **CLEAR** Pumping Test Method: 2 Pumping Duration HR: 12 **Pumping Duration MIN:** 0 No Flowing:

Draw Down & Recovery

Pump Test Detail ID: 934392215

Test Type:

30 Test Duration: 26 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934909911

Test Type:

Test Duration: 60 26 Test Level: Test Level UOM: ft

Draw Down & Recovery

934661373 Pump Test Detail ID:

Test Type: Test Duration: 45 26 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934117237

Test Type: Test Duration: 15 26 Test Level: Test Level UOM: ft

Water Details

Water ID: 933490035

Layer: 1
Kind Code: 4

Kind: MINERIAL

Water Found Depth: 66
Water Found Depth UOM: ft

Bore Hole Information

Location Source Date: Improvement Location Source:

Materials Interval

Well ID: 1523007 Data Entry Status:

Construction Date:Data Src:1Primary Water Use:DomesticDate Received:11/2/1988

Sec. Water Use: Domestic Date Received: 11/2/1988
Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply

Abandonment Rec:

Water Type:

Contractor: 2351

Form Version: 1

Casing Material: Form Version: 1
Audit No: 37551 Owner:
Tag: Street Name:

Construction Method: County: OTTAWA

Elevation (m): CUMBERLAND TOWNSHIP

Elevation Reliability:

Depth to Bedrock:

Site Info:

Lot:

004

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:

Static Water Level:

Flowing (Y/N):

Northing NAD83:
Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole ID: 10044813 Elevation:

 DP2BR:
 55
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:

 Code OB Desc:
 Bedrock
 North83:

Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed:10/17/1988UTMRC Desc:unknown UTM

Remarks: Location Method: na
Elevro Desc:

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock

Formation ID: 931053218

 Layer:
 2

 Color:
 3

 General Color:
 BLUE

 Mat1:
 17

Most Common Material: SHALE Mat2:

Mat3:
Mat3 Desc:
Formation Top Depth: 55

Formation Top Depth: 55
Formation End Depth: 174
Formation End Depth UOM: ft

Order No: 20200814021

Mat2 Desc:

Overburden and Bedrock Materials Interval

Formation ID: 931053217

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

Mat1: 14
Most Common Material: 14
HARDPAN

Mat2: 13

Mat2 Desc: BOULDERS

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 55
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933110061

 Layer:
 1

 Plug From:
 4

 Plug To:
 36

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961523007

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10593383

Casing No: 1
Comment:

Alt Name:

Construction Record - Casing

Casing ID: 930078398

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To:55Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991523007

Pump Set At:
Static Level:
40
Final Level After Pumping:
159
Recommended Pump Depth:
168
Pumping Rate:
7

Flowing Rate:

Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code:

Water State After Test:

Pumping Test Method:

Pumping Duration HR:

Pumping Duration MIN:

55

Flowing:

No

Draw Down & Recovery

 Pump Test Detail ID:
 934906193

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 159

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:934112163Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 75

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934388005Test Type:Draw Down

 Test Duration:
 30

 Test Level:
 95

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934648568

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 120

 Test Level UOM:
 ft

Water Details

 Water ID:
 933481101

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 128

 Water Found Depth UOM:
 ft

Site: Database: WWIS

Abandonment Rec:

2351

Order No: 20200814021

1

Contractor:

Owner:

Form Version:

Well ID: 1522421 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:DomesticDate Received:7/22/1988Sec. Water Use:Selected Flag:Yes

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: 13205

Tag: Street Name:

Construction Method: County: OTTAWA

Elevation (m): Municipality: CUMBERLAND TOWNSHIP

Elevation Reliability:

Depth to Bedrock:

Site Info:

Lot:

004

erisinfo.com | Environmental Risk Information Services

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

10044233 Bore Hole ID:

DP2BR: 11

Spatial Status: Code OB:

Code OB Desc: Bedrock

Open Hole: Cluster Kind:

Date Completed:

6/28/1988

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931051379

Layer: 3 Color: 8 General Color: **BLACK** Mat1: 17 SHALE Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

186 Formation Top Depth: Formation End Depth: 204 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

931051377 Formation ID:

Layer: Color: 6

BROWN General Color: Mat1: 14 HARDPAN Most Common Material: Mat2: 13

BOULDERS Mat2 Desc:

Mat3: Mat3 Desc:

0 Formation Top Depth: Formation End Depth: 11 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931051378 Layer: 2

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200814021

Location Method: na
 Color:
 3

 General Color:
 BLUE

 Mat1:
 17

 Most Common Material:
 SHALE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 11
Formation End Depth: 186
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933109887

 Layer:
 1

 Plug From:
 0

 Plug To:
 42

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961522421Method Construction Code:1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

 Pipe ID:
 10592803

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

 Casing ID:
 930077361

 Layer:
 1

Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:42Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991522421

Pump Set At:

Static Level: 170 Final Level After Pumping: 180 199 Recommended Pump Depth: **Pumping Rate:** 18 Flowing Rate: Recommended Pump Rate: 10 Levels UOM: ft GPM Rate UOM: Water State After Test Code: 2 **CLOUDY** Water State After Test:

Pumping Test Method:2Pumping Duration HR:1Pumping Duration MIN:0

Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934385210 Test Type: Draw Down 30 Test Duration: Test Level: 180

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934903980 Draw Down Test Type: Test Duration: 60 180 Test Level: Test Level UOM: ft

Draw Down & Recovery

934110344 Pump Test Detail ID: Draw Down Test Type: Test Duration: Test Level: 180 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934655153 Test Type: Draw Down Test Duration: 45 180 Test Level: Test Level UOM: ft

Water Details

933480312 Water ID:

Layer: Kind Code: **FRESH** Kind: Water Found Depth: 186 Water Found Depth UOM: ft

Site: Database: lot 4 ON **WWIS**

Well ID: 1522420

Construction Date: Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: 05926

Tag:

Construction Method: Elevation (m): Elevation Reliability:

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Data Entry Status: Data Src:

Date Received: 7/4/1988 Selected Flag: Yes Abandonment Rec:

Contractor: 1517 Form Version: 1

Owner: Street Name:

OTTAWA County:

Municipality: **CUMBERLAND TOWNSHIP**

Order No: 20200814021

Site Info:

Lot: 004

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

erisinfo.com | Environmental Risk Information Services

Flow Rate: Clear/Cloudy: UTM Reliability:

Bore Hole Information

Bore Hole ID: 10044232 **DP2BR:** 74

Spatial Status:

Code OB:

Code OB Desc: Bedrock
Open Hole:

Cluster Kind:

Date Completed: 5/31/1988

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931051376

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 74
Formation End Depth: 95
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931051373

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 20
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931051375

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2: 28

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: na

Mat2 Desc: SAND

Mat3:

Mat3 Desc:

Formation Top Depth: 60
Formation End Depth: 74
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931051374

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 20
Formation End Depth: 60
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933109886

 Layer:
 1

 Plug From:
 0

Plug From: 0
Plug To: 25
Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961522420Method Construction Code:1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

 Pipe ID:
 10592802

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930077360

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To: 79
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991522420

Pump Set At:

10 Static Level: Final Level After Pumping: 15 Recommended Pump Depth:

20 Pumping Rate:

Flowing Rate:

Recommended Pump Rate: 18 Levels UOM: ft **GPM** Rate UOM: 2

Water State After Test Code:

Water State After Test: **CLOUDY** Pumping Test Method: 2 Pumping Duration HR: Pumping Duration MIN: 0 No Flowing:

Draw Down & Recovery

Pump Test Detail ID: 934385209

Test Type:

Test Duration: 30 Test Level: 15 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934655152

Test Type:

Test Duration: 45 15 Test Level: Test Level UOM: ft

Draw Down & Recovery

934903979 Pump Test Detail ID:

Test Type:

Test Duration: 60 Test Level: 15 Test Level UOM:

Draw Down & Recovery

934109924 Pump Test Detail ID:

Test Type:

Test Duration: 15 Test Level: 13 Test Level UOM: ft

Water Details

Water ID: 933480311

Layer: Kind Code: Kind: **FRESH** Water Found Depth: 74 Water Found Depth UOM: ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 20200814021

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Environment and Climate Change Canada cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

<u>Chemical Register:</u> Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Jun 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial CO

Order No: 20200814021

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions: Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Dec 2019

Certificates of Property Use:

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Jul 31, 2020

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Jul 31, 2020

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Jul 31, 2020

Environmental Compliance Approval:

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Jul 31, 2020

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Apr 30, 2020

Environmental Issues Inventory System:

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

Order No: 20200814021

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial

Provincial

FXP

EPAR

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2020

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

RST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

For Formical FST Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial

FSTH

Order No: 20200814021

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

erisinfo.com | Environmental Risk Information Services

158

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Apr 30, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

Order No: 20200814021

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2020

National Energy Board Wells:

Federal

NEBP

Order No: 20200814021

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2020

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Jul 31, 2020

Canadian Pulp and Paper:

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 20200814021

PAP

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Jul 31, 2020

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness. The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Jul 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2020

Scott's Manufacturing Directory:

Private

SCT

Order No: 20200814021

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Nov 2019

Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Private Anderson's Storage Tanks: **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

Provincial

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Jul 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 20200814021

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2020

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.