




CATCH-BASIN & MANHOLE SCHEDULE										
REF	TOP	SIZE	TYPE	INVERT AT INLET	INVERT AT OUTLET	NOTES				
STORM SEWER										
CB/MH-1	62.48	1200mm	PRE-CAST CONCRETE CATCH-BASIN/MANHOLE	-	60.43	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS — FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S28.1 OR OPSD 401.010				
MH-2	±62.55	1200mm	PRE-CAST CONCRETE MANHOLE	60.27(W) ±60.22(N)	±60.21(S)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS — FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S24.1 OR OPSD 401.010				
SANITARY SEWER										
MH-SA.1	±62.64	1200mm	PRE-CAST CONCRETE MANHOLE	59.84(W) ±59.79(N)	±59.78(S)	TO OPSD 701.010 & CITY OF OTTAWA STANDARDS — FRAME & COVER TO CITY OF OTTAWA DRAWING No. S25 & S24 OR OPSD 401.010				

WATER SERVICE PROFILE TABLE										
MATERIAL: 150mm PVC PRESSURE CLASS 150 DR18										
STATION	DESCRIPTION	GRADE ELEVATION	TOP OF PIPE	DEPTH OF COVER	NOTES					
0+00.0	150mm x 150mm TEE CONNECTION IN 150mm MUNICIPAL WATERMAIN TO CITY OF OTTAWA STANDARDS	±62.83	±60.50	±2.33	_					
0+02.7	150mm VALVE & VALVE BOX TO CITY OF OTTAWA STANDARDS	62.88	60.50	2.38	_					
0+06.7	_	63.39	60.50	2.89	ENTRY INTO BUILDING					







D. B. GRAY ENGINEERING INC.

Stormwater Management - Grading & Drainage - Storm & Sanitary Sewers - Watermain

700 Long Point Circle

(12, 425, 8044


700 Long Point Circle 613-425-8044
Ottawa, Ontario d.gray@dbgrayengineering.com


PROPOSED 6-STOREY
MIXED-USE BUILDING
393 McARTHUR AVENUE

OTTAWA, ONTARIO

Drawing Title

SITE SERVICING PLAN





Drawing No.
C-1
of 4

#18807