



Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Phase I - Environmental Site Assessment

1345 Baseline Road
Ottawa, Ontario

Prepared For

Scouts Canada

Paterson Group Inc.

Consulting Engineers
154 Colonnade Road South
Ottawa (Nepean), Ontario
Canada K2E 7J5

Tel: (613) 226-7381
Fax: (613) 226-6344
www.patersongroup.ca

May 5, 2022

Report: PE5585-1

TABLE OF CONTENTS

EXECUTIVE SUMMARY.....	ii
1.0 INTRODUCTION.....	1
2.0 PROPERTY INFORMATION.....	2
3.0 SCOPE OF INVESTIGATION	3
4.0 RECORDS REVIEW	4
4.1 General.....	4
4.2 Environmental Source Information	5
4.3 Physical Setting Sources	9
5.0 PERSONAL INTERVIEWS.....	12
6.0 SITE RECONNAISSANCE.....	12
6.1 General Requirements.....	12
6.2 Site Inspection Observations	12
7.0 REVIEW AND EVALUATION OF INFORMATION	16
7.1 Land Use History	16
7.2 Conceptual Site Model.....	16
8.0 CONCLUSION	19
8.1 Assessment.....	19
8.2 Recommendations.....	20
9.0 STATEMENT OF LIMITATIONS	21
10.0 REFERENCES.....	22

List of Figures

Figure 1 - Key Plan
Figure 2 - Topographic Map
Drawing PE5585-1 - Site Plan
Drawing PE5585-2 - Surrounding Land Use Plan

List of Appendices

Appendix 1 Aerial Photographs
Site Photographs

Appendix 2 MECP Freedom of Information Search Request
MECP Water Well Records
TSSA Correspondence
City of Ottawa HLUI Request Form
ERIS Database Report
OPTA Reports
Geophysical Survey

Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Assessment

Paterson Group was commissioned by Colliers Canada to conduct a Phase I – Environmental Site Assessment (Phase I ESA) for the property addressed 1345 Baseline Road in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the subject site and study area as well as to identify any environmental concerns with the potential to have impacted the subject site.

According to the historical research, the subject site was vacant before it was first developed for Scouts Canada National Office circa 1959. The 1965 FIPs state that the building was heated by fuel oil, however, they do not show the location of the AST or UST on the subject site.

The neighbouring lands in the vicinity of the subject site have historically been developed for commercial retail, government office buildings and residential purposes. Multiple off-site PCAs identified within the Phase I study area are not considered to result in APECs on the Phase I - Property based on their separation distances, as well as their inferred down-gradient or cross-gradient orientation with respect to anticipated groundwater flow.

An RSC was filed in December 2009 by Paterson Group Inc. for the property immediately west of the subject site, approximately 360 m³ of contaminated soil was removed from this property and 15,700 litres of impacted water were removed from the site by a licenced pumping contractor. The RSC indicated that no soil, sediment or groundwater has been remediated or removed within 3 meters of the RSC property boundary. It is our opinion that this property does not pose a potential environmental concern to the Phase I - Property.

Following the historical review, a site inspection was conducted to assess the present-day environmental conditions of the subject site. The subject site is currently occupied with Scouts Canada. No evidence of a former AST or UST was identified during the site visit. No environmental concerns were identified with respect to the current use of the subject site.

The neighbouring lands within the vicinity of the subject site were generally observed to be used for commercial retail, office, and residential purposes. No environmental concerns were identified with respect to the surrounding properties.

A geophysical survey was recommended and conducted by Notra to assess the possibility of a UST in the vicinity of the boiler room. The survey did not find evidence of

a large or medium sized buried tank. The survey did not rule out the former presence of a UST that was removed, or a smaller UST, however, it is our opinion that it is unlikely that a small tank would have been used to heat a building of this size.

Based on the information currently available, more specifically, the lack of evidence of a former underground storage tank, **it is our opinion that a Phase II ESA is not required at this time**. Should information contrary to our current findings be encountered we request that we be notified to reassess our conclusion.

Recommendations

Prior to the completion of a Phase II-ESA, further effort should be given to determining whether or not an AST or a UST was utilized to store heating oil. This information would aid in establishing the nature of the Phase II-ESA. If no information can be found to determine this, consideration should be given to conduct a geophysical survey to try to locate any subsurface structure that may indicate the presence of an exterior UST.

Hazardous Building Materials

Based on the age of the subject building (c.1959), asbestos containing materials (ACMs) may be present within the structure. Potential ACMs identified include drywall joint compound, plaster, vinyl and ceiling tiles. These materials were noted to be in good condition at the time of our inspection and do not represent an immediate concern. An asbestos survey of the buildings should be conducted in accordance with Ontario Regulation 278/05, under the Occupational Health and Safety Act, prior to demolition or renovation, if one has not already been conducted.

Based on the age of the subject building (c. 1959), lead-based paints may be present, on any original or older painted surfaces. The painted surfaces within the subject buildings were generally observed to be in good condition and do not pose an immediate concern to the occupants of the buildings. Major work involving lead-based paint or other lead containing products must be done in accordance with O.Reg. 843, under the Occupational Health and Safety Act.

1.0 INTRODUCTION

At the request of Colliers Canada acting on behalf Scouts Canada, Paterson Group (Paterson) conducted a Phase I – Environmental Site Assessment (Phase I ESA) for 1345 Baseline Road, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the subject site and study area as well as to identify any environmental concerns with the potential to have impacted the subject site.

Paterson was engaged to conduct this Phase I ESA by Mr. Aaron Clodd of Colliers Canada. Mr. Clodd can be reached at 181 Bay Street, Suite 1400, Toronto, ON.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all our findings and results of the environmental conditions at this site.

This Phase I ESA report has been prepared in general accordance with Ontario Regulation 153/04, as amended under the Environmental Protection Act, and also complies with the requirements of CSA Z768-01 (reaffirmed 2016). The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I ESA are based on a review of readily available geological, historical, and regulatory information, as well as a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial, and federal agencies, and was limited within the scope-of-work, time, and budget of the project herein.

2.0 PROPERTY INFORMATION

Address: 1345 Baseline Road, Ottawa, Ontario.

Legal Description: Part of Lot N, Concession A (Rideau Front), Formerly the Township of Nepean, in the City of Ottawa, Ontario.

Location: The subject site is located on the north side of Baseline Road, approximately 365m east of the Clyde Avenue and Baseline Road intersection, in the City of Ottawa, Ontario. Refer to Figure 1 – Key Plan for the site location. For the purposes of this report, Baseline Road is assumed to run in an east-west direction and lies to the south of the Phase I Property.

Latitude and Longitude: 45° 21' 49.3344" N, 75° 44' 10.7124" W

Site Description:

Configuration: Irregular.

Site Area: 1.32 ha.

Zoning: AM5 – Arterial Mainstreet Zone.

Current Uses: The subject site is currently occupied with one and a half storey office building with associated courtyard and asphaltic concrete parking lot.

Services: The subject site is located within a municipally serviced area.

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases, and regulatory agencies;
- Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
- Conduct interviews with persons knowledgeable of current and historic operations on the subject property and, if warranted, neighbouring properties;
- Present the results of our findings in a comprehensive report in general accordance with the requirements of Ontario Regulation 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
- Provide a preliminary environmental site evaluation based on our findings;
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I ESA study area for this assignment. Properties located outside of this 250 m radius are not considered to have had the potential to impact the subject site, based on their significant distance away from the site.

First Developed Use Determination

Based on a review of available historical information, the subject site was first developed circa 1959 for Scouts Canada National Office.

City of Ottawa Street Directories

City directories were reviewed at approximate ten-year intervals for the subject site and surrounding properties.

Based on the directories, the subject property was vacant prior to being developed with Boy Scouts Canada National Office. Based on the available information, adjacent properties have generally been used for office, institutional or commercial purposes since their development. Several retail fuel outlets and car garages/dealerships were located to the south of the Phase I Property. Based on their distance and downgradient locations, these properties do not pose an environmental risk to the subject property

Fire Insurance Plans

Fire insurance plans (FIPs) from 1965 were reviewed for the subject site and surrounding properties. The subject site is occupied by the Boy Scouts Canada National Office. The FIPs state that the building was heated by fuel oil, however, they do not show any above ground storage tanks (ASTs) or underground storage tanks (USTs) on the subject site. The former use of fuel oil as a heating source was considered to be an item that required further investigation (refer to "Geophysical Survey" on page 9)

The neighbouring property to the west is occupied by a high school while the property to the east was occupied by a bowling lane. The property to the southeast of the subject site, addressed 1292 Baseline Road, is occupied by an auto service garage, with an UST located on the northeast corner of the property, approximately 160m from the subject site. The property to the southeast of the subject site,

addressed 1450 Merivale Road, is occupied by Westway Motors Ltd., which consists of one (1) structure with a repair garage, approximately 160m from the subject site. The property to the southeast of the subject site, addressed 1460A was occupied by a gas bar, with one UST located approximately 60m from the subject site. Based on their distance and primarily down-gradient locations, these properties do not pose an environmental risk to the subject site.

4.2 Environmental Source Information

National Pollutant Release Inventory

A search of the National Pollutant Release Inventory (NPRI) was conducted as part of this assessment. No records of any pollutant releases were identified for the subject site or for any properties situated within the Phase I study area.

PCB Waste Storage Site Inventory

A search of the provincial PCB waste storage site inventory was conducted as part of this assessment. According to the database, no PCB waste storage sites are located within 250m of the vicinity of the subject property.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, *"Waste Disposal Site Inventory in Ontario, 1991"* was reviewed as part of this assessment. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants, and coal tar distillation plants situated in the Province of Ontario. A review of this document did not identify any relevant records pertaining to the subject site or for properties located within the Phase I study area.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, *"Municipal Coal Gasification Plant Site Inventory, 1991"* was reviewed as part of this assessment. This document provides a reference to the locations of former plants with respect to the subject site. A review of this document did not identify any former coal gasification plants located on the subject site or within the Phase I study area.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry was conducted as part of this assessment.

One RSC was identified for properties situated within the Phase I study area:

- *1357 Baseline Road (RSC #66519)* – Located immediately west of the Phase I - Property. According to the RSC, filed in December 2009 by Paterson Group Inc., approximately 360 m³ of contaminated soil was removed from this property and 15,700 litres of impacted water was pumped and removed from the site by a licenced pumping contractor.

The RSC indicated that no soil, sediment or groundwater has been removed within 3 meters of the RSC property boundary. It is our opinion that this property does not pose a potential environmental concern to the Phase I - Property.

MECP Instruments

A request was submitted to the MECP Freedom of Information office for information with respect to certificates of approval, permits to take water, certificates of property use, or any other similar MECP issued instruments for the subject site. A response from the MECP had not been received prior to the issuance of this report.

MECP Submissions

A request was submitted to the MECP Freedom of Information office for information with respect to reports related to environmental conditions for the subject site. A response from the MECP had not been received prior to the issuance of this report.

MECP Waste Management Records

A request was submitted to the MECP Freedom of Information office for information with respect to waste management records for the subject site. A response from the MECP had not been received prior to the issuance of this report.

MECP Incident Reports

A request was submitted to the MECP Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants, or inspections maintained by the MECP for the subject site or neighbouring properties. A response from the MECP had not been received prior to the issuance of this report.

Areas of Natural Significance

A search for areas of natural and scientific interest situated within the Phase I study area was conducted electronically via the Ontario Ministry of Natural Resources and Forestry (OMNRF) website. The search did not identify any natural features of areas of natural significance within the Phase I study area.

Technical Standards and Safety Authority (TSSA)

The TSSA Fuels Safety Branch in Toronto was contacted electronically, as part of this assessment, to inquire about current and former underground fuel storage tanks, spills, and historical incidents for the Phase I - Property and neighbouring properties. The response from the TSSA indicated that no records were identified pertaining to the Phase I - Property.

One off-site record was identified for the following property within the Phase I study area:

- *1460 Merivale Road* – Located approximately 60 m to the southeast of the Phase I - Property. The response from the TSSA identified sixteen records pertaining to this property, which include:
 - 3 expired self and full serve gasoline stations;
 - 6 expired underground fuel storage tanks;
 - 1 expired propane tank;
 - 2 active underground fuel storage tanks;
 - 2 cylinder exchange.
 - 1 expired gasoline station (full serve).

The former and current presence of a retail fuel outlet is not considered to pose a potential environmental concern due to the down gradient orientation. A copy of the correspondence with the TSSA is included in Appendix 2.

City of Ottawa Old Landfill Sites

The document prepared by Golder Associates entitled, “*Old Landfill Management Strategy, Phase I - Identification of Sites, City of Ottawa*”, was reviewed as part of this assessment. No former landfill sites were identified on the subject site or within the Phase I study area.

City of Ottawa Historical Land Use Inventory (HLUI) Database

As part of this assessment, a requisition form was submitted to the City of Ottawa to request information from the City's Historical Land Use Inventory (HLUI) database for any environmental records pertaining to the subject site as well as any properties situated within the Phase I study area. A copy of the response letter has been included in Appendix 2.

Based on the response, two activities were identified within 50m of the Phase I property. A former UST was located at 1357 Baseline Road and multiple expired and active UST records pertaining to a gas station located at 1460 Merivale Road were identified. The gas station located at 1460 Merivale Road is down-gradient and does not pose a potential environmental concern to the subject site. The property located at 1357 has been remediated and contaminated soil was removed according to an RSC filed in 2009, therefore, this property does not pose an environmental concern to the subject property.

ERIS Database Report

A database report, prepared by ERIS (Environmental Risk Information Services) Ltd., dated April 14, 2022, was acquired and reviewed as part of this assessment. The complete ERIS report has been included in Appendix 2.

□ On-Site Records:

The ERIS report identified two (2) Waste Generators on the subject site. The documented waste classes associated with the generator records are limited to detergents and soaps, inorganic laboratory chemicals, paint residues and alkaline wastes. The Waste Generator records do not pose an environmental risk to the subject site due to the nature of the organization.

No environmental concerns were identified with respect to the ERIS findings of the subject site.

Off-Site Records:

The ERIS report identified two hundred and twenty-three (223) records pertaining to properties located within a 250 m radius of the subject site. Several Waste Generator records and historic fuel tanks, delisted fuel tanks and private and retail fuel storage tanks were identified for the properties located within 250m of the subject site. The off-site records identified in the ERIS report are listed for properties which are situated at a significant distance away, or are situated in a down-gradient or cross-gradient orientation, with respect to the subject site, and thus are not considered to pose an environmental concern.

OPTA Information Systems (OPTA)

One of each 1982 Commercial Property Fire Inspection Survey Report, Commercial Property Fire Rating Form Report and Siteplan Report were acquired for the subject property. The reports indicate that natural gas was being used in the property for hot water/steam and there was no mention of any under or above ground fuel storage tank usage on the property. Copies of these reports are included in Appendix 2.

Geophysical Survey

A Geophysical Survey was recommended and conducted by Notra Inc., as detailed in their April 8, 2022 report, a copy of which is attached in Appendix 2. The survey investigated the open areas outside the boiler room to determine if an underground storage tank may be present on-site. A magnetic anomaly was identified 9 meters from the boiler room along the edge of the parking lot, however, cross referencing this survey with two other types of surveys indicated that the magnetic anomaly is not likely due to an object as large as a UST, but, a smaller distribution or smaller metals, likely vertical pieces and greater than 40 cm deep.

In brief, the survey did not identify evidence of a medium to large UST. While the survey did not rule out the presence of a small UST, the likelihood was considered to be low. It is our opinion that given the size of the building, any UST would have been of a larger size. The survey results do not rule out the possibility that there was a UST that has since been removed. Reference should be made to the Notra Report for specific details of the survey work.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals, commencing with the earliest available photograph. Based on the review, the following observations have been made:

- 1958 The subject site and the neighbouring properties to the north appear to be vacant, undeveloped lands. What appear to be several houses and commercial buildings occupy some properties along Baseline Road. Laurentian High School can be seen immediately west of the subject site.
- 1965 The subject site is now occupied with the present-day Scouts Canada building. What appears to be a commercial building has been constructed immediately east of the subject site. An addition has been

made on to the high school immediately west of the subject site. According to the FIPs, a gas bar is present southeast of the subject site, across Baseline Road. Multiple commercial/light industrial buildings have been constructed in the general vicinity of the subject site.

- 1976 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject site. An addition has been made onto the commercial property east of the subject site. Residential dwellings and residential apartment buildings have been constructed further west of the subject site.
- 1991 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject property. According to Google Maps, government office buildings have been constructed east of the subject site. What appears to be commercial properties are now present further southeast of the subject site.
- 2002 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject property. An asphaltic parking lot and Residential dwellings have been constructed north of the subject site. A commercial building has been constructed southwest of the subject site, across Baseline Road.
- 2011 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject property. The high school occupying the property west of the subject site has been replaced by commercial retail buildings. The gas bar southeast of the subject site has been removed and the present-day retail fuel outlet is now occupying the property. A commercial retail/office building has been constructed south of the subject site, across Baseline Road. Multiple commercial retail buildings have been constructed further south of the subject site, along Merivale Road.
- 2019 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject site. A commercial retail/office building has been constructed west of the subject site. What appears to be two commercial office/retail buildings have been constructed further southeast of the subject site.

Copies of selected aerial photographs reviewed are included in Appendix 1.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was reviewed as part of this assessment. Based on the available information, the bedrock in the area of the subject site consists of an interbedded limestone and dolomite of the Gull River Formation, whereas the surficial geology consists of Paleozoic bedrock, with an overburden thickness ranging from approximately 0 to 3m.

Topographic Maps

A topographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website as part of this assessment. The regional topography in the general area of the subject site slopes downward towards the south. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Physiographic Maps

A physiographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website, as a part of this assessment. According to the publication and mapping information, the subject site is situated within the St. Lawrence Lowlands. According to the description provided: *“The lowlands are plain-like areas that were affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets.”* The subject site is specifically located within the Central St. Lawrence Lowland area, which is rarely more than 150 m above sea level.

Water Bodies

No water bodies are present on the subject site. The nearest named water body with respect to the subject site is the Rideau River, located approximately 2.7 km to the southeast.,

MECP Water Well Records

A search of the MECPs website for all drilled well records within a 250 m radius of the subject site was conducted as part of this assessment. The search did not identify any well records on-site. The search identified twenty-five (25) well record within the Phase I study area. The records pertain to wells installed between 1955 and 2019. Based on the availability of municipal services, no drinking water wells are expected to be in use within the Phase I study area.

According to the well records, the overburden stratigraphy in the area of the subject site generally consists of sand, gravel and silty clay. Bedrock, consisting of shale and limestone, was typically encountered at depths of approximately 0.6m to 4.5m below ground surface. A copy of the aforementioned well record has been included in Appendix 2.

5.0 PERSONAL INTERVIEWS

Mr. Jeff Schaffhauser, with Scouts Canada, was present during the site inspections on January 20, 2022 and February 4, 2022. Mr. Schaffhauser indicated that Scouts Canada has occupied the Phase I Property since its construction circa 1959. Mr. Schaffhauser stated that the building is heated by natural gas and was not aware of any fuel tanks historically used as a former heating source for the building. Mr. Schaffhauser mentioned that the key for the hydro vault room is with Hydro Ottawa and a copy of the key is not available on-site. Mr. Schaffhauser was also not aware if any asbestos or designated substance surveys have been done on the subject site or any potential environmental concerns associated with the subject site.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

Two inspections were conducted for the subject site on January 20, 2022 and February 4, 2022, between 1:00 PM and 2:00 PM. Weather conditions were clear, with temperatures of approximately -11 and -10°C. Mr. Mohammed Ramadan, from the Environmental Department of Paterson Group, conducted the inspection. In addition to the subject site, the uses of neighbouring properties within the Phase I study area were also assessed at the time of the site inspection.

6.2 Site Inspection Observations

Site Description

The subject site is currently occupied with a two-storey building. It is constructed with a slab-on-grade foundation and finished on the exterior with decorative concrete, as well as a flat tar and gravel style roof.

The remainder of the property consists of a courtyard and landscaped areas in the eastern and southern portions of the property, as well as an asphaltic concrete and gravel parking lots in the western and northern portions of the property.

The site and regional topography appear to slope down to the southeast. The subject site is considered to be slightly above grade with respect to Baseline Road.

Water drainage on the subject site occurs primarily via infiltration throughout the landscaped areas, as well as via surface run-off towards catch basins located in the parking lot and on Baseline Road. No ponded water, stressed vegetation, surficial staining, or any other indications of potential sub-surface contamination were observed on the subject site at time of the site inspection.

A depiction of the subject site is illustrated on Drawing PE5585-1 – Site Plan, in the Figures section of this report.

Existing Buildings and Structures

The subject site is currently occupied by Scouts Canada National building, The building is currently heated via natural gas.

Potential Environmental Concerns

Transformer Oil and Polychlorinated Biphenyls (PCBs)

No concerns were identified with respect to PCBs or transformer oil on the exterior of the subject site.

Hazardous Materials and Unidentified Substances

No hazardous materials, unidentified substances, spills, surficial staining, abnormal odours, or indications of potential sub-surface contamination were observed on the exterior of the subject site at the time of the site inspection, although the site was partially snow covered at the time of the field work.

Fuels and Chemical Storage

No chemical storage areas, vent and fill pipes, above ground storage tanks (ASTs), or signs of underground storage tanks (USTs) were observed on the exterior of the subject site at the time of the site inspection.

Waste Management

Solid, non-hazardous domestic waste and recyclable products are stored in plastic bins adjacent to the exterior of the building and are collected by the municipality on a regular basis. No environmental concerns were identified with respect to waste management practices on the subject site.

Interior Assessment

A general description of the interior of the building is as follows:

- The floors consist of vinyl tiles, carpet, and concrete;
- The walls consist of drywall and concrete;
- The ceilings consist of ceiling tiles, metal sheet and drywall;
- Lighting throughout the building is provided by incandescent and fluorescent light fixtures.

Potentially Hazardous Building Products

Asbestos-Containing Materials (ACMs)

Based on the age of the subject building (c. 1959), asbestos containing building materials may be present within the structure. Potential ACMs observed at the time of the site inspection include: vinyl tiles, drywall joint compound, plaster and ceiling tiles. These building materials were observed to be in good condition at the time of the site inspection and do not represent an immediate concern.

Lead-Based Paint

Based on the age of the subject building (c. 1959), lead-based paints may be present on any original or older painted surfaces. Painted surfaces were generally observed to be in good condition at the time of the site inspection and do not represent an immediate concern.

Polychlorinated Biphenyls (PCBs) and Transformer Oil

No potential sources of PCBs were identified within the interior of the subject building at the time of the site inspection. A transformer vault room was identified in the building but access was not granted as the room key is only available with Hydro Ottawa. A secondary transformer is present inside the building and was determined to be dry-cell type transformer.

Urea Formaldehyde Foam Insulation (UFFI)

UFFI was not observed during the site visit, however, wall cavities were not inspected for insulation type. Based on the age of the building (c.1959), UFFI is potentially present within the building.

Other Potential Environmental Concerns

Interior Fuel and Chemical Storage

No aboveground fuel storage tanks or signs of underground fuel storage tanks were observed within the subject building at the time of the site inspection.

Chemical products stored in the subject building were observed to be limited to domestically available cleaning products, stored in their original containers.

No environmental concerns were identified with respect to chemical storage practices within the subject building.

Ozone Depleting Substances (ODSs)

Potential sources of ODSs observed on site include fire extinguishers and refrigerators. These appliances appeared to be in good condition at the time of the site inspection and should be regularly serviced by a licensed contractor.

Wastewater Discharges

No floor drains or sump pits were observed inside the subject building at the time of the site inspection.

Wastewater from the building (wash water and sewage) is discharged into the City of Ottawa sanitary sewer system. Roof drainage is discharged towards catch basins located in the parking lot and along Baseline Road, which drain into the City of Ottawa storm water system. No concerns were noted with respect to wastewater discharge on the subject site.

Neighbouring Properties

Land use adjacent to the subject site was observed as follows:

North: Asphaltic concrete parking lot, followed by residential dwellings;

South: Baseline Road, followed by commercial retail/office buildings;

East: Government office buildings;

West: Commercial retail buildings.

A retail fuel outlet and an auto repair shop are present approximately 60m southeast and 140m southwest of the subject site, respectively. Due to their down gradient orientation, these properties are considered to be potentially contaminated activities (PCAs) that do not result in areas of potential environmental concern (APECs). Current land use adjacent to the subject site is illustrated on Drawing PE5585-2 – Surrounding Land Use Plan, appended to this report.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

Based on a review of available historical information, the subject site was first developed circa 1959 for Scouts Canada National Office and has been used for that purpose since.

Potentially Contaminating Activities (PCAs)

Based on the findings of the Phase I ESA, no potentially contaminating activities were identified on the Phase I property.

Seven off-site PCAs were identified within the Phase I study area but were deemed not to be of any environmental concern to the subject site based on their significant distance away from the subject site and their cross or down gradient orientation to the subject site.

Areas of Potential Environmental Concern (APECs)

No areas of potential environmental concern were identified on the subject site.

Contaminants of Potential Concern (CPCs)

No contaminants of potential concern were identified on the subject site.

7.2 Conceptual Site Model

Water Bodies

No water bodies are present on the subject site. The nearest named water body with respect to the subject site is the Rideau River, located approximately 2.7 km to the southeast.

Geological and Hydrogeological Setting

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was reviewed as part of this assessment. Based on the available information, the bedrock in the area of the subject site consists of an interbedded limestone and dolomite of the Gull River Formation, whereas the surficial geology consists of Paleozoic bedrock, with an overburden thickness ranging from approximately 0 to 3m.

Groundwater is anticipated to flow in a southeastern direction.

Areas of Natural Significance

No areas of natural significance were identified on the subject site or within the Phase I study area.

Existing Buildings and Structures

The subject site is currently occupied by Scouts Canada National building, The building is currently heated via natural gas.

Drinking Water Wells

Based on the availability of municipal services, no drinking water wells are expected to be present within the Phase I study area.

Neighbouring Land Use

Neighbouring land use within the Phase I study area consists mainly of residential dwellings, government offices and commercial/retail buildings.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1, no potentially contaminating activities (PCAs) resulting in areas of potential environmental concern (APECs) were identified with respect to the subject site.

Other off-site PCAs identified within the Phase I study area are not considered to result in APECs on the Phase I - Property based on their separation distances, as well as their inferred down-gradient or cross-gradient orientation with respect to anticipated groundwater flow.

Contaminants of Potential Concern

No contaminants of potential concern were identified on the subject site.

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I ESA is considered to be sufficient to conclude that there are no PCAs or APECs associated with the subject site. The absence of any PCAs was confirmed by a variety of independent sources, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 CONCLUSION

8.1 Assessment

Paterson Group was commissioned by Colliers Canada to conduct a Phase I – Environmental Site Assessment (Phase I ESA) for the property addressed 1345 Baseline Road in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the subject site and study area as well as to identify any environmental concerns with the potential to have impacted the subject site.

According to the historical research, the subject site was vacant before it was first developed for Scouts Canada National Office circa 1959. The 1965 FIPs state that the building was heated by fuel oil, however, they do not show the location of the AST or UST on the subject site.

The neighbouring lands in the vicinity of the subject site have historically been developed for commercial retail, government office buildings and residential purposes. Multiple off-site PCAs identified within the Phase I study area are not considered to result in APECs on the Phase I - Property based on their separation distances, as well as their inferred down-gradient or cross-gradient orientation with respect to anticipated groundwater flow.

An RSC was filed in December 2009 by Paterson Group Inc. for the property immediately west of the subject site, approximately 360 m³ of contaminated soil was removed from this property and 15,700 litres of impacted water were removed from the site by a licenced pumping contractor. The RSC indicated that no soil, sediment or groundwater has been remediated or removed within 3 meters of the RSC property boundary. It is our opinion that this property does not pose a potential environmental concern to the Phase I - Property.

Following the historical review, a site inspection was conducted to assess the present-day environmental conditions of the subject site. The subject site is currently occupied with Scouts Canada. No evidence of a former AST or UST was identified during the site visit. No environmental concerns were identified with respect to the current use of the subject site.

The neighbouring lands within the vicinity of the subject site were generally observed to be used for commercial retail, office, and residential purposes. No environmental concerns were identified with respect to the surrounding properties.

A geophysical survey was recommended and conducted by Notra to assess the possibility of a UST in the vicinity of the boiler room. The survey did not find

evidence of a large or medium sized buried tank. The survey did not rule out the former presence of a UST that was removed, or a smaller UST, however, it is our opinion that it is unlikely that a small tank would have been used to heat a building of this size.

Based on the information currently available, more specifically, the lack of evidence of a former underground storage tank, **it is our opinion that a Phase II ESA is not required at this time.** Should information contrary to our current findings be encountered we request that we be notified to reassess our conclusion.

8.2 Recommendations

Hazardous Building Materials

Based on the age of the subject building (c.1959), asbestos containing materials (ACMs) may be present within the structure. Potential ACMs identified include drywall joint compound, plaster, vinyl and ceiling tiles. These materials were noted to be in good condition at the time of our inspection and do not represent an immediate concern. An asbestos survey of the buildings should be conducted in accordance with Ontario Regulation 278/05, under the Occupational Health and Safety Act, prior to demolition or renovation.

Based on the age of the subject building (c. 1959), lead-based paints may be present, on any original or older painted surfaces. The painted surfaces within the subject buildings were generally observed to be in good condition and do not pose an immediate concern to the occupants of the buildings. Major work involving lead-based paint or other lead containing products must be done in accordance with O.Reg. 843, under the Occupational Health and Safety Act.


9.0 STATEMENT OF LIMITATIONS

This Phase I – Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04, as amended, and CSA Z768-01 (reaffirmed 2016), however, it is not intended to be used for the filing of a records of site condition. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I ESA are based on a review of readily available geological, historical, and regulatory information as well as a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial, and federal agencies and was limited within the scope-of-work, time, and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Colliers Canada and Scouts Canada. Permission and notification from Colliers Canada, Scouts Canada and Paterson Group will be required prior to the release of this report to any other party.

Paterson Group Inc.



Mohammed Ramadan, B.Sc.



Mark S. D'Arcy, P.Eng., QP_{ESA}



Report Distribution:

- Colliers Canada
- Scouts Canada
- Paterson Group Inc.

10.0 REFERENCES

Federal Records

- Natural Resources Canada: Air Photo Library.
- Natural Resources Canada: The Atlas of Canada.
- Geological Survey of Canada: Surficial and Subsurface Mapping.
- Environment Canada: National Pollutant Release Inventory.
- National PCB Waste Storage Site Inventory.
- National Archives of Canada.

Provincial Records

- MECP: Freedom of Information and Privacy Office.
- MECP: Municipal Coal Gasification Plant Site Inventory, 1991.
- MECP: Waste Disposal Site Inventory, 1991.
- MECP: Brownfields Environmental Site Registry.
- MECP: Water Well Inventory.
- Office of Technical Standards and Safety Authority, Fuels Safety Branch.
- Ministry of Natural Resources and Forestry Areas of Natural Significance.
- Chapman, L.J., and Putnam, D.F., 1984: 'The Physiography of Southern Ontario, Third Edition', Ontario Geological Survey Special Volume 2.

Municipal Records

- City of Ottawa: eMap website.
- City of Ottawa: Historical Land Use Inventory Database
- City of Ottawa: document entitled, "Old Landfill Management Strategy, Phase I – Identification of Sites", prepared by Golder Associates, 2004.

Local Information Sources

- Personal Interviews.

Public Information Sources

- ERIS Database Report.
- Google Earth.
- Google Maps/Street View.

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE5585-1 – SITE PLAN

DRAWING PE5585-2 – SURROUNDING LAND USE PLAN




FIGURE 1
KEY PLAN





FIGURE 2
TOPOGRAPHIC MAP



SCALE: 1:750



1366 BASELINE ROAD
COMMERCIAL

1460 MERIVALE ROAD
COMMERCIAL RETAIL & OFFICE

1460 MERIVALE ROAD
RETAIL FUEL OUTLET
(COMMERCIAL)

patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL


SCOUTS CANADA
PHASE I - ENVIRONMENTAL SITE ASSESSMENT
1345 BASELINE ROAD

OTTAWA, ONTARIO

SITE PLAN

Scale:	1:750
Drawn by:	JM
Checked by:	MR
Approved by:	MSD

Date:	02/2022
Report No.:	PE5585-1
Dwg. No.:	PE5585-1
Revision No.:	



POTENTIALLY CONTAMINATING ACTIVITIES:

ID	ADDRESS	DESCRIPTION
1	1357 BASELINE ROAD	FORMER ABOVEGROUND STORAGE TANKS & FUEL OIL SPILL.
2	1380 BASELINE ROAD	EXISTING AUTO REPAIR SHOP WITH ABOVEGROUND STORAGE TANK.
3	1308 BASELINE ROAD	EXISTING RETAIL FUEL OUTLET.
4	1292 BASELINE ROAD	FORMER RETAIL FUEL OUTLET.
5	1292 BASELINE ROAD	EXISTING AUTO REPAIR & TIRE CENTER.
6	1450 MERIVALE ROAD	FORMER AUTO REPAIR GARAGE.
7	1453 MERIVALE ROAD	FORMER AUTOSERVICE GARAGE WITH ONE UNDERGROUND STORAGE TANK.

patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL

SCOUTS CANADA
PHASE I - ENVIRONMENTAL SITE ASSESSMENT
1345 BASELINE ROAD
OTTAWA, ONTARIO


Title:
SURROUNDING LAND USE PLAN

Scale:	1:3000	Date:	02/2022
Drawn by:	JM	Report No.:	PE5585-1
Checked by:	MR	Dwg. No.:	PE5585-2
Approved by:	MSD	Revision No.:	


APPENDIX 1

AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS




AERIAL PHOTOGRAPH
1958



AERIAL PHOTOGRAPH
1965




AERIAL PHOTOGRAPH
1976




AERIAL PHOTOGRAPH
1991



AERIAL PHOTOGRAPH
2002



AERIAL PHOTOGRAPH
2011



AERIAL PHOTOGRAPH
2019

Site Photographs

PE5585

1345 Baseline Road, Ottawa, Ontario

February 17, 2022



Photograph 1: View of the western portion of the subject site, facing northwest.



Photograph 2: View of the eastern portion of the subject site, facing west.

Site Photographs

PE5585

1345 Baseline Road, Ottawa, Ontario

February 17, 2022



Photograph 3: View of the southeastern portion of the subject site, facing northwest.

APPENDIX 2

MECP FREEDOM OF INFORMATION SEARCH REQUEST

MECP WATER WELL RECORDS

TSSA CORRESPONDENCE

CITY OF OTTAWA HLUI RESPONSE LETTER

ERIS DATABASE REPORT

OPTA REPORTS

GEOPHYSICAL SURVEY



Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on completion and use of this form. Our fax no. is (416) 314-4285.

Requester Data			For Ministry Use Only	
<p>Name, Company Name, Mailing Address and Email Address of Requester</p> <p>Mohammed Ramadan Paterson Group Inc. 154 Colonnade Road Ottawa, ON K2E 7J5 Email address: mramadan@patersongroup.ca</p>			<p>FOI Request No. _____ Date Request Received _____</p>	
<p>Telephone/Fax Nos.</p> <p>Tel. 613-226-7381 Fax 613-226-6344</p>			<p>Fee Paid</p> <p><input type="checkbox"/> ACCT <input type="checkbox"/> CHQ <input type="checkbox"/> VISA/MC <input type="checkbox"/> CASH</p>	
<p>Your Project/Reference No.</p> <p>PE5585</p>		<p>Signature/Print /Name of Requester</p> <p>Mohammed Ramadan</p>		
<p>Request Parameters</p>				
<p>Municipal Address / Lot, Concession, Geographic Township (Municipal address essential for cities, towns or regions)</p> <p>1345 Baseline Road - Ottawa, ON</p>				
<p>Present Property Owner(s) and Date(s) of Ownership</p> <p>Scouts Canada</p>				
<p>Previous Property Owner(s) and Date(s) of Ownership</p>				
<p>Present/Previous Tenant(s), (if applicable)</p>				
<p>Search Parameters</p>				
<p><i>Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.</i></p>				<p>Specify Year(s) Requested</p>
Environmental concerns (General correspondence, occurrence reports, abatement)				all
Orders				all
Spills				all
Investigations/prosecutions ► Owner AND tenant information must be provided				all
Waste Generator number/classes				all
<p>Certificates of Approval ► Proponent information must be provided</p>				
<p>1985 and prior records are searched manually. Search fees in excess of \$300.00 could be incurred, depending on the types and years to be searched. Specify Certificates of Approval number(s) (if known). If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc.</p>				
	SD	Specify Year(s) Requested		
air - emissions		1986-present		
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)		1986-present		
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations		1986-present		
waste water - industrial discharges		1986-present		
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites		1986-present		
waste systems - PCB destruction, mobile waste processing units, haulers: sewage, non-hazardous & hazardous waste		1986-present		
pesticides - licenses		1986-present		

UTM 118 2 4142 21010 E

R 5 R 50 23 1170 N
Rideau Front

Elev. 4 R A 02310

Basin 2 5 3 5

3145b



ONTARIO

RECEIVED

JAN 30 1966

15 No

4614

GEOLOGICAL BRANCH
DEPARTMENT OF MINES

The Water-well Drillers Act, 1954

Department of Mines

Water-Well Record

County or Territorial District Carleton Place Township, Village, Town or City Nepean

Village, Town or City

Address

(day)

(month)

(year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 5"
Length(s) 18 1/2
Type of screen
Length of screen

Static level 27'
Pumping rate 750
Pumping level 37'
Duration of test 1 hr

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
<u>hard blue lime</u>			<u>60</u>	<u>20</u>	<u>fresh</u>
<u>mixed with grey lime</u>			<u>100</u>	<u>50</u>	<u>"</u>
<u>soft black lime</u>	<u>0'</u>	<u>40'</u>	<u>135</u>	<u>108</u>	<u>"</u>
	<u>40'</u>	<u>137'</u>			

For what purpose(s) is the water to be used?

household + church

Is water clear or cloudy? clear

Is well on upland, in valley, or on hillside? upland

Drilling firm 7 A McLeant Son

Address 185 James St

Name of Driller B. Todd

Address

Licence Number 130


I certify that the foregoing statements of fact are true.

Date Nov 3 Halter Kavanagh

Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



A112809

A112809

Measurements recorded in: Metric Imperial

Well Owner's Information

First Name _____ Last Name / Organization First Bank Canada E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) _____ Municipality _____ Province _____ Postal Code _____ Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 1300 Baseline Road Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village Ottawa Province **Ontario** Postal Code _____

UTM Coordinates Zone 18 Easting 442415 Northing 5023570 Municipal Plan and Sublot Number _____ Other _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BLK	asphalt		dense	0	0.15
GRY	gravel	sand	loose, soft	0.15	0.31
BRN	fill	clay, sand	packed, soft	0.31	2.74
GRY	limestone		fractured, hard	2.74	9.14

Annular Space

Depth Set at (m/ft)		Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
From	To		
0	0.31	concrete/flush mount	
0.31	4.27	bentonite	
4.27	9.14	filter sand	

Method of Construction	Well Use
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Public
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Domestic
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Livestock
<input type="checkbox"/> Boring	<input type="checkbox"/> Irrigation
<input checked="" type="checkbox"/> Air percussion	<input type="checkbox"/> Industrial
<input type="checkbox"/> Other, specify _____	<input type="checkbox"/> Other, specify _____
<input type="checkbox"/> Diamond	<input type="checkbox"/> Commercial
<input type="checkbox"/> Jetting	<input type="checkbox"/> Municipal
<input type="checkbox"/> Driving	<input checked="" type="checkbox"/> Test Hole
<input type="checkbox"/> Digging	<input type="checkbox"/> Cooling & Air Conditioning
<input type="checkbox"/> Not used	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Monitoring	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____
			From	To	
3.82	PVC	0.368	0	4.57	

Construction Record - Screen				
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
4.03	PVC	10	4.57	9.14

Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Depth (m/ft) From	Diameter (cm/in) To
0		0	11.43
3.1		3.1	7.62

Well Contractor and Well Technician Information

Business Name of Well Contractor Strata Soil Sampling Well Contractor's Licence No. 72411

Business Address (Street Number/Name) 147 West Beaver Creek Municipality Richmond Hill

Province ON Postal Code L4B1C6 Business E-mail Address warecords@stratasoil.co

Bus. Telephone No. (inc. area code) 905 764 9304 Name of Well Technician (Last Name, First Name) McCoy, James

Well Technician's Licence No. 3636 Signature of Technician and/or Contractor _____ Date Submitted 20120810

Results of Well Yield Testing

After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Pump intake set at (m/ft) Pumping rate (l/min / GPM) Duration of pumping _____ hrs + _____ min Final water level end of pumping (m/ft) If flowing give rate (l/min / GPM) Recommended pump depth (m/ft) Recommended pump rate (l/min / GPM) Well production (l/min / GPM) Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
	10		10	
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Map of Well Location

Please provide a map below following instructions on the back.

Comments: _____

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
<input type="checkbox"/> Yes <input type="checkbox"/> No	Y Y Y Y M M D D <u>20120810</u>	Audit No. <u>Z 156781</u> SEP 24 2012 Received



Measurements recorded in: Metric Imperial

A136936

Tag#: A136936

Well Owner's Information

First Name, Last Name, Organization, E-mail Address, Mailing Address, Municipality, Province, Postal Code, Telephone No.

Well Location

Address of Well Location, Township, Lot, Concession, City/Town/Village, Province, Postal Code, UTM Coordinates

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To

Annular Space table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used, Volume Placed

Results of Well Yield Testing table with columns: Draw Down, Recovery, Time, Water Level

Method of Construction and Well Use checkboxes

Construction Record - Casing and Screen tables with columns: Inside Diameter, Open Hole OR Material, Wall Thickness, Depth, Status of Well

Water Details and Hole Diameter tables with columns: Water found at Depth, Kind of Water, Depth, Diameter

Well Contractor and Well Technician Information form with fields for Business Name, Address, Licence No., Technician Name, Signature

Map of Well Location with handwritten map showing Baseline Road, well location, and depth markers. Includes Ministry Use Only section with Audit No. 2156888 and date NOV 09 2012.

Measurements recorded in: Metric Imperial

A136931

Tag#: A136931

Page _____ of _____

Well Owner's Information

First Name _____ Last Name / Organization Grost Capital E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) _____ Municipality _____ Province _____ Postal Code _____ Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 1292 Baseline Rd Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village Ottawa Province **Ontario** Postal Code _____

UTM Coordinates Zone Easting Northing NAD 83 18 44258050 23646 Municipal Plan and Sublot Number _____ Other _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BRN	Sand	Gravel	loose, dry	0	.91
BRN	Sand	Cobbles	hard, dry	.91	3.96
WAT	Limestone		hard, dry	3.96	10.67

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
From	To	
0	31 Concrete/Flashmount	
31	5.79 Bentonite/Neoplug	
5.79	10.67 Sand	

Results of Well Yield Testing

After test of well yield, water was:
 Clear and sand free
 Other, specify _____

If pumping discontinued, give reason: _____

Pump intake set at (m/ft) _____

Pumping rate (l/min / GPM) _____

Duration of pumping _____ hrs + _____ min

Final water level end of pumping (m/ft) _____

If flowing give rate (l/min / GPM) _____

Recommended pump depth (m/ft) _____

Recommended pump rate (l/min / GPM) _____

Well production (l/min / GPM) _____

Disinfected? Yes No

Time (min)	Draw Down		Recovery	
	Water Level (m/ft)	Time (min)	Water Level (m/ft)	Time (min)
1		1		
2		2		
3		3		
4		4		
5		5		
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Method of Construction

Well Use

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial Other, specify _____
 Other, specify _____

Construction Record - Casing

Status of Well

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____
			From	To	
4.03	PVC	.368	0	6.1	

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		<input type="checkbox"/> Other, specify _____
			From	To	
4.82	PVC	10	6.1	10.67	

Water Details

Hole Diameter

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Depth (m/ft)		Diameter (cm/in)
		From	To	
		0	3.96	
		3.96	10.67	


Well Contractor and Well Technician Information

Business Name of Well Contractor Strata Soil Sampling Inc Well Contractor's Licence No. 72411

Business Address (Street Number/Name) 2-147 West Beaver Creek Rd Municipality Richmond Hill

Province ON Postal Code L4B1C6 Business E-mail Address Wrecords@stratainc.com

Map of Well Location



Comments: _____

Bus. Telephone No. (inc. area code) 905 764 9304 Name of Well Technician (Last Name, First Name) M. Coq, JAMES

Well Technician's Licence No. 36567 Signature of Technician and/or Contractor _____ Date Submitted 2012/11/09

Well owner's information package delivered Yes No

Date Package Delivered 20120925

Date Work Completed _____

Ministry Use Only

Audit No. Z156884

NOV 09 2012



Measurements recorded in: Metric Imperial

A136932

Tag#: A136932

Page of

Well Owner's Information

First Name, Last Name / Organization (First Capital), E-mail Address, Mailing Address (Street Number/Name), Municipality, Province, Postal Code, Telephone No. (inc. area code)

Well Location

Address of Well Location (Street Number/Name) 1292 Baseline Road, Township, Lot, Concession, City/Town/Village Ottawa, Province Ontario, Postal Code, UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Rows include BLK asphalt, BRN sand, GRY limestone.

Annular Space table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³). Rows include concrete/flashmount, bentonite, filter sand.

Results of Well Yield Testing table with columns: After test of well yield, water was, Draw Down (Time, Water Level), Recovery (Time, Water Level). Includes pumping rate, duration, and final water level.

Method of Construction and Well Use table with checkboxes for Cable Tool, Rotary, Boring, Air percussion, Diamond, Jetting, Driving, Digging, Public, Commercial, Domestic, Livestock, Irrigation, Industrial, Municipal, Test Hole, Cooling & Air Conditioning, Not used, Dewatering, Monitoring.

Construction Record - Casing table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To. Includes PVC casing from 0 to 6.1m.

Construction Record - Screen table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To. Includes PVC screen from 6.1 to 10.67m.

Water Details and Hole Diameter table with columns: Water found at Depth (m/ft), Kind of Water, Hole Diameter (Depth, Diameter). Includes data for depths 0, 4.57, and 10.67m.

Well Contractor and Well Technician Information form including Business Name (Strata Drilling Group), Business Address (147 West Beaver Creek), Province (ON), Postal Code (L4B 1G6), Business E-mail Address (wrecords@stratasoil.com), Name of Well Technician (James McCoy), and Signature.

Map of Well Location showing a hand-drawn map of the well site with labels 'CURB', 'MERIDIAN', and 'Baseline'. Includes a north arrow and a box labeled '1292'. Below the map is a 'Comments' section and a 'Ministry Use Only' section with Audit No. Z156898 and date NOV 09 2012.

Measurements recorded in: Metric Imperial

A136933

Tag#: A136933

Page _____ of _____

Well Owner's Information

First Name _____ Last Name _____ Organization First Capital E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) _____ Municipality _____ Province _____ Postal Code _____ Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 1292 Baseline Road Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village Ottawa Province **Ontario** Postal Code _____

UTM Coordinates Zone Easting Northing Municipal Plan and Sublot Number Other

NAD 83 184425725023631

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BLK	asphalt	gravel	loose	0	0.31
BRN	sand	silt, gravel	soft, loose,	0.31	3.35
GRY	limestone		hard, layered, dry	3.35	10.67

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 - 0.31	concrete/mushmouth	
0.31 - 5.79	Bentonite	
5.79 - 10.67	Giffersand	

Results of Well Yield Testing

After test of well yield, water was:	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
<input type="checkbox"/> Clear and sand free				
<input type="checkbox"/> Other, specify _____				
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
Duration of pumping _____ hrs + _____ min	4		4	
Final water level end of pumping (m/ft)	5		5	
	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
Recommended pump rate (l/min / GPM)	30		30	
Well production (l/min / GPM)	40		40	
Disinfected?	50		50	
<input type="checkbox"/> Yes <input type="checkbox"/> No	60		60	

Method of Construction

Cable Tool Diamond Public Commercial Not used

Rotary (Conventional) Jetting Domestic Municipal Dewatering

Rotary (Reverse) Driving Livestock Test Hole Monitoring

Boring Digging Irrigation Cooling & Air Conditioning

Air percussion Industrial Other, specify _____

Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
4.03	PVC	1.368	0	6.1	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
4.82	PVC	10	6.1	10.67

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	Hole Diameter	
		Depth (m/ft)	Diameter (cm/in)
<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____		0 - 4.57	11.43
<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____		4.57 - 10.67	7.62

Well Contractor and Well Technician Information


Business Name of Well Contractor Strata Drilling Group Well Contractor's Licence No. 72411

Business Address (Street Number/Name) 14 West Beaver Creek Municipality Richmond Hill

Province ON Postal Code L4B1C6 Business E-mail Address wrecords@stratasoil.com

Bus. Telephone No. (inc. area code) 9057649304 Name of Well Technician (Last Name, First Name) McLay, James

Well Technician's Licence No. 36562 Signature of Technician and/or Contractor [Signature] Date Submitted 2012/11/09



Comments: _____

Well owner's information package delivered Yes No

Date Package Delivered 2012/09/25

Date Work Completed 2012/09/25

Ministry Use Only

Audit No. Z156885

NOV 09 2012

Tag#: A136929 A136929

Measurements recorded in: Metric Imperial

Page _____ of _____

Well Owner's Information

First Name _____ Last Name / Organization First Capital E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) _____ Municipality _____ Province _____ Postal Code _____ Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 1300 Baseline RD Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village OHAWA Province **Ontario** Postal Code _____

UTM Coordinates Zone Easting Northing _____ Municipal Plan and Sublot Number _____ Other _____

NAD | 8 | 3 | 1849256613023609

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
Brown	Topsoil		Soft, dry	0	.61
Brown	Sand	Cobbles	hard, dry	.61	3.66
White	Limestone			3.66	10.67

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
0 - .31	Concrete/Flashment	
.31 - 5.79	Bensed	
5.79 - 10.67	Sand	

Results of Well Yield Testing

After test of well yield, water was:
 Clear and sand free
 Other, specify _____

If pumping discontinued, give reason: _____

Pump intake set at (m/ft) _____

Pumping rate (l/min / GPM) _____

Duration of pumping _____ hrs + _____ min

Final water level end of pumping (m/ft) _____

If flowing give rate (l/min / GPM) _____

Recommended pump depth (m/ft) _____

Recommended pump rate (l/min / GPM) _____

Well production (l/min / GPM) _____

Disinfected? Yes No

Time (min)	Draw Down		Recovery	
	Water Level (m/ft)	Time (min)	Water Level (m/ft)	Time (min)
1		1		
2		2		
3		3		
4		4		
5		5		
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Method of Construction

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial Other, specify _____
 Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
4.03	PVC	.356	0	6.1	<input checked="" type="checkbox"/> Test Hole <input checked="" type="checkbox"/> Observation and/or Monitoring Hole

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		Status of Well
			From	To	
4.82	PVC	10	6.1	10.67	<input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Hole Diameter	
		Depth (m/ft)	Diameter (cm/in)
0		3.96	11.43
3.96		10.67	7.67

Well Contractor and Well Technician Information


Business Name of Well Contractor Strata Soil Sampling Inc Well Contractor's Licence No. _____

Business Address (Street Number/Name) 2-247 West Beaver Creek Rd Richmond Hill Municipality _____

Province ON Postal Code L4B1C6 Business E-mail Address Wrecords@StrataSoil.com

Bus. Telephone No. (inc. area code) 9057649304 Name of Well Technician (Last Name, First Name) McLoy, JAMES

Well Technician's Licence No. 3656 Signature of Technician and/or Contractor _____ Date Submitted 2012/10/05



Comments: _____

Well owner's information package delivered Yes No

Date Package Delivered Y12M10D10

Date Work Completed 20120924

Ministry Use Only

Audit No. Z156882

NOV 09 2012



Measurements recorded in: Metric Imperial

Well Owner's Information

First Name, Last Name / Organization (GREST Capital), E-mail Address, Mailing Address (Street Number/Name), Municipality, Province, Postal Code, Telephone No. (inc. area code)

Well Location

Address of Well Location (Street Number/Name) 1300 Baseline Rd, Township, Lot, Concession, City/Town/Village Ottawa, Province Ontario, Postal Code, UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Includes entries for GAY Fill, BRN Sand, WAT Limestone.

Annular Space

Table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³). Includes entries for Concrete/Flushmount, Benzal, Sand.

Results of Well Yield Testing

Table with columns: After test of well yield, water was, Draw Down (Time (min), Water Level (m/ft)), Recovery (Time (min), Water Level (m/ft)). Includes pumping rate, duration, and final water level.

Method of Construction

Well Use

Checkboxes for Method of Construction (Cable Tool, Rotary, Boring, etc.) and Well Use (Public, Commercial, Test Hole, etc.).

Construction Record - Casing

Status of Well

Table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To. Includes entry for PVC casing at 4.03m depth.

Construction Record - Screen

Table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To. Includes entry for PVC screen at 4.82m depth.

Water Details


Hole Diameter

Table with columns: Water found at Depth (m/ft), Kind of Water, Depth (m/ft) From, To, Diameter (cm/in). Includes water quality and diameter data.

Well Contractor and Well Technician Information

Business Name of Well Contractor (Strata Soil Sampling Inc), Well Contractor's Licence No., Business Address (2-147 West Beaver Creek Rd), Municipality (Richmond Hill), Province (ON), Postal Code (L4P 1C6), Business E-mail Address (Wmccard@stratasoil.com), Bus. Telephone No. (905 764 9304), Name of Well Technician (McLoy, James), Well Technician's Licence No. (3656), Signature of Technician and/or Contractor, Date Submitted (2012/10/05).

Map of Well Location



Comments:

Well owner's information package delivered (Yes/No), Date Package Delivered (2012/09/24), Date Work Completed (2012/09/24), Ministry Use Only (Audit No. Z156881, NOV 09 2012).



Measurements recorded in: Metric Imperial

A173510

Well Owner's Information

First Name, Last Name / Organization (FCHT HOLDINGS (ONTARIO) CORPORATION INC), E-mail Address, Mailing Address, Municipality, Province, Postal Code, Telephone No.

Well Location

Address of Well Location (1450 MERIVALE ROAD), Township, Lot, Concession, City/Town/Village (OTTAWA), Province (Ontario), UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number.

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Includes handwritten entries for sand, gravel, silt, and limestone.

Annular Space table with columns: Depth Set at (m/ft) From, To; Type of Sealant Used (BENTONITE); Volume Placed (m³/ft³).

Method of Construction and Well Use checkboxes. Includes options like Cable Tool, Rotary, Boring, Diamond, Jetting, Driving, Digging, etc.


Construction Record - Casing table with columns: Inside Diameter, Open Hole OR Material (PVC), Wall Thickness (40), Depth (m/ft) From, To. Includes Status of Well checkboxes.

Construction Record - Screen table with columns: Outside Diameter, Material (PVC), Slot No. (10), Depth (m/ft) From, To.

Water Details and Hole Diameter tables. Includes water found at depth, kind of water, and hole diameter measurements.

Well Contractor and Well Technician Information. Includes name: George Downing Estate Drilling #1844, address, phone, and technician name: Stephen Downing.

Results of Well Yield Testing table. Includes Draw Down and Recovery columns with time and water level data. Includes checkboxes for test results.



Comments section for additional notes.

Ministry Use Only section. Includes Audit No. (Z 171255), Date Package Delivered, and Date Work Completed.



Measurements recorded in: Metric Imperial

A173510

Well Owner's Information

First Name, Last Name / Organization (FCHT HOLDINGS (ONTARIO) CORPORATION INC.), E-mail Address, Mailing Address (2620 RUE SALABERRY), Municipality (MONTREAL), Province (QC), Postal Code (H3M1L3), Telephone No.

Well Location

Address of Well Location (1450 MERIVALE ROAD), Township, Lot, Concession, City/Town/Village (OTTAWA), Province (Ontario), Postal Code, UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number, Other.

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Contains handwritten notes about removing PVC and sealing with bentonite.

Annular Space table with columns: Depth Set at (m/ft) From, To; Type of Sealant Used (Material and Type); Volume Placed (m³/ft³).

Method of Construction and Well Use checkboxes. Includes options like Cable Tool, Rotary, Boring, and various well uses like Public, Commercial, Domestic, etc.

Construction Record - Casing table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To.

Construction Record - Screen table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To.

Status of Well checkboxes. Includes options like Water Supply, Replacement Well, Test Hole, Recharge Well, Dewatering Well, Observation and/or Monitoring Hole, etc.

Results of Well Yield Testing table. Includes Draw Down (Time, Water Level) and Recovery (Time, Water Level) data. Contains handwritten data points.

Map of Well Location

Please provide a map below following instructions on the back. Comments: SEE ATTACHED

Water Details and Hole Diameter tables. Water Details includes Depth and Kind of Water. Hole Diameter includes Depth and Diameter.

Well Contractor and Well Technician Information


George Downing Estate Drilling #1844, 410 rue Principale Grenville-sur-la-Rouge QC J0V 1B0, downing@hawk.igs.net, Bruce Downing

Well Technician's Licence No. (21173), Signature of Technician and/or Contractor, Date Submitted (20150528)

Ministry Use Only section. Includes Audit No. (Z191689), Date Work Completed (20150508), and Received stamp (JUN 11 2015).

A173510

Z191689



INSPEC SOL			
ENGINEERING SOLUTIONS			
FIRST CAPITAL ASSET MANAGEMENT LP			
SUPERVISION OF UNDERGROUND STORAGE TANK REMOVAL			
COMMERCIAL PROPERTY			
1450 MERIVALE ROAD, OTTAWA, ONTARIO			
LOCATION PLAN			
DRAWN BY:	SCALE:	REFERENCE NO.:	
I.C.	AS SHOWN	M033945-E1	
CHECKED BY:	DATE:	DRAWING NO.:	
D.B.M.	APRIL 2015	M033945-E1-1	

JUN 11 2015

C-1844 Z191689



Measurements recorded in: Metric Imperial

S-19288 Page ____ of ____

Well Owner's Information

First Name: First Capital Asset Management, Last Name / Organization: First Capital Asset Management, E-mail Address: [blank], Mailing Address: 85 Hanna Ave Suite 400 Toronto, Municipality: Toronto, Province: ONT, Postal Code: M6K3S3, Telephone No.: [blank]

Well Location

Address of Well Location: 1450 Merivale Rd, Township: [blank], Lot: [blank], Concession: [blank], County/District/Municipality: [blank], City/Town/Village: Ottawa, Province: Ontario, Postal Code: [blank], UTM Coordinates: NAD 83 18E 442576 5923606, Municipal Plan and Sublot Number: [blank], Other: [blank]

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with 5 columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft). Handwritten entries include Brn, grey, gravel, Limestone, Sand, loose, Layered, 0 1.22, 1.22 6.1.

Annular Space table with 4 columns: Depth Set at (m/ft) From/To, Type of Sealant Used, Volume Placed (m³/ft³). Handwritten entries include Concrete, flushment, Bentonite, Sand.

Method of Construction and Well Use checkboxes. Includes Cable Tool, Rotary, Boring, Air percussion, Diamond, Jetting, Driving, Digging, Public, Domestic, Livestock, Irrigation, Industrial, Commercial, Municipal, Test Hole, Cooling & Air Conditioning, Not used, Dewatering, Monitoring.

Construction Record - Casing table with 5 columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From/To, Status of Well. Handwritten entries include 4.03, PVC, 3.68, 0 3.05.

Construction Record - Screen table with 5 columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From/To, Status of Well. Handwritten entries include 4.82, PVC, 10, 3.05 6.1.

Water Details and Hole Diameter table. Water found at Depth (m/ft) and Kind of Water (Fresh/Untested/Gas). Hole Diameter (m/ft) and Diameter (cm/in). Handwritten entries include 0 1.52 11.40, 1.52 6.1 7.8.


Well Contractor and Well Technician Information. Business Name: Strata Drilling Group, Well Contractor's Licence No.: 7241, Business Address: 165 Shields Court Markham, Province: ONT, Postal Code: L3R8V2, Business E-mail Address: [blank], Name of Well Technician: [blank], Signature: [blank], Date Submitted: 2016/11/18.

Results of Well Yield Testing table. Columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Includes pumping rate, duration, and final water level.

Map of Well Location

Please provide a map below following instructions on the back. Handwritten text: See map MW 13-2


Comments, Well owner's information package delivered, Date Package Delivered, Date Work Completed, Ministry Use Only (Audit No. 2238002, Received NOV 22 2016).



- LEGEND**
- PROPOSED MONITORING WELL LOCATION
 - BOREHOLE/MONITORING WELL COMPLETED BY GOLDEN DURING THE 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION
 - PROPERTY BOUNDARY

C-7741
2008802

NOV 22 2016



NOTE
1. PROPERTY BOUNDARY AS PER THE GOLDEN 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION. THE SITE HAS SINCE BEEN REDEVELOPED.

REFERENCES
BASE DATA - MAR. LTD. OBTAINED 2016
PRODUCED BY GOLDEN ASSOCIATES LTD UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, & QUEEN'S PRINTER 2016
PROJECTION: TRANSVERSE MERCATOR DATUM: NAD 83 COORDINATE SYSTEM: UTM ZONE

CLIENT
FIRST CAPITAL ASSET MANAGEMENT

PROJECT
WELL REINSTALLATION
1450 MERIVALE ROAD, OTTAWA, ONTARIO

TITLE
PROPOSED MONITORING WELL LOCATION PLAN

CONSULTANT
YTY-YAMAD 2016-05-30



DESIGNED YTY-YAMAD 2016-05-30
PREPARED MK
REVIEWED MK
APPROVED

PROJECT NO. P1683003 **CONTROL** **REV.** **FIGURE** 1

Measurements recorded in: Metric Imperial

5-19288 Page of

Well Owner's Information

First Name: First Capital Asset Management Last Name / Organization: First Capital Asset Management E-mail Address: _____
 Well Constructed by Well Owner
 Mailing Address (Street Number/Name): 85 Hanna Ave Suite 400 Municipality: Toronto Province: ont Postal Code: M6K3S3 Telephone No. (inc. area code): _____

Well Location

Address of Well Location (Street Number/Name): 1450 Merivale Rd Township: _____ Lot: _____ Concession: _____
 County/District/Municipality: _____ City/Town/Village: Ottawa Province: Ontario Postal Code: _____
 UTM Coordinates: Zone 18N Easting 442564 Northing 5023599 Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
				From To
<u>Blk</u>	<u>Asphalt</u>	<u>gravel</u>	<u>Hard</u>	<u>0</u> <u>1.31</u>
<u>Brn</u>	<u>gravel</u>	<u>Sand, fill</u>	<u>Dense</u>	<u>1.31</u> <u>1.27</u>
<u>gray</u>	<u>limestone</u>	<u>—</u>	<u>Layered</u>	<u>1.27</u> <u>6.1</u>

Annular Space			
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)	
From To			
<u>0</u> <u>1.31</u>	<u>Concrete flush coat</u>		
<u>1.31</u> <u>2.74</u>	<u>Bentonite</u>		
<u>2.74</u> <u>6.1</u>	<u>Sand</u>		

Method of Construction		Well Use		
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input checked="" type="checkbox"/> Test Hole	<input checked="" type="checkbox"/> Monitoring
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning	
<input checked="" type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial		
<input type="checkbox"/> Other, specify _____		<input type="checkbox"/> Other, specify _____		

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
			From	To	
<u>4.03</u>	<u>PVC</u>	<u>1368</u>	<u>0</u>	<u>3.05</u>	<input checked="" type="checkbox"/> Test Hole
					<input checked="" type="checkbox"/> Observation and/or Monitoring Hole
					<input type="checkbox"/> Alteration (Construction)
					<input type="checkbox"/> Abandoned, Insufficient Supply
					<input type="checkbox"/> Abandoned, Poor Water Quality
					<input type="checkbox"/> Abandoned, other, specify _____
					<input type="checkbox"/> Other, specify _____

Construction Record - Screen				
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
<u>4.82</u>	<u>PVC</u>	<u>10</u>	<u>3.05</u>	<u>6.1</u>

Water Details		Hole Diameter		
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Depth (m/ft)	Diameter (cm/in)	
		From To		
		<u>0</u> <u>1.52</u>	<u>1.40</u>	
		<u>1.52</u> <u>6.1</u>	<u>7.8</u>	


Well Contractor and Well Technician Information
 Business Name of Well Contractor: Strata Drilling Group Well Contractor's Licence No.: 7241
 Business Address (Street Number/Name): 165 Shields Court Municipality: Markham
 Province: ont Postal Code: L3R9V4 Business E-mail Address: wrcor@strata.co.il.ca
 Bus. Telephone No. (inc. area code): 9059407919 Name of Well Technician (Last Name, First Name): Mccay, James
 Well Technician's Licence No.: 3656 Signature of Technician and/or Contractor: _____ Date Submitted: 2016/11/18

Results of Well Yield Testing				
After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Pump intake set at (m/ft) Pumping rate (l/min / GPM) Duration of pumping _____ hrs + _____ min Final water level end of pumping (m/ft) If flowing give rate (l/min / GPM) Recommended pump depth (m/ft) Recommended pump rate (l/min / GPM) Well production (l/min / GPM) Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	Static Level			
	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Map of Well Location
 Please provide a map below following instructions on the back.
See map
MW
13-1

Comments:


Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered	Ministry Use Only Audit No. <u>2237994</u> Received <u>NOV 22 2016</u>
	Date Work Completed	
	<u>2016/11/02</u>	



LEGEND

- PROPOSED MONITORING WELL LOCATION
- BOREHOLE MONITORING WELL COMPLETED BY GOLДИER DURING THE 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION
- PROPERTY BOUNDARY

Handwritten: H667882
11788-0
NOV 22 2016



NOTE
1. PROPERTY BOUNDARY AS PER THE GOLDIER 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION. THE SITE HAS SINCE BEEN REDEVELOPED.

REFERENCES
MATERIALS: GOLDER ASSOCIATES LTD. OBTAINED 2016
PRODUCED BY GOLDIER ASSOCIATES LTD. UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEEN'S PRINTER 2016
PROJECTION: TRANSVERSE MERCATOR DATUM: NAD 83 COORDINATE SYSTEM: UTM ZONE

CLIENT
FIRST CAPITAL ASSET MANAGEMENT

PROJECT
WELL REINSTALLATION
1450 MERVALE ROAD, OTTAWA, ONTARIO

TITLE
PROPOSED MONITORING WELL LOCATION PLAN

CONSULTANT
GOLDER ASSOCIATES

DESIGNED: VVVYAR,DD 2016-09-30
PREPARED: MK
REVIEWED: MK
APPROVED: REV.

PROJECT NO. CONTROL REV. FIGURE 1



Measurements recorded in: Metric Imperial

A205856

5-19288 Page of

Well Owner's Information

First Name: First Capital Asset Management, Last Name / Organization: First Capital Asset Management, E-mail Address: [blank], Mailing Address: 85 Hanna Ave Suite 400, Municipality: Toronto, Province: ONT, Postal Code: M6K3S3, Telephone No.: [blank]

Well Location

Address of Well Location: 1450 Merivale Rd, Township: [blank], Lot: [blank], Concession: [blank], City/Town/Village: Ottawa, Province: Ontario, Postal Code: [blank], UTM Coordinates: NAD 83 18Q49256515023595

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with 5 columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From To. Rows include BIK Asphalt, BM gravel, and grey Limestone.

Annular Space table with 4 columns: Depth Set at (m/ft) From To, Type of Sealant Used, Volume Placed (m³/ft³). Rows include Concrete flushmant, Bentonite, and Sand.

Method of Construction and Well Use checkboxes. Method of Construction includes Air percussion (checked). Well Use includes Test Hole (checked) and Monitoring (checked).

Construction Record - Casing and Screen tables. Casing table has columns for Inside Diameter, Open Hole OR Material, Wall Thickness, and Depth. Screen table has columns for Outside Diameter, Material, Slot No., and Depth.


Results of Well Yield Testing table with columns for Draw Down and Recovery. Includes rows for Time, Water Level, and Static Level.

Map of Well Location section with a large handwritten note: 'mw 13-4 See map'.

Water Details and Hole Diameter tables. Water Details table has columns for Water found at Depth and Kind of Water. Hole Diameter table has columns for Depth and Diameter.

Well Contractor and Well Technician Information section. Includes Business Name (Strata Drilling Group), Business Address (165 Shields Court), and Well Contractor's Licence No. (7241).

Ministry Use Only section. Includes Audit No. (2237996) and Date Work Completed (2016/10/21).




LEGEND

- ◆ PROPOSED MONITORING WELL LOCATION
- ◆ BOREHOLE/MONITORING WELL COMPLETED BY GOLDER DURING THE 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION
- PROPERTY BOUNDARY

2016 2 2 10:11

92678276
C-7241



NOTE
1. PROPERTY BOUNDARY AS PER THE GOLDER 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION. THE SITE HAS SINCE BEEN REDEVELOPED.

REFERENCES
BASE DATA - MINR LIO, OBTAINED 2015
PRODUCED BY GOLDER ASSOCIATES LTD UNDER LICENSE FROM ONTARIO MINISTRY OF MINING, RESOURCES, CITIES AND INFRASTRUCTURE
PROSPECTOR: TRANSENER INC. (S/N: 1940 89 COORDINATE SYSTEM: UTM ZONE 18Q UTM)

CLIENT
FIRST CAPITAL ASSET MANAGEMENT

PROJECT
WELL REINSTALLATION
1450 MERVALE ROAD, OTTAWA, ONTARIO

TITLE
PROPOSED MONITORING WELL LOCATION PLAN

CONSULTANT
Golder Associates

DESIGNED: YYY/AAA/DDD
PREPARED: MK
REVIEWED: MK
APPROVED: [Signature]

PROJECT NO. CONTROL
FIGURE 1



Measurements recorded in: Metric Imperial

A211305

5-19288 Page of

Well Owner's Information

First Name: First Capital, Last Name/Organization: Asset Management, Mailing Address: 85 Hanna Ave Suite 400, Municipality: Toronto, Province: ON, Postal Code: M5K 3S3

Well Location

Address of Well Location: 1450 Merivale Rd, Township: Ottawa, City/Town/Village: Ottawa, Province: Ontario, Postal Code: [blank]

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft). Rows include: Bk, Asphalt, gravel, Hard; Brn, gravel, gravel, fill, Dense; grey, Limestone, Layered.

Annular Space table with columns: Depth Set at (m/ft), Type of Sealant Used, Volume Placed. Rows: 0-0.31 Concrete, flushment; 0.31-1.83 Bentonite; 1.83-5.18 Sand.

Method of Construction and Well Use checkboxes. Method of Construction: Air percussion. Well Use: Test Hole, Monitoring.

Construction Record - Casing table with columns: Inside Diameter, Open Hole OR Material, Wall Thickness, Depth (m/ft), Status of Well. Row: 4.03 PVC, 1.368, 0-2.13.

Construction Record - Screen table with columns: Outside Diameter, Material, Slot No., Depth (m/ft), Status of Well. Row: 4.52 PVC, 10, 2.13-5.18.

Results of Well Yield Testing table with columns: Draw Down, Recovery. Includes pumping rate, duration, and water level data.


Map of Well Location section with text: See map MW 3.

Water Details and Hole Diameter table. Water found at depths: 0, 1.23, 5.18. Hole diameters: 0-1.23, 1.23-5.18.

Well Contractor and Well Technician Information. Business Name: Strata Drilling Group, Business Address: 165 Shields Court, Municipality: Markham.


Well Contractor and Well Technician Information (continued). Business Address: 165 Shields Court, Business E-mail Address: wrecords@stratadrilling.com, Signature: Andrew Vander...

Ministry Use Only section. Audit No.: 2237995, Date Work Completed: 20161021.



- LEGEND**
- PROPOSED MONITORING WELL LOCATION
 - BOREHOLE MONITORING WELL COMPLETED BY GOLDER DURING THE 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION
 - PROPERTY BOUNDARY

C-7241
 7237995
 NOV 2 2 2016



NOTE
 1. PROPERTY BOUNDARY AS PER THE GOLDER 2013 SUPPLEMENTAL SUBSURFACE INVESTIGATION. THE SITE HAS SINCE BEEN REDEVELOPED.

REFERENCES
 BASE DATA - MAP 110, OBTAINED 2016
 PRODUCED BY GOLDER ASSOCIATES LTD UNDER LICENSE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, & QUEEN'S PRINTER 2016
 PRODUCTION: TRANSVERSE MERCATOR, DATUM: NAD 83 COORDINATE SYSTEM, UTM ZONE

CLIENT
 FIRST CAPITAL ASSET MANAGEMENT

PROJECT
 WELL REINSTALLATION
 1450 MERIVALE ROAD, OTTAWA, ONTARIO

TITLE
 PROPOSED MONITORING WELL LOCATION PLAN

CONSULTANT

DESIGNED	YTYR/MAD/D	2016-08-30
PREPARED		
REVIEWED	MK	
APPROVED		

Golder Associates

PROJECT NO. CONTROL REV. FIGURE
 P186283 1



Measurements recorded in: Metric Imperial

Page ___ of ___

A255952

Well Owner's Information

First Name, Last Name / Organization (City of Ottawa), E-mail Address, Mailing Address (100 Constellation Dr), Municipality (Kanata), Province (ON), Postal Code (K2G6J8), Telephone No. (5802665)

Well Location

Address of Well Location (Roadway/1308 Baseline Rd), Township (City of Ottawa), Lot (17 to 19), Concession, County/District/Municipality (Ottawa), Province (Ontario), Postal Code (K2C0A9), UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number (PLAN 30 PT Lots 17 to 19)

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Row 1: brown, sand and gravel, Fill material, 0, 8'7"

Annular Space table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used, Volume Placed (m³/ft³). Rows: 0-6" cold patch, 6"-2'7" hole plug, 2'7"-8'7" Filter sand

Method of Construction and Well Use table. Method of Construction includes Cable Tool, Rotary, Boring, etc. Well Use includes Public, Commercial, Domestic, etc.


Construction Record - Casing table with columns: Inside Diameter, Open Hole OR Material, Wall Thickness, Depth (m/ft) From, To, Status of Well. Row 1: 5.2 cm, plastic, 0.4 cm, 0, 2'7"

Construction Record - Screen table with columns: Outside Diameter, Material, Slot No., Depth (m/ft) From, To, Status of Well. Row 1: 6.0 cm, plastic, 10, 3'4", 8'7"

Water Details and Hole Diameter table. Water found at Depth, Kind of Water, Hole Diameter (Depth From, To, Diameter).

Well Contractor and Well Technician Information. Business Name (OAS Inc), Business Address (5518 Appleton Side Road), Well Contractor's Licence No. (6964), Well Technician (Stryde Jason), Signature, Date Submitted (2018)

Results of Well Yield Testing table. Columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Rows for 1-60 minutes.



Comments, Well owner's information package delivered, Date Package Delivered, Date Work Completed, Ministry Use Only (Audit No. 2296614, Received DEC 18 2019)

Follow the **[COVID-19 restrictions and public health measures \(https://covid-19.ontario.ca/public-health-measures\)](https://covid-19.ontario.ca/public-health-measures)** and **[book your appointment to get vaccinated \(https://covid-19.ontario.ca/book-vaccine/\)](https://covid-19.ontario.ca/book-vaccine/)**.



[\(/page/government-ontario\)](/page/government-ontario)

Français [\(/fr/page/registre-de-puits\)](/fr/page/registre-de-puits)

Menu

fr(/fr/page/registre-de-puits)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the [Open Data catalogue \(https://data.ontario.ca/dataset/well-records\)](https://data.ontario.ca/dataset/well-records).

[Go Back to Map \(\)](#)

Well ID

Well ID Number: 7362775

Well Audit Number: C47878

Well Tag Number: A267645

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location

Township

NEPEAN TOWNSHIP

Lot**Concession****County/District/Municipality**

OTTAWA-CARLETON

City/Town/Village**Province**

ON

Postal Code

n/a

UTM Coordinates

NAD83 — Zone 18

Easting: 442279.00

Northing: 5023442.00

Municipal Plan and Sublot Number**Other**

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
----------------	----------------------	-----------------	---------------------	------------	----------

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
------------	----------	--	---------------

Method of Construction & Well Use

Method of Construction	Well Use
------------------------	----------

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
--------------------	-----------------------	---------------	-------------

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
---------------------	----------	---------------	-------------

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7328

Results of Well Yield Testing

After test of well yield, water was

If pumping discontinued, give reason

Pump intake set at

Pumping Rate

Duration of Pumping

Final water level

If flowing give rate

Recommended pump depth

Recommended pump rate

Well Production

Disinfected?

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	

40

40

45

45

50

50

60

60

Water Details

Water Found at Depth Kind

Hole Diameter

**Depth Depth Diameter
From To**

Audit Number: C47878

Date Well Completed: November 05, 2019

Date Well Record Received by MOE: July 16, 2020

Related

[How to use a Ministry of the Environment map \(/page/how-use-ministry-environment-map#wells\)](/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: October 18, 2021

Published: March 20, 2014

[about Ontario \(https://www.ontario.ca/page/about-ontario\)](https://www.ontario.ca/page/about-ontario)

[accessibility \(https://www.ontario.ca/page/accessibility\)](https://www.ontario.ca/page/accessibility)

[news \(http://news.ontario.ca/newsroom/en\)](http://news.ontario.ca/newsroom/en)

[privacy \(https://www.ontario.ca/page/privacy-statement\)](https://www.ontario.ca/page/privacy-statement)

[terms of use \(https://www.ontario.ca/page/terms-use\)](https://www.ontario.ca/page/terms-use)

[© Queen's Printer for Ontario, 2012–22 \(https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario\)](https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

UTM 118^Z 414211810^E
19^R 510232100^N
 Elev. 9^R 03110
 Basin 25



RECEIVED
 APR 17 1953 15 No. ~~7864~~
 GEOLOGICAL BRANCH
 DEPARTMENT OF MINES

The Well Drillers Act
 Department of Mines, Province of Ontario

Water Well Record

County or Territorial District... Carleton Place Township, Village, Town or City... St. Lawrence
 Con... Lot... Street and Number (if in Village, Town or City)... St. Lawrence
 Owner... Baptist Church Address... City
 Date Completed... 13 (day) Feb (month) 53 (year) Cost of Well (excluding pump).....

Pipe and Casing Record

Pumping Test

Casing diameter(s)..... <u>6 inches</u>	Date.....
Length(s) of casing(s)..... <u>16 feet</u>	Static level..... <u>35</u>
Type of screen... <u>X</u>	Pumping level..... <u>35-1</u>
Length of screen... <u>X</u>	Pumping rate..... <u>300 g.p.h.</u>
Distance from top of screen to ground level... <u>X</u>	Duration of test..... <u>1 hr</u>
Is well a gravel-wall type?.. <u>Wall type</u>	Distance from cylinder or bowls to ground level.....

Water Record


Kind (fresh or mineral)..... <u>Fresh</u>	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
Quality (hard, soft, contains iron, sulphur, etc.)... <u>Clear hard</u>	<u>60</u>	<u>hard</u>	<u>25</u>
Appearance (clear, cloudy, coloured)..... <u>Clear</u>	<u>150</u>		
For what purpose(s) is the water to be used?..... <u>drinking for church</u>			
How far is well from possible source of contamination?.. <u>X</u>			
What is the source of contamination?.. <u>X</u>			
Enclose a copy of any mineral analysis that has been made of water... <u>X</u>			

Well Log

Overburden and Bedrock Record	From	To
<u>Overburden 10 feet sand and gravel</u>	<u>0</u>	<u>10</u>
<u>Grey limestone</u>	<u>10</u>	<u>225</u>

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.




Situation: Is well on upland, in valley, or on hillside?..... hill
 Drilling Firm... J. J. de M. Mulvey
 Address... 470 McGeary St Ottawa
 Name of Driller... J. J. de M. Mulvey Address... 8 St. M. St. Ottawa
 Date..... Licence Number... 507
 Signature of Licensee... J. J. de M. Mulvey

Baseline Rd

UTM 1182 442465 E
5R 51023530 N



ONTARIO



No. 8496

Elev. 41R 0320

The Water-well Drillers Act, 1954
Department of Mines

Basin 25

Water-Well Record

County or Territorial District Carleton Township, Village, Town or City City of Ottawa
 Con. Lot Street and Number (if in Village, Town or City)
 Owner Experimental Farm CHICHEM FARM Address City of Ottawa
 Date completed 7-2-55
 (day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter (s) 6 Static level 20 F
 Length (s) 74 F Pumping rate 200 G.P.H.
 Type of screen Pumping level 29 F
 Length of screen Duration of test

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
<u>Semistone</u>	<u>0</u>	<u>75</u>			
<u>Semistone and shale</u>	<u>75</u>	<u>117</u>	<u>75 F.</u>	<u>55 F.</u>	<u>fresh</u>
<u>soft semistone</u>	<u>117</u>	<u>129</u>			
<u>Semistone</u>	<u>129</u>	<u>153</u>			
<u>semistone and shale</u>	<u>153</u>	<u>170</u>			

For what purpose(s) is the water to be used?
domestic

Is water clear or cloudy? cloudy

Is well on upland, in valley, or on hillside?

Drilling firm S. H. Mulligan

Address Britannia Bldg Ottawa

Name of Driller Antoni Cicero

Address 327 Rochester St Ottawa


Licence Number 571

I certify that the foregoing statements of fact are true.

Date 10-2-55 Antoni Cicero
 Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Measurements recorded in: Metric Imperial

A092471 A 092471

Page _____ of _____

Well Owner's Information

First Name _____ Last Name / Organization Mr Transmission E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) 1292 Baseline Road Municipality Ottawa Province ON Postal Code K2C0A9 Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 1292 Baseline Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village Ottawa Province Ontario Postal Code _____

UTM Coordinates Zone 18 Easting 492561 Northing 5023644 Municipal Plan and Sublot Number _____ Other _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
				From To
BLK	asphalt	gravel	loose	0 .31
BRN	silt	sand, gravel	soft	.31 1.22
BRN	sand	gravel	soft	1.22 3.66

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From To		
0 .31	concrete/flush mount	
.31 1.83	bentonite	
1.83 3.66	filter sand	

Results of Well Yield Testing

After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Pump intake set at (m/ft) Pumping rate (l/min / GPM) Duration of pumping _____ hrs + _____ min Final water level end of pumping (m/ft) If flowing give rate (l/min / GPM) Recommended pump depth (m/ft) Recommended pump rate (l/min / GPM) Well production (l/min / GPM) Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	Static Level			
	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Method of Construction	Well Use
<input type="checkbox"/> Cable Tool <input type="checkbox"/> Diamond <input type="checkbox"/> Public <input type="checkbox"/> Commercial <input type="checkbox"/> Not used	<input type="checkbox"/> Rotary (Conventional) <input type="checkbox"/> Jetting <input type="checkbox"/> Domestic <input type="checkbox"/> Municipal <input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse) <input type="checkbox"/> Driving <input type="checkbox"/> Livestock <input checked="" type="checkbox"/> Test Hole <input checked="" type="checkbox"/> Monitoring	<input type="checkbox"/> Boring <input type="checkbox"/> Digging <input type="checkbox"/> Irrigation <input type="checkbox"/> Cooling & Air Conditioning
<input type="checkbox"/> Air percussion <input checked="" type="checkbox"/> Other, specify <u>Direct Push</u> <input type="checkbox"/> Industrial <input type="checkbox"/> Other, specify _____	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____
			From	To	
5.20	PVC	.390	0	2.13	

Construction Record - Screen					
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		<input type="checkbox"/> Other, specify _____
			From	To	
6.03	PVC	10	2.13	3.66	

Water Details		Hole Diameter	
Water found at Depth (m/ft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	Depth (m/ft) From To	Diameter (cm/in)
Water found at Depth (m/ft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	0 3.66	11.43
Water found at Depth (m/ft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested		

Well Contractor and Well Technician Information


Business Name of Well Contractor Strata Soil Sampling Inc. Well Contractor's Licence No. 7241

Business Address (Street Number/Name) #2-147 West Beaver Creek Rd. Richmond Hill Municipality _____

Province ON Postal Code L4B1C6 Business E-mail Address _____

Bus. Telephone No. (inc. area code) 9057649304 Name of Well Technician (Last Name, First Name) McCoy, James

Well Technician's Licence No. 3656 Signature of Technician and/or Contractor _____ Date Submitted 20120608



Comments: _____

Well owner's information package delivered <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered <u>VVVVMMDD</u>	Ministry Use Only Audit No. <u>Z148631</u>
	Date Work Completed <u>20120518</u>	

Revised JUN 19 2012

Measurements recorded in: Metric Imperial

A092472 A 092472

Page _____ of _____

Well Owner's Information

First Name _____ Last Name / Organization Mr Transmission E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) 1292 Baseline Road Municipality Ottawa Province ON Postal Code K2C0A9 Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 1292 Baseline Road Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village Ottawa Province **Ontario** Postal Code _____

UTM Coordinates Zone 18 Easting 42567 Northing 5023634 Municipal Plan and Sublot Number _____ Other _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BLK	asphalt	gravel	loose	0	0.31
BRN	silt	sand, gravel	soft	0.31	1.52
BRN	sand	gravel	soft	1.52	3.66
GRY	limestone		layered	3.66	7.62

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 - 0.31	concrete flush mount	
0.31 - 4.27	benonite	
4.27 - 7.62	6-litre sand	

Method of Construction

Cable Tool Diamond Public Commercial Not used

Rotary (Conventional) Jetting Domestic Municipal Dewatering

Rotary (Reverse) Driving Livestock Test Hole Monitoring

Boring Digging Irrigation Cooling & Air Conditioning

Air percussion Industrial

Other, specify _____ Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
5.20	PVC	3.90	0	4.57	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
6.03	PVC	10	4.57	7.62

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Hole Diameter	
		Depth (m/ft)	Diameter (cm/in)
0 - 4.57		0 - 4.57	11.43
4.57 - 7.62		4.57 - 7.62	7.62

Well Contractor and Well Technician Information

Business Name of Well Contractor Shakta Soil Sampling Inc. Well Contractor's Licence No. 7241

Business Address (Street Number/Name) #2-147 West Beaver Creek Rd. Richmond Hill Municipality _____

Province ON Postal Code L4B1C6 Business E-mail Address _____

Bus. Telephone No. (inc. area code) 905 764 9304 Name of Well Technician (Last Name, First Name) McCoy, James

Well Technician's Licence No. 3650 Signature of Technician and/or Contractor _____ Date Submitted 2012 06 08

Results of Well Yield Testing

After test of well yield, water was: Clear and sand free Other, specify _____

If pumping discontinued, give reason: _____

Static Level	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Pump intake set at (m/ft) _____

Pumping rate (l/min / GPM) _____

Duration of pumping _____ hrs + _____ min

Final water level end of pumping (m/ft) _____


If flowing give rate (l/min / GPM) _____

Recommended pump depth (m/ft) _____

Recommended pump rate (l/min / GPM) _____

Well production (l/min / GPM) _____

Disinfected? Yes No



Well owner's information package delivered Yes No

Date Package Delivered 2012 05 18

Date Work Completed _____

Ministry Use Only

Audit No. Z 148629

Received JUN 19 2012

Measurements recorded in: Metric Imperial

A092473 A 092473

Page ___ of ___

Well Owner's Information

First Name _____ Last Name / Organization Mr Transmission E-mail Address _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name) 1292 Baseline Road Municipality Ottawa Province ON Postal Code K2C0A9 Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) 1292 Baseline Road Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village Ottawa Province **Ontario** Postal Code _____

UTM Coordinates Zone Easting Northing Municipal Plan and Sublot Number Other

NAD 83 18 9 925795023629

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BRN	top soil		wood fragments, loose	0	1.31
BRN	silt	sand, gravel	soft	1.31	1.22
BRN	sand	gravel	soft	1.22	3.96
GRY	limestone		layered	3.96	9.75
BRN/GRY	limestone		fractured	9.75	10.99
GRY	limestone		layered	10.97	12.19

Annular Space

Depth Set at (m/ft)		Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
From	To		
0	1.31	concrete flush mount	
1.31	8.84	benonite	
8.84	12.19	filter sand	

Method of Construction

Cable Tool Diamond Rotary (Conventional) Jetting Rotary (Reverse) Driving Boring Digging Air percussion Other, specify _____

Well Use

Public Domestic Livestock Irrigation Industrial Other, specify _____

Commercial Municipal Test Hole Cooling & Air Conditioning Not used Dewatering Monitoring

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
5.20	PVC	3.90	0	9.14	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		Status of Well
			From	To	
6.03	PVC	10	9.14	12.19	<input type="checkbox"/> Other, specify _____

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Hole Diameter	
		Depth (m/ft) From To	Diameter (cm/in)
		0	4.57 11.43
		4.57	12.19 7.62

Well Contractor and Well Technician Information

Business Name of Well Contractor Shata Soil Sampling Inc. Well Contractor's Licence No. 72411

Business Address (Street Number/Name) #2-147 West Beaver Creek Municipality Richmond Hill

Province ON Postal Code L4B1C6 Business E-mail Address _____

Bus. Telephone No. (inc. area code) 905-764-9304 Name of Well Technician (Last Name, First Name) McCoy, James

Well Technician's Licence No. 3550 Signature of Technician and/or Contractor _____ Date Submitted 20120608

Results of Well Yield Testing

After test of well yield, water was: Clear and sand free Other, specify _____

If pumping discontinued, give reason: _____

Pump intake set at (m/ft) _____

Pumping rate (l/min / GPM) _____

Duration of pumping _____ hrs + _____ min

Final water level end of pumping (m/ft) _____

If flowing give rate (l/min / GPM) _____


Recommended pump depth (m/ft) _____

Recommended pump rate (l/min / GPM) _____

Well production (l/min / GPM) _____

Disinfected? Yes No

Static Level	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	



Comments: _____

Well owner's information package delivered Yes No

Date Package Delivered 20120518

Date Work Completed _____

Ministry Use Only

Audit No. Z148630

Received JUN 19 2012



Tag#: A133521 A133521

S-12806

Measurements recorded in: Metric Imperial

Well Owner's Information

First Name, Last Name / Organization (First Capital Management), E-mail Address, Mailing Address (85 Hanna Avenue, Suite 400), Municipality (Toronto), Province (ON), Postal Code (M6H 3S3), Telephone No.

Well Location

Address of Well Location (1300 Baseline), Township, Lot, Concession, City/Town/Village (Ottawa), Province (Ontario), Postal Code, UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number.

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Includes entries for Brn Sand, Grg Limestone, and soft fractured dry material.

Annular Space and Method of Construction sections. Annular Space table shows depth intervals (0-31, 31-4.27, 4.27-9.14) and sealant types (Concrete/Flushmount, Benseal, Sand). Method of Construction includes Cable Tool, Rotary, Boring, etc.

Results of Well Yield Testing section. Includes tables for Draw Down and Recovery, and a list of pumping parameters like rate, duration, and final water level.

Construction Record - Casing and Construction Record - Screen sections. Casing table shows inside diameter (5.20), material (PVC), wall thickness (.390), and depth (0-4.57). Screen table shows outside diameter (5.03), material (PVC), slot size (10), and depth (4.57-9.14).

Map of Well Location section. Includes a map area with handwritten text 'See map BH 3 MW' and instructions to provide a map below.







Water Details and Hole Diameter sections. Water Details table shows depth and kind of water (Fresh/Untested). Hole Diameter table shows depth intervals and diameters (11.43, 8).

Well Contractor and Well Technician Information section. Includes business name (Strata Drilling Group), address (47-2 W. Beaver Creek), and technician name (Beatty Brian).

Ministry Use Only section. Includes Audit No. (Z 152724), date (SEP 04 2012), and well owner's information package delivered status.

5-12866

WATTERS ENVIRONMENTAL GROUP INC.
 8890 Dufferin Street, Suite 303,
 Concord, Ontario, L4R 0C5,
 Phone 416-561-2407, Fax 416-561-2410,
www.wattersenvironmental.com

- Legend**
-  Approximate Site Location
 -  Site Building
 -  Landscaped
 -  Concrete
 -  Fence
 -  Proposed Borehole/
Monitoring Well Location

C-724 / 2152724


Drawn By: **P. Rivoyre**
 Reviewed By: **S. Bernardi**
 Report Name: **Phase I Environmental Site Assessment**

Figure Name:
Site Layout

Site Name and Address:
**The Co-Operators
 1300 Baseline Road
 Ottawa, Ontario**

Project Number: **12-0061.01**
 Date: **July 2012**
 Scale: **Not to Scale**

1



SEP 04 2012



Measurements recorded in: Metric Imperial

Tag#: A133518

A133518

Page ___ of ___

Well Owner's Information

First Name, Last Name / Organization (First Capital Management), E-mail Address, Mailing Address (35 Hanna Avenue, Suite 400), Municipality (Toronto), Province (ON), Postal Code (M6K3S3), Telephone No.

Well Location

Address of Well Location (1300 Baseline Rd), Township, Lot, Concession, City/Town/Village (Ottawa), Province (Ontario), Postal Code, NAD Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number.

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Includes handwritten entries for Sand, Clay, Gravel, Silt.

Annular Space table with columns: Depth Set at (m/ft) From, To; Type of Sealant Used (Material and Type); Volume Placed (m³/ft³). Includes handwritten entries for Concrete/Flushmount, Benseal, Sand.

Method of Construction and Well Use sections. Includes checkboxes for Cable Tool, Rotary, Boring, etc., and Public, Commercial, Municipal, etc.

Construction Record - Casing table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To. Includes handwritten entries for PVC, 3.45, 0, 1.83.

Construction Record - Screen table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To. Includes handwritten entries for PVC, 4.21, 10, 1.83, 3.35.

Water Details and Hole Diameter sections. Includes fields for water found at depth, kind of water, and hole diameter/depth.

Well Contractor and Well Technician Information section. Includes Business Name (Strata Drilling group), Address (147-2 W. Beaver Creek), and Technician Name (Beath Brian).

Results of Well Yield Testing table. Includes columns for Draw Down (Time, Water Level) and Recovery (Time, Water Level). Includes handwritten entries for pumping rate and duration.


Map of Well Location section. Includes text: 'Please provide a map below following instructions on the back.' and handwritten note: 'See map BH1 MW &'. There is a large blank area for a map.

Ministry Use Only section. Includes Audit No. (2152723), Date Work Completed (2011/06/19), and Received stamp (SEP 04 2012).

5-1200

WATERS ENVIRONMENTAL GROUP INC.
 8800 Dufferin Street, Suite 303,
 Concord, Ontario L4R 0C3
 Phone: 416-361-2407, Fax: 416-361-2410
 www.watersenvironmental.com

Inferred Near-Surface
 Groundwater Flow
 Direction in the Vicinity
 of the Site



Legend

	Approximate Site Location
	Site Building
	Landscaped
	Concrete
	Fence
	Proposed Borehole/ Monitoring Well Location

C-7241
 2152723

Drawn By: P. Rivoltre
 Reported By: S. Bernardi

Report Name: Phase I Environmental Site Assessment

Figure Name:

Site Layout

Site Name and Address:
 The Co-Operators
 1300 Baseline Road
 Ottawa, Ontario

Project Number: 12-0061.01
 Date: July 2012
 Scale: Not to Scale
 Figure Number: 1

SEP 04 2012

RE: Records Search for PE5585

Public Information Services <publicinformationsservices@tssa.org>

Tue 1/18/2022 4:46 PM

To: Mohammed Ramadan <MRamadan@patersongroup.ca>

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

RECORD FOUND

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are records in our database of fuel storage tanks at the subject addresses.

INSTANCE NUMBER	ADDRESS	CITY	PROVINCE	POSTAL CODE	STATUS	FACILITY/DEVICE
10060021	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS GASOLINE STATION - FULL SERVE
10078622	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS PROPANE REFILL CNTR - MOTOR FILL
10142288	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS GASOLINE STATION - SELF SERVE
11092228	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS LIQUID FUEL TANK
11092244	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS LIQUID FUEL TANK
11092256	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS LIQUID FUEL TANK
11259572	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS PROPANE TANK
11410689	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS LIQUID FUEL TANK
11410708	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS LIQUID FUEL TANK
11410728	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS LIQUID FUEL TANK
9883687	1460 MERIVALE RD	NEPEAN	ON	K2E 5P2	EXPIRED	FS GASOLINE STATION - FULL SERVE
35210393	1460 MERIVALE RD	OTTAWA	ON	K2E 5P2	ACTIVE	FS GASOLINE STATION - SELF SERVE
35312412	1460 MERIVALE RD	OTTAWA	ON	K2E 5P2	ACTIVE	FS LIQUID FUEL TANK
35312413	1460 MERIVALE RD	OTTAWA	ON	K2E 5P2	ACTIVE	FS LIQUID FUEL TANK
42943242	1460 MERIVALE RD	OTTAWA	ON	K2E 5P2	ACTIVE	FS CYLINDER EXCHANGE
64592131	1460 MERIVALE RD	OTTAWA	ON	K2E 2P2	ACTIVE	FS CYLINDER EXCHANGE

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid=392 and email the completed form to publicinformationsservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Mariah

**Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationsservices@tssa.org

www.tssa.org



From: Mohammed Ramadan
<MRamadan@patersongroup.ca>
Sent: January 18, 2022 4:45 PM
To: Public Information Services

<publicinformationservices@tssa.org>

Subject: Records Search for PE5585

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

Could you please complete a search of your records for underground/aboveground storage tanks, historical spills, or other incidents/infractions for the following address in Ottawa, Ontario:

1305, 1306, 1330, 1339, 1341, 1345, 1357, 1365, 1366 Baseline Road

1460 Merivale Road

Regards,
Mohammed Ramadan, B.Sc

patersongroup

solution oriented engineering

over 60 years serving our clients

154 Colonnade Road South

Ottawa, Ontario, K2E 7J5

Cell: (343) 998-8982

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

March 04, 2022

Mohammed Ramadan
Paterson Group

Sent via email [mramadan@patersongroup.ca]

Dear Mohammed Ramadan,

**Re: Information Request
1345 Baseline Road, Ottawa, Ontario (“Subject Property”)**

Internal Department Circulation:

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

- No information was returned on the Subject Property from Departmental circulation.

Documents Provided:
HLUI Summary Report and HLUI Map

The HLUI Summary Report Excel spreadsheet identifies HLUI area, point and line features within 250 metres of the Subject Property, as shown on the provided HLUI Map PDF. Within 500 metres of the Subject Property, landfills and Environmental Risk Management Area (ERMA) are also identified if applicable.

Additional information may be obtained by contacting:

Ontario’s Environmental Registry

The Environmental Registry found at <https://ero.ontario.ca/> contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using keys words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that

may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House
161 Elgin Street 4th Floor
Ottawa ON K2P 2K1
Tel: (613) 239-1230
Fax: (613) 239-1422

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an “as is” basis with no representation or warranty by the City with respect to the information’s accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact HLUI@ottawa.ca.

Sincerely,

Ashvinya Moorthy (She/Her)

Student Planner | Étudiante en Urbanism

Development Review West | Examen des projets d’aménagement Ouest

City of Ottawa | Ville d’Ottawa

613-580-2424 Ext. 23569

Ashvinaymoorthy.thatchinamoorthy@ottawa.ca

Per:

Michael Boughton, MCIP, RPP
Senior Planner
Development Review East
Planning Services
Planning, Infrastructure and Economic Development Department

MB / AT

Enclosures: (2)

1. HLUI Map
2. HLUI Summary Report

cc: File no. Insert Application Number



DATABASE REPORT

Project Property: *Phase I ESA - 1345 Baseline Road
1345 Baseline Road
Ottawa ON K2C 0A7
PE5585*

Project No: *PE5585*

Report Type: *Standard Report*

Order No: *22011300636*

Requested by: *Paterson Group Inc.*

Date Completed: *January 18, 2022*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	25
Map.....	47
Aerial.....	48
Topographic Map.....	49
Detail Report.....	50
Unplottable Summary.....	207
Unplottable Report.....	209
Appendix: Database Descriptions.....	221
Definitions.....	230

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Phase I ESA - 1345 Baseline Road
1345 Baseline Road Ottawa ON K2C 0A7*

Project No: *PE5585*

Coordinates:

Latitude: *45.3637082*
Longitude: *-75.7362823*
UTM Northing: *5,023,618.71*
UTM Easting: *442,338.02*
UTM Zone: *18T*

Elevation: *324 FT
98.88 M*

Order Information:

Order No: *22011300636*
Date Requested: *January 13, 2022*
Requested by: *Paterson Group Inc.*
Report Type: *Standard Report*

Historical/Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	2	2
CA	<i>Certificates of Approval</i>	Y	0	12	12
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	14	14
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	9	9
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	13	13
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	9	9
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	2	2
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	2	78	80
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	1	1
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OGGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	37	37
PINC	<i>Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	4	4
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	2	2
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	1	1
SCT	<i>Scott's Manufacturing Directory</i>	Y	1	0	1
SPL	<i>Ontario Spills</i>	Y	0	14	14
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	24	24
Total:			3	223	226

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	SCT	Scouting Life	1345 Baseline Rd Unit 100 Ottawa ON K2C 0A7	-/0.0	0.00	50
1	GEN	Boy Scouts of Canada	1345 Baseline Road Ottawa ON K2C 0A7	-/0.0	0.00	50
1	GEN	Boy Scouts of Canada	1345 Baseline Road Ottawa ON K2C 0A7	-/0.0	0.00	50

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
2	ECA	Nortel Networks Corporation	Skyline- Tower VI Ottawa ON K1Y 4H7	ESE/80.2	-1.03	51
3	WWIS		1300 BASELINE RD Ottawa ON Well ID: 7187998	ESE/91.1	-1.09	51
3	WWIS		1300 BASELINE RD Ottawa ON Well ID: 7187999	ESE/91.1	-1.09	55
4	CA		1341 Baseline Road Ottawa ON	NE/131.9	-1.69	58
4	GEN	Public Works and Government Services Canada	1341 Baseline Ottawa ON	NE/131.9	-1.69	58
4	CA	Federal Government of Canada - Public Works and Government Services Canada	1400 Merivale Rd 185-1341 Baseline Road Ottawa ON	NE/131.9	-1.69	59
4	GEN	Public Works and Government Services Canada	1341 Baseline Ottawa ON K1A 0C5	NE/131.9	-1.69	59
4	ECA	London Life Insurance Company and Besner-Vered (1980) Ltd.	1341 Baseline Rd Ottawa ON K2C 0R3	NE/131.9	-1.69	60
4	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1341 Baseline Road Ottawa ON K2C 0R5	NE/131.9	-1.69	60
5	CA	BELL NORTHERN RESEARCH LTD.	1339 BASELINE ROAD OTTAWA CITY ON	ENE/147.5	-2.00	60
5	CA	LONDON LIFE INS. CO., BESNER-VERED (1980)	1339 BASELINE ROAD OTTAWA CITY ON	ENE/147.5	-2.00	61
5	CA	BELL-NORTHERN RESEARCH LIMITED	1339 BASELINE ROAD OTTAWA CITY ON	ENE/147.5	-2.00	61

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
5	CA		1339 Baseline Road Ottawa ON	ENE/147.5	-2.00	61
5	ECA	London Life Insurance Company and Besner-Vered (1980) Ltd.	1339 Baseline Road Ottawa ON K2C 0R3	ENE/147.5	-2.00	62
6	PES	WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C 3G1	W/150.1	0.00	62
6	GEN	Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	62
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	62
6	PES	WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C 3G1	W/150.1	0.00	63
6	GEN	Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	63
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	63
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON	W/150.1	0.00	63
6	GEN	Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON	W/150.1	0.00	64
6	GEN	Smile Shapers	1375 Baseline Rd Ottawa ON	W/150.1	0.00	64
6	EASR	WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA	1375 BASELINE RD OTTAWA ON K2C 3G1	W/150.1	0.00	65
6	PES	WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C3G1	W/150.1	0.00	65

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
6	GEN	Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W/150.1	0.00	65
6	GEN	Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W/150.1	0.00	66
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	66
6	GEN	Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2G3H7	W/150.1	0.00	67
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	67
6	GEN	Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W/150.1	0.00	67
6	GEN	Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2G3H7	W/150.1	0.00	68
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	68
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	69
6	GEN	Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W/150.1	0.00	69
6	PES	WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C3G1	W/150.1	0.00	70
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	70
6	GEN	Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W/150.1	0.00	71

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
6	GEN	Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W/150.1	0.00	71
6	GEN	Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W/150.1	0.00	72
6	PES		1375 BASELINE RD OTTAWA ON K2C 3G1	W/150.1	0.00	72
7	WWIS		1308 BASELINE RD Ottawa ON Well ID: 7350088	E/154.1	-1.92	73
8	EHS		1365 -1385 Baseline Road Ottawa ON	WSW/168.1	1.00	75
9	SPL		1308 Baseline Road Ottawa ON K2E 5P2	E/170.4	-3.00	75
10	EHS		1374 Baseline Rd Ottawa ON K2C0A9	SSW/174.1	1.00	76
10	EHS		1374 Baseline Road Ottawa ON K2C 0A9	SSW/174.1	1.00	76
11	EHS		1308, 1330 and 1350 Baseline Road and 1460 Merivale Road, Ottawa, ON Nepean ON K2E 5N9	SE/179.2	-2.00	76
12	EHS		1460 Merivale Road Nepean ON K2E 5N9	SE/184.0	-2.00	77
13	GEN	Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E/192.5	-2.97	77
13	GEN	Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E/192.5	-2.97	77
13	GEN	Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E/192.5	-2.97	77

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
13	GEN	Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E/192.5	-2.97	78
13	GEN	Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E/192.5	-2.97	78
13	GEN	Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E/192.5	-2.97	78
14	SPL	OTTAWA BOARD OF EDUCATION	1357 BASELINE ROAD OTTAWA CITY ON K2C 0A8	WSW/196.1	1.00	79
14	GEN	OTTAWA BOARD OF EDUCATION	LAURENTIAN HIGH SCHOOL, 1357 BASELINERD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	WSW/196.1	1.00	79
14	GEN	THE OTTAWA BOARD OF EDUCATION	LAURENTIAN HIGH SCHOOL, 1357 BASELINE RD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	WSW/196.1	1.00	79
14	GEN	OTTAWA BOARD OF EDUCATION	LAURENTIAN HIGH SCHOOL 1357 BASELINE ROAD OTTAWA ON K2C 0A8	WSW/196.1	1.00	80
14	GEN	THE OTTAWA BOARD OF EDUCATION 29-550	LAURENTIAN HIGH SCHOOL, 1357 BASELINE RD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	WSW/196.1	1.00	80
14	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	LAURENTIAN HIGH SCHOOL 1357 BASELINE ROAD OTTAWA ON K2C 0A8	WSW/196.1	1.00	81
14	GEN	Ottawa-Carleton District School Board	Laurention H.S. Public School 1357 Baseline Road Ottawa ON K2C 0A8	WSW/196.1	1.00	81
14	EHS		1357 Baseline Road Ottawa ON K2C 0A8	WSW/196.1	1.00	82
14	RSC	Clydesdale Shopping Centres Limited	1357 BASELINE RD, OTTAWA, ON, K2C 0A8 OTTAWA ON K2C 0A8	WSW/196.1	1.00	82

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
14	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	1357 BASELINE ROAD OTTAWA ON	WSW/196.1	1.00	82
14	GEN	CLYDESDALE SHOPPING CENTERS LTD	1357 BASELINE ROAD OTTAWA ON	WSW/196.1	1.00	83
14	SPL	Walmart Canada Corp.	1357 Baseline Rd Ottawa ON	WSW/196.1	1.00	83
14	ECA	Smart (Ottawa SW Senior Residences) PropCo GP Inc. as general partner for and on	behalf of Ottawa SW PropCo LP 1357 Baseline Rd Ottawa ON L4K 5Z5	WSW/196.1	1.00	84
15	WWIS		1306 BASELINE RD Ottawa ON Well ID: 7190923	E/199.0	-3.00	84
16	WWIS		ON Well ID: 1508496	ENE/206.5	-3.05	87
17	GEN	THE CO-OPERATORS (1457769 ONTARIO INC)	1300 BASELINE ROAD OTTAWA ON	E/207.8	-3.00	90
18	WWIS		lot 35 con A ON Well ID: 1504627	SE/210.0	-2.00	90
19	PRT	C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE/210.6	-0.97	93
19	PRT	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE/210.6	-0.97	93
19	PRT	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE/210.6	-0.97	93
19	PRT		1460 MERIVALE RD. NEPEAN, ONT. ON	SSE/210.6	-0.97	93
19	PES	LOBLAWS LIMITED C.O.B. AS "LOBLAWS" 082-8	1460 MERIVALE ROAD OTTAWA ON	SSE/210.6	-0.97	93

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	PES	LOBLAWS SUPERMARKETS LTD.	1460 MERIVALE ROAD OTTAWA ON K2J 3W6	SSE/210.6	-0.97	94
19	RST	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE/210.6	-0.97	94
19	SPL	NATIONAL GROCERIES COMPANY LTD	1460 MERIVALE RD OTTAWA CITY ON	SSE/210.6	-0.97	94
19	SPL	NATIONAL GROCERIES COMPANY LTD	1460 MERIVALE RD OTTAWA CITY ON	SSE/210.6	-0.97	95
19	PES	LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E 5P2	SSE/210.6	-0.97	95
19	GEN	LOBLAWS SUPERMARKETS LTD. 24-850	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE/210.6	-0.97	96
19	GEN	LOBLAWS SUPERMARKETS LTD	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE/210.6	-0.97	96
19	GEN	LOBLAWS SUPERMARKETS LIMITED	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE/210.6	-0.97	96
19	GEN	SPORTS EXPERTS #51	1460 MERIVALE RD. NEPEAN ON K2E 5P2	SSE/210.6	-0.97	97
19	GEN	SPORTS EXPERTS #51 34-397	1460 MERIVALE RD. NEPEAN ON K2E 5P2	SSE/210.6	-0.97	97
19	GEN	SPORTS EXPERTS #51	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE/210.6	-0.97	97
19	GEN	SHOPPERS DRUG MART	1460 MERIVALE ROAD OTTAWA ON K2E 5P2	SSE/210.6	-0.97	97
19	PES	SHOPPERS DRUG MART #627	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	98

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	GEN	SJL HOLDINGS LIMITED	1460 MERIVALE ROAD OTTAWA ON K2E 5N9	SSE/210.6	-0.97	98
19	FSTH	LOBLAW PROPERTIES LTD GASBAR DIV	1460 MERIVALE RD OTTAWA ON	SSE/210.6	-0.97	98
19	RSC	Reno Realty Holdings Limited	1460 Merivale Road, Ottawa, Ontario, K2E 5P2, ON	SSE/210.6	-0.97	99
19	SPL	Loblaws Companies East	1460 Merivale Rd. Ottawa ON	SSE/210.6	-0.97	99
19	FSTH	LOBLAW PROPERTIES LTD AT THE PUMPS GASBAR DIV	1460 MERIVALE RD OTTAWA ON	SSE/210.6	-0.97	100
19	PES	LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	100
19	PES	SHOPPERS DRUG MART #627	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	101
19	SPL	Parson Refrigeration (1985) Ltd.	1460 Merivale Rd Ottawa ON	SSE/210.6	-0.97	101
19	CA	Loblaw Properties Limited	1460 Merivale Road Ottawa ON	SSE/210.6	-0.97	101
19	CA	Loblaw Properties Limited	1460 Merivale Road Ottawa ON	SSE/210.6	-0.97	102
19	DTNK	MAC'S CONVENIENCE STORES INC**	1460 MERIVALE RD NEPEAN ON K2E 5P2	SSE/210.6	-0.97	102
19	DTNK	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E 5P2	SSE/210.6	-0.97	103
19	DTNK	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN ON K2E 5P2	SSE/210.6	-0.97	103

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	DTNK	SUNYS ENERGY INC ATTN RAFAH SHOOMAN	1460 MERIVALE RD NEPEAN ON	SSE/210.6	-0.97	104
19	DTNK	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON	SSE/210.6	-0.97	104
19	DTNK	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN ON	SSE/210.6	-0.97	105
19	DTNK	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN ON	SSE/210.6	-0.97	106
19	DTNK	SUNYS ENERGY INC ATTN RAFAH SHOOMAN	1460 MERIVALE RD NEPEAN ON	SSE/210.6	-0.97	106
19	SPL	Loblaws Inc.	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	107
19	GEN	FCR MANAGEMENT SERVICES	1460 MERIVALE ROAD OTTAWA ON K2E 5P2	SSE/210.6	-0.97	107
19	PES	SHOPPERS DRUG MART #627	1460 MERIVALE RD OTTAWA ON K2E 5P2	SSE/210.6	-0.97	108
19	FST	BCP IV SERVICE STATION LP O/A BG FUELS	1460 MERIVALE RD OTTAWA K2E 5P2 ON CA ON	SSE/210.6	-0.97	108
19	FST	BCP IV SERVICE STATION LP O/A BG FUELS	1460 MERIVALE RD OTTAWA K2E 5P2 ON CA ON	SSE/210.6	-0.97	109
19	DTNK	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	109
19	DTNK	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	109
19	DTNK	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	109

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
19	DTNK	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	109
19	DTNK	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	110
19	DTNK	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	110
19	EHS		1460 Merivale Road Ottawa ON	SSE/210.6	-0.97	110
19	PES	LOBLAWS SUPERMARKETS LIMITED	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	110
19	PES	LOBLAWS SUPERMARKETS LTD.	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	110
19	PES	LOBLAWS SUPERMARKETS LTD #1021	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	111
19	PES	LOBLAWS SUPERMARKETS LTD.	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	111
19	PES	LOBLAWS INC. STORE #1095	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	112
19	PES	LOBLAWS SUPERMARKETS LIMITED 1174	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	112
19	PES	LOBLAWS INC #1212	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	112
19	PES	LOBLAWS INC. # 1003	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	113
19	PES	ZEHR'S MARKETS	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	113

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	PES	LOBLAWS SUPERMARKETS #1027	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE/210.6	-0.97	114
19	PES	LOBLAWS SUPERMARKETS #1064	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE/210.6	-0.97	114
19	PES	LOBLAWS SUPERMARKETS #1090	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE/210.6	-0.97	114
19	PES	LOBLAWS SUPERMARKETS LTD. STORE #1099	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE/210.6	-0.97	115
19	PES	LOBLAWS SUPERMARKETS #1127	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE/210.6	-0.97	115
19	PES	LOBLAWS SUPERMARKET #1170	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE/210.6	-0.97	115
19	PES	LOBLAW SUPERMARKET #1200	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	116
19	PES	LOBLAWS SUPERMARKETS LTD. STORE #1208	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	116
19	PES	LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	117
19	PES	ZEHR'S MARKETS	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	117
19	PES	ZEHR'S MARKETS #539	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	117
19	PES	ZEHR'S MARKETS	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	118
19	PES	LOBLAWS SUPERMARKET #1032	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	118

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
19	PES	LOBLAWS SUPERMARKETS #1194	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	119
19	PES	LOBLAWS SUPERMARKETS LTD #1188	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	119
19	ECA	Loblaw Properties Limited	1460 Merivale Road Ottawa ON M4T 2S5	SSE/210.6	-0.97	119
19	ECA	Loblaw Properties Limited	1460 Merivale Road Ottawa ON L6Y 5S5	SSE/210.6	-0.97	120
19	GEN	Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	120
19	GEN	Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	120
19	GEN	Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	121
19	GEN	Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	122
19	GEN	Merivale Dental Centre	1460 Meivale Road Unit 4B Ottawa ON K2E5P2	SSE/210.6	-0.97	123
19	SPL	Loblaw Companies Limited	1460 Merivale Road Ottawa ON	SSE/210.6	-0.97	123
19	SPL	Seaboard Transport	1460 Merivale Rd Ottawa ON K2E 5P2	SSE/210.6	-0.97	124
19	EHS		1460 Merivale Rd Ottawa ON K2C 0A9	SSE/210.6	-0.97	124
19	PES	LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE/210.6	-0.97	124

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	GEN	Merivale Dental Centre	1460 Meivale Road Unit 4B Ottawa ON K2E5P2	SSE/210.6	-0.97	125
19	GEN	Loblaws Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	125
19	GEN	BG FUELS GAS BARS 4281	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	127
19	INC	BCP IV SERVICE STATION LP O/A BG FUELS	1460 MERIVALE RD.,OTTAWA,ON,K2E 5P2,CA ON	SSE/210.6	-0.97	127
19	FST	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	127
19	FST	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	128
19	FST		1460 MERIVALE RD OTTAWA ON K2E 5P2	SSE/210.6	-0.97	129
19	FST	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	129
19	FST	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	130
19	FST	SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	130
19	FST	SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE/210.6	-0.97	131
19	GEN	Merivale Dental Centre	1460 Meivale Road Unit 4B Ottawa ON K2E5P2	SSE/210.6	-0.97	131

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	GEN	Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	132
19	GEN	BG FUELS GAS BARS 4281	1460 Merivale Road Ottawa ON K2E 5P2	SSE/210.6	-0.97	133
20	CA		1305 Baseline Road Ottawa ON K2C 3X6	ENE/212.7	-3.00	133
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE/212.7	-3.00	134
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE/212.7	-3.00	134
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE/212.7	-3.00	135
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE/212.7	-3.00	136
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE/212.7	-3.00	136
20	SPL		1305 Baseline Rd Ottawa ON	ENE/212.7	-3.00	137
20	ECA	London Life Insurance Company and Besner-Vered (1980) Ltd.	1305 Baseline Road Ottawa ON K2C 0R3	ENE/212.7	-3.00	137
20	GEN	690723 Ontario Inc.	111-1305 Baseline Road Ottawa ON K2C 0R5	ENE/212.7	-3.00	138
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE/212.7	-3.00	138
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE/212.7	-3.00	139

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE/212.7	-3.00	140
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE/212.7	-3.00	140
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE/212.7	-3.00	142
20	GEN	MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE/212.7	-3.00	143
21	WWIS		1300 BASELINE RD OTTAWA ON <i>Well ID: 7186412</i>	E/215.2	-2.92	144
22	EHS		1454 Merivale Rd Ottawa ON K2E5P1	E/223.6	-3.69	146
23	WWIS		1292 BASELINE RD Ottawa ON <i>Well ID: 7182738</i>	E/224.4	-2.92	147
24	WWIS		1300 BASELINE RD Ottawa ON <i>Well ID: 7190947</i>	E/225.0	-2.92	150
25	EHS		Kimway Cres Ottawa ON	S/227.8	0.00	153
26	WWIS		1300 BASELINE OTTAWA ON <i>Well ID: 7186411</i>	E/228.0	-2.92	153
27	WWIS		1300 BASELINE RD Ottawa ON <i>Well ID: 7190946</i>	E/228.2	-2.92	156
28	WWIS		1450 MERIVALE RD Ottawa ON <i>Well ID: 7275404</i>	E/228.2	-3.76	159
29	BORE		ON	E/228.8	-2.92	162

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
30	WWIS		1292 BASELINE RD Ottawa ON <i>Well ID:</i> 7182739	E/229.5	-2.92	163
31	GEN	A & W Food Services of Canada	1454 Merivale Road Ottawa ON K2E 5P1	ESE/232.9	-3.69	167
32	WWIS		1292 BASELINE RD Ottawa ON <i>Well ID:</i> 7190926	E/233.9	-4.00	167
33	BORE		ON	SW/234.2	1.00	170
34	WWIS		1292 BASELINE RD Ottawa ON <i>Well ID:</i> 7190927	E/234.3	-4.00	171
35	WWIS		ON <i>Well ID:</i> 1507864	SW/234.3	1.00	174
36	WWIS		1450 MERIVALE RD Ottawa ON <i>Well ID:</i> 7275405	E/237.4	-4.00	177
37	WWIS		1450 MERIVALE RD Ottawa ON <i>Well ID:</i> 7275316	E/238.3	-4.00	180
38	SPL	TRANSPORT TRUCK	1450 MERIVALE RD. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K2E 5P1	E/240.8	-4.00	183
38	GEN	JOURNEY CAR RENTALS	1450 MERIVALE ROAD NEPEAN ON K2E 5P1	E/240.8	-4.00	183
38	EHS		1450 Merivale Rd Ottawa ON K2E5P1	E/240.8	-4.00	184
38	GEN	GOLDER ASSOCIATES INC.	1450 MERIVALE ROAD OTTAWA ON	E/240.8	-4.00	184
38	GEN	First Capital Realty Inc.	1450 Merivale Road Ottawa ON K2E 5P1	E/240.8	-4.00	184

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
38	GEN	First Capital Realty Inc.	1450 Merivale Road Ottawa ON K2E 5P1	E/240.8	-4.00	184
38	GEN	First Capital Realty Inc.	1450 Merivale Road Ottawa ON K2E 5P1	E/240.8	-4.00	185
39	WWIS		1292 BASELINE RD Ottawa ON Well ID: 7182740	E/241.2	-4.00	185
40	WWIS		1450 MERIVALE RD OTTAWA ON Well ID: 7242887	E/241.4	-4.00	189
40	WWIS		1450 MERIVALE RD OTTAWA ON Well ID: 7242932	E/241.4	-4.00	192
41	SPL	Hydro Ottawa Limited	IN FRONT OF 135 SCOUT<UNOFFICIAL> Ottawa ON K2C 4E3	W/242.2	-0.25	193
42	CA		1303 Baseline Road Ottawa ON	ENE/243.3	-2.92	194
42	CA		1303 Baseline Road Ottawa ON	ENE/243.3	-2.92	194
42	ECA	London Life Insurance Company and Besner-Vered (1980) Ltd.	1303 Baseline Rd Ottawa ON K2C 0R3	ENE/243.3	-2.92	194
42	ECA	London Life Insurance Company and Besner-Vered (1980) Ltd.	1303 Baseline Rd Ottawa ON K2C 0R3	ENE/243.3	-2.92	195
43	WWIS		1292 BASELINE RD Ottawa ON Well ID: 7190925	E/243.5	-4.00	195
44	SPL	MR. TRANSMISSION	1292 BASELINE ROAD OTTAWA CITY ON K2C 0A9	E/244.9	-4.00	198
44	EHS		1292 Baseline Road Ottawa ON K2C 0A9	E/244.9	-4.00	199

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
44	GEN	Mr. Transmission	1292 Baseline Rd Ottawa ON	E/244.9	-4.00	199
45	EHS		1292 Baseline Rd Ottawa ON K2C0A9	E/244.9	-4.00	199
46	CA	TDL GROUP LIMITED	1384 BASELINE ROAD (SWM) OTTAWA ON K2C 0A9	SW/246.3	1.00	199
47	WWIS		1450 MERIVALE RD Ottawa ON Well ID: 7275317	E/248.8	-4.00	200
48	WWIS		1292 BASELINE RD Ottawa ON Well ID: 7190928	E/249.5	-4.00	203

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 2 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SW	234.15	<u>33</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	E	228.78	<u>29</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 12 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TDL GROUP LIMITED	1384 BASELINE ROAD (SWM) OTTAWA ON K2C 0A9	SW	246.34	<u>46</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Federal Government of Canada - Public Works and Government Services Canada	1400 Merivale Rd 185-1341 Baseline Road Ottawa ON	NE	131.92	<u>4</u>
	1341 Baseline Road Ottawa ON	NE	131.92	<u>4</u>
LONDON LIFE INS. CO., BESNER-VERED (1980)	1339 BASELINE ROAD OTTAWA CITY ON	ENE	147.51	<u>5</u>

BELL NORTHERN RESEARCH LTD.	1339 BASELINE ROAD OTTAWA CITY ON	ENE	147.51	5
BELL-NORTHERN RESEARCH LIMITED	1339 BASELINE ROAD OTTAWA CITY ON	ENE	147.51	5
	1339 Baseline Road Ottawa ON	ENE	147.51	5
Loblaw Properties Limited	1460 Merivale Road Ottawa ON	SSE	210.59	19
Loblaw Properties Limited	1460 Merivale Road Ottawa ON	SSE	210.59	19
	1305 Baseline Road Ottawa ON K2C 3X6	ENE	212.68	20
	1303 Baseline Road Ottawa ON	ENE	243.33	42
	1303 Baseline Road Ottawa ON	ENE	243.33	42

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated May 31, 2021 has found that there are 14 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
SUNYS ENERGY INC ATTN RAFAH SHOOMAN	1460 MERIVALE RD NEPEAN ON	SSE	210.59	19
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19

SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS ENERGY INC ATTN RAFAH SHOOMAN	1460 MERIVALE RD NEPEAN ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN ON	SSE	210.59	19
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN ON K2E 5P2	SSE	210.59	19
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E 5P2	SSE	210.59	19
MAC'S CONVENIENCE STORES INC**	1460 MERIVALE RD NEPEAN ON K2E 5P2	SSE	210.59	19

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Nov 30, 2021 has found that there are 1 EASR site(s) within approximately 0.25

kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA	1375 BASELINE RD OTTAWA ON K2C 3G1	W	150.13	<u>6</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Nov 30, 2021 has found that there are 9 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Smart (Ottawa SW Senior Residences) PropCo GP Inc. as general partner for and on	behalf of Ottawa SW PropCo LP 1357 Baseline Rd Ottawa ON L4K 5Z5	WSW	196.10	<u>14</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Nortel Networks Corporation	Skyline- Tower VI Ottawa ON K1Y 4H7	ESE	80.21	<u>2</u>
London Life Insurance Company and Besner-Vered (1980) Ltd.	1341 Baseline Rd Ottawa ON K2C 0R3	NE	131.92	<u>4</u>
London Life Insurance Company and Besner-Vered (1980) Ltd.	1339 Baseline Road Ottawa ON K2C 0R3	ENE	147.51	<u>5</u>
Loblaw Properties Limited	1460 Merivale Road Ottawa ON L6Y 5S5	SSE	210.59	<u>19</u>
Loblaw Properties Limited	1460 Merivale Road Ottawa ON M4T 2S5	SSE	210.59	<u>19</u>
London Life Insurance Company and Besner-Vered (1980) Ltd.	1305 Baseline Road Ottawa ON K2C 0R3	ENE	212.68	<u>20</u>
London Life Insurance Company and Besner-Vered (1980) Ltd.	1303 Baseline Rd Ottawa ON K2C 0R3	ENE	243.33	<u>42</u>

London Life Insurance Company
and Besner-Vered (1980) Ltd.

1303 Baseline Rd
Ottawa ON K2C 0R3

ENE

243.33

[42](#)

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 13 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1365 -1385 Baseline Road Ottawa ON	WSW	168.13	8
	1374 Baseline Road Ottawa ON K2C 0A9	SSW	174.12	10
	1374 Baseline Rd Ottawa ON K2C0A9	SSW	174.12	10
	1357 Baseline Road Ottawa ON K2C 0A8	WSW	196.10	14
	Kimway Cres Ottawa ON	S	227.79	25
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1308, 1330 and 1350 Baseline Road and 1460 Merivale Road, Ottawa, ON Nepean ON K2E 5N9	SE	179.17	11
	1460 Merivale Road Nepean ON K2E 5N9	SE	184.03	12
	1460 Merivale Rd Ottawa ON K2C 0A9	SSE	210.59	19

1460 Merivale Road Ottawa ON	SSE	210.59	19
1454 Merivale Rd Ottawa ON K2E5P1	E	223.58	22
1450 Merivale Rd Ottawa ON K2E5P1	E	240.78	38
1292 Baseline Road Ottawa ON K2C 0A9	E	244.86	44
1292 Baseline Rd Ottawa ON K2C0A9	E	244.90	45

FST - Fuel Storage Tank

A search of the FST database, dated May 31, 2021 has found that there are 9 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
	1460 MERIVALE RD OTTAWA ON K2E 5P2	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
BCP IV SERVICE STATION LP O/A BG FUELS	1460 MERIVALE RD OTTAWA K2E 5P2 ON CA ON	SSE	210.59	19

SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19
BCP IV SERVICE STATION LP O/A BG FUELS	1460 MERIVALE RD OTTAWA K2E 5P2 ON CA ON	SSE	210.59	19
SUNYS ENERGY INC	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	SSE	210.59	19

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
LOBLAW PROPERTIES LTD AT THE PUMPS GASBAR DIV	1460 MERIVALE RD OTTAWA ON	SSE	210.59	19
LOBLAW PROPERTIES LTD GASBAR DIV	1460 MERIVALE RD OTTAWA ON	SSE	210.59	19

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 80 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Boy Scouts of Canada	1345 Baseline Road Ottawa ON K2C 0A7	-	0.00	1
Boy Scouts of Canada	1345 Baseline Road Ottawa ON K2C 0A7	-	0.00	1
Walmart Canada Corp.	1375 Baseline Road Ottawa ON	W	150.13	6
Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON	W	150.13	6

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Smile Shapers	1375 Baseline Rd Ottawa ON	W	150.13	6
Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W	150.13	6
Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W	150.13	6
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	6
Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2G3H7	W	150.13	6
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	6
Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W	150.13	6
Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2G3H7	W	150.13	6
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	6
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	6
Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W	150.13	6

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	<u>6</u>
Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W	150.13	<u>6</u>
Smile Shapers	1375 Baseline Rd Ottawa ON K2C3G1	W	150.13	<u>6</u>
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	<u>6</u>
Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	<u>6</u>
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	<u>6</u>
Caremedics Clyde Baseline Inc	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	<u>6</u>
Walmart Canada Corp.	1375 Baseline Road Ottawa ON K2C 3G1	W	150.13	<u>6</u>
OTTAWA BOARD OF EDUCATION	LAURENTIAN HIGH SCHOOL, 1357 BASELINERD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	WSW	196.10	<u>14</u>
THE OTTAWA BOARD OF EDUCATION	LAURENTIAN HIGH SCHOOL,1357 BASELINE RD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	WSW	196.10	<u>14</u>
OTTAWA BOARD OF EDUCATION	LAURENTIAN HIGH SCHOOL 1357 BASELINE ROAD OTTAWA ON K2C 0A8	WSW	196.10	<u>14</u>
THE OTTAWA BOARD OF EDUCATION 29-550	LAURENTIAN HIGH SCHOOL,1357 BASELINE RD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	WSW	196.10	<u>14</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	LAURENTIAN HIGH SCHOOL 1357 BASELINE ROAD OTTAWA ON K2C 0A8	WSW	196.10	<u>14</u>
Ottawa-Carleton District School Board	Laurention H.S. Public School 1357 Baseline Road Ottawa ON K2C 0A8	WSW	196.10	<u>14</u>
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	1357 BASELINE ROAD OTTAWA ON	WSW	196.10	<u>14</u>
CLYDESDALE SHOPPING CENTERS LTD	1357 BASELINE ROAD OTTAWA ON	WSW	196.10	<u>14</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Public Works and Government Services Canada	1341 Baseline Ottawa ON	NE	131.92	<u>4</u>
Public Works and Government Services Canada	1341 Baseline Ottawa ON K1A 0C5	NE	131.92	<u>4</u>
MAPLE LEAF PROPERTY MANAGEMENT	1341 Baseline Road Ottawa ON K2C 0R5	NE	131.92	<u>4</u>
Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E	192.50	<u>13</u>
Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E	192.50	<u>13</u>
Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E	192.50	<u>13</u>
Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E	192.50	<u>13</u>

Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E	192.50	13
Skyline Dental Associates	1306 Baseline road Ottawa ON K2C0A9	E	192.50	13
THE CO-OPERATORS (1457769 ONTARIO INC)	1300 BASELINE ROAD OTTAWA ON	E	207.82	17
LOBLAWS SUPERMARKETS LTD. 24-850	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LTD	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LIMITED	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE	210.59	19
SPORTS EXPERTS #51	1460 MERIVALE RD. NEPEAN ON K2E 5P2	SSE	210.59	19
SPORTS EXPERTS #51 34-397	1460 MERIVALE RD. NEPEAN ON K2E 5P2	SSE	210.59	19
SPORTS EXPERTS #51	1460 MERIVALE ROAD NEPEAN ON K2E 5P2	SSE	210.59	19
SHOPPERS DRUG MART	1460 MERIVALE ROAD OTTAWA ON K2E 5P2	SSE	210.59	19
SJL HOLDINGS LIMITED	1460 MERIVALE ROAD OTTAWA ON K2E 5N9	SSE	210.59	19
Merivale Dental Centre	1460 Meivale Road Unit 4B Ottawa ON K2E5P2	SSE	210.59	19

Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
BG FUELS GAS BARS 4281	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
Merivale Dental Centre	1460 Meivale Road Unit 4B Ottawa ON K2E5P2	SSE	210.59	19
Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
BG FUELS GAS BARS 4281	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
FCR MANAGEMENT SERVICES	1460 MERIVALE ROAD OTTAWA ON K2E 5P2	SSE	210.59	19
Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
Loblaw Properties Ltd.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
Merivale Dental Centre	1460 Meivale Road Unit 4B Ottawa ON K2E5P2	SSE	210.59	19
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE	212.68	20
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE	212.68	20

MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON	ENE	212.68	<u>20</u>
690723 Ontario Inc.	111-1305 Baseline Road Ottawa ON K2C 0R5	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE	212.68	<u>20</u>
MAPLE LEAF PROPERTY MANAGEMENT	1305 BASELINE ROAD OTTAWA ON K2C 0R5	ENE	212.68	<u>20</u>
A & W Food Services of Canada	1454 Merivale Road Ottawa ON K2E 5P1	ESE	232.89	<u>31</u>
JOURNEY CAR RENTALS	1450 MERIVALE ROAD NEPEAN ON K2E 5P1	E	240.78	<u>38</u>

GOLDER ASSOCIATES INC.	1450 MERIVALE ROAD OTTAWA ON	E	240.78	38
First Capital Realty Inc.	1450 Merivale Road Ottawa ON K2E 5P1	E	240.78	38
First Capital Realty Inc.	1450 Merivale Road Ottawa ON K2E 5P1	E	240.78	38
First Capital Realty Inc.	1450 Merivale Road Ottawa ON K2E 5P1	E	240.78	38
Mr. Transmission	1292 Baseline Rd Ottawa ON	E	244.86	44

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated May 31, 2021 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
BCP IV SERVICE STATION LP O/A BG FUELS	1460 MERIVALE RD.,OTTAWA,ON, K2E 5P2,CA ON	SSE	210.59	19

PES - Pesticide Register

A search of the PES database, dated Oct 2011- Nov 30, 2021 has found that there are 37 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C3G1	W	150.13	6
WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C 3G1	W	150.13	6
	1375 BASELINE RD OTTAWA ON K2C 3G1	W	150.13	6

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C3G1	W	150.13	<u>6</u>
WAL-MART CANADA CORP. STORE #1110	1375 BASELINE RD OTTAWA ON K2C 3G1	W	150.13	<u>6</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
LOBLAWS SUPERMARKETS LTD #1188	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	<u>19</u>
LOBLAWS SUPERMARKETS #1194	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	<u>19</u>
LOBLAWS LIMITED C.O.B. AS "LOBLAWS" 082-8	1460 MERIVALE ROAD OTTAWA ON	SSE	210.59	<u>19</u>
LOBLAWS SUPERMARKETS LTD.	1460 MERIVALE ROAD OTTAWA ON K2J 3W6	SSE	210.59	<u>19</u>
LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E 5P2	SSE	210.59	<u>19</u>
SHOPPERS DRUG MART #627	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	<u>19</u>
LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	<u>19</u>
SHOPPERS DRUG MART #627	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	<u>19</u>
LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	<u>19</u>

SHOPPERS DRUG MART #627	1460 MERIVALE RD OTTAWA ON K2E 5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LIMITED	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LTD.	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LTD #1021	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LTD.	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS INC. STORE #1095	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LIMITED 1174	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS INC #1212	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS INC. # 1003	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
ZEHRS MARKETS	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS #1027	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE	210.59	19
LOBLAWS SUPERMARKETS #1064	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE	210.59	19
LOBLAWS SUPERMARKETS #1090	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE	210.59	19

LOBLAWS SUPERMARKETS LTD. STORE #1099	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE	210.59	19
LOBLAWS SUPERMARKETS #1127	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE	210.59	19
LOBLAWS SUPERMARKET #1170	1460 MERIVALE RD OTTAWA ON K2E1P5	SSE	210.59	19
LOBLAW SUPERMARKET #1200	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LTD. STORE #1208	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKETS LTD #1082	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
ZEHRS MARKETS	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
ZEHRS MARKETS #539	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
ZEHRS MARKETS	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19
LOBLAWS SUPERMARKET #1032	1460 MERIVALE RD OTTAWA ON K2E5P2	SSE	210.59	19

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 4 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	-----------------------	-------------------------	----------------------------	-----------------------

SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE	210.59	19
C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE	210.59	19
	1460 MERIVALE RD. NEPEAN, ONT. ON	SSE	210.59	19
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE	210.59	19

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Nov 2021 has found that there are 2 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Clydesdale Shopping Centres Limited	1357 BASELINE RD, OTTAWA, ON, K2C 0A8 OTTAWA ON K2C 0A8	WSW	196.10	14

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Reno Realty Holdings Limited	1460 Merivale Road, Ottawa, Ontario, K2E 5P2, ON	SSE	210.59	19

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Sep 30, 2021 has found that there are 1 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
SUNYS PETROLEUM INC	1460 MERIVALE RD NEPEAN ON K2E5P2	SSE	210.59	19

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 1 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Scouting Life	1345 Baseline Rd Unit 100 Ottawa ON K2C 0A7	-	0.00	1

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020 has found that there are 14 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
OTTAWA BOARD OF EDUCATION	1357 BASELINE ROAD OTTAWA CITY ON K2C 0A8	WSW	196.10	14

Walmart Canada Corp.	1357 Baseline Rd Ottawa ON	WSW	196.10	14
----------------------	-------------------------------	-----	--------	--------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1308 Baseline Road Ottawa ON K2E 5P2	E	170.44	9

Loblaws Companies East	1460 Merivale Rd. Ottawa ON	SSE	210.59	19
------------------------	--------------------------------	-----	--------	--------------------

Seaboard Transport	1460 Merivale Rd Ottawa ON K2E 5P2	SSE	210.59	19
--------------------	---------------------------------------	-----	--------	--------------------

Loblaws Inc.	1460 Merivale Road Ottawa ON K2E 5P2	SSE	210.59	19
--------------	---	-----	--------	--------------------

Parson Refrigeration (1985) Ltd.	1460 Merivale Rd Ottawa ON	SSE	210.59	19
----------------------------------	-------------------------------	-----	--------	--------------------

Loblaws Companies Limited	1460 Merivale Road Ottawa ON	SSE	210.59	19
---------------------------	---------------------------------	-----	--------	--------------------

NATIONAL GROCERIES COMPANY LTD	1460 MERIVALE RD OTTAWA CITY ON	SSE	210.59	19
--------------------------------	------------------------------------	-----	--------	--------------------

NATIONAL GROCERIES COMPANY LTD	1460 MERIVALE RD OTTAWA CITY ON	SSE	210.59	19
	1305 Baseline Rd Ottawa ON	ENE	212.68	20
TRANSPORT TRUCK	1450 MERIVALE RD. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K2E 5P1	E	240.78	38
Hydro Ottawa Limited	IN FRONT OF 135 SCOUT<UNOFFICIAL> Ottawa ON K2C 4E3	W	242.20	41
MR. TRANSMISSION	1292 BASELINE ROAD OTTAWA CITY ON K2C 0A9	E	244.86	44


WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2021 has found that there are 24 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID:</i> 1507864	SW	234.31	35
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1300 BASELINE RD Ottawa ON <i>Well ID:</i> 7187999	ESE	91.10	3
	1300 BASELINE RD Ottawa ON <i>Well ID:</i> 7187998	ESE	91.10	3
	1308 BASELINE RD Ottawa ON <i>Well ID:</i> 7350088	E	154.09	7
	1306 BASELINE RD Ottawa ON	E	199.01	15

Well ID: 7190923			
ON	ENE	206.47	<u>16</u>
Well ID: 1508496			
lot 35 con A ON	SE	209.99	<u>18</u>
Well ID: 1504627			
1300 BASELINE RD OTTAWA ON	E	215.18	<u>21</u>
Well ID: 7186412			
1292 BASELINE RD Ottawa ON	E	224.41	<u>23</u>
Well ID: 7182738			
1300 BASELINE RD Ottawa ON	E	225.01	<u>24</u>
Well ID: 7190947			
1300 BASELINE OTTAWA ON	E	227.99	<u>26</u>
Well ID: 7186411			
1300 BASELINE RD Ottawa ON	E	228.19	<u>27</u>
Well ID: 7190946			
1450 MERIVALE RD Ottawa ON	E	228.22	<u>28</u>
Well ID: 7275404			
1292 BASELINE RD Ottawa ON	E	229.49	<u>30</u>
Well ID: 7182739			
1292 BASELINE RD Ottawa ON	E	233.86	<u>32</u>
Well ID: 7190926			
1292 BASELINE RD Ottawa ON	E	234.30	<u>34</u>
Well ID: 7190927			
1450 MERIVALE RD Ottawa ON	E	237.39	<u>36</u>
Well ID: 7275405			

1450 MERIVALE RD Ottawa ON	E	238.32	<u>37</u>
<i>Well ID: 7275316</i>			
1292 BASELINE RD Ottawa ON	E	241.20	<u>39</u>
<i>Well ID: 7182740</i>			
1450 MERIVALE RD OTTAWA ON	E	241.44	<u>40</u>
<i>Well ID: 7242887</i>			
1450 MERIVALE RD OTTAWA ON	E	241.44	<u>40</u>
<i>Well ID: 7242932</i>			
1292 BASELINE RD Ottawa ON	E	243.52	<u>43</u>
<i>Well ID: 7190925</i>			
1450 MERIVALE RD Ottawa ON	E	248.76	<u>47</u>
<i>Well ID: 7275317</i>			
1292 BASELINE RD Ottawa ON	E	249.45	<u>48</u>
<i>Well ID: 7190928</i>			



Map: 0.25 Kilometer Radius

Order Number: 22011300636

Address: 1345 Baseline Road, Ottawa, ON



★ Project Property	Freeways; Highways	Beach	Shopping & Sports Area
⬡ Buffer Outline	Traffic Circle; Ramp	Airport	University/College
▲ Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
■ Eris Sites with Same Elevation	Local Road	Military Base	Park (National)
▼ Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
○ Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	



Aerial Year: 2020

Order Number: 22011300636

Address: 1345 Baseline Road, Ottawa, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

75°45'W


75°43'30"W

45°22'30"N

45°22'30"N

45°21'N

45°21'N



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Address: 1345 Baseline Road, ON

Source: ESRI World Topographic Map

Order Number: 22011300636



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 3	-/0.0	98.9 / 0.00	Scouting Life 1345 Baseline Rd Unit 100 Ottawa ON K2C 0A7	SCT
<p>Established: Plant Size (ft²): Employment:</p> <p>--Details-- Description: Periodical Publishers SIC/NAICS Code: 511120</p>					
1	2 of 3	-/0.0	98.9 / 0.00	Boy Scouts of Canada 1345 Baseline Road Ottawa ON K2C 0A7	GEN
<p>Generator No: ON7118797 SIC Code: 611690 SIC Description: All Other Schools and Instruction Approval Years: 06,07,08 PO Box No: Country:</p> <p>Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:</p> <p>Detail(s)</p> <p>Waste Class: 262 Waste Class Desc: DETERGENTS/SOAPS</p> <p>Waste Class: 148 Waste Class Desc: INORGANIC LABORATORY CHEMICALS</p> <p>Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES</p> <p>Waste Class: 122 Waste Class Desc: ALKALINE WASTES - OTHER METALS</p>					
1	3 of 3	-/0.0	98.9 / 0.00	Boy Scouts of Canada 1345 Baseline Road Ottawa ON K2C 0A7	GEN
<p>Generator No: ON7118797 SIC Code: 611690 SIC Description: All Other Schools and Instruction Approval Years: 2010 PO Box No: Country:</p> <p>Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:</p> <p>Detail(s)</p> <p>Waste Class: 122</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			

2	1 of 1	ESE/80.2	97.9 / -1.03	Nortel Networks Corporation Skyline- Tower VI Ottawa ON K1Y 4H7	ECA
Approval No:	5258-4NASH3			MOE District:	Ottawa
Approval Date:	2000-08-28			City:	
Status:	Revoked and/or Replaced			Longitude:	-75.735306
Record Type:	ECA			Latitude:	45.36349
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Business Name:	Nortel Networks Corporation				
Address:	Skyline- Tower VI				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/2022-4MKNWW-14.pdf				
PDF Site Location:					

3	1 of 2	ESE/91.1	97.8 / -1.09	1300 BASELINE RD Ottawa ON	WWIS
Well ID:	7187998			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	9/24/2012
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z156781			Owner:	
Tag:	A112809			Street Name:	1300 BASELINE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7187187998.pdf				

Additional Detail(s) (Map)

Well Completed Date: 2012/08/10
Year Completed: 2012

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		9.14			
Latitude:		45.3632761387269			
Longitude:		-75.7352937269479			
Path:		718\7187998.pdf			

Bore Hole Information

Bore Hole ID:	1004164239	Elevation:	100.886810
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442415.00
Code OB Desc:		North83:	5023570.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10-Aug-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004447835
Layer:	2
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	0.15000000596046448
Formation End Depth:	0.3100000023841858
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004447836
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	28
Mat3 Desc:	SAND
Formation Top Depth:	0.3100000023841858
Formation End Depth:	2.740000009536743
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004447834
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.15000000596046448			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004447837			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		71			
Mat2 Desc:		FRACTURED			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		2.740000009536743			
Formation End Depth:		9.140000343322754			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004447848			
Layer:		3			
Plug From:		4.26999998092651			
Plug To:		9.14000034332275			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004447847			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		4.26999998092651			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004447846			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1004447845			
Method Construction Code:		5			
Method Construction:		Air Percussion			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004447833			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004447841			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.57000017166138			
Casing Diameter:		3.8199999332428			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004447842			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.57000017166138			
Screen End Depth:		9.14000034332275			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.03000020980835			
<u>Water Details</u>					
Water ID:		1004447840			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004447839			
Diameter:		7.619999885559082			
Depth From:		3.0999999046325684			
Depth To:		9.140000343322754			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004447838			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.0999999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
3	2 of 2	ESE/91.1	97.8 / -1.09	1300 BASELINE RD Ottawa ON	WWIS

Well ID:	7187999	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	9/24/2012
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z156782	Owner:	
Tag:	A112808	Street Name:	1300 BASELINE RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7187187999.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/08/10
Year Completed: 2012
Depth (m): 9.14
Latitude: 45.3632761387269
Longitude: -75.7352937269479
Path: 718\7187999.pdf

Bore Hole Information

Bore Hole ID:	1004164242	Elevation:	100.886810
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442415.00
Code OB Desc:		North83:	5023570.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10-Aug-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1004447853
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 71

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		FRACTURED			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		2.740000009536743			
Formation End Depth:		9.140000343322754			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004447850			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.15000000596046448			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004447851			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.15000000596046448			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004447852			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		28			
Mat3 Desc:		SAND			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.740000009536743			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004447862			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004447864			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		4.26999998092651			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004447863			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004447865			
<i>Layer:</i>		3			
<i>Plug From:</i>		4.26999998092651			
<i>Plug To:</i>		9.14000034332275			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004447861			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004447849			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1004447857			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		4.57000017166138			
<i>Casing Diameter:</i>		4.82000017166138			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Screen ID: 1004447858
Layer: 1
Slot: 10
Screen Top Depth: 4.57000017166138
Screen End Depth: 9.14000034332275
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.03000020980835

Water Details

Water ID: 1004447856
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004447855
Diameter: 7.619999885559082
Depth From: 3.0999999046325684
Depth To: 9.140000343322754
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004447854
Diameter: 11.430000305175781
Depth From: 0.0
Depth To: 3.0999999046325684
Hole Depth UOM: m
Hole Diameter UOM: cm

4	1 of 6	NE/131.9	97.2 / -1.69	1341 Baseline Road Ottawa ON	CA
-------------------	--------	----------	--------------	---------------------------------	----

Certificate #: 5717-4GKTAD
Application Year: 00
Issue Date: 2/18/00
Approval Type: Industrial air
Status: Approved
Application Type: New Certificate of Approval
Client Name: London Life Insurance Company And Besner-Vered (1980) Ltd.
Client Address: 1801 Woodward Drive
Client City: Ottawa
Client Postal Code: K2C 0R3
Project Description: Installation of a 180 kW emergency generator to provide back-up power for Tower VII
Contaminants:
Emission Control:

4	2 of 6	NE/131.9	97.2 / -1.69	Public Works and Government Services Canada 1341 Baseline Ottawa ON	GEN
-------------------	--------	----------	--------------	---	-----

Generator No: ON8992854
SIC Code: 911910
Status:
Co Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

SIC Description:	Other Federal Government Public Administration	Choice of Contact:
Approval Years:	06,07,08	Phone No Admin:
PO Box No:		Contam. Facility:
Country:		MHSW Facility:

Detail(s)

Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS

<u>4</u>	3 of 6	NE/131.9	97.2 / -1.69	Federal Government of Canada - Public Works and Government Services Canada 1400 Merivale Rd 185-1341 Baseline Road Ottawa ON	CA
----------	--------	----------	--------------	--	----

Certificate #:	8958-7CGS78
Application Year:	2008
Issue Date:	3/7/2008
Approval Type:	Air
Status:	Approved
Application Type:	
Client Name:	
Client Address:	
Client City:	
Client Postal Code:	
Project Description:	
Contaminants:	
Emission Control:	

<u>4</u>	4 of 6	NE/131.9	97.2 / -1.69	Public Works and Government Services Canada 1341 Baseline Ottawa ON K1A 0C5	GEN
----------	--------	----------	--------------	---	-----

Generator No:	ON8992854	Status:
SIC Code:	911910	Co Admin:
SIC Description:	Other Federal Government Public Administration	Choice of Contact:
Approval Years:	2010	Phone No Admin:
PO Box No:		Contam. Facility:
Country:		MHSW Facility:

Detail(s)

Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: 331 Waste Class Desc: WASTE COMPRESSED GASES Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 221 Waste Class Desc: LIGHT FUELS Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
4	5 of 6	NE/131.9	97.2 / -1.69	London Life Insurance Company and Besner-Vered (1980) Ltd. 1341 Baseline Rd Ottawa ON K2C 0R3	ECA
Approval No: 5717-4GKTAD Approval Date: 2000-02-18 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-AIR Project Type: AIR Business Name: London Life Insurance Company and Besner-Vered (1980) Ltd. Address: 1341 Baseline Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5558-4FRQSR-14.pdf PDF Site Location:					
4	6 of 6	NE/131.9	97.2 / -1.69	MAPLE LEAF PROPERTY MANAGEMENT 1341 Baseline Road Ottawa ON K2C 0R5	GEN
Generator No: ON5024278 SIC Code: SIC Description: Approval Years: As of Dec 2018 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:					
Detail(s)					
Waste Class: 212 L Waste Class Desc: Aliphatic solvents and residues					
5	1 of 5	ENE/147.5	96.9 / -2.00	BELL NORTHERN RESEARCH LTD. 1339 BASELINE ROAD OTTAWA CITY ON	CA
Certificate #: 8-4019-94- Application Year: 94 Issue Date: 3/23/1994 Approval Type: Industrial air Status: Approved Application Type: Client Name: Client Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client City: Client Postal Code: Project Description: KITCHEN AND HOT WATER BOILER EXHAUSTS Contaminants: Nitrogen Oxides, Odour/Fumes Emission Control: No Controls					
5	2 of 5	ENE/147.5	96.9 / -2.00	LONDON LIFE INS. CO., BESNER-VERED (1980) 1339 BASELINE ROAD OTTAWA CITY ON	CA
Certificate #: 8-4129-90-90 Application Year: 90 Issue Date: 12/5/1990 Approval Type: Industrial air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: COMBUSTION EQUIPMENT Contaminants: Emission Control:					
5	3 of 5	ENE/147.5	96.9 / -2.00	BELL-NORTHERN RESEARCH LIMITED 1339 BASELINE ROAD OTTAWA CITY ON	CA
Certificate #: 8-4244-95-966 Application Year: 95 Issue Date: 2/2/96 Approval Type: Industrial air Status: Received in 1995, Issued in 1996 Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: 1000KW STANDBY GENERATOR Contaminants: Nitrogen Oxides Emission Control:					
5	4 of 5	ENE/147.5	96.9 / -2.00	1339 Baseline Road Ottawa ON	CA
Certificate #: 6040-4GJQAW Application Year: 00 Issue Date: 2/15/00 Approval Type: Industrial air Status: Approved Application Type: New Certificate of Approval Client Name: London Life Insurance Company and Besner-Vered (1980) Ltd. Client Address: 1801 Woodward Drive Client City: Ottawa Client Postal Code: K2C 0R3 Project Description: Installation of a 1000 kW emergency generator to provide back-up power for Tower VI Contaminants: Emission Control:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
5	5 of 5	ENE/147.5	96.9 / -2.00	London Life Insurance Company and Besner-Vered (1980) Ltd. 1339 Baseline Road Ottawa ON K2C 0R3	ECA
<p> Approval No: 6040-4GJQAW Approval Date: 2000-02-15 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Business Name: London Life Insurance Company and Besner-Vered (1980) Ltd. Address: 1339 Baseline Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4031-4FRQJE-14.pdf PDF Site Location: </p>					
6	1 of 27	W/150.1	98.9 / 0.00	WAL-MART CANADA CORP. STORE #1110 1375 BASELINE RD OTTAWA ON K2C 3G1	PES
<p> Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location: </p>					
6	2 of 27	W/150.1	98.9 / 0.00	Caremedics Clyde Baseline Inc 1375 Baseline Road Ottawa ON K2C 3G1	GEN
<p> Generator No: ON5950647 SIC Code: 621110 SIC Description: Approval Years: 2011 PO Box No: Country: </p>					
6	3 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
<p> Generator No: ON5683698 SIC Code: 453999 SIC Description: Approval Years: 2011 </p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country:				Contam. Facility: MHSW Facility:	
6	4 of 27	W/150.1	98.9 / 0.00	WAL-MART CANADA CORP. STORE #1110 1375 BASELINE RD OTTAWA ON K2C 3G1	PES
Detail Licence No: 23-01-15810-0 Licence No: Status: Approval Date: Report Source: Licence Type: LIMITED Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
6	5 of 27	W/150.1	98.9 / 0.00	Caremedics Clyde Baseline Inc 1375 Baseline Road Ottawa ON K2C 3G1	GEN
Generator No: ON5950647 SIC Code: 621110 SIC Description: Offices of Physicians Approval Years: 2012 PO Box No: Country:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:			
6	6 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
Generator No: ON5683698 SIC Code: 453999 SIC Description: All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores) Approval Years: 2012 PO Box No: Country:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:			
6	7 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON	GEN
Generator No: ON5683698 SIC Code: 453999 SIC Description: ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE-MAKING SUPPLIES STORES) Approval Years: 2013 PO Box No:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

<u>6</u>	8 of 27	W/150.1	98.9 / 0.00	Caremedics Clyde Baseline Inc 1375 Baseline Road Ottawa ON	GEN
Generator No:	ON5950647			Status:	
SIC Code:	621110			Co Admin:	
SIC Description:	OFFICES OF PHYSICIANS			Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			

<u>6</u>	9 of 27	W/150.1	98.9 / 0.00	Smile Shapers 1375 Baseline Rd Ottawa ON	GEN
Generator No:	ON4948320			Status:	
SIC Code:	621210			Co Admin:	
SIC Description:	OFFICES OF DENTISTS			Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
6	10 of 27	W/150.1	98.9 / 0.00	WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA 1375 BASELINE RD OTTAWA ON K2C 3G1	EASR
Approval No: R-003-7540795139 Status: REGISTERED Date: 2015-11-16 Record Type: EASR Link Source: MOFA Project Type: Heating System Full Address: Approval Type: EASR-Heating System Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2017919 PDF URL: PDF Site Location:		SWP Area Name: Rideau Valley MOE District: Ottawa Municipality: OTTAWA Latitude: 45.36222222 Longitude: -75.73833333 Geometry X: Geometry Y:			
6	11 of 27	W/150.1	98.9 / 0.00	WAL-MART CANADA CORP. STORE #1110 1375 BASELINE RD OTTAWA ON K2C3G1	PES
Detail Licence No: Licence No: 17889 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 2242664 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
6	12 of 27	W/150.1	98.9 / 0.00	Smile Shapers 1375 Baseline Rd Ottawa ON K2C3G1	GEN
Generator No: ON4948320 SIC Code: 621210 SIC Description: OFFICES OF DENTISTS Approval Years: 2016 PO Box No: Country: Canada		Status: Co Admin: Tania Atanassova Choice of Contact: CO_OFFICIAL Phone No Admin: 6132265559 Ext. Contam. Facility: No MHSW Facility: No			
<u>Detail(s)</u>					
Waste Class: 261					
Waste Class Desc: PHARMACEUTICALS					
Waste Class: 312					
Waste Class Desc: PATHOLOGICAL WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>6</u>	13 of 27	W/150.1	98.9 / 0.00	Smile Shapers 1375 Baseline Rd Ottawa ON K2C3G1	GEN
Generator No:	ON4948320			Status:	
SIC Code:	621210			Co Admin:	Chandan Advani
SIC Description:	OFFICES OF DENTISTS			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	6132265559 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				
<u>6</u>	14 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
Generator No:	ON5683698			Status:	
SIC Code:	453999			Co Admin:	Vincent Feng
SIC Description:	ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE- MAKING SUPPLIES STORES)			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	905-821-2111 Ext.75212
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	242				
Waste Class Desc:	HALOGENATED PESTICIDES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>6</u>	15 of 27	W/150.1	98.9 / 0.00	Caremedics Clyde Baseline Inc 1375 Baseline Road Ottawa ON K2G3H7	GEN
Generator No:	ON5950647			Status:	
SIC Code:	621110			Co Admin:	Sarah Germain
SIC Description:	OFFICES OF PHYSICIANS			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Phone No Admin:	6136273901 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
<u>6</u>	16 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
Generator No:	ON5683698			Status:	
SIC Code:	453999			Co Admin:	Jason Fries
SIC Description:	ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE- MAKING SUPPLIES STORES)			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Phone No Admin:	905-821-2111 Ext.75127
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				
Waste Class:	242				
Waste Class Desc:	HALOGENATED PESTICIDES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
<u>6</u>	17 of 27	W/150.1	98.9 / 0.00	Smile Shapers 1375 Baseline Rd Ottawa ON K2C3G1	GEN
Generator No:	ON4948320			Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:	621210			Co Admin:	Janice Titus
SIC Description:	OFFICES OF DENTISTS			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	6137919301 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				
6	18 of 27	W/150.1	98.9 / 0.00	Caremedics Clyde Baseline Inc 1375 Baseline Road Ottawa ON K2G3H7	GEN
Generator No:	ON5950647			Status:	
SIC Code:	621110			Co Admin:	Sarah Germain
SIC Description:	OFFICES OF PHYSICIANS			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Phone No Admin:	6136273901 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
6	19 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
Generator No:	ON5683698			Status:	
SIC Code:	453999			Co Admin:	Vincent Feng
SIC Description:	ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE- MAKING SUPPLIES STORES)			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Phone No Admin:	905-821-2111 Ext.75212
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	242				
Waste Class Desc:	HALOGENATED PESTICIDES				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

<u>6</u>	20 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
Generator No:	ON5683698			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Detail(s)

Waste Class:	112 C
Waste Class Desc:	Acid solutions - containing heavy metals
Waste Class:	122 C
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	148 C
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	148 I
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	148 T
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	242 A
Waste Class Desc:	Halogenated pesticides and herbicides
Waste Class:	252 L
Waste Class Desc:	Waste crankcase oils and lubricants
Waste Class:	263 I
Waste Class Desc:	Misc. waste organic chemicals
Waste Class:	312 P
Waste Class Desc:	Pathological wastes
Waste Class:	331 I
Waste Class Desc:	Waste compressed gases including cylinders

<u>6</u>	21 of 27	W/150.1	98.9 / 0.00	Smile Shapers 1375 Baseline Rd Ottawa ON K2C3G1	GEN
Generator No:	ON4948320			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
Detail(s)					
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				

<u>6</u>	22 of 27	W/150.1	98.9 / 0.00	WAL-MART CANADA CORP. STORE #1110 1375 BASELINE RD OTTAWA ON K2C3G1	PES
Detail Licence No:				Operator Box:	
Licence No:	15810			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	613
Licence Type:	Limited Vendor			Oper Phone No:	2242664
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					

<u>6</u>	23 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
Generator No:	ON5683698			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Detail(s)					
Waste Class:	122 C				
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)				
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	112 C				
Waste Class Desc:	Acid solutions - containing heavy metals				
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	148 T				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		242 A			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		261 L			
Waste Class Desc:		Pharmaceuticals			

[6](#) 24 of 27 W/150.1 98.9 / 0.00 Smile Shapers
1375 Baseline Rd
Ottawa ON K2C3G1 GEN

Generator No:	ON4948320	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Jul 2020	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class:	312 P
Waste Class Desc:	Pathological wastes
Waste Class:	261 A
Waste Class Desc:	Pharmaceuticals

[6](#) 25 of 27 W/150.1 98.9 / 0.00 Smile Shapers
1375 Baseline Rd
Ottawa ON K2C3G1 GEN

Generator No:	ON4948320	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Nov 2021	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class:	261 A
Waste Class Desc:	Pharmaceuticals
Waste Class:	312 P
Waste Class Desc:	Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

6	26 of 27	W/150.1	98.9 / 0.00	Walmart Canada Corp. 1375 Baseline Road Ottawa ON K2C 3G1	GEN
-------------------	----------	---------	-------------	---	-----

Generator No:	ON5683698	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Nov 2021	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class:	242 A
Waste Class Desc:	Halogenated pesticides and herbicides
Waste Class:	252 L
Waste Class Desc:	Waste crankcase oils and lubricants
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	148 C
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	112 C
Waste Class Desc:	Acid solutions - containing heavy metals
Waste Class:	312 P
Waste Class Desc:	Pathological wastes
Waste Class:	261 L
Waste Class Desc:	Pharmaceuticals
Waste Class:	331 I
Waste Class Desc:	Waste compressed gases including cylinders
Waste Class:	148 I
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	122 C
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)
Waste Class:	148 T
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	261 A
Waste Class Desc:	Pharmaceuticals
Waste Class:	263 I
Waste Class Desc:	Misc. waste organic chemicals

6	27 of 27	W/150.1	98.9 / 0.00	1375 BASELINE RD OTTAWA ON K2C 3G1	PES
-------------------	----------	---------	-------------	---------------------------------------	-----

Detail Licence No:		Operator Box:	
Licence No:	L-232-3128651814	Operator Class:	
Status:	Active	Operator No:	
Approval Date:	2021-04-27	Operator Type:	
Report Source:	PEST-Limited Vendor	Oper Area Code:	
Licence Type:	Limited Vendor	Oper Phone No:	
Licence Type Code:		Operator Ext:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Licence Class: Licence Control: Latitude: 45.36222222 Longitude: -75.73833333 Lot: Concession: Region: District: County: Trade Name: PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2391769 PDF Site Location:				Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: Ottawa SWP Area Name: Rideau Valley	

7	1 of 1	E/154.1	97.0 / -1.92	1308 BASELINE RD Ottawa ON	WWIS
Well ID: 7350088 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z296614 Tag: A255952 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Entry Status: Data Src: Date Received: 12/18/2019 Selected Flag: True Abandonment Rec: Contractor: 6964 Form Version: 7 Owner: Street Name: 1308 BASELINE RD County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):				https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/735\7350088.pdf	

Additional Detail(s) (Map)

Well Completed Date:
Year Completed:
Depth (m): 2.6160984
Latitude: 45.3636694899419
Longitude: -75.7343156145505
Path: 735\7350088.pdf

Bore Hole Information

Bore Hole ID: 1007816388	Elevation:
DP2BR:	Elevrc:
Spatial Status:	Zone: 18
Code OB:	East83: 442492.00
Code OB Desc:	North83: 5023613.00
Open Hole:	Org CS: UTM83
Cluster Kind:	UTMRC: 4
Date Completed:	UTMRC Desc: margin of error : 30 m - 100 m
Remarks:	Location Method: wwr
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008149363			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		01			
Mat3 Desc:		FILL			
Formation Top Depth:		0.0			
Formation End Depth:		8.583000183105469			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008150080			
Layer:		2			
Plug From:		0.5			
Plug To:		2.58299994468689			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008150079			
Layer:		1			
Plug From:		0			
Plug To:		0.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008150081			
Layer:		3			
Plug From:		2.58299994468689			
Plug To:		8.58300018310547			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1008150919			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		H.S AUGER			
<u>Pipe Information</u>					
Pipe ID:		1008148315			
Casing No:		0			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

Construction Record - Screen

Screen ID: 1008151560
 Layer: 1
 Slot: 10
 Screen Top Depth: 3.58299994468689
 Screen End Depth: 8.58300018310547
 Screen Material: 5
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter: 6

Results of Well Yield Testing

Pump Test ID: 1008152098
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method: 0
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1008150483
 Diameter: 8.0
 Depth From: 0.0
 Depth To: 8.583000183105469
 Hole Depth UOM: ft
 Hole Diameter UOM: Inch

8	1 of 1	WSW/168.1	99.9 / 1.00	1365 -1385 Baseline Road Ottawa ON	EHS
-------------------	--------	-----------	-------------	---------------------------------------	-----

Order No:	20130705008	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	11-JUL-13	Search Radius (km):	.25
Date Received:	05-JUL-13	X:	-75.738154
Previous Site Name:		Y:	45.362967
Lot/Building Size:			
Additional Info Ordered:			

9	1 of 1	E/170.4	95.9 / -3.00	1308 Baseline Road Ottawa ON K2E 5P2	SPL
-------------------	--------	---------	--------------	---	-----

Ref No:	1300-ASVQ6X	Discharger Report:	
Site No:	NA	Material Group:	
Incident Dt:	2017/11/01	Health/Env Conseq:	2 - Minor Environment
Year:		Client Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Cause:				Sector Type:	Miscellaneous Industrial
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	12			Nearest Watercourse:	
Contaminant Name:	GASOLINE			Site Address:	1308 Baseline Road
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	K2E 5P2
Contaminant UN No 1:	1203			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air; Ground Water			Northing:	5023587
MOE Response:	No			Easting:	442455
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2017/11/07			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Operator/Human Error			Source Type:	Truck - Transport/Hauling
Site Name:	Refuel at Loblaws #4281<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	BG Fuels: gasoline spill at Gas Bar, unkwn qnty				
Contaminant Qty:	0 other - see incident description				

10	1 of 2	SSW/174.1	99.9 / 1.00	1374 Baseline Rd Ottawa ON K2C0A9	EHS
Order No:	20150903023			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	09-SEP-15			Search Radius (km):	.25
Date Received:	03-SEP-15			X:	-75.737033
Previous Site Name:				Y:	45.362233
Lot/Building Size:					
Additional Info Ordered:					

10	2 of 2	SSW/174.1	99.9 / 1.00	1374 Baseline Road Ottawa ON K2C 0A9	EHS
Order No:	20190911012			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	17-SEP-19			Search Radius (km):	.25
Date Received:	11-SEP-19			X:	-75.737033
Previous Site Name:				Y:	45.362233
Lot/Building Size:	10,247.23 ft² (0.235 ac)				
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Aerial Photos				

11	1 of 1	SE/179.2	96.9 / -2.00	1308, 1330 and 1350 Baseline Road and 1460 Merivale Road, Ottawa, ON Nepean ON K2E 5N9	EHS
Order No:	20190910305			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	18-SEP-19			Search Radius (km):	.15
Date Received:	10-SEP-19			X:	-75.734927
Previous Site Name:				Y:	45.362409
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
12	1 of 1	SE/184.0	96.9 / -2.00	1460 Merivale Road Nepean ON K2E 5N9	EHS
Order No:	20181015178			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	26-OCT-18			Search Radius (km):	.25
Date Received:	15-OCT-18			X:	-75.734814
Previous Site Name:				Y:	45.362415
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				

13	1 of 6	E/192.5	95.9 / -2.97	Skyline Dental Associates 1306 Baseline road Ottawa ON K2C0A9	GEN
Generator No:	ON5008873			Status:	
SIC Code:	621210			Co Admin:	Nancy Angus
SIC Description:	OFFICES OF DENTISTS			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Phone No Admin:	613-226-4562 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
Detail(s)					
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				

13	2 of 6	E/192.5	95.9 / -2.97	Skyline Dental Associates 1306 Baseline road Ottawa ON K2C0A9	GEN
Generator No:	ON5008873			Status:	
SIC Code:	621210			Co Admin:	Nancy Angus
SIC Description:	OFFICES OF DENTISTS			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Phone No Admin:	613-226-4562 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				

13	3 of 6	E/192.5	95.9 / -2.97	Skyline Dental Associates 1306 Baseline road Ottawa ON K2C0A9	GEN
Generator No:	ON5008873			Status:	
SIC Code:	621210			Co Admin:	Michelle MN Nahmad
SIC Description:	OFFICES OF DENTISTS			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	613 226-4562 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

[13](#) 4 of 6 E/192.5 95.9 / -2.97 Skyline Dental Associates 1306 Baseline road Ottawa ON K2C0A9 GEN

Generator No: ON5008873 Status: Registered
SIC Code: Co Admin:
SIC Description: Choice of Contact:
Approval Years: As of Dec 2018 Phone No Admin:
PO Box No: Contam. Facility:
Country: Canada MHSW Facility:

Detail(s)

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

Waste Class: 312 P
Waste Class Desc: Pathological wastes

[13](#) 5 of 6 E/192.5 95.9 / -2.97 Skyline Dental Associates 1306 Baseline road Ottawa ON K2C0A9 GEN

Generator No: ON5008873 Status: Registered
SIC Code: Co Admin:
SIC Description: Choice of Contact:
Approval Years: As of Jul 2020 Phone No Admin:
PO Box No: Contam. Facility:
Country: Canada MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

[13](#) 6 of 6 E/192.5 95.9 / -2.97 Skyline Dental Associates 1306 Baseline road Ottawa ON K2C0A9 GEN

Generator No: ON5008873 Status: Registered
SIC Code: Co Admin:
SIC Description: Choice of Contact:
Approval Years: As of Nov 2021 Phone No Admin:
PO Box No: Contam. Facility:
Country: Canada MHSW Facility:

Detail(s)

Waste Class: 312 P

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Pathological wastes			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
14	1 of 13	WSW/196.1	99.9 / 1.00	OTTAWA BOARD OF EDUCATION 1357 BASELINE ROAD OTTAWA CITY ON K2C 0A8	SPL
Ref No:	83617			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	4/2/1993			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	UNKNOWN			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	CONFIRMED			Site Municipality:	20101
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	4/5/1993			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	LAURENTIAN HIGH SCHOOL- BLACK OIL SEEPING INTO BOILER ROOM FROM SUBSOIL.				
Contaminant Qty:					
14	2 of 13	WSW/196.1	99.9 / 1.00	OTTAWA BOARD OF EDUCATION LAURENTIAN HIGH SCHOOL, 1357 BASELINERD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	GEN
Generator No:	ON0375213			Status:	
SIC Code:	8511			Co Admin:	
SIC Description:	ELEMT./SECON. EDUC.			Choice of Contact:	
Approval Years:	86,87,88,89			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
Detail(s)					
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
14	3 of 13	WSW/196.1	99.9 / 1.00	THE OTTAWA BOARD OF EDUCATION LAURENTIAN HIGH SCHOOL, 1357 BASELINE RD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	GEN
Generator No:	ON0375213			Status:	
SIC Code:	8511			Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description: ELEM.T./SECON. EDUC. Approval Years: 90 PO Box No: Country:				Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

14	4 of 13	WSW/196.1	99.9 / 1.00	OTTAWA BOARD OF EDUCATION LAURENTIAN HIGH SCHOOL 1357 BASELINE ROAD OTTAWA ON K2C 0A8	GEN
Generator No: ON0375213 SIC Code: 8511 SIC Description: ELEM.T./SECON. EDUC. Approval Years: 92,93,97 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

14	5 of 13	WSW/196.1	99.9 / 1.00	THE OTTAWA BOARD OF EDUCATION 29-550 LAURENTIAN HIGH SCHOOL, 1357 BASELINE RD C/O 330 GILMOUR ST. OTTAWA ON K2C 0A8	GEN
Generator No: ON0375213 SIC Code: 8511 SIC Description: ELEM.T./SECON. EDUC. Approval Years: 94,95,96 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

14	6 of 13	WSW/196.1	99.9 / 1.00	OTTAWA-CARLETON DISTRICT SCHOOL BOARD LAURENTIAN HIGH SCHOOL 1357 BASELINE ROAD OTTAWA ON K2C 0A8	GEN
Generator No:	ON0375213			Status:	
SIC Code:	8511			Co Admin:	
SIC Description:	ELEMT./SECON. EDUC.			Choice of Contact:	
Approval Years:	98,99,00,01,02,03,04,05,06			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

<u>Detail(s)</u>					
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

14	7 of 13	WSW/196.1	99.9 / 1.00	Ottawa-Carleton District School Board Laurentian H.S. Public School 1357 Baseline Road Ottawa ON K2C 0A8	GEN
Generator No:	ON8259530			Status:	
SIC Code:				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description: Approval Years: 02,03,04 PO Box No: Country:				Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: 243 Waste Class Desc: PCB'S					
14	8 of 13	WSW/196.1	99.9 / 1.00	1357 Baseline Road Ottawa ON K2C 0A8	EHS
Order No: 20061220018 Status: C Report Type: Complete Report Report Date: 1/3/2007 Date Received: 12/20/2006 Previous Site Name: Lot/Building Size: 180,000 ft2 Additional Info Ordered: City Directory				Nearest Intersection: Clyde Municipality: Ottawa Client Prov/State: ON Search Radius (km): 0.3 X: -75.738564 Y: 45.363242	
14	9 of 13	WSW/196.1	99.9 / 1.00	Clydesdale Shopping Centres Limited 1357 BASELINE RD, OTTAWA, ON, K2C 0A8 OTTAWA ON K2C 0A8	RSC
RSC ID: 66519 RA No: RSC Type: Curr Property Use: Institutional Ministry District: OTTAWA Filing Date: 9-Dec-09 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: No Asmt Roll No: Prop ID No (PIN): 03998-0087 (LT) Property Municipal Address: 1357 BASELINE RD, OTTAWA, ON, K2C 0A8 Mailing Address: 2720 QUEENSVIEW DR, OTTAWA, ON, K2B 1A5 Latitude & Longitude: 45.36333330N 75.73861110W UTM Coordinates: NAD83 18-442155-5023579 (converted from Latitude & Longitude) Consultant: Legal Desc: Part of Lot N, Concession A, Rideau Front; being Parts 1 & 2 on Plan 4R-21712, S/T NS137428, City of Ottawa Measurement Method: Digitized from a satellite image Applicable Standards: Background Site Conditions Standard, with Potable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use RSC PDF:				Cert Date: 24-Nov-09 Cert Prop Use No: No CPU Intended Prop Use: Residential Qual Person Name: Dennis Eberhard Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Yes Accuracy Estimate: 11 to 20 meters Telephone: 613-7212200x234 Fax: 613-7212201 Email: deberhard@smartcentres.com	
14	10 of 13	WSW/196.1	99.9 / 1.00	OTTAWA-CARLETON DISTRICT SCHOOL BOARD 1357 BASELINE ROAD OTTAWA ON	GEN
Generator No: ON4014760 SIC Code: 611110 SIC Description: Elementary and Secondary Schools Approval Years: 2009 PO Box No:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Country:

MHSW Facility:

Detail(s)

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

14	11 of 13	WSW/196.1	99.9 / 1.00	CLYDESDALE SHOPPING CENTERS LTD 1357 BASELINE ROAD OTTAWA ON	GEN
--------------------	----------	-----------	-------------	--	-----

Generator No:	ON8712328	Status:	
SIC Code:	611110	Co Admin:	
SIC Description:	Elementary and Secondary Schools	Choice of Contact:	
Approval Years:	2009	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:		MHSW Facility:	

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

14	12 of 13	WSW/196.1	99.9 / 1.00	Walmart Canada Corp. 1357 Baseline Rd Ottawa ON	SPL
--------------------	----------	-----------	-------------	---	-----

Ref No:	1087-B8CK8M	Discharger Report:	
Site No:	NA	Material Group:	
Incident Dt:	2019/01/12	Health/Env Conseq:	2 - Minor Environment Corporation
Year:		Client Type:	Miscellaneous Industrial
Incident Cause:		Sector Type:	
Incident Event:	Fire/Explosion	Agency Involved:	
Contaminant Code:	27	Nearest Watercourse:	
Contaminant Name:	COOLANT N.O.S.	Site Address:	1357 Baseline Rd
Contaminant Limit 1:		Site District Office:	Ottawa

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam Limit Freq 1: Contaminant UN No 1: n/a Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Land MOE Response: No Dt MOE Arvl on Scn: MOE Reported Dt: 2019/01/12 Dt Document Closed: Incident Reason: Other Site Name: Walmart Parking Lot<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Walmart Ottawa - coolant/oil to parking lot Contaminant Qty: 0 %				Site Postal Code: Site Region: Eastern Site Municipality: Ottawa Site Lot: Site Conc: Northing: 5023726.9 Easting: 442638.35 Site Geo Ref Accu: Site Map Datum: SAC Action Class: Land Spills Source Type: Motor Vehicle	

14	13 of 13	WSW/196.1	99.9 / 1.00	Smart (Ottawa SW Senior Residences) PropCo GP Inc. as general partner for and on behalf of Ottawa SW PropCo LP 1357 Baseline Rd Ottawa ON L4K 5Z5	ECA
Approval No: 5238-BZERN9 Approval Date: 2021-04-05 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: Smart (Ottawa SW Senior Residences) PropCo GP Inc. as general partner for and on behalf of Ottawa SW PropCo LP Address: 1357 Baseline Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7885-BZ5P4M-14.pdf PDF Site Location:				MOE District: Ottawa City: Longitude: -75.73853 Latitude: 45.363409 Geometry X: -8431174.593 Geometry Y: 5678915.3896	

15	1 of 1	E/199.0	95.9 / -3.00	1306 BASELINE RD Ottawa ON	WWIS
Well ID: 7190923 Construction Date: Primary Water Use: Monitoring and Test Hole Sec. Water Use: 0 Final Well Status: Test Hole Water Type: Casing Material: Audit No: Z156888 Tag: A136936 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Entry Status: Data Src: Date Received: 11/9/2012 Selected Flag: True Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: 1306 BASELINE RD County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190923.pdf			

Additional Detail(s) (Map)

Well Completed Date: 2012/09/27
Year Completed: 2012
Depth (m): 10.67
Latitude: 45.3637541879699
Longitude: -75.7337421072978
Path: 719\7190923.pdf

Bore Hole Information

Bore Hole ID:	1004198914	Elevation:	99.898017
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442537.00
Code OB Desc:		North83:	5023622.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	27-Sep-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1004485912
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 0.3100000023841858
Formation End Depth: 3.0999999046325684
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004485911
Layer: 1
Color: 8
General Color: BLACK
Mat1: 11
Most Common Material: GRAVEL
Mat2: 77
Mat2 Desc: LOOSE
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858
Formation End Depth UOM: m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004485913			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		3.0999999046325684			
Formation End Depth:		10.670000076293945			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485922			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485924			
Layer:		3			
Plug From:		5.78999996185303			
Plug To:		10.6700000762939			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485923			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004485921			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004485910			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 1004485917
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 6.09999990463257
Casing Diameter: 4.03000020980835
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004485918
Layer: 1
Slot: 10
Screen Top Depth: 6.09999990463257
Screen End Depth: 10.6700000762939
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.82000017166138

Water Details

Water ID: 1004485916
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004485914
Diameter: 11.430000305175781
Depth From: 0.0
Depth To: 3.3499999046325684
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004485915
Diameter: 7.619999885559082
Depth From: 3.3499999046325684
Depth To: 10.670000076293945
Hole Depth UOM: m
Hole Diameter UOM: cm

16	1 of 1	ENE/206.5	95.8 / -3.05	ON	WWIS
--------------------	--------	-----------	--------------	----	------

Well ID: 1508496 Construction Date: Primary Water Use: Livestock Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No:	Data Entry Status: Data Src: 1 Date Received: 3/3/1955 Selected Flag: True Abandonment Rec: Contractor: 3718 Form Version: 1 Owner:
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1508496.pdf

Additional Detail(s) (Map)

Well Completed Date: 1955/02/07
Year Completed: 1955
Depth (m): 51.816
Latitude: 45.3649208784594
Longitude: -75.7342845589782
Path: 150\1508496.pdf

Bore Hole Information

Bore Hole ID:	10030530	Elevation:	100.981666
DP2BR:	0.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	442495.70
Code OB Desc:	Bedrock	North83:	5023752.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	07-Feb-1955 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931009815
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 17
Mat2 Desc: SHALE
Mat3:
Mat3 Desc:
Formation Top Depth: 75.0
Formation End Depth: 117.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931009816			
Layer:		3			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		117.0			
Formation End Depth:		170.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931009814			
Layer:		1			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961508496			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10579100			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930053703			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		74			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930053704			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		170			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991508496			
Pump Set At:					
Static Level:		20.0			
Final Level After Pumping:		24.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933463021			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			
17	1 of 1	E/207.8	95.9 / -3.00	THE CO-OPERATORS (1457769 ONTARIO INC) 1300 BASELINE ROAD OTTAWA ON	GEN
Generator No:		ON6475928		Status:	
SIC Code:		211113		Co Admin:	
SIC Description:		Conventional Oil and Gas Extraction		Choice of Contact:	
Approval Years:		2012		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
18	1 of 1	SE/210.0	96.9 / -2.00	lot 35 con A ON	WWIS
Well ID:		1504627		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Commerical		Date Received:	10/28/1957
Sec. Water Use:		0		Selected Flag:	True
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	1301
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	035

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	A
Overburden/Bedrock:				Concession Name:	RF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504627.pdf

Additional Detail(s) (Map)

Well Completed Date: 1957/09/25
Year Completed: 1957
Depth (m): 64.6176
Latitude: 45.3622182320826
Longitude: -75.7346326538969
Path: 150\1504627.pdf

Bore Hole Information

Bore Hole ID:	10026670	Elevation:	96.892196
DP2BR:	0.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	442465.70
Code OB Desc:	Bedrock	North83:	5023452.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	25-Sep-1957 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931000002
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 212.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931000001
Layer: 1
Color:
General Color:
Mat1: 17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961504627			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10575240			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930046069			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930046070			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		212			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991504627			
Pump Set At:					
Static Level:		25.0			
Final Level After Pumping:		80.0			
Recommended Pump Depth:					
Pumping Rate:		25.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		1 1 0 No			
Water Details					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933457925 1 1 FRESH 80.0 ft			
19	1 of 97	SSE/210.6	97.9 / -0.97	C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE 1460 MERIVALE RD NEPEAN ON K2E5P2	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		18792 retail 1991-06-30 0 0050971001			
19	2 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN ON K2E5P2	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		18792 retail 1995-05-31 2000 0076420132			
19	3 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN ON K2E5P2	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		18792 retail 1995-12-31 94500 0076342534			
19	4 of 97	SSE/210.6	97.9 / -0.97	1460 MERIVALE RD. NEPEAN, ONT. ON	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		9657 retail			
19	5 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS LIMITED C.O.B. AS "LOBLAWS" 082-8 1460 MERIVALE ROAD	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON					
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Vendor			Oper Area Code:	
Licence Type:				Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					
19	6 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD. 1460 MERIVALE ROAD OTTAWA ON K2J 3W6	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Vendor			Oper Area Code:	
Licence Type:				Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					
19	7 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN ON K2E5P2	RST
Headcode:		1186800			
Headcode Desc:		Service Stations-Gasoline, Oil & Natural Gas			
Phone:		6132262132			
List Name:					
Description:					
19	8 of 97	SSE/210.6	97.9 / -0.97	NATIONAL GROCERIES COMPANY LTD 1460 MERIVALE RD OTTAWA CITY ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Ref No:	225207			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	5/12/2002			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	20101
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	5/12/2000			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	NATIONAL GROCERIES: 30 L DIESEL SPILLED TO CUSTOME RS YARD. CLEAN UP STARTE				
Contaminant Qty:					

19	9 of 97	SSE/210.6	97.9 / -0.97	NATIONAL GROCERIES COMPANY LTD 1460 MERIVALE RD OTTAWA CITY ON	SPL
--------------------	---------	-----------	--------------	--	-----

Ref No:	234800			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	8/5/2002			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	20101
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	8/5/2002			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	NATIONAL GROCERIES:SMALL QUANT DIESEL TO ASPHALT FROM TRAILER, CLEANED UP.				
Contaminant Qty:					

19	10 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD #1082 1460 MERIVALE RD OTTAWA ON K2E 5P2	PES
--------------------	----------	-----------	--------------	---	-----

Detail Licence No:	23-01-10216-0	Operator Box:	
Licence No:	10216	Operator Class:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: 4 District: County: 15 Trade Name: PDF Link: PDF Site Location:		Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 4 Operator District: Operator County: 15 Op Municipality: Post Office Box: MOE District: SWP Area Name:			
19	11 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD. 24-850 1460 MERIVALE ROAD NEPEAN ON K2E 5P2	GEN
Generator No: ON0270302 SIC Code: 6011 SIC Description: GROCERY FOOD STORES Approval Years: 92,93,94,95,96 PO Box No: Country:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:			
Detail(s)					
Waste Class: 264		Waste Class Desc: PHOTOPROCESSING WASTES			
19	12 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD 1460 MERIVALE ROAD NEPEAN ON K2E 5P2	GEN
Generator No: ON0270302 SIC Code: 6011 SIC Description: GROCERY FOOD STORES Approval Years: 97 PO Box No: Country:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:			
Detail(s)					
Waste Class: 264		Waste Class Desc: PHOTOPROCESSING WASTES			
19	13 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LIMITED 1460 MERIVALE ROAD NEPEAN ON K2E 5P2	GEN
Generator No: ON0270302 SIC Code: 6011 SIC Description: GROCERY FOOD STORES Approval Years: 98,99,00,01 PO Box No: Country:		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
19	14 of 97	SSE/210.6	97.9 / -0.97	SPORTS EXPERTS #51 1460 MERIVALE RD. NEPEAN ON K2E 5P2	GEN
Generator No:		ON1050300		Status:	
SIC Code:		6541		Co Admin:	
SIC Description:		SPORTING GOODS STORE		Choice of Contact:	
Approval Years:		88,89,90		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
19	15 of 97	SSE/210.6	97.9 / -0.97	SPORTS EXPERTS #51 34-397 1460 MERIVALE RD. NEPEAN ON K2E 5P2	GEN
Generator No:		ON1050300		Status:	
SIC Code:		6541		Co Admin:	
SIC Description:		SPORTING GOODS STORE		Choice of Contact:	
Approval Years:		92,93,94,95,96,97,98		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
19	16 of 97	SSE/210.6	97.9 / -0.97	SPORTS EXPERTS #51 1460 MERIVALE ROAD NEPEAN ON K2E 5P2	GEN
Generator No:		ON1050300		Status:	
SIC Code:		6541		Co Admin:	
SIC Description:		SPORTING GOODS STORE		Choice of Contact:	
Approval Years:		99,00,01		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
19	17 of 97	SSE/210.6	97.9 / -0.97	SHOPPERS DRUG MART 1460 MERIVALE ROAD OTTAWA ON K2E 5P2	GEN
Generator No:		ON2530727		Status:	
SIC Code:		6031		Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description: PHARMACIES Approval Years: 99,00,01 PO Box No: Country:				Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 261 Waste Class Desc: PHARMACEUTICALS					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
19	18 of 97	SSE/210.6	97.9 / -0.97	SHOPPERS DRUG MART #627 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	19 of 97	SSE/210.6	97.9 / -0.97	SJL HOLDINGS LIMITED 1460 MERIVALE ROAD OTTAWA ON K2E 5N9	GEN
Generator No: ON3996858 SIC Code: 447190 SIC Description: Other Gasoline Stations Approval Years: 05 PO Box No: Country:				Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 221 Waste Class Desc: LIGHT FUELS					
19	20 of 97	SSE/210.6	97.9 / -0.97	LOBLAW PROPERTIES LTD GASBAR DIV 1460 MERIVALE RD OTTAWA ON	FSTH
License Issue Date: 11/1/2006 Tank Status: Licensed Tank Status As Of: August 2007 Operation Type: Retail Fuel Outlet					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Facility Type: Gasoline Station - Self Serve

--Details--

Status: Active
Year of Installation: 2005
Corrosion Protection:
Capacity: 65000
Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline

Status: Active
Year of Installation: 2005
Corrosion Protection:
Capacity: 65000
Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline

19	21 of 97	SSE/210.6	97.9 / -0.97	Reno Realty Holdings Limited 1460 Merivale Road, Ottawa, Ontario, K2E 5P2, ON	RSC
--------------------	----------	-----------	--------------	---	-----

RSC ID:	2181	Cert Date:	12-Aug-05
RA No:		Cert Prop Use No:	No CPU
RSC Type:		Intended Prop Use:	Commercial
Curr Property Use:	Commercial	Qual Person Name:	Mr. Bert Cohen
Ministry District:	OTTAWA	Stratified (Y/N):	
Filing Date:	6-Sep-05	Audit (Y/N):	
Date Ack:		Entire Leg Prop. (Y/N):	No
Date Returned:		Accuracy Estimate:	21 to 100 meters
Restoration Type:		Telephone:	416-3226828
Soil Type:		Fax:	416-3225247
Criteria:		Email:	
CPU Issued Sect 1686:	No		
Asmt Roll No:	0614 084 802 21200 0000		
Prop ID No (PIN):	04686-0011 (LT) (PINS for RSC portion of property are 04686-0011 and 04686-0012)		
Property Municipal Address:	1460 Merivale Road, Ottawa, Ontario, K2E 5P2,		
Mailing Address:	Suite 507, 10 BELLAIR ST, TORONTO, ON, M5R 3T8		
Latitude & Longitude:	45.36084890N 75.73481540W (converted from UTM)		
UTM Coordinates:	NAD83 18-442450-5023300		
Consultant:			
Legal Desc:	Part of Lot 35, Concession A, Rideau Front, being parts of Lots 17, 18, and 19 as shown on Registered Plan No. 30, and part of Lot 35, Concession A, Rideau Front, being part of Lot 19 on Plan No. 35 (portion covered by RSC is Part of Lot 17, Registered Plan 30, formerly City of Nepean, now City of Ottawa, Plan 4R-20481 received and deposited on August 5, 2005)		
Measurement Method:	Interpolation from a map		
Applicable Standards:	Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Industrial/Commercial/Community property use		
RSC PDF:			

19	22 of 97	SSE/210.6	97.9 / -0.97	Loblaws Companies East 1460 Merivale Rd. Ottawa ON	SPL
--------------------	----------	-----------	--------------	--	-----

Ref No:	4344-5V7QNB	Discharger Report:	
Site No:		Material Group:	Gases/Particulate
Incident Dt:	1/2/2004	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Cooling System Leak	Sector Type:	Other
Incident Event:		Agency Involved:	
Contaminant Code:	38	Nearest Watercourse:	
Contaminant Name:	REFRIGERANT GAS, N.O.S.	Site Address:	
Contaminant Limit 1:		Site District Office:	Ottawa
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Eastern

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	Not Anticipated Air Pollution Air 1/14/2004 Unknown - Reason not determined LOBLAWS # 082<UNOFFICIAL>			Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
Loblaws - 300 lbs. R404A added to system.					

19	23 of 97	SSE/210.6	97.9 / -0.97	LOBLAW PROPERTIES LTD AT THE PUMPS GASBAR DIV 1460 MERIVALE RD OTTAWA ON	FSTH
License Issue Date: 11/1/2006 3:23:00 PM Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve					
--Details--					
Status: Active Year of Installation: 2005 Corrosion Protection: Capacity: 65000 Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline					
Status: Active Year of Installation: 2005 Corrosion Protection: Capacity: 65000 Tank Fuel Type: Liquid Fuel Double Wall UST - Gasoline					

19	24 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD #1082 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>PDF Site Location:</i>					
19	25 of 97	SSE/210.6	97.9 / -0.97	SHOPPERS DRUG MART #627 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
19	26 of 97	SSE/210.6	97.9 / -0.97	Parson Refrigeration (1985) Ltd. 1460 Merivale Rd Ottawa ON	SPL
Ref No: 2372-7THUJE Site No: Incident Dt: Year: Incident Cause: Pipe Or Hose Leak Incident Event: Contaminant Code: Contaminant Name: REFRIGERANT GAS, N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Possible Nature of Impact: Air Pollution Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scrn: MOE Reported Dt: 6/30/2009 Dt Document Closed: Incident Reason: Spill Site Name: 1460 Merivale Road Site County/District: Site Geo Ref Meth: Incident Summary: Loblaws: 113 kg of R408A to atm Contaminant Qty: 113 kg		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: NA Easting: NA Site Geo Ref Accu: Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours Source Type:			
19	27 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Limited 1460 Merivale Road Ottawa ON	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		6321-6HWJW3 2005 12/1/2005 Industrial Sewage Works Revoked and/or Replaced			

19	28 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Limited 1460 Merivale Road Ottawa ON	CA
--------------------	----------	-----------	--------------	--	----

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		7379-6R9QFV 2006 7/26/2006 Industrial Sewage Works Approved			
---	--	---	--	--	--

19	29 of 97	SSE/210.6	97.9 / -0.97	MAC'S CONVENIENCE STORES INC** 1460 MERIVALE RD NEPEAN ON K2E 5P2	DTNK
--------------------	----------	-----------	--------------	---	------

<u>Delisted Expired Fuel Safety Facilities</u>			
Instance No:	10060021	Expired Date:	7/1/1990
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:		Facility Location:	
Instance Type:	FS Facility	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: EXP Record Date: Up to May 2013					

19	30 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN ON K2E 5P2	DTNK
--------------------	----------	-----------	--------------	--	------

Delisted Expired Fuel Safety Facilities

Instance No: 9883687 Status: EXPIRED Instance ID: Instance Type: FS Facility Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: EXP Record Date: Up to May 2013	Expired Date: 1/22/1992 Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:
--	---

19	31 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN ON K2E 5P2	DTNK
--------------------	----------	-----------	--------------	---	------

Delisted Expired Fuel Safety Facilities

Instance No: 10142288 Status: EXPIRED Instance ID: Instance Type: FS Facility Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer:	Expired Date: 6/6/2009 Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm:
---	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date:		EXP Up to May 2013		External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	

19	32 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC ATTN RAFAH SHOOMAN 1460 MERIVALE RD NEPEAN ON	DTNK
--------------------	----------	-----------	--------------	--	------

Delisted Expired Fuel Safety Facilities

Instance No: Status: Instance ID: Instance Type: Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date:	10078622 EXPIRED 11634 FS Facility	Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	
FS Propane Refill Cntr - Motor Fill EXP Up to Mar 2012			

19	33 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN ON	DTNK
--------------------	----------	-----------	--------------	--	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:	11321127			Expired Date:	
Status:	EXPIRED			Max Hazard Rank:	
Instance ID:	77929			Facility Location:	
Instance Type:	FS Piping			Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	
Model:				External Identifier:	
Serial No:				Item:	
ULC Standard:				Piping Steel:	
Quantity:				Piping Galvanized:	
Unit of Measure:				Tank Single Wall St:	
Overfill Prot Type:				Piping Underground:	
Creation Date:				Tank Underground:	
Next Periodic Str DT:				Source:	
TSSA Base Sched Cycle 2:					
TSSAMax Hazard Rank 1:					
TSSA Risk Based Periodic Yn:					
TSSA Volume of Directives:					
TSSA Periodic Exempt:					
TSSA Statutory Interval:					
TSSA Recd Insp Interva:					
TSSA Recd Tolerance:					
TSSA Program Area:					
TSSA Program Area 2:					
Description:	FS Piping				
Original Source:	EXP				
Record Date:	Up to Mar 2012				

19	34 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN ON	DTNK
--------------------	----------	-----------	--------------	---	------

<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:	11410746			Expired Date:	
Status:	EXPIRED			Max Hazard Rank:	
Instance ID:	83536			Facility Location:	
Instance Type:	FS Piping			Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	
Model:				External Identifier:	
Serial No:				Item:	
ULC Standard:				Piping Steel:	
Quantity:				Piping Galvanized:	
Unit of Measure:				Tank Single Wall St:	
Overfill Prot Type:				Piping Underground:	
Creation Date:				Tank Underground:	
Next Periodic Str DT:				Source:	
TSSA Base Sched Cycle 2:					
TSSAMax Hazard Rank 1:					
TSSA Risk Based Periodic Yn:					
TSSA Volume of Directives:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: FS Piping Original Source: EXP Record Date: Up to Mar 2012					
19	35 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN ON	DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	11410766	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	83387	Facility Location:	
Instance Type:	FS Piping	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	FS Piping		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

19	36 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC ATTN RAFAH SHOOMAN 1460 MERIVALE RD NEPEAN ON	DTNK
--------------------	----------	-----------	--------------	--	------

Delisted Expired Fuel Safety Facilities

Instance No:	11259572	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	75340	Facility Location:	
Instance Type:	FS Propane Tank	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: Overfill Prot Type: Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date:				Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	
		FS Propane Tank			
		EXP			
		Up to Mar 2012			

19	37 of 97	SSE/210.6	97.9 / -0.97	Loblaws Inc. 1460 Merivale Road Ottawa ON K2E 5P2	SPL
Ref No:	3548-8QVNCC			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	25-JAN-12			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Discharge or Emission to Air			Sector Type:	Other
Incident Event:				Agency Involved:	
Contaminant Code:	38			Nearest Watercourse:	
Contaminant Name:	REFRIGERANT GAS, N.O.S.			Site Address:	1460 Merivale Road
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:	Air Pollution			Site Lot:	
Receiving Medium:	Sewage - Municipal/Private and Commercial			Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	26-JAN-12			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Air Spills - Gases and Vapours
Incident Reason:	Spill			Source Type:	
Site Name:	Loblaws<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Loblaws: 275 pounds of R507 to atm				
Contaminant Qty:					

19	38 of 97	SSE/210.6	97.9 / -0.97	FCR MANAGEMENT SERVICES 1460 MERIVALE ROAD OTTAWA ON K2E 5P2	GEN
Generator No:	ON4132932			Status:	
SIC Code:	452999			Co Admin:	
SIC Description:	All Other Miscellaneous General Merchandise Stores			Choice of Contact:	
Approval Years:	2010			Phone No Admin:	
PO Box No:				Contam. Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

19	39 of 97	SSE/210.6	97.9 / -0.97	SHOPPERS DRUG MART #627 1460 MERIVALE RD OTTAWA ON K2E 5P2	PES
Detail Licence No:	23-01-13266-0			Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	LIMITED			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					

19	40 of 97	SSE/210.6	97.9 / -0.97	BCP IV SERVICE STATION LP O/A BG FUELS 1460 MERIVALE RD OTTAWA K2E 5P2 ON CA ON	FST
Instance No:	35312412			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank			Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Double Wall UST			Fuel Type2:	NULL
Install Date:	6/5/2009			Fuel Type3:	NULL
Install Year:	2005			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	65000			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:	FS Gasoline Station - Self Serve				
Facility Location:					
Device Installed Location:	1460 MERIVALE RD OTTAWA K2E 5P2 ON CA				

Fuel Storage Tank Details

Owner Account Name: BCP IV SERVICE STATION LP O/A BG FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Liquid Fuel Tank Details					
Overfill Protection:					
Owner Account Name: BCP IV SERVICE STATION LP O/A BG FUELS					
Item: FS LIQUID FUEL TANK					
19	41 of 97	SSE/210.6	97.9 / -0.97	BCP IV SERVICE STATION LP O/A BG FUELS 1460 MERIVALE RD OTTAWA K2E 5P2 ON CA ON	FST
Instance No:		35312413		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:		FS Liquid Fuel Tank		Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Diesel	
Tank Type:		Double Wall UST		Fuel Type2: Gasoline	
Install Date:		6/5/2009		Fuel Type3: NULL	
Install Year:		2005		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		65000		Num Underground:	
Tank Material:		Fiberglass (FRP)		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:		FS Gasoline Station - Self Serve			
Facility Location:					
Device Installed Location:		1460 MERIVALE RD OTTAWA K2E 5P2 ON CA			
Fuel Storage Tank Details					
Owner Account Name: BCP IV SERVICE STATION LP O/A BG FUELS					
Liquid Fuel Tank Details					
Overfill Protection:					
Owner Account Name: BCP IV SERVICE STATION LP O/A BG FUELS					
Item: FS LIQUID FUEL TANK					
19	42 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	DTNK
19	43 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	DTNK
19	44 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	DTNK
19	45 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA	DTNK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				ON	
19	46 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	DTNK
19	47 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	DTNK
19	48 of 97	SSE/210.6	97.9 / -0.97	1460 Merivale Road Ottawa ON	EHS
Order No: 20160616198 Status: C Report Type: Standard Report Report Date: 23-JUN-16 Date Received: 16-JUN-16 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.734129 Y: 45.36342			
19	49 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LIMITED 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: 23-01-00578-0 Licence No: 00578 Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 3 Operator District: Operator County: 62 Op Municipality: Post Office Box: MOE District: SWP Area Name:			
19	50 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD. 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: 17548 Status: Approval Date: Report Source: Licence Type:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><i>Licence Type Code:</i> 23 <i>Licence Class:</i> 01 <i>Licence Control:</i> <i>Latitude:</i> <i>Longitude:</i> <i>Lot:</i> <i>Concession:</i> <i>Region:</i> <i>District:</i> <i>County:</i> <i>Trade Name:</i> <i>PDF Link:</i> <i>PDF Site Location:</i></p>					
19	51 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD #1021 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
<p><i>Detail Licence No:</i> <i>Licence No:</i> 17549 <i>Status:</i> <i>Approval Date:</i> <i>Report Source:</i> <i>Licence Type:</i> <i>Licence Type Code:</i> 23 <i>Licence Class:</i> 01 <i>Licence Control:</i> <i>Latitude:</i> <i>Longitude:</i> <i>Lot:</i> <i>Concession:</i> <i>Region:</i> <i>District:</i> <i>County:</i> <i>Trade Name:</i> <i>PDF Link:</i> <i>PDF Site Location:</i></p>					
<p><i>Operator Box:</i> <i>Operator Class:</i> <i>Operator No:</i> <i>Operator Type:</i> <i>Oper Area Code:</i> 613 <i>Oper Phone No:</i> <i>Operator Ext:</i> <i>Operator Lot:</i> <i>Oper Concession:</i> <i>Operator Region:</i> <i>Operator District:</i> <i>Operator County:</i> <i>Op Municipality:</i> <i>Post Office Box:</i> <i>MOE District:</i> <i>SWP Area Name:</i></p>					
19	52 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD. 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
<p><i>Detail Licence No:</i> <i>Licence No:</i> 17550 <i>Status:</i> <i>Approval Date:</i> <i>Report Source:</i> <i>Licence Type:</i> <i>Licence Type Code:</i> 23 <i>Licence Class:</i> 01 <i>Licence Control:</i> <i>Latitude:</i> <i>Longitude:</i> <i>Lot:</i> <i>Concession:</i> <i>Region:</i> <i>District:</i> <i>County:</i> <i>Trade Name:</i> <i>PDF Link:</i> <i>PDF Site Location:</i></p>					
<p><i>Operator Box:</i> <i>Operator Class:</i> <i>Operator No:</i> <i>Operator Type:</i> <i>Oper Area Code:</i> 613 <i>Oper Phone No:</i> <i>Operator Ext:</i> <i>Operator Lot:</i> <i>Oper Concession:</i> <i>Operator Region:</i> <i>Operator District:</i> <i>Operator County:</i> <i>Op Municipality:</i> <i>Post Office Box:</i> <i>MOE District:</i> <i>SWP Area Name:</i></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
19	53 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS INC. STORE #1095 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No:	23-01-08606-0			Operator Box:	
Licence No:	08606			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	613
Licence Type:	Limited Vendor			Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:	0			Oper Concession:	
Latitude:				Operator Region:	4
Longitude:				Operator District:	
Lot:				Operator County:	15
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					
19	54 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LIMITED 1174 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No:	23-01-08689-0			Operator Box:	
Licence No:	08689			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	905
Licence Type:	Limited Vendor			Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:	0			Oper Concession:	
Latitude:				Operator Region:	3
Longitude:				Operator District:	
Lot:				Operator County:	62
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					
19	55 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS INC #1212 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No:	23-01-11623-0			Operator Box:	
Licence No:	11623			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	905
Licence Type:	Limited Vendor			Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:	0			Oper Concession: Operator Region: 3 Operator District: Operator County: 62 Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	56 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS INC. # 1003 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:	23-01-11823-0 11823 Limited Vendor 23 01 0			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 3 Operator District: 1 Operator County: 49 Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	57 of 97	SSE/210.6	97.9 / -0.97	ZEHRS MARKETS 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:	23-01-09804-0 09804 Limited Vendor 23 01 0			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 519 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 2 Operator District: Operator County: 13 Op Municipality: Post Office Box: MOE District: SWP Area Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
19	58 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS #1027 1460 MERIVALE RD OTTAWA ON K2E1P5	PES
Detail Licence No: Licence No: 17162 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
19	59 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS #1064 1460 MERIVALE RD OTTAWA ON K2E1P5	PES
Detail Licence No: Licence No: 17163 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
19	60 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS #1090 1460 MERIVALE RD OTTAWA ON K2E1P5	PES
Detail Licence No: Licence No: 17164 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p> Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location: </p>					
19	61 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD. STORE #1099 1460 MERIVALE RD OTTAWA ON K2E1P5	PES
<p> Detail Licence No: Licence No: 17165 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location: </p>					
<p> Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: </p>					
19	62 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS #1127 1460 MERIVALE RD OTTAWA ON K2E1P5	PES
<p> Detail Licence No: Licence No: 17166 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location: </p>					
<p> Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: </p>					
19	63 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKET #1170 1460 MERIVALE RD	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON K2E1P5					
Detail Licence No:				Operator Box:	
Licence No:	17167			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	613
Licence Type:				Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					
19	64 of 97	SSE/210.6	97.9 / -0.97	LOBLAW SUPERMARKET #1200 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No:				Operator Box:	
Licence No:	17168			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	613
Licence Type:				Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					
19	65 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD. STORE #1208 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No:				Operator Box:	
Licence No:	17169			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	613
Licence Type:				Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:				Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	66 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD #1082 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: 10216 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: 4 District: County: 15 Trade Name: PDF Link: PDF Site Location:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 2266005 Operator Ext: Operator Lot: Oper Concession: Operator Region: 4 Operator District: Operator County: 15 Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	67 of 97	SSE/210.6	97.9 / -0.97	ZEHRS MARKETS 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: 17841 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	68 of 97	SSE/210.6	97.9 / -0.97	ZEHRS MARKETS #539 1460 MERIVALE RD OTTAWA ON K2E5P2	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail Licence No: Licence No: 17842 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	69 of 97	SSE/210.6	97.9 / -0.97	ZEHRS MARKETS 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: 17843 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
19	70 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKET #1032 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: 16850 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
District: County: Trade Name: PDF Link: PDF Site Location:				MOE District: SWP Area Name:	
19	71 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS #1194 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: Licence No: 16851 Status: Approval Date: Report Source: Licence Type: Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
19	72 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD #1188 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
Detail Licence No: 23-01-11038-0 Licence No: 11038 Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: 4 District: County: 56 Trade Name: PDF Link: PDF Site Location:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 4 Operator District: Operator County: 15 Op Municipality: Post Office Box: MOE District: SWP Area Name:			
19	73 of 97	SSE/210.6	97.9 / -0.97	Loblaws Properties Limited 1460 Merivale Road Ottawa ON M4T 2S5	ECA
Approval No: 6321-6HWJW3 Approval Date: 2005-12-01		MOE District: Ottawa City:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:	Revoked and/or Replaced			Longitude:	-75.735054
Record Type:	ECA			Latitude:	45.362366
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS				
Project Type:	INDUSTRIAL SEWAGE WORKS				
Business Name:	Loblaw Properties Limited				
Address:	1460 Merivale Road				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/4122-6H4Q9R-14.pdf				
PDF Site Location:					

19	74 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Limited 1460 Merivale Road Ottawa ON L6Y 5S5	ECA
Approval No:	7379-6R9QFV			MOE District:	Ottawa
Approval Date:	2006-07-26			City:	
Status:	Approved			Longitude:	-75.735054
Record Type:	ECA			Latitude:	45.362366
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS				
Project Type:	INDUSTRIAL SEWAGE WORKS				
Business Name:	Loblaw Properties Limited				
Address:	1460 Merivale Road				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/9060-6QSKT4-14.pdf				
PDF Site Location:					

19	75 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Ltd. 1460 Merivale Road Ottawa ON K2E 5P2	GEN
Generator No:	ON8192732			Status:	
SIC Code:	445110			Co Admin:	Kelly West
SIC Description:	SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	519-647-3729 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

19	76 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Ltd. 1460 Merivale Road Ottawa ON K2E 5P2	GEN
Generator No:	ON8192732			Status:	
SIC Code:	445110			Co Admin:	Craig Hudak
SIC Description:	SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Phone No Admin:	9055957544 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		269			
Waste Class Desc:		NON-HALOGENATED PESTICIDES			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

19	77 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Ltd. 1460 Merivale Road Ottawa ON K2E 5P2	GEN
Generator No:	ON8192732			Status:	
SIC Code:	445110			Co Admin:	Kelly West
SIC Description:	SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	519-647-3729 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Detail(s)

Waste Class: 251

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

<u>19</u>	78 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Ltd. 1460 Merivale Road Ottawa ON K2E 5P2	GEN
---------------------------	----------	-----------	--------------	---	-----

Generator No:	ON8192732	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Dec 2018	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class:	112 C
Waste Class Desc:	Acid solutions - containing heavy metals
Waste Class:	122 C
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	145 L
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	146 T
Waste Class Desc:	Other specified inorganic sludges, slurries or solids
Waste Class:	261 B
Waste Class Desc:	Pharmaceuticals
Waste Class:	261 I
Waste Class Desc:	Pharmaceuticals
Waste Class:	148 A
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	148 I
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	212 I
Waste Class Desc:	Aliphatic solvents and residues
Waste Class:	212 L
Waste Class Desc:	Aliphatic solvents and residues
Waste Class:	242 L
Waste Class Desc:	Halogenated pesticides and herbicides
Waste Class:	261 L
Waste Class Desc:	Pharmaceuticals
Waste Class:	262 C
Waste Class Desc:	Detergents and soaps
Waste Class:	262 L
Waste Class Desc:	Detergents and soaps
Waste Class:	263 A
Waste Class Desc:	Misc. waste organic chemicals
Waste Class:	242 T

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		263 C			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		269 L			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		269 T			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		331 L			
Waste Class Desc:		Waste compressed gases including cylinders			

19	79 of 97	SSE/210.6	97.9 / -0.97	Merivale Dental Centre 1460 Merivale Road Unit 4B Ottawa ON K2E5P2	GEN
Generator No:	ON5017008			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	146 P				
Waste Class Desc:	Other specified inorganic sludges, slurries or solids				

19	80 of 97	SSE/210.6	97.9 / -0.97	Loblaw Companies Limited 1460 Merivale Road Ottawa ON	SPL
Ref No:	6161-ALJRPN			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	4/18/2017			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	Corporation
Incident Cause:				Sector Type:	Miscellaneous Communal
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	16			Nearest Watercourse:	
Contaminant Name:	COOKING OIL			Site Address:	1460 Merivale Road
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	n/a			Site Region:	Eastern

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Environment Impact:				Site Municipality: Ottawa	
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land			Northing: 5023265	
MOE Response:				Easting: 442422	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	4/18/2017			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	Corrosion			Source Type: Container/Drum/Tote	
Site Name:	Loblaw<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Loblaw: cooking grease to asphalt, manhole, clng				
Contaminant Qty:	0 other - see incident description				

19	81 of 97	SSE/210.6	97.9 / -0.97	Seaboard Transport 1460 Merivale Rd Ottawa ON K2E 5P2	SPL
Ref No:	7624-ASVJWP			Discharger Report:	
Site No:	8599-6H4QAA			Material Group:	
Incident Dt:	2017/11/01			Health/Env Conseq:	2 - Minor Environment Corporation
Year:				Client Type:	Miscellaneous Industrial
Incident Cause:				Sector Type:	
Incident Event:	Overflow/Surcharge			Agency Involved:	
Contaminant Code:	12			Nearest Watercourse:	
Contaminant Name:	GASOLINE			Site Address:	1460 Merivale Rd
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	K2E 5P2
Contaminant UN No 1:	1203			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	NA
Receiving Env:	Land			Northing:	NA
MOE Response:	No			Easting:	NA
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	NA
MOE Reported Dt:	2017/11/07			Site Map Datum:	NA
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Operator/Human Error			Source Type:	Truck - Transport/Hauling
Site Name:	1460 Merivale Road				
Site County/District:	NA				
Site Geo Ref Meth:	NA				
Incident Summary:	Seaboard Transport: gasoline UST overfilled at Loblaws				
Contaminant Qty:	0 other - see incident description				

19	82 of 97	SSE/210.6	97.9 / -0.97	1460 Merivale Rd Ottawa ON K2C 0A9	EHS
Order No:	20161124064			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	01-DEC-16			Search Radius (km):	.25
Date Received:	24-NOV-16			X:	-75.73336
Previous Site Name:				Y:	45.362937
Lot/Building Size:					
Additional Info Ordered:	City Directory				

19	83 of 97	SSE/210.6	97.9 / -0.97	LOBLAWS SUPERMARKETS LTD #1082 1460 MERIVALE RD OTTAWA ON K2E5P2	PES
--------------------	----------	-----------	--------------	---	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail Licence No:				Operator Box:	
Licence No:	10216			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	613
Licence Type:	Retail Vendor Class 03			Oper Phone No:	2266005
Licence Type Code:	21			Operator Ext:	
Licence Class:	03			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					
PDF Site Location:					

19	84 of 97	SSE/210.6	97.9 / -0.97	Merivale Dental Centre 1460 Meivale Road Unit 4B Ottawa ON K2E5P2	GEN
Generator No:	ON5017008			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Detail(s)

Waste Class: 146 P
Waste Class Desc: Other specified inorganic sludges, slurries or solids

19	85 of 97	SSE/210.6	97.9 / -0.97	Loblaw Properties Ltd. 1460 Merivale Road Ottawa ON K2E 5P2	GEN
Generator No:	ON8192732			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Detail(s)

Waste Class: 145 I
Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 331 I
Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Waste Class: 262 C
Waste Class Desc: Detergents and soaps

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		263 C			
		Misc. waste organic chemicals			
Waste Class: Waste Class Desc:		122 C			
		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class: Waste Class Desc:		112 C			
		Acid solutions - containing heavy metals			
Waste Class: Waste Class Desc:		331 L			
		Waste compressed gases including cylinders			
Waste Class: Waste Class Desc:		261 I			
		Pharmaceuticals			
Waste Class: Waste Class Desc:		145 L			
		Wastes from the use of pigments, coatings and paints			
Waste Class: Waste Class Desc:		269 T			
		Organic non-halogenated pesticide and herbicide wastes			
Waste Class: Waste Class Desc:		212 L			
		Aliphatic solvents and residues			
Waste Class: Waste Class Desc:		263 A			
		Misc. waste organic chemicals			
Waste Class: Waste Class Desc:		269 L			
		Organic non-halogenated pesticide and herbicide wastes			
Waste Class: Waste Class Desc:		263 L			
		Misc. waste organic chemicals			
Waste Class: Waste Class Desc:		262 L			
		Detergents and soaps			
Waste Class: Waste Class Desc:		261 L			
		Pharmaceuticals			
Waste Class: Waste Class Desc:		148 I			
		Misc. wastes and inorganic chemicals			
Waste Class: Waste Class Desc:		212 I			
		Aliphatic solvents and residues			
Waste Class: Waste Class Desc:		148 A			
		Misc. wastes and inorganic chemicals			
Waste Class: Waste Class Desc:		146 T			
		Other specified inorganic sludges, slurries or solids			
Waste Class: Waste Class Desc:		261 B			
		Pharmaceuticals			
Waste Class: Waste Class Desc:		252 L			
		Waste crankcase oils and lubricants			
Waste Class: Waste Class Desc:		251 L			
		Waste oils/sludges (petroleum based)			
Waste Class: Waste Class Desc:		242 T			
		Halogenated pesticides and herbicides			
Waste Class: Waste Class Desc:		242 L			
		Halogenated pesticides and herbicides			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
19	86 of 97	SSE/210.6	97.9 / -0.97	BG FUELS GAS BARS 4281 1460 Merivale Road Ottawa ON K2E 5P2	GEN
Generator No:	ON5276265			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
19	87 of 97	SSE/210.6	97.9 / -0.97	BCP IV SERVICE STATION LP O/A BG FUELS 1460 MERIVALE RD,,OTTAWA,ON,K2E 5P2,CA ON	INC
Incident No:	2187158			Any Health Impact:	
Incident ID:				Any Enviro Impact:	
Instance No:				Service Interrupted:	
Status Code:				Was Prop Damaged:	
Attribute Category:	FS-Incident			Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:	11/7/2017			Indus App. Type:	
Time of Occurrence:				Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:				Pipeline Type:	
Approx Quant Rel:				Pipeline Involved:	
Tank Capacity:				Pipe Material:	
Fuels Occur Type:				Depth Ground Cover:	
Fuel Type Involved:				Regulator Location:	
Enforcement Policy:				Regulator Type:	
Prc Escalation Req:				Operation Pressure:	
Tank Material Type:				Liquid Prop Make:	
Tank Storage Type:				Liquid Prop Model:	
Tank Location Type:				Liquid Prop Serial No:	
Pump Flow Rate Cap:				Liquid Prop Notes:	
Task No:				Equipment Type:	
Notes:				Equipment Model:	
Drainage System:				Serial No:	
Sub Surface Contam.:				Cylinder Capacity:	
Aff Prop Use Water:				Cylinder Cap Units:	
Contam. Migrated:				Cylinder Mat Type:	
Contact Natural Env:				Near Body of Water:	
Incident Location:	1460 MERIVALE RD,,OTTAWA,ON,K2E 5P2,CA				
Occurrence Narrative:					
Operation Type Involved:					
Item:	FS GASOLINE STATION - SELF SERVE				
Item Description:					
Device Installed Location:					
19	88 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA	FST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ON					
Instance No:	11410728			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	6/5/2009			Fuel Type3:	NULL
Install Year:	1991			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	25000			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA				
<u>Fuel Storage Tank Details</u>					
Owner Account Name:	SUNYS ENERGY INC				
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name:	SUNYS ENERGY INC				
Item:	FS LIQUID FUEL TANK				

19	89 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	FST
Instance No:	11092228			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	1/21/1992			Fuel Type3:	NULL
Install Year:	1992			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	25000			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA				
<u>Fuel Storage Tank Details</u>					
Owner Account Name:	SUNYS PETROLEUM INC				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Liquid Fuel Tank Details

Overfill Protection:
 Owner Account Name: SUNYS PETROLEUM INC
 Item: FS LIQUID FUEL TANK

19	90 of 97	SSE/210.6	97.9 / -0.97	1460 MERIVALE RD OTTAWA ON K2E 5P2	FST
Instance No:	35210393			Manufacturer:	
Status:	Active			Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS GASOLINE STATION - SELF SERVE			Unit of Measure:	
Item Description:				Fuel Type:	
Tank Type:				Fuel Type2:	
Install Date:				Fuel Type3:	
Install Year:				Piping Steel:	0
Years in Service:				Piping Galvanized:	0
Model:				Tanks Single Wall St:	0
Description:				Piping Underground:	3
Capacity:				Num Underground:	2
Tank Material:				Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:					
Parent Facility Type:					
Facility Location:					
Device Installed Location:					

19	91 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	FST
Instance No:	11410708			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	6/5/2009			Fuel Type3:	NULL
Install Year:	1991			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	25000			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA				

Fuel Storage Tank Details

Owner Account Name: SUNYS ENERGY INC

Liquid Fuel Tank Details

Overfill Protection:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Owner Account Name:		SUNYS ENERGY INC			
Item:		FS LIQUID FUEL TANK			

19	92 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	FST
Instance No:		11092256		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Diesel	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		1/21/1992		Fuel Type3: NULL	
Install Year:		1992		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		44500		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		1460 MERIVALE RD NEPEAN K2E 5P2 ON CA			

Fuel Storage Tank Details

Owner Account Name: SUNYS PETROLEUM INC

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: SUNYS PETROLEUM INC
Item: FS LIQUID FUEL TANK

19	93 of 97	SSE/210.6	97.9 / -0.97	SUNYS ENERGY INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	FST
Instance No:		11410689		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Gasoline	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		6/5/2009		Fuel Type3: NULL	
Install Year:		1991		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		45000		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		1460 MERIVALE RD NEPEAN K2E 5P2 ON CA			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Fuel Storage Tank Details</u>					
Owner Account Name:	SUNYS ENERGY INC				
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name:	SUNYS ENERGY INC				
Item:	FS LIQUID FUEL TANK				

19	94 of 97	SSE/210.6	97.9 / -0.97	SUNYS PETROLEUM INC 1460 MERIVALE RD NEPEAN K2E 5P2 ON CA ON	FST
Instance No:	11092244			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	1/21/1992			Fuel Type3:	NULL
Install Year:	1992			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	25000			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	1460 MERIVALE RD NEPEAN K2E 5P2 ON CA				

<u>Fuel Storage Tank Details</u>					
Owner Account Name:	SUNYS PETROLEUM INC				
<u>Liquid Fuel Tank Details</u>					
Overfill Protection:					
Owner Account Name:	SUNYS PETROLEUM INC				
Item:	FS LIQUID FUEL TANK				

19	95 of 97	SSE/210.6	97.9 / -0.97	Merivale Dental Centre 1460 Meivale Road Unit 4B Ottawa ON K2E5P2	GEN
Generator No:	ON5017008			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jan 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

<u>Detail(s)</u>					
Waste Class:	146 P				
Waste Class Desc:	Other specified inorganic sludges, slurries or solids				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
19	96 of 97	SSE/210.6	97.9 / -0.97	Loblaws Properties Ltd. 1460 Merivale Road Ottawa ON K2E 5P2	GEN
Generator No:	ON8192732			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Nov 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	262 L				
Waste Class Desc:	Detergents and soaps				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
Waste Class:	145 I				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	331 L				
Waste Class Desc:	Waste compressed gases including cylinders				
Waste Class:	122 C				
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)				
Waste Class:	263 A				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	263 L				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	146 T				
Waste Class Desc:	Other specified inorganic sludges, slurries or solids				
Waste Class:	261 I				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	145 L				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	269 T				
Waste Class Desc:	Organic non-halogenated pesticide and herbicide wastes				
Waste Class:	148 I				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	251 L				
Waste Class Desc:	Waste oils/sludges (petroleum based)				
Waste Class:	148 A				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	262 C				
Waste Class Desc:	Detergents and soaps				
Waste Class:	212 I				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	331 I				
Waste Class Desc:	Waste compressed gases including cylinders				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		269 L			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		261 L			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		263 C			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		242 T			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		261 B			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		242 L			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			

[19](#) 97 of 97 **SSE/210.6** **97.9 / -0.97** **BG FUELS GAS BARS 4281**
1460 Merivale Road
Ottawa ON K2E 5P2 GEN

Generator No:	ON5276265	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Nov 2021	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class: 148 I
Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 221 L
Waste Class Desc: Light fuels

[20](#) 1 of 15 **ENE/212.7** **95.9 / -3.00** **1305 Baseline Road**
Ottawa ON K2C 3X6 CA

Certificate #:	1342-4GJLAQ
Application Year:	00
Issue Date:	2/18/00
Approval Type:	Industrial air
Status:	Approved
Application Type:	New Certificate of Approval
Client Name:	London Life Insurance Company and Besner-Vered (1980) Ltd.
Client Address:	1801 Woodward Drive
Client City:	Ottawa
Client Postal Code:	K2C 0R3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Project Description:		Installation of a 125 kW emergency generator for Tower V			
Contaminants:					
Emission Control:					

20	2 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON	GEN
Generator No:	ON8146974			Status:	
SIC Code:	531310			Co Admin:	
SIC Description:	Real Estate Property Managers			Choice of Contact:	
Approval Years:	2009			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Detail(s)

Waste Class:	113
Waste Class Desc:	ACID WASTE - OTHER METALS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

20	3 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON	GEN
Generator No:	ON8146974			Status:	
SIC Code:	531310			Co Admin:	
SIC Description:	Real Estate Property Managers			Choice of Contact:	
Approval Years:	2010			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Detail(s)

Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

<u>20</u>	4 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON	GEN
Generator No:	ON8146974			Status:	
SIC Code:	531310			Co Admin:	
SIC Description:	Real Estate Property Managers			Choice of Contact:	
Approval Years:	2011			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	

Detail(s)

Waste Class:	121			
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS			
Waste Class:	252			
Waste Class Desc:	WASTE OILS & LUBRICANTS			
Waste Class:	146			
Waste Class Desc:	OTHER SPECIFIED INORGANICS			
Waste Class:	148			
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS			
Waste Class:	122			
Waste Class Desc:	ALKALINE WASTES - OTHER METALS			
Waste Class:	212			
Waste Class Desc:	ALIPHATIC SOLVENTS			
Waste Class:	213			
Waste Class Desc:	PETROLEUM DISTILLATES			
Waste Class:	145			
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES			
Waste Class:	113			
Waste Class Desc:	ACID WASTE - OTHER METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	5 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON	GEN

Generator No:	ON8146974	Status:
SIC Code:	531310	Co Admin:
SIC Description:	Real Estate Property Managers	Choice of Contact:
Approval Years:	2012	Phone No Admin:
PO Box No:		Contam. Facility:
Country:		MHSW Facility:

Detail(s)

Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	113
Waste Class Desc:	ACID WASTE - OTHER METALS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS

20	6 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON	GEN
--------------------	---------	-----------	--------------	---	-----

Generator No:	ON8146974	Status:
SIC Code:	531310	Co Admin:
SIC Description:	REAL ESTATE PROPERTY MANAGERS	Choice of Contact:
Approval Years:	2013	Phone No Admin:
PO Box No:		Contam. Facility:
Country:		MHSW Facility:

Detail(s)

Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	113
Waste Class Desc:	ACID WASTE - OTHER METALS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	121

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

20	7 of 15	ENE/212.7	95.9 / -3.00	1305 Baseline Rd Ottawa ON	SPL
Ref No:	4144-9J7QB9			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2014/04/15			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Leak/Break			Sector Type:	Valve/Fitting/Piping
Incident Event:				Agency Involved:	
Contaminant Code:	38			Nearest Watercourse:	
Contaminant Name:	REFRIGERANT GAS, N.O.S.			Site Address:	1305 Baseline Rd
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:	Air Pollution			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2014/04/15			Site Map Datum:	
Dt Document Closed:	2014/11/05			SAC Action Class:	Air Spills - Gases and Vapours
Incident Reason:	Material Failure - Poor Design/Substandard Material			Source Type:	
Site Name:	Maple Leaf <UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	R22 release to atmosphere.				
Contaminant Qty:	232 lb				

20	8 of 15	ENE/212.7	95.9 / -3.00	London Life Insurance Company and Besner-Vered (1980) Ltd. 1305 Baseline Road Ottawa ON K2C 0R3	ECA
--------------------	---------	------------------	---------------------	--	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No:	1342-4GJLAQ			MOE District: Ottawa	
Approval Date:	2000-02-18			City:	
Status:	Approved			Longitude: -75.7292	
Record Type:	ECA			Latitude: 45.3683	
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Business Name:	London Life Insurance Company and Besner-Vered (1980) Ltd.				
Address:	1305 Baseline Road				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0784-4FRQ8E-14.pdf				
PDF Site Location:					

20	9 of 15	ENE/212.7	95.9 / -3.00	690723 Ontario Inc. 111-1305 Baseline Road Ottawa ON K2C 0R5	GEN
Generator No:	ON9192787			Status:	
SIC Code:	531310			Co Admin:	
SIC Description:	REAL ESTATE PROPERTY MANAGERS			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Detail(s)

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

20	10 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON K2C 0R5	GEN
Generator No:	ON8146974			Status:	
SIC Code:	531310			Co Admin:	Mike Chiasson
SIC Description:	REAL ESTATE PROPERTY MANAGERS			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Phone No Admin:	6132939253 Ext.
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Detail(s)

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		113			
Waste Class Desc:		ACID WASTE - OTHER METALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

20 11 of 15 **ENE/212.7** **95.9 / -3.00** **MAPLE LEAF PROPERTY MANAGEMENT**
1305 BASELINE ROAD
OTTAWA ON K2C 0R5 **GEN**

Generator No:	ON8146974	Status:	
SIC Code:	531310	Co Admin:	Mike Chiasson
SIC Description:	REAL ESTATE PROPERTY MANAGERS	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Phone No Admin:	6132939253 Ext.
PO Box No:		Contam. Facility:	No
Country:	Canada	MHSW Facility:	No

Detail(s)

Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	113
Waste Class Desc:	ACID WASTE - OTHER METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

20	12 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON K2C 0R5	GEN
Generator No:	ON8146974			Status:	
SIC Code:	531310			Co Admin:	
SIC Description:	REAL ESTATE PROPERTY MANAGERS			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Detail(s)

Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	113				
Waste Class Desc:	ACID WASTE - OTHER METALS				
Waste Class:	242				
Waste Class Desc:	HALOGENATED PESTICIDES				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

20	13 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD	GEN
--------------------	----------	------------------	---------------------	--	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON K2C 0R5					
Generator No:	ON8146974			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	112 C				
Waste Class Desc:	Acid solutions - containing heavy metals				
Waste Class:	113 C				
Waste Class Desc:	Acid solutions - containing other metals and non-metals				
Waste Class:	121 C				
Waste Class Desc:	Alkaline slutions - containing heavy metals				
Waste Class:	122 C				
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)				
Waste Class:	145 I				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	145 L				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	146 T				
Waste Class Desc:	Other specified inorganic sludges, slurries or solids				
Waste Class:	148 A				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	212 B				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	212 I				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				
Waste Class:	242 A				
Waste Class Desc:	Halogenated pesticides and herbicides				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
Waste Class:	263 C				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	263 I				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	331 I				
Waste Class Desc:	Waste compressed gases including cylinders				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	14 of 15	ENE/212.7	95.9 / -3.00	MAPLE LEAF PROPERTY MANAGEMENT 1305 BASELINE ROAD OTTAWA ON K2C 0R5	GEN
Generator No:	ON8146974			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	146 T				
Waste Class Desc:	Other specified inorganic sludges, slurries or solids				
Waste Class:	122 C				
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)				
Waste Class:	148 A				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	263 C				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	212 I				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
Waste Class:	212 B				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	113 C				
Waste Class Desc:	Acid solutions - containing other metals and non-metals				
Waste Class:	145 L				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	242 A				
Waste Class Desc:	Halogenated pesticides and herbicides				
Waste Class:	145 I				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	112 C				
Waste Class Desc:	Acid solutions - containing heavy metals				
Waste Class:	121 C				
Waste Class Desc:	Alkaline slutions - containing heavy metals				
Waste Class:	331 I				
Waste Class Desc:	Waste compressed gases including cylinders				
Waste Class:	213 I				
Waste Class Desc:	Petroleum distillates				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			

[20](#) 15 of 15 **ENE/212.7** **95.9 / -3.00** **MAPLE LEAF PROPERTY MANAGEMENT
1305 BASELINE ROAD
OTTAWA ON K2C 0R5** **GEN**

Generator No:	ON8146974	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Nov 2021	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class:	263 I
Waste Class Desc:	Misc. waste organic chemicals
Waste Class:	252 L
Waste Class Desc:	Waste crankcase oils and lubricants
Waste Class:	213 I
Waste Class Desc:	Petroleum distillates
Waste Class:	145 L
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	242 A
Waste Class Desc:	Halogenated pesticides and herbicides
Waste Class:	113 C
Waste Class Desc:	Acid solutions - containing other metals and non-metals
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	121 C
Waste Class Desc:	Alkaline slutions - containing heavy metals
Waste Class:	263 C
Waste Class Desc:	Misc. waste organic chemicals
Waste Class:	146 T
Waste Class Desc:	Other specified inorganic sludges, slurries or solids
Waste Class:	122 C
Waste Class Desc:	Alkaline slutions - containing other metals and non-metals (not cyanide)
Waste Class:	112 C
Waste Class Desc:	Acid solutions - containing heavy metals
Waste Class:	331 I
Waste Class Desc:	Waste compressed gases including cylinders
Waste Class:	212 B
Waste Class Desc:	Aliphatic solvents and residues
Waste Class:	212 I
Waste Class Desc:	Aliphatic solvents and residues
Waste Class:	148 C
Waste Class Desc:	Misc. wastes and inorganic chemicals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		148 A			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			

21	1 of 1	E/215.2	96.0 / -2.92	1300 BASELINE RD OTTAWA ON	WWIS
Well ID:	7186412			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	9/4/2012
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z152723			Owner:	
Tag:	A133518			Street Name:	1300 BASELINE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186412.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/01/19
Year Completed: 2012
Depth (m): 3.35
Latitude: 45.3638095038471
Longitude: -75.7335385188939
Path: 718\7186412.pdf

Bore Hole Information

Bore Hole ID:	1004147059	Elevation:	99.901641
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442553.00
Code OB Desc:		North83:	5023628.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	19-Jan-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1004417320			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.440000057220459			
Formation End Depth:		3.3499999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004417319			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		2.440000057220459			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004417330			
Layer:		3			
Plug From:		1.5			
Plug To:		3.34999990463257			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004417328			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004417329			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.5			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1004417327			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
 <u>Pipe Information</u>					
Pipe ID:		1004417318			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1004417323			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.83000004291534			
Casing Diameter:		3.45000004768372			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1004417324			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.83000004291534			
Screen End Depth:		3.34999990463257			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.21000003814697			
 <u>Water Details</u>					
Water ID:		1004417322			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1004417321			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		3.3499999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

22

1 of 1

E/223.6

95.2 / -3.69

1454 Merivale Rd
Ottawa ON K2E5P1

EHS

Order No: 20130510002
 Status: C
 Report Type: Custom Report
 Report Date: 16-MAY-13

Nearest Intersection:
 Municipality:
 Client Prov/State: ON
 Search Radius (km): .25

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Received:	10-MAY-13			X:	-75.733523
Previous Site Name:				Y:	45.363192
Lot/Building Size:					
Additional Info Ordered:					

23	1 of 1	E/224.4	96.0 / -2.92	1292 BASELINE RD Ottawa ON	WWIS
Well ID:	7182738			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	6/19/2012
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z148631			Owner:	
Tag:	A092471			Street Name:	1292 BASELINE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7182738.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/05/18
Year Completed: 2012
Depth (m): 3.66
Latitude: 45.3639541696117
Longitude: -75.7334382365492
Path: 718\7182738.pdf

Bore Hole Information

Bore Hole ID:	1003927655	Elevation:	100.156242
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442561.00
Code OB Desc:		North83:	5023644.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	18-May-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1004364439			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.2200000286102295			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004364440			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.2200000286102295			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004364438			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		27			
Most Common Material:		OTHER			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004364449			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004364448			
Layer:		1			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004364450			
<i>Layer:</i>		3			
<i>Plug From:</i>		1.83000004291534			
<i>Plug To:</i>		3.66000008583069			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004364447			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004364437			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1004364443			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.13000011444092			
<i>Casing Diameter:</i>		5.19999980926514			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1004364444			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		2.13000011444092			
<i>Screen End Depth:</i>		3.66000008583069			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03000020980835			
<u>Water Details</u>					
<i>Water ID:</i>		1004364442			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter

Hole ID: 1004364441
Diameter: 11.430000305175781
Depth From: 0.0
Depth To: 3.6600000858306885
Hole Depth UOM: m
Hole Diameter UOM: cm

[24](#) 1 of 1 **E/225.0** **96.0 / -2.92** **1300 BASELINE RD
Ottawa ON** **WWIS**

Well ID:	7190947	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	11/9/2012
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z156881	Owner:	
Tag:	A136928	Street Name:	1300 BASELINE RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7197190947.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/09/24
Year Completed: 2012
Depth (m): 10.67
Latitude: 45.3637563201142
Longitude: -75.7334101419775
Path: 719\7190947.pdf

Bore Hole Information

Bore Hole ID:	1004199183	Elevation:	99.599800
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442563.00
Code OB Desc:		North83:	5023622.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	24-Sep-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004486496			
Layer:		3			
Color:		1			
General Color:		WHITE			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		68			
Mat3 Desc:		DRY			
Formation Top Depth:		3.6600000858306885			
Formation End Depth:		10.670000076293945			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004486495			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		68			
Mat3 Desc:		DRY			
Formation Top Depth:		0.9100000262260437			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004486494			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:		68			
Mat3 Desc:		DRY			
Formation Top Depth:		0.0			
Formation End Depth:		0.9100000262260437			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004486505			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Plug ID:		1004486506			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004486507			
Layer:		3			
Plug From:		5.78999996185303			
Plug To:		10.6700000762939			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004486504			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004486493			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004486500			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.09999990463257			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004486501			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.09999990463257			
Screen End Depth:		10.6700000762939			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1004486499			
Layer:					
Kind Code:					
Kind:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004486497
Diameter: 11.430000305175781
Depth From: 0.0
Depth To: 3.690000057220459
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004486498
Diameter: 7.670000076293945
Depth From: 3.9600000381469727
Depth To: 10.670000076293945
Hole Depth UOM: m
Hole Diameter UOM: cm

25	1 of 1	S/227.8	98.9 / 0.00	Kimway Cres Ottawa ON	EHS
--------------------	--------	---------	-------------	--------------------------	-----

Order No:	20120608027	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	15-JUN-12	Search Radius (km):	.25
Date Received:	08-JUN-12	X:	-75.736611
Previous Site Name:		Y:	45.361671
Lot/Building Size:			
Additional Info Ordered:			

26	1 of 1	E/228.0	96.0 / -2.92	1300 BASELINE OTTAWA ON	WWIS
--------------------	--------	---------	--------------	----------------------------	------

Well ID:	7186411	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	9/4/2012
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z152724	Owner:	
Tag:	A133521	Street Name:	1300 BASELINE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186411.pdf

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		2012/07/17			
Year Completed:		2012			
Depth (m):		9.14			
Latitude:		45.3637385648432			
Longitude:		-75.7333716056898			
Path:		718\7186411.pdf			

Bore Hole Information

Bore Hole ID:	1004147056	Elevation:	99.477455
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442566.00
Code OB Desc:		North83:	5023620.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	17-Jul-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004417264
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0.0
Formation End Depth:	2.740000009536743
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004417265
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	71
Mat3 Desc:	FRACTURED
Formation Top Depth:	2.740000009536743
Formation End Depth:	9.140000343322754
Formation End Depth UOM:	m

Annular Space/Abandonment

Sealing Record

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1004417274			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004417275			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		4.2699998092651			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004417276			
Layer:		3			
Plug From:		4.2699998092651			
Plug To:		9.14000034332275			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004417273			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004417263			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004417269			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.57000017166138			
Casing Diameter:		5.19999980926514			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004417270			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.57000017166138			
Screen End Depth:		9.14000034332275			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1004417268			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004417267			
Diameter:		8.0			
Depth From:		3.6600000858306885			
Depth To:		9.140000343322754			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004417266			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.6600000858306885			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

27	1 of 1	E/228.2	96.0 / -2.92	1300 BASELINE RD Ottawa ON	WWIS
Well ID:		7190946		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 11/9/2012	
Sec. Water Use:		0		Selected Flag: True	
Final Well Status:		Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z156882		Owner:	
Tag:		A136929		Street Name: 1300 BASELINE RD	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NEPEAN TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190946.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/09/24
Year Completed: 2012
Depth (m): 10.67
Latitude: 45.3636395581017
Longitude: -75.733370326424

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		719\7190946.pdf			

Bore Hole Information

Bore Hole ID:	1004199180	Elevation:	99.152282
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442566.00
Code OB Desc:		North83:	5023609.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	24-Sep-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004486479
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	68
Mat3 Desc:	DRY
Formation Top Depth:	0.0
Formation End Depth:	0.6100000143051147
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004486481
Layer:	3
Color:	1
General Color:	WHITE
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	73
Mat2 Desc:	HARD
Mat3:	68
Mat3 Desc:	DRY
Formation Top Depth:	3.6600000858306885
Formation End Depth:	10.670000076293945
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004486480
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:		68			
Mat3 Desc:		DRY			
Formation Top Depth:		0.6100000143051147			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004486492			
Layer:		3			
Plug From:		5.78999996185303			
Plug To:		10.6700000762939			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004486490			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004486491			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004486489			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004486478			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004486485			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.09999990463257			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:	1004486486				
Layer:	1				
Slot:	10				
Screen Top Depth:	6.09999990463257				
Screen End Depth:	10.6700000762939				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	4.82000017166138				
<u>Water Details</u>					
Water ID:	1004486484				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1004486482				
Diameter:	11.430000305175781				
Depth From:	0.0				
Depth To:	3.9600000381469727				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Hole Diameter</u>					
Hole ID:	1004486483				
Diameter:	7.670000076293945				
Depth From:	3.9600000381469727				
Depth To:	10.670000076293945				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

28 1 of 1 **E/228.2** **95.1 / -3.76** **1450 MERIVALE RD**
Ottawa ON **WWIS**

Well ID:	7275404	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	11/22/2016
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	0	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z237996	Owner:	
Tag:	A205856	Street Name:	1450 MERIVALE RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2016/10/21				
Year Completed:	2016				
Depth (m):	5.18				
Latitude:	45.3635134675363				
Longitude:	-75.7333814661204				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006293414			Elevation:	98.700958
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442565.00
Code OB Desc:				North83:	5023595.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	21-Oct-2016 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006430817				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:	66				
Mat3 Desc:	DENSE				
Formation Top Depth:	0.3100000023841858				
Formation End Depth:	0.9139999747276306				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006430818				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:	74				
Mat3 Desc:	LAYERED				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.9139999747276306			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006430816			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006430828			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006430829			
Layer:		3			
Plug From:		1.83000004291534			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006430827			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006430826			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006430815			
Casing No:		0			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

Construction Record - Screen

Screen ID: 1006430823
 Layer: 1
 Slot: 10
 Screen Top Depth: 2.13000011444092
 Screen End Depth: 5.17999982833862
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 6.03000020980835

Water Details

Water ID: 1006430821
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1006430819
 Diameter: 11.399999618530273
 Depth From: 0.0
 Depth To: 1.2300000190734863
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1006430820
 Diameter: 7.800000190734863
 Depth From: 1.2300000190734863
 Depth To: 5.179999828338623
 Hole Depth UOM: m
 Hole Diameter UOM: cm

29	1 of 1	E/228.8	96.0 / -2.92	ON	BORE
--------------------	--------	---------	--------------	----	------

Borehole ID: 847710
 OGF ID: 215589367
 Status: Decommissioned
 Type: Borehole
 Use: Geotechnical/Geological Investigation
 Completion Date: 01-JUN-1971
 Static Water Level: 2.1
 Primary Water Use:
 Sec. Water Use:
 Total Depth m: 5.4
 Depth Ref: Ground Surface
 Depth Elev:
 Drill Method: Diamond Drill
 Orig Ground Elev m: 99.2
 Elev Reliabil Note:
 DEM Ground Elev m: 99.9
 Concession: BROKEN FRONT A
 Location D:

Inclin FLG: No
 SP Status: Initial Entry
 Surv Elev: No
 Piezometer: No
 Primary Name:
 Municipality:
 Lot: LOT 35
 Township: NEPEAN
 Latitude DD: 45.363901
 Longitude DD: -75.733374
 UTM Zone: 18
 Easting: 442566
 Northing: 5023638
 Location Accuracy:
 Accuracy: Within 50 metres

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6558638			Mat Consistency:	Very Stiff
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY TILL VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6558637			Mat Consistency:	Loose
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY SAND TO SAND SILT FILL BROWN LOOSE TO COMPACT **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6558639			Mat Consistency:	
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	5.4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	FRACTURED SHALEY LIMESTONE BEDROCK IRREGULAR SHALE SEAMS GREY SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.				
30	1 of 1	E/229.5	96.0 / -2.92	1292 BASELINE RD Ottawa ON	WWIS
Well ID:	7182739			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	6/19/2012
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z148629			Owner:	
Tag:	A092472			Street Name:	1292 BASELINE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7182739.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/05/18
Year Completed: 2012
Depth (m): 7.62
Latitude: 45.3638646554031
Longitude: -75.7333604659337
Path: 718\7182739.pdf

Bore Hole Information

Bore Hole ID:	1003927658	Elevation:	99.809280
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442567.00
Code OB Desc:		North83:	5023634.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	18-May-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1004364460
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 1.5199999809265137
Formation End Depth: 3.6600000858306885
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004364458
Layer: 1
Color: 8
General Color: BLACK
Mat1: 27
Most Common Material: OTHER
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004364459			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.5199999809265137			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004364461			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		3.6600000858306885			
Formation End Depth:		7.619999885559082			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004364470			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004364471			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		4.26999998092651			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004364472			
Layer:		3			
Plug From:		4.26999998092651			
Plug To:		7.61999988555908			
Plug Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Method of Construction & Well Use

Method Construction ID: 1004364469
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 1004364457
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004364465
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 4.57000017166138
Casing Diameter: 5.19999980926514
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004364466
Layer: 1
Slot: 10
Screen Top Depth: 4.57000017166138
Screen End Depth: 7.61999988555908
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.03000020980835

Water Details

Water ID: 1004364464
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004364463
Diameter: 7.619999885559082
Depth From: 4.570000171661377
Depth To: 7.619999885559082
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1004364462			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[31](#) 1 of 1 **ESE/232.9** **95.2 / -3.69** **A & W Food Services of Canada
1454 Merivale Road
Ottawa ON K2E 5P1** **GEN**

Generator No:	ON6696662	Status:	Registered
SIC Code:		Co Admin:	
SIC Description:		Choice of Contact:	
Approval Years:	As of Oct 2019	Phone No Admin:	
PO Box No:		Contam. Facility:	
Country:	Canada	MHSW Facility:	

Detail(s)

Waste Class: 146 L
Waste Class Desc: Other specified inorganic sludges, slurries or solids

[32](#) 1 of 1 **E/233.9** **94.9 / -4.00** **1292 BASELINE RD
Ottawa ON** **WWIS**

Well ID:	7190926	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	11/9/2012
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z156898	Owner:	
Tag:	A136932	Street Name:	1292 BASELINE RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190926.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/09/25
Year Completed: 2012
Depth (m): 10.67
Latitude: 45.3639099863815
Longitude: -75.7333099756845
Path: 719\7190926.pdf

Bore Hole Information

Bore Hole ID:	1004198923	Elevation:	99.883872
DP2BR:		Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	18
Code OB:				East83:	442571.00
Code OB Desc:				North83:	5023639.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	25-Sep-2012 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1004485981
Layer: 1
Color: 8
General Color: BLACK
Mat1:
Most Common Material:
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 77
Mat3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 0.3100000023841858
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1004485982
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 11
Mat3 Desc: GRAVEL
Formation Top Depth: 0.3100000023841858
Formation End Depth: 4.570000171661377
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1004485983
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 73
Mat2 Desc: HARD
Mat3: 74
Mat3 Desc: LAYERED
Formation Top Depth: 4.570000171661377
Formation End Depth: 10.670000076293945

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485994			
Layer:		3			
Plug From:		5.78999996185303			
Plug To:		10.6700000762939			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485992			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485993			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004485991			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004485980			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004485987			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.09999990463257			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004485988			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		6.09999990463257			
Screen End Depth:		10.6700000762939			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1004485986			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004485984			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004485985			
Diameter:		7.619999885559082			
Depth From:		4.570000171661377			
Depth To:		10.670000076293945			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

33	1 of 1	SW/234.2	99.9 / 1.00	ON	BORE
Borehole ID:	612619			Inclin FLG:	No
OGF ID:	215513925			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	FEB-1953			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.361929
Total Depth m:	68.6			Longitude DD:	-75.737885
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	442211
Drill Method:				Northing:	5023422
Orig Ground Elev m:	94.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	101				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218391841			Mat Consistency:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	0			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND.			
Geology Stratum ID:	218391842			Mat Consistency:	Compact
Top Depth:	3			Material Moisture:	
Bottom Depth:	68.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE. GREY. 0006003.0 FEET. FEET.FF. TILL. LOOSE TO COMPACT. SAND. LOOSE TO CO			**Note: Many records provided by the department have a truncated [Stratum Description] field.
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 05127 NTS_Sheet:				
Confiden 1:					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
34	1 of 1	E/234.3	94.9 / -4.00	1292 BASELINE RD Ottawa ON	WWIS
Well ID:	7190927			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/9/2012
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z156885			Owner:	
Tag:	A136933			Street Name:	1292 BASELINE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190927.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2012/09/25			
Year Completed:		2012			
Depth (m):		10.67			
Latitude:		45.363838063455			
Longitude:		-75.733296277465			
Path:		719\7190927.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1004198926		Elevation:	
DP2BR:				99.657608	
Spatial Status:				Elevrc:	
Code OB:				Zone:	
Code OB Desc:				18	
Open Hole:				East83:	
Cluster Kind:				442572.00	
Date Completed:		25-Sep-2012 00:00:00		North83:	
Remarks:				5023631.00	
Elevrc Desc:				Org CS:	
Location Source Date:				UTM83	
Improvement Location Source:				UTMRC:	
Improvement Location Method:				4	
Source Revision Comment:				UTMRC Desc:	
Supplier Comment:				margin of error : 30 m - 100 m	
				Location Method:	
				wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004486022			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004486024			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		74			
Mat3 Desc:		LAYERED			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>		3.3499999046325684			
<i>Formation End Depth:</i>		10.670000076293945			
<i>Formation End Depth UOM:</i>		m			
<u>Overburden and Bedrock Materials Interval</u>					
<i>Formation ID:</i>		1004486023			
<i>Layer:</i>		2			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>		06			
<i>Mat2 Desc:</i>		SILT			
<i>Mat3:</i>		11			
<i>Mat3 Desc:</i>		GRAVEL			
<i>Formation Top Depth:</i>		0.3100000023841858			
<i>Formation End Depth:</i>		3.3499999046325684			
<i>Formation End Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004486033			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.310000002384186			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004486035			
<i>Layer:</i>		3			
<i>Plug From:</i>		5.78999996185303			
<i>Plug To:</i>		10.6700000762939			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004486034			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.310000002384186			
<i>Plug To:</i>		5.78999996185303			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004486032			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004486021			
<i>Casing No:</i>		0			
<i>Comment:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

Construction Record - Casing

Casing ID: 1004486028
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 6.09999990463257
 Casing Diameter: 9.02999973297119
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004486029
 Layer: 1
 Slot: 10
 Screen Top Depth: 6.09999990463257
 Screen End Depth: 10.6700000762939
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.82000017166138

Water Details

Water ID: 1004486027
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004486025
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 4.570000171661377
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004486026
 Diameter: 7.619999885559082
 Depth From: 4.570000171661377
 Depth To: 10.670000076293945
 Hole Depth UOM: m
 Hole Diameter UOM: cm

[35](#) 1 of 1 SW/234.3 99.9 / 1.00 ON WWIS

Well ID:	1507864	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Public	Date Received:	4/17/1953
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Water Supply	Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Contractor:	3725
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1507864.pdf

Additional Detail(s) (Map)

Well Completed Date: 1953/02/17
Year Completed: 1953
Depth (m): 68.58
Latitude: 45.3619272265142
Longitude: -75.7378848667048
Path: 150\1507864.pdf

Bore Hole Information

Bore Hole ID:	10029899	Elevation:	101.614257
DP2BR:	10.00	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	442210.70
Code OB Desc:	Bedrock	North83:	5023422.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	17-Feb-1953 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931008228
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 10.0
Formation End Depth: 225.0
Formation End Depth UOM: ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008227			
Layer:		1			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961507864			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10578469			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930052455			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		225			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930052454			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		16			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991507864			
Pump Set At:					
Static Level:		35.0			
Final Level After Pumping:		35.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933462144			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933462145			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		150.0			
Water Found Depth UOM:		ft			

36	1 of 1	E/237.4	94.9 / -4.00	1450 MERIVALE RD Ottawa ON	WWIS
Well ID:	7275405			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/22/2016
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	0			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z237995			Owner:	
Tag:	A211305			Street Name:	1450 MERIVALE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date:	2016/10/21
Year Completed:	2016
Depth (m):	5.18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.3634241172243			
Longitude:		-75.7332781605601			
Path:					

Bore Hole Information

Bore Hole ID:	1006293417	Elevation:	98.252876
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442573.00
Code OB Desc:		North83:	5023585.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	21-Oct-2016 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006430840
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	
Most Common Material:	
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	0.0
Formation End Depth:	0.3100000023841858
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006430841
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	66
Mat3 Desc:	DENSE
Formation Top Depth:	0.3100000023841858
Formation End Depth:	0.9139999747276306
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006430842
Layer:	3
Color:	2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		0.9139999747276306			
Formation End Depth:		5.179999828338623			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006430852			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		1.83000004291534			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006430851			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006430853			
Layer:		3			
Plug From:		1.83000004291534			
Plug To:		5.17999982833862			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006430850			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006430839			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006430847			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.13000011444092			
Screen End Depth:		5.17999982833862			
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Water Details</u>					
Water ID:		1006430845			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006430844			
Diameter:		7.800000190734863			
Depth From:		1.2300000190734863			
Depth To:		5.179999828338623			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1006430843			
Diameter:		11.399999618530273			
Depth From:		0.0			
Depth To:		1.2300000190734863			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

37	1 of 1	E/238.3	94.9 / -4.00	1450 MERIVALE RD Ottawa ON	WWIS
Well ID:	7275316			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	11/22/2016
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z238002			Owner:	
Tag:	A211303			Street Name:	1450 MERIVALE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2016/10/21				
Year Completed:	2016				
Depth (m):	6.1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.3636133760145			
Longitude:		-75.7332422988775			
Path:					

Bore Hole Information

Bore Hole ID:	1006293714	Elevation:	98.823883
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442576.00
Code OB Desc:		North83:	5023606.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	21-Oct-2016 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006428054
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	74
Mat3 Desc:	LAYERED
Formation Top Depth:	1.2200000286102295
Formation End Depth:	6.099999904632568
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006428053
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	0.0
Formation End Depth:	1.2200000286102295
Formation End Depth UOM:	m

Annular Space/Abandonment

Sealing Record

Plug ID:	1006428065
Layer:	3
Plug From:	2.74000000953674

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		6.09999990463257			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006428063			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006428064			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.74000000953674			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006428062			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006428052			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006428059			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.04999995231628			
Screen End Depth:		6.09999990463257			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.51999998092651			
<u>Water Details</u>					
Water ID:		1006428057			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006428055			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		11.399999618530273			
Depth From:		0.0			
Depth To:		1.5199999809265137			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1006428056			
Diameter:		7.800000190734863			
Depth From:		1.5199999809265137			
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>38</u>	1 of 7	E/240.8	94.9 / -4.00	TRANSPORT TRUCK 1450 MERIVALE RD. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K2E 5P1	SPL
Ref No:	215261			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	11/2/2001			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CONTAINER LEAK			Sector Type:	
Incident Event:				Agency Involved:	WORKS
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	20107
Nature of Impact:	Water course or lake			Site Lot:	
Receiving Medium:	Land, Water			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	11/2/2001			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	ERROR			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	JOURNEY'S CAR RENTAL-20 LDIESEL TO ST & STORM SE- WER. WORKS & DRAIN ALL.				
Contaminant Qty:					

<u>38</u>	2 of 7	E/240.8	94.9 / -4.00	JOURNEY CAR RENTALS 1450 MERIVALE ROAD NEPEAN ON K2E 5P1	GEN
Generator No:	ON2603400			Status:	
SIC Code:	6311			Co Admin:	
SIC Description:	NEW AUTO DEALERS			Choice of Contact:	
Approval Years:	00,01			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
38	3 of 7	E/240.8	94.9 / -4.00	1450 Merivale Rd Ottawa ON K2E5P1	EHS
Order No:	20140131048			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	11-FEB-14			Search Radius (km):	.25
Date Received:	31-JAN-14			X:	-75.733267
Previous Site Name:	Harley Davidson			Y:	45.363314
Lot/Building Size:	0.54 acres				
Additional Info Ordered:	City Directory				
38	4 of 7	E/240.8	94.9 / -4.00	GOLDER ASSOCIATES INC. 1450 MERIVALE ROAD OTTAWA ON	GEN
Generator No:	ON5441316			Status:	
SIC Code:	237990			Co Admin:	
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION			Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
Detail(s)					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
38	5 of 7	E/240.8	94.9 / -4.00	First Capital Realty Inc. 1450 Merivale Road Ottawa ON K2E 5P1	GEN
Generator No:	ON8181600			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Dec 2018			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
Detail(s)					
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
38	6 of 7	E/240.8	94.9 / -4.00	First Capital Realty Inc. 1450 Merivale Road Ottawa ON K2E 5P1	GEN
Generator No:	ON8181600			Status:	Registered
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jul 2020			Phone No Admin:	
PO Box No:				Contam. Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Canada		MHSW Facility:			
<u>Detail(s)</u>					
Waste Class: 252 L					
Waste Class Desc: Waste crankcase oils and lubricants					
38	7 of 7	E/240.8	94.9 / -4.00	First Capital Realty Inc. 1450 Merivale Road Ottawa ON K2E 5P1	GEN
Generator No:	ON8181600			Status: Registered	
SIC Code:				Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	As of Jan 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: 252 L					
Waste Class Desc: Waste crankcase oils and lubricants					
39	1 of 1	E/241.2	94.9 / -4.00	1292 BASELINE RD Ottawa ON	WWIS
Well ID:	7182740			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	6/19/2012
Sec. Water Use:	0			Selected Flag:	True
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z148630			Owner:	
Tag:	A092473			Street Name:	1292 BASELINE RD
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7182740.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2012/05/18				
Year Completed:	2012				
Depth (m):	12.19				
Latitude:	45.3638206360148				
Longitude:	-75.7332066695063				
Path:	718\7182740.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003927661			Elevation:	99.443534

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442579.00
Code OB Desc:				North83:	5023629.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	18-May-2012 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 1004364554
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3: 74
Mat3 Desc: LAYERED
Formation Top Depth: 3.9600000381469727
Formation End Depth: 9.75
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004364555
Layer: 5
Color: 6
General Color: BROWN
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3: 71
Mat3 Desc: FRACTURED
Formation Top Depth: 9.75
Formation End Depth: 10.989999771118164
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004364553
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 1.2200000286102295

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		3.9600000381469727			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004364556			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		10.989999771118164			
Formation End Depth:		12.1899995803833			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004364552			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.2200000286102295			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004364551			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		35			
Mat2 Desc:		WOOD FRAGMENTS			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004364565			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Annular Space/Abandonment Sealing Record

Plug ID: 1004364566
Layer: 2
Plug From: 0.310000002384186
Plug To: 8.84000015258789
Plug Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1004364567
Layer: 3
Plug From: 8.84000015258789
Plug To: 12.1899995803833
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1004364564
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 1004364550
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004364560
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 9.14000034332275
Casing Diameter: 5.19999980926514
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004364561
Layer: 1
Slot: 10
Screen Top Depth: 9.14000034332275
Screen End Depth: 12.1899995803833
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.03000020980835

Water Details

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water ID: 1004364559
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004364557
 Diameter: 11.430000305175781
 Depth From: 0.0
 Depth To: 4.570000171661377
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004364558
 Diameter: 7.619999885559082
 Depth From: 4.570000171661377
 Depth To: 12.1899995803833
 Hole Depth UOM: m
 Hole Diameter UOM: cm

40	1 of 2	E/241.4	94.9 / -4.00	1450 MERIVALE RD OTTAWA ON	WWIS
--------------------	--------	---------	--------------	-------------------------------	------

Well ID:	7242887	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	6/11/2015
Sec. Water Use:		Selected Flag:	True
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	1844
Casing Material:		Form Version:	7
Audit No:	Z171255	Owner:	
Tag:	A173510	Street Name:	1450 MERIVALE RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/724\7242887.pdf

Additional Detail(s) (Map)

Well Completed Date: 2015/03/15
Year Completed: 2015
Depth (m): 4.75
Latitude: 45.363361358838
Longitude: -75.7332390431661
Path: 724\7242887.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1005405383			Elevation:	98.010345
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442576.00
Code OB Desc:				North83:	5023578.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	15-Mar-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1005660300
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 0.6100000143051147
Formation End Depth: 1.3200000524520874
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1005660299
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 28
Mat2 Desc: SAND
Mat3: 11
Mat3 Desc: GRAVEL
Formation Top Depth: 0.0
Formation End Depth: 0.6100000143051147
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1005660301
Layer: 3
Color:
General Color:
Mat1: 26
Most Common Material: ROCK
Mat2: 03
Mat2 Desc: MUCK
Mat3:
Mat3 Desc:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>		1.3200000524520874			
<i>Formation End Depth:</i>		4.75			
<i>Formation End Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005660310			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.610000014305115			
<i>Plug To:</i>		2.75999999046326			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005660309			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.150000005960464			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1005660308			
<i>Method Construction Code:</i>		7			
<i>Method Construction:</i>		Diamond			
<i>Other Method Construction:</i>		HSA			
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1005660298			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1005660306			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3.25			
<i>Screen End Depth:</i>		4.75			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		5.8600001335144			
<u>Water Details</u>					
<i>Water ID:</i>		1005660304			
<i>Layer:</i>		1			
<i>Kind Code:</i>		8			
<i>Kind:</i>		Untested			
<i>Water Found Depth:</i>		2.309999942779541			
<i>Water Found Depth UOM:</i>		m			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Hole ID:		1005660302			
Diameter:		20.299999237060547			
Depth From:		0.0			
Depth To:		1.3200000524520874			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1005660303			
Diameter:		10.15999984741211			
Depth From:		1.3200000524520874			
Depth To:		4.75			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					

40	2 of 2	E/241.4	94.9 / -4.00	1450 MERIVALE RD OTTAWA ON	WWIS
--------------------	--------	----------------	---------------------	---------------------------------------	-------------

Well ID: 7242932 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z191689 Tag: A173510 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: Date Received: 6/11/2015 Selected Flag: True Abandonment Rec: Yes Contractor: 1844 Form Version: 7 Owner: Street Name: 1450 MERIVALE RD County: OTTAWA Municipality: NEPEAN TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	---

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2015/05/08
Year Completed: 2015
Depth (m):
Latitude: 45.363361358838
Longitude: -75.7332390431661
Path:

Bore Hole Information

Bore Hole ID: 1005407169 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 08-May-2015 00:00:00 Remarks:	Elevation: 98.010345 Elevrc: Zone: 18 East83: 442576.00 North83: 5023578.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005660836			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005660829			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1005660834			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005660832			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005660831			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
41	1 of 1	W/242.2	98.6 / -0.25	Hydro Ottawa Limited IN FRONT OF 135 SCOUT<UNOFFICIAL> Ottawa ON K2C 4E3	SPL
Ref No:		5710-6NSSZA		Discharger Report:	
Site No:				Material Group: Oils	
Incident Dt:		4/12/2006		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		Cooling System Leak		Sector Type: Transformer	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Event: Contaminant Code: 13 Contaminant Name: MINERAL OIL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Soil Contamination Receiving Medium: Land Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 4/12/2006 Dt Document Closed: Incident Reason: Damage By Moving Equipment - Containers damaged by moving Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Hydro Ottawa-150 L (non-pcb) Transformer Oil to Grnd Contaminant Qty: 150 L					
42	1 of 4	ENE/243.3	96.0 / -2.92	1303 Baseline Road Ottawa ON	CA
Certificate #: 7723-4GKMTT Application Year: 00 Issue Date: 6/23/00 Approval Type: Industrial air Status: Revoked and/or Replaced Application Type: New Certificate of Approval Client Name: London Life Insurance Company and Besner-Vered (1980) Ltd. Client Address: 1801 Woodward Drive Client City: Ottawa Client Postal Code: K2C 0R3 Project Description: Install (3) boilers for the purpose of providing comfort heating. Contaminants: Emission Control:					
42	2 of 4	ENE/243.3	96.0 / -2.92	1303 Baseline Road Ottawa ON	CA
Certificate #: 8652-4LCL95 Application Year: 00 Issue Date: 6/23/00 Approval Type: Industrial air Status: Approved Application Type: Amended CofA Client Name: London Life Insurance Company And Besner-Vered (1980) Ltd. Client Address: 1801 Woodward Drive Client City: Ottawa Client Postal Code: K2C 0R3 Project Description: Addition of a Boiler system in the parking garage ramp. Contaminants: Emission Control: No Controls					
42	3 of 4	ENE/243.3	96.0 / -2.92	London Life Insurance Company and Besner-Vered (1980) Ltd. 1303 Baseline Rd Ottawa ON K2C 0R3	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:	7723-4GKMTT 2000-06-23 Revoked and/or Replaced ECA IDS ECA-AIR AIR London Life Insurance Company and Besner-Vered (1980) Ltd. 1303 Baseline Rd https://www.accessenvironment.ene.gov.on.ca/instruments/1554-4FRPQ6-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	

42	4 of 4	ENE/243.3	96.0 / -2.92	London Life Insurance Company and Besner-Vered (1980) Ltd. 1303 Baseline Rd Ottawa ON K2C 0R3	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:	8652-4LCL95 2000-06-23 Approved ECA IDS ECA-AIR AIR London Life Insurance Company and Besner-Vered (1980) Ltd. 1303 Baseline Rd https://www.accessenvironment.ene.gov.on.ca/instruments/3586-4JYPJ2-14.pdf			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	

43	1 of 1	E/243.5	94.9 / -4.00	1292 BASELINE RD Ottawa ON	WWIS	
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	7190925 Test Hole Z156884 A136931			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	11/9/2012 True 7241 7 1292 BASELINE RD OTTAWA OTTAWA CITY	
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190925.pdf					

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		2012/09/25			
Year Completed:		2012			
Depth (m):		10.67			
Latitude:		45.3639737283975			
Longitude:		-75.7331958781803			
Path:		719\7190925.pdf			

Bore Hole Information

Bore Hole ID:	1004198920	Elevation:	99.910324
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442580.00
Code OB Desc:		North83:	5023646.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	25-Sep-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004485955
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	12
Mat2 Desc:	STONES
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	0.9100000262260437
Formation End Depth:	3.9600000381469727
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004485956
Layer:	3
Color:	1
General Color:	WHITE
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	73
Mat2 Desc:	HARD
Mat3:	68
Mat3 Desc:	DRY
Formation Top Depth:	3.9600000381469727
Formation End Depth:	10.670000076293945
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1004485954			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.9100000262260437			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485964			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485965			
Layer:		3			
Plug From:		5.78999996185303			
Plug To:		10.6700000762939			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004485963			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004485962			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004485953			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004485960			
Layer:		1			
Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.09999990463257			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1004485961			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.09999990463257			
Screen End Depth:		10.0699996948242			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
 <u>Water Details</u>					
Water ID:		1004485959			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1004485958			
Diameter:					
Depth From:		3.9600000381469727			
Depth To:		10.670000076293945			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1004485957			
Diameter:					
Depth From:		0.0			
Depth To:		3.9600000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

44	1 of 3	E/244.9	94.9 / -4.00	MR. TRANSMISSION 1292 BASELINE ROAD OTTAWA CITY ON K2C 0A9	SPL
Ref No:		130177		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		8/7/1996		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		OTHER CONTAINER LEAK		Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:		NOT ANTICIPATED		Site Municipality: 20101	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nature of Impact: Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 8/7/1996 Dt Document Closed: Incident Reason: VANDALISM Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: MR. TRANSMISSION: < 1 L MEK TO GROUND; SITE OWNER VICTIMIZED Contaminant Qty:					
Site Lot: Site Conc: Northing: Easting: FIRE, WORKS Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:					
44	2 of 3	E/244.9	94.9 / -4.00	1292 Baseline Road Ottawa ON K2C 0A9	EHS
Order No: 20120507018 Status: C Report Type: Standard Report Report Date: 11-MAY-12 Date Received: 07-MAY-12 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.733239 Y: 45.36402					
44	3 of 3	E/244.9	94.9 / -4.00	Mr. Transmission 1292 Baseline Rd Ottawa ON	GEN
Generator No: ON6416613 SIC Code: 562910 SIC Description: Remediation Services Approval Years: 2012 PO Box No: Country:					
Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:					
45	1 of 1	E/244.9	94.9 / -4.00	1292 Baseline Rd Ottawa ON K2C0A9	EHS
Order No: 20170726101 Status: C Report Type: Standard Report Report Date: 02-AUG-17 Date Received: 26-JUL-17 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.733166 Y: 45.36389					
46	1 of 1	SW/246.3	99.9 / 1.00	TDL GROUP LIMITED 1384 BASELINE ROAD (SWM) OTTAWA ON K2C 0A9	CA
Certificate #: 3-0191-98- Application Year: 98 Issue Date: 4/15/1998 Approval Type: Municipal sewage Status: Approved Application Type: Client Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Client Address:
 Client City:
 Client Postal Code:
 Project Description:
 Contaminants:
 Emission Control:

47	1 of 1	E/248.8	94.9 / -4.00	1450 MERIVALE RD Ottawa ON WWIS
--------------------	--------	---------	--------------	-------------------------------	---------------

Well ID:	7275317	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	11/22/2016
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z237994	Owner:	
Tag:	A211304	Street Name:	1450 MERIVALE RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2016/10/21
Year Completed:	2016
Depth (m):	6.1
Latitude:	45.3635511913287
Longitude:	-75.7331138064248
Path:	

Bore Hole Information

Bore Hole ID:	1006293717	Elevation:	98.412231
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442586.00
Code OB Desc:		North83:	5023599.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	21-Oct-2016 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1006428069			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		1.2200000286102295			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006428068			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.2200000286102295			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006428067			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006428079			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		2.74000000953674			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1006428078			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006428080			
Layer:		3			
Plug From:		2.74000000953674			
Plug To:		6.09999990463257			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006428077			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006428066			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Screen</u>					
Screen ID:		1006428074			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.04999995231628			
Screen End Depth:		6.09999990463257			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.80000019073486			
<u>Water Details</u>					
Water ID:		1006428072			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006428071			
Diameter:		7.800000190734863			
Depth From:		1.5199999809265137			
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:			1006428070		
Diameter:			4.400000095367432		
Depth From:			0.0		
Depth To:			1.5199999809265137		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		

48	1 of 1	E/249.5	94.9 / -4.00	1292 BASELINE RD Ottawa ON	WWIS
--------------------	--------	---------	--------------	-------------------------------	------

Well ID:	7190928	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	11/9/2012
Sec. Water Use:	0	Selected Flag:	True
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z156886	Owner:	
Tag:	A136934	Street Name:	1292 BASELINE RD
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7190928.pdf

Additional Detail(s) (Map)

Well Completed Date:	2012/09/26
Year Completed:	2012
Depth (m):	10.67
Latitude:	45.3638662947496
Longitude:	-75.7331051074795
Path:	719\7190928.pdf

Bore Hole Information

Bore Hole ID:	1004199082	Elevation:	99.433341
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442587.00
Code OB Desc:		North83:	5023634.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	26-Sep-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004486064			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.6100000143051147			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004486065			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		3.6600000858306885			
Formation End Depth:		10.670000076293945			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004486063			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.6100000143051147			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004486075			
Layer:		1			
Plug From:		0			
Plug To:		0.310000002384186			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Plug ID:		1004486077			
Layer:		3			
Plug From:		5.78999996185303			
Plug To:		10.6700000762939			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004486076			
Layer:		2			
Plug From:		0.310000002384186			
Plug To:		5.78999996185303			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004486074			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004486062			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004486069			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6.09999990463257			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004486070			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.09999990463257			
Screen End Depth:		10.6700000762939			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82000017166138			
<u>Construction Record - Screen</u>					
Screen ID:		1004486071			
Layer:		2			
Slot:					
Screen Top Depth:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1004486068			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004486066			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004486067			
Diameter:		7.619999885559082			
Depth From:		4.570000171661377			
Depth To:		10.670000076293945			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Unplottable Summary

Total: **35** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	BELL-NORTHERN RESEARCH LIMITED	BASELINE ROAD	NEPEAN CITY ON	
CA	RON ENGINEERING & CONSTRUCTION LTD.	BASELINE RD.	OTTAWA CITY ON	
CA	City of Ottawa	Works within an easement adjacent to Merivale Rd	Ottawa ON	
CA	MR. G. PASQUA HELMER STRANKS COLE ARCHIT	K-MART PLAZA, MERIVALE ROAD	NEPEAN CITY ON	
CA	J. PEREZ CONSTRUCTION LTD.	MERIVALE RD.	NEPEAN CITY ON	
CA		Merivale Road	Nepean ON	
CA	JAMES STEWART	MERIVALE RD. STEWART FUELS	NEPEAN CITY ON	
CA	MID CANADA CONSTRUCTION LTD.	ACCESS RD. W. OF MERIVALE RD.	NEPEAN CITY ON	
CA	City of Nepean	MERIVALE RD./S.W.MGT	NEPEAN CITY ON	
CA	JAMES STEWART	MERIVALE RD.	NEPEAN CITY ON	
CA	SHELL CANADA PRODUCTS LIMITED	MERIVALE RD., BULK TANK FARM	NEPEAN CITY ON	
CA	LONDON LIFE INS. CO. & BESNER VERED (198	LOT N,CON.A/RIDEAU FRONT	OTTAWA ON	
CA	R.M. OF OTTAWA-CARLETON	BASELINE ROAD EXTENSION (SWM)	OTTAWA CITY ON	
CA	MINTO CONSTRUCTION LTD.	MERIVALE RD. EAST SIDE	NEPEAN CITY ON	
CA	MINTO CONSTRUCTION LTD.	MERIVALE RD.	NEPEAN CITY ON	
CA	Central Park Subdivision	Grammarcy Park, Scout Street and Jenscott Private	Ottawa ON	
CA	Central Park Subdivision	Grammarcy Park, Scout Street and Jenscott Private	Ottawa ON	
CA		Merivale Road	Nepean ON	

CA	R.M. OF OTTAWA-CARLETON	MERIVALE RD. RECONT. WOODFIELD	NEPEAN CITY ON	
CONV	Loblaw Companies Limited		Ottawa ON	
EBR	Bell Northern Research Ltd.		City of Nepean ON	
ECA	WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA		ON	
ECA	City of Ottawa	Works within an easement adjacent to Merivale Rd	Ottawa ON	K2G 6J8
ECA	WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA		ON	
EHS		Baseline Rd	Ottawa ON	
GEN	Carmelo Idone	Rear Merivale Rd.	Ottawa ON	K1Z 6A5
GEN	7770251 CANADA INC	MERIVALE ROAD	OTTAWA ON	
PRT	SHELL CANADA PRODUCTS LTD	MERIVALE RD	OTTAWA ON	
SPL	TRANSPORT TRUCK	HWY 16 MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON	
SPL	Nortel Networks<UNOFFICIAL>	Nortel Networks<UNOFFICIAL>	Ottawa ON	
SPL	Loblaw Properties Limited	Loblaws	Ottawa ON	
SPL	LOBLAWS		OTTAWA CITY ON	
SPL	NATIONAL GROCERIES COMPANY LTD		OTTAWA ON	
WWIS		con A	ON	
WWIS		con A	ON	

Unplottable Report

Site: *BELL-NORTHERN RESEARCH LIMITED
BASELINE ROAD NEPEAN CITY ON*

Database:
CA

Certificate #: 8-4088-88-
Application Year: 88
Issue Date: 8/17/1989
Approval Type: Industrial air
Status: Underwent 1st revision in 1989
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: FUME HOOD
Contaminants:
Emission Control: No Controls

Site: *RON ENGINEERING & CONSTRUCTION LTD.
BASELINE RD. OTTAWA CITY ON*

Database:
CA

Certificate #: 8-4052-87-
Application Year: 87
Issue Date: 6/19/1987
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: FUMEHOOD
Contaminants:
Emission Control:

Site: *City of Ottawa
Works within an easement adjacent to Merivale Rd Ottawa ON*

Database:
CA

Certificate #: 0702-82CL4A
Application Year: 2010
Issue Date: 2/8/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *MR. G. PASQUA HELMER STRANKS COLE ARCHIT
K-MART PLAZA, MERIVALE ROAD NEPEAN CITY ON*

Database:
CA

Certificate #: 8-4088-89-
Application Year: 89

Issue Date: 8/17/1989
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: RESTAURANT EXHAUST
Contaminants:
Emission Control:

Site: J. PEREZ CONSTRUCTION LTD.
MERIVALE RD. NEPEAN CITY ON

Database:
CA

Certificate #: 3-1266-86-
Application Year: 86
Issue Date: 9/10/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Merivale Road Nepean ON

Database:
CA

Certificate #: 0030-4N8JQX
Application Year: 00
Issue Date: 8/17/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Installation of watermains on Merivale Road, Boyce Street
Contaminants:
Emission Control:

Site: JAMES STEWART
MERIVALE RD. STEWART FUELS NEPEAN CITY ON

Database:
CA

Certificate #: 3-1845-88-
Application Year: 88
Issue Date: 10/6/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: MID CANADA CONSTRUCTION LTD.
ACESS RD. W. OF MERIVALE RD. NEPEAN CITY ON

Database:
CA

Certificate #: 3-0198-89-
Application Year: 89
Issue Date: 2/17/1989
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Nepean
MERIVALE RD./S.W.MGT NEPEAN CITY ON

Database:
CA

Certificate #: 3-1378-92-
Application Year: 92
Issue Date: 11/30/1992
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: JAMES STEWART
MERIVALE RD. NEPEAN CITY ON

Database:
CA

Certificate #: 7-1585-88-
Application Year: 88
Issue Date: 10/6/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: SHELL CANADA PRODUCTS LIMITED
MERIVALE RD., BULK TANK FARM NEPEAN CITY ON

Database:
CA

Certificate #: 4-0099-91-
Application Year: 91
Issue Date: 11/14/1991
Approval Type: Industrial wastewater
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: MODIFY OIL/WATER SEPARATOR

Contaminants:
Emission Control:

Site: LONDON LIFE INS. CO. & BESNER VERED (198)
LOT N,CON.A/RIDEAU FRONT OTTAWA ON

Database:
CA

Certificate #: 3-1042-98-
Application Year: 98
Issue Date: 8/20/1998
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
BASELINE ROAD EXTENSION (SWM) OTTAWA CITY ON

Database:
CA

Certificate #: 3-0701-96-
Application Year: 96
Issue Date: 9/4/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: MINTO CONSTRUCTION LTD.
MERIVALE RD. EAST SIDE NEPEAN CITY ON

Database:
CA

Certificate #: 7-0594-85-006
Application Year: 85
Issue Date: 7/25/85
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: MINTO CONSTRUCTION LTD.
MERIVALE RD. NEPEAN CITY ON

Database:
CA

Certificate #: 3-0874-85-006
Application Year: 85
Issue Date: 8/14/85
Approval Type: Municipal sewage
Status: Approved
Application Type:

Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Central Park Subdivision**
Grammarcy Park, Scout Street and Jescott Private Ottawa ON

Database:
CA

Certificate #: 2490-4Z9LUQ
Application Year: 01
Issue Date: 8/3/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: 1394843 Ontario Limited
Client Address: 18 Antares Drive
Client City: Ottawa
Client Postal Code: K2E 1A9
Project Description: Construction of Saniatry Sewers and Storm Sewers on Grammarcy Park, Scout Street and Jescott Private in Central Park Subdivision
Contaminants:
Emission Control:

Site: **Central Park Subdivision**
Grammarcy Park, Scout Street and Jescott Private Ottawa ON

Database:
CA

Certificate #: 7762-4Z9LKG
Application Year: 01
Issue Date: 8/3/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: 1394843 Ontario Limited
Client Address: 18 Antares Drive
Client City: Ottawa
Client Postal Code: K2E 1A9
Project Description: Construction of Watermains in Central Park Subdivision on Grammarcy Park, Scout Street and Jescott Private in the City of Ottawa
Contaminants:
Emission Control:

Site: **Merivale Road Nepean ON**

Database:
CA

Certificate #: 6408-4PJHR7
Application Year: 00
Issue Date: 9/27/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Installation of watermains and appurtenances in Merivale Road from Amberwood Crescent to approximately 100 m north of Fallowfield Road.
Contaminants:
Emission Control:

Site: **R.M. OF OTTAWA-CARLETON**
MERIVALE RD. RECONT. WOODFIELD NEPEAN CITY ON

Database:
CA

Certificate #: 3-0317-88-
Application Year: 88
Issue Date: 3/17/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Loblaw Companies Limited**
Ottawa ON

Database:
CONV

File No: 097267

Location:

Crown Brief No:

Region:

Court Location:

Ministry District:

Publication City:

Publication Title:

Act:

Act(s):

First Matter:

Second Matter:

Investigation 1:

Investigation 2:

Penalty Imposed:

Description:

On April 19, 2011, Loblaw Companies Limited/Les Compagnies Loblaw Limitee pleaded guilty to one violation under the Environmental Protection Act for causing the discharge of a refrigerant into the air within a building or into the natural environment. The Court heard that the company owns and operates a property in Ottawa. The company uses a refrigeration contractor to install, maintain and service the equipment at this location. During such work, a release of refrigerant was reported to the ministry. The release was inside a building that was vented via exhaust fans to the natural environment. The refrigerant contains hydrochlorofluorocarbon and is considered an ozone depleting substance. The company was charged following an investigation by the ministry's Investigations and Enforcement Branch. The company was fined \$30,000 plus a victim fine surcharge and was given 30 days to pay the fine.

Background:

URL:

Additional Details

Publication Date:

Count:

1

Act:

EPA

Regulation:

Section:

Act/Regulation/Section:

EPA

Date of Offence:

Date of Conviction:

Date Charged:

April 19, 2011

Charge Disposition:

fine, victim fine surcharge

Fine:

\$30,000

Synopsis:

Site: **Bell Northern Research Ltd.**
City of Nepean ON

Database:
EBR

EBR Registry No:

IA7E1167.D

Ministry Ref No:

Notice Type:

Instrument

Notice Stage:

Notice Date:

Proposal Date:

8/11/97

Year:

1997

Decision Posted:

Exception Posted:

Section:

Act 1:

Act 2:

Site Location Map:

Instrument Type: EPA s. 9 - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name:
Site Address:
Location Other:
Proponent Name:
Proponent Address: Bell Northern Research Ltd.,P.O. Box 3511, Station 'C',Ottawa, Ontario,K1Y 4H7
Comment Period:
URL:

Site Location Details:

City of Nepean

Site: WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA
ON

Database:
ECA

Approval No: R-003-3534187580
Approval Date: 2015-10-26
Status: Registered
Record Type:
Link Source:
SWP Area Name:
Approval Type:
Project Type: Heating System
Business Name: WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA
Address: 2277 RIVERSIDE OTTAWA
Full Address:
Full PDF Link: <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2017482>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: City of Ottawa
Works within an easement adjacent to Merivale Rd Ottawa ON K2G 6J8

Database:
ECA

Approval No: 0702-82CL4A
Approval Date: 2010-02-08
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: City of Ottawa
Address: Works within an easement adjacent to Merivale Rd
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9895-824SV6-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA
ON

Database:
ECA

Approval No: R-003-4538650974
Approval Date: 2015-11-12
Status: Registered
Record Type:
Link Source:
SWP Area Name:
Approval Type:
Project Type: Heating System
Business Name: WAL-MART CANADA CORP/LA COMPAGNIE WAL-MART DU CANADA
Address: 450 TERMINAL OTTAWA
Full Address:
Full PDF Link: <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2017799>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Baseline Rd Ottawa ON** **Database:**
EHS

Order No: 20051017031 **Nearest Intersection:**
Status: C **Municipality:**
Report Type: Site Report **Client Prov/State:** QC
Report Date: 10/18/2005 **Search Radius (km):** 0.25
Date Received: 10/17/2005 **X:**
Previous Site Name: **Y:**
Lot/Building Size:
Additional Info Ordered:

Site: **Carmelo Idone** **Database:**
GEN
Rear Merivale Rd. Ottawa ON K1Z 6A5

Generator No: ON5601283 **Status:**
SIC Code: 531120 **Co Admin:**
SIC Description: LESSORS OF NON-RESIDENTIAL **Choice of Contact:** CO_OFFICIAL
BUILDINGS (EXCEPT MINI-WAREHOUSES)
Approval Years: 2015 **Phone No Admin:**
PO Box No: **Contam. Facility:** No
Country: Canada **MHSW Facility:** No

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: **7770251 CANADA INC** **Database:**
GEN
MERIVALE ROAD OTTAWA ON

Generator No: ON6163455 **Status:**
SIC Code: 812320 **Co Admin:**
SIC Description: DRY CLEANING AND LAUNDRY SERVICES **Choice of Contact:**
(EXCEPT COIN-OPERATED)
Approval Years: 2013 **Phone No Admin:**
PO Box No: **Contam. Facility:**
Country: **MHSW Facility:**

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Site: **SHELL CANADA PRODUCTS LTD** **Database:**
PRT
MERIVALE RD OTTAWA ON

Location ID: 11000
Type: retail
Expiry Date: 1995-12-31
Capacity (L): 8280000
Licence #: 0022412017

Site: **TRANSPORT TRUCK** **Database:**
SPL
HWY 16 MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Ref No: 76308 **Discharger Report:**

Site No:
Incident Dt: 9/15/1992
Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/15/1992
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TRANSPORT TRUCK-450 L DIESEL FUEL TO HWY 16 CONTAINED,FD,PD,MTO.
Contaminant Qty:

Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting: PD,FD,MTO.
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: Nortel Networks<UNOFFICIAL>
 Nortel Networks<UNOFFICIAL> Ottawa ON **Database:**
SPL

Ref No: 4030-6GTJE2
Site No:
Incident Dt: 9/28/2005
Year:
Incident Cause:
Incident Event:
Contaminant Code:
Contaminant Name: HALON (CFC)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact:
Receiving Medium: Air
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 10/3/2005
Dt Document Closed:

Discharger Report: 0
Material Group: Gases/Particulate
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Spills at Federal Facilities & Spills of National Interest
Source Type:

Incident Reason:
Site Name: Nortel Networks<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Spill to Air
Contaminant Qty:

Site: Loblaw Properties Limited
 Loblaws Ottawa ON **Database:**
SPL

Ref No: 2287-7FNKE6
Site No:
Incident Dt:
Year:
Incident Cause: Discharge or Emission to Air
Incident Event:
Contaminant Code: 38
Contaminant Name: FREON R-22 (CFC)
Contaminant Limit 1:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa

Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:	Air Pollution	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	NA
MOE Response:	No Field Response	Easting:	NA
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	6/16/2008	Site Map Datum:	
Dt Document Closed:	9/8/2008	SAC Action Class:	Air Spills - Gases and Vapours
Incident Reason:	Equipment Failure - Malfunction of system components	Source Type:	
Site Name:	Loblaws		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Loblaws, 625 lb of R22 released to atmosphere.		
Contaminant Qty:	625 lb		

Site: LOBLAWS OTTAWA CITY ON **Database:** SPL

Ref No:	49925	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	5/1/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20101
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	5/1/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	OVERSTRESS/OVERPRESSURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	LOBLAWS - HYDRAULIC OIL TO GROUND AND CATCHBASIN FROM BROKEN HOSE		
Contaminant Qty:			

Site: NATIONAL GROCERIES COMPANY LTD OTTAWA ON **Database:** SPL

Ref No:	188079	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	10/6/2000	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CAUSE (N.O.S.)	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20107
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	

MOE Reported Dt: 10/6/2000
Dt Document Closed:
Incident Reason: OTHER
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Site Map Datum:
SAC Action Class:
Source Type:

NATIONAL GROCERS, OTTAWA DIESEL FL. FROM TRUCK CONTAINED , NO SEWERS

Site:
con A ON

Database:
WWIS

Well ID: 1532634
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Abandoned-Supply
Water Type:
Casing Material:
Audit No: 235222
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 1/17/2002
Selected Flag: True
Abandonment Rec:
Contractor: 4006
Form Version: 1
Owner:
Street Name:
County: OTTAWA
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot:
Concession: A
Concession Name: RF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10523763
DP2BR:
Spatial Status:
Code OB: _
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 05-Dec-2001 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID: 961532634
Method Construction Code: B
Method Construction: Other Method
Other Method Construction:

Pipe Information

Pipe ID: 11072333
Casing No: 1
Comment:
Alt Name:

Site:
con A ON

Database:
WWIS

Well ID: 1527904
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Abandoned-Supply
Water Type:
Casing Material:
Audit No: 143953
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 4/26/1994
Selected Flag: True
Abandonment Rec:
Contractor: 6841
Form Version: 1
Owner:
Street Name:
County: OTTAWA
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot:
Concession: A
Concession Name: RF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049459
DP2BR:
Spatial Status:
Code OB: _
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID: 961527904
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10598029
Casing No: 1
Comment:
Alt Name:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2021

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jul 2021

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Dec 31, 2021

Drill Hole Database:Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020**Delisted Fuel Tanks:**Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: May 31, 2021**Environmental Activity and Sector Registry:**Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Nov 30, 2021**Environmental Registry:**Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Dec 31, 2021**Environmental Compliance Approval:**Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Nov 30, 2021**Environmental Effects Monitoring:**Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2021**Environmental Issues Inventory System:**Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2021

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2021

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Dec 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2019

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Nov 30, 2021

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Dec 31, 2021

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Nov 30, 2021

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Dec 31, 2021

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2021

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Sep 2020

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2018

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variations for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Nov 30, 2021

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2021

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



enviroscan



An SCM Company

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

T: 905-882-6300
W: www.optaintel.ca

Report Completed By:

Swati

Site Address:

1345 baseline road Ottawa ON Canada

Project No:

22021700904

Opta Order ID:


105300

Requested by:

Eleanor Goolab
ERIS

Date Completed:

2/22/2022 12:14:43 PM



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Opta Historical Environmental Services EnviroscanTM Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

Page: 4
Project Name: 1345 Baseline
Road

Project #: 22021700904
P.O. #: PE5585

ENVIROSCAN Report

Report Index

Requested by:
Eleanor Goolab
Date Completed: 02/22/2022 12:14:43



OPTA INFORMATION INTELLIGENCE

Page	Report Title
------	--------------

5	(1982) Commercial Property Fire Inspection Survey Report - 1982 Bay Scouts of Canada 1345 Baseline Road Nepean, Ottawa ON K2C0A7 (distance = 0 metres*)
---	---

9	(1982) Commercial Property Fire Rating Form Report - 1982 Bay Scouts of Canada 1345 Baseline Road Nepean, Ottawa ON K2C0A7 (distance = 0 metres*)
---	---

12	(1982) Siteplan Report - 1982 1345 Baseline Road Nepean, Ottawa ON K2C0A7 (distance = 0 metres*)
----	--

This document is owned by
Opta Information Intelligence
Inc. and is subject to copyright
protection. Please see the
full Terms and Conditions at
the front of this document.





Commercial Property Fire Inspection Survey Report - 1982 Bay Scouts of Canada 1345 Baseline Road Nepean, Ottawa ON K2C0A7





Mercantile Risk
 Miscellaneous Risk:

1982

COMMERCIAL PROPERTY FIRE INSPECTION SURVEY FORM

(Use this form for all Non-Manufacturing risks, and some Manufacturing risks with five hands or less, of all construction, but excluding Sprinklered properties)

Address: No. 1345 Street/Road Etc., Baseline Road Municipality Ottawa
(Formerly) _____

Owned by: Boy Scouts of Canada Occupied by: same

Age of building (Built in) _____; Additions (Built in) _____; _____; _____; _____; _____
Is building completely finished & out of workmens hands? Yes ; No IBC Code: Terr: 63 Ind: 65 Cons: 1 Prot: 2

BASIC CONSTRUCTION - (SECTION II)

- EXTERIOR WALLS:

(Refers to geophysical location of wall, i.e. North, South, East or West)
NSEW NSEW NSEW
INDEPENDENT BEARING NON-BEARING PARTY PARAPET
(Describe Material, Thickness, Interior Makeup of Combustible Walls & Ceiling & Horizontal Wall Supports)
Rimforced concrete Framework & Concrete Block Bearing Walls.
Exterior Walls 12.7cm (5") Concrete slab (precast)
COLUMNS OF WOOD ; HEAVY WOOD (min. 150mm x 300mm) ; UNPROTECTED STEEL ; PROTECTED STEEL ,
protected by _____ having a fire-resistance rating of _____ hrs.,
PANELS of Non-Combustible material or GLASS ; COMBUSTIBLE (describe) _____
Wall: N. 20 %; S. +50 %; E. 20 %; W. 20 %.

- FLOORS & ROOF: (Describe Floor & Roof Materials Including Thickness & Nature Of Supports)

Floor Level	% AS Sec.	Fire Resistive & Masonry	Fire Resistance in HRS.	Non-Combustible	Combustible
Grade	0%	} <u>(5") 12.7cm Poured Concrete on Concrete Slab</u>			
2ND	0%				
Roof	0%	} <u>(3") 7.6cm Double "T" Precast Concrete (no steel supports)</u>			

COMBUSTIBLE FLR. on Lowest BASEMENT Level: Yes ; No . If Yes, Describe & Give Percentage _____

SECONDARY CONSTRUCTION - (SECTION III)

- HEIGHT: (Nbr.) 25/ Storeys High; Basement: Yes ; No . (Nbr.) _____ Combustible Storeys Without Groun Level Access.
- VERTICAL OPENINGS: Elevators ; Stairs ; Other (describe) _____

(Describe Construction & Type of Enclosure (s) & Door (s) Fully)

E., S., or Other	Nbr.	From:	To:	ENCLOSURE(S)	DOOR(S)
STAIRS	2	1ST	2ND	CONC. ENCL.	S/C WOOD DOORS
STAIR	1	1ST	2ND	OPEN	NIL.

- AREA: Basement : _____ x _____ = _____ m²
1st. Floor : 74.7 x 12.2 = 21.3 x 12.2 = 1171.2 m²
2nd. Floor : 74.7 x 12.2 = _____ m²
3rd (&Other): _____ x _____ = _____ m²
Separation Walls (describe) YES CONCRETE-CLASS A SHR w/ S/C DOOR . Total Area 2082.5 m² **EFFECTIVE AREA: 1171.2 m²**

- ROOF SURFACE: Non-Combustible (describe) _____ Combustible (describe) _____
Patent . FALSE ROOF over Masonry or Fire Resistive Roof (describe) _____

- COMBUSTIBLE CONCEALED SPACES: Combustible Space In Roof , &/or Ceiling . If In Roof, Is This An Attic , Cut Off , Shut Off . With Access Limited By Trap(s)/Hatchway(s) . In Proportion To Total Roof/Ceiling Area COMBUSTIBLE CONCEALED SPACE Comprises _____% In ROOF &/or _____% In CEILING. Describe _____

- COMBUSTIBLE INTERIOR CONSTRUCTION: Combustible Floor Surfaces (describe & give % of total floor area affected) _____
- Combustible Partitions/Walls (describe & give % of total interior wall area) _____
- Combustible Mezzanines/Decks (describe & give % of total area of floors & roof) _____

- COMBUSTIBLE INTERIOR FINISH or INSULATION:

(Specify Where SPECIAL DAMAGE Materials Are Used)

Specify FLOOR →	1ST.	2ND			
Walls:	PL, CONC	PL			
Ceiling:	MET., CONC.	MET.			
Interior Partitions	CB & Steel Partitions	CB & Steel Part.			
Smoke Developed	—	—			
Flame Spread	—	—			

Are Ordinary Damage Materials Attached To Fire Resistive or Non-Combustible Walls or Ceiling? Yes ; No .

- COMB. EXTERIOR ATTACHMENTS OR FINISH: Attachments Comprise Of (describe & give chargeable %) _____
- Finish Comprises Of (describe & give chargeable %) _____
- Smoke Developed - 200 or Less ; Over 200 ; Flame Spread Rating _____
- None Of The Above . Are Attachments/Finish Attached/Applied To Fire Resistive or Non-Comb., Walls or Roof? Yes ; No .

- BUILDING CONDITION: Moderate , Major , Extreme Deficiencies . Describe Sub-Standard Structural Conditions _____

COMMON HAZARDS - (SECTION VII (720))

- HEATING: Building Heated? Yes ; No . Borrowed Heat . Describe Heating System Including Controls & Fuel Used: Hot Water natural gas fired.
- Describe Chimney(s) & Deficiencies If Any: _____

- ELECTRICAL: FUSES: Type "S" ; Type "C" & Rejector System ; Circuit Breakers ; ORDINARY ; Used Exclusively .
- Aluminum Wiring ; Rigid Conduit ; Other (describe) AX. Open .
- Electrical Equipment Defects: None ; Minor ; Moderate ; Major ; Serious . Describe Condition: _____

- HOUSEKEEPING: See General Underwriting Comments Section (Page 3)

MUNICIPAL PROTECTION - (SECTION IX)

- FIRE DEPARTMENT: Risk Within 2.5 km Of Nearest Fire Hall? Yes ; No . If No - State Distance To Fire Hall: 2.5 km.
- HYDRANTS: Two Hydrants Within 155m of Risk? Yes ; No . And All Parts Of Building Within 155m Of At Least One Hydrant? Yes ; No . MAINS - 150mm ; 200mm ; 300mm . Other (describe) 400 mm.
- Circulating ; and/or Dead End Mains. Describe Deficiency (if any): _____
- ACCESSIBILITY: Risk Accessible At Least On One Side By Street 15m In Width? Yes ; No . If No - Describe _____
- CONGESTED AREA: Congested/Conflagration Hazard Prevails? Yes ; No . If Yes, Describe Under General Underwriting Comments.
- PRIVATE PROTECTION: Is There Exclusive Private Protection , Or Supplement To Municipal Protection . In Any Event, Describe _____

INTERNAL PROTECTION - (SECTION XI)

- MANUAL FIRE FIGHTING EQUIPMENT: std EXTING. & std. standpipe & hose units See Occupancy Section (Page 3).
- WATCHMAN SERVICE: Standard , Including Proprietary Supervision , Including Central Station Supervisory Ser. . Describe: _____
- AUTOMATIC FIRE DETECTION SYSTEM: Full Protection ; Partial Protection (i.e Minimum Requirements) ; Describe (& Attach Form No. 2184-6/80, for Automatic Fire Alarm Detection Systems, After Completion) _____
- PARTIAL AUTOMATIC SPRINKLER SYSTEMS: Acceptable Waterflow Alarm To Approved CENTRAL STATION , No Such Alarm . Total Area Protected by Automatic Sprinklers Comprises _____ m².
- OTHER LIMITED AUTOMATIC FIRE PROTECTION SYSTEMS: Area Protected by: HALON ; CO₂ ; HIGH EXPANSION FOAM ; Other (describe) _____, Comprises _____ m².

(Other Than A.S.)

- Continued -



Commercial Property Fire Rating Form Report - 1982 Bay Scouts of Canada 1345 Baseline Road Nepean, Ottawa ON K2C0A7





This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

COMMERCIAL PROPERTY FIRE RATING FORM

CODING

IND.	TERR.	CONS.	PROT.
651	63	1	2

LOCATION 1345 Baseline Road NAME Boy Scouts of Canada FILE NO. _____
 ADDRESS Ottawa Insp'd. by C. Joffe Date 27/5/82
 Rated by C. Joffe Date 3/15/82

BASIC CONSTRUCTION: (SECTION II)

WALLS (ITEMS 210-215)

Construction Class 1 Bldg. Comb. Class 2

WALL AREA	MASONRY		FIRE RES.		NON COMB	COMB	DETAIL OF WALL CONSTRUCTION	% OF WALL PERIM	POINTS	CHARGES	
	Wall Type	Wall Thick.	Dam. Type	Fire Res.							
	W-2	12.7cm	D-1	-2 HR			Precast Concrete Slab	100 % x	70	70	
	W-	5"	D-	HR			Reinforced Concrete structure - no steel supports	% x			
	W-		D-	HR				% x			
	W-		D-	HR				% x			
	W-		D-	HR				% x			
	W-		D-	HR				% x			
Columns in (or adjacent to) non-bearing masonry walls: Unprot. metal <input type="checkbox"/> Comb. <input type="checkbox"/>											
Panels in masonry or fire resistive walls: Comb. <input type="checkbox"/> Non-comb. <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Slow burning <input type="checkbox"/>								40 % x	20	8	8
Special Conditions (Describe).....								% x			

FLOOR(S) AND ROOF (ITEMS 220-223)

LEVEL	DIMENSIONS	MAS. or F. R.		NON COMB	COMB	DETAILS OF FLOOR/ROOF MATERIALS	% of Total Floor/Roof Area	POINTS	CHARGES
		Dam. Type	Fire Res.						
Grade	1171.2	D-1	2 HR			Poured Concrete 12.7cm	36 % x	—	—
		D-	HR				% x		
2nd	911.3	D-1	2 HR			Poured Concrete 12.7cm	28 % x	—	—
		D-	HR				% x		
Roof	1171.2	D-2	1 HR			Precast Concrete 7.6cm	36 % x	40	14

3253.7

Double T. (no steel supports)

Total Basic Construction Charges:

Schedule Base + 150

Building Base = 242

Building Base x .7 Comb. Modifier (ITEM 230) x .001 = BASIC BUILDING RATE: .169

(carried fwd. overleaf) *

SECONDARY CONSTRUCTION: (SECTION III)

Height: (ITEM 300) Nbr. Storeys <u>251</u> Bast. <u>NO</u> Comb. Stories (Without ground level access) <u>ALL 2</u>	% CHARGE
Vertical Openings: (ITEM 310)	10
Area: (ITEM 320) Grade Floor Area <u>1171.2</u> Total Area <u>2082.5</u> Effective Area <u>1171.2</u>	2
Roof Surface: (ITEM 330) Approved <input checked="" type="checkbox"/> Other (Described).....	
Combustible Concealed Spaces: (ITEM 340) Roof Space; Percentage of total roof area <u>—</u> % Ceiling Space; Percentage of total floor area <u>—</u> %	
Combustible Interior Construction: (ITEM 350) Floor Surfacing; Percentage of total floor area <u>—</u> % Interior Walls or Partitions; Percentage of total exterior wall area <u>—</u> % Mezzanines or Decks; Percentage of total floor/roof area <u>—</u> %	
Combustible Interior Finish or Insulation: (ITEM 360) Walls: Percentage of total area of exterior walls; Ord. Dam. <u>—</u> % Spec. Dam. <u>—</u> % Roof & Floor(s): Percentage of total area of ceilings; Ord. Dam. <u>—</u> % Spec. Dam. <u>—</u> %	
Combustible Exterior Finish or Attachments: (ITEM 370).....	
Building Condition: (ITEM 380) Good <input checked="" type="checkbox"/> ; Average <input type="checkbox"/> ; Poor <input type="checkbox"/> ;.....	
Total Secondary Construction Charges:	12

(carried fwd. overleaf) **

St. No. Floor	Floor Area	% of Total Area	Occ'y Item No.	Name and Description of Occupancy and Hazards	Basic Occ'y Charge	Hazard Charges	Supp. Occ'y Factor	Item Occ'y Charge	Comb. Cl.	Susc. Cl.	Ind. Code
Common Hazards Applicable to Building				Hot water gas fired		-					
1345	1313	100%	538	Boy Scouts of Canada office	-	-	-	-	L2	S2	661
	2ND										
	1171.2										
	911.3			Standard extinguishers and standpipe hose units							
TOTAL 2082.5											Building IND. CODE 651

Major Occupancy Charge (largest occupant; by area occupied) - %
 20% of _____ (next 10 highest additional Total Occupancy Charges) - %
 Common Hazards applicable to the Building - %
 Net Occupancy Charge - %
 L1, L2 Area 100 %
 Net Occupancy Charge x _____ Occ'y Mod. Factor (ITEM 418) = - %
 ** Total Secondary Construction Charge (brought forward from overleaf) + 12 %

EXPOSURE: (SECTION VIII) Non Chargeable

Facing Wall of Exposure					Facing Wall of Risk		Exposure Distance
Masonry Semi Prot.	Masonry Unprot.	Non-Comb.	Comb.	Comb. Cl.	Lth./Ht.	Comb. & Non-Comb.	

Exposure Charge + - %
 Party Wall Exposure Charge (ITEM 831) YES + 5 %
 Communication Charge (ITEM 832) Class A 3HR 000R-FIRE Resistor Bldg. + 100 %
 (brought forward from overleaf) BASIC BUILDING RATE .169 x 117 % = UNPROTECTED BLDG. RATE .198

MUNICIPAL PROTECTION: (SECTION IX)
 F.U.S. Prot. Class 3 Revised Prot. Class +1=4
 Dist. to Hydrants: Stdr. Non Stdr. m. Accessibility: Good Poor
 Dist. to Fire Hall: Stdr. Non Stdr. km. Congested Area: Yes No
 Unprotected Bldg. Rate x .47 Protection Class Factor = PROTECTED BLDG. RATE .093

BUILDING ADJUSTMENT FACTOR: (SECTION X)
 Protected Bldg. Rate x _____ Building Adjustment Factor 1.33 = GROSS BLDG. RATE .124

INTERNAL PROTECTION: (SECTION XI)
 Extinguishers Stdr. 3 % Credit W. & C. Stdr. _____ % Credit
 S.P. & H. Stdr. 5 % Credit Automatic Fire Detection System Stdr. _____ % Credit
 Automatic Sprinklers (Describe) % Credit
 Other Auto. Protection (Describe) % Credit
 GROSS BLDG. RATE .124 Less 3 % = .120 Less 5 % = .114 Less _____ % = FINAL BLDG. RATE .114

CONTENTS RATES (SECTION XII)

~~RATES CAPPED~~
~~25%~~

JUN 21 1982

Ind. Code	Susc. Class	OCCUPANCY	Susc. Charge	Hazards Adj.	Conts. Adj. Factor	Adj. Conts. Charge	Gross Bldg. Rate	Gross Conts. Rate	Int. Prot. Factor	FINAL CONTS. RATE
661	S2	office	.04	x - x	.66	.026	.124	.150	x .90	.135
				x x					x	
				x x					x	
				x x					x	
				x x					x	

Page: 12

Project Name: 1345 Baseline Road

Project #: 22021700904
P.O. #: PE5585

ENVIROSCAN Report

**Siteplan Report - 1982 1345 Baseline Road Nepean,
Ottawa ON K2C0A7**

Requested by:
Eleanor Goolab

Date Completed: 02/22/2022 12:14:43




OPTA INFORMATION INTELLIGENCE

Siteplan Report - 1982 1345 Baseline Road Nepean, Ottawa ON K2C0A7

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.



1345 SOUTH

BASELINE ROAD
 EXPOSURE - (SECTION VIII)

FACING WALL		OF EXPOSURE				FACING WALL OF RISK			Distance	Party Wall
MSNRY. SEMI-PROT.	MSNRY. UNPROT.	NON-COMB.	COMB.	OCC. HAZ.	LTH/HT	COMB. & NON-COMB.	MSNRY. UNPROT.	MSNRY. SEMI-PROT.		
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0M	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>

NORTH
 SOUTH
 EAST
 WEST

none within (150')
 COMMUNICATING CORRIDOR protected by Class A 3HR A/c listed Dorr.

Requested By: Hartford Ins.

Sig. Of Insp. C. Laffeur

Dt. 27/5/82 (Inspected) / 31/5/82 (Written Up)

Report Date: March 24/82 Revised By: _____
 (Dt. Request Recd. In IAO Service Office)

Dt. _____ / _____



NOTRA

***SUMMARY OF THE
GEOPHYSICAL SURVEYS CONDUCTED AT***

Portion of 1345 Baseline Rd.

Ottawa, Ontario

Submitted To:

***Mark Darcy
Paterson Group***

***154 Clonnade Road South
Ottawa, ON
K2E 7J5***

Date

April 8, 2022

Prepared By:

**NOTRA Inc.
Dennis Gamble, P.Geo.**

DISCLOSURE RESTRICTIONS

This document contains information which has been developed by NOTRA at its expense, and is subject to Section 19, 20 and 21 of the Access to Information Act of the Government of Canada. Any use or disclosure of this information, other than the specific purpose for which it is intended, is expressly prohibited, except as NOTRA may otherwise agree in writing.

EXECUTIVE SUMMARY

A geophysical survey was commissioned by the Paterson Group to investigate the open areas of the lot outside the boiler room of 1345 Baseline Road, Ottawa, Ontario. The geophysical survey was commissioned to determine if a historical Under Ground Storage Tank (UST) remained on the site.

An area of approximately 20m x 20m was initially established for the geophysical survey. Following a prospect with a hand-held detector, additional sub surface metal was detected along the building edge north of the fenced area and the geophysical survey was extended to map this feature.

A Geonics EM31 Apparent Conductivity Meter, Geonics EM61 Metal Detector and Scintrex Smart Mag survey were conducted over the open portions of the lot using a TopCon RTK GPS for positioning.

A large magnetic anomaly was identified 9 meters from the boiler room along the edge of the parking lot. Although the magnetic response was similar to that expected from a small to medium, the anomaly was not imaged by the EM31. The EM61 imaged an anomaly, however it was coincident with the entire curve (rebar) and the amplitudes were much lower than would be expected from a UST. The magnetic anomaly is not likely due to an object as large as a UST, but, a smaller distribution or smaller metals, likely vertical and greater than 40 cm deep.

A metallic anomaly was detected in the EM61 data approximately 4 meters from the building, north of a fenced area. Although the size (area) of the anomaly was consistent with a small UST, the amplitudes are lower than expected and there wasn't a corresponding magnetic or conductive anomaly. This anomaly is likely due to a small distribution of metals.

TABLE OF CONTENTS

	<u>PAGE</u>
Title Page	(i)
Executive Summary	(ii)
Table of Contents.....	(iii)
1.0 Introduction	1
2.0 Methodology & Approach	2
3.0 Results	3
4.0 Conclusions/Recommendations	4
5.0 Statement of Limitations	5

ANNEXES

Annex A:	Geophysical Maps EM31s Apparent Conductivity EM61 Channel 3 Total Magnetic Field Summary Map
----------	--

1.0 INTRODUCTION

On 6 April 2022, NOTRA conducted three (3) geophysical surveys to help provide a site characterisation a portion of the lot adjacent to the boiler room at 1345 Baseline Road, Ottawa, Ontario.

The Geophysical surveys included the Geonics EM31 (short) Apparent Conductivity, the Scintrex Smartmag magnetometer and the Geonics EM61 Metal Detector. Data was collected using a TopCon RTK GPS for the EM31 and EM61. Due to the Scintrex configuration, a local grid was used to collect the magnetic data, which was translated to match the GPS data.

Relevant topographical features were mapped using the GPS and appended to the map.

2.0 METHODOLOGY AND APPROACH

Geonics EM-31

The EM-31s is a horizontal loop Electro Magnetic instrument with a transmitter–receiver separation of 2m. This instrument can measure the apparent conductivity, which, can be used to map variations in soils of different conductivities and conductive contamination plumes to a depth of at least 3 meters.

Changes in the sub surface conditions can be mapped with this instrument. Bedrock typically will have a low apparent conductivity near 0 mS/m while wet sand and silt may have higher values of 10 to 20 mS/m. Clay or contamination may have conductivities in the order of 20 to 50 mS/m. Although not sensitive to smaller pieces of metal, large objects such as barrels, UST, fencing and culverts will result in a large amplitude response well in excess of that expected from typical soil and rock conditions. Rapid variations with amplitudes exceeding +/- 100 mS/m would be expected for a UST.

The response from a large metallic item is dependent upon the orientation of the EM31 (it is very dependent upon the coupling of the transmitter, target and receiver). It is not ideal at accurately mapping/positioning items such as UST, however, it will confirm that an anomaly mapped by an alternate instrument meets the threshold to be a UST.

The EM31 also records the In-Phase component. This is typically near 0 unless metal is present. This data is presented if an In-Phase anomaly is identified.

Scintrex Smartmag

The Scintrex Smartmag is an optically pumped cesium vapor magnetometer that can record magnetic measurements at a rate of 10 readings per second with a 0.1 nT resolution. Due to the compact sensor cavity, the cesium vapor has an advantage over other digital magnetometers in that it can make accurate measurements even in extremely high magnetic gradients such as expected when surveying over large amounts of metal.

Over natural soils and rock conditions, the magnetic field would only be expected to change slowly (0's of nT) over a site such as the one surveyed. Ferrous metal such as found in barrels, culverts, manhole covers and signs would change the local magnetic field in the vicinity by up to 10,000 nT. The shape of the magnetic anomaly combined with the surface area can be used to

imply an objects size and depth.

Geonics EM61 Metal Detector

The Geonics EM61 is a very sensitive electro-magnetic metal detector that operates in the time domain. Initially it was developed to map features such as piping, culverts and UST, however, it is frequently used to accurately map items as small as a grenade to a depth of 45 cm.

The EM61 records 4 channels (referred to as a decay) following an impulse from a transmitter. Using a 12 volt transmitter and 5 amps of current, the can resolve induced currents in metals that produce signals I the mV range. A small item of metal such as a grenade will produce a response in the order of 1 to 2 mV (channel 3) at a depth of 45 cm. A UST or culvert will produce a response of 500 to 10,000 mV (depending upon the depth) over the entire object.

Data Collection and Processing

The TopCon position data is collected at the same time as the EM31 and EM61 data at a rate of 1 position per second. This is extrapolated to the recorded data (EM 31 rate of 5 reading per second, EM61 at a rate of 15 reading per second). The reference chosen was NAD83 Zone 18N. Base station corrections were provided real time using the Topcon network.

For a confined area with building edges, using a GPS would limit total magnetic field collection as the GPS sensor has to be offset from the magnetic sensor. For this site the magnetic data was collected using a local grid and translated to match the UTM coordinates.

Notable features such as monitoring lamp post, curves and fencing were surveyed in using the survey equipment and included as reference on all maps.

3.0 RESULTS

The following maps are contained in Annex A:

- EM31s Apparent Conductivity Map
- EM31s In-Phase Map
- Total Magnetic Field Map
- Summary Map

The EM31s Apparent Conductivity or In-Phase data did not resolve any anomalies other than the building or fencing.

The background apparent conductivity was in the range of 30 to 40 mS/m. In the vicinity of the fencing and building, the apparent conductivity exceeded 200 mS/m. No sub surface items were identified in the EM31 data set.

The magnetic field data outlined one large amplitude (>10,000nT) magnetic anomaly. The area of the anomaly was approximately 1.5m x 2 m. A review of the EM31 data did not show any coincident response. The EM31 was used to do a detailed prospect of the magnetic anomaly, which confirmed there was no appreciable EM31 response (both conductivity and In-Phase). A review of the EM-61 data showed a response in the order of 200 mV, however, this anomaly was coincident with the parking curve and offset from the magnetic anomaly.

The magnetic anomaly is unlikely due to an item with the dimensions of a UST and more likely due to a collection of smaller magnetic items. The form of the anomaly is indicative of vertical items such as a well, fence posts or survey pins.

A prospect outside the building walls identified a metallic anomaly north of the fenced area. The geophysical survey was extended to encompass this anomaly with all three instruments. A metallic anomaly (200 mV) approximately 1.3m x 1.5m was identified. A coincident anomaly was not detected by either the EM31 or magnetometer. This anomaly is likely due to a small distribution of metals.

Features such as building infrastructure, fencing and other surface metals will effect each instrument in a different manner. The fencing, the building walls, the entrance and overhang masked each instrument for at least a meter such that a UST would not be **fully** resolved. There was no indication of any subsurface anomalies extending from the masked areas.

4.0 CONCLUSIONS/RECOMMENDATIONS

Two anomalies resolved in one data of the three data sets could be potentially due to a small UST. A detailed review and prospect with the other two data sets and instruments could not substantiate the anomalies as being due to a UST.

One large magnetic anomaly that appears to have vertical extent was identified 9 meters west of the boiler room. This anomaly was not resolved by either the EM61 or EM31. The EM61 was partially masked by a 200 mV anomaly than was coincident with the entire parking curve. An EM61 anomaly for a UST is expected to be much greater than 200 mV.

One metallic item was resolved with the EM61, however it was under 200 mV and there was not a coincident EM31 or magnetic anomaly of significance. This anomaly is likely due to a shallow distribution of small metallic items.

5.0 STATEMENT OF LIMITATIONS

This Geophysical Survey Report has been prepared exclusively for the Paterson Group. The purpose of this report is to provide an assessment of the potential for the presence of a buried UST within the survey area of the lot at 1345 Baseline Rd. This report is neither an endorsement nor a condemnation of the subject property.

The geophysical techniques employed typically produce clear geophysical anomalies over a metallic anomalies or conductive contamination within their detection depths. However, each technique has limitations, especially in areas in which buried utilities, hydroelectric line and communications are nearby or surface metal is present such as trailers, building, culverts etc.

The results and conclusions documented in this report have been prepared for a specific application to this project and have been developed in a manner with that level of skill normally exercised by qualified professionals currently practicing in this area of geophysical surveying. No other warranty, expressed or implied, is made.

Reports or memoranda resulting from this assignment are not to be used in whole or in part outside Paterson Group without prior written permission.


Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. NOTRA Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken based on this report.


If new information is developed through future work (which may include excavations, boreholes, or other studies suggesting the burial was other than the area surveyed), NOTRA should be contacted to re-evaluate the conclusions of this report and to provide amendments as required.


Dennis Gamble

Dennis Gamble, P.Ge (Ontario)
Senior Geophysicist, NOTRA Inc.
April 8, 2022

ANNEX A
GEOPHYSICAL MAPS








Geophysical Survey
Portion of 1345 Baseline Rd
Ottawa
April 6, 2022

Instrument : Scintrex Cesium Vapor
Elevation : 20 cm
False Datum : 50,000 nT
Contour Interval : 1000 nT
Collected by : D. Gamble.
Processor : D. Gamble, P. Geoph.


N
W E
S

NAD83 Zone 18N



Geophysical Survey
Portion of 1345 Baseline Rd
Ottawa
April 6, 2022

Summary



WGS 84 / UTM zone 18N



NAD83 Zone 18N

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

POSITION

Environmental Scientist

EDUCATION

Carleton University, B.Sc., 2017
Environmental Science

EXPERIENCE

2019 – Present

Paterson Group Inc.

Consulting Engineers
Materials Testing and Environmental Divisions
Environmental Scientist

SELECT LIST OF PROJECTS

Phase I and II – ESA Reports – Various Sites - Ottawa
National Capital Region (CSA Z768-01 & MECP)
Subgrade Reviews – Various Sites – Ottawa
Density Testing – Residential and Commercial Sites – Ottawa
Bearing Surface Investigations – Various Sites - Ottawa

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

POSITION

Associate and Supervisor of the Environmental Division
Senior Environmental/Geotechnical Engineer

EDUCATION

Queen's University, B.A.Sc.Eng, 1991
Geotechnical / Geological Engineering

MEMBERSHIPS

Ottawa Geotechnical Group
Professional Engineers of Ontario

EXPERIENCE

1991 to Present

Paterson Group Inc.

Associate and Senior Environmental/Geotechnical Engineer
Environmental and Geotechnical Division
Supervisor of the Environmental Division

SELECT LIST OF PROJECTS

Mary River Exploration Mine Site - Northern Baffin Island
Agricultural Supply Facilities - Eastern Ontario
Laboratory Facility – Edmonton (Alberta)
Ottawa International Airport - Contaminant Migration Study - Ottawa
Richmond Road Reconstruction - Ottawa
Billings Hurdman Interconnect - Ottawa
Bank Street Reconstruction - Ottawa
Environmental Review – Various Laboratories across Canada - CFIA
Dwyer Hill Training Centre – Ottawa
Nortel Networks Environmental Monitoring - Carling Campus – Ottawa
Remediation Program - Block D Lands – Kingston
Investigation of former landfill sites – City of Ottawa
Record of Site Condition for Railway Lands – North Bay
Commercial Properties – Guelph and Brampton
Brownfields Remediation – Alcan Site - Kingston
Montreal Road Reconstruction - Ottawa
Appleford Street Residential Development - Ottawa
Remediation Program - Ottawa Train Yards
Remediation Program - Bayshore and Heron Gate
Gladstone Avenue Reconstruction – Ottawa
Somerset Avenue West Reconstruction - Ottawa