
224 Preston Street, Ottawa Environmental Site Assessment Phase I



Prepared for:

224 On Preston Inc., Ottawa

By: ARCH-Nova Design Inc.

Project # E-03-21

September 2021

Updated July 2022, October 2023

TABLE OF CONTENTS

EXE	CUTIVE SUMMARY	4
1.	Introduction	6
2.	Site Description	6
3.	Records Review	7
3.1	Aerial Photographs	7
3.2	Property Use and Ownership Records	7
3.2.	1Insurance Records	7
3.2.2Property Use Directories		8
3.3	Previous Environmental or Geotechnical Reports	8
3.4	Regulatory Requests	9
3.5	Physical Setting and Analysis	9
3.6	Land Use Documents	9
4.	Site Reconnaissance	9
4.1	Property Use	10
4.2	Interviews	10
4.3	Potable Water Supply	10
4.4	Sewage and Wastewater Disposal	10
4.5	Building Heating and Cooling Systems	10
4.6	Special Attention Substances	11
4.7	Phase I Conceptual Site Model	12
4.7.	1 Roads, Parking Facilities and Rights of Way	12
4.7.	2 Building and Site Drainage	12

4.7.3 Storage Tanks and Containers	12		
4.7.4 Hazardous & Unidentified Substances	12		
4.7.5 Abandoned and Existing Wells	12		
4.7.6 Drains, Pits and Lagoons	12		
4.7.7 Stressed Vegetation	13		
4.7.8 Surficial Staining	13		
4.7.9 Odours and Noise	13		
4.7.10 Presence of Fill and Debris	13		
4.7.11 Topographic, Geologic and Hydrogeologic Conditions	13		
4.7.12 Adjacent Sites	14		
5. Conclusions and Recommendations	14		
6. Limitations	16		
7. Assessor Qualifications	17		
7.1 Arch-Nova Design Inc.	17		
7.2 Qualified Person	17		
APPENDICES			
APPENDIX 1- Fire Insurance Plan			
APPENDIX 2- Chain of Titles			
APPENDIX 3- Site Photos			
APPENDIX 4- Aero Photos			
APPENDIX 5- EcologEris Database Report			
APPENDIX 6- Physical Setting Report			
APPENDIX 7-Topo, OBM, ANSI			
APPENDIX 8- City of Ottawa Directory and HLUI			

EXECUTIVE SUMMARY

Arch-NOVA Design Inc. was retained by "224 On Preston Inc," to conduct a Phase I Environmental Site Assessment (ESA) at the property on 224 Preston Street in Ottawa, Ontario.

Based on the results of the Phase I ESA, the following conclusions and recommendations are provided. Recommendations are shown in Italics:

- 1. The subject property is currently unoccupied and within mixed occupancy area. The building is planned for demolition. Adjacent properties are mixed use.
- Surface water flow paths do not suggest that any contamination is transferred from one to another property. Most of drainage is directed toward the drainage along Preston Street. Minimum infiltration is anticipated as most surfaces are either asphalt, gravel and shingle roofs.
- The Summary of Data Source assembled recorded incidents however, the nature of incidents
 was considered as occasional (gas leak on construction site) with small amount of
 contaminants. Incidents were reported as cleared and the remediation measures
 implemented.
- 4. During the technical inspection of the property there was no specific substance noted on the site. The property is unoccupied and there is no source for concern related to environmental requirements. In addition to the environmental report compliant to Ontario Regulation 153/04, the research showed that there was no previous non-compliance report found.
- 5. Adjacent properties appear fully developed and unchanged for a long period of time (parking and commercial buildings). At the time of site visit and preparation of this report, there were no reports on contamination nor remediation on adjacent sites. It is assumed that no contamination is present now nor it can be transmitted through ground as minimal to no infiltration is now anticipated.
- 6. In order to fully address findings presented above it is recommended that, for purpose of site cleaning, a demolition and disposal plan and record of demolition and disposal to be prepared. If necessary, a sampling of soil at excavation site to be taken.

- 7. The site is zoned as a mixed use land and owner plans to develop the site as a mixed use as well. As the Physical Setting Report (PSR) and Database Report show, there is no indication of brownfield or any other potential source of contamination so the Record of Site Condition (RSC) filling would not be required.
- 8. This report concludes that no further environmental assessment will be needed.

1. Introduction

Arch-NOVA Design Inc. was retained by "224 On Preston Inc." to conduct a Phase I Environmental Site Assessment (ESA) at the property on 224 Preston Street in Ottawa, Ontario.

The work was carried out to meet the requirements of the current Ontario Regulation 153/04, Phase 1 Environmental Site Assessment. The objective of the Phase I ESA was to:

- a. identify any evidence of actual and potential site contamination including soil and groundwater and,
- b. determine the need for a Phase 2 ESA and if necessary, provide the basis for conducting a Phase 2 ESA or any subsequent risk assessment.

The Ontario Regulation 153/04 defines contaminant as any solid, liquid, gas, odour, heat, sound, vibration, radiation or combination of any of item resulting directly or indirectly from human activities that causes or may cause an adverse effect.

The scope of work for the Phase I ESA included a review of historical land use records, a visual inspection of the site and surrounding properties (as visible from the site or public right-of-way), interviews with person(s) having knowledge of past and present site activities, and a compilation of this information into a Phase I Environmental Site Assessment Report.

2. Site Description

For the purpose of this assessment, Preston Street is considered to run **east-west**. The subject property is located at 224 Preston Street, Ottawa, **Part Block 123**, **Plan 13**, **Lot 0057**, **PIN: 0417-0057(LT)**

The subject property is currently unoccupied with a two-storey building, with a parking on side (north part) of the property, between Preston Street and Larch Street with an access from Preston Street and with the second access from Larch Street. A paved sidewalk is located along Preston Street. The house is located along the southeast side of the property. On east side the property is bordered by the sidewalk of Preston Street. Along north side the property there is Larch Street. Across Larch Street there are residential and commercial buildings. On the west side there is a residential property. The property on south is mixed residential-commercial.



224 Preston Street, Ottawa: Location

3. Records Review

Historical information sources, such as aerial photographs, fire insurance plans, property use directories, geotechnical reports and land use documents were reviewed in order to assess past land use at the site and immediately adjacent properties.

3.1 Aerial Photographs

Aerial photographs¹ of the surrounding area dated from 1920 to 2010 show that the area was urban area with mixed use. Aerial photography shows that even in 1920 the building shape appears similar to today's. In general, the block between Preston Street, Larch Street and Balsam Street was fully developed in early 1920s and remains the same until now. Buildings on east side of Preston street appear unchanged since early 1960s.

3.2 Property Use and Ownership Records

3.2.1 Insurance Records

The 1948 Ottawa Fire Map of the area encompassing the subject property confirms the site and surrounding area. Also, the plan shows a building on the property in very similar layout as todays.

¹ Appendix 4: Aero Photos

Also, two Multirisk Reports were collected:

- (1995) Multirisk Report 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: 70405638 (distance = 11 metres*) and,
- (1991) Multirisk Report 1991 PRESTON CLEANERS 224 Preston Street Ottawa ON K1R7R1 (distance = 0 metres*)

The Report 1 (1995) describes that: "Occupancy Description (Insured / major tenant if insured is non-occupant)

The insured occupies the first floor and basement for the general storage of painting supplies such as roller brush sleeves and paint brushes all in cardboard boxes.

* Other Classes of Occupants: 2nd Floor: apartment dwelling

* Undesirable Features: no portable fire extinguishers."

The Report 2 Describes the Operation as: "1991 PRESTON CLEANERS 224 Preston Street Ottawa ON, K1R7R1". In the Inspection Survey the occupancy is described as: "Preston Cleaners, only cleaning receiving and pick up depot".

None of two operations are considered as potential source of contamination².

3.2.2 Property Use Directories

Property use directories were obtained (Chain of Titles) for the period from 1878 to present. It confirms that the property was <u>used as a residential for entire period of time as well as commercial space on the main floor. Having the period since 1920 being confirmed that the site was always a <u>mixed use as a residential and commercial building.</u> ³ The period of last 50 years for Chain of Titles was deemed sufficient for assessment of potential contamination **based on the site use.**</u>

3.3 Previous Environmental or Geotechnical Reports

3.3.1 The qualified person (QP) was not aware of existence of any other independent environmental or geotechnical report. No report of this type was found.

_

² Complete report in Appendix 1: Fire Insurance Maps and Reports

³ Updated record: 22.10.2023

3.4 Regulatory Requests

At the time of preparation of this report no regulatory request was issued.

3.5 Physical Setting and Analysis⁴

No environmental significance was reported. Complete PSR is presented in Appendix 6.

3.6 Land Use Documents

A review of the following publications was carried out as part of this ESA:

- Anderson's Waste Disposal Sites
- ERIS Historic Searches (June 1991).

According to the above-noted publications, no significant use of land for waste disposal was recorded.

Other significant land uses in vicinity of the site take place along Preston Street and include restaurants, services (bicycle repair), medical offices. The Summary of Data Source assembled recorded incidents however, the nature of incidents was considered as occasional (gas line breakage during construction). Incidents were reported as cleared and the remediation measures implemented.

The report also provides all operation approvals, expiration reports and incidents summary. All business operations appear compliant with current regulations with up-to-date approvals.

4. Site Reconnaissance

The site inspection was conducted on August 03, 2021 by Zoran Mrdja, P.Eng., FEC, of Arch-NOVA Design Inc. The site visit included the observation and inspection of the entire property. The subject property is currently unoccupied with a two-storey house and basement, a gravel parking at the corner of Preston and Larch Street. Immediate surrounding consists of a commercial-residential property on south and a residential property on west.

-

⁴ Appendix 6: Physical Setting Report

Inside, the building is divided into a main floor commercially used and the second floor used as an apartment. The basement could not be inspected as the stairs to it did not appear safe to use. The main entrance is on the north facing Larch Street.

4.1 Property Use

The site is currently is unoccupied. In the period from the 1920's to the current time, the property was used as residential with the main floor for commercial purposes (Multirisk Reports) with no onsite manufacturing or installed any kind of industrial manufacturing equipment. This kind of business is not considered as potential environmental hazard.

4.2 Interviews

A formal discussion with the current owner's representative was held prior to the site visit and after the visit. The owner doesn't speak English language so the representative was doing the translation from Italian. The communication was recorded through the email exchange. The owner confirmed reports that the property was used as mixed use; commercial on main floor and the residential on the second floor. The existing building is to be demolished and material disposed. The interior assessment was performed on the same date. The building was unoccupied and inspected without any access restriction except the basement as stairs did not appear safe to use.

4.3 Potable Water Supply

The subject site is located in the area that is municipally serviced for potable water supply.

4.4 Sewage and Wastewater Disposal

The subject site is located in an area that is municipally serviced for sewage and wastewater disposal.

4.5 Building Heating and Cooling Systems

The building was connected to the gas services and heating was forced air. The furnace was not found on the site. It could be still located in the basement or removed from the site. No above or under ground tanks were observed.

4.6 Special Attention Substances

Observations made during the site inspection regarding several special attention substances are outlined below.

Polychlorinated Biphenyls (PCBs)

Potential equipment which could contain PCBs include: mercury and sodium vapour fluorescent light ballasts, oil filled capacitors and transformers. Equipment potentially containing PCBs will be subject to demolition and will be put in the disposal plan for the building.

Asbestos-Containing Materials (ACM)

Assuming that the building was built in in early 1900s, there is a potential for presence of asbestos. The building parts and equipment potentially containing ACM will be subject to demolition and will be put in the disposal plan for the building.

Ozone-Depleting Substances (ODS)

AC unit appears to be of newer production so ODS coolants should not be present. Equipment potentially containing ODS will be subject to demolition and will be put in the disposal plan for the building.

Lead

Possible lead-containing substances – such as solder or painted surfaces – will be subject to demolition and will be put in the disposal plan for the building.

Urea Formaldehyde Foam Insulation (UFFI)

UFFI will be subject to demolition and will be put in the disposal plan for the building.

Mercury

Possible mercury-containing devices will be subject to demolition and will be put in the disposal plan for the building.

4.7 Phase I Conceptual Site Model

Based on historical review and site visit, it was concluded that there is unlike potential for soil or groundwater contamination at the subject property associated with its usage as mixed residential-commercial property. The City Directory reports the property at 224 Preston Street as residential since early 1920s. All nearby and/or adjacent properties since 1990 did not change their use. In period 1950-1990 the property at 215 Preston was used a fuel commercial sale, either a gas station or an office of some company selling fuel. In 1990 a banquet hall was built. It is assumed that prior the construction the site was cleaned.

Information presented in this report covering the Conceptual Site Model (CSM) is included in the EcoLog Eris report (Appendix 5). The followings summarize the CSM.

4.7.1 Roads, Parking Facilities and Rights of Way⁵

The property has access from Preston Street and Larch Street to the parking space and then from the parking into the house.

4.7.2 Building and Site Drainage

Site drainage appears to be directed toward Preston Street. Also, there is a catch basin on Larch Street at the entrance to the parking.

4.7.3 Storage Tanks and Containers

No evidence of above-ground or below-ground storage tanks or containers were noted at the time of the site inspection.

4.7.4 Hazardous & Unidentified Substances

Hazardous or unidentified substances were not detected at the site.

4.7.5 Abandoned and Existing Wells

No abandoned or existing wells were detected at the site.

4.7.6 Drains, Pits and Lagoons

⁵ APPENDIX 3- Site Photos

No drains, pits or lagoons were detected at the site on in its vicinity.

4.7.7 Stressed Vegetation

No stressed vegetation was noted on the property during the field investigation. From the historical data and photos, it is noted that there was no significant vegetation on the site. The site is currently fenced in order to prevent access to the building and it is not maintained at all.

4.7.8 Surficial Staining

No stains on surface around the building as well inside the building were found. The building is not maintained so the interior is deteriorated and it was not safe to walk through some parts.

4.7.9 Odours and Noise

No odour was registered on site or the surrounding area.

The site is located along Preston Street so some increased noise can be noted during the reconnaissance however, Preston Street is considered as the one with moderate traffic. There are restaurants and parkings around the site where noise can be expected in during and period of the day. This potential noise issue should be addressed through the new building design (windows type).

4.7.10 Presence of Fill and Debris

During the site visit on August 03, 2021 there was no debris on the site. Only a trailed was observed on the site.

4.7.11 Topographic, Geologic and Hydrogeologic Conditions

No significant and permanent surface stream was observed on site. The nearest stream is Ottawa River at about 2.0 km distance to the north. Also, some 800 m to the south Dows Lake (Rideau Canal) is located.

Based on Physical Setting Report the geologic map in general consists of limestone, dolostone, sandstone, shale and arkose.

Complete Geologic Information is presented in Appendix 6.

There are 12 wells reported in the area of 250 m distance. None of them is used for potable water. The nearest well is at distance of 62.34 m from the site. It was used as a test hole. The water was recorded at 4.65 m on May 03, 2005. Well #4 is at 178.29 m distance and water level measured was at 15.24 m. This indicates that ground water flow direction is not toward the site so it is assumed that potential contamination to the site by groundwater is minimal.

4.7.12 Adjacent Sites

Visual reconnaissance was conducted at adjacent properties during the site visit. Adjacent sites were observed as follows:

- South: mixed commercial-residential (restaurant on main floor)
- North: Larch Street (residential, commercial)
- West: residential
- East: Preston Street (Banquet Hall)

There are no significant environmental concerns based on the reconnaissance of adjacent properties. Based on the relative locations and the interpreted surface flow direction in the area (north-south), it is considered to be little potential for contaminant migration from one property to another.

5. Conclusions and Recommendations

Based on the results of the Phase I ESA, the following conclusions and recommendations are provided. Recommendations are shown in Italics:

- 5.1 The subject property is currently unoccupied and within mixed occupancy area. The building is planned for demolition. Adjacent properties are mixed use.
- 5.2 Surface water flow paths do not suggest that any contamination is transferred from one to another property. Most of drainage is directed toward the drainage along Preston Street. Minimum infiltration is anticipated as most surfaces are either asphalt, gravel and shingle roofs.
- 5.3 The Summary of Data Source assembled recorded incidents however, the nature of incidents was considered as occasional (gas leak on construction site) with small amount of

- contaminants. Incidents were reported as cleared and the remediation measures implemented.
- 5.4 During the technical inspection of the property there was no specific substance noted on the site. The property is unoccupied and there is no source for concern related to environmental requirements. In addition to the environmental report compliant to Ontario Regulation 153/04, the research showed that there was no previous non-compliance report found.
- 5.5 Adjacent properties appear fully developed and unchanged for a ling period of time (parking and commercial buildings). At the time of site visit and preparation of this report, there were no reports on contamination nor remediation on adjacent sites. It is assumed that no contamination is present now nor it can be transmitted through ground as minimal to minimum to insignificant infiltration is now anticipated.
- 5.6 In order to fully address findings presented above it is recommended that, for purpose of site cleaning, a demolition and disposal plan and record of demolition and disposal to be prepared. If necessary, a sampling of soil at excavation site to be taken.
- 5.7 The site is zoned as a mixed use land and owner plans to develop the site as a mixed use as well. As the Physical Setting Report (PSR) and Database Report show, there is no indication of brownfield or any other potential source of contamination so the Record of Site Condition (RSC) filling would not be required.

This report concludes that no further environmental assessment will be needed.

6. Limitations

This report was prepared exclusively for the purposes, project and site locations outlined in the report. The report is based on information provided to, or obtained by Arch-NOVA Design Inc. indicated in the report, and applies solely to site conditions existing at the time of the site investigation. Although a reasonable investigation was conducted by Arch-NOVA Design Inc., the investigation was by no means exhaustive and cannot be construed as a certification of absence of any contaminants from the site. Rather, the Arch-NOVA Design report represents a reasonable review of available information within an established work scope, schedule and budget. It is therefore possible that currently unrecognized contamination or potentially hazardous materials may exist at the site, and the levels of contamination or hazardous materials may vary across the site. Further review and updating of the report may be required as local conditions and the site conditions, and the regulatory and planning frameworks, change over time.

This report was prepared by Arch-NOVA Design Inc. for the sole benefit of the engineer and owners. The material in it reflects Arch-NOVA's judgment in light of the information available to it at the time of preparation. Any use that a third party makes of this report, or any reliance on decisions made based on it, are the responsibilities of such third parties. Arch-NOVA Design Inc. does not accept responsibility for damages, if any, suffered by any third party as a result of decisions made based on this report.

We trust this report is satisfactory for your purposes. If you have any questions regarding our submission, please do not hesitate to contact this office.

Respectfully submitted,

Arch-NOVA Design Inc.

Zoran Mrdja, P.Eng., FEC





Authorized by Professional Engineers of Ontario to provide professional services to public

7. Assessor Qualifications

7.1 Arch-Nova Design Inc.

Arch-Nova Design Inc. is a Canadian owned corporation founded in 2004. The company provides architectural and engineering services to the private and public clients including developers, municipalities, industrial, commercial and institutional clients (ICI) and the Government's departments and agencies.

Company's primary services include architectural and engineering design, environmental services, program and project management and specialized consulting services for the Government.

Arch-Nova Design Inc. is based in Ottawa and provides services in Canada and internationally.

7.2 Qualified Person

The Phase I ESA was managed and reviewed by Zoran Mrdja, P.Eng,, FEC Manager of Engineering Services. Mr. Mrdja has 37 years of experience in civil engineering, environmental assessments and remediation including water resources protection, hydrogeological assessments and ground water protection, municipal infrastructure and environmental remediation for sanitary sewer spills, wild life protection and green building initiatives implementation.

APPENDIX 1
Fire Insurance Plan









An SCM Company

175 Commerce Valley Drive W Markham, Ontario L3T 7Z3

T-905-882-6300 W: www.optaintel.ca

Report Completed By

Midori

Site Address:

224 Preston Street, Ottawa, ON Project Not

21080600433 Onla Order ID:

94421

Requested by:

Eleanor Goolab ERIS

Date Completed:

8/18/2021 11:44:34 AM

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Search Area: 224 Preston Street, Ottawa, ON



Eleanor Goolab Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE



Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Opta Historical Environmental Services Enviroscan Terms and Conditions

Requested by: Eleanor Goolab

Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

Opta Historical Environmental Services Enviroscan Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W

Markham, Ontario

L3T 7Z3

T: 905.882.6300

Toll Free: 905.882.6300

F: 905.882.6300

An SCM Company

www.optaintel.ca

ENVIROSCAN Report

Page: 4
Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

Report Index

OPTA INFORMATION INTELLIGENCE

Requested by:

Eleanor Goolab Date Completed: 08/18/2021 11:44:34

Page	Report Title	١
		l
6	(1948) Volume: Ottawa Firemap: 117	ĺ
8	(1948) Volume: Ottawa Firemap: 118	١
10	(1948) Volume: Ottawa Firemap: 319	١
11	(1995) Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No:	l
704056	38 (distance = 11 metres*)	l
20	(1991) Multirisk Report - 1991 PRESTON CLEANERS 224 Preston Street Ottawa ON K1R7R1 (distance = 0	l
metres'		l

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Page: 5
Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report


1948 Volume: Ottawa Firemap: 117

Ottawa Plan: 2991 (1925)

Requested by: Sheet: 117 (1948) Eleanor Goolab



OPTA INFORMATION INTELLIGENCE



Page: 6 Project Name: 224 Preston Street Ottawa

Project #: 21080600433

1948 Volume: Ottawa Firemap: 117 Ottawa Plan: 2991 (1925) Sheet: 117 (1948)

Requested by: Eleanor Goolab Date Completed: 08/18/2021 11:44:34





ENVIROSCAN Report

Page: 7
Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report


1948 Volume: Ottawa Firemap: 118

Ottawa Plan: 2991 (1925)

Requested by: Sheet: 118 (1948) Eleanor Goolab



OPTA INFORMATION INTELLIGENCE




Page: 8 Project Name: 224 Preston Street Ottawa

1948 Volume: Ottawa Firemap: 118 Ottawa Plan: 2991 (1925) Sheet: 118 (1948)



Requested by: Eleanor Goolab Date Completed: 08/18/2021 11:44:34 Project #: 21080600433

ENVIROSCAN Report



Page: 9
Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report


1948 Volume: Ottawa Firemap: 319

Ottawa Plan: 2993 (1948)

Requested by: Sheet: 319 (1948) Eleanor Goolab



OPTA INFORMATION INTELLIGENCE




Project #: 21080600433

1948 Volume: Ottawa Firemap: 319 Ottawa Plan: 2993 (1948) Sheet: 319 (1948)

Requested by: Eleanor Goolab Date Completed: 08/18/2021 11:44:34





Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: Requested by: 70405638

Eleanor Goolab

Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Ontario Branch Confidential Report

MULTIRISK SURVEY

Insured: SEBASTIAN D'AQUINO

Location Surveyed: 224 PRESTON ST

OTTAWA, ONTARIO

K1R 7R4

Person Contacted: Sebastian D'aquino Telephone Number: (613) 233-6268

Policy Number: 8247101 AIS Reference: 70405638

Surveyed by: Gary Campbell Date of Survey: 1995.07.04

Committed to Service Excellence

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



Project Name: 224 Preston Street

AIS Ref No.: 70405638

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: 70405638 Requested by:

Eleanor Goolab

Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept strictly confidential. This report does not guarantee compliance with any standards or

with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire and other protection equipment have not been conducted or witnessed during this survey.

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from a survey of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any loss or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

W ♣ E

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: 70405638 Requested by:

Eleanor Goolab Date Completed: 08/18/2021 11:44:34

Eleanor Goolab

OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Page: 1

SEBASTIAN D'AQUINO 224 ST PRESTON; OTTAWA, ONTARIO

MULTIRISK - FIRE, LIABILITY AND BASIC CRIME

OCCUPANCY:

The insured is an owner/occupant at this location. They have been in operation since 1970 and at this location for 3 year(s). They occupy 156 sq. m and are the major occupant, having 1 employee. The premises are in good condition. The insured is interested in loss prevention, however there have not been any losses during the last 3 years.

* Occupancy Description (Insured / major tenant if insured is non-occupant)

The insured occupies the first floor and basement for the general storage of painting supplies such as roller brush sleeves and paint brushes all in cardboard boxes.

* Other Classes of Occupants

2nd Floor: apartment dwelling

* Undersirable Features

no portable fire extinguishers.

It is recommended that this location be resurveyed in 1 year(s).

BUILDING:

- * Built 1940's (est.) Height: Storey(s) (excluding basement) 2.5
- * There are no additions.
- * There are no renovations.
- * Building condition Good
- * Area: Ground Floor 78 sq. m Total (including basement) 268 sq. m

BASIC CONSTRUCTION:

- * Walls 100% Brick/stone veneer Brick
- * Floors (excluding basement) 100% Wood joist
- * Roof 100% Wood joist
 - Surface material(s) Asphalt shingles
 - Roof replaced, unable to determine when.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

W SE

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: Requested by: 70405638

Eleanor Goolab Date Completed: 08/18/2021 11:44:34





OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Page: 2

SEBASTIAN D'AQUINO 224 ST PRESTON; OTTAWA, ONTARIO

INTERIOR FINISH:

- * Walls 10% combustible wood panelling
 - 90% non-combustible
- * Ceilings 100% non-combustible

BASEMENTS:

- * Number of basements 1
- * Total Area 78 sq. m
- * Finished 100% Unfinished - 0%

VERTICAL OPENINGS:

* Stairs - Non-fire rated enclosure

MEZZANINE: None

OUTBUILDINGS:

- * Construction frame
 - Occupancy storage shed Condition Good

 - Area 9 sq. m

HEATING:

- * Forced Warm Air 100% Oil
 - Upgraded in 1980, 100% replaced.
 - Installation appears safe
- * Heating appliances All enclosed in a separate room
- * Combustible materials Not stored in this room at time of survey
- * Fuel Tanks/Supply:
 - Supply Fuel Oil Tank
 - Fuel Tank Capacity (litres) 910
 - Location Inside
- * Chimneys:
 - Masonry Standard

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: 70405638 Requested by:

Eleanor Goolab Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Page: 3

SEBASTIAN D'AQUINO 224 ST PRESTON; OTTAWA, ONTARIO

ELECTRICAL:

- * Condition Good and appeared safe at the time of the survey.
- * Wiring Non-Metallic
- * Overcurrent protection Ordinary Fuses.
- * Electrical system Possibly upgraded, details could not be determined.

PLUMBING:

- * Condition Good at the time of the survey.
- * Piping is Copper, Plastic
- * Plumbing Possibly upgraded, details could not be determined.

EXPOSURES: (within 15m of the risk):

* LEFT: TO BUILDING

Construction - Combustible.

Occupancy - audio sales and repair shop. Distance - 8 m Height - 2 storeys Protection - N/A Grading - Moderate

* REAR: TO BUILDING

Construction - Combustible.
Occupancy - Dwellings.

Distance - 11 m Height - 2 storeys Protection - N/A Grading - Light

* FRONT: OPEN

* RIGHT: OPEN

MUNICIPAL PROTECTION:

- * The FUS Public Fire Protection Classification is 3
- * Responding (career) fire department Ottawa
- * Distance from risk Less than 2.5 km
- * Access via Paved roads. Year-round.
- * The building itself is easily accesible to the fire department.
- * Two hydrants within 155m (standard)

PRIVATE PROTECTION at this location includes the following:

- * Fire detection/alarm system Other : battery operated smoke detectors
- * An automatic sprinkler system is not present.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: Requested by: 70405638

Eleanor Goolab

Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Page: 4

SEBASTIAN D'AQUINO 224 ST PRESTON; OTTAWA, ONTARIO

MULTIRISK-LIABILITY

OCCUPANCY - GENERAL INFORMATION

- * Neighbourhood is predominantly commercial, residential
- * Insured owner/occupant Area occupied 156 sq. m
- * % accessible to the public could not be determined
- * Gross revenue could not be determined at the time of the survey

PREMISES information at the time of this survey

* The following appeared to be SATISFACTORY:

Stairs, ramps, handrails; Floor surfaces & coverings; Wall & ceilings; Inerior Lighting; Exterior Lighting; Interior Housekeeping; Exterior Housekeeping; Sidewalks, Yards & Parking Lots; Snow & ice removal; Roof attachments; Other attachments; Fire exits

* Other features present:

Permanent guests or boarders

* Elevating devices in operation - none

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: 70405638 Requested by:

Eleanor Goolab Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Page: 5

SEBASTIAN D'AQUINO 224 ST PRESTON; OTTAWA, ONTARIO

MULTIRISK-BASIC CRIME

NEIGHBOURHOOD:

- * Predominantly commercial, residential
- * Stable
- * Best described as having a moderate crime rate

BUSINESS:

- * Description paint brush and roller closed storage
- * Hours of Operation -
- * Typical Stock paint brushes and rollers.
- \star Smash and Grab exposure is low
- * There is no safe on the premises

GENERAL PROTECTION at the time of this survey:

* The following appeared to be SATISFACTORY:

Exterior Lighting, Interior Lighting, Roof Accessability, Police Patrols

* Security Alarm System - None

PHYSICAL PROTECTION (TENANT or OWNER/OCCUPANT):

- * The exterior locks at this location are deadbolt
- * The windows are not barred

This report section is designed to provide basic crime information only. More detailed crime information can be obtained by ordering an Expanded Crime Supplement.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

W ♣ E

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: Requested by: 70405638

Date Completed: 08/18/2021 11:44:34

Eleanor Goolab



OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Page: 6

SEBASTIAN D'AQUINO 224 ST PRESTON; OTTAWA, ONTARIO

MULTIRISK REMARKS / RECOMMENDATIONS

REMARKS:

* Fire, Liability & Basic Crime - This risk is located in a commercial\residential neighbourhood of stable status and on a highly visible busy street. The building is in good condition and has experienced some upgrades in the last 20 years such as a new oil fired forced air furnace that is safely arranged. Housekeeping is good and no unusual premises liability concerns noted. Physical protection is good and this class of occupancy does not warrant a security alarm system. Public access to the insureds area is extremely light and closed to the general public.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Page: 19

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1995 SEBASTIAN D'AQUINO 224 PRESTON ST OTTAWA ON K1R 7R4 Reference No: Requested by: 70405638

Eleanor Goolab

Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

1995

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70405638

Page: 7

SEBASTIAN D'AQUINO 224 ST PRESTON; OTTAWA, ONTARIO

RECOMMENDATIONS:

* 95-1 Fire, Liability & Basic Crime - Provide 2 ULC or equivalent labelled portable extinguisher(s) with a rating of 2A;10B,C. It (they) should be placed in readily accessible and visible locations.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Page: 20

Project Name: 224 Preston Street

Ottawa

Project #: 21080600433

ENVIROSCAN Report

Multirisk Report - 1991 PRESTON CLEANERS 224 Preston Street Ottawa ON K1R7R1

Requested by: Eleanor Goolab

Date Completed: 08/18/2021 11:44:34



OPTA INFORMATION INTELLIGENCE

Multirisk Report - 1991 PRESTON CLEANERS 224 Preston Street Ottawa ON K1R7R1

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

MultiRisk INSPECTION SERVICES

BASIC FIRE & LIABILITY SURVEY CONFIDENTIAL

NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named below. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept **strictly confidential**. This report does not guarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire protection equipment have not been conducted or witnessed during this inspection.

Preston Cleaners	Person contacted: Mr. Steve morrow.
s: 224 Preston Street	Telephone #: 233-4283
ttowa, Ontario	IAO Representative: F. Deent.
Reference #:	Inspection date: 15 July 1991
CUPANCY: escribe operations, special hazards and any unusual features	
SURED IS: BUILDING OWNER OWNER/OCCUPA INSURED MAJOR OCCUPANT AREA OCCUP	PIED:m ²
Preston Cleaners. Dry	cleaning receiving and
pick Sup	olepat.
THE CLASSES OF OCCUPANTS: Dudin ta	pe sales (silent) and one
THER CLASSES OF OCCUPANTS: Dudio ta	pe sales (silent) and one
THER CLASSES OF OCCUPANTS: Dudio ta,	pe sales (silent) and one
THER CLASSES OF OCCUPANTS: Dudio ta,	pe sales (silent) and one
THER CLASSES OF OCCUPANTS: Dudio ta,	pe soles (silent) and one
THER CLASSES OF OCCUPANTS: Dudio ta,	pe sales (silent) and one
THER CLASSES OF OCCUPANTS: Dudin ta,	pe sales (silent) and one
nunctung '	
PINION OF RISK: Excellent Good Fair	
nuvering ,	pe sales (silent) and one ical cercuits, insufficient clears

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While the changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any losses or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

1. BUILDING
Year built: 1920 Additions:
Building renovated: No Storeys: 2/2 2 Height: 9227 m
Basement: No X Yes 67 m² Finished 100% Unfinished% Area: Ground floor 98 m² Total 232m²
Building condition: ☐ Excellent ☐ Good ☐ Fair ☐ Poor
Wall construction: Fire resistive% Non-combustible% Masonry% Brick veneer 85% Wood frame 55%
Floor construction: 🖟 Wood joist 🗆 Concrete 🗀 Concrete on metal pan 🗆 Other
Roof construction; Wood joist
Resurfaced: No 🗆 Yes 19
Interior Finish: Walls: Combustible% Non-combustible% Open%
Ceilings: Combustible% Non-combustible _Leb% Open%
Vertical openings: ☐ None ☑ Stairs ☐ Elevator Other
Proper protection: ☐ Yes ☐ No ☒ Not applicable
Mezzanines: ☐ Yes 🕱 No
Construction:
Occupancy:
Area:m ²
Outbuildings: ☐ Yes 50 No
Construction:
Occupancy:
Area:m ²
Condition: Excellent Good Fair Poor
2. HEATING
Hot water/steam:%
Forced warm air: 100 % Electric Gas Coil Other
Suspended unit heaters:%
Portable heaters:%
Electric basehoard units:%
Other:%
Appliances enclosed in a standard room: ☐ Yes ☐ No ※ Not required
Combustible materials stored in the room: Yes No Not applicable
Fuel tanks: None Inside Outside above ground Outside below ground
Fill and vent piping outdoors: 🗹 Yes 🗆 No
Chimneys: Masonry ULC Factory built Unlabelled pre-fab Other
Installation replaced: No Yes 19 Centragen . 100 %
Installation replaced: A No. M. Ves. 19 (en Kay or 100 %
3. ELECTRICAL
Type: Conduit Bx Non-metallic cable Other
Overcurrent protection: Circuit breakers Type S fuses Other fuses
Condition: Good Fair Poor
Condition: Good Fair Poor Installation appears sale: Yes No overfused non standard connection. Installation replaced: No Yes 19
Installation replaced: No Yes 19%
4. PLUMBING
Type: Copper Galvanized Plastic Other
Condition: ②Good ☐ Fair ☐ Poor Installation replaced: ☐ No ☐ Yes 19 Linkhoun are %

	Dist.	Hei	ght	(Construction	Occup	oancy	-
Front	open	m	Sto.					
Rear		m	Sto.					
Left	,	m	2 Sto.	fram	e A	etail stor	to	
Right	10		Sto.	D'ann				
Neighbourt	nood: Indus	trial X Comm		Residential	☐ Renovation ☐ D	eterioration		
MUNICIP	AL PROTEC	CTION:		7. PI	RIVATE PROTECTION:			
		n Classification:	3		e the following standard?:			
Respondin	g Fire Dept.: _	altema			ctinguishers:			
	r 🗆 Volunte	er 🗆 Composit	9	1	andpipe and Hose: Yes			
Distance to	Fire Departm	ent:	k	m Fi	re Detection/Alarm System:		K N/A	
Roads: 2	Paved 🗆	Jnpaved		W	atchman Service:	☐ Yes ☐ No	ELN/A	
Accessit	ole Year-round	Yes 🗆 No		Re	estaurant Cooking Protection	n: Supplement	№ N/A attached	
Difficult ac	cess to buildin artment: Ye	g for		C	omments:	Соррыный		
Hydrants:	3_ withi	n 155 m						
	withi	in 156-312 m			utomatic Sprink or Protection	n: ☐ Yes ☑ No	□ Partia	1
	over	312 m			O File: N/A			
PREMISE	ES LIABILIT	Y						
Insured's a	the public: 🖎	2m ²		sible by the pu	ublic 30 % Gross Revenue \$ 80	2,000		
Insured's a	the public: 🗵	<u>2</u> m² Heavy □ Mod			ublic 30 % Gross Revenue \$ 80	2, 000		
Insured's a Access by Are the following	the public: 🗵	<u>2</u> m² Heavy □ Mod			Gross Revenue \$ 8000 Sidewalks, yards, parkin		□ No	
Insured's a Access by Are the foli Stairs, ram	the public: 🗵	2 m² Heavy □ Mod story? □ Yes	derate 🗆	Light	Gross Revenue \$ 80		□ No	Ø N/A
Access by Are the foll Stairs, ram	the public: (X) towing satisfactors, handrails aces and cover	2 m² Heavy □ Mod story? □ Yes	derate No	Light	Gross Revenue \$ 8 C	g lots XYes		₹N/A
Insured's a Access by Are the foli Stairs, ram	the public: (X) lowing satisfactings, handrails aces and cover	Z m² Heavy □ Mod story? □ Yes rings ♥ Yes	derate □	Light	Gross Revenue \$ 8 co	ng lots ⊠ Yes □ Yes	□ No	₩ N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior light	the public: (X) lowing satisfactors, handrails aces and cover ceilings hting	2 m² Heavy □ Mod ctory? □ Yes rings ♥ Yes ♥ Yes	Mo No No No	Light	Gross Revenue \$ 8 C Sidewalks, yards, parkin Signs and awnings Roof attachments	g lots	□ No	₹N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior lig	the public: (X) lowing satisfactors, handrails aces and cover ceilings thing	Z m² Heavy □ Mod story? □ Yes rings ☒ Yes ☒ Yes ☒ Yes	Mo No No No	Light □ N/A	Gross Revenue \$ 8 C Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes	g lots 🗷 Yes 🗆 Yes 🗆 Yes	□ No □ No	Ø N/A Ø N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence	the public: (X) lowing satisfactors, handrails aces and cover ceilings thing ghting cy lighting	Z m² Heavy □ Mod tory? □ Yes rings ♥ Yes ♥ Yes ♥ Yes	Merate No No No No No No No N	Light □ N/A	Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments	g lots	□ No □ No □ No □ No	& NIA & NIA & NIA & NIA
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior lig Exterior lig Emergence Interior ho	the public: (X) lowing satisfactors, handrails aces and cover ceilings thing ghting by lighting busekeeping	Z m² Heavy □ Mod story? □ Yes rings ☒ Yes ☒ Yes ☒ Yes ☒ Yes ☐ Yes ☐ Yes	No No No No No	Light □ N/A	Sidewalks, yards, parking Signs and awnings Roof attachments TV dishes Other attachments Fire exits	g lots	No No No No	Ø N/A Ø N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior lig Exterior lig Emergence Interior ho	the public: IX lowing satisfactors, handrails aces and cover ceilings thing ghting cy lighting busekeeping cousekeeping	Z m² Heavy □ Modelory? □ Yes rings ☑ Yes ☑ Yes ☑ Yes ☑ Yes ☑ Yes ☑ Yes	Mo No No No No No No	□ N/A □ N/A □ N/A □ N/A	Gross Revenue \$ 8 C Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms	g lots Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No	Ø N/A Ø N/A Ø N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom	the public: A lowing satisfactory, handrails aces and cover ceilings thing ghting by lighting busekeeping ousekeeping ons	Z m² Heavy □ Mod ctory? □ Yes Yes □ Yes	Merate No No No No No No No N	□ N/A □ N/A □ N/A □ N/A □ N/A	Gross Revenue \$ 8 C Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms	g lots Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No No	Ø N/A Ø N/A Ø N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom	the public: (2) lowing satisfactors, handrails aces and cover ceilings hiting ghting cy lighting busekeeping ousekeeping ons	Z m² Heavy □ Mod story? □ Yes rings ☒ Yes ☒ Yes ☒ Yes ☒ Yes □ Yes □ Yes □ Yes	Merate No No No No No No No N	□ N/A □ N/A □ N/A □ N/A □ N/A	Gross Revenue \$ 8 C Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms	g lots Yes Yes Yes Yes Yes Yes Yes Yes	No No No No No	Ø N/A Ø N/A Ø N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom DO THE F	the public: (X) lowing satisfactors, handrails aces and cover ceilings thing ghting cy lighting ousekeeping ousekeeping ons FOLLOWING Food	Z m² Heavy □ Mod story? □ Yes rings ☒ Yes ☒ Yes ☒ Yes □ Yes □ Yes □ Yes □ Yes □ Yes	No N	□ N/A □ N/A □ N/A □ N/A □ N/A	Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes	g lots	No	Ø N/A Ø N/A Ø N/A
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom DO THE F Sale of for	the public: (2) lowing satisfactors, handrails aces and cover ceilings hiting ghting cy lighting busekeeping ousekeeping ons cohol	Heavy Modestory? Yes Yes	No N	□ N/A □ N/A □ N/A □ N/A □ N/A	Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes	g lots	No No No No No	& NIA & NIA & NIA & NIA
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom DO THE F Sale of foc	the public: (X) lowing satisfactors, handrails aces and cover ceilings thing ghting cy lighting ousekeeping ousekeeping ousekeeping ons FOLLOWING Food	Heavy Modelitory? Yes Ye	No N	□ N/A □ N/A □ N/A □ N/A □ N/A	Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes Dance floor Swimming pool	g lots	No	Ø NIA Ø NIA Ø NIA
Insured's a Access by Are the foll Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom DO THE F Sale of for Sale of alc Bouncers Guard door	the public: (**) the pu	Heavy Modestory? Yes Yes	Merate	Light N/A N/A N/A N/A N/A	Sidewalks, yards, parkin Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes Dance floor Swimming pool	g lots Yes Yes Yes Yes Yes Yes Yes Yes	No	& NIA & NIA & NIA & NIA
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom DO THE F Sale of foli Sale of alc Bouncers Guard do Elevating Mainter	the public: (2) Identification of the public of the pu	Heavy Mode of the work of th	No N	Light N/A N/A N/A N/A N/A Hoists	Sidewalks, yards, parking Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes Dance floor Swimming pool Permanent guests or both	g lots Yes Yes Yes Yes Yes Yes Yes Yes	No	M NIA M NIA M NIA M NIA
Insured's a Access by Are the foli Stairs, ram Floor surfa Walls and Interior ligi Exterior ligi Emergence Interior ho Exterior ho Washroom DO THE F Sale of foli Sale of alc Bouncers Guard door Mainter . GEINER	the public: (**) the pu	Heavy Mode of the work of th	No N	Light N/A N/A N/A N/A N/A Hoists	Sidewalks, yards, parking Signs and awnings Roof attachments TV dishes Other attachments Fire exits Fire alarms Fire escapes Dance floor Swimming pool Permanent guests or bother attachments Escalators Other	g lots Yes Yes Yes Yes Yes Yes Yes Yes	No	A NIA A NIA A NIA

0.	REMARKS //
	2. Combustible material is piled within 125 mm (5") of the
	Chemney Connector.
	3. 1 out \$8 fyses are twenty or thirty ampere keting.
	a present light is not properly connected to the
	main Conductor
	1 I " 34 10 80° als should but remove seturing
	- Plet and i are former with a rendle
	1. Two "24-10BC" are provided but require servicing 8. The front parch is 3m (w') wide with a sendle Rand rail. The basement stair has no handrail
	hand the of the government of the first the transfer of the first
11.	91-1 Q clear space of not less than 450 mm (18") should be maintained between the chimney connector
	and are combustible material.
	The months with the state of th
	breakers should be fingtalled.
	91-3 The basement stairs should be provided with
	a standard, Kondiall.
	91-4 The front steps should be provided with
	a second landrail 1.1m (44) from the
	existing landrail, continous drip type.
	91-5 Fire extinguishers should be servered annual
	lung on brackets with one 24-10Bc " unit 1
	on Jeach floor.



MultiRisk INSPECTION SERVICES

CRIME SUPPLEMENT CONFIDENTIAL

NOTE: The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named below. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept **strictly confidential**. This report does not guarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire protection equipment have not been conducted or witnessed during this inspection.

Insured: Preston	Cleaners	Person contacted: Ms. Sheila mc Ooxald
The state of the s	Preston Street	
altawa	ontario	IAO Representative: A. Seint
Policy/Reference #: _	by Ha	lifar Ins. Co. Inspection date: 15 July 1991
1. NEIGHBOURH	OOD Commercial Industrial	□ Rural □ Isolated
Open from: <u>Yaz</u> Stock stored indox Minimum value	to 7 pm.	Eving & pckup depat 5 days/week 8 am to 3 pm / days/week evitemers goods only Maximum value: \$ —
Stock stored outdo		Maximum value: \$
Yards fenced: Patrols: Watchman service		ice Provincial police Private
4. ALARMS: ANAME of installer: Type of response Central station Monitoring s Police station Private Other	Twenn Secu	vin Security Systems
Certificate #: Line security gr Is the alarm sys	tem monitored for openings an	d closings:
Areas protected:	 □ Accessible openings □ Walls, floors and ceilings 	□ Safe Portiol □ Vault Space protection
Protected by:	☐ Photoelectric beam ☐ Ultrasonic detector ☐ Microwave detector ☐ Infra-red detector	☐ Magnetic contacts ☐ Wire lacing ☐ Conductive foil Other

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any losses or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

		- 00	nstruct				T AA-1-1	-		Lo				Remarks
DOORS	Total number	Wood	Metal		Alarm	Screens	Metal bars	1	2	3	4	5	6	nemarks
Front	1			V	~			V						
Rear														
Left														
Right	2	V		V				V	V					
Elevator				100										
Shipping														
			Frames			Armoured	Protection		Metal	_	Perm	anenti		Remarks
WINDOWS	Tot	ber Wo	od Me	etal	Alarms	glass	Screens		bars			sed	'	3.00.000000
Front	4	. :	3	1							L	/		
Rear	0													
Left	2	_ 4	-											
Right	9	-												
Skylight	_													
Holdup ala	andled saluable	afely: [as stored	☐ Yes d in the Yes	□ No _ safe duri Type: _	ing working	hours: Ye	es Ø No							
Cheques he Money and Holdup alar	andled salidaded salidade	afely: [as stored	☐ Yes d in the Yes	□ No _ safe duri Type: _	or: Yes	hours: 🗆 Ye	cation:	ity:] Cer	ntral	station	,		
7. SAFE: Class: Lit at nig Labelled by	andled sale valuable rm: (A) Yes (a) The purchase of the control	afely: [is stored No	☐ Yes I in the Yes	□ No _ safe duri Type: _ so the flo	or: Yes	hours:	cation:	ity: [Cer Other	ntral s		,		
Cheques he Money and Holdup alar. 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alar.	andled sale valuable rm: (A) Yes and yes arm instale story	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar. 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alar.	andled sale valuable rm: (A) Yes and yes arm instale story	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alares.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar. 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alar.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar. 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alar.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours:	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar. 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alar.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar. 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alar.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alares.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alares.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		
Cheques he Money and Holdup alar 7. SAFE: Class: Lit at nig Labelled by Alarm: 8. VAULT: Class: Class of alares.	andled sale valuable rm: (A) Yes (B) The results of the results	afely: [ss stored No No No No No No No No No No	Yes d in the Yes	□ No _ safe duri Type: _ oo the flo	or: Yes	hours: Ye	cation: treet esponse facil arm: _C labelled:	ity: □ C	Cerother	No No	station	1		

5. ACCESSIBLE OPENINGS

APPENDIX 2 Chain of Titles CHAIN OF TITLE REPORT

Project #: 2	21080600433 224 Preston Street, Ottawa	Searched at: LRO #:	Ottawa 4	
Legal Propertion: as	Part Block 123, Plan 13 as in N624045	11		
PIN#:	04107-0057(LT)			
INSTR#	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
	Patent (156 acres)	27 02 1855	Crówn	James ROCHESTER
16103	Deed	03 01 1861	James Rochester	Edward BURRITT
CR29888	Deed	28 03 1889	Edward Buritt	Pasquale TUFANO
269947	Deed	18 03 1948	Pasquale Tufino - estate	Regina WISTOFF
326050	Deed	01 10 1954	Regina Wistoff	Vito MACRILLO & Carmel MACRILLO
N338585	Deed	02 06 1986	Vito & Carmel Macrillo	Giuseppe CALABRO & Flavia CALABRO
N624045	Deed	30 06 1992	Giuseppe & Flavia Calabro	Sebastien D'AQUINO
OC1250868	Deed (Present Owners)	28 06 2011	Sebastien D'Aquino	Sebastiano D'AQUINO Paulette D'AQUINO



PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER

REGISTRY OFFICE #4

04107-0057 (LT)

PREPARED FOR bertucci ON 2021/09/02 AT 12:03:58

PAGE 1 OF 1

PIN CREATION DATE:

1996/05/27

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION:

PT BLK 123, PL 13 , AS IN N624045 ; OTTAWA/NEPEAN

PROPERTY REMARKS:

OWNERS' NAMES

ESTATE/QUALIFIER: FEE SIMPLE LT CONVERSION QUALIFIED

D'AQUINO, SEBASTIANO

D'AQUINO, PAULETTE

RECENTLY:

FIRST CONVERSION FROM BOOK 28

CAPACITY SHARE

JTEN

JTEN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
EFFECTIVE	2000/07/29	THE NOTATION OF THE	BLOCK IMPLEMENTATION	ON DATE" OF 1996/05/27 ON THIS PIN		
WAS REPLA	CED WITH THE	"PIN CREATION DATE"	OF 1996/05/27			
** PRINTOUT	INCLUDES ALI	DOCUMENT TYPES AND	DELETED INSTRUMENT:	SINCE 1996/05/24 **		
**SUBJECT,	ON FIRST REGI	STRATION UNDER THE	LAND TITLES ACT, TO			
**	SUBSECTION 44	(1) OF THE LAND TIT	LES ACT, EXCEPT PARA	AGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *		
**	AND ESCHEATS	OR FORFEITURE TO THE	CROWN.			
**	THE RIGHTS OF	ANY PERSON WHO WOU	LD, BUT FOR THE LAN	TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF		
**	IT THROUGH L	ENGTH OF ADVERSE POS	SESSION, PRESCRIPTION	DN, MISDESCRIPTION OR BOUNDARIES SETTLED BY		
**	CONVENTION.					
**	ANY LEASE TO	WHICH THE SUBSECTION	70(2) OF THE REGIS	STRY ACT APPLIES.		
**DATE OF C	ONVERSION TO	LAND TITLES: 1996/0	5/27 **			
N624045	1992/06/30	TRANSFER		*** COMPLETELY DELETED ***		
					D'AQUINO, SEBASTIEN	
N624046	1992/06/30	CHARGE		*** COMPLETELY DELETED ***	CAISSE POPULAIRE CHAMPLAIN D'OTTAWA LTEE	
001057070	0000/10/00	Diagn of guard		**** COMPARTITY DESPRESS		
OC1057970	2009/12/03	DISCH OF CHARGE		*** COMPLETELY DELETED *** CAISSE POPULAIRE VISION INC.		
REI	MARKS: N62404	6.				
OC1250868	2011/06/28	TRANSFER	\$2	D'AQUINO, SEBASTIEN	D'AQUINO, SEBASTIANO	С
					D'AQUINO, PAULETTE	

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY. NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



APPENDIX 3
Site Photos



Front (From Preston St)



North (from Larch St)



North (parking entrance from Larch St)



Roof (view from south)



Main floor



Second floor (bathroom)



Stairs to basement



Second Floor (living room)



Second floor (kitchen)



Second Floor (structural supports)

APPENDIX 4 Aero photos



Project Property: 224 Preston Street Ottawa

224 Preston Street

Ottawa ON K1R 7R1

Project No:

Requested By: Arch-Nova Design Inc.

Order No: 21080600433

Date Completed: August 09, 2021

Decade	Year	Image Scale	Source
1920	1928	10000	City of Ottawa
1940	1945	15000	NAPL
1950	1950	10000	NAPL
1960	1965	10000	City of Ottawa
1970	1976	10000	City of Ottawa
1990	1994	10000	NAPL
2010	2015	10000	City of Ottawa

Aerial Maps included in this report are produced by the sources listed above and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property. No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc.(in the US) and ERIS Information Limited Partnership (in Canada), both doing business and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS', using aerial photos listed in above sources. The maps contained in this report does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com



Year: 1928

Source: City of Ottawa Map Scale: 1: 10000





Year: 1945 Source: NAPL Map Scale: 1: 10000





Year: 1950 Source: NAPL 1: 10000 Map Scale:

Adjacent Frame Unavailable Comments:

Order Number: 21080600433






Year: 1965

Source: City of Ottawa Map Scale: 1: 10000






Year: 1976


Source: City of Ottawa Map Scale: 1: 10000





Year: 1994 Source: NAPL Map Scale: 1: 10000





Year: 2015

Source: City of Ottawa Map Scale: 1: 10000



APPENDIX 5
Ecolog Eris Database Report



Project Property: 224 Preston Street Ottawa

224 Preston Street

Ottawa ON K1R 7R1

Project No:

Report Type: Standard Report

Order No: 21080600433

Requested by: Arch-Nova Design Inc.

Date Completed: August 11, 2021

Table of Contents

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	6
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	
Map	45
Aerial	
Topographic Map	47
Detail Report	48
Unplottable Summary	161
Unplottable Report	
Appendix: Database Descriptions	171
Definitions	180

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS

Executive Summary

Property Information:

Project Property: 224 Preston Street Ottawa

224 Preston Street Ottawa ON K1R 7R1

Order No: 21080600433

Project No:

Coordinates:

 Latitude:
 45.4056284

 Longitude:
 -75.7127825

 UTM Northing:
 5,028,259.26

 UTM Easting:
 444,219.65

 UTM Zone:
 UTM Zone 18T

Elevation: 217 FT

66.19 M

Order Information:

Order No: 21080600433

Date Requested: August 6, 2021

Requested by: Arch-Nova Design Inc.

Report Type: Standard Report

Historical/Products:

Aerial Photographs Aerials - National Collection

City Directory Search CD - Subject Site plus 10 Adjacent Properties

ERIS Xplorer <u>ERIS Xplorer</u>

Insurance Products Fire Insurance Maps/Inspection Reports/Site Plans

KML File Project Boundary file (KML File format)

Land Title Search Historical Land Title Search

Physical Setting Report (PSR) PSR

Topographic Map National Topographic Maps

Topographic MapANSI Map & Ontario Base Map (OBM)

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Υ	0	5	5
CA	Certificates of Approval	Y	0	11	11
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	4	4
EASR	Environmental Activity and Sector Registry	Y	0	3	3
EBR	Environmental Registry	Υ	0	1	1
ECA	Environmental Compliance Approval	Y	0	24	24
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	28	28
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	4	4
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems	Y	0	0	0
FST	(FIRSTS) Fuel Storage Tank	Y	0	4	4
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	70	70
GHG	Greenhouse Gas Emissions from Large Facilities	Υ	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	Fuel Oil Spills and Leaks	Y	0	2	2
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Υ	0	0	0
NCPL	(NATES) Non-Compliance Reports	Υ	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Υ	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Υ	0	0	0
OGWE	Oil and Gas Wells	Υ	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Υ	0	0	0
ORD	Orders	Υ	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	9	9
PINC	Pipeline Incidents	Υ	0	3	3
PRT	Private and Retail Fuel Storage Tanks	Υ	0	2	2
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	1	1
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	11	11
SPL	Ontario Spills	Y	0	10	10
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Υ	0	15	15
		Total:	0	207	207

Executive Summary: Site Report Summary - Project Property

MapDBCompany/Site NameAddressDir/Dist (m)Elev diffPageKey(m)Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	PES	10278408 CANADA INC.	186 preston ottawa ON K1B 2P9	NW/47.6	-0.28	<u>48</u>
<u>2</u>	CA	R.M. OF OTTAWA-CARLETON	BALSAM AVE/PRESTON ST. OTTAWA ON	SE/48.5	0.72	<u>48</u>
<u>2</u>	SPL		Intersection of Balsam St and Preston St Ottawa ON	SE/48.5	0.72	<u>48</u>
<u>2</u>	INC		BALSAM ST. & PRESTON ST., OTTAWA ON	SE/48.5	0.72	<u>49</u>
<u>3</u>	GEN	LA PAUSE VELO LTEE/BIKE STOP, THE	225 PRESTON STREET, REAR UNIT OTTAWA ON K1R 7R1	E/59.5	1.72	<u>49</u>
<u>3</u>	GEN	LA PAUSE VELO LIMITEE	225 PRESTON STREET OTTAWA ON K1R 7R1	E/59.5	1.72	<u>50</u>
<u>3</u>	EHS		225 Preston St. Ottawa ON K1R 7R1	E/59.5	1.72	<u>50</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>50</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>51</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>51</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>51</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>52</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON	E/59.5	1.72	<u>52</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>52</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>53</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>53</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>53</u>
<u>3</u>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>54</u>
<u>3</u>	GEN	Appletree Corporate Medical Centre 204	225 Preston Street Ottawa ON K1R 7R1	E/59.5	1.72	<u>54</u>
<u>4</u> .	wwis		OTTAWA ON <i>Well ID:</i> 1535493	SSE/62.3	-0.34	<u>54</u>
<u>5</u>	EASR	LAURENT LEBLANC LIMITED	151 Willow ST Ottawa ON K1R 6W2	NE/71.5	1.49	<u>57</u>
<u>6</u>	SCT	INVITATIONS PLUS	193 PRESTON ST OTTAWA ON K1R 7P8	NNE/73.7	0.75	<u>57</u>
<u>6</u>	CA	6176381 Canada Inc.	191-193 Preston St Ottawa ON	NNE/73.7	0.75	<u>57</u>
<u>6</u>	ECA	6176381 Canada Inc.	191 - 193 Preston St Ottawa ON K2E 5A4	NNE/73.7	0.75	<u>58</u>
<u>7</u> ·	PRT	PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	ESE/75.6	0.69	<u>58</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
7	SPL	City of Ottawa	South East corner of Preston and Balsam 241 PRESTON STREET, OTTAWA <unofficial> Ottawa ON K1R 7R3</unofficial>	ESE/75.6	0.69	<u>58</u>
7	DTNK	PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	ESE/75.6	0.69	<u>59</u>
<u>8</u>	SCT	V Steel Works Ltd.	17 Larch St Ottawa ON K1R 6W4	W/82.8	-2.00	<u>59</u>
<u>8</u>	EHS		15-19 Larch Street Ottawa ON K1R 6W4	W/82.8	-2.00	<u>59</u>
<u>8</u>	EHS		15-19 Larch Street Ottawa ON K1R 6W4	W/82.8	-2.00	<u>60</u>
8	EHS		15-19 Larch Street Ottawa ON K1R 6W4	W/82.8	-2.00	<u>60</u>
8	EHS		15-19 Larch Street Ottawa ON K1R 6W4	W/82.8	-2.00	<u>60</u>
<u>8</u>	EHS		15-19 Larch Street Ottawa ON K1R 6W4	W/82.8	-2.00	<u>60</u>
<u>9</u>	BORE		ON	N/82.9	0.77	<u>60</u>
<u>10</u>	EHS		185 Preston Street Ottawa ON K1R 7P8	N/90.1	0.69	<u>62</u>
10	EHS		185 Preston Street Ottawa ON K1R 7P8	N/90.1	0.69	<u>62</u>
10	EHS		185 Preston Street Ottawa ON K1R 7P8	N/90.1	0.69	<u>62</u>
10	EHS		185 Preston Street Ottawa ON K1R 7P8	N/90.1	0.69	<u>62</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>10</u>	EHS		185 Preston Street Ottawa ON K1R 7P8	N/90.1	0.69	<u>63</u>
<u>10</u>	EHS		185 Preston Street Ottawa ON K1R 7P8	N/90.1	0.69	<u>63</u>
<u>11</u>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON STREET OTTAWA ON K1R 7R4	SSW/92.6	-0.62	<u>63</u>
<u>11</u>	PES	PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	SSW/92.6	-0.62	<u>63</u>
<u>11</u>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	SSW/92.6	-0.62	<u>64</u>
<u>11</u>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	SSW/92.6	-0.62	<u>64</u>
<u>11</u>	PES	PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	SSW/92.6	-0.62	<u>64</u>
<u>11</u>	CA	Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	SSW/92.6	-0.62	<u>65</u>
<u>11</u>	PES	PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R7R4	SSW/92.6	-0.62	<u>65</u>
<u>11</u>	ECA	Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	SSW/92.6	-0.62	<u>66</u>
<u>11</u>	SPL		248 Preston Street Ottawa ON	SSW/92.6	-0.62	<u>66</u>
<u>11</u>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	SSW/92.6	-0.62	<u>66</u>
<u>11</u>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	SSW/92.6	-0.62	<u>67</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>12</u>	EHS		Preston St & Laurel St Ottawa On Ottawa ON	NW/93.5	-0.40	<u>67</u>
<u>13</u>	ECA	170 Preston Street Ltd.	170 Preston St Ottawa ON K1R 7H9	NW/95.0	0.15	<u>67</u>
<u>14</u>	GEN	Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	E/123.1	2.00	<u>68</u>
<u>14</u>	GEN	Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	E/123.1	2.00	<u>68</u>
<u>14</u>	GEN	Central Tenant Services	865 Gladstone Ottawa ON K1R 7T4	E/123.1	2.00	<u>68</u>
<u>14</u>	GEN	Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	E/123.1	2.00	<u>68</u>
<u>14</u>	GEN	Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	E/123.1	2.00	<u>69</u>
15	CA	R.M. OF OTTAWA-CARLETON	GLADSTONE AVE/PRESTON ST. OTTAWA CITY ON	SE/124.2	0.77	<u>69</u>
15	CA	OTTAWA CITY	GLADSTONE AVE/PRESTON ST. CSO OTTAWA CITY ON	SE/124.2	0.77	<u>69</u>
16	EHS		173 Preston St Ottawa ON K1R7P6	N/135.0	0.69	<u>70</u>
<u>17</u>	ECA	Padom Holdings Ltd.	173 Preston St Ottawa ON K2C 1P1	N/136.3	0.69	<u>70</u>
18	GEN	GREAT CANADIAN THEATRE COMPANY, THE	910 GLADSTONE AVENUE OTTAWA ON K1R 6Y3	SSE/137.5	-0.31	<u>70</u>
18	GEN	Great Canadian Theatre Company	910 Gladstone Ottawa ON K1R 6Y4	SSE/137.5	-0.31	<u>70</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>19</u>	wwis		173-177 PRESTON ST Ottawa ON <i>Well ID:</i> 7230093	N/141.9	0.69	<u>71</u>
<u>20</u>	BORE		ON	SW/147.0	-2.31	<u>74</u>
<u>21</u>	EHS		916 Gladstone Avenue Ottawa ON K1R 6Y4	S/147.7	-0.23	<u>75</u>
22	wwis		916 GLADSTONE AVE. lot 39 con 1 OTTAWA ON Well ID: 1536292	S/157.4	-0.23	<u>75</u>
<u>23</u>	CA		Lot 7, Bk 123, Reg. Plan 34, 930-934 Gladstone Ave Ottawa ON K1R 6Y4	S/160.8	-1.31	<u>78</u>
24	SPL	BROOKFIELD LEPAGE JOHNSON CONT	1 OAK STREET, OTTAWA PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON	NNW/165.0	-0.25	<u>79</u>
24	GEN	BROOKFIELD LEPAGE JOHNSON CONTROLS	OAK STREET COMPLEX 1 OAK STREET OTTAWA ON	NNW/165.0	-0.25	<u>79</u>
<u>24</u>	GEN	BROOKFIELD LEPAGE JOHNSON CONTROLS	1 OAK STREET OTTAWA ON	NNW/165.0	-0.25	<u>80</u>
<u>24</u>	GEN	Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	NNW/165.0	-0.25	<u>80</u>
24	GEN	Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	NNW/165.0	-0.25	80
<u>25</u>	EHS		933 Gladstone Ave Ottawa ON K1A0T4	W/166.1	-3.31	<u>80</u>
<u>26</u>	WWIS		173-177 PRESTON ST Ottawa ON <i>Well ID:</i> 7230092	N/167.1	0.49	<u>81</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	EHS		153-157 Preston Road aka 130 Anderson St. Ottawa ON K1R 7P6	NNW/169.7	0.49	<u>84</u>
27	EHS		153-157 Preston Street Ottawa ON K1R 7P6	NNW/169.7	0.49	<u>84</u>
<u>28</u>	ECA	City of Ottawa	Preston Street (Albert Street to Carling Avenue) Ottawa ON K1P 1J1	ESE/170.1	2.72	<u>84</u>
28	ECA	City of Ottawa	Preston Street Ottawa ON K1P 1J1	ESE/170.1	2.72	<u>85</u>
28	ECA	City of Ottawa	Spruce Street from Champagne to Booth St. Ottawa ON K1S 5K2	ESE/170.1	2.72	<u>85</u>
<u>28</u>	ECA	City of Ottawa	Spruce Street from Champagne to Booth St. Ottawa ON K1S 5K2	ESE/170.1	2.72	<u>85</u>
28	ECA	City of Ottawa	Anderson Street, Eccles Street, and Poplar Street Ottawa ON K1S 5K2	ESE/170.1	2.72	86
<u>28</u>	ECA	City of Ottawa	Anderson Street, Eccles Street, and Poplar Street Ottawa ON K1S 5K2	ESE/170.1	2.72	<u>86</u>
28	ECA	City of Ottawa	Oak Street & Pamilla Street Ottawa ON K2G 6J8	ESE/170.1	2.72	86
<u>28</u>	ECA	City of Ottawa	Larch Street and Laurel Street Ottawa ON K2P 1J1	ESE/170.1	2.72	<u>86</u>
<u>28</u>	ECA	City of Ottawa	Somerset Street between West of Preston Street to Preston Ottawa ON K1P 1J1	ESE/170.1	2.72	<u>87</u>
28	ECA	City of Ottawa	Booth (from Somerset Street to Primrose) Ottawa ON K2G 6J8	ESE/170.1	2.72	<u>87</u>
28	ECA	City of Ottawa	Preston Street , Young Street, Sidney Street & Norfolk Avenue Ottawa ON K1P 1J1	ESE/170.1	2.72	<u>87</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
28	ECA	City of Ottawa	Adeline Street - CP Railway to Rochester Street Ottawa ON K1V 6A6	ESE/170.1	2.72	<u>88</u>
28	ECA	City of Ottawa	Booth (from Somerset Street to Primrose) Ottawa ON K2G 6J8	ESE/170.1	2.72	<u>88</u>
28	ECA	City of Ottawa	Adeline Street - CP Railway to Rochester Street Ottawa ON K1V 6A6	ESE/170.1	2.72	88
<u>29</u>	EBR	Bridgehead (2000) Inc.	130 Anderson Street Ottawa K1R 6T7 CITY OF OTTAWA ON	N/176.4	0.66	88
29	EASR	BRIDGEHEAD (2000) INC.	130 Anderson ST Ottawa ON K1R 6T7	N/176.4	0.66	<u>89</u>
30	wwis		26 BALSAM Ottawa ON Well ID: 7204405	NE/178.3	2.69	<u>89</u>
31	ECA	Ottawa Salus Corporation	Lot 7, Bk 123, Reg. Plan 34, 930-934 Gladstone Ave Ottawa ON K1Y 2X5	SSW/178.4	-1.31	92
<u>32</u>	GEN	City of Ottawa	ROW Adjacent to 234-254 Rochester Street OTtawa ON K1R 7N1	E/178.4	3.38	93
33	EHS		250 Rochester Street, Ottawa ON K1R 7N1	ENE/180.7	3.75	<u>93</u>
33	EHS		250 Rochester Street, Ottawa ON K1R 7N1	ENE/180.7	3.75	<u>93</u>
33	EHS		250 Rochester Street, Ottawa ON K1R 7N1	ENE/180.7	3.75	93
34	GEN	2363251 Ontario Inc.	250 Rochester Street Ottawa ON K1R 7N1	ENE/180.9	3.75	94

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
35	SPL	Enbridge Gas Distribution Inc.	228 Rochester St. Ottawa ON	ENE/186.7	3.74	<u>94</u>
35	PINC	IN-DEPTH CONSTRUCTION	228 ROCHESTER ST,,OTTAWA,ON,K1R 7M8,CA ON	ENE/186.7	3.74	94
<u>36</u>	PINC	GUANGZHOU TRISTATE INDUSTRIAL CO LTD	1010 SOMERSET ST W,,OTTAWA,ON, K1A 0J9,CA ON	W/188.4	-3.23	<u>95</u>
36	GEN	Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	W/188.4	-3.23	<u>95</u>
<u>37</u>	EHS		Anderson Street && Preston Street Ottawa ON	NNW/194.0	-0.06	<u>96</u>
<u>38</u>	GEN	City of Ottawa	130 Preston St Ottawa ON K1R 7P5	NW/196.1	-2.03	<u>96</u>
38	CA	City of Ottawa	130 Preston Street Ottawa ON	NW/196.1	-2.03	<u>97</u>
38	ECA	City of Ottawa	130 Preston Street Ottawa ON	NW/196.1	-2.03	<u>97</u>
<u>39</u>	INC		179 LOUISA STREET, OTTAWA ON K1R 6Y9	SSE/197.9	0.77	<u>97</u>
<u>40</u>	SCT	L'ORA DI OTTAWA	203 LOUISA ST OTTAWA ON K1R 6Y9	S/205.6	-1.39	<u>98</u>
<u>40</u>	SCT	L'Ora di Ottawa (1987) Ltd.	203 Louisa St Ottawa ON K1R 6Y9	S/205.6	-1.39	<u>98</u>
<u>41</u>	EHS		189-191 Louisa St Ottawa ON	S/207.0	-0.22	<u>98</u>
42	WWIS		280 Rochester St. Ottawa ON <i>Well ID:</i> 7353770	E/207.4	3.66	<u>98</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
43	BORE		ON	WSW/212.0	-2.34	<u>101</u>
44	SCT	The Original Maple Bat Company	202 Ronchester St Ottawa ON K1R 7M6	NE/220.7	3.61	102
45	SCT	The Original Maple Bat Company	202 Rochester St Ottawa ON K1R 7M6	NE/220.8	3.61	102
46	GEN	OTTAWA BOARD OF EDUCATION	HIGH SCHOOL OF COMMERCE,300 ROCHESTERST C/O 330 GILMOUR ST. OTTAWA ON K1R 7N4	ESE/222.1	2.69	102
<u>46</u>	GEN	OTTAWA BOARD OF EDUCATION	HIGH SCHOOL OF COMMERCE 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE/222.1	2.69	103
46	GEN	OTTAWA BOARD OF EDUCATION 29-129	HIGH SCHOOL OF COMMERCE,300 ROCHESTERST C/O 330 GILMOUR ST. OTTAWA ON K1R 7N4	ESE/222.1	2.69	<u>103</u>
<u>46</u>	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE/222.1	2.69	103
46	GEN	Ottawa-Carleton District School Board	Adult Continuing Education Centre 300 Rochester St. Ottawa ON K1R 7N4	ESE/222.1	2.69	104
46	EHS		300 Rochester Street Ottawa ON K1R 7N4	ESE/222.1	2.69	104
46	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE/222.1	2.69	<u>104</u>
<u>46</u>	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE/222.1	2.69	<u>105</u>
46	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE/222.1	2.69	<u>105</u>
<u>46</u>	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE/222.1	2.69	106

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>46</u>	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON	ESE/222.1	2.69	106
46	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE/222.1	2.69	<u>107</u>
<u>46</u>	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE/222.1	2.69	108
46	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE/222.1	2.69	<u>109</u>
<u>46</u>	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD Health and Safety	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE/222.1	2.69	109
46	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD Health and Safety	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE/222.1	2.69	<u>110</u>
<u>46</u>	GEN	OTTAWA-CARLETON DISTRICT SCHOOL BOARD Health and Safety	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE/222.1	2.69	<u>111</u>
47	WWIS		249 ROCHESTER Ottawa ON <i>Well ID:</i> 7204253	ENE/226.1	4.27	<u>112</u>
47	WWIS		249 ROCHESTER ST Ottawa ON Well ID: 7204254	ENE/226.1	4.27	<u>115</u>
<u>48</u>	EHS		247 Rochester St Ottawa ON K1R7M9	ENE/231.4	4.69	<u>118</u>
<u>49</u>	wwis		175 LORETTA AVE OTTAWA ON <i>Well ID:</i> 7183732	SW/231.6	-0.59	<u>118</u>
<u>50</u>	GEN	KEITEL FURNITURE REPAIR LTD	184 LOUISA STREET OTTAWA ON K1R 6Z1	SSE/232.0	-0.31	<u>121</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>50</u>	GEN	KEITEL FURNITURE REPAIR LTD	184 Louisa Street Ottawa ON K1R 6Z1	SSE/232.0	-0.31	<u>121</u>
<u>50</u>	GEN	KEITEL FURNITURE REPAIR LTD	184 Louisa Street Ottawa ON K1R 6Z1	SSE/232.0	-0.31	<u>121</u>
<u>50</u>	GEN	KEITEL FURNITURE REPAIR LTD	184 Louisa Street Ottawa ON K1R 6Z1	SSE/232.0	-0.31	122
<u>51</u>	wwis		175 LORETTA ST Ottawa ON Well ID: 7183729	SW/234.7	-0.59	122
<u>52</u>	GEN	Ministry of Transportation Ontario	940 Gladstone Ave Ottawa ON K1R 6Y4	SSW/234.8	-0.31	<u>125</u>
<u>53</u>	PRT	C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE	284 PRESTON ST OTTAWA ON K1R7R6	SSE/236.4	0.84	125
<u>53</u>	DTNK	MAC'S CONVENIENCE STORES INC**	284 PRESTON ST OTTAWA ON K1R 7R6	SSE/236.4	0.84	126
53	DTNK	MAC'S CONVENIENCE STORES INC**	284 PRESTON ST OTTAWA ON	SSE/236.4	0.84	<u>126</u>
<u>53</u>	DTNK	MAC'S CONVENIENCE STORES INC**	284 PRESTON ST OTTAWA ON	SSE/236.4	0.84	<u>126</u>
<u>53</u>	EXP	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	127
<u>53</u>	EXP	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	127
<u>53</u>	EXP	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	<u>127</u>
<u>53</u>	EXP	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	128

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>53</u>	FST	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	128
<u>53</u>	FST	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	129
<u>53</u>	FST	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	<u>129</u>
<u>53</u>	FST	MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE/236.4	0.84	130
<u>54</u>	CA	City of Ottawa	930 Somerset St W Ottawa ON K1R 6R9	NW/237.9	-2.31	<u>130</u>
<u>54</u>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON	NW/237.9	-2.31	<u>130</u>
<u>54</u>	PINC		930 Somerset St W,Ottawa ON	NW/237.9	-2.31	<u>131</u>
<u>54</u>	SPL		930 Somerset Street Ottawa ON	NW/237.9	-2.31	<u>131</u>
54	ECA	City of Ottawa	930 Somerset St W Ottawa ON K1P 1J1	NW/237.9	-2.31	<u>131</u>
54	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW/237.9	-2.31	132
54	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW/237.9	-2.31	132
<u>54</u>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW/237.9	-2.31	133

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
54	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW/237.9	-2.31	<u>133</u>
<u>54</u>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW/237.9	-2.31	<u>133</u>
<u>54</u>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW/237.9	-2.31	<u>134</u>
55	BORE		ON	E/238.0	3.38	<u>134</u>
<u>56</u>	EHS		930 Somerset Street West Ottawa ON K1R 6R9	NW/238.7	-2.31	<u>135</u>
<u>57</u>	BORE		ON	SSW/240.4	-0.31	<u>135</u>
<u>58</u>	CA	OTTAWA CITY	ROCHESTER ST./GLADSTONE AVE. OTTAWA CITY ON	E/242.0	3.74	136
<u>58</u>	CA	R.M. OF OTTAWA-CARLETON	ROCHESTER ST/GLADSTONE AVE/ELM OTTAWA CITY ON	E/242.0	3.74	136
<u>59</u>	SPL	City of Ottawa	Intersection Gladstone St & Rochester St Ottawa ON	E/242.2	3.74	<u>137</u>
<u>59</u>	EHS		Gladstone Ave Rochester St Ottawa ON	E/242.2	3.74	137
<u>60</u>	wwis		175 LORETTA STREET NORHT Ottawa ON Well ID: 7174650	SW/243.7	-0.62	<u>137</u>
<u>61</u>	SCT	VESUVIO IRON LOGIC CUSTOM	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SW/243.7	-1.00	<u>141</u>
<u>61</u>	SCT	VESUVIO IRON WORKS	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SW/243.7	-1.00	<u>141</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
61	SPL	SNC-Lavalin Inc.	949 B Gladstone Ave, Ottawa ON	SW/243.7	-1.00	<u>141</u>
61	SPL	SNC- Lavalin Trillium Partner 1 Inc. and SNC- Lavalin Trillium Partner 2 Inc.	949-B Gladstone Avenue Ottawa ON	SW/243.7	-1.00	<u>141</u>
<u>61</u>	ECA	SNC- Lavalin Trillium Partner 1 Inc. and SNC- Lavalin Trillium Partner 2 Inc.,	as general partners for and on behalf of Transitnext General Partnership 949 Gladstone Ave Ottawa ON M5H 3T9	SW/243.7	-1.00	<u>142</u>
<u>62</u>	wwis		1175 LORETTA STREET NORTH Ottawa ON Well ID: 7174651	SW/244.2	-0.62	142
<u>63</u>	SPL	UNKNOWN	933 GLADSTONE OTTAWA CITY ON K1A 0T4	WNW/245.0	-4.52	145
<u>63</u>	GEN	GVT. OF CAN PUBLIC WORKS CANADA	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON K1A 0T4	WNW/245.0	-4.52	<u>146</u>
<u>63</u>	GEN	GVT. OF CAN PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II HULL OTTAWA ON K1A 0T4	WNW/245.0	-4.52	<u>146</u>
63	GEN	GVT. OF CAN PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II ON K1A 0T4	WNW/245.0	-4.52	147
63	GEN	DSS CAPITAL REGION SUPPLY CENTRE	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	WNW/245.0	-4.52	<u>147</u>
63	GEN	PUBLIC WORKS AND GOVT SERVICES CANADA	CAPITAL REGION SUPPLY CENTRE (CRSC) 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	WNW/245.0	-4.52	<u>147</u>
<u>63</u>	GEN	DSS CAPITAL REGION SUPPLY CENTRE 13-297	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	WNW/245.0	-4.52	148
63	EHS		933 Gladstone Ave Ottawa ON K1A0T4	WNW/245.0	-4.52	<u>148</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
63	RSC	OTTAWA COMMUNITY HOUSING CORPORATION	933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4 Ottawa ON	WNW/245.0	-4.52	148
<u>64</u>	CA	City of Ottawa	135 Preston Street Ottawa ON K1R 7P4	NNW/245.9	1.44	149
<u>64</u>	ECA	City of Ottawa	135 Preston Street Ottawa ON K1P 1J1	NNW/245.9	1.44	<u>150</u>
<u>64</u>	GEN	City of Ottawa	135 Preston St Ottawa ON K1R 7P4	NNW/245.9	1.44	<u>150</u>
<u>64</u>	GEN	City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	NNW/245.9	1.44	<u>150</u>
<u>64</u>	GEN	City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	NNW/245.9	1.44	<u>151</u>
<u>64</u>	GEN	City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	NNW/245.9	1.44	<u>151</u>
65	ECA	Ottawa Community Housing Corporation	811 Gladstone Ave Ottawa ON K2E 7Y8	E/246.1	3.66	<u>151</u>
<u>65</u>	EASR	GORDON BARR LIMITED	811 Gladstone AVE Ottawa ON K2P 0R4	E/246.1	3.66	<u>151</u>
<u>66</u>	wwis		O-TRAIN RAIL CORRIDOR Ottawa ON Well ID: 7205660	W/246.1	-2.31	<u>152</u>
<u>67</u>	WWIS		449 GLADSTONE AVE Ottawa ON	SW/246.6	-0.62	<u>153</u>
68	wwis		Well ID: 7188016 175 Loretta St Ottawa ON Well ID: 7337497	SW/248.9	-0.59	<u>156</u>
<u>69</u>	SCT	SPORTIVE SPORTSWEAR MFG INC.	155A LORETTA AVE N OTTAWA ON K1Y 2J7	SW/249.8	-0.48	<u>158</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>69</u>	SCT	SPORTIVE SPORTSWEAR MFG INC.	155 A LORETTA AVE N OTTAWA ON K1Y 2J7	SW/249.8	-0.48	<u>159</u>
<u>69</u>	SCT	Sportive Sportswear Manufacturers Inc.	155A Loretta Ave N Ottawa ON K1Y 2J7	SW/249.8	-0.48	<u>159</u>
<u>69</u>	GEN	LOVE PRINTING SERVICE LTD.	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	SW/249.8	-0.48	<u>159</u>
<u>69</u>	GEN	LOVE PRINTING (OUT OF BUS) 24-265	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	SW/249.8	-0.48	<u>159</u>
<u>69</u>	GEN	DST Group Inc	951 Gladstone Ave Ottawa ON K1Y 3E5	SW/249.8	-0.48	<u>160</u>

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 5 BORE site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
	ON	N	82.95	9
	ON	Е	237.99	<u>55</u>
Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
Lower Elevation	Address ON	<u>Direction</u> SW	<u>Distance (m)</u> 147.00	<u>20</u>
Lower Elevation				

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 11 CA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
R.M. OF OTTAWA-CARLETON	BALSAM AVE/PRESTON ST. OTTAWA ON	SE	48.46	<u>2</u>
6176381 Canada Inc.	191-193 Preston St Ottawa ON	NNE	73.65	<u>6</u>

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>lap Key</u>
R.M. OF OTTAWA-CARLETON	GLADSTONE AVE/PRESTON ST. OTTAWA CITY ON	SE	124.20	<u>15</u>
OTTAWA CITY	GLADSTONE AVE/PRESTON ST. CSO OTTAWA CITY ON	SE	124.20	<u>15</u>
OTTAWA CITY	ROCHESTER ST./GLADSTONE AVE. OTTAWA CITY ON	E	242.04	<u>58</u>
R.M. OF OTTAWA-CARLETON	ROCHESTER ST/GLADSTONE AVE/ELM OTTAWA CITY ON	E	242.04	<u>58</u>
City of Ottawa	135 Preston Street Ottawa ON K1R 7P4	NNW	245.88	64

Lower Elevation	Address	<u>Direction</u>	Distance (m)	Map Key
Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	SSW	92.55	11
	Lot 7, Bk 123, Reg. Plan 34, 930-934 Gladstone Ave Ottawa ON K1R 6Y4	S	160.78	23
City of Ottawa	130 Preston Street Ottawa ON	NW	196.13	38
City of Ottawa	930 Somerset St W Ottawa ON K1R 6R9	NW	237.89	<u>54</u>

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated May 31, 2021 has found that there are 4 DTNK site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	<u>Direction</u>	Distance (m)	<u>Map Key</u>
PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	ESE	75.59	<u>7</u>

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
MAC'S CONVENIENCE STORES INC**	284 PRESTON ST OTTAWA ON	SSE	236.41	53
MAC'S CONVENIENCE STORES INC**	284 PRESTON ST OTTAWA ON	SSE	236.41	53
MAC'S CONVENIENCE STORES INC**	284 PRESTON ST OTTAWA ON K1R 7R6	SSE	236.41	<u>53</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Jun 30, 2021 has found that there are 3 EASR site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation LAURENT LEBLANC LIMITED	Address 151 Willow ST Ottawa ON K1R 6W2	<u>Direction</u> NE	<u>Distance (m)</u> 71.53	<u>Map Key</u> <u>5</u>
BRIDGEHEAD (2000) INC.	130 Anderson ST Ottawa ON K1R 6T7	N	176.37	<u>29</u>
GORDON BARR LIMITED	811 Gladstone AVE Ottawa ON K2P 0R4	E	246.06	<u>65</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994- Jun 30, 2021 has found that there are 1 EBR site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
Bridgehead (2000) Inc.	130 Anderson Street Ottawa K1R 6T7 CITY OF OTTAWA ON	N	176.37	29

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Jun 30, 2021 has found that there are 24 ECA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	<u>Direction</u>	Distance (m)	Map Key
6176381 Canada Inc.	191 - 193 Preston St Ottawa ON K2E 5A4	NNE	73.65	<u>6</u>
170 Preston Street Ltd.	170 Preston St Ottawa ON K1R 7H9	NW	95.03	13
Padom Holdings Ltd.	173 Preston St Ottawa ON K2C 1P1	N	136.30	17
City of Ottawa	Oak Street & Pamilla Street Ottawa ON K2G 6J8	ESE	170.14	<u>28</u>
City of Ottawa	Adeline Street - CP Railway to Rochester Street Ottawa ON K1V 6A6	ESE	170.14	28
City of Ottawa	Booth (from Somerset Street to Primrose) Ottawa ON K2G 6J8	ESE	170.14	28
City of Ottawa	Adeline Street - CP Railway to Rochester Street Ottawa ON K1V 6A6	ESE	170.14	28
City of Ottawa	Preston Street , Young Street, Sidney Street & Norfolk Avenue Ottawa ON K1P 1J1	ESE	170.14	<u>28</u>
City of Ottawa	Booth (from Somerset Street to Primrose) Ottawa ON K2G 6J8	ESE	170.14	28
City of Ottawa	Somerset Street between West of Preston Street to Preston Ottawa ON K1P 1J1	ESE	170.14	28
City of Ottawa	Larch Street and Laurel Street Ottawa ON K2P 1J1	ESE	170.14	28
City of Ottawa	Anderson Street, Eccles Street, and Poplar Street Ottawa ON K1S 5K2	ESE	170.14	<u>28</u>

Equal/Higher Elevation	Address	<u>Direction</u>	Distance (m)	Map Key
City of Ottawa	Anderson Street, Eccles Street, and Poplar Street Ottawa ON K1S 5K2	ESE	170.14	28
City of Ottawa	Spruce Street from Champagne to Booth St. Ottawa ON K1S 5K2	ESE	170.14	28
City of Ottawa	Spruce Street from Champagne to Booth St. Ottawa ON K1S 5K2	ESE	170.14	28
City of Ottawa	Preston Street Ottawa ON K1P 1J1	ESE	170.14	<u>28</u>
City of Ottawa	Preston Street (Albert Street to Carling Avenue) Ottawa ON K1P 1J1	ESE	170.14	<u>28</u>
City of Ottawa	135 Preston Street Ottawa ON K1P 1J1	NNW	245.88	<u>64</u>
Ottawa Community Housing Corporation	811 Gladstone Ave Ottawa ON K2E 7Y8	Е	246.06	<u>65</u>
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	SSW	92.55	<u>11</u>
Ottawa Salus Corporation	Lot 7, Bk 123, Reg. Plan 34, 930-934 Gladstone Ave Ottawa ON K1Y 2X5	SSW	178.41	<u>31</u>
City of Ottawa	130 Preston Street Ottawa ON	NW	196.13	38
City of Ottawa	930 Somerset St W Ottawa ON K1P 1J1	NW	237.89	54

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jun 30, 2021 has found that there are 28 EHS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address 225 Preston St. Ottawa ON K1R 7R1	<u>Direction</u> E	Distance (m) 59.46	Map Key 3
	185 Preston Street Ottawa ON K1R 7P8	N	90.07	<u>10</u>
	185 Preston Street Ottawa ON K1R 7P8	N	90.07	10
	185 Preston Street Ottawa ON K1R 7P8	N	90.07	<u>10</u>
	185 Preston Street Ottawa ON K1R 7P8	N	90.07	10
	185 Preston Street Ottawa ON K1R 7P8	N	90.07	<u>10</u>
	185 Preston Street Ottawa ON K1R 7P8	N	90.07	<u>10</u>
	173 Preston St Ottawa ON K1R7P6	N	135.00	<u>16</u>
	153-157 Preston Street Ottawa ON K1R 7P6	NNW	169.69	<u>27</u>

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Мар Кеу
	153-157 Preston Road aka 130 Anderson St. Ottawa ON K1R 7P6	NNW	169.69	<u>27</u>
	250 Rochester Street, Ottawa ON K1R 7N1	ENE	180.74	33
	250 Rochester Street, Ottawa ON K1R 7N1	ENE	180.74	33
	250 Rochester Street, Ottawa ON K1R 7N1	ENE	180.74	33
	300 Rochester Street Ottawa ON K1R 7N4	ESE	222.10	46
	247 Rochester St Ottawa ON K1R7M9	ENE	231.43	<u>48</u>
	Gladstone Ave Rochester St Ottawa ON	Е	242.20	<u>59</u>
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
	15-19 Larch Street Ottawa ON K1R 6W4	W	82.77	<u>8</u>
	15-19 Larch Street Ottawa ON K1R 6W4	W	82.77	<u>8</u>
	15-19 Larch Street Ottawa ON K1R 6W4	W	82.77	<u>8</u>
	15-19 Larch Street Ottawa ON K1R 6W4	W	82.77	8

15-19 Larch Street Ottawa ON K1R 6W4	W	82.77	<u>8</u>
Preston St & Laurel St Ottawa On Ottawa ON	NW	93.51	<u>12</u>
916 Gladstone Avenue Ottawa ON K1R 6Y4	S	147.69	21
933 Gladstone Ave Ottawa ON K1A0T4	W	166.06	<u>25</u>
Anderson Street && Preston Street Ottawa ON	NNW	193.98	<u>37</u>
189-191 Louisa St Ottawa ON	S	207.00	41
930 Somerset Street West Ottawa ON K1R 6R9	NW	238.65	<u>56</u>
933 Gladstone Ave Ottawa ON K1A0T4	WNW	245.04	63

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Jul 31, 2020 has found that there are 4 EXP site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	<u>53</u>
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	53

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	<u>53</u>
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	53

FST - Fuel Storage Tank

A search of the FST database, dated Jul 31, 2020 has found that there are 4 FST site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	<u>53</u>
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	<u>53</u>
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	<u>53</u>
MAC'S CONVENIENCE STORES INC	284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	SSE	236.41	53

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Apr 30, 2021 has found that there are 70 GEN site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation LA PAUSE VELO LTEE/BIKE STOP, THE	Address 225 PRESTON STREET, REAR UNIT OTTAWA ON K1R 7R1	<u>Direction</u> E	<u>Distance (m)</u> 59.46	<u>Map Key</u> <u>3</u>
LA PAUSE VELO LIMITEE	225 PRESTON STREET OTTAWA ON K1R 7R1	Е	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	<u>3</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E	59.46	. <u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	3
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON	Е	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	E	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	<u>3</u>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	<u>3</u>
Appletree Corporate Medical Centre 204	225 Preston Street Ottawa ON K1R 7R1	Е	59.46	<u>3</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Мар Кеу
Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	E	123.07	<u>14</u>
Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	Е	123.07	14
Central Tenant Services	865 Gladstone Ottawa ON K1R 7T4	Е	123.07	<u>14</u>
Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	Е	123.07	14
Ottawa Community Housing	865 Gladstone Ottawa ON K1R 7T4	Е	123.07	14
City of Ottawa	ROW Adjacent to 234-254 Rochester Street OTtawa ON K1R 7N1	Е	178.45	<u>32</u>
2363251 Ontario Inc.	250 Rochester Street Ottawa ON K1R 7N1	ENE	180.94	34
OTTAWA BOARD OF EDUCATION	HIGH SCHOOL OF COMMERCE,300 ROCHESTERST C/O 330 GILMOUR ST. OTTAWA ON K1R 7N4	ESE	222.10	46
OTTAWA BOARD OF EDUCATION	HIGH SCHOOL OF COMMERCE 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE	222.10	46
OTTAWA BOARD OF EDUCATION 29-129	HIGH SCHOOL OF COMMERCE,300 ROCHESTERST C/O 330 GILMOUR ST. OTTAWA ON K1R 7N4	ESE	222.10	46
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE	222.10	46
Ottawa-Carleton District School Board	Adult Continuing Education Centre 300 Rochester St. Ottawa ON K1R 7N4	ESE	222.10	46

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE	222.10	46
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE	222.10	<u>46</u>
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE	222.10	<u>46</u>
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1R 7N4	ESE	222.10	<u>46</u>
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON	ESE	222.10	<u>46</u>
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE	222.10	<u>46</u>
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE	222.10	46
OTTAWA-CARLETON DISTRICT SCHOOL BOARD	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE	222.10	46
OTTAWA-CARLETON DISTRICT SCHOOL BOARD Health and Safety	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE	222.10	46
OTTAWA-CARLETON DISTRICT SCHOOL BOARD Health and Safety	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE	222.10	46
OTTAWA-CARLETON DISTRICT SCHOOL BOARD Health and Safety	ADULT HIGH SCHOOL 300 ROCHESTER STREET OTTAWA ON K1P 7N4	ESE	222.10	46

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Мар Кеу
City of Ottawa	135 Preston St Ottawa ON K1R 7P4	NNW	245.88	64
City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	NNW	245.88	64
City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	NNW	245.88	<u>64</u>
City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	NNW	245.88	64
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
GREAT CANADIAN THEATRE COMPANY, THE	910 GLADSTONE AVENUE OTTAWA ON K1R 6Y3	SSE	137.54	18
Great Canadian Theatre Company	910 Gladstone Ottawa ON K1R 6Y4	SSE	137.54	18
BROOKFIELD LEPAGE JOHNSON CONTROLS	OAK STREET COMPLEX 1 OAK STREET OTTAWA ON	NNW	165.03	24
BROOKFIELD LEPAGE JOHNSON CONTROLS	1 OAK STREET OTTAWA ON	NNW	165.03	24
Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	NNW	165.03	24
Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	NNW	165.03	24
Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	W	188.38	<u>36</u>

City of Ottawa	130 Preston St Ottawa ON K1R 7P5	NW	196.13	38
KEITEL FURNITURE REPAIR LTD	184 LOUISA STREET OTTAWA ON K1R 6Z1	SSE	232.05	<u>50</u>
KEITEL FURNITURE REPAIR LTD	184 Louisa Street Ottawa ON K1R 6Z1	SSE	232.05	50
KEITEL FURNITURE REPAIR LTD	184 Louisa Street Ottawa ON K1R 6Z1	SSE	232.05	<u>50</u>
KEITEL FURNITURE REPAIR LTD	184 Louisa Street Ottawa ON K1R 6Z1	SSE	232.05	50
Ministry of Transportation Ontario	940 Gladstone Ave Ottawa ON K1R 6Y4	SSW	234.85	<u>52</u>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON	NW	237.89	<u>54</u>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW	237.89	54
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW	237.89	<u>54</u>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW	237.89	<u>54</u>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW	237.89	<u>54</u>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW	237.89	<u>54</u>

Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	NW	237.89	54
GVT. OF CAN PUBLIC WORKS CANADA	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON K1A 0T4	WNW	245.04	<u>63</u>
GVT. OF CAN PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II HULL OTTAWA ON K1A 0T4	WNW	245.04	<u>63</u>
GVT. OF CAN PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II ON K1A 0T4	WNW	245.04	<u>63</u>
DSS CAPITAL REGION SUPPLY CENTRE	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	WNW	245.04	<u>63</u>
PUBLIC WORKS AND GOVT SERVICES CANADA	CAPITAL REGION SUPPLY CENTRE (CRSC) 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	WNW	245.04	<u>63</u>
DSS CAPITAL REGION SUPPLY CENTRE 13-297	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	WNW	245.04	<u>63</u>
LOVE PRINTING SERVICE LTD.	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	SW	249.80	<u>69</u>
LOVE PRINTING (OUT OF BUS) 24-265	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	SW	249.80	<u>69</u>
DST Group Inc	951 Gladstone Ave Ottawa ON K1Y 3E5	SW	249.80	<u>69</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated May 31, 2021 has found that there are 2 INC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
	BALSAM ST. & PRESTON ST., OTTAWA ON	SE	48.46	<u>2</u>
	179 LOUISA STREET, OTTAWA ON K1R 6Y9	SSE	197.92	39

PES - Pesticide Register

A search of the PES database, dated Oct 2011- Jun 30, 2021 has found that there are 9 PES site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
10278408 CANADA INC.	186 preston ottawa ON K1B 2P9	NW	47.56	1
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON STREET OTTAWA ON K1R 7R4	SSW	92.55	11
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	SSW	92.55	<u>11</u>
PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R7R4	SSW	92.55	11
PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	SSW	92.55	<u>11</u>
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	SSW	92.55	11
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	SSW	92.55	11
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	SSW	92.55	<u>11</u>
PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	SSW	92.55	11

PINC - Pipeline Incidents

A search of the PINC database, dated May 31, 2021 has found that there are 3 PINC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation IN-DEPTH CONSTRUCTION	Address 228 ROCHESTER ST,,OTTAWA,ON, K1R 7M8,CA ON	<u>Direction</u> ENE	<u>Distance (m)</u> 186.70	Map Key 35
Lower Elevation	Address	<u>Direction</u>	Distance (m)	Map Key
GUANGZHOU TRISTATE INDUSTRIAL CO LTD	1010 SOMERSET ST W,,OTTAWA, ON,K1A 0J9,CA ON	W	188.38	36
	930 Somerset St W,Ottawa ON	NW	237.89	<u>54</u>

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 2 PRT site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	ESE	75.59	7
C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE	284 PRESTON ST OTTAWA ON K1R7R6	SSE	236.41	<u>53</u>

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Jun 2021 has found that there are 1 RSC site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
OTTAWA COMMUNITY HOUSING CORPORATION	933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4 Ottawa ON	WNW	245.04	<u>63</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 11 SCT site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation INVITATIONS PLUS	Address 193 PRESTON ST OTTAWA ON K1R 7P8	<u>Direction</u> NNE	<u>Distance (m)</u> 73.65	Map Key
The Original Maple Bat Company	202 Ronchester St Ottawa ON K1R 7M6	NE	220.68	44
The Original Maple Bat Company	202 Rochester St Ottawa ON K1R 7M6	NE	220.76	45
Lower Elevation	Address	<u>Direction</u>	Distance (m)	Map Key
V Steel Works Ltd.	17 Larch St Ottawa ON K1R 6W4	W	82.77	8
L'ORA DI OTTAWA	203 LOUISA ST OTTAWA ON K1R 6Y9	S	205.64	40
L'Ora di Ottawa (1987) Ltd.	203 Louisa St Ottawa ON K1R 6Y9	S	205.64	<u>40</u>
VESUVIO IRON WORKS	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SW	243.74	61
VESUVIO IRON LOGIC CUSTOM	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SW	243.74	61
SPORTIVE SPORTSWEAR MFG INC.	155 A LORETTA AVE N OTTAWA ON K1Y 2J7	SW	249.80	<u>69</u>
SPORTIVE SPORTSWEAR MFG INC.	155A LORETTA AVE N OTTAWA ON K1Y 2J7	SW	249.80	<u>69</u>

SW

Order No: 21080600433

SPL - Ontario Spills

A search of the SPL database, dated 1988-Aug 2020 has found that there are 10 SPL site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address Intersection of Balsam St and Preston St Ottawa ON	<u>Direction</u> SE	<u>Distance (m)</u> 48.46	Map Key 2
City of Ottawa	South East corner of Preston and Balsam 241 PRESTON STREET, OTTAWA <unofficial> Ottawa ON K1R 7R3</unofficial>	ESE	75.59	<u>Ž</u>
Enbridge Gas Distribution Inc.	228 Rochester St. Ottawa ON	ENE	186.70	35
City of Ottawa	Intersection Gladstone St & Rochester St Ottawa ON	E	242.20	<u>59</u>

Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
	248 Preston Street Ottawa ON	SSW	92.55	<u>11</u>
BROOKFIELD LEPAGE JOHNSON CONT	1 OAK STREET, OTTAWA PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON	NNW	165.03	<u>24</u>
	930 Somerset Street Ottawa ON	NW	237.89	<u>54</u>
SNC-Lavalin Inc.	949 B Gladstone Ave, Ottawa ON	SW	243.74	<u>61</u>

SNC- Lavalin Trillium Partner 1 Inc. and SNC- Lavalin Trillium Partner 2 Inc.	949-B Gladstone Avenue Ottawa ON	SW	243.74	<u>61</u>
UNKNOWN	933 GLADSTONE	WNW	245.04	<u>63</u>


WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2021 has found that there are 15 WWIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	<u>Direction</u>	Distance (m)	Map Key
	173-177 PRESTON ST Ottawa ON	N	141.90	<u>19</u>
	Well ID: 7230093			
	173-177 PRESTON ST Ottawa ON	N	167.15	<u>26</u>
	Well ID: 7230092			
	26 BALSAM Ottawa ON	NE	178.29	30
	Well ID: 7204405			
	280 Rochester St. Ottawa ON	E	207.35	<u>42</u>
	Well ID: 7353770			
	249 ROCHESTER ST Ottawa ON	ENE	226.06	47
	Well ID: 7204254			
	249 ROCHESTER Ottawa ON	ENE	226.06	<u>47</u>
	Well ID: 7204253			
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Мар Кеу
	OTTAWA ON	SSE	62.34	4
	Well ID: 1535493			
	916 GLADSTONE AVE. lot 39 con 1 OTTAWA ON	S	157.44	22

175 LORETTA AVE OTTAWA ON	SW	231.57	<u>49</u>
Well ID: 7183732			
175 LORETTA ST Ottawa ON	SW	234.65	<u>51</u>
Well ID: 7183729			
175 LORETTA STREET NORHT Ottawa ON	SW	243.66	<u>60</u>
Well ID: 7174650			
1175 LORETTA STREET NORTH Ottawa ON	SW	244.24	<u>62</u>
Well ID: 7174651			
O-TRAIN RAIL CORRIDOR Ottawa ON	W	246.14	<u>66</u>
Well ID: 7205660			
449 GLADSTONE AVE Ottawa ON	SW	246.62	<u>67</u>
Well ID: 7188016			
175 Loretta St Ottawa ON	SW	248.90	<u>68</u>
Well ID: 7337497			

44




Source: © 2015 DMTI Spatial Inc.

Eris Sites with Unknown Elevation

Proposed RoadFerry Route/Ice Road

Other Recreation Area




Aerial Year: 2020

Address: 224 Preston Street, Ottawa, ON

Source: ESRI World Imagery

Order Number: 21080600433





Topographic Map

Address: 224 Preston Street, ON

Source: ESRI World Topographic Map

Order Number: 21080600433



Detail Report

Map Key	Number Record		Elev/Diff (m)	Site		DB
1	1 of 1	NW/47.6	65.9 / -0.28	10278408 CANADA INC 186 preston ottawa ON K1B 2P9	.	PES
Detail Licence No: Status: Approval Da Report Sour Licence Typ Licence Clast Licence Con Latitude:	nte: cce: e: e Code: ss:	L-231-5038923500 Active 2019-01-09 PEST-General Vendor General Vendor		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession:		
Lantude: Longitude: Lot: Concession: Region: District: County: Trade Name		-76.16		Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	Ottawa Mississippi Valley	
PDF Link:		http://www.accesser	nvironment.ene.	gov.on.ca/AEWeb/ae/ViewDoc	ument.action?documentRefID=21162	70
2	1 of 3	SE/48.5	66.9 / 0.72	R.M. OF OTTAWA-CAR BALSAM AVE/PRESTO OTTAWA ON		CA
Certificate # Application Issue Date: Approval Ty Status: Application Client Name Client Addre Client City: Client Posta Project Desc Contaminan Emission Co	Year: Type: : ess: I Code: cription: ts:	7-0346-98- 98 5/14/1998 Municipal water Approved				
<u>2</u>	2 of 3	SE/48.5	66.9 / 0.72	Intersection of Balsam Ottawa ON	St and Preston St	SPL
Ref No: Site No: Incident Dt: Year: Incident Cau	Ise:	2814-7WZHFK Discharge or Emission to Air		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type:	Pipeline	
Incident Eve Contaminan Contaminan Contaminan	t Code: t Name:	35 NATURAL GAS (METHANE)		Agency Involved: Nearest Watercourse: Site Address: Site District Office:		

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: Not Anticipated

Nature of Impact: Receiving Medium: Receiving Env:

MOE Response: Referral to others

Dt MOE Arvl on Scn:

 MOE Reported Dt:
 10/20/2009

 Dt Document Closed:
 12/18/2009

Incident Reason: Damage By Moving Equipment - Containers

damaged by moving

Gas Main Strike<UNOFFICIAL>

66.9 / 0.72

Site County/District: Site Geo Ref Meth:

Site Name:

2

Incident Summary:TSSA: Gas main damange, OttawaContaminant Qty:0 other - see incident description

SE/48.5

BALSAM ST. & PRESTON ST., OTTAWA ON

Air Spills - Gases and Vapours

INC

 Incident No:
 218290

 Incident ID:
 2369346

3 of 3

Instance No:

Status Code: Causal Analysis Complete

Attribute Category: FS-Incident

Context:

Context:
Date of Occurrence:
Time of Occurrence:
Incident Created On:
Instance Creation Dt:
Instance Install Dt:
Occur Insp Start Date:
Approx Quant Rel:
Tank Capacity:

Approx Quant Rel: Tank Capacity: Fuels Occur Type: Fuel Type Involved: Enforcement Policy:

Prc Escalation Req: Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap:

Task No: Notes: Drainage System:

Sub Surface Contam.:
Aff Prop Use Water:
Contam. Migrated:
Contact Natural Env:

Incident Location: Occurence Narrative: Operation Type Involved:

Operati

Item Description:

Device Installed Location:

Any Health Impact: Any Enviro Impact: Service Interrupted: Was Prop Damaged:

Reside App. Type: Commer App. Type: Indus App. Type: Institut App. Type: Venting Type: Vent Conn Mater: Vent Chimney Mater:

Pipeline Type: Main Distribution Pipeline

Pipeline Involved:

Pipe Material: Plastic
Depth Ground Cover: 42

Regulator Location:
Regulator Type:
Operation Pressure: 58
Liquid Prop Make:
Liquid Prop Model:
Liquid Prop Serial No:
Liquid Prop Notes:
Equipment Type:
Equipment Model:

Serial No: Cylinder Capac

Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water:

Gas main was exposed then struck by backhoe operator with the labourer guiding him.

BALSAM ST. & PRESTON ST., OTTAWA - PIPELINE HIT

1 of 15 E/59.5 67.9 / 1.72 LA P

LA PAUSE VELO LTEE/BIKE STOP, THE 225 PRESTON STREET, REAR UNIT OTTAWA ON K1R 7R1

GEN

Order No: 21080600433

Generator No: ON0990703 PO Box No:

3

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) Status: Country: Approval Years: 97,98 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 6542 **BICYCLE SHOPS** SIC Description: Detail(s) Waste Class: PETROLEUM DISTILLATES Waste Class Desc: 3 2 of 15 E/59.5 67.9 / 1.72 LA PAUSE VELO LIMITEE **GEN** 225 PRESTON STREET OTTAWA ON K1R 7R1 ON0990703 Generator No: PO Box No: Status: Country: Choice of Contact: 99,00,01 Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 6542 **BICYCLE SHOPS** SIC Description: Detail(s) Waste Class: Waste Class Desc: PETROLEUM DISTILLATES 3 3 of 15 E/59.5 67.9 / 1.72 225 Preston St. **EHS** Ottawa ON K1R 7R1 20041122017 Order No: Nearest Intersection: Status: Municipality: Report Type: Complete Report Client Prov/State: ON 11/30/04 Report Date: Search Radius (km): 0.25 Date Received: 11/22/04 X: -75.712311 Y: 45.405582 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans 3 4 of 15 E/59.5 67.9 / 1.72 Preston Medical Management Inc. **GEN** 225 Preston Street Ottawa ON K1R 7R1 ON4912346 PO Box No: Generator No: Status: Country: Choice of Contact: Approval Years: 06,07,08 Co Admin: Contam. Facility: MHSW Facility: Phone No Admin: SIC Code: 621110 SIC Description: Offices of Physicians Detail(s) Waste Class: Waste Class Desc: PATHOLOGICAL WASTES Waste Class: 261 Waste Class Desc: **PHARMACEUTICALS**

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>3</u>	5 of 15		E/59.5	67.9 / 1.72	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
	Generator No:		346		PO Box No:	
Status: Approval Y Contam. Fa MHSW Fac	acility:	2009			Country: Choice of Contact: Co Admin: Phone No Admin:	
SIC Code: SIC Descrip	otion:	621110	Offices of Physicia	ns		
Detail(s)						
Waste Clas Waste Clas	_		261 PHARMACEUTICA	ALS		
Waste Clas Waste Clas	_		312 PATHOLOGICAL \	WASTES		
<u>3</u>	6 of 15		E/59.5	67.9 / 1.72	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
	Generator No: ON49		346		PO Box No:	
Status: Approval Y Contam. Fa	acility:	2010			Country: Choice of Contact: Co Admin:	
MHSW Fact SIC Code: SIC Descrip	•	621110	Offices of Physicia	ns	Phone No Admin:	
Detail(s)						
Waste Clas Waste Clas	-		261 PHARMACEUTICA	ALS		
Waste Clas Waste Clas	_		312 PATHOLOGICAL V	WASTES		
<u>3</u>	7 of 15		E/59.5	67.9 / 1.72	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
Generator I	No:	ON4912	346		PO Box No:	
Approval Y	Status: Approval Years: Contam. Facility:				Country: Choice of Contact: Co Admin:	
MHSW Fact SIC Code: SIC Descrip	-	621110	Offices of Physicia	ns	Phone No Admin:	
Detail(s)						
Waste Clas Waste Clas	_		261 PHARMACEUTICA	ALS		
Waste Clas Waste Clas	-		312 PATHOLOGICAL \	WASTES		

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>3</u>	8 of 15		E/59.5	67.9 / 1.72	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
Generator N	lo:	ON4912	346		PO Box No:	
Status: Approval Ye Contam. Fac	cility:	2012			Country: Choice of Contact: Co Admin:	
MHSW Facil SIC Code: SIC Descrip	_	621110	Offices of Physician	าร	Phone No Admin:	
<u>Detail(s)</u>						
Waste Class Waste Class			312 PATHOLOGICAL V	VASTES		
Waste Class Waste Class			261 PHARMACEUTICA	ALS		
<u>3</u>	9 of 15		E/59.5	67.9 / 1.72	Preston Medical Management Inc. 225 Preston Street Ottawa ON	GEN
Generator N	lo:	ON4912	346		PO Box No:	
Approval Ye	Status: Approval Years: 20 Contam. Facility:				Country: Choice of Contact: Co Admin:	
MHSW Facil SIC Code: SIC Descrip	•	621110	OFFICES OF PHY	SICIANS	Phone No Admin:	
<u>Detail(s)</u>						
Waste Class Waste Class			261 PHARMACEUTICA	ALS		
Waste Class Waste Class			312 PATHOLOGICAL V	VASTES		
3	10 of 15		E/59.5	67.9 / 1.72	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
Generator N	lo:	ON4912	346		PO Box No:	
Status: Approval Ye Contam. Fac	cility:	2016 No			Country: Canada Choice of Contact: CO_OFFICIAL Co Admin:	
MHSW Facil SIC Code: SIC Descrip	_	No 621110	OFFICES OF PHY	SICIANS	Phone No Admin:	
<u>Detail(s)</u>						
Waste Class Waste Class			312 PATHOLOGICAL V	VASTES		
Waste Class Waste Class			261 PHARMACEUTICA	ALS		

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m) 67.9 / 1.72 Preston Medical Management Inc. 3 11 of 15 E/59.5 **GEN** 225 Preston Street Ottawa ON K1R 7R1 Generator No: ON4912346 PO Box No: Status: Country: Canada Approval Years: 2015 Choice of Contact: CO_OFFICIAL Contam. Facility: No Co Admin: Di Lu 613-726-3559 Ext.26 No MHSW Facility: Phone No Admin: SIC Code: 621110 SIC Description: OFFICES OF PHYSICIANS Detail(s) Waste Class: 261 Waste Class Desc: **PHARMACEUTICALS** Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 12 of 15 E/59.5 67.9 / 1.72 Preston Medical Management Inc. 3 **GEN** 225 Preston Street Ottawa ON K1R 7R1 Generator No: ON4912346 PO Box No: Status: Country: Canada CO_OFFICIAL Approval Years: 2014 Choice of Contact: Contam. Facility: No Co Admin: Di Lu Phone No Admin: MHSW Facility: No 613-726-3559 Ext.26 SIC Code: 621110 OFFICES OF PHYSICIANS SIC Description: Detail(s) Waste Class: Waste Class Desc: PATHOLOGICAL WASTES Waste Class: **PHARMACEUTICALS** Waste Class Desc: Preston Medical Management Inc. 13 of 15 E/59.5 67.9 / 1.72 3 GEN 225 Preston Street Ottawa ON K1R 7R1 Generator No: ON4912346 PO Box No: Registered Status: Country: Canada As of Dec 2018 Approval Years: Choice of Contact: Contam. Facility: Co Admin: Phone No Admin: MHSW Facility:

Order No: 21080600433

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Detail(s)

Waste Class: 261 A

Waste Class Desc: Pharmaceuticals

Waste Class: 312 F

Waste Class Desc: Pathological wastes

Map Key	Number Records		Elev/Diff (m)	Site		DE
3	14 of 15	E/59.5	67.9 / 1.72	Preston Medical Mar 225 Preston Street Ottawa ON K1R 7R1	nagement Inc.	GEN
Generator No Status: Approval Yea Contam. Fac MHSW Facili SIC Code: SIC Descript	ars: ility: ity:	ON4912346 Registered As of Jul 2020		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
Detail(s)						
Waste Class Waste Class	-	261 A Pharmaceuticals				
Waste Class. Waste Class	-	312 P Pathological wastes				
<u>3</u> 15 of 15 E/59.5		67.9 / 1.72	Appletree Corporate 225 Preston Street Ottawa ON K1R 7R1	Medical Centre 204	GEN	
Generator No Status: Approval Yea Contam. Fac MHSW Facili SIC Code: SIC Descript	ars: ility: ity:	ON4912346 Registered As of Apr 2021		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
Detail(s)						
Waste Class. Waste Class	-	312 P Pathological wastes				
Waste Class Waste Class		261 A Pharmaceuticals				
<u>4</u>	1 of 1	SSE/62.3	65.8 / -0.34	OTTAWA ON		WWI
Well ID: Construction Primary Wate Sec. Water U Final Well St. Water Type: Casing Mater Audit No: Tag: Construction Elevation (m, Elevation Re Depth to Bed Well Depth: Overburden: Pump Rate: Static Water Flowing (Y/N) Flow Rate:	er Use: lse: lse: atus: rial: n Method:): liability: drock: Bedrock: Level:	1535493 Test Hole Z19259 _NO_TAG		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	5/5/2005 True 1844 3 OTTAWA OTTAWA CITY	

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe mapping/downloads/2Water/Wells pdfs/153\1535493.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2005/05/03

 Year Completed:
 2005

 Depth (m):
 4.65

 Latitude:
 45.4050965726773

 Longitude:
 -75.7125285332943

 Path:
 153\1535493.pdf

Bore Hole Information

Bore Hole ID: 11316032 **Elevation:** 59.354789

DP2BR: Elevrc: Spatial Status: Zone:

 Spatial Status:
 Zone:
 18

 Code OB:
 0
 East83:
 444239.00

 Code OB Parameter
 Outstanding
 Month 62

 Code OB Desc:
 Overburden
 North83:
 5028200.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 03-May-2005 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: w

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock Materials Interval

 Formation ID:
 932996483

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Most Common Material:
 SAND

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 05

 Mat3 Desc:
 CLAY

 Formation Top Depth:
 1.399999976158142

 Formation End Depth:
 1.7000000476837158

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 932996482

Layer: 1 Color: 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3:01Mat3 Desc:FILLFormation Top Depth:0.0

Formation End Depth: 1.399999976158142

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

 Formation ID:
 932996484

 Layer:
 3

Color: 2
General Color: GREY
Mat1: 13
Most Common Material: BOULDERS

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 11

 Mat3 Desc:
 GRAVEL

 Formation Top Depth:
 1.7000000476837158

 Formation End Depth:
 4.650000095367432

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 933268438

Layer: 1

Plug From: 4.26999998092651

Plug To: 1
Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 933268439

 Layer:
 2

 Plug From:
 1

 Plug To:
 0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961535493

Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 11330887

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930855305

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From: 1.25999999046326

Depth To: 0
Casing Diameter: 20

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 933412593 Layer: 010 Slot:

Screen Top Depth: 1.25999999046326 Screen End Depth: 4.26000022888184

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 25

Hole Diameter

Hole ID: 11533535 Diameter: 10.0 Depth From: 0.0

4.650000095367432 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

> 5 1 of 1 NE/71.5 67.7 / 1.49 LAURENT LEBLANC LIMITED **EASR** 151 Willow ST

Ottawa ON K1R 6W2

OTTAWA ON K1R 7P8

Order No: 21080600433

Approval No: R-009-6112302477 SWP Area Name: Rideau Valley REGISTERED **MOE District:** Status: Ottawa 2020-05-20 Municipality: Ottawa Date: Record Type: **EASR** Latitude: 45.40611111 Longitude: -75.7125 Link Source: **MOFA** Geometry X:

Project Type: Water Taking - Construction Dewatering Full Address: Geometry Y:

EASR-Water Taking - Construction Dewatering Approval Type:

Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2251345

NNE/73.7 66.9 / 0.75 **INVITATIONS PLUS** 6 1 of 3 SCT 193 PRESTON ST

Established: 1994 Plant Size (ft2): 0 Employment: 0

--Details--

Description: Quick Printing SIC/NAICS Code: 323114

Description: **Digital Printing** SIC/NAICS Code: 323115

Other Printing Description: SIC/NAICS Code: 323119

6 NNE/73.7 66.9 / 0.75 6176381 Canada Inc. 2 of 3 CA 191-193 Preston St Ottawa ON

DB Number of Elev/Diff Site Map Key Direction/ Records Distance (m) (m)

Certificate #: 3042-82DHGD 2010 Application Year: Issue Date: 2/11/2010

Approval Type: Municipal and Private Sewage Works

Status:

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

6

Application Type:

Approved

3 of 3 NNE/73.7 66.9 / 0.75 6176381 Canada Inc. 191 - 193 Preston St

Ottawa ON K2E 5A4

ECA

PRT

SPL

Order No: 21080600433

3042-82DHGD **MOE District:** Approval No: Approval Date: 2010-02-11 City: Status: Approved Longitude: ECA Record Type: Latitude: **IDS** Link Source: Geometry X:

SWP Area Name: Geometry Y: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

6176381 Canada Inc. Business Name: Address: 191 - 193 Preston St

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8985-7XRL8T-14.pdf

PRESTON AUTO CENTRE INC 7 1 of 3 ESE/75.6 66.9 / 0.69

241 PRESTON ST OTTAWA ON K1R 7R3

11042 Location ID: retail Type: Expiry Date: 1993-12-31 Capacity (L): 7919

Licence #: 0056555001

7 2 of 3 ESE/75.6 66.9 / 0.69 City of Ottawa

> South East corner of Preston and Balsam 241 PRESTON STREET, OTTAWA<UNOFFICIAL>

Ottawa ON K1R 7R3

Ref No: 1823-6S4LH6 Discharger Report:

Site No: Material Group: Other

Incident Dt: 7/27/2006 Health/Env Conseq: Year: Client Type:

Incident Cause: Unknown Sector Type: Other

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse:

SOUTH EAST CORNER OF PRESTON AND Contaminant Name: Hydrocarbon and lead contaminated water Site Address:

BALSAM Site District Office: Ottawa

Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region: Possible

Site Municipality: Ottawa Environment Impact:

Nature of Impact: **Groundwater Pollution** Site Lot:

DB Number of Direction/ Elev/Diff Site Map Key

Records Distance (m) (m)

Receiving Medium: Land & Water Site Conc: Receiving Env: Northing: Easting: MOE Response:

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE Reported Dt:** 7/27/2006 Site Map Datum: Dt Document Closed: SAC Action Class: Incident Reason: Source Type:

SOUTH EAST CORNER OF PRESTON AND BALSAM Site Name:

Site County/District: Site Geo Ref Meth:

SE corner of Balsam & Preston: oil & lead contaminated water Incident Summary:

Contaminant Qty: Not specified

3 of 3 ESE/75.6 66.9 / 0.69 PRESTON AUTO CENTRE INC 7

241 PRESTON ST OTTAWA ON K1R 7R3 **DTNK**

SCT

Delisted Expired Fuel Safety

Facilities

9838975 Instance No: **EXPIRED** Status:

Instance ID:

Instance Type: FS Facility

Description:

TSSA Program Area: Maximum Hazard Rank:

Facility Type:

Expired Date: 2/4/1993 Original Source: **EXP**

Record Date: Up to May 2013

V Steel Works Ltd. 8 1 of 6 W/82.8 64.2 / -2.00 17 Larch St

Ottawa ON K1R 6W4

Ottawa ON K1R 6W4

Established: 7/1/1975

Plant Size (ft2): Employment:

--Details--

59

Description: All Other Industrial Machinery Manufacturing

SIC/NAICS Code: 333299

Description: Other Plate Work and Fabricated Structural Product Manufacturing

332319 SIC/NAICS Code:

Description: Other Ornamental and Architectural Metal Product Manufacturing

SIC/NAICS Code: 332329

W/82.8 8 2 of 6 64.2 / -2.00 15-19 Larch Street **EHS**

Order No: 20200515158 Nearest Intersection:

Municipality: С Status:

Report Type: Standard Report Client Prov/State: ON Report Date: 21-MAY-20 Search Radius (km): 25 Date Received: 15-MAY-20 -75.713835 X: Y: Previous Site Name: 45.4055553

Map Key	Number Records		Elev/Diff (m)	Site		DB	
Lot/Building Additional li	g Size: nfo Ordered:						
8	3 of 6	W/82.8	64.2 / -2.00	15-19 Larch Street Ottawa ON K1R 6W4		EHS	
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional li	e: ved: te Name:	20200515158 C Standard Report 21-MAY-20 15-MAY-20		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.713835 45.4055553		
8	4 of 6	W/82.8	64.2 / -2.00	15-19 Larch Street Ottawa ON K1R 6W4		EHS	
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional li	e: ved: te Name:	20200515158 C Standard Report 21-MAY-20 15-MAY-20		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.713835 45.4055553		
8	5 of 6	W/82.8	64.2 / -2.00	15-19 Larch Street Ottawa ON K1R 6W4		EHS	
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional li	e: red: te Name:	20200515158 C Standard Report 21-MAY-20 15-MAY-20		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.713835 45.4055553		
8	6 of 6	W/82.8	64.2 / -2.00	15-19 Larch Street Ottawa ON K1R 6W4		EHS	
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional li	e: ved: te Name:	20200515158 C Standard Report 21-MAY-20 15-MAY-20		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.713835 45.4055553		
9	1 of 1	N/82.9	67.0 / 0.77	ON		BORE	
Borehole ID OGF ID: Status:):	613150 215514454		Inclin FLG: SP Status: Surv Elev:	No Initial Entry No		

Surv Elev:

Initial Entry No

Order No: 21080600433

Status:

Type: Borehole Piezometer: No

Use: Primary Name:
Completion Date: Municipality:
Static Water Level: Lot:
Primary Water Use: Township:

 Sec. Water Use:
 Latitude DD:
 45.406375

 Total Depth m:
 -999
 Longitude DD:
 -75.712779

 Depth Ref:
 Ground Surface
 UTM Zone:
 18

 Depth Elev:
 Easting:
 444221

 Depth Elev:
 Easting:
 444221

 Drill Method:
 Northing:
 5028342

 Orig Ground Elev m:
 61
 Location Accuracy:

Elev Reliabil Note: Accuracy: Not Applicable

DEM Ground Elev m: 57.9

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 218393912 Mat Consistency:
Top Depth: 0 Material Moisture:
Bottom Depth: 1.2 Material Texture:
Material Color: Non Geo Mat Type:

Material 1:SandGeologic Formation:Material 2:GravelGeologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: SAND.

Geology Stratum ID: 218393914 Mat Consistency: Firm

Top Depth: 2.1 Material Moisture:

Bottom Depth: Material Texture:

Material Color: Black Non Geo Mat Type:

 Material 1:
 Bedrock
 Geologic Formation:

 Material 2:
 Geologic Group:

 Material 3:
 Geologic Period:

 Material 4:
 Depositional Gen:

Gsc Material Description:

Stratum Description: BEDROCK. RM. TILL. FIRM. BEDROCK. 0025016CK, VERY HARD. BEDROCK. BLACK. LT.

Geology Stratum ID:218393913Mat Consistency:Top Depth:1.2Material Moisture:Bottom Depth:2.1Material Texture:Material Color:Non Geo Mat Type:Material 1:SandGeologic Formation

Material 1:SandGeologic Formation:Material 2:ClayGeologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: SAND.

<u>Source</u>

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:HHorizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Order No: 21080600433

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA2.txt RecordID: 056580 NTS_Sheet: 31G05G

Confiden 1: Logged by professional. Exact and complete description of material and properties.

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Source List

Source Identifier: Horizontal Datum: NAD27

Data Survey Source Type: Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Projection Name: Universal Transverse Mercator

Varies Scale or Resolution:

Urban Geology Automated Information System (UGAIS) Source Name:

Geological Survey of Canada Source Originators:

1 of 6 N/90.1 66.9 / 0.69 185 Preston Street 10 **EHS** Ottawa ON K1R 7P8

Order No: 20191127055 Nearest Intersection:

Status:

Standard Report Report Type: Report Date: 02-DEC-19

Previous Site Name: Lot/Building Size:

Search Radius (km): .25 Date Received: 27-NOV-19 -75.712842 X: Y: 45.406438

Additional Info Ordered:

2 of 6 N/90.1 66.9 / 0.69 185 Preston Street 10 **EHS** Ottawa ON K1R 7P8

20191127055 Order No:

Status: С

Report Type: Standard Report Report Date: 02-DEC-19 27-NOV-19 Date Received:

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection:

Municipality:

Municipality:

Client Prov/State:

ON

Client Prov/State: ON Search Radius (km): .25

X: -75.712842 Y: 45.406438

10 3 of 6 N/90.1 66.9 / 0.69 185 Preston Street **EHS** Ottawa ON K1R 7P8

20191127055 Order No:

Status: C

Report Type: Standard Report 02-DEC-19 Report Date: Date Received: 27-NOV-19

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON

Search Radius (km): .25 X: -75.712842 Y: 45.406438

10 4 of 6 N/90.1 66.9 / 0.69 185 Preston Street **EHS** Ottawa ON K1R 7P8

Order No: 20191127055

Status:

Standard Report Report Type: Report Date: 02-DEC-19 Date Received: 27-NOV-19

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality:

ON Client Prov/State: Search Radius (km): .25

-75.712842 X: Y: 45.406438

Map Key Numbe Record		umber of Direction/ Elev/Diff Site ecords Distance (m) (m)		Site	1		
<u>10</u>	5 of 6	N/90.1	66.9 / 0.69	185 Preston Street Ottawa ON K1R 7P8		EHS	
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional I	e: red: te Name: g Size:	20191127055 C Standard Report 02-DEC-19 27-NOV-19		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.712842 45.406438		
<u>10</u>	6 of 6	N/90.1	66.9 / 0.69	185 Preston Street Ottawa ON K1R 7P8		EHS	
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional li	: red: te Name: g Size:	20191127055 C Standard Report 02-DEC-19 27-NOV-19		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.712842 45.406438		
<u>11</u>	1 of 11	SSW/92.6	65.6 / -0.62	PRESTON HARDWAR 234-248 PRESTON ST OTTAWA ON K1R 7R4	REET	PES	
Detail Licen Licence No: Status: Approval Da Report Soul Licence Typ Licence Cla Licence Col Latitude: Longitude: Lot: Concession Region: District: County: Trade Name PDF Link:	ate: rce: pe: pe Code: ss: ntrol:	23-01-10903-0 10903 Limited Vendor 23 01 0		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	4 2 15		
<u>11</u>	2 of 11	SSW/92.6	65.6 / -0.62	PRESTON HARDWAR 248 PRESTON ST OTTAWA ON K1R 7R4		PES	
Detail Licen Licence No: Status: Approval Da Report Soul Licence Typ Licence Cla Licence Col Licence Col Latitude:	ate: rce: ne: ne Code: ss:	23-01-12318-0 12318 Limited Vendor 23 01		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region:	4		

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:			Ope. Op N Posi MOE	Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
<u>11</u>	3 of 11	SSW/92.6	65.6 / -0.62	PRESTON HARDWARE (1980) LIMITED 234-248 PRESTON ST OTTAWA ON K1R 7R4	PES
Detail Licence Licence No: Status: Approval Date Report Source Licence Type: Licence Class Licence Contr Latitude: Longitude: Lot: Concession: Region: District:	e: e: : Limite Code: 23	ed Vendor		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District:	
County: Trade Name: PDF Link:	4 of 11	SSW/92.6	65.6 / -0.62	SWP Area Name: PRESTON HARDWARE (1980) LIMITED	PES
Detail Licence Licence No: Status: Approval Date Report Source Licence Type: Licence Class Licence Contr Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	e: e: : Venda <i>Code:</i> s:	or		234-248 PRESTON ST OTTAWA ON K1R 7R4 Operator Box: Operator Class: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	res
11	5 of 11	SSW/92.6	65.6 / -0.62	PRESTON HARDWARE 1980 LIMITED 248 PRESTON ST OTTAWA ON K1R 7R4	PES
Detail Licence	e No:			Operator Box:	

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) Licence No: Operator Class: Status: Operator No: Approval Date: Operator Type: Report Source: Oper Area Code: Licence Type: Vendor Oper Phone No: Licence Type Code: Operator Ext: Licence Class: Operator Lot: Licence Control: Oper Concession: Latitude: Operator Region: Longitude: Operator District: Operator County: Lot: Concession: Op Municipality: Post Office Box: Region: District: MOE District: County: SWP Area Name: Trade Name: PDF Link: 6 of 11 SSW/92.6 65.6 / -0.62 Preston Hardware (1980) Limited 11 CA 234-248 Preston Street Ottawa ON K1R 7R4 Certificate #: 3131-63XLJC Application Year: 2004 8/19/2004 Issue Date: Approval Type: Municipal and Private Sewage Works Approved Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** SSW/92.6 PRESTON HARDWARE 1980 LIMITED 7 of 11 65.6 / -0.62 11 PES 248 PRESTON ST OTTAWA ON K1R7R4 Detail Licence No: Operator Box: Licence No: 12318 Operator Class: Status: Operator No: Approval Date: Operator Type: Legacy Licenses (Excluding TS) Report Source: Oper Area Code: 613 2307166 Licence Type: Limited Vendor Oper Phone No: Licence Type Code: Operator Ext: Licence Class: 01 Operator Lot: Licence Control: 0 Oper Concession: Latitude: Operator Region: 4

Operator District:

Operator County:

Op Municipality: Post Office Box:

MOE District: SWP Area Name: 15

Order No: 21080600433

Longitude:

Region: District:

County: Trade Name: PDF Link:

Lot: Concession:

lumber of Direction/ Elev/Diff Site Pecords Distance (m) (m)	DB
234-2	on Hardware (1980) Limited ECA 48 Preston Street a ON K1R 7R4
3131-63XLJC 2004-08-19 Approved ECA IDS Rideau Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Preston Hardware (1980) Limited 234-248 Preston Street	de: -75.71224 e: 45.40498 dry X: dry Y: RKS
Preston Hardware (1980) Limited	nstruments/8327-62PS

<u>11</u>	9 of 11	SSW/92.6	65.6 / -0.62	248 Preston Street Ottawa ON		SPL
Ref No:		2660-ASCFNV		Discharger Report:		
Site No:		NA		Material Group:		
Incident Dt	:	2017/10/20		Health/Env Conseq:	2 - Minor Environment	
Year:				Client Type:		
Incident Ca	ause:			Sector Type:	Unknown / N/A	
Incident Ev	rent:	Unknown / N/A		Agency Involved:		
Contamina	nt Code:	27		Nearest Watercourse:		
Contamina	nt Name:	PAINT (WATER-BASED)		Site Address:	248 Preston Street	
Contamina	nt Limit 1:			Site District Office:	Ottawa	
Contam Lir	nit Freq 1:			Site Postal Code:		
Contamina	nt UN No 1:	1263		Site Region:	Eastern	
Environme	•			Site Municipality:	Ottawa	
Nature of I	•			Site Lot:		
Receiving I				Site Conc:		
Receiving I		Land		Northing:	5028165	
MOE Resp		No		Easting:	444270	
Dt MOE Ar				Site Geo Ref Accu:		
MOE Repo		2017/10/21		Site Map Datum:		
Dt Docume				SAC Action Class:	Watercourse Spills	
Incident Re		Unknown / N/A		Source Type:	Unknown / N/A	
Site Name:		CB <unofficial:< td=""><td>></td><td></td><td></td><td></td></unofficial:<>	>			
Site County						
Site Geo R	ef Meth:					

<u>11</u> 10 a	of 11 SSW	/92.6 65.6 / -0.62	PRESTON HARDWA 234-248 PRESTON S OTTAWA ON K1R7F	ST ` ´	PES
Detail Licence Not Licence Not Status: Approval Date: Report Source: Licence Type: Licence Type Coulicence Class: Licence Control: Latitude: Longitude: Lot:	10903 Legacy Licenses Limited Vendor	(Excluding TS)	Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County:	613 2307166 4 2 15	

Drain All: Paint to two catch basins; cleaned 0 other - see incident description

Incident Summary: Contaminant Qty:

Map Key	Number Records	_	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Concession: Region: District: County: Trade Name: PDF Link:		4 2 15			Op Municipality: Post Office Box: MOE District: SWP Area Name:		
<u>11</u>	11 of 11		SSW/92.6	65.6 / -0.62	PRESTON HARDWAR 234-248 PRESTON ST OTTAWA ON K1R7R4	- '	PES
Detail Licence Licence No: Status: Approval Date Report Source Licence Type Licence Class Licence Conte Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	e: e: : Code:		censes (Excluding T dor Class 03	S)	Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	613 2307166	
12	1 of 1		NW/93.5	65.8 / -0.40	Preston St & Laurel S Ottawa ON	it Ottawa On	EHS
Order No: Status: Report Type: Report Date: Date Received Previous Site Lot/Building S Additional Info	Name: Size:	20150115 C RSC Repo 21-JAN-15 15-JAN-15	ort (Urban)		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Ottawa ON .3 -75.713306 45.406385	
13	1 of 1		NW/95.0	66.3 / 0.15	170 Preston Street Ltd 170 Preston St Ottawa ON K1R 7H9	d.	ECA
Approval No: Approval Date Status: Record Type: Link Source: SWP Area Nai Approval Type: Project Type: Business Nan Address: Full Address: Full PDF Link	me: e: ne:		6 ECA-MUNICIPAL A MUNICIPAL AND P 170 Preston Street I 170 Preston St	RIVATE SEWAC	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: EWAGE WORKS	9ZGR7Q-14.pdf	

Мар Кеу	Numbe Record	_	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
14	1 of 5		E/123.1	68.2 / 2.00	Ottawa Community Ho 865 Gladstone Ottawa ON K1R 7T4	ousing	GEN
Generator N	lo:	ON3858	285		PO Box No:		
Status: Approval Ye Contam. Faci MHSW Facil SIC Code: SIC Descrip	cility: lity:	2016 No No 561799	ALL OTHER SERV	ICES TO BUILDII	Country: Choice of Contact: Co Admin: Phone No Admin: NGS AND DWELLINGS	Canada CO_ADMIN Joanie Mitchell 613-731-7223 Ext.2304	
Detail(s)							
Waste Class Waste Class			145 PAINT/PIGMENT/0	COATING RESIDU	JES		
<u>14</u>	2 of 5		E/123.1	68.2 / 2.00	Ottawa Community Ho 865 Gladstone Ottawa ON K1R 7T4	ousing	GEN
Generator N	lo:	ON3858	285		PO Box No:	Ownerla	
Status: Approval Ye	ears:	2015			Country: Choice of Contact:	Canada CO_OFFICIAL	
Contam. Facili		No No			Co Admin: Phone No Admin:	Joanie Jeanne d'Arc Mitchell 613-731-7223 Ext.2304	
SIC Code: SIC Descrip	•	561799	ALL OTHER SERV	ICES TO BUILDI	NGS AND DWELLINGS	0.0.0 <u>==0</u> ==00.	
Olo Descrip	uon.		ALL OTTILIT GLIVV	TOLO TO BOILDII	NOO / NAD DWELENNOO		
<u>Detail(s)</u>							
Waste Class Waste Class			145 PAINT/PIGMENT/0	COATING RESIDU	JES		
<u>14</u>	3 of 5		E/123.1	68.2 / 2.00	Central Tenant Servic 865 Gladstone Ottawa ON K1R 7T4	es	GEN
Generator N	lo:	ON3858	285		PO Box No:		
Status: Approval Ye Contam. Facil	cility:	2014 No No			Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL	
SIC Code: SIC Descrip	tion:	561799	ALL OTHER SERV	ICES TO BUILDII	NGS AND DWELLINGS		
<u>Detail(s)</u>							
Waste Class Waste Class			145 PAINT/PIGMENT/0	COATING RESIDU	JES		
14	4 of 5		E/123.1	68.2 / 2.00	Ottawa Community Ho 865 Gladstone Ottawa ON K1R 7T4	ousing	GEN
Generator N Status: Approval Ye Contam. Facil MHSW Facil SIC Code:	ears: cility:	ON3858 Register As of De	ed		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	

SIC Description:

Detail(s)

Waste Class: 145 L

Waste Class Desc: Wastes from the use of pigments, coatings and paints

14 5 of 5 E/123.1 68.2 / 2.00 Ottawa Community Housing GEN

Ottawa ON K1R 7T4

Generator No: ON3858285 Status: Registered

As of Oct 2019

Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: PO Box No:
Country: Canada
Choice of Contact:

Co Admin: Phone No Admin:

OTTAWA CITY ON

GLADSTONE AVE/PRESTON ST. CSO

CA

Order No: 21080600433

Detail(s)

Waste Class: 145 L

Waste Class Desc: Wastes from the use of pigments, coatings and paints

15 1 of 2 SE/124.2 67.0 / 0.77 R.M. OF OTTAWA-CARLETON GLADSTONE AVE/PRESTON ST.

Certificate #: 7-1017-96-Application Year: 96

Issue Date: 10/18/1996
Approval Type: Municipal water
Status: Application Type:

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

15

SE/124.2 67.0 / 0.77 OTTAWA CITY

OTTAWA CITY ON

Certificate #: 3-1102-97Application Year: 97

Issue Date:8/20/1997Approval Type:Municipal sewage

Status: Approved Application Type:

2 of 2

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m) 1 of 1 N/135.0 66.9 / 0.69 173 Preston St 16 **EHS** Ottawa ON K1R7P6 Order No: 20131219015 Nearest Intersection: Status: Municipality: C Report Type: RSC Report (Urban) Client Prov/State: ON 02-JAN-14 Report Date: Search Radius (km): .3 Date Received: 19-DEC-13 X: -75.712947 Y: 45.406838 Previous Site Name: Lot/Building Size: Fire Insur. Maps and/or Site Plans Additional Info Ordered: 1 of 1 N/136.3 66.9 / 0.69 Padom Holdings Ltd. 17 **ECA** 173 Preston St Ottawa ON K2C 1P1 Approval No: 6105-A9ZMF9 **MOE District:** Ottawa Approval Date: 2016-05-19 City: Status: Approved Longitude: -75.71293 45.406889 Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Rideau Valley Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: Padom Holdings Ltd. Address: 173 Preston St Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9998-A4SMY7-14.pdf SSE/137.5 GREAT CANADIAN THEATRE COMPANY, THE 18 1 of 2 65.9 / -0.31 GEN 910 GLADSTONE AVENUE OTTAWA ON K1R 6Y3 ON2272500 Generator No: PO Box No: Status: Country: Approval Years: 97,98,99,00,01 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 9631 SIC Code: SIC Description: ENTER. PROD. CO./ART. Detail(s) Waste Class: 145 PAINT/PIGMENT/COATING RESIDUES Waste Class Desc: Waste Class: 331 Waste Class Desc: WASTE COMPRESSED GASES SSE/137.5 65.9 / -0.31 Great Canadian Theatre Company 18 2 of 2 **GEN** 910 Gladstone Ottawa ON K1R 6Y4

Order No: 21080600433

ON8458399 PO Box No: Country:

Approval Years: 04 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 711190

SIC Description: Other Performing Arts Companies

Generator No:

Status:

DB Map Key Number of Direction/ Elev/Diff Site

Records Distance (m) (m)

173-177 PRESTON ST 1 of 1 N/141.9 66.9 / 0.69 19 **WWIS** Ottawa ON

7230093 Well ID: Construction Date:

Primary Water Use: Monitoring Sec. Water Use:

Final Well Status: **Observation Wells**

Water Type: Casing Material:

Z180597 Audit No:

A153936 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

PDF URL (Map):

Flow Rate:

Clear/Cloudy:

Additional Detail(s) (Map)

Well Completed Date: 2014/01/17 Year Completed: 2014 Depth (m): 10.9

Latitude: 45.4069036176719 -75.7128834980383 Lonaitude:

Path:

Bore Hole Information

Bore Hole ID: 1005178388

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 17-Jan-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1005361729

Layer: 5 Color: **BROWN** General Color: Mat1: 28

Data Entry Status:

Data Src:

Date Received: 10/24/2014

Selected Flag: True

Abandonment Rec:

Contractor: 1844 Form Version: 7

Owner:

Street Name: 173-177 PRESTON ST

County: **OTTAWA** NEPEAN TOWNSHIP Municipality:

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: 58.289070

Elevrc:

Zone: 18 East83: 444213.00 North83: 5028401.00 Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 21080600433

Location Method: wwr

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 13

 Mat3 Desc:
 BOULDERS

 Formation Top Depth:
 3.9000000953674316

 Formation End Depth:
 10.899999618530273

Formation End Depth UOM: m

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: 1005361727

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 01

 Mat3 Desc:
 FILL

 Formation Top Depth:
 0.6000000238418579

 Formation End Depth:
 1.600000023841858

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1005361725

Layer:

Color:

General Color:

Mat1: 27
Most Common Material: OTHER

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.05000000074505806

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1005361728

Layer: 4 **Color:** 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 34

 Mat3 Desc:
 TILL

 Formation Top Depth:
 1.600000023841858

 Formation End Depth:
 3.9000000953674316

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005361726

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 15

Mat2 Desc:LIMESTONEMat3:28Mat3 Desc:SAND

 Formation Top Depth:
 0.05000000074505806

 Formation End Depth:
 0.6000000238418579

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005361736

Layer:

 Plug From:
 0.300000011920929

 Plug To:
 0.60000023841858

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005361735

Method Construction Code:

Method Construction: Other Method

Other Method Construction: HSA

Pipe Information

Pipe ID: 1005361724

Casing No: 0

Comment: Alt Name:

Construction Record - Screen

Screen ID: 1005361733

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 3

Screen End Depth: 4.59999990463257

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 3.89000010490417

Water Details

Water ID: 1005361731

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 3.5

 Water Found Depth UOM:
 m

Hole Diameter

DB Number of Elev/Diff Site Map Key Direction/

Hole ID: 1005361730

Diameter: 20.299999237060547

Depth From: 0.0

Records

Depth To: 10.899999618530273

Hole Depth UOM: m Hole Diameter UOM: cm

> 63.9 / -2.31 20 1 of 1 SW/147.0 **BORE** ON

> > No

Borehole ID: 613131 Inclin FLG: No OGF ID: 215514435 Initial Entry SP Status: Surv Elev:

(m)

Status:

Borehole Type: Piezometer: No Primary Name: Use:

Completion Date: Municipality: Static Water Level: 2.8 Lot: Primary Water Use: Township:

Distance (m)

Sec. Water Use: Latitude DD: 45.404568 Total Depth m: -999 Longitude DD: -75.713906 Depth Ref:

Ground Surface UTM Zone: 18 Easting: Depth Elev: 444131 Drill Method: Northing: 5028142

Orig Ground Elev m: 61 Location Accuracy:

Not Applicable Elev Reliabil Note: Accuracy: DEM Ground Elev m: 60.6

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 218393836 Mat Consistency: Material Moisture: Top Depth: 6 Bottom Depth: 1.5 Material Texture: Material Color: Brown Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2: Gravel Geologic Group:

Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: SAND, GRAVEL. BROWN.

218393839 Compact Geology Stratum ID: Mat Consistency:

Material Moisture: Top Depth: **Bottom Depth:** Material Texture: Material Color: Black Non Geo Mat Type: Material 1: **Bedrock** Geologic Formation:

Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: BEDROCK. BEDROCK. BLACK. 0050 081 000100670000500900050049COMPACT, WATER STABLE AT 190

**Note: Many records provided by the department have a truncated [Stratum Description] field.

Order No: 21080600433

218393835 Geology Stratum ID: Mat Consistency: Top Depth: 0 Material Moisture: .6 **Bottom Depth:** Material Texture: Material Color: Non Geo Mat Type: Material 1: Gravel Geologic Formation:

Material 2: Sand Geologic Group: Material 3: Geologic Period:

DB Number of Direction/ Elev/Diff Site Map Key

Records Distance (m) (m)

Material 4: Depositional Gen:

Gsc Material Description:

GRAVEL. Stratum Description:

Geology Stratum ID: 218393837 Mat Consistency: 1.5 Material Moisture: Top Depth: **Bottom Depth:** 2.7 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2: Silt Geologic Group: Material 3: Gravel Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: SAND, SILT, GRAVEL. GREY.

218393838 Geology Stratum ID: Mat Consistency: Compact Material Moisture:

Top Depth: 2.7 **Bottom Depth:** 3 Material Texture: Material Color: Non Geo Mat Type: Material 1: **Boulders** Geologic Formation:

Geologic Group: Material 2: Sand Material 3: Gravel Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: BOULDERS. COMPACT.

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig: Geological Survey of Canada Source Iden:

Source Date: 1956-1972 Scale or Res: Varies Confidence: Н Horizontal: NAD27

Observatio: Verticalda: Mean Average Sea Level

Urban Geology Automated Information System (UGAIS) Source Name: Source Details: File: OTTAWA2.txt RecordID: 056390 NTS Sheet: 31G05G

Logged by professional. Exact and complete description of material and properties. Confiden 1:

Source List

Source Identifier: Horizontal Datum: NAD27

Data Survey Mean Average Sea Level Source Type: Vertical Datum: Source Date: 1956-1972 Projection Name: Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

21 1 of 1 S/147.7 66.0 / -0.23 916 Gladstone Avenue **EHS**

Ottawa ON K1R 6Y4

Order No: 21080600433

20060214012 Nearest Intersection:

Order No:

Municipality: Status:

Report Type: **Custom Report** Client Prov/State: ON Report Date: 2/23/2006 Search Radius (km): 0.25 Date Received: 2/14/2006 -75.71262 X: Previous Site Name: Y: 45.404304

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

916 GLADSTONE AVE. lot 39 con 1 22 1 of 1 S/157.4 66.0 / -0.23 **WWIS** OTTAWA ON

Well ID: 1536292 Data Entry Status:

Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material:

 Audit No:
 Z43722

 Tag:
 A035924

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Src:

Date Received: 4/13/2006 Selected Flag: True

Abandonment Rec:

Contractor: 7241 Form Version: 3

Owner: Street Name:

Street Name: 916 GLADSTONE AVE.

County: OTTAWA
Municipality: OTTAWA CITY

 Site Info:

 Lot:
 039

 Concession:
 01

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 11550358

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole: Cluster Kind:

Date Completed: 08-Mar-2006 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: Elevrc: Zone: East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 933053141

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3:

Mat3 Desc:

 Formation Top Depth:
 1.8300000429153442

 Formation End Depth:
 3.6600000858306885

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933053139

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 02

Most Common Material: TOPSOIL Mat2: 01 **FILL** Mat2 Desc:

Mat3: Mat3 Desc:

0.0 Formation Top Depth:

Formation End Depth: 0.30000001192092896

Formation End Depth UOM:

Overburden and Bedrock Materials Interval

933053140 Formation ID:

Layer: Color: 6

BROWN General Color: Mat1: 28 SAND Most Common Material: 06 Mat2: Mat2 Desc: SILT Mat3: 77

Mat3 Desc: LOOSE 0.30000001192092896Formation Top Depth: 1.8300000429153442

Formation End Depth: Formation End Depth UOM:

Annular Space/Abandonment Sealing Record

Plug ID: 933293046

Layer:

0.300000011920929 Plug From: Plug To: 1.83000004291534

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

933293047 Plug ID:

Layer:

1.83000004291534 Plug From: Plug To: 3.66000008583069

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 933293045

Layer: Plug From: 0

0.30000011920929 Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961536292

Method Construction Code:

Other Method Method Construction:

Other Method Construction:

Pipe Information

 Pipe ID:
 11559965

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930878924

Layer:1Material:5Open Hole or Material:PLASTIC

Depth From: 0

 Depth To:
 2.13000011444092

 Casing Diameter:
 3.17000007629395

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 933418301

Layer: 1 **Slot:** 10

 Screen Top Depth:
 2.13000011444092

 Screen End Depth:
 3.66000008583069

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 3.17000007629395

Hole Diameter

Hole ID: 11681039

Diameter: 5.079999923706055

Depth From: 0.0

Depth To: 3.6600000858306885

Hole Depth UOM: m
Hole Diameter UOM: cm

23 1 of 1 S/160.8 64.9 / -1.31 Lot 7, Bk 123, Reg. Plan 34, 930-934 Gladstone

AV6

Ottawa ON K1R 6Y4

CA

Order No: 21080600433

Certificate #: 0868-4ZPQAJ

Application Year: 01
Issue Date: 8/20/01

Approval Type: Municipal & Private sewage

Status: Approved

Application Type:New Certificate of ApprovalClient Name:Ottawa Salus CorporationClient Address:945 Wellington Street, Suite 200

Client City: Ottawa
Client Postal Code: K1Y 2X5

Project Description: This application is for a stormwater management facility, consisting of manhole and catchbasin storage plus

parking lot ponding for the proposed development at 930-934 Gladstone Avenue, approximately 100 m west of

Preston Street in the City of Ottawa.

Contaminants: Emission Control:

Number of Direction/ Elev/Diff Site DB Map Key Records Distance (m) (m) NNW/165.0 BROOKFIELD LEPAGE JOHNSON CONT 24 1 of 5 65.9 / -0.25 SPL 1 OAK STREET, OTTAWA PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA

OTTAWA CITY ON

205845 Discharger Report: Ref No: Site No: Material Group: Health/Env Conseq: Incident Dt: 7/10/2001 Year: Client Type: Incident Cause: PIPE/HOSE LEAK Sector Type:

Agency Involved: Incident Event: Nearest Watercourse: Contaminant Code: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Site Municipality: Possible 20107

Nature of Impact: Air Pollution Site Lot: Receiving Medium: Air Site Conc: Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE** Reported Dt: 7/13/2001 Site Map Datum: Dt Document Closed: SAC Action Class:

Incident Reason: **EQUIPMENT FAILURE** Source Type:

Site Name: Site County/District: Site Geo Ref Meth:

Incident Summary: **BROOKFIELD:** Contaminant Qty:

2 of 5 NNW/165.0 65.9 / -0.25 **BROOKFIELD LEPAGE JOHNSON CONTROLS**

GEN

Order No: 21080600433

OAK STREET COMPLEX 1 OAK STREET OTTAWA ON

Generator No: ON0554831 PO Box No: Status: Country:

Choice of Contact: Approval Years: 99,00,01 Contam. Facility: Co Admin: Phone No Admin: MHSW Facility: SIC Code: 7512

NON-RES. BLDG. OPER. SIC Description:

Detail(s)

24

Waste Class:

PETROLEUM DISTILLATES Waste Class Desc:

Waste Class:

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

Waste Class Desc: OTHER SPECIFIED INORGANICS

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) Waste Class: 212 ALIPHATIC SOLVENTS Waste Class Desc: **BROOKFIELD LEPAGE JOHNSON CONTROLS** 24 3 of 5 NNW/165.0 65.9 / -0.25 GEN 1 OAK STREET OTTAWA ON Generator No: ON0554831 PO Box No: Status: Country: Approval Years: 03,04 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: SIC Description: 24 4 of 5 NNW/165.0 65.9 / -0.25 Aim Waste Management Inc. GEN 1 Oak Street Ottawa ON K1R 6R9 Generator No: ON3892828 PO Box No: Status: Country: Canada 2015 CO OFFICIAL Approval Years: Choice of Contact: Contam. Facility: No Co Admin: Marc Verticchio 905 912 0773 Ext. MHSW Facility: No Phone No Admin: SIC Code: 238910 SITE PREPARATION CONTRACTORS SIC Description: Detail(s) Waste Class: 221 LIGHT FUELS Waste Class Desc: Waste Class: 243 **PCBS** Waste Class Desc: Aim Waste Management Inc. 24 5 of 5 NNW/165.0 65.9 / -0.25 **GEN** 1 Oak Street Ottawa ON K1R 6R9 ON3892828 Generator No: PO Box No: Status: Country: Canada Approval Years: 2014 Choice of Contact: CO OFFICIAL Contam. Facility: No Co Admin: Marc Verticchio MHSW Facility: No Phone No Admin: 905 912 0773 Ext. SIC Code: 238910 SIC Description: SITE PREPARATION CONTRACTORS Detail(s) Waste Class: 243 Waste Class Desc: **PCBS** 25 1 of 1 W/166.1 62.9 / -3.31 933 Gladstone Ave **EHS** Ottawa ON K1A0T4

Order No: 21080600433

Order No: 20150303037 Nearest Intersection: Status: Municipality: Report Type: Custom Report Client Prov/State: ON 06-MAR-15 Search Radius (km): Report Date: .25 Date Received: 03-MAR-15 X: -75.714882

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Previous Site Name: *Y:* 45.405412

Lot/Building Size:

Additional Info Ordered: Topographic Maps

173-177 PRESTON ST 26 1 of 1 N/167.1 66.7 / 0.49 **WWIS** Ottawa ON

Data Entry Status:

Abandonment Rec:

10/24/2014

OTTAWA

OTTAWA CITY

173-177 PRESTON ST

True

1844

Date Received:

Selected Flag:

Form Version:

Street Name:

Municipality:

Concession: Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

Contractor:

Owner:

County:

Site Info:

Lot:

Zone:

Data Src:

Well ID: 7230092

Construction Date: Primary Water Use: Monitoring

Sec. Water Use:

Final Well Status:

Observation Wells

Water Type: Casing Material:

Audit No: Z180596 Tag: A153936

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

2014/01/17 Well Completed Date: Year Completed: 2014

Depth (m): 8.5 Latitude: 45.4071184352754

Longitude: -75.7130778811063 Path:

Bore Hole Information

Bore Hole ID: 1005178385 Elevation: 58.334548 DP2BR: Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 17-Jan-2014 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1005361706

Zone: 18 East83:

444198.00 North83: 5028425.00 UTM83 Org CS: **UTMRC**:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 21080600433

Location Method:

Layer: 6

Color: General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 7.199999809265137

Formation End Depth: 8.5 **Formation End Depth UOM:** m

Overburden and Bedrock

Materials Interval

Formation ID: 1005361703

Layer: 3 **Color:** 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 01

 Mat3 Desc:
 FILL

 Formation Top Depth:
 1.0099999904632568

 Formation End Depth:
 1.600000023841858

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005361701

Layer:

Color:

General Color:

Mat1: 27

Most Common Material: OTHER

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.05000000074505806

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005361702

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 15

Mat2 Desc:LIMESTONEMat3:28Mat3 Desc:SAND

 Formation Top Depth:
 0.05000000074505806

 Formation End Depth:
 1.0099999904632568

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005361704

Layer: 4

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

Mat3: Mat3 Desc:

 Formation Top Depth:
 1.600000023841858

 Formation End Depth:
 3.9000000953674316

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1005361705

 Layer:
 5

 Color:
 7

 General Color:
 RED

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 29

Mat2 Desc: FINE GRAVEL

Mat3: Mat3 Desc:

 Formation Top Depth:
 3.9000000953674316

 Formation End Depth:
 7.199999809265137

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005361713

Layer:

 Plug From:
 0.300000011920929

 Plug To:
 0.60000023841858

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005361712

Method Construction Code:

Method Construction: Other Method

Other Method Construction: HSA

Pipe Information

Pipe ID: 1005361700

Casing No:

Comment: Alt Name:

Construction Record - Screen

Order No: 21080600433

Map Key	Number Records		Elev/Diff (m)	Site		DB
Screen ID: Layer: Slot: Screen Top Screen End Screen Mate Screen Dian Screen Dian	Depth: erial: th UOM: neter UOM:	1005361710 1 10 3 6 5 m cm 3.89000010490417	7			
Water Detail	<u>ls</u>					
Water ID: Layer: Kind Code: Kind: Water Found		1005361708 1 8 Untested 4.44999980926513 W: m	37			
Hole Diame	<u>ter</u>					
Hole ID: Diameter: Depth From Depth To: Hole Depth Hole Diame	иом:	1005361707 20.2999992370605 0.0 8.5 m cm	547			
<u>27</u>	1 of 2	NNW/169.7	66.7 / 0.49	153-157 Preston Road Ottawa ON K1R 7P6	d aka 130 Anderson St.	EHS
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional li	: red: te Name: g Size:	20030326002 C Complete Report 4/3/03 3/26/03		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Anderson St. CO 0.25 -75.71328 45.407261	
27	2 of 2	NNW/169.7	66.7 / 0.49	153-157 Preston Stree Ottawa ON K1R 7P6	et	EHS
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional li	: red: te Name: g Size:	20031201013 C Complete Report 12/10/03 12/1/03		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Poplar Street ON 0.25 -75.713236 45.407274	
28	1 of 14	ESE/170.1	68.9 / 2.72	City of Ottawa Preston Street (Alber Ottawa ON K1P 1J1	t Street to Carling Avenue)	ECA
Approval No: Approval Date: Status: Record Type:		0959-7EGRT6 2008-05-15 Approved ECA		MOE District: City: Longitude: Latitude:	Ottawa -75.7108 45.405	

Order No: 21080600433

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Link Source: IDS Geometry X:
SWP Area Name: Rideau Valley Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa

Address: Preston Street (Albert Street to Carling Avenue)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2043-79SM4X-14.pdf

28 2 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa Preston Street

Ottawa ON K1P 1J1

Approval No: 0057-7EKK59 MOE District: Ottawa

Approval Date: 2008-05-22 City:

 Status:
 Approved
 Longitude:
 -75.7108

 Record Type:
 ECA
 Latitude:
 45.405

 Link Source:
 IDS
 Geometry X:

SWP Area Name: Rideau Valley Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa Address: Preston Street

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7920-79SMBZ-14.pdf

28 3 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa

Spruce Street from Champagne to Booth St.

ECA

ECA

Order No: 21080600433

Ottawa ON K1S 5K2

Approval No: 2322-5SKQQ3 MOE District: Ottawa

Approval Date: 2003-10-24 City:

Status:ApprovedLongitude:-75.7108Record Type:ECALatitude:45.405

Link Source:IDSGeometry X:SWP Area Name:Rideau ValleyGeometry Y:Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa

Address: Spruce Street from Champagne to Booth St.

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2049-5SHMH4-14.pdf

28 4 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa

Spruce Street from Champagne to Booth St.

Ottawa ON K1S 5K2

Approval No: 1611-5SLKPJ MOE District: Ottawa

Approval Date: 2003-10-24 City:

 Status:
 Approved
 Longitude:
 -75.7108

 Record Type:
 ECA
 Latitude:
 45.405

Link Source: IDS Geometry X: SWP Area Name: Rideau Valley Geometry Y:

Approval Type:ECA-Municipal Drinking Water SystemsProject Type:Municipal Drinking Water Systems

Business Name: City of Ottawa

Address: Spruce Street from Champagne to Booth St.

Full Address: Full PDF Link:

Map Key	Numbe Record		Elev/Diff n) (m)	Site		DB
<u>28</u>	5 of 14	ESE/170.1	68.9 / 2.72	City of Ottawa Anderson Street, Street Ottawa ON K1S 5	Eccles Street, and Poplar K2	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link:		MUNICIPAL AN City of Ottawa Anderson Street	L AND PRIVATE SE D PRIVATE SEWAG t, Eccles Street, and essenvironment.ene	SE WORKS	Ottawa -75.7108 45.405 569-5QDN8F-14.pdf	
<u>28</u>	6 of 14	ESE/170.1	68.9 / 2.72	City of Ottawa Anderson Street, Street Ottawa ON K1S 5	Eccles Street, and Poplar K2	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link:		Municipal Drinki City of Ottawa	Drinking Water Syste ng Water Systems t, Eccles Street, and		Ottawa -75.7108 45.405	
Approval No: Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link:			07.72 Orinking Water Systeng Water Systems	City of Ottawa Oak Street & Pam Ottawa ON K2G 6 MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:		ECA
<u>28</u>	8 of 14	ESE/170.1	68.9 / 2.72	City of Ottawa Larch Street and I Ottawa ON K2P 1		ECA
Approval No: Approval Date: Status:		6964-74EH38 2007-06-25 Approved		MOE District: City: Longitude:	Ottawa -75.7108	

Order No: 21080600433

DB Number of Direction/ Elev/Diff Site Map Key Records (m)

Distance (m)

ECA 45.405 Record Type: Latitude:

Link Source: **IDS** Geometry X: Rideau Valley SWP Area Name: Geometry Y:

ECA-Municipal Drinking Water Systems Approval Type: Project Type: Municipal Drinking Water Systems

City of Ottawa Business Name:

Address: Larch Street and Laurel Street

Full Address: Full PDF Link:

> ESE/170.1 68.9 / 2.72 City of Ottawa 28 9 of 14

Somerset Street between West of Preston Street

ECA

ECA

Order No: 21080600433

to Preston Ottawa ON K1P 1J1

Approval No: 8215-89TKG8 **MOE District:** Ottawa 2010-10-08

City: Approval Date: Approved Status: Longitude: -75.7108 Record Type: **ECA** Latitude: 45.405

IDS Link Source: Geometry X: SWP Area Name: Rideau Valley Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa

Somerset Street between West of Preston Street to Preston Address:

Full Address:

https://www.accessenvironment.ene.gov.on.ca/instruments/5460-87SLK3-14.pdf Full PDF Link:

10 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa 28

Booth (from Somerset Street to Primrose)

Ottawa ON K2G 6J8

Ottawa Approval No: 3128-6ERKV7 **MOE District:** 2005-08-02 Approval Date: City:

Status: Approved Longitude: -75.7108 Latitude: Record Type: ECA 45.405

Link Source: **IDS** Geometry X: Rideau Valley SWP Area Name: Geometry Y:

ECA-Municipal Drinking Water Systems Approval Type: Project Type: Municipal Drinking Water Systems

Business Name: City of Ottawa

Address: Booth (from Somerset Street to Primrose)

Full Address: Full PDF Link:

> 28 11 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa **ECA**

Preston Street, Young Street, Sidney Street &

Norfolk Avenue Ottawa ON K1P 1J1

Approval No: 1508-7BBP7X **MOE District:** Ottawa Approval Date:

2008-01-29 City:

Status: Approved Longitude: -75.7108 **ECA** Record Type: Latitude: 45.405

IDS Link Source: Geometry X: SWP Area Name: Rideau Valley Geometry Y:

Approval Type: **ECA-Municipal Drinking Water Systems** Project Type: Municipal Drinking Water Systems

Business Name: City of Ottawa

Address: Preston Street, Young Street, Sidney Street & Norfolk Avenue

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Full Address: Full PDF Link:

> 28 12 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa **ECA**

Adeline Street - CP Railway to Rochester Street

Ottawa ON K1V 6A6

Approval No: 7553-5ATL6P **MOE District:** Ottawa Approval Date:

2002-06-07 City:

Approved Status: Longitude: -75.7108 Record Type: **ECA** Latitude: 45.405

Link Source: **IDS** Geometry X: SWP Area Name: Rideau Valley Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: City of Ottawa

Adeline Street - CP Railway to Rochester Street Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7465-5A7N5Y-14.pdf

28 13 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa **ECA**

Booth (from Somerset Street to Primrose) Ottawa ON K2G 6J8

Ottawa

0607-6ERL5D MOE District: Approval No: Approval Date: 2005-08-02 City:

Status: Approved Longitude: -75.7108 45.405

ECA Record Type: Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Rideau Valley Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa

Booth (from Somerset Street to Primrose) Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9843-6EQK7C-14.pdf

28 14 of 14 ESE/170.1 68.9 / 2.72 City of Ottawa **ECA**

Adeline Street - CP Railway to Rochester Street

Ottawa ON K1V 6A6

4648-5ATKNZ **MOE District:** Ottawa Approval No: Approval Date: 2002-06-07 City: -75.7108 Status: Approved Longitude: ECA 45.405 Record Type: Latitude:

Link Source: **IDS** Geometry X: SWP Area Name: Rideau Valley Geometry Y:

Approval Type: ECA-Municipal and Private Water Works Municipal and Private Water Works Project Type:

Business Name: City of Ottawa

Adeline Street - CP Railway to Rochester Street Address:

Full Address: Full PDF Link:

> 29 1 of 2 N/176.4 66.8 / 0.66 Bridgehead (2000) Inc.

130 Anderson Street Ottawa K1R 6T7 CITY OF

OTTAWA ON

EBR

DB Elev/Diff Site Map Key Number of Direction/

EBR Registry No: 012-1133 Decision Posted:

(m)

Ministry Ref No: 9800-9FDQHL Exception Posted: Instrument Decision Notice Type: Section: Notice Stage: Act 1:

Distance (m)

Notice Date: August 04, 2016 Act 2:

February 21, 2014 Proposal Date: Site Location Map:

Year: 2014

Records

(EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Instrument Type:

Off Instrument Name: Posted By:

Bridgehead (2000) Inc. Company Name:

Site Address: Location Other: Proponent Name: Proponent Address:

130 Anderson Street, Ottawa Ontario, Canada K1R 6T7

Comment Period:

URL:

Site Location Details:

130 Anderson Street Ottawa K1R 6T7 CITY OF OTTAWA

29 2 of 2 N/176.4 66.8 / 0.66 BRIDGEHEAD (2000) INC. **EASR**

130 Anderson ST Ottawa ON K1R 6T7

Order No: 21080600433

R-010-4112868817 SWP Area Name: Approval No: Status: REGISTERED **MOE District:**

2021-01-26 Date: Municipality: Ottawa

Record Type: **EASR** Latitude: **MOFA** Link Source: Longitude: Project Type: Air Emissions Geometry X: Full Address: Geometry Y:

Approval Type: **EASR-Air Emissions**

Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2332788

30 1 of 1 NE/178.3 68.9 / 2.69 26 BALSAM **WWIS** Ottawa ON

Well ID: 7204405 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: 7/10/2013 Monitoring and Test Hole Date Received: Sec. Water Use: Selected Flag: True Final Well Status: Test Hole Abandonment Rec: 7241

Water Type: Contractor: Casing Material: Form Version: 7 Z168664 Audit No: Owner:

A098723 26 BALSAM Tag: Street Name: Construction Method: County: **OTTAWA**

Elevation (m): Municipality: **NEPEAN TOWNSHIP** Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: Flow Rate: **UTM Reliability:**

Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe mapping/downloads/2Water/Wells pdfs/720\7204405.pdf PDF URL (Map):

DB Map Key Number of Direction/ Elev/Diff Site (m)

Records

Distance (m)

Additional Detail(s) (Map)

Well Completed Date: 2013/06/04 Year Completed: 2013 Depth (m): 15.24

Latitude: 45.4067523604503 -75.7111564788136 Longitude: Path: 720\7204405.pdf

Bore Hole Information

Bore Hole ID: 1004403119

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 04-Jun-2013 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004821845

Layer: 3 Color: 2 General Color: **GREY** Mat1: 15

LIMESTONE Most Common Material: Mat2: LAYERED Mat2 Desc: Mat3: 73 Mat3 Desc: **HARD**

Formation Top Depth: 1.2200000286102295 Formation End Depth: 15.239999771118164

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004821843

Layer: Color: 6 General Color: **BROWN** Mat1: 02 TOPSOIL Most Common Material: Mat2: 85 Mat2 Desc: SOFT

Mat3: Mat3 Desc:

Formation Top Depth:

Formation End Depth: 0.3100000023841858

Formation End Depth UOM:

Elevation: 65.374786

Elevrc: Zone:

18 444348.00 East83: 5028383.00 North83:

UTM83 Org CS: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 21080600433

Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1004821844

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat2 Desc:STONMat3:85Mat3 Desc:SOFT

 Formation Top Depth:
 0.3100000023841858

 Formation End Depth:
 1.2200000286102295

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004821856

 Layer:
 3

 Plug From:
 12

Plug To: 15.2399997711182

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004821855

Layer:

Plug From: 0.310000002384186

2

Plug To: 12
Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004821854

Layer: 1
Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM:

Method of Construction & Well

Use

Method Construction ID: 1004821853

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1004821842

Casing No:

Comment: Alt Name:

Construction Record - Casing

Order No: 21080600433

Casing ID: 1004821849

Laver: Material: 5 **PLASTIC** Open Hole or Material: Depth From:

12.1899995803833 Depth To: Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

1004821850 Screen ID:

Layer: 1 Slot: 10

Screen Top Depth: 12.1899995803833 Screen End Depth: 15.2399997711182

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

4.82000017166138 Screen Diameter:

Water Details

Water ID: 1004821848

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004821847

Diameter: 7.619999885559082 Depth From: 1.5199999809265137 Depth To: 15.239999771118164

Hole Depth UOM: m Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004821846

11.449999809265137 Diameter:

Depth From: 0.0

Depth To: 1.5199999809265137

Hole Depth UOM: m Hole Diameter UOM: cm

> SSW/178.4 64.9 / -1.31 31 1 of 1 Ottawa Salus Corporation

Lot 7, Bk 123, Reg. Plan 34, 930-934 Gladstone

ECA

Order No: 21080600433

Ave

Ottawa ON K1Y 2X5

Approval No: 0868-4ZPQAJ **MOE District:** Ottawa

2001-08-20 Approval Date:

City: Status: Approved Longitude: -75.71201 Record Type: **ECA** Latitude: 45.40505 Link Source: **IDS** Geometry X:

SWP Area Name: Rideau Valley Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Number of Elev/Diff Site DB Map Key Direction/ Records Distance (m) (m)

Business Name: Ottawa Salus Corporation

Address: Lot 7, Bk 123, Reg. Plan 34, 930-934 Gladstone Ave

Full Address: Full PDF Link:

https://www.accessenvironment.ene.gov.on.ca/instruments/4602-4YRPV5-14.pdf

32 1 of 1 E/178.4 69.6 / 3.38 City of Ottawa

ROW Adjacent to 234-254 Rochester Street

ON

.25

ON

.25

ON

25

-75.7105981

45.4061566

-75.7105981

45.4061566

GEN

EHS

EHS

EHS

Order No: 21080600433

OTtawa ON K1R 7N1

Generator No: ON4217022 Status: Registered As of Dec 2018

Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:

PO Box No: Country: Canada

Choice of Contact: Co Admin: Phone No Admin:

Detail(s)

Waste Class: 241 I

Waste Class Desc: Halogenated solvents and residues

ENE/180.7 69.9 / 3.75 33 1 of 3 250 Rochester Street,

Ottawa ON K1R 7N1

Nearest Intersection: Municipality:

Client Prov/State:

X:

X:

Y:

Search Radius (km):

250 Rochester Street.

Ottawa ON K1R 7N1

Client Prov/State:

Search Radius (km):

Nearest Intersection:

Municipality:

20300700116 Order No:

Status: C

Lot/Building Size:

33

Report Type: Custom Report 15-OCT-20 Report Date: Date Received: 07-OCT-20

Previous Site Name:

2 of 3

Y:

69.9 / 3.75

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Title Searches; City Directory

Order No: 20300700116 Nearest Intersection: Municipality: Status:

ENE/180.7

Report Type: Custom Report Report Date: 15-OCT-20

Date Received: 07-OCT-20 Previous Site Name:

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Title Searches; City Directory

33 3 of 3 ENE/180.7 69.9 / 3.75 250 Rochester Street,

Ottawa ON K1R 7N1

Order No: 20300700116 Status:

Report Type: **Custom Report** Client Prov/State: Report Date: 15-OCT-20 Search Radius (km):

07-OCT-20 -75.7105981 Date Received: X: Previous Site Name: 45.4061566

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Title Searches; City Directory

Number of Elev/Diff Site DB Map Key Direction/ Records Distance (m) (m) 1 of 1 ENE/180.9 69.9 / 3.75 2363251 Ontario Inc. 34 **GEN** 250 Rochester Street Ottawa ON K1R 7N1 ON6771251 Generator No: PO Box No: Status: Registered Country: Canada Choice of Contact: Approval Years: As of Apr 2021 Contam. Facility: Co Admin: Phone No Admin: MHSW Facility: SIC Code: SIC Description: Detail(s) Waste Class: 146 L Waste Class Desc: Other specified inorganic sludges, slurries or solids ENE/186.7 Enbridge Gas Distribution Inc. 35 1 of 2 69.9 / 3.74 SPL 228 Rochester St. Ottawa ON 4325-9X8JQN Ref No: Discharger Report: Site No: NA Material Group: 6/6/2015 Incident Dt: Health/Env Conseq: Year: Client Type: Incident Cause: Leak/Break Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: NATURAL GAS (METHANE) 228 Rochester St Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Site Region: Contaminant UN No 1: **Environment Impact:** Site Municipality: Ottawa Nature of Impact: Air Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: Ν MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: 6/6/2015 **MOE Reported Dt:** Site Map Datum: Dt Document Closed: TSSA - Fuel Safety Branch - Hydrocarbon Fuel SAC Action Class: Release/Spill Incident Reason: Operator/Human Error Source Type: Site Name: 228 Rochester St.<UNOFFICIAL> Site County/District: Site Geo Ref Meth: TSSA FSB: 1/2" plastic linestrike Incident Summary: Contaminant Qty: 0 other - see incident description ENE/186.7 35 2 of 2 69.9 / 3.74 IN-DEPTH CONSTRUCTION **PINC** 228 ROCHESTER ST,,OTTAWA,ON,K1R 7M8,CA ON Incident ID: Pipe Material:

Incident No: 1657920 Fuel Category: Natural Gas 6/8/2015 Health Impact: Incident Reported Dt:

Yes

Order No: 21080600433

Environment Impact: Type: FS-Pipeline Incident Status Code: Property Damage:

Tank Status: Pipeline Damage Reason Est Service Interrupt: Yes

Task No: 5591634 Enforce Policy: Spills Action Centre: Public Relation:

Fuel Type: Pipeline System:

DB Number of Direction/ Elev/Diff Site Map Key

Records Distance (m) (m)

PSIG: Fuel Occurrence Tp:

Date of Occurrence: Attribute Category: FS-Perform P-line Inc Invest 2015/11/09

Occurrence Start Dt: Regulator Location: Depth: Method Details: E-mail

Customer Acct Name: IN-DEPTH CONSTRUCTION

228 ROCHESTER ST,,OTTAWA,ON,K1R 7M8,CA Incident Address:

Operation Type: Pipeline Type: Regulator Type: Summary:

228 ROCHESTER ST, OTTAWA - PIPELINE HIT - 1/2"

Reported By: Paul Vanderploeg - enbridge

Affiliation: Occurrence Desc:

Damage Reason: Excavation practices not sufficient

Notes:

36 1 of 2 W/188.4 63.0 / -3.23 GUANGZHOU TRISTATE INDUSTRIAL CO LTD **PINC**

1010 SOMERSET ST W,,OTTAWA,ON,K1A 0J9,

CA ON

Incident ID: Pipe Material:

Incident No: 1603296 Fuel Category: Natural Gas

Incident Reported Dt: 3/24/2015 Health Impact: FS-Pipeline Incident Environment Impact: Type:

Status Code: Property Damage:

Yes Tank Status: Pipeline Damage Reason Est Service Interrupt: Yes

5417237 Enforce Policy: Task No:

Spills Action Centre: Public Relation: Pipeline System: Fuel Type:

Fuel Occurrence Tp: PSIG:

Date of Occurrence: Attribute Category: FS-Perform P-line Inc Invest

2015/03/25 Occurrence Start Dt: Regulator Location:

Depth: Method Details: E-mail

GUANGZHOU TRISTATE INDUSTRIAL CO LTD Customer Acct Name: Incident Address: 1010 SOMERSET ST W,,OTTAWA,ON,K1A 0J9,CA

Operation Type: Pipeline Type: Regulator Type:

Summary: 1010 SOMERSET ST. OTTAWA - PIPELINE HIT - 2"

Reported By: Tracy Penney - ENBRIDGE

Affiliation: Occurrence Desc:

Damage Reason: Excavation practices not sufficient

Notes:

36 2 of 2 W/188.4 63.0 / -3.23 Public Services & Procurement Canada

ESD/AFD

1010 Somerset ST W OTTAWA ON K1R 6R9

Co Admin:

Phone No Admin:

GEN

Order No: 21080600433

Generator No: ON8671552 PO Box No:

Registered Status: Country: Canada As of Apr 2021 Approval Years: Choice of Contact:

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Detail(s)

Waste Class: 221 L
Waste Class Desc: Light fuels

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 150 L

Waste Class Desc: Inert organic wastes

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 221 I
Waste Class Desc: Light fuels

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 145

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 121 C

Waste Class Desc: Alkaline slutions - containing heavy metals

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 263

Waste Class Desc: Misc. waste organic chemicals

37 1 of 1 NNW/194.0 66.1 / -0.06 Anderson Street && Preston Street

64.2 / -2.03

Order No: 20030603006

Status:

Report Type: Custom Report Report Date: 6/5/03
Date Received: 6/3/03

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State:

Ottawa ON

Client Prov/State: ON
Search Radius (km): 0.25
X: -75.712863
Y: 45.408415

GEN

Order No: 21080600433

Generator No: ON7422806 Status:

1 of 3

Approval Years: 03,04

Contam. Facility: MHSW Facility: Ottawa ON K1R 7P5
PO Box No:
Country:

City of Ottawa

130 Preston St

Choice of Contact: Co Admin: Phone No Admin:

NW/196.1

38

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m) SIC Code: SIC Description: 38 2 of 3 NW/196.1 64.2 / -2.03 City of Ottawa CA 130 Preston Street Ottawa ON 4093-5FNH89 Certificate #: Application Year: 2002 11/12/2002 Issue Date: Industrial Sewage Works Approval Type:

Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:

Contaminants: **Emission Control:**

> 38 3 of 3 NW/196.1 64.2 / -2.03 City of Ottawa **ECA** 130 Preston Street

Ottawa ON

MOE District: 4093-5FNH89 Ottawa Approval No: City:

Approval Date: 2002-11-12 Status: Approved

Longitude: -75.71384 **ECA** 45.407608 Record Type: Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Rideau Valley Geometry Y:

ECA-INDUSTRIAL SEWAGE WORKS Approval Type: Project Type: INDUSTRIAL SEWAGE WORKS

Approved

Business Name: City of Ottawa 130 Preston Street Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7365-5EPJM3-14.pdf

179 LOUISA STREET, OTTAWA 39 1 of 1 SSE/197.9 67.0 / 0.77 INC **ON K1R 6Y9**

Incident No: 133414 Incident ID: 2284250

Instance No:

Causal Analysis Complete Status Code: FS-Incident Attribute Category:

Context:

Date of Occurrence: Time of Occurrence:

Incident Created On: Instance Creation Dt: Instance Install Dt: Occur Insp Start Date: Approx Quant Rel: Tank Capacity: Fuels Occur Type:

Prc Escalation Reg:

Main Distribution Pipeline Pipeline Type: Pipeline Involved: Pipe Material: Steel Depth Ground Cover: 0.7 Fuel Type Involved: Regulator Location: Outside Service Regulator (up to 60 psi intake) **Enforcement Policy:** Regulator Type: Operation Pressure:

Tank Material Type: Tank Storage Type:

Liquid Prop Make: Liquid Prop Model:

Any Health Impact:

Any Enviro Impact:

Service Interrupted: Was Prop Damaged:

Reside App. Type:

Indus App. Type:

Venting Type:

Institut App. Type:

Vent Conn Mater:

Vent Chimney Mater:

Commer App. Type:

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m) Liquid Prop Serial No: Tank Location Type: Pump Flow Rate Cap: **Liquid Prop Notes:** Task No: Equipment Type: Equipment Model: Notes: Drainage System: Serial No: Cylinder Capacity: Sub Surface Contam.: Aff Prop Use Water: Cylinder Cap Units: Contam. Migrated: Cylinder Mat Type: Contact Natural Env: Near Body of Water: Incident Location: 179 LOUISA STREET, OTTAWA - 2" PIPELINE HIT Occurence Narrative: Operation Type Involved: Item: Item Description: Device Installed Location: 40 1 of 2 S/205.6 64.8 / -1.39 L'ORA DI OTTAWA SCT 203 LOUISA ST OTTAWA ON K1R 6Y9 Established: 1969 Plant Size (ft2): 0 Employment: 4 --Details--Description: Newspaper Publishers SIC/NAICS Code: 511110 40 2 of 2 S/205.6 64.8 / -1.39 L'Ora di Ottawa (1987) Ltd. SCT 203 Louisa St Ottawa ON K1R 6Y9 01-AUG-68 Established: Plant Size (ft2): Employment: --Details--Description: Newspaper Publishers SIC/NAICS Code: 511110 41 1 of 1 S/207.0 66.0 / -0.22 189-191 Louisa St **EHS** Ottawa ON Order No: 20171114180 Nearest Intersection: Status: С Municipality: Report Type: Standard Report Client Prov/State: ON 20-NOV-17 Report Date: Search Radius (km): .25 Date Received: 14-NOV-17 -75.712637 X: Y: Previous Site Name: 45.403768 Lot/Building Size: Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos Additional Info Ordered:

Well ID: 7353770 Data Entry Status: Construction Date: Data Src:

69.8 / 3.66

280 Rochester St.

Ottawa ON

WWIS

Order No: 21080600433

E/207.4

42

1 of 1

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material:

Audit No: Z231075

Tag: A279030 Construction Method: Elevation (m):

Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

2012/12/11 Well Completed Date: Year Completed: 2012 2.151888 Depth (m):

45.4059034259752 Latitude: Longitude: -75.710161885585

Path:

Bore Hole Information

Bore Hole ID: 1008157001

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11-Dec-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1008240693 Formation ID:

Layer: Color:

General Color: 01 Mat1: Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

1.5199999809265137 Formation End Depth:

2/19/2020 Date Received: Selected Flag: True

Abandonment Rec: Contractor:

1844 Form Version: 7

Owner:

Street Name: 280 Rochester St. **OTTAWA** County: Municipality: **OTTAWA CITY**

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation: Elevro:

18 Zone:

444425.00 East83: 5028288.00 North83: Org CS: UTM83

UTMRC:

margin of error: 30 m - 100 m UTMRC Desc:

Order No: 21080600433

Location Method:

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1008240694

Layer:

Color: General Color:

Mat1: 15

Most Common Material: LIMESTONE

17 Mat2: SHALE Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth:

1.5199999809265137 Formation End Depth: 7.059999942779541

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1008240950

Layer: 1 Plug From: 0 3.75 Plug To: Plug Depth UOM:

Pipe Information

Pipe ID: 1008240290

Casing No:

Comment: Alt Name:

Construction Record - Screen

Screen ID: 1008241486

Layer: Slot: 10

Screen Top Depth: Screen End Depth:

Screen Material: 5

Screen Depth UOM:

Screen Diameter UOM: inch

Screen Diameter: 5.84999990463257

Results of Well Yield Testing

Pump Test ID: 1008241692

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: GPM Rate UOM:

Water State After Test Code: Water State After Test:

0 Pumping Test Method:

Order No: 21080600433

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Pumping Duration HR: **Pumping Duration MIN:**

Flowing:

Water Details

Water ID: 1008241577

Layer: Kind Code: 8

Kind: Untested

3.869999885559082 Water Found Depth:

Water Found Depth UOM:

Hole Diameter

1008241116 Hole ID: Diameter: 7.619999885559082 Depth From: 1.5199999809265137 7.059999942779541 Depth To:

Hole Depth UOM: ft Hole Diameter UOM: Inch

Hole Diameter

Hole ID: 1008241115

20.299999237060547 Diameter:

Depth From: 0.0

Depth To: 1.5199999809265137

847977

Hole Depth UOM: ft Hole Diameter UOM: Inch

WSW/212.0 43 1 of 1 63.8 / -2.34 ON

OGF ID: 215589634 Status: Decommissioned

Type: Borehole

Geotechnical/Geological Investigation Use:

Completion Date: 05-DEC-1962

Static Water Level: Primary Water Use: Sec. Water Use:

Total Depth m: 3.2

Depth Ref: **Ground Surface**

Depth Elev:

Borehole ID:

Diamond Drill Drill Method:

Orig Ground Elev m: 59.9

Elev Reliabil Note:

DEM Ground Elev m: 57.3

CON 1 ON OTTAWA RIVER Concession:

Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 6559452 0 Top Depth: **Bottom Depth:** 1.8 Grey-Brown Material Color:

Material 1: Silt Northing: 5028180 Location Accuracy: Within 50 metres

No

No

No

LOT 38

444023

NEPEAN 45.404899

-75.715286

Initial Entry

BORE

Order No: 21080600433

Accuracy:

Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:

Inclin FLG:

SP Status:

Surv Elev:

Piezometer:

Municipality:

Township:

Latitude DD:

UTM Zone:

Easting:

Longitude DD:

Lot:

Primary Name:

Geologic Formation:

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Clay Geologic Group: Gravel Geologic Period:

Fill Material 4: Gsc Material Description:

Material 2:

Material 3:

Stratum Description: GREY-BROWN CLAYEY SILT AND GRAVEL FILL **Note: Many records provided by the department have a

truncated [Stratum Description] field.

6559453 Geology Stratum ID: Mat Consistency: Top Depth: 1.8 Material Moisture: **Bottom Depth:** 3.2 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Till Geologic Formation: Material 2: clay silt Geologic Group: Material 3: Fine Sand Geologic Period:

Depositional Gen: Material 4: Gravel glacial

Gsc Material Description:

Stratum Description: GREY, CLAYEY SILT, FINE SAND, GRAVEL (GLACIAL TILL) **Note: Many records provided by the department

have a truncated [Stratum Description] field.

1 of 1 NE/220.7 69.8 / 3.61 The Original Maple Bat Company 44 SCT

202 Ronchester St Ottawa ON K1R 7M6

Depositional Gen:

Established: 1996

Plant Size (ft2):

Employment: 15

--Details--

Description: Sporting and Athletic Goods Manufacturing

SIC/NAICS Code: 339920

45 1 of 1 NE/220.8 69.8 / 3.61 The Original Maple Bat Company SCT 202 Rochester St

Ottawa ON K1R 7M6

Established: 1996

Plant Size (ft2):

Employment: 15

--Details--

Sporting and Athletic Goods Manufacturing Description:

SIC/NAICS Code: 339920

ESE/222.1 OTTAWA BOARD OF EDUCATION 46 1 of 17 68.9 / 2.69 GEN

HIGH SCHOOL OF COMMERCE,300 ROCHESTERST C/O 330 GILMOUR ST.

Order No: 21080600433

OTTAWA ON K1R 7N4

Choice of Contact:

Phone No Admin:

Co Admin:

ON0375211 PO Box No: Generator No: Status: Country:

Approval Years: 86,87,88,89,90 Contam. Facility:

MHSW Facility: 8511 SIC Code:

SIC Description: ELEMT./SECON. EDUC.

Detail(s)

Waste Class: 148

Number of Elev/Diff Site DB Map Key Direction/ Records Distance (m) (m) Waste Class Desc: **INORGANIC LABORATORY CHEMICALS** Waste Class: 263 Waste Class Desc: ORGANIC LABORATORY CHEMICALS 46 2 of 17 ESE/222.1 68.9 / 2.69 OTTAWA BOARD OF EDUCATION GEN HIGH SCHOOL OF COMMERCE 300 **ROCHESTER STREET** OTTAWA ON K1R 7N4 Generator No: ON0375211 PO Box No: Status: Country: 92,93,97 Choice of Contact: Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 8511 SIC Description: ELEMT./SECON. EDUC. Detail(s) Waste Class: 148 Waste Class Desc: INORGANIC LABORATORY CHEMICALS Waste Class: 263 ORGANIC LABORATORY CHEMICALS Waste Class Desc: 3 of 17 ESE/222.1 68.9 / 2.69 **OTTAWA BOARD OF EDUCATION 29-129** 46 **GEN** HIGH SCHOOL OF COMMERCE,300 ROCHESTERST C/O 330 GILMOUR ST. OTTAWA ON K1R 7N4 ON0375211 Generator No: PO Box No: Country: Status: Approval Years: 94,95,96 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 8511 ELEMT./SECON. EDUC. SIC Description: Detail(s) Waste Class: 148 Waste Class Desc: INORGANIC LABORATORY CHEMICALS Waste Class: Waste Class Desc: ORGANIC LABORATORY CHEMICALS 46 4 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL **GEN BOARD** ADULT HIGH SCHOOL 300 ROCHESTER STREET

OTTAWA ON K1P 7N4

Order No: 21080600433

Generator No: ON0375211 PO Box No: Country: Status:

98,99,00,01,02,03,04,05,06,07,08 Choice of Contact: Co Admin:

Contam. Facility: MHSW Facility: Phone No Admin: SIC Code: 8511

SIC Description: ELEMT./SECON. EDUC.

Approval Years:

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m) Detail(s) Waste Class: Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES Waste Class: Waste Class Desc: INORGANIC LABORATORY CHEMICALS Waste Class: Waste Class Desc: WASTE COMPRESSED GASES Waste Class: ALIPHATIC SOLVENTS Waste Class Desc: Waste Class: LIGHT FUELS Waste Class Desc: Waste Class: ORGANIC LABORATORY CHEMICALS Waste Class Desc: 46 5 of 17 ESE/222.1 68.9 / 2.69 Ottawa-Carleton District School Board **GEN** Adult Continuing Education Centre 300 Rochester St. Ottawa ON K1R 7N4 ON7850245 PO Box No: Generator No: Status: Country: Approval Years: 02,03,04 Choice of Contact: Co Admin: Contam. Facility: MHSW Facility: Phone No Admin: SIC Code: SIC Description: Detail(s) 243 Waste Class: Waste Class Desc: PCB'S ESE/222.1 300 Rochester Street 46 6 of 17 68.9 / 2.69 **EHS** Ottawa ON K1R 7N4 Order No: 20050506007 Nearest Intersection: С Municipality: Status: Report Type: Client Prov/State: ON 5/17/2005 0.35 Report Date: Search Radius (km): Date Received: 5/6/2005 X: -75.710217 Previous Site Name: Y: 45.404356 Lot/Building Size: Additional Info Ordered: Title Search 46 7 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL **GEN BOARD** ADULT HIGH SCHOOL 300 ROCHESTER STREET

OTTAWA ON K1R 7N4

Order No: 21080600433

Generator No: ON0375211 PO Box No: Status: Country:

> Choice of Contact: Co Admin: Phone No Admin:

SIC Code: 611110

2009

Approval Years: Contam. Facility:

MHSW Facility:

Number of Direction/ Elev/Diff Site DB Map Key Records Distance (m)

Elementary and Secondary Schools SIC Description:

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 148

INORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class:

Waste Class Desc: WASTE COMPRESSED GASES

46 8 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

ADULT HIGH SCHOOL 300 ROCHESTER

GEN

Order No: 21080600433

STREET

OTTAWA ON K1R 7N4

ON0375211 Generator No: PO Box No: Status:

Country: 2010

Approval Years: Choice of Contact: Contam. Facility: Co Admin:

MHSW Facility: Phone No Admin: SIC Code: 611110

SIC Description: Elementary and Secondary Schools

Detail(s)

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

INORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

PAINT/PIGMENT/COATING RESIDUES Waste Class Desc:

Waste Class: 221

Waste Class Desc: LIGHT FUELS

ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL 46 9 of 17 **GEN**

BOARD ADULT HIGH SCHOOL 300 ROCHESTER

STREET

OTTAWA ON K1R 7N4

Generator No: ON0375211 PO Box No:

Number of Elev/Diff Site DB Map Key Direction/

Status: Country:

2011 Choice of Contact: Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

Distance (m)

(m)

SIC Code: 611110

Elementary and Secondary Schools SIC Description:

Detail(s)

Waste Class: 148

Records

INORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

ESE/222.1 46 10 of 17 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

BOARD

ADULT HIGH SCHOOL 300 ROCHESTER

STREET

OTTAWA ON K1R 7N4

GEN

Order No: 21080600433

ON0375211 Generator No: PO Box No: Status:

Country:

2012 Choice of Contact: Approval Years: Co Admin: Contam. Facility: MHSW Facility: Phone No Admin:

611110 SIC Code:

SIC Description: Elementary and Secondary Schools

Detail(s)

Waste Class: 145

PAINT/PIGMENT/COATING RESIDUES Waste Class Desc:

Waste Class: 212

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class:

Waste Class Desc: LIGHT FUELS

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

OTTAWA-CARLETON DISTRICT SCHOOL 46 11 of 17 ESE/222.1 68.9 / 2.69 **GEN** Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

BOARD

ADULT HIGH SCHOOL 300 ROCHESTER

STREET OTTAWA ON

 Generator No:
 ON0375211
 PO Box No:

 Status:
 Country:

Approval Years: 2013 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

SIC Code: 611110

SIC Description: ELEMENTARY AND SECONDARY SCHOOLS

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 267

Waste Class Desc: ORGANIC ACIDS

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

46 12 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

BOARD

ADULT HIGH SCHOOL 300 ROCHESTER

GEN

Order No: 21080600433

STREET

OTTAWA ON K1P 7N4

Generator No: ON0375211 PO Box No:

Status:Country:CanadaApproval Years:2016Choice of Contact:CO_OFFICIALContam. Facility:NoCo Admin:Greg BensonMHSW Facility:NoPhone No Admin:613-596-8211 Ext.8549

SIC Code: 611110

SIC Description: ELEMENTARY AND SECONDARY SCHOOLS

Detail(s)

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Map Key Number of Direction/ Elev/Diff Site DB

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 145

Records

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Distance (m)

(m)

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 267

Waste Class Desc: ORGANIC ACIDS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

46 13 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

BOARD

ADULT HIGH SCHOOL 300 ROCHESTER

Order No: 21080600433

STREET

OTTAWA ON K1P 7N4

Generator No: ON0375211 PO Box No:

Status:Country:CanadaApproval Years:2015Choice of Contact:CO_OFFICIALContam. Facility:NoCo Admin:Greg Benson

MHSW Facility: No Phone No Admin: 613-596-8211 Ext.8549

SIC Code: 611110

SIC Description: ELEMENTARY AND SECONDARY SCHOOLS

Detail(s)

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 267

Waste Class Desc: ORGANIC ACIDS

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

46 14 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

BOARD

ADULT HIGH SCHOOL 300 ROCHESTER

GEN

STREET

OTTAWA ON K1P 7N4

Generator No: ON0375211 PO Box No:

Status:Country:CanadaApproval Years:2014Choice of Contact:CO_OFFICIALContam. Facility:NoCo Admin:Greg BensonMHSW Facility:NoPhone No Admin:613-596-8211 Ext.8549

SIC Code: 611110

SIC Description: ELEMENTARY AND SECONDARY SCHOOLS

Detail(s)

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 267

Waste Class Desc: ORGANIC ACIDS

46 15 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

BOARD Health and Safety

ADULT HIGH SCHOOL 300 ROCHESTER

Order No: 21080600433

STREET

OTTAWA ON K1P 7N4

Generator No: ON0375211 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Dec 2018Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:SIC Code:

Detail(s)

SIC Description:

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 145 I

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 148 A

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 B

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 R

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 212 B

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 263 B

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 l

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 267 C
Waste Class Desc: Organic acids

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

46 16 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

BOARD Health and Safety
ADULT HIGH SCHOOL 300 ROCHESTER

ADULT HIGH SCHOOL 300 NOCHESTER

Order No: 21080600433

STREET OTTAWA ON K1P 7N4

Generator No: ON0375211 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Jul 2020Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: SIC Description:

Detail(s)

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 148 B

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 A

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 267 C
Waste Class Desc: Organic acids

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 212 B

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 R

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 263

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 145

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 263 B

Waste Class Desc: Misc. waste organic chemicals

46 17 of 17 ESE/222.1 68.9 / 2.69 OTTAWA-CARLETON DISTRICT SCHOOL

BOARD Health and Safety

ADULT HIGH SCHOOL 300 ROCHESTER

GEN

Order No: 21080600433

STREET

OTTAWA ON K1P 7N4

Generator No: ON0375211 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Apr 2021Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: SIC Description:

Detail(s)

Waste Class: 267 C
Waste Class Desc: Organic acids

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 148 B

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 263 I

Waste Class Desc: Misc. waste organic chemicals

Map Key Number of Direction/ Elev/Diff Site DB

Records Dis

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 F

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 212 B

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 145 I

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Distance (m)

(m)

Waste Class: 263 B

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

47 1 of 2 ENE/226.1 70.5 / 4.27 249 ROCHESTER Ottawa ON WWIS

Well ID: 7204253

Construction Date:
Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Observation Wells

Water Type: Casing Material:

Audit No: Z168910

Tag: _NO_TAG

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 7/5/2013 **Selected Flag:** True

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name:249 ROCHESTERCounty:OTTAWAMunicipality:OTTAWA CITY

Order No: 21080600433

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204253.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2013/05/22

 Year Completed:
 2013

 Depth (m):
 4.88

 Latitude:
 45.4063180887206

 Longitude:
 -75.7100648532507

 Path:
 720√7204253.pdf

Bore Hole Information

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

66.924903

444433.00 5028334.00

margin of error: 30 m - 100 m

Order No: 21080600433

UTM83

18

Bore Hole ID: 1004397059

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 22-May-2013 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004810161

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 0.3100000023841858

 Formation End Depth:
 2.740000009536743

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004810162

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

 Formation Top Depth:
 2.740000009536743

 Formation End Depth:
 4.880000114440918

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004810160

 Layer:
 1

 Color:
 6

General Color: BROWN Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.3100000023841858

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004810171

Layer:

Plug From: 0.910000026226044

Plug To: 1.5 Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004810170

Layer: 1 Plug From: 0

Plug To: 0.910000026226044

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004810172

Layer: 3 **Plug From:** 1.5

Plug To: 4.88000011444092

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004810169

Method Construction Code: 7

Method Construction: Diamond

Other Method Construction:

Pipe Information

Pipe ID: 1004810159

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004810165

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

 Depth To:
 1.83000004291534

 Casing Diameter:
 3.45000004768372

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Order No: 21080600433

Screen ID: 1004810166

Layer: 1 **Slot:** 10

 Screen Top Depth:
 1.83000004291534

 Screen End Depth:
 4.88000011444092

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.21000003814697

Water Details

Water ID: 1004810164

Layer: Kind Code: Kind:

Water Found Depth:
Water Found Depth UOM:

m

Hole Diameter

 Hole ID:
 1004810163

 Diameter:
 5.710000038146973

 Depth From:
 0.0

Depth To: 4.880000114440918

Hole Depth UOM: m
Hole Diameter UOM: cm

47 2 of 2 ENE/226.1 70.5 / 4.27 249 ROCHESTER ST Ottawa ON WWIS

Well ID: 7204254

Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use:
Final Well Status: Test Hole

Water Type:

Casing Material:

Audit No: Z154404 **Tag:** A145283

Tag: A
Construction Method:
Elevation (m):
Elevation Reliability:

Depth to Bedrock: Well Depth:

Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):

Flow Rate: Clear/Cloudy:

5 . 5 . 6 . .

Data Entry Status:

Data Src:
Date Received: 7/5/2013
Selected Flag: True
Abandonment Rec:
Contractor: 7241
Form Version: 7

Owner:

Street Name: 249 ROCHESTER ST

County: OTTAWA

Municipality: NEPEAN TOWNSHIP

Site Info: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204254.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2013/05/26

 Year Completed:
 2013

 Depth (m):
 4.57

Latitude: 45.4063180887206 **Longitude:** -75.7100648532507

UTMRC Desc:

margin of error: 30 m - 100 m

Order No: 21080600433

wwr

Path: 720\7204254.pdf

Bore Hole Information

Bore Hole ID: 1004397062 **Elevation:** 66.924903

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 444433.00

 Code OB Desc:
 North83:
 5028334.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Remarks: Location Method:

26-May-2013 00:00:00

Elevrc Desc:

Date Completed:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004810174

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 4.570000171661377

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004810185

Layer: 3

 Plug From:
 2.74000000953674

 Plug To:
 4.57000017166138

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004810184

Layer: 2

 Plug From:
 1.83000004291534

 Plug To:
 2.74000000953674

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004810183

Layer: 1
Plug From: 0

Plug To: 1.87999999523163

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004810182

m

Method Construction Code: Diamond Method Construction:

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1004810173

Casing No: Comment:

Construction Record - Casing

Casing ID: 1004810178

Layer: Material: 5

Open Hole or Material: **PLASTIC**

Depth From: n

Depth To: 3.09999990463257 Casing Diameter: 3.45000004768372

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004810179

Layer: 1

10 Slot:

Screen Top Depth: 3.09999990463257 Screen End Depth: 4.57000017166138

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM:

Screen Diameter: 4.21000003814697

Water Details

1004810177 Water ID:

Layer: Kind Code: Kind:

Water Found Depth: m

Water Found Depth UOM:

Hole Diameter

Hole ID: 1004810175

Diameter: 8.0 Depth From: 0.0

Depth To: 1.8300000429153442

Hole Depth UOM: m Hole Diameter UOM: cm

Hole Diameter

Order No: 21080600433

Map Key Number of Direction/ Elev/Diff Site DB

 Hole ID:
 1004810176

 Diameter:
 5.71000038146973

 Depth From:
 1.830000429153442

 Depth To:
 4.570000171661377

Hole Depth UOM: m
Hole Diameter UOM: cm

Records

48 1 of 1 ENE/231.4 70.9 / 4.69 247 Rochester St Ottawa ON K1R7M9

Order No:20171220166Nearest Intersection:Status:CMunicipality:

Distance (m)

(m)

Status: C
Report Type: Standard Express Report

Report Date: 20-DEC-17
Date Received: 20-DEC-17

Previous Site Name: Lot/Building Size: Additional Info Ordered: Client Prov/State: ON
Search Radius (km): .25
X: -75.710062

45.406445

Order No: 21080600433

49 1 of 1 SW/231.6 65.6 / -0.59 175 LORETTA AVE OTTAWA ON WWIS

Y:

Well ID: 7183732 Data Entry Status:

Construction Date:Data Src:Primary Water Use:Monitoring and Test HoleDate Received:7/6/2012

Sec. Water Use: 0 Selected Flag: True
Final Well Status: 0 Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

 Audit No:
 Z152812
 Owner:

 Tag:
 A115793
 Street Name:
 175 LORETTA AVE

Construction Method:County:OTTAWAElevation (m):Municipality:NEPEAN TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7183732.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2012/06/11

 Year Completed:
 2012

 Depth (m):
 4.88

 Latitude:
 45.4038343978382

 Longitude:
 -75.7142888054846

 Path:
 718\7183732.pdf

Bore Hole Information

Bore Hole ID: 1003965637 **Elevation:** 60.347965

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 444100.00

 Code OB Desc:
 North83:
 5028061.00

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

wwr

margin of error : 30 m - 100 m

Order No: 21080600433

Open Hole: Cluster Kind:

Date Completed: 11-Jun-2012 00:00:00

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004346098

Layer: 1
Color: 6

General Color: **BROWN** 01 Mat1: Most Common Material: **FILL** 11 Mat2: Mat2 Desc: **GRAVEL** Mat3: 79 **PACKED** Mat3 Desc: Formation Top Depth: 0.0

Formation End Depth: 1.8300000429153442

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004346100

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 3.0999999046325684

 Formation End Depth:
 4.880000114440918

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004346099

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 79

 Mat3 Desc:
 PACKED

 Formation Top Depth:
 1.8300000429153442

 Formation End Depth:
 3.0999999046325684

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

1004346109 Plug ID:

Layer:

0.310000002384186 Plug From:

Plug To: 1.5 Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

1004346110 Plug ID:

Layer: 3 Plug From: 1.5

Plug To: 4.88000011444092

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004346108

Layer: 0 Plug From:

Plug To: 0.310000002384186

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004346107

Method Construction Code: В

Method Construction: Other Method **DIRECT PUSH** Other Method Construction:

Pipe Information

Pipe ID: 1004346097

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004346103

Layer: Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0

Depth To: 1.83000004291534 Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

1004346104 Screen ID:

Layer: 1 Slot: 10

Screen Top Depth: 1.83000004291534 Screen End Depth: 4.88000011444092

Order No: 21080600433

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m) Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.82000017166138 Water Details 1004346102 Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: m Hole Diameter 1004346101 Hole ID: Diameter: 8.25 Depth From: 0.0 Depth To: 4.880000114440918 Hole Depth UOM: m Hole Diameter UOM: cm SSE/232.0 **50** 1 of 4 65.9 / -0.31 KEITEL FURNITURE REPAIR LTD **GEN** 184 LOUISA STREET OTTAWA ON K1R 6Z1 Generator No: PO Box No: ON2295700 Country: Status: Approval Years: 97,98,99,00,01,02,03,04,05,06,07,08 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 5421 SIC Code: SIC Description: HOUSEHOLD FURN. Detail(s) 211 Waste Class: Waste Class Desc: AROMATIC SOLVENTS **50** 2 of 4 SSE/232.0 65.9 / -0.31 KEITEL FURNITURE REPAIR LTD **GEN** 184 Louisa Street Ottawa ON K1R 6Z1 Generator No: ON2295700 PO Box No: Country: Status: Approval Years: 2009 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 321999 SIC Code: SIC Description: All Other Miscellaneous Wood Product Manufacturing Detail(s) Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS 50 3 of 4 SSE/232.0 65.9 / -0.31 KEITEL FURNITURE REPAIR LTD

> 184 Louisa Street Ottawa ON K1R 6Z1

GEN

Order No: 21080600433

ON2295700

Generator No: PO Box No: Status: Country:

Approval Years: 2010 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 321999 SIC Code:

All Other Miscellaneous Wood Product Manufacturing SIC Description:

Detail(s)

Waste Class: 211

Waste Class Desc: AROMATIC SOLVENTS

50 4 of 4 SSE/232.0 65.9 / -0.31 KEITEL FURNITURE REPAIR LTD **GEN**

184 Louisa Street Ottawa ON K1R 6Z1

PO Box No: Generator No: ON2295700 Status: Country:

Choice of Contact: Approval Years: 2011 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

321999 SIC Code:

SIC Description: All Other Miscellaneous Wood Product Manufacturing

Detail(s)

Waste Class: 211

Waste Class Desc: AROMATIC SOLVENTS

51 1 of 1 SW/234.7 65.6 / -0.59 175 LORETTA ST **WWIS** Ottawa ON

Well ID: 7183729 Data Entry Status:

Construction Date: Data Src:

7/6/2012 Primary Water Use: Monitoring and Test Hole Date Received: Sec. Water Use: Selected Flag: True Final Well Status: Test Hole Abandonment Rec: Water Type: Contractor: 7241

Casing Material: Form Version: Z152811 Audit No: Owner:

175 LORETTA ST Tag: A126612 Street Name: Construction Method: **OTTAWA** County:

Elevation (m): Municipality: **NEPEAN TOWNSHIP** Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7183729.pdf

Order No: 21080600433

Additional Detail(s) (Map)

2012/06/11 Well Completed Date: Year Completed: 2012 4.27 Depth (m):

Clear/Cloudy:

60.681434

Order No: 21080600433

 Latitude:
 45.4038073161716

 Longitude:
 -75.7143012421662

 Path:
 718\7183729.pdf

Bore Hole Information

Bore Hole ID: 1003965251 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18 Code OB: East83: 444099.00 Code OB Desc: 5028058.00 North83: Open Hole: Org CS: UTM83 **UTMRC**: Cluster Kind:

Date Completed: 11-Jun-2012 00:00:00 **UTMRC Desc:** margin of error : 30 m - 100 m

Remarks: Location Method: V
Elevrc Desc:

Overburden and Bedrock

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Formation ID: 1004345976

Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 84 Mat2 Desc: SILTY Mat3: 11 Mat3 Desc: **GRAVEL**

Formation Top Depth: 1.5

Formation End Depth: 2.740000009536743

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004345977

Layer: 3 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY 28 Mat2: SAND Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 2.740000009536743

 Formation End Depth:
 4.269999980926514

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004345975

Layer: 1 Color: 6

BROWN General Color: Mat1: 01 **FILL** Most Common Material: Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 79 Mat3 Desc: **PACKED** Formation Top Depth: 0.0 Formation End Depth: 1.5 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004345985

Layer: 1

Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004345987

Layer: 3

 Plug From:
 0.910000026226044

 Plug To:
 4.26999998092651

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004345986

Layer: 2

 Plug From:
 0.310000002384186

 Plug To:
 0.93099994277954

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID:1004345984Method Construction Code:B

Method Construction:Other MethodOther Method Construction:DIRECT PUSH

Pipe Information

Pipe ID: 1004345974

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004345980

Layer:1Material:5Open Hole or Material:PLASTIC

Depth From: 0

Depth To: 1.22000002861023

4.03000020980835 Casing Diameter:

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004345981

Layer: 1 Slot: 10

Screen Top Depth: 1.22000002861023 4.26999998092651 Screen End Depth:

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

4.82000017166138 Screen Diameter:

Water Details

Water ID: 1004345979

Laver: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

52

Hole ID: 1004345978 Diameter: 8.25 Depth From: 0.0

4.269999980926514 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 1

65.9 / -0.31

SSW/234.8

ON3461529 Generator No:

Status: Registered As of Oct 2019 Approval Years:

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Ministry of Transportation Ontario

GEN

Order No: 21080600433

940 Gladstone Ave Ottawa ON K1R 6Y4

PO Box No:

Country: Canada

Choice of Contact: Co Admin: Phone No Admin:

Detail(s)

Waste Class: 221 L Waste Class Desc: Light fuels

Waste Class: 146 L

Waste Class Desc: Other specified inorganic sludges, slurries or solids

C CORP (ONTARIO) INC ATTN ACCOUNTS 1 of 12 SSE/236.4 67.0 / 0.84 53 PRT

PAYABLE 284 PRESTON ST OTTAWA ON K1R7R6

Location ID: 11043 retail Type:

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Expiry Date: Capacity (L): Licence #:	,	1996-02-28 63500 0053322001			
<u>53</u>	2 of 12	SSE/236.4	67.0 / 0.84	MAC'S CONVENIENCE STORES INC** 284 PRESTON ST OTTAWA ON K1R 7R6	DTNK
Delisted Exp Facilities	ired Fuel Safety				
Instance No: Status: Instance ID: Instance Typ Description:		9757232 EXPIRED FS Facility			
TSSA Progra Maximum Ha Facility Type	zard Rank:				
Expired Date Original Sou Record Date	: rce:	3/2/1995 EXP Up to May 2013			
<u>53</u>	3 of 12	SSE/236.4	67.0 / 0.84	MAC'S CONVENIENCE STORES INC** 284 PRESTON ST OTTAWA ON	DTNK
<u>Delisted Exp</u> <u>Facilities</u>	ired Fuel Safety				
Instance No: Status: Instance ID: Instance Typ Description: TSSA Progra Maximum Ha Facility Type	ne: nm Area: nzard Rank:	10905567 EXPIRED 50716 FS Piping FS Piping			
Expired Date Original Sou Record Date	rce:	EXP Up to Mar 2012			
<u>53</u>	4 of 12	SSE/236.4	67.0 / 0.84	MAC'S CONVENIENCE STORES INC** 284 PRESTON ST OTTAWA ON	DTNK
<u>Delisted Exp</u> <u>Facilities</u>	ired Fuel Safety				
Instance No: Status: Instance ID: Instance Typ Description: TSSA Progra Maximum Ha Facility Type	e: ım Area: ızard Rank:	10905558 EXPIRED 50842 FS Piping FS Piping			

Order No: 21080600433

Number of Elev/Diff Site DB Map Key Direction/ Records Distance (m) (m)

Expired Date:

Original Source: **EXP**

Record Date: Up to Mar 2012

53 5 of 12 SSE/236.4 67.0 / 0.84 MAC'S CONVENIENCE STORES INC

284 PRESTON ST OTTAWA K1R 7R6 ON CA

NULL

NULL

NULL

NULL

NULL

1

EΑ

EXP

EXP

EXP

Order No: 21080600433

Model:

Quantity:

Fuel Type2:

Fuel Type3:

Piping Steel:

Unit of Measure:

Piping Galvanized:

Tank Single Wall St:

Tank Underground:

Panam Venue Nm:

Panam Related:

Piping Underground:

Instance No: 10905549 Status: **EXPIRED**

Instance ID:

Instance Type: Instance Creation Dt: 3/23/1992

Instance Install Dt: 3/23/1992 Item:

Facility Type:

Item Description: FS Liquid Fuel Tank FS LIQUID FUEL TANK Overfill Prot Type: **NULL** 7/5/2009 1:22:14 AM Creation Date:

Expired Date: Manufacturer: **NULL**

Source: FS Liquid Fuel Tank Description: UNDERGROUND TANK

Serial No: **NULL** Ulc Standard: NULL

284 PRESTON ST OTTAWA K1R 7R6 ON CA Facility Location:

SSE/236.4 MAC'S CONVENIENCE STORES INC 6 of 12 67.0 / 0.84 53

284 PRESTON ST OTTAWA K1R 7R6 ON CA

NULL

EΑ **NULL**

NULL

NULL

NULL

ON Model:

Quantity:

Fuel Type2:

Fuel Type3:

Piping Steel:

Unit of Measure:

Piping Galvanized:

Tank Single Wall St:

Tank Underground:

Panam Venue Nm:

Panam Related:

Piping Underground:

Instance No: 10905543 Status: **EXPIRED**

Instance ID:

Instance Type:

Instance Creation Dt: 3/23/1992 Instance Install Dt: 3/23/1992 Item:

Item Description:

FS Liquid Fuel Tank FS LIQUID FUEL TANK Facility Type:

Overfill Prot Type: **NULL** 7/5/2009 1:22:04 AM

Creation Date: Expired Date:

NULL Manufacturer:

FS Liquid Fuel Tank Source: Description: UNDERGROUND TANK **NULL**

Serial No: Ulc Standard: **NULL**

284 PRESTON ST OTTAWA K1R 7R6 ON CA Facility Location:

53 7 of 12 SSE/236.4 67.0 / 0.84 MAC'S CONVENIENCE STORES INC

284 PRESTON ST OTTAWA K1R 7R6 ON CA

NULL

NULL

ON Model:

Instance No: 10905534

EXPIRED Status: Instance ID:

Instance Type:

Instance Creation Dt: 3/23/1992

3/23/1992 Instance Install Dt: Item:

Quantity: 1 Unit of Measure: EΑ Fuel Type2: NULL

Fuel Type3: Piping Steel:

Piping Galvanized:

Number of Elev/Diff Site DB Map Key Direction/ Records Distance (m) (m)

Tank Single Wall St:

Tank Underground:

Panam Venue Nm:

Panam Related:

Piping Underground:

FS Liquid Fuel Tank Item Description: FS LIQUID FUEL TANK Facility Type:

Overfill Prot Type: NULL

Creation Date: 7/5/2009 1:22:07 AM

Expired Date:

NULL Manufacturer:

Source: FS Liquid Fuel Tank Description: UNDERGROUND TANK

Serial No: **NULL** Ulc Standard: **NULL**

284 PRESTON ST OTTAWA K1R 7R6 ON CA Facility Location:

SSE/236.4 MAC'S CONVENIENCE STORES INC 53 8 of 12 67.0 / 0.84

284 PRESTON ST OTTAWA K1R 7R6 ON CA

NULL

NULL

NULL

NULL

EXP

FST

Order No: 21080600433

NULL

NULL

ON

Fuel Type2:

Fuel Type3:

Piping Steel:

Piping Galvanized:

Tank Single Wall St:

Tank Underground: Panam Related:

Panam Venue Nm:

Piping Underground:

10905525 Instance No: Model: NULL **EXPIRED** Status: Quantity: 1 Instance ID: Unit of Measure: EΑ

Instance Type: Instance Creation Dt: 3/23/1992

Instance Install Dt: 3/23/1992 Item:

Item Description:

FS Liquid Fuel Tank FS LIQUID FUEL TANK Facility Type: Overfill Prot Type: **NULL**

Creation Date:

7/5/2009 1:22:10 AM Expired Date:

NULL Manufacturer:

FS Liquid Fuel Tank Source: Description: UNDERGROUND TANK

Serial No: **NULL** Ulc Standard: **NULL**

Facility Location: 284 PRESTON ST OTTAWA K1R 7R6 ON CA

53 9 of 12 SSE/236.4 67.0 / 0.84 MAC'S CONVENIENCE STORES INC

284 PRESTON ST OTTAWA K1R 7R6 ON CA ON

Diesel

NULL

NULL

Quantity:

Fuel Type:

Fuel Type2:

Fuel Type3:

Piping Steel:

Piping Galvanized:

Tanks Single Wall St:

Piping Underground:

Num Underground:

Panam Related:

Panam Venue:

Ulc Standard:

Unit of Measure:

Instance No: 10905549 Manufacturer: Serial No: Status:

Cont Name: Instance Type:

FS LIQUID FUEL TANK Item: Item Description: FS Liquid Fuel Tank

Tank Type: Liquid Fuel Single Wall UST

Install Date: 3/23/1992 Install Year: 1990 Years in Service:

Model: **NULL**

Description:

13600 Capacity: Tank Material: Steel

Corrosion Protect: Overfill Protect:

Facility Type: FS Liquid Fuel Tank

Parent Facility Type: Facility Location:

Device Installed Location: 284 PRESTON ST OTTAWA K1R 7R6 ON CA

Fuel Storage Tank Details

Owner Account Name: MAC'S CONVENIENCE STORES INC

53 10 of 12 SSE/236.4 67.0 / 0.84 MAC'S CONVENIENCE STORES INC

284 PRESTON ST OTTAWA K1R 7R6 ON CA

Gasoline

NULL

NULL

FST

FST

Order No: 21080600433

ON

Piping Steel:

Piping Galvanized:

Tanks Single Wall St:

Piping Underground:

Num Underground:

Panam Related:

Panam Venue:

Instance No: 10905543 Manufacturer:

Status: Serial No: Cont Name: Ulc Standard:

 Instance Type:
 Quantity:

 Item:
 FS LIQUID FUEL TANK

 Unit of Measure:

Item Description:FS Liquid Fuel TankFuel Type:Tank Type:Liquid Fuel Single Wall USTFuel Type2:Install Date:3/23/1992Fuel Type3:

 Install Date:
 3/23/1992

 Install Year:
 1990

Years in Service:

Model: NULL
Description:
Capacity: 13600
Tank Material: Steel

Corrosion Protect:
Overfill Protect:

Facility Type: FS Liquid Fuel Tank

Parent Facility Type:

Facility Location:

Device Installed Location: 284 PRESTON ST OTTAWA K1R 7R6 ON CA

Fuel Storage Tank Details

Owner Account Name: MAC'S CONVENIENCE STORES INC

53 11 of 12 SSE/236.4 67.0 / 0.84 MAC'S CONVENIENCE STORES INC

284 PRESTON ST OTTAWA K1R 7R6 ON CA

ON

Piping Steel:

Piping Galvanized:

Num Underground:

Panam Related: Panam Venue:

Tanks Single Wall St: Piping Underground:

Instance No: 10905525 Manufacturer:

Status: Serial No: Cont Name: Ulc Standard:

 Instance Type:
 Quantity:

 Item:
 FS LIQUID FUEL TANK

 Unit of Measure:

Item Description:FS Liquid Fuel TankFuel Type:GasolineTank Type:Liquid Fuel Single Wall USTFuel Type2:NULLInstall Date:3/23/1992Fuel Type3:NULL

 Install Date:
 3/23/1992

 Install Year:
 1990

Years in Service:

Model: NULL

Description:
Capacity: 22700
Tank Material: Steel

Corrosion Protect:

Overfill Protect:
Facility Type: FS Liquid Fuel Tank

Parent Facility Type:

Facility Location:

Device Installed Location: 284 PRESTON ST OTTAWA K1R 7R6 ON CA

Fuel Storage Tank Details

Owner Account Name: MAC'S CONVENIENCE STORES INC

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site	Di
<u>53</u>	12 of 12		SSE/236.4	67.0 / 0.84	MAC'S CONVENIENCE STORES INC 284 PRESTON ST OTTAWA K1R 7R6 ON CA ON	FST
Instance No Status: Cont Name: Instance Typ Item: Item Descrip Tank Type: Install Year: Years in Ser Model: Description: Capacity: Tank Materia Corrosion P Overfill Prot Facility Type Parent Facil	pe: ption: rvice: : al: protect: dect:	FS Liquid Liquid Fue 3/23/1992 1990 NULL 13600 Steel	D FUEL TANK Fuel Tank el Single Wall UST	k	Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Gasoline Fuel Type2: NULL Fuel Type3: NULL Piping Steel: Piping Galvanized: Tanks Single Wall St: Piping Underground: Num Underground: Panam Related: Panam Venue:	
Facility Loca		n:	284 PRESTON ST	OTTAWA K1R 7R	6 ON CA	
Fuel Storage Owner Acco	e Tank Detail ount Name:		MAC'S CONVENIE	NCE STORES INC		
<u>54</u>	1 of 11		NW/237.9	63.9 / -2.31	City of Ottawa 930 Somerset St W Ottawa ON K1R 6R9	CA
Certificate # Application Issue Date: Approval Ty Status: Application Client Name Client Addre Client City: Client Posta Project Desc Contaminan Emission Co	Year: rpe: Type: ess: I Code: cription:		5421-7EMPZ6 2008 5/15/2008 Municipal and Priva Approved	ate Sewage Works		
<u>54</u>	2 of 11		NW/237.9	63.9 / -2.31	Corporation City of Ottawa 930 Somerset Street West Ottawa ON	GEN
Generator N Status: Approval Ye Contam. Facil MHSW Facil SIC Code: SIC Descrip	ears: cility: lity:	ON76081 2013 913150	59		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	

Order No: 21080600433

Detail(s)

Waste Class: 252

Number of Elev/Diff Site DB Map Key Direction/ Records Distance (m) (m)

WASTE OILS & LUBRICANTS Waste Class Desc:

3 of 11 NW/237.9 63.9 / -2.31 930 Somerset St W, Ottawa 54 **PINC**

ON

Incident ID: Pipe Material:

Incident No: 644900 Fuel Category: Natural Gas

Incident Reported Dt: Health Impact:

Type: FS-Pipeline Incident **Environment Impact:** Status Code: Pipeline Damage Reason Est Property Damage: Yes

Tank Status: RC Established Service Interrupt: Task No: 3447385 Enforce Policy: Yes

Public Relation: Spills Action Centre: Pipeline System: Fuel Type:

Fuel Occurrence Tp: PSIG:

Attribute Category: Date of Occurrence: FS-Perform P-line Inc Invest Occurrence Start Dt: 2011/07/07 Regulator Location:

Depth: Method Details: F-mail Customer Acct Name:

Incident Address: Operation Type: Pipeline Type: Regulator Type:

Summary: 930 Somerset St W, Ottawa - 11/4" Pipeline Hit

Reported By: Stiles, Jeff

Affiliation: Occurrence Desc:

Excavation practices not sufficient Damage Reason:

Notes:

930 Somerset Street 4 of 11 NW/237.9 63.9 / -2.31 54 SPL Ottawa ON

Agency Involved:

Ref No: 5417-9PFQYU Discharger Report: Site No: NA Material Group: Incident Dt: 2014/09/30 Health/Env Conseq: Client Type: Year:

Incident Cause: Operator/Human error Sector Type: Structure

Incident Event: Contaminant Code:

Nearest Watercourse: **CHLORINE GAS** Contaminant Name: Site Address: 930 Somerset Street

Site District Office: Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Confirmed Ottawa **Environment Impact:** Site Municipality:

Nature of Impact: Air Pollution Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: No Field Response MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE Reported Dt:** 2014/09/30 Site Map Datum:

2014/10/02 Dt Document Closed: SAC Action Class:

Air Spills - Gases and Vapours

Incident Reason: Operator/Human Error Source Type: Plant Bath Recreation Centre<UNOFFICIAL> Site Name:

Site County/District: Site Geo Ref Meth:

chlorine gas being vented to atm due to chemicals mixing Incident Summary:

Contaminant Qty: 0 other - see incident description

54 5 of 11 NW/237.9 63.9 / -2.31 City of Ottawa **ECA** 930 Somerset St W

Order No: 21080600433

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Ottawa ON K1P 1J1

Approval No:5421-7EMPZ6MOE District:Ottawa

 Approval Date:
 2008-05-15
 City:

 Status:
 Approved
 Longitude:
 -75.714455

 Record Type:
 ECA
 Latitude:
 45.407413

 Link Source:
 IDS
 Geometry X:

SWP Area Name:Rideau ValleyGeometry Y:Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa
Address: 930 Somerset St W

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7342-7BAT3C-14.pdf

54 6 of 11 NW/237.9 63.9 / -2.31 Corporation City of Ottawa 930 Somerset Street West

Ottawa ON K1R 6R9

Generator No: ON7608159 PO Box No:

Status:Country:CanadaApproval Years:2016Choice of Contact:CO_OFFICIALContam. Facility:NoCo Admin:Randy VilleneuveMHSW Facility:NoPhone No Admin:613-580-2424 Ext.12085

SIC Code: 913150

SIC Description: 913150

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

54 7 of 11 NW/237.9 63.9 / -2.31 Corporation City of Ottawa GEN

PO Box No:

Order No: 21080600433

930 Somerset Street West
Ottawa ON K1R 6R9

Generator No: ON7608159

Status:Country:CanadaApproval Years:2015Choice of Contact:CO_OFFICIALContam. Facility:NoCo Admin:Randy VilleneuveMHSW Facility:NoPhone No Admin:613-580-2424 Ext.12085

MHSW Facility: No SIC Code: 913150

SIC Description: 913150

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m) 8 of 11 NW/237.9 63.9 / -2.31 Corporation City of Ottawa 54 **GEN** 930 Somerset Street West Ottawa ON K1R 6R9

Choice of Contact:

Phone No Admin:

Choice of Contact:

Co Admin: Phone No Admin:

Co Admin:

ON7608159 Generator No: PO Box No: Country:

Status:

2014 Approval Years: Contam. Facility: No MHSW Facility: No 913150 SIC Code:

SIC Description: 913150

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

NW/237.9 63.9 / -2.31 Corporation City of Ottawa 54 9 of 11 **GEN** 930 Somerset Street West

Ottawa ON K1R 6R9

ON7608159 Generator No: PO Box No: Country:

Status: Registered As of Dec 2018 Approval Years: Contam. Facility:

MHSW Facility: SIC Code: SIC Description:

Detail(s)

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 145 L

Wastes from the use of pigments, coatings and paints Waste Class Desc:

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

NW/237.9 63.9 / -2.31 Corporation City of Ottawa 54 10 of 11 GEN

930 Somerset Street West Ottawa ON K1R 6R9

Generator No: ON7608159 Registered Status:

Approval Years: As of Jul 2020

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

PO Box No: Country: Canada

Canada

Canada

Order No: 21080600433

CO OFFICIAL

Randy Villeneuve

613-580-2424 Ext.12085

Choice of Contact: Co Admin: Phone No Admin:

Detail(s)

Waste Class:

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 145 L

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m) Wastes from the use of pigments, coatings and paints Waste Class Desc: 11 of 11 NW/237.9 63.9 / -2.31 Corporation City of Ottawa 54 **GEN** 930 Somerset Street West Ottawa ON K1R 6R9 ON7608159

Generator No:ON7608159PO Box No:Status:RegisteredCountry:CanadaApproval Years:As of Apr 2021Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

MHSW Facility: SIC Code: SIC Description:

Detail(s)

Waste Class: 145 L

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

55 1 of 1 E/238.0 69.6 / 3.38 ON

Order No: 21080600433

 Borehole ID:
 613134
 Inclin FLG:
 No

 OGF ID:
 215514438
 SP Status:
 Initial Entry

 Status:
 Surv Elev:
 No

 Type:
 Borehole
 Piezometer:
 No

 Type:
 Borehole
 Piezometer:

 Use:
 Primary Name:

 Completion Date:
 FEB-1965
 Municipality:

 Static Water Level:
 6.2
 Lot:

Static Water Level: 6.2 Lot: Primary Water Use: Township:

 Sec. Water Use:
 Latitude DD:
 45.405133

 Total Depth m:
 -999
 Longitude DD:
 -75.709824

 Depth Ref:
 Ground Surface
 UTM Zone:
 18

Depth Her: Ground Surface UTM Zone: 18
Depth Elev: Easting: 444451
Drill Method: Northing: 5028202

Orig Ground Elev m: 64.3 Location Accuracy:

Elev Reliabil Note:Accuracy:Not ApplicableDEM Ground Elev m:65.3

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 218393847 Mat Consistency: Top Depth: Material Moisture: 0 Bottom Depth: 1.3 Material Texture: Material Color: Non Geo Mat Type: Material 1: Fill Geologic Formation: Material 2: Geologic Group:

Material 2: Geologic Group:

Material 3: Geologic Period:

Material 4: Depositional Gen: fill

Gsc Material Description:

Stratum Description: FILL.

Geology Stratum ID: 218393848 Mat Consistency: Dense

Number of Direction/ Elev/Diff Site DB Map Key

Records Distance (m) (m)

1.3 Material Moisture: Top Depth: **Bottom Depth:** Material Texture:

Material Color: Black Non Geo Mat Type: Material 1: Bedrock Geologic Formation: Material 2: Limestone Geologic Group: Geologic Period: Material 3: Shale Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: BEDROCK, GREY, ENSE, SILT, DENSE, UNSPECIFIED, DENSE, BEDROCK, . BEDROCK, BLACK,

Source

Source Type: **Data Survey** Source Appl: Spatial/Tabular

Source Orig: Geological Survey of Canada Source Iden: Source Date: 1956-1972 Scale or Res: Varies Confidence: Horizontal: NAD27

Observatio: Verticalda: Mean Average Sea Level

Urban Geology Automated Information System (UGAIS) Source Name: Source Details: File: OTTAWA2.txt RecordID: 056420 NTS Sheet: 31G05G

Confiden 1:

Source List

NAD27 Source Identifier: Horizontal Datum:

Source Type: Data Survey Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Projection Name: Universal Transverse Mercator

Scale or Resolution: Varies

Urban Geology Automated Information System (UGAIS) Source Name:

Source Originators: Geological Survey of Canada

1 of 1 NW/238.7 63.9 / -2.31 930 Somerset Street West 56 **EHS** Ottawa ON K1R 6R9

Order No: 21032900262 Nearest Intersection:

Status: Municipality:

Report Type: Custom Report Client Prov/State: ON Report Date: 26-APR-21 Search Radius (km): .25

Date Received: 29-MAR-21 X: -75.71444644 45.40742855 Previous Site Name: Y:

Lot/Building Size: 1.64 ha

Additional Info Ordered: City Directory

57 1 of 1 SSW/240.4 65.9 / -0.31 **BORE** ON

Location Accuracy:

Order No: 21080600433

Borehole ID: 847978 Inclin FLG: No 215589635 **Initial Entry** OGF ID: SP Status: Decommissioned Surv Elev: Status: No Type: Borehole Piezometer: No

Geotechnical/Geological Investigation Primary Name: Use: Municipality:

Completion Date: 05-DEC-1961

Static Water Level: Lot: LOT 38 Primary Water Use: **NEPEAN** Township: Sec. Water Use: Latitude DD: 45.403507 Total Depth m: 7.4 Longitude DD: -75.71339

Depth Ref: **Ground Surface** UTM Zone: 18 444170 Depth Elev: Easting:

Diamond Drill Drill Method: Northing: 5028024

Within 50 metres Elev Reliabil Note: Accuracy:

DEM Ground Elev m: 60

Concession: CON 1 ON OTTAWA RIVER

62.6

Orig Ground Elev m:

Location D: Survey D: Comments:

Borehole Geology Stratum

6559454 Geology Stratum ID: Mat Consistency: Top Depth: 0 Material Moisture: **Bottom Depth:** 1.8 Material Texture: Material Color: Brown Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2: Silt Geologic Group: Material 3: Gravel Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: BROWN SAND, SILT AND GRAVEL (PROBABLY FILL) **Note: Many records provided by the department have a

truncated [Stratum Description] field.

6559455 Stiff Geology Stratum ID: Mat Consistency: Top Depth: 1.8 Material Moisture: **Bottom Depth:** 2.9 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Geologic Formation: Silt Material 2: Clay Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: GREY, STIFF. CLAYEY SILT **Note: Many records provided by the department have a truncated [Stratum

Description] field.

Geology Stratum ID:6559456Mat Consistency:Top Depth:2.9Material Moisture:Bottom Depth:7.4Material Texture:Material Color:Non Geo Mat Type:Material 1:LimestoneGeologic Formation

Material 1:LimestoneGeologic Formation:Material 2:BedrockGeologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: LIMESTONE BEDROCK 80%-100% RECOVERY **Note: Many records provided by the department have a

truncated [Stratum Description] field.

58 1 of 2 E/242.0 69.9 / 3.74 OTTAWA CITY

CA

Order No: 21080600433

E/242.0 69.9 / 3.74 OTTAWA CITY ROCHESTER ST./GLADSTONE AVE.

OTTAWA CITY ON

 Certificate #:
 3-0912-95

 Application Year:
 95

 Issue Date:
 8/29/1995

Approval Type:
Status:
Application Type:
Client Name:
Client Address:

8/29/1995
Municipal sewage
Approved
Approved
Approved

Contaminants:
Emission Control:

58 2 of 2 E/242.0 69.9 / 3.74 R.M. OF OTTAWA-CARLETON ROCHESTER ST/GLADSTONE AVE/ELM

Client City: Client Postal Code: Project Description:

DB Number of Direction/ Elev/Diff Site Map Key

Records Distance (m) (m)

OTTAWA CITY ON

7-0695-95-Certificate #: Application Year: 95 Issue Date: 7/19/1995 Approval Type: Municipal water Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Status:

Year:

Environment Impact:

Nature of Impact:

Receiving Medium:

59 1 of 2 E/242.2 69.9 / 3.74 City of Ottawa

Intersection Gladstone St & Rochester St

Ottawa ON

Ref No: 6171-8BD62D Discharger Report: Site No: Material Group: Incident Dt: Health/Env Conseq:

Client Type:

Source Type:

Incident Cause: Sector Type: Motor Vehicle Agency Involved: Incident Event:

Contaminant Code: Nearest Watercourse: LIQUID WASTE (N.O.S.) Site Address: Contaminant Name: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Site Region: Contaminant UN No 1:

Confirmed Site Municipality: Surface Water Pollution Site Lot:

Site Conc: Northing:

Receiving Env: No Field Response MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE Reported Dt:** 11/19/2010 Site Map Datum: Dt Document Closed: SAC Action Class:

Incident Reason: Spill Site<UNOFFICIAL> Site Name:

Site County/District:

Site Geo Ref Meth: Incident Summary: MVA - Motor Vehicle Fluids to CB - Ottawa

Contaminant Qty: 10 L

59 2 of 2 E/242.2 69.9 / 3.74 Gladstone Ave Rochester St **EHS**

Y:

Ottawa ON

Order No: 20170727126 Nearest Intersection: Status: Municipality:

Standard Report ON Report Type: Client Prov/State: Report Date: 03-AUG-17 Search Radius (km): .25 Date Received: 27-JUL-17 X: -75.709725

65.6 / -0.62

Previous Site Name: Lot/Building Size: Additional Info Ordered:

1 of 1

175 LORETTA STREET NORHT

Ottawa ON

45.405291

Watercourse Spills

SW/243.7

WWIS

Order No: 21080600433

SPL

60

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Well ID: 7174650

Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Z134420 Audit No: A123820 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

Date Received: 1/9/2012 Selected Flag: True

Abandonment Rec:

7241 Contractor: Form Version:

Owner:

Street Name: 175 LORETTA STREET NORHT

Order No: 21080600433

County: **OTTAWA** Municipality: **OTTAWA CITY**

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe mapping/downloads/2Water/Wells pdfs/717\7174650.pdf

Additional Detail(s) (Map)

Well Completed Date: 2011/11/17 2011 Year Completed: Depth (m): 5.18

Latitude: 45.4038326396016 -75.7145698989512 Longitude: 717\7174650.pdf Path:

Bore Hole Information

1003630598 62.975914 Bore Hole ID: Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 444078.00 5028061.00 Code OB Desc: North83: UTM83 Open Hole: Org CS: Cluster Kind: **UTMRC:**

Date Completed: 17-Nov-2011 00:00:00 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

1004054887 Formation ID:

Layer: 1 Color:

BROWN General Color: Mat1: 11 **GRAVEL** Most Common Material: 28 Mat2: Mat2 Desc: SAND 73 Mat3:

Mat3 Desc:HARDFormation Top Depth:0.0

Formation End Depth: 3.0999999046325684

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1004054888

Layer: 6 Color: **BROWN** General Color: 28 Mat1: Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 05 CLAY Mat3 Desc:

 Formation Top Depth:
 3.0999999046325684

 Formation End Depth:
 4.269999980926514

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1004054889

Layer: 3 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 4.269999980926514

 Formation End Depth:
 5.179999828338623

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004054899

Layer: 3

 Plug From:
 1.83000004291534

 Plug To:
 5.17999982833862

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004054897

Layer: 1
Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004054898

Layer: 2

 Plug From:
 0.310000002384186

 Plug To:
 1.83000004291534

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004054896

Method Construction Code: B

Method Construction:Other MethodOther Method Construction:DIRECT PUSH

Pipe Information

Pipe ID: 1004054886

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004054892

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From:

 Depth To:
 2.13000011444092

 Casing Diameter:
 4.0300020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004054893

Layer: 1 **Slot:** 10

 Screen Top Depth:
 2.13000011444092

 Screen End Depth:
 5.17999982833862

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.82000017166138

Water Details

Water ID: 1004054891

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

 Hole ID:
 1004054890

 Diameter:
 8.25

 Poeth From:
 0.0

Depth From: 0.0

Depth To: 5.179999828338623

Hole Depth UOM: m
Hole Diameter UOM: cm

Order No: 21080600433

Map Key	Number Record		Elev/Diff (m)	Site		DB
<u>61</u>	1 of 5	SW/243.7	65.2 / -1.00	VESUVIO IRON LOGIO 949 GLADSTONE AVE OTTAWA ON K1Y 3ES		SCT
Established: Plant Size (fi Employment	(t²):	1972 1500 3				
Details Description: SIC/NAICS C		Other Ornamental 332329	and Architectural I	Metal Products Manufacturinุ	3	
<u>61</u>	2 of 5	SW/243.7	65.2 / -1.00	VESUVIO IRON WORI 949 GLADSTONE AVE OTTAWA ON K1Y 3E5		SCT
Established: Plant Size (fi Employment	t²):	1972 1500 3				
Details Description: SIC/NAICS C		ARCHITECTURAL 3446	AND ORNAMEN	TAL METAL WORK		
<u>61</u>	3 of 5	SW/243.7	65.2 / -1.00	SNC-Lavalin Inc. 949 B Gladstone Ave, Ottawa ON		SPL
Ref No: Site No: Incident Dt: Year: Incident Cau Incident Eve Contaminan Contaminan Contaminan Contaminan Environmen Nature of Im Receiving M Receiving En MOE Respoil Dt MOE Arvi MOE Report Dt Documen Incident Rea Site County/ Site Geo Rei Incident Sun Contaminan	ent: It Code: It Name: It Limit 1: It Freq 1: It UN No 1: It Impact: Ipact: Iedium: Inv: Is on Scn: Ited Dt: It Closed: I	0700-BSLS56 NA 2020/08/18 Leak/Break 15 HYDRAULIC OIL n/a Land; Source Water Zone No 2020/08/18 2020/08/31 Equipment Failure Work site <unoff 2="" 2l="" hy="" l<="" snc-lavalin="" td=""><td></td><td>Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:</td><td>2 - Minor Environment Corporation Other 949 B Gladstone Ave, Ottawa Eastern Ottawa 5028066.47 444018.62 TSSA - Fuel Safety Program Other</td><td>Notifications</td></unoff>		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	2 - Minor Environment Corporation Other 949 B Gladstone Ave, Ottawa Eastern Ottawa 5028066.47 444018.62 TSSA - Fuel Safety Program Other	Notifications
<u>61</u>	4 of 5	SW/243.7	65.2 / -1.00	SNC- Lavalin Trillium Lavalin Trillium Partn 949-B Gladstone Avel Ottawa ON		SPL

Ottawa ON

Order No: 21080600433

Discharger Report:

0070-BRKQS2

Site No: NA Material Group:

Incident Dt: 2020/07/16 Health/Env Conseq: 2 - Minor Environment

Year: Client Type: Partnership

Incident Cause:Sector Type:Miscellaneous IndustrialIncident Event:Leak/BreakAgency Involved:

 Contaminant Code:
 15
 Nearest Watercourse:

 Contaminant Name:
 HYDRAULIC OIL
 Site Address:
 949-B Gladstone Avenue

Contaminant Limit 1: Site District Office: Ottawa

Contam Limit Freq 1:Site Postal Code:Contaminant UN No 1:n/aSite Region:EasternEnvironment Impact:Site Municipality:Ottawa

Nature of Impact: Site Municipality:
Receiving Medium: Site Conc:

Receiving Env:LandNorthing:5028083.08MOE Response:NoEasting:444126.44

 Dt MOE Arvl on Scn:
 Site Geo Ref Accu:

 MOE Reported Dt:
 2020/07/16
 Site Map Datum:

 Dt Document Closed:
 2020/09/21
 SAC Action Class:

Incident Reason: Equipment Failure Source Type: Valve/Fitting/Piping

Site Name: Construction Project - OLRT phase 2<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Ref No:

Incident Summary: SNC Lavalin: 0.5L of hydraulic oil to gravel; cleaned

Contaminant Qty: 0.5 L

61 5 of 5 SW/243.7 65.2 / -1.00 SNC- Lavalin Trillium Partner 1 Inc. and SNC-

Lavalin Trillium Partner 2 Inc., as general partners for and on behalf of

Transitnext General Partnership 949 Gladstone

Order No: 21080600433

Ave

Ottawa ON M5H 3T9

Approval No:9377-C4EMBAMOE District:Approval Date:2021-07-02City:Status:ApprovedLongitude:Record Type:ECALatitude:

 Link Source:
 IDS
 Geometry X:
 -8428590.8676

 SWP Area Name:
 Geometry Y:
 5685327.911600001

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: SNC- Lavalin Trillium Partner 1 Inc. and SNC- Lavalin Trillium Partner 2 Inc., as general partners for and on behalf

of Transitnext General Partnership

Address: 949 Gladstone Ave

Full Address: Full PDF Link:

62 1 of 1 SW/244.2 65.6 / -0.62 1175 LORETTA STREET NORTH Ottawa ON WWIS

Well ID: 7174651 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:Monitoring and Test HoleDate Received:1/9/2012Sec. Water Use:0Selected Flag:TrueFinal Well Status:Monitoring and Test HoleAbandonment Rec:

Water Type: Contractor: 7241
Casing Material: Form Version: 7

Audit No: Z134421 Owner:

Tag:A123850Street Name:1175 LORETTA STREET NORTHConstruction Method:County:OTTAWA

Construction Method:County:OTTAWAElevation (m):Municipality:OTTAWA CITY

Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate:

Clear/Cloudy:

 $https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7174651.pdf$ PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2011/11/17 Year Completed: 2011 Depth (m): 5.49

45.4038325596653 Latitude: Longitude: -75.7145826759263 Path: 717\7174651.pdf

Bore Hole Information

1003630600 63.038070 Bore Hole ID: Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 444077.00 Code OB Desc: North83: 5028061.00 Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC**:

margin of error: 30 m - 100 m Date Completed: 17-Nov-2011 00:00:00 **UTMRC Desc:**

Order No: 21080600433

Remarks: Location Method: wwr Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004054903

3 Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY 08 Mat2: Mat2 Desc: **FINE SAND**

Mat3:

WATER-BEARING Mat3 Desc: Formation Top Depth: 4.570000171661377 Formation End Depth: 5.489999771118164

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004054902

Layer: 2 6 Color:

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 73

 Mat3 Desc:
 HARD

 Formation Top Depth:
 2.74000009536743

 Formation End Depth:
 4.570000171661377

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004054901

Layer: Color: 6 General Color: **BROWN** Mat1: 01 Most Common Material: **FILL** Mat2: 73 Mat2 Desc: **HARD** Mat3: 68 DRY Mat3 Desc:

Formation End Depth: 2.740000009536743

0.0

Formation End Depth UOM: m

Annular Space/Abandonment

Formation Top Depth:

Sealing Record

Plug ID: 1004054912

Layer:

Plug From: 0.310000002384186

Plug To: 1.5 Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004054911

Layer: 1 Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004054913

Layer: 3 **Plug From:** 1.5

Plug To: 4.88000011444092

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004054910

Method Construction Code: B

 Method Construction:
 Other Method

 Other Method Construction:
 DIRECT PUSH

Order No: 21080600433

Pipe Information

Pipe ID: 1004054900

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004054906

Layer: Material: 5

Open Hole or Material: **PLASTIC**

Depth From:

Depth To: 1.83000004291534 4.03000020980835 Casing Diameter:

Casing Diameter UOM: Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004054907

Layer: 1

Slot: 10

1.83000004291534 Screen Top Depth: Screen End Depth: 4.88000011444092

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 4.82000017166138

Water Details

Water ID: 1004054905

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004054904 Diameter: 8.25 Depth From: 0.0

4.880000114440918 Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

WNW/245.0 61.7 / -4.52 **UNKNOWN** 63 1 of 9 SPL

933 GLADSTONE OTTAWA CITY ON K1A 0T4

Ref No: 231625

Site No:

Incident Dt: 7/11/2002 Year:

Incident Cause: PIPE/HOSE LEAK

Incident Event:

Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse:

Order No: 21080600433

Discharger Report:

Contaminant Code:

Number of Direction/ Elev/Diff Site DB Map Key

Records Distance (m) (m)

Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: **POSSIBLE** Site Municipality: 20107

Nature of Impact: Water course or lake Site Lot: Receiving Medium: LAND, WATER Site Conc: Receiving Env: Northing: Easting:

MOE Response: Dt MOE Arvl on Scn: Site Geo Ref Accu:

7/11/2002 MOE Reported Dt: Site Map Datum: Dt Document Closed: SAC Action Class:

EQUIPMENT FAILURE Incident Reason: Site Name:

Site County/District: Site Geo Ref Meth: TOW TRUCK:8L HYDRAULIC OIL TO GRD AND STORM SEW-ER, CLEANING Incident Summary:

Contaminant Qty:

63 2 of 9 WNW/245.0 61.7 / -4.52 GVT. OF CAN.- PUBLIC WORKS CANADA

CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II **GEN**

Order No: 21080600433

OTTAWA ON K1A 0T4

Source Type:

ON0144774 Generator No: PO Box No:

Status: Country: Approval Years: 90 Choice of Contact:

Co Admin: Contam. Facility: MHSW Facility: Phone No Admin: 8159 SIC Code:

SIC Description: OTHER GEN. ADMIN.

Detail(s)

221 Waste Class:

Waste Class Desc: LIGHT FUELS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

GVT. OF CAN.- PUBLIC WORKS CANADA 18-375 3 of 9 WNW/245.0 61.7 / -4.52 63 GEN

CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II

HULL

OTTAWA ON K1A 0T4

Generator No: ON0144774 PO Box No: Status: Country:

Approval Years: 92,93,94 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 8159

SIC Code: SIC Description: OTHER GEN. ADMIN.

Detail(s)

Waste Class: 252

WASTE OILS & LUBRICANTS Waste Class Desc:

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Map Key Numb Reco			Direction/ Distance (m	Elev/Diff) (m)	Site	DB
<u>63</u>	4 of 9		WNW/245.0	61.7 / -4.52	GVT. OF CAN PUBLIC WORKS CANADA 18-375 CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II ON K1A 0T4	GEN
Generator I	No:	ON0144774 95,96,97			PO Box No: Country: Choice of Contact:	
Status: Approval Y	oare:					
Contam. Fa	acility:	55,56,5			Co Admin:	
MHSW Faci	ility:	8159			Phone No Admin:	
SIC Descrip	otion:	0100	OTHER GEN. AD	MIN.		
<u>Detail(s)</u>						
Waste Clas Waste Clas	_		221 LIGHT FUELS			
	Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
<u>63</u>	5 of 9		WNW/245.0	61.7 / -4.52	DSS CAPITAL REGION SUPPLY CENTRE 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	GEN
Generator I	No:	ON0989500			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Status: Approval Y	eare.	88,89,90				
Contam. Fa	acility:	00,00,0	,50			
MHSW Faci	ility:	8159				
	SIC Description:		OTHER GEN. AD	MIN.		
Detail(s)						
Waste Clas Waste Clas	_		252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:			213 PETROLEUM DISTILLATES			
<u>63</u>	6 of 9		WNW/245.0	61.7 / -4.52	PUBLIC WORKS AND GOVT SERVICES CANADA CAPITAL REGION SUPPLY CENTRE (CRSC) 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON0989500			PO Box No: Country:	
		92,93,95,96,97,98,99,00,01			Country. Choice of Contact: Co Admin: Phone No Admin:	
		8159 OTHER GEN. ADMIN.				
Detail(s)						
Waste Clas	s:		148			
Waste Class Desc:				ORATORY CHEM	ICALS	

Order No: 21080600433

213

Waste Class:

Number of Elev/Diff Site DB Map Key Direction/ Records Distance (m) (m) Waste Class Desc: PETROLEUM DISTILLATES Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 261 Waste Class Desc: **PHARMACEUTICALS** Waste Class: Waste Class Desc: ORGANIC LABORATORY CHEMICALS WNW/245.0 DSS CAPITAL REGION SUPPLY CENTRE 13-297 63 7 of 9 61.7 / -4.52 GEN 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4 ON0989500 Generator No: PO Box No: Status: Country: Approval Years: 94 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 8159 SIC Description: OTHER GEN. ADMIN. Detail(s) Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES Waste Class: 252 WASTE OILS & LUBRICANTS Waste Class Desc: 63 8 of 9 WNW/245.0 61.7 / -4.52 933 Gladstone Ave **EHS** Ottawa ON K1A0T4 20160822162 Order No: Nearest Intersection: Status: С Municipality: Ottawa Report Type: Custom Report Client Prov/State: ON 23-SEP-16 Search Radius (km): Report Date: .25 Date Received: 22-AUG-16 -75.714916 X: Y: Previous Site Name: 45.405543 Lot/Building Size: ~7ha Additional Info Ordered: City Directory 63 9 of 9 WNW/245.0 61.7 / -4.52 OTTAWA COMMUNITY HOUSING **RSC CORPORATION** 933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4 Ottawa ON RSC ID: 226204 Cert Date: Cert Prop Use No: RA No: RSC Type: Phase 1 and 2 RSC

Curr Property Use: Industrial

Ministry District: Ottawa District Office

Filing Date: 2019/11/29

Date Ack: Date Returned: Restoration Type: Soil Type: Criteria:

CPU Issued Sect

1686:

Intended Prop Use: Residential Qual Person Name: **ERIC WILSON**

Stratified (Y/N): Audit (Y/N):

Entire Leg Prop. (Y/N): Accuracy Estimate:

Telephone: Fax: Email:

Elev/Diff Site DB Map Key Number of Direction/ Records Distance (m)

Asmt Roll No: 061406350116102-0000

Prop ID No (PIN): 04107-0288 (LT)

933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4 **Property Municipal Address:**

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant: Legal Desc:

Measurement Method: Applicable Standards:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? RSC PDF:

attachmentId=119556&fileName=BROWNFIELDS-E.pdf

(m)

Document(s) Detail

Supporting Documents Document Heading: **Document Name:** 933 Gladstone-APEC Table.pdf

Document Type: Area(s) of Potential Environmental Concern

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=119552&fileName=933+Gladstone-APEC Table.pdf

Document Heading: Supporting Documents

933 Gladstone - Owner Cert Status.pdf Document Name:

Document Type: Certificate of Status

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=119554&fileName=933+Gladstone+-+Owner+Cert+Status.pdf

Document Heading: Supporting Documents **Document Name:** 933 Gladstone - Survey.pdf A Current plan of Survey Document Type:

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=119561&fileName=933+Gladstone+-+Survey.pdf

Supporting Documents Document Heading: 933 Gladstone Lawyer letter.pdf **Document Name:**

Document Type: Lawyer's letter consisting of a legal description of the property

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=119558&fileName=933+Gladstone+Lawyer+letter.pdf

Supporting Documents **Document Heading:**

933 Gladstone-Current and Past Use Table.pdf Document Name:

Document Type: Table of Current and Past Property Use

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=119560&fileName=933+Gladstone-Current_and_Past_Use_Table.pdf

Supporting Documents Document Heading: 933 Gladstone - Deed.pdf **Document Name:**

Copy of any deed(s), transfer(s) or other document(s) Document Type:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=119553&fileName=933+Gladstone+-+Deed.pdf

Document Heading: Supporting Documents Document Name: 933 Gladstone - CSM.pdf Phase 2 Conceptual Site Model Document Type:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? **Document Link:**

attachmentId=119559&fileName=933+Gladstone+-+CSM.pdf

64 1 of 6 NNW/245.9 67.6 / 1.44 City of Ottawa CA 135 Preston Street

Order No: 21080600433

Ottawa ON K1R 7P4

Certificate #: 5614-6MXMC2 Application Year: 2006 Issue Date: 4/13/2006 Approval Type: Air

Status:

Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

> NNW/245.9 City of Ottawa 2 of 6 67.6 / 1.44 64

135 Preston Street Ottawa ON K1P 1J1

Longitude:

Geometry X:

Geometry Y:

PO Box No: Country:

Co Admin:

Choice of Contact:

Phone No Admin:

Ottawa ON K1R 7P4

Phone No Admin:

Latitude:

-75.71349

45.407806

Canada

Canada

Order No: 21080600433

CO ADMIN

Brian J Nielsen

6132323000 Ext.230

ECA

Approval No: 5614-6MXMC2 **MOE District:** Ottawa Approval Date: 2006-04-13 City:

Approved Status: Record Type: ECA IDS Link Source: Rideau Valley SWP Area Name:

Approval Type: **ECA-AIR** Project Type: AIR Business Name:

City of Ottawa 135 Preston Street Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2208-6LRQ3U-14.pdf

NNW/245.9 City of Ottawa 64 3 of 6 67.6 / 1.44 **GEN** 135 Preston St

Ottawa ON K1R 7P4

ON9607593 Generator No:

Status:

2016 Approval Years: Contam. Facility: No MHSW Facility: No SIC Code: 913150

913150 SIC Description:

Detail(s)

Waste Class:

OIL SKIMMINGS & SLUDGES Waste Class Desc:

City of Ottawa Facilities 64 4 of 6 NNW/245.9 67.6 / 1.44 GEN 135 Preston St

Generator No: ON9607593 PO Box No:

Registered Status: Country: Choice of Contact: Approval Years: As of Dec 2018 Contam. Facility: Co Admin:

MHSW Facility: SIC Code: SIC Description:

Detail(s)

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

 64
 5 of 6
 NNW/245.9
 67.6 / 1.44
 City of Ottawa Facilities
 GEN

 135 Preston St
 Ottawa ON K1R 7P4

Generator No:ON9607593PO Box No:Status:RegisteredCountry:Canada

Approval Years: As of Jul 2020 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:
SIC Code:
SIC Description:

Detail(s)

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

64 6 of 6 NNW/245.9 67.6 / 1.44 City of Ottawa Facilities 135 Preston St

Ottawa ON K1R 7P4

Generator No:ON9607593PO Box No:Status:RegisteredCountry:CanadaApproval Years:As of Apr 2021Choice of Contact:

Approval Years:
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

I Years: As of Apr 2021 Choice of Contact
Facility: Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

65 1 of 2 E/246.1 69.8 / 3.66 Ottawa Community Housing Corporation

811 Gladstone Ave Ottawa ON K2E 7Y8

7605-BF3HJ5 **MOE District:** Approval No: Approval Date: 2019-08-30 City: Status: Approved Longitude: ECA Record Type: Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Ottawa Community Housing Corporation

Address: 811 Gladstone Ave

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6043-BCPPB4-13.pdf

65 2 of 2 E/246.1 69.8 / 3.66 GORDON BARR LIMITED EASR

811 Gladstone AVE Ottawa ON K2P 0R4

Order No: 21080600433

R-009-6112252695 SWP Area Name: Rideau Valley Approval No: REGISTERED **MOE District:** Ottawa Status: 2020-04-29 Municipality: Ottawa Date: Record Type: **EASR** Latitude: 45.40583333

Link Source: MOFA Longitude: -75.70944444

Project Type:Water Taking - Construction DewateringGeometry X:Full Address:Geometry Y:Approval Type:EASR-Water Taking - Construction Dewatering

Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2242270

66 1 of 1 W/246.1 63.9 / -2.31 O-TRAIN RAIL CORRIDOR Ottawa ON

Well ID: 7205660

Construction Date: Primary Water Use: Sec. Water Use:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z096874 **Tag:** A111219

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Ottawa Oiv

Data Entry Status: Data Src:

 Date Received:
 7/31/2013

 Selected Flag:
 True

 Abandonment Rec:
 Yes

 Contractor:
 6894

 Form Version:
 7

Owner:

Street Name: O-TRAIN RAIL CORRIDOR

Order No: 21080600433

County: OTTAWA

Municipality: NEPEAN TOWNSHIP

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Additional Detail(s) (Map)

Well Completed Date: Year Completed:

Year Completed: Depth (m):

 Latitude:
 45.4050669596233

 Longitude:
 -75.7158249524009

 Path:
 -75.7158249524009

Bore Hole Information

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Bore Hole ID: 1004479434 **Elevation:** 57.220458

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 443981.00

 Code OB Desc:
 North83:
 5028199.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 UTMRC Desc:
 margin of error: 30 m - 100 m

Remarks: Location Method: wwr

Elevre Desc:

Method of Construction & Well

Use

Method Construction ID:

Method Construction Code: Method Construction: Other Method Construction: 1004980781

Pipe Information

Pipe ID: 1004980775

Casing No: Comment: Alt Name: 0

Construction Record - Casing

Casing ID: 1004980779

Layer: Material:

Open Hole or Material:

Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOI

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004980780

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

Water Details

Water ID: 1004980778

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004980777

Diameter:
Depth From:
Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

67 1 of 1 SW/246.6 65.6 / -0.62 449 GLADSTONE AVE

Ottawa ON

Well ID: 7188016 Data Entry Status:
Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 9/24/2012

erisinfo.com | Environmental Risk Information Services

Order No: 21080600433

WWIS

Sec. Water Use: 0

Final Well Status: Test Hole Water Type:

Casing Material:

Audit No: Z156783 **Tag:** A131015

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Selected Flag: True
Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name: 449 GLADSTONE AVE

County: OTTAWA
Municipality: NEPEAN TOWNSHIP

Site Info: Lot: Concession: Concession Name: Easting NAD83:

Zone:

UTM Reliability:

Northing NAD83:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7188016.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2012/08/13

 Year Completed:
 2012

 Depth (m):
 4.1

 Latitude:
 45.403858921883

 Longitude:
 -75.7146852322032

 Path:
 718√7188016.pdf

Bore Hole Information

Bore Hole ID: 1004164393

DP2BR: Spatial Status:

Code OB:
Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 13-Aug-2012 00:00:00

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004448481

Layer: 1

Color: General Color:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Mat1:

Formation Top Depth: 0.0

Formation End Depth: 4.099999904632568

Formation End Depth UOM: m

Elevation: 63.021087

Elevrc:

Zone: 18

 East83:
 444069.00

 North83:
 5028064.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 21080600433

Location Method: wwr

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

Plug ID: 1004448491

Layer: 3

 Plug From:
 2.59999990463257

 Plug To:
 4.09999990463257

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004448489

Layer:

Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004448490

Layer: 2

 Plug From:
 0.310000002384186

 Plug To:
 2.29999995231628

Plug Depth UOM: m

Method of Construction & Well

Use

Method Construction ID: 1004448488

Method Construction Code:

 Method Construction:
 Other Method

 Other Method Construction:
 HYDROVAC

Pipe Information

Pipe ID: 1004448480

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004448484

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:

 Depth To:
 2.59999990463257

 Casing Diameter:
 3.8199999332428

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004448485

Layer: 1 **Slot:** 10

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Screen Top Depth: 2.59999990463257 Screen End Depth: 4.09999990463257

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM:

4.03000020980835 Screen Diameter:

Water Details

Water ID: 1004448483

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004448482 Diameter: 60.0 Depth From: 0.0

Depth To: 4.099999904632568

Hole Depth UOM: ft Hole Diameter UOM: inch

68 1 of 1 SW/248.9 65.6 / -0.59 175 Loretta St **WWIS** Ottawa ON

Well ID: 7337497

Construction Date: Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z231274

A115793 Tag: Construction Method: Elevation (m):

Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status: Data Src:

Date Received: 6/14/2019 Selected Flag: True Abandonment Rec: Yes Contractor: 7241 Form Version:

Owner:

Street Name: 175 Loretta St County: **OTTAWA** Municipality: **OTTAWA CITY** Site Info:

Order No: 21080600433

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe mapping/downloads/2Water/Wells pdfs/733\7337497.pdf

Additional Detail(s) (Map)

2019/05/15 Well Completed Date: Year Completed: 2019

Depth (m):

45.40365438609 Latitude: Longitude: -75.714286536903 733\7337497.pdf Path:

Bore Hole Information

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Elevation:

18

wwr

444100.00

5028041.00 UTM83

margin of error: 30 m - 100 m

Order No: 21080600433

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Bore Hole ID: 1007526246

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 15-May-2019 00:00:00 Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1008015989

 Layer:
 3

 Plug From:
 1

 Plug To:
 16

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1008015987

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1008015988

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 1

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1008017327

Method Construction Code:

Method Construction:Other MethodOther Method Construction:hand pull

Pipe Information

Pipe ID: 1008013963

Casing No:

Comment: Alt Name:

Construction Record - Screen

Screen ID: 1008018060

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) Layer: Slot: 10 6 Screen Top Depth: Screen End Depth: 16 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch 1.9099999666214 Screen Diameter: Results of Well Yield Testing 1008018633 Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: **GPM** Rate UOM: Water State After Test Code: Water State After Test: 0 Pumping Test Method: Pumping Duration HR: **Pumping Duration MIN:** Flowing: Water Details Water ID: 1008018393 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft SPORTIVE SPORTSWEAR MFG INC. 69 1 of 6 SW/249.8 65.7 / -0.48 SCT 155A LORETTA AVE N OTTAWA ON K1Y 2J7 Established: 1984 3200 Plant Size (ft2): Employment: 14 --Details--All Other Cut and Sew Clothing Manufacturing Description: SIC/NAICS Code: 315299 Description: MEN'S AND BOYS' CLOTHING, NOT ELSEWHERE CLASSIFIED SIC/NAICS Code: 2329 WOMEN'S, MISSES', AND JUNIORS' OUTERWEAR, NOT ELSEWHERE CLASSIFIED Description: SIC/NAICS Code: 2339 Description: Cut and Sew Clothing Contracting SIC/NAICS Code: 315210 Description: Men's and Boys' Cut and Sew Shirt Manufacturing SIC/NAICS Code: Description: Men's and Boys' Cut and Sew Trouser, Slack and Jean Manufacturing

Order No: 21080600433

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS C	Code:		315227			
Description: SIC/NAICS Code:		Other Men's and Boys' Cut and Sew Clothing Manufacturing 315229				
Description: SIC/NAICS Code:		Women's and Girls' Cut and Sew Blouse and Shirt Manufacturing 315232				
Description: SIC/NAICS (Other Women's and 315239	d Girls' Cut and S	ew Clothing Manufacturing	
69	2 of 6		SW/249.8	65.7 / -0.48	SPORTIVE SPORTSWEAR MFG INC. 155 A LORETTA AVE N OTTAWA ON K1Y 2J7	SCT
Established Plant Size (f Employmen	t²):		1984 3200 14			
Details Description: SIC/NAICS (MEN'S & BOYS' CI 2329	_OTHING, N.E.C.		
Description: SIC/NAICS (WOMEN'S, MISSE 2339	S', & JUNIORS' (DUTERWEAR, N.E.C.	
<u>69</u>	3 of 6		SW/249.8	65.7 / -0.48	Sportive Sportswear Manufacturers Inc. 155A Loretta Ave N Ottawa ON K1Y 2J7	SCT
Established Plant Size (f Employment	t²):		1984 3200 20			
<u>69</u>	4 of 6		SW/249.8	65.7 / -0.48	LOVE PRINTING SERVICE LTD. 951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	GEN
Generator N	lo:	ON0607	900		PO Box No:	
Status: Approval Years: 86,87,88 Contam. Facility: MHSW Facility: SIC Code: 0007 SIC Description:		3,89,90		Country: Choice of Contact: Co Admin:		
		0007	LETTER ACKNOW	LEDG.	Phone No Admin:	
<u>Detail(s)</u>						
Waste Class Waste Class			264 PHOTOPROCESS	ING WASTES		
69	5 of 6		SW/249.8	65.7 / -0.48	LOVE PRINTING (OUT OF BUS) 24-265 951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	GEN
Generator No: ON06079		7900 4,95,96,97,98		PO Box No:		
Status:				Country: Choice of Contact:		

Order No: 21080600433

Elev/Diff Site DB Map Key Number of Direction/ Records Distance (m) (m) Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 2841 SIC Code: SIC Description: NEWSPAPER, ETC. IND. 6 of 6 SW/249.8 *65.7 / -0.48* **DST Group Inc** 69 GEN 951 Gladstone Ave Ottawa ON K1Y 3E5 ON8186657 Generator No: PO Box No: Status: Registered Country: Canada

Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:

As of Dec 2017

Choice of Contact: Co Admin:

Order No: 21080600433

Phone No Admin:

Detail(s)

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Unplottable Summary

Total: 27 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA		Breezehill Ave N, George St, Louisa St	Ottawa ON	
CA		Breezehill Ave N, George St, Louisa St	Ottawa ON	
CA	R.M. OF OTTAWA-CARLETON	SOMERSET STREET	OTTAWA CITY ON	
CA		Gladstone Avenue	Ottawa ON	
CA		Willow, Lebreton, Raymond, Louisa, Bell, Eccles St.; Gladstone Ave.	Ottawa ON	
CA	City of Ottawa	Preston Street	Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	City of Ottawa	Balsam Street	Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	City of Ottawa	Somerset Street between West of Preston Street to Preston St	Ottawa ON	
CA	City of Ottawa	Larch Street and Laurel Street	Ottawa ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA		Gladstone Avenue	Ottawa ON	
ECA	City of Ottawa	Larch Street and Laurel Street	Ottawa ON	K1P 1J1
ECA	City of Ottawa	Breezehill Ave N, George St, Louisa St	Ottawa ON	K1V 6A6
ECA	City of Ottawa	Somerset St W	Ottawa ON	K1P 1J1

Order No: 21080600433

ECA	City of Ottawa	Somerset St W (from Preston Street to Booth Street)	Ottawa ON	K1P 1J1
ECA	SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc., and EllisDon	Corporation	Ottawa ON	K1Z 1G3
ECA	City of Ottawa	Gladstone Ave	Ottawa ON	K2G 6J8
ECA	City of Ottawa	Breezehill Ave N, George St, Louisa St	Ottawa ON	K1V 6A6
EHS		Hickory St, Gladstone Ave, Preston St	Ottawa ON	
EHS		0 Loretta Avenue	n/a ON	
SPL		Preston St at Guideway	Ottawa ON	
SPL	SNC-Lavalin Operations & Maintenance Inc.		Ottawa ON	
SPL	TOP VALU	PRESTON STREET, SOUTH OF GLADSTONE SERVICE STATION	OTTAWA-CARLETON R. M. ON	

Order No: 21080600433

Unplottable Report

Site:

Breezehill Ave N, George St, Louisa St Ottawa ON

Database:
CA

Certificate #: 1592-5AVRXD

Application Year: 02
Issue Date: 6/7/02

Approval Type: Municipal & Private water

Status: Approved

Application Type: New Certificate of Approval

Client Name: City of Ottawa
Client Address: 1495 Heron Road

Client City: Ottawa
Client Postal Code: K1V 6A6

Project Description: Replacement of existing 150 mm CI watermains on Breezehill Avenue North, George Street, and Louisa Street with

150 mm PVC DR18 watermain, with the terminal portion being 50 mm type K copper

Contaminants: Emission Control:

Site:

Breezehill Ave N, George St, Louisa St Ottawa ON

Database:
CA

ertificate #: 2984-5AVRLF

 Certificate #:
 2984-5

 Application Year:
 02

 Issue Date:
 6/7/02

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval

Client Name: City of Ottawa
Client Address: 1495 Heron Road

Client City: Ottawa
Client Postal Code: K1V 6A6

Project Description: Replacement of existing combined sewers on George Street and Louisa Street with new PVC SDR35 combined

sewers, and the separation of the combined sewer on Breezehil Avenue North into separate storm and sanitary

CA

sewers

Contaminants: Emission Control:

Site: R.M. OF OTTAWA-CARLETON Database:

 Certificate #:
 7-0096-88

 Application Year:
 88

 Issue Date:
 2/10/1988

 Approval Type:
 Municipal water

 Status:
 Approved

SOMERSET STREET OTTAWA CITY ON

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site:
Gladstone Avenue Ottawa ON
CA
Database:
CA

Certificate #: 4558-4LXLWW

Application Year: 00 Issue Date: 7/5/00

Approval Type: Municipal & Private water

Status: Approved

Application Type: New Certificate of Approval

Client Name: Corporation of the Regional Municipality of Ottawa-Carleton

Client Address: 111 Lisgar Street
Client City: Ottawa

Client Postal Code: K2P 2L7

Project Description: Wat

Contaminants: Emission Control:

Site:

Watermains to be constructed on Gladstone Ave. and Percy St. in the City of Ottawa

Willow, Lebreton, Raymond, Louisa, Bell, Eccles St.; Gladstone Ave. Ottawa ON CA

Certificate #: 3766-4K2NZ4

Application Year:00Issue Date:5/8/00

Approval Type: Municipal & Private water

Status: Approved

Application Type: New Certificate of Approval

Client Name: Corporation of the Regional Municipality of Ottawa-Carleton

Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7

Project Description: Construction of Watermains along Willow St. (Preston St.to Bell St.), Gladstone Ave. (approx. 15 m. west of

Lebreton St. to Bronson Ave.), Raymond St. (approx. 13 m. east of Lebreton St. to approx. 14 m. west of Lebreton St.), Louisa St. (approx. 13 m. east of Lebreton St. to approx. 13 m. west of Lebreton St.), Bell St. (approx. 17 m. north of Willow St. to approx. 14 m. south of Gladstone Ave.), Eccles St. (approx 19 m. west of Lebreton St. to Bell

Order No: 21080600433

St.), Bell St. (approx 8 m. north of Eccles St.)

Contaminants: Emission Control:

Site: City of Ottawa Database: Preston Street Ottawa ON CA

 Certificate #:
 0057-7EKK59

 Application Year:
 2008

 Issue Date:
 5/22/2008

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa Database: Gladstone Avenue Ottawa ON CA

 Certificate #:
 3692-6PGP9X

 Application Year:
 2006

 Issue Date:
 5/6/2006

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Balsam Street Ottawa ON

Database: CA

Certificate #: 3889-6R6NVK

 Application Year:
 2006

 Issue Date:
 6/29/2006

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: City of Ottawa

Gladstone Avenue Ottawa ON

Database: CA

Certificate #: 6651-73WP47

Application Year:2007Issue Date:6/6/2007

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Gladstone Avenue Ottawa ON

Database: CA

 Certificate #:
 7239-738KJA

 Application Year:
 2007

 Issue Date:
 6/18/2007

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Somerset Street between West of Preston Street to Preston St Ottawa ON

Database: CA

Order No: 21080600433

 Certificate #:
 8215-89TKG8

 Application Year:
 2010

 Issue Date:
 10/8/2010

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Larch Street and Laurel Street Ottawa ON

Database: CA

 Certificate #:
 9051-7BLLPL

 Application Year:
 2008

 Issue Date:
 3/25/2008

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:

Contaminants:

Emission Control:

Site: City of Ottawa

Somerset St W Ottawa ON

Database:

 Certificate #:
 0195-8HMLH2

 Application Year:
 2011

 Issue Date:
 6/15/2011

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Somerset St W Ottawa ON

Database: CA

 Certificate #:
 6180-8JKNNV

 Application Year:
 2011

 Issue Date:
 7/22/2011

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site:

Gladstone Avenue Ottawa ON

Database:

Order No: 21080600433

Certificate #: 2461-4LXMEM

Application Year:00Issue Date:7/5/00

Approval Type: Municipal & Private sewage

Status: Approved

Application Type:New Certificate of ApprovalClient Name:Corporation of the City of OttawaClient Address:111 Sussex Drive, 7th Floor

Client City: Ottawa
Client Postal Code: K1N 5A1

Project Description: Constru

Contaminants: Emission Control: Construction of Storm and Sanitary sewers on Gladstone Avenue from Bronson Avenue to Bay Street

Site: City of Ottawa Database: Larch Street and Laurel Street Ottawa ON K1P 1J1 ECA

Approval No: 9051-7BLLPL MOE District: Ottawa

Approval Date: 2008-03-25 City:

 Status:
 Approved
 Longitude:
 -75.7108

 Record Type:
 ECA
 Latitude:
 45.405

Link Source:IDSGeometry X:SWP Area Name:Rideau ValleyGeometry Y:Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa

Address: Larch Street and Laurel Street

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1567-74CM38-14.pdf

Site: City of Ottawa Database: Breezehill Ave N, George St, Louisa St Ottawa ON K1V 6A6 ECA

Approval No: 2984-5AVRLF **MOE District:** 2002-06-07 Approval Date: City: Status: Revoked and/or Replaced Longitude: Record Type: **ECA** Latitude: IDS Geometry X: Link Source: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa

Address: Breezehill Ave N, George St, Louisa St

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1419-5ATHRG-14.pdf

Site: City of Ottawa Somerset St W Ottawa ON K1P 1J1 Database: ECA

Order No: 21080600433

0195-8HMLH2 **MOE District:** Approval No: Approval Date: 2011-06-15 City: Approved Status: Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: City of Ottawa Address: Somerset St W Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3106-8HFGKN-14.pdf

City of Ottawa Database: Site: **ECA**

> Database: **ECA**

> > **ECA**

ECA

Order No: 21080600433

Somerset St W (from Preston Street to Booth Street) Ottawa ON K1P 1J1

Approval No: 6180-8JKNNV **MOE District:** 2011-07-22 Approval Date: City: Status: Approved Longitude: Record Type: ECA Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Business Name: City of Ottawa

Address: Somerset St W (from Preston Street to Booth Street)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6633-8GQNJY-14.pdf

Site: SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc., and EllisDon

Corporation Ottawa ON K1Z 1G3

Approval No: 3474-99NHUQ **MOE District:** Approval Date: 2013-08-07 City: Status: Approved Longitude: **ECA** Record Type: Latitude: **IDS** Link Source: Geometry X: Geometry Y: SWP Area Name:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Business Name: SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc., and EllisDon Corporation

Address: Full Address:

Gladstone Ave

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2982-99JLHL-14.pdf

City of Ottawa Site: Database:

3935-98BQWQ **MOE District:** Approval No: Approval Date: 2013-08-01 City: Status: Approved Longitude: ECA Record Type: Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Ottawa ON K2G 6J8

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

City of Ottawa Business Name: Address: Gladstone Ave

Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1525-95PLKG-14.pdf

Site: City of Ottawa Database: Breezehill Ave N, George St, Louisa St Ottawa ON K1V 6A6

Approval No: 1592-5AVRXD **MOE District:** Approval Date: 2002-06-07 City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

ECA-Municipal and Private Water Works Approval Type: Project Type: Municipal and Private Water Works Business Name: City of Ottawa

Address: Breezehill Ave N, George St, Louisa St

Full Address: Full PDF Link: Site: Database: **EHS**

Hickory St, Gladstone Ave, Preston St Ottawa ON

Order No: 20011204014

Status: C

Report Type: Custom Report Report Date: 12/13/01 Date Received: 12/4/01

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection:

Municipality:

Municipality:

Agency Involved: Nearest Watercourse:

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

Client Prov/State: ON Search Radius (km): 0.65 -75.712864 X: Y: 45.400926

ON

0.25

0

0

Database: **EHS**

Site: 0 Loretta Avenue n/a ON

Order No: 20080226021w Nearest Intersection:

Status: C

Report Type: Online Mapless Client Prov/State: 2/26/2008 Report Date: Search Radius (km): Date Received: 2/26/2008 X: Previous Site Name: Y:

Lot/Building Size: Additional Info Ordered:

Site: Database: SPL Preston St at Guideway Ottawa ON

Ref No: 3426-B5WE45 Discharger Report: Material Group: Site No: NA

Incident Dt: 2018/10/25 Health/Env Conseq: 2 - Minor Environment Client Type: Year: Sector Type: Unknown / N/A

Incident Cause:

Incident Event: Unknown / N/A

Contaminant Code:

Contaminant Name: **DIESEL FUEL** Site Address: Site District Office:

Contaminant Limit 1:

Contam Limit Freq 1:

Contaminant UN No 1: 1202

Environment Impact: Nature of Impact:

Receiving Medium: Receiving Env: Land

MOE Response: No Dt MOE Arvl on Scn:

MOE Reported Dt:

2018/10/26 Dt Document Closed:

Incident Reason:

Site Name: Laydown yard<UNOFFICIAL>

Unknown / N/A

Site County/District:

Site Geo Ref Meth:

Incident Summary: OLRT: 9 liters diesel to gravel yard, not cleaned up

Contaminant Qty: 9 L

Site: SNC-Lavalin Operations & Maintenance Inc. Database: Ottawa ON

Ref No: 4475-8DGQA2 Discharger Report: Site No: Material Group: Incident Dt: 1/17/2011 Health/Env Conseq: Year: Client Type: Incident Cause: Unknown

Incident Event:

Contaminant Code: n/a

Contaminant Name: Propylene glycol Sector Type: Other Agency Involved:

Nearest Watercourse: Site Address:

erisinfo.com | Environmental Risk Information Services

Order No: 21080600433

Preston St at Guideway

Primary Assessment of Spills

Tank - Above Ground

Ottawa

Eastern

Ottawa

5029007

443874

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code: Contaminant UN No 1: Site Region:

Ottawa Environment Impact: Confirmed Site Municipality:

Nature of Impact: Soil Contamination; Surface Water Pollution Receiving Medium:

Site Lot: Site Conc: Northina:

MOE Response:

No Field Response

Easting: Site Geo Ref Accu:

Dt MOE Arvl on Scn: **MOE** Reported Dt:

Receiving Env:

1/26/2011

Site Map Datum:

Dt Document Closed:

SAC Action Class: 2/16/2011

Incident Reason: Equipment Failure - Malfunction of system components

Source Type:

Site Name:

SNC Lavalin 150 Tunney's Pasture Driveway<UNOFFICIAL>

Site County/District:

Site Geo Ref Meth:

Incident Summary: 113L propylene glycol to roof, storm sewer. Contaminant Qty: 113 L

TOP VALU Site:

Incident Dt:

Year:

PRESTON STREET, SOUTH OF GLADSTONE SERVICE STATION OTTAWA-CARLETON R.M. ON

Database: SPL

Order No: 21080600433

Ref No: 42188 Site No:

10/16/1990 **CONTAINER OVERFLOW**

Incident Cause: Incident Event: Contaminant Code: Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact:

POSSIBLE Nature of Impact: Water course or lake

LAND

10/16/1990

ERROR

Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn:

MOE Reported Dt: Dt Document Closed: Incident Reason:

Site Name: Site County/District: Site Geo Ref Meth:

Incident Summary: Contaminant Qty:

Land Spills

Discharger Report: Material Group: Health/Env Conseq: Client Type:

Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office:

Site Postal Code: Site Region:

Site Municipality: 20000

Site Lot: Site Conc: Northing: Easting:

Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:

TOP VALU- 5 L DIESEL FUELTO GROUND

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 21080600433

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Dec 31, 2020

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2018

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Chemical Manufacturers and Distributors:

Private CHFM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Dec 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Apr 2021

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

COAL

Order No: 21080600433

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2020

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994- Jun 30, 2021

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: May 31, 2021

Environmental Activity and Sector Registry:

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Jun 30, 2021

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994- Jun 30, 2021

Environmental Compliance Approval:

Provincial FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Jun 30, 2021

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jun 30, 2021

Environmental Issues Inventory System:

Federal

EIIS

Order No: 21080600433

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions: Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2021

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

Order No: 21080600433

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank: Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Apr 30, 2021

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

Order No: 21080600433

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Dec 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPI

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2019

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2021

National Energy Board Wells:

Federal

NEBP

Order No: 21080600433

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2021

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Apr 30, 2021

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 21080600433

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Jun 30, 2021

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994- Jun 30, 2021

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2018

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jun 2021

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Dec 31, 2020

Scott's Manufacturing Directory:

Private

SCT

Order No: 21080600433

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Aug 2020

Wastewater Discharger Registration Database:

Provincial

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2018

Private Anderson's Storage Tanks: **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Jun 30, 2021

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 21080600433

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2021

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction:</u> The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Order No: 21080600433

APPENDIX 6
Physical Setting Report



Property Information

Order Number: 21080600433p

Date Completed: August 8, 2021

Project Number:

Project Property: 224 Preston Street Ottawa

224 Preston Street Ottawa ON K1R 7R1

Coordinates:

Latitude: 45.4056284 Longitude: -75.7127825

UTM Northing: 5028259.25936 Metres UTM Easting: 444219.648537 Metres

UTM Zone: UTM Zone 18T Elevation: 66.19 m WSW

Property Information	1
Topographic Information	
Hydrologic Information	4
Geologic Information	5
Soil Information	
Wells and Additional Sources	12
Report Summary	13
Detail Report	
Radon Information	62
Area of Natural and Scientific Interest.	63
Appendix	65
Liability Notice	
• · · · · · · · · · · · · · · · · · · ·	

The ERIS *Physical Setting Report - PSR* provides comprehensive information about the physical setting around a site and includes a complete overview of topography as well as hydrologic, geologic and soil characteristics. The location and detailed attributes of oil and gas wells, water wells, and radon are also included for review.


The compilation of both physical characteristics of a site and additional attribute data is useful in assessing the impact of migration of contaminants and subsequent impact on soils and groundwater.

Disclaimer

This Report does not provide a full environmental evaluation for the site or adjacent properties. Please see the terms and disclaimer at the end of the Report for greater detail.

Order No: 21080600433p

Topographic Information




Data source: Ontario Base Mapping (OBM) by Ontario Ministry of Natural Resources.

Topographic Information

The previous topographic map(s) show general topographic information in the surrounding area of the project property, using Toporama data or a provincial source when available. Below are shaded relief map(s), derived from Digital Elevation data to depict terrain in further detail.


Topographic information at project property:


Elevation: 66.19 m Slope Direction: WSW



Order No: 21080600433p

Hydrologic Information





Detailed bedrock geology information about each unit within the search radius is provided below.

Unit ID 19051

Unit Name:

Rock Type: Shale, limestone, dolostone, siltstone

Strata: Georgian Bay Formation; Blue Mountain Formation; Billings Formation;

Collingwood Member; Eastview Member

Order No: 21080600433p

Super Eon:

Eon: PHANEROZOIC (Present to 542.0 Ma)
Era: PALEOZOIC (251.0 Ma to 542.0 Ma)
Period: ORDOVICIAN (443.7 Ma to 488.3 Ma)

Epoch: UPPER ORDOVICIAN

Province: Tectonic Zone:

Unit ID 19242

Unit Name:

Rock Type: Limestone, dolostone, shale, arkose, sandstone


Strata: Ottawa Group; Simcoe Group; Shadow Lake Formation

Super Eon:

Eon: PHANEROZOIC (Present to 542.0 Ma)
Era: PALEOZOIC (251.0 Ma to 542.0 Ma)
Period: ORDOVICIAN (443.7 Ma to 488.3 Ma)

Epoch: MIDDLE ORDOVICIAN (now considered UPPER DEVONIAN)

Province: Tectonic Zone:



Detailed surficial geology information about each unit within the search radius is provided below.

Unit ID Pa

Geological Deposit: Bedrock
Deposit Age: Paleozoic

Primary Material: Paleozoic Bedrock

Secondary Material:

Primary General:

Primary General Modifier:

Veneer: clay, silt, sand, gravel, diamicton

Episode:

Sub Episode:

Strata Modifier: Surface

Provenance:
Carbon Content:
Formation:

Permeability: Variable

Material Description: Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly

occuring as bare, tabular outcrops; includes areas thinly veneered by

unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

Unit ID 3a

Geological Deposit: Offshore marine deposits

Deposit Age: Quaternary (Champlain Sea)

Primary Material: clay, silt

Secondary Material:

Primary General: glaciomarine
Primary General Modifier: foreshore/basinal

Veneer: silt, sand
Episode: Wisconsin
Sub Episode: Michigan
Strata Modifier: Surface

Provenance:
Carbon Content:
Formation:

Permeability: Low

Material Description: Clay and silt underlying erosional terraces; upper part of marine deposits

removed to variable depths by fluvial erosion so in places clay is uniform bluegrey; unit includes lenses, bars and channel fills to sand and pockets of nonmarine silt that were formed during terrace (or channel) cutting.

Order No: 21080600433p

Unit ID 1a

Geological Deposit: Till

Deposit Age: Quaternary

Primary Material: diamicton

Secondary Material:

Primary General: glacial

Primary General Modifier:

Veneer:

Episode: Wisconsin
Sub Episode: Michigan
Strata Modifier: Surface
Provenance: N-NE

Carbon Content:

Formation: Undifferentiated silty-sandy till on Paleozoic terrain


Permeability: Low-Medium

Material Description: Sandy and silty compact diamicton, grey at depth but brown where oxidized;

calcareous where derived from sedimentary rocks and not leached; consists dominantly of lodgment till. In areas that lie below marine limit (198 m a.s.l.) it is overlain by a discontinuous lag consisting of gravel, sand and boulders

Order No: 21080600433p

Soil Information



This map shows soil units around the target property. Please refer to the report for detailed soil descriptions.



Soil Information

Detailed soil information about each unit within the search radius is provided below.

Ontario Detailed Soil Survey (DSS3)

Polygon ID: OND401072947

Component

Component ID: OND40107294701 **Components(%):** 100

Soil Name ID: ONZUN~~~~N Slope Steepness(%): Unknown or Not applicable

Component No: 1 Slope Length(m): -

Surface Stoniness Not Applicable

Class:

Component Rating

Field Crops Capability: First CLI Limitation

Subclass:

Second CLI Limitation

Subclass:

Drainage: Not Applicable

Soil Texture of A

Horizon:

Hydrological Soil

Groups:

Soil Name

Soil Name: UNCLASSIFIED
Kind of Surface Material: Unclassified
Soil Drainage Class: Not applicable
Water Table Unspecified period

Charateristics:

Layer that Restricts Root No root restricting layer

Growth:

Type of Root Restricting n/

Layer:


Parent Material 1, 2, 3: Not Applicable; Not Applicable; Not Applicable; Not Applicable; Not Applicable; Not Applicable


1,2,3:

Parent Material Chemical Not Applicable; Not A

Property 1,2,3:

Not Applicable; Not Applicable; Not Applicable





Wells and Additional Sources Summary

Federal Sources

National Energy Board Wells

Map Key ID Distance (m) Direction

No records found

Provincial Sources

Ontario Oil and Gas Wells

Map Key ID Distance (m) Direction

No records found

Provincial Groundwater Monitoring Network

Map Key ID Distance (m) Direction

No records found

Water Well Information System

Мар Кеу	Well ID	Distance (m)	Direction
1	1535493	62.34	SSE
2	7230093	141.9	N
3	7230092	167.15	N
4	7204405	178.29	NE
5	7353770	207.35	E
6	7204253	226.06	ENE
6	7204254	226.06	ENE
7	7183732	231.57	SSW
8	7183729	234.65	SSW
9	7174651	243.95	SW
9	7174650	243.95	SW
10	7205660	246.14	WSW
11	7188016	246.62	SW
12	7337497	248.9	SSW

Private Sources

Oil and Gas Wells

Map Key ID Distance (m) Direction

Order No: 21080600433p

No records found

Water Well Information System

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
1	SSE	0.06	62.34	65.88	WWIS
Well ID:	1535	493	Data Entry Status:		
Construction Date):		Data Src:		
Primary Water Us	e:		Date Received:	5/5/2005	
Sec. Water Use:			Selected Flag:	True	
Final Well Status:	Test	Hole	Abandonment Rec:		
Water Type:			Contractor:	1844	
Casing Material:			Form Version:	3	
Audit No:	Z192	59	Owner:		
Tag:	_NO_	_TAG	Street Name:		
Construction Meth	nod:		County:	OTTAWA	
Elevation (m):			Municipality:	OTTAWA CITY	
Elevation Reliabili	ity:		Site Info:		
Depth to Bedrock	:		Lot:		
Well Depth:			Concession:		
Overburden/Bedro	ock:		Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Leve	l:		Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
PDF URL (Map):	https	://d2khazk8e83rdv.cloud	front.net/moe_mapping/down	nloads/2Water/Wells_pdfs/153\	1535493.pdf
Well Completed D)ate: 2005	/05/03			
Year Completed:	2005				
Depth (m):	4.65				
Latitude:	45.40)50965726773			
Longitude:	-75.7	125285332943			
Path:	153\1	1535493.pdf			
Bore Hole ID:	1131	6022	Elevation:	59.354789	
DP2BR:	1131	0032		59.55 4 769	
Spatial Status:			Elevrc: Zone:	18	
Code OB:	0		Zone: East83:	444239.00	
Code OB. Code OB Desc:		burden	North83:	5028200.00	
Open Hole:	Oven	Duidell	Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed:	03-M	ay-2005 00:00:00	UTMRC Desc:	margin of error : 30	m - 100 m
Remarks:	003101	a, 2000 00.00.00	Location Method:	wwr	100 111

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 932996483

Layer: 2 Color: 6

General Color: BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 05

 Mat3 Desc:
 CLAY

Formation Top Depth: 1.399999976158142
Formation End Depth: 1.7000000476837158

Formation End Depth

UOM:

Formation ID: 932996482

Layer: 1 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 01
Mat3 Desc: FILL
Formation Top Depth: 0.0

Formation End Depth: 1.399999976158142

Formation End Depth m

UOM:

Formation ID: 932996484

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 13

Most Common Material: BOULDERS

Mat2: 28

Mat2 Desc: SAND
Mat3: 11
Mat3 Desc: GRAVEL

Formation Top Depth: 1.7000000476837158 Formation End Depth: 4.650000095367432

Formation End Depth n

UOM:

Plug ID: 933268438

Layer: 1

Plug From: 4.26999998092651

Plug To: 1
Plug Depth UOM: m

Plug ID: 933268439

 Layer:
 2

 Plug From:
 1

 Plug To:
 0

 Plug Depth UOM:
 m

Method Construction ID: 961535493

6

Method Construction

Code:

Method Construction: Boring

Other Method Construction:

Pipe ID: 11330887

Casing No: 1

Comment: Alt Name:

Casing ID: 930855305

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 1.25999999046326

Depth To: 0
Casing Diameter: 20
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 933412593

Layer: 1
Slot: 010

 Screen Top Depth:
 1.25999999046326

 Screen End Depth:
 4.26000022888184

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 25

 Hole ID:
 11533535

 Diameter:
 10.0

 Depth From:
 0.0

Depth To: 4.650000095367432

Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
2	N	0.14	141.90	66.88	WWIS

Data Src:

Order No: 21080600433p

Well ID: 7230093 Data Entry Status:

Construction Date:

Primary Water Use: Monitoring Date Received: 10/24/2014

Sec. Water Use: Selected Flag: True

Final Well Status: Observation Wells Abandonment Rec:

Water Type: Contractor: 1844
Casing Material: Form Version: 7

Audit No: Z180597 Owner:

Tag: A153936 Street Name: 173-177 PRESTON ST

Construction Method: County: OTTAWA

Construction Method. County. OTTAWA

Elevation (m): Municipality: NEPEAN TOWNSHIP

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map):

Well Completed Date: 2014/01/17 Year Completed: 2014

10.9 Depth (m):

Latitude: 45.4069036176719 Longitude: -75.7128834980383

Path:

Bore Hole ID: 1005178388 58.289070 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18

Code OB: East83: 444213.00 Code OB Desc: North83: 5028401.00 UTM83 Open Hole: Org CS:

4 Cluster Kind: UTMRC:

UTMRC Desc: Date Completed: 17-Jan-2014 00:00:00 margin of error: 30 m - 100 m

Remarks: Location Method:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1005361729

5 Layer: Color: 6

General Color: **BROWN**

Mat1: 28 Most Common Material: SAND Mat2: Mat2 Desc: **GRAVEL**

Mat3: 13

Mat3 Desc: **BOULDERS**

Formation Top Depth: 3.9000000953674316 Formation End Depth: 10.899999618530273

Formation End Depth

UOM:

Formation ID: 1005361727

Layer: 3 Color: 6

General Color: **BROWN**

Mat1: 06 Most Common Material: SILT Mat2: 28 Mat2 Desc: SAND

Mat3: 01 Mat3 Desc: FILL

Formation Top Depth: 0.6000000238418579 Formation End Depth: 1.600000023841858

Formation End Depth

UOM:

Formation ID: 1005361725

Layer: 1

Color:

General Color:

Mat1: 27
Most Common Material: OTHER

Mat2: Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.05000000074505806

Formation End Depth m

UOM:

Formation ID: 1005361728

Layer: 4
Color: 6

General Color: BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 34

 Mat3 Desc:
 TILL

Formation Top Depth: 1.600000023841858 Formation End Depth: 3.9000000953674316

Formation End Depth

UOM:

Formation ID: 1005361726

 Layer:
 2

 Color:
 2

General Color: GREY
Mat1: 01
Most Common Material: FILL
Mat2: 15

Mat2 Desc: LIMESTONE

Mat3: 28

Mat3 Desc: SAND

Formation Top Depth: 0.05000000074505806 Formation End Depth: 0.6000000238418579

Formation End Depth

UOM:

m

Plug ID: 1005361736

Layer: 1

Plug From: 0.300000011920929 Plug To: 0.600000023841858

Plug Depth UOM: m

Method Construction ID: 1005361735

Method Construction

Code:

Method Construction: Other Method

Other Method HSA

Construction:

1005361724

Casing No: 0

Comment:

Alt Name:

Pipe ID:

Screen ID: 1005361733

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 3

Screen End Depth: 4.59999990463257

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 3.89000010490417

Water ID: 1005361731

Layer: 1 Kind Code: 8

Kind: Untested
Water Found Depth: 3.5
Water Found Depth UOM: m

Hole ID: 1005361730

Diameter: 20.299999237060547

Depth From: 0.0

Depth To: 10.899999618530273

Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
3	N	0.17	167.15	66.57	WWIS

Data Src:

Concession:

True

Order No: 21080600433p

Well ID: 7230092 Data Entry Status:

Construction Date:

Primary Water Use: Monitoring Date Received: 10/24/2014

Sec. Water Use: Selected Flag:

Final Well Status: Observation Wells Abandonment Rec:

Water Type: Contractor: 1844
Casing Material: Form Version: 7

Audit No: Z180596 Owner:

Tag: A153936 Street Name: 173-177 PRESTON ST

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY
Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

PDF URL (Map):

Clear/Cloudy:

Well Depth:

Well Completed Date: 2014/01/17
Year Completed: 2014

Depth (m): 8.5

Latitude: 45.4071184352754 Longitude: -75.7130778811063

Path:

Bore Hole ID: 1005178385 Elevation: 58.334548

DP2BR: Elevrc:

Spatial Status: Zone: 18

 Code OB:
 East83:
 444198.00

 Code OB Desc:
 North83:
 5028425.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 17-Jan-2014 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

4

Order No: 21080600433p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1005361706

Layer: 6

Color:

General Color:

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 7.199999809265137

Formation End Depth: 8.5
Formation End Depth m

UOM:

Formation ID: 1005361703

Layer: 3 Color: 6

General Color: BROWN
Mat1: 06
Most Common Material: SILT

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 01

 Mat3 Desc:
 FILL

Formation Top Depth: 1.0099999904632568 Formation End Depth: 1.600000023841858

Formation End Depth m

UOM:

Formation ID: 1005361701

Layer: 1

Color:

General Color:

Mat1: 27 Most Common Material: **OTHER**

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.05000000074505806

Formation End Depth

UOM:

Formation ID: 1005361702

Layer: 2 Color: 6

General Color: **BROWN** Mat1: 01 Most Common Material: **FILL** Mat2: 15

Mat2 Desc: LIMESTONE

Mat3: 28 Mat3 Desc: SAND

Formation Top Depth: 0.05000000074505806 Formation End Depth: 1.0099999904632568

m

Formation End Depth

UOM:

Formation ID:

1005361704

SAND

Layer: 4 Color:

General Color: **BROWN** Mat1: 06 Most Common Material: SILT Mat2: 28

Mat3: Mat3 Desc:

Mat2 Desc:

Formation Top Depth: 1.600000023841858 Formation End Depth: 3.9000000953674316

Formation End Depth m

UOM:

Formation ID: 1005361705

5 Layer: Color: 7 RED General Color: Mat1: 28

Most Common Material: SAND Mat2: 29

Mat2 Desc: FINE GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 3.9000000953674316 Formation End Depth: 7.199999809265137

Formation End Depth

UOM:

Plug ID: 1005361713

Layer: 1

Plug From: 0.300000011920929 Plug To: 0.600000023841858

Plug Depth UOM: m

Method Construction ID: 1005361712

Method Construction

Code:

Method Construction: Other Method

Other Method HSA

Construction:

Pipe ID: 1005361700

Casing No: 0

Comment: Alt Name:

Screen ID: 1005361710

Layer: 1
Slot: 10
Screen Top Depth: 3
Screen End Depth: 6
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 3.89000010490417

Water ID: 1005361708

Layer: 1 Kind Code: 8

Kind: Untested

Water Found Depth: 4.449999809265137

Water Found Depth UOM: m

Hole ID: 1005361707

Diameter: 20.299999237060547

Depth From: 0.0
Depth To: 8.5
Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
4	NE	0.18	178.29	68.88	WWIS

Well ID: 7204405 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 7/10/2013

Sec. Water Use: Selected Flag: True

Final Well Status: Test Hole Abandonment Rec:

Water Type: Contractor: 7241
Casing Material: Form Version: 7

Audit No: Z168664 Owner:

Tag:A098723Street Name:26 BALSAMConstruction Method:County:OTTAWA

Elevation (m):

Municipality:

NEPEAN TOWNSHIP

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock:Concession Name:Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204405.pdf

Order No: 21080600433p

Well Completed Date: 2013/06/04 Year Completed: 2013 Depth (m): 15.24

Latitude: 45.4067523604503 Longitude: -75.7111564788136 Path: 720\7204405.pdf

Bore Hole ID: 1004403119 Elevation: 65.374786

DP2BR: Elevro:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 444348.00

 Code OB Desc:
 North83:
 5028383.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 04-Jun-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004821845

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 74

Mat2 Desc: LAYERED

Mat3: 73 Mat3 Desc: HARD

Formation Top Depth: 1.2200000286102295 Formation End Depth: 15.239999771118164

Formation End Depth m

UOM:

Formation ID: 1004821843

Layer: 1 Color: 6

General Color: BROWN Mat1: 02

Most Common Material: TOPSOIL

Mat2: 85
Mat2 Desc: SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.3100000023841858

Formation End Depth m

UOM:

Formation ID: 1004821844

Layer: 2 Color: 6

General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12

Mat2 Desc: STONES
Mat3: 85
Mat3 Desc: SOFT

Formation Top Depth: 0.3100000023841858 Formation End Depth: 1.2200000286102295

Formation End Depth m

UOM:

Plug ID: 1004821856

Layer: 3 Plug From: 12

Plug To: 15.2399997711182

Plug Depth UOM: m

Plug ID: 1004821855

Layer: 2

Plug From: 0.310000002384186

Plug To: 12
Plug Depth UOM: m

Plug ID: 1004821854

Layer: 1 Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Method Construction ID: 1004821853

Method Construction 5

Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe ID: 1004821842

Casing No: 0

Comment: Alt Name:

Casing ID: 1004821849

Layer: 1 5 Material:

Open Hole or Material: **PLASTIC**

Depth From:

Depth To: 12.1899995803833 Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm Casing Depth UOM: m

Screen ID: 1004821850

Layer: 1 Slot: 10

Screen Top Depth: 12.1899995803833 Screen End Depth: 15.2399997711182

5 Screen Material: Screen Depth UOM: m Screen Diameter UOM:

Screen Diameter: 4.82000017166138

Water ID: 1004821848

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1004821847

Diameter: 7.619999885559082 Depth From: 1.5199999809265137 Depth To: 15.239999771118164

Hole Depth UOM: Hole Diameter UOM: cm

Hole ID: 1004821846

Diameter: 11.449999809265137

Depth From: 0.0

Depth To: 1.5199999809265137

Hole Depth UOM: m Hole Diameter UOM: cm

Map Key **Direction** Distance (km) Distance (m) Elevation (m) DB Order No: 21080600433p

5 E 0.21 207.35 69.93 WWIS

Well ID: 7353770 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 2/19/2020
Sec. Water Use: Selected Flag: True

Final Well Status: Abandonment Rec:

Water Type: Contractor: 1844
Casing Material: Form Version: 7

Audit No: Z231075 Owner:

Tag: A279030 Street Name: 280 Rochester St.

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

PDF URL (Map):

Clear/Cloudy:

 Well Completed Date:
 2012/12/11

 Year Completed:
 2012

 Depth (m):
 2.151888

Latitude: 45.4059034259752

Longitude: -75.710161885585

Path:

Bore Hole ID: 1008157001 Elevation:

DP2BR: Elevrc: Zone:

 Code OB:
 East83:
 444425.00

 Code OB Desc:
 North83:
 5028288.00

Cluster Kind: UTMRC: 4

Date Completed: 11-Dec-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Org CS:

18

UTM83

Order No: 21080600433p

Remarks: Location Method: gis

Elevrc Desc:

Open Hole:

Location Source Date: Improvement Location

Source:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1008240693

Layer: 1

Color:

General Color:

Mat1: 01
Most Common Material: FILL

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 1.5199999809265137

Formation End Depth f

UOM:

Formation ID: 1008240694

Layer: 2

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2: 17
Mat2 Desc: SHALE

Mat3:

Mat3 Desc:

Formation Top Depth: 1.5199999809265137 Formation End Depth: 7.059999942779541

ft

Formation End Depth

UOM:

Plug ID: 1008240950

 Layer:
 1

 Plug From:
 0

 Plug To:
 3.75

 Plug Depth UOM:
 ft

Pipe ID: 1008240290

Casing No: 0

Comment: Alt Name:

Screen ID: 1008241486

Layer: 1 Slot: 10

Screen Top Depth: Screen End Depth:

Screen Material: 5

Screen Depth UOM:

Screen Diameter UOM: inch

Screen Diameter: 5.84999990463257

Pump Test ID: 1008241692

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump

Depth:

Pumping Rate: Flowing Rate:

Recommended Pump

Rate:

Levels UOM: ft
Rate UOM: GPM

Water State After Test

Code:

Water State After Test:
Pumping Test Method: 0

Pumping Duration HR: Pumping Duration MIN:

Flowing:

Water ID: 1008241577

Layer: 1 Kind Code: 8

Kind: Untested

Water Found Depth: 3.869999885559082

Water Found Depth UOM: ft

Hole ID: 1008241116

 Diameter:
 7.619999885559082

 Depth From:
 1.5199999809265137

 Depth To:
 7.059999942779541

Hole Depth UOM: ft
Hole Diameter UOM: Inch

Hole ID: 1008241115

Diameter: 20.299999237060547

Depth From: 0.0

Depth To: 1.5199999809265137

Hole Depth UOM: ft
Hole Diameter UOM: Inch

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
6	ENE	0.23	226.06	69.85	WWIS

Well ID: 7204253 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 7/5/2013

Sec. Water Use: Selected Flag: True

Final Well Status: Observation Wells Abandonment Rec:

Water Type: Contractor: 7241

Casing Material: Form Version: 7

Audit No: Z168910 Owner:

Tag: _NO_TAG Street Name: 249 ROCHESTER

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204253.pdf

Order No: 21080600433p

Well Completed Date: 2013/05/22 Year Completed: 2013

Year Completed: 2013 Depth (m): 4.88

Latitude: 45.4063180887206 Longitude: -75.7100648532507

Bore Hole ID: 1004397059 Elevation: 66.924903 DP2BR: Elevrc:

Spatial Status: Zone: 18

720\7204253.pdf

Path:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

444433.00

UTM83

4

5028334.00

margin of error: 30 m - 100 m

Order No: 21080600433p

Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 22-May-2013 00:00:00

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004810161

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.3100000023841858 Formation End Depth: 2.740000009536743

Formation End Depth

UOM:

Formation ID: 1004810162

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 2.740000009536743 Formation End Depth: 4.880000114440918

Formation End Depth n

UOM:

Formation ID: 1004810160

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 0.3100000023841858

Formation End Depth m

UOM:

Plug ID: 1004810171

Layer: 2

Plug From: 0.910000026226044

Plug To: 1.5
Plug Depth UOM: m

Plug ID: 1004810170

Layer: 1 Plug From: 0

Plug To: 0.910000026226044

Plug Depth UOM: m

Plug ID: 1004810172

Layer: 3
Plug From: 1.5

Plug To: 4.88000011444092

7

Plug Depth UOM: m

Method Construction ID: 1004810169

Method Construction

Code:

Method Construction: Diamond

Other Method Construction:

Pipe ID: 1004810159

Casing No: 0

Comment: Alt Name:

Casing ID: 1004810165

Layer: 1 Material:

Open Hole or Material: **PLASTIC**

Depth From:

Depth To: 1.83000004291534 Casing Diameter: 3.45000004768372

Casing Diameter UOM: cm Casing Depth UOM: m

Screen ID: 1004810166

Layer: 1 Slot: 10

Screen Top Depth: 1.83000004291534 4.88000011444092 Screen End Depth:

Screen Material: Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 4.21000003814697

Water ID: 1004810164

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1004810163

Diameter: 5.710000038146973

Depth From: 0.0

Depth To: 4.880000114440918

Hole Depth UOM: m Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
6	ENE	0.23	226.06	69.85	WWIS

Order No: 21080600433p

Well ID: 7204254 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 7/5/2013 Monitoring and Test Hole Sec. Water Use: Selected Flag: True

Final Well Status: Test Hole Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

Audit No: Z154404 Owner:

Tag: A145283 Street Name: 249 ROCHESTER ST

Construction Method: County: OTTAWA

Elevation (m): Municipality: NEPEAN TOWNSHIP

Elevation Reliability:

Depth to Bedrock:

Well Depth:

Site Info:

Lot:

Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7204254.pdf

Well Completed Date: 2013/05/26
Year Completed: 2013
Depth (m): 4.57

Latitude: 45.4063180887206
Longitude: -75.7100648532507
Path: 720\7204254.pdf

Bore Hole ID: 1004397062 Elevation: 66.924903

DP2BR: Elevro:

Spatial Status: Zone: 18

 Code OB:
 East83:
 444433.00

 Code OB Desc:
 North83:
 5028334.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 26-May-2013 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location

Method: Source Revision Comment: Supplier Comment:

Formation ID: 1004810174

Layer:

Color: 2
General Color: GREY
Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 4.570000171661377

Formation End Depth

UOM:

Plug ID: 1004810185

Layer: 3

Plug From: 2.74000000953674 Plug To: 4.57000017166138

Plug Depth UOM: m

Plug ID: 1004810184

Layer: 2

Plug From: 1.83000004291534 Plug To: 2.74000000953674

Plug Depth UOM: m

Plug ID: 1004810183

Layer: 1 Plug From: 0

Plug To: 1.87999999523163

Plug Depth UOM: m

Method Construction ID: 1004810182

Method Construction 7

Code:

Method Construction: Diamond

Other Method Construction:

Pipe ID: 1004810173

Casing No: 0

Comment: Alt Name:

Casing ID: 1004810178

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0

Depth To: 3.09999990463257 Casing Diameter: 3.45000004768372

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004810179

Layer: 1 Slot: 10

 Screen Top Depth:
 3.09999990463257

 Screen End Depth:
 4.57000017166138

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.21000003814697

Water ID: 1004810177

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004810175

Diameter: 8.0
Depth From: 0.0

Depth To: 1.8300000429153442

Hole Depth UOM: m
Hole Diameter UOM: cm

Hole ID: 1004810176

 Diameter:
 5.710000038146973

 Depth From:
 1.8300000429153442

 Depth To:
 4.570000171661377

Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
7	SSW	0.23	231.57	65.88	WWIS

Well ID: 7183732 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 7/6/2012
Sec. Water Use: 0 Selected Flag: True

Final Well Status: 0 Abandonment Rec:

Water Type: Contractor: 7241
Casing Material: Form Version: 7

Audit No: Z152812 Owner:

Tag: A115793 Street Name: 175 LORETTA AVE

Construction Method: County: OTTAWA

Elevation (m): Municipality: NEPEAN TOWNSHIP

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7183732.pdf

Well Completed Date: 2012/06/11
Year Completed: 2012
Depth (m): 4.88

Latitude: 45.4038343978382 Longitude: -75.7142888054846 Path: 718\7183732.pdf

Bore Hole ID: 1003965637 Elevation: 60.347965

DP2BR: Elevro:

Spatial Status: Zone: 18

 Code OB:
 East83:
 444100.00

 Code OB Desc:
 North83:
 5028061.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 11-Jun-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 21080600433p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1004346098

Layer: 1 Color: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 11

Mat2 Desc: GRAVEL
Mat3: 79
Mat3 Desc: PACKED

Formation Top Depth: 0.0

Formation End Depth: 1.8300000429153442

Formation End Depth m

UOM:

Formation ID: 1004346100

3 Layer: Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: **SOFT**

Formation Top Depth: 3.0999999046325684 Formation End Depth: 4.880000114440918

Formation End Depth m

UOM:

Formation ID: 1004346099

Layer: 2 Color: 6

General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 11

Mat2 Desc: GRAVEL Mat3: 79

Mat3 Desc: PACKED

Formation Top Depth: 1.8300000429153442 Formation End Depth: 3.0999999046325684

Formation End Depth

UOM:

m

Plug ID: 1004346109

Layer: 2

Plug From: 0.310000002384186

Plug To: 1.5
Plug Depth UOM: m

Plug ID: 1004346110

Layer: 3
Plug From: 1.5

Plug To: 4.88000011444092

Plug Depth UOM: m

Plug ID: 1004346108

Layer: 1 Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Method Construction ID: 1004346107

Method Construction

Code:

Method Construction: Other Method
Other Method DIRECT PUSH

В

1004346097

Construction:

Casing No: 0

Comment: Alt Name:

Pipe ID:

Casing ID: 1004346103

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0

Depth To: 1.83000004291534 Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004346104

Layer: 1 Slot: 10

 Screen Top Depth:
 1.83000004291534

 Screen End Depth:
 4.88000011444092

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.82000017166138

Water ID: 1004346102

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004346101

Diameter: 8.25
Depth From: 0.0

Depth To: 4.880000114440918

Hole Depth UOM: m
Hole Diameter UOM: cm

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
8	SSW	0.23	234.65	65.88	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Methol Elevation (m):	7183 Monit 0 Test I Z1526 A126	729 oring and Test Hole Hole 811	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality:	7/6/2012 True 7241 7 175 LORETTA ST OTTAWA NEPEAN TOWNSHIP	WWIS
Elevation Reliability Depth to Bedrock:	y:		Site Info: Lot:		
Well Depth:			Concession:		
Overburden/Bedro Pump Rate:	CK:		Concession Name: Easting NAD83:		

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7183729.pdf

Well Completed Date: 2012/06/11
Year Completed: 2012
Depth (m): 4.27

Latitude: 45.4038073161716 Longitude: -75.7143012421662 Path: 718\7183729.pdf

Bore Hole ID: 1003965251 Elevation: 60.681434

DP2BR: Elevrc:

Spatial Status: Zone: 18

 Code OB:
 East83:
 444099.00

 Code OB Desc:
 North83:
 5028058.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 11-Jun-2012 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1004345976

Layer: 2 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: **CLAY** Mat2: 84 Mat2 Desc: SILTY Mat3: 11

Mat3 Desc: GRAVEL Formation Top Depth: 1.5

Formation End Depth: 2.740000009536743

Formation End Depth m

UOM:

Formation ID: 1004345977

Layer: 3 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 85 Mat3 Desc: **SOFT**

Formation Top Depth: 2.740000009536743 Formation End Depth: 4.269999980926514

Formation End Depth n

UOM:

Formation ID: 1004345975

Layer: 1 Color: 6

General Color: BROWN

Mat1: 01
Most Common Material: FILL
Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 79

Mat3 Desc: PACKED

Formation Top Depth: 0.0
Formation End Depth: 1.5
Formation End Depth m

UOM:

Plug ID: 1004345985

Layer: 1 Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Plug ID: 1004345987

Layer: 3

Plug From: 0.910000026226044 Plug To: 4.26999998092651

Plug Depth UOM: m

Plug ID: 1004345986

Layer: 2

Plug From: 0.310000002384186 Plug To: 0.930999994277954

Plug Depth UOM: m

Method Construction ID: 1004345984

Method Construction

Code:

Method Construction: Other Method
Other Method DIRECT PUSH

Construction:

Pipe ID: 1004345974

Casing No: 0

Comment: Alt Name:

Casing ID: 1004345980

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0

Depth To: 1.22000002861023 Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004345981

Layer: 1 Slot: 10

 Screen Top Depth:
 1.22000002861023

 Screen End Depth:
 4.26999998092651

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.82000017166138

Water ID: 1004345979

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004345978

Diameter: 8.25
Depth From: 0.0

Depth To: 4.269999980926514

Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
9	SW	0.24	243.95	65.88	WWIS

Well ID: 7174651 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 1/9/2012 Sec. Water Use: 0 Selected Flag: True

Final Well Status: Monitoring and Test Hole Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

Audit No: Z134421 Owner:

Tag: A123850 Street Name: 1175 LORETTA STREET NORTH

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7174651.pdf

Order No: 21080600433p

Well Completed Date: 2011/11/17
Year Completed: 2011
Depth (m): 5.49

Latitude: 45.4038325596653 Longitude: -75.7145826759263 Path: 717\7174651.pdf

Bore Hole ID: 1003630600 Elevation: 63.038070

DP2BR: Elevrc:

Spatial Status: Zone: 18

 Code OB:
 East83:
 444077.00

 Code OB Desc:
 North83:
 5028061.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 17-Nov-2011 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1004054903

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 08

Mat2 Desc: FINE SAND

Mat3: 91

 Mat3 Desc:
 WATER-BEARING

 Formation Top Depth:
 4.570000171661377

 Formation End Depth:
 5.489999771118164

Formation End Depth m

UOM:

Formation ID: 1004054902

Layer: 2 Color: 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 01

 Mat2 Desc:
 FILL

 Mat3:
 73

 Mat3 Desc:
 HARD

Formation Top Depth: 2.740000009536743 Formation End Depth: 4.570000171661377

Formation End Depth

UOM:

Formation ID: 1004054901

Layer: 1 Color:

General Color: **BROWN**

Mat1: 01 Most Common Material: **FILL** Mat2: 73 Mat2 Desc: **HARD** Mat3: 68 Mat3 Desc: DRY

Formation End Depth: 2.740000009536743

0.0

Formation End Depth

Formation Top Depth:

UOM:

Plug ID: 1004054912

Layer:

Plug From: 0.310000002384186

Plug To: 1.5 Plug Depth UOM: m

Plug ID: 1004054911

Layer: 1 Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Plug ID: 1004054913

Layer: Plug From: 1.5

4.88000011444092 Plug To:

Plug Depth UOM: m

Method Construction ID: 1004054910

Method Construction В

Code:

Other Method

Method Construction: Other Method **DIRECT PUSH**

Construction:

Pipe ID: 1004054900

0 Casing No:

Comment:

Alt Name:

Casing ID: 1004054906

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0

Depth To: 1.83000004291534 Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm Casing Depth UOM: m

Screen ID: 1004054907

Layer: 1 Slot: 10

Screen Top Depth: 1.83000004291534 Screen End Depth: 4.88000011444092

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.82000017166138

Water ID: 1004054905

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004054904

Diameter: 8.25
Depth From: 0.0

Depth To: 4.880000114440918

Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
9	SW	0.24	243.95	65.88	WWIS

Order No: 21080600433p

Well ID: 7174650 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 1/9/2012

Sec. Water Use: 0 Selected Flag: True

Final Well Status: Monitoring and Test Hole Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

Audit No: Z134420 Owner:

Tag: A123820 Street Name: 175 LORETTA STREET NORHT

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7174650.pdf

Well Completed Date: 2011/11/17
Year Completed: 2011
Depth (m): 5.18

Latitude: 45.4038326396016
Longitude: -75.7145698989512
Path: 717\7174650.pdf

Bore Hole ID: 1003630598 Elevation: 62.975914

DP2BR: Elevro:

Spatial Status: Zone: 18

 Code OB:
 East83:
 444078.00

 Code OB Desc:
 North83:
 5028061.00

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 17-Nov-2011 00:00:00 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 21080600433p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1004054887

Layer: 1 Color: 6

General Color: BROWN Mat1: 11

Most Common Material: GRAVEL

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 73

 Mat3 Desc:
 HARD

 Formation Top Depth:
 0.0

Formation End Depth: 3.0999999046325684

Formation End Depth m

UOM:

Formation ID: 1004054888

Layer: 2 Color: 6

General Color: BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 05

 Mat3 Desc:
 CLAY

Formation Top Depth: 3.0999999046325684 Formation End Depth: 4.269999980926514

m

Formation End Depth

UOM:

Formation ID: 1004054889

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 06

 Mat2 Desc:
 SILT

 Mat3:
 85

Formation Top Depth: 4.269999980926514 Formation End Depth: 5.179999828338623

SOFT

Formation End Depth m

UOM:

Mat3 Desc:

Plug ID: 1004054899

Layer: 3

Plug From: 1.83000004291534 Plug To: 5.17999982833862

Plug Depth UOM: m

Plug ID: 1004054897

Layer: 1 Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Plug ID: 1004054898

Layer: 2

Plug From: 0.310000002384186 Plug To: 1.83000004291534

Plug Depth UOM: m

Method Construction ID: 1004054896

Method Construction B

Code:

Method Construction: Other Method
Other Method DIRECT PUSH

Construction:

Pipe ID: 1004054886

Casing No: 0

Comment: Alt Name:

Casing ID: 1004054892

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0

Depth To: 2.13000011444092 Casing Diameter: 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004054893

Layer: 1 Slot: 10

 Screen Top Depth:
 2.13000011444092

 Screen End Depth:
 5.17999982833862

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.82000017166138

Water ID: 1004054891

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004054890

Diameter: 8.25
Depth From: 0.0

Depth To: 5.179999828338623

Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
10	WSW	0.25	246.14	64.19	WWIS

Well ID: 7205660 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:

Sec. Water Use:

Selected Flag:

True

Final Well Status:

Abandoned-Other

Abandonment Rec:

Yes

Water Type:

Gentractor:

6894

Water Type: Contractor: 6894
Casing Material: Form Version: 7

Audit No: Z096874 Owner:

Tag: Street Name: O-TRAIN RAIL CORRIDOR

Order No: 21080600433p

Construction Method: County: OTTAWA

Elevation (m): Municipality: NEPEAN TOWNSHIP

Elevation Reliability: Site Info:
Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map):			
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:	45.4050669596233 -75.7158249524009		
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1004479434	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	57.220458 18 443981.00 5028199.00 UTM83 4 margin of error : 30 m - 100 m wwr
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	1004980781		
Pipe ID: Casing No: Comment: Alt Name:	1004980775 0		
Casing ID: Layer: Material: Open Hole or Material:	1004980779		

Depth From: Depth To:

Casing Diameter:

Casing Diameter UOM: cm Casing Depth UOM: m

Screen ID: 1004980780

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Water ID: 1004980778

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004980777

Diameter:
Depth From:
Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
11	SW	0.25	246.62	65.88	WWIS

Well ID: 7188016 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 9/24/2012
Sec. Water Use: 0 Selected Flag: True

Final Well Status: Test Hole Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

Audit No: Z156783 Owner:

Tag: A131015 Street Name: 449 GLADSTONE AVE

Order No: 21080600433p

Construction Method: County: OTTAWA

Municipality: **NEPEAN TOWNSHIP** Elevation (m): Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: Flow Rate: UTM Reliability: Clear/Cloudy: https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7188016.pdf PDF URL (Map): Well Completed Date: 2012/08/13 Year Completed: 2012 Depth (m): 4.1 45.403858921883 Latitude: Longitude: -75.7146852322032 Path: 718\7188016.pdf Bore Hole ID: 1004164393 Elevation: 63.021087 DP2BR: Elevrc: Spatial Status: 18 Zone: Code OB: 444069.00 East83: Code OB Desc: North83: 5028064.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: 4 **UTMRC Desc:** Date Completed: 13-Aug-2012 00:00:00 margin of error: 30 m - 100 m Location Method: Remarks: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:** Formation ID: 1004448481 Layer: Color: General Color: Mat1: Most Common Material:

Order No: 21080600433p

Mat2:

Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0

Formation End Depth: 4.099999904632568

Formation End Depth

UOM:

Plug ID: 1004448491

Layer: 3

Plug From: 2.59999990463257 Plug To: 4.09999990463257

Plug Depth UOM: m

Plug ID: 1004448489

Layer: 1 Plug From: 0

Plug To: 0.310000002384186

Plug Depth UOM: m

Plug ID: 1004448490

Layer: 2

Plug From: 0.310000002384186 Plug To: 2.29999995231628

В

Plug Depth UOM: m

Method Construction ID: 1004448488

Method Construction

Code:

Method Construction: Other Method
Other Method HYDROVAC

Pipe ID: 1004448480

Casing No: 0

Comment: Alt Name:

Construction:

Casing ID: 1004448484

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0

Depth To: 2.59999990463257 Casing Diameter: 3.8199999332428

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004448485

Layer: 1 Slot: 10

 Screen Top Depth:
 2.59999990463257

 Screen End Depth:
 4.09999990463257

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.03000020980835

Water ID: 1004448483

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004448482

Diameter: 60.0 Depth From: 0.0

Depth To: 4.099999904632568

Hole Depth UOM: ft
Hole Diameter UOM: inch

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
12	SSW	0.25	248.90	65.88	WWIS
Well ID:	7337	497	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use	: Moni	toring and Test Hole	Date Received:	6/14/2019	
Sec. Water Use:			Selected Flag:	True	
Final Well Status:	Aban	doned-Other	Abandonment Rec:	Yes	
Water Type:			Contractor:	7241	
Casing Material:			Form Version:	7	
Audit No:	Z231	274	Owner:		
Tag:	A115	793	Street Name:	175 Loretta St	
Construction Metho	od:		County:	OTTAWA	
Elevation (m):			Municipality:	OTTAWA CITY	

Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: Flow Rate: UTM Reliability: Clear/Cloudy: PDF URL (Map): $https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\arrowvertex. The properties of the p$ Well Completed Date: 2019/05/15 Year Completed: 2019 Depth (m): Latitude: 45.40365438609 Longitude: -75.714286536903 Path: 733\7337497.pdf Bore Hole ID: 1007526246 Elevation: DP2BR: Elevrc: **Spatial Status:** Zone: 18 Code OB: East83: 444100.00 Code OB Desc: North83: 5028041.00 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC: **UTMRC Desc:** Date Completed: 15-May-2019 00:00:00 margin of error: 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:** Plug ID: 1008015989 3 Layer: Plug From: 1

Plug ID: 1008015987

16

ft

Plug To:

Plug Depth UOM:

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Plug ID: 1008015988

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 1

 Plug Depth UOM:
 ft

Method Construction ID: 1008017327

Method Construction

Code:

В

Method Construction: Other Method
Other Method hand pull

Construction:

Pipe ID: 1008013963

Casing No: 0

Comment: Alt Name:

Screen ID: 1008018060

Layer: 1
Slot: 10
Screen Top Depth: 6
Screen End Depth: 16
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter: 1.9099999666214

Pump Test ID: 1008018633

Pump Set At: Static Level:

Final Level After Pumping:

Recommended Pump

Depth:

Pumping Rate: Flowing Rate:

Recommended Pump

Rate:

Levels UOM: ft
Rate UOM: GPM

Water State After Test

Code:

Water State After Test:
Pumping Test Method: 0

Pumping Duration HR: Pumping Duration MIN:

Flowing:

Water ID: 1008018393

Layer: 1

Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Radon Information

Detailed radon information for the project property is provided below.

Radon Zone Information

ID: 144852 **Radon Rank**: LOW

Health Canada Radon Information

Health Region: 3551

Health Region Name: City of Ottawa Health Unit

Province or Territory: ON Number Homes in 64

Survey:

% Below 200 Bq/m3: 93.8 % Above 200 Bq/m3: 6.2 200 to 600 Bq/m3: 6.2 % Above 600 Bq/m3: 0

Area of Natural and Scientific Interest Information

Thoro ic n	ANICL unit	available i	n this area
There is no) AIV.51 HILL	avallable li	n inis area

Area of Natural and Scientific Interest Information

Detailed	ANICI	informat	lion io	provided	holow
Detalled	AINSI	intorma	ion is	provided	pelow

No records found for the project property or surrounding properties.

Federal Sources

Bedrock Geology of Canada

BEDROCK GEOLOGY

The Geological Map of Canada is scaled at 1:5,000,000. This map is created by Geological Survey of Canada and published by Natural Resources Canada.

Health Canada Radon Information

RADON

This source is the results from the Cross-Canada Survey of Radon Concentrations in Homes, a two-year study conducted by Health Canada's National Radon Program. The aims of this study were to obtain an estimate of the proportion of the Canadian population living in homes with radon gas levels above the guideline of 200 Bq/m3, to identify previously unknown areas where radon gas exposure may constitute a health risk, and to build, over time, a map of indoor radon gas exposure levels across Canada.

National Energy Board Wells

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date

Soil Landscapes of Canada (SLC)

SLC

Major characteristics of soil and land such as surface form, slope, water table depth, permafrost and lakes.

Surficial Geology of Canada

SURFICIAL GEOLOGY

This map contains information on surficial materials and associated landforms left by the retreat of the last glaciers and non glacial environments. It is based on compilation of existing maps. This data was authored by the Geological Survey of Canada and published by Natural Resources Canada.

Toporama

TOPORAMA

Toporama covers the entire area of Canada's landmass and provides topographic, geo-referenced, and symbolic information in a raster format at 1:50,000 scale. This is a digital topographic reference product made available by Natural Resources Canada (NRCan).

Provincial Sources

Area of Natural and Scientific Interest

ANSI

Areas of Natural and Scientific Interest (ANSIs) are lands and waters with features that are important for natural heritage protection, appreciation, scientific study or education. This dataset is made available by Ontario Ministry of Natural Resources.

Bedrock Geology of Ontario

BEDROCK GEOLOGY

The Bedrock Geology layer shows the distribution of bedrock units underlying Ontario at a 1:250,000 scale. The geology of the province consists of Precambrian rocks of the Canadian Shield and Phanerozoic sedimentary rocks that overlie the Canadian Shield. This layer was compiled by the Precambrian Geoscience Section of Ontario Geological Survey.

Ontario Detailed Soil Survey (DSS3)

SOIL SURVEY

Soil surveys have been published for most of the agricultural areas, and many surrounding areas, across Canada. Data from these surveys comprise the most detailed soil inventory information in the National Soil DataBase. Data is made available by Agriculture and Agri-Food Canada

Ontario Oil and Gas Wells

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Provincial Groundwater Monitoring Network

GROUNDWATER

Appendix

Groundwater level and chemistry data from monitoring wells that are part of the Provincial Groundwater Monitoring Network (PGMN) Program. Precipitation data (rain) is also available for some sites. This data is provided by 'Ontario Ministry of Environment and Climate Change.

Surficial Geology of Ontario

SURFICIAL GEOLOGY

The Surficial Geology dataset contains a layer depicting the distribution and characteristics of surficial deposits across southern Ontario. This data set is authored by the Ontario Geological Survey.

Topographic Map of Ontario

TOPOGRAPHIC MAP

Order No: 21080600433p

The Ontario Basic Mapping program provides a relationship between topographic information and the provincial geographical referencing grid, thereby forming the foundation for a comprehensive provincial geographical referencing system. This data is made available by the Ontario Ministry of Natural Resources and Forestry. This is ERIS self-designed topographic map template at 1:10,000.

Water Well Information System

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Wetlands of Ontario WETLAND

The Ministry of Natural Resources and Forestry has made available a database of wetlands in Ontario. Certain attributes identify wetlands that have been evaluated with the Ontario Wetland Evaluation System (OWES), and of those which ones have been designated as Provincially Significant Wetlands (PSW).

Private Sources

Oil and Gas Wells OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

RADON RADON

The Radon Potential Map is developed by Radon Environmental Management Corporation. Its objective was to illustrate the relative variation of radon risk across the country, and in 2011 it published its first geologic Radon Potential Map of Canada.

Liability Notice

Reliance on information in Report: The Physical Setting Report (PSR) DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a review of environmental databases and physical characteristics for the site or adjacent properties.


License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.


No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS Information Limited Partnership disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.


Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

APPENDIX 7 Topo, OBM, ANSI




Data source: Toporama (1:50K) by Natural Resource Canada. Publication date: 2013-07-19





Area of Natural & Scientific Interest (ANSI) Order No. 21080600433










ANSI Name: VICTORIA ISLAND ID: 251213625 Type: ANSI, Earth Science Significance: Provincial Management Plan: No Area (sqm): 856.746 Comments:
ANSI Name: Kippewa Drive (Eastview Limestone) ID: 251213640 Type: ANSI, Earth Science Significance: Provincial Management Plan: No Area (sqm): 1234.663 Comments:

APPENDIX 8
City of Ottawa Directory



Project Property: 224 Preston Street, Ottawa, Ontario

Report Type: City Directory
Order No: 21080600433

Information Source: Vernon's Ottawa, ON City Directory

Date Completed:

A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com

City Directory Information Source Vernon's Ottawa, ON City Directory

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 2011	
Site Listing:	- Z6 Uban Loft Sales Centre
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Sala San Marco Baquet Hall
226 Preston	- Paesani's Caffe
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed



5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 2005-06	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Sala San Marco Baquet Hall
226 Preston	- Paesani's Caffe
1 Larch Street	-Residential or Address Not Listed



2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 2000-01	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Sala San Marco Baquet Hall



- Used Sound	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
	-Residential or Address Not Listed -Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1995-96	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	



196 Preston	-Residential or Address Not Listed	
215 Preston	- Sala San Marco Baquet Hall	
226 Preston	- Used Sound	
1 Larch Street	-Residential or Address Not Listed	
2 Larch Street	-Residential or Address Not Listed	
3 Larch Street	-Residential or Address Not Listed	
5 Larch Street	-Residential or Address Not Listed	
8 Larch Street	-Residential or Address Not Listed	
119 Balsam Street	-Residential or Address Not Listed	
121 Balsam Street	-Residential or Address Not Listed	

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1990	



Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Sala San Marco Hall
226 Preston	- Used Sound
1 Larch Street	-Residential or Address Not Listed
2 Laurella Chura et	-Residential or Address Not Listed
2 Larch Street	-Residential of Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	



Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1984	
Site Listing:	-Residential or Address Not Listed
3	
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Esso Home Comfort
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed



121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1979	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Esso Home Comfort
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed



8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1974	
Site Listing:	-Residential or Address Not Listed
Adiacont Duomoutics	
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Esso Home Comfort
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
1 Laich Sheet	-Nesidential of Address Not Listed
2 Larch Street	-Residential or Address Not Listed



-Residential or Address Not Listed
-Residential or Address Not Listed
-Residential or Address Not Listed
-Residential or Address Not Listed
-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1969	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	- Hall Fuel (1965) Ltd
226 Preston	-Residential or Address Not Listed



-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
	-Residential or Address Not Listed -Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1964	
Site Listing:	-Residential or Address Not Listed
Adianat Punantian	
Adjacent Properties:	
1000	
196 Preston	-Residential or Address Not Listed



215 Preston	- Hall Fuel (1965) Ltd
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed
PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1959	



Site Listing:

-Residential or Address Not Listed

A discout Dropoution		
Adjacent Properties:		
196 Preston	-Residential or Address Not Listed	
215 Preston	-Residential or Address Not Listed	
226 Preston	-Residential or Address Not Listed	
1 Larch Street	-Residential or Address Not Listed	
2 Larch Street	-Residential or Address Not Listed	
3 Larch Street	-Residential or Address Not Listed	
5 Larch Street	-Residential or Address Not Listed	
8 Larch Street	-Residential or Address Not Listed	
119 Balsam Street	-Residential or Address Not Listed	
121 Balsam Street	-Residential or Address Not Listed	

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario



Year: 1954		
Site Listing:	-Residential or Address Not Listed	
Adjacent Properties:		
196 Preston	-Residential or Address Not Listed	
215 Preston	-Residential or Address Not Listed	
226 Preston	-Residential or Address Not Listed	
1 Larch Street	-Residential or Address Not Listed	
2 Larch Street	-Residential or Address Not Listed	
3 Larch Street	-Residential or Address Not Listed	
5 Larch Street	-Residential or Address Not Listed	
8 Larch Street	-Residential or Address Not Listed	
119 Balsam Street	-Residential or Address Not Listed	



121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1949	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	-Residential or Address Not Listed
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Lovely Street	Desidential on Address Net Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
J Laicii Stieet	-Nesidelitial of Address Not Listed
5 Larch Street	-Residential or Address Not Listed



8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
119 Baisain Street	-Nestdefittal of Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1944	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
Adjacent Properties.	
196 Preston	-Residential or Address Not Listed
215 Preston	-Residential or Address Not Listed
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
2 Laich Sheet	-hesidential of Address Not Listed



3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433		
Site Address:	224 Preston Street, Ottawa, Ontario	
Year: 1940		
Site Listing:	-Residential or Address Not Listed	
Adjacent Properties:		
196 Preston	-Residential or Address Not Listed	
215 Preston	-Residential or Address Not Listed	
226 Preston	-Residential or Address Not Listed	



1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1935	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed



esidential or Address Not Listed esidential or Address Not Listed esidential or Address Not Listed
esidential or Address Not Listed
esidential or Address Not Listed
esidential or Address Not Listed
esidential or Address Not Listed
esidential or Address Not Listed
esidential or Address Not Listed
esidential or Address Not Listed
esidential of Address Not Listed
esidential or Address Not Listed
-

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1930	
Site Listing:	-Residential or Address Not Listed



Adjacent Properties:		
196 Preston	-Residential or Address Not Listed	
215 Preston	-Residential or Address Not Listed	
226 Preston	-Residential or Address Not Listed	
1 Larch Street	-Residential or Address Not Listed	
2 Larch Street	-Residential or Address Not Listed	
3 Larch Street	-Residential or Address Not Listed	
5 Larch Street	-Residential or Address Not Listed	
8 Larch Street	-Residential or Address Not Listed	
119 Balsam Street	-Residential or Address Not Listed	
121 Balsam Street	-Residential or Address Not Listed	

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario



Year: 1925	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	-Residential or Address Not Listed
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed



PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1920	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	-Residential or Address Not Listed
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed



119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1915	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	-Residential or Address Not Listed
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Residential or Address Not Listed
2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed



5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433		
Site Address:	224 Preston Street, Ottawa, Ontario	
Year: 1910		
Site Listing:	-Residential or Address Not Listed	
Adjacent Properties:		
196 Preston	-Residential or Address Not Listed	
215 Preston	-Residential or Address Not Listed	
226 Preston	-Residential or Address Not Listed	
1 Larch Street	-Residential or Address Not Listed	



2 Larch Street	-Residential or Address Not Listed
3 Larch Street	-Residential or Address Not Listed
5 Larch Street	-Residential or Address Not Listed
8 Larch Street	-Residential or Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1905	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
150 FIESTOII	-nesidential of Address Not Listed
215 Preston	-Residential or Address Not Listed



226 Preston	-Residential or Address Not Listed
1 Larch Street	-Address Not Listed
2 Larch Street	-Address Not Listed
3 Larch Street	-Address Not Listed
5 Larch Street	-Address Not Listed
8 Larch Street	-Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed
PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1900	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	



-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
-Address Not Listed	
-Address Not Listed	
-Address Not Listed	
-Address Not Listed	
-Address Not Listed	
-Residential or Address Not Listed	
-Residential or Address Not Listed	
	-Residential or Address Not Listed -Residential or Address Not Listed -Address Not Listed -Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1895-96	



Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	-Residential or Address Not Listed
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Address Not Listed
2 Larch Street	-Address Not Listed
3 Larch Street	-Address Not Listed
5 Larch Street	-Address Not Listed
8 Larch Street	-Address Not Listed
119 Balsam Street	-Residential or Address Not Listed
121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	



Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1890-91	
Site Listing:	-Residential or Address Not Listed
Adjacent Properties:	
196 Preston	-Residential or Address Not Listed
215 Preston	-Residential or Address Not Listed
226 Preston	-Residential or Address Not Listed
1 Larch Street	-Address Not Listed
2 Larch Street	-Address Not Listed
3 Larch Street	-Address Not Listed
5 Larch Street	-Address Not Listed
8 Larch Street	-Address Not Listed
119 Balsam Street	-Residential or Address Not Listed



121 Balsam Street	-Residential or Address Not Listed

PROJECT NUMBER: 21080600433	
Site Address:	224 Preston Street, Ottawa, Ontario
Year: 1885-86	
Site Listing:	-Address Not Listed
Adjacent Properties:	
196 Preston	-Address Not Listed
215 Preston	-Address Not Listed
226 Preston	-Address Not Listed
1 Larch Street	-Address Not Listed
2 Larch Street	-Address Not Listed
3 Larch Street	-Address Not Listed
5 Larch Street	-Address Not Listed



8 Larch Street	-Address Not Listed
119 Balsam Street	-Address Not Listed
121 Balsam Street	-Address Not Listed

⁻All listings for businesses were listed as they are in the city directory.



⁻Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory.

APPENDIX 8
City of Ottawa Directory and HLUI



File Number: D06-03-23-0133

October 3, 2023

Zoran Mrdja Arch-Nova Design Inc.

Sent via email zoran@archnova.ca

Dear Zoran,

Re: Information Request

224 Preston Street Ottawa, Ontario ("Subject Property")

Internal Department Circulation:

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

- Environmental Remediation Unit: The City's Environmental Remediation Unit
 has environmental records on file pertaining to the subject property noted above
 either directly on or adjacent to the subject property. To submit requests for
 information under the Municipal Freedom of Information and Protection of
 Privacy Act, please visit https://ottawa.ca/en/city-hall/open-transparent-andaccountable-government/access-information-and-protection-privacy/accessinformation
 - Comment: The Environmental Remediation Unit (ERU) has a Phase I Environmental Site Assessment (ARCH-Nova, 2022) for this property. Please contact ERU at <u>ERU-UAE@ottawa.ca</u> to obtain a copy of the report if required.
- Ottawa Public Health Environmental Health: all public inspection results are publicly available on the Ottawa Public Health website: https://www.ottawapublichealth.ca/en/public-health-services/public-health-inspections.aspx
- Sewer Use Program: The City's Sewer Use Program has found the following information pertaining to the subject property: Violations of environmental statues, regulations or bylaws, other environmental records.
- Solid Waste Services: No records found.

Documents Provided:

HLUI Summary Report and HLUI Map

The HLUI Summary Report Excel spreadsheet identifies HLUI area, point and line features within 250 metres of the Subject Property, as shown on the provided HLUI Map PDF. Within 500 metres of the Subject Property, landfills and Environmental Risk Management Area (ERMA) are also identified if applicable.

For more information on how to interpret the HLUI data identified in the attached excel sheet ('ADDRESS – HLUI Summary report.xlsx'), please refer to the <u>Overview and User Guide</u>."

Additional information may be obtained by contacting:

Ontario's Environmental Registry

The Environmental Registry found at https://ero.ontario.ca/ contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using keys words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House 161 Elgin Street 4th Floor Ottawa ON K2P 2K1 Tel: (613) 239-1230

Fax: (613) 239-1422

Ottawa Public Health

Ottawa Public Health inspects many different types of establishments. To view inspection results, please visit the Ottawa Public Health website: <u>Public Health Inspections - Ottawa</u> Public Health

Please note that Ottawa Public Health is not the lead agency on land use contamination in the City of Ottawa – contact the Ministry of Environment Conservation and Parks (MECP) for further information.

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact HLUI@ottawa.ca.

Sincerely,

Jasmine Law

Student Planner

Per:

Michael Boughton, MCIP, RPP
Senior Planner
Development Review East
Planning Services
Planning, Infrastructure and Economic Development Department

MB / JL

Enclosures: (2)

- 1. HLUI Map
- 2. HLUI Summary Report

cc: File no. D06-03-23-0133

HISTORIC LAND USE INVENTORY (HLUI) - REPORT REFERENCE MAP



OBJECTID	ACTIVITY_NAME	FACILITY_TYPE	SOURCE_UPDATE_SORTED	QAQC YEAR	YEAR_1	ST_NUM ST_NAME	ST_SUFFI	ST_DIR	MUNICIPALI S	ST_NUM201 S	ST_NAME2017	ST_SUFFIX2	ST_DIR2017 POSTAL, DE201	_CO PIN20	7 MUNICIPALITY2017	NAICS	SIC COMM	MENTS	STORAGE_TANK	Shape_Length	Shape_Area
	215 BROAN NUTONE SERVI	(Manufacturing	2006-ES	1 20	06	276 PRESTON	ST			276 PRE	ESTON	ST	K1R7R		187 OLD OTTAWA	333413				77.41538048	250.4175556
	524 THE CORP OF THE CITY	Other Utility Industries n.e	e. 1901-FIP-121-729; 1912-FIP-12	1 1 1901-19	56 c. 1948-19 50 c. 1950	938 GLADSTONE 253 PRESTON	AVE ST		OTTAWA	938 GLA	ADSTONE	AVE ST		410603			479; 499; (FIP1901 - lis	ts 2 residence		301.2096081 86.93148132	3862.323884 429.2119691
	538 SERVICE CENTER 590 MINNELLI'S DRY CLEAN	Gasoline Service Center I Laundries and Cleaners			18C c. 1970-19	267 ROCHESTER	ST		OTTAWA		CHESTER	ST			83 OLD OTTAWA	561740; 812310	972			80.7698481	392.6799693
	599 ROMA CONFECTIONAR 085 GALLA BAKERY	Confectionary	1990-CD		90 CD 1990	258 ROCHESTER 115 LOUISA	ST ST		OTTAWA		CHESTER	ST			02 OLD OTTAWA	044044 044004	254 Rochest	ter St		66.77313189 67.59570532	278.3575601
1	086 OTTAWA BAKERY LIMIT	Bakery Products Industrie	x 1940-M; 1950-M; 1958-M; 1958- x 1970/71-S; 1970-M; 1971-M	1 1970-19	65 c. 1930; c. 71 c. 1970-19	304 PRESTON	ST		OTTAWA	523 ST A	CHESTER ANTHONY	ST ST	K1R6Z	9 410600	22 OLD OTTAWA 97 OLD OTTAWA	311814; 311821	107 Bakery also a 107 304 to 306			94.45896487	285.3306174 512.3662412
1	088 CARROLL BROTHERS 091 LECLAIR PHOTO	Other Transportation Equ Photo Studio	ii 1930-M; 1940-M 1990-CD		40 c. 1930-19 90 CD 1990	262 ROCHESTER 166 PRESTON	ST		OTTAWA	280 ROC	CHESTER	ST	K1R7S	4 410803	31 OLD OTTAWA	336990	329 Blacksmith a 166A Presto			56.78892435 65.57974566	194.2498662 172.8743236
1	227 EXTENT OF FIRE APRIL	Extent of Fire April 1990	2017-CityofOttawa	1 19						U							166A Presto	nsı		8663.714733	1358086.523
	303 RED BIRD REFINISHING 313 UPPER VALLEY AUTOM			1 20		184 LOUISA 916 GLADSTONE	ST AVE		OTTAWA	184 LOU	JISA ADSTONE	ST AVE		410600	96 OTTAWA					86.43121625 96.11941681	345.9189498 500.4448116
1	341 BP CANADA LTD	Gasoline Service Stations	s 1958-M-1960	1 1958-19	60	241 PRESTON	ST		OTTAWA	241 PRE	STON	ST		410802	AWATTO 002					95.41135939	568.2778386
	342 JASON AUTO CENTRE 521 MARIO'S DRY CLEANING			1 19		241 PRESTON 280 PRESTON	ST ST		OTTAWA	241 PRE 280 PRE		ST ST		410802	200 OTTAWA 198 OTTAWA					95.41135939 126.1453763	568.2778386 993.4179896
1	532 UNION GARAGE	Motor Vehicles, Wholesal	1900-W l€ 1949-M	1 19	19	225 PRESTON	ST		OTTAWA	225 PRE	STON	ST		41080	99 OTTAWA					171.6982652	1734.098363
	827 ADVANCED & PERFOR! 828 LARIVIERE CONSTRUC		2001-ES 2005-SelectPhone	1 20		153 PRESTON 153 PRESTON	ST ST			130 AND 130 AND		ST ST	K1R6T K1R6T		130 Old Ottawa 130 Old Ottawa					156.5533658 156.5533658	1450.977152 1450.977152
1	829 NIVIOB MASONRY	Exterior Close In Work	2001-ES	1 20	01	153 PRESTON	ST			130 AND	DERSON	ST	K1R6T	7 410800	30 Old Ottawa					156.5533658	1450.977152
	894 R C O C	Commercial Printing Indu	s 1956-M s 2001-ES; 2005-SelectPhone	1 19	56 105 c. 2005	1010 SOMERSET 164 PRESTON	ST ST	WEST	OTTAWA	933 GLA 164 PRF	ADSTONE	AVE ST	K1A0T		039 Old Ottawa	404404, 404400	484231; 484232; 4842	22. 484220		1052.663511 62.45948848	44662.91048 132.0808847
2	265 PRESTON HARDWARE	Interior and Finishing Wo	r 2001-ES; 2004-GWStudy; 2005-	1 20	05 c. 2001; c.	248 PRESTON	ST			232 PRE		ST	K1R7R	4 41070	41 OLD OTTAWA	238340; 444130	#234	33, 404239		354.5827406	5847.169689
2	279 KEITEL FURNITURE REI	Leather and Allied Produc	c 1998-SC; 2001-ES; 2003-PID; 2	1 1998-20	0€ c. 1998; c.	184 LOUISA 928 GLADSTONE	ST		OTTAWA	184 LOU 928 GLA		ST			96 OLD OTTAWA 83 OLD OTTAWA		621			86.43121625 96.05785605	345.9189498 498.9159513
2	302 FEDERAL PAVING CO 312 L'ORA DI OTTAWA	Combined Publishing and	si 1980-M 1 2001-ES; 2004-GWStudy; 2005-		30 c. 1980 112 c. 2001: c.	928 GLADSTONE 203 LOUISA	AVE ST		OTTAWA	928 GLA 203 LOU		AVE ST			92 OLD OTTAWA	238390; 238910 511110	412; 421			96.05785605 97.75059306	498.9159513 512.6690596
	320 KHERA AUTO REPAIRS	Auto Repairs	1990-CD	1 19	90 CD 1990	916 GLADSTONE	AVE			916 GLA		AVE			80 OLD OTTAWA					96.11941681	500.4448116
	321 DRAGON AUTO SERVIC 322 P B AUTO CENTRE		2012-ES; 2017-SalesGenie & 2001-ES: 2005-SelectPhone		17 ES 2012 105 c. 2001: c.	916 GLADSTONE 916 GLADSTONE	AVE AVE			916 GLA 916 GLA	ADSTONE	AVE AVE			080 OLD OTTAWA	811111 811111				96.11941681 96.11941681	500.4448116 500.4448116
2	323 R + M AUTOMOTIVE FIN	I Motor Vehicle Repair Sho	ş 1980-M	1 1960-19	80 c. 1980	916 GLADSTONE	AVE		OTTAWA	916 GLA	ADSTONE	AVE	K1R6Y	4 410600	80 OLD OTTAWA	811112; 811119	635			96.11941681	500.4448116
2	324 SAL AUTO AND TRUCK 379 INVITATIONS PLUS	Motor Vehicle Repair Sho Printing	2004-GWStudy	1 1960-19	180 c. 1980 34 GW Study 2	910 GLADSTONE 004 Scotts	AVE		OTTAWA	916 GLA 193 PRE		AVE ST	K1R6Y K1R7P	4 410600 8 410803	80 OLD OTTAWA 37 OLD OTTAWA	811112; 811119 323119	635 2752 193 Preston	St		96.11941681 76.7117702	500.4448116 227.0238321
2	380 AIRCON FUELS	Gasoline Service Stations		1 19	30 c. 1980	193 PRESTON	ST		OTTAWA	193 PRE	ESTON	ST	K1R7P	8 410803	37 OLD OTTAWA	447110; 447190	633			76.7117702	227.0238321
	470 PETRO CANADA SERVI		1990-CD 3(2001-ES; 2006-ES; 2012-ES; 20		90 CD 1990 117 ES 2001: E	241 PRESTON 241 PRESTON	ST ST			241 PRE 241 PRE		ST			200 OLD OTTAWA	811111				95.41135939 95.41135939	568.2778386 568.2778386
2	472 PRESTON STREET GAR	L Motor Vehicles, Wholesal	l∉2001-ES; 2005-SelectPhone; 20	1 2001-20	112 c. 2001; c.	241 PRESTON	ST			241 PRE	STON	ST	K1R7R	3 410802	AWATTO OLD 000	811111				95.41135939	568.2778386
2	473 PANNUCCIO SARO BP \$ 474 ART FRAME	Gasoline Service Stations Frames (Picture)	s 1960-M; 1970-M; 1980-M; 1998- 2004-GWStudy	1 1960-20	05 c. 1958-19 39 GW Study	241 PRESTON 173 PRESTON	ST ST		OTTAWA	241 PRE 173 PRE		ST ST			200 OLD OTTAWA 37 OLD OTTAWA	447110; 447190	633; 635 5023 173 Preston	C+		95.41135939 95.07130172	568.2778386 506.9462005
2	575 GREG'S VALET SERVIC	E Laundries and Cleaners	1960-M; 1970-M	1 1960-19	80 c. 1960-19	201 ROCHESTER	ST		OTTAWA	201 ROC	CHESTER	ST	K1R7N	15 41080	73 OLD OTTAWA	561740; 812310	972	OI.		76.86554769	244.9174724
2	576 PRESTON & LIEFF GLAS 577 BELL TELEPHONE	Lumber and Building Mat Motor Vehicles, Wholesal	e 2001-ES; 2005-SelectPhone le 1940-M; 1950-M; 1970-M		05 c. 2001; c. 197 c. 1940-19	153 PRESTON 130 ANDERSON	ST ST		OTTAWA	130 AND 130 AND		ST ST			30 OLD OTTAWA 30 OLD OTTAWA		551-625			156.5533658 156.5533658	1450.977152 1450.977152
2	578 LARIVIERE CONSTRUC	Non Residential Building	a 2001-ES; 2005-SelectPhone; 20	1 2001-20	112 c. 2001	157 PRESTON	ST		OTTAWA	130 AND	DERSON	ST	K1R6T	7 410800	30 OLD OTTAWA	236210; 236220				156.5533658	1450.977152
3	694 COLOURUX DECORATIV 703 LACELLE'S IRON WORK	Lumber and Building Mat	e 1998-SC; 2005-SelectPhone; 20 1958-M: 1958-S: 1960-M: 1961-		05 c. 1998; c. 64 c. 1958-19	208 ROCHESTER 233 ROCHESTER	ST		OTTAWA	208 ROC 233 ROC	CHESTER	ST			236 OLD OTTAWA					78.55014707 93.73264336	374.6499094 363.3117026
	704 CAPITAL PHOTO ENGR				150 c. 1950	249 ROCHESTER	ST		OTTAWA		CHESTER	ST			81 OLD OTTAWA		282			76.22158834	232.3292774
			le 2001-ES; 2005-SelectPhone; 20		06 c. 2001; c.	188 LOUISA 280 PRESTON	ST		OTTAWA	188 LOU 284 PRE		ST	K1R6Z	1 410600	95 OLD OTTAWA	811111	972			80.46185021	248.4816844 993.4179896
3	727 SUPERIOR CLEANERS 728 TOP VALUE GASMARTS	Gasoline Service Stations	s 1980-M	1 1960-19	180 c. 1950; c. 180 c. 1980	284 PRESTON	ST ST		OTTAWA	284 PRE	STON	ST ST	K1R7R	6 410600	198 OLD OTTAWA 198 OLD OTTAWA	447110; 447190	972 633			126.1453763 126.1453763	993.4179896
3	765 PUBLIC WORKS AND G	General Administrative Se	e 2000-PID; 2001-ES; 2006-ES; 2	0 1 2000-20	16 ES 2001; E	933 GLADSTONE	AVE	WEOT		933 GLA	ADSTONE	AVE	K1A0T	4 410700	39 OLD OTTAWA	911910		test sesters		1052.663511	44662.91048
3	766 GOV'I OF CANADA - DE 771 FARMER AND GARRET	I Commercial Printing Indu Leather and Allied Produc	s 1912-FIP-118-832; 1922-FIP-11 c 1988-Intera	9 1 1949-19 1 1890-19	80 c. 1956; c. 105 c. 1890-19	1010 SOMERSET 187 PRESTON	ST ST	WEST	OTTAWA OTTAWA	933 GLA 185 PRE		AVE ST	K1A0T- K1R7P	4 410700 8 41080°	178 OLD OTTAWA	323114; 323115 316110; 316210	281; 815 R. C. O. C 171 Tanners usin	central ordna ng bark tannin		1052.663511 77.78698127	44662.91048 234.0543259
3	772 VENICE IRON WORKS	Other Repair Services, M	la 1998-SC; 2001-ES; 2006-ES; 20		17 c. 1998	17 LARCH	ST		OTTAWA	15 LAR		ST	K1R6V	V4 410700	166 OLD OTTAWA	331511: 332810	294-994			156.3084869	914.8534472
	776 ALEX I GARLOCK LIMITE 777 ESSO HOME COMFORT		a 1948-FIP-118-724; 1949-M; 195 o 1970-M: 1980-M		63 c. 1948-19 80 c. 1970-19	156 WILLOW 215 PRESTON	ST ST		OTTAWA	215 PRE 215 PRE		ST ST	K1R/R K1R7R	1 41080	197 OLD OTTAWA	236210; 23622U 333310: 333413	259; 402; ! Garage and 307: 511	Storage on si		299.1139096 299.1139096	3197.057995 3197.057995
	778 IL GARAGE RISTORANT				01 ES 2001	225 PRESTON	ST		OTTAWA	225 PRE		ST	K1R7R	1 41080	99 OLD OTTAWA	722110				171.6982652	1734.098363
3	779 MALMBERG AUTO SERT 780 RENATO'S APPLIANCE	v Motor Vehicles, Wholesai F Appliance, Television, Ra	le 1948-FIP-118-724; 1949-M; 195 ic 2001-ES: 2006-ES	t 1 1949-19 1 2001-20	70 c. 1949; c. 106 c. 2001	225 PRESTON 246 ROCHESTER	ST ST		OHAWA	225 PRE 246 ROC	CHESTER	ST	K1R7H K1R7N	1 41080	199 OLD OTTAWA	321991; 336212 811412	324; 551; (Oiling and G	reasing Buildi FI	P1948, FIP1956 - I Wo	(2 171.6982652 77.28555165	1734.098363 248.8529781
3	781 RENATO'S GAS PIPING	Gas Piping (Mfrs)	2017-SalesGenie	1 20	17 SalesGenie	2017			OTTAWA	246 ROC	CHESTER	ST	K1R7N	1 410802	15 OLD OTTAWA	33121004	Mar-17			77.28555165	248.8529781
3 4	782 CORPORATION CITY OF 737 MCPHERSON BROTHER	- Public administration RBakerv Products Industrie	2016-PID ± 1930-M	1 20	16 PID2016 30	930 SOMERSET 115 LOUISA	ST ST	WEST	OTTAWA	930 SON 300 ROC	CHESTER	ST ST			111 OLD OTTAWA 222 Old Ottawa	913150	<null></null>			525.9745321 67.59570532	16417.95709 285.3306174
	212 SILKWEAR	Manufacturing	2001-ES	1		951 GLADSTONE	AVE			951 GLA	ADSTONE	AVE	K1Y3E		76 OLD OTTAWA	315231				309.3166816	5747.459862
5 5	539 MAC GROUP THE 540 MICHAEL HILCHIE OA T	Auto Trader/Truck Trader Manufacturing	2006-ES 2012-ES	1		950 GLADSTONE 950 GLADSTONE	AVE AVE			950 GLA 950 GLA	ADSTONE ADSTONE	AVE AVE	K1Y3E K1Y3E		48 OLD OTTAWA 48 OLD OTTAWA	443120 337110				237.1211333 237.1211333	3238.169142 3238.169142
5	541 ORVILLES AUTO ELECT	1 Other services (except pu		1		950 GLADSTONE	AVE			950 GLA	ADSTONE	AVE			48 OLD OTTAWA	811111				237.1211333	3238.169142
	542 SHOP THE L'ATELIER 543 BONSALL COMMUNICA		2006-ES 12001-ES	1		950 GLADSTONE 950 GLADSTONE	AVE AVE			950 GLA 950 GLA	ADSTONE ADSTONE	AVE AVF	K1Y3E K1Y3E		48 OLD OTTAWA	337110 512110				237.1211333 237.1211333	3238.169142 3238.169142
7	284 LYLE BLACKWELL LIMIT	Laundries and Cleaners	1948-FIP-319-839A; 1948-M; 19	1 1948-19	50 c. 1948-19	952 GLADSTONE	AVE		OTTAWA	950 GLA	ADSTONE	AVE	K1Y3E	6 41060	48 OLD OTTAWA	561740; 812310	972 FIP1912, FIF			237.1211333	3238.169142
7	286 BELL TELEPHONE CO C 391 HODGINS BROS LIMITE	Communication Eabricated Structural Met	1956-FIP-319-4-857; 1956-M a 1958-M; 1958-S; 1960-M; 1961-		56 c. 1956 165 c. 1958-19	145 LORETTA 940 GLADSTONE	AVE AVE	NORTH	OTTAWA	145 LOR 175 LOR	RETTA RETTA	AVE AVE	N K1Y2J7 N K1Y4L1	7 410700 8 410601	113 OLD OTTAWA	334210; 334220 238220: 332311	335; 551; (FIP1912 - va 302; 307; (Also listed as	scant lot FIP1(1) s Hodgins Bro	UST - gasoline	272.6671464 161.6038745	4249.258046 1588.452197
7	959 CITY OF OTTAWA -TRAIT	Motor Vehicles, Wholesal	le 1980-1994-M; 2001-ES; 2003-P	II 1 1980-19	194	175 LORETTA	AVE		OTTAWA	175 LOR	RETTA	AVE		41060	47 OTTAWA					522.858771	13633.27943
	960 RENTERS NEWS 150 CANADA PRINTING INK	Other Chemical Products	1 2001-ES; 2006-ES 1970-M: 1980-1994-M	1 20 2 1970-19		950 GLADSTONE 155 LORETTA	AVE AVE	NORTH	OTTAWA	950 GLA 951 GLA	ADSTONE	AVE AVE	K1Y3E	41060	148 176 Old Ottawa					237.1211333	3238.169142 5747.459862
8	820 BEACON LITE LIMITED	Sign and Display Industry	2001-ES; 2005-SelectPhone; 20	1 2005-20	17 c. 2001; c.	131 LORETTA	AVE	NORTH		131 LOR	RETTA	AVE	N K1Y2J	7 410700	14 OLD OTTAWA	339950; 532410				124.1715293	930.3917611
	821 HALL FUEL LIMITED 826 DAVE'S GAS BAR	Motor Vehicles, Wholesal Gas Station	le 1956-FIP-319-1-857; 1963-M 1990-CD		63 c. 1956-19 90 CD 1990	131 LORETTA 971 GLADSTONE	AVE AVE	NORTH	OTTAWA	131 LOR 951 GLA		AVE AVE	N K1Y2J7		14 OLD OTTAWA	412110; 415110	511; 551; 635	1	UST - gasoline	124.1715293 309.3166816	930.3917611 5747 459862
8	827 POPULAR PRINTING	Other Chemical Products	1970-M; 1980-M	2 1960-19	8C c. 1970; c.	155 LORETTA	AVE		OTTAWA	951 GLA	ADSTONE	AVE	K1Y3E	5 410702	76 OLD OTTAWA		281; 379 Unit B			309.3166816	5747.459862
	828 REGIONAL TEXTILES	Other Textile Products Industrie	d 1980-M n 1930-M: 1940-M: 1948-FIP-319-		80 c. 1980 156 c. 1930-19	155 LORETTA 155 LORETTA	AVE AVE	NORTH	OTTAWA	951 GLA 951 GLA		AVE AVE	K1Y3E K1Y3E		76 OLD OTTAWA 76 OLD OTTAWA		199 107	4.1	UST - fuel oil (1948)	309.3166816 309.3166816	5747.459862 5747.459862
8	830 SPORTIVE SPORTSWEA	Men'S and Boys' Clothing	2001-ES; 2004-GWStudy	2 1984-20	04 c. 2001	155 LORETTA	AVE		OTTAWA	951 GLA	ADSTONE	AVE	K1Y3E	5 410702	76 OLD OTTAWA	315299	107		55. Tuel Oil (1840)	309.3166816	5747.459862
8	831 VESUVIO IRON WORKS 832 HOCO BRANDS LIMITED	Iron Foundries	1998-SC	2 1971-19	98 c. 1998	949 GLADSTONE 155 LORETTA	AVE AVE	NORTH	OTTAWA	951 GLA 951 GLA		AVE AVE	K1Y3E		76 OLD OTTAWA		294 108			309.3166816 309.3166816	5747.459862 5747.459862
8	833 LAWCOM MANUFACTUR	Electric Lighting Industries	s 1970/71-S; 1970-M; 1971-M	2 1970-19	71 c. 1970-19	155 LORETTA	AVE	NONTH	OTTAWA	951 GLA	ADSTONE	AVE	K1Y3E	5 410702	76 OLD OTTAWA	327215; 332321	303; 333 Unit B; Produ	ucts include- (309.3166816	5747.459862
8	834 LOVE PRINTING SERVIOR 835 NORTHERN ART GLASS	Combined Publishing and	1 1970/71-S; 1970-M; 1971-M; 19		94 c. 1970-19 05 c. 2005	951 GLADSTONE 955 GLADSTONE	AVE AVE		OTTAWA	951 GLA 951 GLA	ADSTONE	AVE AVE	K1Y3E K1Y3E	5 410702	76 OLD OTTAWA	323114; 323115	281; 284 Love Printing	g Service Ltd.		309.3166816 309.3166816	5747.459862 5747.459862
8	836 ORVILLE'S ELECTRIC S	E Electrical and Electronic I	V 1998-SC; 2001-ES; 2017-Sales	G 2 1998-20	17 c. 1998; c.	949 GLADSTONE	AVE		OTTAWA	951 GLA	ADSTONE	AVE	K1Y3E	5 410702	76 OLD OTTAWA	811112; 811119	635			309.3166816	5747.459862
10		Motor Vehicles, Wholesal	le 1948-FIP-319-839A; 1948-M; 19 2005-SelectPhone	1 1948-19	94 c. 1948-19 05 c. 2001: c.	175 LORETTA 950 GLADSTONE	AVE AVE		OTTAWA	175 LOR 950 GLA		AVE AVE	N K1Y4Li		47 OLD OTTAWA 48 OLD OTTAWA	332991; 333110	319; 551; (- warehouse:	s, tractor asse 1	UST - gasoline (1956)	522.858771 237.1211333	13633.27943 3238.169142
10	712 DAVID BERMAN TYPOG	F Commercial Printing Indu	s 1994-PID; 1998-SC; 2000-PID; 2	2 1 1994-20	05 c. 2001; c. 104 c. 1994-19	950 GLADSTONE	AVE		OTTAWA	950 GLA	ADSTONE	AVE	K1Y3E	6 41060	48 OLD OTTAWA	323114; 323115	281; 282 3RD FLOOR	2		237.1211333	3238.169142 3238.169142
10	713 JASON OLIVER & SONS 567 W FARMER TANNERY	Household Furniture Indu	s 1907-Esdale-Martin; 1910-M; 19 1901-FIP-84-721	1 1 1910-19	30 c. 1910-19	950 GLADSTONE 181 PRESTON	AVE ST		OTTAWA	950 GLA	ADSTONE	AVE	K1Y3E	6 41060	48 OLD OTTAWA	337121; 337123	261 Firm establis			317.6507245 163.3104781	4937.179 1600.628006
17	749 J R BOOTH LUMBER YA	Lumber Yard	1901-FIP-121; 1912-FIP-118	1			51													1584.060943	81334.86809
17	881 MOLOTOV STUDIO	Blacksmiths	2017-SalesGenie	2 20	17 SalesGenie	2017			Ottawa	2413 STE	VENICH	AVE		411600	185	11521001	Jun-99			77.36065189	236.6687896

Page 1 of 3

POINT FEATURES	

OBJECTIO	ACTIVITY_NAME	FACILITY_TYPE	TANK_LOCATION	TANK_CONT ENT	TANK_SIZE TANK_TY	PE TANK_ST	AT SOURCE	INSTALLED_ ST_NUM	INSTALLED_ST_NAM E	INSTALLE INST. D_ST_ABR	ALL ST_ COMMENT R	MTM_X	MTM_Y	IMAGE_MAP	IMAGE_CERTAIN IMAGE_MAI	P TANK_MATE	TANK_ID	TANK_LEAKI	TANK_REN	REMOVED_ TE	DATE_INSTAL LED	NATURE_OF_B USINESS	SCANNED _DRAWIN G		PACITY MUNICIP	
	1 GASOLINE SERVICE ST						FIP1948; FIP195		PRESTON	ST	historical address - 255 Preston	366466.3099		Volume1-118.jp												
	2 GASOLINE SERVICE ST	Gasoline Service Stati					FIP1948; FIP195		PRESTON	ST	historical address - 255 Preston	366464.3255		Volume1-118.jp	1 118.jpg											
207			UST	fuel oil			ROW		PRESTON	ST		366483.3724	5029822.404				ST7610					2 tanks				
219			UST	fuel oil			ROW		PRESTON	ST		366483.3724	5029822.404				ST7733					2 tanks				
	9 C LEACH & CO		UST	gasoline	2270 Permit		Bylaw No. 8022 -		GLADSTONE	AVE		366395.0161	5029580.753				ST0809					1 - 500 gal ga		pump		
	3 OTTAWA VALLEY MOVE 19 BELL TELEPHONE	ERS LTD - BA OIL CO I	LTUST not specified	gasoline	9080 Permit 2270 Permit		Bylaw No. 304-6 Bylaw No. 8022		GLADSTONE	AVE ST	and pump potentially leaking, 938	366394.1842 366404.3583	5029612.729	FR300-VAH600) 2		ST4219 ST0832				17/10/1967 05/06/1928		Yes			
	0 BELL TELEPHONE		not specified	gasoline	22/0 Permit Existing		Bylaw No. 8022 -		ANDERSON	ST	replacement of pump address ve		5029998.428				ST3201					replace gas to	!4	i D	t Ct	
	7 GALLA BAKERY		not specified	fuel oil	4540 Permit		Bylaw No. 8022 -		ROCHESTER	ST	replacement of pump address ve	366613.5679	5029667.791		2		ST0170					1 - 1000 gal o		IIIISOS OII FI	351011 31	
	8 ONTARIO BUILDING CLI	ANING CO - IMPERIA		gasoline	4540 Permit		Bylaw No. 8022 -		ROCHESTER	ST	856-858 gladstone ave historic a	366613.5679	5029667.791		2		ST0805					1 - 1000 gars				
	9 HIGH SCHOOL OF COM		AST	heavy oil	22700 Permit		Bylaw No. 304-6		ROCHESTER	ST	dwa shows tanks located in room	366613.5679		FR300-VAH610	. 2		ST4578				21/03/1966		Yes			
	0 HIGH SCHOOL OF COM		AST	heavy oil	22700 Permit		Bylaw No. 304-6		ROCHESTER	ST	dwg shows tanks located in room	366613.5679		FR300-VAH610			ST5114				21/03/1966		Yes			
601	1 HIGH SCHOOL OF COM	MERCE	AST	light oil	4540 Permit		Bylaw No. 304-6	0 300	ROCHESTER	ST	dwg shows tanks located in room	366613.5679	5029667.791	FR300-VAH610) 2		ST5372				21/03/1966		Yes			
601	2 KENOCO GAS MARTS L	TD	UST	gasoline	22700 Permit		Bylaw No. 304-6		PRESTON	ST	-	366510.7305		FR300-VAH600			ST4214				20/05/1971		Yes			
	3 KENOCO GAS MARTS L		UST	gasoline	13620 Permit		Bylaw No. 304-6		PRESTON	ST		366510.7305		FR300-VAH600			ST4941				30/06/1971		Yes			
	4 SHOPPER'S CITY GASM		UST	gasoline	13620 Permit		Bylaw No. 304-6		PRESTON	ST	address incorrect in registry, 384			FR300-VAH600			ST4216				06/05/1976		Yes			
	5 SHOPPER'S CITY GASN		UST	gasoline	13620 Permit		Bylaw No. 304-6		PRESTON	ST	address incorrect in registry, 384			FR300-VAH600			ST4942				06/05/1976		Yes			
	6 SHOPPER'S CITY GASM		UST	gasoline	22700 Existing		Bylaw No. 304-6		PRESTON	ST	address incorrect in registry, 384			FR300-VAH600			ST4215		N		30/06/1971		Yes			
	7 SHOPPER'S CITY GASM	IARTS LTD	UST	gasoline	13620 Existing	Active	Bylaw No. 304-6		PRESTON	ST	address incorrect in registry, 384			FR300-VAH600			ST4940	N	N		20/05/1971		Yes			
	0 HALL FUELS LTD 11 ESSO HOME COMFORT		UST	waste oil	2270 Permit 13620 Permit		Bylaw No. 304-6 Bylaw No. 304-6		PRESTON PRESTON	ST	gasoline tank located on portion	366490.3806 366490.3806		FR300-VAH600 FR300-VAH600			ST4722 ST4222				10/01/1961 04/12/1973		Yes Yes			
	12 ESSO HOME COMFORT		UST	gasoline	13620 Permit 13620 Existing		вуваw No. 304-ы ve- Bvlaw No. 304-6		PRESTON	ST		366490.3806		FR300-VAH600			ST5104			1070 010	04/12/19/3		Yes			
	IZ ESSO HOME COMFORT		UST	gasoline gasoline	4540 Permit	Not activ	ve- Bylaw No. 304-ы Вvlaw No. 8022 -		PRESTON	ST		366483.3724	5029850.177	FR300-VAH600	, 1		ST0834	Y	Y	19/3-012-	04/04/1961			- 500 gal tar	ak.	
	4 W NEIDY		UST	gasoline	2270 Permit		Bylaw No. 8022 -		PRESTON	ST		366483.3724	5029822.404		2		ST2017					install 1 - 100				
	5 MAI MBERG AUTO SER	/ICE	not specified	fuel oil	4540 Permit		Bylaw No. 8022 -		PRESTON	ST	address verified from 1960 city d	366483.3724	5029822.404		2		ST0179					1 - 1000 fuel		- 500 gai tai		
610	6 MALMBERG AUTO SER	VICES LTD	UST	fuel oil	9080 Permit		Bylaw No. 304-6		PRESTON	ST		366483.3724	5029822.404	FR300-VAH600) 2		ST3716				05/07/1968		Yes			
610	7 MALMBERG AUTO SER	VICES LTD	UST	fuel oil	4540 Existing	Active	Bylaw No. 304-6	0 225	PRESTON	ST		366483.3724	5029822.404	FR300-VAH600) 2		ST0465	N	N		19/12/1955		Yes			
610	8 SUNLIGHT OIL		UST	gasoline	4540 Permit		Bylaw No. 8022 -	- 241	PRESTON	ST		366487.0272	5029776.137				ST0836				08/06/1948	3 - 1000 gal g	as tanks			
	9 SUNLIGHT OIL		UST	gasoline	4540 Permit		Bylaw No. 8022 -		PRESTON	ST		366487.0272					ST2019					3 - 1000 gal g				
	0 SUNLIGHT OIL		UST	gasoline	4540 Permit		Bylaw No. 8022 -		PRESTON	ST		366487.0272					ST2505					3 - 1000 gal g				
	1 BP CANADA		UST	gasoline	9080 Permit		Bylaw No. 8022		PRESTON	ST	address verified from 1960 city d		5029776.137				ST0835					2 - 2000 gaso				
	2 BP CANADA		UST	gasoline	9080 Permit		Bylaw No. 8022 -		PRESTON	ST	address verified from 1960 city d						ST2018					2 - 2000 gaso				
	3 BP CANADA		UST	gasoline	9080 Permit		Bylaw No. 8022 -		PRESTON	ST	address verified from 1960 city d						ST2504					2 - 2000 gaso				
	4 BP CANADA	LIGUIDING GODD	UST	gasoline	9080 Permit		Bylaw No. 8022		PRESTON	ST	address verified from 1960 city d		5029776.137	EB000 1/41/040			ST2741 ST3717					2 - 2000 gaso		& 2 - 1000 g	asoline UST	
	5 CENTRAL MORTGAGE 8 6 CENTRAL MORTGAGE 8		UST	fuel oil	4540 Permit 4540 Permit		Bylaw No. 304-6 Bylaw No. 304-6		GLADSTONE	AVE AVE	address verified from dwg & geo address verified from dwg & geo			FR300-VAH610 FR300-VAH610			ST4797				21/04/1966 21/04/1966		Yes Yes			
	0 MAC'S CONVENIENCE S		001	gasoline	22700 Cancelle	d Current	GW Study 2004		PRESTON		ill> 284 PRESTON ST	366525.4089		I INJUU-VANDIU	'		314/8/				19830401		100	1304 L	OTTA:	W/K1R 7R6
	1 MAC'S CONVENIENCE S			gasoline	13600 Cancelle		GW Study 2004 GW Study 2004		PRESTON		il> 284 PRESTON ST	366525.4089	5029599.106								19830401			1304 L		W/K1R 7R6
	2 MAC'S CONVENIENCE S			gasoline	13600 Cancelle				PRESTON		ill> 284 PRESTON ST	366525.4089									19830401			1306 L		W/K1R 7R6
	3 MAC'S CONVENIENCE S			diesel	13600 Cancelle				PRESTON		ill> 284 PRESTON ST		5029599.106								19830401			1307 L		W/K1R 7R6
							,																			

HLUI SUMMARY REPORT LINEAR FEATURES

OBJECTID	SOURCE	FEATURE	YEAR	COMMENT	NAME	Shape_Leng th
	1979-Topographic Map	Abandoned Railway				587.574
70	1909-City Map	Abandoned Railway				1170.108
170	ElectricRailwayMap	Electric Railway	1929, 1950	Ottawa El	lectric Railv	1544.088
542	City of Ottawa	Railway				483.0299
543	City of Ottawa	Railway				7.050208
544	City of Ottawa	Railway				0.021143
545	City of Ottawa	Railway				7.40328
546	City of Ottawa	Railway				156.4521
1632	Enbridge	Gas Pipeline				75.90401
1645	Enbridge	Gas Pipeline				12.75527
1649	Enbridge	Gas Pipeline				79.23677
1651	Enbridge	Gas Pipeline				62.10185
1663	Enbridge	Gas Pipeline				63.27654
1713	Enbridge	Gas Pipeline				44.61494
1750	Enbridge	Gas Pipeline				127.6724
1759	Enbridge	Gas Pipeline				72.8058