



595831 Ontario Inc.

**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT**

**5646 & 5650 Manotick Main Street
Ottawa, Ontario**

FINAL REPORT

December 16, 2022

Terrapex Environmental Ltd.
20 Gurdwara Road, Unit 1
Ottawa, Ontario K2E 8B3
Telephone: (613) 745-6471
Facsimile: (613) 745-0796
E-mail: ottawa@terrapex.com
Website: www.terrapex.com

**DISTRIBUTION: 595831 ONTARIO INC.
TERRAPEX ENVIRONMENTAL LTD.**

**1 PDF
1 PDF**

PROJECT # CO884.00

TABLE OF CONTENTS

TABLE OF CONTENTS	1
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION.....	2
2.1 OBJECTIVE	2
2.2 PHASE ONE PROPERTY INFORMATION.....	2
2.3 PLAN OF SURVEY	3
2.4 ENHANCED INVESTIGATION PROPERTY.....	3
3.0 SCOPE OF INVESTIGATION.....	4
3.1 QUALIFIED PERSON	4
3.2 LIMITATIONS.....	5
4.0 RECORDS REVIEW.....	6
4.1 GENERAL	6
4.1.1 PHASE ONE STUDY AREA DETERMINATION	6
4.1.2 FIRST DEVELOPED USE DETERMINATION	6
4.1.3 FIRE INSURANCE PLANS	6
4.1.4 CHAIN OF TITLE	7
4.1.5 PROPERTY USE RECORDS.....	7
4.1.6 ENVIRONMENTAL REPORTS.....	8
4.2 ENVIRONMENTAL SOURCE INFORMATION.....	8
4.2.1 MECP INVENTORIES AND THE BROWNFIELD ESR.....	8
4.2.2 ERIS ENVIRONMENTAL DATABASES.....	9
4.2.3 GOVERNMENT AND REGULATORY DOCUMENTATION.....	11
4.2.4 CLIENT FILE INFORMATION.....	12
4.3 PHYSICAL SETTING SOURCES	12
4.3.1 AERIAL PHOTOGRAPHS AND SATELLITE IMAGES.....	12
4.3.2 TOPOGRAPHY, HYDROLOGY, GEOLOGY.....	13
4.3.3 FILL MATERIALS.....	14
4.3.4 WATER BODIES AND AREAS OF NATURAL SIGNIFICANCE	15
4.3.5 WELL RECORDS.....	15
4.4 SITE OPERATING RECORDS	15
5.0 INTERVIEWS.....	16
6.0 SITE RECONNAISSANCE.....	17
6.1 GENERAL REQUIREMENTS	17
6.2 SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY	18
6.2.1 SITE DESCRIPTION.....	18
6.2.2 BUILDING DESCRIPTIONS	19
6.2.3 SITE INFRASTRUCTURE	20
6.2.4 MATERIALS HANDLING AND STORAGE.....	21
6.2.5 POTENTIALLY CONTAMINATING ACTIVITY	22
6.2.6 REGULATED MATERIALS AND DESIGNATED SUBSTANCES.....	22
6.2.7 ADJACENT PROPERTIES	23

6.2.8	ENHANCED INVESTIGATION PROPERTY	24
6.3	WRITTEN DESCRIPTION OF INVESTIGATION	24
7.0	REVIEW AND EVALUATION OF INFORMATION	25
7.1	CURRENT AND PAST USES	25
7.2	POTENTIALLY CONTAMINATING ACTIVITY	27
7.3	AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	30
8.0	CONCLUSIONS	31
8.1	WHETHER PHASE TWO ESA REQUIRED BEFORE RSC SUBMITTED	31
8.2	RSC BASED ON PHASE ONE ESA ALONE	31
8.3	SIGNATURES	31
9.0	REFERENCES	33

TABLES

Table 1	Summary of Phase One Property Information	2
Table 2	Pertinent ERIS Records	10
Table 3	Summary of Aerial Photographs and Satellite Images	12
Table 4	Site Reconnaissance Particulars	17
Table 5A	Current and Past Uses of the Phase One Property (5646 Manotick Main Street)	25
Table 5B	Current and Past Uses of the Phase One Property (56560 Manotick Main Street).	26
Table 6	Potentially Contaminating Activities within the Phase One Study Area	28
Table 7	Areas of Potential Environmental Concern	29

FIGURES

Figure 1	Site Location
Figure 2	General Site Layout
Figure 3	Phase One Study Area and Surrounding Land Use
Figure 4	Conceptual Site Model – PCAs
Figure 5	Conceptual Site Model – APECs

**TABLE OF CONTENTS
(CONTINUED)**

APPENDICES

Appendix I	Fire Insurance Plans
Appendix II	Chain of Title
Appendix III	Directory Search
Appendix IV	ERIS Report
Appendix V	Government and Regulatory Information
Appendix VI	Aerial Photographs
Appendix VII	Topographic Map
Appendix VIII	Site Photographs
Appendix IX	Qualifications of the Assessors

1.0 EXECUTIVE SUMMARY

Terrapex Environmental Ltd. (Terrapex) was retained by the 595831 Ontario Inc. (the Client) to conduct a Phase One Environmental Site Assessment (ESA) on the properties located at 5646 and 5650 Manotick Main Street Ottawa, Ontario (collectively, referenced as the “Phase One property” or the “Site”).

Based on the available information the Site was developed between 1946 and 1959. The northern portion of the Site (5646 Manotick Main Street) was a retail fuel outlet from 1965 to 2004. The northern portion of the Site is currently operated as a carwash with two residential units on the upper floor of the building. The southern portion of the Site (5650 Manotick Main Street) was developed into a residential property in 1940s and is still used as such.

It is understood that the study documented herein is being undertaken for site plan approval purposes in support of planned redevelopment. The objective of the investigation was to identify actual and potential sources of contamination associated with the Site arising from current and/or historical activities on the Site and on properties within the Phase One study area to satisfy the following Phase One ESA general objectives listed in Ontario regulation (O. Reg.) 153/04:

- to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the Phase One property;
- to determine the need for a Phase Two ESA; and,
- to provide a basis for carrying out any Phase Two ESA, if required.

Based on the review, evaluation, and interpretation of the information obtained from the records review, interviews, and Site reconnaissance completed as part of the Phase One ESA, four on-Site potential contaminating activity (PCA) and two off-Site PCAs relating to activities or incidents within the Phase One study area were identified. The four on-Site PCAs were determined to contribute to Areas of Potential Environmental Concern (APECs) on the Phase One property, as described below:

PCA 1 / APEC 1(A/B): The former USTs and associated fuel pumps related to the former use of the Site as retail fuel outlet.

PCA 2 / APEC 2: The presence of fill of unknown quality and unknown origin during redevelopment of the Site in 1965.

PCA 3 / APEC 3: The former use of the commercial building as an automotive garage.

PCA 6 / APEC 4: Staining underneath the ride on lawn mower in the white shed.

PCA 7 / APEC 5: Carwash effluent emanating from the septic system.

Based on the findings and results of this Phase One ESA, APECs have been identified at the Site. Therefore, a Phase Two ESA is required to file an RSC for the Phase One Property, in accordance with the requirements of O. Reg. 153/04.

2.0 INTRODUCTION

Terrapex Environmental Ltd. (Terrapex) was retained by the 595831 Ontario Inc. (the Client) to conduct a Phase One Environmental Site Assessment (ESA) at two adjacent properties located at 5646 and 5650 Manotick Main Street in Ottawa, Ontario (referenced as “the Phase One property” or “the Site”). We understand that the study is required for site plan approval purposes prior to potential redevelopment.

2.1 OBJECTIVE

The objective of the investigation was to identify actual and potential sources of contamination associated with the Site arising from current and/or historical activities on the Site and on properties within the “Phase One study area” (refer to Section 4.1.1), to satisfy the Phase One ESA general objectives listed in Ontario Regulation (O. Reg.) 153/04:

- to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the Phase One property;
- to determine the need for a Phase Two ESA; and,
- to provide a basis for carrying out any Phase Two ESA (if required).

2.2 PHASE ONE PROPERTY INFORMATION

Information regarding the location and identification of the Phase One property and those authorizing this study is provided in Table 1, below. The location of the Site and the general Site layout are shown in Figures 1 and 2, respectively.

TABLE 1: SUMMARY OF PHASE ONE PROPERTY INFORMATION

Address:	5646 & 5650 Manotick Main Street, Ottawa ON
Property Identification Number:	03902-0885 (5646 Manotick Main Street) 03902-0886 (5650 Manotick Main Street)
Legal Description:	Part of Lot 4, Concession A North Gower (aka Concession Broken Front)
UTM Coordinates (centre of Site):	18T 446860 m E 5007642 m N
Name and Address of Owner:	5950831 Ontario Inc. (both properties)
Name and Address of Authorizing Party:	Jade Hawkins 595831 Ontario Inc. 650 Eagleson Road Kanata ON, K2M 1H4
Site Area:	4,098.8 m ²
Structures:	Several structures are located on the Site consisting of the following: <ul style="list-style-type: none"> - Former commercial building with car wash and second storey apartments (5646 Manotick Main Street) - Residential building with two sheds (5650 Manotick Main)
Occupants (current):	5646 Manotick Main - car wash, 2 residential apartments (second storey) 5650 Manotick Main - residential dwelling

2.3 PLAN OF SURVEY

A Plan of Survey was not provided as part of this program.

2.4 ENHANCED INVESTIGATION PROPERTY

An enhanced investigation property is defined in O. Reg. 153/04 as a property that is being used or has been used, in whole or in part, for an industrial use, or for commercial use as a garage, a bulk liquid dispensing facility (including a gasoline outlet), or for the operation of dry-cleaning equipment.

Based on current and historical land-use information described herein, the Site is an enhanced investigation property.

3.0 SCOPE OF INVESTIGATION

The Phase One ESA was conducted in accordance with the current requirements of O. Reg. 153/04 and as outlined in the Terrapex proposal to Ms. Jade Hawkins dated February 17, 2022. The main components of the Phase One ESA scope of work included:

Records Review: A review was conducted of available historic and current environmental information pertaining to the Site and surrounding properties within the Phase One study area in accordance with Schedule D (Phase One Environmental Site Assessments) of O. Reg. 153/04.

Interviews: Questions were posed to Mr. Ian Hawkins in person during the completion of the Site inspection. Additional questions were posed to Ms. Jade Hawkins through email.

Site Reconnaissance: A visual reconnaissance of the Site and neighbouring properties within the Phase One study area was conducted for evidence of potential environmental concerns.

Evaluation: The information obtained from the records review, interviews, and Site reconnaissance was reviewed and evaluated by the Qualified Person (QP) for this project (refer to Section 3.1 below) in consideration of the Phase One ESA general objectives and uncertainty associated with the data sources.

Reporting: In accordance with the requirements of Schedule D of O. Reg. 153/04, this report documents the findings, conclusions, and recommendations of the Phase One ESA and includes:

- a table of the current and past uses of the Phase One property;
- a table of identified potentially contaminating activities (PCAs) and a table of associated areas of potential environmental concern (APECs);
- a Phase One Conceptual Site Model (CSM); and,
- conclusions and recommendations made based on the evaluation and interpretation of information obtained for the Phase One ESA.

3.1 QUALIFIED PERSON

The Phase One ESA was supervised by Mr Greg Sabourin, Project Manager in Terrapex's Ottawa Office, located at 20 Gurdwara Road Ottawa, Ontario. Mr. Sabourin is a licensed Professional Engineer (P. Eng.) in Ontario and is registered as a QP with the Ontario Ministry of the Environment, Conservation and Parks (MECP) (formerly Ministry of Environment and Climate Change (MOECC), formerly Ministry of Environment (MOE)) for the purposes of creating and submitting RSCs for filing on the Brownfields Environmental Site Registry (ESR).

3.2 LIMITATIONS

It should be noted that although Terrapex has attempted to verify information wherever possible, except where explicitly noted, we have relied upon the accuracy of information collected during the records review and interview components.

The following limitations are noted:

- During the completion of the site inspection the vinyl shed located in backyard of the Site was locked and therefore was not inspected.
- One of the upstairs apartments (Apartment 2) was not accessible.
- Limited information was available regarding the historic heating methods for the main building commercial building.
- A full historical land title search was not conducted for the 5650 Manotick Main Street residential property.

It is not expected that the limitations would significantly affect the outcome of the Phase One ESA.

4.0 RECORDS REVIEW

4.1 GENERAL

4.1.1 PHASE ONE STUDY AREA DETERMINATION

To determine the Phase One study area, Terrapex conducted a preliminary records review to identify any conditions that might warrant an expansion of the Phase One study area beyond the minimum required by O. Reg. 153/04. This review included searches/reviews of the following information:

- aerial photographs and satellite images;
- MECP waste disposal site inventory documents; and,
- the Brownfields Environmental Site Registry (ESR).

The review indicated that lands within approximately 250 m of the Site boundary have historically been used for mixed use of agricultural, residential and commercial purposes. Based on the review, it was determined that an expansion of the Phase One study area beyond 250 m from the Site boundaries was not warranted. As such, an irregularly-shaped Phase One study area was developed to include all properties located within 250 m from the nearest point on the boundary of the Phase One property.

The boundary of the Phase One study area is depicted in Figure 3. Documentation and interpretation of the records reviewed are provided in the sub-sections below. Note that all distances are calculated from the nearest property boundary of the Site to the nearest boundary of the feature in question and are approximate.

4.1.2 FIRST DEVELOPED USE DETERMINATION

Information obtained during the records review portion of the work program was used to determine the date of first developed use of the Site, as per the definition in O. Reg. 153/04.

Based on review of aerial photographs the first developed use of the Site occurred between 1946 and 1959.

4.1.3 FIRE INSURANCE PLANS

Terrapex requested a search of Opta Information Intelligence online inventory of fire insurance plan maps (FIPs) and inspection reports for the 5646 Manotick Main Street property. No FIPs were found. However, a 2003 IAO All Risk Report was available for the property. The following relevant information was able to be gleaned from review of the risk report:

- In 2003 the Site operated as a laundromat, convenience store, ice cream, snack bar and a retail fuel outlet;
- The main building was reportedly constructed in 1965 and the car wash was constructed in 1983.
- The building was heated by electric forced air and baseboards in 2003. No mention of oil or natural gas was available in 2003.

No other information was gleaned from the Risk Report. No search was conducted of the 5650 Manotick Main Street property. Due to it being a residential property it was determined that it would be unlikely to have any records on file.

4.1.4 CHAIN OF TITLE

A historical land title search was completed by the Read Abstracts Limited (Read Abstracts) for the 5646 Manotick Main Street property that documented the chain of title for the Site. The Site is legally described as Part of Lot 4, Concession A North Gower (aka Concession Broken Front). The Site was owned by individual property owners from the first available record in 1840 until it was transferred to 595831 Ontario Inc. on December 12, 1984. A property index map and a copy of the historical land title search is included in Appendix II.

No historical land title search was completed for the 5650 Manotick Main Street property. Due to the 5650 Manotick Main Street property being residential in nature it is not expected that a historical land title search would provide additional relevant information. The 5650 Manotick Main Street property is reportedly owned by the Client.

4.1.5 PROPERTY USE RECORDS

A search of the City Directories was conducted by ERIS Information Limited Partnership (ERIS) to document the historical occupants of the Site and the following neighbouring properties: 5626, 5628, 5630, 5632, 5636, 5640, 5649, 5652, 5654. The search included a review of city directories for the following years: 1992, 1996, 2000, 2006-2007, and 2011. The following pertinent information was gleaned from the City Directory search:

- The 5646 Manotick Main Street property (northern portion of the Site) was listed as “Hawkins Gas” in 1992 and “Discount Tobacco & Grocery” in 2006-2007 and 2011. In the 2011 listing the Site was also listed as “U Haul CO Ltd”. The Site was also listed as residential for every year searched except for 2011.
- The 5650 Manotick Main Street property (southern portion of the Site) was listed as residential from 1992 to 2011.
- The neighboring adjacent property to the north, 5640 Manotick Main Street was listed as “C&N Electric” in 1996, 2000 and 2006-2007.

- 5626 Manotick Main Street was listed as “Upper Manotick Cycle Centre” in 1992 and 1996.
- 5632 Manotick Main Street was listed as “Manotick Cycle Centre”, “Manotick Lumber and Building Supplies” and “Cameron R&S” in 2006-2007.
- 5636 Manotick Main Street was listed as “Vanis Construction” in 2011.

All other listings were residential. A copy of the City Directory search results included in Appendix III.

4.1.6 ENVIRONMENTAL REPORTS

Terrapex was provided with one environmental report to review. The following is a summary of the report:

John D. Patterson Associates and Limited *Phase II – Environmental Site Assessment 5646 Rideau Valley Drive, Manotick Main Street* dated February 14, 2000

John D. Patterson Associates (Patterson) completed a Phase II ESA at the Site in January 2000. Reportedly it was described that the Site had been in operation for over 35 years and was currently operating a retail fuel outlet during the completion of the investigation. Patterson drilled three boreholes (BH1 to BH3) at the Site in the vicinity of the tank nest and pump island to a maximum depth of 4.42 meters below grade (m bg). Stratigraphy at the Site reportedly consisted of asphalt overlying a silty clay and/or clayey silt native material. A water sample was also collected directly from a borehole. The report did not provide a detailed account of the methodology used during the investigation.

Two soil samples and a groundwater sample submitted for laboratory analysis of total petroleum hydrocarbons (TPH) and benzene, toluene, ethylbenzene, and xylenes (collectively BTEX) exhibited concentrations above the Ontario Ministry of Environment (MOE) remediation guidelines in effect at the time.

The copy of the report provided to Terrapex did not provide any laboratory certificates of analyses or the measured concentrations of the analysed soil and/or groundwater samples. However, it can be assumed that documented soil/groundwater exceedances from 2000 would also likely exceed the current MECP Site Conditions Standards (SCS).

4.2 ENVIRONMENTAL SOURCE INFORMATION

4.2.1 MECP INVENTORIES AND THE BROWNFIELD ESR

A review of available MECP inventory documents was conducted by Environmental Risk Information Services (ERIS) to identify any significant industrial sites, waste disposal sites, or polychlorinated biphenyl (PCB) storage sites and RSCs filed on the Brownfields ESR

within the Phase One study area. The results of the search are outlined below.

MOE Inventory of Coal Gasification Plant Waste Sites in Ontario: A review of information provided in the inventory document did not identify former coal gasification plant waste sites within the Phase One study area.

MOE Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario: A review of the inventory document did not identify industrial sites producing or using coal tar or related tars within the Phase One study area.

MOE Waste Disposal Site Inventory: A review of the inventory did identify any active or closed waste disposal sites within the Phase One Study area.

Brownfields Environmental Site Registry: A review of the registry identified no RSC completed within the Phase One study area.

4.2.2 ERIS ENVIRONMENTAL DATABASES

Terrapex ordered a report from ERIS for available records associated with properties within the Phase One study area. ERIS searched government and privately-owned databases for environmental source information, including the information and documents listed in paragraph 7 of subsection 3 (2) in Schedule D of O. Reg. 153/04, excluding the areas of natural significance maintained by the Ontario Ministry of Natural Resources and Forestry (MNR) and environmental reports submitted to the MECP.

The report from ERIS is provided in Appendix IV and presents information for the records found, a diagram which plots the locations of the properties for which records were found (provided sufficient address information was available), as well as an appendix which contains a list and descriptions of the databases ERIS searched.

The ERIS report identified a total of 58 records within the Phase One study area. A summary of the pertinent records is provided below:

Listings for the Site

The ERIS report identified two records pertaining 5646 Manotick Main Street (northern portion of the Site). A record identified that the Site was a waste generator (generator number ON8832860) of light fuels for 2007 and 2008. A water well record for a domestic water supply well was also identified at the Site (further discussed in Section 4.3.5).

Six listings in the unplotable summary were identified in the delisted fuel tanks (DTNK), Private and Retail fuel Storage Tank (PRT), and List of Expired Fuel safety Facilities (EXP) databases which listed the business "595831 ONT INC" located at Rideau Valley Drive

Rideau Township. While the exact address is not provided It is likely based on the business name that these records are related to the Site. The former presence of gasoline service station at the Site as identified by these records represents an onsite PCA.

Nearby Properties

The following is the list of the pertinent records identified on neighboring properties within the Phase Study One Area which would result in a PCA is provided below in Table 2.

TABLE 2: PERTINENT ERIS RECORDS

Property	PROXIMITY ¹	DATABASE	YEAR(S)	DETAILS	PCAs/POTENTIAL CONCERNS ²
5640 Manotick Main Street	Adjacent property to the North	GEN - Ontario Regulation 347 Waste Generators Summary	20016	Property was a listed generator of waste oils and lubricants	None Identified.
5669 Manotick Main Street	161 m southeast	GEN - Ontario Regulation 347 Waste Generators Summary	2003 - 2021	Property was a listed generator of a variety of wastes including lights fuels, oil skimming's and sludges. Related to backup generator.	28 - Gasoline and Associated Products Storage in Fixed Tanks

¹ direction and approximate distance to nearest Site boundary

² As set out in Table 2 in Schedule D of O. Reg. 153/04.

Four listings were identified within the Phase One study area from the borehole database. Review of select borehole records indicated that stratigraphy within the Phase One study area generally consisted of clay to followed by a layer of gravel. Limestone bedrock was reportedly encountered at approximately 9 meters below grade.

Thirty-seven Water Well Information System (WWIS) records were identified as being present within the Phase One study area. Please refer to Section 4.3.5 for details of the water well records.

Unplottable Records: ERIS also identified numerous partial records without coordinates or municipal addresses from various databases. These records were listed in the Certificate of Approval, Ontario Regulation 347 Waste Generators Summary, Permit to

take water and Ontario spills databases. As the exact locations of the listings cannot be confirmed, it is not possible to use this information to make conclusions about potential on-site environmental contamination concerns except for the records able to be linked to the Site (as discussed above).

4.2.3 GOVERNMENT AND REGULATORY DOCUMENTATION

Terrapex contacted representatives of provincial and municipal government agencies to request any environmental information in their files related to the Site. Terrapex also conducted searches of available information provided on government websites. The responses received from the government agencies, as well as the additional information obtained through website searches, are summarized in the following sections. Copies of relevant documents and maps are included in Appendix V.

Ontario Ministry of the Environment, Conservation and Parks: On March 3, 2022, Terrapex submitted a Freedom of Information (FOI) request regarding documented environmental concerns related to the Site, including infractions, complaints, notifications, or control orders. The MECP has not responded to the FOI request to date. A copy of the MECP FOI request is provided in Appendix V.

Ontario Ministry of Natural Resources and Forestry: Terrapex conducted a search of the information provided on the MNRF Natural Heritage Information Centre (NHIC) website to identify any area of natural or scientific interest (ANSI), environmentally sensitive areas or areas of natural significance within the Phase One study area. An unevaluated wetland was located approximately 130 m to the west of the Site.

Technical Standards & Safety Authority: The Technical Standards and Safety Authority (TSSA) is the Provincial regulatory agency responsible for overseeing fuels storage in Ontario and maintaining a database of all registered fuel storage tanks in Ontario. It should be noted that the TSSA did not register private fuel USTs/ASTs prior to January 1990 or furnace oil tanks prior to May 1, 2002. Additionally, the TSSA does not register waste oil tanks in apartments, office buildings, residences etc.

Terrapex submitted a request for information from the TSSA for both the 5646 and 5650 Manotick Main Street properties. On March 30 2022, Terrapex received a reply from the TSSA regarding the 5646 Manotick Main Street property, the information received indicated that the property had a propane cylinder exchange in 2005. No other information was given. A copy of the TSSA search results is provided in Appendix IV.

The TSSA has not responded with any information regarding the 5650 Manotick Street property as of the writing of this report.

City of Ottawa: Review of the geoOttawa website determined that that the entire Site was zoned as RC1 – rural commercial zone.

City of Ottawa Historic Land Use Inventory: In 1999, the former Regional Municipality of Ottawa-Carleton commissioned the preparation of a Historic Land Use Inventory (HLUI). The purpose of the HLUI was to collect information on the type and location of all land uses within the boundaries of the former Regional Municipality of Ottawa-Carleton (now the City of Ottawa) which had or have the potential to cause contamination in soil, groundwater or surface water.

The City of Ottawa provided a copy of the HLUI record for the Site. A copy of the HLUI search results is provided in Appendix V. Pertinent results of the HLUI report determine the following:

- The Site was listed as “Hawkins Gas” in 1998.
- The Site is located approximately 177 meters south of a known chlorinated solvent groundwater plume. Based on the expected flow of groundwater the documented plume is not expected to represent a concern to the Site.

The Rideau Valley Conservation Authority (RVCA): Terrapex reviewed the online mapping application provided by the RVCA (<https://gis.rvca.ca>). Review of the mapping application indicated that the Site is not within a regulated area.

A copy of the RVCA mapping application print out is provided in Appendix V.

4.2.4 CLIENT FILE INFORMATION

Terrapex was provided one environmental report from the Client (see Section 4.1.6.).

4.3 PHYSICAL SETTING SOURCES

4.3.1 AERIAL PHOTOGRAPHS AND SATELLITE IMAGES

Aerial photographs dated 1976, 1991, 2007, 2011 and 2019 were obtained from the geoOttawa online mapping application along with aerial photographs from 1946, 1959, and 1965 obtained from ERIS were reviewed to identify changes to topographic features and document the development of the Site and surrounding properties. The relevant features and development of the Site and neighbouring properties are summarized in Table 3 below with copies of the aerial photographs and satellite images included in Appendix VI. To identify some of the features discussed below the geoOttawa online mapping application was used to provide a close-up view.

TABLE 3: SUMMARY OF AERIAL PHOTOGRAPHS AND SATELLITE IMAGES

Year	Aerial Photograph and Satellite Image Summary
1946	<ul style="list-style-type: none"> • The Site appears to be part of an agriculture field. The structures are not visible on the Site however disturbed soil is visible in the northern portion of the Site.

Year	Aerial Photograph and Satellite Image Summary
	<ul style="list-style-type: none"> Manotick Main Street is visible to the east of the Site in its current position. A road is visible to the northern boundary of the Site. The neighboring properties appear to be agricultural fields.
1959	<ul style="list-style-type: none"> A building is visible in the northern portion of the Site. Based on the visible footprint of the building it does not appear to be the same building as the current building. The residential dwelling associated with the 5650 portion of the Site is visible. Neighboring properties adjacent to the Site appear to be developed with residential properties. Mahogany Harbour and Firefly Lane are now visible to the south and east of the Site respectively.
1965	<ul style="list-style-type: none"> Due to the resolution of the aerial photograph, it was not able to be determined what is located on the Site. The surrounding properties appear to be similar to the 1959 aerial photograph. A building and/or structure is visible in the northwestern portion of the Site.
1976	<ul style="list-style-type: none"> The Site appears to have been developed with a building in the format like the current building located at the Site. A building and/or structure is visible in the northwestern portion of the Site. The surrounding properties appear to be similar to the 1965 aerial photograph.
1991	<ul style="list-style-type: none"> The Site appears to be similar to the 1976 aerial photograph with the exception that the building and/or structure located in the northwestern portion of the Site is no longer visible. Gas pumps are visible to the east of the main building located at the Site. An expansion to the north side of the onsite building is visible. The surrounding properties appear to be similar to the 1976 aerial photograph with the exception of additional residential development to the east and southeast of the Site.
2007	<ul style="list-style-type: none"> The Site appears to be similar to the 1991 aerial photograph. The surrounding properties appear to be similar to the 1976 aerial photograph with the exception of additional residential development to the west and south of the Site. The neighboring property to the north appears to be used for commercial use based on the number of buildings and vehicles.
2011	<ul style="list-style-type: none"> The Site and surrounding area appear similar to the 2007 aerial photograph.
2019	<ul style="list-style-type: none"> The Site and surrounding area appear similar to the 2011 aerial photograph.

4.3.2 TOPOGRAPHY, HYDROLOGY, GEOLOGY

Topographic Mapping: A review of topographic mapping indicates that the Site is located in a mixed residential and commercial area. Google Earth indicates that the Site is at an approximate elevation of 88 m above mean sea level (amsl). The regional topography at the Site slopes down towards Rideau River (located to the north at an elevation of 84 amsl).

A copy of the Topographic map is provided in Appendix VII.

Geologic Mapping: Based on the 2007 Ontario Geological Survey (OGS) map *Physiography of Southern Ontario*, the Site is within a physiographic region known as clay plains.

Based on the OGS map *Surficial Geology of Southern Ontario*, the Site is located in an area of fine-textured glaciomarine deposits characterized silt and clay, minor sand and

gravel. Based on the OGS map 2556 (*Bedrock Geology of Ontario*), the Site is underlain by the Beekmantown Group which consists primarily of dolostone and sandstone.

Inferred Groundwater Flow Direction: Based on topography, the inferred direction of local groundwater flow is expected to be north-northeast, towards the Rideau River located approximately 45 m northeast of the Site. The regional groundwater flow is expected to be to the northeast towards the Rideau River as well.

4.3.3 FILL MATERIALS

It is likely that during the development of the Site some fill would have been shipped to the Site. The potential for this fill of an unknown quality and unknown origin to exist represents a PCA.

4.3.4 WATER BODIES AND AREAS OF NATURAL SIGNIFICANCE

Water Bodies: The nearest water body is the Rideau River, located approximately 45 m to the northeast of the Site's northern boundary.

Areas of Natural Significance: Based on all the information sources consulted (see Section 4.2.3), no ANSI are present at the Site or within the Phase One study area.

4.3.5 WELL RECORDS

Water Wells: The Water Well Information System (WWIS) was searched by ERIS and thirty-eight water well records were identified within the study Area. The well records included the following:

- Thirty one well records related to a domestic supply wells;
- Seven records related to abandonment of domestic supply wells; and.
- One record was for the installation of test wells.

One record was identified as the domestic supply well present at the 5646 Manotick Main Street property (well ID: 1506502). The well is recorded as being drilled in 1957. The well record describes the stratigraphy as clay from surface to approximately 12 meters below grade followed by a gravel layer approximately 1.2 m thick. A copy of the well record is located in the Appendix V.

It should be noted that many wells in the province have been decommissioned or abandoned without appropriate reporting to the MECP; in addition to issues regarding the accuracy of well locations, some MECP database listings pertain to wells that are possibly no longer in use or in existence.

4.4 SITE OPERATING RECORDS

The Site is considered an enhanced investigation property as per O. Reg. 153/04 since it did operate as a retail fuel outlet and automotive garage. No Site operating records were available for review.

5.0 INTERVIEWS

Terrapex interviewed Ms. Jade Hawkins, General Manager at 595831 Ontario Inc. Ms. Hawkins has been involved with the Site since 2011. Ms. Hawkins was able to provide the following additional information through email:

- The main building located at 5646 Manotick Main Street property was constructed in the 1940s. The addition for the car wash was built in the 1990s. Apartments had been located on the second floor of the commercial building for at least 20 years.
- The commercial store space on the 5646 Manotick Main Street property was used as an automotive garage prior to Client acquisition of the property in 1984. Reportedly the garage was located where the former convenience store used to be. No additional information was available regarding the Site's use as an automotive garage.
- The underground storage tanks at the Site related to the retail fuel outlet were removed in 2004.
- It is unknown if an oil UST/AST was ever present at 5646 Manotick Main Street property.
- The Client has owned the 5650 Manotick Main Street property since 1992.

It was noted that there is discrepancy between the information given the date of construction for the commercial building between the interview (1940s) and the fire insurance plans (1965). No additional information as provided.

Mr. Ian Hawkins was present during a portion of the Site inspection completed on March 16, 2022. The following information was provided by Mr. Hawkins:

- The Site is serviced by two wastewater septic systems, both of which are located in the backyard of the residence. One system is used for the car wash wastewater and the second is provides service to the second story apartments.
- The USTs related to the former retail fuel outlet had been removed several years ago, however an exact date was not provided. During the removal of the USTs it was evident that petroleum contamination was present in the soil.

No other information was gleaned from the interview.

6.0 SITE RECONNAISSANCE

6.1 GENERAL REQUIREMENTS

The Site reconnaissance was conducted to identify, describe, and document the following items at the Site, in accordance with Schedule D of O. Reg. 153/04:

- the presence and condition of any structures, including buildings, below-ground structures, ASTs, and USTs, as well as potable and non-potable water sources;
- the type and approximate locations of any utilities and services;
- the interiors of any buildings, specifically noting exit and entry points, heating/cooling systems, drains, pits, sumps, unidentified substances, and stains/corrosion on floors;
- the presence and types of sewage works, ground cover, and any current or former railway lines or spurs; and,
- the nature and extent of any areas of stained soil or pavement, stained or stressed vegetation, fill and debris materials, PCAs, and unidentified substances.

The Site reconnaissance also included a cursory inspection of the surrounding properties within the Phase One study area to identify, describe, and document any PCAs, water bodies, and areas of natural significance, as defined in O. Reg. 153/04. Observations of the surrounding properties within the Phase One study area made during the Site reconnaissance were limited to areas visible from the Site or from publicly accessible areas and vantage points.

Due to a change of scope, two separate Site reconnaissance were required one for the 5646 Manotick Main Street property (conducted in March 2022) and one for the 5650 Manotick main Street Property (conducted in April 2022). Details on the Site reconnaissance are provided in Table 4.

TABLE 4 SITE RECONNAISSANCE PARTICULARS

Date, Time of Investigation	Weather Conditions	Tour Guide	Occupant/Use of Site During the Investigation	Names and Qualifications of Persons Conducting the Investigation
March 16, 2022, Between 9:30 and 1:00 pm	Overcast 5 °C	Ian Hawkins (9:30 am to 10:00 am)	Car Wash and two residential apartments	Mr. Greg Sabourin, PEng
April 21, 2022, between 1:00 pm and 3:30 pm	Rain 12 °C	Jade Hawkins	Residential property	Mr. Greg Sabourin, PEng

The Site location is shown in Figure 1 and the Site layout is shown in Figure 2. Selected photographs of the Site and Phase One study area are provided in Appendix VIII.

6.2 SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY

6.2.1 SITE DESCRIPTION

General Site Features: The Site is located on the west side of Manotick Main Street, approximately 250 m south of Eastman Avenue north of Mahogany Harbour Lane in Manotick, Ontario. The Site is irregular in shape and occupies a footprint of 4,090 m². The Site is composed of two municipal addresses - 5646 Manotick Main Street pertaining to the northern portion of the Site and 5646 Manotick Main Street pertaining to the southern portion of the Site.

5646 Manotick Main Street

The 5646 Manotick Main Street property is irregular in shape and occupies a footprint of approximately 2,566 m². The property is occupied by a two-storey building that consists of:

- A vacant former commercial space located on the bottom portion of the commercial building;
- Two apartment units (Apartment Units 2 and 3, there is no Unit 1) on the second storey; and
- A two-bay car wash that was constructed on the north end of the building.

The eastern portion of the property is covered with asphalt except for the southeast portion which is covered with gravel (the apparent location of the former tank nest). A former concrete pump island with a light standard is located to the east of the main building. The northern portion of the building is occupied by an operating two-bay car wash station.

The backyard of the Site is grass covered and contains the Sites septic tanks and weeping bed. The rear of the building had a wooden staircase and deck which provided access to the two second storey apartments. A vinyl shed, which was unable to be accessed during the site inspection was located in the middle of the backyard. The backyard was not fenced except for the northern property boundary. It was noted that trees were located on the periphery of the backyard.

5650 Manotick Main Street Property

The 5650 Manotick Main Street Property is irregular in shape and occupies a footprint of approximately 1,523 m². A single storey residence occupies the central portion of the property. The front yard of the property (located to the east of the residence) has a gravel surface cover while the backyard is largely landscaped with grass cover. Two sheds are located in the backyard of the property. The property is not fenced however a stand of trees are located between the Site and Mahogany Harbour Lane to the south.

Rights-of-Way: No right-of-ways were identified during the Site inspection.

Access and Roadways: Access to the Site is either provided from Manotick Main Street.

Debris and Fill Material: Debris and potential fill material were observed in the backyard of the onsite building on the 5646 Manotick Main Street property (refer to Appendix VIII, Photograph 6). Reportedly this fill was related to repairs to a foundation leak.

6.2.2 BUILDING DESCRIPTIONS

5646 Manotick Main Street

The main building is two-storey, rectangular in shape and has an approximate footprint of 204 square meters (m²). The building appears to be slab on grade and of cinderblock construction. The siding of the building is composed of tin and a mortar façade. A wooden staircase and deck are located at the rear of the building which provides access to the two second storey apartments.

The interior of the main building contained what appeared to be a former commercial space for the retail fuel outlet/convenience store. At the time of the inspection the interior of commercial area was vacant and it appeared that the interior was in the midst of a renovation as no drywall was located on the walls and various building materials were present throughout. It was noted that extensive mould and water damage was present on the ceiling in the southwest corner of the room. It appeared that sewage from one of the upstairs apartments was leaking into the commercial space. The northern portion of the main building was used as a mechanical room for the car wash.

The upstairs of the main building contained two apartments. One of the apartments (Apartment 2) was able to be inspected. The inspection did not uncover anything of concern.

A two-bay self serve car wash is attached to the northern side of the main building. The car wash was reportedly constructed in the late 1980s. The car wash extension is approximately two storeys tall and is of brick and mortar construction and has a footprint of approximately 96 m². The mechanical room for the carwash is located in the northern portion of the main building. The equipment in the mechanical room consists of a natural gas water heater, hot water tank, a well pressure tank, various water softeners, water compressors for the spray nozzles and various hoppers for soap and detergent. Various 20 L pails of detergents and soaps were located in the mechanical room of the warehouse and used to supply the hoppers.

A small one-storey extension with a footprint of approximately 20 m² is located at the rear of the main building. This expansion contained what appeared to be the old furnace room for the store and a bathroom. The exterior of the expansion was covered with roof shingles.

The interior of this expansion was covered in drywall and had extensive mold and water damage throughout.

A two-bay car wash garage is attached to the northern side of the building. The carwash is of slab on grade and brick and mortar construction. Drains were on the floors in each of the car wash bays. The drains direct wash water into an on site septic system dedicated to the car wash.

5650 Manotick Main Street Property

The single storey residence located at this property is square in shape and has an approximate footprint of 80 m². The residence had a concrete foundation with a basement. The exterior is finished with tin siding overlying transite board. Two wooden sheds were located in the backyard of the property.

The interior of residence appeared to be renovated recently. Interior finishings of the interior of the residence composed of drywall and engineered wood flooring. The basement of the residence was partially finished. A sump was noted to be located the basement of the residence.

6.2.3 SITE INFRASTRUCTURE

Heating and Cooling Systems:

5646 Manotick Main Street

A natural gas water heater and forced air furnace was present in the carwash mechanical room. A residential gas heater was also located in the extension however it was not installed. An electric tankless water heater was located on the ceiling in the main commercial space.

5650 Manotick Main Street

A natural gas heater and a natural gas water heater was located in the basement of the residence. The natural gas meter was noted to be located at the front of the property.

Water Supplies:

5646 Manotick Main Street

Reportedly the water was provided to the main building from a water well located at the front of the building (refer to Appendix VIII, Photograph 8). It was noted that the well was in a state of disrepair and that the cover had been removed. This well should be serviced and or inspected by a MECP licensed well technician.

5650 Manotick Main Street

The water service was provided to the residence from a water well. The location of water well was not identified during the Site inspection.

Electrical Services: Electrical services are provided from an overhead electrical line located along Manotick Main Street to both properties.

Wastewater and Sewage Disposal: For the 5646 Manotick Main Street property reportedly the wastewater from the apartment buildings and the car wash are managed from two separate septic systems. Apparently, the septic systems are in the backyard of the Site.

A dedicated septic system for the residential dwelling is located on the 5650 Manotick Main Street property.

Stormwater Management: A catch basin was observed along Manotick Main Street along the northern edge of the Site.

Drains, Pits or Sumps: Drains are located in each of the two car wash bays present at the 5646 Manotick Main Street Property. Reportedly the drains are connected to a dedicated septic tank system located west of the building (in the backyard).

The sump pit was present in the southeast corner of the 5650 Manotick Main Street residential building.

Underground Utility and Service Corridors: It is expected that the septic systems present at the Site would consist of various underground tanks, pipes and weeping tiles. It is possible that former trenches related to petroleum infrastructure are located in the eastern portion of the 5646 Manotick Main Street property.

6.2.4 MATERIALS HANDLING AND STORAGE

Storage Tanks: Based on aerial photographs, interviews and the site inspection, a former underground storage tank nest related to the former retail fuel outlet was located at the southern portion of the 5646 Manotick Main Street Property. The completion of the Site inspection confirmed that this area was gravel covered and appeared to have a slight depression (refer to Appendix VIII, Photograph 7).

Storage Containers: Various containers of soaps and detergents were observed in the mechanical room of the car wash in the commercial building located on the 5646 Manotick Main Street property.

Hazardous Materials: Small quantities of fuel were observed to be in jerry cans inside the vacant convenience store area in the 5646 Manotick Main Street building. This is not expected to be a concern.

Waste Management: Garbage pails related to residential waste were located at the back of the building at the 5650 Manotick Main Street property. It was noted that a garbage pail was present at the front of the store at 5646 Manotick Main Street property.

Unidentified Substances: No unidentified substances were encountered during the Site reconnaissance.

Residues and Staining: Staining was observed underneath the ride-on lawn mower located in the shed on the 5650 Manotick Main Street property (refer to Appendix VIII, Photograph 18). Due to the extent of the staining this will be considered a PCA.

Stressed Vegetation: As the inspections had been conducted during the spring/winter, no stressed vegetation was encountered during the Site reconnaissance.

Odours: Upon walking into the vacant convenience store area a strong musty/sewage odour could be smelt. This is not expected to be a concern

6.2.5 POTENTIALLY CONTAMINATING ACTIVITY

Based on the findings of the Site reconnaissance, three PCAs set out in Column A of Table 2 in Schedule D of O. Reg. 153/04 were observed. Other activities/observations not specifically listed in Table 2 of Schedule D were also added to the PCA table based on the discretion of the QP.

Two additional PCAs were identified within the Phase One study area based upon information gathered during the historical information review.

Refer to section 7.2 for discussion of these PCAs.

6.2.6 REGULATED MATERIALS AND DESIGNATED SUBSTANCES

Asbestos: Due to the age of the buildings present at the Site, the presence of asbestos containing material is possible.

Lead: Due to the age of the buildings, the presence of lead containing paint at the Site is possible.

Mercury: Due to the age of the buildings, the presence of mercury containing paint or

materials at the Site is possible.

Polychlorinated Biphenyls: No transformers or sources of PCBs were observed at the Site.

Ozone Depleting Substances: No equipment identified to potentially contain ozone-depleting substances (ODSs), such as air conditioners and freezers, was observed at Site except for the residential dwelling at 5650 Manotick Main Street. The appliances inspected appeared to be modern and are not expected to be a concern.

Mould: Extensive mould and water damage was present on the ceiling on the first floor of the commercial building at 5646 Manotick Main Street.

Other Designated Substances: No other substances designated under the Ontario Occupational Health and Safety Act were identified during the Site visit.

A Designated Substance Survey (DSS) was completed concurrently with the Phase One ESA and will provide additional details regarding the presence of regulated materials and designated substances at the Site.

6.2.7 ADJACENT PROPERTIES

A visual reconnaissance of the adjacent properties and properties within the Study Area was conducted from publicly accessible areas to identify the occupants and document the uses and PCAs that may impact the Site. Uses and occupants of the properties located immediately adjacent to the Site at the time of the inspection are listed below.

North: Manotick Main Street and the Rideau River beyond.

Northeast: Manotick Main Street, residential properties, and the Rideau River beyond.

East: Manotick Main Street and Residential properties and the Rideau River beyond..

Southeast: Manotick Main Street, residential properties, a City of Ottawa fire station (5669 Manotick Main Street), residential properties and the Rideau River beyond..

South: Mahogany Harbour Lane and residential properties beyond.

Southwest: Residential properties

West: Residential properties, Mahogany Creek and residential properties beyond.

Northwest: Commercial properties, Mahogany Creek and residential properties beyond.

The surrounding properties are shown in Figure 3. It was observed that a backup generator with a integrated fuel storage tank was present at the fire station located 142 m south east of the Site.

6.2.8 ENHANCED INVESTIGATION PROPERTY

This Site was retail fuel outlet and therefore is considered a enhanced investigation property however no additional records were available for review.

6.3 WRITTEN DESCRIPTION OF INVESTIGATION

The Site reconnaissance was conducted to identify, describe, and document specific items at the Site and at surrounding properties within the Phase One study area, in accordance with Schedule D of O. Reg. 153/04. Written descriptions detailing the observations made by Terrapex personnel during the Site reconnaissance are provided above in Section 6.2.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 CURRENT AND PAST USES

A summary description of the current and past uses of the Site from its first developed use is provided in Tables 5A and 5B below.

TABLE 5A: CURRENT AND PAST USES OF THE PHASE ONE PROPERTY (5646 Manotick Main Street)

YEAR	NAME OF OWNER (5646 Manotick Main Property)	DESCRIPTION OF PROPERTY USE	PROPERTY USE	OTHER OBSERVATIONS FROM AERIAL PHOTOGRAPHS, FIRE INSURANCE PLANS, ETC.
19840 – 1848	John Lewis	Agriculture	Agriculture or other use	No information was available for this period other than the chain of title. Based on the review of the aerial photography, the Site is inferred to have been an agricultural field prior to 1940s.
1848 - 1862	John Clothier	Agriculture	Agriculture or other use	No information was available for this period other than the chain of title. Based on the review of the aerial photography, the Site is inferred to have been an agricultural field prior to 1940s.
1862-1882	Joshua Clothier	Agriculture	Agriculture or other use	No information was available for this period other than the chain of title. Based on the review of the aerial photography, the Site is inferred to have been an agricultural field prior to 1940s.
1882 - 1914	George Petapiece	Agriculture	Agriculture or other use	No information was available for this period other than the chain of title. Based on the review of the aerial photography, the Site is inferred to have been an agricultural field prior to 1940s.
1914 – 1918	Richard Halpenny	Agriculture	Agriculture or other use	No information was available for this period other than the chain of title. Based on the review of the aerial photography, the Site is inferred to have been an agricultural field prior to 1940s.
1918 - 1943	John W. Boucher	Agriculture	Agriculture or other use	No information was available for this period other than the chain of title. Based on the review of the aerial photography, the Site is inferred to have been an agricultural field prior to 1940s.

YEAR	NAME OF OWNER (5646 Manotick Main Property)	DESCRIPTION OF PROPERTY USE	PROPERTY USE	OTHER OBSERVATIONS FROM AERIAL PHOTOGRAPHS, FIRE INSURANCE PLANS, ETC.
1943 – 1961	John Gamble	Agriculture	Agriculture or other use	Review of aerial photographs indicated that the residence and commercial building located on the Site were constructed between 1946 and 1959.
1961 – 1969	Robert and Mabel Quail	Used as a retail fuel outlet since 1965	Commercial	The commercial building is visible in the 1965 aerial photograph and appears to be used a retail fuel outlet.
1969 - 1984	William and Lorna Wilson	Used as a retail fuel outlet since 1965	Commercial	Based on review of the 1976 aerial photographs it appears the property is a retail fuel outlet.
1984 – 1984	Glenn and Marguerite Beggs	Used as a retail fuel outlet since 1965	Commercial	Based on review of the 1976 aerial photographs it appears the property is a retail fuel outlet.
1984 – Present	595831 Ontario Inc.	Use as a retail fuel outlet until 2004	Commercial/ Residential	The Site was identified as retail fuel outlet in the 1992 city directory. Interviews indicate that the Site was used as retail fuel outlet until 2004. The Site inspection indicated that apartments are located on the second story of the main building. Site interviews indicated that the carwash at the north end of the building was built in 1990s.

TABLE 5B: CURRENT AND PAST USES OF THE PHASE ONE PROPERTY (5650 Manotick Main Street)

YEAR	NAME OF OWNER	DESCRIPTION OF PROPERTY USE	PROPERTY USE	OTHER OBSERVATIONS FROM AERIAL PHOTOGRAPHS, FIRE INSURANCE PLANS, ETC.
1862 – 1946	Unknown	Agriculture	Agriculture or other use	No information was available for this time. Based on the review of the aerial photography, it is inferred that the Site was an agricultural field prior to 1946
1946 – 1992	Unknown	Residential	Residential	Based on aerial photographs reviewed, the property was developed for residential purposed between 1946 and 1959.
1992 – Present	595831 Ontario Inc.	Residential	Residential	Based on information from the Client the property was purchased in 1992. The inspection revealed that property is used for residential purposes.

7.2 POTENTIALLY CONTAMINATING ACTIVITY

A Potentially Contaminating Activity (PCA) as defined in O. Reg. 153/04 is a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in the Phase One study area. Other activities not specifically listed in Table 2 of Schedule D may also be considered as a PCA based on the judgement/discretion of the qualified person (QP). The PCAs which are occurring or have previously occurred on properties within the Phase One study area, including the Site, are listed below and are shown in Figure 4.

TABLE 6: POTENTIALLY CONTAMINATING ACTIVITIES WITHIN THE PHASE ONE STUDY AREA

PCA	ADDRESS	POTENTIAL ENVIRONMENTAL CONCERN	DATA SOURCE	POTENTIALLY CONTAMINATING ACTIVITY (as set out in Column A of Table 2 in Schedule D of O. Reg. 153/04)	UNCERTAINTY	LIKELIHOOD TO AFFECT THE SITE
PCA 1	The Site (5646 Manotick Main Street)	- The storage of gasoline related to use of the Site as retail fuel outlet	- ERIS - Interviews - Site inspection - FIP	- 22 – Gasoline and Associated Products Storage in Fixed Tanks	- Low	- Certain. Impacts have been confirmed through a previously completed Phase II ESA (Patterson, 2000)
PCA 2	The Site (5646 & 5650 Manotick Main Street)	- The importation of fill during development of the Site	- Site Inspection - Aerial Photographs (1946)	- 22 – Importation of Fill Material of Unknown Quality	- High	- Possible
PCA 3	The Site (5646 Manotick Main Street)	- The reported use of the commercial building the Site as an automotive garage.	- Site Interview	- 27 - Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	- High. No collaborating information other than anecdotal evidence. Timeframe of operation not available.	- Possible
PCA 4	5669 Manotick Main Street (60 m to the southeast of the Site)	- The presence of a fuel storage tank related to a backup generator at the City of Ottawa Fire Station	- Site Inspection - ERIS	- 22 – Gasoline and Associated Products Storage in Fixed Tanks	- Low	- Unlikely, due to intervening distance and the low volume of fuel expected to be stored.
PCA 5	Town of Manotick (177 m to the north)	- The known presence of a chlorinated solvent groundwater plume	- HLUI	- Not applicable	- Low	- Unlikely, due to intervening distance and the expected shallow groundwater flow direction
PCA 6	The Site (5650 Manotick Main Street)	- Staining underneath the ride on lawn mower in the white shed	- Site Inspection	- Not applicable	- Low	- Possible

PCA	ADDRESS	POTENTIAL ENVIRONMENTAL CONCERN	DATA SOURCE	POTENTIALLY CONTAMINATING ACTIVITY (as set out in Column A of Table 2 in Schedule D of O. Reg. 153/04)	UNCERTAINTY	LIKELIHOOD TO AFFECT THE SITE
PCA 7	The Site (5646 Manotick Main Street)	- Effluent from car wash	- Site Inspection - Interviews	- Not Applicable	- Low	- Possible given that effluent is not treated following discharge.

7.3 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

An Area of Potential Environmental Concern (APEC), as defined in O. Reg. 153/04, is the area on, in, or under a Phase One property where one or more contaminants are potentially present, as determined through the Phase One ESA, including through (a) identification of past or present uses on, in or under the Phase One property and (b) identification of potentially contaminating activity. APECs are summarized below, and shown on Figure 5.

TABLE 7: AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

APEC	LOCATION OF APEC ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY (as set out in Column A of Table 2 in Schedule D of O. Reg. 153/04)	LOCATION OF PCA (On-Site or Off-Site)	CONTAMINANTS OF POTENTIAL CONCERN	MEDIA POTENTIALLY IMPACTED (Groundwater, Soil, and/or Sediment)
APEC 1A	- Encompassing the area around the former underground storage tank nest	- 22 – Gasoline and Associated Products Storage in Fixed Tanks	- PCA 1 (On-Site)	- PHCs - BTEX	- Soil - Groundwater
APEC 1B	- Encompassing the area around the former pump islands.	- 22 – Gasoline and Associated Products Storage in Fixed Tanks	- PCA 1 (On-Site)	- PHCs - BTEX	- Soil - Groundwater
APEC 2	- Encompassing the entirety of the Site	- 30 – Importation of Fill of Unknown Quality	- PCA 2 (On-Site)	- PHCs - BTEX - PAHs - Metals - AS, SB, Se - Cr (VI) & Hg	- Soil
APEC 3	- Encompassing the main floor area of the commercial building at 5646 Manotick Main Street property	- 27 - Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	- PCA 3 (On-site)	- PHCs - VOCs - PAHs - Metals - AS, SB, Se - Cr (VI) & Hg	- Soil - Groundwater
APEC 4	- Encompassing area of stained ground.	- Not Applicable	- PCA 6 (On-site)	- PHCs - BTEX	- Soil
APEC 5	- Encompassing area of downgradient of the weeping tile bed dedicated to the 2-bay PCA car wash	- Not applicable	- PCA 7 (On-Site)	- PHCs - BTEX - VOCs	- Groundwater

PHCs: petroleum hydrocarbon

Cr(VI) & Hg: Chromium +6, Mercury

PAHs: polycyclic aromatic hydrocarbons

VOCs: Volatile Organic Compounds

BTEX: Benzene, Toluene, Ethylbenzene and Xylenes

AS, SB, SE: Arsenic, Antimony, Selenium

8.0 CONCLUSIONS

8.1 WHETHER PHASE TWO ESA REQUIRED BEFORE RSC SUBMITTED

Based on the findings and results of this Phase One ESA, APECs have been identified at the Site. Therefore, a Phase Two ESA is required to file an RSC for the Phase One Property, in accordance with the requirements of O. Reg. 153/04.

8.2 RSC BASED ON PHASE ONE ESA ALONE

An RSC cannot be filed for the Phase One property based solely on this Phase One ESA.

8.3 SIGNATURES

This report has been completed in accordance with the terms of reference for this project as agreed upon by 595831 Ontario Inc. (the Client) and Terrapex Environmental Ltd. (Terrapex) and generally accepted engineering or environmental consulting practices in this area.

Terrapex has exercised due care, diligence, and judgement in the performance of this assessment; however, studies of this nature have inherent limitations. This report is intended to provide only a general assessment of the environmental conditions encountered at the site. By necessity, the findings and observations regarding actual or potential contamination of the property are based solely on the extent of observations and information gathered during the assessment, and subsequent investigations of differing scope may reveal conflicting results. Findings and observations may also change with the passage of time. Where applicable, observations of nearby properties were limited to areas visible from the site or from publicly accessible areas and vantage points.

Terrapex has relied in good faith on information and representations obtained from the Client and third parties and, except where specifically identified, has made no attempt to verify such information. Terrapex accepts no responsibility for any deficiency or inaccuracy in this report as a result of any misstatement, omission, misrepresentation, or fraudulent act of those providing information. Terrapex shall not be responsible for conditions or consequences arising from relevant facts that were concealed, withheld, or not fully disclosed at the time of the study.

This report has been prepared for the sole use of 595831 Ontario Inc. Terrapex accepts no liability for claims arising from the use of this report, or from actions taken or decisions made as a result of this report, by parties other than 595831 Ontario Inc.

Respectfully Submitted,
Terrapex Environmental Ltd.

Greg Sabourin, P.Eng., QP_{ESA}
Project Manager

Mike Grinnell, P.Eng., QP_{ESA}
Senior Project Manager



9.0 REFERENCES

Regulations and Guidelines

Ontario Regulation 153/04, *Records of Site Condition – Part XV.1 of the Environmental Protection Act*

Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act, April 15, 2011

Environmental Source Information:

Ontario Ministry of the Environment (MOE) inventory documents:

- Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume II (April 1987), prepared for MOE by Intera Technologies Ltd. (Intera)
- Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, Volume I (November 1988), prepared for MOE by Intera
- Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, Volume II (November 1988), prepared for MOE by Intera
- Waste Disposal Site Inventory (June 1991)
- MECP *Brownfields Environmental Site Registry (ESR)* website (<http://www.environet.ene.gov.on.ca/besr-public/generalSearch.do?action=searchOldRsc&>)

Federal government, provincial government, and private source database records available through ERIS for locations within the Phase One study area.

Regulatory file information and documentation regarding environmental concerns related to the site, and/or information pertaining to water bodies and areas of natural significance within the Phase One study area, available from:

- Ontario Ministry of Natural Resources and Forestry (MNR) Land Information Ontario website
- Technical Standards & Safety Authority (TSSA) Fuels Safety Division
- MECP Freedom of Information office
- City of Ottawa Official Plan

Physical Setting Sources

Aerial photographs for the year 1946, 1959, and 1965 from the National Air Photo Library provided by ERIS

Aerial photographs for the years 1976, 1991, 2007, 2011 and 2019 from geoOttawa

Ontario Geological Society 1:250 000 scale map entitled *Bedrock Geology of Ontario* (2011)

Chapman and Putnam. Ontario Geological Survey 1:22 000 map entitled *The Physiography of Southern Ontario* (2007)

Ontario Geological Society 1:22 000 scale map entitled *Surficial Geology of Ontario* (2010)

Well record information available from ERIS and the Water Well Information System database

Interviews

Jade Hawkins, General Manager at 595831 Ontario Inc.

Ian Hawkins, 595831 Ontario Inc.

Environmental Reports

John D. Patterson and Associates Ltd. *Phase II – Environmental Site Assessment 5646 Rideau Valley Drive Manotick, Ontario* dated February 14, 2000

FIGURES



SITE LOCATION


5646 AND 5650 MANOTICK MAIN STREET,
MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



J:\erroul\W\PROJECTS\Ottawa\CO884.00\5646 Manotick Main Street, Manotick\MXD\CO884.00 FIG-1 SITE LOCATION.mxd



PROJECT #		CO884.00	
DATE		MAY 2022	
DRAWN	JS	CHECKED	GS
DRAWING #		FIGURE 1	

DATA SOURCE: ESRI

GENERAL SITE LAYOUT

5646 AND 5650 MANOTICK MAIN STREET,
MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



jerroul\w\PROJECTS\Ottawa\CO884.00 5646 Manotick Main Street, Manotick\MXD\ICO884.00 FIG 2 GENERAL SITE LAYOUT.mxd

LEGEND

 SITE BOUNDARY



PROJECT #		CO884.00	
DATE		MAY 2022	
DRAWN	JS	CHECKED	GS
DRAWING #		FIGURE 2	

DATA SOURCE: CITY OF OTTAWA



PHASE ONE STUDY AREA AND SURROUNDING LAND USE

CLIENT

595831 ONTARIO INC.

5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO



LEGEND	
	SITE BOUNDARY
	STUDY AREA

PROJECT #	
CO884.00	
DATE	
MAY 2022	
DRAWN	CHECKED
JS	GS
DRAWING #	
FIGURE 3	

DATA SOURCE: CITY OF OTTAWA

\\serroul\w\PROJECTS\Ottawa\CO884.00_5646 Manotick Main Street, Manotick\MXD\CO884.00 FIG 3 STUDY AREA.mxd



LEGEND

- SITE BOUNDARY
- STUDY AREA
- POTENTIALLY CONTAMINATING ACTIVITIES



PROJECT #		CO884.00	
DATE		MAY 2022	
DRAWN	CHECKED		
JS	GS		
DRAWING #		FIGURE 4	


I:\proj\W:\PROJ\CTS\Ottawa\CO884.00_5646 Manotick Main Street_Manotick\MXD\CO884.00 FIG 4 PCAs.mxd

CONCEPTUAL SITE MODEL - APECS

5646 AND 5650 MANOTICK MAIN STREET,
MANOTICK, ONTARIO

CLIENT


595831 ONTARIO INC.



jerroul\w\PROJECTS\Ottawa\CO884.00 5646 Manotick Main Street, Manotick\MXD\ICO884.00 FIG 5 APECS.mxd

LEGEND


- SITE BOUNDARY
- AREAS OF POTENTIAL ENVIRONMENTAL CONCERN**
- APEC-1A
- APEC-1B
- APEC-2 (ENTIRE PROPERTY)
- APEC-3
- APEC-4
- APEC-5



PROJECT #		CO884.00	
DATE		MAY 2022	
DRAWN	JS	CHECKED	GS
DRAWING #		FIGURE 5	

DATA SOURCE: CITY OF OTTAWA

APPENDIX I
FIRE INSURANCE PLANS



enviroscan



An SCM Company

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

T: 905-882-6300
W: www.optaintel.ca

Report Completed By:

Midori

Site Address:

5646 Manotick Main Street, Manotick, Ottawa, ON

Project No:

22031400343

Opta Order ID:

106415

Requested by:
Eleanor Goolab
ERIS

Date Completed:

3/21/2022 6:26:50 AM

Project Name: CO884.00
Manotick Main Street Phase One
ESA
Project #: 22031400343
P.O. #: CO884.00


Search Area: 5646 Manotick Main Street, Manotick,
Ottawa, ON

Requested by:
Eleanor Goolab

Date Completed: 03/21/2022 06:26:50



OPTA INFORMATION INTELLIGENCE



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Opta Historical Environmental Services Enviroscan TM Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

Page: 4

Project Name: CO884.00
Manotick Main Street Phase One
ESA
Project #: 22031400343
P.O. #: CO884.00

ENVIROSCAN Report

Report Index

Requested by:
Eleanor Goolab
Date Completed: 03/21/2022 06:26:50



OPTA INFORMATION INTELLIGENCE

Page Report Title

5 (2003) All Risk Report - 2003 595831 ONTARIO INC. O/B IAN HAWKINS 5646 Rideau Valley Road Ottawa (Manotick) ON K4M1B3 (distance = 0 metres*)

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





All Risk Report - 2003 595831 ONTARIO INC. O/B IAN HAWKINS 5646 Rideau Valley Road Ottawa (Manotick) ON K4M1B3





Insurers' Advisory Organization Inc.
 A subsidiary of Underwriters Adjustment Bureau Ltd.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the purchase order relating to the release of this document for complete terms and conditions.

Confidential

IAO All Risk

(Now available through the IAO Web-site; www.iao.ca)
INSPECTION REPORT

Supplement/s attached: Yes No

1.0 BASIC INFORMATION			
Insured:	595831 Ontario Inc. o/b Ian Hawkins	Policy Number	
Date of survey (YYYY/MM/DD):	2003/08/05	IAO Loss Control Specialist:	Barry Cross
Person Contacted:	Ian Hawkins	Telephone No.	613 560-3466
Position			
Mailing Address if Different for risk:			IAO AIS No.: 71199059
	(unit # street # & name)	(City, Town, Village)	
Location Surveyed:	5646 Rideau Valley Road	Ottawa	Ontario (Province)
	(unit # street # & name)	(Manotick)	K4M 1B3 (postal code)
		(City, Town, Village)	
Secondary address (If any)			(Province)
	(unit # street # & name)	(City, Town, Village)	(postal code)
IBC Territory Code	63	IBC Building Code: 6632	SR/MA File No.
Underwriter: Darlene Hart		Broker: Bradley's Insurance	

The **IAO Risk•Score** and comments contained in this report are based on conditions and practices observed during our survey and other pertinent data supplied by management personnel at the risk.

Recommendations in this report are made to point out those areas where remedial action could have the beneficial effect of making the above premises safer, and thus more desirable from an underwriting standpoint.

Thank you for choosing IAO to perform this inspection. Please do not hesitate to contact us if we can be of any further assistance.

2.0 **IAO Risk•Score**

Comments

	1	2	3	4	5	6	7	8	9	
Property	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Rear wooden attachment in poor condition</i>
Liability	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>No unusual liability hazards noted</i>
Crime	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>No unusual crime hazards noted</i>
<i>(1=Excellent & 9=Poor)</i>										

RISK ALERT ISSUED : Yes No If yes, describe (A risk alert is a telephone notification to the Inspection requestor, of a situation which could imminently cause a serious loss. A Critical Recommendation will be issued to address the situation.)

Committed to Service Excellence

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from an inspection of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any losses or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.

Meaning of the IAO Risk Score: The IAO Score is a grading of the risk inspected versus other risks in this class. Similar to the "Commercial" Fire Protection Grading system in design, there is range of 9 categories, with a grading or "score" of 1 being the most desirable. The IAO Score is based on a number of objective criteria pertaining to the risk at the time of our survey, tempered with the experienced judgement of our Loss Control Specialist. As a general guideline, the scores mean the following criteria:

1-3	Risks in this range are well maintained, with no apparent moral hazards or management problems. Undesirable features are non-existent and recommendations, if any, are minor. Risks in this category are excellent (no deficiencies) to better than average for their class.
4-6	The maintenance of Risks in this range is considered average. Moral hazards are not apparent, but there may be possible management problems (e.g. poor housekeeping). Undesirable features noted are correctable, and recommendations will vary from desirable to important. Risks in this category are considered average for their class.
7-9	Risks in this range tend to be poorly maintained. Moral hazards and management problems (e.g. poor housekeeping and maintenance, poor attitude) are evident. Significant undesirable conditions are present and cannot or will not be corrected. Critical Recommendations may be present. Risks in this category are significantly below average for their class with little or no indication for improvement.

3.0 REMARKS

The self-serve car wash is operated by the owner, who is not normally on the premises. No special fire hazards were noted at the time of this survey.

No special liability hazards were noted at the time of this survey.

No special crime hazards were noted at the time of this survey.

4.0 RECOMMENDATIONS

Please note that these recommendations are classified as either **Critical**, **Important**, or **Desirable Improvement**. "**Critical**" recommendations are those aimed at correcting undesirable feature/s which, if left unattended, could cause a serious loss and should be rectified immediately. This class of recommendation is only used in extreme situations. "**Important**" recommendations are intended to highlight undesirable feature/s which if left unattended, could cause a serious loss and should be rectified as soon as possible. "**Desirable Improvement**" recommendations are those aimed at correcting an undesirable feature which can be improved when feasible, to help reduce the risk of a loss.

Listed below or None

03-1 Critical Important Desirable Improvement

All portable fire extinguishers should be maintained in a fully charged and operable condition and be serviced and tagged annually to ensure reliability and proper working order. Your extinguishers were last checked or recharged in November, 1999. Applicable to Chloe's Confectionery

03-2 Critical Important Desirable Improvement

Critical Important Desirable Improvement

5.0 OCCUPANCY INFORMATION (IBC Occupancy Code 6632)

The Insured is

<input checked="" type="checkbox"/> Owner Occupant	<input type="checkbox"/> Non-occupant building owner	<input type="checkbox"/> Tenant
Name of building owner(if not Insured):		Number of years bldg. Owned: 20
Number of years at this location:20	Area occupied (sq. m): 74	Business hours: 24
Days per week: 7 days	Annual Revenue (optional):	Payroll (optional):
Previous loss history past 3 years <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Undetermined	Previous loss history past 6 years <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Undetermined	
Explain loss history:		
Insured Values: Property: \$281,085		Contents: \$
Combustibility of Occupancy: M3		Susceptibility of Occupancy: S4-Heavy Damage

Occupancy : <input checked="" type="checkbox"/> Major Tenant OR <input type="checkbox"/> Insured IBC Industry Code:	or <input type="checkbox"/> refer to Occupancy Specific Supplement:	
Occupancy Description: All-in-one convenience store, laundromat, ice cream bar, gas bar and snack bar occupied by a tenant. Equipment for cooking consists of hotdog cooker, closed oven and self-contained fryer with built-in extinguisher.		
Special Hazard Code(s): None	Description:	
Special Hazard Code(s):	Description:	
Other classes of occupants: (immediate exposures)		
Name: Car wash	Area occupied: 74 sq m	IBC Code 5526
Occupancy Description:Self serve car wash by building owner		
Special Hazard Code(s) :None	Description:	
Special Hazard Code(s) :	Description:	
Name: 2 apartments	Area occupied: 143 sq m	IBC Code 6631
Occupancy Description:		
Special Hazard Code(s) None	Description:	
Special Hazard Code(s)	Description:	
Areas not surveyed:	<input type="checkbox"/> For additional tenants see attached list	

6.0 BUILDING CONSTRUCTION (IBC Major Construction Class 5)

Building condition:	<input type="checkbox"/> Above Average	<input checked="" type="checkbox"/> Average	<input checked="" type="checkbox"/> Moderate deficiencies	<input type="checkbox"/> Major deficiencies
Year built: (yyyy)	1965	Area occupied by insured (sq. m): 74		Combustibility of Building M3
Ground floor area (sq. m):	228 sq. m	Total floor area (excl. bsmt.)		371 sq. m
Height (excluding basement):	6.5 m	Number of Stories: 2 (above grade)		
Basement:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Area of basement: (sq. m)	Total area: 371 sq. m	
Additions (year & brief description):	Car wash 1983			
Renovations (year & brief description):	None			

Wall construction:	Reinforced Concrete % ()	Masonry: 20%: (solid brick)	Non Combustible: %: ()	Brick/stone veneer: 37 %: (BV)	Wood frame: 43 %: (alum. clad)
	Other:		Panels in Walls	% Describe:	
Floor Construction:	Concrete: 62 %	Concrete on metal pan: %	Wood joist: 38 %	Other: %	
Roof Type:	<input type="checkbox"/> Flat	<input type="checkbox"/> Sloped	<input checked="" type="checkbox"/> Peaked	<input type="checkbox"/> Other	
Roof Construction:	<input type="checkbox"/> Concrete %	<input type="checkbox"/> Steel deck %	<input checked="" type="checkbox"/> Wood joist % 100	<input type="checkbox"/> Other: %	
Roof Surface:	<input type="checkbox"/> Tar & gravel	<input checked="" type="checkbox"/> Metal	<input checked="" type="checkbox"/> Asphalt shingles	<input type="checkbox"/> Rubber Membrane	
	<input type="checkbox"/> Wood Shakes	<input type="checkbox"/> Other			
Resurfaced:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Date: 1990		
Interior Finish Walls:	Combustible: %	Non-combustible: 100 %		Open: %	
Interior Finish Ceilings:	Combustible: %	Non-combustible: 100 %		Open: %	
Vertical Openings:	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Stairs	<input type="checkbox"/> Elevator	<input type="checkbox"/> Deck:	<input type="checkbox"/> Other
Horizontal Separation:	Major Partition Construction		<input checked="" type="checkbox"/> Not Applicable	<input type="checkbox"/> Frame	<input type="checkbox"/> Drywall on Studs
			<input type="checkbox"/> Concrete Block	<input type="checkbox"/> Other	
Proper Opening Protection:			<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Mezzanines: <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes	Combustible: %	Non-combustible: %		Open: %	
Mezzanines percentage of floor	%				
Combustible Concealed Spaces:	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes	If yes, describe and %		
Concealed space properly protected	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> Not applicable	Comment:	
Building Description:					
Shopping Mall <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Industrial Mall <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Strip Mall: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Other Describe : Stand alone building					

7.0 EXPOSURES (Within 50m of risk)

	Distance	Height	Construction	Occupancy Hazard	Civic Number (optional)	Opening in Facing Wall	
						Yes	No
Front	_____ m	_____ sto.	Open	None		<input type="checkbox"/>	<input type="checkbox"/>
Rear	_____ m	_____ sto.	Open	None		<input type="checkbox"/>	<input type="checkbox"/>
Left	18 m	2 sto.	Combustible	Light		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Right	17 m	2 sto.	Combustible	Light		<input checked="" type="checkbox"/>	<input type="checkbox"/>

(For Malls) Describe partition walls between insured and other tenants.

8.0 COMMON HAZARDS (Heating, electrical, plumbing)

HEATING:

Forced warm air:	<input checked="" type="checkbox"/> Electric 40%	<input type="checkbox"/> Gas %	<input type="checkbox"/> Oil %	Other _____	
Suspended unit heaters:	<input type="checkbox"/> Electric %	<input type="checkbox"/> Gas %	<input type="checkbox"/> Oil %	Other _____	
Portable heaters:	<input type="checkbox"/> Electric %	<input type="checkbox"/> Gas %	<input type="checkbox"/> Oil %	Other _____	
Electric baseboard units:	<input checked="" type="checkbox"/> 40 %				
Hot water/steam	<input type="checkbox"/> Electric %	<input type="checkbox"/> Gas %	<input type="checkbox"/> Oil %	Other _____	
Other	<input type="checkbox"/> Electric %	<input type="checkbox"/> Gas %	<input type="checkbox"/> Oil %	Other <u>none - 20%</u>	
Boiler:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Age (yyyy) _____ and Make: _____	Date of last Boiler Inspection: (yyyymmdd) _____	
Appliances enclosed in a non-combustible room:			<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not required:

Combustible materials stored in the room:				<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not applicable
Fuel tanks:	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Inside	<input type="checkbox"/> Outside	<input type="checkbox"/> Above ground	<input type="checkbox"/> Below ground	Age (yyyy) _____ Capacity (L) _____
Fill and vent piping:	Inside		<input type="checkbox"/> Yes	<input type="checkbox"/> No	_____ <input type="checkbox"/> N/A	
Chimneys:	<input type="checkbox"/> Masonry	<input type="checkbox"/> ULC Factory built	<input type="checkbox"/> Unlabelled pre-fab		<input checked="" type="checkbox"/> Other <i>none</i>	
	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Non-standard _____				
Installation defects:	<input checked="" type="checkbox"/> None		<input type="checkbox"/> Moderate		<input type="checkbox"/> Major	
Installation replaced:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	(yyyy) _____ %			
Comment: _____						

ELECTRICAL:

Type:	<input type="checkbox"/> Conduit	<input checked="" type="checkbox"/> BX	<input checked="" type="checkbox"/> Non-metallic	<input type="checkbox"/> Knob & Tube _____	<input type="checkbox"/> Other _____		
Temporary wiring or extension cords:	<input checked="" type="checkbox"/> No		<input type="checkbox"/> Yes _____				
Overcurrent protection:	<input checked="" type="checkbox"/> Circuit Breakers		Fuses:	<input type="checkbox"/> Ordinary	<input type="checkbox"/> Type P	<input type="checkbox"/> Type D	<input type="checkbox"/> Other
Installation defects:	<input checked="" type="checkbox"/> None		<input type="checkbox"/> Moderate	<input type="checkbox"/> Major			
Installation (wiring) replaced:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	(yyyy) _____ %				
Partial changes/extensions:	<input type="checkbox"/> Yes _____	<input checked="" type="checkbox"/> No					
Comments: _____							

PLUMBING:

Type:	<input checked="" type="checkbox"/> Copper	<input type="checkbox"/> Galvanized	<input type="checkbox"/> Plastic	<input type="checkbox"/> Other _____
Installation Replaced:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	(yyyy) _____ %	
Condition:	<input checked="" type="checkbox"/> Good	<input type="checkbox"/> Fair	<input type="checkbox"/> Poor _____	
Installation appears safe:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No _____		

SMOKING:

Smoking Restricted:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			
"No Smoking" Signs posted:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Enforced:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No

HOUSEKEEPING:

<input type="checkbox"/> Good	<input checked="" type="checkbox"/> Average	<input type="checkbox"/> Poor	<input type="checkbox"/> Unacceptable
Comments: _____			

9.0 FIRE PROTECTION

PUBLIC:

F.U.S. Protection Class: 05 Responding Fire Department: Ottawa ,(Manotick) IICC Protection Grade 4

Full time Part Time/Volunteer Composite

Distance to Fire Department: <2 km Roads: Paved Unpaved Accessible Year-round: Yes No

Public Water Supply Private Water Supply

No. Hydrants: 2 within 155 m, _____ within 156 - 305 m, _____ Over 305 m, None

PRIVATE:

Are the following adequate?

	Yes	No	Date Last Serviced	Comments
Portable Extinguishers	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<u>Nov. 1999</u>	_____
Standpipe/Inside Hoses	<input type="checkbox"/>	<input type="checkbox"/>	N/A <input checked="" type="checkbox"/>	_____
Watchman Service	<input type="checkbox"/>	<input type="checkbox"/>	N/A <input checked="" type="checkbox"/>	_____
Fire Detection System:	<input type="checkbox"/> None	<input type="checkbox"/> Full	<input checked="" type="checkbox"/> Partial, Describe:	<u>Pull stations in convenience store</u>
i) Type of Detectors:	smoke detectors			

- ii) Detectors properly located: Describe: _____
- iii) Components listed by: ULC UL Other _____
- iv) Maintenance contract: Company: _____ Telephone #: _____
- v) Connected to: ULC Listed Station Unlisted Service Fire/Police Department Local only
 Other: _____
- Automatic Sprinkler Protection: None Full Premises Partial (describe): _____
 Sprinkler Supplement Attached Yes No

ADDITIONAL PERILS

Is lightning protection in place:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Describe: _____	
Is risk located within 5 km of airport:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Beneath a flight path:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Is the yard fenced:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Are gates locked when the premises are closed:	<input type="checkbox"/> Yes <input type="checkbox"/> No
Is the yard and the exterior of the building lit:	<input checked="" type="checkbox"/> Yes		<input type="checkbox"/> No	
Is the risk located in a high wind/hail area:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Describe: _____	
Are there visible signs of vandalism at the risk:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Describe: _____:	
	In the area:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Describe: _____	
Is the risk protected from	Automobile	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Describe: <u>Concrete Curbs</u>
Impact exposure:	Aircraft	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Describe: _____
	Train	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Describe: _____
	Boat	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Describe: _____
Comments: _____				

11.0 BASIC PREMISES LIABILITY

The following appeared to be satisfactory:

Stairs, Ramps & Handrails:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Floor Surfaces & Coverings:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Walls & Ceilings:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Interior & Exterior Lighting:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Emergency Lighting	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Interior & Exterior Housekeeping:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Washrooms:	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>	Comments: _____
Sidewalks, Yards & Parking Lots:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Fire Exits:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Fire Alarm System (s):	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Snow & Ice Removal:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
Elevating devices in operation	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>	Comments: _____
TV Satellite Dishes /Exterior Signs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>	Comments: _____
CO detectors where required	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>	Comments: _____
Swimming Pool	Yes <input type="checkbox"/>	No <input type="checkbox"/>	<input type="checkbox"/>	Supplement attached
Other	Yes <input type="checkbox"/>	No <input type="checkbox"/>	<input type="checkbox"/>	Comments: _____

12.0 BASIC CRIME

Refer to Expanded Crime Supplement

Crime Experience	<input type="checkbox"/> Low	<input checked="" type="checkbox"/> Moderate	<input type="checkbox"/> High		
Type of Neighbourhood:	<input type="checkbox"/> Commercial	<input type="checkbox"/> Industrial	<input type="checkbox"/> Rural	<input checked="" type="checkbox"/> Residential	<input type="checkbox"/> Isolated
Neighbourhood appears to be:	<input checked="" type="checkbox"/> Stable Changing via:		<input type="checkbox"/> Expansion/growth	<input type="checkbox"/> Renovation	<input type="checkbox"/> Deterioration
Visible malicious damage:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No			

BUSINESS

Automatic Teller Machine :	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		
Safe on Premises:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unable to Determine	
Guard Service:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unable to Determine	Describe:
Typical Stock:				
Smash & Grab exposure:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unable to Determine	
Comments:				

GENERAL PROTECTION

The following appeared to be satisfactory:

Exterior Lighting:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Comments:
Interior Lighting:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Comments:
Roof Accessibility:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Comments:
Police Patrols:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	Comments:
Yard Fenced:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	Describe:

SECURITY ALARM SYSTEM

Premises alarm system in use:	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Disconnected	Date Installed: (yyyy)_____
Monitored by:	<input type="checkbox"/> ULC Listed Station	<input type="checkbox"/> Unlisted Station	<input type="checkbox"/> Local Alarm	<input type="checkbox"/> Unknown to Contact	<input type="checkbox"/> Unable to Determine

PHYSICAL PROTECTION

Door locks:	<input checked="" type="checkbox"/> Deadbolt	<input type="checkbox"/> Spring	<input type="checkbox"/> Panic	<input type="checkbox"/> Other	
Windows Protected:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	If yes, describe	
Other Openings:	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes	Protected:	<input type="checkbox"/> No	<input type="checkbox"/> Yes

OTHER COMMENTS:

APPENDIX II
CHAIN OF TITLE



READ Abstracts Limited

331 Cooper Street, Suite 300, Ottawa, Ontario K2P 0A4

Email: search@readsearch.com

Tel.: 613-236-0664

Fax: 613-236-3677

ENVIRONMENTAL SEARCH

Terrapex
Attn: Greg Sabourin

BRIEF DESCRIPTION OF LAND:

5646 Manotick Main St., Ottawa
Part of Lot 4, Concession A North Gower (aka Concession Broken Front)

PIN: 03902-0885

LAST REGISTERED OWNER: 595831 Ontario Inc.

CHAIN OF TITLE:

Deed RO22 registered Jul 21, 1840
From John Harvey to John Lewis

Deed RO3711 registered Mar 16, 1848
From John Lewis to John Clothier

Deed RO18593 registered Jan 7, 1862
From John Clothier to Joshua Clothier

Deed NG3559 registered Mar 11, 1882
From Joshua Clothier to George Petapiece

Deed NG5451 registered Nov 12, 1914
From George Petapiece to Richard Halpenny

Deed BG5802 registered Apr 10, 1918
From Richard Halpenny to John Boucher

Deed BG8566 registered Jan 2, 1943
From John Boucher to John W. Boucher

Deed NG8339 registered Apr 16, 1949
From John W. Boucher to John Gamble

Deed NG9069 registered May 23, 1951
From estate of John W. Boucher to Percy Boucher

Deed NG9095 registered Jul 23, 1951
From estate of John W. Boucher to The Director of the Veterans Land Act

Deed NG9278 registered Sep 23, 1952
From Percy Boucher to John Gamble



Deed NG11074 registered Mar 8, 1961
From John Gamble to Robert and Mabel Quail

Deed NG11829 registered Oct 11, 1963
From The Director of the Veterans Land Act to Robert and Mabel Quail

Deed CT106859 registered Jul 7, 1969
From Robert and Mabel Quail to William and Lorna Wilson

Deed NS238435 registered May 4, 1984
From William and Lorna Wilson to Glenn and Marguerite Beggs

Deed NS268982 registered Dec 12, 1984
From Glenn and Marguerite Beggs to 595831 Ontario Inc.



PROPERTY INDEX MAP
OTTAWA-CARLETON(No. 04)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS


THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS


ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED





PRINTED ON 17 MAR, 2022 AT 15:35:42
FOR GS



PROPERTY INDEX MAP
OTTAWA-CARLETON(No. 04)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



APPENDIX III
DIRECTORY SEARCH

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



CITY
DIRECTORY

Project Property: *5646 Manotick Main Street, Manotick, Ontario*
Report Type: *City Directory*
Order No: *22031400343*
Information Source: *Vernon's Ottawa And Area City Directory*
Date Completed: *17/03/03*

*****See Addendum Regarding Results***

Environmental Risk Information Services
A division of Glacier Media Inc.
1.866.517.5204 | info@erisinfo.com | erisinfo.com

City Directory Information Source
<i>Vernon's Ottawa And Area City Directory</i>

PROJECT NUMBER: 22031400343	
Site Address:	5646 Manotick Main Street, Manotick, Ontario
Year: 2011	
Site Listing:	-Discount Tobacco & Grocery Shop -Sears Canada Inc -Sears Catalogue Pickup -Amerco Rentals -U Haul Co Ltd
Adjacent Properties:	
5626 Manotick Main Street	-Address Not Listed
5628 Manotick Main Street	-Address Not Listed
5630 Manotick Main Street	-Address Not Listed
5632 Manotick Main Street	-Residential (2 Tenants)

5636 Manotick Main Street	-Vanis Construction -Select Software -Residential (2 Tenants)
5640 Manotick Main Street	-Address Not Listed
5649 Manotick Main Street	-Address Not Listed
5650 Manotick Main Street	-Residential (1 Tenant)
5652 Manotick Main Street	-Residential (1 Tenant)
5654 Manotick Main Street	-Residential (1 Tenant)

PROJECT NUMBER: 22031400343	
Site Address:	5646 Manotick Main Street, Manotick, Ontario
Year: 2006-2007	
Site Listing:	-Discount Tobacco & Grocery -Residential (2 Tenants)
Adjacent Properties:	

5626 Manotick Main Street	-Address Not Listed
5628 Manotick Main Street	-Residential (1 Tenant)
5630 Manotick Main Street	-Residential (1 Tenant)
5632 Manotick Main Street	-Manotick Cycle Centre -Manotick Lumber & Building Supplies -Cameron R&S
5636 Manotick Main Street	-Address Not Listed
5640 Manotick Main Street	-C&N Electric Ltd
5649 Manotick Main Street	-Residential (1 Tenant)
5650 Manotick Main Street	-Residential (1 Tenant)
5652 Manotick Main Street	-Residential (1 Tenant)
5654 Manotick Main Street	-Residential (1 Tenant)

PROJECT NUMBER: 22031400343	
------------------------------------	--

Site Address:	5646 Manotick Main Street, Manotick, Ontario
Year: 2000	
Site Listing:	-Residential (1 Tenant)
Adjacent Properties:	
5626 Manotick Main Street	-Address Not Listed
5628 Manotick Main Street	-Residential (1 Tenant)
5630 Manotick Main Street	-Residential (1 Tenant)
5632 Manotick Main Street	-Residential (1 Tenant)
5636 Manotick Main Street	-Address Not Listed
5640 Manotick Main Street	-C&N Electric Ltd
5649 Manotick Main Street	-Address Not Listed
5650 Manotick Main Street	-Residential (1 Tenant)
5652 Manotick Main Street	-Residential (1 Tenant)

5654 Manotick Main Street	-Residential (1 Tenant)

PROJECT NUMBER: 22031400343	
Site Address:	5646 Manotick Main Street, Manotick, Ontario
Year: 1996	
Site Listing:	-Hawkins Gas -Residential (1 Tenant)
Adjacent Properties:	
5626 Manotick Main Street	-Manotick Cycle Centre
5628 Manotick Main Street	-Residential (1 Tenant)
5630 Manotick Main Street	-Residential (1 Tenant)
5632 Manotick Main Street	-Address Not Listed
5636 Manotick Main Street	-Address Not Listed

5640 Manotick Main Street	-C&N Electric Ltd
5649 Manotick Main Street	-Address Not Listed
5650 Manotick Main Street	-Residential (1 Tenant)
5652 Manotick Main Street	-Residential (1 Tenant)
5654 Manotick Main Street	-Residential (2 Tenants)

PROJECT NUMBER: 22031400343	
Site Address:	5646 Manotick Main Street, Manotick, Ontario
Year: 1992	
Site Listing:	-Residential (1 Tenant)
Adjacent Properties:	
5626 Manotick Main Street	-Upper Manotick Cycle Centre
5628 Manotick Main Street	-Address Not Listed

5630 Manotick Main Street	-Residential (1 Tenant)
5632 Manotick Main Street	-Address Not Listed
5636 Manotick Main Street	-Address Not Listed
5640 Manotick Main Street	-Address Not Listed
5649 Manotick Main Street	-Address Not Listed
5650 Manotick Main Street	-Residential (1 Tenant)
5652 Manotick Main Street	-Residential (1 Tenant)
5654 Manotick Main Street	-Residential (2 Tenants)

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as “residential” with the number of tenants. The name of the residential tenant is not listed in the above city directory.

**** Manotick, Ontario *is listed from 2011 to 1999 within the city directory archives* ****

APPENDIX IV
ERIS REPORT



DATABASE REPORT

Project Property: CO884.00 - Phase One ESA - 5646
Manotick Main Street
5646 Manotick Main Street
Manotick ON K4M 1B3

Project No: CO884.00

Report Type: Quote - Custom-Build Your Own Report

Order No: 22030300700

Requested by: Terrapex Environmental Ltd.

Date Completed: March 10, 2022

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	12
Map.....	18
Aerial.....	19
Topographic Map.....	20
Detail Report.....	21
Unplottable Summary.....	167
Unplottable Report.....	170
Appendix: Database Descriptions.....	184
Definitions.....	193

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: CO884.00 - Phase One ESA - 5646 Manotick Main Street
5646 Manotick Main Street Manotick ON K4M 1B3

Project No: CO884.00

Order Information:

Order No: 22030300700
Date Requested: March 3, 2022
Requested by: Terrapex Environmental Ltd.
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	4	4
CA	<i>Certificates of Approval</i>	Y	0	0	0
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	0	0
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	0	0
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	1	13	14
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	1	1

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	0	0
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	1	37	38
Total:			2	56	58

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	GEN	595831 Ontario Inc.	5646 MANOTICK MAIN MANOTICK ON K4M 1B3	W/0.0	-0.50	21
2	WWIS		lot 4 ON <i>Well ID:</i> 1506502	W/0.0	-0.50	21

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
3	PINC		5640 Manotick Main Street, Ottawa ON	WNW/13.5	-1.65	23
3	GEN	C & N Electric Ltd	5640 Manotick Main St Manotick ON K4M 1B3	WNW/13.5	-1.65	24
4	WWIS		1017 KITOMAN CRESCENT MANOTICK ON Well ID: 7298148	NW/20.7	-1.59	24
5	WWIS		lot 4 ON Well ID: 1506496	E/27.4	0.50	26
6	WWIS		5636 MANOTICK MAIN STREET lot 2 MANOTICK ON Well ID: 7112930	NW/50.7	-1.47	29
7	WWIS		lot 4 ON Well ID: 1506500	NW/51.7	-1.47	35
8	WWIS		lot 4 ON Well ID: 1506497	ESE/52.3	1.94	37
9	WWIS		lot 4 ON Well ID: 1506505	ENE/53.1	-1.45	40
10	BORE		ON	NNW/75.0	-2.53	43
11	WWIS		lot 4 ON Well ID: 1506503	NE/85.3	-2.50	44
12	WWIS		lot 4 ON Well ID: 1506501	ENE/90.0	-0.89	46
13	WWIS		5647 HERWIG PLACE RIDEAU lot 9 MANOTICK ON	ENE/116.5	-2.19	49

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7109789			
13	HINC		5647 HERWIG PLACE OTTAWA ON	ENE/116.5	-2.19	51
14	WWIS		5659 MANOTICK MAIN STREET lot 4 con A MONOTICK ON Well ID: 7299183	E/122.5	0.81	51
15	WWIS		5645 HERWIG PLACE lot 8 MANOTICK ON Well ID: 7108187	ENE/123.3	-2.19	54
16	WWIS		5649 HERWING PLACE MANOTICK ON Well ID: 7243008	ENE/128.0	-1.53	61
17	WWIS		lot 4 ON Well ID: 1517651	E/129.4	0.50	68
18	WWIS		5647 HERWIG PLACE lot 9 MANOTICK ON Well ID: 7108186	ENE/129.7	-2.19	72
19	WWIS		lot 4 ON Well ID: 1510132	NE/131.0	-1.45	79
20	WWIS		5649 HERWING PLACE MANOTICK ON Well ID: 7243009	ENE/131.9	-1.53	81
21	WWIS		5649 HERWIG PLACE MANOTICK ON Well ID: 7242995	ENE/139.3	-1.53	89
22	WWIS		5659 MANOTICK MAIN ST lot 4 con A MANOTICK ON Well ID: 7321150	E/141.4	-0.89	91
23	WWIS		5659 MANOTICK MAIN ST MANOTICK ON Well ID: 7321066	E/147.7	-0.89	98
24	WWIS		lot 4 ON Well ID: 1506495	SSE/152.7	3.47	101
25	WWIS		lot 4 ON	E/155.9	-1.10	103

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1506494			
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON	ESE/160.6	3.20	105
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON	ESE/160.6	3.20	106
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON	ESE/160.6	3.20	106
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON	ESE/160.6	3.20	106
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON	ESE/160.6	3.20	107
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON	ESE/160.6	3.20	107
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	ESE/160.6	3.20	107
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	ESE/160.6	3.20	107
26	GEN	City of ottawa	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	ESE/160.6	3.20	108
26	GEN	City of ottawa RPAM	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	ESE/160.6	3.20	108
26	GEN	City of ottawa RPAM	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	ESE/160.6	3.20	108
26	GEN	City of ottawa RPAM	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	ESE/160.6	3.20	108
27	WWIS		POTTER DR + MANOTIC MAIN ST lot 4 con A MANOTICK ON	WSW/168.6	-1.50	109

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7181760			
28	WWIS		lot 4 ON Well ID: 1518656	ESE/169.5	3.50	113
29	BORE		ON	SE/173.8	4.67	116
30	WWIS		lot 4 ON Well ID: 1513374	E/179.3	-1.61	117
31	WWIS		POTTER DR + HANOTICK MAIN ST lot 4 con A MANOTICK ON Well ID: 7181759	SW/186.2	-1.36	121
32	WWIS		lot 3 ON Well ID: 1506487	WNW/192.9	-1.41	128
33	WWIS		lot 3 ON Well ID: 1506489	WNW/200.4	-1.41	131
34	WWIS		lot 4 ON Well ID: 1506504	E/202.3	2.14	134
35	BORE		ON	E/202.4	2.14	136
36	WWIS		5676 RIDEAU VALLEY DR. lot 4 con A MANOTICK ON Well ID: 7173907	ESE/212.4	4.88	137
37	BORE		ON	ENE/223.7	0.42	140
38	WWIS		ON Well ID: 1510424	ENE/223.8	0.42	141
39	WWIS		lot 4 ON Well ID: 1506506	ESE/225.5	5.69	144
40	WWIS		lot 4 con A ON	E/226.0	-1.50	147

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1533319			
41	WWIS		ON Well ID: 1510363	NNE/226.9	3.14	150
42	WWIS		5624 South River Drive MANOTICK ON Well ID: 7324272	NNE/233.3	3.15	152
43	WWIS		5624 south river drive MANOTICK ON Well ID: 7324268	NNE/237.3	3.15	160
44	WWIS		lot 4 ON Well ID: 1506508	ESE/239.8	6.19	161
45	WWIS		lot 4 ON Well ID: 1506507	ESE/248.4	6.14	164

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 4 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	75.0	<u>10</u>
	ON	173.8	<u>29</u>
	ON	202.4	<u>35</u>
	ON	223.7	<u>37</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 14 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
595831 Ontario Inc.	5646 MANOTICK MAIN MANOTICK ON K4M 1B3	0.0	<u>1</u>
C & N Electric Ltd	5640 Manotick Main St Manotick ON K4M 1B3	13.5	<u>3</u>
City of ottawa	5669 Rideau Valley Drive North Ottawa ON	160.6	<u>26</u>
City of ottawa	5669 Rideau Valley Drive North Ottawa ON	160.6	<u>26</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
City of ottawa	5669 Rideau Valley Drive North Ottawa ON	160.6	26
City of ottawa	5669 Rideau Valley Drive North Ottawa ON	160.6	26
City of ottawa	5669 Rideau Valley Drive North Ottawa ON	160.6	26
City of ottawa	5669 Rideau Valley Drive North Ottawa ON	160.6	26
City of ottawa	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	160.6	26
City of ottawa	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	160.6	26
City of ottawa RPAM	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	160.6	26
City of ottawa RPAM	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	160.6	26
City of ottawa	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	160.6	26
City of ottawa RPAM	5669 Rideau Valley Drive North Ottawa ON K4M 1C8	160.6	26

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 1 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	5647 HERWIG PLACE OTTAWA ON	116.5	<u>13</u>

PINC - Pipeline Incidents

A search of the PINC database, dated May 31, 2021 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	5640 Manotick Main Street, Ottawa ON	13.5	<u>3</u>

WWIS - Water Well Information System


A search of the WWIS database, dated Sep 30, 2021 has found that there are 38 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 4 ON <i>Well ID:</i> 1506502	0.0	<u>2</u>
	1017 KITOMAN CRESCENT MANOTICK ON <i>Well ID:</i> 7298148	20.7	<u>4</u>
	lot 4 ON <i>Well ID:</i> 1506496	27.4	<u>5</u>
	5636 MANOTICK MAIN STREET lot 2 MANOTICK ON <i>Well ID:</i> 7112930	50.7	<u>6</u>
	lot 4 ON <i>Well ID:</i> 1506500	51.7	<u>7</u>
	lot 4 ON	52.3	<u>8</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1506497		
	lot 4 ON	53.1	<u>9</u>
	<i>Well ID:</i> 1506505		
	lot 4 ON	85.3	<u>11</u>
	<i>Well ID:</i> 1506503		
	lot 4 ON	90.0	<u>12</u>
	<i>Well ID:</i> 1506501		
	5647 HERWIG PLACE RIDEAU lot 9 MANOTICK ON	116.5	<u>13</u>
	<i>Well ID:</i> 7109789		
	5659 MANOTICK MAIN STREET lot 4 con A MONOTICK ON	122.5	<u>14</u>
	<i>Well ID:</i> 7299183		
	5645 HERWIG PLACE lot 8 MANOTICK ON	123.3	<u>15</u>
	<i>Well ID:</i> 7108187		
	5649 HERWING PLACE MANOTICK ON	128.0	<u>16</u>
	<i>Well ID:</i> 7243008		
	lot 4 ON	129.4	<u>17</u>
	<i>Well ID:</i> 1517651		
	5647 HERWIG PLACE lot 9 MANOTICK ON	129.7	<u>18</u>
	<i>Well ID:</i> 7108186		
	lot 4 ON	131.0	<u>19</u>
	<i>Well ID:</i> 1510132		
	5649 HERWING PLACE MANOTICK ON	131.9	<u>20</u>
	<i>Well ID:</i> 7243009		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	5649 HERWIG PLACE MANOTICK ON <i>Well ID:</i> 7242995	139.3	<u>21</u>
	5659 MANOTICK MAIN ST lot 4 con A MANOTICK ON <i>Well ID:</i> 7321150	141.4	<u>22</u>
	5659 MANOTICK MAIN ST MANOTICK ON <i>Well ID:</i> 7321066	147.7	<u>23</u>
	lot 4 ON <i>Well ID:</i> 1506495	152.7	<u>24</u>
	lot 4 ON <i>Well ID:</i> 1506494	155.9	<u>25</u>
	POTTER DR + MANOTIC MAIN ST lot 4 con A MANOTICK ON <i>Well ID:</i> 7181760	168.6	<u>27</u>
	lot 4 ON <i>Well ID:</i> 1518656	169.5	<u>28</u>
	lot 4 ON <i>Well ID:</i> 1513374	179.3	<u>30</u>
	POTTER DR + HANOTICK MAIN ST lot 4 con A MANOTICK ON <i>Well ID:</i> 7181759	186.2	<u>31</u>
	lot 3 ON <i>Well ID:</i> 1506487	192.9	<u>32</u>
	lot 3 ON <i>Well ID:</i> 1506489	200.4	<u>33</u>
	lot 4 ON	202.3	<u>34</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1506504		
	5676 RIDEAU VALLEY DR. lot 4 con A MANOTICK ON	212.4	36
	<i>Well ID:</i> 7173907		
	ON	223.8	38
	<i>Well ID:</i> 1510424		
	lot 4 ON	225.5	39
	<i>Well ID:</i> 1506506		
	lot 4 con A ON	226.0	40
	<i>Well ID:</i> 1533319		
	ON	226.9	41
	<i>Well ID:</i> 1510363		
	5624 South River Drive MANOTICK ON	233.3	42
	<i>Well ID:</i> 7324272		
	5624 south river drive MANOTICK ON	237.3	43
	<i>Well ID:</i> 7324268		
	lot 4 ON	239.8	44
	<i>Well ID:</i> 1506508		
	lot 4 ON	248.4	45
	<i>Well ID:</i> 1506507		



Map: 0.25 Kilometer Radius

Order Number: 22030300700

Address: 5646 Manotick Main Street, Manotick, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Park (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	



Aerial Year: 2020

Order Number: 22030300700

Address: 5646 Manotick Main Street, Manotick, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

75°42'W

75°40'30"W


75°39'W

45°13'30"N

45°13'30"N

45°12'N

45°12'N



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Order Number: 22030300700

Address: 5646 Manotick Main Street, ON



Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	W/0.0	85.9 / -0.50	595831 Ontario Inc. 5646 MANOTICK MAIN MANOTICK ON K4M 1B3	GEN

Generator No: ON8832860 SIC Code: 447190 SIC Description: Other Gasoline Stations Approval Years: 07,08 PO Box No: Country:	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:
--	--

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

<u>2</u>	1 of 1	W/0.0	85.9 / -0.50	lot 4 ON	WWIS
----------	--------	-------	--------------	-------------	------

Well ID: 1506502 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 1/9/1957 Selected Flag: TRUE Abandonment Rec: Contractor: 3601 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: NORTH GOWER TOWNSHIP Site Info: Lot: 004 Concession: Concession Name: BF Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506502.pdf

Additional Detail(s) (Map)

Well Completed Date: 1956/11/04
Year Completed: 1956
Depth (m): 13.4112
Latitude: 45.2200795153563
Longitude: -75.6772663658669
Path: 150\1506502.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10028538			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	446825.80
Code OB Desc:				North83:	5007622.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	04-Nov-1956 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931004684				
Layer:	2				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	40.0				
Formation End Depth:	44.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931004683				
Layer:	1				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	40.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	961506502				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10577108				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:	1				
<u>Construction Record - Casing</u>					
Casing ID:	930049816				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	44.0				
Casing Diameter:	4.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991506502				
Pump Set At:					
Static Level:	6.0				
Final Level After Pumping:	6.0				
Recommended Pump Depth:					
Pumping Rate:	3.0				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933460653				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	44.0				
Water Found Depth UOM:	ft				

3 1 of 2 WNW/13.5 84.7 / -1.65 5640 Manotick Main Street, Ottawa ON PINC

Incident ID:		Pipe Material:	
Incident No:	845360	Fuel Category:	Natural Gas
Incident Reported Dt:		Health Impact:	
Type:	FS-Pipeline Incident	Environment Impact:	
Status Code:	Pipeline Damage Reason Est	Property Damage:	Yes
Tank Status:	RC Established	Service Interrupt:	
Task No:	3910554	Enforce Policy:	Yes
Spills Action Centre:		Public Relation:	
Fuel Type:		Pipeline System:	
Fuel Occurrence Tp:		PSIG:	
Date of Occurrence:		Attribute Category:	FS-Perform P-line Inc Invest
Occurrence Start Dt:	2012/07/30	Regulator Location:	
Depth:		Method Details:	E-mail
Customer Acct Name:			
Incident Address:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Operation Type: Pipeline Type: Regulator Type: Summary: 5640 Manotick Main Street, Ottawa - 1" Pipeline Hit Reported By: Jeff.Stiles@enbridge.com Affiliation: Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes:					
3	2 of 2	WNW/13.5	84.7 / -1.65	C & N Electric Ltd 5640 Manotick Main St Manotick ON K4M 1B3	GEN
Generator No: ON5554470 SIC Code: 238210 SIC Description: ELECTRICAL CONTRACTORS, ELECTRICAL CONTRACTORS AND OTHER WIRING Approval Years: 2016 PO Box No: Country: Canada					
Status: Co Admin: Choice of Contact: CO_OFFICIAL Phone No Admin: Contam. Facility: No MHSW Facility: No					
Detail(s)					
Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS					
4	1 of 1	NW/20.7	84.8 / -1.59	1017 KITOMAN CRESCENT MANOTICK ON	WWIS
Well ID: 7298148 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: 0 Water Type: Casing Material: Audit No: Z224176 Tag: A204609 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: Date Received: 10/31/2017 Selected Flag: TRUE Abandonment Rec: Contractor: 6364 Form Version: 7 Owner: Street Name: 1017 KITOMAN CRESCENT County: OTTAWA Municipality: NORTH GOWER TOWNSHIP Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7298148.pdf					
Additional Detail(s) (Map)					
Well Completed Date: 2017/10/03 Year Completed: 2017 Depth (m): Latitude: 45.2204753456116 Longitude: -75.6773067285788 Path: 729\7298148.pdf					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006786113			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	446823.00
Code OB Desc:				North83:	5007666.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	03-Oct-2017 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006960092				
Layer:					
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1006960097				
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1006960091				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1006960095				
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Screen

Screen ID: 1006960096
 Layer:
 Slot:
 Screen Top Depth:
 Screen End Depth:
 Screen Material:
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter:

Water Details

Water ID: 1006960094
 Layer: 1
 Kind Code: 8
 Kind: Untested
 Water Found Depth:
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006960093
 Diameter:
 Depth From:
 Depth To:
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

5	1 of 1	E/27.4	86.9 / 0.50	lot 4 ON	WWIS
-------------------	--------	--------	-------------	-------------	------

Well ID: 1506496
 Construction Date:
 Primary Water Use: Domestic
 Sec. Water Use: 0
 Final Well Status: Water Supply
 Water Type:
 Casing Material:
 Audit No:
 Tag:
 Construction Method:
 Elevation (m):
 Elevation Reliability:
 Depth to Bedrock:
 Well Depth:
 Overburden/Bedrock:
 Pump Rate:
 Static Water Level:
 Flowing (Y/N):
 Flow Rate:
 Clear/Cloudy:

Data Entry Status:
 Data Src: 1
 Date Received: 3/3/1953
 Selected Flag: TRUE
 Abandonment Rec:
 Contractor: 3725
 Form Version: 1
 Owner:
 Street Name:
 County: OTTAWA
 Municipality: NORTH GOWER TOWNSHIP
 Site Info:
 Lot: 004
 Concession:
 Concession Name: BF
 Easting NAD83:
 Northing NAD83:
 Zone:
 UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506496.pdf

Additional Detail(s) (Map)

Well Completed Date: 1953/01/16
 Year Completed: 1953
 Depth (m): 20.4216
 Latitude: 45.2202670798036

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-75.6759949134349			
Path:		150\1506496.pdf			

Bore Hole Information

Bore Hole ID:	10028532	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446925.80
Code OB Desc:		North83:	5007642.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	16-Jan-1953 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	931004667
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	13.0
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931004668
Layer:	2
Color:	
General Color:	
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	14
Mat2 Desc:	HARDPAN
Mat3:	
Mat3 Desc:	
Formation Top Depth:	13.0
Formation End Depth:	30.0
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931004669
Layer:	3
Color:	
General Color:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961506496			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577102			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049803			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		30.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049804			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		67.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506496			
Pump Set At:					
Static Level:		16.0			
Final Level After Pumping:		16.0			
Recommended Pump Depth:					
Pumping Rate:		2.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
Water Details					
Water ID:		933460647			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		44.0			
Water Found Depth UOM:		ft			

<u>6</u>	1 of 1	NW/50.7	84.9 / -1.47	5636 MANOTICK MAIN STREET lot 2 MANOTICK ON	WWIS
Well ID:	7112930			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	10/14/2008
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	7
Audit No:	Z84375			Owner:	
Tag:	A051496			Street Name:	5636 MANOTICK MAIN STREET
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	002
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7112930.pdf

Additional Detail(s) (Map)

Well Completed Date: 2008/08/12
Year Completed: 2008
Depth (m): 22.85
Latitude: 45.2206808565143
Longitude: -75.6775639064187
Path: 711\7112930.pdf

Bore Hole Information

Bore Hole ID:	1001835729	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446803.00
Code OB Desc:		North83:	5007689.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	12-Aug-2008 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001936666			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0399999618530273			
Formation End Depth:		7.309999942779541			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001936667			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.309999942779541			
Formation End Depth:		22.850000381469727			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001936664			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.5199999809265137			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1001936665			
Layer:		2			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.5199999809265137			
Formation End Depth:		3.0399999618530273			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001936670			
Layer:		1			
Plug From:		8.829999923706055			
Plug To:		0.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1001936692			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		AIR			
<u>Pipe Information</u>					
Pipe ID:		1001936662			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001936672			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-0.6000000238418579			
Depth To:		8.829999923706055			
Casing Diameter:		15.859999656677246			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001936673			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Pump Test ID:		1001936663			
Pump Set At:		15.229999542236328			
Static Level:		2.859999895095825			
Final Level After Pumping:		3.9600000381469727			
Recommended Pump Depth:		15.229999542236328			
Pumping Rate:		54.599998474121094			
Flowing Rate:					
Recommended Pump Rate:	45.5				
Levels UOM:	m				
Rate UOM:	LPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	0				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936681			
Test Type:		Recovery			
Test Duration:	4				
Test Level:		2.8399999141693115			
Test Level UOM:	m				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936687			
Test Type:		Draw Down			
Test Duration:	30				
Test Level:		3.7200000286102295			
Test Level UOM:	m				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936688			
Test Type:		Draw Down			
Test Duration:	40				
Test Level:		3.7200000286102295			
Test Level UOM:	m				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936689			
Test Type:		Draw Down			
Test Duration:	50				
Test Level:		3.700000047683716			
Test Level UOM:	m				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936676			
Test Type:		Draw Down			
Test Duration:	2				
Test Level:		3.549999952316284			
Test Level UOM:	m				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936679			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Recovery			
Test Duration:		3			
Test Level:		2.869999885559082			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936682			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		3.630000114440918			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936685			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		3.690000057220459			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936684			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		3.6700000762939453			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936680			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		3.619999885559082			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936683			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		3.6500000953674316			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936690			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		3.690000057220459			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936674			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		3.490000009536743			
Test Level UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936675			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		3.0			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936686			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		3.7100000381469727			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936678			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		3.5799999237060547			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001936677			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		2.9000000953674316			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		1001936671			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		16.760000228881836			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1001936669			
Diameter:		15.229999542236328			
Depth From:		8.829999923706055			
Depth To:		22.850000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1001936668			
Diameter:		15.859999656677246			
Depth From:		0.0			
Depth To:		8.829999923706055			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
7	1 of 1	NW/51.7	84.9 / -1.47	lot 4 ON	WWIS

Well ID:	1506500	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	12/3/1956
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3113
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	004
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	BF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506500.pdf

Additional Detail(s) (Map)

Well Completed Date:	1956/09/14
Year Completed:	1956
Depth (m):	20.7264
Latitude:	45.2207172229719
Longitude:	-75.6775032012909
Path:	150\1506500.pdf

Bore Hole Information

Bore Hole ID:	10028536	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446807.80
Code OB Desc:		North83:	5007693.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	14-Sep-1956 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	931004680
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		39.0			
Formation End Depth:		68.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004678			
Layer:		1			
Color:					
General Color:					
Mat1:		12			
Most Common Material:		STONES			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004679			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961506500			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577106			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049812			
Layer:		1			
Material:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		40.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049813			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		68.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506500			
Pump Set At:					
Static Level:		28.0			
Final Level After Pumping:		28.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933460651			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			

<u>8</u>	1 of 1	ESE/52.3	88.3 / 1.94	lot 4 ON	WWIS
Well ID:		1506497		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 6/22/1953	
Sec. Water Use:		0		Selected Flag: TRUE	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 3113	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NORTH GOWER TOWNSHIP	
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Lot: 004 Concession: Concession Name: BF Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506497.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:		1953/04/08 1953 21.0312 45.2198177859953 -75.6758622222897 150\1506497.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10028533			Elevation: Elevrc: Zone: 18 East83: 446935.80 North83: 5007592.00 Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: p9	
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		931004671 2 8 BLACK 15 LIMESTONE 32.0 69.0 ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: Layer: Color: General Color:		931004670 1 3 BLUE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961506497			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577103			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049806			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		69.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049805			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		32.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506497			
Pump Set At:					
Static Level:		16.0			
Final Level After Pumping:		19.0			
Recommended Pump Depth:					
Pumping Rate:		63.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		15			
Flowing:		No			
Water Details					
Water ID:		933460648			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48.0			
Water Found Depth UOM:		ft			

<u>9</u>	1 of 1	ENE/53.1	84.9 / -1.45	lot 4 ON	WWIS
Well ID:	1506505			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	6/2/1960
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4216
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	BF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506505.pdf

Additional Detail(s) (Map)

Well Completed Date: 1960/05/19
Year Completed: 1960
Depth (m): 34.1376
Latitude: 45.2206267408869
Longitude: -75.6760628599451
Path: 150\1506505.pdf

Bore Hole Information

Bore Hole ID:	10028541	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446920.80
Code OB Desc:		North83:	5007682.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	19-May-1960 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		931004689			
<i>Layer:</i>		1			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>		23			
<i>Most Common Material:</i>		PREVIOUSLY DUG			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0.0			
<i>Formation End Depth:</i>		63.0			
<i>Formation End Depth UOM:</i>		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		931004691			
<i>Layer:</i>		3			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>		18			
<i>Most Common Material:</i>		SANDSTONE			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		100.0			
<i>Formation End Depth:</i>		112.0			
<i>Formation End Depth UOM:</i>		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		931004690			
<i>Layer:</i>		2			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>		15			
<i>Most Common Material:</i>		LIMESTONE			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		63.0			
<i>Formation End Depth:</i>		100.0			
<i>Formation End Depth UOM:</i>		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
<i>Method Construction ID:</i>		961506505			
<i>Method Construction Code:</i>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577111			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049822			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		112.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049821			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		63.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506505			
Pump Set At:					
Static Level:		18.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933460656			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		100.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
10	1 of 1	NNW/75.0	83.8 / -2.53	ON	BORE
Borehole ID:	611782			Inclin FLG:	No
OGF ID:	215513095			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	SEP-1956			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.220977
Total Depth m:	20.7			Longitude DD:	-75.677468
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	446811
Drill Method:				Northing:	5007722
Orig Ground Elev m:	88.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	84.9				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218389190			Mat Consistency:	
Top Depth:	11.9			Material Moisture:	
Bottom Depth:	20.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. GREY. 00068EL. GREY. LIMESTONE. GREY. 00075TY = 18000. BEDROCK. SEISMIC **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218389188			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	9.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Stones			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	STONES,GRAVEL.				
Geology Stratum ID:	218389189			Mat Consistency:	
Top Depth:	9.1			Material Moisture:	
Bottom Depth:	11.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND,GRAVEL. GREY.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004686			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004685			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961506503			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577109			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049818			
Layer:		2			
Material:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		70.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049817			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		28.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506503			
Pump Set At:					
Static Level:		18.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933460654			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			

12	1 of 1	ENE/90.0	85.5 / -0.89	lot 4 ON	WWIS
Well ID:		1506501		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 1/9/1957	
Sec. Water Use:		0		Selected Flag: TRUE	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 3601	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NORTH GOWER TOWNSHIP	
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Lot: 004 Concession: Concession Name: BF Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506501.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:		1956/10/01 1956 21.336 45.2205412523203 -75.6752976355064 150\1506501.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10028537			Elevation: Elevrc: Zone: 18 East83: 446980.80 North83: 5007672.00 Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: p9	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	931004681	1			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color:	931004682	2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961506501			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577107			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049814			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		26.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049815			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		70.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506501			
Pump Set At:					
Static Level:		6.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
Water Details					
Water ID:		933460652			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			

13	1 of 2	ENE/116.5	84.2 / -2.19	5647 HERWIG PLACE RIDEAU lot 9 MANOTICK ON	WWIS
Well ID:		7109789		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received: 8/14/2008	
Sec. Water Use:				Selected Flag: TRUE	
Final Well Status:		Abandoned-Other		Abandonment Rec: Yes	
Water Type:				Contractor: 1119	
Casing Material:				Form Version: 7	
Audit No:		Z80844		Owner:	
Tag:				Street Name: 5647 HERWIG PLACE RIDEAU	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: NORTH GOWER TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 009	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7109789.pdf

Additional Detail(s) (Map)

Well Completed Date: 2008/06/24
Year Completed: 2008
Depth (m): 7.62
Latitude: 45.2208569030939
Longitude: -75.6751969294975
Path: 710\7109789.pdf

Bore Hole Information

Bore Hole ID:	1001732899	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446989.00
Code OB Desc:		North83:	5007707.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	24-Jun-2008 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1001750451			
Layer:		1			
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1001750453			
Layer:		1			
Plug From:		25.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1001750457			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1001750450			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001750455			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID: 1001750456 Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:					
<u>Water Details</u>					
Water ID: 1001750454 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1001750452 Diameter: Depth From: Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch					
13	2 of 2	ENE/116.5	84.2 / -2.19	5647 HERWIG PLACE OTTAWA ON	HINC
External File Num: FS INC 0810-05974 Fuel Occurrence Type: Pipeline Strike Date of Occurrence: 9/19/2008 Fuel Type Involved: Natural Gas Status Desc: Completed - Causal Analysis(End) Job Type Desc: Incident/Near-Miss Occurrence (FS) Oper. Type Involved: Construction Site (pipeline strike) Service Interruptions: Yes Property Damage: Yes Fuel Life Cycle Stage: Transmission, Distribution and Transportation Root Cause: Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:No Training:Yes Management:Yes Human Factors:Yes Reported Details: Fuel Category: Gaseous Fuel Occurrence Type: Incident Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) County Name: Ottawa Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:					
14	1 of 1	E/122.5	87.2 / 0.81	5659 MANOTICK MAIN STREET lot 4 con A MONOTICK ON	WWIS
Well ID: 7299183 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Data Entry Status: Data Src: Date Received: 11/16/2017 Selected Flag: TRUE Abandonment Rec: Yes					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type: Casing Material: Audit No: Z262261 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Contractor: 1119 Form Version: 7 Owner: Street Name: 5659 MANOTICK MAIN STREET County: OTTAWA Municipality: NORTH GOWER TOWNSHIP Site Info: Lot: 004 Concession: A Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7299183.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:		2017/10/06 2017 45.2200132975 -75.6747666320077 729\7299183.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1006800444			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 447022.00 5007613.00 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1006970435				ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006970444			
Layer:		1			
Plug From:		55.0			
Plug To:		4.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006970445			
Layer:		2			
Plug From:		4.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006970440			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006970434			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006970438			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006970439			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1006970437			
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
Hole Diameter					
Hole ID:		1006970436			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

15	1 of 1	ENE/123.3	84.2 / -2.19	5645 HERWIG PLACE lot 8 MANOTICK ON	WWIS
Well ID:	7108187			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	7/15/2008
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z80735			Owner:	
Tag:	A066479			Street Name:	5645 HERWIG PLACE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	008
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107108187.pdf

Additional Detail(s) (Map)

Well Completed Date: 2008/05/14
Year Completed: 2008
Depth (m): 42.66
Latitude: 45.2209290612935
Longitude: -75.675172309724
Path: 710\7108187.pdf

Bore Hole Information

Bore Hole ID:	1001658366	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446991.00
Code OB Desc:		North83:	5007715.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	14-May-2008 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1001782334			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		18			
Most Common Material:		SANDSTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		35.349998474121094			
Formation End Depth:		42.65999984741211			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1001782333			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.400000095367432			
Formation End Depth:		35.349998474121094			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1001782332			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.400000095367432			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1001782337			
Layer:		2			
Plug From:		4.869999885559082			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		0.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001782336			
Layer:		1			
Plug From:		7.920000076293945			
Plug To:		4.869999885559082			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1001782369			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1001782330			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001782340			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		8.529999732971191			
Depth To:		0.0			
Casing Diameter:		0.15880000591278076			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001782341			
Layer:		1			
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1001782331			
Pump Set At:		36.56999969482422			
Static Level:		3.200000047683716			
Final Level After Pumping:		3.3399999141693115			
Recommended Pump Depth:		30.469999313354492			
Pumping Rate:		91.0			
Flowing Rate:					
Recommended Pump Rate:		91.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782342			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		3.319999933242798			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782347			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782351			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782354			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		3.3399999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782358			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		3.3399999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782362			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		3.3399999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782366			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		3.3399999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782355			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782361			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782367			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782360			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		3.3399999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782364			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		3.3399999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782365			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782359			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		3.200000047683716			
Test Level UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001782363		
Test Type:			Recovery		
Test Duration:			40		
Test Level:			3.200000047683716		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001782348		
Test Type:			Draw Down		
Test Duration:			4		
Test Level:			3.3399999141693115		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001782356		
Test Type:			Draw Down		
Test Duration:			20		
Test Level:			3.3399999141693115		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001782345		
Test Type:			Recovery		
Test Duration:			2		
Test Level:			3.200000047683716		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001782346		
Test Type:			Draw Down		
Test Duration:			3		
Test Level:			3.3299999237060547		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001782352		
Test Type:			Draw Down		
Test Duration:			10		
Test Level:			3.3399999141693115		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1001782343		
Test Type:			Recovery		
Test Duration:			1		
Test Level:			3.200000047683716		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Pump Test Detail ID:		1001782350			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		3.3399999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782353			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782344			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		3.319999933242798			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782349			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782357			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		1001782339			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		41.13999938964844			
Water Found Depth UOM:		m			
<u>Water Details</u>					
Water ID:		1001782338			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		40.529998779296875			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1001782335			
Diameter:		15.550000190734863			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		42.65999984741211			
Depth To:		0.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

16	1 of 1	ENE/128.0	84.8 / -1.53	5649 HERWING PLACE MANOTICK ON	WWIS
Well ID:	7243008			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	6/15/2015
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z191411			Owner:	
Tag:	A144855			Street Name:	5649 HERWING PLACE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	LOT 10 & 11
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/724\7243008.pdf

Additional Detail(s) (Map)

Well Completed Date: 2015/04/21
Year Completed: 2015
Depth (m): 42.672
Latitude: 45.220759548779
Longitude: -75.6749155652907
Path: 724\7243008.pdf

Bore Hole Information

Bore Hole ID:	1005408890	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447011.00
Code OB Desc:		North83:	5007696.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	21-Apr-2015 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005581247

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		59.0			
Formation End Depth:		120.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005581249			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		133.0			
Formation End Depth:		140.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005581246			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		59.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005581248			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		120.0			
Formation End Depth:		133.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005581245			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		13			
Mat3 Desc:		BOULDERS			
Formation Top Depth:		0.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005581286			
Layer:		1			
Plug From:		28.0			
Plug To:		18.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005581287			
Layer:		2			
Plug From:		18.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005581285			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005581243			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005581256			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		28.0			
Depth To:		140.0			
Casing Diameter:		5.9375			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1005581255			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2.0			
Depth To:		28.0			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005581257			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1005581244			
Pump Set At:		120.0			
Static Level:		12.079999923706055			
Final Level After Pumping:		12.25			
Recommended Pump Depth:		100.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581260			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581263			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		12.083000183105469			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581279			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581258			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581261			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581276			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581281			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581283			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581259			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581269			
Test Type:		Recovery			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>			10		
<i>Test Level:</i>			12.083000183105469		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005581270		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			15		
<i>Test Level:</i>			12.25		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005581274		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			25		
<i>Test Level:</i>			12.25		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005581277		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			30		
<i>Test Level:</i>			12.083000183105469		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005581265		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			4		
<i>Test Level:</i>			12.083000183105469		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005581267		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			5		
<i>Test Level:</i>			12.083000183105469		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005581268		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			10		
<i>Test Level:</i>			12.25		
<i>Test Level UOM:</i>			ft		
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>			1005581278		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			40		
<i>Test Level:</i>			12.25		
<i>Test Level UOM:</i>			ft		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581262			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581275			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581280			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581272			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581273			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581264			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581266			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581271			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Recovery			
Test Duration:		15			
Test Level:		12.083000183105469			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581282			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		12.25			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1005581252			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		59.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		1005581254			
Layer:		3			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		133.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		1005581253			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		120.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1005581250			
Diameter:		9.75			
Depth From:		0.0			
Depth To:		28.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1005581251			
Diameter:		5.9375			
Depth From:		28.0			
Depth To:		140.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	1517651			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/15/1981
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	BF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1517651.pdf

Additional Detail(s) (Map)

Well Completed Date: 1981/06/29
Year Completed: 1981
Depth (m): 14.6304
Latitude: 45.2200858920087
Longitude: -75.6746681440371
Path: 151\1517651.pdf

Bore Hole Information

Bore Hole ID:	10039523	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447029.80
Code OB Desc:		North83:	5007621.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	29-Jun-1981 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931035866
Layer: 3
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931035865			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931035867			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931035864			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961517651			
Method Construction Code:		5			
Method Construction:		Air Percussion			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Other Method Construction:

Pipe Information

Pipe ID: 10588093
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930069102
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 26.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930069103
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 48.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991517651
Pump Set At:
Static Level: 5.0
Final Level After Pumping: 20.0
Recommended Pump Depth: 30.0
Pumping Rate: 30.0
Flowing Rate:
Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934376069
Test Type: Draw Down
Test Duration: 30
Test Level: 20.0
Test Level UOM: ft

Draw Down & Recovery

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pump Test Detail ID: 934102180
Test Type: Draw Down
Test Duration: 15
Test Level: 20.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934645904
Test Type: Draw Down
Test Duration: 45
Test Level: 20.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934895597
Test Type: Draw Down
Test Duration: 60
Test Level: 20.0
Test Level UOM: ft

Water Details

Water ID: 933474169
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 40.0
Water Found Depth UOM: ft

18	1 of 1	ENE/129.7	84.2 / -2.19	5647 HERWIG PLACE lot 9 MANOTICK ON	WWIS
--------------------	--------	-----------	--------------	--	------

Well ID: 7108186 Construction Date: Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: Z80734 Tag: A066480 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: Date Received: 7/15/2008 Selected Flag: TRUE Abandonment Rec: Contractor: 1119 Form Version: 7 Owner: Street Name: 5647 HERWIG PLACE County: OTTAWA Municipality: NORTH GOWER TOWNSHIP Site Info: Lot: 009 Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7108186.pdf

Additional Detail(s) (Map)

Well Completed Date: 2008/05/14
Year Completed: 2008

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		42.97			
Latitude:		45.2209654415459			
Longitude:		-75.6751090555826			
Path:		710\7108186.pdf			

Bore Hole Information

Bore Hole ID:	1001658363	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446996.00
Code OB Desc:		North83:	5007719.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	14-May-2008 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1001782292
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	7.610000133514404
Formation End Depth:	35.959999084472656
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1001782293
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	35.959999084472656
Formation End Depth:	42.970001220703125
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1001782291
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.610000133514404			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001782295			
Layer:		1			
Plug From:		9.140000343322754			
Plug To:		6.090000152587891			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001782296			
Layer:		2			
Plug From:		6.090000152587891			
Plug To:		0.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1001782327			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1001782289			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001782298			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		9.75			
Depth To:		0.0			
Casing Diameter:		0.15880000591278076			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001782299			
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1001782290
Pump Set At: 36.56999969482422
Static Level: 3.200000047683716
Final Level After Pumping: 3.299999952316284
Recommended Pump Depth: 30.469999313354492
Pumping Rate: 91.0
Flowing Rate:
Recommended Pump Rate: 91.0
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 0
Water State After Test:
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:
Flowing:

Draw Down & Recovery

Pump Test Detail ID: 1001782315
Test Type: Recovery
Test Duration: 20
Test Level: 3.200000047683716
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1001782300
Test Type: Draw Down
Test Duration: 1
Test Level: 3.2799999713897705
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1001782316
Test Type: Draw Down
Test Duration: 25
Test Level: 3.299999952316284
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1001782302
Test Type: Draw Down
Test Duration: 2
Test Level: 3.2799999713897705
Test Level UOM: m

Draw Down & Recovery

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1001782317			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782306			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		3.2799999713897705			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782310			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		3.2799999713897705			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782312			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		3.2899999618530273			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782301			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782304			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		3.2799999713897705			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782309			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782314			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		3.299999952316284			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1001782325			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		60			
<i>Test Level:</i>		3.200000047683716			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1001782313			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		15			
<i>Test Level:</i>		3.200000047683716			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1001782318			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		30			
<i>Test Level:</i>		3.299999952316284			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1001782319			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		30			
<i>Test Level:</i>		3.200000047683716			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1001782320			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		40			
<i>Test Level:</i>		3.299999952316284			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1001782322			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		50			
<i>Test Level:</i>		3.299999952316284			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1001782308			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		5			
<i>Test Level:</i>		3.2799999713897705			
<i>Test Level UOM:</i>		m			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1001782311			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782323			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782324			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		3.299999952316284			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782303			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782305			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782307			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1001782321			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		3.200000047683716			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		1001782297			
Layer:		1			
Kind Code:		8			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		Untested			
Water Found Depth:		40.22999954223633			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1001782294			
Diameter:		15.550000190734863			
Depth From:		42.970001220703125			
Depth To:		0.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

19	1 of 1	NE/131.0	84.9 / -1.45	lot 4 ON	WWIS
Well ID:	1510132			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	7/28/1969
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1802
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	BF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510132.pdf

Additional Detail(s) (Map)

Well Completed Date: 1969/06/24
Year Completed: 1969
Depth (m): 29.8704
Latitude: 45.2211705657571
Longitude: -75.6754324555289
Path: 151\1510132.pdf

Bore Hole Information

Bore Hole ID:	10032162	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446970.80
Code OB Desc:		North83:	5007742.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	24-Jun-1969 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		931013991			
<i>Layer:</i>		2			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		15			
<i>Most Common Material:</i>		LIMESTONE			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		62.0			
<i>Formation End Depth:</i>		98.0			
<i>Formation End Depth UOM:</i>		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		931013990			
<i>Layer:</i>		1			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		11			
<i>Most Common Material:</i>		GRAVEL			
<i>Mat2:</i>		13			
<i>Mat2 Desc:</i>		BOULDERS			
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0.0			
<i>Formation End Depth:</i>		62.0			
<i>Formation End Depth UOM:</i>		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
<i>Method Construction ID:</i>		961510132			
<i>Method Construction Code:</i>		7			
<i>Method Construction:</i>		Diamond			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		10580732			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930056937			
<i>Layer:</i>		2			
<i>Material:</i>		4			
<i>Open Hole or Material:</i>		OPEN HOLE			
<i>Depth From:</i>					
<i>Depth To:</i>		98.0			
<i>Casing Diameter:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930056936			
Layer:		1			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		62.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991510132			
Pump Set At:					
Static Level:		7.0			
Final Level After Pumping:		21.0			
Recommended Pump Depth:		24.0			
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933465072			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		92.0			
Water Found Depth UOM:		ft			

20	1 of 1	ENE/131.9	84.8 / -1.53	5649 HERWING PLACE MANOTICK ON	WWIS
--------------------	--------	-----------	--------------	-----------------------------------	------

Well ID:	7243009	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Domestic	Date Received:	6/15/2015
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1119
Casing Material:		Form Version:	7
Audit No:	Z191410	Owner:	
Tag:	A144856	Street Name:	5649 HERWING PLACE
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:		Site Info:	LOT 10 & 11
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/724\7243009.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2015/04/15				
Year Completed:	2015				
Depth (m):	42.672				
Latitude:	45.220750924129				
Longitude:	-75.6748517787417				
Path:	724\7243009.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1005408893			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	447016.00
Code OB Desc:				North83:	5007695.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	15-Apr-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005581333				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	122.0				
Formation End Depth:	134.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005581334				
Layer:	5				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		134.0			
Formation End Depth:		140.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005581330			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		13			
Mat3 Desc:		BOULDERS			
Formation Top Depth:		0.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005581331			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005581332			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		122.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005581371			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		28.0			
Plug To:		18.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005581372			
Layer:		2			
Plug From:		18.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1005581370			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005581328			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005581340			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2.0			
Depth To:		28.0			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1005581341			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		28.0			
Depth To:		140.0			
Casing Diameter:		5.9375			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005581342			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1005581329			
Pump Set At:		120.0			
Static Level:		12.420000076293945			
Final Level After Pumping:		12.5			
Recommended Pump Depth:		100.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581344			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581346			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581349			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581350			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581355			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		12.5			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581362			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581364			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581343			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581357			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581363			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581365			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581366			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1005581351			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581354			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581359			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581368			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581348			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581353			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581358			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		12.416999816894531			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1005581360			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		12.416999816894531			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>	1005581352				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	5				
<i>Test Level:</i>	12.416999816894531				
<i>Test Level UOM:</i>	ft				
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>	1005581356				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	15				
<i>Test Level:</i>	12.416999816894531				
<i>Test Level UOM:</i>	ft				
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>	1005581361				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	30				
<i>Test Level:</i>	12.5				
<i>Test Level UOM:</i>	ft				
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>	1005581345				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	2				
<i>Test Level:</i>	12.5				
<i>Test Level UOM:</i>	ft				
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>	1005581347				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	3				
<i>Test Level:</i>	12.5				
<i>Test Level UOM:</i>	ft				
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>	1005581367				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	60				
<i>Test Level:</i>	12.5				
<i>Test Level UOM:</i>	ft				
<u>Water Details</u>					
<i>Water ID:</i>	1005581337				
<i>Layer:</i>	1				
<i>Kind Code:</i>	8				
<i>Kind:</i>	Untested				
<i>Water Found Depth:</i>	65.0				
<i>Water Found Depth UOM:</i>	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 1005581338
 Layer: 2
 Kind Code: 8
 Kind: Untested
 Water Found Depth: 122.0
 Water Found Depth UOM: ft

Water Details

Water ID: 1005581339
 Layer: 3
 Kind Code: 8
 Kind: Untested
 Water Found Depth: 134.0
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005581335
 Diameter: 9.75
 Depth From: 0.0
 Depth To: 28.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1005581336
 Diameter: 5.9375
 Depth From: 28.0
 Depth To: 140.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

21	1 of 1	ENE/139.3	84.8 / -1.53	5649 HERWIG PLACE MANOTICK ON	WWIS
--------------------	--------	-----------	--------------	----------------------------------	------

Well ID: 7242995	Data Entry Status:
Construction Date:	Data Src:
Primary Water Use:	Date Received: 6/15/2015
Sec. Water Use:	Selected Flag: TRUE
Final Well Status: Abandoned-Other	Abandonment Rec: Yes
Water Type:	Contractor: 1119
Casing Material:	Form Version: 7
Audit No: Z191412	Owner:
Tag:	Street Name: 5649 HERWIG PLACE
Construction Method:	County: OTTAWA
Elevation (m):	Municipality: NORTH GOWER TOWNSHIP
Elevation Reliability:	Site Info: LOT 10 & 11
Depth to Bedrock:	Lot:
Well Depth:	Concession:
Overburden/Bedrock:	Concession Name:
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/724\7242995.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2015/04/22			
Year Completed:		2015			
Depth (m):					
Latitude:		45.2207246737694			
Longitude:		-75.6747240992347			
Path:		724\7242995.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1005408851			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	447026.00
Code OB Desc:				North83:	5007692.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	22-Apr-2015 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005575111				
Layer:	2				
Plug From:	4.0				
Plug To:	0.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005575109				
Layer:	1				
Plug From:	0.0				
Plug To:	39.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005575110				
Layer:	1				
Plug From:	39.0				
Plug To:	4.0				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1005575108				
Method Construction Code:					
Method Construction:					
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:			1005575102		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1005575106		
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Construction Record - Screen</u>					
Screen ID:			1005575107		
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:			ft		
Screen Diameter UOM:			inch		
Screen Diameter:					
<u>Water Details</u>					
Water ID:			1005575105		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			ft		
<u>Hole Diameter</u>					
Hole ID:			1005575104		
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:			ft		
Hole Diameter UOM:			inch		

<u>22</u>	1 of 1	E/141.4	85.5 / -0.89	5659 MANOTICK MAIN ST lot 4 con A MANOTICK ON	WWIS
Well ID:	7321150			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	10/29/2018
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z276740			Owner:	
Tag:	A252839			Street Name:	5659 MANOTICK MAIN ST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	A
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/732\7321150.pdf

Additional Detail(s) (Map)

Well Completed Date: 2018/08/22
Year Completed: 2018
Depth (m): 36.576
Latitude: 45.2203387612615
Longitude: -75.6745284824787
Path: 732\7321150.pdf

Bore Hole Information

Bore Hole ID:	1007302654	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447041.00
Code OB Desc:		North83:	5007649.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	22-Aug-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1007581797
Layer: 1
Color:
General Color:
Mat1: 11
Most Common Material: GRAVEL
Mat2: 01
Mat2 Desc: FILL
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 30.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007581798

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		120.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007581835			
Layer:		2			
Plug From:		28.0			
Plug To:		38.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007581834			
Layer:		1			
Plug From:		0.0			
Plug To:		28.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007581833			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007581795			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007581804			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		38.0			
Depth To:		120.0			
Casing Diameter:		6.125			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1007581803			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2.0			
Depth To:		38.0			
Casing Diameter:		6.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007581805			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1007581796			
Pump Set At:		100.0			
Static Level:		22.899999618530273			
Final Level After Pumping:		30.899999618530273			
Recommended Pump Depth:		100.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581818			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		30.600000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581831			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581816			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		30.399999618530273			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581820			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		30.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581829			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581819			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581827			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581828			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		30.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581814			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		30.200000762939453			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581822			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		30.799999237060547			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Pump Test Detail ID:		1007581823			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581807			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581808			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		29.399999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581811			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581809			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581812			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		30.100000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581815			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581810			
Test Type:		Draw Down			
Test Duration:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		29.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581817			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581821			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581825			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581830			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		30.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581806			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		28.100000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581813			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		22.899999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581824			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		30.899999618530273			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007581826			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		30.899999618530273			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1007581801			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		100.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		1007581802			
Layer:		2			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		114.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007581800			
Diameter:		6.125			
Depth From:		38.0			
Depth To:		120.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1007581799			
Diameter:		9.75			
Depth From:		0.0			
Depth To:		38.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
23	1 of 1	E/147.7	85.5 / -0.89	5659 MANOTICK MAIN ST MANOTICK ON	WWIS
Well ID:	7321066			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	10/29/2018
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Supply			Abandonment Rec:	Yes
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z276739			Owner:	
Tag:				Street Name:	5659 MANOTICK MAIN ST
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/732\7321066.pdf

Additional Detail(s) (Map)

Well Completed Date: 2018/08/20
Year Completed: 2018
Depth (m):
Latitude: 45.220501004078
Longitude: -75.6744921904158
Path: 732\7321066.pdf

Bore Hole Information

Bore Hole ID:	1007303261	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447044.00
Code OB Desc:		North83:	5007667.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	20-Aug-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1007579218
Layer:
Color:
General Color:
Mat1:
Most Common Material:
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth:
Formation End Depth:
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1007579224
Layer: 1
Plug From: 0.0
Plug To: 5.0
Plug Depth UOM: ft

Annular Space/Abandonment

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Sealing Record</u>					
Plug ID:			1007579225		
Layer:			2		
Plug From:			5.0		
Plug To:			45.0		
Plug Depth UOM:			ft		
<u>Method of Construction & Well Use</u>					
Method Construction ID:			1007579223		
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			1007579217		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1007579221		
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Construction Record - Screen</u>					
Screen ID:			1007579222		
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:			ft		
Screen Diameter UOM:			inch		
Screen Diameter:					
<u>Water Details</u>					
Water ID:			1007579220		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			ft		
<u>Hole Diameter</u>					
Hole ID:			1007579219		
Diameter:					
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

24	1 of 1	SSE/152.7	89.8 / 3.47	lot 4 ON	WWIS
--------------------	--------	-----------	-------------	-------------	------

Well ID:	1506495	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	4/1/1952
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3725
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	004
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	BF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506495.pdf

Additional Detail(s) (Map)

Well Completed Date:	1951/11/20
Year Completed:	1951
Depth (m):	19.5072
Latitude:	45.2186011497757
Longitude:	-75.6761025366878
Path:	150\1506495.pdf

Bore Hole Information

Bore Hole ID:	10028531	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446915.80
Code OB Desc:		North83:	5007457.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	20-Nov-1951 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931004665
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004666			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961506495			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577101			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049802			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		64.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049801			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To: 36.0					
Casing Diameter: 4.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
Results of Well Yield Testing					
Pump Test ID: 991506495					
Pump Set At:					
Static Level: 10.0					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: No					
Water Details					
Water ID: 933460646					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 40.0					
Water Found Depth UOM: ft					

25	1 of 1	E/155.9	85.3 / -1.10	lot 4 ON	WWIS
--------------------	--------	---------	--------------	-------------	------

Well ID:	1506494	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	12/7/1949
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3601
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	004
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	BF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506494.pdf

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		1949/10/04			
Year Completed:		1949			
Depth (m):		8.5344			
Latitude:		45.2203218724587			
Longitude:		-75.6743397780562			
Path:		150\1506494.pdf			

Bore Hole Information

Bore Hole ID:	10028530	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447055.80
Code OB Desc:		North83:	5007647.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	04-Oct-1949 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931004663
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	24.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931004664
Layer:	2
Color:	
General Color:	
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	24.0
Formation End Depth:	28.0
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		961506494			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577100			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049800			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		28.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506494			
Pump Set At:					
Static Level:		2.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933460645			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		28.0			
Water Found Depth UOM:		ft			

[26](#)

1 of 12

ESE/160.6

89.6 / 3.20

City of ottawa
5669 Rideau Valley Drive North
Ottawa ON

GEN

Generator No: ON1549684
SIC Code: 913140
SIC Description: Municipal Fire-Fighting Services
Approval Years: 03,04,05,06,07,08
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		254			
Waste Class Desc:		TRANSFER STATION OILS WASTES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
26	2 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON	GEN
Generator No:		ON1549684		Status:	
SIC Code:		913140		Co Admin:	
SIC Description:		Municipal Fire-Fighting Services		Choice of Contact:	
Approval Years:		2009		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
26	3 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON	GEN
Generator No:		ON1549684		Status:	
SIC Code:		913140		Co Admin:	
SIC Description:		Municipal Fire-Fighting Services		Choice of Contact:	
Approval Years:		2010		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
26	4 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON	GEN
Generator No:		ON1549684		Status:	
SIC Code:		913140		Co Admin:	
SIC Description:		Municipal Fire-Fighting Services		Choice of Contact:	
Approval Years:		2011		Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	5 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON	GEN
Generator No:	ON1549684			Status:	
SIC Code:	913140			Co Admin:	
SIC Description:	Municipal Fire-Fighting Services			Choice of Contact:	
Approval Years:	2012			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
26	6 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON	GEN
Generator No:	ON1549684			Status:	
SIC Code:	913140			Co Admin:	
SIC Description:				Choice of Contact:	
Approval Years:	2013			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
26	7 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON K4M 1C8	GEN
Generator No:	ON1549684			Status:	
SIC Code:	913140			Co Admin:	
SIC Description:	913140			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
26	8 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON K4M 1C8	GEN
Generator No:	ON1549684			Status:	
SIC Code:	913140			Co Admin:	
SIC Description:	913140			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail(s)					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
26	9 of 12	ESE/160.6	89.6 / 3.20	City of ottawa 5669 Rideau Valley Drive North Ottawa ON K4M 1C8	GEN
Generator No:	ON1549684	Status:		CO_OFFICIAL	
SIC Code:	913140	Co Admin:			
SIC Description:	913140	Choice of Contact:		CO_OFFICIAL	
Approval Years:	2014	Phone No Admin:		No	
PO Box No:		Contam. Facility:		No	
Country:	Canada	MHSW Facility:		No	
Detail(s)					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
26	10 of 12	ESE/160.6	89.6 / 3.20	City of ottawa RPAM 5669 Rideau Valley Drive North Ottawa ON K4M 1C8	GEN
Generator No:	ON1549684	Status:		Registered	
SIC Code:		Co Admin:			
SIC Description:		Choice of Contact:			
Approval Years:	As of Dec 2018	Phone No Admin:			
PO Box No:		Contam. Facility:			
Country:	Canada	MHSW Facility:			
Detail(s)					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
26	11 of 12	ESE/160.6	89.6 / 3.20	City of ottawa RPAM 5669 Rideau Valley Drive North Ottawa ON K4M 1C8	GEN
Generator No:	ON1549684	Status:		Registered	
SIC Code:		Co Admin:			
SIC Description:		Choice of Contact:			
Approval Years:	As of Jul 2020	Phone No Admin:			
PO Box No:		Contam. Facility:			
Country:	Canada	MHSW Facility:			
Detail(s)					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
26	12 of 12	ESE/160.6	89.6 / 3.20	City of ottawa RPAM 5669 Rideau Valley Drive North Ottawa ON K4M 1C8	GEN
Generator No:	ON1549684	Status:		Registered	
SIC Code:		Co Admin:			
SIC Description:		Choice of Contact:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:	As of Nov 2021			Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:	Canada			MHSW Facility:	

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

[27](#) 1 of 1 WSW/168.6 84.9 / -1.50 POTTER DR + MANOTIC MAIN ST lot 4 con A MANOTICK ON WWIS

Well ID:	7181760	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	5/29/2012
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	4875
Casing Material:		Form Version:	7
Audit No:	Z133017	Owner:	
Tag:		Street Name:	POTTER DR + MANOTIC MAIN ST
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	004
Well Depth:		Concession:	A
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7181760.pdf

Additional Detail(s) (Map)

Well Completed Date: 2012/03/23
Year Completed: 2012
Depth (m): 14.5
Latitude: 45.2188911061047
Longitude: -75.6788162973326
Path: 718\7181760.pdf

Bore Hole Information

Bore Hole ID:	1003809905	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446703.00
Code OB Desc:		North83:	5007491.00
Open Hole:		Org CS:	MTM09
Cluster Kind:		UTMRC:	4
Date Completed:	23-Mar-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1004325896		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			16		
Most Common Material:			DOLOMITE		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			11.069999694824219		
Formation End Depth:			14.5		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1004325895		
Layer:			2		
Color:			2		
General Color:			GREY		
Mat1:			34		
Most Common Material:			TILL		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:			11		
Mat3 Desc:			GRAVEL		
Formation Top Depth:			7.630000114440918		
Formation End Depth:			11.069999694824219		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1004325894		
Layer:			1		
Color:			2		
General Color:			GREY		
Mat1:			05		
Most Common Material:			CLAY		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			7.630000114440918		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1004325911		
Layer:			1		
Plug From:			0.0		
Plug To:			11.430000305175781		
Plug Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1004325912			
Layer:		2			
Plug From:		4.269999980926514			
Plug To:		14.5			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004325910			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004325892			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004325900			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-0.46000000834465027			
Depth To:		11.430000305175781			
Casing Diameter:		15.880000114440918			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004325901			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004325893			
Pump Set At:					
Static Level:		2.880000114440918			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN:					
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325902			
Test Type:		Draw Down			
Test Duration:		17			
Test Level:		3.049999952316284			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325906			
Test Type:		Draw Down			
Test Duration:		62			
Test Level:		3.115000009536743			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325903			
Test Type:		Recovery			
Test Duration:		17			
Test Level:		2.9700000286102295			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325905			
Test Type:		Draw Down			
Test Duration:		46			
Test Level:		3.0999999046325684			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325904			
Test Type:		Draw Down			
Test Duration:		32			
Test Level:		3.0899999141693115			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325907			
Test Type:		Recovery			
Test Duration:		62			
Test Level:		2.859999895095825			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		1004325899			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		12.899999618530273			
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1004325897			
Diameter:		15.399999618530273			
Depth From:		11.430000305175781			
Depth To:		14.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004325898			
Diameter:		22.959999084472656			
Depth From:		0.0			
Depth To:		11.430000305175781			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

28	1 of 1	ESE/169.5	89.9 / 3.50	lot 4 ON	WWIS
Well ID:	1518656			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/8/1983
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3644
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	BF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1518656.pdf

Additional Detail(s) (Map)

Well Completed Date: 1983/10/19
Year Completed: 1983
Depth (m): 13.1064
Latitude: 45.2191857965719
Longitude: -75.6746574988643
Path: 151\1518656.pdf

Bore Hole Information

Bore Hole ID:	10040526	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447029.80
Code OB Desc:		North83:	5007521.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	19-Oct-1983 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931039105				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	32.0				
Formation End Depth:	43.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931039104				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	14				
Most Common Material:	HARDPAN				
Mat2:	12				
Mat2 Desc:	STONES				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	5.0				
Formation End Depth:	32.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931039103				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	5.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		961518656			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10589096			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930070748			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		43.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930070747			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		34.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991518656			
Pump Set At:					
Static Level:		11.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		30.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934103968			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		30.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934649954			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		30.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934899493			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		30.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934379973			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		30.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933475422			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		37.0			
Water Found Depth UOM:		ft			

<u>29</u>	1 of 1	SE/173.8	91.1 / 4.67	ON	BORE	
Borehole ID:		611772		Inclin FLG:		No
OGF ID:		215513086		SP Status:		Initial Entry
Status:		Borehole		Surv Elev:		No
Type:		Borehole		Piezometer:		No
Use:				Primary Name:		
Completion Date:				Municipality:		
Static Water Level:		1.5		Lot:		
Primary Water Use:				Township:		
Sec. Water Use:				Latitude DD:		45.218831
Total Depth m:		-999		Longitude DD:		-75.67515
Depth Ref:		Ground Surface		UTM Zone:		18
Depth Elev:				Easting:		446991
Drill Method:				Northing:		5007482
Orig Ground Elev m:		93		Location Accuracy:		
Elev Reliabil Note:				Accuracy:		Not Applicable
DEM Ground Elev m:		92.2				
Concession:						
Location D:						
Survey D:						
Comments:						

Borehole Geology Stratum

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218389164 0 9.1 Clay			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218389166 9.1 Bedrock Limestone			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
				BEDROCK,LIMESTONE. Y = 3700. BEDROCK. SEISMIC VELOCITY = 15000. BEDROCK. SEISMIC VELOCIT **Note: Many records provided by the department have a truncated [Stratum Description] field.	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218389165 9.1 9.1 Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
				GRAVEL. WATER STABLE AT 300.0 FEET.	
Source					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 M Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 042800 NTS_Sheet: 31G04G Reliable information but incomplete.			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
Source List					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator
30	1 of 1	E/179.3	84.8 / -1.61	lot 4 ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type:	1513374 Domestic 0 Water Supply			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	 1 8/13/1973 TRUE 1558

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	BF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1513374.pdf

Additional Detail(s) (Map)

Well Completed Date: 1973/06/05
Year Completed: 1973
Depth (m): 11.8872
Latitude: 45.2203686064375
Longitude: -75.674047383753
Path: 151\1513374.pdf

Bore Hole Information

Bore Hole ID:	10035360	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447078.80
Code OB Desc:		North83:	5007652.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	05-Jun-1973 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931023199
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 10.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931023200			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931023198			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931023201			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961513374			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10583930			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930062623			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		37.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930062624			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		39.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991513374			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934639595			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		30.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934099208			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		30.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934378600			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		30.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934897066			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		30.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933468913			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		38.0			
Water Found Depth UOM:		ft			

31	1 of 1	SW/186.2	85.0 / -1.36	POTTER DR + HANOTICK MAIN ST lot 4 con A MANOTICK ON	WWIS
--------------------	--------	----------	--------------	---	------

Well ID:	7181759	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Test Hole	Date Received:	5/29/2012
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	4875
Casing Material:		Form Version:	7
Audit No:	Z133016	Owner:	
Tag:		Street Name:	POTTER DR + HANOTICK MAIN ST
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	004
Well Depth:		Concession:	A
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7181759.pdf

Additional Detail(s) (Map)

Well Completed Date:	2012/03/23
Year Completed:	2012
Depth (m):	38
Latitude:	45.2187016319953
Longitude:	-75.6788904614109
Path:	718\7181759.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1003809880			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	446697.00
Code OB Desc:				North83:	5007470.00
Open Hole:				Org CS:	MTM09
Cluster Kind:				UTMRC:	4
Date Completed:	23-Mar-2012 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID:	1004325853
Layer:	1
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	7.630000114440918
Formation End Depth UOM:	m

Overburden and Bedrock
Materials Interval

Formation ID:	1004325854
Layer:	2
Color:	2
General Color:	GREY
Mat1:	34
Most Common Material:	TILL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	11
Mat3 Desc:	GRAVEL
Formation Top Depth:	7.630000114440918
Formation End Depth:	11.140000343322754
Formation End Depth UOM:	m

Overburden and Bedrock
Materials Interval

Formation ID:	1004325856
Layer:	4
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		11.600000381469727			
Formation End Depth:		38.0			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004325855			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		16			
Most Common Material:		DOLOMITE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		11.140000343322754			
Formation End Depth:		11.600000381469727			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004325890			
Layer:		1			
Plug From:		0.0			
Plug To:		11.279999732971191			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004325891			
Layer:		2			
Plug From:		4.880000114440918			
Plug To:		11.600000381469727			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004325889			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004325851			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004325860			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Depth From:</i>		-0.5099999904632568			
<i>Depth To:</i>		11.279999732971191			
<i>Casing Diameter:</i>		15.880000114440918			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
 <u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1004325861			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>					
 <u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1004325852			
<i>Pump Set At:</i>		13.420000076293945			
<i>Static Level:</i>		2.9100000858306885			
<i>Final Level After Pumping:</i>		3.2899999618530273			
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>		4.510000228881836			
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>		m			
<i>Rate UOM:</i>		LPM			
<i>Water State After Test Code:</i>		1			
<i>Water State After Test:</i>		CLEAR			
<i>Pumping Test Method:</i>		0			
<i>Pumping Duration HR:</i>		2			
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
 <u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004325862			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		3.049999952316284			
<i>Test Level UOM:</i>		m			
 <u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004325868			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		3.0999999046325684			
<i>Test Level UOM:</i>		m			
 <u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1004325879			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		3.0			
<i>Test Level UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325880			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		3.2300000190734863			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325882			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		3.240000009536743			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325884			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		3.259999990463257			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325873			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		3.069999933242798			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325883			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		2.9600000381469727			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325872			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		3.1500000953674316			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325874			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		3.1700000762939453			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325877			
Test Type:		Recovery			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		20			
Test Level:		3.0199999809265137			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325878			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		3.2100000381469727			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325866			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		3.0799999237060547			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325864			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		3.069999933242798			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325870			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		3.109999895095825			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325871			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		3.109999895095825			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325876			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		3.190000057220459			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004325885			
Test Type:		Recovery			
Test Duration:		50			
Test Level:		2.950000047683716			
Test Level UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325867		
Test Type:			Recovery		
Test Duration:			3		
Test Level:			3.130000114440918		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325875		
Test Type:			Recovery		
Test Duration:			15		
Test Level:			3.0399999618530273		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325881		
Test Type:			Recovery		
Test Duration:			30		
Test Level:			2.9800000190734863		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325887		
Test Type:			Recovery		
Test Duration:			60		
Test Level:			2.940000057220459		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325863		
Test Type:			Recovery		
Test Duration:			1		
Test Level:			3.1700000762939453		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325865		
Test Type:			Recovery		
Test Duration:			2		
Test Level:			3.1500000953674316		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325869		
Test Type:			Recovery		
Test Duration:			4		
Test Level:			3.119999885559082		
Test Level UOM:			m		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1004325886		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		3.2699999809265137			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		1004325859			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		11.399999618530273			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004325858			
Diameter:		22.860000610351562			
Depth From:		0.0			
Depth To:		11.279999732971191			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1004325857			
Diameter:		15.239999771118164			
Depth From:		11.279999732971191			
Depth To:		11.600000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

32	1 of 1	WNW/192.9	85.0 / -1.41	lot 3 ON	WWIS
Well ID:	1506487			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	2/9/1953
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3601
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	003
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	BF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506487.pdf				

Additional Detail(s) (Map)

Well Completed Date: 1952/12/13
Year Completed: 1952

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth (m):		12.8016			
Latitude:		45.2214636956286			
Longitude:		-75.679129673955			
Path:		150\1506487.pdf			

Bore Hole Information

Bore Hole ID:	10028523	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446680.80
Code OB Desc:		North83:	5007777.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	13-Dec-1952 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931004649
Layer:	2
Color:	3
General Color:	BLUE
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	30.0
Formation End Depth:	42.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931004648
Layer:	1
Color:	3
General Color:	BLUE
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	30.0
Formation End Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	961506487
Method Construction Code:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577093			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049787			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		30.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049788			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		42.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506487			
Pump Set At:					
Static Level:		3.0			
Final Level After Pumping:		3.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933460638			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Water Details

Water ID: 933460636
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 25.0
Water Found Depth UOM: ft

Water Details

Water ID: 933460637
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 35.0
Water Found Depth UOM: ft

[33](#) 1 of 1 **WNW/200.4** **85.0 / -1.41** **lot 3 ON** **WWIS**

Well ID: 1506489 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 12/13/1954 Selected Flag: TRUE Abandonment Rec: Contractor: 1802 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: NORTH GOWER TOWNSHIP Site Info: Lot: 003 Concession: Concession Name: BF Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506489.pdf

Additional Detail(s) (Map)

Well Completed Date: 1954/11/22
Year Completed: 1954
Depth (m): 29.5656
Latitude: 45.2215537050595
Longitude: -75.6791307455908
Path: 150\1506489.pdf

Bore Hole Information

Bore Hole ID: 10028525 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	Elevation: Elevrc: Zone: 18 East83: 446680.80 North83: 5007787.00 Org CS: UTMRC: 9
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	22-Nov-1954 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931004652				
Layer:	1				
Color:					
General Color:					
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	13				
Mat2 Desc:	BOULDERS				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	25.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931004653				
Layer:	2				
Color:					
General Color:					
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	25.0				
Formation End Depth:	44.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931004654				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	44.0				
Formation End Depth:	97.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		961506489			
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577095			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049792			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		97.0			
Casing Diameter:		3.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049791			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		44.0			
Casing Diameter:		3.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506489			
Pump Set At:					
Static Level:		28.0			
Final Level After Pumping:		35.0			
Recommended Pump Depth:					
Pumping Rate:		7.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933460640			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		96.0			
Water Found Depth UOM:		ft			

[34](#) 1 of 1 E/202.3 88.5 / 2.14 lot 4 ON [WWIS](#)

Well ID:	1506504	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	8/5/1958
Sec. Water Use:	0	Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3601
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	004
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	BF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506504.pdf

Additional Detail(s) (Map)

Well Completed Date: 1958/07/14
Year Completed: 1958
Depth (m): 18.288
Latitude: 45.2196948124195
Longitude: -75.6738228988797
Path: 150\1506504.pdf

Bore Hole Information

Bore Hole ID:	10028540	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447095.80
Code OB Desc:		North83:	5007577.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	14-Jul-1958 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931004687
Layer: 1
Color: 3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		31.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004688			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		31.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961506504			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577110			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049819			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		31.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049820			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		60.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Results of Well Yield Testing

Pump Test ID:	991506504
Pump Set At:	
Static Level:	12.0
Final Level After Pumping:	20.0
Recommended Pump Depth:	
Pumping Rate:	5.0
Flowing Rate:	
Recommended Pump Rate:	
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

Water Details

Water ID:	933460655
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	58.0
Water Found Depth UOM:	ft

[35](#) 1 of 1 **E/202.4** **88.5 / 2.14** **ON** **BORE**

Borehole ID:	611776	Inclin FLG:	No
OGF ID:	215513090	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:	JUL-1958	Municipality:	
Static Water Level:	72.2	Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	45.219694
Total Depth m:	18.3	Longitude DD:	-75.673823
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	447096
Drill Method:		Northing:	5007577
Orig Ground Elev m:	89.9	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Not Applicable
DEM Ground Elev m:	90.1		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218389174	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	9.4	Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Blue			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. BLUE.			
Geology Stratum ID:	218389175			Mat Consistency:	
Top Depth:	9.4			Material Moisture:	
Bottom Depth:	18.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE. GREY. 00058FEET.GRAVEL. NE. Y = 3700. BEDROCK. SEISMIC VELOCITY = 15000			**Note: Many records provided by the department have a truncated [Stratum Description] field.

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA1.txt RecordID: 04284 NTS_Sheet:		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

36	1 of 1	ESE/212.4	91.3 / 4.88	5676 RIDEAU VALLEY DR. lot 4 con A MANOTICK ON	WWIS
Well ID:	7173907			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/23/2011
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z137080			Owner:	
Tag:				Street Name:	5676 RIDEAU VALLEY DR.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	A
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7173907.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2011/11/07				
Year Completed:	2011				
Depth (m):					
Latitude:	45.2189543438589				
Longitude:	-75.6742191733222				
Path:	717\7173907.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003625246				
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:	07-Nov-2011 00:00:00				
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004093144				
Layer:	2				
Plug From:	18.0				
Plug To:	11.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004093145				
Layer:	3				
Plug From:	11.0				
Plug To:	10.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004093143				
Layer:	1				
Plug From:	21.0				
Plug To:	18.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004093146				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		4			
Plug From:		10.0			
Plug To:		8.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004093147			
Layer:		5			
Plug From:		8.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004093142			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004093136			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004093140			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004093141			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1004093139			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1004093138			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

37	1 of 1	ENE/223.7	86.8 / 0.42	ON	BORE
Borehole ID:	611784			Inclin FLG:	No
OGF ID:	215513097			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	OCT-1969			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.221537
Total Depth m:	22.3			Longitude DD:	-75.674227
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	447066
Drill Method:				Northing:	5007782
Orig Ground Elev m:	61			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	86.1				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218389196			Mat Consistency:	
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	6.4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND, GRAVEL. GREY.				
Geology Stratum ID:	218389195			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY, BOULDERS. GREY.				
Geology Stratum ID:	218389197			Mat Consistency:	
Top Depth:	6.4			Material Moisture:	
Bottom Depth:	22.3			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:		LIMESTONE. BLACK. 00071EY. 00227E. GREY. 00075TY = 18000. BEDROCK. SEISMIC VELOCI		Geologic Group: Geologic Period: Depositional Gen:	**Note: Many records provided by the department have a truncated [Stratum Description] field.
Source					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
	Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 04292 NTS_Sheet:				
Source List					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator

<u>38</u>	1 of 1	ENE/223.8	86.8 / 0.42	ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	1510424 Domestic 0 Water Supply			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 12/29/1969 TRUE 1503 1 OTTAWA OSGOODE TOWNSHIP LI

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510424.pdf

Additional Detail(s) (Map)

Well Completed Date: 1969/10/31
Year Completed: 1969
Depth (m): 22.2504
Latitude: 45.2215377530539
Longitude: -75.6742267810806
Path: 151\1510424.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10032452			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	447065.80
Code OB Desc:				North83:	5007782.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	31-Oct-1969 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931014853				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	13				
Mat2 Desc:	BOULDERS				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	20.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931014854				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	20.0				
Formation End Depth:	21.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931014855				
Layer:	3				
Color:	8				
General Color:	BLACK				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		21.0			
Formation End Depth:		73.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961510424			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10581022			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930057494			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		73.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930057493			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		24.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991510424			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934897476				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	30.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934096937				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	25.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934378420				
Test Type:	Draw Down				
Test Duration:	30				
Test Level:	30.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934640553				
Test Type:	Draw Down				
Test Duration:	45				
Test Level:	30.0				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	933465409				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	71.0				
Water Found Depth UOM:	ft				

39	1 of 1	ESE/225.5	92.1 / 5.69	lot 4 ON	WWIS
Well ID:	1506506			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/27/1960
Sec. Water Use:	0			Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1802
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NORTH GOWER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	004
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	BF

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506506.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1960/06/02			
Year Completed:		1960			
Depth (m):		31.3944			
Latitude:		45.2187470812665			
Longitude:		-75.6742574804221			
Path:		150\1506506.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10028542		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 447060.80	
Code OB Desc:				North83: 5007472.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 5	
Date Completed:		02-Jun-1960 00:00:00		UTMRC Desc: margin of error : 100 m - 300 m	
Remarks:				Location Method: p5	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004694			
Layer:		3			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		103.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931004693			
Layer:		2			
Color:					
General Color:					
Mat1:		13			
Most Common Material:		BOULDERS			
Mat2:		11			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		GRAVEL			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		26.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931004692			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		13			
Mat2 Desc:		BOULDERS			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961506506			
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577112			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049824			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		103.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049823			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		46.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Results of Well Yield Testing

Pump Test ID: 991506506
Pump Set At:
Static Level: 20.0
Final Level After Pumping: 35.0
Recommended Pump Depth: 35.0
Pumping Rate: 3.0
Flowing Rate:
Recommended Pump Rate: 3.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 2
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933460657
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 100.0
Water Found Depth UOM: ft

40	1 of 1	E/226.0	84.9 / -1.50	lot 4 con A ON	WWIS
--------------------	--------	---------	--------------	-------------------	------

Well ID: 1533319 Construction Date: Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 246350 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 11/18/2002 Selected Flag: TRUE Abandonment Rec: Contractor: 2558 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: NORTH GOWER TOWNSHIP Site Info: Lot: 004 Concession: A Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	--

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1533319.pdf

Additional Detail(s) (Map)

Well Completed Date: 2002/11/01
Year Completed: 2002
Depth (m): 24.384
Latitude: 45.2200571418035
Longitude: -75.6734387080022

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		153\1533319.pdf			

Bore Hole Information

Bore Hole ID:	10530066	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	447126.30
Code OB Desc:		North83:	5007617.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	01-Nov-2002 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	932880782
Layer:	2
Color:	8
General Color:	BLACK
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	19.0
Formation End Depth:	80.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	932880781
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	19.0
Formation End Depth UOM:	ft

Annular Space/Abandonment

Sealing Record

Plug ID:	933230382
Layer:	1
Plug From:	0.0
Plug To:	27.0
Plug Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961533319			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11078636			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930096669			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991533319			
Pump Set At:					
Static Level:		10.0			
Final Level After Pumping:					
Recommended Pump Depth:		60.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		7.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934119665			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934664216			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		10.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934912341			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934394517			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934022738			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		74.0			
Water Found Depth UOM:		ft			

41	1 of 1	NNE/226.9	89.5 / 3.14	ON	WWIS
Well ID:		1510363		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Domestic		Date Received:	
Sec. Water Use:		0		Selected Flag:	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	
Casing Material:				Form Version:	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	
Elevation (m):				Municipality:	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510363.pdf

Additional Detail(s) (Map)

Well Completed Date: 1969/09/23
Year Completed: 1969
Depth (m): 25.908
Latitude: 45.2222503030717
Longitude: -75.6755089270735
Path: 151\1510363.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole Information

Bore Hole ID:	10032391	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446965.80
Code OB Desc:		North83:	5007862.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	23-Sep-1969 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931014659
Layer:	1
Color:	2
General Color:	GREY
Mat1:	14
Most Common Material:	HARDPAN
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	17.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931014660
Layer:	2
Color:	8
General Color:	BLACK
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	17.0
Formation End Depth:	85.0
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	961510363
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID: Casing No: Comment: Alt Name:		10580961 1			
<u>Construction Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:		930057374 2 4 OPEN HOLE 85.0 inch ft			
<u>Construction Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:		930057373 1 1 STEEL 18.0 6.0 inch ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		991510363 8.0 25.0 60.0 10.0 5.0 ft GPM 2 CLOUDY 2 1 0 No			
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933465339 1 1 FRESH 83.0 ft			

[42](#) 1 of 1 **NNE/233.3** **89.5 / 3.15** **5624 South River Drive**
MANOTICK ON **WWIS**

Well ID: 7324272 Data Entry Status:
Construction Date: Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Domestic			Date Received:	12/11/2018
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z276769			Owner:	
Tag:	A252942			Street Name:	5624 South River Drive
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OSGOODE TOWNSHIP
Elevation Reliability:				Site Info:	S/L 10
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/732\7324272.pdf

Additional Detail(s) (Map)

Well Completed Date: 2018/10/03
Year Completed: 2018
Depth (m): 41.148
Latitude: 45.2223664263818
Longitude: -75.6756606019739
Path: 732\7324272.pdf

Bore Hole Information

Bore Hole ID:	1007323351	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446954.00
Code OB Desc:		North83:	5007875.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03-Oct-2018 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1007742522
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 50.0
Formation End Depth: 120.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007742521			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		21.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007742523			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		18			
Most Common Material:		SANDSTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		120.0			
Formation End Depth:		128.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007742520			
Layer:		1			
Color:		0			
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		0.0			
Formation End Depth:		21.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007742524			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		18			
Most Common Material:		SANDSTONE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		128.0			
Formation End Depth:		135.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007745929			
Layer:		1			
Plug From:		27.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1007748811			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1007740448			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1007749945			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-2.0			
Depth To:		27.0			
Casing Diameter:		6.25			
Casing Diameter UOM:		Inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		1007749946			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		27.0			
Depth To:		135.0			
Casing Diameter:		5.938000202178955			
Casing Diameter UOM:		Inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1007752382			
Pump Set At:		80.0			
Static Level:		13.399999618530273			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping:			15.199999809265137		
Recommended Pump Depth:			100.0		
Pumping Rate:			20.0		
Flowing Rate:					
Recommended Pump Rate:			20.0		
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			3		
Water State After Test:			OTHER		
Pumping Test Method:			0		
Pumping Duration HR:			1		
Pumping Duration MIN:					
Flowing:			No		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759450		
Test Type:			Draw Down		
Test Duration:			2		
Test Level:			14.800000190734863		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759456		
Test Type:			Draw Down		
Test Duration:			20		
Test Level:			15.100000381469727		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759469		
Test Type:			Recovery		
Test Duration:			20		
Test Level:			13.399999618530273		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759458		
Test Type:			Draw Down		
Test Duration:			30		
Test Level:			15.100000381469727		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759461		
Test Type:			Draw Down		
Test Duration:			60		
Test Level:			15.199999809265137		
Test Level UOM:			ft		
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759462		
Test Type:			Recovery		
Test Duration:			1		
Test Level:			13.5		
Test Level UOM:			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759464		
Test Type:			Recovery		
Test Duration:			3		
Test Level:			13.399999618530273		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759451		
Test Type:			Draw Down		
Test Duration:			3		
Test Level:			14.899999618530273		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759453		
Test Type:			Draw Down		
Test Duration:			5		
Test Level:			15.100000381469727		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759467		
Test Type:			Recovery		
Test Duration:			10		
Test Level:			13.399999618530273		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759474		
Test Type:			Recovery		
Test Duration:			60		
Test Level:			13.399999618530273		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759454		
Test Type:			Draw Down		
Test Duration:			10		
Test Level:			15.100000381469727		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			1007759449		
Test Type:			Draw Down		
Test Duration:			1		
Test Level:			14.699999809265137		
Test Level UOM:			ft		
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1007759455			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		15.100000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007759460			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		15.199999809265137			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007759472			
Test Type:		Recovery			
Test Duration:		40			
Test Level:		13.399999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007759465			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		13.399999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007759452			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		15.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007759457			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		15.100000381469727			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007759466			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		13.399999618530273			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007759471			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		13.399999618530273			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1007759459			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		40			
<i>Test Level:</i>		15.100000381469727			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1007759463			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		2			
<i>Test Level:</i>		13.399999618530273			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1007759468			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		15			
<i>Test Level:</i>		13.399999618530273			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1007759470			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		13.399999618530273			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		1007759473			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		50			
<i>Test Level:</i>		13.399999618530273			
<i>Test Level UOM:</i>		ft			
<u>Water Details</u>					
<i>Water ID:</i>		1007751342			
<i>Layer:</i>		2			
<i>Kind Code:</i>		8			
<i>Kind:</i>		Untested			
<i>Water Found Depth:</i>		128.0			
<i>Water Found Depth UOM:</i>		ft			
<u>Water Details</u>					
<i>Water ID:</i>		1007751341			
<i>Layer:</i>		1			
<i>Kind Code:</i>		8			
<i>Kind:</i>		Untested			
<i>Water Found Depth:</i>		50.0			
<i>Water Found Depth UOM:</i>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:			1007747303		
Diameter:			5.938000202178955		
Depth From:			27.0		
Depth To:			135.0		
Hole Depth UOM:			ft		
Hole Diameter UOM:			Inch		
<u>Hole Diameter</u>					
Hole ID:			1007747302		
Diameter:			9.75		
Depth From:			0.0		
Depth To:			27.0		
Hole Depth UOM:			ft		
Hole Diameter UOM:			Inch		
43	1 of 1	NNE/237.3	89.5 / 3.15	5624 south river drive MANOTICK ON	WWIS
Well ID:	7324268			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/11/2018
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1119
Casing Material:				Form Version:	7
Audit No:	Z276782			Owner:	
Tag:				Street Name:	5624 south river drive
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	OSGOODE TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2018/10/11				
Year Completed:	2018				
Depth (m):					
Latitude:	45.2223936552676				
Longitude:	-75.6756227127056				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007323339			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	446957.00
Code OB Desc:				North83:	5007878.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Date Completed: 11-Oct-2018 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Annular Space/Abandonment Sealing Record

Plug ID: 1007727483
Layer: 1
Plug From:
Plug To: 61.0
Plug Depth UOM: m

Pipe Information

Pipe ID: 1007727340
Casing No: 0
Comment:
Alt Name:

44	1 of 1	ESE/239.8	92.6 / 6.19	lot 4 ON	WWIS
--------------------	--------	------------------	--------------------	-----------------	-------------

Well ID: 1506508
Construction Date:
Primary Water Use: Livestock
Sec. Water Use: Domestic
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 11/30/1965
Selected Flag: TRUE
Abandonment Rec:
Contractor: 3601
Form Version: 1
Owner:
Street Name:
County: OTTAWA
Municipality: NORTH GOWER TOWNSHIP
Site Info:
Lot: 004
Concession:
Concession Name: BF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506508.pdf

Additional Detail(s) (Map)

Well Completed Date: 1965/10/12
Year Completed: 1965
Depth (m): 32.9184
Latitude: 45.2187032041427
Longitude: -75.6740659151704
Path: 150\1506508.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	10028544			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	
				18 447075.80 5007467.00 5 margin of error : 100 m - 300 m p5	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		931004698 1			
				05 CLAY 02 TOPSOIL	
			0.0 20.0 ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:		931004699 2			
				11 GRAVEL	
			20.0 30.0 ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:		931004700 3			
				15 LIMESTONE	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		30.0			
Formation End Depth:		108.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961506508			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10577114			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930049827			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		30.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930049828			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		108.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991506508			
Pump Set At:					
Static Level:		38.0			
Final Level After Pumping:		40.0			
Recommended Pump Depth:		80.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 933460659
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 100.0
Water Found Depth UOM: ft

45	1 of 1	ESE/248.4	92.5 / 6.14	lot 4 ON	WWIS
--------------------	--------	------------------	--------------------	---------------------	-------------

Well ID: 1506507 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 8/27/1963 Selected Flag: TRUE Abandonment Rec: Contractor: 3113 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: NORTH GOWER TOWNSHIP Site Info: Lot: 004 Concession: Concession Name: BF Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	--

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506507.pdf

Additional Detail(s) (Map)

Well Completed Date: 1963/03/05
Year Completed: 1963
Depth (m): 21.9456
Latitude: 45.2187947167644
Longitude: -75.6738122671879
Path: 150\1506507.pdf

Bore Hole Information

Bore Hole ID: 10028543 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 05-Mar-1963 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	Elevation: Elevrc: Zone: 18 East83: 447095.80 North83: 5007477.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			931004695		
Layer:			1		
Color:					
General Color:					
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			02		
Mat2 Desc:			TOPSOIL		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			15.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			931004696		
Layer:			2		
Color:			3		
General Color:			BLUE		
Mat1:			05		
Most Common Material:			CLAY		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			15.0		
Formation End Depth:			45.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			931004697		
Layer:			3		
Color:			2		
General Color:			GREY		
Mat1:			15		
Most Common Material:			LIMESTONE		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			45.0		
Formation End Depth:			72.0		
Formation End Depth UOM:			ft		
<u>Method of Construction & Well Use</u>					
Method Construction ID:			961506507		
Method Construction Code:			1		
Method Construction:			Cable Tool		
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			10577113		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Casing No:</i>	1				
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930049825				
<i>Layer:</i>	1				
<i>Material:</i>	1				
<i>Open Hole or Material:</i>	STEEL				
<i>Depth From:</i>					
<i>Depth To:</i>	45.0				
<i>Casing Diameter:</i>	4.0				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930049826				
<i>Layer:</i>	2				
<i>Material:</i>	4				
<i>Open Hole or Material:</i>	OPEN HOLE				
<i>Depth From:</i>					
<i>Depth To:</i>	72.0				
<i>Casing Diameter:</i>	4.0				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>	991506507				
<i>Pump Set At:</i>					
<i>Static Level:</i>	30.0				
<i>Final Level After Pumping:</i>	50.0				
<i>Recommended Pump Depth:</i>	65.0				
<i>Pumping Rate:</i>	5.0				
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>	5.0				
<i>Levels UOM:</i>	ft				
<i>Rate UOM:</i>	GPM				
<i>Water State After Test Code:</i>	1				
<i>Water State After Test:</i>	CLEAR				
<i>Pumping Test Method:</i>	1				
<i>Pumping Duration HR:</i>	1				
<i>Pumping Duration MIN:</i>	0				
<i>Flowing:</i>	No				
<u>Water Details</u>					
<i>Water ID:</i>	933460658				
<i>Layer:</i>	1				
<i>Kind Code:</i>	1				
<i>Kind:</i>	FRESH				
<i>Water Found Depth:</i>	72.0				
<i>Water Found Depth UOM:</i>	ft				

Unplottable Summary

Total: **43** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Village Square Mall	Regional Road No. 13	Ottawa ON	
CA	City of Ottawa	Rideau Valley Drive	Ottawa ON	
CA	Minto Communities Inc.		Ottawa ON	
CA	PERCY STINSON C/O ENVIROPLAN LIMITED	POTTER DR. STINSON SUBD.	RIDEAU TWP. ON	
CA	GORDON SCHARF & IVY SCHARF ENVIROPLAN LT	POTTER DR.	RIDEAU TWP. ON	
CA	KIZELL ENTERPRISES LTD. MANOTICK ESTATES	N & S SIDE POTTER DR. PH. III	RIDEAU TWP. ON	
CA	LEIMERK FARMS LTD. C/O GINSBERG, GLUZMAN	POTTER DR. MANOTICK EST. PH.4	RIDEAU TWP. ON	
DTNK	595831 ONT INC	RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA	ON	
DTNK	595831 ONT INC	RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA	ON	
EBR	Minto Communities Inc.	Ottawa, Ontario CITY OF OTTAWA	ON	
EBR	Minto Communities		ON	
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.	Part of Lots 4 & 5, Concession A	Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6

ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
EXP		RIDEAU VALLEY DR RIDEAU TWP N5V 3K5	ON	
EXP		RIDEAU VALLEY DR RIDEAU TWP N5V 3K5	ON	
EXP		RIDEAU VALLEY DR RIDEAU TWP N5V 3K5	ON	
FST	595831 ONT INC	RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA	ON	
FST	595831 ONT INC	RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA	ON	
GEN	City of Ottawa	Rideau Valley Dr. right of way Manotick Main St.	Ottawa ON	
GEN	City of Ottawa	Rideau Valley Dr. right of way Manotick Main St.	Ottawa ON	
PRT	595831 ONT INC	RIDEAU VALLEY DR	RIDEAU TWP ON	
PTTW	Minto Communities Inc.	Lots 4 and 5, Concession A, NORTH GOWER City of Ottawa CITY OF OTTAWA	ON	
PTTW	Minto Communities Inc.		ON	
PTTW	Minto Communities Inc.		ON	

SPL	Marathon Drilling<UNOFFICIAL>	Rideau Valley Drive at Mud Creek	Ottawa ON
SPL	Taggart Construction Limited	Rideau Valley Drive	Ottawa ON
SPL	CONSTRUCTION COMPANY	REGION RD #13, BAXTER CONSERVATION AREA TRANSPORT TRUCK (CARGO)	RIDEAU TOWNSHIP ON

Unplottable Report

Site: *Village Square Mall*
Regional Road No. 13 Ottawa ON

Database:
CA

Certificate #: 7752-4VBMMJ
Application Year: 01
Issue Date: 4/2/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: The Village Square Mall (Barrhaven) Inc.
Client Address: 17 Fitzgerald Road
Client City: Nepean
Client Postal Code: K2H 9G1
Project Description: Storm and sanitary sewers to be constructed on Greenbank Road
Contaminants:
Emission Control:

Site: *City of Ottawa*
Rideau Valley Drive Ottawa ON

Database:
CA

Certificate #: 8286-7L6SKV
Application Year: 2009
Issue Date: 1/7/2009
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Minto Communities Inc.*
Ottawa ON

Database:
CA

Certificate #: 3058-7JZKTF
Application Year: 2008
Issue Date: 10/7/2008
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *PERCY STINSON C/O ENVIROPLAN LIMITED*
POTTER DR. STINSON SUBD. RIDEAU TWP. ON

Database:
CA

Certificate #: 3-0463-88-

Application Year: 88
Issue Date: 6/6/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: GORDON SCHARF & IVY SCHARF ENVIROPLAN LT
POTTER DR. RIDEAU TWP. ON

Database:
CA

Certificate #: 3-0453-88-
Application Year: 88
Issue Date: 6/6/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: KIZELL ENTERPRISES LTD. MANOTICK ESTATES
N & S SIDE POTTER DR. PH. III RIDEAU TWP. ON

Database:
CA

Certificate #: 3-1593-86-
Application Year: 86
Issue Date: 10/22/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: LEIMERK FARMS LTD. C/O GINSBERG, GLUZMAN
POTTER DR. MANOTICK EST. PH.4 RIDEAU TWP. ON

Database:
CA

Certificate #: 3-1552-87-
Application Year: 87
Issue Date: 9/15/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 595831 ONT INC
RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA ON

Database:
[DTNK](#)

Site: 595831 ONT INC
RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA ON

Database:
[DTNK](#)

Site: Minto Communities Inc.
Ottawa, Ontario CITY OF OTTAWA ON

Database:
[EBR](#)

EBR Registry No: 013-0315
Ministry Ref No: MNR INST 30/17
Notice Type: Instrument Decision
Notice Stage:
Notice Date: September 28, 2017
Proposal Date: April 10, 2017
Year: 2017
Instrument Type: (ESA s.17(2) (c)) - Permit for activities with conditions to achieve overall benefit to the species
Off Instrument Name:
Posted By:
Company Name: Minto Communities Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Ottawa, Ontario CITY OF OTTAWA

Site: Minto Communities
ON

Database:
[EBR](#)

EBR Registry No: 019-2808
Ministry Ref No: KV-C-001-19
Notice Type: Instrument
Notice Stage: Decision
Notice Date:
Proposal Date: December 4, 2020
Year: 2020
Instrument Type: Permit for activities to achieve an overall benefit to a species
Off Instrument Name: Permit for activities with conditions to achieve overall benefit to the species (ESA s.17(2) (c))
Posted By: Ministry of the Environment, Conservation and Parks
Company Name:
Site Address:
Location Other:
Proponent Name: Minto Communities
Proponent Address: Minto Communities
180 Kent Street
Unit 200
Ottawa,
ON
K1P 0B6
Canada
Comment Period: December 4, 2020 - January 3, 2021 (30 days) Closed
URL: <https://ero.ontario.ca/notice/019-2808>

Decision Posted: February 26, 2021
Exception Posted:
Section: Section 17 (2) (c)
Act 1: Endangered Species Act , R.S.O. 2007
Act 2: Endangered Species Act, 2007
Site Location Map:

Site Location Details:

Part of Lot 12, Concession 4, Township of March, Ottawa

Site: *Minto Communities Inc.*
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 3053-8YJNWU
Approval Date: 2012-10-01
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1397-8XNJGH-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Minto Communities Inc.*
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 1554-8Y2HZ6
Approval Date: 2012-09-14
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1100-8WTMSY-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Minto Communities Inc.*
Part of Lots 4 & 5, Concession A Ottawa ON K1P 0B6

Database:
ECA

Approval No: 8043-8VNJCB
Approval Date: 2012-07-10
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address: Part of Lots 4 & 5, Concession A
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3777-8VLN6N-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Minto Communities Inc.*
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 3002-8PBSB4
Approval Date: 2012-01-31
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/6465-8NETCD-14.pdf>
PDF Site Location:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 0195-95LSVA
Approval Date: 2013-03-22
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1964-8XNJA4-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 7202-97BLB4
Approval Date: 2013-05-23
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4553-95ZKWJ-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 7971-9EAST8
Approval Date: 2014-01-10
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7322-9E4LGN-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 6432-CA6MRC
Approval Date: January 18, 2022
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name: South Nation
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/2726-C9PS46-14.pdf>
PDF Site Location: Avalon South Stormwater Management Facility Expansion
Neighbourhood 4
Lot 4, Concession 10
City of Ottawa, Ontario

MOE District: Ottawa
City:
Longitude:
Latitude:
Geometry X: -8402261.5817000009
Geometry Y: 5691103.7277999958

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 7661-ABCKQL
Approval Date: 2016-06-30
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5664-AB4KGV-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 0606-AHXJCH
Approval Date: 2017-02-02
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4552-AHSJ74-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 2268-9WYR3F
Approval Date: 2015-06-08
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Full Address:
Full PDF Link:
PDF Site Location:

<https://www.accessenvironment.ene.gov.on.ca/instruments/3873-9WWLDY-14.pdf>

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 8813-9WYQ2J
Approval Date: 2015-06-08
Status: Approved
Record Type: ECA
Link Source: IDS

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.

Address:

Full Address:

Full PDF Link:

<https://www.accessenvironment.ene.gov.on.ca/instruments/4625-9WXRTA-14.pdf>

PDF Site Location:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 7598-94TRX3
Approval Date: 2013-02-26
Status: Approved
Record Type: ECA
Link Source: IDS

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.

Address:

Full Address:

Full PDF Link:

<https://www.accessenvironment.ene.gov.on.ca/instruments/2553-8VDQUF-14.pdf>

PDF Site Location:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 1720-AKJGKQ
Approval Date: 2017-03-24
Status: Approved
Record Type: ECA
Link Source: IDS

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.

Address:

Full Address:

Full PDF Link:

<https://www.accessenvironment.ene.gov.on.ca/instruments/1769-AKEQQZ-14.pdf>

PDF Site Location:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 3128-AQGJ6T
Approval Date: 2017-08-23
Status: Approved
Record Type: ECA

MOE District:
City:
Longitude:
Latitude:

Link Source: IDS
SWP Area Name: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4569-AQCRKJ-14.pdf>
PDF Site Location:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 8605-AYUHJG
Approval Date: 2018-05-30
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7723-AYKNXD-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 6142-BEJHCE
Approval Date: 2019-08-01
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0892-BDSKVQ-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Minto Communities Inc.**
Ottawa ON K1P 0B6

Database:
ECA

Approval No: 8270-A3ZLU2
Approval Date: 2015-11-10
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Minto Communities Inc.
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8185-A3PRB5-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site:

Database:
EXP

RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON

Instance No: 9724864
Status: Abandoned
Instance ID:
Instance Type:
Instance Creation Dt:
Instance Install Dt:
Item: FS GASOLINE STATION - FULL SERVE
Item Description:
Facility Type: FS Liquid Fuel Tank
Overfill Prot Type:
Creation Date:
Expired Date:
Manufacturer:
Description:
Serial No:
Ulc Standard:
Facility Location: RIDEAU VALLEY DR RIDEAU TWP N5V 3K5
Source: FS Expired Facilities

Model:
Quantity:
Unit of Measure:
Fuel Type2:
Fuel Type3:
Piping Steel: 0
Piping Galvanized: 0
Tank Single Wall St: 2
Piping Underground: 0
Tank Underground: 2
Panam Related:
Panam Venue Nm:

Site: RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON

Database:
EXP

Instance No: 9724864
Status: Abandoned
Instance ID:
Instance Type:
Instance Creation Dt:
Instance Install Dt:
Item: FS GASOLINE STATION - FULL SERVE
Item Description:
Facility Type: FS Piping
Overfill Prot Type:
Creation Date:
Expired Date:
Manufacturer:
Description:
Serial No:
Ulc Standard:
Facility Location: RIDEAU VALLEY DR RIDEAU TWP N5V 3K5
Source: FS Expired Facilities

Model:
Quantity:
Unit of Measure:
Fuel Type2:
Fuel Type3:
Piping Steel: 2
Piping Galvanized: 0
Tank Single Wall St: 0
Piping Underground: 2
Tank Underground: 0
Panam Related:
Panam Venue Nm:

Site: RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON

Database:
EXP

Instance No: 9724864
Status: Abandoned
Instance ID:
Instance Type:
Instance Creation Dt:
Instance Install Dt:
Item: FS GASOLINE STATION - FULL SERVE
Item Description:
Facility Type:
Overfill Prot Type:
Creation Date:
Expired Date:
Manufacturer:
Description:
Serial No:
Ulc Standard:
Facility Location: RIDEAU VALLEY DR RIDEAU TWP N5V 3K5
Source: FS All Facility

Model:
Quantity:
Unit of Measure:
Fuel Type2:
Fuel Type3:
Piping Steel: 2
Piping Galvanized: 0
Tank Single Wall St: 2
Piping Underground: 2
Tank Underground: 2
Panam Related:
Panam Venue Nm:

Site: 595831 ONT INC
RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA ON

Database:
FST

Instance No: 10940468
Status:
Cont Name:
Instance Type:
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Single Wall UST
Install Date: 4/30/1992
Install Year: 1984
Years in Service:
Model: NULL
Description:
Capacity: 22700
Tank Material: Steel
Corrosion Protect:
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related:
Panam Venue:

Fuel Storage Tank Details

Owner Account Name: 595831 ONT INC

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: 595831 ONT INC
Item: FS LIQUID FUEL TANK

Site: 595831 ONT INC
RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA ON

Database:
FST

Instance No: 10940446
Status:
Cont Name:
Instance Type:
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Single Wall UST
Install Date: 4/30/1992
Install Year: 1984
Years in Service:
Model: NULL
Description:
Capacity: 35000
Tank Material: Steel
Corrosion Protect:
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: RIDEAU VALLEY DR RIDEAU TWP N5V 3K5 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related:
Panam Venue:

Fuel Storage Tank Details

Owner Account Name: 595831 ONT INC

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: 595831 ONT INC
Item: FS LIQUID FUEL TANK

Site: *City of Ottawa
Rideau Valley Dr. right of way Manotick Main St. Ottawa ON*

Database:
GEN

Generator No: ON6802088
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration
Approval Years: 2010
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Site: *City of Ottawa
Rideau Valley Dr. right of way Manotick Main St. Ottawa ON*

Database:
GEN

Generator No: ON6802088
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration
Approval Years: 2009
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Site: *595831 ONT INC
RIDEAU VALLEY DR RIDEAU TWP ON*

Database:
PRT

Location ID: 12469
Type: retail
Expiry Date: 1995-08-31
Capacity (L): 57700
Licence #: 0051903001

Site: *Minto Communities Inc.
Lots 4 and 5, Concession A, NORTH GOWER City of Ottawa CITY OF OTTAWA ON*

Database:
PTTW

EBR Registry No: 012-9487
Ministry Ref No: 2771-AH5MTR
Notice Type: Instrument Decision
Notice Stage:
Notice Date: April 05, 2017
Proposal Date: January 04, 2017
Year: 2017
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Company Name: Minto Communities Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6
Comment Period:
URL:

Site Location Details:

Lots 4 and 5, Concession A, NORTH GOWER City of Ottawa CITY OF OTTAWA

Site: *Minto Communities Inc.*
ON

Database:
PTTW

EBR Registry No: 012-9800
Ministry Ref No: 5771-AJEJDR
Notice Type: Instrument Decision
Notice Stage:
Notice Date: October 06, 2017
Proposal Date: February 13, 2017
Year: 2017
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Minto Communities Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Avalon West Community Address: Lot: 3 & Part of Lot 4, Concession: 11, Geographic Township: CUMBERLAND, Ottawa, City District Office: Ottawa
GeoReference: Zone: 18, UTM Easting: 461611, UTM Northing: 5032496, UTM Location Description: S1- Lot 3 Concession 11, Site #: 5712-AJEJLA
CITY OF OTTAWA

Site: *Minto Communities Inc.*
ON

Database:
PTTW

EBR Registry No: 011-4898
Ministry Ref No: 3046-8MLKW5
Notice Type: Instrument Decision
Notice Stage:
Notice Date: December 17, 2014
Proposal Date: November 04, 2011
Year: 2011
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Minto Communities Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Site: *Marathon Drilling<UNOFFICIAL>*
Rideau Valley Drive at Mud Creek Ottawa ON

Database:
SPL

Ref No:	2485-7W4NJV	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Discharge Or Bypass To A Watercourse	Sector Type:	Other
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:	MAX-GEL, VISCOSIFIER	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Possible	Site Municipality:	
Nature of Impact:	Surface Water Pollution	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	9/21/2009	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Watercourse Spills
Incident Reason:	Equipment Failure	Source Type:	
Site Name:	Bore hole underneath Mud Creek<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Marathon Drilling, 2 100L viscosifier to Mud Creek, May 09		
Contaminant Qty:	200 L		

Site: *Taggart Construction Limited*
Rideau Valley Drive Ottawa ON

Database:
SPL

Ref No:	2534-7UPHZG	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Unknown	Sector Type:	Other
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	Planned Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/7/2009	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Land Spills
Incident Reason:	Unknown - Reason not determined	Source Type:	
Site Name:	Construction hole<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Taggart Construction: 1L hydraulic oil to grnd, contd		
Contaminant Qty:	40 L		

Site: CONSTRUCTION COMPANY
REGION RD #13, BAXTER CONSERVATION AREA TRANSPORT TRUCK (CARGO) RIDEAU TOWNSHIP ON

Database:
SPL

Ref No:	66774	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	2/6/1992	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	20612
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2/6/1992	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	WELD/SEAM FAILURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	CLOUTIER CONSTRUCTION LTD-22L DIESEL FUEL TO GRAVEL ON SIDE ROAD.		
Contaminant Qty:			

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2021

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jul 2021

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Jan 31, 2022

Drill Hole Database:

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: May 31, 2021

Environmental Activity and Sector Registry:

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Jan 31, 2021

Environmental Registry:

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Jan 31, 2022

Environmental Compliance Approval:

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Jan 31, 2021

Environmental Effects Monitoring:

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2021

Environmental Issues Inventory System:

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2020

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2021

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2021

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Dec 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Nov 30, 2021**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Jan 31, 2022**Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Jan 31, 2021

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Jan 31, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2019

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variations for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: May 31, 2021

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Jan 31, 2021

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Sep 30, 2021

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX V
GOVERNMENT AND REGULATORY INFORMATION


UTM 118 2 446 79 5 E

31649



ONTARIO

15 N 6502



Elev. 191. 0290

Basin 25

The Water-well Drillers Act, 1954
Department of Mines

Lot 4

Water-Well Record

County or Territorial District Coquitla Township, Village, Town or City N. Yarrow
In Village, Town or City Manotok
Address Manotok

(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) <u>4"</u>	Static level <u>6'</u>
Length(s) <u>44'</u>	Pumping rate <u>200 GPM</u>
Type of screen	Pumping level <u>6'</u>
Length of screen	Duration of test <u>1 hr</u>

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
<u>Clay</u>	<u>1'</u>	<u>40'</u>			
<u>Gravel</u>	<u>40'</u>	<u>44'</u>	<u>44'</u>	<u>38'</u>	<u>Fresh</u>

For what purpose(s) is the water to be used? home

Is water clear or cloudy? clear

Is well on upland, in valley, or on hillside? hillside

Drilling firm M. McLaughlin

Address 1639 Hawthornwood

Name of Driller M. McLaughlin

Address


Licence Number 191

I certify that the foregoing statements of fact are true.

Date Dec 14 1957
Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



SGR



345 Carlingview Drive
 Toronto, Ontario M9W 6N9
 Tel.: 416.734.3300
 Fax: 416.231.1626
 Toll Free: 1.877.682.8772
 www.tssa.org

30 March 2022

Gregory Sabourin
 Terrapex Environmental Ltd.
 1 – 20 Gurdwara Road
 Ottawa, ON K2E 8B3

Subject: 5646 Manotick Main Street, Ottawa, Ontario
Your File No.: CO884.00
SR No.: 3183272

Dear Madam/Sir:

We are in receipt of your correspondence wherein you requested the release of information regarding the above noted subject.

A search of TSSA public records **did not** identify/reveal/locate any documents relating to the following Program(s):

<u>Program</u>	<u>No Record</u>
Fuels Safety	<input type="checkbox"/>
Boiler/Pressure Vessel	<input type="checkbox"/>
Elevating & Amusement Devices	<input type="checkbox"/>

Requested records relating to the following Program(s) were located:

<u>Program</u>	<u>Record</u>	<u>Documents Attached</u>
Fuels Safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Boiler/Pressure Vessel**	<input type="checkbox"/>	<input type="checkbox"/>
Elevating & Amusement Devices	<input type="checkbox"/>	<input type="checkbox"/>
Other	<input type="checkbox"/>	<input type="checkbox"/>

**For BPV, if it has been indicated that records have been located but are not attached, it is likely that TSSA may not be the keeper of the records you are looking for, see note below.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

Should you have any questions, please contact Public Information at publicinformationservices@tssa.org.

Yours truly,

C. Hill

Connie Hill
 Public Information Services

Limitations and Notices:

TSSA Fuels Safety:

If you have environmental concerns regarding this property, you should consider hiring an environmental consultant to conduct an environmental assessment of the property in question.

- Sites that have not been licensed since 1987 may not be in TSSA records.
- Be advised, TSSA Fuels Safety Division did not register:
 - private fuel underground/ aboveground storage tanks prior to January of 1990; and
 - furnace oil tanks prior to May 1, 2002.
- Fuels Safety Division does not register
 - private waste oil tanks in apartments, office buildings, residences etc.; and
 - aboveground gas or diesel tanks.
- The *Technical Standards and Safety Act* and associated regulations do not require the registration of private fuel outlets, nor does it require that any documentation on these facilities be submitted to or reviewed or approved by TSSA. As a result, TSSA has limited information on these facilities. TSSA cautions that any information provided may be inaccurate, incomplete or out of date.

TSSA Elevating & Amusement Devices Program Notice:

- All orders and/or directions issued by the TSSA Inspector have a compliance date and the owner or designated contractor are required to comply within the specified time limit.
- All written declarations of compliance (where eligible) should be sent to TSSA. Once a declaration of compliance has been received, the outstanding order will be resolved.
- Each report shows the details and date of the inspection conducted by TSSA at the requested location.
- The Ontario Amusement Devices Regulation (O. Reg. 221/01) was adopted in 2001. Since that time, TSSA retains copies of technical dossiers of new amusement devices in Ontario (as per TSSA's retention policy). However, for rides that existed prior to the adoption of the Regulation, which were subject to a "grandfathering-in" clause, technical dossiers were not required to be filed with the TSSA. However, if the amusement ride remains in operation, as per ASTM requirements, the owner/licensee must possess an operations document for the device in question.

TSSA Boilers and Pressure Vessels (BPVs) Program Notice:

- Be advised, TSSA does not typically inspect BPVs. These inspections are usually performed by insurance companies.
- **Inspection reports are not always submitted to TSSA by insurance companies; therefore, while TSSA may have some evidence of a BPV at a location on file, there may be no inspection records pertaining to BPVs located at the address provided.
- As of July 1, 2018, BPVs in Ontario may not be operated unless the Director has issued a current certificate of inspection (COI) to the owner or operator. A COI will be issued to the owner or operator of the BPV by TSSA after TSSA has received a Record of Inspection (ROI) from the insurer/third-party inspector, the associated fees have been paid and the BPV has passed a periodic inspection.
- Please note that if the BPV in question is insured, the insurance company may have additional inspection records. Please contact the insurer directly should you wish to obtain further information.



Navigator ▾
 Favorites ▾

[Home](#)
[Profile](#)
[Sign Out](#)
[Help](#)

Item Instances

General

- Additional Attributes
- Assets
- Party Relationships
 - Owner
 - Parties
 - Accounts
 - Contacts
 - Summary

- Pricing
- Counters
- Contracts
- Notes
- Transactions
- Service Requests
- Repair Orders
- History
- Operating Units
- Configuration

Quick Find

[Advanced Search](#)

Logged In As CHILL

Item Instance Details

Item Instance: **37676816**
 Item: **FS CYLINDER EXCHANGE**
 Item Description: **FS Cylinder Exchange**

General Attributes

Organization Name	TSSA Item Master	Instance Name	
Last Version Label	1	Version Label Date	07-AUG-2005 13:34
Revision		New Version Label	<input type="text"/>
System	<input type="text"/>	External Reference	<input type="text"/>
	<input type="button" value="Go"/>	Accounting Classification	Customer Product ▾
Item Instance Type	▾	Lot Number	: not lot-controlled
Operational Status	Not Used	Condition	
Status	MIGRATED	UOM	Each
Quantity	1	Start Time	13:34
Start Date	07-AUG-2005	Shipped On Time	
Shipped On Date		End Time	
End Date		Return By Time	
Return By Date		Actual Return Time	
Actual Return Date			

* Indicates required field.

Time format is HH24:MM

Note: You do not have permission to make updates in this page.

Creation Completed

Owner

Party Type Party
 Party Name: DISCOUNT TOBACCO & GROCERY SHOP Party Number: 980135
 Account Number: 415359 Account Name DISCOUNT TOBACCO & GROCERY SHOP

Current Location

* Type

Party Name Party Number

*Line 1 Site Number

Address **5646 MANOTICK MAIN ST
MANOTICK, K4M 1B3, CA**

Installed At

Installed Date 07-AUG-2005 Installed Time 13:34

Time format is HH24:MM

Change in installed date does not change contract date.

Type

Order

Sales Order Number Sales Order Date
Sales Order Line
Purchase Order Number Agreement Name

Item Flags

- BOM Enabled
- IB Trackable Inventory Trackable
- Sellable Shippable

Item Views

- Merchant Customer

Descriptive Flexfields

Context Value 

Select Context Value and click 'Go' to show relevant fields.



File Number D02-01-MANO 5646

July 15, 2013

Milan Mohammad
8395390 Canada Inc.
5646 Manotick Main Street
Manotick, ON K4M 1B3

Dear Mr. Mohammad:

Re: 5646 Manotick Main Street, Manotick, Ottawa
Receipt Number: 0008047

This will acknowledge receipt of your letter of July 12, 2013, and payment of \$168.00, requesting zoning confirmation that a propane tank exchange is permitted at the above-noted property.

We wish to advise that this property is presently subject to the provisions of the City of Ottawa Consolidated Zoning By-law 2008-250, as amended, in a zone designated as RC1[152r]. This is a *Rural Commercial* designation that provides for a range of highway and recreational commercial uses which serve the rural community, as defined in Sections 217 and 218 of the By-law.

A propane exchange and transfer facility in association with the existing retail use is permitted on this property, subject to the provisions of Section 66 of the Zoning By-law (Provisions for the Handling and Transfer of Propane and Natural Gas):

66. (1) *Facilities relating to the handling and transfer of propane and natural gas, including tanks and associated compressors, pumps and other similar facilities must not be located in any required front, side, corner side or rear yard, nor closer than 30 metres to any lot line abutting a residential zone.*
- (2) *Despite subsection (1), the minimum of 30 metres may be reduced to a minimum of 6 metres where it can be demonstrated that appropriate noise abatement measures have been undertaken to ensure that noise levels at the boundary of the residential zone do not create a nuisance for uses in that abutting residential zone.*

It should be noted that having this use permitted under the zoning by-law does not supersede any other required approvals or regulations.


We trust this information is of assistance to you and wish to emphasize that our response was formulated based on the information you provided to us. Should circumstances change, or

City Of Ottawa
Planning and Growth Management
101 Centrepointe Drive
Nepean, Ontario K2G 5K7
Tel : 613-580-2424 ext.: 13900
robert.sandercoll@ottawa.ca

Ville d'Ottawa
Urbanisme et Gestion de la croissance
Tél. : 613-580-2424 poste: 13900
robert.sandercoll@ottawa.ca

should you require further information, please contact the undersigned at 613-580-2424, ext. 13900.

Yours truly,



Robert Sandercott
Development Information Officer – South District
Planning and Growth Management Department

Attach.



File Number: D06-03-22-0049

March 25, 2022

Greg Sabourin
Terrapex

Sent via email [g.sabourin@terrapex.com]

Dear Greg,

**Re: Information Request
5646 Manotick Main Street, Ottawa, Ontario ("Subject Property")**

Internal Department Circulation:

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

- No information was returned on the Subject Property from Departmental circulation.

Documents Provided:

HLUI Summary Report and HLUI Map

The HLUI Summary Report Excel spreadsheet identifies HLUI area, point and line features within 250 metres of the Subject Property, as shown on the provided HLUI Map PDF. Within 500 metres of the Subject Property, landfills and Environmental Risk Management Area (ERMA) are also identified if applicable.

Additional information may be obtained by contacting:

Ontario's Environmental Registry

The Environmental Registry found at <https://ero.ontario.ca/> contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using key words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House
161 Elgin Street 4th Floor
Ottawa ON K2P 2K1
Tel: (613) 239-1230
Fax: (613) 239-1422

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an “as is” basis with no representation or warranty by the City with respect to the information’s accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact HLUI@ottawa.ca.

Sincerely,

Amya Martinov
Student Planner

Per:

Michael Boughton, MCIP, RPP
Senior Planner
Development Review East
Planning Services
Planning, Infrastructure and Economic Development Department

MB / AM

Enclosures: (2)




1. HLUI Map
2. HLUI Summary Report


cc: File no. D06-03-22-0049

HISTORIC LAND USE INVENTORY (HLUI) - REPORT REFERENCE MAP



Legend

-  Subject Property - 5646 Manotick Main Street
-  Environmental Risk Management Area Within 500m
-  HLUI Area Features Within 250m



APPENDIX VI
AERIAL PHOTOGRAPHS






1946 HISTORICAL AERIAL PHOTO


5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT #	
CO884.00	
DATE	
MAY 2022	
DRAWN	CHECKED
JS	GS
DRAWING #	
FIGURE VI-1	

DATA SOURCE: NAPL

\\serroul\w\PROJECTS\Ottawa\CO884.00_5646 Manotick\Main Street_Manotick\MXD\CO884.00_HistoricalAerials.mxd



1959 HISTORICAL AERIAL PHOTO


5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT #	
CO884.00	
DATE	
MAY 2022	
DRAWN	CHECKED
JS	GS
DRAWING #	
FIGURE VI-2	

DATA SOURCE: NAPL

\\server01\PROJECTS\Ottawa\CO884.00_5646 Manotick Main Street, Manotick\MXD\C0884.00 HistoricalAerials.mxd



1965 HISTORICAL AERIAL PHOTO


5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT # CO884.00	
DATE MAY 2022	
DRAWN JS	CHECKED GS
DRAWING # FIGURE VI-3	

DATA SOURCE: NAPL

\\serrou1\w\PROJECTS\Ontario\CO884.00_5646 Manotick Main Street, Manotick\MXD\CO884.00 HistoricalAerials.mxd




1976 HISTORICAL AERIAL PHOTO

5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT # CO884.00	
DATE MAY 2022	
DRAWN JS	CHECKED GS
DRAWING # FIGURE VI-4	

DATA SOURCE: CITY OF OTTAWA

\\server01\w\PROJECTS\Ottawa\CO884.00_5646 Manotick Main Street, Manotick\MXD\C0884.00_HistoricalAerials.mxd



1991 HISTORICAL AERIAL PHOTO


5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT # CO884.00	
DATE MAY 2022	
DRAWN JS	CHECKED GS
DRAWING # FIGURE VI-5	

DATA SOURCE: CITY OF OTTAWA

\\server01\PROJECTS\Ottawa\CO884.00_5646 Manotick Main Street_Manotick\MXD\CO884.00_HistoricalAerials.mxd





2007 HISTORICAL AERIAL PHOTO


5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT # CO884.00	
DATE MAY 2022	
DRAWN JS	CHECKED GS
DRAWING # FIGURE VI-6	

DATA SOURCE: CITY OF OTTAWA

\\server01\PROJECTS\Ottawa\CO884.00_5646 Manotick Main Street_Manotick\MXD\CO884.00_HistoricalAerials.mxd





2011 HISTORICAL AERIAL PHOTO

5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT #	
CO884.00	
DATE	
MAY 2022	
DRAWN	CHECKED
JS	GS
DRAWING #	
FIGURE VI-7	

DATA SOURCE: CITY OF OTTAWA

\\serroul\w\PROJECTS\Ottawa\CO884.00_5646 Manotick, Main Street, Manotick\MXD\C0884.00_HistoricalAerials.mxd



2019 HISTORICAL AERIAL PHOTO

5646 AND 5650 MANOTICK MAIN STREET, MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.



LEGEND	
	SITE BOUNDARY
	250m STUDY AREA



PROJECT # CO884.00	
DATE MAY 2022	
DRAWN JS	CHECKED GS
DRAWING # FIGURE VI-8	

DATA SOURCE: CITY OF OTTAWA

\\server01\PROJECTS\Ottawa\CO884.00_5646 Manotick Main Street, Manotick\MXD\CO884.00 HistoricalAerials.mxd

APPENDIX VII
TOPOGRAPHIC MAP




TOPOGRAPHIC MAP

5646 AND 5650 MANOTICK MAIN STREET,
MANOTICK, ONTARIO

CLIENT

595831 ONTARIO INC.

N



J:\PROJECTS\Ontario\CO884.00 5646 Manotick Main Street, Manotick\MXD\CO884.00 FIG VII TOPOGRAPHIC.MXD

Sources: Esri, HERE, Garmin, Intermap, increment
FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL
Japan, METI, Esri China (Hong Kong), (c) Open
the GIS User Community

PROJECT #		CO884.00	
DATE		MAY 2022	
DRAWN	CHECKED		
JS	GS		
DRAWING #		FIGURE VII	

DATA SOURCE: ERIS

APPENDIX VIII
SITE PHOTOGRAPHS

Client: 595831 Ontario Inc.

Site Location:

5646 & 5650 Manotick Main Street,
Ottawa ON

Project No: CO884.00

Photo No: 1

Date: March 16, 2022

Viewing Direction:
west

Description:

A view of the Site from the eastern side of Manotick Main Street.



Photo No: 2

Date: March 16, 2022

Viewing Direction:
South

Description:

View of the Site from the northeastern portion of the Site. The two-bay car wash is visible at the north end of the building.



Client: 595831 Ontario Inc.

Site Location:

5646 & 5650 Manotick Main Street,
Ottawa ON

Project No: CO884.00

Photo No: 3

Date: March 16, 2022

Viewing Direction:
East

Description:

View of rear portion of the building from the southwestern portion of the Site.

The two second floor apartments are accessed from the wooden staircase at the southwest corner of the building.



Photo No: 4

Date: March, 2022

Viewing Direction:
North

Description:

View of the septic bed located at the rear of the Site.



Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 5**Date:** March 16, 2022**Viewing Direction:**
West**Description:**A view of the southwest
corner of the building.**Photo No:** 6**Date:** March 16, 2022**Viewing Direction:**
North**Description:**A view of excavated soil
located at the rear of the
building.

Client: 595831 Ontario Inc.

Site Location:

5646 & 5650 Manotick Main Street,
Ottawa ON

Project No: CO884.00

Photo No: 7

Date: March 16, 2021

Viewing Direction:
East

Description:

A view of the apparent location of the former underground storage tank nest.



Photo No: 8

Date: March 16, 2022

Viewing Direction:
South

Description:

A view of domestic supply well located at the front of the building. It was noted that the water supply well was in a state of disrepair and was missing its cap.



Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 9**Date:** March 16, 2022**Viewing Direction:**
North**Description:**

A view of the interior of the Site building in the former store area.

**Photo No:** 10**Date:** March 16, 2022**Viewing Direction:**
East**Description:**

A view of car wash mechanical room located in the northern portion of the building.



Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 11**Date:** March 16, 2022**Viewing Direction:**
East**Description:**A view of the second
apartment upstairs.**Photo No:** 12**Date:** March 16, 2022**Viewing Direction:**
East**Description:**A view of extension
located at the rear of the
building.

Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 13**Date:** March 16, 2022**Viewing Direction:**
N/A**Description:**

A view of the bulk detergents stored in the mechanical room for the car wash.

**Photo No:** 14**Date:** March 16, 2022**Viewing Direction:**
West**Description:**

A view of the bathroom located in the former store area of the building.



Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 15**Date:** March 16, 2022**Viewing Direction:**
East**Description:**A view of a pipe leading
out of the building.**Photo No:** 14**Date:** March 16, 2022**Viewing Direction:**
East**Description:**A view of the former pump
island.

Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 17**Date:** April 21, 2022**Viewing Direction:**
Southwest**Description:**

A view of the residential building located at 5650 Manotick Main Street.

**Photo No:** 18**Date:** April 21, 2022**Viewing Direction:**
West**Description:**

A view of the residential property located at 5650 Manotick Main Street.



Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 18**Date:** April 21, 2022**Viewing Direction:**
East**Description:**

A view of the rear of the residential building located at 5650 Manotick Main Street.

**Photo No:** 18**Date:** April 21, 2022**Viewing Direction:**
west**Description:**

A view of the residential property located at 5650 Manotick Main Street.



Client: 595831 Ontario Inc.**Site Location:**5646 & 5650 Manotick Main Street,
Ottawa ON**Project No:** CO884.00**Photo No:** 19**Date:** April 21, 2022**Viewing Direction:**
East**Description:**

The shed located in the backyard of 5650 Manotick Main Street property.

**Photo No:** 18**Date:** April 21, 2022**Viewing Direction:**
N/A**Description:**

A view of the staining located underneath the lawn mower inside the shed located on the 5650 Manotick Main Street Property.



APPENDIX IX
QUALIFICATIONS OF ASSESSORS

Education: B.Eng. Environmental Engineering 2010 Carleton University, Ottawa

Professional Associations: Professional Engineers of Ontario (PEO) – Membership Number: 100165530

EXPERIENCE 2010 to present – Terrapex Environmental Ltd., Ottawa, Ontario

Mr Sabourin is project manager responsible for supervising environmental site assessments for various municipal residential, commercial and developer clients. Mr. Sabourin has a wide variety of field experience including but not limited to borehole drilling, groundwater sampling, soil and sub-slab vapor sampling, and remedial supervision. Mr. Sabourin is registered with the Ontario Ministry of the Environment, Conservation and Parks (MECP) as a Qualified Person (QP) for undertaking Environmental Site Assessment activities and certifying Records of Site Condition (RSC) and has experience filing in the registry.

PROJECT EXPERIENCE

Municipal client: Completed several Phase I environmental site assessments (ESA) at properties owned by a municipality compliant with CSA standards. The work completed included site inspections to identify visible signs and/or potential sources of contamination possible, contaminant transport pathways, and potential receptors. Conducted interviews with relevant people who had a connection to the site. Conducted research and reviewed available documents including requesting information from public and private entities; interpreting aerial photographs; reviewing city directories, and previous environmental reports and acquired information; drafting of site plans; and, report composition. Additional responsibilities included client and tenant liaison. All Phase I ESAs were finalized with a recommendation for either no further work or the design and completion of a Phase II ESA.

Commercial Client: Was an integral part of a team that completed a Phase One ESA and a subsequent Phase Two ESA at a former industrial Site in Ottawa ON. The ESAs were completed so the Site could be re-developed into childcare facility. Since the Site was to be redeveloped into a more sensitive land use this necessitated the filing of a RSC with the Ministry of Environment, Conservation and Parks (MECP). Responsibilities included developing the conceptual site model (CSM), liaison with the clients and property owner for the supporting documentation needed for the RSC filing, filling out the electronic RSC form and addressing MECP comments during the initial review.

Petroleum Client: Conducted field and reporting tasks for a soil remediation project at a former gas station and commercial property, in Ottawa, Ontario. The area excavated was based on results of a previous Phase II ESA and observations of the soil conditions during the excavation. The total soil excavated and disposed of offsite was 4,700 metric tonnes. Responsibilities included supervision and direction of all excavation activities, collection of confirmatory soil samples, interpretation of laboratory analytical data, drafting of site plans and analytical results figures, and report composition.

Technology Client: Conducted field and office activities for Human Health and Ecological Risk Assessment (HHERA) for site located in eastern Ontario that was contaminated by historic use and storage of chlorinated solvents. Responsibilities included management of sub-contractors, liaison with client and land owners, health and safety, groundwater monitoring and sampling, sub-slab vapour and ambient air sampling, drafting of site plans, review of historic reports, completion of data gap analysis, and annual report composition. In order to support the HHERA, Mr. Sabourin conducted a building floor and subgrade investigation consisting of the installation and sampling of sub-slab vapour probes and conducting preliminary pilot sub-slab communicative testing for the eventual design and installation of a sub-slab depressurization system.

Government Client: Provided multi-year environmental consulting services to a government campus in Ottawa, Ontario with respect to due diligence monitoring of the facilities sanitary effluent flow. Responsibilities included reviewing sanitary sewer plans and selecting sample locations, completion of a health and safety plan, supervising and training Terrapex staff in collection of sanitary effluent samples using manual and automatic sampling methodologies, and writing reports comparing the analytical results to the Ottawa's sewer-use bylaw. The sanitary effluent sampling program has since expanded to include additional buildings and facilities.

Position: Senior Project Manager, Ottawa Office

Qualifications: B.A.Sc., Geological Engineering
P.Eng., Province of Ontario
QP_{ESA} in accordance with O.Reg. 153/04

Experience:

Terrapex Environmental Ltd.	2015 to present
Franz Environmental Inc.	2010 to 2014
Houle Chevrier Engineering Ltd.	2009 to 2010
Sustainable Development Technologies Canada	2008-2009
Aqua Terre Solutions Inc.	1998-2008
Conor Pacific Environmental Technologies Inc. (formerly Arcturus Environmental Inc)	1994-1998
Consulting and Audit Canada	1993-1994
Adamas Engineering Ltd.	1992-1993
Water & Earth Science Associates Ltd.	1991-1992

Mr. Grinnell is a senior environmental engineer / senior project manager with 27 years of experience. During that time he has managed approximately 620 phased environmental site assessment (Phase I, II & III ESAs), 250 contaminated site remediations, 60 designated substance surveys, 200 underground storage tank removals, 20 storage tank compliance programs, 25 potable water/wastewater projects and 35 compliance audits. As a senior project manager Mr. Grinnell liaises regularly with the clients and is responsible for ensuring that project deliverables are provided on time and on budget. He also provides senior technical review on all reports/correspondence issued for his projects.

Representative projects include the following:

Inogen Canadian Account Leader. Since 2016, Mr. Grinnell has been responsible for assigning all work requests in Canada. This includes liaising with clients and project teams, overseeing work product quality, assigning resources to complete deliverables on time and on budget and attending global meetings to support clients and learn associate capabilities to enhance service delivery in Canada.

Account Manager and Senior Technical Reviewer, SOA, Valvoline Canada Corporation. Responsible for overseeing site assessments and site investigations conducted for due diligence purposes in Alberta, Manitoba and Ontario under current standing offer agreement since 2019.

Account Manager and Senior Technical Reviewer, SOA, National Capital Commission (NCC). Responsible for overseeing site assessment, site monitoring/management, risk assessment and other work programs conducted on federal lands owned by the NCC in the National Capital Region since 2018.

Project Manager and Senior Technical Reviewer for remediation and risk base closure plan, chlorinated hydrocarbons impacted site, confidential location eastern Ontario. This project has included a data gap analyses, supplemental investigations to assess soil vapour and sub-slab soil vapour conditions, remedial options analyses, development of a conceptual site model, preparation of a human health and ecological risk assessment (ongoing) and the design/installation of a sub slab depressurization system (planned for 2018).

Project Manager and Senior Technical Reviewer, Phase I ESA / LCA/ Phase II ESA / remedial options analyses, transactional due diligence investigation, Confidential Client. On behalf of an American food manufacturer, Phase I ESAs and limited compliance audits (environmental and health and safety) were conducted at facilities located in Edmonton Alberta, Brantford Ontario and Toronto, Ontario. Following the identification of historical TCE storage and handling at the Toronto facility, a Phase II ESA, supplemental soil and groundwater delineation program, remedial options analyses and environmental liability estimate were prepared. The transaction ultimately proceeded and the Toronto facility is currently undergoing remediation (oversee by the original owner).

Account Manager and Senior Technical Reviewer, SOA, Husky Oil Operations Limited. Responsible for overseeing all site assessment, site monitoring/management and site remedial work programs conducted in Ontario since 2015.