

5646 Manotick Main Street

CONTENTS

Architecture

SHEET LIST		
SHEET #	TITLE	Revision
A00	COVER PAGE	1.0
A001	PROJECT DATA	1.0
A050	SITE PLAN	1.0
A103	GROUND FLOOR	1.0
A200	STARBUCKS ELEVATION - FRONT & REAR	1.0
A201	STARBUCKS ELEVATION - EAST & WEST	1.0
A203	SITE ELEVATION - FRONT & REAR	1.0
A901	PROJECT RENDERINGS	1.0

22199 Manotick

RELEASE 1 - ISSUED FOR SPA
2023-05-24

Version 1 A

Project version note



**NOT FOR CONSTRUCTION / PAS
POUR CONSTRUCTION**



ROSSMANN
ARCHITECTURE

88 Saint-Joseph Boulevard,
Gatineau QC J8Y 3W5
819-600-1555

This document and all information herein is confidential and the intellectual property of Rossmann Architecture Inc. It is disclosed in confidence on terms that it will not be disclosed to any third party, used, sold, loaned, licensed, or reproduced in whole or in any part in any manner or form for manufacturing, tendering or for any other purpose without the written permission of Rossmann Architecture Inc. The copyright is retained by Rossmann Architecture Inc.

Ce document, ainsi que tous les renseignements qu'il contient, est la propriété de Rossmann Architecture Inc. Il est divulgué en confiance sous les termes qu'il ne sera pas divulgué à aucune tierce partie, utilisé, vendu, prêté, licencié ou reproduit en son entier ou en partie d'aucune manière pour la manufacture, soumission ou pour autres fins sans la permission écrite de Rossmann Architecture Inc. Le droit d'auteur est retenu par Rossmann Architecture Inc.

NOT FOR CONSTRUCTION /
PAS POUR CONSTRUCTION

This document and all information herein is confidential and the intellectual property of Rossmann Architecture Inc. It is disclosed in confidence on terms that it will not be disclosed to any third party, used, sold, loaned, licensed, or reproduced in whole or in any part in any manner or form for manufacturing, rendering or for any other purpose without the written permission of Rossmann Architecture Inc. The copyright is retained by Rossmann Architecture Inc.

Ce document, ainsi que tous renseignements contenus a l'intérieur, est la propriété de Rossmann Architecture Inc. Il est divulgué en confiance sous les termes qu'il ne sera pas divulgué a aucun tiers, utilisé, vendu, prêté, licencié ou reproduit en son entier ou en partie d'aucune manière pour la manufacture, soumission ou pour autres fins sans la permission écrite de Rossmann Architecture Inc. Le droit d'auteur est retenu par Rossmann Architecture Inc.

PROJECT TEAM / ÉQUIPE DU PROJET :


DRIVE-THRU RESTAURANT

CODE MATRIX													
Project Description	Change of Use			New			Part 11			Part 3	Part 9		
	Existing	New	Alteration	232	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Major Occupancy	Existing	New	Alteration	232	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Building Area (m ²)	Existing	New	Alteration	232	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Gross Area (m ²)	Existing	New	Alteration	232	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Number of Storeys	Above Grade	New	Alteration	1	Below Grade		x		3.2.1.1. & 3.1.3.2.	2.1.1.3.			
Height of Building (m)	5										2.1.1.3.		
Number of Streets/Access Routes	1										3.2.2.10. & 3.2.5.5.		
Building Classification	GROUP E – 1 FLOOR										3.2.2.20 – 83	9.10.4.	
Sprinkler System Proposed	<input type="checkbox"/> Entire Building <input type="checkbox"/> Basement Only <input type="checkbox"/> In lieu of roof rating <input checked="" type="checkbox"/> Not Required										3.2.2.20-83	9.10.8	
Standpipe Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.9.		
Fire Alarm Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.4.	9.10.7.2.	
Water Service/Supply is Adequate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.6.		
High Building	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.6.		
Permitted Construction	<input checked="" type="checkbox"/> Combustible			<input type="checkbox"/> Non-combustible								3.2.2.20 - 83	9.10.6.
Actual Construction	<input checked="" type="checkbox"/> Combustible			<input type="checkbox"/> Non-combustible								3.2.1.1. 3)- 8)	9.10.4.1.
Mezzanine(s) Area											3.2.1.1. 3)- 8)	9.10.4.1.	
Occupant Load Based on	<input type="checkbox"/> m ²			<input checked="" type="checkbox"/> Design of building								3.1.17.	9.9.1.3.
Parking level – 02	Occupancy			Load									
Parking level – 01	Occupancy			Load									
Ground Floor	Occupancy	30		Load									
Level 2	Occupancy			Load									
Level 3	Occupancy			Load									
Level 4	Occupancy			Load									
Level 5	Occupancy			Load									
Barrier-free Design	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Explain)										3.8.	9.5.2.	
Hazardous Substances	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.3.1.2. (1) & 3.3.1.19. (1)	9.10.1.3.	
Required Fire Resistance Rating	Horizontal Assemblies FRR(hours)			Listed Design No. or Description (SG-2)								3.2.2.20-83 & 3.2.1.4.	9.10.8. 9.10.9.
	Floors	NA		Based On									
	Roof	-		Based On									
	Mezzanine	-		Based On									
	FRR of Supporting Members			Listed Design No. or Description (SG-2)									
	Floors	NA		Based On									
	Roof	-		Based On									
	Mezzanine	-		Based On									
Spatial Separation – Construction Of Exterior Walls												3.2.3	9.10.14
Wall	Area (m ²)	L.D. (m)	L/H or H/L	Permitted Max. % of Openings	Proposed % of Openings	FRR (Hours)	Listed Design or Description	Comb. Constr.	Comb. Non-comb. cladding	Non-comb. Constr.			
North	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
South	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
East	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
West	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Exigences Relatives Aux Issues												3.4.2.1, 3.4.3.2B, 3.4.6.16	9.9
Étage	Min. Number of Exits	Min. Width of Corridors	Min. Width of Ramps	Min. Width of Stairs	Min. Width of door openings	Max. Travel Distance	Max. Distance between Exits	Panic bars					
Sous-sol								<input type="checkbox"/>					
1 st Floor	2	1100						<input type="checkbox"/>					
2 nd Floor								<input type="checkbox"/>					
3 rd Floor								<input type="checkbox"/>					
4 th Floor								<input type="checkbox"/>					
5 th Floor								<input type="checkbox"/>					
6 th Floor								<input type="checkbox"/>					

CAR WASH

CODE MATRIX													
Project Description	Change of Use			New			Part 11			Part 3	Part 9		
	Existing	New	Alteration	288.7	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Major Occupancy	Existing	New	Alteration	288.7	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Building Area (m ²)	Existing	New	Alteration	288.7	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Gross Area (m ²)	Existing	New	Alteration	288.7	Total				3.1.2.1. (1)	9.10.2.	2.1.1. 9.10.1.3		
Number of Storeys	Above Grade	New	Alteration	1	Below Grade		x		3.2.1.1. & 3.1.3.2.	2.1.1.3.			
Height of Building (m)	5										2.1.1.3.		
Number of Streets/Access Routes	1										3.2.2.10. & 3.2.5.5.		
Building Classification	GROUP F2 – 1 FLOOR										3.2.2.20 – 83	9.10.4.	
Sprinkler System Proposed	<input type="checkbox"/> Entire Building <input type="checkbox"/> Basement Only <input type="checkbox"/> In lieu of roof rating <input checked="" type="checkbox"/> Not Required										3.2.2.20-83	9.10.8	
Standpipe Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.9.		
Fire Alarm Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.4.	9.10.7.2.	
Water Service/Supply is Adequate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.6.		
High Building	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.2.6.		
Permitted Construction	<input checked="" type="checkbox"/> Combustible			<input type="checkbox"/> Non-combustible								3.2.2.20 - 83	9.10.6.
Actual Construction	<input type="checkbox"/> Combustible			<input checked="" type="checkbox"/> Non-combustible								3.2.1.1. 3)- 8)	9.10.4.1.
Mezzanine(s) Area											3.2.1.1. 3)- 8)	9.10.4.1.	
Occupant Load Based on	<input type="checkbox"/> m ²			<input checked="" type="checkbox"/> Design of building								3.1.17.	9.9.1.3.
Parking level – 02	Occupancy			Load									
Parking level – 01	Occupancy			Load									
Ground Floor	Occupancy	5		Load									
Level 2	Occupancy			Load									
Level 3	Occupancy			Load									
Level 4	Occupancy			Load									
Level 5	Occupancy			Load									
Barrier-free Design	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Explain)										3.8.	9.5.2.	
Hazardous Substances	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No										3.3.1.2. (1) & 3.3.1.19. (1)	9.10.1.3.	
Required Fire Resistance Rating	Horizontal Assemblies FRR(hours)			Listed Design No. or Description (SG-2)								3.2.2.20-83 & 3.2.1.4.	9.10.8. 9.10.9.
	Floors	NA		Based On									
	Roof	-		Based On									
	Mezzanine	-		Based On									
	FRR of Supporting Members			Listed Design No. or Description (SG-2)									
	Floors	NA		Based On									
	Roof	-		Based On									
	Mezzanine	-		Based On									
Spatial Separation – Construction Of Exterior Walls												3.2.3	9.10.14
Wall	Area (m ²)	L.D. (m)	L/H or H/L	Permitted Max. % of Openings	Proposed % of Openings	FRR (Hours)	Listed Design or Description	Comb. Constr.	Comb. Non-comb. cladding	Non-comb. Constr.			
North	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
South	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
East	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
West	-	-						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Exigences Relatives Aux Issues												3.4.2.1, 3.4.3.2B, 3.4.6.16	9.9
Étage	Min. Number of Exits	Min. Width of Corridors	Min. Width of Ramps	Min. Width of Stairs	Min. Width of door openings	Max. Travel Distance	Max. Distance between Exits	Panic bars					
Sous-sol								<input type="checkbox"/>					
1 st Floor	1	1100						<input type="checkbox"/>					
2 nd Floor								<input type="checkbox"/>					
3 rd Floor								<input type="checkbox"/>					
4 th Floor								<input type="checkbox"/>					
5 th Floor								<input type="checkbox"/>					
6 th Floor								<input type="checkbox"/>					

KEY PLAN / PLAN CLÉ :



CLIENT :

HAWKINS PROPERTIES

5646 Manotick Main Street | www.WEBSITE.com
Tel : XXX-XXX-XXXX

1.0	ISSUED FOR SPA	23-05-24
revision	description	date

PROJECT NAME / NOM DU PROJET :

Manotick

DRAWING NAME / NOM DU DESSIN :

PROJECT DATA

DRAWING INFORMATION / INFORMATION DU DESSIN :

PROJECT NO. / NO. DE PROJET : **22199**
DATE : **2018-07-12**
DRAWN BY / DESSINÉ PAR : **Author**
REVIEWED BY / VÉRIFIÉ PAR : **Checker**
SCALE / ÉCHELLE :
PROJECT PHASE / PHASE DU PROJET : **1**
DWG NO. / NO. DESSIN :

A001

REVISION NO. / NO. DE RÉVISION : 1.0

NOT FOR CONSTRUCTION /
PAS POUR CONSTRUCTION

This document and all information herein is confidential and the intellectual property of Rossmann Architecture Inc. It is disclosed in confidence on terms that it will not be disclosed to any third party, used, sold, loaned, licensed, or reproduced in whole or in any part in any manner or form for manufacturing, rendering or for any other purpose without the written permission of Rossmann Architecture Inc. The copyright is retained by Rossmann Architecture Inc.

Ce document, ainsi que tous renseignements contenus a l'intérieur, est la propriété de Rossmann Architecture Inc. Il est divulgué en confiance sous les termes qu'il ne sera pas divulgué a aucun tiers, utilisé, vendu, prêté, licencié ou reproduit en son entier ou en partie d'aucune manière pour la manufacture, soumission ou pour autres fins sans la permission écrite de Rossmann Architecture Inc. Le droit d'auteur est retenu par Rossmann Architecture Inc.

PROJECT TEAM / ÉQUIPE DU PROJET :

TOPOGRAPHIC BOUNDARY INFORMATION OF LOT 4, CONCESSION A (BROKEN FRONT), GEOGRAPHIC TOWNSHIP OF NORTH GOWER PREPARED BY MCINTOSH PERRY SURVEYING INC.

NOTE A :
ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS AND SPECIFICATIONS, INCLUDING OTHER CONSULTANTS DRAWINGS AND SPECIFICATIONS. ANY DISCREPANCIES BETWEEN DRAWINGS WILL BE REPORTED TO THE PROJECT LEAD IMMEDIATELY FOR CLARIFICATION PRIOR TO COMMENCING ANY CONSTRUCTION.

NOTE B :
ALL GENERAL SITE INFORMATION AND CONDITIONS HAVE BEEN COMPILED FROM EXISTING PLANS AND SURVEYS.

NOTE C :
CONTRACTOR IS RESPONSIBLE TO CHECK AND VERIFY ALL DIMENSIONS ON SITE AND REPORT ALL ERRORS AND / OR OMISSIONS TO THE ARCHITECT.

NOTE D :
REFER TO LANDSCAPE PLAN FOR ALL EXTERIOR LANDSCAPING.

NOTE E :
DO NOT SCALE DRAWINGS.

NOTE F :
ALL CONTRACTORS MUST COMPLY WITH ALL APPLICABLE CODES AND REGULATIONS.

BOUNDARY INFO

PROJECT TEAM / ÉQUIPE DU PROJET :

KEY PLAN / PLAN CLÉ :



CLIENT :

HAWKINS PROPERTIES

5646 Manotick Main Street
Tel : XXX-XXX-XXXX | www.WEBSITE.com

1.0 ISSUED FOR SPA 23-05-24
revision description date

PROJECT NAME / NOM DU PROJET :

Manotick


DRAWING NAME / NOM DU DESSIN :

SITE PLAN

DRAWING INFORMATION / INFORMATION DU DESSIN :

PROJECT NO. / NO. DE PROJET : **22199**
DATE : **10/08/19**
DRAWN BY / DESSINÉ PAR : **Author**
REVIEWED BY / VÉRIFIÉ PAR : **Checker**
SCALE / ÉCHELLE : **As indicated**
PROJECT PHASE / PHASE DU PROJET : **1**
DWG NO. / NO. DESSIN : **A050**

REVISION NO. / NO. DE RÉVISION : **1.0**



1 SITE PLAN
A050 1:200

SITE CONTEXT

LEGEND

SURFACES

- GRASS
- RIVERSTONE
- CONCRETE PAVERS
- POURED CONCRETE
- ASPHALT PAVING
- PROPOSED NEW BUILDING
- EXISTING BUILDING TO REMAIN
- EXISTING BUILDING TO BE DEMOLISHED

LINES

- PROPERTY LINE
- SETBACK LINE
- EXISTING FENCE
- NEW FENCE
- OVERHEAD WIRES

VEGETATION

- TREE: EXISTING TO REMAIN
- TREE: EXISTING TO BE REMOVED
- TREE: NEW PROPOSED
- SHRUB: NEW PROPOSED

SYMBOLS

- DIRECTIONAL ARROWS
- BUILDING ACCESS
- BUILDING EGRESS
- SIAMESE CONNECTION
- UTILITY POLE
- FIRE HYDRANT
- CATCH BASIN / MANHOLE
- DEPRESSED CURB
- LANDSCAPE LIGHT
- LIGHT POLE
- WALL MOUNTED LIGHT
- EXISTING GRADE ELEVATION
- PROPOSED GRADE ELEVATION
- LOT CORNERS

PARKING

- BIKE PARKING
- CAR PARKING
- BF PARKING
- BF PARKING (TYPE A)
- BF PARKING (TYPE B)

GENERAL NOTES

- NOTE A :** ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS AND SPECIFICATIONS, INCLUDING OTHER CONSULTANTS DRAWINGS AND SPECIFICATIONS. ANY DISCREPANCIES BETWEEN DRAWINGS WILL BE REPORTED TO THE PROJECT LEAD IMMEDIATELY FOR CLARIFICATION PRIOR TO COMMENCING ANY CONSTRUCTION.
- NOTE B :** ALL GENERAL SITE INFORMATION AND CONDITIONS HAVE BEEN COMPILED FROM EXISTING PLANS AND SURVEYS.
- NOTE C :** CONTRACTOR IS RESPONSIBLE TO CHECK AND VERIFY ALL DIMENSIONS ON SITE AND REPORT ALL ERRORS AND / OR OMISSIONS TO THE ARCHITECT.
- NOTE D :** REFER TO LANDSCAPE PLAN FOR ALL EXTERIOR LANDSCAPING.
- NOTE E :** DO NOT SCALE DRAWINGS.
- NOTE F :** ALL CONTRACTORS MUST COMPLY WITH ALL APPLICABLE CODES AND REGULATIONS.

BOUNDARY INFO

TOPOGRAPHIC BOUNDARY INFORMATION OF LOT 4, CONCESSION A (BROKEN FRONT), GEOGRAPHIC TOWNSHIP OF NORTH GOWER PREPARED BY MCINTOSH PERRY SURVEYING INC.



PROJECT INFORMATION

SITE SUMMARY

ADDRESS	5646 Manotick Main Street
CURRENT ZONING	RC1
SITE AREA	4078.48 m²
PROPOSED USE	RC1
BUILDING AREA	482 m² / 5188.2 sqft

ZONING SUMMARY

	REQUIRED	PROPOSED
LOT AREA	4078.48 m²	4078.48 m²
LOT WIDTH	20.00 m	n/a
MIN. LOT WIDTH	n/a	n/a
MAX. BUILDING HEIGHT	11.00 m	6.00 m
MAX. PARAPET HEIGHT	0.00 m	0.50 m

SET BACKS

	REQUIRED	PROPOSED
- FRONT YARD	7.50 m (min.) n/a (max.)	7.50 m (min.) n/a (max.)
- CORNER SIDE YARD	7.50 m (min.) n/a (max.)	7.50 m (min.) n/a (max.)
- INTERIOR SIDE YARD	3.00 m (min.) 4.50 m (max.)	3.00 m (min.) 4.50 m (max.)
- REAR YARD	7.50 m (min.) n/a (max.)	7.50 m (min.) n/a (max.)
- ADDITIONAL REQ	0.00 m	0.00 m

MIN LANDSCAPED AREA

MIN LANDSCAPED AREA	n/a	n/a
---------------------	-----	-----

LAND COVERAGE

LAND COVERAGE	30% Max.	11.81%
---------------	----------	--------

VEHICULAR PARKING

	REQUIRED	PROPOSED
MIN PARKING SPACES	10 per 100m² - 20%	23
MIN VISITOR PARKING SPACES	n/a	n/a
MIN ACCESSIBLE PRKG SPACES	1	1

BIKE PARKING

	REQUIRED	PROPOSED
MIN PARKING SPACES	n/a	3

WASTE CONTAINERS

	REQUIRED	PROPOSED
GARBAGE (0.11 y³ / unit)	TBH	TBH
RECYCLING (0.038 y³ / unit)	TBH	TBH
ORGANICS	TBH	TBH

AMENITY AREA

	REQUIRED	PROPOSED
PRIVATE	TBH	TBH
COMMUNAL	TBH	TBH

BUILDING SUMMARY



UNITS	GFA - OBC	GFA - CITY
n/a	482.00 m²	482.00 m²

NOT FOR CONSTRUCTION /
PAS POUR CONSTRUCTION

This document and all information herein is confidential and the intellectual property of Rossmann Architecture Inc. It is disclosed in confidence on terms that it will not be disclosed to any third party, used, sold, loaned, licensed, or reproduced in whole or in any part in any manner or form for manufacturing, rendering or for any other purpose without the written permission of Rossmann Architecture Inc. The copyright is retained by Rossmann Architecture Inc.


Ce document, ainsi que tous renseignements contenus a l'intérieur, est la propriété de Rossmann Architecture Inc. Il est divulgué en confiance sous les termes qu'il ne sera pas divulgué a aucun tiers, utilisé, vendu, prêté, licencié ou reproduit en son entier ou en partie d'aucune manière pour la manufacture, soumission ou pour autres fins sans la permission écrite de Rossmann Architecture Inc. Le droit d'auteur est retenu par Rossmann Architecture Inc.

PROJECT TEAM / ÉQUIPE DU PROJET :



2 STARBUCKS-REAR ELEVATION
A200 1:50

KEY PLAN / PLAN CLÉ :



CLIENT :

HAWKINS PROPERTIES

5646 Manotick Main Street
Tel : XXX-XXX-XXXX | www.WEBSITE.com

1.0	ISSUED FOR SPA	23-05-24
revision	description	date

PROJECT NAME / NOM DU PROJET :

Manotick

DRAWING NAME / NOM DU DESSIN :

**STARBUCKS ELEVATION
-FRONT & REAR**

DRAWING INFORMATION /
INFORMATION DU DESSIN :

PROJECT NO. / NO. DE PROJET : **22199**
DATE : **10/23/19**
DRAWN BY / DESSINÉ PAR : **Author**
REVIEWED BY / VÉRIFIÉ PAR : **Checker**
SCALE / ÉCHELLE : **As indicated**
PROJECT PHASE / PHASE DU PROJET : **1**
DWG NO. / NO. DESSIN :

EXTERIOR FINISHES

MASONRY

Architectural Block 1 - Brick
Colour: Dark Red

HOLLOW MORTAR JOINT

METAL CLADDING

Horizontal Metall Siding
Color: Black

NOTES

A200

REVISION NO. / NO. DE RÉVISION :


1.0

NOT FOR CONSTRUCTION /
PAS POUR CONSTRUCTION


This document and all information herein is confidential and the intellectual property of Rossmann Architecture Inc. It is disclosed in confidence on terms that it will not be disclosed to any third party, used, sold, loaned, licensed, or reproduced in whole or in any part in any manner or form for manufacturing, rendering or for any other purpose without the written permission of Rossmann Architecture Inc. The copyright is retained by Rossmann Architecture Inc.

Ce document, ainsi que tous renseignements contenus a l'intérieur, est la propriété de Rossmann Architecture Inc. Il est divulgué en confidence sous les termes qu'il ne sera pas divulgué a aucun tiers, utilisé, vendu, prêté, licencié ou reproduit en son entier ou en partie d'aucune manière pour la manufacture, soumission ou pour autres fins sans la permission écrite de Rossmann Architecture Inc. Le droit d'auteur est retenu par Rossmann Architecture Inc.

PROJECT TEAM / ÉQUIPE DU PROJET :




1 STARBUCKS-EAST ELEVATION
A201 1:50



2 STARBUCKS-WEST ELEVATION
A201 1:50

KEY PLAN / PLAN CLÉ :



CLIENT :

HAWKINS PROPERTIES

5646 Manotick Main Street
Tel : XXX-XXX-XXXX | www.WEBSITE.com

revision	description	date
1.0	ISSUED FOR SPA	23-05-24

PROJECT NAME / NOM DU PROJET :

Manotick

DRAWING NAME / NOM DU DESSIN :

STARBUCKS ELEVATION - EAST & WEST

DRAWING INFORMATION / INFORMATION DU DESSIN :

PROJECT NO. / NO. DE PROJET :	22199
DATE :	10/23/19
DRAWN BY / DESSINÉ PAR :	Author
REVIEWED BY / VÉRIFIÉ PAR :	Checker
SCALE / ÉCHELLE :	As indicated
PROJECT PHASE / PHASE DU PROJET :	1
DWG NO. / NO. DESSIN :	A201

REVISION NO. / NO. DE RÉVISION : 1.0

EXTERIOR FINISHES

MASONRY

Architectural Block 1 - Brick
Colour: Dark Red

HOLLOW MORTAR JOINT

METAL CLADDING

Horizontal Metall Siding
Color: Black



NOTES

NOT FOR CONSTRUCTION /
PAS POUR CONSTRUCTION


This document and all information herein is confidential and the intellectual property of Rossmann Architecture Inc. It is disclosed in confidence on terms that it will not be disclosed to any third party, used, sold, loaned, licensed, or reproduced in whole or in any part in any manner or form for manufacturing, rendering or for any other purpose without the written permission of Rossmann Architecture Inc. The copyright is retained by Rossmann Architecture Inc.

Ce document, ainsi que tous renseignements contenus a l'intérieur, est la propriété de Rossmann Architecture Inc. Il est divulgué en confidence sous les termes qu'il ne sera pas divulgué a aucun tiers, utilisé, vendu, prêté, licencié ou reproduit en son entier ou en partie d'aucune manière pour la manufacture, soumission ou pour autres fins sans la permission écrite de Rossmann Architecture Inc. Le droit d'auteur est retenu par Rossmann Architecture Inc.

PROJECT TEAM / ÉQUIPE DU PROJET :



KEY PLAN / PLAN CLÉ :



CLIENT :

HAWKINS PROPERTIES

5646 Manotick Main Street
Tel : XXX-XXX-XXXX | www.WEBSITE.com

1.0	ISSUED FOR SPA	23-05-24
revision	description	date

PROJECT NAME / NOM DU PROJET :

Manotick

DRAWING NAME / NOM DU DESSIN :

SITE ELEVATION - FRONT & REAR

DRAWING INFORMATION /
INFORMATION DU DESSIN :

PROJECT NO. / NO. DE PROJET :	22199
DATE :	10/23/19
DRAWN BY / DESSINÉ PAR :	Author
REVIEWED BY / VÉRIFIÉ PAR :	Checker
SCALE / ÉCHELLE :	As indicated
PROJECT PHASE / PHASE DU PROJET :	1
DWG NO. / NO. DESSIN :	A203

EXTERIOR FINISHES

MASONRY

Architectural Block 1 - Brick
Colour: Dark Red

HOLLOW MORTAR JOINT

METAL CLADDING

Horizontal Metall Siding
Color: Black

NOTES

NOT FOR CONSTRUCTION /
PAS POUR CONSTRUCTION


This document and all information herein is confidential and the intellectual property of Rossmann Architecture Inc. It is disclosed in confidence on terms that it will not be disclosed to any third party, used, sold, loaned, licensed, or reproduced in whole or in any part in any manner or form for manufacturing, tending or for any other purpose without the written permission of Rossmann Architecture Inc. The copyright is retained by Rossmann Architecture Inc.

Ce document, ainsi que tous informations contenues a l'intérieur, est la propriété de Rossmann Architecture Inc. Il est divulgué en confidence sous les termes qu'il ne sera pas divulgué a aucun tierce partie, utilisé, vendu, prêté, licencié ou reproduit en son entier ou en partie d'aucune maniere pour la manufacture, soumission ou pour autres fins sans la permission écrite de Rossmann Architecture Inc. Le droit d'auteur est retenu par Rossmann Architecture Inc.

PROJECT TEAM / ÉQUIPE DU PROJET :



KEY PLAN / PLAN CLÉ :



CLIENT :

HAWKINS PROPERTIES

5646 Manotick Main Street
Tel : XXX-XXX-XXXX | www.WEBSITE.com

revision	description	date
1.0	ISSUED FOR SPA	23-05-24

PROJECT NAME / NOM DU PROJET :

Manotick

DRAWING NAME / NOM DU DESSIN :

PROJECT RENDERINGS

DRAWING INFORMATION /
INFORMATION DU DESSIN :

PROJECT NO. / NO. DE PROJET :	22199
DATE :	11/01/21
DRAWN BY / DESSINÉ PAR :	Author
REVIEWED BY / VÉRIFIÉ PAR :	Checker
SCALE / ÉCHELLE :	
PROJECT PHASE / PHASE DU PROJET :	1
DWG NO. / NO. DESSIN :	

A901

REVISION NO. / NO. DE RÉVISION : 1.0

