


EXISTING TREE LIST

KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS	OWNERSHIP	COMMENTS
1	1	<i>Gleditsia triacanthos</i>	Honey Locust	160mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
2	1	<i>Gleditsia triacanthos</i>	Honey Locust	160mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
3	1	<i>Gleditsia triacanthos</i>	Honey Locust	180mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
4	1	<i>Gleditsia triacanthos</i>	Honey Locust	170mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
5	1	<i>Gleditsia triacanthos</i>	Honey Locust	170mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
6	1	<i>Gleditsia triacanthos</i>	Honey Locust	300mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
7	1	<i>Picea glauca</i>	White Spruce	420mm DBH	GOOD	To remain	780 Baseline Road	60% canopy
8	1	<i>Picea glauca</i>	White Spruce	340mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
9	1	<i>Acer negundo</i>	Manitoba Maple	100mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
10	1	<i>Acer negundo</i>	Manitoba Maple	100mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
11	1	<i>Thuja occidentalis</i>	White Cedar Hedge	150-200mm DBH	GOOD	To remain	780 Baseline Road	Hedge is in good health
12	1	<i>Thuja occidentalis</i>	White Cedar Hedge	150-200mm DBH	GOOD	To remain	780 Baseline Road	Hedge is in good health
13	1	<i>Picea pungens</i>	Colorado Spruce	300, 320mm DBH	FAIR	To remain	City of Ottawa	90% canopy. Tree is leaning heavily to the east
14	1	<i>Picea pungens</i>	Colorado Spruce	310mm DBH	GOOD	To remain	City of Ottawa	100% canopy
15	1	<i>Picea pungens</i>	Colorado Spruce	330mm DBH	GOOD	To remain	City of Ottawa	100% canopy
16	1	<i>Picea pungens</i>	Colorado Spruce	250mm DBH	GOOD	To remain	City of Ottawa	100% canopy
17	1	<i>Picea pungens</i>	Colorado Spruce	280, 320mm DBH	GOOD	To remain	City of Ottawa	100% canopy
18	1	<i>Picea pungens</i>	Colorado Spruce	330mm DBH	GOOD	To remain	City of Ottawa	100% canopy
19	1	<i>Picea pungens</i>	Colorado Spruce	340mm DBH	GOOD	To remain	City of Ottawa	100% canopy
20	1	<i>Picea pungens</i>	Colorado Spruce	290mm DBH	GOOD	To remain	City of Ottawa	100% canopy
21	1	<i>Picea pungens</i>	Colorado Spruce	330mm DBH	GOOD	To remain	City of Ottawa	100% canopy
22	1	<i>Picea pungens</i>	Colorado Spruce	320mm DBH	GOOD	To remain	City of Ottawa	100% canopy
23	1	<i>Picea pungens</i>	Colorado Spruce	350mm DBH	GOOD	To remain	City of Ottawa	100% canopy
24	1	<i>Picea pungens</i>	Colorado Spruce	340mm DBH	GOOD	To remain	City of Ottawa	100% canopy
25	1	<i>Picea pungens</i>	Colorado Spruce	340mm DBH	GOOD	To remain	City of Ottawa	100% canopy
26	1	<i>Picea pungens</i>	Colorado Spruce	360mm DBH	GOOD	To remain	City of Ottawa	100% canopy
27	1	<i>Picea pungens</i>	Colorado Spruce	340mm DBH	GOOD	To remain	City of Ottawa	100% canopy
28	1	<i>Juglans nigra</i>	Black Walnut	1400mm DBH	GOOD	To be removed	780 Baseline Road	100% canopy
29	1	<i>Picea pungens</i>	Colorado Spruce	260mm DBH	GOOD	To remain	780 Baseline Road	90% canopy
30	1	<i>Pinus nigra</i>	Austrian Pine	510mm DBH	GOOD	To be removed	780 Baseline Road	90% canopy
31	1	<i>Pinus nigra</i>	Austrian Pine	430mm DBH	GOOD	To be removed	780 Baseline Road	90% canopy
32	1	<i>Pinus nigra</i>	Austrian Pine	310mm DBH	GOOD	To be removed	780 Baseline Road	95% canopy
33	1	<i>Picea glauca</i>	White Spruce	220mm DBH	GOOD	To be removed	780 Baseline Road	100% canopy
34	1	<i>Picea abies</i>	Norway Spruce	310mm DBH	GOOD	To be removed	780 Baseline Road	85% canopy
35	1	<i>Picea abies</i>	Norway Spruce	210mm DBH	GOOD	To be removed	780 Baseline Road	100% canopy- conflicting with new sanitary line
36	1	<i>Picea abies</i>	Norway Spruce	200mm DBH	GOOD	To be removed	780 Baseline Road	100% canopy- conflicting with new sanitary line
37	1	<i>Picea abies</i>	Norway Spruce	180mm DBH	GOOD	To be removed	780 Baseline Road	100% canopy- conflicting with new sanitary line
38	1	<i>Picea abies</i>	Norway Spruce	300mm DBH	GOOD	To remain	780 Baseline Road	100% canopy- conflicting with new sanitary line
39	1	<i>Thuja occidentalis</i>	White Cedar	100-200mm DBH	GOOD	To be removed	780 Baseline Road	Hedge is in good condition
40	1	<i>Tilia cordata</i>	Littleleaf Linden	620mm DBH	GOOD	To be removed	City of Ottawa	95% canopy
41	1	<i>Tilia cordata</i>	Littleleaf Linden	420mm DBH	GOOD	To be removed	City of Ottawa	90% canopy
42	1	<i>Tilia cordata</i>	Littleleaf Linden	160mm DBH	GOOD	To be removed	City of Ottawa	100% canopy, coppice
43	1	<i>Tilia cordata</i>	Littleleaf Linden	660mm DBH	FAIR	To be removed	Jointly owned	60% canopy
44	1	<i>Tilia cordata</i>	Littleleaf Linden	480mm DBH	GOOD	To be removed	Jointly owned	80% canopy
45	1	<i>Tilia cordata</i>	Littleleaf Linden	220mm DBH	POOR	To be removed	780 Baseline Road	50% canopy
46	1	<i>Tilia cordata</i>	Littleleaf Linden	270mm DBH	GOOD	To be removed	780 Baseline Road	100% canopy
47	1	<i>Acer ginnala</i>	Amur Maple	100mm DBH	FAIR	To remain	780 Baseline Road	65% canopy
48	1	<i>Tilia cordata</i>	Littleleaf Linden	2x300mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
49	1	<i>Tilia cordata</i>	Littleleaf Linden	330mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
50	1	<i>Tilia cordata</i>	Littleleaf Linden	240mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
51	1	<i>Tilia cordata</i>	Littleleaf Linden	330mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
52	1	<i>Gleditsia triacanthos</i>	Honey Locust	170mm DBH	GOOD	To remain	780 Baseline Road	100% canopy
53	1	<i>Acer saccharinum</i>	Silver Maple	720mm DBH	GOOD	To remain	Jointly owned	100% canopy

PROPOSED PLANT LIST

KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	CONDITION	REMARKS
TREES						
HB	3	<i>Celtis occidentalis</i>	Hackberry	60mm cal.	B&B	
HL	3	<i>Gleditsia triacanthos</i> 'Draves	Street Keeper Honeylocust	60mm cal.	B&B	
FM	1	<i>Acer x freemanii</i>	Freeman's Maple	60mm cal.	B&B	
SM	2	<i>Acer saccharum</i>	Sugar Maple	60mm cal.	B&B	
SHRUBS						
WC	101	<i>Thuja occidentalis</i> 'Clumps'	White Cedar Clumps	2m ht.	Potted	600mm o.c.



TREE PROTECTION REQUIREMENTS:

- PRIOR TO ANY WORK ACTIVITY WITHIN THE CRITICAL ROOT ZONE (CRZ = 10x DIAMETER) OF A TREE, TREE PROTECTION FENCING MUST BE INSTALLED SURROUNDING THE CRITICAL ROOT ZONE AND REMAIN IN PLACE UNTIL THE WORK IS COMPLETE.
- UNLESS PLANS ARE APPROVED BY CITY FORESTRY STAFF, FOR WORK WITHIN THE CRZ:
 - DO NOT PLACE ANY MATERIAL OR EQUIPMENT INCLUDING OUTHOUSES;
 - DO NOT ATTACH ANY SIGNS, NOTICES OR POSTERS TO ANY TREE;
 - DO NOT RAISE OR LOWER THE EXISTING GRADE; TUNNEL OR BORE WHEN DIGGING;
 - DO NOT DAMAGE THE ROOT SYSTEM, TRUNK, OR BUNCHES OR ANY TREE;
 - ENSURE THAT EXHAUST FLUMES FROM ALL EQUIPMENT ARE NOT DIRECTED TOWARD ANY TREE CANOPY;
 - DO NOT EXTEND HARD SURFACE OR SIGNIFICANTLY CHANGE LANDSCAPING
- TREE PROTECTION FENCING MUST BE AT LEAST 1.2m IN HEIGHT, AND BE CONSTRUCTED OF RIGID OR FRAMED MATERIALS (E.G. MODULOC-STEEL PLYWOOD HOARDING, OR SNOW FENCE ON A 2"x4" WOOD FRAME) WITH POSTS 2.4m APART, SUCH THAT THE FENCE LOCATION CANNOT BE ALTERED. ALL SUPPORTS AND BRACING MUST BE PLACED OUTSIDE OF THE CRZ, AND INSTALLATION MUST MINIMISE DAMAGE TO EXISTING ROOTS. (SEE DETAIL)
- THE LOCATION OF THE TREE PROTECTION FENCING MUST BE DETERMINED BY AN ARBORIST AND DETAILED ON ANY ASSOCIATED PLANS FOR THE SITE. (E.G. TREE CONSERVATION REPORT, TREE DISCLOSURE REPORT, ETC). THE PLAN AND CONSTRUCTED FENCING MUST BE APPROVED BY CITY FORESTRY STAFF PRIOR TO THE COMMENCEMENT OF WORK.
- IF THE FENCED TREE PROTECTION AREA MUST BE REDUCED TO FACILITATE CONSTRUCTION, MITIGATION MEASURES MUST BE PRESCRIBED BY AN ARBORIST AND APPROVED BY CITY FORESTRY STAFF. THESE MAY INCLUDE THE PLACEMENT OF PLYWOOD, WOOD CHIPS OR STEEL PLATING OVER THE ROOTS FOR PROTECTION OR THE PROPER PRUNING AND CARE OF ROOTS WHERE ENCOUNTERED.

BY-LAWS:
ALL CITY-OWNED TREES ARE PROTECTED UNDER THE MUNICIPAL TREES AND NATURAL AREAS PROTECTION BY-LAW (2006-279), WITHIN THE URBAN AREA.
PRIVATELY-OWNED TREES GREATER THAN 50cm IN DIAMETER ON LOTS 1 HECTARE IN SIZE OR LESS, AND TREES GREATER THAN 10cm IN DIAMETER ON LOTS GREATER THAN 1 HECTARE, ARE PROTECTED UNDER THE URBAN TREE CONSERVATION BY-LAW (2009-200).

CLIENT:
THE BERGE HOMES

CONSULTANTS ARCHITECTS:
rla / architecture
roderick lahey architect inc.
56 beech street, ottawa, ontario K1S 3J6
t.613.724.9932 f.613.724.1209 rlaarchitecture.ca

CIVIL ENGINEERS:
MCINTOSH PERRY
115 Walgreen Road
Ottawa, ON K0A 1L0
Tel: (613) 838-2184
Fax: (613) 838-3742
Email: r.free@mcintoshperry.com

LEGEND

- PROPOSED DECIDUOUS TREE
- PROPOSED SHRUBS
- PROPOSED SODDED GRASS AREA
- PROPOSED UNIT PAVERS TYPE 1
- PROPOSED UNIT PAVERS TYPE 2
- PROPOSED CONCRETE
- EXISTING TREE TO REMAIN
- EXISTING TREE TO BE REMOVED
- EXISTING HEDGE TO BE REMOVED
- EXISTING HEDGE TO REMAIN
- TREE PROTECTION FENCE

2	REVISED PER CITY COMMENTS	10/04/2023	ML	JL
1	ISSUED FOR SITE PLAN CONTROL	06/09/2023	ML	JL
No.	Issue	Date	DR	CK

JAMES B. LENNOX & ASSOCIATES INC.
LANDSCAPE ARCHITECTS
3332 CARLING AVE. OTTAWA, ONTARIO K2H 5A8
Tel: (613) 722-5168 Fax: (1866) 343-3942

PROJECT:
780 Baseline Rd
Ottawa, ON K2C 0A3

DRAWING:
TREE CONSERVATION REPORT & LANDSCAPE PLAN

SCALE:
AS SHOWN
START DATE:
APRIL 2023
PROJECT NO.:
23TH2333
DRAWING NO.:

PLOT SIZE ARCH-D:
L.1