



| SEWER AND WATERMAIN CROSSING TABLE | | | | | | |
|------------------------------------|---------|---------|---------------|---------------|---------|---------|
| CROSSING | STM INV | STM OBV | SAN INV | SAN OBV | WTR TOP | WTR BTM |
| ▲ | 61.17 | 61.37 | 61.75(61.68)± | 62.31 | 61.95± | 61.81± |
| ▲ | 61.18 | 61.38 | | 62.00(62.07)± | 61.95± | 61.80± |

* BRACKETS DENOTE ADJUSTED VALUE WITH CONCRETE PIPE THICKNESS



Stantec Consulting Ltd.
400 - 1331 Clyde Avenue
Ottawa ON
Tel. 613.722.4420
www.stantec.com

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend

- PROPOSED WATERMAIN AND VALVE BOX
- PROPOSED VALVE CHAMBER
- PROPOSED W3 CHAMBER
- PROPOSED REDUCER
- PROPOSED FIRE HYDRANT
- PROPOSED SANITARY SEWER
- PROPOSED STORM SEWER
- PROPOSED CATCHBASIN MANHOLE
- PROPOSED CATCHBASIN
- EXISTING WATERMAIN
- EXISTING VALVE AND VALVE BOX
- EXISTING REDUCER
- EXISTING FIRE HYDRANT
- EXISTING COMBINED SEWER
- EXISTING STORM SEWER
- EXISTING CATCHBASIN MANHOLE
- EXISTING CATCHBASIN
- PROPOSED DEPRESSED CURB LOCATIONS
- PROPOSED BARRIER CURB
- THERMAL INSULATION ON STORM SEWER WHERE COVER IS LESS THAN 2.0m AND ON SANITARY SEWER WHERE COVER IS LESS THAN 2.5m AS PER S35.
- WATER METER
- REMOTE WATER METER

Notes

- FINAL SERVICE LATERAL SIZE, LOCATION, AND ELEVATION TO BE CONFIRMED BY MECHANICAL CONSULTANT DURING THE DETAILED DESIGN PHASE.
- AS-BUILT INFORMATION ON THIS DRAWING HAVE BEEN TAKEN FROM AS-BUILT PLANS PROVIDED BY THE CITY OF OTTAWA, PLAN NO1328 PPT, AND GEOOTTAWA.
- SITE PLAN PREPARED BY ADESIGN COMPANY, DATED JUNE 04, 2024.
- SURVEY PLAN PROVIDED BY FARLEY, SMITH & DENIS SURVEYING LTD. AND DATED JULY 20, 2023. SITE BENCHMARK AT SPIKE IN UTILITY POLE ELEVATION 64.64.
- SERVICE LATERALS TO CONNECT TO EXISTING MAIN AS PER CITY STANDARD S11.

PRELIMINARY
NOT TO BE USED FOR CONSTRUCTION

| Revision | By | Appd. | YY.MM.DD |
|----------|-----|-------|----------|
| 0 | MJS | KS | 24.07.26 |

| File Name: | MJS | DT | MJS | 24.01.08 |
|------------------|------|-------|------|----------|
| 160401910 DB.dwg | Dwn. | Chkd. | Dgn. | YY.MM.DD |

Permit-Seal




Client/Project
FARZIN FARAROONI & PARYA PEYMAN

PROPOSED 3 STOREY APARTMENT BUILDING
10 GARRISON STREET
OTTAWA, ON

Title
SITE SERVICING PLAN

| Project No. | Scale | |
|-------------|-------------------|----------|
| 160401910 | 0 1 3 5m 1:100 | |
| Drawing No. | Sheet | Revision |
| SSP-1 | 3 of 7 | 0 |

PLAN #



V:\1\160401910\160401910.dwg
 2024/07/26 10:38:18 AM
 2024/07/26 10:38:18 AM