

P.O. Box 189 Kemptville, Ontario K0G 1J0

# (613) 860-0923

FAX: (613) 258-0475

**REPORT ON** 

#### PHASE I ENVIRONMENTAL SITE ASSESSMENT 4401 FALLOWFIELD ROAD CITY OF OTTAWA, ONTARIO

Submitted to:

#### 2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited 451 Daly Avenue Ottawa, ON K1N 6H6

DATE: July 31, 2024


**DISTRIBUTION:** 

1 digital copy2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited<br/>Kollaard Associates Inc.240639



# TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	.1
2.0	INTRODUCTION	. 2
2.	1 PROPERTY INFORMATION	. 2
	2 OBJECTIVES	
3.0	SCOPE OF WORK	. 3
4.0	RECORDS REVIEW	.4
4.	1 GENERAL	
	4.1.1 PHASE ONE STUDY AREA DETERMINATION	
	<ul><li>4.1.2 FIRST DEVELOPED USE DETERMINATION</li><li>4.1.3 FIRE INSURANCE PLANS</li></ul>	
	4.1.4 CHAIN OF TITLE	. 5
	4.1.5 ENVIRONMENTAL REPORTS	
	4.1.6 PROPERTY USE RECORDS	
4.	2 ENVIRONMENTAL SOURCE INFORMATION	
	4.2.2 ENVIRONMENTAL DATABASES	
4.	3 PHYSICAL SETTING SOURCES	
	4.3.1 AERIAL PHOTOGRAPHS	
	4.3.2 TOPOGRAPHY, HYDROLOGY AND GEOLOGY	
	<ul><li>4.3.3 FILL MATERIALS</li></ul>	
	4.3.5 WELL RECORDS	
5.0	INTERVIEWS	14
6.0	SITE RECONNAISSANCE	14
6.	1 GENERAL REQUIREMENTS	14
6.	2 SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY	
	6.2.1 SITE DESCRIPTION	
	<ul><li>6.2.2 SITE INFRASTRUCTURE</li><li>6.2.3 BUILDING DESCRIPTION</li></ul>	
	6.2.4 POTENTIALLY CONTAMINATING ACTIVITY	
	6.2.5 MATERIALS HANDLING AND STORAGE	17
	6.2.6 DESIGNATED AND REGULATED SUBSTANCES	
	6.2.7 ABOVE AND UNDERGROUND STORAGE TANKS	
6	6.2.8 ADJACENT PROPERTIES	
	REVIEW AND EVALUATION OF INFORMATION	
	1 CURRENT AND PAST USES	
7.	2 POTENTIALLY CONTAMINATING ACTIVITY	21
7.	3 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	22
7.	4 PHASE ONE CONCEPTUAL SITE MODEL	22



8.0 CONCLUSION	24
8.1 PHASE II ESA REQUIREMENT FOR RSC FILING	24
8.2 SIGNATURES	24
9.0 REFERENCES	
10.0 QUALIFICATIONS OF THE ASSESSORS	

-ii-

#### **LIST OF FIGURES**

FIGURE 1 – KEY PLAN FIGURE 2 – PHASE I CONCEPTUAL MODEL PLAN-PHASE ONE STUDY AREA

#### LIST OF ATTACHMENTS

ATTACHMENT A – TITLE SEARCH DOCUMENTATION ATTACHMENT B – TOPOGRAPHIC MAP ATTACHMENT C – AIR PHOTOGRAPHS ATTACHMENT D – CITY OF OTTAWA CORRESPONDENCE ATTACHMENT E – ECOLOG ERIS SEARCH RESULTS ATTACHMENT F – SITE PHOTOGRAPHS ATTACHMENT G – PROPERTY INFORMATION/CITY OF OTTAWA ZONING



1.0

# EXECUTIVE SUMMARY

This Phase I Environmental Site Assessment was carried out by Kollaard Associates Inc. for 2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited of Ottawa, Ontario. The subject site for this assessment consists of a property with civic address 4401 Fallowfield Road, Ottawa, Ontario (see Key Plan, Figure 1). The subject site has a total area of 3.4 hectares (8.4 acres) of land located on the south side of O'Keefe Court, about 385 metres west of the intersection of Strandherd Drive and Fallowfield Road in the City of Ottawa, Ontario. The site is currently undeveloped land. Past usage of the site is indicated to have been for agricultural purposes.

-1-

It is understood that the client is in the process of applying for a zoning bylaw amendment that would permit two additional uses at the site: Car Dealership and Animal Clinic. It is understood as part of the zoning bylaw amendment application, the Phase I ESA is required.

The purpose of the Phase I Environmental Site Assessment was to identify, if possible, through nonintrusive investigation, consisting of a review of current and historical information and observations of site conditions during a site reconnaissance visit, the existence of any significant, actual or potential environmental liabilities associated with the property. The Phase I Environmental Site Assessment (ESA) has been prepared in general conformity with our interpretation of the requirements of CSAZ768 as well as Ontario Regulation 153/04 (as amended in December 2009 through Ontario Regulation 511/09) for conducting environmental site assessments.

The Phase I ESA was based on a site reconnaissance visit carried out on July 22, 2024, together with a review of available geological, topographical, historical and environmental information for the site.

There are no service stations within 250 metres of the site.

There were no current or historical Potentially Contaminating Activities (PCAs) identified at the subject site.

There has been no previously developed use of the property, based on the results of this investigation. Past usage of the site is indicated to have been for agricultural purposes. There is no change in use that would trigger and RSC filing based on our understanding of Ontario Regulation 153/04.

There was some evidence of past filling within the west portion of the site. As part of a previous Phase I ESA and geotechnical investigation at the site, the fill materials were tested for contamination including PHCs, BTEX and metals. The results of that previous testing indicated no contamination within the samples tested. Additional fill piles observed at the site are documented to originate from the stormpond excavation on an adjacent land parcel that was added in about 2019. Accordingly, the fill materials are not considered to be a concern.

Based on the results of this study no major issues of environmental concern were identified with respect to subsurface soil and/or groundwater quality and no further investigation is considered warranted at this time.

This executive summary is a brief synopsis of the report and should not be read in lieu of reading the report in its entirety.

# 2.0 INTRODUCTION

### 2.1 **PROPERTY INFORMATION**

The subject site for this assessment consists of a property with civic address 4401 Fallowfield Road, Ottawa, Ontario (see Key Plan, Figure 1). The subject site has a total area of 3.4 hectares (8.4 acres) of land located on the south side of O'Keefe Court, about 385 metres west of the intersection of Strandherd Drive and Fallowfield Road in the City of Ottawa, Ontario. The site is currently undeveloped land.

-2-

For the purposes of this assessment, project north is considered to be perpendicular to Fallowfield Road located south of the site (see Key Plan, Figure 1).

Kollaard Associates Inc. carried out this Phase I Environmental Site Assessment for 2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited for the purpose of a development application zoning by-law amendment with the City of Ottawa. There has been no previously developed use of the property, based on the results of this investigation. Past usage of the site is indicated to have been for agricultural purposes. As such, there is no change of use or previous use for which a Record of Site Condition could be required under Ontario Regulation 153/04.

The site is currently undeveloped. A storm management pond exists southeast of the site. It is understood that the storm management pond was added in about 2019. Surrounding land use is currently recreational, woodland and commercial development. The site is bordered by ON416 onramp and Fallowfield Road to the south, Highway 416 to the west, O'Keefe Court to the north and a mixture of undeveloped land and the stormwater management pond to the southeast. A recreational park (baseball and soccer fields) is located beyond O'Keefe Court to the north of the site.

The local topography is mostly flat lying with a gentle slope from north to south across the site toward the rear of the property.

The legal description for the subject property based on information from the chain of title is as follows:



 Parts 9 & 10, Plan 4R7852, except Parts 6, 7, 8, 9, 10, 11 and 12, Plan 4R8856, Except Parts 4 and 5, Plan 4R20404 and except 4M1634, Subject to an easement as in LT754391, Subject to an easement in gross as in OC2121240, Part of Lot 20, Concession 4 (Rideau Front), Township of Nepean, City of Ottawa, Ontario, PIN 04467-1977 (LT).

-3-

# 2.2 OBJECTIVES

The primary objective of this Phase I ESA is to document the site conditions on the day of a walkthrough site reconnaissance and, if possible, to identify former and current operations or practices that may present potential environmental risks. The study is based on current and historical information and observations of site conditions during a site reconnaissance visit conducted on July 22, 2024. The general objectives of the Phase I Environmental Site assessment, as outlined in Ontario Regulation 153/04, include the following:

- 1. To develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the phase one property.
- 2. To determine the need for a Phase II ESA.
- 3. To provide a basis for carrying out any Phase II ESA if applicable.
- 4. To provide adequate preliminary information about environmental conditions in the land or water on, in or under the phase one property for the conduct of a risk assessment following completion of a Phase II ESA.

### 3.0 SCOPE OF WORK

The scope of the Phase I ESA is sufficient to identify existing and/or potential environmental liabilities which are obvious from visual examination of surface features and from available sources of information. The Phase I Environmental Site Assessment (ESA) has been prepared in general conformity with our interpretation of the requirements of CSAZ768-01 as well as Ontario Regulation 153/04 (as amended in December 2009 through Ontario Regulation 511/09 and subsequent amendments) for conducting environmental site assessments.

This level of work is a method of risk reduction, not risk elimination. No building materials, liquid, gas, or chemical product sampling and/or testing on or in the vicinity of the subject site were carried

out as part of this assessment. This assessment included only a cursory overview of the present neighbouring land uses and does not constitute a complete assessment of the adjacent facilities.

-4-

The scope of work carried out for the site comprised the following:

- a review of available current and historical information about the site and surrounding properties within 250 metres of the site
- observations of site conditions during a site reconnaissance visit
- review and evaluate the information from the above noted information sources
- document the findings in a report

# 4.0 **RECORDS REVIEW**

### 4.1 GENERAL

### 4.1.1 PHASE ONE STUDY AREA DETERMINATION

Kollaard Associates Inc. considers that a 250 metre study area is sufficient to identify areas of historical and current potential concern on or near the subject site. As part of the preliminary review of historical documents for the site, aerial photographs of the site and surrounding area were reviewed, as well as documentation from the City of Ottawa on landfills and historical industrial sites (Sections 4.2.1 and 4.3.1). Any properties outside of this radius are considered too distant to cause any significant impact to the site.

### 4.1.2 FIRST DEVELOPED USE DETERMINATION

The first developed use of the property was determined based on a review of aerial photographs and the title search for the site (Section 4.3.1). The earliest air photograph that was reviewed was 1965. At that time, the site and neighbouring areas are mostly farmland. The 1991 air photo indicates nearby sites have been developed into recreational lands (baseball and soccer fields). The site remains undeveloped and has become partially treed. In 1999, a series of roadways have been added, however, the property remains undeveloped. Over time, the site has become increasingly overgrown.



### 4.1.3 FIRE INSURANCE PLANS

Due to the lack of historical industrial and commercial development within the Phase I Study area, no request was made for Fire insurance plans.

-5-

### 4.1.4 CHAIN OF TITLE

The legal description for the property, based on information from the Chain of Title, is as follows:

 Parts 9 & 10, Plan 4R7852, except Parts 6, 7, 8, 9, 10, 11 and 12, Plan 4R8856, Except Parts 4 and 5, Plan 4R20404 and except 4M1634, Subject to an easement as in LT754391, Subject to an easement in gross as in OC2121240, Part of Lot 20, Concession 4 (Rideau Front), Township of Nepean, City of Ottawa, Ontario, PIN 04467-1977 (LT).

A chain of title for this site (see Attachment A) was provided by Domsons Title Search Inc. Based on a review of information obtained from that title search, the property is indicated to have been owned by individuals and 383932 Ontario Limited, 2116885 Ontario Inc. The current owner is listed as 2116885 Ontario Inc. – 50% ownership and DCR/Phoenix Development Corporation Limited – 50% ownership.

### 4.1.5 ENVIRONMENTAL REPORTS

A report entitled Phase I Environmental Site Assessment, Part of Lot 20, Concession 4, Rideau Front, Nepean Ward, City of Ottawa, Project Number 060674, dated October 6, 2006 for DCR/Phoenix Development Corporation was completed by Kollaard Associates Inc. The subject site for that assessment consisted of about a 10 hectare (24.7 acre), triangular shaped property that included the lands for this assessment. That report indicated the possible presence of pesticides and herbicides from the previous agricultural use of the site and the possible presence of contaminants within the fill materials previously imported onto the site. Based on the presence of fill material observed at the site during the preliminary subsurface investigation, the owner at the time (Phoenix Homes) requested that three



previously obtained samples of fill materials at the site be submitted for laboratory testing for total petroleum hydrocarbon (TPH Fractions F1 to F4), BTEX and Decommissioning Guidelines testing. The results of the laboratory testing indicated that the three soil samples tested met the Ontario Ministry of the Environment and Energy (MOEE) verification and compliance requirements for that time. As such, the report indicated that no major environmental concerns were identified and no further investigation was considered required.

-6-

### 4.1.6 **PROPERTY USE RECORDS**

There are no property use records as the site is in an undeveloped condition and no historical development. The City of Ottawa Website was reviewed for the zoning designation of the subject site. The City of Ottawa website indicates that the site is currently zoned IP[2265] H(24), (36) and (48)- Business Park Industrial Zone according to the City of Ottawa Zoning By-law 2008-250 Consolidation. This zoning accommodates mixed office, office-type uses and low impact, light industrial uses in a business park setting, in accordance with the Enterprise Area designations of the Official Plan or, the Employment Area of the General Urban Area designation where applicable. In addition, the zoning allows a variety of complementary uses such as recreational, health and fitness uses and service commercial (e.g. convenience store personal service business, restaurant, automobile service station and gas bar), occupying small sites as individual occupancies or in groupings as part of a small plaza, to serve the employees of the Enterprise, Employment or General Urban Area, the general public in the immediate vicinity, and passing traffic.

The available zoning information is provided herein (Attachment G).

The earliest air photograph that was reviewed was 1965. At that time, the site and neighbouring areas are mostly farmland.

A search of the environmental databases (Section 4.2.2) indicates two records were found for the subject property. An Environmental Compliance Approval (ECA) was approved for the site in 2018 for municipal and private sewage works under the business 2116885 Ontario Inc. An ERIS historical search was completed in December 2018 for the site.



Neither an open or closed waste management facility was identified to be within 500 metres of the subject property.

-7-

# 4.2 ENVIRONMENTAL SOURCE INFORMATION

In order to assess some of the historical conditions at the property, a preliminary review of information from the following sources was conducted:

### Municipal and Provincial Government Sources

- Old Landfill Management Strategy Phase 1 Identification of Sites, City of Ottawa, Ontario, December 2003, Reference Number 021-2785 by Golder Associates Ltd.
- Online queries with the following provincial and federal databases; Pits and Quarries database, Large and Small Landfills, online MECP well records database, Federal Contaminated Sites Inventory
- Ministry of Environment, Conservation and Parks (MECP), Ottawa, Ontario
- City of Ottawa Historical Land Use Inventory

### Environmental Databases

• Ecolog ERIS – Environmental Risk Information Services Standard Report

# 4.2.1 MUNICIPAL AND PROVINCIAL GOVERNMENT SOURCES

### City of Ottawa

A review of a report entitled Old Landfill Management Strategy Phase 1 – Identification of Sites, City of Ottawa, Ontario, December 2003, Reference Number 021-2785 by Golder Associates Ltd. and Mapping and Assessment of Former Industrial Sites – City of Ottawa, Ontario, July 1988, Reference Number H87-053 by Intera Technologies Ltd. indicates there are no old landfill sites or former industrial sites within greater than 500 metres of the subject site.

### Historical Land Use Inventory

The City of Ottawa was contacted to conduct a search of all environmental databases, including Historical Land Use Inventory (HLUI) and any information pertaining to the



environmental condition of the property and adjoining areas including, but not limited to, past environmental reports, orders, violations of environmental statutes, regulations or by-laws, certificates, approvals, permits and any other environmental information.

-8-

At the time of the preparation of this report, a response from the City of Ottawa had not been received (see Attachment D). Should any environmentally relevant information be provided from this information request that had not been previously identified from other sources, it will be provided in an addendum letter at a later date.

#### Pits and Quarries

Based on a review of the provincial online database, there are no active pits or quarries with the Phase I Study Area (i.e. 250 metres).

#### Large and Small Landfills

Based on a review of the provincial online databases for large and small landfill sites, there are no landfill sites (open or closed) within at least two kilometres of the subject site.

### Online MECP Well Records

Based on a review of online MECP Well Records, there are no drinking water wells records identified at the subject site.

Some records identified within 250 metres of the site are indicated to be for boreholes. The boreholes had varying depths below existing ground surface. It is indicated that the boreholes were placed for geotechnical purposes.

### Federal Contaminated Sites Inventory

Based on a review of the online database for federal contaminated sites, there are no sites (open or closed) within at least 500 metres of the subject site.

#### 4.2.2 ENVIRONMENTAL DATABASES

#### ECOLOG ERIS – Environmental Risk Information Services Standard Report

A review of information provided by Ecolog ERIS – Environmental Risk Information Services (see Attachment E) was carried out as part of this Phase I ESA. Based on that review, two records were identified in the databases searched for the project property.

-9-

In the Environmental Compliance Approval database (ECA), an ECA was approved for the site in 2018 for municipal and private sewage works under the business 2116885 Ontario Inc.

In the ERIS historical search (EHS), one record was found for the site that was completed in December 2018.

The following were identified in the report for properties within 250 metres of the subject site.

In the boreholes (BORE) database, four boreholes were identified at 185, 204, 207 and 243 metres from the site. The records identify the boreholes were put down as part of a geotechnical assessment.

In the Environmental Compliance Approval Database, an ECA was approved at Lots 20 and 21, Concession 4 for the City of Ottawa at a location 218.5 metres east/southeast of the site.

In the ERIS historical search (EHS), one record was found for 140 Lusk Street, 248.2 metres east/northeast of the site.

In the Water Well Information System Summary, 8 records were identified within 250 metres of the site. The wells were identified at 211, 214 and 243 metres from the subject site.

No other significant environmental concerns are listed in the Environmental Risk Information Services Standard Report. None of the above noted activities noted in the available databases indicate any PCAs within the Phase I Study Area.

### 4.3 PHYSICAL SETTING SOURCES

### 4.3.1 AERIAL PHOTOGRAPHS

A review of air photographs of the site for the years 1965, 1976, 1991, 1999, 2005, 2011, 2015, 2019 and 2022 was carried out as part of this Phase I ESA (Attachment C). The aerial photographs were obtained from the City of Ottawa website and National Air Photo Library. The following table is a summary of the air photograph review:

Date	Observations
1965	The site is mostly farmland. Some scattered trees are located in the west portion of the site. A ditch is located near the center of the site. A small pond is located in the east center portion of the site. Surrounding area is mostly farmland or fallow land. There is a quarry located northwest of the roadway at the site. A single family dwelling is located west of the site.
1976	There are no changes to the subject site or adjacent properties. Site and area remains mostly farmland. Poor quality air photograph. No significant changes are evident on the subject site. Other residential development has been constructed over time around the site.
1991	Additional trees are present in the west and south central portions of the site. No other significant changes are evident on the subject site. Adjacent quarry northwest of the site remains. A baseball diamond and parking area have been constructed north of the site. No other significant changes are evident on the subject site or adjacent properties.
1999	West portion of site has become heavily treed. Pond and ditching near center of site are no longer visible. Fill has been added throughout the site and filled the pond and ditch. A trail exists through the trees located in the west portion. A municipal ditch is now located east of the site. No other significant changes are evident at the subject site. The quarry located northwest of the site has become mostly filled. Highway 416 has been constructed through part of the former quarry. Some residential development has been constructed northeast of the site. Soccer fields have been added north of the baseball diamond located north of the site. Fallowfield Road has been constructed south of the site. Properties to east and south remain undeveloped. No other significant changes to adjacent properties has occurred.
2005	Treed area has densified in the west portion of the site. The surface of the previously filled areas has become grassed surfaced over time. No other significant changes are evident on the subject site or adjacent properties.
2011	No significant changes are evident on the subject site. The former quarry



	located northwest of the site has become overgrown over time. No other significant changes are evident on adjacent properties.
2015	No significant changes are evident on the subject site or adjacent properties.
2019	Fill piles onsite coincide with the excavation and construction of a stormwater pond on the adjacent property to the southeast. Some residential and commercial development have occurred east and southeast of the site. No other significant changes are evident on the subject site or adjacent properties.
2022	Some of the areas previously filled observed in the 2019 air photo have become overgrown over time. A paved access to the stormwater pond from the east is visible. Water has filled the stormwater pond. An additional building has been constructed south/southeast of the site. No other significant changes are evident on the subject site or adjacent properties.

-11-

### 4.3.2 TOPOGRAPHY, HYDROLOGY AND GEOLOGY

#### Topography and Hydrology

From the east, the local topography is mostly flat lying with a gentle slope from east to west across the site. For the most part, the site consists of open grassed fields with scattered trees and shrubs. The site is tree covered in the western most portion of the site.

It is expected that the upper groundwater flow is to the south based on a review of topographical maps and observations of flow within the large ditch near the east side of the site.

The regional topography slopes south to the Jock River located about 2.7 kilometres south of the subject site. The Jock River outlets to the Rideau River located approximately 6.7 kilometres east of the subject site (Attachment B).

### Surficial and Bedrock Geology

Based on a review of the surficial geology map for the site area, it is expected that the site is underlain partially by glacial till deposits and marine deposited sensitive silty clay over glacial till. Bedrock geology maps indicate that the site is underlain by dolomite and limestone of the Oxford Formation.



Based on a review of overburden thickness mapping for the site area, the overburden is estimated to be between about 0.3 to 2.7 metres in thickness above bedrock.

-12-

Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. It is expected that the upper groundwater flow is to the south based on a review of topographical maps and observations of flow within the large ditch near the east side of the site.

The regional topography slopes south to the Jock River located about 2.7 kilometres south of the subject site. The Jock River outlets to the Rideau River located approximately 6.7 kilometres east of the subject site (Attachment B).

### 4.3.3 FILL MATERIALS

The presence of fill materials has been previously documented on the subject site.

In 2006, fill was noted during the previous Phase I ESA and geotechnical report. Based on the potential for subsurface contamination to exist within the fill materials observed at the site, Phoenix Homes instructed Kollaard Associates to submit samples of some of the fill material obtained during the subsurface investigation were submitted to Accutest Laboratories in Ottawa, Ontario, for total petroleum hydrocarbons (Fractions F1 to F4), BTEX and MOE Decommissioning Guidelines testing in 2006.

The results of the laboratory testing indicated that the soil samples tested met the Ontario Ministry of the Environment and Energy (MOEE) verification and compliance requirements for that time.

Since 2006, a review of the 2019 air photograph indicates additional fill materials were observed to have been deposited at the site. The 2019 aerial photograph indicates fill was excavated from the adjacent stormwater management pond. Additionally, the current owners of the site indicated the fill materials observed in the air photograph originated from the excavation of the stormwater management pond located near the southeast corner of the site. Confirmation by email was provided by Mr. Craig Cantwell of Arcadis Ottawa that



the pond spoils were the source of the fill materials observed in the air photographs. The fill materials were indicated to consist of native silty clay and glacial till.

-13-

As the fill materials deposited at the site in or around 2019 are of known origin, Kollaard Associates does not consider the native pond spoils to be a concern from an environmental perspective.

Prior to and during future development preparations of the subject lands, any excess soils should be tested before being removed from the site as per O.Reg 406/19 requirements, if applicable.

# 4.3.4 WATER BODIES AND AREAS OF NATURAL SIGNIFICANCE

There is a municipal ditch that is located east of the site. The ditch flows into a stormwater management pond located near the southeast corner of the site. The stormwater management pond was constructed in about 2019.

The regional topography slopes south to the Jock River located about 2.7 kilometres south of the subject site. The Jock River outlets to the Rideau River located approximately 6.7 kilometres east of the subject site

No provincially significant wetlands (PSWs) or areas of natural and scientific interest (ANSIs) were identified on the subject property or within the study area.

# 4.3.5 WELL RECORDS

A search on The Ministry of the Environment, Conservation and Parks website for Water Well Record Mapping was completed as part of this assessment. Six records were identified at the site, however, after a review of the records, none of the records were applicable to the subject site only to the Lot 20, Concession 4, in general. There were no drinking water wells records identified at the site within 250 metres of the subject site.



Other records identified within 250 metres of the site are indicated to be for boreholes or geotechnical and environmental purposes. The boreholes are indicated to range in depth from about 1.2 to 4.5 metres below existing ground surface.

-14-

# 5.0 INTERVIEWS

Based on an email discussion with the existing owners of the site, Mr. George Gaty (2116885 Ontario Inc.) and Mr. Michael Boucher (DCR Phoenix Development Corporation Limited), no development has existed at the site under their ownership. A storm management pond was constructed near the southeast corner of the site in about 2019. All fill materials from the excavation of the stormwater management pond were stockpiled at the site. It is understood that the intention is to develop the area with commercial and light industrial businesses.

# 6.0 SITE RECONNAISSANCE

# 6.1 GENERAL REQUIREMENTS

On July 22, 2024, a walk-through site reconnaissance was conducted at the subject property by a member of Kollaard Associates Professional staff. The uses of the site and adjacent properties within the Phase I ESA Study Area were assessed. Observations of adjacent properties were limited to views from the subject property and from publicly accessible areas.

The attached Key Plan, Figure 1 and air photographs show the relative location of the subject site with respect to the surrounding land and the existing roadway network. Site photographs are provided (Attachment F).

# 6.2 SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY

# 6.2.1 SITE DESCRIPTION

The following was observed:



• The site is currently undeveloped, vacant land. For the most part, the site consists of open grass fields with some scattered trees and shrubs. The site is more heavily treed in the west portion.

-15-

- A chain link fence is located along the south property line.
- Some fill piles are located in the west portion of the site and have become overgrown with grass.
- Two rock piles were observed in the center portion of the property. Similar rocks were observed to have been used as part of the landscaping for the stormwater management pond.
- Several concrete manholes and covers were observed near the north side of the site. It is understood that concrete manholes are extra pieces when constructing the stormwater management pond.
- A hotel (Hampton Inn Suites) is located to the east of the site.
- A stormwater management pond in located to the southeast of the site.
- A paved roadway is located immediately east of the site that provides access to the stormwater management pond.
- A ditch borders the east, south and north property lines.
- The site is bordered by Fallowfield Road to the south, Highway 416 to the west, O'Keefe Court to the north and a mixture of undeveloped land and the stormwater management pond to the southeast.
- A recreational park (baseball and soccer fields) is located beyond O'Keefe Court north of the site.
- No service stations exist in close proximity to the site.

The attached Key Plan, Figure 1 and air photographs show the relative location of the subject site with respect to the surrounding land and the existing roadway network.

### 6.2.2 SITE INFRASTRUCTURE

The following observations of the site were made.

### **Electricity**

The site is vacant and unserviced. The area is serviced by Hydro Ottawa.



#### Heating and Cooling

A natural gas pipeline is located along O'Keefe Court, north of the site. The site is vacant and unserviced.

-16-

#### Water Supply

A municipal water supply system is located within O'Keefe Court. The site is currently unserviced.

#### Wastewater and Sewage Disposal

Sanitary and storm sewers lids were observed on the surface of the paved laneway that provides access to the stormwater management pond indicating buried infrastructure exist within the laneway leading up to the site. There are no sanitary or storm sewers at the site.

### Sumps, Pits and Floor Drains

The site is undeveloped. As such, no floor drains exist.

### 6.2.3 BUILDING DESCRIPTION

The site is currently vacant.

### 6.2.4 POTENTIALLY CONTAMINATING ACTIVITY

Based on a review of information for the site, there is no previous developed use of the property and no current or historical PCAs were identified.

No waste generators or manufacturing or other database search results were identified at the subject site.

Based on information provided, there are no current and historical activities identified within 250 metres that could be considered "Potentially Contaminating Activities", as identified in Table 2 of Schedule D of O. Reg. 153/04.



#### 6.2.5 MATERIALS HANDLING AND STORAGE

#### General Storage and Debris

At the time of the site reconnaissance, solid waste storage was not observed or expected at the site.

#### Solid Waste

The area is served by City of Ottawa municipal waste collection on a weekly basis.

-17-

#### Hazardous Materials

No storage of hazardous materials was observed or is expected on the subject site.

#### 6.2.6 DESIGNATED AND REGULATED SUBSTANCES

#### Polychlorinated Biphenyls (PCBs)

The use of PCBs in electrical equipment such as transformers, capacitors, fluorescent light ballasts, etc. was common up to about 1980. The Federal Chlorobiphenyls Regulation, SOR/91-152, prohibits the use of PCBs in the aforementioned electrical equipment installed after July 1, 1980. It is not a requirement to remove materials containing PCBs. However, any handling or removal of PCB containing equipment should be carried out in accordance with Ontario Regulation 362, PCB Waste Management under the Environmental Protection Act of Ontario, R.S.O 1990.

There are no buildings at the site. As such, there are no concerns with PCB containing equipment at the site.

#### Suspect Asbestos Containing Materials (ACM)

The common use of friable (breakable by hand) ACM in construction decreased in the mid 1970s. Buildings constructed prior to about 1985 may contain some ACM. Friable asbestos (friable is defined as a material that can be crumpled, powdered or pulverized by hand pressure) was widely used in sprayed fireproofing until 1973, and in decorative or finishing plasters, and thermal systems insulation until the early 1980's. Examples where ACM can



-18-

exist include floor, wall or ceiling tiles, heating/cooling pipes, pipe gaskets, roofing materials and insulation/non-combustible materials. The application of friable asbestos was banned by Ontario Regulation 654/85, which came into effect March 1985. On November 1, 2005, this regulation was most recently updated and changed to Ontario Regulation 278/05.

Under Ontario Regulations, it is not a requirement to remove asbestos from a building unless it is damaged or is likely to be disturbed during renovations or demolition work etc. Applicable regulations define "asbestos-containing material" as material that contains 0.5 per cent or more asbestos by dry weight. If asbestos is to be removed, it should be carried out in accordance with the procedures outlined in Ontario Regulation 837, R.R.O. 1990 and Ontario Regulation 278/05.

There are no buildings at the site. As such, there are no concerns with ACM containing equipment at the site.

### Ozone- Depleting Substances (ODS)

Certain chemicals, recognized as ozone- depleting substances (ODS), break down in the stratosphere and release chlorine or bromine, which in turn destroy the stratospheric ozone layer. Most of these substances are also greenhouse gases. Ozone- depleting substances are used as foam blowing agents, solvents, fire extinguishers, and refrigerants for air conditioning and refrigeration applications. Under the Canadian Environmental Protection Act, 1999, Environment Canada administers the Ozone- Depleting Substances Regulations, 1998 and its subsequent amendments to reduce the use of these and other ODS. According to Environment Canada's website, the target established by these regulations specifies a one hundred percent reduction in the use of HCFCs by the year 2030. As of January 1, 2010, no new manufacture or import of HCFC (R-22) containing equipment was allowed in Canada.

There are no concerns for ozone depleting substances at the site.

### Lead

Lead is commonly associated with old pipes, pipe solder, and lead paint. In 1976, Canadian Regulations limited the amount of lead in interior paint to 0.5 percent by weight. Although



paints containing lead were banned from uses on exterior or interior surfaces of buildings, furniture or household products in the 1970s, various commercial paints (e.g., road paint) are still known to contain lead.

-19-

There are no concerns for lead containing materials at the site.

### Urea Formaldehyde Foam Insulation (UFFI)

Urea Formaldehyde Foam Insulation is composed of a mixture of urea-formaldehyde resin, a foaming agent, and compressed air. It was commonly injected in exterior wood frame and masonry walls in order to insulate difficult to reach cavities until its ban in Canada in December 1980. The majority of UFFI was installed in new and existing construction in Canada between 1975 and 1978 as part of the Canadian Home Insulation Program.

There are no concerns for UFFI containing materials at the site.

### 6.2.7 ABOVE AND UNDERGROUND STORAGE TANKS

No above ground fuel storage tanks were observed or expected at the site. Based on a review of the Ecolog ERIS report for the site and site area, no reports of any spills were documented for the site.

# 6.2.8 ADJACENT PROPERTIES

For the approximate locations of the following properties, see Attachment E, Map Key and Overview.

At the time of the site visit, adjacent properties were observed from publicly accessible areas to determine whether any activities on those properties could pose a concern for the subject site.

The site is bordered by the 416 onramp and Fallowfield Road to the south, Highway 416 to the west, O'Keefe Court to the north and a mixture of undeveloped land and the stormwater



management pond to the east and southeast. A recreational park (baseball and soccer fields) is located beyond O'Keefe Court to the north of the site.

-20-

### 6.2.9 Enhanced Investigation Property Observations

Part VI of O.Reg. 511/09 defines an Enhanced Investigation Property as (i) a property used, or has ever been used, in whole or part, for an industrial purpose, or (ii) a commercial property used as a garage, a bulk liquid dispensing facility, including a gasoline outlet or for the operation of dry cleaning equipment.

Based on the records review and site reconnaissance the site is not considered an Enhanced Investigation Property.

### 6.3 WRITTEN DESCRIPTION OF INVESTIGATION

The Phase I ESA presented herein is based on information that was obtained from a records review (Section 4.0), interviews (Section 5.0) and site reconnaissance (Section 6.0). The details of the information obtained from each of these sources are provided in the relevant sections of this report. Based on the information obtained, Kollaard Associates has not identified any current and/or historical potential sources of contamination (PCAs) on the subject property and no offsite PCAs.

# 7.0 REVIEW AND EVALUATION OF INFORMATION

# 7.1 CURRENT AND PAST USES

The site is currently undeveloped, vacant land. For the most part, the site consists of open grass fields with some scattered trees and shrubs. The site is more heavily treed in the west portion.

Based on a review of historical aerial photographs, title search, historical maps, and other records review, no developed use of the property has occurred. The earliest air photograph that was reviewed was 1965. At that time, the site and neighbouring areas are mostly farmland. The 1991 air photo indicates nearby sites have been developed into recreational lands (baseball and soccer

fields). The site remained undeveloped and has become partially treed. In 1999, a series of roadways have been added nearby, however, the property remains undeveloped. Over time, the site has become increasingly overgrown.

-21-

A description of current and past uses of the Phase I ESA property to its first developed use is provided below.

Year	Owner	Property Use
1801-1979	Various individuals	Agricultural
1979 - 2019	383932 Ontario Limited, 2116885 Ontario Inc., 2116885 Ontario Inc. 50% & DCR/Phoenix Development Corporation Limited – 50%	Vacant

# 7.2 POTENTIALLY CONTAMINATING ACTIVITY

As per Ontario Regulation 153/04, a Potential Contaminating Activity (PCA) is defined as one of fifty-nine (59) industrial operations set out in Table 2 of Schedule D. From that list, no items were identified for the subject site. No records for waste generation or handling or Scott's Manufacturing directory and other database search requests were found for the subject site (Section 4.2.2).

There has been no historical land use of the property, based on the results of this investigation. Past usage of the site is indicated to have been for agricultural purposes which aerial photographs confirmed over the years. There are no current or historical activities at the subject site that qualify as PCAs.

#### 7.3 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

There are no current or historical activities that have been identified within 250 metres of the subject site that could be considered Potentially Contaminating Activities within the Phase One Study Area (see Conceptual Site Model, Figure 2).

-22-

There were no PCAs on the subject property. There are no offsite PCAs within the Phase I ESA Study Area.

#### 7.4 PHASE ONE CONCEPTUAL SITE MODEL

The Phase I ESA Conceptual Model provided as Figure 2 identifies the PCAs (identified in Sections 7.2 and 7.3, if applicable) and within the Phase I Study Area (250 metres) as well as surface features, such as buildings, roads and property uses for adjacent properties. The Phase I study area and all of the activities and historical property uses are described within maps provided.

The following describes the Phase One ESA Conceptual Site Model (CSM) for the Site based on the information obtained and reviewed as part of this Phase I ESA:

- The subject site for this assessment consists of a property with civic address 4401 Fallowfield Road, in the City of Ottawa, Ontario.
- The subject site has a total area of 3.4 hectares (8.4 acres) of land and is located on the south side of O'Keefe Court and north side of Fallowfield Road, about 385 metres west of the intersection of Strandherd Drive and Fallowfield Road in the City of Ottawa, Ontario.
- Past usage of the site is indicated to have been for agricultural purposes which aerial photographs confirmed over the years.
- The site is currently undeveloped, vacant land. For the most part, the site consists of opened grass fields with some scattered trees and shrubs. The site is more heavily treed in the west portion.
- The site is bordered by Fallowfield Road to the south, Highway 416 to the west, O'Keefe Court to the north and a mixture of undeveloped land and the stormwater management pond to the east/southeast. A recreational park (baseball and soccer fields) are located beyond O'Keefe Court to the north of the site.



- No service stations exist in close proximity to the site.
- In general, surface drainage across the site slopes from the east to west across the site.

-23-

• A municipal ditch exists on the east side of the site that outlets to the stormwater management pond.

In order to determine whether any potentially contaminating activities within the Phase I study area may have contributed to an APEC at the subject site, the following were considered.

<u>Site and area topography and surface water drainage</u>: It is expected that the upper groundwater flow is to the south based on a review of topographical maps and observations of flow within the large ditch near the east side of the site.

Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. The regional topography slopes south to the Jock River located about 2.7 kilometres south of the subject site. The Jock River outlets to the Rideau River located approximately 6.7 kilometres east of the subject site.

### Hydrogeology/Surficial and Bedrock Geology: Surficial and Bedrock Geology

Based on a review of the surficial geology map for the site area, it is expected that the site is underlain partially by glacial till deposits and marine deposited sensitive silty clay over glacial till. Bedrock geology maps indicate that the site is underlain by dolomite and limestone of the Oxford Formation. Based on a review of overburden thickness mapping for the site area, the overburden is estimated to be between about 0.3 to 2.7 metres in thickness above bedrock.

<u>Contaminant distribution, transport and underground utilities</u>: The soils at the site and within the Phase I study area consist of silty clay, glacial till overlying relative shallow bedrock. The soils have low permeability. The Phase I study area is also controlled by nearby municipal storm and sanitary sewers. Lateral gradients in silty clay/glacial till soils are relatively slow and contamination would tend to migrate downward until saturated conditions are encountered. Once saturated conditions are encountered and depending on contaminant mobility, solubility, volatility, etc. the contaminants could be expected to dissolve into the groundwater and migrate laterally in the direction of groundwater flow. In this case, the topographical information indicates that the groundwater flow gradient is moving towards the stormwater management pond located to the southeast of the site.

The site is currently unserviced. Overhead Hydro services were observed along O'Keefe Court. No contamination is expected to exist at the site.

-24-

<u>Uncertainty</u>: The uncertainties associated with the conceptual model include those associated with a limited documentation for the subject site and adjacent sites. However, based on the body of information acquired, it is considered that the absence of this information should not likely affect the final conclusion of the Phase I ESA. There were no material deviations to the Phase I ESA requirements set out in O. Reg. 153/04 that would cause uncertainty or absence of information that would affect the validity of the Phase I Conceptual Site Model or the findings of this Phase I ESA.

# 8.0 CONCLUSION

### 8.1 PHASE II ESA REQUIREMENT FOR RSC FILING

The results of this Phase I ESA suggest that a Phase II ESA is not required at this time.

No RSC filing is necessary as there is no trigger under the O.Reg 153/04 from change of use, based on our understanding of Ontario Regulation 153/04.

### 8.2 SIGNATURES

The results of this Phase I ESA should in no way be construed as a warranty that the subject property is free from any and all contaminants other than those noted in this report, nor that all compliance issues have been addressed.

This report was prepared for the exclusive use of 2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited and is based on data and information collected during the Phase I ESA of the property conducted by Kollaard Associates Inc. This report may not be relied upon by any other person or entity without the express written consent of 2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited and Kollaard Associates Inc. In evaluating this site, Kollaard Associates Inc. has relied in good faith on information provided by others. The assessment of environmental conditions and possible site hazards presented has been made using available



technical data collected and provided by others. We accept no responsibility for any deficiencies, or inaccuracies in this report as a result of omission, misinterpretations, or fraudulent acts of others.

-25-

The conclusions provided herein represent the best judgement of Kollaard Associates Inc. based on current environmental standards. Due to the nature of the investigation and the limited data available, we cannot warrant against undiscovered environmental liabilities. If new information is discovered during future work, including excavations, borings or other studies, Kollaard Associates Inc. should be requested to re-evaluate the conclusions presented in this report and provide amendments as required.

We trust that this report is sufficient for your present requirements. If you have any questions concerning this report, please do not hesitate to contact our office.

Yours truly,

Kollaard Associates Inc.

Dean Tataryn, B.E.S., EP.



Colleen Vermeersch, P. Eng.



# 9.0 REFERENCES

*City of Ottawa geoMaps,* air photographs for the years 1965, 1976, 1991, 1999, 2005, 2011, 2015, 2019 and 2021.

-26-

*Old Landfill Management Strategy Phase 1 – Identification of Sites*, City of Ottawa, Ontario, December 2003, Reference Number 021-2785 by Golder Associates Ltd.

*Topographic Map: NRCan Topographic Maps*, Ottawa, Ontario, 31 G/5, Edition 11, published 1998, current as of 1994, scale 1:50,000.

*Surficial Geology Map*: Geological Survey of Canada, Surficial Geology, Ottawa, Ontario, Map 1506A, published 1982, scale 1:50,000.

*Bedrock Geology Map*: Geological Survey of Canada, Generalized Bedrock Geology, Ottawa-Hull, Ontario and Quebec, Map 1508A, published 1979, scale 1:125,000.

*Ecolog Eris Ltd. Standard Report,* dated July 10, 2024, various federal, provincial and private database records for 250 metres study area.

# 10.0 QUALIFICATIONS OF THE ASSESSORS

#### Dean Tataryn, B.E.S., EP – Senior Environmental Professional

Mr. Dean Tataryn is a Senior Environmental Professional (EP) with Kollaard Associates Inc. in Kemptville, Ontario. Mr. Dean Tataryn has been conducting Phase I ESAs in accordance with the CSA Standard and Environmental Protection Act for more than 21 years. Mr. Tataryn has conducted more than 150 Phase I, II and III ESAs for commercial/residential clients over his career. Mr. Tataryn obtained a Bachelor of Environmental Studies (Honours Urban and Regional Planning) and a Certificate in Environmental Assessment from the University of Waterloo in 1995. Mr. Tataryn obtained his Environmental Professional (EP) designation in June of 2010.

EP certification is available exclusively to experienced professionals who have five or more years of relevant environmental work experience Recipients of the EP designation have demonstrated that their skills and knowledge meet or exceed the National Occupational Standards (NOS) to ensure that they possess the specific environmental competencies required in their fields of practice. The NOS are a comprehensive list of skill statements that describe the competencies required for environmental work in Canada. The NOS provides a rigorous, nationally validated benchmark of the skills, knowledge and experience relevant for practice within the environment sector in the areas of environmental protection, resource management, environmental sustainability, environmental management, environmental auditing and/or greenhouse gas reporting.


Mr. Tataryn joined Kollaard Associates Inc. in 2005 and has worked on numerous environmental, geotechnical and hydrogeological assessment projects over his career. Mr. Tataryn is fully trained in coordinating and conducting environmental site assessments, environmental remediation, reclamation and restoration, contamination and spill inspections, and storage tank assessment and removal.

Kollaard Associates is an engineering consulting firm that provides a complete range of engineering services for developers, builders and homeowners in Eastern Ontario. Kollaard Associates specializes in providing civil, structural, geotechnical, hydrogeological and environmental services to our clients. Kollaard Associates Inc. has been established as a team of engineers and consultants since 2005. Mr. William Kollaard, P.Eng., owner and president, is responsible for the overall company development and management of the firm.

#### Colleen Vermeersch, P.Eng.

Colleen Vermeersch is an engineer with Kollaard Associates Inc. in Kemptville, Ontario. Colleen has been conducting Phase I ESAs in accordance with the CSA Standard and Environmental Protection Act for more than four years. Colleen has conducted more than thirty Phase I ESAs for commercial/residential clients over her career and several Phase II ESAs, some of which have involved clean up supervision. Colleen Vermeersch obtained a Bachelor of Engineering (Environmental) from Carleton University in 2007 and achieved professional status in 2012.

Colleen joined Kollaard Associates Inc. in 2007 and has worked on numerous environmental and hydrogeological projects since that time. Colleen is fully trained in carrying out and analyzing pumping tests, and field and lab based testing to determine soil and aquifer properties, such as hydraulic conductivity, transmissivity and groundwater flow directions/gradients, as these apply to contaminant transport and migration, coordinating and conducting environmental site assessments, environmental remediation, and storage tank assessment and removal.





© COPY RIGHT ALONG KOLLAND ASSOCIATES INCORPORATED				Pi	om. CitiG	ate	Dr					12		ch Fallowfield or				77	4	COULO	Nede Cre
240639	DT DT	DESIGNED BY: ——	4401 FALLOWF (O'KEEFE NEPEAN WARD, CITY	LOCATION:	<i>PROJECT:</i> PHASE I ENV SITE ASS CONCEPTUAL	<i>CLIENT:</i> DCR PHOENIX DEVELOPMENT & 2116885 ONTAR	PO, BOX 189, 210 PRESCOTT S KEMPTVILLE ONTARIO KOG 1JUO FAX (613) 258-047 http://www.kollaard.ca	Kollaard Engineers	REV. NAME DATE	REFERENCE: MAPPING OBTAINED FROM OTTAWA GEOMAPS	THERE ARE NO USTS MITHIN PHASE I ESA PROPERTY. NOTE: THIS DRAWNG TO BE CONJUNCTION MITH THE ACC	THERE ARE NO WELLS PROPERTY.	THERE ARE NO ANSI OR BODIES IN THE PHASE I		250 METRES RADIUS	PHASE I SITE	PARK/COM	C COMMERCIAL USE		LEGEND: I INSTITUTIONAL USE	<i>drawing number:</i> FIGURE
39	<i>SCALE:</i> AS SHOWN	<i>DATE:</i> JULY 11, 2024	FALLOWFIELD ROAD D'KEEFE COURT) RD, CITY OF OTTAWA, ON		I ENVIRONMENTAL ASSESSMENT TUAL SITE MODEL	OPMENT CORPORATION LTD.	01T ST (613) 860-0923 -0475 info@kollaard.ca	rd Associates	DESCRIPTION	3 OBTAINED APS	YTY. TO BE READ IN HE ACCOMPANYING REPORT.	S ON THE PHASE I	OR SURFACE WATER E I ESA STUDY AREA.		AREA	BOUNDARY	ň				2



# ATTACHMENT A

# TITLE SEARCH DOCUMENTATION

N570224	721477	348478	502898	7063	R017199	352	RO26		INSTR #	Project #: Address: Legal Description: PIN #:
\$ Deed	Deed	Deed	Deed	Deed	Will	Deed	Deed	Patent	DOC. TYPE	#240639 4401 Fallowfield Rd, Nepean Pt Lot 20 Con 4 RF Nepean Pts 9 & 10, 4R7852 Ex Pts 6-12, 4R8856, Pts 4 & 5, 4R20404 & 4M1634 04467-1977(LT)
15 10 1979	30 11 1977	06 07 1956	14 03 1937	19 11 1880	09 12 1861	30 01 1832	25 07 1826	30 01 1801	REG. DATE	Searched at: LRO #: 
Kurt W. Anders, in Trust	Jessie M. Baird - Estate	Andrew M. Fogarty	Daniel Fogarty Jr Estate	Elfe Ross Fogarty	Daniel Fogarty - Estate	Rev. Alex McDonald	Elizah McIntire	Crown	PARTY FROM	t: Ottawa
383932 Ontario Limited	Kurt W. ANDERS	Jessie M. BAIRD	Andrew M. FOGARTY	Daniel FOGARTY, JR.	Elfe Ross FOGARTY	Daniel FOGARTY	Rev. Alex MCDONALD	Elizah MCINTIRE	PARTY TO	Page 1

٠

CHAIN OF TITLE REPORT

.

Cont'd on Page 2

0
÷.
÷.
Э.
2
_
0
۳j.
· • •
1
_
السر
<u>۱</u>
П
_
ᅏ
Π
Ξ.
Υ.
0
Ĵ.
-

OC2121240	OC1499727	OC656846	LT754391	INSTR #	Project #: Address: Legal Description: PIN #:
Easement	Deed (Present Owners)	Deed	Easement	DOC. TYPE	Project #:       #240639       *         Address:       4401 Fallowfield Rd, Nepean       I         Legal       Pt Lot 20 Con 4 RF Nepean       I         Description:       Pts 9 & 10, 4R7852       I         Ex Pts 6-12, 4R8856, Pts 4 & 5, 4R20404 & 4M1634       PIN #:       04467-1977(LT)
18 07 2019	22 07 2012	01 11 2006	16 01 1992	REG. DATE	Searched at:         
2116885 Ontario Inc. DCR/Phoenix Development Corporation Limited	2116885 Ontario Inc.	383932 Ontario Limited	383932 Ontario Limited	PARTY FROM	Ottawa 4
City of Ottawa	2116885 Ontario Inc 50% DCR/Phoenix Development Corporation Limited - 50%	2116885 Ontario Inc.	Bell Canada	PARTY TO	Page 2

	Ontario	ServiceOn	OFFICE		PAGE 1 OF 2 PREPARED FOR bertucci ON 2024/07/14 AT 20:17:53	
PROPERTY DES	CRIPTION:		CESSION 4, RIDEAU FF	RONT, NEPEAN, PARTS 9 AND 10 PLAN 4R7852 EXCEPT PARTS 6, 7, 8, CT TO AN EASEMENT AS IN LT754391; SUBJECT TO AN EASEMENT IN GRO	9, 10, 11 AND 12 PLAN 4R8856 EXCEPT PARTS 4 AND 5	
PROPERTY REM	IARKS:					
ESTATE/QUALI FEE SIMPLE ABSOLUTE	IFIER:		<u>RECENTLY:</u> DIVISION FRO	OM 04467-0112	PIN CREATION DATE: 2019/07/10	
<u>OWNERS' NAME</u> 2116885 ONTA	ARIO INC.	CORPORATION LIMITED	<u>CAPACITY</u> <u>SH</u> TCOM 50	HARE 0% INT		
REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
** PRINTOUT	INCLUDES AL.	L DOCUMENT TYPES AND	DELETED INSTRUMENTS	s SINCE 2019/07/10 **		
	1992/01/16 Marks: see ai	TRANSFER EASEMENT			BELL CANADA	С
			D FROM '1971/07/14'	TO '1992/01/16' ON 2006/11/07 BY LUCIE GINGRAS.		
LT9101904	1992/01/16	APL (GENERAL)			383932 ONTARIO LIMITED	с
OC656846	2006/11/01	TRANSFER	\$2,898,045	383932 ONTARIO LIMITED	2116885 ONTARIO INC.	с
	2006/11/07			LAND REGISTRAR		C
CR.	594440 <b>".</b> AMEN	DING THUMBNAIL DESCR	IPTION IN PIN 04467	EASEMENT LT754391 FROM 1971/07/14" TO "1992/01/16". ADDING REN -0104 FROM "SUBJECT TO AN EASEMENT IN FAVOUR OF BELL CANADA OVE CANADA OVER PART 1 ON PLAN 4R18463 AS IN LT754391".		
	2010/07/16 Marks: Airpor	NOTICE T ZONING REGULATION		HER MAJESTY THE QUEEN IN RIGHT OF CANADA		С
OC1499727	2013/07/22	TRANSFER	\$1	2116885 ONTARIO INC.	DCR/PHOENIX DEVELOPMENT CORPORATION LIMITED	с
OC1500031	2013/07/23	CHARGE	\$1,000,000	DCR/PHOENIX DEVELOPMENT CORPORATION LIMITED	GARADEX INC.	С
	2018/12/13 MARKS: OC1499	LR'S ORDER 727 CORRECT OWNER'S	NAME	LAND REGISTRAR, OTTAWA-CARLETON LAND REGISTRY OFFICE		С
OC2072642	2019/01/22	CHARGE		2116885 ONTARIO INC. DCR/PHOENIX DEVELOPMENT CORPORATION LIMITED	BANK OF MONTREAL	C
		POSTPONEMENT 031 TO OC2072642		GARADEX INC.	BANK OF MONTREAL	С
OC2121240		TRANSFER EASEMENT		2116885 ONTARIO INC. DCR/PHOENIX DEVELOPMENT CORPORATION LIMITED TED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES. IF ANY, WITH DESC	CITY OF OTTAWA	С

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY. NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



LAND REGISTRY PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER


PAGE 2 OF 2 PREPARED FOR bertucci ON 2024/07/14 AT 20:17:53

OFFICE #4

## 04467-1977 (LT)


\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
OC2121241 <i>REI</i>		POSTPONEMENT 031 TO OC2121240		GARADEX INC.	CITY OF OTTAWA	С
OC2121242 REI		POSTPONEMENT 642 TO OC2121240		BANK OF MONTREAL	CITY OF OTTAWA	С
OC2287547	2020/11/30	NOTICE	\$1	CITY OF OTTAWA	2116885 ONTARIO INC. DCR/PHOENIX DEVELOPMENT CORPORATION LIMITED	с
OC2287548 <i>REI</i>		POSTPONEMENT 031 TO OC2287547		GARADEX INC.	CITY OF OTTAWA	С
OC2287549 <i>REI</i>		POSTPONEMENT 642 TO OC2287547		BANK OF MONTREAL	CITY OF OTTAWA	с
OC2580504 <i>REI</i>	2023/03/06 MARKS: AMENDI		ement as in lt39175	LAND REGISTRAR, OTTAWA-CARLETON LAND REGISTRY OFFICE 4 TO SUBJECT TO AN EASEMENT AS IN LT754391		С



# ServiceOntario

PRINTED ON 14 JUL, 2024 AT 20:25:13 FOR BERTUCCI



**PROPERTY INDEX MAP** OTTAWA-CARLETON(No. 04)

#### LEGEND

 FREEHOLD PROPERTY
 Image: Constant of the second s



#### NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED






## ATTACHMENT B

## **TOPOGRAPHIC MAP**



Phase I Environmental Site Assessment 4401 Fallowfield Road Ottawa, Ontario 240639




NOT TO SCALE



## ATTACHMENT C


## **AIR PHOTOGRAPHS**



Source: City of Ottawa Emaps

1965






Source: City of Ottawa Emaps

1976





Source: City of Ottawa Emaps

1991





Source: City of Ottawa Emaps

1999






Source: City of Ottawa Emaps

2005





Source: City of Ottawa Emaps

2011





Source: City of Ottawa Emaps

2015





2019





Source: City of Ottawa Emaps

2022





## ATTACHMENT D

## **CITY OF OTTAWA CORRESPONDENCE**

	Office Use O	Dniy
Application Number:	Ward Number:	Application Received: (dd/mm/yyyy):
Client Service Centre Staff:		Fee Received: \$



# **Historic Land Use Inventory**

**Application Form** 

#### **Notice of Public Record**

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

#### **Municipal Freedom of Information and Protection Act**

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning, Real Estate and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

		Background ir	Iformation		
*Site Address or Location:	4401 Fallowfield Road, Nepean, C	DN .			
	* Mandatory Field				
*Applicant/Agent	Information:				
Company name:	Kollaard Associates Inc.				
Contact name:	Mr. Dean Tataryn				
Mailing Address:	210 Prescott Street, Kemptville, ON	KOG 1JO			
Telephone:	6138600923, ext 225	Email Address:	dean@kollaard.ca		
*Registered Property Owner Information: Same as above					
Name:	DCR Phoenix Development Corpora	ition Ltd and 2116	385 Ontario Inc.		
Mailing Address:	18 Bentley Avenue, Ottawa, ON K2E	678			
Telephone:	6137239227	Email Address:	MBoucher@phoenixhomes.ca and ggaty@elkproperty.com		

	Site Details
Legal Description and PIN:	Part of Lot 20, Concession 4 (Rideau Front), Nepean Ward, City of Ottawa, ON Assessment Roll #: 06141208250989100000
What is the land currently used for?	vacant
	e: m Lot depth: m Lot area: m <sup>2</sup> t area: (irregular lot) 33,983.91 m <sup>2</sup> e have Full Municipal Services:  () Yes () No
	Required Fees
Please don't hesita more information.	te to visit the Historic Land Use Inventory website Fees must be paid in full at the time of application submission.
Planning Fee	\$181.00
	Submittal Requirements

The following are required to be submitted with this application:

- 1. Consent to Disclose Information: Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner. This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. Disclaimer: Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Real Estate and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3. A site plan or key plan of the property, its location and particular features.
- 4. Any significant dates or time frames that you would like researched.

#### Disclaimer For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to Kollaard Associates Inc. ("the Requester") does so only under the following

conditions and understanding:

- The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in
  municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible
  for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City
  does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as
  is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in
  responding to the request.
- 2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
- The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
- 4. Copyright is reserved to the City.
- 5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
- 6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
- 7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed: Dated (dd/mm/yyyy): 10/07/202

Per: Dean Tataryn
(Please print name)

Title: Environmental Professional

Company: Kollaard Associates Inc.

Civil • Geotechnical •

Structural • Environmental •

Hydrogeology •

#### (613) 860-0923

FAX: (613) 258-0475

July 10, 2024

Engineers

210 Prescott Street P.O. Box 189

240639

City of Ottawa Planning and Development 110 Laurier Avenue West Ottawa, Ontario K1P 1J1

Kollaard Associates

Kemptville, Ontario K0G 1J0

Attention: To whom it may concern

#### Re: ENVIRONMENTAL SEARCH REQUEST 4401 FALLOWFIELD ROAD CITY OF OTTAWA, ONTARIO

Dear Sir/Madam:

Kollaard Associates Inc. was retained by 2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited to carry out a Phase I ESA for the above noted site. Kollaard Associates Inc. hereby requests that the City of Ottawa conduct a search of all environmental databases, including the Historical Land Use Inventory ("HLUI"). Kollaard Associates Inc. is interested in any information pertaining to the environmental condition of the property and adjoining areas including, but not limited to past environmental reports, orders, violations of environmental statutes, regulations or by-laws, certificates, approvals, permits and any other environmental information.

Please find attached the consent letter, HLUI disclaimer form, and the Request for Information form. We thank you for your cooperation in this matter and look forward to your reply.

If you should require further information, please do not hesitate to contact the requestor at <u>dean@kollaard.ca</u> or by telephone at (613) 860-0923, Ext 225.

Sincerely, KOLLAARD ASSOCIATES, INC.

Dean Tataryn, B.E.S., EP.

Civil . Geotechnical .

Structural • Environmental •

Hydrogeology •

#### (613) 860-0923

FAX: (613) 258-0475

Kollaard Associates Engineers 210 Prescott Street P.O. Box 189

Kemptville, Ontario K0G 1J0

July 10, 2024

240639

2116885 Ontario Inc. and DCR Phoenix Development Corporation Limited

Consent to Disclose Information Re: 4401 Fallowfield Road City of Ottawa, Ontario

Dear Sir/Madam,

We have been retained to perform a Phase I Environmental Site Assessment (ESA) for the above noted property located within the City of Ottawa, Ontario.

We are requesting consent from you, the owner of 4401 Fallowfield Road for the City of Ottawa to disclose information for the purpose of the Phase I Environmental Site Assessment. This will authorize the City of Ottawa to release any relevant information about the property to the requester.

To provide consent, please sign and date the following.

Owner/Representative Signature (2116885 Ontario Inc. & DCR Phoenix Development Corporation Limited)

4/4 10/24

Owner/Representative Name (Please Print) (2116885 Ontario Inc. & DCR Phoenix Development Corporation Limited)

Thank you for your assistance regarding this matter.

Sincerely. KOLLAARD ASSOCIATES, INC.

Dean Tataryn, B.E.S., EP.

7/9/24, 2:10 PM

geoOttawa

City of Ottawa Property Information Source: https:\\maps.ottawa.ca\\geoOttawa Date/Time Generated:Run on: 7/9/2024 2:10 PM

#### **Property Parcel:**

Calculated Parcel Area<sup>[i]</sup>: 33983.91 m<sup>2</sup> (365799.38 ft<sup>2</sup>) (3.40 ha)

### Main Address:

4401 Fallowfield Rd

#### Solid Waste Collection:

Waste Contractor: Miller Zone: 2 Pickup Day/Calendar: THURSDAY/A

#### Ward Information:

Number: 3 Ward Name: Barrhaven West Councillor Name: David Hill

#### **Property Aerial Photo**



<sup>[i]</sup> The property parcel area value shown is based on the parcel selected to generate the report.



## ATTACHMENT E

## **ECOLOG ERIS SERVICES**



# DATABASE REPORT

**Project Property:** 

Project No: Report Type: Order No: Requested by: Date Completed: 240639 4401 Fallowfield Road Nepean ON K2J 4A7 240639 Standard Report 24071000091 Kollaard Associates Inc. July 10, 2024

Environmental Risk Information Services A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com

# Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	4
Executive Summary: Site Report Summary - Project Property	7
Executive Summary: Site Report Summary - Surrounding Properties	8
Executive Summary: Summary By Data Source	10
Map	13
Aerial	14
Topographic Map	15
Detail Report	
Unplottable Summary	51
Unplottable Report	53
Appendix: Database Descriptions	81
Definitions	91

#### Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

#### Property Information:

Project Property:		240639 4401 Fallowfield Road Nepean ON K2J 4A7
Project No:		240639
Coordinates:		
	Latitude:	45.2727124
	Longitude:	-75.7928474
	UTM Northing:	5,013,551.74
	UTM Easting:	437,808.65
	UTM Zone:	18T
Elevation:		337 FT
		102.79 M
Order Information:		
Order Net		2407400004

071000091
y 10, 2024
llaard Associates Inc.
ndard Report

#### Historical/Products:

**ERIS Xplorer** 

ERIS Xplorer

# Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	4	4
CA	Certificates of Approval	Y	0	0	0
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
СНМ	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	1	1	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	1	1	2
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems	Y	0	0	0
FST	(FIRSTS) Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	0	0
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0

erisinfo.com | Environmental Risk Information Services

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPR2	National Pollutant Release Inventory 1993-2020	Y	0	0	0
NPRI	National Pollutant Release Inventory - Historic	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PFCH	NPRI Reporters - PFAS Substances	Y	0	0	0
PFHA	Potential PFAS Handlers from NPRI	Y	0	0	0
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	0	0
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Ŷ	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	8	8

Database	Name	Searched	Project Property	Within 0.25 km	Total
		Total:	2	14	16

# Executive Summary: Site Report Summary - Project Property

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	ECA	2116885 Ontario Inc.	4401 Fallowfield Rd (Part Lot 20, Concession 4) Ottawa ON K2E 6T8	-/0.0	0.95	<u>16</u>
<u>1</u>	EHS		4401 Fallowfield Road Nepean ON K2R	-/0.0	0.95	<u>16</u>

# Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
2	BORE		ON	SSE/185.3	1.39	<u>16</u>
<u>3</u>	BORE		ON	SSW/204.2	5.59	<u>18</u>
<u>4</u>	BORE		ON	ENE/207.9	-1.92	<u>18</u>
<u>5</u>	WWIS		lot 20 con 4 ON <i>Well ID:</i> 1534314	ESE/211.2	-2.92	<u>20</u>
<u>5</u>	WWIS		lot 20 con 4 ON <i>Well ID:</i> 1534317	ESE/211.2	-2.92	<u>21</u>
<u>6</u>	WWIS		lot 20 con 4 ON <i>Well ID:</i> 1527488	ESE/214.0	-2.92	<u>22</u>
<u>6</u>	WWIS		lot 20 con 4 ON <i>Well ID:</i> 1527489	ESE/214.0	-2.92	<u>26</u>
<u>6</u>	WWIS		lot 20 con 4 ON <i>Well ID:</i> 1527903	ESE/214.0	-2.92	<u>30</u>
<u>6</u>	WWIS		lot 20 con 4 ON <i>Well ID:</i> 1528157	ESE/214.0	-2.92	<u>33</u>
<u>7</u>	WWIS		lot 20 con 4 ON <i>Well ID:</i> 1520817	ESE/214.7	-2.92	<u>38</u>
<u>8</u>	ECA	City of Ottawa	Lots 20 and 21, Concession 4 Ottawa ON K1P 1J1	ESE/218.5	-2.92	<u>41</u>
<u>9</u>	WWIS		O'KEEFE COURT lot 20 con 4 NEPEAN ON	W/242.5	6.42	<u>41</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<b>Well ID:</b> 1535794			
<u>10</u>	BORE		ON	SW/242.6	7.17	<u>48</u>
<u>11</u>	EHS		140 Lusk Street Ottawa ON K2J	ENE/248.2	-1.92	<u>49</u>

# Executive Summary: Summary By Data Source

#### **BORE** - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 4 BORE site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction SSE	<u>Distance (m)</u> 185.27	<u>Map Key</u> 2
	ON			_
	ON	SSW	204.22	<u>3</u>
	ON	SW	242.58	<u>10</u>
Lower Elevation	Address ON	Direction ENE	<u>Distance (m)</u> 207.90	<u>Map Key</u> <u>4</u>

#### **ECA** - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Apr 30, 2024 has found that there are 2 ECA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation 2116885 Ontario Inc.	Address 4401 Fallowfield Rd (Part Lot 20, Concession 4) Ottawa ON K2E 6T8	<u>Direction</u> -	<u>Distance (m)</u> 0.00	<u>Map Key</u> <u>1</u>
Lower Elevation City of Ottawa	Address Lots 20 and 21, Concession 4 Ottawa ON K1P 1J1	<u>Direction</u> ESE	<u>Distance (m)</u> 218.54	<u>Map Key</u> <u>8</u>

#### **EHS** - ERIS Historical Searches

A search of the EHS database, dated 1999-Mar 31, 2024 has found that there are 2 EHS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u> 4401 Fallowfield Road Nepean ON K2R	<u>Direction</u> -	<u>Distance (m)</u> 0.00	<u>Map Key</u> <u>1</u>
Lower Elevation	Address 140 Lusk Street Ottawa ON K2J	Direction ENE	<u>Distance (m)</u> 248.22	<u>Map Key</u> <u>11</u>

#### WWIS - Water Well Information System


A search of the WWIS database, dated Dec 31 2023 has found that there are 8 WWIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address O'KEEFE COURT lot 20 con 4 NEPEAN ON Well ID: 1535794	Direction W	<u>Distance (m)</u> 242.46	<u>Мар Кеу</u> <u>9</u>
Lower Elevation	Address	<b>Direction</b>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 20 con 4 ON	ESE	211.18	<u>5</u>
	Well ID: 1534317			
	lot 20 con 4 ON	ESE	211.18	<u>5</u>
	<b>Well ID:</b> 1534314			
	lot 20 con 4 ON	ESE	214.05	<u>6</u>
	<b>Well ID:</b> 1527489			
	lot 20 con 4 ON	ESE	214.05	<u>6</u>
	<b>Well ID:</b> 1527903			
	lot 20 con 4 ON	ESE	214.05	<u>6</u>

#### Well ID: 1528157

lot 20 con 4 ON	ESE	214.05	<u>6</u>
Well ID: 1527488			
lot 20 con 4 ON	ESE	214.72	<u>7</u>
Well ID: 1520817			






Source: © 2021 ESRI StreetMap Premium.

45°16'30"N

© ERIS Information Limited Partnership





Aerial Year: 2023

## Address: 4401 Fallowfield Road, Nepean, ON

Source: ESRI World Imagery


45°16'30"N

Order Number: 24071000091



45°16'30"N

© ERIS Information Limited Partnership



# **Topographic Map**

### Address: 4401 Fallowfield Road, ON

Source: ESRI World Topographic Map

Order Number: 24071000091



© ERIS Information Limited Partnership

## Detail Report

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
<u>1</u>	1 of 2		-/0.0	103.7 / 0.95	2116885 Ontario Inc. 4401 Fallowfield Rd (F Ottawa ON K2E 678	Part Lot 20, Concession 4)	ECA
Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Typ Project Type Business Na Address: Full Address Full Address Full PDF Linl PDF Site Loc	nte: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2:		8 ECA-MUNICIPAL MUNICIPAL AND 2116885 Ontario In 4401 Fallowfield R	d (Part Lot 20, Cor	E WORKS	B3FJW7-14.pdf	
1	2 of 2		-/0.0	103.7 / 0.95	4401 Fallowfield Road Nepean ON K2R	I	EHS
Order No: Status: Report Type Report Date. Date Receive Previous Sit Lot/Building Additional In	: ed: e Name: Size:	201812170 C Standard I 18-DEC-18 17-DEC-18	Report 8		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.78857 45.273255	
<u>2</u>	1 of 1		SSE/185.3	104.2 / 1.39	ON		BORE
Borehole ID: OGF ID: Status: Type: Use: Completion I Static Water Primary Wate Sec. Water U Total Depth r Depth Ref: Depth Elev: Drill Method: Orig Ground Elev Reliabil DEM Ground Concession:	Level: er Use: lse: m: Elev m: Note: l Elev m:	9.3 Ground Su Hollow ste 102 103	sioned cal/Geological Inve 991 urface	estigation	Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No LOT 20 NEPEAN 45.27107 -75.792438 18 437839 5013369 Within 20 metres	

Map Key	Number o Records	DI	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Comments:						
Borehole Geo	logy Stratu	<u>m</u>				
Geology Strat Top Depth: Bottom Depth Material Color Material 1: Material 2: Material 3: Material 4: Gsc Material 1	:	6561279 .5 2.1 Brown Silt Clay Sand Roots			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm
Stratum Desci	ription:					CONTAINS TRACES OF ROOT FIBRES, FIRI artment have a truncated [Stratum Description]
Geology Strat Top Depth: Bottom Depth Material Color Material 1: Material 2: Material 3: Material 4: Gsc Material E	: : Description:	6561280 2.1 4.1 Brown Sand Silt Coarse S Coarse G	ravel	NAPSE SAND A	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Compact IGHT GREYISH BROWN, LIGHT TO DARK
Stratum Desci	πρτιοπ:					truncated [Stratum Description] field.
Geology Strat Top Depth: Bottom Depth Material Color Material 1: Material 2: Material 3:	:	6561281 4.1 6.2 Till Sand Silt			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:	Very Dense
Material 4: Gsc Material L Stratum Desci	Description:		HETEROGENEOUS TILL), NUMEROUS Description] field.	MIXTURE OF S BOULDERS **N	Depositional Gen: SILTY SAND, SOME GRAVE ote: Many records provided	glacial EL, TRACE OF CLAY, VERY DENSE (GLACIA by the department have a truncated [Stratum
Geology Strat Top Depth: Bottom Depth Material Color Material 1: Material 2: Material 3: Material 4: Gsc Material L	: : Description:	6561278 0 .5 Brown Topsoil clay silt Dark-Colo			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Stratum Desci	ription:		CLAYEY SILT (TOP [Stratum Description		<pre></pre> COWN **Note: Many records	s provided by the department have a truncated
Geology Strat Top Depth: Bottom Depth Material Color Material 1: Material 2: Material 3: Material 4: Gsc Material L Stratum Desci	: : Description:	6561282 6.2 9.3 Grey Bedrock Limestone Dolomite Silt			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	ARK GREENISH GREY TO DARK GREY, SIL

SSW/204			
	.2 108.4 / 5.59	ON	BORI
040505		-	No
848525		Inclin FLG:	No
215590146		SP Status:	Initial Entry
			No
			No
	ical investigation	•	
10-APR-1991			1.07.00
			LOT 20
		-	NEPEAN
			45.270911
-		•	-75.793366
Ground Surface			18
		•	437766
-		•	5013352
106		-	
		Accuracy:	Within 20 metres
CON 4			
<u>atum</u>			
6561284		Mat Consistency:	Dense
		Material Moisture:	
7.6		Material Texture:	
Brown		Non Geo Mat Type:	
Gravel		Depositional Gen:	glacial
CLAY, CO	NTAINS OCCASIONAL (	COBBLES AND BOULDERS	, DENSE TO VERY DENSE (GLACIAL TILL)
6561283		Mat Consistency:	
•			
Dark-Coloured			
		Depositional Gen:	
	T (TOPSOIL), DARK GI	REYISH BROWN **Note: Ma	ny records provided by the department have a
truncated [	Stratum Description] field	1.	
ENE/207.	9 100.9/-1.92	ON	BORI
610530			No
			Initial Entry
210012070			No
Borehole			No
DUICHUIC			
ALIC. 1070		-	
AUG-1970		Municipality: Lot:	
ť	10-APR-1991 7.6 Ground Surface Hollow stem auger 106 105 CON 4 ratum 6561284 .6 7.6 Brown Till Sand Silt Gravel tion: BROWN TO CLAY, CON **Note: Mar 6561283 0 .6 Brown Topsoil sand silt Dark-Coloured tion: SANDY SIL truncated [S	Borehole Geotechnical/Geological Investigation 10-APR-1991 7.6 Ground Surface Hollow stem auger 106 105 CON 4 return 6561284 .6 7.6 Brown Till Sand Silt Gravel tion: BROWN TO GREYISH BROWN, H CLAY, CONTAINS OCCASIONAL O **Note: Many records provided by th 6561283 0 .6 Brown Topsoil sand silt Dark-Coloured tion: SANDY SILT (TOPSOIL), DARK GI truncated [Stratum Description] field tion: ENE/207.9 100.9/-1.92	Borehole Geotechnical/Geological Investigation 10-APR-1991 7.6 Ground Surface Hollow stem auger 106 CON 4

	Records	Distance (m) (	m)	
Sec. Water Use	ə:		Latitude DD:	45.273899
Total Depth m:	-999		Longitude DD:	-75.790798
Depth Ref:		Surface	UTM Zone:	18
	Ground	Sunace		-
Depth Elev:			Easting:	437971
Drill Method:			Northing:	5013682
Orig Ground E	<i>lev m:</i> 100		Location Accuracy:	
Elev Reliabil N			Accuracy:	Not Applicable
			Accuracy.	Net Applicable
DEM Ground E	<i>lev m:</i> 100			
Concession:				
Location D:				
Survey D:				
Comments:				
Borehole Geole	ogy Stratum			
Geology Stratu		823	Mat Consistency:	
Top Depth:	1.2		Material Moisture:	
Bottom Depth:			Material Texture:	
Material Color:				
			Non Geo Mat Type:	
Material 1:	Unknow	'n	Geologic Formation:	
Material 2:			Geologic Group:	
Material 3:			Geologic Period:	
Material 4:			Depositional Gen:	
	a a a vintia			
Gsc Material D				
Stratum Descri	iption:	UNSPECIFIED. SEISM	IC VELOCITY = 2200.	
Geology Stratu	IM ID: 2183858	822	Mat Consistency:	
Top Depth:	0		Material Moisture:	
	-			
Bottom Depth:			Material Texture:	
Material Color:			Non Geo Mat Type:	
Material 1:	Unknow	'n	Geologic Formation:	
Material 2:			Geologic Group:	
Material 3:			Geologic Period:	
Material 4:			Depositional Gen:	
Gsc Material D	•			
Stratum Descri	iption:	UNSPECIFIED. SEISM	IC VELOCITY = 1000.	
Geology Stratu	IM ID: 2183858	824	Mat Consistency:	Firm
Top Depth:	4.3		Material Moisture:	
Bottom Depth:	-		Material Texture:	
Material Color:	Grey		Non Geo Mat Type:	
Material 1:	Bedrock	(	Geologic Formation:	
Material 2:			Geologic Group:	
Material 3:			Geologic Period:	
Material 4:			Depositional Gen:	
Gsc Material D				00005004 0000044004000000400 ****
Stratum Descri	ιρτιοη:		department have a truncated [Stratum ]	00035004. 000080110010000200128 **Note: Ma Description] field.
<u>Source</u>				
Source Type:	Data Su	irvev	Source Appl:	Spatial/Tabular
••			Source Iden:	•
Source Orig:		cal Survey of Canada		1 Maria -
Source Date:	1956-19	172	Scale or Res:	Varies
Confidence:	L		Horizontal:	NAD27
Observatio:			Verticalda:	Mean Average Sea Level
Source Name:		Lirban Geology Autom	ted Information System (UGAIS)	
Source Details	:		ordID: 03038 NTS_Sheet:	al ra ou ra
Confiden 1:		Gives some indication	of sub-surface condition but material is u	nknown.
Source List				
	er: 1		Horizontal Datum:	NAD27

	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Source Type: Source Date:	Data Su 1956-19			Vertical Datum: Projection Name:	Mean Average Sea Level Universal Transverse Mercator	
Scale or Resolution	on: Varies					
Source Name:				ion System (UGAIS)		
Source Originato	rs:	Geological Survey	of Canada			
<u>5</u> 1 oi	f 2	ESE/211.2	99.9 / -2.92	lot 20 con 4 ON		wwi
Well ID: Construction Date	1534314	4		Flowing (Y/N): Flow Rate:		
Use 1st:	Not Use	d		Data Entry Status:		
Use 2nd:				Data Src:	1	
Final Well Status:	Abandor	ned-Quality		Date Received:	11/13/2003	
Water Type:				Selected Flag:	TRUE	
Casing Material: Audit No:	267001			Abandonment Rec: Contractor:	1558	
Tag:	207001			Form Version:	2	
Constructn Metho	od:			Owner:	2	
Elevation (m):				County:	OTTAWA-CARLETON	
Elevatn Reliábilty	:			Lot:	020	
Depth to Bedrock				Concession:	04	
Well Depth:				Concession Name:	RF	
Overburden/Bedr	ock:			Easting NAD83:		
Pump Rate: Static Water Leve				Northing NAD83: Zone:		
Clear/Cloudy:	1.			UTM Reliability:		
Nunicipality: Site Info:		NEPEAN TOWNS	HIP	• · · · · · · · · · · · · · · · · · · ·		
PDF URL (Map):		https://d2khazk8e8	33rdv.cloudfront.n	et/moe_mapping/downloads	s/2Water/Wells_pdfs/153\1534314.pdf	
Additional Detail(	<u>s) (Map)</u>					
Well Completed E Year Completed:	Date:	09/23/2003 2003				
Depth (m):		45.272165541859	n			
Latitude: Longitude:		-75.790269118938				
X:		-75.790268958088				
Y:		45.272165535276				
Path:		153\1534314.pdf				
Bore Hole Informa	ation					
Bore Hole ID:	1109736	64		Elevation:		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	18	
Code OB:				East83:	438010.30	
Code OB Desc: Open Hole:				North83: Org CS:	5013489.00	
Open Hole: Cluster Kind:				UTMRC:	9	
Date Completed:	09/23/20	003		UTMRC Desc:	unknown UTM	
Remarks:		-		Location Method:	lot	
Location Method Elevrc Desc:	Desc:	Lot centroid				
Location Source I	Date:					
Improvement Loc Improvement Loc	ation Source: ation Method:					
Source Revision ( Supplier Commer						

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Method of Co	onstruction	& Well					
Method Cons Method Cons Method Cons Other Method	struction Co struction:	ode:	961534314 0 Not Known				
<u>Pipe Informa</u>	<u>ntion</u>						
Pipe ID: Casing No: Comment: Alt Name:			11101079 1				
<u>5</u>	2 of 2		ESE/211.2	99.9 / -2.92	lot 20 con 4 ON		wwis
Well ID: Construction Use 1st: Use 2nd: Final Well St Water Type: Casing Mate Audit No: Tag: Constructn M Elevatin Relia Depth to Bec Well Depth: Overburden; Pump Rate: Static Water Clear/Cloudy Municipality: Site Info: PDF URL (Ma Additional D	atus: rial: Method: ): abilty: drock: /Bedrock: /Bedrock: /Eevel: /: : ap):	1534317 Not Used Abandon 267006	d ed-Other NEPEAN TOWNS⊢		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession: Concession: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 11/13/2003 TRUE 1558 2 OTTAWA-CARLETON 020 04 RF	
Well Comple Year Comple Depth (m): Latitude: Longitude: X: Y: Path: Bore Hole In:	eted:		11/05/2003 2003 45.2721655418592 -75.7902691189386 -75.7902689580885 45.2721655352769 153\1534317.pdf	6 96			
Bore Hole ID DP2BR: Spatial Statu Code OB: Code OB Des Open Hole: Cluster Kind Date Comple	): IS: SC: !:	1109736 11/05/20			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	18 438010.30 5013489.00 9 unknown UTM	

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Remarks: Location Met Elevrc Desc: Location Sou Improvement Source Revis Supplier Con	Irce Date: t Location S t Location I sion Comm	Method:	Lot centroid		Location Method:	lot	
<u>Method of Co Use</u>	onstruction	& Well					
Method Cons Method Cons Method Cons Other Method	struction Co struction:	ode:	961534317 0 Not Known				
Pipe Informa	<u>tion</u>						
Pipe ID: Casing No: Comment: Alt Name:			11101082 1				
<u>6</u>	1 of 4		ESE/214.0	99.9/-2.92	lot 20 con 4 ON		wwis
Well ID: Construction Use 1st: Use 2nd: Final Well Sta Water Type: Casing Mater Audit No: Tag: Constructn M Elevatin Relia Depth to Bed Well Depth: Overburden/I Pump Rate: Static Water Clear/Cloudy Municipality: Site Info:	atus: //ethod: ): bbilty: lrock: Bedrock: Level: :	1527488 Public Cooling J Water St 126285	And A/C upply NEPEAN TOWNSI		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 10/06/1993 TRUE 4006 1 OTTAWA-CARLETON 020 04 RF	ff
PDF URL (Ma	ар):		https://d2khazk8e8	3rdv.cloudfront.n	et/moe_mapping/downloads	s/2Water/Wells_pdfs/152\1527488.pc	,T
Additional De Well Comple Year Comple Depth (m): Latitude: Longitude: X: Y: Path:	ted Date:	<u>o)</u>	09/24/1993 1993 91.44 45.2721658064666 -75.790230877409 -75.790230715921 45.2721657988944 152\1527488.pdf	07 61			

#### Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		
Bore Hole ID: DP2BR:	100491	27		Elevation: Elevrc:		
Spatial Status	:			Zone:	18	
Code OB:				East83:	438013.30	
Code OB Dese	c:			North83:	5013489.00	
Open Hole:				Org CS:		
Cluster Kind:				UTMRC:	9	
Date Complete	ed: 09/24/1	993		UTMRC Desc:	unknown UTM	
Remarks:				Location Method:	lot	
Location Meth	nod Desc:	Lot centroid				
Elevrc Desc:						
Location Sour	rce Date:					
Improvement	Location Source:					
Improvement	Location Method:					
Source Revisi	ion Comment:					
Supplier Com	ment:					
<u>Overburden a</u> Materials Intei						
		004000004				
Formation ID:		931066801				
Layer:		1				
Color:		2				
General Color	?	GREY				
Material 1:		05				
Material 1 Des	SC:	CLAY				
Material 2:		13				
Material 2 Des	SC:	BOULDERS				
Material 3:		79 PACKED				
Material 3 Des						
Formation Top		0.0 25.0				
Formation En Formation En	d Depth UOM:	ft				
<u>Overburden a</u> Materials Intel						
Formation ID:		931066802				
Layer:		2				
Color:		2				
General Color		GREY				
Material 1:	•	15				
Material 1 Des		LIMESTONE				
Material 2:		73				
Material 2 Des	sc.	HARD				
Material 3:						
Material 3 Des	sc.					
Formation Top		25.0				
Formation En		145.0				
Formation En	d Depth UOM:	ft				
<u>Overburden a</u> Materials Intel						
		931066803				
Formation ID:		3				
Formation ID: Layer: Color:						
Layer:	<b>;</b>					
Layer: Color:	:	18				
Layer: Color: General Color		18 SANDSTONE				
Layer: Color: General Color Material 1:		-				

DB

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 De		145.0			
Formation To Formation E		145.0 300.0			
Formation E	nd Depth UOM:	ft			
	na Depth OOM.	n			
<u>Annular Spa</u> <u>Sealing Rece</u>	<u>ce/Abandonment</u> ord				
Plug ID:		933112494			
Layer:		1			
Plug From:		0.0			
Plug To:		29.0			
Plug Depth l	JOM:	ft			
<u>Method of Co Use</u>	onstruction & Well				
Method Con	struction ID.	961527488			
	struction Code:	4			
Method Con		Rotary (Air)			
	d Construction:				
<u>Pipe Informa</u>	<u>ntion</u>				
Pipe ID:		10597697			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction</u>	n Record - Casing				
Casing ID:		930085793			
Layer:		2			
Material:		1			
Open Hole o Depth From:		STEEL			
Depth To:		29.0			
Casing Diam		8.0			
Casing Diam		inch			
Casing Dept	h UOM:	ft			
<u>Construction</u>	<u>n Record - Casing</u>				
Casing ID:		930085792			
Layer:		1			
Material:		1			
Open Hole o		STEEL			
Depth From:		00.0			
Depth To:		29.0			
Casing Diam		6.0			
Casing Diam		inch			
Casing Dept	n UOM:	ft			
Construction	n Record - Casing				
00100100000					

Casing ID:	930085794
Layer:	3
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	

Saving Diameter:         6.0           Saving Diameter:         inch           Saving Diameter:         inch           Saving Dapeth UOM:         inch           Text Both ODE:         PUMP           Saving Dapeth UOM:         991527488           Saving Dapeth UOM:         801           Saving David Pump Text Method Des:         991527488           Saving David Pump Text Method Des:         80.0           Saving David Pump Rest:         80.0           Saving David Pump Rate:         80.0           Saving David Pump Rate:         90.0           Savin Davin & Recovery         20.0	Casing Diameter:         6.0           Casing Diameter:         Inch           Casing Diameter:         Inch           Casing Diameter:         Inch           Results of Well Yield Tosting         Inch           Pump Test I Method Dess:         PUMP           Pump Test I Method Dess:         PUMP           Pump Test I Method Dess:         901527480           Pumping Take:         90.0           Paraming Rate:         90.0           Pumping Rate:         90.0           Recommended France         GFM           Water Stite After Test:         CLEAR           Pumping Duration MR:         0           Pumping Duration MR:         0           Pumping Duration MR:         0           Pumping Duration MR:         1           Pump Test Detail ID:         934335543           Test Lowaiton:         15           Test Lowaiton:         16           Test Lowaiton:         17.0           Test Lowaiton:         18           Test Lowaiton:         19.0		ection/ Elev/Diff tance (m) (m)	Site	DE
Data ing Denneter UOM:     inch       Data ing Denneter UOM:     it       Base Jaing Depth UOM:     it       Data Jaing Depth UOM:     9915274.88       Dump Set JD:     9915274.88       Dump Set JD:     80       Sinal Level After Pumping:     20       Data Second Depth:     175.0       Dimping Test D:     90.0       Recommended Pump Depth:     175.0       Dimping Test D:     90.0       Recommended Pump Depth:     175.0       Warron State After Test:     90.0       Recommended Pump Depth:     175.0       Warron State After Test:     0.0       Recommended Pump Depth:     1       Varier State After Test:     CLEAR       Umping Test Detail ID:     94110728       Test Detail ID:     94110728       Test Type:     Dim Down       Test Detail ID:     94110728       Test Type:     Dim Down       Test Devin:     12.0       Test Level:     10.0       Test Level:     10.0       Test Level:     10.0       Test Level:     17.0       Test Level:     17.0       Test Level:     17.0       Test Level:     18.0       Test Level:     19.0       Test Level:     19.	Casing Depart UOM: inch Casing Depart UOM: it Results of Well Yield Testing Pump Test OL: Pump Set At: Static Level: 8.0 Final Level After Pumping: 20.0 Recommended Pump Dept:: 175.0 Pumping Rate: 80.0 Recommended Pump Dept:: 90.0 Recommended Pump Rate: 90.0 Recomme				
Casing Depth UOM:         ft           Results of Well Yield Testing           Pump Test Method Dess:         PUMP may Test Method Dess:         PUMP Pump Set A:           Static Level:         8.0           Final Levol Aftor Pumping:         20.0           Static Level:         8.0           Final Levol Aftor Test:         CLEAR           Varier State After Test:         So           Varier State After Test:         CLEAR           Varier State After Test:         CLEAR           Varier State After Test:         So           Varier State After Test:         So           Varier State After Test:         So      <	Casing Depth UOM: It Results of Well Yield Testing Remping Test: Method Desc: PUMP Pump Test Desci PUMP Remping Test: Method Desc: 800 Pump Set At: 800 Pump Set At: 800 Pump Rete: 900 Pumping Partial Pumping Pumping Pumping Partial Pumping Pumping Pumping Partial Pumping Pumping Pumping Partial Pumping				
Results of Weilveid Tassing         Yumping Tast Method Dess:       PUNP 991527438         Yumping Stati:       80         Timp Stati:       80         Time Level After Pumping:       20.0         Recommended Pump Date:       90.0         Time Level After Test Code:       1         Water State After Test Code:       1         Water State After Test Code:       1         Timping Duration HR:       6         Tumping Duration HR:       10         Towing:       No         Tast Down       15         Test Level:       12.0         Test Level:       12.0         Test Level:       12.0         Test Level:       12.0         Test Level:       10	Results of Weil Yield Testing Ampoing Test Method Desc. PUMP Ampo Set JD: 901527488 Pump Set JD: 001 For Market Set Descent For Market Set Set Descent For Market Set Set Set Set Set Set Set Set Set S				
Pumping Test Method Desc:         PUMP 99112727888           Pump Set JD:         991527488           Pump Set JD:         810           Static Level:         8.0           Static Level:         8.0           Recommended Pump Date:         90.0           Recommended Pump Rate:         0.0           Parter State After Test Code:         1           Water State After Test:         CLERR           Pumping Test Method:         1           Pump Rest Detail ID:         9349349543           Fest Level:         12.0           Fest Level:         12.0           Fest Level UOM:         1           Pump Test Detail ID:         934934543889           Fest Level:         17.0           Fest Level:         17.0           Fest Level UOM:         1	Pumping Test Method Desc: PUMP Pump Set JD: 991527488 Pump Set JD: 90157488 Pump Set JD: 9017 Pump Set JD: 9017 Pumping Rate: 900 Powing Powing Powing Powing Powing Powing Powing Powing Powing Pump Test Datail ID: 934110728 Pest Dyse: Draw Down Powing Powing	DM: ft			
Pump Set JD:         991527488           Pump Set JC:         8.0           Static Level:         8.0           Pump Level Are Pumping:         20.0           Recommended Pump Depth:         175.0           Pumping Rate:         90.0           Recommended Pump Rate:         90.0           Recommended Pump Rate:         90.0           Recommended Pump Rate:         00.0           Water State After Test Code:         1           Varmping Duration RR:         6           Pump Test Datail ID:         034110728           Prest Datail ID:         034383543           Fest Level:         12.0           Fest Level UOM:         t           Pump Test Detail ID:         034385543           Fest Level UOM:         t           Pump Test Detail ID:         034858489           Fest Level UOM:         t           Pump Test Detail ID:         034858489	Pump Test Die in Strates Fall Level After Pumplage, 20.0 Steocommended Pump Depth: 17.5.0 Pumplag Rate: Secommended Pump R	<u>/ield Testing</u>			
Tump Set At:         S.0           Static Levei         S.0	Pump Sat At: Stotic Level: 200 Final Level After Pump Depth: 200 Pumping Rate: 90.0 Final Level After Parn Depth: 90.0 Pumping Rate: 90.0 Fick Duration Market State After Test Code: 1 Pumping Test Nethod: 1 Pumping Duration Min: 6 Pumping Duration Min: 6 Pumping Duration Min: 6 Pumping Duration Min: 0 Test Devel: 0 Pump Test Detail ID: 934110728 Test Level: 12.0 Test Level: 12.0 Test Level: 12.0 Test Level: 12.0 Test Level: 12.0 Test Detail ID: 93485543 Fest Level: 12.0 Test Detail ID: 93485543 Fest Level: 17.0 Fest Level: 17.0 Fest Level: 17.0 Fest Level: 19.0 Fest Level:				
Static Level:       8.0         Final Level After Pumping:       20.0         Seconnended Pump Daptin:       175.0         Towing Rate:       90.0         Recommended Pump Rate:       0.0         Water State After Test:       CLEAR         Tumping Duration Rift:       6         Pump Test Detail ID:       034110728         Fest Duration:       15         Fest Level:       12.0         Fest Level:       12.0         Fest Level:       17.0         Fest Duration:       17.0         Fest Duration:       17.0         Fest Level:       17.0         Fest Level:       19.0         Fest Level:       19.0         Fest Level:       19.0         Fest Level: UOM:       t <tr< td=""><td>Static Level:       8.0         Final Level Attro Pumpling: 20.0         Recommended Pump Rate:       90.0         Recommended Pump Rate:       00.0         Water State Atter Test:       CLEAR         Pumping Duration MR:       0         Flowing:       No         Draw Down &amp; Recovery       Pump Test Detail ID:         Para Down &amp; Recovery       Pump Test Detail ID:         Pump Test Detail ID:       934985543         Frest Level:       12.0         Test Level VOM:       It         Draw Down &amp; Recovery       Pump Test Detail ID:         Pump Test Detail ID:       93485543         Frest Level:       12.0         Test Level:       17.0         Test Level:</td><td>99152</td><td>488</td><td></td><td></td></tr<>	Static Level:       8.0         Final Level Attro Pumpling: 20.0         Recommended Pump Rate:       90.0         Recommended Pump Rate:       00.0         Water State Atter Test:       CLEAR         Pumping Duration MR:       0         Flowing:       No         Draw Down & Recovery       Pump Test Detail ID:         Para Down & Recovery       Pump Test Detail ID:         Pump Test Detail ID:       934985543         Frest Level:       12.0         Test Level VOM:       It         Draw Down & Recovery       Pump Test Detail ID:         Pump Test Detail ID:       93485543         Frest Level:       12.0         Test Level:       17.0         Test Level:	99152	488		
Tind Level After Pump Depth:       20.0         Pumping Rate:       90.0         Pumping Rate:       90.0         Towing Rate:       90.0         Seconnended Pump Rate:       90.0         Variable:       90.0         Seconnended Pump Rate:       90.0         Variable:       6         Variable:       1         Variable:       0         Variable:       0         Variable:       0         Variable:       1         Variable:       1         Variable:       0         Variable:       0      <	Tind Level After Pump Depth:       20.0         Pumping Rate:       90.0         Powning Rate:       90.0         Seconnended Pump Depth:       90.0         Versition Rate:       0         Versition Rate:       0         Versition Rate:       0         Versition Rate:       0         Versition:       0         Versition:       10.0         Fest Level:       12.0         Fest Level:       12.0         Fest Level WOM:       It         Versition:       10.0         Fest Level WOM:       It         Versition:       934385543         Fest Detail ID:       9348554889         Fest	8.0			
Seconnended Pump Equit:17.5.0 Tumping Rate:Seconnended Pump Rate:90.0Recommended Pump Rate:90.0sevels UOM:ftRecommended Pump Rate:90.0sevels UOM:ftRet UOM:GPMWater State After Test:CLEARTumping Test Method:1Tumping Torst Method:6Tumping Duration MN:0Seconnended Pump Seconne1Tumping Duration MN:0Seconnended Pump Seconne1Traw Down & Recovery0Pump Test Detail ID:934110728Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Level:17.0Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Level:12.0Fest Duration:30Fest Duration:13.0Fest Duration:14.0Pump Test Detail ID:934385543Fest Level:13.0Fest Level:13.0Fest Level:13.0Fest Level:13.0Fest Level:13.0Fest Level:13.0Fest Level:13.0Fest Level:13.0Fest Level:10.0Fest Level:10.0Fest Level:10.0Fest Level:10.0 </td <td>Becommended Pump Expit: 17.0 Trowing Rate: 90.0 Towing Rate: 90.0 Recommended Pump Rate: 90.0 Recommended Pump Rate: 90.0 Recom</br></td> <td></td> <td></td> <td></td> <td></td>	Becommended Pump Expit: 17.0 Trowing Rate: 90.0 Towing Rate: 90.0 				
humping Rate:         9.0           tecommended Pump Rate:         90.0           tecommended Pump Rate:         90.0           tecommended Pump Rate:         90.0           tecommended Pump Rate:         90.0           teter State After Test Code:         1           Water State After Test Code:         1           tramping Duration HR:         6           tramping Duration MM:         0           tramping Test Detail ID:         934110728           test Duration:         15           test Duration:         15           test Lowel Code:         1           test Lowel Code:         1           test Lowel Code:         1           test Lowel Code:         15           test Lowel Code:         15           test Lowel Code:         16           test Lowel Code:         17.0           test Lewel Lowe:         17.0           test Lewel Lowe:         19.0           test Lewel Lowei Lowei Lowei Lowei Lowei	Tumping Rate:90.0Towing Rate:90.0Becommended Pump Rate:90.0Becommended Pump Rate:90.0Veter State After Test Code:1Water State After Test Code:1Water State After Test:CLEARTumping Duration HR:6Tumping Torst Method:1Vinger State After Test:CLEARTumping Duration HR:6Tumping Duration MIN:0Vinger State After Test:CLEARTumping Test Detail ID:934110728Fest Type:Draw DownFest Type:Draw DownFest Duration:15Fest Level:12.0Fest Level:17.0Fest Izer Duration:30Fest Level:17.0Fest Level:17.0Fest Level:19.0Fest Izer Duration:45Fest Izer Duration:45Fest Izer Duration:45Fest Izer Duration:45Fest Izer Duration:45Fest Izer IDD:934854869Fest Izer IDD:934903863Fest Izer IDD:934903863Fest Izer IDD:934903863Fest Izer IDD:934903863Fest Izer IDD:934903863Fest Izer IDD:93486598Fest Izer IDD:93486598Fest Izer IDD:93486598Fest Izer IDD:93486598Fest Izer IDD:93486598Fest Izer IDD:93486598Fest Izer IDD:934903863Fest Izer IDD:93490				
Towing Rate:seevels UOM:tseevels UOM:GPMWater State After Test:CLEARTumping Torst Method:1Tumping Duration MR:6Own & Recovery0Paw Down & Recovery0 <td>iowing Rate: 90.0   evels UOM: ft   tecommended Pump Rate: 90.0   evels UOM: ft   tate UOM: GPM   Vater State After Test: CLEAR   umping Duration HR: 0   iowing: No   <b>Yaw Down &amp; Recovery</b>   ump Test Detail ID: 934110728   test Level: 12.0   test Level: 12.0   test Level: 12.0   test Level: 17.0   test Level: 17.0   test Level: 19.0   test Level: 10.0   test Level: 10.0   test Level: 19.0   test Level: 19.0   test Level: 19.0   test Level: 10.0   test Level: 10.0 <td></td><td></td><td></td><td></td></td>	iowing Rate: 90.0   evels UOM: ft   tecommended Pump Rate: 90.0   evels UOM: ft   tate UOM: GPM   Vater State After Test: CLEAR   umping Duration HR: 0   iowing: No <b>Yaw Down &amp; Recovery</b> ump Test Detail ID: 934110728   test Level: 12.0   test Level: 12.0   test Level: 12.0   test Level: 17.0   test Level: 17.0   test Level: 19.0   test Level: 10.0   test Level: 10.0   test Level: 19.0   test Level: 19.0   test Level: 19.0   test Level: 10.0   test Level: 10.0 <td></td> <td></td> <td></td> <td></td>				
evels UON: GPM Water State After Test Code: 1 Varumping Journation HR: 6 Varumping Journation HR: 7 Varum Dava & Recovery Varum Test Detail ID: 934110728 Varum Dava & Recovery Varum Test Detail ID: 934110728 Varum Dava & Recovery Varum Test Detail ID: 9343110728 Varum Dava & Recovery Varum Test Detail ID: 934335543 varum Dava & Recovery Varum Test Detail ID: 934385543 varum Dava & Recovery Varum Test Detail ID: 9343554869 varum Test Detail ID: 934354869 varum Dava & Secovery Varum Test Detail ID: 934354869 varum Test Detail ID: 93	evels UON: GPM Water State After Test Code: 1 Variant State After Test: CLEAR tumping Duration HR: 6 tumping Duration MN: 0 itowing: No Yaw Down & Recovery Variant				
Tate UDM:       CPM         Water State After Test.       CLEAR         Tumping Test Nethod:       1         Tumping Test Nethod:       6         Tumping Test Nethod:       0         Towing:       No         Yeter State After Test.       CLEAR         Tumping Duration HR:       6         Tumping Test Netail ID:       034110728         Test Detail ID:       D34110728         Test Duration:       15         Test Duration:       15         Test Level:       12.0         Test Level:       12.0         Test Level:       17.0         Test Type:       Draw Down         Test Level:       034385543         Test Type:       Draw Down         Test Duration:       30         Test Level:       17.0         Test Level:       17.0         Test Level:       17.0         Test Level:       17.0         Test Detail ID:       934654869         Test Duration:       45         Test Duration:       45         Test Duration:       45         Test Duration:       45         Test Level:       19.0         Test	Bate UDM:       GPM         Water State After Test: CLEAR         Pumping Duration HR:       6         >Pumping Duration HR:       6         >Pumping Duration HR:       0         Owner State After Test:       No         Pump Duration HR:       0         Owner State After Test:       No         Pump Test Detail ID:       934110728         Fest Type:       Draw Down         Fest Type:       Draw Down         Fest Level:       12.0         Fest Level UOM:       It         Draw Down & Recovery       Pump Test Detail ID:         934385543       Detail Level:         Fest Level UOM:       It         Draw Down & Recovery       Pump Test Detail ID:         Pump Test Detail ID:       9348654869         Fest Level UOM:       It         Draw Down       Fest Level UOM:         Fest Level UOM:       It         Draw Down       Fest Level UOM:         It	Pump Rate: 90.0			
Water State After Test:1Water State After Test:CLEARPumping Test Method:1Pumping Duration MIN:0Towing:NoDraw Down & RecoveryPump Test Detail ID:934110728Pert Type:Draw DownTest Level:12.0Test Level:12.0Test Level:12.0Test Level:12.0Test Level:12.0Test Level:17.0Test Level:17.0Test Level:17.0Test Level:17.0Test Level:19.0Test Level:10.0Test Level:20.0Test Level: </td <td>Water State After Test Code: 1 Pumping Test Method: CLEAR Pumping Test Method: 1 Pumping Duration MIN: 0 Fowing: No  Draw Down &amp; Recovery  Pump Test Detail ID: 934110728 Fest Level: 12.0 Fest Level UOM: t  Draw Down &amp; Recovery  Pump Test Detail ID: 934385543 Fest Type: Draw Down Fest Duration: 30 Fest Level ID: 934385543 Fest Type: Draw Down Fest Duration: 45 Fest Level ID: 93493665 Fest Level ID: 934903663 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level: 12.0 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level ID: 934803663 Fest Level: 12.0 Fest Level: 12.0 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level: 12.0 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level: 12.0 Fest Level: 12.0</td> <td></td> <td></td> <td></td> <td></td>	Water State After Test Code: 1 Pumping Test Method: CLEAR Pumping Test Method: 1 Pumping Duration MIN: 0 Fowing: No  Draw Down & Recovery  Pump Test Detail ID: 934110728 Fest Level: 12.0 Fest Level UOM: t  Draw Down & Recovery  Pump Test Detail ID: 934385543 Fest Type: Draw Down Fest Duration: 30 Fest Level ID: 934385543 Fest Type: Draw Down Fest Duration: 45 Fest Level ID: 93493665 Fest Level ID: 934903663 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level: 12.0 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level ID: 934803663 Fest Level: 12.0 Fest Level: 12.0 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level: 12.0 Fest Level UOM: t  Pump Test Detail ID: 934903663 Fest Level: 12.0				
Water State After Test:CLEARPumping Test Method:1Pumping Duration HR:6Pumping Duration HR:0OwnerNoPump Test Detail ID:934110728Pump Test Detail ID:934110728Fest Type:Draw DownFest Level:12.0Fest Level UOM:tTest Detail ID:904385543Fest Duration:30Fest Level:17.0Fest Level:17.0Fest Level UOM:tTest Detail ID:904654869Fest Level:19.0Fest Level UOM:tTest Detail ID:904654869Fest Level:19.0Fest Level UOM:tTest Detail ID:904654869Fest Level UOM:tTest Detail ID:904654869Fest Level UOM:tTest Detail ID:904654869Fest Level UOM:tTest Detail ID:904654869Fest Level UOM:tTest Level UOM:10.0Fest Level UOM:tTest Level UOM:t <t< td=""><td>Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration MR: 6 Pumping Duration MR: 0 Towing: No Draw Down &amp; Recovery Pump Test Detail ID: 934110728 Test Type: Draw Down Test Duration: 15 Test Level UOM: It Pump Test Detail ID: 934385543 Test Type: Draw Down Test Duration: 30 Test Detail ID: 934385543 Test Type: Draw Down Test Duration: 30 Test Level: 17.0 Test Level: 71.0 Test Level: 18 Pump Test Detail ID: 934854869 Test Type: Draw Down Test Duration: 45 Test Type: Draw Down Test Duration: 45 Test Level: 19.0 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level: 19.0 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level: 19.0 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level: 20.0 Test Level UOM: It Pump Test Detail ID: 934803663 Test Level: 20.0 Test Level: Company Pump Test Detail ID: 934903663 Test Level: 10 Test Detail ID: 934903663 Test Level: 20.0 Test Level: 20.0 Test Level: UOM: It Pump Test Detail ID: 934903663 Test Level: 20.0 Test Level: 20.0 Te</td><td></td><td></td><td></td><td></td></t<>	Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration MR: 6 Pumping Duration MR: 0 Towing: No Draw Down & Recovery Pump Test Detail ID: 934110728 Test Type: Draw Down Test Duration: 15 Test Level UOM: It Pump Test Detail ID: 934385543 Test Type: Draw Down Test Duration: 30 Test Detail ID: 934385543 Test Type: Draw Down Test Duration: 30 Test Level: 17.0 Test Level: 71.0 Test Level: 18 Pump Test Detail ID: 934854869 Test Type: Draw Down Test Duration: 45 Test Type: Draw Down Test Duration: 45 Test Level: 19.0 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level: 19.0 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level: 19.0 Test Level UOM: It Pump Test Detail ID: 934854869 Test Level: 20.0 Test Level UOM: It Pump Test Detail ID: 934803663 Test Level: 20.0 Test Level: Company Pump Test Detail ID: 934903663 Test Level: 10 Test Detail ID: 934903663 Test Level: 20.0 Test Level: 20.0 Test Level: UOM: It Pump Test Detail ID: 934903663 Test Level: 20.0 Test Level: 20.0 Te				
Pumping Test Method:         1           Pumping Duration MR:         6           Pumping Duration MR:         0           No         No           Para Down & Recovery         No           Pump Test Detail ID:         934110728           Fest Type:         Draw Down           Fest Duration:         15           Fest Level:         12.0           Fest Level:         12.0           Fest Level:         12.0           Fest Level:         17.0           Fest Level:         17.0           Fest Level:         17.0           Fest Level:         19.0           Fest Level:         10.0           Fest Level:         10.0           Fest Level:         2	Pumping Test Method: 1 Pumping Duration MR: 6 Pumping Duration MR: 0 Towing: No Praw Down & Recovery Pump Test Detail ID: 934110728 Test Duration: 15 Test Devel: Draw Down Test Devel: 12.0 Test Level: 12.0 Test Level: 12.0 Test Level: Draw Down Test Detail ID: 934385543 Test Type: Draw Down Test Detail ID: 934385543 Test Level: 17.0 Test Level: 17.0 Test Level: 17.0 Test Level UOM: tt Pump Test Detail ID: 934654869 Test Level: 13.0 Test Level: 19.0 Test Level: 19.0 Test Level: 19.0 Test Level: 19.0 Test Level: 19.0 Test Level: 20.0 Test		)		
Jumping Duration MR:         6           invariant MR:         0           invariant         15           invariant:         16           invariant:         17           invariant:         10           invariant:         30           invariant:         30           invariant:         17.0           invariant:         17.0           invariant:         10	lumping Duration MR: 6 itowing: No itowing: No itowing		L Contraction of the second seco		
Pumping Duration MIN:         0           Flowing:         No           Previous:         No           Previous:         934110728           Pump Test Detail ID:         934110728           Pervious:         15           Fest Duration:         15           Fest Level:         12.0           Fest Level:         12.0           Previous:         Recovery           Pump Test Detail ID:         934385543           Fest Level:         Draw Down           Fest Level:	Pumping Duration MIN:     0       Flowing:     No       Previous:     No       Part Detail ID:     934110728       Fest Jpe:     Draw Down       Fest Jpe:     Draw Down       Fest Level:     12.0       Fest Level UOM:     t       Pump Test Detail ID:     934385543       Fest Jpe:     Draw Down       Fest Level UOM:     t       Pump Test Detail ID:     934385543       Fest Jpe:     Draw Down       Fest Level UOM:     t       Park Down & Recovery     Pump Test Detail ID:       Park Down     Set Level UOM:       test Duration:     45       Fest Level UOM:     t       test Level UOM:     t				
Filowing: No   Draw Down & Recovery Draw Down   Pump Test Detail ID: 934110728   Fest Ivei: 12.0   Fest Level UOM: ft   Yaw Down & Recovery Yaw Down Fest Detail ID: 934385543 Fest Type: Draw Down Fest Detail ID: 934654869 Fest Type: Draw Down Fest Detail ID: 934654869 Fest Type: Draw Down Fest Level UOM: Test Detail ID: 934654869 Fest Type: Draw Down Fest Level UOM: To aw Down Fest Level UOM: Test Detail ID: 934654869 Fest Type: Draw Down Fest Level UOM: Test Detail ID: 934654869 Fest Type: Draw Down Fest Level UOM: To aw Down Fest Level UOM: Test Detail ID: 93403663 Fest Level UOM: Test Detail ID: 934903663 Fest Level: 20.0 Fest Level: 20.0 Fest Level UOM: Test Detail ID: 93480556 Fest Duration: 60 Fest Level UOM: Test Detail ID: 934903663 Fest Duration: 60 Fest Duration:	Flowing: No   Vaw Down & Recovery Paw Down   Vary Test Octail ID: 934110728   Vest Type: Draw Down   Vest Level UOM: t   Pump Test Detail ID: 934385543 Fest Level: Draw Down Fest Level: Pump Test Detail ID: 934385543 Fest Type: Draw Down Fest Level: 17.0 Fest Level: 20.0 Fest Type: Draw Down Fest Type: Draw Down Fest Type: Draw Down Fest Type: Draw Down Fest Level: 20.0 Fest Type: Draw Down Fest Level UOM: t t Pump Test Detail ID: 934054869 Fest Type: Draw Down Fest Level: 20.0 Fest Type: Draw Down Fest Type: Draw Down Fest Level UOM: t t Test Detail ID: 93493663 Fest Type: Draw Down Fest Type: <				
Pump Test Detail ID:934110728 Draw DownTest Type:Draw DownTest Type:15Test Level:12.0Test Level:12.0Test Level UOM:tTest Level:034385543Test Type:Draw DownTest Level:Draw DownTest Level:017.0Test Level:17.0Test Level:034654869Test Level:034654869Test Level:19.0Test Level:10.0Test Level:10.0T	Pump Test Detail ID:934110728Test Type:Draw DownTest Type:15Test Level UOM:15Test Level UOM:tTest Level UOM:tTest Level UOM:tTest Level UOM:10Pump Test Detail ID:934385543Test Type:Draw DownTest Level UOM:17.0Test Level UOM:tTest Level UOM: <td></td> <td></td> <td></td> <td></td>				
Fest Type:     Draw Down       Fest Duration:     15       Fest Level:     12.0       Fest Level UOM:     t       Draw Down & Recovery        Pump Test Detail ID:     934385543       Fest Level:     Draw Down       Fest Level:     Draw Down       Fest Level:     Draw Down       Fest Level:     17.0       Fest Level:     17.0       Fest Level:     Draw Down       Fest Level:     19.0       Fest Level:     19.0       Fest Level:     19.0       Fest Level:     Draw Down       Fest Level:     Draw Down   <	Type:         Draw Down           Test Juration:         15           Test Level:         12.0           Test Level UOM:         t           Draw Down & Recovery         Pump Test Detail ID:         934385543           Test Type:         Draw Down           Test Type:         Draw Down           Test Level UOM:         t           Test Type:         Draw Down           Test Level UOM:         t           Test Level:         19.0           Test Level UOM:         t           Draw Down & Recovery         Test Level UOM:           Pump Test Detail ID:         934903663           Test Level UOM:         t           Test Level UOM:         t           Water Details         20.0           Water Details         93480958           Layer:         1	ecovery			
Test Duration:     15       Test Level:     12.0       Test Level UOM:     t       Draw Down & Recovery        Pump Test Detail ID:     934385543       Test Type:     Draw Down       Test Level:     0       Test Level:     17.0       Test Level UOM:     t	Test Level:       15         Test Level:       12.0         Test Level UOM:       It         Draw Down & Recovery				
Fest Level:       12.0         Frest Level UOM:       tt         Park Down & Recovery       934385543         Fest Type:       Draw Down         Fest Type:       Draw Down         Fest Level:       17.0         Fest Level UOM:       tt         Park Down & Recovery         Park Down & Recovery      <	Test Level:       12.0         Test Level UOM:       ft         Draw Down & Recovery       934385543         Pump Test Detail ID:       934385543         Test Type:       Draw Down         Test Level:       Draw Down         Test Level:       17.0         Test Level:       17.0         Test Level:       0         Draw Down & Recovery       Pump Test Detail ID:         Pump Test Detail ID:       934654869         Test Level:       Draw Down         Test Level:       19.0         Test Level UOM:       t         Draw Down & Recovery       Pump Test Detail ID:         Pump Test Detail ID:       934903663         Test Level:       20.0         Test Level:       20.0         Test Level UOM:       tt         Water Details       933486958         Layer:       1		Jown		
Fest Level UOM: t   Draw Down & Recovery 934385543   Prest Draw Down Prest Draw Down   Fest Duration: 30   Test Level: 17.0   Fest Level UOM: t   Promp Test Detail ID: 934654869 Fest Type: Draw Down Fest Duration: 45 Prest Duration: 45 Test Level: 19.0 Fest Level UOM: t Promp Test Detail ID: 934654869 Fest Level: Draw Down Fest Level: 19.0 Fest Level: 19.0 Fest Level: 19.0 Fest Level: 19.0 Fest Level: 20.0 Fest Le	Fest Level UOM: t   Draw Down & Recovery   Pump Test Detail ID: 934385543   Fest Duration: 30   Fest Level: 17.0   Fest Level UOM: t   Pump Test Detail ID: 934654869 Fest Level: Draw Down Fest Le				
Draw Down & Recovery         Pump Test Detail ID:       934385543         Test Type:       Draw Down         Test Type:       0         Test Duration:       30         Test Level:       17.0         Test Level:       17.0         Test Level:       1         Draw Down & Recovery       0         Pump Test Detail ID:       934654869         Test Level:       Draw Down         Test Level:       Draw Down         Test Level:       19.0         Test Level:       0.0         Test Level:       0.0         Test Level:       20.0         Test Level UOM:       t         Water Details       Xater Details         Water ID:       93486958	Draw Down & Recovery         Pump Test Detail ID:       Daws Down         Test Type:       Draw Down         Test Level:       17.0         Test Level:       1         Pump Test Detail ID:       934654869         Test Type:       Draw Down         Test Level:       19.0         Test Level:       19.0         Test Level:       19.0         Test Level:       19.0         Test Type:       Draw Down         Test Type:       Draw Down         Test Level:       0         Pump Test Detail ID:       934903663         Test Type:       Draw Down         Test Level:       20.0         Test Level UOM:       t         Water Details       Xater Details         Water ID:       933486958         a.goer:       1				
Pump Test Detail ID:934385543Test Type:Draw DownTest Level:30Test Level:17.0Test Level UOM:tTow Down & RecoveryPump Test Detail ID:934654869Test Level:Draw DownTest Level:19.0Test Level UOM:tTest Level UOM:tTest Level UOM:tMaps Detail ID:934903663Test Type:Draw DownTest Level UOM:tTest Level:0.0Test Level:20.0Test Level:20.0Test Level:20.0Test Level:1.0Test Level:20.0Test Level	Pump Test Detail ID:934385543Test Type:Draw DownTest Duration:30Test Level:17.0Test Level:17.0Test Level UOM:tDraw Down & RecoveryPump Test Detail ID:934654869Test Type:Draw DownTest Level:19.0Test Level UOM:tDraw Down & RecoveryPump Test Detail ID:934903663Test Level UOM:tDraw Down & RecoveryPump Test Detail ID:934903663Test Level:Draw DownTest Level:20.0Test Level UOM:ttWater DetailsWater ID:933486958Layer:1	it it			
Type:       Draw Down         Fest Duration:       30         Fest Level:       17.0         Fest Level UOM:       tt         Draw Down & Recovery	Test Type:         Draw Down           Test Luration:         30           Test Level:         17.0           Test Level UOM:         tt           Draw Down & Recovery         Pump Test Detail ID:         934654869           Test Type:         Draw Down           Test Type:         Draw Down           Test Type:         Draw Down           Test Type:         Draw Down           Test Level:         19.0           Test Level UOM:         tt           Draw Down & Recovery         Pump Test Detail ID:         934903663           Test Type:         Draw Down           Test Level:         Draw Down           Test Type:         Draw Down           Test Level UOM:         tt           Draw Down & Recovery         Pump Test Detail ID:         934903663           Test Type:         Draw Down           Test Level UOM:         tt           Water Details         Water ID:         20.0           Water ID:         933486958           Layer:         1	ecovery			
Fest Type:     Draw Down       Fest Duration:     30       Fest Level:     17.0       Fest Level UOM:     t       Draw Down & Recovery	Test Type: Draw Down Test Duration: 30 Test Level: 17.0 Test Level UOM: ft Draw Down & Recovery Pump Test Detail ID: 934654869 Test Type: Draw Down Test Duration: 45 Test Level: 19.0 Test Level: 19.0 Test Level: 19.0 Test Level UOM: ft Draw Down & Recovery Pump Test Detail ID: 934903663 Test Type: Draw Down Test Duration: 60 Test Level: 20.0 Test Level UOM: ft Water Details Water ID: 933486958 Layer: 1	93438 93438	543		
Test Level:       17.0         Fest Level UOM:       tt         Draw Down & Recovery       934654869         Pump Test Detail ID:       934654869         Fest Type:       Draw Down         Fest Duration:       45         Fest Level:       19.0         Fest Level UOM:       tt         Draw Down & Recovery       Pump Test Detail ID:         Paraw Down & Recovery       Pump Test Detail ID:         Paraw Down       934903663         Fest Type:       Draw Down         Fest Level:       20.0         Fest Level UOM:       tt         Mater Details       933486958	Test Level:       17.0         Fest Level UOM:       tt         Draw Down & Recovery       934654869         Pump Test Detail ID:       934654869         Fest Type:       Draw Down         Test Duration:       45         Fest Level:       19.0         Test Level UOM:       tt         Draw Down & Recovery       19.0         Pump Test Detail ID:       934903663         Fest Level UOM:       tt         Pump Test Detail ID:       934903663         Fest Level:       Draw Down         Fest Level UOM:       tt         Water Detail ID:       934903663         Fest Level UOM:       tt         Water Detail ID:       934903663         Water Detail ID:       933486958         Layer:       1		)own		
Test Level UOM: ft   Draw Down & Recovery 934654869   Pump Test Detail ID: 934654869   Test Duration: 45   Test Level: 19.0   Test Level: 19.0   Test Detail ID: 934903663   Test Detail ID: 934903663   Test Detail ID: 934903663   Test Detail ID: 934903663   Test Level: 20.0   Test Level: 20.0   Test Level: 1   Vater Details 93486958	Test Level UOM:       ft         Draw Down & Recovery       934654869         Pump Test Detail ID:       934654869         Test Duration:       45         Test Level:       19.0         Test Level UOM:       ft         Draw Down & Recovery       19.0         Pump Test Detail ID:       934903663         Test Type:       Draw Down         Pump Test Detail ID:       934903663         Test Type:       Draw Down         Test Type:       Draw Down         Test Level:       20.0         Test Level UOM:       ft         Vater Details       933486958         Test Details       933486958         Test Details       933486958				
Draw Down & Recovery         Pump Test Detail ID:       934654869         Fest Type:       Draw Down         Fest Duration:       45         Fest Level:       19.0         Test Level UOM:       tt         Draw Down & Recovery       Pump Test Detail ID:         Pawp Test Detail ID:       934903663         Fest Level:       Draw Down         Fest Level:       00         Fest Level:       20.0         Fest Level UOM:       tt         Mater Details       933486958	Draw Down & Recovery         Pump Test Detail ID:       934654869         Test Type:       Draw Down         Test Duration:       45         Test Level:       19.0         Test Level UOM:       ft         Draw Down & Recovery         Pump Test Detail ID:       934903663         Test Level:       Draw Down         Test Duration:       60         Test Level:       20.0         Test Level UOM:       ft         Water Details       933486958         Layer:       1				
Pump Test Detail ID:       934654869         Fest Type:       Draw Down         Fest Duration:       45         Fest Level:       19.0         Test Level UOM:       ft         Draw Down & Recovery         Pump Test Detail ID:       934903663         Fest Level:       Draw Down         Fest Level:       Draw Down         Fest Level:       Draw Down         Fest Level:       0.0         Test Level:       0.0         Test Level:       0.0         Fest Level:       0.0         Test Level:       0.0         Test Level:       933486958	Pump Test Detail ID:       934654869         Test Type:       Draw Down         Test Duration:       45         Test Level:       19.0         Test Level UOM:       ft         Draw Down & Recovery         Pump Test Detail ID:       934903663         Test Level:       Draw Down         Test Level:       Draw Down         Test Level:       Draw Down         Test Level:       0.0         Test Level:       20.0         Test Level UOM:       ft         Water Details       933486958         Layer:       1	ft			
Test Type:       Draw Down         Fest Duration:       45         Fest Level:       19.0         Test Level UOM:       tt         Draw Down & Recovery         Pump Test Detail ID:       934903663         Fest Type:       Draw Down         Fest Level:       0.0         Fest Level:       20.0         Fest Level UOM:       tt         Nater Details       933486958	Test Type:       Draw Down         Test Duration:       45         Test Level:       19.0         Test Level UOM:       ft         Draw Down & Recovery         Pump Test Detail ID:       934903663         Test Type:       Draw Down         Test Duration:       60         Test Level:       20.0         Test Level UOM:       ft         Water Details       933486958         Layer:       1	ecovery			
Test Type:       Draw Down         Fest Duration:       45         Fest Level:       19.0         Test Level UOM:       tt         Draw Down & Recovery         Pump Test Detail ID:       934903663         Fest Type:       Draw Down         Fest Level:       0.0         Fest Level:       20.0         Fest Level UOM:       tt         Nater Details       933486958	Test Type:       Draw Down         Test Duration:       45         Test Level:       19.0         Test Level UOM:       ft         Draw Down & Recovery         Pump Test Detail ID:       934903663         Test Type:       Draw Down         Test Duration:       60         Test Level:       20.0         Test Level UOM:       ft         Water Details       933486958         Layer:       1	93465 93465	1869		
Test Duration:       45         Test Level:       19.0         Test Level UOM:       ft         Draw Down & Recovery       1         Pump Test Detail ID:       934903663         Test Type:       Draw Down         Test Level:       0         Test Level:       20.0         Test Level UOM:       ft         Nater Details       933486958	Test Duration:       45         Test Level:       19.0         Test Level UOM:       tt         Draw Down & Recovery				
Test Level UOM:     ft       Draw Down & Recovery	Test Level UOM:       ft         Draw Down & Recovery         Pump Test Detail ID:       934903663         Fest Type:       Draw Down         Fest Duration:       60         Fest Level:       20.0         Fest Level UOM:       ft         Water Details       933486958         Layer:       1				
Draw Down & Recovery         Pump Test Detail ID:       934903663         Fest Type:       Draw Down         Fest Duration:       60         Fest Level:       20.0         Fest Level UOM:       ft         Water Details       933486958	Draw Down & Recovery         Pump Test Detail ID:       934903663         Fest Type:       Draw Down         Fest Duration:       60         Fest Level:       20.0         Fest Level UOM:       ft         Vater Details       933486958         .ayer:       1				
Pump Test Detail ID:       934903663         Test Type:       Draw Down         Fest Duration:       60         Test Level:       20.0         Test Level UOM:       ft         Nater Details       933486958	Pump Test Detail ID:       934903663         Test Type:       Draw Down         Test Duration:       60         Test Level:       20.0         Test Level UOM:       ft         Water Details       933486958         Layer:       1	ft			
Test Type:     Draw Down       Test Duration:     60       Test Level:     20.0       Test Level UOM:     ft       Nater Details     933486958	Test Type:     Draw Down       Test Duration:     60       Test Level:     20.0       Test Level UOM:     ft       Water Details       Water ID:     933486958       Layer:     1	ecovery			
Test Duration: 60 Test Level: 20.0 Test Level UOM: ft Nater Details Nater ID: 933486958	Test Duration: 60 Test Level: 20.0 Test Level UOM: ft Water Details Water ID: 933486958 Layer: 1				
Test Level:     20.0       Test Level UOM:     ft       Nater Details     933486958	Test Level:       20.0         Test Level UOM:       ft         Water Details		Jown		
Test Level UOM:     ft       Vater Details     933486958	Fest Level UOM:       ft         Vater Details       933486958         Layer:       1				
Vater Details Vater ID: 933486958	Vater Details Vater ID: 933486958 .ayer: 1				
Nater ID: 933486958	Water ID:         933486958           Layer:         1	π			
	Layer: 1				
	Layer: 1	93348	958		

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Kind Code:			5				
Kind:			Not stated				
Water Found I	Depth:		75.0				
Water Found I		1:	ft				
Water Details							
Water ID:			933486960				
Layer:			3				
Kind Code:			5				
Kind:			Not stated				
Water Found I	Denth:		275.0				
Water Found I		1:	ft				
Water Details							
Water ID:			933486959				
Layer:			2				
Kind Code:			5				
Kind:			Not stated				
Water Found I	Depth:		145.0				
Water Found I	Depth UON	1:	ft				
<u>6</u>	2 of 4		ESE/214.0	99.9 / -2.92	lot 20 con 4 ON		WWIS
Well ID:		1527489			Flowing (Y/N):		
Construction	Date:				Flow Rate:		
Use 1st:		Public			Data Entry Status:		
Use 2nd:		Cooling A			Data Src:	1	
Final Well Stat	tus:	Water Su	upply		Date Received:	10/06/1993	
Water Type:					Selected Flag:	TRUE	
Casing Materia	al:				Abandonment Rec:		
Audit No:		126284			Contractor:	4006	
Tag:					Form Version:	1	
Constructn Me					Owner:		
Elevation (m):					County:	OTTAWA-CARLETON	
Elevatn Reliab					Lot:	020	
Depth to Bedr	ock:				Concession:	04	
Well Depth:					Concession Name:	RF	
Overburden/B	edrock:				Easting NAD83:		
Pump Rate:					Northing NAD83:		
Static Water L					Zone:		
Clear/Cloudy:					UTM Reliability:		
Municipality: Site Info:			NEPEAN TOWNS	ЧР			
PDF URL (Map	n).		https://d2kbazk8e8	3rdy cloudfront n	et/moe_manning/downloads	s/2Water/Wells_pdfs/152\1527489.pd	Чf
	<i>•)</i> •			or aviological on the	eemee_mapping/downloads	«21102/102/102/102/102/102/102/	
Additional Det	tail(s) (Map	2)					
Well Complete			09/24/1993				
Year Complete	ed:		1993				
Depth (m):			88.392				
Latitude:			45.2721658064668				
l onaitude <sup>.</sup>			-75.790230877409	7			

Order No: 24071000091

-75.7902308774097

152\1527489.pdf

erisinfo.com | Environmental Risk Information Services

-75.79023071592161 45.27216579889442

Longitude:

26

Bore Hole Information

X: Y:

Path:

100491	28			
			Elevation:	
_			Elevrc:	18
:			Zone: East83:	438013.30
:			North83:	5013489.00
				5013469.00
			Org CS:	9
od: 00/24/1	002			9 unknown UTM
<b>.</b> 09/24/1	333			lot
od Desc:	Lot centroid		Location Method.	101
00 2030.	Lot controld			
ro Dato.				
ment:				
nd Bedrock				
<u>vai</u>				
	931066805			
	2			
	2			
:				
	-			
c:				
	-			
c:	HARD			
a Depth UOM:	π			
<u>nd Bedrock</u> <u>val</u>				
	931066804			
	1			
	2			
:	GREY			
	05			
c:	CLAY			
	13			
c:	BOULDERS			
	79			
c:	PACKED			
Depth:	0.0			
d Depth:	23.0			
d Depth UOM:	ft			
<u>nd Bedrock</u> <u>val</u>				
	931066806			
	3			
•				
	18			
c:	SANDSTONE			
	73			
c:	HARD			
	od Desc: ce Date: Location Source: Location Method: on Comment: nent: nd Bedrock val C: Depth	od Desc:Lot centroidcc Date:Source:ccation Source:Source:ccation Method:Source:coation Method:Source:for BedrockSource:valSource:coation Method:Source:coation Method:Source:<	bod Desc: Lot centroid Coe Date: Coeation Source: Coeation Source: Coeation Method: Comment	Location Method: coation Source: Location Method: cocation Method: cocation Method: cocation Method: cocation Method: cocation Method: cocation Method: cocation Method: cocation Method: cocation Method: p31066805 2 2 Source cocation Method: 2 p31066805 2 cocation Method: cocation Method: cocatio

DB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 De Formation Te Formation E	op Depth: nd Depth:	145.0 290.0			
Formation E	nd Depth UOM:	ft			
<u>Annular Spa</u> Sealing Reco	<u>ce/Abandonment</u> ord				
Plug ID:		933112495			
Layer: Plug From:		1 0.0			
Plug To:		27.0			
Plug Depth U	JOM:	ft			
<u>Method of Co Use</u>	onstruction & Well				
Method Con	struction ID:	961527489			
Method Con	struction Code:	4			
Method Con Other Metho	struction: d Construction:	Rotary (Air)			
<u>Pipe Informa</u>	ntion				
Pipe ID:		10597698			
Casing No:		1			
Comment: Alt Name:					
<u>Construction</u>	n Record - Casing				
Casing ID:		930085795			
Layer:		1 1			
Material: Open Hole o	r Material:	STEEL			
Depth From:		-			
Depth To:		27.0			
Casing Diam Casing Diam		10.0 inch			
Casing Dept		ft			
<u>Construction</u>	n Record - Casing				
Casing ID:		930085796			
Layer: Motoriali		2 4			
Material: Open Hole o	r Material:	4 OPEN HOLE			
Depth From:					
Depth To:		27.0			
Casing Diam Casing Diam	eter: heter UOM·	15.0 inch			
Casing Dept	h UOM:	ft			
<u>Construction</u>	n Record - Casing				
Casing ID:		930085797			
Layer:		3			

Casiliy ID.	930003797
Layer:	3
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	290.0

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diam		10.0			
Casing Diam		inch			
Casing Dept	h UOM:	ft			
<u>Results of W</u>	<u>'ell Yield Testing</u>				
Pumpina Tes	st Method Desc:	PUMP			
Pump Test IL		991527489			
Pump Set At					
Static Level:		9.0			
	fter Pumping:	112.0			
	ed Pump Depth:	250.0			
Pumping Ra		200.0			
Flowing Rate					
	ed Pump Rate:	200.0			
Levels UOM:		ft			
Rate UOM:		GPM			
	After Test Code:	1			
Water State		CLEAR			
Pumping Tes		1			
Pumping Du		8			
Pumping Du		0			
Flowing:		No			
riowing.		NO			
<u>Draw Down a</u>	& Recovery				
Pump Test D	etail ID:	934385544			
Test Type:					
Test Duration	n:	30			
Test Level:		50.0			
Test Level U	ОМ:	ft			
Draw Down a	& Recovery				
Pump Test D	Detail ID:	934654870			
Test Type:					
Test Duration	n:	45			
Test Level:		75.0			
Test Level U	ОМ:	ft			
<u>Draw Down a</u>	<u>&amp; Recovery</u>				
Pump Test D	etail ID:	934903664			
Test Type:					
Test Duration	n:	60			
Test Level:		110.0			
Test Level U	ОМ:	ft			
Draw Down a	& Recovery				
Pump Test D	etail ID:	934110729			
Test Type:		00			
Test Duration	n:	15			
Test Level:		20.0			
Test Level U	ОМ:	ft			
Water Details	<u>s</u>				
Water ID:		933486961			
Layer:		1			
Kind Code:		5			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		Not stated			
Water Found	l Depth:	75.0			
Water Found	I Depth UOM:	ft			
Water Details	<u>S</u>				
Water ID:		933486963			
Layer:		3			
Kind Code:		5			
Kind:		Not stated			
Water Found		275.0			
Water Found	I Depth UOM:	ft			
Water Details	<u>S</u>				
Water ID:		933486962			
Layer:		2			
Kind Code:		5			
Kind:		Not stated			
Water Found		145.0			
Water Found	I Depth UOM:	ft			
<u>6</u>	3 of 4	ESE/214.0	99.9 / -2.92	lot 20 con 4 ON	WWIS

<u>6</u>	3 of 4	ESE/214.0	99.9 / -2.92	lot 20 con 4 ON	
Well ID:		1527903		Flowing (Y/N):	
Construct	ion Date:			Flow Rate:	
Use 1st:		Cooling And A/C		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well	Status:	Test Hole		Date Received:	04/25/1994
Water Typ	e:			Selected Flag:	TRUE
Casing Ma	aterial:			Abandonment Rec:	
Audit No:		126272		Contractor:	6004
Tag:				Form Version:	1
Construct	n Method:			Owner:	
Elevation	(m):			County:	OTTAWA-CARLETON
Elevatn Re	eliabilty:			Lot:	020
Depth to E	Bedrock:			Concession:	04
Well Dept	h:			Concession Name:	RF
Overburde	en/Bedrock:			Easting NAD83:	
Pump Rate	e:			Northing NAD83:	
Static Wat	er Level:			Zone:	
Clear/Clou	ıdy:			UTM Reliability:	
Municipal	ity:	NEPEAN TOWNS	SHIP	-	
Site Info:					

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/152\1527903.pdf

Additional Detail(s) (Map)

Well Completed Date:	09/24/1994
Year Completed:	1994
Depth (m):	119.7864
Latitude:	45.2721658064668
Longitude:	-75.7902308774097
X:	-75.79023071592161
Y:	45.27216579889442
Path:	152\1527903.pdf

#### Bore Hole Information

Bore Hole IL	<b>D:</b> 10049458	Elevation:
30	erisinfo.com   Environmental Risk Information Services	

Map Key Numb Recor		Direction/ Distance (m)	Elev/Diff (m)	Site		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	18	
Code OB:				East83:	438013.30	
Code OB Desc:				North83:	5013489.00	
Open Hole:				Org CS:		
Cluster Kind:				UTMRC:	9	
Date Completed:	09/24/199	94		UTMRC Desc:	unknown UTM	
Remarks:				Location Method:	lot	
Location Method Des	o:	Lot centroid				
Elevrc Desc:						
Location Source Date						
Improvement Location						
Improvement Location						
Source Revision Com	ment:					
Supplier Comment:						
Overburden and Bedr	<u>ock</u>					
<u>Materials Interval</u>						
Formation ID:		931067953				
Layer:		3				
Color:						
General Color:		10				
Material 1: Material 1 Desc:		18 SANDSTONE				
Material 1 Desc: Material 2:		15				
Material 2: Material 2 Desc:		LIMESTONE				
Material 3:		71				
Material 3 Desc:		FRACTURED				
Formation Top Depth:		120.0				
Formation End Depth.		393.0				
Formation End Depth		ft				
<u>Materials Interval</u> Formation ID:		931067952				
Layer:		2				
Color:		2				
General Color:		GREY				
Material 1:		15				
Material 1 Desc:		LIMESTONE				
Material 2:		17				
Material 2 Desc:		SHALE				
Material 3:		68				
Material 3 Desc:		DRY				
Formation Top Depth:		17.0				
Formation End Depth. Formation End Depth	UOM:	120.0 ft				
. emacon Ena Depui						
Overburden and Bedr Materials Interval	<u>ock</u>					
Formation ID:		931067951				
Layer:		1				
Color:		2				
General Color:		GREY				
Material 1:		05				
Material 1 Desc:		CLAY				
Material 2:		13				
Material 2 Desc:		BOULDERS				
Material 3:		79 DACKED				
Material 3 Desc:		PACKED				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation To Formation El Formation El	op Depth: nd Depth: nd Depth UOM:	0.0 17.0 ft			
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID:		933112780			
Layer: Blue From:		1 0.0			
Plug From: Plug To:		25.0			
Plug Depth L	IOM:	ft			
<u>Method of Co Use</u>	onstruction & Well				
Method Cons	struction ID: struction Code:	961527903 5			
Method Cons		Air Percussion			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		10598028 1			
<u>Construction</u>	Record - Casing				
Casing ID:		930086401			
Layer:		3 4			
Material: Open Hole of	r Material:	4 OPEN HOLE			
Depth From:					
Depth To:	- 4	393.0			
Casing Diam Casing Diam		10.0 inch			
Casing Dept		ft			
<u>Construction</u>	n Record - Casing				
Casing ID:		930086399			
Layer:		1			
Material: Open Hole of	r Material:	4 OPEN HOLE			
Depth From:					
Depth To:	- 4	25.0			
Casing Diam Casing Diam		15.0 inch			
Casing Dept		ft			
<u>Construction</u>	Record - Casing				
Casing ID:		930086400			
Layer:		2			

	Number Records		Direction/ Distance (m)	Elev/Diff ) (m)	Site		DE
Casing Diame Casing Depth			inch ft				
Water Details							
Water ID:			933487447				
Layer:			1				
Kind Code:			5				
Kind:	Dent		Not stated				
Water Found Water Found		И:	175.0 ft				
<u>6</u>	4 of 4		ESE/214.0	99.9 / -2.92	lot 20 con 4 ON		wwis
Well ID:		1528157			Flowing (Y/N):		
Construction	Date:	1020101			Flow Rate:		
Use 1st:		Commeri	cal		Data Entry Status:		
Jse 2nd:		Cooling A			Data Src:	1	
Final Well Sta	tus:	Water Su	ipply		Date Received:	09/27/1994	
Nater Type:					Selected Flag:	TRUE	
Casing Materi Audit No:	ial:	126243			Abandonment Rec:	4006	
Audit No: Tag:		120243			Contractor: Form Version:	1	
Constructn M	ethod.				Owner:	1	
Elevation (m):					County:	OTTAWA-CARLETON	
Elevatn Reliat					Lot:	020	
Depth to Bedr	rock:				Concession:	04	
Well Depth:					Concession Name:	RF	
Overburden/B	Bedrock:				Easting NAD83:		
Pump Rate:					Northing NAD83:		
Static Water L Clear/Cloudy:					Zone: UTM Reliability:		
Municipality:			NEPEAN TOWNS	SHIP	OTWI Reliability.		
Site Info:							
				83rdy cloudfront ne	et/moe mapping/downloads	/2Water/Wells_pdfs/152\1528157.p	df
PDF URL (Maj	p):		https://d2khazk8e	00101.000001011.110	0		
PDF URL (Maj Additional De		<u>o)</u>	https://d2khazk8e				ui
Additional De	tail(s) (Maj	<u>o)</u>	https://d2khazk8e 08/25/1994		5		
Additional De Well Complete Year Complete	t <u>ail(s) (Ma</u> j ed Date:	<u>o)</u>	08/25/1994 1994		5		
Additional De Well Complete Year Complete Depth (m):	t <u>ail(s) (Ma</u> j ed Date:	<u>o)</u>	08/25/1994 1994 90.5256		5		
Additional De Well Complete Year Complete Depth (m): Latitude:	t <u>ail(s) (Ma</u> j ed Date:	<u>o)</u>	08/25/1994 1994 90.5256 45.272165806466	58	5		
Additional De Well Complete Year Complete Depth (m): Latitude: Longitude:	t <u>ail(s) (Ma</u> j ed Date:	<u>o)</u>	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740	58 97	5		
Additional De Well Complete Year Complet Depth (m): Latitude: Longitude: X:	t <u>ail(s) (Ma</u> j ed Date:	<u>(a</u>	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592	58 97 161	5		
Additional De Well Complete Year Complete Depth (m): Latitude: Longitude: X: Y:	t <u>ail(s) (Ma</u> j ed Date:	<u>o)</u>	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740	58 97 161	5		
Additional De Well Complete Year Complet Depth (m): Latitude: Longitude:	t <u>ail(s) (Ma</u> ed Date: ed:	<u>o)</u>	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894	58 97 161			
Additional De Well Complete Year Complete Depth (m): Latitude: Longitude: X: Y: Y: Path: Bore Hole Info Bore Hole ID:	<u>tail(s) (Ma</u> ed Date: ed: <u>ormation</u>	<u>م)</u> 1004969	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation:		
Additional De Well Complete Year Complete Depth (m): Latitude: Longitude: X: Y: Y: Path: Bore Hole Infc Bore Hole ID: DP2BR:	<u>tail(s) (Ma</u> ed Date: ed: <u>ormation</u>	-	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc:		
Additional De Well Complete Year Complete Depth (m): Latitude: Longitude: Longitude: X: Y: Path: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status	<u>tail(s) (Ma</u> ed Date: ed: <u>ormation</u>	-	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc: Zone:	18	
Additional De Well Complete Year Complete Depth (m): Latitude: Longitude: Longitude: X: Y: Path: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status Code OB:	<u>tail(s) (Ma</u> ed Date: ed: <u>ormation</u>	-	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc: Zone: East83:	438013.30	
Additional De Well Complete Depth (m): Latitude: Longitude: X: Y: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Dese	<u>tail(s) (Ma</u> ed Date: ed: <u>ormation</u>	-	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc: Zone: East83: North83:		
Additional De Well Complete Depth (m): Latitude: Latitude: Latitude: X: Y: Path: Bore Hole Info DP2BR: Spatial Status Code OB: Code OB Dese Open Hole:	<u>tail(s) (Ma</u> ed Date: ed: <u>ormation</u>	-	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc: Zone: East83:	438013.30	
Additional De Well Complete Year Complete Depth (m): Latitude: Latitude: Longitude: Cong tude: X: Y: Path: Bore Hole Info DP2BR: Spatial Status Code OB: Code OB Desi Open Hole: Cluster Kind:	t <u>ail(s) (Ma</u> ed Date: ed: <u>ormation</u> s: c:	-	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc: Zone: East83: North83: Org CS:	438013.30 5013489.00	
Additional De Well Complete Year Complete Depth (m): Latitude: Longitude: X: Y: Path:	t <u>ail(s) (Ma</u> ed Date: ed: <u>ormation</u> s: c:	1004969	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	438013.30 5013489.00 9	
Additional De Well Complete Year Complete Depth (m): Latitude: Latitude: Longitude: X: Y: Path: Bore Hole Info DP2BR: Spatial Status Code OB: Code OB: Code OB Dese Open Hole: Cluster Kind: Date Complete	t <u>ail(s) (Ma</u> ed Date: red: <u>ormation</u> s: c: red:	1004969	08/25/1994 1994 90.5256 45.272165806466 -75.79023087740 -75.79023071592 45.272165798894 152\1528157.pdf	58 97 161	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC:	438013.30 5013489.00 9 unknown UTM	

Location Source Date: improvement Location Source: improvement Location Source Source Revision Comment: Supplier Comment: Supplier Comment: Deschurden and Badrock. Materials Interval General Color: 6 General Color: 7 General Color: 8 General Color: 8 General Color: 9 General Color: 9 G	Map Key Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DI
Overburden and Bedrock. Materials Interval         931068763           Formation ID:         931068763           Color:         6           General Color:         8           General Color:         8           Material 1:         25           Material 2:         12           Material 2:         12           Material 2:         12           Material 3:         1           Material 3:         1           Material 3:         1           Material 3:         1           Pormation Colo Depth:         10           Pormation End Depth UOM:         1           Overburden and Bedrock.         2           General Color:         931068767           Constructure         2           General Color:         3           Material 1:         15           Material 2:         90           Material 2:         90           Material 3:         73           Material 3:         73           Material 3:	Improvement Location Source Improvement Location Method Source Revision Comment:				
Materials Interval         931068763           Layer:         1           Color:         6           General Color:         8           Material J         25           Material J         21           Material J         22           Material J         1000000000000000000000000000000000000					
Layer:1Color:6General Color:BROWNMaterial 125Material 125Material 212Material 2STONESMaterial 3STONESMaterial 3STONESMaterial 30.0Formation Dopphi:0.0Formation End Depth:18.0Formation End Depth:18.0Formation End Depth:18.0Color:2General Color:931068767Layer:5Color:2Color:2General Color:6General Color:7Statisti 11:15Material 1:15Material 2:90Material 2:90Material 2:90Material 3:73Material 1:15Formation Do Depth:140.0Formation Top Depth:140.0Formation Top Depth:140.0Formation Depth:140.0Formation End Depth:16Color:7Color:1Color:931068769Layer:7Color:1Color:931068769Layer:7Color:931068769Layer:7Color:931068769Layer:7Color:931068769Layer:7Color:931068769Layer:7Color:931068769Layer:7<					
Color:         5           General Color:         BROWN           Material 10:         25           Material 11:         25           Material 12:         12           Material 22:         STONES           Material 30:         STONES           Material 30:         STONES           Material 30:         STONES           Formation Top Depth:         0.0           Formation End Depth:         18.0           Formation End Depth:         18.0           Formation ID:         931068767           Layer:         5           Color:         2           General Color:         2           Goneral Color:         3           Material 12:         90           Material 12:         90           Material 2:         90           Formation End Depth:         140.0           Formation End Depth:         140.0           Formation End Depth:         140.0           Formation End Depth:         140.0           Forma	Formation ID:	931068763			
General Color:DR/WNMaterial 1 Desc:25Material 2 Desc:STONESMaterial 2 Desc:STONESMaterial 3 Desc:Formation Top Depth:0.0Formation End Depth:18.0Tomation End DepthFormation End Depth1Overburden and Bedrock.StonesMaterial 3 Desc:StonesFormation End Depth931068767Layer:5Color:2General Color:GREYMaterial 1 Desc:UMESTONEMaterial 3 Desc:Formation End DepthFormation End Depth:15Material 1 Desc:UMESTONEMaterial 2 Desc:VERYMaterial 3 Desc:HARDFormation End Depth:160.0Formation End Depth:160.0Formation End Depth:160.0Formation End Depth:1Material 3 Desc:HARDFormation End Depth:18Material 3 Desc:HARDFormation End Depth:160.0Formation End Depth:160.0Formation End Depth:18Material 3 Desc:HARDFormation End Depth:18Material 1 Desc:SANDSTONEMaterial 1 Desc:SANDSTONEMaterial 2 Desc:MEDIUM-GRAINEDMaterial 1 Desc:SANDSTONEMaterial 3 Desc:Formation End DepthMaterial 3 Desc:Formation End DepthMaterial 3 Desc:SANDSTONEMaterial 3 Desc:MEDIUM-GRAINEDMaterial 3	-				
Material 1:         25           Material 2:         12           Material 2:         12           Material 2:         STONES           Material 3:         STONES           Material 3:         Stones           Formation Top Depth:         0.0           Formation End Depth:         18.0           Formation End Depth:         18.0           Formation ID:         931068767           Layer:         5           Color:         2           General Color:         6REY           Material 1:         15           Desc:         90           Material 2:         90           Material 1:         15           Material 2:         90           Formation Top Depth:         140.0           Formation Top Depth:         140.0           Formation Top Depth:         140.0           Formation Top Depth:         160.0           Formation Top Depth:         160.0           Formation Top Depth:         160.0           Formati					
Material 2 Desc: V2 KR2 WRDEN Material 2 Desc: STONES Material 3 Desc: STONES Material 3 Desc: Formation Depth: 0.0 Formation End Depth: 18.0 Formation End Depth: 18.0 Formation End Depth: 18.0 Formation End Depth: 0 Corburden and Bedrock Material SInterval Formation Di: S1068767 Layer: 5 Color: 2 General Color: GREY Material 1 Desc: UMESTONE Material 2 Desc: VERY Material 2 Desc: VERY Material 3 Desc: HARD Formation End Depth: 18.0 Formation End Depth: 27.0 Formation End Depth: 27					
Material 2: 12 Material 2: STONES Material 3: Stones: Formation Top Depth: 0.0 Formation Top Depth: 18.0 Formation End Depth: 18.0 Formation ID: 931068767 Layer: 5 Color: 2 Color: 2 Color: 2 Color: 2 Color: 3 Color: 3 Color: 3 Color: 4 Material 1: 55 Material 2: 90 Material 2: 90 Material 2: 90 Material 3: Desc: VERY Material 3: Desc: HARD Formation End Depth: 140.0 Formation End Depth: 275.0 Formation End Depth: 2					
Material 3:       Material 3:       Formation Top Depth:     0.0       Formation End Depth:     18.0       Formation End Depth:     1       Overburden and Bedrock.       Materials Interval       Overburden and Bedrock.       Materials Interval       Overburden and Bedrock.       Material 1:     5       Color:     2       General Color:     GREY       Material 1:     15       Material 2:     00       Material 2:     00       Material 3: Desc:     VERY       Material 1: Desc:     160.0       Formation End Depth:     160.0       Formation End Depth:     180.0       Material 1: Desc:     70.0       G					
Material 3 Desc: Formation Top Depth: 0.0 Formation End Depth: 18.0 Formation End Depth UOM: t Use:burden and Bedrock. Materials Interval Formation ID: 931068767 Layo: 5 Color: 2 General Color: 2 General Color: 3 General Color: 3 General Color: 4 General Color: 4 General Color: 4 General Color: 4 General Color: 4 General Color: 4 Material 1: 5 Material 1: 5 Material 2: 90 Material 2: 90 Material 3: 73 Material 3: 73 Ma		STONES			
Formation Top Depth:0.0Formation End Depth:18.0Formation End Depth:18.0Materials Interval931068767Layer:5Color:2General Color:GREYMaterial 1 Desc:UMESTONEMaterial 2 Desc:VERYMaterial 3 Interval00Material 3 Desc:160.0Formation ID:931068769Layer:5Color:160.0General Color:60.0Material 2 Desc:VERYMaterial 3 Desc:160.0Formation End Depth:160.0Formation End Depth:160.0Formation End Depth:180.0Formation End Depth:180.0Formation End Depth:18Material 3:18Material 1:18Material 1:18Material 2:70.0Color:71.0Color:72.0Color:73.0Material 3:73.0Material 1:18Material 1:18Material 2:74.0Material 3:74.0Material 2:74.0Color:74.0Color:74.0Color:74.0Color:18Material 2:74.0Material 3:74.0Material 3:74.0Color:74.0Color:74.0Color:75.0Formation End Depth UM:75.0Formation End Depth UM:75.0					
Formation End Depth UOM:       18.0         Formation End Depth UOM:       t         Overburden and Bedrock          Materials Interval       931068767         Eaver:       5         Color:       2         General Color:       GREY         Material 1:       15         Material 2:       90         Material 2:       90         Material 2:       90         Material 3:       73         Material 1:       160.0         Formation End Depth:       160.0         Formation End Depth UOM:       t         Color:       1         General Color:       WHITE         Material 1:       18         General Color:       WHITE         Material 1:       18         Material 1:       18         Material 2:       74         Material 1:		0.0			
Formation End Depth UOM:       t         Overburden and Bedrock.       S         Materials Interval       S         Formation ID:       931068767         Layer:       5         Color:       2         General Color:       GREY         Material 1:       15         Material 2:       90         Material 3:       73         Gonoration End Depth:       160.0         Formation End Depth:       931068769         Layer:       7 </td <td></td> <td></td> <td></td> <td></td> <td></td>					
Materials Interval         Formation ID:       931068767         Layer:       5         Color:       2         General Color:       GREY         Material 1:       15         Material 1:       90         Material 2:       90         Material 3:       73         Material 3:       73         Material 3:       73         Formation Top Depth:       140.0         Formation Top Depth:       140.0         Formation Top Depth:       140.0         Formation Top Depth:       160.0         Formation Top Depth:       160.0         Formation Top Depth:       160.0         Formation TD:       931068769         Layer:       7         Color:       1         General Color:       VHITE         Material 1 Desc:       SANDSTONE         Material 2 Desc:       MEDIUM-GRAINED         Material 3 Desc:       MEDIUM-GRAINED         Material 3 Desc:       Formation Top Depth:       275.0         Formation Top Depth:       275.0         Formation Top Depth:       275.0         Formation Tom Depth:       275.0         Formation Tom Depth:		ft			
Layer:5Color:2Color:3General Color:GREYMaterial 115Material 115Material 2:90Material 2:91Material 3:73Material 3:160.0Formation Top Depth:160.0Formation End Depth UOM:ItVerburden and Bedrock. Materials Interval7Color:1General Color:931068769Layer:7Color:1General Color:11Material 1:18Material 1:18Material 2:78Material 2:78Material 3:Metorial 3:Material 3:100.0Material 3:100.0Material 3:100.0Material 1:18Material 1:18Material 2:78Material 3:100.0Material 3:100.0Material 3:100.0Material 3:100.0Material 3:100.0Material 3:100.0Material 3:100.0Material 3:100.0Material 3:100.0Material 3:100.					
Layer:5Color:2Color:3General Color:GREYMaterial 115Material 2:90Material 2:90Material 3:73Material 3:73Overburden and Bedrock Materials Interval7Color:1General Color:11Material 1:13Material 1:13Material 1:13Material 2:73Material 2:74Material 3:Metorial 2:Material 3:Metorial 3:Material 3:75.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:14Materials Interval15Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Dept	Formation ID:	931068767			
General Color:GREYMaterial 115Material 290Material 290Material 290Material 3:73Material 3 Desc:HARDFormation Top Depth:140.0Formation End Depth:160.0Formation End Depth:931068769Layer:7Color:1General Color:1General Color:1General Color:1Material 118Material 278Material 379Color:1General Color:1Material 278Material 278Material 378Material 379Color:1General Color:1Material 278Material 278Material 378Material 378Material 378Material 378Material 378Material 478.0Formation 5nd Depth:275.0Formation 6nd Depth:					
Material 1:15Material 2 Desc:UMESTONEMaterial 2 Desc:VERYMaterial 3:73Material 3 Desc:HARDFormation Top Depth:140.0Formation End Depth:160.0Formation End Depth UOM:ttWaterials IntervalYFormation ID:931068769Layer:7Color:1General Color:WHITEMaterial 1:18Material 2:78Material 2:78Material 3:MEDIUM-GRAINEDMaterial 3:YFormation Top Depth:275.0Formation End Depth UOM:ttCoverburden and Bedrock Material 3:YMaterials IntervalYFormation Top Depth:275.0Formation Top Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:YMaterials IntervalYFormation End Depth:931068765					
Material 1 Desc:LIMESTONEMaterial 290Material 2 Desc:VERYMaterial 3 Desc:HARDFormation Top Depth:140.0Formation Top Depth:160.0Formation End Depth UOM:tToreston End Depth UOM:tPormation ID:931068769Layer:7Color:1General Color:1Material 2SANDSTONEMaterial 278Material 3:18Material 3:18Material 3:97.0Formation End Depth:275.0Formation End Depth:297.0Formation End Depth:297.0Formation End Depth:15.0Formation End Depth:297.0Formation End Depth End </td <td></td> <td></td> <td></td> <td></td> <td></td>					
Material 2:90Material 2 Desc:VERYMaterial 3 Desc:HARDFormation Top Depth:140.0Formation End Depth:160.0Formation End Depth UOM:ftOverburden and Bedrock Materials IntervalFormation ID:931068769Layer:7Color:1General Color:WHITEMaterial 1:18Material 2 Desc:SANDSTONEMaterial 3 Desc:7Formation Top Depth:275.0Formation End Depth:297.0Formation End Depth UOM:ftHaterials In					
Material 2 Desc:VERYMaterial 3 Desc:HARDFormation Top Depth:140.0Formation End Depth:160.0Formation End Depth:160.0Formation End Depth UOM:tOverburden and Bedrock Materials Interval931068769Layer:7Color:1General Color:WHITEMaterial 1 Desc:SANDSTONEMaterial 2 Desc:MEDIUM-GRAINEDMaterial 3 Desc:ToFormation Top Depth:275.0Formation End Depth UOM:t					
Material 3 Desc:HARDFormation Top Depth:140.0Formation End Depth:160.0Formation End Depth UOM:tCoverburden and Bedrock Materials IntervalFormation ID:931068769Layer:7Color:1General Color:WHITE Material 1 Desc:Material 2 Desc:78Material 3 Desc:78Material 3 Desc:78Material 3 Desc:75.0Formation End Depth UOM:1Tormation End Depth:297.0Formation End Depth UOM:tTormation ID:931068765					
Formation Top Depth:140.0Formation End Depth:160.0Formation End Depth UOM:ttOverburden and Bedrock Materials Interval931068769Layer:7Formation ID:931068769Layer:7Color:1General Color:WHITEMaterial 1:18Material 2:78Material 3:78Material 3:78Material 3:797.0Formation End Depth:275.0Formation End Depth:297.0Formation End Depth:297.0<					
Formation End Depth:160.0Formation End Depth UOM:ttOverburden and Bedrock Materials IntervalFormation ID:931068769Layer:7Color:1General Color:WHITE Material 1:Material 1:18Material 2:7Material 2:78Material 3:Material 3:Material 3:Material 3:Material 3:Material 5:Overburden and Bedrock Material 5:Material 5:Material 6:Material 7:Material 7:Material 8:Material 9:Material 9:Material 1:Material 1:Material 2:Material 3:Material 4:Material 5:Material 5:Material 5:Material 5:Material 5:Material 6:Material 7:Material 7:Material 8:Material 9:Material 9:					
Formation End Depth UOM:       t         Overburden and Bedrock.       Materials Interval         Formation ID:       931068769         Layer:       7         Color:       1         General Color:       WHITE         Material 1       18         Material 2       SANDSTONE         Material 2       Posc:         Material 3       RedultM-GRAINED         Material 3       Besc:         Formation End Depth:       275.0         Formation End Depth:       297.0         Formation End Depth:       297.0         Formation End Depth:       1         Overburden and Bedrock.       Materials Interval         Formation ID:       931068765					
Materials Interval         Formation ID:       931068769         Layer:       7         Color:       1         General Color:       WHITE         Material 1:       18         Material 1 Desc:       SANDSTONE         Material 2 Desc:       MEDIUM-GRAINED         Material 3:       Metrial 2 Desc:         Material 3 Desc:       Formation End Depth:         Formation End Depth:       297.0         Formation End Depth UOM:       ft         Overburden and Bedrock:       Materials Interval         Formation ID:       931068765					
Formation ID:931068769Layer:7Color:1General Color:WHITEMaterial 1:18Material 1 Desc:SANDSTONEMaterial 2 Desc:SANDSTONEMaterial 2 Desc:MEDIUM-GRAINEDMaterial 3 Desc:Formation Top Depth:275.0Formation End Depth297.0Formation End Depth UOM:tFormation ID:931068765					
Layer:7Color:1General Color:WHITEMaterial 1:18Material 1:18Material 2:SANDSTONEMaterial 2:78Material 2 Desc:MEDIUM-GRAINEDMaterial 3:Formation Top Depth:275.0Formation End Depth UOM:ttVerburden and Bedrock Materials IntervalFormation ID:931068765		931068769			
Color:1General Color:WHITEMaterial 1:18Material 1 Desc:SANDSTONEMaterial 2 Desc:78Material 3:MeDIUM-GRAINEDMaterial 3 Desc:75.0Formation Top Depth:297.0Formation End Depth UOM:ftOverburden and Bedrock Materials IntervalFormation ID:931068765					
Material 1:18Material 1 Desc:SANDSTONEMaterial 2:78Material 2 Desc:MEDIUM-GRAINEDMaterial 3:75.0Formation Top Depth:275.0Formation End Depth:297.0Formation End Depth UOM:ftOverburden and Bedrock Materials IntervalFormation ID:931068765	Color:				
Material 1 Desc:SANDSTONEMaterial 2:78Material 2 Desc:MEDIUM-GRAINEDMaterial 3:Image: Constraint of the					
Material 2:78Material 2 Desc:MEDIUM-GRAINEDMaterial 3:		-			
Material 3:       Image: Sec: Sec: Sec: Sec: Sec: Sec: Sec: Se					
Material 3 Desc:         Formation Top Depth:       275.0         Formation End Depth:       297.0         Formation End Depth UOM:       ft         Overburden and Bedrock.       Value 1000000000000000000000000000000000000		MEDIUM-GRAINED	)		
Formation Top Depth:       275.0         Formation End Depth:       297.0         Formation End Depth UOM:       ft         Overburden and Bedrock					
Formation End Depth:       297.0         Formation End Depth UOM:       ft         Overburden and Bedrock		275.0			
Formation End Depth UOM:     ft       Overburden and Bedrock       Materials Interval       Formation ID:     931068765					
Materials Interval         Formation ID:       931068765					
Layer: 3	Formation ID:	931068765			
	Layer:	3			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	Ľ
Color:		2			
General Cold	or:	GREY			
Material 1:		15			
Material 1 De	esc:	LIMESTONE			
Material 2:		78			
Material 2 De Material 3:	esc:	MEDIUM-GRAINED			
Material 3 De	esc:				
Formation To	op Depth:	27.0			
Formation Er	nd Depth:	85.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden a</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID	).	931068764			
Layer:	-	2			
Color:		2			
General Cold	or:	GREY			
Material 1:		15			
Material 1 De	sc:	LIMESTONE			
Material 2:		71			
Material 2 De Material 3:	esc:	FRACTURED			
Material 3 De	esc:				
Formation To	op Depth:	18.0			
Formation E		27.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden a</u> Materials Inte	and Bedrock erval				
Formation ID	).	931068766			
Layer:	•	4			
Color:		2			
General Cold	or.	GREY			
Material 1:		18			
Material 1 De	sc:	SANDSTONE			
Material 2:		15			
Material 2 De Material 3:	esc:	LIMESTONE			
Material 3 De	esc:				
Formation To	op Depth:	85.0			
Formation E	nd Depth:	140.0			
	nd Depth UOM:	ft			
<u>Overburden a</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID	):	931068768			
Layer:		6			
Color:		2			
General Colo	or:	GREY			
Material 1:		18			
Material 1 De	SC:	SANDSTONE			
Material 2:		15			
Material 2 De	esc:	LIMESTONE			
Material 3:		74			
Material 3 De		LAYERED			
Formation To		160.0			
Formation E		275.0			
Formation E	nd Depth UOM:	ft			
	•••				<b>A 1 1 1 1 1 1 1 1 1 1</b>
	erisinto com i Er	vironmental Risk Infor	mation Service	e	Order No: 240710000

Annular Space/Aban Sealing Record Plug ID: Layer: Plug From: Plug To: Plug Depth UOM: <u>Method of Construction</u> Method Construction Method Construction Method Construction Other Method Const Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter: Casing ID: Layer: Material: Open Hole or Materia Depth To: Casing Diameter: Casing Diameter: C	<u>stion &amp; Well</u> on ID: on Code: on: truction:	933113012 1 0.0 33.0 ft 961528157 5 Air Percussion 10598266 1		
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM: Method of Construction Method Construction Method Construction Method Construction Method Construction Method Construction Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Dpen Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter: Casing ID: Layer: Material: Depth To: Casing Diameter: Casing ID: Layer: Material: Depth To: Casing Diameter: Casing ID: Layer: Material: Depth From: Casing Diameter: Casing Dia	on ID: on Code: on: truction:	1 0.0 33.0 ft 961528157 5 Air Percussion		
Layer: Plug From: Plug To: Plug Depth UOM: <u>Method of Construction</u> <u>Method Construction</u> Method Construction Method Construction Method Construction Method Construction Method Construction Pipe ID: Casing No: Comment: Alt Name: <u>Construction Record</u> Casing ID: Layer: Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter: Casing ID: Layer: Material: Depth To: Casing ID: Layer: Material: Depth To: Casing ID: Layer: Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casi	on ID: on Code: on: truction:	1 0.0 33.0 ft 961528157 5 Air Percussion		
Plug From: Plug To: Plug Depth UOM: Method of Construction Method Construction Method Construction Method Construction Method Construction Method Construction Method Construction Method Construction Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth To: Casing Diameter UO Casing Depth UOM: Casing Diameter UO Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter UO	on ID: on Code: on: truction:	0.0 33.0 ft 961528157 5 Air Percussion 10598266		
Plug To: Plug Depth UOM: Method of Construction Method Construction Method Construction Method Construction Other Method Const Pipe Information Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth To: Casing Diameter: UO Casing Depth UOM: Casing Depth UOM: Casing Depth UOM: Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth From: Depth From: Depth From: Depth To: Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter: Ca	on ID: on Code: on: truction:	33.0 ft 961528157 5 Air Percussion 10598266		
Plug Depth UOM: <u>Method of Construction</u> <u>Method Construction</u> Method Construction Method Construction Other Method Construction Other Method Construction Pipe ID: Casing No: Comment: Alt Name: <u>Construction Record</u> Casing ID: Layer: Material: Open Hole or Material Depth To: Casing Diameter: UO Casing Diameter: Casing ID: Layer: Material: Open Hole or Material Depth From: Depth From: Depth From: Depth From: Depth From: Depth From: Depth To: Casing ID: Layer: Material: Open Hole or Material Depth From: Depth To: Casing Diameter: Casing Diameter:	on ID: on Code: on: truction:	ft 961528157 5 Air Percussion 10598266		
<u>Jse</u> Method Construction Method Construction Method Construction Differ Method Construction Differ Method Construction Differ ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Differ From: Depth From: Casing Diameter: Casing Diameter: Casing Diameter: Casing ID: Layer: Material: Differ From: Construction Record Casing ID: Layer: Material: Differ From: Differ From: Differ From: Differ From: Differ To: Casing Diameter: Casing Diam	on ID: on Code: on: truction:	5 Air Percussion 10598266		
Method Construction Method Construction Other Method Const Pipe Information Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Depth UOM: Casing Depth UOM: Casing ID: Layer: Material: Dpen Hole or Material Depth From: Depth To: Casing Diameter: Casing Diameter: Depth To: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter:	on Code: on: truction:	5 Air Percussion 10598266		
Method Construction Other Method Const Pipe Information Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth To: Casing Diameter: UO Casing Depth UOM: Casing Depth UOM: Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth From: Depth From: Depth To: Casing Diameter UO	n: truction:	Air Percussion		
Other Method Const Pipe Information Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Depth From: Depth To: Casing Diameter: UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Material Depth From: Depth From: Depth From: Depth To: Casing Diameter: Casing Diamete	truction:	10598266		
Pipe ID: Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Depth From: Depth From: Casing Diameter: Casing Depth UOM: Casing Depth UOM: Casing ID: Layer: Material: Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter:	d - Casing			
Casing No: Comment: Alt Name: Construction Record Casing ID: Layer: Material: Depth From: Depth To: Casing Diameter: Casing Diameter UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter:	<u>d - Casing</u>			
Comment: Alt Name: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter: UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter:	<u>d - Casing</u>	1		
Alt Name: <u>Construction Record</u> Casing ID: Layer: Material: Open Hole or Material Depth From: Depth To: Casing Diameter: UO Casing Depth UOM: <u>Construction Record</u> Casing ID: Layer: Material: Open Hole or Material Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter UO	<u>d - Casing</u>			
Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter UO	<u>d - Casing</u>			
Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Depth UOM: Casing Depth UOM: Construction Record Casing ID: Layer: Material: Dpen Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter UO				
Waterial: Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter UO		930086857		
Open Hole or Materia Depth From: Depth To: Casing Diameter: Casing Depth UOM: Casing Depth UOM: Construction Record Casing ID: Layer: Material: Depth Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter UO		2		
Depth From: Depth To: Casing Diameter: Casing Diameter UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Depth Hole or Materia Depth From: Depth To: Casing Diameter: Casing Diameter UO		1		
Depth To: Casing Diameter: Casing Diameter UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter UO	al:	STEEL		
Casing Diameter: Casing Diameter UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter UO		33.0		
Casing Diameter UO Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth From: Casing Diameter: Casing Diameter UO		10.0		
Casing Depth UOM: Construction Record Casing ID: Layer: Material: Open Hole or Materia Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter UO	SM-	inch		
Casing ID: Layer: Material: Open Hole or Materi Depth From: Depth To: Casing Diameter: Casing Diameter UO		ft		
.ayer: Material: Dpen Hole or Materi Depth From: Depth To: Casing Diameter: Casing Diameter UO	<u>d - Casing</u>			
Material: Open Hole or Materi Depth From: Depth To: Casing Diameter: Casing Diameter UO		930086858		
Open Hole or Materi Depth From: Depth To: Casing Diameter: Casing Diameter UO		3		
Depth From: Depth To: Casing Diameter: Casing Diameter UO	ial.	4 OPEN HOLE		
Depth To: Casing Diameter: Casing Diameter UO	al.	OPEN HOLE		
Casing Diameter: Casing Diameter UO		297.0		
Casing Diameter UO		10.0		
Casing Depth UOM:	DM:	inch		
		ft		
Construction Record	<u>d - Casing</u>			
Casing ID:		930086856		
ayer:		1		
Naterial: Open Hole or Materi		4 OPEN HOLE		
Open Hole or Materi Depth From:	ial:			
Depth To:	ial:	33.0		
Casing Diameter:	ial:	15.0		
Casing Diameter UO	ial:	inch		
Casing Depth UOM:		ft		

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Results of W	ell Yield Testing				
Pump Test II		PUMP 991528157			
Pump Set At					
Static Level:		9.0			
	After Pumping:	111.0			
	led Pump Depth:	250.0 200.0			
Pumping Ra Flowing Rate		200.0			
	led Pump Rate:	200.0			
Levels UOM		ft			
Rate UOM:		GPM			
	After Test Code:	1			
Water State	After Test:	CLEAR			
Pumping Tes		1			
Pumping Du		8			
Pumping Du	ration MIN:	0			
Flowing:		No			
<u>Draw Down o</u>	& Recovery				
Pump Test D	Detail ID:	934112413			
Test Type:		45			
Test Duratio	n:	15			
Test Level: Test Level U	<u></u>	22.0 ft			
Test Level O	0 <i>m.</i>	π			
<u>Draw Down o</u>	& Recovery				
Pump Test D	Detail ID:	934387222			
Test Type:					
Test Duratio	n:	30			
Test Level:		53.0			
Test Level U	OM:	ft			
Draw Down	& Recovery				
Pump Test D	Detail ID:	934905342			
Test Type:					
Test Duratio	n:	60			
Test Level: Test Level U	<u></u>	111.0 ft			
Test Level U	0111:	π			
Draw Down	& Recovery				
Pump Test D	Detail ID:	934656550			
Test Type:					
Test Duratio	n:	45			
Test Level:		72.0			
Test Level U	OM:	ft			
Water Detail	<u>S</u>				
Water ID:		933487746			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found		50.0			
water Found	I Depth UOM:	ft			

	lumber of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Water Details						
Water ID: Layer: Kind Code: Kind: Water Found De <sub>l</sub> Water Found De <sub>l</sub>		933487747 2 5 Not stated 275.0 ft				
<u>7</u> 1 0	of 1	ESE/214.7	99.9 / -2.92	lot 20 con 4 ON		WWI.
Well ID:	152081	7		Flowing (Y/N):		
Construction Da Use 1st:	<i>te:</i> Domest	ic		Flow Rate: Data Entry Status:		
Use 2nd: Final Well Status Water Type:		supply		Data Src: Date Received: Selected Flag:	1 09/05/1986 TRUE	
Casing Material: Audit No: Tag:	NA			Abandonment Rec: Contractor: Form Version:	1558 1	
Constructn Meth Elevation (m): Elevatn Reliabilt Depth to Bedroc Well Depth: Overburden/Bed Pump Rate: Static Water Lev Clear/Cloudy: Municipality: Site Info:	y: k: Irock:	NEPEAN TOWNSH	IP	Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	OTTAWA-CARLETON 020 04 CON	
PDF URL (Map):		https://d2khazk8e83	Brdv.cloudfront.ne	et/moe_mapping/downloads	/2Water/Wells_pdfs/152\1520817.	odf
Additional Detail	l <u>(s) (Map)</u>					
Well Completed Year Completed. Depth (m): Latitude: Longitude: X: X: Y: Path:		03/21/1986 1986 92.964 45.2721568411081 -75.790225653626 -75.7902254931190 45.27215683394718 152\1520817.pdf				
Bore Hole Inforn	nation					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kindt	100426	58		Elevation: Elevrc: Zone: East83: North83: Org CS:	18 438013.70 5013488.00	
Cluster Kind: Date Completed: Remarks:	03/21/1	986		UTMRC: UTMRC Desc: Location Method:	9 unknown UTM lot	
Location Method Elevrc Desc: Location Source Improvement Lo Improvement Lo Source Revision	Date: cation Source: cation Method:	Lot centroid				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Supplier Cor	mment:				
Overburden Materials Inte	<u>and Bedrock</u> erval				
Formation ID	):	931045913			
Layer:		1			
Color: General Colo	or:	6 BROWN			
Material 1:	л.	28			
Material 1 De	esc:	SAND			
Material 2:		05			
Material 2 De	esc:	CLAY			
Material 3:		13			
Material 3 De		BOULDERS			
Formation Te Formation El		0.0 4.0			
	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID	):	931045914			
Layer:		2			
Color:		6			
General Colo	or:	BROWN			
<i>Material 1:</i> Material 1 De		28 SAND			
Material 2:	-30.	11			
Material 2 De	esc:	GRAVEL			
Material 3:		79			
Material 3 De		PACKED			
Formation To	op Depth:	4.0			
Formation El		14.0			
Formation El	nd Depth UOM:	ft			
Overburden Materials Inte	<u>and Bedrock</u> erval				
Formation ID	D:	931045915			
.ayer:		3			
Color: General Colo		2 GREY			
Vaterial 1:	<i>.</i>	15			
Material 1 De	esc:	LIMESTONE			
Material 2:		74			
Material 2 De	esc:	LAYERED			
Material 3:		78			
Material 3 De		MEDIUM-GRAINED			
Formation Te Formation El		14.0 305.0			
	nd Depth. nd Depth UOM:	ft			
<u>Method of Co Jse</u>	onstruction & Well				
	struction ID:	961520817			
	struction Code:	1 Cable Teal			
Nethod Cons Other Metho	struction: d Construction:	Cable Tool			
Pipe Informa	ntion				
20	erisinfo.com   En	vironmental Risk Info	rmation Service	s	Order No: 240710000

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID: Casing No: Comment: Alt Name:		10591228 1			
Construction	Record - Casing				
Casing ID: Layer: Material: Open Hole of Depth From: Depth To: Casing Diam Casing Diam Casing Depth	eter: eter UOM:	930074456 1 STEEL 22.0 6.0 inch ft			
Construction	Record - Casing				
Casing ID: Layer: Material: Open Hole of Depth From: Depth To: Casing Diam Casing Diam Casing Depth	eter: eter UOM:	930074457 2 4 OPEN HOLE 305.0 5.0 inch ft			
<u>Results of W</u>	ell Yield Testing				
Pump Test IL Pump Set At. Static Level: Final Level A Recommend Pumping Rate Recommend Levels UOM: Rate UOM:	fter Pumping: ed Pump Depth: e: ed Pump Rate: After Test Code: After Test: at Method: ration HR:	PUMP 991520817 24.0 120.0 200.0 20.0 5.0 ft GPM 2 CLOUDY 1 1 0 No			
Draw Down &	<u>Recovery</u>				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	934104857 Draw Down 15 55.0 ft			
Draw Down &	& Recovery				
Pump Test D Test Type:	etail ID:	934388396 Draw Down			

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		L
Test Duration Test Level: Test Level UC			30 120.0 ft				
Draw Down 8	<u> Recovery</u>						
Pump Test D Test Type:	etail ID:		934649553 Draw Down				
est Duration	า:		45				
est Level:			120.0				
est Level UC	ОМ:		ft				
Draw Down 8	Recovery						
Pump Test D	etail ID:		934906634				
est Type:			Draw Down				
est Duration	า:		60				
est Level:			120.0				
est Level UC	ОМ:		ft				
Vater Details	<u>i</u>						
Vater ID:			933478184				
ayer:			1				
ind Code:			1				
(ind: Votor Found	Denths		FRESH				
Vater Found Vater Found			195.0 ft				
rater Found	Depth OON	<i>n</i> .	n				
Vater Details	2						
Vater ID:			933478185				
ayer:			2				
and Code:			1				
(ind:			FRESH				
Vater Found	Depth:		297.0				
Vater Found	Depth UON	Л:	ft				
<u>8</u>	1 of 1		ESE/218.5	99.9 / -2.92	City of Ottawa Lots 20 and 21, Co Ottawa ON K1P 1J		EC
pproval No:	:	1308-4W	QSW8		MOE District:	Ottawa	
pproval Dat		2001-05-			City:		
tatus:		Approved	1		Longitude:	-75.7902	
ecord Type:		ECA			Latitude:	45.2721	
ink Source:		IDS			Geometry X:		
WP Area Na		Rideau V			Geometry Y:		
pproval Typ				d Private Water Works	K5		
roject Type: usiness Nai			Municipal and Priv City of Ottawa	ale vvaler vvorks			
ddress:	me.		Lots 20 and 21, C	oncession 1			
ull Address:			2010 20 0110 21, 0				
ull PDF Link							
DF Site Loc							
9	1 of 1		W/242.5	109.2 / 6.42	O'KEEFE COURT I	ot 20 con 4	WN
Vell ID:		1535794			NEPEAN ON Flowing (Y/N):		
ien iD.		1000194			, iowing ( i/i <b>v</b> ).		
11	erisinfo.co	m   Enviro	onmental Risk In	formation Service:	S		Order No: 240710000

	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Construction Dat	e:			Flow Rate:		
Use 1st:	Domesti	C		Data Entry Status:		
Use 2nd:				Data Src:		
Final Well Status:	: Water S	upply		Date Received:	09/26/2005	
Water Type:				Selected Flag:	TRUE	
Casing Material:				Abandonment Rec:		
Audit No:	Z30790			Contractor:	1119	
Tag:	A028638	8		Form Version:	3	
Constructn Metho	od:			Owner:		
Elevation (m):				County:	OTTAWA-CARLETON	
Elevatn Reliabilty	<i>'</i> :			Lot:	020	
Depth to Bedrock	c:			Concession:	04	
Well Depth:				Concession Name:		
Overburden/Bedr	ock:			Easting NAD83:		
Pump Rate:				Northing NAD83:		
Static Water Leve	el:			Zone:		
Clear/Cloudy:				UTM Reliability:		
Municipality:		NEPEAN TOWNSH	IP			
Site Info:		PLAN 5R13897				
PDF URL (Map):		https://d2kbazk8e83	rdy cloudfront n	et/moe_manning/downloads	/2Water/Wells_pdfs/153\1535794.pd	If
<u>Additional Detail(</u> Well Completed L		08/03/2005				
Year Completed:		2005				
Depth (m):		103.63				
Latitude:		45.2725133278757				
Longitude:		-75.7959253463559				
X:		-75.7959251848996				
Y:		45.27251332139148				
Path:		153\1535794.pdf				
Bore Hole Inform	ation					
Bore Hole ID:	1131633	33		Elevation:		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	18	
Code OB:				East83:	437567.00	
Code OB Desc:				North83:	5013532.00	
Open Hole:				Org CS:	UTM83	
Cluster Kind:				UTMRC:	4	
Date Completed:	08/03/20	005		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:				Location Method:	wwr	
Location Method	Desc:	on Water Well Reco	rd			
Elevrc Desc:			-			

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock Materials Interval

42

Formation ID: Layer: Color: General Color: Material 1: Material 1 Desc: Material 2: Material 2 Desc:

• •	lumber of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc: Formation Top D		3.049999952316284			
Formation End L	Depth:	103.6299972534179			
Formation End L	Depth UOM:	m			
Overburden and Materials Interva					
Formation ID:		932997185			
Layer:		1			
Color: General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2: Material 2 Desc:					
Material 2 Desc:					
Material 3 Desc:					
Formation Top L	Depth:	0.0			
Formation End L Formation End L		3.049999952316284 m			
	Jepun oom.				
<u>Annular Space// Sealing Record</u>	Abandonment				
Plug ID:		933277482			
Layer:		2			
Plug From: Plug To:		3.049999952316284 0.0			
Plug Depth UOM	1:	m			
<u>Annular Space/A</u> Sealing Record	Abandonment				
Plug ID:		933277483			
Layer:		1			
Plug From: Plug To:		6.099999904632568 3.049999952316284			
Plug Depth UOM	1:	m			
<u>Method of Const</u> <u>Use</u>	truction & Well				
Method Constru	ction ID:	961535794			
Method Constru	ction Code:	5			
Method Constru Other Method Co		Air Percussion			
Pipe Information	1				
Pipe ID:		11331188			
Casing No:		1			
Comment:					
Alt Name:					
Construction Re	cord - Casing				
Casing ID:		930855743			
Layer: Material:		1 1			
water lai:		I			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Open Hole o Depth From: Depth To: Casing Diam Casing Depth	eter: eter UOM:	STEEL 0.0 6.710000038146973 15.88000011444091 cm m			
<b>Construction</b>	n Record - Casing				
Casing ID:		930855744			
Layer: Material: Open Hole o Depth From: Depth To: Casing Diam Casing Diam	eter: eter UOM:	2 4 OPEN HOLE 6.099999904632568 103.6299972534179 cm			
Casing Dept	h UOM:	m			
<u>Results of W</u>	ell Yield Testing				
Pump Test IL Pump Set At Static Level: Final Level A Recommend Pumping Rate Flowing Rate Recommend Levels UOM: Rate UOM:	: After Pumping: led Pump Depth: te: e: led Pump Rate: After Test Code:	PUMP 11345674 91.44000244140625 3.460000038146972 38.65999984741211 91.44000244140625 45.5 45.5 m LPM 2 CLOUDY	7		
Pumping Tes Pumping Du Pumping Du Flowing: <u>Draw Down 8</u>	ration HR: ration MIN:	1 1 0			
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455107 Recovery 50 3.710000038146972 m	7		
Draw Down a	& Recovery				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455118 Recovery 40 4.380000114440918 m			
<u>Draw Down a</u>	& Recovery				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455120 Recovery 3 32.61000061035156 m			
44	erisinfo.com   En	vironmental Risk Infor	mation Service	es	Order No: 240710009

#### Draw Down & Recovery

Pump Test Detail ID:	11455103
Test Type:	Draw Down
Test Duration:	10
Test Level:	20.729999542236328
Test Level UOM:	m

#### Draw Down & Recovery

Pump Test Detail ID:	11455109
Test Type:	Draw Down
Test Duration:	40
Test Level:	36.56999969482422
Test Level UOM:	m

#### Draw Down & Recovery

Pump Test Detail ID:	11455112
Test Type:	Recovery
Test Duration:	25
Test Level:	8.210000038146973
Test Level UOM:	m

#### Draw Down & Recovery

Pump Test Detail ID:	11455115
Test Type:	Recovery
Test Duration:	20
Test Level:	11.470000267028809
Test Level UOM:	m

#### Draw Down & Recovery

11455116
Draw Down
20
29.280000686645508
m

#### Draw Down & Recovery

Pump Test Detail ID:	11455122
Test Type:	Recovery
Test Duration:	2
Test Level:	34.540000915527344
Test Level UOM:	m

#### Draw Down & Recovery

Pump Test Detail ID:	11455102
Test Type:	Recovery
Test Duration:	5
Test Level:	28.969999313354492
Test Level UOM:	m

#### Draw Down & Recovery

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455114 Draw Down 25 32.060001373291010 m	6		
<u>Draw Down a</u>	& Recovery				
Pump Test D Test Type: Test Duratio Test Level: Test Level U	n:	11455119 Draw Down 4 11.64000034332275 m	4		
Draw Down a	<u>&amp; Recovery</u>				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455123 Draw Down 50 37.90999984741211 m			
Draw Down a	& Recovery				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455125 Recovery 1 36.560001373291010 m	6		
<u>Draw Down a</u>	<u>&amp; Recovery</u>				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455101 Recovery 30 6.159999847412109 m			
<u>Draw Down a</u>	& Recovery				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455111 Draw Down 30 33.959999084472650 m	6		
<u>Draw Down a</u>	<u>&amp; Recovery</u>				
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455113 Draw Down 2 7.480000019073486 m			
Draw Down a	& Recovery				
Pump Test D Test Type: Test Duratio Test Level:		11455117 Recovery 15 15.97999954223632	8		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Test Level U	ОМ:	m			
Draw Down &	& Recovery				
Pump Test D	etail ID:	11455105			
Test Type:		Draw Down			
Test Duration	n:	15			
Test Level: Test Level U	0.14	26.020000457763672	2		
lest Level O		m			
Draw Down &	& Recovery				
Pump Test D	etail ID:	11455108			
Test Type:		Draw Down			
Test Duration	n:	5			
Test Level: Test Level U	0.14	13.479999542236328	3		
Test Level U	UW:	m			
Draw Down &	<u>&amp; Recovery</u>				
Pump Test D	etail ID:	11455110			
Test Type:		Draw Down			
Test Duratioı Test Level:	n:	60 38.65999984741211			
Test Level U	ОМ:	m			
Draw Down &	& Recovery				
Pump Test D	etail ID:	11455126			
Test Type:		Recovery			
Test Duration	n:	4			
Test Level:		30.739999771118164	1		
Test Level U	ОМ:	m			
Draw Down &	<u>&amp; Recovery</u>				
Pump Test D	etail ID:	11455104			
Test Type:		Recovery			
Test Duration	n:	10	_		
Test Level: Test Level U	ОМ:	21.469999313354492 m	2		
Draw Down &	& Recovery				
Pump Test D	etail ID:	11455121			
Test Type:		Draw Down			
Test Duration	n:	3			
Test Level:		9.649999618530273			
Test Level U	ОМ:	m			
Draw Down &	<u>&amp; Recovery</u>				
Pump Test D	etail ID:	11455124			
Test Type:		Draw Down			
Test Duration	n:	1			
Test Level: Test Level U	ОМ:	5.179999828338623 m			
Draw Down &	& Recovery				
47	erisinfo.com   Er	nvironmental Risk Infor	mation Service	es	Order No: 2407100009

Map Key	Number Records		Elev/Diff (m)	Site		DB
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	11455106 Recovery 60 3.55999994277954 m	41			
Water Details	<u>§</u>					
Water ID: Layer: Kind Code: Kind:		934065038 1				
Water Found Water Found		100.580001831054 <b>f:</b> m	469			
Water Details	5					
Water ID: Layer: Kind Code:		934065037 2				
Kind: Water Found Water Found		101.190002441406 <b>1:</b> m	625			
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM:	11533914 15.239999771118 0.0 103.629997253417 m cm				
<u>10</u>	1 of 1	SW/242.6	110.0/7.17	ON		BORE
Borehole ID: OGF ID: Status: Type: Use: Completion I Static Water Primary Wate Sec. Water U Total Depth r Depth Ref: Depth Elev: Drill Method: Orig Ground Elev Reliabil DEM Ground Concession:	Date: Level: er Use: lse: m: Elev m: Note: I Elev m:	848335 215589965 Decommissioned Borehole Geotechnical/Geological Inve 12-MAY-1989 4.6 Ground Surface Hollow stem auger 107 CON 4	estigation	Inclin FLG: SP Status: Surv Elev: Priezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No LOT 20 NEPEAN 45.271009 -75.794782 18 437655 5013364 Within 10 metres	

Borehole Geology Stratum

Geology Stratum ID: Top Depth:

6560693 1.6

Mat Consistency: Material Moisture:

Location D: Survey D: Comments:

	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth Material Color Material 1: Material 2: Material 3: Material 4:		2.1 Topsoil Sand Silt			Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Gsc Material L	-	n:			•	
Stratum Desc	ription:		field.	SOIL ""Note: Many	recoras provided by the de	partment have a truncated [Stratum Description]
Geology Strat	um ID:	6560694			Mat Consistency:	
Top Depth:		2.1			Material Moisture:	
Bottom Depth	:	2.9			Material Texture:	
Material Color	:				Non Geo Mat Type:	
Material 1:		Silt			Geologic Formation:	
Material 2:		Clay			Geologic Group:	
Material 3:		Sand			Geologic Period:	
		Cana			Depositional Gen:	
Material 4:					Depositional Gen.	
Gsc Material L Stratum Desc	•	1.	CLAYEY SILT WIT Description] field.	H SAND **Note: N	lany records provided by the	e department have a truncated [Stratum
Geology Strat	um ID:	6560695			Mat Consistency:	Very Dense
Top Depth:		2.9			Material Moisture:	
Bottom Depth	:	4.6			Material Texture:	
Material Color					Non Geo Mat Type:	
Material 1:		Till			Geologic Formation:	
Material 2:		Silt - San	d - Gravel		Geologic Group:	
Material 3:		ent eun			Geologic Period:	
Material 4:					Depositional Gen:	glacial
Gsc Material L	Decorintion				Depositional Gen.	giaciai
Stratum Desci	•				AVEL VERY DENSE SILTY uncated [Stratum Descriptio	SAND GLACIAL TILL **Note: Many records n] field.
Geology Strat	um ID:	6560692			Mat Consistency:	
Top Depth:		0			Material Moisture:	
Bottom Depth	:	1.6			Material Texture:	
Material Color		Brown			Non Geo Mat Type:	
	-	Fill			Geologic Formation:	
Matorial 1		1 111			deologic i ormanom.	
Material 1: Material 2:		Sand			Goologic Group:	
Material 2:		Sand			Geologic Group:	
Material 2: Material 3:		Sand Gravel			Geologic Period:	
Material 2: Material 3: Material 4:		Gravel				
Material 2: Material 3:	•	Gravel	SAND AND GRAV Description] field.	EL BROWN FILL *	Geologic Period: Depositional Gen:	ed by the department have a truncated [Stratum
Material 2: Material 3: Material 4: Gsc Material L	•	Gravel		EL BROWN FILL * 100.9 / -1.92	Geologic Period: Depositional Gen:	ed by the department have a truncated [Stratum
Material 2: Material 3: Material 4: Gsc Material I Stratum Desc. <u>11</u>	ription:	Gravel	Description] field.		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J	· · ·
Material 2: Material 3: Material 4: Gsc Material 1 Stratum Desc. <u>11</u> Order No:	ription:	Gravel : 22122300	Description] field.		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J Nearest Intersection:	· · ·
Material 2: Material 3: Material 4: Gsc Material 1 Stratum Desc <u>11</u> Order No: Status:	ription:	Gravel 5: 22122300 C	Description] field.		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J Nearest Intersection: Municipality:	EHS
Material 2: Material 3: Material 4: Gsc Material 1 Stratum Desc <u>11</u> Order No: Status: Report Type:	ription:	Gravel c: 22122300 C Standard	Description] field. <b>ENE/248.2</b> 0074 Report		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J Nearest Intersection: Municipality: Client Prov/State:	ON
Material 2: Material 3: Material 4: Gsc Material 1 Stratum Desc <u>11</u> Order No: Status: Report Type: Report Date:	1 of 1	Gravel c: 22122300 C Standard 03-JAN-2	Description] field. ENE/248.2 0074 Report 23		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J Nearest Intersection: Municipality:	ON .25
Material 2: Material 3: Material 4: Gsc Material 1 Stratum Desc <u>11</u> Order No: Status: Report Type:	1 of 1	Gravel c: 22122300 C Standard	Description] field. ENE/248.2 0074 Report 23		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J Nearest Intersection: Municipality: Client Prov/State:	ON CN
Material 2: Material 3: Material 4: Gsc Material 1 Stratum Desc <u>11</u> Order No: Status: Report Type: Report Date:	ription: 1 of 1	Gravel c: 22122300 C Standard 03-JAN-2	Description] field. ENE/248.2 0074 Report 23		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	ON .25
Material 2: Material 3: Material 4: Gsc Material 4 Stratum Desc <u>11</u> Order No: Status: Report Type: Report Date: Date Received	ription: 1 of 1 1: Name:	Gravel c: 22122300 C Standard 03-JAN-2	Description] field. ENE/248.2 0074 Report 23		Geologic Period: Depositional Gen: *Note: Many records provid 140 Lusk Street Ottawa ON K2J Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	ON .25 -75.78999

# Unplottable Summary

# Total: 29 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
СА	TDL GROUP LIMITED	BLK. 114 FALLOWFIELD RD., SWM	NEPEAN ON	
CA	City of Ottawa	Part of Lot 19/20, Concession 4 (RF)	Ottawa ON	
CA	PETRO-CANADA PRODUCTS	FALLOWFIELD RD., BLK.113 (SWM)	NEPEAN CITY ON	
СА	PUBLIC WORKS CANADA	FALLOWFIELD RD.	NEPEAN CITY ON	
CONV	Brandon James Amell	Highway 416	Ottawa ON	
DTNK	SUPERIOR PROPANE INC	FALLOWFIELD RD	OTTAWA ON	
DTNK	SUPERIOR PROPANE ATTN WARREN HAYES	FALLOWFIELD RD PRT LOT 20 4 RF	OTTAWA ON	
DTNK	SUPERIOR PROPANE INC	FALLOWFIELD RD	NEPEAN ON	
EBR	Regional Group of Companies Inc.	Lots 18-20, Concession 4, Geographic Township of Nepean East side of Highway 416, south of Fallowfield Road, west of Strandherd Drive. CITY OF OTTAWA	ON	
EHS		Fallowfield Road	Ottawa (Former Township of Goulburn) ON	
PRT	I C G PROPANE INC	FALLOWFIELD RD PRT LOT 20 4 RF	OTTAWA ON	
PRT	SUPERIOR PROPANE	FALLOWFIELD RD	NEPEAN ON	
PTTW	1578051 Ontario Inc.	Havencrest Development Lots 19 and 20, Concession 4, geographic township of Nepean City of Ottawa CITY OF OTTAWA	ON	
PTTW	Findlay Creek Properties Ltd. and 1374537 Ontario Ltd.	Lots 19, 20, Concession 4 and Lot 20, Concession 5, Ottawa	ON	
SPL	Papier Masson Ltee <unofficial></unofficial>	Hwy 416 at Fallowfield Exit <unofficial></unofficial>	Ottawa ON	
SPL	PRIVATE OWNER	GENERAL WELDING, FALLOWFIELD RD. STITTSVILLE STORAGE TANK/BARREL	OTTAWA CITY ON	
SPL	PUBLIC WORKS CANADA	AGRICULTURE CANADA FALLOWFIELD ROAD STORAGE TANK	NEPEAN CITY ON	

SPL	City of Ottawa	between Richmond and Fallowfield	Ottawa ON
SPL	DEPARTMENT OF AGRICULTURE	ANIMAL DISEASE CONTROL CENTRE FALLOWFIELD ROAD	OTTAWA CITY ON
SPL	OC Transpo/ City of Ottawa <unofficial></unofficial>	@ Fallowfield	Ottawa ON
WWIS		lot 20 con 4	ON
WWIS		FALLOWFIELD RD	OTTAWA ON
WWIS		lot 20	ON
WWIS		lot 20 con 4	ON
WWIS		lot 21	ON
WWIS		lot 21	ON
WWIS		lot 21 con 4	ON
WWIS		lot 20 con 4	ON
WWIS		lot 21 con 4	ON

# **Unplottable Report**

#### <u>Site:</u> TDL GROUP LIMITED BLK. 114 FALLOWFIELD RD., SWM NEPEAN ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-0846-98-98 7/22/1998 Municipal sewage Approved

<u>Site:</u> C

#### City of Ottawa Part of Lot 19/20, Concession 4 (RF) Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> PETRO-CANADA PRODUCTS FALLOWFIELD RD., BLK.113 (SWM) NEPEAN CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-1223-94-94 10/5/1994 Municipal sewage Approved

0669-5RFN7J 2003 11/10/2003 Municipal and Private Sewage Works Revoked and/or Replaced

# <u>Site:</u> PUBLIC WORKS CANADA FALLOWFIELD RD. NEPEAN CITY ON

 Certificate #:
 8-4023-88 

 Application Year:
 88

 erisinfo.com | Environmental Risk Information Services



Database: CA

Database: CA

Order No: 24071000091



Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 9/12/1988 Industrial air Cancelled

# CHEMICAL STORAGE FAC.

<u>Site:</u>	Brandon Jam Highway 416			Database: CONV
File No	:		Location:	
Crown	Brief No:		Region:	
Court L	ocation:	Ottawa	Ministry District:	
Publica	ation City:			
Publica	ation Title:		Diesel Truck Owner fined \$500 for an Environmental Protection Act Violation	
Act:			Environmental Protection Act	
Act(s):				
First Ma	atter:			
Second	d Matter:			
Investig	gation 1:			
	gation 2:			
Penalty	/ Imposed:		Brandon Amell was convicted of one violation under the Environmental Protection Act and wa victim fine surcharge of \$110 and was given 3 months to pay.	
Descrip	otion:		The conviction relates tohindering or obstructing a Provincial Officer in the lawful performance evading the Provincial Officer.	,
Backgr	ound:		Drive Člean is an Ontario Environmental Protection Act program that is enforced by the Minis Environment, Conservation and Parks and is designed to reduce smog-causing pollutants from April 11, 2018, ministry officers were monitoring traffic on Highway 416 in Ottawa for the proadside inspections to enforce the Drive Clean program. The ministry officers were wearing enforcement officer uniforms and were driving in a ministry patrol vehicle that was equipped to package. On this date, the ministry officer signalled a white GMC diesel pickup truck to stop for an inspective red-light package on the ministry vehicle. Brandon James Amell was driving the pickup and failed to immediately bring the vehicle to a accelerated away and took a highway off ramp. It is understood that Mr. Amell did this because he was concerned about being caught driving suspension. The ministry's Investigations and Enforcement Branch investigated and laid charges resulting	m motor vehicles. burpose of performin visual identification with a red-light pection by activating safe stop, but instea g while under g in one conviction.
URL:			https://news.ontario.ca/ene/en/2019/10/diesel-truck-owner-fined-500-for-an-environmental-pr html	otection-act-violation
<u>Additio</u>	nal Details			
Publica Count: Act: Regula Section			October 15, 2019 4:00 P.M.	
	 gulation/Sectio	ı:		
	Offence:		On or about April 11, 2018	
	Conviction:		September 18, 2019	
	harged:			
	Disposition:			
Fine:			\$500	
	sis:		+	

#### <u>Site:</u> SUPERIOR PROPANE INC FALLOWFIELD RD OTTAWA ON



#### Delisted Expired Fuel Safety

54

#### Facilities

9558985 Instance No: **EXPIRED** Status: Instance ID: 390259 Instance Type: FS Facility Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: **Overfill Prot Type:** Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Fuels Safety Propane Filling Plant > 5000 USW Description: **Original Source:** EXP Record Date: Up to Mar 2012

Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:

<u>Site:</u> SUPERIOR PROPANE ATTN WARREN HAYES FALLOWFIELD RD PRT LOT 20 4 RF OTTAWA ON

# Delisted Expired Fuel Safety

Facilities

Instance No: 9631753 Status: **EXPIRED** 391550 Instance ID: Instance Type: FS Facility Instance Creation Dt: Instance Install Dt: Item Description: Manufacturer: Model: Serial No: ULC Standard: Quantity: Unit of Measure: **Overfill Prot Type:** Creation Date: Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: **TSSA Volume of Directives:** TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Fuels Safety Propane Filling Plant > 5000 USW Description: EXP **Original Source:** Record Date: Up to Mar 2012

Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:

Database: DTNK

# <u>Site:</u> SUPERIOR PROPANE INC FALLOWFIELD RD NEPEAN ON

Delisted Expired Fuel Safety

Facilities	Garcty	
Instance No:9669823Status:EXPIREDInstance ID:392708Instance Type:FS FacilityInstance Creation Dt:Instance Install Dt:Instance Install Dt:Item Description:Manufacturer:Model:Serial No:ULC Standard:Quantity:Unit of Measure:Overfill Prot Type:Creation Date:Next Periodic Str DT:TSSA Base Sched Cycle 2:TSSA Base Sched Cycle 2:TSSAMax Hazard Rank 1:TSSA Resk Based Periodic Yn:TSSA Volume of Directives:TSSA Periodic Exempt:TSSA Recd Insp Interva:TSSA Recd Tolerance:TSSA Program AreaTSSA Program Area 2:Description:Description:FS Propane Vehicle Conv OOriginal Source:EXPRecord Date:Up to Mar 2012		Expired Date: Max Hazard Rank: Facility Location: Facility Location: Facility Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:
Lots 18-20, C	up of Companies Inc. oncession 4, Geographic Township dherd Drive. CITY OF OTTAWA ON	Database: of Nepean East side of Highway 416, south of Fallowfield Road, EBR
EBR Registry No:	012-4505	Decision Posted:
Ministry Ref No:	MNRF INST 51/15	Exception Posted:
Notice Type:	Instrument Decision	Section:
Notice Stage:		Act 1:
Notice Date:	December 13, 2016	Act 2:
Proposal Date:	July 02, 2015	Site Location Map:
Year:	2015	
Instrument Type:		t for activities with conditions to achieve overall benefit to the species
Off Instrument Name:		
Posted By:		
Company Name:	Regional Group of Comp	anies Inc
Site Address:	Regional Group of Comp	
Location Other:		
Proponent Name:		
Proponent Address:	1737 Woodward Drive 2	nd Floor, Ottawa Ontario, Canada K2C 0P9
Commont Pariod	1757 WOOdwald DIIVE, 2	iu i iou, ottawa Olitalio, oaliada N20 01 3

#### Site Location Details:

Comment Period:

URL:

Lots 18-20, Concession 4, Geographic Township of Nepean East side of Highway 416, south of Fallowfield Road, west of Strandherd Drive. CITY OF OTTAWA

<u>Site:</u>		Database:
56	erisinfo.com   Environmental Risk Information Services	Order No: 24071000091

# Fallowfield Road Ottawa (Former Township of Goulburn) ON

Order No:	20060922004	Nearest Intersection:	
Status:	С	Municipality:	
Report Type:	Complete Report	Client Prov/State:	ON
Report Date:	9/25/2006	Search Radius (km):	0.25
Date Received:	9/22/2006	<b>X</b> :	0
Previous Site Name: Lot/Building Size:		Y: (	0
Lov Building Size.			

<u>Site:</u>	I C G PROPANE INC FALLOWFIELD RD PRT	TLOT 20 4 RF OTTAWA ON	Database: PRT
Locati Type: Expiry Capac Licenc	Date: ity (L):	11051 retail 1990-12-31 30000 0033255001	
<u>Site:</u>	SUPERIOR PROPANE FALLOWFIELD RD NEI	PEAN ON	Database: PRT
Locati Type: Expiry Capac Licend		9601 private 1992-01-31 0.00	

<u>Site:</u>	1578051 Ontar Havencrest De OTTAWA ON	velopment Lots 19 and 20, Concession 4, geog	raphic township of Nepean City of Ottawa CITY OF	Database: PTTW
	egistry No: / Ref No: Type:	012-4409 3640-9XLT22 Instrument Decision	Decision Posted: Exception Posted: Section:	
Notice S	•	0 / / 00 00/5	Act 1:	
Notice I		September 02, 2015	Act 2:	
Proposa	al Date:	June 19, 2015	Site Location Map:	
Year:		2015		
	ent Type: rument Name: By:	(OWRA s. 34) - Permit to Take Water		
Site Add Locatio	ny Name: dress: n Other: ent Name:	1578051 Ontario Inc.		
Propon	ent Address: ent Period:	237 Somerset Street West, Ottawa Or	ntario, Canada K2P 0J3	

# Site Location Details:

Additional Info Ordered:

Havencrest Development Lots 19 and 20, Concession 4, geographic township of Nepean City of Ottawa CITY OF OTTAWA

	ek Properties Ltd. and 1374537 Ontario Ltd. Concession 4 and Lot 20, Concession 5, Ottawa	ON	Database: PTTW
EBR Registry No:	IA06E1038	Decision Posted:	
Ministry Ref No:	6114-6SQHA7	Exception Posted:	
Notice Type:	Instrument Final Decision	Section:	
Notice Stage:		Act 1:	
Notice Date:	November 30, 2006	Act 2:	
57 erisinf	o.com   Environmental Risk Information Service	es	Order No: 24071000091

August 17, 2006 2006

(OWRA s. 34) - Permit to Take Water

Findlay Creek Properties Ltd. and 1374537 Ontario Ltd.

Site Location Map:

Proposal Date: Year: Instrument Type: Off Instrument Name: Posted By: Company Name: Site Address: Location Other: Proponent Name: Proponent Address: Comment Period: URL:

# Site Location Details:

Lots 19, 20, Concession 4 and Lot 20, Concession 5, Ottawa

<u>Site:</u>	Papier Masson Hwy 416 at Fall		DFFICIAL> kit <unofficial> Ottawa ON</unofficial>			Database: SPL
Ref No Year:	:	8546-6B	ZTJ4	<i>Municipality No: Nature of Damage:</i>		
Incider Dt MOI	nt Dt: E Arvl on Scn:	5/2/2005		Discharger Report: Material Group:	0 Oil	
MOE R	eported Dt:	5/2/2005		Impact to Health:		
Dt Doc Site No	ument Closed:			Agency Involved:		
	esponse:					
	ounty/District:					
	eo Ref Meth: strict Office:		Ottawa			
	t Watercourse:					
Site Na			Hwy 416 at Fallowfield Exit <unoff< th=""><th>CIAL&gt;</th><th></th><th></th></unoff<>	CIAL>		
Site Ac Site Re						
Site Mu	inicipality:		Ottawa			
Site Lo Site Co						
	eo Ref Accu:					
	ap Datum:					
Northin Easting						
•	nt Cause:		Other Transport Accident			
	nt Preceding Spill	:				
	nment Impact: Env Consequenc	e:	Not Anticipated			
Nature	of Impact:					
	ninant Qty:		100 L			
Client	n Facility Address Name:	5.	Papier Masson Ltee <unofficial></unofficial>			
Client						
Source	e Type: ninant Code:					
	ninant Name:		DIESEL FUEL			
	ninant Limit 1:					
	n Limit Freq 1: ninant UN No 1:					
Receiv	ing Medium:		Land			
	nt Reason: nt Summary:		Damage By Moving Equipment - Cor MVA: Papier Masson 100 L to road.	ntainers damaged by moving	)	
	/ Preceding Spill:	ŗ				
•	ty 2nd Watershed					
Sector	ty Tertiary Waters Type:	sileu:	Other Motor Vehicle			
SAC A	ction Class:		Spill to Highway (Accident)			
Call Re	port Locatn Geo	data:				

Site:	PRIVATE OWNER	
	GENERAL WELDING, FALLOWFIELD RD. STITTSVILLE STORAGE TANK/BARREL	OTTAWA CITY ON

Ref No: Year: Incident Dt: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name:	213503 10/10/2001 10/10/2001	Municipality No: 2010 Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:	7
Site Address: Site Region: Site Municipality: Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting:	OTTAWA CITY		
Incident Cause: Incident Preceding Spill. Environment Impact: Health Env Consequenc Nature of Impact: Contaminant Qty: System Facility Address Client Name: Client Type: Source Type: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:	Possible e: Soil contamination		
Receiving Medium: Incident Reason: Incident Summary: Activity Preceding Spill: Property 2nd Watershed Property Tertiary Waters Sector Type: SAC Action Class: Call Report Locatn Geod	: shed:	ROUND FROM TANK. CLEANED.	

## <u>Site:</u> PUBLIC WORKS CANADA AGRICULTURE CANADA FALLOWFIELD ROAD STORAGE TANK NEPEAN CITY ON

Ref No: Year: Incident Dt: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name:	79801 // 12/11/1992	<i>Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:</i>	20104
Site Address:			

59

Order No: 24071000091

Database: SPL

Database: SPL

Site Region: Site Municipality: NEPEAN CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: . Northing: Easting: Incident Cause: UNDERGROUND TANK LEAK Incident Preceding Spill: Environment Impact: CONFIRMED Health Env Consequence: Nature of Impact: Soil contamination Contaminant Qty: System Facility Address: Client Name: Client Type: Source Type: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: **Receiving Medium:** LAND Incident Reason: CORROSION Incident Summary: AGRICULTURE CANADA - SOIL CONTAMINATION DUE TO UNDERGROUND TANKS Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Site: City of Ottawa between Richmond and Fallowfield Ottawa ON Ref No: 3127-83MNVQ Municipality No:

Nature of Damage: Year: Incident Dt: Discharger Report: Dt MOE Arvl on Scn: 3/17/2010 Material Group: MOE Reported Dt: 3/17/2010 Impact to Health: Dt Document Closed: 3/30/2010 Agency Involved: Site No: MOE Response: **Priority Field Response** Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Forcemain on Eagleson Road @ Rushmore<UNOFFICIAL> Site Address: Site Region: Site Municipality: Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Incident Cause: Unknown Incident Preceding Spill: Possible Environment Impact: Health Env Consequence: Nature of Impact: Human Health/Safety; Soil Contamination; Surface Water Pollution 0 other - see incident description Contaminant Qty: System Facility Address: Client Name: City of Ottawa Client Type: Source Type:

Database: SPL Contaminant Code:44Contaminant Name:SEWAGE,RAW UNCHLORINATEDContaminant Limit 1:Contam Limit Freq 1:Contaminant UN No 1:44

Receiving Medium: Incident Reason:

Incident Summary:

SAC Action Class:

Sector Type:

Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed:

Call Report Locatn Geodata:

Equipment Failure Forcemain break in Richmond, raw unchl swg to ditch, water

Sewer Land Spills

<u>Site:</u>		OF AGRICULTURE SE CONTROL CENTRE FALLOWFIE	ELD ROAD OTTAWA CITY ON		Database: SPL
Ref No:		44068	Municipality No:	20101	
Year:			Nature of Damage:		
Inciden	t Dt:	11/26/1990	Discharger Report:		
Dt MOE	Arvl on Scn:		Material Group:		
MOE Re	eported Dt:	11/29/1990	Impact to Health:		
	iment Closed:		Agency Involved:	ENVIRONMENT CANADA	
Site No:	:				
MOE Re	esponse:				
Site Co	unty/District:				
Site Ge	o Ref Meth:				
Site Dis	strict Office:				
Nearest	t Watercourse:				
Site Nai	me:				
Site Ad	dress:				
Site Reg	gion:				
Site Mu	nicipality:	OTTAWA CITY			
Site Lot	t:				
Site Co	nc:				
Site Ge	o Ref Accu:				
Site Ma	p Datum:				
Northin	g:				
Easting					
Inciden	t Cause:	UNDERGROUND TANK L	EAK		
Inciden	t Preceding Spill:	:			
	ment Impact:	POSSIBLE			
Health B	Env Consequenc	e:			
Nature	of Impact:	Soil contamination			
	ninant Qty:				
System	Facility Address	52			
Client N	lame:				
Client T	ype:				
Source					
Contam	inant Code:				
Contam	ninant Name:				
Contam	ninant Limit 1:				
	Limit Freq 1:				
	ninant UN No 1:				
Receivi	ng Medium:	LAND			
Inciden	t Reason:	CORROSION			
Inciden	t Summary:	DEPARTMENT OF AGRIC	CULTURE-UNDERGROUND FURNA	CE OIL TANK LEAKING.	
	Preceding Spill:				
Propert	y 2nd Watershed	1:			
	y Tertiary Waters	shed:			
Sector					
SAC Ac	tion Class:				
Call Rep	port Locatn Geod	data:			

Site: OC Transpo/ City of Ottawa<UNOFFICIAL>

# @ Fallowfield Ottawa ON

Ref No: Year: Incident Dt:	0663-9BQ7ZM 2013/09/20		Municipality No: Nature of Damage:
Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed:	2013/09/20		Discharger Report: Material Group: Impact to Health: Agency Involved:
Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office:	No Field Response		
Nearest Watercourse: Site Name: Site Address: Site Region:	Woodroffe Transitwa @ Fallowfield	ay <unofficial></unofficial>	
Site Municipality: Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum:	Ottawa		
Northing: Easting: Incident Cause: Incident Preceding Spill	Unknown / N/A		
Environment Impact: Health Env Consequenc Nature of Impact: Contaminant Qty:	Other Impact(s) 300 L		
System Facility Address Client Name: Client Type: Source Type:	OC Transpo/ City of	Ottawa <unoffic< th=""><th>IAL&gt;</th></unoffic<>	IAL>
Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:	15 HYDRAULIC OIL		
Receiving Medium: Incident Reason: Incident Summary: Activity Preceding Spill: Property 2nd Watershed Property Tertiary Waters	1:	cident, EGR reque	sted
Sector Type: SAC Action Class: Call Report Locatn Geo	Unknown / N/A Land Spills		

# <u>Site:</u>

lot 20 con 4	ON
Well ID:	1536188
Construction Date:	
Use 1st:	
Use 2nd:	
Final Well Status:	
Water Type:	
Casing Material:	
Audit No:	Z17661
Tag:	
Constructn Method:	
Elevation (m):	
Elevatn Reliabilty:	
Depth to Bedrock:	
Well Depth:	
Overburden/Bedrock:	
Pump Rate:	

Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Flowing (Y/N):

# 01/17/2006 TRUE

6907 3 OTTAWA-CARLETON 020 04 Database: WWIS Static Water Level: Clear/Cloudy: Municipality: Site Info:

NEPEAN TOWNSHIP

#### Bore Hole Information

Bore Hole ID: 11550254 DP2BR: Spatial Status: Zone: Code OB: Code OB Desc: **Open Hole:** Cluster Kind: Date Completed: 12/22/2005 Remarks: Not Applicable i.e. no UTM Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment:

Elevation:Elevrc:Zone:East83:North83:Org CS:UTMRC:9UTMRC Desc:unknown UTMLocation Method:na

Zone:

UTM Reliability:

#### Overburden and Bedrock Materials Interval

Supplier Comment:

Formation ID:	933043020
Layer:	1
Color:	
General Color:	
Material 1:	
Material 1 Desc:	
Material 2:	
Material 2 Desc:	
Material 3:	
Material 3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	80.0
Formation End Depth UOM:	ft

#### Method of Construction & Well Use

Method Construction ID:	961536188
Method Construction Code:	В
Method Construction:	Other Method
Other Method Construction:	

## Pipe Information

 Pipe ID:
 11559861

 Casing No:
 1

 Comment:
 Alt Name:

#### Results of Well Yield Testing

Pumping Test Method Desc:Pump Test ID:11569337Pump Set At:75.0Static Level:12.0Final Level After Pumping:Recommended Pump Depth:Pumping Rate:Flowing Rate:

63

# <u>Site:</u>

FALLOWFIELD RD OTTAWA ON

Well ID: 1535676 Construction Date: Use 1st: Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z33652 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: OTTAWA CITY Site Info: **Bore Hole Information** 

ft

GPM

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	11316215	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:
Date Completed:	06/08/2005	UTMRC Desc:
Remarks:		Location Meth
Location Method Desc:	Not Applicable i.e. no UTM	
Elevrc Desc:		
Location Source Date:		
Improvement Location S Improvement Location I Source Revision Commo Supplier Comment:	Nethod:	

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	933273996
Layer:	2
Plug From:	1.899999976158142
Plug To:	0.0
Plug Depth UOM:	m

#### <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:		
Layer:		

64

933273995

1

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

08/04/2005 TRUE Yes 6894 3

**OTTAWA-CARLETON** 

Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method: na

Order No: 24071000091



Plug From: 14.0 Plug To: Plug Depth UOM: 1.899999976158142 m

## Method of Construction & Well <u>Use</u>

Method Construction ID: 961535676 Method Construction Code: Method Construction: **Other Method Construction:** 

# Pipe Information

Pipe ID:	11331070
Casing No:	1
Comment:	
Alt Name:	

# Hole Diameter

Hole ID:	11533761
Diameter:	6.0
Depth From:	0.0
Depth To:	7.0
Hole Depth UOM:	m
Hole Diameter UOM:	cm

# Hole Diameter

Hole ID:	11533760	
Diameter:	20.0	
Depth From:	0.0	
Depth To:	18.0	
Hole Depth UOM:	m	
Hole Diameter UOM:	cm	

# Site:

lot 20 ON

Well ID: Construction Date: Use 1st:	1527942		Flowing (Y/N): Flow Rate: Data Entry Status:	
Use 2nd:			Data Src:	1
Final Well Status:			Date Received:	06/09/1994
Water Type:			Selected Flag:	TRUE
Casing Material:			Abandonment Rec:	
Audit No:	139317		Contractor:	3142
Tag:			Form Version:	1
Constructn Method:			Owner:	
Elevation (m):			County:	OTTAWA-CARLETON
Elevatn Reliabilty:			Lot:	020
Depth to Bedrock:			Concession:	
Well Depth:			Concession Name:	
Overburden/Bedrock:			Easting NAD83:	
Pump Rate:			Northing NAD83:	
Static Water Level:			Zone:	
Clear/Cloudy:			UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP	-	
Site Info:				

Database:

WWIS

#### Bore Hole Information

Bore Hole ID DP2BR:	2: 10049484	Elevation: Elevrc:	
65	erisinfo.com   Environmental Risk Ir	formation Services	Order No: 24071000091

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 06/03/1994 Remarks: Location Method Desc: Not Ap Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Not Applicable i.e. no UTM

Org CS: UTMRC: UTMRC Desc: Location Method:

Zone:

East83:

North83:

9 unknown UTM na

18

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: Layer: Color: General Color: Material 1: Material 1 Desc: Material 2: Material 2 Desc: Material 3:	931068042 3 8 BLACK 15 LIMESTONE
Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	70.0 97.0 ft

## Overburden and Bedrock Materials Interval

Formation ID:	931068040
Layer:	1
Color:	2
General Color:	GREY
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	13
Material 2 Desc:	BOULDERS
Material 3:	79
Material 3 Desc:	PACKED
Formation Top Depth:	0.0
Formation End Depth:	16.0
Formation End Depth:	16.0
Formation End Depth UOM:	ft
-	

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	931068041
Layer:	2
Color:	2
General Color:	GREY
Material 1:	15
Material 1 Desc:	LIMESTONE
Material 2:	
Material 2 Desc:	
Material 3:	
Material 3 Desc:	
Formation Top Depth:	16.0
Formation End Depth:	70.0
Formation End Depth UOM:	ft

# <u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: Layer:	933112804 1
Plug From:	0.0
Plug To:	21.0
Plug Depth UOM:	ft

## Method of Construction & Well Use

Method Construction ID:	961527942
Method Construction Code:	0
Method Construction:	Not Known
Other Method Construction:	

# Pipe Information

Pipe ID:	10598054
Casing No:	1
Comment:	
Alt Name:	

# Construction Record - Casing

Casing ID: Laver:	930086443 2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	97.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Casing

Casing ID: Layer:	930086442 1
Material:	1 STEEL
Open Hole or Material: Depth From:	SIEEL
Depth To:	22.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Results of Well Yield Testing

Pumping Test Method Desc: Pump Test ID: Pump Set At:	BAILER 991527942
Static Level:	4.0
Final Level After Pumping:	60.0
Recommended Pump Depth:	80.0
Pumping Rate:	25.0
Flowing Rate:	
Recommended Pump Rate:	10.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	0

Flowing:	No
Draw Down & Recovery	
Pump Test Detail ID:	934111811
Test Type:	
Test Duration: Test Level:	15 60.0
Test Level UOM:	ft
<u>Draw Down &amp; Recovery</u>	
Pump Test Detail ID:	934386620
Test Type:	20
Test Duration: Test Level:	30 60.0
Test Level UOM:	ft
Draw Down & Recovery	
Pump Test Detail ID:	934655949
Test Type:	
Test Duration:	45
Test Level: Test Level UOM:	60.0 ft
Draw Down & Recovery	
Ruma Toot Datail ID.	934904319
Pump Test Detail ID: Test Type:	904904319
Test Duration:	60
Test Level:	60.0
Test Level UOM:	ft
Water Details	
Water ID:	933487482
Layer: Kind Codo:	1
Kind Code: Kind:	FRESH
Water Found Depth:	84.0
Water Found Depth UOM:	ft
<u>Water Details</u>	
Water ID:	933487483
Lavar	2

Water ID:	93348748
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	93.0
Water Found Depth UOM:	ft

# Site:

lot 20 con 4 ON

Well ID:	1521188	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Water Supply	Date Received:	02/18/1987
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	07417	Contractor:	3142
Tag:		Form Version:	1

68

## Database: WWIS

Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	020
Depth to Bedrock:		Concession:	04
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP		
Site Info:			

# Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:	10043024	Elevation: Elevrc: Zone: East83: North83: Org CS:	18
Cluster Kind: Date Completed:	01/17/1987	UTMRC: UTMRC Desc:	9 unknown UTM
Remarks: Location Method Desc:	Not Applicable i.e. no UTM	Location Method:	na
Elevrc Desc: Location Source Date:			

# Overburden and Bedrock Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID:	931047127
Layer:	1
Color:	6
General Color:	BROWN
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	79
Material 2 Desc: Material 3: Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	PACKED 0.0 8.0 ft

# Overburden and Bedrock Materials Interval

Formation ID:	931047128
Layer:	2
Color:	2
General Color:	GREY
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	13
Material 2 Desc:	BOULDERS
Material 3:	
Material 3 Desc:	
Formation Top Depth:	8.0
Formation End Depth:	16.0
Formation End Depth UOM:	ft

# Overburden and Bedrock

## Materials Interval

Formation ID:	931047129
Layer:	3
Color:	2
General Color:	GREY
Material 1:	14
Material 1 Desc:	HARDPAN
Material 2:	13
Material 2 Desc:	BOULDERS
Material 3:	
Material 3 Desc:	
Formation Top Depth:	16.0
Formation End Depth:	23.0
Formation End Depth UOM:	ft

#### Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Material 1: Material 1 Desc: Material 2: Material 2 Desc: Material 3:	931047130 4 2 GREY 15 LIMESTONE
Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	23.0 78.0 ft

#### Method of Construction & Well Use

Method Construction ID:	961521188
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

# Pipe Information

Pipe ID:	10591594
Casing No:	1
Comment:	
Alt Name:	

# Construction Record - Casing

Casing ID: Layer: Material:	930075103 1 1
Open Hole or Material:	STEEL
Depth From: Depth To:	24.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Casing

Casing ID:	930075104	
Layer:	2	
Material:	4	
Open Hole or Material:	OPEN HOLE	

Depth From:	
Depth To:	78.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Results of Well Yield Testing

Pumping Test Method Desc: Pump Test ID: Pump Set M:	BAILER 991521188
Pump Set At: Static Level:	4.0
Final Level After Pumping:	18.0
Recommended Pump Depth:	50.0
Pumping Rate:	40.0
Flowing Rate:	
Recommended Pump Rate:	10.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

# Draw Down & Recovery

Pump Test Detail ID:	934105888
Test Type:	
Test Duration:	15
Test Level:	18.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	934389007
Test Type:	
Test Duration:	30
Test Level:	18.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	934651135
Test Type:	
Test Duration:	45
Test Level:	18.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	934908364
Test Type:	
Test Duration:	60
Test Level:	18.0
Test Level UOM:	ft

# Water Details

#### Water Found Depth UOM:

#### Water Details

Water ID:	933478674
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	40.0
Water Found Depth UOM:	ft

ft

#### Site:

```
lot 21 ON
```

Well ID: 1519741 Flowing (Y/N): **Construction Date:** Flow Rate: Use 1st: Domestic Data Entry Status: Use 2nd: Data Src: 1 Final Well Status: 06/03/1985 Water Supply Date Received: TRUE Water Type: Selected Flag: Casing Material: Abandonment Rec: Audit No: Contractor: 3142 Form Version: Tag: 1 Constructn Method: Owner: County: OTTAWA-CARLETON Elevation (m): Elevatn Reliabilty: Lot: 021 Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: UTM Reliability: Clear/Cloudy: Municipality: NEPEAN TOWNSHIP Site Info: **Bore Hole Information** Bore Hole ID: 10041594 Elevation: DP2BR: Elevrc: Spatial Status: Zone: 18 Code OB: East83: Code OB Desc: North83: **Open Hole:** Org CS:

UTMRC:

UTMRC Desc:

Location Method:

9

na

unknown UTM

Cluster Kind: Date Completed: 05/16/1985 Remarks: Location Method Desc: Elevrc Desc:

Not Applicable i.e. no UTM

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock Materials Interval

931042570 Formation ID: Layer: 4 Color: 2 General Color: GREY Material 1: 15 LIMESTONE Material 1 Desc: Material 2: Material 2 Desc: Material 3: Material 3 Desc:

72

erisinfo.com | Environmental Risk Information Services

Database: **WWIS** 

Formation Top Depth:	81.0
Formation End Depth:	84.0
Formation End Depth UOM:	ft

# Overburden and Bedrock Materials Interval

Formation ID:	931042567
Layer:	1
Color:	6
General Color:	BROWN
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	79
Material 2 Desc:	PACKED
Material 3:	
Material 3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	16.0
Formation End Depth UOM:	ft

# Overburden and Bedrock

Materials Interval

Formation ID:	931042569
Layer:	3
Color:	2
General Color:	GREY
Material 1:	28
Material 1 Desc:	SAND
Material 2:	11
Material 2 Desc:	GRAVEL
Material 3:	13
Material 3 Desc:	BOULDERS
Formation Top Depth:	65.0
Formation End Depth:	81.0
Formation End Depth:	81.0
Formation End Depth UOM:	ft

## Overburden and Bedrock Materials Interval

Formation ID:	931042568
Layer:	2
Color:	3
General Color:	BLUE
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	77
Material 2 Desc:	LOOSE
Material 3: Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	16.0 65.0 ft

# Method of Construction & Well Use

# Pipe Information

Pipe ID	):
---------	----

# 10590164

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: Layer:	930072633 1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	86.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Casing

Casing ID:	930072634
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Results of Well Yield Testing

Pumping Test Method Desc: Pump Test ID:	BAILER 991519741
Pump Set At:	
Static Level:	0.0
Final Level After Pumping:	0.0
Recommended Pump Depth:	30.0
Pumping Rate:	30.0
Flowing Rate:	
Recommended Pump Rate:	8.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	2
Pumping Duration HR:	2
Pumping Duration MIN:	0
Flowing:	No

#### Draw Down & Recovery

Pump Test Detail ID: Test Type:	934108649
Test Duration: Test Level:	15 0.0
Test Level UOM:	ft

#### Draw Down & Recovery

Pump Test Detail ID:	934894683
Test Type:	
Test Duration:	60
Test Level:	0.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID:	934654899
Test Type:	
Test Duration:	45
Test Level:	0.0
Test Level UOM:	ft

# Water Details

Water ID:	933476800
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	84.0
Water Found Depth UOM:	ft

# Site:

lot 21 ON

Well ID: Construction Date:	1519738	Flowing (Y/N): Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Water Supply	Date Received:	06/24/1985
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	3644
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	021
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality: Site Info:	NEPEAN TOWNSHIP		

# Bore Hole Information

Bore Hole ID: DP2BR:	10041591	Elevation: Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	06/03/1985	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Location Method Desc: Elevrc Desc: Location Source Date:	Not Applicable i.e. no UTM		

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

# Overburden and Bedrock Materials Interval

Formation ID:	931042559
Layer:	2
Color:	2
General Color:	GREY
Material 1:	14

75

# Database: WWIS

Material 1 Desc: Material 2: Material 2 Desc:	HARDPAN 12 STONES
<i>Material 3: Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	88.0 112.0 ft
Overburden and Bedrock Materials Interval	
Formation ID:	931042558
Layer: Color:	1 2
General Color:	GREY
Material 1:	05
Material 1 Desc: Material 2:	CLAY
Material 2 Desc:	
Material 3: Material 3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	88.0
Formation End Depth UOM:	ft
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID:	931042560
Layer:	3
Color: General Color:	2 GREY
Material 1:	15
Material 1 Desc:	LIMESTONE
Material 2: Material 2 Desc:	
Material 3:	
Material 3 Desc: Formation Top Depth:	112.0
Formation End Depth:	165.0
Formation End Depth UOM:	ft
<u>Method of Construction &amp; Well</u> <u>Use</u>	
Method Construction ID:	961519738
Method Construction Code:	5
Method Construction: Other Method Construction:	Air Percussion
Pipe Information	
Pipe ID:	10590161
Casing No:	1
Comment:	
Alt Name:	
Construction Record - Casing	
Casing ID:	930072630
Layer: Material:	2 4
Open Hole or Material:	4 OPEN HOLE
Depth From:	165.0
Depth To:	165.0
erisinfo.com   Env	ironmental Risk Information Se

76

erisinfo.com | Environmental Risk Information Services

Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

# Construction Record - Casing

Casing ID: Layer: Material:	930072629 1 1
Open Hole or Material: Depth From:	STEEL
Depth To:	113.0
Casing Diameter: Casing Diameter UOM:	6.0 inch
Casing Depth UOM:	ft

# Results of Well Yield Testing

Pumping Test Method Desc: Pump Test ID: Pump Set At:	PUMP 991519738
Static Level:	00.0
Final Level After Pumping:	30.0
Recommended Pump Depth:	30.0
Pumping Rate:	10.0
Flowing Rate:	
Recommended Pump Rate:	6.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

# Draw Down & Recovery

934384356
30
30.0
ft

# Draw Down & Recovery

Pump Test Detail ID: Test Type:	934654896
Test Duration:	45
Test Level:	30.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID: Test Type:	934108646
Test Duration:	15
Test Level:	30.0
Test Level UOM:	ft

# Draw Down & Recovery

Pump Test Detail ID: Test Type:	934894680	
Test Duration:	60	
		0   1  0/07/00000/

Test Level:	30.0
Test Level UOM:	ft

# Water Details

Water ID:	933476796
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	140.0
Water Found Depth UOM:	ft

# Water Details

Water ID:	933476797
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	160.0
Water Found Depth UOM:	ft

# <u>Site:</u>

lot 21 con 4 ON

Database: WWIS

Well ID: Construction Date: Use 1st: Use 2nd:	1522605		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:	Yes
Final Well Status:			Date Received:	09/27/1988
Water Type:			Selected Flag:	TRUE
Casing Material:			Abandonment Rec:	
Audit No:	38264		Contractor:	1558
Tag:			Form Version:	1
Constructn Method:			Owner:	
Elevation (m):			County:	OTTAWA-CARLETON
Elevatn Reliabilty:			Lot:	021
Depth to Bedrock:			Concession:	04
Well Depth:			Concession Name:	RF
Overburden/Bedrock:			Easting NAD83:	
Pump Rate:			Northing NAD83:	
Static Water Level:			Zone:	
Clear/Cloudy:			UTM Reliability:	
<i>Municipality:</i> <i>Site Info:</i>		NEPEAN TOWNSHIP		

# Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	1009070681	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	UTM83 9	
Date Completed:	08/04/1988	UTMRC Desc:	unknown UTM	
Remarks:		Location Method:	wwr	
Location Method Desc:	on Water Well Record			
Elevrc Desc:				
Location Source Date:				
Improvement Location Source: Improvement Location Method:				
Source Revision Comm Supplier Comment:				

# <u>Site:</u>

lot 20 con 4 ON

78

Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatin Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:	1534313 Not Used Abandoned-Quality 267002 NEPEAN TOWNSHIP	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 11/13/2003 TRUE 1558 2 OTTAWA-CARLETON 020 04
Bore Hole Information Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location I Source Revision Comm Supplier Comment:	Method:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 9 unknown UTM na
Method of Construction         Use         Method Construction ID         Method Construction:         Other Method Construction:         Other Method Construction:         Pipe Information         Pipe ID:         Casing No:         Comment:         Alt Name:	<b>):</b> 961534313 <b>ode:</b> 0 Not Known		
Site: lot 21 con 4 C Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No:	<b>DN</b> 1522604 38263	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	Database: WW/S Yes 09/27/1988 TRUE 1558

79

\_

erisinfo.com | Environmental Risk Information Services

Order No: 24071000091

Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	021
Depth to Bedrock:		Concession:	04
Well Depth:		Concession Name:	RF
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP	•	
Site Info:			

# Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	1009070678			
Date Completed:	08/18/1988			
Remarks:				
Location Method Desc:	on Water Well Record			
Elevrc Desc:				
Location Source Date:				
Improvement Location Source:				
Improvement Location Method:				
Source Revision Comment: Supplier Comment:				

Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC: UTMRC Desc: Location Method:

UTM83 9 unknown UTM wwr

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

Abandoned Aggregate Inventory: The MAAP Program maintains a database of abandoned pits and guarries. Please note that the database is only referenced by lot and concession and

Provincial Aggregate Inventory: AGR This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active. Government Publication Date: Up to Nov 2023

Abandoned Mine Information System: Provincial AMIS The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation. Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites: ANDR The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Aboveground Storage Tanks: Provincial AST Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Automobile Wrecking & Supplies: AUWR This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

BORE A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW. Government Publication Date: 1875-Jul 2018

Borehole:

Government Publication Date: 1860s-Present

Government Publication Date: Sept 2002\*

Government Publication Date: May 31, 2014

Government Publication Date: 1999-Apr 30, 2024

Private

AAGR

Provincial

Private

Provincial

#### Certificates of Approval: This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and

# Dry Cleaning Facilities:

# Commercial Fuel Oil Tanks:

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information. Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. Government Publication Date: Oct 2023

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or

Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of

Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA).

## Chemical Manufacturers and Distributors:

Compressed Natural Gas Stations:

**Compliance and Convictions:** 

Certificates of Property Use:

82

Government Publication Date: 1985-Oct 30, 2011\*

Government Publication Date: Jan 2004-Dec 2022

Please refer to those individual databases for any information after Oct.31, 2011.

tetrachloroethylene to the environment from dry cleaning facilities.

distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.). Government Publication Date: 1999-Jan 31, 2020

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

## Chemical Register:

## Government Publication Date: 1999-Apr 30, 2024

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance. Government Publication Date: Dec 2012 -Nov 2023

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\* Government Publication Date: Apr 1987 and Nov 1988\*

#### This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law. Government Publication Date: 1989-May 2024

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Mar 31, 2024

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

CA

CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's

Federal

Private

Private

Provincial CFOT

CHM

CHEM

CNG

COAL

CONV

Private

Provincial

Provincial

Provincial

CPU

Drill Hole Database:

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2023

Environmental Activity and Sector Registry:

#### **Delisted Fuel Tanks:**

Environmental Registry:

# regulatory agency under Access to Public Information. Government Publication Date: Oct 2023

EASR On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database. Government Publication Date: Oct 2011-Apr 30, 2024

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Mar 31, 2024

## Environmental Compliance Approval:

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Apr 30, 2024

## Environmental Effects Monitoring:

ERIS Historical Searches:

83

fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data. Government Publication Date: 1992-2007\*

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Mar 31, 2024

## Environmental Issues Inventory System:

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed. Government Publication Date: 1992-2001\*

Provincial

Provincial

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the

DRI

DTNK

FBR

**FCA** 

EEM

EHS

Provincial

Provincial

Provincial

Federal The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of

Private

Federal

FIIS

# Emergency Management Historical Event:

# List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change.

Government Publication Date: Apr 30, 2022

# Environmental Penalty Annual Report:

List of Expired Fuels Safety Facilities:

#### These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations. Government Publication Date: Jan 1, 2011 - Dec 31, 2023

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Contaminated Sites on Federal Land:

Federal Convictions:

# FCON Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty. Government Publication Date: 1988-Jun 2007\*

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Mar 2024

# Fisheries & Oceans Fuel Tanks:

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation. Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

#### A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021

#### Fuel Storage Tank: FST List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

84

FCS

FOFT

FRST

Federal

Provincial



**FMHF** 

EPAR

EXP

Provincial

Provincial

Federal

Federal

Federal

# Order No: 24071000091

# Fuel Storage Tank - Historic:

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010\*

# Ontario Regulation 347 Waste Generators Summary:

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

#### Government Publication Date: 1986-Oct 31, 2022

Government Publication Date: 2013-Dec 2021

## Greenhouse Gas Emissions from Large Facilities:

# **TSSA Historic Incidents:**

dioxide equivalents (kt CO2 eq).

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here. Government Publication Date: 2006-June 2009\*

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon

Indian & Northern Affairs Fuel Tanks: IAFT The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003\*

## Fuel Oil Spills and Leaks:

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

# Landfill Inventory Management Ontario:

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status. Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

85

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database. Government Publication Date: 1998-2009\*

Provincial

Provincial

Federal

Provincial

HINC

Federal

Provincial

Provincial

Private

MINE

INC

LIMO



GEN

GHG

86

Mineral Occurrences: In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal

point with the coordinates of the same point as defined from a source of higher accuracy. Government Publication Date: 1846-Feb 2024

# National Analysis of Trends in Emergencies System (NATES):

significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released. Government Publication Date: 1974-1994\*

Non-Compliance Reports: NCPL The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of

Government Publication Date: Dec 31, 2022

# National Defense & Canadian Forces Fuel Tanks:

DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database. Government Publication Date: Up to May 2001\*

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on

# National Defense & Canadian Forces Spills:

under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered. Government Publication Date: Mar 1999-Nov 2023

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status. Government Publication Date: 2001-Apr 2007\*

(NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal

# National Energy Board Pipeline Incidents:

Government Publication Date: 2008-Jun 30, 2021 National Energy Board Wells:

jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

National Defence & Canadian Forces Waste Disposal Sites:

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003\*

Provincial

#### **MNR**

NATE

NDFT

NDWD

NFBI

NEBP

Federal

Provincial

Federal

Federal

Federal

NDSP The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified

Federal

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board

Federal

# National Environmental Emergencies System (NEES):

#### In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003\*

National PCB Inventory:

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008\*

### National Pollutant Release Inventory 1993-2020:

### Government Publication Date: Sep 2020

### National Pollutant Release Inventory - Historic: Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect

### comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2. Government Publication Date: 1993-May 2017

recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database

Ontario Oil and Gas Wells: OOGW In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation

### Government Publication Date: 1800-Aug 2023

Government Publication Date: 1988-May 31, 2024

### Inventory of PCB Storage Sites:

Oil and Gas Wells:

11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory. Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

is updated on a monthly basis. More information is available at www.nickles.com.

### Orders:

87

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures. Government Publication Date: 1994 - Mar 31, 2024

Federal

Federal

NPCB

NFFS

Federal The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for

Federal

Private

Provincial

Provincial

Provincial



OGWE

**OPCB** 

ORD

NPR2

### Order No: 24071000091

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an

Provincial

Provincial

Federal Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites.

Private

Provincial

Federal

Provincial

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to

Provincial

# Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

### Parks Canada Fuel Storage Tanks:

and the products that they produce.

## Pesticide Register:

Government Publication Date: Oct 2011-Apr 30, 2024

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the

US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills

The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

### NPRI Reporters - PFAS Substances:

# The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per -

Government Publication Date: 1920-Jan 2005\*

#### Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the

Government Publication Date: Sep 2020

Potential PFAS Handlers from NPRI: Federal The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per and polyfluoroalkyl substances (PFAS) are a group of over 4.700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Sep 2020

### Pipeline Incidents:

properties).

# Government Publication Date: Feb 28, 2021 Private and Retail Fuel Storage Tanks:

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996\*

### Permit to Take Water:

take water.

# Ontario Regulation 347 Waste Receivers Summary:

Government Publication Date: 1994 - Mar 31, 2024

RFC Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data. Government Publication Date: 1986-1990, 1992-2021

PAP

PCFT

PES

PFCH

**PFHA** 

PINC

PRT

PTTW

#### Record of Site Condition:

# Government Publication Date: 1997-Sept 2001, Oct 2004-May 2024 Retail Fuel Storage Tanks:

#### or propane storage tanks. Government Publication Date: 1999-Apr 30, 2024

Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and /

cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The

Government Publication Date: 1992-Mar 2011\*

Scott's Manufacturing Directory:

**Ontario Spills:** 

#### List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests. This database includes spill incidents that occurred in Mar 2023-Mar 2024 in addition to those listed in the Government Publication Date.

Government Publication Date: 1988-Jan 2023; see description

#### Wastewater Discharger Registration Database:

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries. Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks: TANK The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1915-1953\*

### Transport Canada Fuel Storage Tanks:

# Government Publication Date: 1970 - Apr 2023

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Variances for Abandonment of Underground Storage Tanks:

Government Publication Date: Feb 28, 2022

89

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental

RST

RSC

SCT

SPL

SRDS

Private

Provincial

Private

Provincial

Federal

Provincial



TCFT

### Provincial

Private

site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990\*

### Water Well Information System:

90

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

### Waste Disposal Sites - MOE CA Inventory:

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Apr 30, 2024

#### Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location,

Provincial

**WWIS** 

**WDSH** 

**WDS** 

Provincial

Provincial

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report**: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

*Elevation:* The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

*Executive Summary:* This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



# ATTACHMENT F

# SITE PHOTOGRAPHS



Phase I Environmental Site Assessment 4401 Fallowfield Road Ottawa, Ontario 240639



Site Facing West





View of site facing south and east



Storm management pond facing northeast



Site facing west



Phase I Environmental Site Assessment 4401 Fallowfield Road Ottawa, Ontario 240639



View of storm pond facing south



View of some fill pile and hotel facing east





View of recreation area located north of site.



View of O'Keefe Court on north side of site facing west.



Phase I Environmental Site Assessment 4401 Fallowfield Road Ottawa, Ontario 240639



View from O'Keefe Court facing east



View of newly constructed hotel located east of site



# ATTACHMENT G

# **PROPERTY INFORMATION/CITY OF OTTAWA ZONING**

7/9/24, 2:10 PM

geoOttawa

City of Ottawa Property Information Source: https:\\maps.ottawa.ca\\geoOttawa Date/Time Generated:Run on: 7/9/2024 2:10 PM

# **Property Parcel:**

Calculated Parcel Area<sup>[i]</sup>: 33983.91 m<sup>2</sup> (365799.38 ft<sup>2</sup>) (3.40 ha)

# Main Address:

4401 Fallowfield Rd

# Solid Waste Collection:

Waste Contractor: Miller Zone: 2 Pickup Day/Calendar: THURSDAY/A

# Ward Information:

Number: 3 Ward Name: Barrhaven West Councillor Name: David Hill

### **Property Aerial Photo**



<sup>[i]</sup> The property parcel area value shown is based on the parcel selected to generate the report.

# Part 11 – Industrial Zones (Sections 199-206)

The information contained in this part covers the zones applied to the urban and suburban areas of the City in accordance with the industrial land use designations of the Official Plan, and includes the IP-Business Park, IL-Light Industrial, IG- General Industrial and IH-Heavy Industrial Zones.

The City of Ottawa Zoning By-law is made available on the web site for information, however confirmation on the zoning provisions should be sought through the City's development information officers (DIO), by contacting 311 and asking for the DIO for the geographic area in question.

# IG – General Industrial Zone (Section 199-200)

### **Purpose of the Zone**

The purpose of the IG – General Industrial Zone is to:

- (1) permit a wide range of low to moderate impact, light industrial uses in accordance with the **Employment Area** designation of the Official Plan or, the **General Urban** Area designation where applicable;
- (2) allow in certain **Employment Areas** or **General Urban Areas**, a variety of complementary uses such as recreational, health and fitness uses and service commercial (e.g. convenience store, personal service business, restaurant, automobile service station and gas bar), occupying small sites as individual occupancies or in groupings as part of a small plaza, to serve the employees of the Employment or **General Urban** Area, the general public in the immediate vicinity, and passing traffic;
- (3) prohibit retail uses in areas designated as **Employment Area** but allow limited sample and showroom space that is secondary and subordinate to the primary use of buildings for the manufacturing or warehousing of the product; and
- (4) provide development standards that would ensure that the industrial uses would not impact on the adjacent non-industrial areas.
- 199. In the IG Zone:

### **Permitted Uses**

- (1) The following uses are permitted subject to:
  - (a) the provisions of subsections 199(3) to (5);

animal care establishment (By-law 2015-190) animal hospital automobile body shop broadcasting studio **Cannabis Production Facility**, contained within a building that is not a greenhouse. (By-law 2019-222) catering establishment crematorium drive-through facility emergency service garden nurserv heavy equipment and vehicle sales, rental and servicing kennel leaf and vard waste composting facility light industrial uses medical facility office park parking garage parking lot personal brewing facility (By-law 2019-41) place of assembly printing plant production studio research and development centre service and repair shop storage yard technology industry training centre truck transport terminal warehouse waste processing and transfer facility (non-putrescible) (By-law 2014-289)

### (2) The following uses are also permitted subject to:

- (a) the provisions of subsection 199(3) to (5);
- (b) the cumulative total gross floor area for these uses not exceeding 2,999 m<sup>2</sup>, and (OMB Order #PL080959, issued September 18, 2009)
- (c) each use not exceeding 300 square metres of gross floor area;

animal care establishment automobile dealership automobile rental establishment automobile service station bank bank machine bar (By-law 2018-171) car wash convenience store gas bar instructional facility personal service business post office recreational and athletic facility restaurant (By-law 2019-338)

- (d) a bar
  - (i) must be ancillary to a permitted brewery, winery or distillery; and,
  - (ii) may not have a gross area exceeding the lesser of:
    - (1) 300 m<sup>2</sup>, or
    - (2) 25% of the floor area of the brewery, winery or distillery to which it is ancillary. (By-law 2018-171)

# Zone Provisions

(3) The zone provisions are set out under Table 199 below.

# **TABLE 199 - IG ZONE PROVISIONS**

I ZONING MECHANISMS		II PROVISIONS
(a) Minimum lot area		1,000 m <sup>2</sup>
(b) Minimum lot width (c) Maximum lot coverage		No minimum 65%
(e) Minimum interior side yard	(i) for uses listed in subsection 199(1) abutting a residential or institutional zone	15 m
	(ii) all other cases	3 m
(f) Minimum rear yard	(I) for uses listed in subsection 199(1) abutting a residential or institutional zone	15 m
	(ii) all other cases	3 m
(g) Maximum floor space index		2, unless otherwise shown on the zoning maps
(h) Maximum building height	(i) within 20 metres of a property line abutting a residential zone	11 m
	(ii) in all other cases	22 m, unless otherwise shown on the zoning maps or schedules
(I) Minimum width of landscaped area	(i) abutting a residential or institutional zone	3.m
	(ii) abutting a street	3 m
	(iii) in all other cases	No minimum

•

- (4) Accessory **display and sales area** must be within the same building as the use to which it is accessory and must not exceed 25% of the gross floor area of that use.
- (5) For other applicable provisions, see Part 2 General Provisions, Part 3 Special Use provisions, and Part 4 Parking, Queuing and Loading Provisions.

# **IG SUBZONES**

200. In the IG Zone, the following subzones apply:

### **IG1 Subzone**

- (1) In the IG1 Subzone:
  - (a) the following uses are prohibited:

animal care establishment automobile body shop automobile dealership automobile rental establishment kennel, see Part 3, Section 84

(b) the following uses are also permitted:

### amusement center amusement park

(c) the provisions of subsections 199(3)(c), (e) and (f) do not apply and the provisions set out in Table 200A below apply.

# TABLE 200A - IG1 SUBZONE PROVISIONS

I ZONING MECHANISMS	II PROVISIONS	
(I) Maximum lot coverage		80%
(il) Minimum interior side yard	1. uses listed in subsection 199(1) abutting a residential zone	7.5 m
	2. all other cases	3 m
(iii) Minimum rear yard	1. uses listed in subsection 199(1) abutting a residential zone	7.5 m
	2. all other cases	3 m

### **IG2 Subzone**

- (2) In the IG2 Subzone:
  - (a) the uses listed in Section 199 (2) do not apply, and only the following uses are permitted, subject to Section 199 (2) (a), (b), and (c):

bank bank machine drive through facility gas bar post office restaurant (By-law 2019-338)

the provisions of subsection 199(3) do not apply and the provisions set out in Table (b) 200B below apply.

# **TABLE 200B – IG2 SUBZONE PROVISIONS**

I ZONING MECHANISMS	II PROVISIONS	
(i) Minimum lot area	1 300 m <sup>2</sup>	
(ii) Minimum lot width		30 m
(iii) Minimum lot depth (iv) Maximum lot coverage		45 m
		-50%
(v) Minimum front yard and corner side yard	1. from Hazeldean Road	15 m
	2. from Terry Fox Drive	12 m
	3. from other streets	7.5 m
(vi) Minimum interior sido yard		6 m
(vii) Minimum rear yard	1. from Hazeldean Road	15 m
	2. from Terry Fox Drive	12 m
	3. from other streets	7.5 m
(viil) Minimum width of landscaped area abutting residential and commercial		3 m
(ix) Maximum building height		13.5 m, unless otherwise shown on the zoning maps of schedules
(ix) Maximum floor space index		0.5, unless otherwise shown on

the zoning maps

(b) the following provisions also apply:

- outdoor storage area must not exceed 50% of the lot area; (i)
- outdoor storage area must be located in the rear yard only; (ii)
- overnight outdoor storage of automobile parts and accessories is prohibited; (iii) and

(iv) the parking, storage or salvaging of derelict motor vehicles on the property is prohibited.

### IG3 Subzone

- (3) In the IG3 Subzone:
  - (a) The following uses listed in Section 199(2) are prohibited:
    - animal care establishment automobile dealership automobile rental establishment bank machine post office recreational and athletic facility (By-law 2008-326)

### IG4 Subzone

- (4) In the IG4 Subzone:
  - (a) the uses listed in Section 199 (2) do not apply, and only the following uses are permitted, subject to Section 199 (2) (a), (b), and (c):

animal care establishment automobile dealership automobile rental instructional facility recreational and athletic facility restaurant

### **IG5 Subzone**

- (5) In the IG5 Subzone:
  - (a) the following uses, listed in paragraph 199 (2) are prohibited:

animal care establishment automobile dealership car wash convenience store gas bar (OMB Order #PL080959 issued March 18, 2010)

### **IG6 Subzone**

- (6) In the IG6 Subzone
  - (a) the following use is also permitted:

### place of assembly

(b) the following uses are prohibited:

animal care establishment animal hospital automobile body shop automobile dealership automobile rental establishment automobile service station car wash convenience store crematorium gas bar heavy equipment and vehicle sales, rental and servicing hotel instructional facility, unless it is limited to computer training personal brewing facility (By-law 2019-41) personal service business restaurant truck transport terminal (OMB Order #PL080959 issued March 18, 2010)

- (c) the provisions of Section 100(1)(c) do not apply;
- (d) provision (g) in Table 199 regarding maximum floor space index does not apply;
- (e) the provisions of subsections 199 (3)(a), (b), (c), (d), (e) and (f), do not apply and the provisions set out under Table 200C below apply;

### TABLE 200C - IG6 SUBZONE PROVISIONS

I ZONING MECHANISMS	II PROVISIONS
(i) Minimum lot area	4 000 m <sup>2</sup>
(II) Minimum lot width	45 m
(iii) Minimum front yard and corner side yard	<b>12</b> m
(Iv) Minimum Interior side yard and rear yard	7,5 m
(v) Maximum lot coverage	45%

### **IG7 Subzone**

(7) the uses listed in Section 199 (2) do not apply, and only the following uses are permitted, subject to Section 199 (2) (a), (b), and (c):

amusement centre automobile service station instructional facility recreational and athletic facility restaurant (OMB Order #PL080959 issued March 18, 2010)

# IH – Heavy Industrial Zone (Section 201-202)

# Purpose of the Zone

The purpose of the IH – Heavy Industrial Zone is to:

- (1) permit a wide range of industrial uses, including those which, by their nature, generate noise, fumes, odours, and are hazardous or obnoxious, in accordance with the **Employment Area** designation of the Official Plan or, the **General Urban Area** designation where applicable;
- (2) allow in certain **Employment Areas** or **General Urban Areas**, a variety of complementary uses such as recreational, health and fitness uses and service commercial (e.g. convenience store, personal service business, restaurant, automobile service station and gas bar), occupying small sites as individual occupancies or in groupings as part of a small plaza, to serve the employees of the **Employment** or **General Urban Area**, the general public in the immediate vicinity, and passing traffic;
- (3) prohibit retail uses in areas designated as **Employment Area** but allow limited sample and showroom space that is secondary and subordinate to the primary use of buildings for the manufacturing or warehousing of the product; and
- (4) provide development standards that would ensure that the industrial uses would not impact on the adjacent non-industrial areas.
- 201. In the IH Zone:

### **Permitted Uses**

- (1) The following uses are permitted subject to:
  - (a) the provisions of subsections 201(3) to (5);

animal care establishment (By-law 2015-190) animal hospital automobile body shop automobile service station broadcasting studio Cannabis Production Facility, contained within a building that is not a greenhouse. (By-law 2019-222) catering establishment crematorium drive-through facility emergency service darden nurserv heavy equipment and vehicle sales, rental and servicing heavy industrial uses kennel, see Part 3, Section 84 leaf and yard waste composting facility light industrial uses office parking garage parking lot personal brewing facility (By-law 2019-41) printing plant production studio research and development centre service and repair shop storage yard technology industry training centre truck transport terminal warehouse waste processing and transfer facility (By-law 2014-289)

### (2) The following uses are also permitted subject to:

- (a) the provisions of subsections 201(3) to (5);
- (b) the cumulative total gross floor area for these uses not exceeding 2,999 m<sup>2</sup>;
   (OMB Order #PL080959, issued September 18, 2009)
- (c) each use not exceeding 300 square metres of gross floor area; and
- (d) the provisions of subsection 201(2)(c) above not applying to amusement centre and recreational and athletic facility;

amusement centre animal care establishment bank bank machine bar (By-law 2018-171) car wash convenience store gas bar instructional facility personal service business place of assembly post office recreational and athletic facility restaurant (By-law 2019-338)

- (e) a bar
  - (i) must be ancillary to a permitted brewery, winery or distillery; and,
  - (ii) may not have a gross floor area exceeding the lesser of:
    - (1) 300m<sup>2</sup>, or
    - (2) 25% of the floor area of the brewery, winery or distillery to which it is ancillary. (By-law 2018-171)

### **Zone Provisions**

(3) The zone provisions are set out under Table 201 below.

# **TABLE 201 - IH ZONE PROVISIONS**

I ZONING MECHANISMS	II PROVISIONS	
(a) Minimum lot area		4,000 m <sup>2</sup>
(b) Minimum lot width (c) Minimum front yard and corner side yard		No minimum 7.5 m
	(ii) all other cases	7.5 m
(e) Maximum floor space index		2
(f) Maximum bullding height		22 m
(g) Minimum width of Iandscaping	(I) abutting a residential or institutional zone	7.5 m
	(ii) in all other cases	<b>3</b> m