


- LEGEND**
- 3-D1** DETAIL SHEET # NOVATECH OR CITY
EG. L1, L2, ETC. DETAIL NUMBER SEE LIST FOR CODE
- PROPERTY LIMIT
- EXISTING TREE TO REMAIN, SYMBOL SIZE REFLECTS CRZ
- EXISTING TREE TO REMOVE, SYMBOL SIZE REFLECTS CRZ
- TREE PROTECTION FENCE
- SPECIES (SEE PLANT LIST)
- QUANTITY
- GENERAL**
- Read and interpret this drawing/ drawing set in conjunction with all the contract details and specifications, including related civil, utility, structural, architectural, mechanical, electrical, environmental, geotechnical, and survey information.
 - The Contractor is to determine the exact location, size, material, and elevation of all existing utilities prior to commencing construction. Protect and assume responsibility for all existing utilities regardless of being shown on the drawings.
 - It is essential to use the plans and details in conjunction with the specifications and notes.
 - Do not scale drawings. Work to dimensions only.
 - Protect all existing and retained vegetation for the duration of construction according to the contract details and specifications.
 - Reinstate all areas and items damaged or disturbed, beyond the Limit of Work, because of construction activities, including but not limited to construction staging areas, haul roads, stockpile areas, etc. to the satisfaction of the Consultant. Unless otherwise noted, Contractor is to reinstate all areas to pre-construction condition or better to the satisfaction of the Contract Administrator.
- TREE PROTECTION**
- Implement the following protection measures for retained trees, both on site and on adjacent sites, prior to any work activity, including tree removal. Maintain tree protection fence in place and in good condition for the duration of site works:
- The Landscape Architect or Certified Arborist is to determine the location of the tree protection fencing and detail it on any associated plans for the site (e.g. tree conservation report, tree disclosure report, etc.).
 - Under the guidance of a Landscape Architect or Certified Arborist, erect a fence at the critical root zone (CRZ) of trees. Diameter at breast height (DBH) is the trunk diameter measured at 1.3m height on the tree trunk. The CRZ is calculated as DBH x 10. Refer to the Tree Protection Fence detail.
 - Refer to the Tree Protection Plan for fence location. City Forestry Staff are to approve both the plan and the installed fence prior to work commencement.
 - Do not place any material or equipment within 2m of the CRZ of any tree, including outhouses.
 - Do not attach any signs, notices, or posters to any tree.
 - Do not disturb, raise, or lower the existing grade within the CRZ without approval.
 - Only tunnel or bore when digging within the CRZ of a tree. Hand work only where required within the CRZ; absolutely no machinery permitted.
 - Do not damage the root system, trunk, or branches, or any tree.
 - Do not extend hard surface or significantly change landscaping.
 - Ensure that exhaust fumes from all equipment are directed away from any tree canopy.
 - When trees marked for removal overlap with the CRZ of trees marked for preservation: cut roots at the edge of the CRZ and grind down stumps after tree removals, do not pull out stumps. Ensure there is not root pulling or disturbance of the ground within the CRZ.
 - Prior to work taking place, notify and consult the Landscape Architect and City Forestry Staff if roots must be cut. Roots 20mm or larger should be cut at right angles with clean, sharp horticultural tools without tearing, crushing, or pulling. Refer to City of Ottawa Specification S.P. F-8011 Tree Protection, Excavation of Root Zone.
 - If damaged or objectionable branches are observed, consult the Landscape Architect, before any work is conducted. Do not prune leaders. Do not prune more than 1/4 of crown.
 - Set up a water and fertilizing program, if trees are being affected by site works, to the satisfaction of the Landscape Architect.
 - The Landscape Architect is to prescribe mitigation measures if the protected fenced area must be reduced to facilitate construction. Measures may include the placement of plywood, wood chips, or steel plating over the roots for protection. City Forestry Staff are to approve said measures prior to fence movement.
 - City of Ottawa By-law: Protects municipal trees and municipal natural areas in the City of Ottawa and trees on private property in the urban area of the City of Ottawa (2020-340).

EXISTING CANOPY CALCULATIONS:

EXISTING TREES - CANOPY COVERAGE as surveyed in year 2024				
EXISTING TREES	AVERAGE EXISTING SPREAD	APPROXIMATE CANOPY COVERAGE PER TREE (m2)	QUANTITY OF TREES	TOTAL CANOPY COVERAGE (m2)
Existing Deciduous trees - Large	15m	177	0	0
Existing Deciduous trees - Medium	10m	79	17	1343
Existing Deciduous trees - Small	4.5m	16	18	288
Existing Coniferous trees	5m	20	18	360
Total			53	
TOTAL EXISTING CANOPY COVERAGE AT SITE (m2):				1,991
TOTAL SITE AREA (m2):				7,937
ESTIMATED EXISTING CANOPY COVERAGE (%):				25%
1. Area of a circle = (π x r) x π				
2. Canopy coverage per tree calculation: (average spread/2) x (average spread/2) x π				
TREE INVENTORY KEY				
Condition	Recommendation	Owner(s)		
G: Good	Conflict: Remove due to conflict with construction.	C: Client		
F: Fair	Remove: Remove due to tree health or invasive status.	N: Neighbour		
P: Poor	PROTECT: Protect trees as per contract details and specifications.	P: Public		
VP: Very Poor		S: Shared		

EXISTING TREE INVENTORY:

No.	Botanical Name	Common Name	DBH (cm)	CRZ (m)	Condition	Owner	Remarks	Recomm.
1	Picea glauca	White Spruce	8.0	0.80	F	Client		Conflict
2	Picea canadensis	White Spruce	14.0	1.40	G	Client		PROTECT
3	Betula sp.	Paper Birch	14.0	1.40	G	Client		PROTECT
4	Betula sp.	Paper Birch	13.0	1.30	G	Client		PROTECT
5	Betula sp.	Paper Birch	26.0	2.60	G	Client		PROTECT
6	Quercus rubra	Red Oak	28.0	2.80	G	Client		PROTECT
7	Betula sp.	Paper Birch	18.0	1.80	G	Client		PROTECT
8	Betula sp.	Paper Birch	25.0	2.50	G	Client		PROTECT
9	Betula sp.	Paper Birch	24.0	2.40	F	Client	Moderate Crown dieback	PROTECT
10	Ulmus 'Prospector'	Prospector Elm	22.0	2.20	G	Client		PROTECT
11	Ulmus 'Prospector'	Prospector Elm	17.0	1.70	F	Client	Thin canopy	PROTECT
12	Ulmus 'Prospector'	Prospector Elm	15.0	1.50	F	Client	Large wound at base	PROTECT
13	Ulmus 'Prospector'	Prospector Elm	19.0	1.90	G	Client		PROTECT
14	Ulmus 'Prospector'	Prospector Elm	18.0	1.80	G	Client		Conflict
15	Ulmus 'Prospector'	Prospector Elm	22.0	2.20	P	Client	Large wound extending 2m from base	Conflict
16	Ulmus 'Prospector'	Prospector Elm	35.0	3.50	P	Client	Very large wounds up north side of main stem	Conflict
17	Ulmus 'Prospector'	Prospector Elm	23.0	2.30	F	Client	Poor taper / Thin canopy	Conflict
18	Acer saccharum	Sugar Maple	29.0	2.90	G	Client	Minor dieback in upper canopy	Conflict
19	Gleditsia triacanthos	Honey Locust	16.0	1.60	G	Client		Conflict
20	Gleditsia triacanthos	Honey Locust	16.0	1.60	G	Client		Conflict
21	Pinus strobus	White Pine	38.0	3.80	G	Client		PROTECT
22	Pinus strobus	White Pine	32.0	3.20	G	Client		PROTECT
23	Pinus strobus	White Pine	24.0	2.40	G	Client		PROTECT
24	Acer saccharum	Sugar Maple	27.0	2.70	G	Client		PROTECT
25	Acer saccharum	Sugar Maple	31.0	3.10	G	Client		PROTECT
26	Pinus strobus	White Pine	26.0	2.60	P	Client	Thin canopy / Large wound or cancer at 2m from base	Conflict
27	Pinus glauca	White Spruce	21.0	2.10	P	Client	Thin canopy / Severe dieback	Remove
28	Acer saccharum	Sugar Maple	27.0	2.70	G	Client	Thin canopy	PROTECT
29	Picea glauca	White Spruce	26.0	2.60	G	Client		Conflict
30	Pinus strobus	White Pine	33.0	3.30	G	Client	One sided canopy	Conflict
31	Acer saccharum	Sugar Maple	29.0	2.90	G	Client		PROTECT
32	Acer saccharum	Sugar Maple	41.0	4.10	G	Client	Former leader lost to possible cancer / Tree otherwise showing very good vigour	PROTECT
33	Betula sp.	Paper Birch	26.0	2.60	G	Client		PROTECT
34	Thuja occidentalis	White Cedar	37.0	3.70	G	Public		PROTECT
35	Picea pungens	Colorado Spruce	31.0	3.10	G	Public		PROTECT
36	Thuja occidentalis	White Cedar	36.0	3.60	G	Client		PROTECT
37	Picea pungens	Colorado Spruce	42.0	4.20	G	Client		PROTECT
38	Betula sp.	Paper Birch	20.0	2.00	F	Public	Thin canopy / 1/4mm damage	PROTECT
39	Celtis occidentalis	Hackberry	34.0	3.40	G	Client		PROTECT
40	Pinus strobus	White Pine	27.0	2.70	G	Shared		PROTECT
41	Celtis occidentalis	Hackberry	40.0	4.00	G	Client	Large limb lost due to included bark / Tree is showing good vigour in recovery	PROTECT
42	Acer saccharum	Sugar Maple	30.0	3.00	G	Client		PROTECT
43	Thuja occidentalis	White Cedar	37.0	3.70	G	Client		PROTECT
44	Thuja occidentalis	White Cedar	35.0	3.50	G	Public		PROTECT
45	Thuja occidentalis	White Cedar	33.0	3.30	G	Client		PROTECT
46	Celtis occidentalis	Hackberry	29.0	2.90	G	Client	Included bark at 1.5m from base	PROTECT
47	Pinus strobus	White Pine	36.0	3.60	G	Client		PROTECT
48	Acer saccharum	Sugar Maple	31.0	3.10	G	Neighb.	Original leader lost / Good vigour	PROTECT



NOTE:
THE POSITION OF ALL POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

Owner:
Wesley Clover International
c/o KRP Properties, 555 Legget Drive
#300, Tower B
Kanata, ON K2K 2X3
Phone: 613-591-0594

DISCLAIMER:
The elements on this plan illustrate the design intent and general constructability of the proposed landscape which will support the associated development. This is to demonstrate how the canopy cover, urban design, health, and climate change objectives of the Official Plan will be met through tree planting and site design. This drawing is for City review only and is not intended for construction. Final detailed design and construction documentation is to be provided with certified 'Issued for Construction' drawings and specifications prior to construction.


No.	REVISION	DATE	BY
6.	RE-ISSUED FOR SITE PLAN SUBMISSION	JAN 14/25	RGJ
5.	ISSUED FOR COORDINATION	DEC 17/24	RGJ
4.	RE-ISSUED FOR SITE PLAN SUBMISSION	NOV 29/24	RGJ
3.	RE-ISSUED FOR SITE PLAN SUBMISSION	OCT 7/24	RGJ
2.	ISSUED FOR SITE PLAN AND ZONING	SEP 13/24	RGJ
1.	ISSUED FOR COORDINATION	SEP 09/24	RGJ

SCALE	DESIGN
1:250	MJT
	CHECKED
	RGJ
	DRAWN
	TCB / MJT
	CHECKED
	RGJ
	APPROVED
	RGJ

FOR REVIEW ONLY
NOVATECH
Engineers, Planners & Landscape Architects Suite 200, 240 Michael Cowpland Drive Ottawa, Ontario, Canada K2M 1P6
Telephone (613) 254-9643 Facsimile (613) 254-5867 Website www.novatech-eng.com

LOCATION
535 LEGGET DRIVE KANATA
DRAWING NAME
TREE CONSERVATION PLAN - 1
EXISTING CANOPY COVER INFORMATION

PROJECT No.	124045
REV #	REV # 6
DRAWING No.	124045-TCR1



No.	Botanical Name	Common Name	DBH (cm)	CRZ (m)	Condition	Owner	Remarks	Recommend.
26	<i>Pinus strobus</i>	White Pine	28.0	2.60	P	Client	Thin canopy / Large wound or canker at 2m from base	Remove
27	<i>Picea glauca</i>	White Spruce	21.0	2.10	G	Client	Thin canopy / Severe detach.	Conflic
28	<i>Acer saccharum</i>	Sugar Maple	27.0	2.70	G	Client	Thin canopy	PROTEC
29	<i>Picea glauca</i>	White Spruce	28.0	2.60	G	Client		PROTEC
30	<i>Pinus strobus</i>	White Pine	33.0	3.30	G	Client	One sided canopy	Conflic
31	<i>Acer saccharum</i>	Sugar Maple	29.0	2.90	G	Client		PROTEC
32	<i>Acer saccharum</i>	Sugar Maple	41.0	4.10	G	Client	Former leader lost to possible canker / Tree otherwise showing very good vigor	PROTEC
33	<i>Betula sp.</i>	Paper Birch	28.0	2.60	G	Client		PROTEC
34	<i>Thuja occidentalis</i>	White Cedar	37.0	3.70	G	Public		PROTEC
35	<i>Picea pungens</i>	Colorado Spruce	31.0	3.10	G	Public		PROTEC
36	<i>Picea pungens</i>	White Cedar	36.0	3.60	G	Client		PROTEC
37	<i>Picea pungens</i>	Colorado Spruce	42.0	4.20	G	Client		PROTEC
38	<i>Betula sp.</i>	Paper Birch	20.0	2.00	F	Public	Thin canopy / Trimmer damage	PROTEC
39	<i>Celtis occidentalis</i>	Hackberry	34.0	3.40	G	Client		PROTEC
40	<i>Pinus strobus</i>	White Pine	27.0	2.70	G	Strained		PROTEC
41	<i>Celtis occidentalis</i>	Hackberry	40.0	4.00	G	Client	Large limb lost due to included bark / Tree is showing good vigor in recovery	PROTEC
42	<i>Acer saccharum</i>	Sugar Maple	30.0	3.00	G	Client		PROTEC
43	<i>Thuja occidentalis</i>	White Cedar	37.0	3.70	G	Client		PROTEC
44	<i>Thuja occidentalis</i>	White Cedar	35.0	3.50	G	Public		PROTEC
45	<i>Thuja occidentalis</i>	White Cedar	33.0	3.30	G	Client		PROTEC
46	<i>Pinus strobus</i>	White Pine	22.0	2.60	G	Client	Included bark at 1.5m from base	PROTEC
47	<i>Picea canadensis</i>	Hemlock Spruce	36.0	3.60	G	Client		PROTEC
48	<i>Acer saccharum</i>	Sugar Maple	31.0	3.10	G	Neigro	Original leader lost / Good vigor	PROTEC

LOCATION 535 LEGGETT DRIVE KANATA	
DRAWING NAME TREE CONSERVATION PLAN - 2 PROPOSED & RETAINED CANOPY COVER INFORMATION	PROJECT No. 124045
	REV REV # 6
	DRAWING No. 124045-TCR2

SOIL VOLUMES AVAILABILITY

124045 - 535 Legget Dr		Soil calculations			
Planting bed no.	Available Soil Area (sq m)	Available Soil Volume (cu m)	No. of trees proposed	Total No. of trees	Min. required soil volume total (cu m)
Planting bed 1	25	25	Small (20m ³ for single, 12m ³ for multiple)	1	35.00
Planting bed 2	28	28	Medium (25m ³ for single, 15m ³ for multiple)	1	30.00
Planting bed 3	46	46	Large (30m ³ for single, 18m ³ for multiple)	2	36.00
Planting bed 4	27	27		2	24.00
Planting bed 5	39	39		1	30.00
Planting bed 6	125	125		2	36.00

Note 1. For all planting beds proposed, the available soil depth is considered to be 1m.

CITY DETAILS

Related details from City of Ottawa Standard Tender Documents Volume No. 2 Standard Detail Drawings.

SC4. Typical Concrete Sidewalk in Boulevard
SC5. Sidewalk Construction Joints
SC7.1. Curb Return Entrances - Uncontrolled Intersections

NOVATECH DETAILS

Found on Sheet L2.

D1. Standard Deciduous Tree Planting
D2. Shrub and Perennial Planting
D3. Bike Layout

Found on Sheet TCR 1.
D4. Tree Protection Fence

NORTH

KEY PLAN
N.T.S.

LEGEND

3-D1	DETAIL SHEET # NOVATECH OR CITY EG. L1, L2, ETC. DETAIL NUMBER SEE LIST FOR CODE
---	PROPERTY LIMIT
■	PROPOSED CONCRETE
■	PROPOSED PAVERS
■	PROPOSED DECK
■	CLEAR STONE
■	SOD
○	PROPOSED DECIDUOUS TREE
○	PROPOSED SHRUBS
■	PERENNIALS & ORNAMENTAL GRASS
○	EXISTING TREE TO REMAIN
—●—	TREE PROTECTION FENCE
—●—	PICKET FENCE
—x—	WOOD PRIVACY FENCE
---	PROPOSED BUILDING LINE
---	OUTLINE OF BUILDING CANOPY ON LEVEL 2
■	BENCHES
■	DECK FURNITURE
■	SNOW STORAGE AREA

GENERAL

- Read and interpret this drawing/ drawing set in conjunction with all the contract details and specifications, including related civil, utility, structural, architectural, mechanical, electrical, environmental, geotechnical, and survey information.
- The Contractor is to determine the exact location, size, material, and elevation of all existing utilities prior to commencing construction. Protect and assume responsibility for all existing utilities regardless of being shown on the drawings.
- It is essential to use the plans and details in conjunction with the specifications and notes.
- Do not scale drawings. Work to dimensions only.
- Protect all existing and retained vegetation for the duration of construction according to the contract details and specifications.
- Reinstate all areas and items damaged or disturbed, beyond the Limit of Work, because of construction activities, including but not limited to construction staging areas, haul roads, stockpile areas, etc. to the satisfaction of the Consultant. Unless otherwise noted, Contractor is to reinstate all areas to pre-construction condition or better to the satisfaction of the Contract Administrator.

PLANTING

- Plant material to be No. 1 Grade and is to comply with Canadian Standards for Nursery Stock (latest edition) published by the Canadian Nursery Landscape Association.
- Use structurally sound plant material with strong fibrous root system free of disease, defects, and injuries. Use trees with straight trunks, well and characteristically branched for species. Obtain approval from consultant of plant material at source prior to digging. All trees and shrubs to be container grown, potted, WB or BB, as indicated on Plant List. Bare root plants are only acceptable for certain species and as approved by the Landscape Architect.
- Plant material substitutions are not permitted without the written approval from the Consultant, with 48 hours notice, prior to shipping plant material.
- Plant locations are schematic / approximate only. Contractor is to stake out locations on site for approval by the Landscape Architect prior to installation. Contractor to report any discrepancies to the Landscape Architect prior to installation. Contractor will assume full responsibility if the Landscape Architect is not notified.
- Ensure trees are thoroughly watered following planting. Monitor material and ensure adequate moisture until acceptance.
- In heavy clay or poorly drained soils, set root ball with root collar 75-100mm higher than finished grade.
- Approved topsoil depths are as follows:
 - Plant Beds - 450mm continuous depth. Applies to shrubs, perennials, vines, and groundcovers.
 - Sod/ Seed Areas - 100mm depth.
 - Reforestation - 300mm depth.
- Sod to be No. 1 Kentucky Bluegrass Sod grown from minimum mixture of 3 Kentucky Bluegrass cultivars. Quality and source are to comply with Canadian Standards for Nursery Stock, Section 17, (latest edition) published by the Canadian Nursery Landscape Nursery Landscape Association.
- Apply the following mineral fertilizer unless soil tests show other requirements:
 - Plant Beds - (8-32-16), i.e. 8% Nitrogen, 32% Phosphorus, 16% Potash per manufacturer specifications.
 - Sod Areas - (8-32-16), i.e. 8% Nitrogen, 32% Phosphorus, 16% Potash at a rate of 350kg/ha.
- Where applicable, for any plant areas with a mix of species/ cultivars notes, Contractor is to cluster like plants in groups of 3-5 and evenly distribute these in the noted area.


CANOPY COVER CALCULATIONS

- Refer to the Tree Conservation Plans 124045-TCR1 and 124045-TCR2 for the existing and proposed canopy cover projection calculations.

PLANT LIST

KEY	QTY	Botanical Name	COMMON NAME	SIZE	COND	SPACING	NATIVE/NON-NATIVE	OWNER
Deciduous Trees								
AFCM	1	Acer x freemanii 'Celebration'	Celebration Maple	50mm Cal	WB	As Shown	C	Private
ARU	2	Acer rubrum 'Autumn Radiance'	Autumn Radiance Red Maple	50mm Cal	WB	As Shown	C	Private
ARU	1	Acer rubrum 'Autumn Radiance'	Autumn Radiance Red Maple	50mm Cal	WB	As Shown	C	City of Ottawa
AXA	2	Amelanchier x grandiflora 'Autumn Brilliance'	Autumn Brilliance Serviceberry	50mm Cal	WB	As Shown	C	Private
CLU	2	Cladostoma kentsiana (formerly 'lutea')	Yellowwood	50mm Cal	WB	As Shown	E	Private
PTO	4	Platanus occidentalis	American Sycamore	50mm Cal	WB	As Shown	P	Private
QM	2	Quercus macrocarpa	Bur Oak	50mm Cal	WB	As Shown	L	Private
Deciduous Shrubs								
Am	32	Arctostaphylos uva-ursi	Black Chokeberry	60cm Ht	PT	80cm O.C.	L	Private
Cah	35	Ceanothus x 'Blue Boy'	Hammingbird Summerweet	40cm Ht	PT	80cm O.C.	C	Private
Cpe	29	Comptonia perfoliata	Sweet Fern	40cm Ht	PT	100cm O.C.	L	Private
Hpf	110	Hydrangea paniculata 'Fire Light Tidal'	Fire Light Tidal Hydrangea	60cm Ht	PT	70cm O.C.	E	Private
Sbg	36	Spiraea betulifolia 'Glow Girl' (Tor Gold)	Glow Girl Birchleaf Spirea	60cm Ht	PT	100cm O.C.	E	Private
Pcg	4	Physocarpus opulifolius 'Centre Glow'	Centre Glow Ninebark	60cm Ht	PT	180cm O.C.	C	Private
Pfs	13	Potentilla fruticosa 'Bele Sol'	Bele Sol Potentilla	40cm Ht	PT	80cm O.C.	E	Private
Perennials								
gms	170	Geranium macrorrhizum 'Spessart'	Spessart Cranesbill	1g	PT	40cm O.C.	C	Private
Ornamental Grasses								
cav	192	Calamagrostis acutiflora 'Avalanche'	Avalanche Feather Reed Grass	1g	PT	70cm O.C.	E	Private
dc	294	Deschampsia cespitosa	Tufted Hair Grass	1g	PT	60cm O.C.	L	Private

*NOTE: (L) Local region, (C) Cultivar of local region plants, (P) Provenance, (E) Exotic or non-native



NOTE: THE POSITION OF ALL POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

Owner:
Wesley Clover International
c/o KRP Properties, 535 Legget Drive
#300, Tower B
Kanata, ON K2K 2Y3
Phone: 613-591-0594

DISCLAIMER:

The elements on this plan illustrate the design intent and general constructability of the proposed landscape which will support the associated development. This is to demonstrate how the canopy cover, urban design, health, and climate change objectives of the Official Plan will be met through tree planting and site design. This drawing is for City review only and is not intended for construction. Final detailed design and construction documentation is to be provided with certified 'Issued for Construction' drawings and specifications prior to construction.

No.	REVISION	DATE	BY
6.	RE-ISSUED FOR SITE PLAN SUBMISSION	JAN 14/25	RGJ
5.	ISSUED FOR COORDINATION	DEC 17/24	RGJ
4.	RE-ISSUED FOR SITE PLAN SUBMISSION	NOV 29/24	RGJ
3.	RE-ISSUED FOR SITE PLAN SUBMISSION	OCT 7/24	RGJ
2.	ISSUED FOR SITE PLAN AND ZONING	SEP 13/24	RGJ
1.	ISSUED FOR COORDINATION	SEP 09/24	RGJ

SCALE

1:200

1:200

0 2 4 6 8

DESIGN

RGJ/ML

CHECKED

RGJ

DRAWN

TCB

CHECKED

RGJ

APPROVED

RGJ

FOR REVIEW ONLY



NOVATECH

Engineers, Planners & Landscape Architects
Suite 200, 240 Michael Cowpland Drive
Ottawa, Ontario, Canada K2M 1P6

Telephone (613) 254-9643
Facsimile (613) 254-5867
Website www.novatech-eng.com

LOCATION
535 LEGGET DRIVE
KANATA

DRAWING NAME
LANDSCAPE PLAN

PROJECT No.

124045

REV # 6

DRAWING No.


124045-L1

PLANNING

#91216


M:\2024\124045\CADD\Landscape\124045_L.dwg, L1, Jan 14, 2025, 12:47pm, ibakale

D02-02-24-0058 & D07-12-24-0123




STANDARD DECIDUOUS TREE PLANTING

D1



SHRUB AND PERENNIAL PLANTING

D2




BIKE LAYOUT

D3


OMEGA 10 PANEL MOUNTED ON FLANGED POST (HEIGHT 47"H)
Panneau Omega 10 sur poteaux avec base (grandeur 47"H)

REVISION 1

PANEL / Panneau 47"



HORIZONTAL WIRES Tiges Horizontales	6GA Ø4.88mm
FRAME Cadre	1" x 9GA 25mm x 4mm
FLAT VERTICAL BARS Plaques verticales	1" x 14GA 25mm x 2mm



PANEL HEIGHT / Hauteur du panneau	NUMBER OF BRACKET KITS PER POST / Nombre d'ensembles d'attaches par poteau
1194 mm (47"H)	2
1980 mm (78"H)	3
2514 mm (99"H)	3



Système de Clôtures Omega II
1735 boul. St-Ezélar Ouest
Laval, Québec
H7L 3N6
Tel: 450-686-9600
1-800-836-6342
Fax: 450-681-5318
www.omegafence.com

D4

PRODUCT INFORMATION

Install products as per manufacturer specifications. Shop drawings required.

PAVERS

Edge of pavers to receive edge restraint.

- Pavers - TBD
- Location: Entrance
- Size:
- Pattern:
- Colour:

FENCE

- Omega 10 Picket Fence by Omega
- Panel Height: 1.2m
- Colour: Black

SITE FURNITURE

Fasten all site furnishing to surface with stainless steel anti-vandal anchors.

- Iconic Backless Benches by Maglin
- Product Number: MBE-2300-00045
- Fixture: Surface mounted
- Size: 1778mm L x 446mm W x 475mm Ht
- Frame: Aluminum Legs and arms, steel brackets
- Frame colour: Powder Coat Silver 14
- Slats: Ipe
- Options: Two end arms and two sides skate deterrent, no plaque.

- 'Flo' Bike Racks by Landscape Forms
- Capacity: 3 bikes / rack
- Size: 27.75" x 25.5" x 32.5"
- Fixture: Surface mounted
- Colour: Powder Coat - Silver Metallic

- Mariner Commercial Wood Planter by DeepStream
- Location: Entrance
- Size: 59" x 59" x 31" H
- Frame: Marine-anodized Aluminium legs, SS fastners
- Wood Panels: Ipe
- Liners with drainage control.

Fill planter box with growing medium designed for raised planters. Submit product specifications for review and approval by the Landscape Architect.

OUTDOOR AMENITY FURNITURE

- Lounge Chairs by Equiparc
- Product Number: EP1974
- Fixture: Freestanding
- Size: 1624mm L x 780mm W x 1024mm Ht
- Frame: 6mm thick steel flats and plates
- Frame colour: Hot dip galvanized, Silver
- Slats: 38mm x 64 mm Ipe wood

- Chipman Round Dining Tables by Landscape Forms
- Product : Chipman
- Fixture: Freestanding.
- Size: 45" Round, 29.25" Ht
- Table top: Powder Coat Metallic Silver
- Option: Without Umbrella hole
- Table support: Powder Coat Metallic Silver

- LF-21 Outdoor Chairs by Landscape Forms
- Product : 21
- Fixture: Freestanding.
- Size: 25.5" D x 28" L x 32.75" ht
- Option: With Arms
- Colour: Metallic Silver

- Chipman Round Lounge Table by Landscape Forms
- Product : Chipman
- Fixture: Freestanding.
- Size: 31" Round, 15.25" Ht
- Table top: Powder Coat Metallic Silver
- Table support: Powder Coat Metallic Silver

NOTE:
THE POSITION OF ALL POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

Owner:
Wesley Clover International
c/o KRP Properties, 555 Legget Drive
#300, Tower B
Kanata, ON K2K 2X3
Phone: 613-591-0594

DISCLAIMER:

The elements on this plan illustrate the design intent and general constructability of the proposed landscape which will support the associated development. This is to demonstrate how the canopy cover, urban design, health, and climate change objectives of the Official Plan will be met through tree planting and site design. This drawing is for City review only and is not intended for construction. Final detailed design and construction documentation is to be provided with certified 'Issued for Construction' drawings and specifications prior to construction.

No.	REVISION	DATE	BY
5.	RE-ISSUED FOR SITE PLAN SUBMISSION	JAN 14/25	RGJ
4.	ISSUED FOR COORDINATION	DEC 17/24	RGJ
3.	RE-ISSUED FOR SITE PLAN SUBMISSION	NOV 29/24	RGJ
2.	RE-ISSUED FOR SITE PLAN SUBMISSION	OCT 7/24	RGJ
1.	ISSUED FOR SITE PLAN AND ZONING	SEP 13/24	RGJ

SCALE

DESIGN

RGJ

CHECKED

RGJ

DRAWN

TCB

CHECKED

RGJ

APPROVED

RGJ

FOR REVIEW ONLY



NOVATECH
Engineers, Planners & Landscape Architects
Suite 200, 240 Michael Cowpland Drive
Ottawa, Ontario, Canada K2M 1P6
Telephone (613) 254-9643
Facsimile (613) 254-5867
Website www.novatech-eng.com

LOCATION
535 LEGGET DRIVE
KANATA

DRAWING NAME
LANDSCAPE DETAILS

PROJECT No.
124045

REV
REV # 5

DRAWING No.
124045-L2

PLANNING & DESIGN

#19216