


Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stanlec without delay.

The Copyrights to all designs and drawings are the property of Stanlec. Reproduction or use for any purpose other than that authorized by Stanlec is forbidden.

Legend



---

Notes

1. TRENCH DRAIN TO U/G PUMPING TO BE CONNECTED TO INTERNAL PLUMBING AND DIRECTED TO THE STORM SERVICE DOWNSTREAM OF THE BUILDING CISTERN.
2. FINAL METER AND REMOTE METER LOCATIONS TO BE CONFIRMED BY MECHANICAL CONSULTANT.
3. THE LOCATION AND ELEVATION OF SEWERS, WATERMAIN AND UTILITIES IS APPROXIMATE ONLY AND THE EXACT LOCATION AND ELEVATIONS SHOULD BE DETERMINED BY CONSULTING THE MUNICIPAL AUTHORITIES AND UTILITY COMPANIES CONCERNED. THE CONTRACTOR SHALL PROVE THE LOCATION AND ELEVATION OF SEWERS, WATERMAIN AND UTILITIES AND SHALL BE RESPONSIBLE FOR THEIR PROTECTION AND THE IMPLEMENTATION OF ANY NECESSARY PROCEDURES CALLED FOR IN THE APPROPRIATE STANDARD AND REGULATIONS.
4. DISCREPANCY WITH THE INFORMATION PROVIDED IN THE DESIGN PLANS SHALL BE REPORTED TO THE ENGINEER PRIOR TO BEGINNING WITH CONSTRUCTION.
5. INTERNAL PLUMBING TO BE DESIGNED BY THE MECHANICAL CONSULTANT.
6. STORMWATER MANAGEMENT TO BE PROVIDED THROUGH A 20m<sup>3</sup> CISTERN LOCATED IN THE UNDERGROUND.
7. CISTERN IS TO BE MECHANICALLY PUMPED, MAX. CISTERN RELEASE RATE TO STORM SEWER = 3.0 L/s
8. FLOOR DRAINS LOCATED INSIDE PARKING GARAGE TO BE CONNECTED TO EXISTING INTERNAL SANITARY.
9. USE TO BE CONFIRMED BY THE STRUCTURAL CONSULTANT.

0	ISSUED FOR SPA	MJS	DT	25.02.27
Revision		By	Appd.	YY.MM.DD
File Name: 160402005 D8.dwg	MJS	DT	MJS	24.11.06
	Dwn.	Chkd.	Dsn.	YY.MM.DD

## Permit-Seal



Client/Project

1146 SNOW STREET INC.  
5669 POWER ROAD

1146 SNOW STREET  
4 STOREY 43 UNIT APARTMENT BUILDING  
OTTAWA, ON

Title  
STORM DRAINAGE PLAN

Project No. 160402005

Scale 0 2 6 10m  
1:200

Drawing No. Sheet Revision

SD-1                      8 of 9                      0  
PLAN # XXXXX

