

Legend

- PROPOSED WATERMAIN
- PROPOSED VALVE AND VALVE BOX
- PROPOSED VALVE CHAMBER
- PROPOSED REDUCER
- PROPOSED FIRE HYDRANT
- PROPOSED SANITARY SEWER
- PROPOSED STORM SEWER
- PROPOSED CATCH BASIN MANHOLE
- PROPOSED CATCH BASIN
- EX/FUT. WATERMAIN
- EXISTING/FUTURE VALVE AND VALVE BOX
- EXISTING/FUTURE VALVE CHAMBER
- EXISTING/FUTURE REDUCER
- EXISTING/FUTURE FIRE HYDRANT
- EXISTING/FUTURE SANITARY SEWER
- EXISTING/FUTURE STORM SEWER
- EXISTING/FUTURE CATCH-BASIN MANHOLE
- EXISTING/FUTURE CATCH-BASIN
- PROPOSED DEPRESSED CURB LOCATIONS
- PROPOSED BARRIER CURB
- THERMAL INSULATION ON STORM SEWER WHERE COVER IS LESS THAN 1.5m. THERMAL INSULATION ON WATERMAIN WHERE COVER IS LESS THAN 2.4m AS PER W22.
- NUMBER OF WATER METERS
- NUMBER OF REMOTE WATER METER
- PROPOSED COMMUNITY MAILBOX LOCATIONS
- PROPOSED 24-HR RATED FIRE WALL LOCATION
- BACK TO BACK TERRACE HOME SERVICES
- 200mm STORM SERVICE PVC SDR 26 @ 1% MIN
- 150mm SANITARY SERVICE PVC SDR 26 @ 1% MIN
- 19mm PEX TUBING WATER SERVICE C/W CURB STOP AND SERVICE POST

Notes

- MAINTENANCE HOLES LOCATED IN PONDING AREAS SHALL HAVE WATER TIGHT FRAME AND COVERS AS PER CITY STANDARD S24, S24.1 AND S25.

Revision	By	Appd.	Date
0	JP	SG	25.05.13
1ST SUBMISSION FOR SITE PLAN APPROVAL			YY.MM.DD

File Name:	JP	SG	JP	Date
160402143-HMB5-PH7-D08				25.04.17
	Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project

Mattamy Homes

HMB PHASE 7

OTTAWA, ON

Title

SITE SERVICING PLAN

Project No.	Scale	Sheet	Revision
160402143	1:300		
Drawing No.	Sheet	Revision	

SSP-1

3 of 9

0

