Geotechnical Engineering

**Environmental Engineering** 

**Hydrogeology** 

Geological Engineering

**Materials Testing** 

**Building Science** 

# patersongroup

**Phase I-Environmental Site Assessment** 

560 Hazeldean Road Ottawa, Ontario

**Prepared For** 

Regional Group

#### **Paterson Group Inc.**

Consulting Engineers 154 Colonnade Road South Ottawa (Nepean), Ontario Canada K2E 7J5

Tel: (613) 226-7381 Fax: (613) 226-6344 www.patersongroup.ca May 25, 2021

Report: PE5304-1



#### **TABLE OF CONTENTS**

EXEC	CUTIVI	E SUMMARY	ii
1.0	INTR	ODUCTION	1
2.0	PHAS	SE I ESA PROPERTY INFORMATION	2
3.0	SCOF	PE OF INVESTIGATION	3
4.0	RECO	ORDS REVIEW	4
	4.1	General	4
	4.2	Environmental Source Information	4
	4.3	Physical Setting Sources	7
5.0		RVIEWS	
6.0	SITE	RECONNAISSANCE	_
	6.1	General Requirements	
	6.2	Specific Observations at Phase I ESA Property	
7.0	REVI	EW AND EVALUATION OF INFORMATION	11
	7.1	Land Use History	
	7.2	Conceptual Site Model	
8.0	CON	CLUSIONS	
	8.1	Assessment	
	8.2	Recommendations	
9.0		EMENT OF LIMITATIONS	
10.0	REFE	ERENCES	17
Figure Figure Draw	e 2 - T ing PE	ires Tey Plan Topographic Map EPE5304-1 - Site Plan EPE5304-2 - Surrounding Land Use Plan	
		endices Aerial Photographs Site Photographs	
Appe	ndix 2	MECP Freedom of Information Search TSSA Correspondence	

City of Ottawa Historical Land Use Inventory Search

**ERIS** Report

Appendix 3 Qualifications of Assessors



#### **EXECUTIVE SUMMARY**

#### **Assessment**

Paterson Group was retained by Regional Group to conduct a Phase I Environmental Site Assessment (ESA) for the property addressed 560 Hazeldean Road, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the Phase I ESA Property and Phase I ESA Study Area and to identify any environmental concerns with the potential to have impacted the subject land.

According to the historical research, the Phase I ESA Property was vacant and undeveloped land until 2001. In 2001, the land was developed for commercial purposes and used as a golf school and driving range. No concerns were noted with the historical use of the Phase I ESA Property.

Neighbouring lands were also vacant and undeveloped lands used as agricultural fields. Residential developments began to appear in the mid-1990s further east of the site with some commercial development to the north in the early 2000s. Surrounding lands were further developed with residential/community developments. No off-site potentially contaminating activities (PCAs) were identified within the Phase I ESA Study Area.

Following the historical research, a site visit was conducted. The majority of the Phase I ESA Property (southern portion) is used as a driving range, while the northern portion is occupied by an office building and school associated with the golf course. A pole-mounted transformer was identified on the north-western exterior of the subject building and two (2) above ground storage tanks (ASTs) on the southwestern exterior wall of the building. The pole-mounted transformer and ASTs are PCAs that are considered to represent APECs on the Phase I ESA Property.

Neighbouring land use consisted of commercial retail and residential land. No APECs were noted with the current use of the surrounding lands within the Phase I Study Area.

#### Recommendations

Based on the results of the Phase I ESA, it is our opinion that a Phase II Environmental Site Assessment is required for the property.



#### 1.0 INTRODUCTION

At the request of Regional Group, Paterson Group (Paterson) conducted a Phase I-Environmental Site Assessment (Phase I-ESA) of the property addressed 460 Hazeldean Road, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the subject property.

Paterson was engaged to conduct this Phase I-ESA by Mr. Evan Garfinkel, of Regional Group. The head office is located at1737 Woodward Drive, Ottawa, Ontario. Mr. Garfinkel can be reached by telephone at (613) 230-2100.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all of our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared under the supervision of a Qualified Person, in general accordance with Ontario Regulation 153/04 as amended by O.Reg. 269/11 (Environmental Protection Act), and also complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I-ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.



#### 2.0 PHASE I ESA PROPERTY INFORMATION

Address: 560 Hazeldean Road, Ottawa, Ontario

Legal Description: Part of Lot 29, Concession 10, Goulbourn, now the

City of Ottawa.

Location: The subject site is located on the south side of

Hazeldean Road, approximately 455 m west of Terry Fox Drive, in the City of Ottawa, Ontario. For the purpose of this report, Hazeldean Road is assumed to run in an east-west direction. The subject site is shown on Figure 1 - Key Plan following the body of

this report.

Latitude and Longitude: 45° 17' 19" N, 75° 53' 55" W

**Site Description:** 

Configuration: Irregular

Site Area: 9.16 hectares (approximate)

Zoning: O1 – Parks and Open Space Zone

Current Use: The Phase I ESA Property is occupied by a golf

school and driving range.

Services: The Phase I ESA Property is situated in a municipally

serviced.



### 3.0 SCOPE OF INVESTIGATION

e scope of work for this Phase I-Environmental Site Assessment was as lows:
Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases and regulatory agencies;
Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
Conduct interviews with persons knowledgeable of current and historic operations on the subject property, and if warranted, neighbouring properties;
Present the results of our findings in a comprehensive report in general accordance with the requirements of Ontario Regulation 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
Provide a preliminary environmental site evaluation based on our findings;
Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.



#### 4.0 RECORDS REVIEW

#### 4.1 General

#### Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I ESA study area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

#### First Developed Use Determination

Based on the historical review and personal interview with the current landowner, the first developed use of the Phase I ESA Property was in 2001 for commercial purposes – a golf course/driving range.

#### Fire Insurance Plans and City of Ottawa Street Directories

Due to the rural setting of the Phase I ESA Property, there are no fire insurance plans (FIPs) or city directories for the Phase I ESA Property or for properties within the Phase I Study Area.

#### **Chain of Title**

Paterson did not request a Chain of Title for the subject site as it was determined that sufficient information was gathered from other sources, such as personal interviews and aerial photographs.

#### 4.2 Environmental Source Information

#### **Environment Canada**

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on May 11, 2021. The subject site and adjacent properties were not listed in the NPRI database. No records of pollutant release were listed in the database for properties located within the Phase I Study Area.

#### **PCB Inventory**

A search of national PCB waste storage sites was conducted. No PCB waste storage sites are located within the Phase I Study Area.

#### Ministry of Environment, Conservation and Parks (MECP) Instruments

A request was submitted to the MECP Freedom of Information office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the site. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client upon receipt of the response letter.

#### **MECP Coal Gasification Plant Inventory**

The Ontario Ministry of Environment, Conservation and Parks document entitled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No coal gasification plants were identified within 250m of the subject site.

#### **MECP Incident Reports**

A request was submitted to the MECP Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MOE for the site or adjacent properties. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client upon receipt of the response letter.

#### **MECP Waste Management Records**

A request was submitted to the MECP Freedom of Information office for information with respect to waste management records. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client upon receipt of the response letter.

#### **MECP Submissions**

A request was submitted to the MECP Freedom of Information office for information with respect to reports related to environmental conditions that have been submitted to the MECP. At the time of issuing this report, a response had not been received from the MECP. A copy of the response will be forwarded to the client upon receipt of the response letter.



#### **Brownfields Environmental Site Registry**

A search of the MECP Brownfields ESR was conducted for properties within the Phase I Study Area. According to the ESR, no Records of Site Condition (RSCs) have been filed for the Phase I ESA Property. No RSCs were identified for properties within the Phase I Study Area.

#### **MECP Waste Disposal Site Inventory**

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. No former landfills were identified within the Phase I ESA Study Area.

#### Areas of Natural Significance

A search for areas of natural significance and features within the Phase I Study Area was conducted on the web site of the Ontario Ministry of Natural Resources (MNR) on May 11, 2021. According to the MNR site, no areas of natural significance were identified on the Phase I ESA Property or the Phase I ESA Study Area.

#### **Technical Standards and Safety Authority (TSSA)**

The TSSA, Fuels Safety Branch in Toronto was contacted electronically on May 11, 2021, to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties. A response from the TSSA indicated that no records were identified. A copy of the TSSA correspondence is included in Appendix 2.

#### City of Ottawa Landfill Document

The document entitled "Old Landfill Management Strategy, Phase I-Identification of Sites, City of Ottawa", was reviewed. No former landfills were identified within the Phase I ESA Study Area.

#### City of Ottawa Historical Land Use Inventory (HLUI)

A request was submitted to the City of Ottawa for a search of the Historical Land Use Inventory (HLUI) database. At the time this report was issued, a response had not been received. Any pertinent information will be forwarded to the client upon receipt. A copy of the HLUI request form and owner authorization is provided in Appendix 2.



#### **Environmental Risk Inventory Source (ERIS) Report**

An ERIS (Environmental Risk Information Service) Report was obtained for the Phase I ESA Property and properties within the Phase I Study Area.

Based on the ERIS report, there are no records pertaining to the Phase I ESA Property.

According to the ERIS report, a Certificate of Approval (CoA), three (3) Environmental Compliance Approvals (ECAs), a Permit To Take Water (PTTW), 28 Waste Generators, three (3) Pesticide Registry records, and two (2) Ontario Spills were identified for the Phase I Study Area. No records pertaining to storage or use of pesticides were identified for the Phase I ESA Property.

The environmental approvals and PTTW were associated with municipal and private sewer and water works and as such, are not considered potential environmental concerns. Several waste generators, with the exception of one, were identified more than 150 m away and therefore, not considered to pose any risk to the subject land. A waste generator, TMG Rock Contractors Ltd., was identified on the neighbouring property at 575 Hazeldean Road, approximately 80 m northwest of the site. This property was listed as producing waste oils and lubricants during the early 1990s, prior to the existing commercial development. Based on the separation distance and cross-gradient orientation, the former contractor's yard is not considered to represent an APEC on the Phase I ESA Property.

No APECs were identified during the review of the ERIS report. A copy of the ERIS report is included in Appendix 2.

#### 4.3 Physical Setting Sources

#### **Aerial Photographs**

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. Based on the review, the following observations have been made:

1976	The P	hase	I ESA Prope	rty is	undeve	eloped	vacant grassed	land
	while	the	surrounding	lands	are	either	undeveloped	land,
	agricultural fields or occupied by farmsteads.							

No significant changes are apparent on the Phase I ESA Property while the surrounding lands to the east and north are developed for residential and recreational use, respectively.



1999	(GeoOttawa Map) The Phase I ESA Property remains unchanged from the previous photograph.
2002	The Phase I ESA Property is developed and occupied by the present day commercial building associated with the on-site golf course and driving range. The neighbouring land to the east, across the Carp River, is occupied by a residential development
2011	No significant changes are apparent on the Phase I ESA Property or the surrounding lands, with the exception of the lands to the north, across Hazeldean Road, which are occupied by commercial retail stores, while the remaining lands remain unchanged form the previous photograph.
2019	The Phase I ESA Property appears the same as in the previous photograph. The neighbouring lands to the south are now occupied by a residential development, while the remaining lands remain unchanged from the previous photograph.

Copies of selected aerial photographs reviewed are included in Appendix 1.

#### **Topographic Maps**

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic maps indicate that the regional topography in the general area of the site is relatively flat and sloping gently downward towards the northwest. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

#### **Physiographic Maps**

The Ontario Geological Survey publication 'The Physiography of Southern Ontario, Third Edition' was reviewed as a part of this assessment. According to the publication and attached mapping, the site is situated within the Ottawa Valley Clay Plains physiographic region, described as "clay plains interrupted by ridges of rock or sand."

#### **Geological Maps**

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area of the site consists of interbedded limestone and dolomite of the Gull River Formation.



Overburden soils are reported as off-shore marine sediments consisting of marine deposits of clay and silt with drift thickness on the order of 5 to 10m across the Phase I ESA Property.

#### **Water Well Records**

A well record search was conducted on December 21, 2020 for all drilled wells within 250 m of the subject site. The search returned four (4) well records, three (3) of which were domestic well records drilled between 1971 to 2001, and a well abandonment record. No well records were identified on the Phase I ESA Property.

The domestic wells that were identified were located properties approximately 180 m away from the Phase I ESA Property. It is expected that these wells are no longer in use as the area is now municipally serviced.

No other pertinent information was provided in the well records. A copy of the well records has been included in Appendix 2.

#### **Water Bodies and Areas of Natural Significance**

The Carp River borders the eastern property boundary running in a north-south direction approximately 20 m to 35 m from the site, which is overlain by a designated flood plain. No areas of natural significance are known to exist within the 250 m search radius.

#### 5.0 INTERVIEWS

#### **Property Owner Representative**

Ms. Lisa Haime, the current property owner, was interviewed via by email on May 11, 2021. According to Ms. Haime, the subject land has been owned by her family since 2000, which at that time, the land was vacant and undeveloped. The existing golf course/driving range began its operations in April 2001. The subject building was used as reception, a small golf school and for storage use. Two (2) 1,500-L above ground tanks (ASTs) on-site are currently rented through W.O Stinson. According to Ms. Haime, there have been no spills or leaks since they were installed on site in 2005. No pesticides or herbicides were ever used on the subject property. Ms. Haime is not aware of any potential concerns with regard to the Phase I ESA Property or the adjacent lands.

It should be noted that the information obtained in this interview is consistent with the observations made at the time of the site visit.



#### **6.0 SITE RECONNAISSANCE**

#### 6.1 General Requirements

The site visit was conducted on May 11, 2021. Weather conditions were overcast, with a temperature of approximately 8°C. Personnel from the Environmental Department of Paterson Group conducted the site visit. The uses of neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit, from publicly accessible areas.

#### 6.2 Specific Observations at Phase I ESA Property

#### **Buildings and Structures**

One slab-on-grade commercial building and shed occupies a small portion of the site fronting Hazeldean Road. The building was constructed in 2001 and used for reception, storage and teaching.

#### **Site Features**

The eastern and southern property boundaries of the Phase I ESA Property are situated in a designated floodplain associated with the Carp River, located 20 to 30 m to the east and south, respectively.

The majority of the site is grassland used as a golf course and driving range, while the northern portion of the site fronting Hazeldean Road is a paved asphaltic parking lot associated with the driving range.

The site is below the grade of Hazeldean Road and the adjacent properties to the east and west. The western and southern portions of the site are somewhat undulating with golf slopes. Site drainage occurs primarily through infiltration with some sheet flow.

The topography of the site slopes gently down in a south-easterly direction towards the Carp River.

A pole mounted transformer was noted on the exterior northwest side of the subject building. Two (2) exterior double walled 1500-L above ground storage tanks (ASTs) containing diesel fuel and gasoline were observed on the southwestern wall of the subject building next to the gravelled laneway.



No signs of staining or stressed vegetation were observed in the immediate areas of the AST or the pole mounted transformer; however, they are considered PCAs that represent APECs on the Phase I ESA Property.

No hazardous materials, chemicals or waste were noted on-site. No evidence of current or former railway or spur lines was observed on the subject property at the time of the site visit.

#### **Neighbouring Properties**

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the subject site was as follows:

□ North: Hazeldean Road, followed by vacant land and commercial retail stores;
 □ South: Vacant land, followed by Carp River and residences;
 □ East: Carp River, followed by residences; and
 □ West: Vacant land.

No off-site PCAs were identified within the Phase I Study Area. Current land use within the Phase I Study Area is illustrated on Drawing: PE5304-2 – Surrounding Land Use Plan in the Figures section of this report, following the text.

#### 7.0 REVIEW AND EVALUATION OF INFORMATION

#### 7.1 Land Use History

Based on the available historical records, the Phase I ESA Property was vacant and undeveloped land until it was purchased by the Haimes family in 2000. The Phase I ESA Property was developed for commercial purposes, which it was used as a golf school and driving range shortly thereafter. Based on the personal interviews corroborated with observations made during the site visit, two (2) potentially contaminated activities were identified on the subject site that have resulted in areas of potential environmental concern.

It is our understanding that the Phase I ESA Property is being considered for residential purposes and as such, the filing of a Record of Site Condition with the MECP will be required due to the proposed change in land use.

021 Page 11



#### **Potentially Contaminating Activities**

Based on our assessment, potentially contaminating activities (PCAs) were identified on-site, resulting in areas of potential environmental concern (APECs) on the Phase I ESA Property. As per Column A of Table 2 of the O.Reg. 153/04, as amended, the on-site PCAs that generate APECs on the Phase I ESA Property are:

	mended, the on-site PCAs that generate APECs on the Phase I ESA erty are:
	PCA 27: "Gasoline and Associated Products Storage in Fixed Tanks, associated with the two (2) ASTs on-site.
	PCA 55: "Transformer Manufacturing, Processing and Use," associated with the pole-mounted transformer on-site.
perso Prop land	rationale for identifying the above PCAs is based on field observations, and onal interviews. The PCAs that represent APECs on the Phase I ESA serty are presented on Drawing PEPE5304-1 – Site Plan and the surrounding use in the Phase I ESA Study Area is presented on Drawing PEPE5304-2 – bunding Land Use Plan, in the Figures section.
Area	s of Potential Environmental Concern
The	aforementioned PCAs have resulted in the following APECs:
	APEC 1: Resulting from the presence of two (2) ASTs on the Phase I ESA Property (PCA 28).
0	APEC 2: Resulting from the presence of a pole-mounted transformer (PCA 55).
	identified APECs and relative locations on the Phase I ESA Property are rated on Drawing PEPE5304-1 – Site Plan.
Cont	taminants of Potential Concern
	ed on the APECs identified on the Phase I ESA Property, the contaminants of ntial concern (CPCs) are:
	Benzene, Toluene, Ethylbenzene and Xylenes; Petroleum hydrocarbons (PHCs, Fractions F <sub>1</sub> -F <sub>4</sub> ); Polychlorinated biphenyls (PCBs); and

May 25, 2021 Page 12

Polycyclic aromatic hydrocarbons (PAHs).



#### 7.2 Conceptual Site Model

#### Geological and Hydrogeological Setting

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area of the site consists of interbedded limestone and dolomite of the Gull River Formation. Overburden soils are reported as off-shore marine sediments, clay and silt with drift thickness on the order of 5 to 10m across the Phase I ESA Property.

#### **Contaminants of Potential Concern**

As noted in Section 7.1, the CPCs identified on the Phase I ESA Property include BTEX, PHCs (F1-F4), PCBs and PAHs.

#### **Existing Building**

One slab-on-grade commercial building and shed occupy a small portion of the site fronting Hazeldean Road. The building was constructed in 2001 and has been used for reception, storage and teaching.

#### Subsurface Structures and Utilities

Utilities on the Phase I ESA Property include sanitary and storm sewer lines, a municipal water service, electrical services and telephone lines. Based on standard practice for subsurface utility installation, service trenches are expected to be present approximately 1 to 2 m below grade.

#### **Water Bodies**

The Carp River boarders the eastern property boundary running in a north-south direction approximately 20 m to 35 m from the site, which is overlain by a designated flood plain.

#### **Areas of Natural Significance**

No areas of natural significance are known to exist within the 250 m search radius.

#### **Potable Water Wells**

There are no potable wells on the Phase I ESA Property nor are there expected to be any present on-site as the subject land is serviced by the municipality.



#### **Neighbouring Land Use**

Neighbouring land use in the Phase I Study Area consists of commercial, residential and vacant land. Land use in the Phase I ESA Study Area is shown on Drawing PEPE5304-2 - Surrounding Land Use Plan.

# Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1 of this report, there two (2) existing PCAs resulting in APECs on the Phase I ESA Property, as shown in Table 1, as well as the locations and CPCs on the Phase I ESA Property.

Table 1. Potentially Contaminating Activities and							
Areas of Potential Environmental Concern							
Area of Potential Environmental Concern	Location of Area of Potential Environmental Concern	Potentially Location Contaminating of PCA Activity (on-site or offsite)		Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, Soil, and/or Sediment)		
APEC 1: Resulting from the presence of two (2) ASTs	South western side of the subject building on the Phase I ESA Property	PCA 28 – "Gasoline and Associated Products Storage in Fixed Tanks,"	On-site	BTEX PHCs	Soil and Groundwater		
APEC 2: Resulting from the presence of a pole-mounted transformer	North western side of the subject building on the Phase I ESA Property	PCA 55 – "Transformer Manufacturing, Processing and Use,"	On-site	PCBs PAHs	Soil and/or Groundwater		

#### Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I-ESA is considered to be sufficient to conclude that there are PCAs that are considered to result in areas of potential environmental concern on the Phase I ESA Property. The presence of potentially contaminating activities on the subject site were confirmed by a variety of independent sources. The conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.



#### 8.0 CONCLUSIONS

#### 8.1 Assessment

Paterson Group was retained by Regional Group to conduct a Phase I Environmental Site Assessment (ESA) for the property addressed 560 Hazeldean Road, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the Phase I ESA Property and Phase I ESA Study Area and to identify any environmental concerns with the potential to have impacted the subject land.

According to the historical research, the Phase I ESA Property was vacant and undeveloped land until 2001. In 2001, the land was developed for commercial purposes and used as a golf school and driving range. No concerns were noted with the historical use of the Phase I ESA Property.

Neighbouring lands were also vacant and undeveloped lands used as agricultural fields. Residential developments began to appear in the mid-1990s further east of the site with some commercial development to the north in the early 2000s. Surrounding lands were further developed with residential/community developments. No off-site potentially contaminating activities (PCAs) were identified within the Phase I ESA Study Area.

Following the historical research, a site visit was conducted. The majority of the Phase I ESA Property (southern portion) is used as a driving range, while the northern portion is occupied by an office building and school associated with the golf course. A pole-mounted transformer was identified on the north-western exterior of the subject building and two (2) above ground storage tanks (ASTs) on the southwestern exterior wall of the building. The pole-mounted transformer and ASTs are PCAs that are considered to represent APECs on the Phase I ESA Property.

Neighbouring land use consisted of commercial retail and residential land. No APECs were noted with the current use of the surrounding lands within the Phase I Study Area.

#### 8.2 Recommendations

Based on the results of the Phase I ESA, it is our opinion that a Phase II Environmental Site Assessment is required for the property.



#### 9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared under the supervision of a Qualified Person, in general accordance with O.Reg. 153/04, as amended under the Environmental Protection Act, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Regional Group. Permission and notification from Regional Group and Paterson Group will be required to release this report to any other party.

#### **Paterson Group Inc.**

Mandy Witteman, B.Eng., M.A.Sc.

Mark S. D'Arcy, P.Eng., QPESA

# M. S. D'ARCY 90377839

#### **Report Distribution:**

- Regional Group
- Paterson Group



#### **10.0 REFERENCES**

#### **Federal Records**

Air photos at the Energy Mines and Resources Air Photo Library.

National Archives.

Maps and photographs (Geological Survey of Canada surficial and subsurface mapping).

Natural Resources Canada – The Atlas of Canada.

Environment Canada, National Pollutant Release Inventory.

PCB Waste Storage Site Inventory.

#### **Provincial Records**

MECP Freedom of Information and Privacy Office.

MECP Municipal Coal Gasification Plant Site Inventory, 1991.

MECP document titled "Waste Disposal Site Inventory in Ontario".

MECP Brownfields Environmental Site Registry.

Office of Technical Standards and Safety Authority, Fuels Safety Branch.

MNR Areas of Natural Significance.

MECP Water Well Inventory.

#### **Municipal Records**

City of Ottawa Document "Old Landfill Management Strategy, Phase I - Identification of Sites.", prepared by Golder Associates, 2004. The City of Ottawa eMap website.

#### **Local Information Sources**

Personal Interviews.

#### **Public Information Sources**

Google Earth.

Google Maps/Street View.

#### **Private Information Sources**

**ERIS Search** 

# **FIGURES**

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

**DRAWING PEPE5304-1 - SITE PLAN** 

DRAWING PEPE5304-2 - SURROUNDING LAND USE PLAN




# FIGURE 1 KEY PLAN


patersongroup



# FIGURE 2 TOPOGRAPHIC MAP

patersongroup






# **APPENDIX 1**

AERIAL PHOTOGRAPHS
SITE PHOTOGRAPHS




patersongroup –



patersongroup \_\_\_\_\_



patersongroup \_\_\_\_\_



patersongroup \_\_\_\_\_



patersongroup ——



Photograph 1: Photograph of the Phase I ESA Property fronting Hazeldean Road.



Photograph 2: Photograph of the exterior ASTs situated on the western wall of the subject building.



Photograph 3: Photograph of the western side of the Phase I ESA Property looking north towards Hazeldean Road.



Photograph 4: Photograph of the north side of the subject building.



Photograph 5: Photograph of the western side of the Phase I ESA Property onto the landscaped area looking north towards Hazeldean Road.



Photograph 6: Photograph of the south end of the Phase I ESA Property.

## **APPENDIX 2**

# MECP FREEDOM OF INFORMATION SEARCH TSSA CORRESPONDENCE CITY OF OTTAWA HISTORICAL LAND USE INVENTORY SEARCH ERIS SEARCH

### Ministry of the Environment, Conservation and Parks

Access and Privacy Office

12<sup>th</sup> Floor 40 St. Clair Avenue West

Toronto ON M4V 1M2 Tel: (416) 314-4075 Fax: (416) 314-4285

#### Ministère de l'Environnement, de la Protection de la nature et des Parcs

Bureau de l'accès à l'information et de la protection de la vie privée

12e étage 40, avenue St. Clair ouest Toronto ON M4V 1M2 Tél.: (416) 314-4075

Téléc.: (416) 314-4285



May 10, 2021

Mandy Witteman Paterson Group Inc. 154 Colonnade Road Ottawa, ON K2E 7J5

Dear Mandy Witteman:

RE: Freedom of Information and Protection of Privacy Act Request
Our File # A-2021-01769, Your Reference 20210510161059995 / PE5304

The Ministry is in receipt of your request made pursuant to the *Freedom of Information* and *Protection of Privacy Act* and has received your payment in the amount of \$5.00 (non-refundable application fee).

The search will be conducted on the following: 560 Hazeldean Road, Ottawa. If there is any discrepancy please contact us immediately.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search and preparation time.

Due to the COVID-19 outbreak, requesters may experience some delays with FOI requests at this time.

If you have any questions regarding this matter, please contact Eric Giang at 416-274-2927 or eric.giang@ontario.ca.

Yours truly,

Original signed by

Noel Kent Manager, Access and Privacy



GROUND WATER BRANCE NO. 2931

# WATED WELL RECORD

** == -	ER WE			, a-	
County or District	) <u> </u>	Township,	Village, Town or	City Sur	
Con II Lot		Date comp	(day	month	year)
Casing and Screen Reco				nping Test	
Inside diameter of casing.  Total length of casing. 33		Static lev	vel	7-	G.P.M.
Total length of casing 33		Test-pur	nping rate	20	G.F.IVI.
T		Pumping	g level	<b>z</b>	140
Length of screen		Water c	lear or cloudy at	end of test	CLEIN
Depth to top of screen  Diameter of finished hole	2.00	Recomm	nended pumping	rate	3 ½ G.P.M.
Diameter of finished noie		with	pumping level o	<u>f</u> 2	0
Well Log				iter Record	
Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	No. of feet water rises	Kind of water (fresh, salty, sulphur)
BLUE CLAY	0	35		_	
60=4 LIMES 3NA	32	67	65	65	FRESH
For what purpose(s) is the water to be us	ed?		Loca	ation of Well	11
CARBACING TRACK + BUD			In diagram belov	v show distances	of well from
·		ļ		e. Indicate nort	
Is well on upland, in valley, or on hillsi	dei				1
TP SARR	***************************************				
Drilling Firm F P SMAN					A <sup>v</sup>
Address 57,775 U	, 6 [ 8				¥1.5
Licence Number			oper manifest regulation of the control of the cont		The state of the s
Name of Driller C + 5/2,0	6.15		143'	.4	
Address			<b>e</b> e	/ -	
Date Duby 30 6 30 6 1 (Signature of Licensed Drilling Cont	. ks				
(Strenature of Licensed Drilling Cont	ractor)				
		1		į	



The Ontario Water Resources Commission Act

## WATER WELL RECORD

Water management in	Ontario 1. PRINT ONLY IN SP 2. CHECK X CORREC	T BOX WHERE APPLICABLE 1 2	1511	10 14	15 22 23 24 FTC 11 OT 25-27
CARLET	TON	TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE	Gaulbour	SCON., BLOCK, TRACT, SURVEY,	LOT 25-27  O29  DATE COMPLETED 48-53
		571775V11	LEC	ONTARIO	DAY 17 MO 7 YR 71
,		11NG RC. 01/5780 4	LOB/18	RC. BASIN CODE	1 1 47
	,	G OF OVERBURDEN AND BEDRO	OCK MATERIA	ALS (SEE INSTRUCTIONS)	DEPTH - FEET
GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS		GENERAL DESCRIPTION	FROM TO
			300	E CLAY  DROCK	25' 156
	LIMESTONE		DE	O ROEK	NO 160
31 / 1/2021	[ ]	M 1/4T.   .         .   .   .			
32	5305				65 75 80
1	ER RECORD	51 CASING & OPEN HOL		SIZE(S) OF OPENING (SLOT NO.)	-33 DIAMETER 34-38 LENGTH 39-40
WATER FOUND	KIND OF WATER  RESH 3   SULPHUR	DIAM. MATERIAL THICKNESS INCHES FI	DEPTH — FEET  ROM TO  13-16	MATERIAL AND TYPE	INCHES FEET DEPTH TO TOP 41-44 BO OF SCREEN
15-18	SALTY 4 MINERAL  FRESH 3 SULPHUR	10-11 1 STEEL 12 2 GALVANIZED 3 CONCRETE	0026	5	SEALING RECORD
20-23	SALTY 4 MINERAL ,	4 OPEN HOLE 19 17-18 1 STEEL 19 2 GALVANIZED	20-23	DEBTH SET AT - FEET	ERIAL AND TYPE (CEMENT GROUT, LEAD PACKER, ETC.)
25-28	SALTY 4 MINERAL  FRESH 3 SULPHUR  29	3 CONCRETE 4 OPEN HOLE		26 0 Ro	CK CUTTINGS
2 [	SALTY 4 MINERAL  FRESH 3 SULPHUR  34 BC	24-25     STEEL 26   2   GALVANIZED   3   CONCRETE	27-30	18-21 22-25 26-29 30-33 80	
	SALTY 4 MINERAL	4 OPEN HOLE			
71 PUMP	2 BAILER OOI	GPM. 15-16 17-18 HOURS MINS.	IN	DIAGRAM BELOW SHOW DISTANCES O	F WELL FROM ROAD AND
STATIC LEVEL	PUMPING	LEVELS DURING 2 ECOVERY  30 MINUTES 45 MINUTES 60 MINUTES 32-34 35-37	LO	T LINE. INDICATE NORTH BY ARROW.	
504 FEE	50 FEET 2000	TO FEET DO4 FEET FEET			
IF FLOWING.	38-41 PUMP INTAKE :	WATER AT END OF TEST 42  FEET 1 □ CLEAR CLOUDY			. '
RECOMMENDED PU	PUMP	43-45 RECOMMENDED 46-49 PUMPING RATE OOLO GPM.		YE!	<b>/</b>
50-53	200.2 GPM./FT. SPECIF		<u>.</u>	3√€	<u>.</u>
FINAL STATUS OF WELL	The supply by the supply by the supply by the supply by the supple by th	5 ABANDONED, INSUFFICIENT SUPPLY L 6 ABANDONED, POOR QUALITY 7 UNFINISHED		3.	.65 m²
WATER	55-56 1 OMESTIC 2 STOCK 3 IRRIGATION	5 ☐ COMMERCIAL 6 ☐ MUNICIPAL 7 ☐ PUBLIC SUPPLY	H	1 mile -	
USE C	A INDUSTRIAL OTHER	8 ☐ COOLING OR AIR CONDITIONING  9 ☐ NOT USED			30 31
METHOD	57 CABLE TOOL ROTARY (CONVENT		anua		
OF DRILLING	3 ☐ ROTARY (REVERSE 4 ☐ ROTARY (AIR) 5 ☐ AIR PERCUSSION	9 DRIVING	DRILLERS REMA	RKS:	
NAME OF WELL	CONTRACTOR	LICENCE NUMBER	DATA		ATE RECEIVED 63-68 80
ADDRESS	DAILLING	EET, OTTAWA, KI Y21	SOURCE  DATE OF INSE	PECTION INSPECTOR	
4 40	ER OR BORER	EE / CTTAWA KIY21	PEMARKS:		P
O SIGNATURE OF	DSAY GULO	SUBMISSION DATE	OFFICE		Name WI
OWRC C	COPY	DAYMOYR		X	



Ministry of the Environment

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

1532407

M	unicipality 5006	Con.	ı	1	1	ı	0	2
10	14	15				22	23	24

County as Division			T				Π _		
County or District			Township/Borough/C	ty/Town/Village	e		i	tract survey, etc.	Lot 25.27
Owner's surname	Carleton 28-47	First Name	Kanat Address	,			2	Date	30
Claridg	•		210 Gladsto	ne Ave.		001 Otta	wa,Onta	fompleted 18 ay	
21	υ † <b>M</b>	Zone Easting	Northing  1 1 1 18	24	RC Elev	vation K2P	Tasin Code		IV 
		LOG OF OVE	ERBURDEN AND BEI	DROCK MAT	TERIALS (	see instructio	ns)		
General colour	Most common mat	erial	Other materials			General d	lescription	Fror	Depth - feet
				· · · · · · · · · · · · · · · · · · ·				FIG	10
				····					
								l	
			-						
					-				
							_		
				<del> </del>	:				
					<u> </u>				
				· · · · · · · · · · · · · · · · · · ·	L				
31		لتلتليلا		حتنا لت					ا لىلىل
32 10 14	15 21		32	43		ـــــــا لـــــــــــــــــــــــــــــ	11111	1 65	75 80
	R RECORD		SING & OPEN HOLE			Sizes of op	ening 31-33		Length 39-40
Water found at - feet	Kind of water	Inside diam inches	Material Wall thickness inches	Depth -	To			inches	feet
	Fresh 3 Sulphur 14 Minerals	10-11 1 🗆	Steel 12 Galvanized		13-16	Material an	d type	Depth at	top of screen 41-44
15-18	Fresh 3 Sulphur 19	3 🗆	Concrete Open hole						feet
	Salty 6 Gas		Plastic		20-23			SEALING RECO	RD
	Fresh 3 Sulphur 24 Salty 5 Gas	2 🗎	Galvanized Concrete	1 1	2023	Depth set at -	Annular space feet	X Aband	
J	Fresh 3 Sulphur 29	4 🗆 (	Open hole Plastic			From	To Material	and type (Cement grou	
2 🗆	Fresh 4 ☐ Minerals Salty 6 ☐ Gas	24-25 1 🗆 :	Steel 26		27-30	6670 18-21		<u>inch hole p</u>	
	Fresh <sup>3</sup> Sulphur <sup>34</sup> Minerals	60 3 🗆 (	Galvanized Concrete Open hole			26-29	30-33 80	6 inch well	·
2	Salty 6 Gas		Plastic			20-23	3033   30		
Pumping test me	' "	11-14 Dur	ation of pumping 15-16 17-18 Hours Mins	1 [		1004	TION OF W		
Pump 2 [	later level 25			<b>┤</b>	III diagram	below show (			l lot line.
	nd of pumping water level	•		<u> </u>	Indicate n	orth by arrow.		-daz el	lean Rd
15	22-24 15 minutes 26-28	30 minutes 45 m	minutes 32-34 60 minutes 35-37				1		les ou
feet  If flowing give ra	te feet feet te Pump intake se	feet Wat	feet feet ter at end of test 42	Bloc	K211		1		LA RO
NO	GPM GPM	feet	☐ Clear ☐ Cloudy		ł				
Hecommended pu	Imp type Recommended pump setting		ecommended 46-49 imp rate	1	\	1	1		
50-53		feet	GPM	{	\	ł	1		
FINAL STATUS	OF WELL 54			il \	1.25	•	•		
<ol> <li>Water supp</li> <li>Observation</li> </ol>		d, insufficient supply d, poor quality	9 ☐ Unfinished 10 ☐ Replacement well	〜	V.	•			3
<ul> <li><sup>3</sup> ☐ Test hole</li> <li><sup>4</sup> ☐ Recharge v</li> </ul>	7 Abandone	d (Other)	•	`	274"	1	!		Drive
WATER USE	55-56			41		<u> </u>	<u> </u>		10
1 Domestic	5 Commercia	al	9 Not use			ardir	ne Dr	10 mg	ک
2 ☐ STOCK 3 ☐ Irrigation 4 ☐ Industrial	6 ☐ Municipal 7 ☐ Public sup 8 ☐ Cooling & a		10 Other	. /	the ,	~G	~ ~	eco	19
				][`-\	1	. م	cet o	ectours	Kincadine
METHOD OF C  1 ☐ Cable tool	ONSTRUCTION 57  5	sion	<sup>9</sup> □ Driving	$\parallel I \parallel$		Jest Cr	nuse		
<sup>2</sup> ☐ Rotary (cor <sup>3</sup> ☐ Rotary (rev	nventional) <sup>6</sup> 🔲 Boring		10 Digging 11 Other	/	(	ب.			
⁴ ☐ Rotary (air)				/				231	0290
Name of Well Contra	ctor	I V	Vell Contractor's Licence No.	Data		s Contractor	59-6	2   Date received	00.00
	Water Supply 1		1558	Source			<b>58</b> ***	NOV 28	2001
Address				І І ш Госко	of inspection		pector	1	~ 4 4 4
P.O. Box	490 Stittsv		rio K <b>O</b> S 1A6 Vell Technician's Licence No	8	rke				
S. Mille		ľ	TOO97	Remai	ino			<u></u>	د افعالمط
Signature of Technici		1 -	Submission date	≧				CSS	ו ללבו,
Howard			lay 19 <sub>mo</sub> 10 <sub>yr</sub> 0	μ [፮ ]				<u>.</u>	100) 5
2 - MINIST	RY OF THE ENV	IRONMENT	COPY					0506 (07	7/00) Front Form 9

Ontario  Ministry of the Environment  Measurements recorded in:   Metric Imperial	Well Tag No. (Place Sticker at		Well Record on 903 Ontario Water Resources Act Page of
Well Owner's Information  First Name   Communication  Mailing Address (Street Number/Name)  Well Location  Address of Well Location (Street Number/Name)	O Township	Province Postal Cod	e Telephone No. (inc. area code)  Concession
County/District/Municipality  UTM Coordinates Zone Easting  NAD 8 3 SA 29 3 50 5  Overburden and Bedrock Materials/Abandonment Sc  General Colour Most Common Material	Other Materials	lan AK-222	Province Postal Code Ontario Other Other Depth (m/ft) From To
6 01, 1120	vell Mar	CONTRA	0 34
Depth Set at (m/ft) Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)	Results of W After test of well yield, water was:  Clear and sand free Other, specify	Draw Down   Recovery   Time   Water Level   (min)   (m/ft)   (min)   (m/ft)
Method of Construction	Well Use	If purpoing discontinued, give reason  Pump intake sat at (m/ft)  Pumping rate (l/min / SPM)	Static Level 1 1 2 2 3 3
Cable Tool Diamond Public Rotary (Conventional) Jetting Domestic Rotary (Reverse Driving Livestock Boring Digging Irrigation Air pocussion Industrial Other, specify Other, specify	Commercial Not used Dewatering Test Hole Monitoring Cooling & Am Conditioning	Duration of pumping hrs + min Final water level end of pumping (m/f	4 4 5 5 5 10 10 15 15
Inside Diameter (cm/in) Concrete, Plastic, Steel) Construction Record - Casing  Wall Thickness (cm/in) From	th (m/ft) Water Supply To Replacement Well Test Hole Recharge Well Dewatering Well Observation and/or	Recommended pump depth (m/ft)  Recommended pump rate (l/min / GPM)  Well production (l/min / GPM)	20 20 25 25 30 30 40 40
Diameter Control States States	Monitoring Hole Alteration (Construction) Abandoned, insufficient Supply Abandoned, Poor Water Quality Abandoned, other,	Please provide a map below following	50 50 60 Vell Location g instructions on the back.
(cm/in) (Plastic, Galvanized Steel) From  Water Details  Water found at Depth Kind of Water: Fresh Unitestee	NOT USEAS  Other, specify  Hole Diameter	E Q	AKM7 Terry
(m/ft) Gas Other specify  Water found at Depth Kind of Water. Fresh Unteste (m/ft) Gas Other, specify  Water found at Depth Kind of Water. Fresh Unteste (m/ft) Gas Other, specify  Well Contractor and Well Technici  Business Name of Well Contractor.	From To (cm/in)	285 L	azeldean
Business Address (Street Number/Name)  Province Postal Code Business E-mail Address (Street Number/Name)  Bus. Telephone No. (inc. area code) Name of Well Technician	Co LTO 1119.  Municipality  ECHNOWD	Well owner's Date Package Delive	Ministry Use Only Audit No. 7
Well Technician's Licence No. Signature of Technician and/or C	niers ken	Date Work Complete	Received  Queen's Printer for Ontario, 2007

#### **Mandy Witteman**

From: Public Information Services <publicinformationservices@tssa.org>

May 12, 2021 8:20 AM Sent: To: Mandy Witteman

Subject: RE: Search records request (PE5304)

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

#### NO RECORD FOUND

Hello Mandy,

Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses:

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx? mid =392 and email the completed form to publicinformationservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards.

Saara



#### **Public Information Agent**

Facilities and Business Services 345 Carlingview Drive Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.org









From: Mandy Witteman < MWitteman@Patersongroup.ca>

Sent: May 11, 2021 4:09 PM

To: Public Information Services < publicinformationservices@tssa.org>

Subject: Search records request (PE5304)

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good Afternoon,

Could you please complete a search of your records for underground/aboveground storage tanks, historical spills or other incidents/infractions for the following addresses in Ottawa, ON:

Hazeldean Rd: 560, 590, 5527, 5487, 5497

Thank you

Cheers,

Mandy Witteman, B.Eng., M.A.Sc.

## patersongroup

solution oriented engineering over 60 years servicing our clients

154 Colonnade Road South Ottawa, Ontario, K2E 7J5 Tel: (613) 226-7381 Ext. 339

Cell: (403) 921-1157

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Office Use Only						
Application Number:	Ward Number:	Application Received:	(dd/mm/yyyy):			
Client Service Centre Staff:		Fee Received: \$				



## **Historic Land Use Inventory**

#### **Application Form**

#### **Notice of Public Record**

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

#### **Municipal Freedom of Information and Protection Act**

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning Infrastructure and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

		Background Ir	formation			
*Site Address or Location:	560 Hazeldean Road, Ottawa ON					
	* Mandatory Field					
Applicant/Agent I	nformation:					
Name:	Mandy Witteman					
Mailing Address:	154 Colonnade Road SouthOttawa, Ontario, K2E 7J5					
Telephone:	403-921-1157	Email Address:	MWitteman@Patersongroup.ca			
Registered Prope	rty Owner Information:	Same as abov	ve			
Name:	Evan Garfinkel					
Mailing Address:	1727 Woodward Drive, Ottawa, ON					
Telephone:	613-230-2100 x. 6004	Email Address:	egarfinkel@regionalgroup.com			

Page 1 of 3 January 1, 2021

Site Details	
Legal Description and PIN:  Part of Lot 29, Concession 10, Goulbourn, now the City of Ottawa.	
What is the land currently used for?	
Lot frontage: m Lot depth: m Lot area: m²  OR Lot area: (irregular lot) 91600 m²  Does the site have Full Municipal Services: • Yes	
D 15	
Required Fees	
Please don't hesitate to visit the Historic Land Use Inventory website more information. Fees must be paid in full at the time of application submission.	
Planning Fee	\$128.00

#### **Submittal Requirements**

The following are required to be submitted with this application:

- 1. Consent to Disclose Information: Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner. This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. **Disclaimer:** Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Infrastructure and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3. A site plan or key plan of the property, its location and particular features.
- 4. Any significant dates or time frames that you would like researched.

Page 2 of 3 January 1, 2021

## Disclaimer For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to	Paterson Group Inc.	("the Requester") does so only under the following
conditions and understanding:		

- 1. The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.
- 2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
- 3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
- 4. Copyright is reserved to the City.
- 5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
- 6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
- 7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed:

Dated (dd/mm/yyyy): 10/0352021

Per: Mandy Witteman
(Please print name)

Title: Environmental Consultant
Company: Paterson Group Inc.

# patersongroup

#### **Consulting Engineers**

May 10, 2021 File: PE5304-HLUI 154 Colonnade Road South Ottawa, Ontario Canada, K2E 7J5 Tel: (613) 226-7381 Fax: (613) 226-6344

City of Ottawa 110 Laurier Avenue W Ottawa, Ontario K1P 1J1 Geotechnical Engineering Environmental Engineering Hydrogeology Geological Engineering Materials Testing Building Science Archaeological Services

Subject: Authorization Letter, HLUI Search

www. paterson group. ca

**Phase I-Environmental Site Assessment Update** 

560 Hazeldean Road, Ottawa, ON

Dear Sir

Please consider this letter as confirmation that Paterson Group has been retained to conduct a Phase I-Environmental Site Assessment at the aforementioned property.

With this letter, the property owner authorizes the City of Ottawa and other regulatory bodies to release, to Paterson Group, information requested for the purpose of completing an environmental assessment of the property.

Name of Company/Property Owner:	
Name of Representative	
Signature of Representative	
Date	



Project Property: PE5129 - 560 Hazeldean Rd, Ottawa

PE5129 - 560 Hazeldean Rd, Ottawa

Stittsville ON K2S 0N9

Project No: 31370

Report Type: Quote - Custom-Build Your Own Report

**Order No:** 20321400060

Requested by: Paterson Group Inc.

Date Completed: December 17, 2020

#### **Table of Contents**

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	11
Map	17
Aerial	
Topographic Map	19
Detail Report	20
Unplottable Summary	53
Unplottable Report	55
Appendix: Database Descriptions	
Definitions	82

#### Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

### **Executive Summary**

_	
Property	Information:

**Project Property:** PE5129 - 560 Hazeldean Rd, Ottawa

PE5129 - 560 Hazeldean Rd, Ottawa Stittsville ON K2S 0N9

Order No: 20321400060

Project No: 31370

**Order Information:** 

Order No: 20321400060
Date Requested: December 14, 2020
Requested by: Paterson Group Inc.

Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

### Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	2	2
CA	Certificates of Approval	Y	0	1	1
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Υ	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Υ	0	0	0
ECA	Environmental Compliance Approval	Υ	0	3	3
EEM	Environmental Effects Monitoring	Υ	0	0	0
EHS	ERIS Historical Searches	Υ	0	2	2
EIIS	Environmental Issues Inventory System	Υ	0	0	0
EMHE	Emergency Management Historical Event	Υ	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Υ	0	0	0
FCON	Federal Convictions	Υ	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	28	28
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Υ	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Υ	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Υ	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Υ	0	0	0
PES	Pesticide Register	Υ	0	3	3
PINC	Pipeline Incidents	Υ	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Υ	0	0	0
PTTW	Permit to Take Water	Υ	0	1	1
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	2	2
SRDS	Wastewater Discharger Registration Database	Υ	0	0	0
TANK	Anderson's Storage Tanks	Υ	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR WDS	Variances for Abandonment of Underground Storage Tanks Waste Disposal Sites - MOE CA Inventory	Y Y	0	0	0
WDSH	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
	Waste Disposal Sites - MOE 1991 Historical Approval Inventory		-		-
WWIS	Water Well Information System	Y	0	5	5
		Total:	0	47	47

### Executive Summary: Site Report Summary - Project Property

MapDBCompany/Site NameAddressDir/Dist (m)Elev diffPageKey(m)Number

No records found in the selected databases for the project property.

### Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	GEN	TMG ROCK CONTRACTORS LTD	575 HAZELDEAN ROAD KANATA ON	WNW/33.1	-0.72	<u>20</u>
1	GEN	TMG ROCK CONTRACTORS LTD.	575 HAZELDEAN ROAD KANATA ON	WNW/33.1	-0.72	<u>20</u>
<u>2</u>	wwis		lot 29 con 11 ON <i>Well ID</i> : 1502931	NNW/44.7	-0.91	<u>20</u>
<u>3</u>	EHS		538 Hazeldean Road Ottawa (Kanata) ON	NNW/59.1	-1.00	<u>23</u>
<u>4</u>	EHS		5618 Hazeldean Rd,5786&5657 Fernbank Rd,1489&1545 Shea Rd Ottawa ON	SE/73.1	1.00	<u>23</u>
<u>5</u> .	BORE		ON	N/118.2	-0.75	<u>23</u>
<u>6</u>	wwis		lot 30 con 11 ON <i>Well ID</i> : 7263441	ESE/118.3	0.00	<u>24</u>
<u>7</u> *	wwis		lot 30 con 2 ON <i>Well ID</i> : 1532407	NE/158.7	0.00	<u>25</u>
<u>8</u> *	wwis		613 HAZELDEAN ROAD con 12 KANATA ON Well ID: 7113120	WNW/165.1	0.00	<u>26</u>
9	BORE		ON	W/179.7	0.00	<u>28</u>
<u>10</u>	WWIS		lot 29 con 11 ON <i>Well ID:</i> 1511288	W/179.7	0.00	<u>29</u>
<u>11</u>	GEN	Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>31</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>11</u>	GEN	Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON	WNW/194.2	-1.00	<u>32</u>
<u>11</u>	GEN	Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>32</u>
<u>11</u>	GEN	Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON	WNW/194.2	-1.00	<u>32</u>
<u>11</u>	GEN	Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON	WNW/194.2	-1.00	<u>32</u>
<u>11</u>	GEN	Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>33</u>
<u>11</u>	GEN	Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>34</u>
<u>11</u>	GEN	Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>35</u>
<u>11</u>	GEN	Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>35</u>
<u>11</u>	GEN	Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>36</u>
<u>11</u>	GEN	Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>36</u>
<u>11</u>	GEN	Value Village Stores Value Village Store 2120	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>37</u>
<u>11</u>	GEN	Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>38</u>
<u>11</u>	GEN	Value Village Stores Value Village Store 2120	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>39</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>11</u>	GEN	Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	WNW/194.2	-1.00	<u>40</u>
12	GEN	Richcraft Group Of Companies	590 Hazeldean Rd. Ottawa ON K1G 4K1	S/244.6	2.00	<u>41</u>
<u>12</u>	ECA	2118356 Ontario Inc.	590 Hazeldean Rd (Part of Lot 29, Concession 11) Ottawa ON K1G 4K1	S/244.6	2.00	<u>41</u>
12	PTTW	2118356 Ontario Inc.	590 Hazeldean Road Part of Lot 29, Concession 11 Ottawa, ON Canada ON	S/244.6	2.00	<u>42</u>
<u>13</u>	ECA	City of Ottawa	Ottawa ON K1P 1J1	SSE/249.5	1.00	<u>42</u>
<u>14</u>	SPL	Sobeys Capital Incorporated	700 Terry Fox Drive Ottawa ON	NNE/249.9	1.00	<u>43</u>
<u>14</u>	GEN	Sobeys Pharmacy	700 Terry Fox Dr Kanata ON K2L 4H4	NNE/249.9	1.00	<u>43</u>
<u>14</u>	SPL		700 Terry Fox Drive, Kanata Ottawa ON	NNE/249.9	1.00	<u>43</u>
14	GEN	Sobeys Pharmacy #7217	700 Terry Fox Dr Kanata ON K2L 4H4	NNE/249.9	1.00	<u>44</u>
<u>15</u>	CA	Lowe's Companies Canada, ULC	5577 Hazeldean Rd Ottawa ON K2S 0P5	W/249.9	0.00	<u>44</u>
<u>15</u>	PES	LOWE'S COMPANIES CDA	5577 HAZELDEAN RD OTTAWA ON K2S 0P5	W/249.9	0.00	<u>44</u>
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	W/249.9	0.00	<u>45</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>15</u>	PES	LOWE'S COMPANIES CDA	5577 HAZELDEAN RD OTTAWA ON K2S0P5	W/249.9	0.00	<u>45</u>
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	W/249.9	0.00	<u>45</u>
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON	W/249.9	0.00	<u>46</u>
<u>15</u>	ECA	Lowe's Companies Canada, ULC	5577 Hazeldean Rd Ottawa ON M2N 6L9	W/249.9	0.00	<u>46</u>
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	W/249.9	0.00	<u>46</u>
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	W/249.9	0.00	<u>47</u>
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	W/249.9	0.00	48
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	W/249.9	0.00	<u>49</u>
<u>15</u>	GEN	Lowe's Home Centres(Canada), Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	W/249.9	0.00	<u>50</u>
<u>15</u>	PES	LOWE'S COMPANIES CANADA, ULC	5577 HAZELDEAN RD STITTSVILLE ON K2S 0P5	W/249.9	0.00	<u>51</u>

### Executive Summary: Summary By Data Source

#### **BORE** - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 2 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
	ON	118.2	<u>5</u>
	ON	179.7	<u>9</u>

#### **CA** - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 1 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
Lowe's Companies Canada, ULC	5577 Hazeldean Rd Ottawa ON K2S 0P5	249.9	<u>15</u>

#### **ECA** - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Nov 30, 2020 has found that there are 3 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
2118356 Ontario Inc.	590 Hazeldean Rd (Part of Lot 29, Concession 11) Ottawa ON K1G 4K1	244.6	<u>12</u>
City of Ottawa	Ottawa ON K1P 1J1	249.5	<u>13</u>
Lowe's Companies Canada, ULC	5577 Hazeldean Rd Ottawa ON M2N 6L9	249.9	<u>15</u>

Site Address Distance (m) Map Key

#### **EHS** - ERIS Historical Searches

A search of the EHS database, dated 1999-Oct 31, 2020 has found that there are 2 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	538 Hazeldean Road Ottawa (Kanata) ON	59.1	<u>3</u>
	5618 Hazeldean Rd,5786&5657 Fernbank Rd, 1489&1545 Shea Rd Ottawa ON	73.1	<u>4</u>

#### **GEN** - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2020 has found that there are 28 GEN site(s) within approximately 0.25 kilometers of the project property.

Site TMG ROCK CONTRACTORS LTD	Address 575 HAZELDEAN ROAD KANATA ON	Distance (m) 33.1	<u>Map Key</u> <u>1</u>
TMG ROCK CONTRACTORS LTD.	575 HAZELDEAN ROAD KANATA ON	33.1	<u>1</u>
Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	194.2	<u>11</u>
Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON	194.2	<u>11</u>
Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	194.2	<u>11</u>
Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON	194.2	<u>11</u>

Site	<u>Address</u>	Distance (m)	Map Key
Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON	194.2	<u>11</u>
Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	194.2	<u>11</u>
Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	194.2	<u>11</u>
Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	194.2	<u>11</u>
Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	194.2	<u>11</u>
Value Village Stores	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	194.2	<u>11</u>
Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	194.2	<u>11</u>
Value Village Stores Value Village Store 2120	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	194.2	<u>11</u>
Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	194.2	<u>11</u>
Value Village Stores Value Village Store 2120	5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	194.2	<u>11</u>
Bed Bath & Beyond Canada LP	5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5	194.2	<u>11</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
Richcraft Group Of Companies	590 Hazeldean Rd. Ottawa ON K1G 4K1	244.6	12
Sobeys Pharmacy #7217	700 Terry Fox Dr Kanata ON K2L 4H4	249.9	<u>14</u>
Sobeys Pharmacy	700 Terry Fox Dr Kanata ON K2L 4H4	249.9	<u>14</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	249.9	<u>15</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	249.9	<u>15</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	249.9	<u>15</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	249.9	<u>15</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	249.9	<u>15</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON	249.9	<u>15</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	249.9	<u>15</u>
Lowe's Home Centres(Canada),Inc.	5577 Hazeldean Rd. Ottawa ON K2S 0P5	249.9	<u>15</u>

#### PES - Pesticide Register

A search of the PES database, dated Oct 2011-Nov 30, 2020 has found that there are 3 PES site(s) within approximately 0.25 kilometers of the project property.

Site LOWE'S COMPANIES CANADA, ULC	Address 5577 HAZELDEAN RD STITTSVILLE ON K2S 0P5	Distance (m) 249.9	<u>Map Key</u> <u>15</u>
LOWE'S COMPANIES CDA	5577 HAZELDEAN RD OTTAWA ON K2S 0P5	249.9	<u>15</u>
LOWE'S COMPANIES CDA	5577 HAZELDEAN RD OTTAWA ON K2S0P5	249.9	<u>15</u>

#### PTTW - Permit to Take Water

A search of the PTTW database, dated 1994-Oct 31, 2020 has found that there are 1 PTTW site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
2118356 Ontario Inc.	590 Hazeldean Road Part of Lot 29, Concession 11 Ottawa, ON Canada ON	244.6	<u>12</u>

#### SPL - Ontario Spills

A search of the SPL database, dated 1988-Nov 2019 has found that there are 2 SPL site(s) within approximately 0.25 kilometers of the project property.


Order No: 20321400060


<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	700 Terry Fox Drive, Kanata Ottawa ON	249.9	<u>14</u>
Sobeys Capital Incorporated	700 Terry Fox Drive Ottawa ON	249.9	<u>14</u>

#### **WWIS** - Water Well Information System

A search of the WWIS database, dated Apr 30, 2020 has found that there are 5 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
	lot 29 con 11 ON	44.7	<u>2</u>
	<b>Well ID:</b> 1502931		
	lot 30 con 11 ON	118.3	<u>6</u>
	<b>Well ID:</b> 7263441		
	lot 30 con 2 ON	158.7	<u>7</u>
	<b>Well ID:</b> 1532407		
	613 HAZELDEAN ROAD con 12 KANATA ON	165.1	<u>8</u>
	<b>Well ID:</b> 7113120		
	lot 29 con 11 ON	179.7	<u>10</u>
	<b>Well ID:</b> 1511288		





Aerial Year: 2015

Address: PE5129 - 560 Hazeldean Rd, Ottawa, Stittsville, ON

Source: ESRI World Imagery

Order Number: 20321400060



## **Topographic Map**

Address: PE5129 - 560 Hazeldean Rd, Ottawa, ON

Source: ESRI World Topographic Map

Order Number: 20321400060



## **Detail Report**

	Numbei Record:		Direction/ Distance (m	Elev/Diff ) (m)	Site		DB
1 1	of 2		WNW/33.1	97.2 / -0.72	TMG ROCK CONTRA 575 HAZELDEAN RO KANATA ON		GEN
Generator No:		ON0809	9802		PO Box No:		
Status:		02 02 0	7 00		Country: Choice of Contact:		
Approval Years Contam. Facility	y:	92,93,97	7,90		Co Admin:		
MHSW Facility: SIC Code:		4219			Phone No Admin:		
SIC Description	) <i>:</i>		OTHER SITE WO	ORK			
<u>Detail(s)</u>							
Waste Class:			252				
Waste Class De	esc:		WASTE OILS & I	LUBRICANTS			
1 2	of 2		WNW/33.1	97.2 / -0.72	TMG ROCK CONTRA 575 HAZELDEAN RO KANATA ON		GEN
Generator No:		ON0809	802		PO Box No:		
Status: Approval Years		99,00,0	1		Country: Choice of Contact:		
Contam. Facility MHSW Facility:					Co Admin: Phone No Admin:		
SIC Code: SIC Description	) <i>:</i>	4219	OTHER SITE WO	ORK			
Detail(s)							
Waste Class: Waste Class De	esc:		252 WASTE OILS & I	LUBRICANTS			
<u>2</u> 1	of 1		NNW/44.7	97.0 / -0.91	lot 29 con 11 ON		wwis
Well ID:		150293	1		Data Entry Status:		
Construction Da Primary Water U		Comme	rical		Data Src: Date Received:	1 9/7/1960	
Sec. Water Use:		0	noai		Selected Flag:	Yes	
Final Well Statu Water Type:	ıs:	Water S	upply		Abandonment Rec: Contractor:	4824	
Casing Material	l:				Form Version:	1	
Audit No:					Owner: Street Name:		
Tag: Construction Me	lethod:				County:	OTTAWA	
Elevation (m): Elevation Reliab	bilitv:				Municipality: Site Info:	GOULBOURN TOWNSHIP	
Depth to Bedroo					Lot:	029	
Well Depth: Overburden/Bed	drock:				Concession: Concession Name:	11 CON	
Pump Rate:					Easting NAD83:		

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/150\1502931.pdf

#### **Bore Hole Information**

**Bore Hole ID:** 10024974 **Elevation:** 97.528938

DP2BR: 32 Elevro:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:
 429530.6

 Code OB Desc:
 Bedrock
 North83:
 5015632

Open Hole: Org CS:

 Cluster Kind:
 UTMRC:
 5

 Date Completed:
 7/14/1960
 UTMRC Desc:
 m

Date Completed: 7/14/1960 UTMRC Desc: margin of error: 100 m - 300 m

Remarks: Location Method: Elevrc Desc:

#### Overburden and Bedrock

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

**Formation ID:** 930995599

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 32
Formation End Depth UOM: ft

#### Overburden and Bedrock

Materials Interval

 Formation ID:
 930995600

 Layer:
 2

Color: 2
General Color: GREY
Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 32
Formation End Depth: 67
Formation End Depth UOM: ft

#### Method of Construction & Well

<u>Use</u>

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Method Construction ID: 961502931

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

#### Pipe Information

Pipe ID: 10573544

Casing No: Comment: Alt Name:

#### Construction Record - Casing

**Casing ID:** 930042730

Layer: 2

Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 67
Casing Diameter: 4
Casing Diameter UOM: inch
Casing Depth UOM: ft

#### Construction Record - Casing

**Casing ID:** 930042729

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 33
Casing Diameter: 4
Casing Diameter UOM: inch
Casing Depth UOM: ft

#### Results of Well Yield Testing

**Pump Test ID:** 991502931

Pump Set At:

Static Level: 0
Final Level After Pumping: 20
Recommended Pump Depth: 20
Pumping Rate: 4
Flowing Rate:
Recommended Pump Rate: 4
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code:

Water State After Test:

Pumping Test Method:

Pumping Duration HR:

Pumping Duration MIN:

O

Flowing:

No

#### Water Details

*Water ID:* 933455746

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 65

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Found Depth UOM:

1 of 1 NNW/59.1 96.9 / -1.00 538 Hazeldean Road 3 **EHS** Ottawa (Kanata) ON

20091006004 Order No: Nearest Intersection: Status: С Municipality:

Standard Report Client Prov/State: ON Report Type: Report Date: 10/15/2009 Search Radius (km): 0.25 Date Received: 10/6/2009 X: -75.898995

Previous Site Name: Y: 45.290891 Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Sire Plans

ft

4 1 of 1 SE/73.1 98.9 / 1.00 5618 Hazeldean Rd,5786&5657 Fernbank Rd, **EHS** 1489&1545 Shea Rd

Ottawa ON

20080212020 Iber Road and Abbott Street East Order No: Nearest Intersection:

Municipality: Status:

Report Type: **Custom Report** Client Prov/State: ON Report Date: 2/22/2008 Search Radius (km): 0.25 Date Received: 2/12/2008 -75.895363 X:

Y: 45.285938 Previous Site Name: Lot/Building Size: Greater than 500 Acres

Additional Info Ordered:

5 1 of 1 N/118.2 97.1 / -0.75 **BORE** ON

Order No: 20321400060

Borehole ID: 609638 Inclin FLG: No OGF ID: 215511254 SP Status: Initial Entry Status: Surv Elev:

No Type: Borehole Piezometer: No

Use: Primary Name: Completion Date: Municipality: Static Water Level: Lot: Primary Water Use: Township:

Sec. Water Use: Latitude DD: 45.291111 -999 Longitude DD: -75.897778 Total Depth m:

**Ground Surface** UTM Zone: Depth Ref: 18 Depth Elev: Easting: 429601

Drill Method: Northing: 5015682 Orig Ground Elev m: 96 Location Accuracy:

Elev Reliabil Note: Not Applicable Accuracy:

100 DEM Ground Elev m: Concession: Location D:

**Borehole Geology Stratum** 

Geology Stratum ID: 218383694 Mat Consistency: Top Depth: 0 Material Moisture:

Bottom Depth: 9.8 Material Texture: Material Color: Non Geo Mat Type: Clay Material 1: Geologic Formation:

Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Survey D: Comments:

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Gsc Material Description:

Stratum Description: CLAY.

Geology Stratum ID: 218383695 Mat Consistency: Top Depth: 9.8 Material Moisture: Material Texture:

Bottom Depth:

Material Color: Grey Non Geo Mat Type: Bedrock Material 1: Geologic Formation: Material 2: Limestone Geologic Group: Material 3: Geologic Period: Depositional Gen: Material 4:

Gsc Material Description:

BEDROCK, LIMESTONE. LIMESTONE. GREY. 00021IC VELOCITY = 5500. BEDROCK. SEISMIC VELOCITY = Stratum Description:

\*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

<u>Source</u>

Source Type: **Data Survey** Source Appl: Spatial/Tabular

Geological Survey of Canada Source Orig: Source Iden: 1 Source Date: 1956-1972 Scale or Res: Varies NAD27 Confidence: М Horizontal:

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: OTTAWA1.txt RecordID: 021460 NTS\_Sheet: 31G05D

Confiden 1: Reliable information but incomplete.

Source List

Source Identifier: Horizontal Datum: NAD27

Source Type: Data Survey Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Universal Transverse Mercator Projection Name:

Varies Scale or Resolution:

Urban Geology Automated Information System (UGAIS) Source Name:

Source Originators: Geological Survey of Canada

1 of 1 ESE/118.3 97.9 / 0.00 lot 30 con 11 6 **WWIS** ON

Order No: 20321400060

7263441 Data Entry Status: Well ID: Yes

Construction Date: Data Src:

Primary Water Use: Date Received: 5/24/2016 Sec. Water Use: Selected Flag: Yes Final Well Status: Abandonment Rec:

Water Type: Contractor: 1844 Casing Material: Form Version: 8

Audit No: C21241 Owner: Tag: A140418 Street Name:

County: **Construction Method: OTTAWA** Municipality: **GOULBOURN TOWNSHIP** Elevation (m):

Elevation Reliability: Site Info: Depth to Bedrock: 030 Lot:

Well Depth: Concession: 11 Overburden/Bedrock: CON Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map):

**Bore Hole Information** 

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Bore Hole ID: 1006005783 Elevation:

DP2RR Elevrc: Spatial Status: Zone: 18 Code OB: East83: 430007 5015200 Code OB Desc: North83: Open Hole: Org CS: MTM09

Cluster Kind: **UTMRC:** 5 Date Completed: 2/15/2013 UTMRC Desc: margin of error: 100 m - 300 m

Remarks: Location Method:

Elevrc Desc:

Improvement Location Source: Improvement Location Method:

Source Revision Comment:

Location Source Date:

Supplier Comment:

7 1 of 1 NE/158.7 97.9 / 0.00 lot 30 con 2 **WWIS** ON

Well ID: 1532407 Data Entry Status:

Construction Date: Data Src:

11/28/2001 Primary Water Use: Date Received:

Sec. Water Use: Selected Flag: Yes Final Well Status: Abandoned-Other Abandonment Rec:

Contractor: 1558 Water Type:

Casing Material: Form Version: 1 230290

Audit No: Owner: Tag: Street Name:

Construction Method: County: **OTTAWA** 

MARCH TOWNSHIP Elevation (m): Municipality: Elevation Reliability: Site Info:

030 Depth to Bedrock: Lot: 02 Well Depth: Concession: Overburden/Bedrock: Concession Name: CON

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/153\1532407.pdf

**Bore Hole Information** 

Bore Hole ID: 10516857 100.838996 Elevation:

DP2BR: Elevrc:

Spatial Status: Improved Zone: 18 Code OB: 429748 East83: Code OB Desc: No formation data North83: 5015661 Open Hole: Org CS: N83 Cluster Kind: **UTMRC**:

Date Completed: 10/18/2001 UTMRC Desc: margin of error: 10 - 30 m

Location Method: Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: 1999-2004 MOE Water Well Data Improvement Project

Improvement Location Method:

**Source Revision Comment:** Northing and/or Easting field has been changed. Reasonably sure well location matches sketch map (similar

features).approx using road names only

Supplier Comment: Accuracy was not specified from source. Within 20m horizontal accuracy assumed as worst case using GIS at a

scale of 1:10000.

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

**WWIS** 

Order No: 20321400060

10/14/2008

Method of Construction & Well

<u>Use</u>

961532407 Method Construction ID:

**Method Construction Code:** 

**Method Construction:** Not Known

Other Method Construction:

Pipe Information

11065427 Pipe ID:

Casing No: Comment: Alt Name:

> 8 1 of 1 WNW/165.1 97.9 / 0.00 613 HAZELDEAN ROAD con 12 KANATA ON

Well ID: 7113120 Data Entry Status:

Construction Date: Data Src: Primary Water Use: Date Received:

Sec. Water Use: Selected Flag: Yes Final Well Status: Abandoned-Other Abandonment Rec: Yes

Water Type: Contractor: 1119 Casing Material: Form Version:

Audit No: Z82428 Owner: Tag: Street Name: 613 HAZELDEAN ROAD

**Construction Method: OTTAWA** County:

Municipality: MARCH TOWNSHIP Elevation (m):

Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: 12

Overburden/Bedrock: Concession Name: Easting NAD83: Pump Rate: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: UTM Reliability: Flow Rate:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/711\7113120.pdf

**Bore Hole Information** 

Bore Hole ID: 1001837108 95.994171 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: 429131 East83: Code OB Desc: 5015531 North83: Org CS: UTM83 Open Hole: Cluster Kind: UTMRC:

Date Completed: 9/22/2008 **UTMRC Desc:** margin of error : 10 - 30 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

**Formation ID:** 1002432357

Layer: Color:

Formation Top Depth:

Formation End Depth:

•

General Color:

Mat1: 27
Most Common Material: OTHER

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

0 34

ft

Annular Space/Abandonment

Formation End Depth UOM:

Sealing Record

**Plug ID:** 1002432359

 Layer:
 1

 Plug From:
 34

 Plug To:
 0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1002432363

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

**Pipe ID:** 1002432356

Casing No: Comment:

Construction Record - Casing

Casing ID: 1002432361

Layer: Material:

Alt Name:

Open Hole or Material:

Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:

Casing Diameter UOM: inch Casing Depth UOM: ft

**Construction Record - Screen** 

**Screen ID:** 1002432362

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Water Details

Water ID: 1002432360

Layer: Kind Code:

Kind:

Water Found Depth:

ft Water Found Depth UOM:

**Hole Diameter** 

Hole ID: 1002432358

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

> 9 1 of 1 W/179.7 97.9 / 0.00 **BORE** ON

Borehole ID: 609632 Inclin FLG: No OGF ID: 215511248 SP Status: Initial Entry

Status:

Type: Borehole Use: Completion Date: JUL-1971 Static Water Level: -29.0

Primary Water Use:

Sec. Water Use: Total Depth m: 47.5

Depth Ref: **Ground Surface** 

Depth Elev: Drill Method:

Orig Ground Elev m: 96.9

Elev Reliabil Note: DEM Ground Elev m: 96.3

Concession: Location D: Survey D: Comments:

Surv Elev: No No

Piezometer: Primary Name: Municipality:

Lot:

Township:

Latitude DD: 45.289443 Longitude DD: -75.903936 UTM Zone: 18 Easting: 429116 Northing: 5015502

Location Accuracy:

Accuracy: Not Applicable

**Borehole Geology Stratum** 

Geology Stratum ID: 218383681 Mat Consistency: Top Depth: Material Moisture: 7.6 Bottom Depth: 47.5 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Limestone Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period:

Gsc Material Description:

LIMESTONE. 00150 STABLE AT 415.0 FEET.. LIMESTONE. GREY. 00111SEISMIC VELOCITY = 11500 \*\*Note: Stratum Description:

Many records provided by the department have a truncated [Stratum Description] field.

Depositional Gen:

Geology Stratum ID: 218383680 Mat Consistency: Top Depth: 0 Material Moisture: Bottom Depth: 7.6 Material Texture: Material Color: Blue Non Geo Mat Type: Material 1: Clay Geologic Formation: Material 2: Geologic Group:

Material 4:

Number of Direction/ Elev/Diff Site DΒ Map Key

> Records Distance (m) (m)

Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: CLAY. BLUE.

<u>Source</u>

Data Survey Spatial/Tabular Source Type: Source Appl:

Source Orig: Geological Survey of Canada Source Iden: 1 Source Date: 1956-1972 Scale or Res: Varies NAD27 Confidence: Horizontal:

Observatio: Verticalda: Mean Average Sea Level

Urban Geology Automated Information System (UGAIS) Source Name:

Source Details: File: OTTAWA1.txt RecordID: 02140 NTS\_Sheet:

Confiden 1:

Source List

Source Identifier: NAD27 Horizontal Datum:

Source Type: **Data Survey** Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Projection Name: Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Geological Survey of Canada Source Originators:

10 1 of 1 W/179.7 97.9 / 0.00 lot 29 con 11 **WWIS** ON

Street Name:

4

Order No: 20321400060

Well ID: 1511288 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 7/30/1971 Domestic Sec. Water Use: Selected Flag: Yes

Water Supply Final Well Status: Abandonment Rec:

Contractor: 2425 Water Type: Casing Material: Form Version: Owner:

Audit No: Tag:

**Construction Method:** 

County: **OTTAWA** Municipality: Elevation (m): **GOULBOURN TOWNSHIP** 

Elevation Reliability: Site Info:

029 Depth to Bedrock: Lot: Well Depth: Concession: 11 Overburden/Bedrock: Concession Name: CON

Easting NAD83: Pump Rate: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/151\1511288.pdf

**Bore Hole Information** 

10033284 96.31501 Bore Hole ID: Elevation:

DP2BR: 25 Elevrc:

Spatial Status: Zone: 18

429115.6 Code OB: East83: Code OB Desc: **Bedrock** North83: 5015502

Open Hole: Org CS: Cluster Kind: **UTMRC:** 

7/17/1971 UTMRC Desc: margin of error: 30 m - 100 m Date Completed:

Remarks: Location Method: Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

### Overburden and Bedrock

Materials Interval

**Formation ID:** 931017244

Layer: 2

Color:

General Color:

**Mat1:** 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 25
Formation End Depth: 156
Formation End Depth UOM: ft

## Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931017243

 Layer:
 1

 Color:
 3

 General Color:
 BLUE

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 25
Formation End Depth UOM: ft

#### Method of Construction & Well

<u>Use</u>

Method Construction ID:961511288Method Construction Code:1Method Construction:Cable Tool

Other Method Construction: Capie 100

## Pipe Information

 Pipe ID:
 10581854

 Casing No:
 1

Comment: Alt Name:

#### Construction Record - Casing

 Casing ID:
 930059073

 Layer:
 1

Material: 1
Open Hole or Material: STEEL

Map Key Number of Records Direction/ Elev/Diff Site Depth From:

Depth From.

Depth To:

Casing Diameter:

Casing Diameter UOM:

inch

Casing Depth UOM:

ft

#### Results of Well Yield Testing

**Pump Test ID:** 991511288

Pump Set At:
Static Level:
4
Final Level After Pumping:
50
Recommended Pump Depth:
60
Pumping Rate:
10
Flowing Rate:
Recommended Pump Rate:
10

Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 2

Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 934643379

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 4

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 934381801

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 10

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 934096981

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 20

 Test Level UOM:
 ft

#### Water Details

 Water ID:
 933466400

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 150

 Water Found Depth UOM:
 ft

11 1 of 15 WNW/194.2 96.9 / -1.00 Value Village Stores 5487 Hazeldean Road Unit 1 Stitts ville ON K2S 0P5

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Generator N Status: Approval Ye Contam. Facil SIC Code: SIC Descrip	ears: cility: lity:	ON28818 2011 452999	003		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:		
<u>11</u>	2 of 15		WNW/194.2	96.9 / -1.00	Bed Bath & Beyond Canada LP 5487 Hazeldean Road Unit 2 Stittsville ON	GEN	
Generator N	lo:	ON78254	30		PO Box No:		
Status: Approval Ye Contam. Fac		2012			Country: Choice of Contact: Co Admin:		
MHSW Facil SIC Code: SIC Descrip	•	452110	Department Store	s	Phone No Admin:		
<u>11</u>	3 of 15		WNW/194.2	96.9 / -1.00	Value Village Stores 5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5	GEN	
Generator N	lo:	ON28818	03		PO Box No:		
Status: Approval Ye Contam. Fac	cility:	2012			Country: Choice of Contact: Co Admin:		
SIC Code:	MHSW Facility: SIC Code: SIC Description:		452999 All Other Miscellaneous General Merchandise Stores				
<u>11</u>	4 of 15		WNW/194.2	96.9 / -1.00	Bed Bath & Beyond Canada LP 5487 Hazeldean Road Unit 2 Stittsville ON	GEN	
Generator N	lo:	ON78254	30		PO Box No:		
Status: Approval Ye Contam. Fac	ears: cilitv:	2013			Country: Choice of Contact: Co Admin:		
MHSW Facil SIC Code: SIC Descrip	lity:	452110	DEPARTMENT S	TORES	Phone No Admin:		
Detail(s)							
Waste Class Waste Class			263 ORGANIC LABOR	RATORY CHEMICA	ALS		
Waste Class Waste Class			148 INORGANIC LAB	ORATORY CHEMI	CALS		
Waste Class Waste Class			331 WASTE COMPRE	ESSED GASES			
<u>11</u>	5 of 15		WNW/194.2	96.9 / -1.00	Value Village Stores 5487 Hazeldean Road Unit 1 Stittsville ON	GEN	
Generator No: Status:		ON2881803			PO Box No: Country:		

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Approval Years: 2013

Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: 452999

SIC Description: ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES

Detail(s)

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class:

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 331

WASTE COMPRESSED GASES Waste Class Desc:

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class: 261

**PHARMACEUTICALS** Waste Class Desc:

11 6 of 15 WNW/194.2 96.9 / -1.00 Value Village Stores **GEN** 

5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5

Order No: 20321400060

ON2881803 Generator No: PO Box No:

Country: Status:

Canada Approval Years: 2016 Choice of Contact: CO\_OFFICIAL

No Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: No

452999 SIC Code:

ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES SIC Description:

Detail(s)

Waste Class: 269

Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 261

Waste Class Desc: **PHARMACEUTICALS** 

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Waste Class: 148

INORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

ALKALINE WASTES - OTHER METALS Waste Class Desc:

312 Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 262

Waste Class Desc: **DETERGENTS/SOAPS** 

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 331

WASTE COMPRESSED GASES Waste Class Desc:

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Value Village Stores 11 7 of 15 WNW/194.2 96.9 / -1.00

5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5

GEN

Order No: 20321400060

ON2881803 Generator No: PO Box No:

Status:

Canada Country: 2015 CO\_OFFICIAL Approval Years: Choice of Contact:

Contam. Facility: No Co Admin: MHSW Facility: No Phone No Admin: 452999 SIC Code:

SIC Description: ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES

Detail(s)

261 Waste Class:

Waste Class Desc: **PHARMACEUTICALS** 

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

ACID WASTE - HEAVY METALS Waste Class Desc:

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 262

**DETERGENTS/SOAPS** Waste Class Desc:

Waste Class: 312

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m)

(m)

PATHOLOGICAL WASTES Waste Class Desc:

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class:

Waste Class Desc: HALOGENATED PESTICIDES

WNW/194.2 96.9 / -1.00 Bed Bath & Beyond Canada LP 8 of 15 11 **GEN** 5487 Hazeldean Road Unit 2

Stittsville ON K2S 0P5

Choice of Contact:

Phone No Admin:

Co Admin:

Canada

CO\_ADMIN

Chris Baker

713-625-7015 Ext.

Generator No: ON7825430 PO Box No: Country:

Status: 2016 Approval Years: Contam. Facility: No MHSW Facility: No

452110 SIC Code:

SIC Description: **DEPARTMENT STORES** 

Detail(s)

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 148

**INORGANIC LABORATORY CHEMICALS** Waste Class Desc:

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

96.9 / -1.00 WNW/194.2 11 9 of 15 Bed Bath & Beyond Canada LP **GEN** 

5487 Hazeldean Road Unit 2

Canada

CO\_ADMIN

Chris Baker

713-625-7015 Ext.

Order No: 20321400060

PO Box No:

Choice of Contact:

Phone No Admin:

Country:

Co Admin:

Stittsville ON K2S 0P5

ON7825430 Generator No: Status:

Approval Years: 2015 Contam. Facility: No MHSW Facility: No

452110 SIC Code:

SIC Description: **DEPARTMENT STORES** 

Detail(s)

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Number of Elev/Diff Site DΒ Map Key Direction/ Distance (m)

Records

148 Waste Class: Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class:

WASTE OILS & LUBRICANTS Waste Class Desc:

11 10 of 15 WNW/194.2 96.9 / -1.00 Value Village Stores

5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5

**GEN** 

Generator No: ON2881803 PO Box No:

Status: Country: Canada

Approval Years: Choice of Contact: 2014 CO\_OFFICIAL

(m)

Contam. Facility: No Co Admin: MHSW Facility: No Phone No Admin:

452999 SIC Code:

SIC Description: ALL OTHER MISCELLANEOUS GENERAL MERCHANDISE STORES

Detail(s)

Waste Class: 112

ACID WASTE - HEAVY METALS Waste Class Desc:

Waste Class:

**PHARMACEUTICALS** Waste Class Desc:

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class:

Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 262

Waste Class Desc: **DETERGENTS/SOAPS** 

Waste Class:

PAINT/PIGMENT/COATING RESIDUES Waste Class Desc:

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 148

INORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

11 11 of 15 WNW/194.2 96.9 / -1.00 Bed Bath & Beyond Canada LP **GEN** 

5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5

ON7825430 Generator No:

Status: 2014 Approval Years: No Contam. Facility: MHSW Facility: No SIC Code: 452110 PO Box No: Country: Canada Choice of Contact: CO\_ADMIN Chris Baker Co Admin:

Order No: 20321400060

Phone No Admin: 713-625-7015 Ext. Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m)

**DEPARTMENT STORES** 

Detail(s)

SIC Description:

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

11 12 of 15 WNW/194.2 96.9 / -1.00 Value Village Stores Value Village Store 2120

5487 Hazeldean Road Unit 1 Stittsville ON K2S 0P5

Order No: 20321400060

Generator No: ON2881803 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Dec 2018Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: SIC Description:

Detail(s)

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 145

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 145 L

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 148 A

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 l

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 212 l

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 242 L

Waste Class Desc: Halogenated pesticides and herbicides

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

242 T Waste Class:

Waste Class Desc: Halogenated pesticides and herbicides

Waste Class:

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 261 A

Waste Class Desc: Pharmaceuticals

Waste Class: 261 I

Waste Class Desc: Pharmaceuticals

Waste Class: 261 I

Waste Class Desc: Pharmaceuticals

Waste Class: 262 C

Waste Class Desc: Detergents and soaps

Waste Class: 262 L

Waste Class Desc: Detergents and soaps

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Misc. waste organic chemicals Waste Class Desc:

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Organic non-halogenated pesticide and herbicide wastes

Waste Class:

Waste Class Desc: Organic non-halogenated pesticide and herbicide wastes

Waste Class: 312 P

Waste Class Desc: Pathological wastes

Waste Class:

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 331 L

Waste Class Desc: Waste compressed gases including cylinders

13 of 15 WNW/194.2 96.9 / -1.00 Bed Bath & Beyond Canada LP 11 **GEN** 

Co Admin:

Phone No Admin:

5487 Hazeldean Road Unit 2 Stittsville ON K2S 0P5

Canada

Order No: 20321400060

Generator No: ON7825430 PO Box No:

Status: Registered Country: Approval Years: As of Dec 2018 Choice of Contact:

Contam. Facility: MHSW Facility: SIC Code:

SIC Description:

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Detail(s)

Map Key Number of Direction/ Elev/Diff Site DB

Waste Class: 148 I

Records

Waste Class Desc: Misc. wastes and inorganic chemicals

Distance (m)

(m)

Waste Class: 212 I

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 262 L

Waste Class Desc: Detergents and soaps

Waste Class: 263 l

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 L

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 331

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 331 L

Waste Class Desc: Waste compressed gases including cylinders

11 14 of 15 WNW/194.2 96.9 / -1.00 Value Village Stores Value Village Store 2120

EAST Management Proof Unit 1

5487 Hazeldean Road Unit 1

Order No: 20321400060

Stittsville ON K2S 0P5

Generator No:ON2881803PO Box No:Status:RegisteredCountry:Canada

Approval Years: As of Jul 2020 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:
SIC Code:

Detail(s)

SIC Description:

Waste Class: 269 T

Waste Class Desc: Organic non-halogenated pesticide and herbicide wastes

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 261 A

Waste Class Desc: Pharmaceuticals

Waste Class: 263

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 331

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 261 I

Waste Class Desc: Pharmaceuticals

Waste Class: 145

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 312 P

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m)

Waste Class Desc: Pathological wastes

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 261 I

Waste Class Desc: Pharmaceuticals

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Misc. wastes and inorganic chemicals Waste Class Desc:

Waste Class:

Waste Class Desc: Detergents and soaps

Waste Class:

Organic non-halogenated pesticide and herbicide wastes Waste Class Desc:

Waste Class: 331 L

Waste Class Desc: Waste compressed gases including cylinders

Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

Waste Class:

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class:

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 242 L

Waste Class Desc: Halogenated pesticides and herbicides

148 C Waste Class:

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 262 C

Detergents and soaps Waste Class Desc:

Waste Class: 252 L

Waste crankcase oils and lubricants Waste Class Desc:

Waste Class: 242 T

Waste Class Desc: Halogenated pesticides and herbicides

15 of 15 WNW/194.2 96.9 / -1.00 Bed Bath & Beyond Canada LP 11

5487 Hazeldean Road Unit 2

**GEN** 

Order No: 20321400060

Stittsville ON K2S 0P5

Generator No: ON7825430 PO Box No:

Registered Canada Status: Country:

Approval Years: As of Jul 2020 Choice of Contact: Contam. Facility: Co Admin: Phone No Admin:

MHSW Facility: SIC Code:

SIC Description:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Detail(s)

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 331

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 212 l

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 331 L

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 263 l

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 L

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 262 L

Waste Class Desc: Detergents and soaps

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

1 of 3 S/244.6 99.9 / 2.00 Richcraft Group Of Companies GEN 590 Hazeldean Rd.

Ottawa ON K1G 4K1

Generator No: ON9617097 PO Box No:

Status:Country:CanadaApproval Years:2015Choice of Contact:CO\_OFFICIAL

Contam. Facility:NoCo Admin:MHSW Facility:NoPhone No Admin:SIC Code:561799

SIC Description: ALL OTHER SERVICES TO BUILDINGS AND DWELLINGS

Detail(s)

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

12 2 of 3 S/244.6 99.9 / 2.00 2118356 Ontario Inc.

590 Hazeldean Rd (Part of Lot 29, Concession

11)

Ottawa ON K1G 4K1

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

9582-AS7MFY MOE District: Approval No: Approval Date: 2017-10-18 City: Approved Status: Longitude: Latitude: Record Type: ECA Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: Address: 590 Hazeldean Rd (Part of Lot 29, Concession 11)

Full Address:

S/244.6

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7925-AS4JZR-14.pdf

590 Hazeldean Road Part of Lot 29, Concession

**PTTW** 

Order No: 20321400060

11 Ottawa, ON Canada

2118356 Ontario Inc.

Site Location Map:

ON

EBR Registry No: 019-2059 Decision Posted: Ministry Ref No: 1647-BRAGJ4 Exception Posted:

Notice Type: Instrument Section: Section 34

Notice Stage: Proposal Act 1: Ontario Water Resources Act, R.S.O. 1990

99.9 / 2.00

Act 2: Ontario Water Resources Act Notice Date: 45.28779,-75.90443

Proposal Date: July 10, 2020 Year: 2020

3 of 3

Instrument Type: Permit to take water

Off Instrument Name: Permit to Take Water (OWRA s. 34)

Posted By: Ministry of the Environment, Conservation and Parks

Company Name:

12

Site Address: 590 Hazeldean Road

Part of Lot 29, Concession 11

Ottawa, ON Canada

Location Other:

2118356 Ontario Inc. Proponent Name: 2118356 Ontario Inc. Proponent Address:

2280 St. Laurent Boulevard

Suite 201 Ottawa, ON K1G 4K1 Canada

Comment Period: July 10, 2020 - August 9, 2020 (30 days) Open

URL: https://ero.ontario.ca/notice/019-2059

Site Location Details:

13 1 of 1 SSE/249.5 98.9 / 1.00 City of Ottawa **ECA** 

Ottawa ON K1P 1J1

MOE District: Approval No: 7191-5AYNB4 Ottawa Approval Date: 2002-08-13 City:

Status: Revoked and/or Replaced Longitude: -75.8952 Record Type: **ECA** Latitude: 45.2841

Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y: Mississippi Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2579-5ANTTY-14.pdf

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

1 of 4 NNE/249.9 98.9 / 1.00 Sobeys Capital Incorporated 14

700 Terry Fox Drive

Ottawa ON

Ref No: 4627-73QM38 Discharger Report:

Site No: Material Group: Incident Dt:

Health/Env Conseq:

Client Type:

Sector Type: Other

Agency Involved: **REFRIGERANT GAS R404A** 

> Site District Office: Site Postal Code: Site Region:

Site Municipality:

Site Conc: Northing: Easting:

Site Geo Ref Accu: Site Map Datum:

MOE Reported Dt: 5/31/2007 9/29/2007

**Dt Document Closed:** Incident Reason:

Site Name: Sobey's<UNOFFICIAL>

Confirmed

Air

Air Pollution

No Field Response

Site County/District: Site Geo Ref Meth:

Year:

Incident Cause:

Incident Event:

Contaminant Code:

Contaminant Name:

Contaminant Limit 1:

Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact:

Nature of Impact:

Receiving Env:

MOE Response:

Receiving Medium:

Dt MOE Arvl on Scn:

Incident Summary: Sobey's: R404A 500 lb to atm, unit leak

Contaminant Qty: 227 kg

98.9 / 1.00 14 2 of 4 NNE/249.9 Sobeys Pharmacy

700 Terry Fox Dr Kanata ON K2L 4H4

ON5412167 PO Box No:

Generator No: Registered Status: As of Dec 2018

Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Country: Canada Choice of Contact:

Co Admin: Phone No Admin:

Detail(s)

Waste Class: 261 A

Waste Class Desc: Pharmaceuticals

Waste Class: 312 P

Waste Class Desc: Pathological wastes

NNE/249.9 98.9 / 1.00 700 Terry Fox Drive, Kanata 14 3 of 4 Ottawa ON

7525-B92VK9 Ref No:

Site No: NA Incident Dt:

Year:

2019/02/03

Incident Cause:

Incident Event: Leak/Break

Contaminant Code:

Discharger Report: Material Group: Health/Env Conseq:

4 - Medium Environment

Client Type:

Sector Type: Miscellaneous Industrial

Agency Involved:

Nearest Watercourse:

SPL

Gases/Particulate

Ottawa

Nearest Watercourse: Site Address:

Site Lot:

SAC Action Class:

Source Type:

**GEN** 

SPL

 Map Key
 Number of Records
 Direction/ Distance (m)
 Elev/Diff (m)
 Site
 Distance (m)
 Distance (m)
 Distance (m)
 Distance (m)
 Distance (m)
 Distance (m)
 Site Address:
 700 Terry Fox Drive, Kanata

Contaminant Limit 1:Site District Office:OttawaContam Limit Freq 1:Site Postal Code:Contaminant UN No 1:1078Site Region:Eastern

Environment Impact:

Nature of Impact:

Receiving Medium:

Receiving Env:

Air

Site Municipality:

Site Lot:

Site Conc:

Northing:

MOE Response:NoEasting:Dt MOE Arvl on Scn:Site Geo Ref Accu:MOE Reported Dt:2019/02/03Site Map Datum:

**Dt Document Closed:** 2019/03/09 **SAC Action Class:** Air Spills - Gases and Vapours

Incident Reason: Equipment Failure Source Type: Other

Site Name: Sobey's # 4734 - 104 kg R404A released from Rack A<UNOFFICIAL>
Site County/District:

Site Geo Ref Meth:
Incident Summary:
Sobey's # 4734 - 104 kg of R404A from Rack A. Terry Fox Dr.

Contaminant Qty: 5 # 4754 - 104 kg of R404A from Rack A. Terry Fox Dr.

14 4 of 4 NNE/249.9 98.9 / 1.00 Sobeys Pharmacy #7217
GEN

700 Terry Fox Dr Kanata ON K2L 4H4

5577 Hazeldean Rd Ottawa ON K2S 0P5

Generator No: ON5412167 PO Box No:

Status: Registered Country: Canada
Approval Years: As of Jul 2020 Choice of Contact:

Contam. Facility:

MHSW Facility:

SIC Code:

SIC Description:

Detail(s)

Waste Class: 312 P

Waste Class Desc: Pathological wastes

Waste Class: 261 A

Waste Class Desc: Pharmaceuticals

15 1 of 13 W/249.9 97.9 / 0.00 Lowe's Companies Canada, ULC

 Certificate #:
 0325-8E5PSM

 Application Year:
 2011

 Issue Date:
 2/23/2011

 Approval Type:
 Air

Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:

2 of 13 W/249.9 97.9 / 0.00 LOWE'S COMPANIES CDA 5577 HAZELDEAN RD PES

OTTAWA ON K2S 0P5

Order No: 20321400060

15

Contaminants: Emission Control:

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Detail Licence Licence No: Status: Approval Data Report Source Licence Type Licence Clas Licence Cont Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	te: ce: e: e: Code: ss: trol:	Vendor			Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:		
<u>15</u>	3 of 13		W/249.9	97.9 / 0.00	Lowe's Home Centres 5577 Hazeldean Rd. Ottawa ON K2S 0P5	s(Canada),Inc.	GEN
Generator No Status: Approval Yea Contam. Facili SIC Code: SIC Descripti	ars: ility: ity:	ON6188963 2011 444110, 44			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:		
<u>15</u>	4 of 13		W/249.9	97.9 / 0.00	LOWE'S COMPANIES 5577 HAZELDEAN RD OTTAWA ON K2S0P5	)	PES
Detail Licence Licence No: Status: Approval Date Report Source Licence Type Licence Clas Licence Content Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:	te: ce: e: e Code: ss: trol:	15604  Legacy Lice Limited Ver 23 01	enses (Excluding T ndor	S)	Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	704 7582751	
<u>15</u>	5 of 13		W/249.9	97.9 / 0.00	Lowe's Home Centres 5577 Hazeldean Rd. Ottawa ON K2S 0P5	s(Canada),Inc.	GEN
Generator No Status: Approval Yea		ON618896: 2012	2		PO Box No: Country: Choice of Contact:		

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

**SIC Code:** 444110, 444190

SIC Description: Home Centres, Other Building Material Dealers

15 6 of 13 W/249.9 97.9 / 0.00 Lowe's Home Centres(Canada),Inc.

5577 Hazeldean Rd.

**GEN** 

**ECA** 

Order No: 20321400060

Ottawa ON

Generator No: ON6188962 PO Box No: Status: Country:

Approval Years: 2013 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

**SIC Code:** 444110, 444190

SIC Description: HOME CENTRES, OTHER BUILDING MATERIAL DEALERS

Detail(s)

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES

15 7 of 13 W/249.9 97.9 / 0.00 Lowe's Companies Canada, ULC

5577 Hazeldean Rd Ottawa ON M2N 6L9

Ottawa ON M2N (

Approval No: 0325-8E5PSM **MOE District:** 2011-02-23 Approval Date: City: Longitude: Status: Approved Record Type: **ECA** Latitude: Geometry X: Link Source: **IDS** SWP Area Name: Geometry Y:

Approval Type: ECA-AIR

Project Type: AIR

Address: 5577 Hazeldean Rd Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7525-87LR87-14.pdf

15 8 of 13 W/249.9 97.9 / 0.00 Lowe's Home Centres(Canada),Inc.

5577 Hazeldean Rd. Ottawa ON K2S 0P5

Generator No: ON6188962 PO Box No:

 Status:
 Country:
 Canada

 Approval Years:
 2015
 Choice of Contact:
 CO\_OFFICIAL

Contam. Facility:NoCo Admin:MHSW Facility:NoPhone No Admin:

**SIC Code:** 444110, 444190

SIC Description: HOME CENTRES, OTHER BUILDING MATERIAL DEALERS

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 261

Waste Class Desc: PHARMACEUTICALS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 269

Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 222

Waste Class Desc: HEAVY FUELS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

2016

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES

15 9 of 13 W/249.9 97.9 / 0.00 Lowe's Home Centres(Canada),Inc.

5577 Hazeldean Rd. Ottawa ON K2S 0P5

Generator No: ON6188962 PO Box No:

Status: Country:

Country: Canada CO\_OFFICIAL

 Contam. Facility:
 No
 Co Admin:

 MHSW Facility:
 No
 Phone No Admin:

 SIC Code:
 444110, 444190

SIC Description: HOME CENTRES, OTHER BUILDING MATERIAL DEALERS

Detail(s)

Approval Years:

**GEN** 

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 261

Waste Class Desc: PHARMACEUTICALS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 269

Waste Class Desc: NON-HALOGENATED PESTICIDES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 222

Waste Class Desc: HEAVY FUELS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

15 10 of 13 W/249.9 97.9 / 0.00 Lowe's Home Centres(Canada),Inc.

5577 Hazeldean Rd. Ottawa ON K2S 0P5

Generator No: ON6188962 PO Box No:

Status:Country:CanadaApproval Years:2014Choice of Contact:CO\_OFFICIAL

Contam. Facility:NoCo Admin:MHSW Facility:NoPhone No Admin:

**SIC Code:** 444110, 444190

SIC Description: HOME CENTRES, OTHER BUILDING MATERIAL DEALERS

Detail(s)

Waste Class: 331

**GEN** 

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

WASTE COMPRESSED GASES

Waste Class: 145

Waste Class Desc:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 222

Waste Class Desc: HEAVY FUELS

15 11 of 13 W/249.9 97.9 / 0.00 Lowe's Home Centres(Canada),Inc. GEN 5577 Hazeldean Rd.

Ottawa ON K2S 0P5

Order No: 20321400060

Generator No: ON6188962 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Dec 2018Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: SIC Description:

Detail(s)

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 145

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 145 L

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 148 A

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 212 l

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 213 I

Waste Class Desc: Petroleum distillates

Waste Class: 221 I
Waste Class Desc: Light fuels

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Waste Class: 222 L
Waste Class Desc: Heavy fuels

Waste Class: 242 B

Waste Class Desc: Halogenated pesticides and herbicides

Waste Class: 242 T

Waste Class Desc: Halogenated pesticides and herbicides

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 261 L

Waste Class Desc: Pharmaceuticals

Waste Class: 262 L

Waste Class Desc: Detergents and soaps

Waste Class: 263 A

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 I

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 263 L

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 269 T

Waste Class Desc: Organic non-halogenated pesticide and herbicide wastes

Waste Class: 331

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 331 L

Waste Class Desc: Waste compressed gases including cylinders

15 12 of 13 W/249.9 97.9 / 0.00 Lowe's Home Centres(Canada),Inc.

5577 Hazeldean Rd. Ottawa ON K2S 0P5 **GEN** 

Order No: 20321400060

Generator No: ON6188962 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Jul 2020Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: SIC Description:

Detail(s)

Waste Class: 145 L

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 145 I

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 242 T

Waste Class Desc: Halogenated pesticides and herbicides

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 269 T

Waste Class Desc: Organic non-halogenated pesticide and herbicide wastes

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Waste Class: 263 A

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

263 L Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Halogenated pesticides and herbicides

Waste Class: 221 I Waste Class Desc: Light fuels

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 148 A

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 331 L

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 261 L

Waste Class Desc: Pharmaceuticals

Waste Class: 212 I

Waste Class Desc: Aliphatic solvents and residues

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

Waste Class:

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 262 L

Waste Class Desc: Detergents and soaps

Waste Class: 213 I

Petroleum distillates Waste Class Desc:

Waste Class: Waste Class Desc: Heavy fuels

LOWE'S COMPANIES CANADA, ULC 15 13 of 13 W/249.9 97.9 / 0.00

5577 HAZELDEAN RD STITTSVILLE ON K2S 0P5

Detail Licence No:

L-232-3071589308 Licence No: Status: Active Approval Date: 2019-12-04

**PEST-Limited Vendor** Report Source: Licence Type: Limited Vendor

Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No:

**PES** 

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Licence Type				Operator Ext:		
Licence Clas	s:			Operator Lot:		
Licence Con	trol:			Oper Concession:		
Latitude:	45.2886	61111		Operator Region:		
Longitude:	-75.906	S11111		Operator District:		
Lot:				Operator County:		
Concession:				Op Municipality:		
Region:				Post Office Box:		
District:				MOE District:	Ottawa	
County:				SWP Area Name:	Mississippi Valley	
Trade Name:					., ,	

http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2197553

PDF Link:

# Unplottable Summary

Total: 33 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	KANATA RESEARCH PARK CORP.	TERRY FOX DR.,CROSS KEY, SWM	KANATA CITY ON	
CA	MACDONALD REALESTATE LTD.	HAZELDEAN RD.	KANATA CITY ON	
CA	KANATA RESEARCH PARK CORPORATION	TERRY FOX DR. KANATA N. BUS. P	KANATA CITY ON	
CA	GARFORD LTD. AND NOTLAW LTDTERRY FOX D	M.T.O. ACCES RD/TERRY FOX DR.	KANATA CITY ON	
CA	TAYLOR DEVELOPMENTS	SHOPPING CEN., TERRY FOX DRIVE	KANATA CITY ON	
CA	KANATA CITY VALLEY-VU REALTY	FUTURE TERRY FOX DR.	KANATA CITY ON	
CA	511376 ONTARIO INC.	HAZELDEAN RD. S.W. RET. FAC.	GOULBOURN TWP. ON	
CA	KANATA CITY VALLEY-VU REALTY FORCEMAIN	FUTURE TERRY FOX DR. P.S.	KANATA CITY ON	
CA	MACDONALD REALESTATE LTD.	HAZELDEAN RD.	KANATA CITY ON	
CA	KANATA CITY	TERRY FOX DRIVE	KANATA CITY ON	
CA	PENEX HAZELDEAN LIMITED	HAZELDEAN ROAD (SWM)	KANATA CITY ON	
CA	CLARIDGE HOMES (KANATA) INC.	HAZELDEAN RD.,PT.LOT 30/CON.XI	KANATA CITY ON	
CA	Westcreek Meadows - Phase 2B	Part of West Half of Lot 30, Concession 11	Kanata ON	
CA	Westcreek Meadows - Phase 2B	Part of West Half of Lot 30, Concession 11	Kanata ON	
CA	CANADIAN TIRE REAL ESTATE LTD., GILPAUL	TERRY FOX DR.,GAS BAR SWM FAC.	KANATA CITY ON	
CA	Terry Fox Drive Stormwater Management Facility at Realigned Richardson Side Road	Terry Fox Drive	Ottawa ON	

CA		Terry Fox Drive	Kanata ON	
CA	Riotrin Properties (Hazeldean) Inc.		Ottawa ON	
CA	Taggart Construction Limited	Mobile Facility	Ottawa ON	
CA	Riotrin Properties (Hazeldean) Inc.		Ottawa ON	
CA	KANATA CITY KANATA N. BUSINESS PARK	TERRY FOX DRIVE	KANATA CITY ON	
CA	TACO BELL OF CANADA	HAZELDEAN ROAD	KANATA CITY ON	
CONV	Taggart Construction Limited		Ottawa ON	
EBR	Taggart Construction Limited	Mobile Facility Ottawa Ontario Ottawa	ON	
ECA	City of Ottawa	Terry Fox Drive and Hazeldean Road	Ottawa ON	K1P 1J1
ECA	Taggart Construction Limited	Mobile Facility	Ottawa ON	K1V 8Y3
SPL	PUC	TERRY FOX DR PAD TRANSFORMER BY NEWBRIDGE COMM. LTD.	KANATA CITY ON	
SPL	Van's Industrial & Specialty Coatings <unofficial></unofficial>	Terry Fox Drive, Nepean	Ottawa ON	
SPL	Taggart Construction Limited		Ottawa ON	
SPL	TOP OIL RESOURCES	TOP OIL RESOURCES HAZELDEAN ROAD, GOULBORN TWP. DIESEL FUEL OUTLET	OTTAWA-CARLETON R. M. ON	
wwis		lot 29	ON	
wwis		con 11	ON	
wwis		lot 29	ON	

## Unplottable Report

Site: KANATA RESEARCH PARK CORP.

TERRY FOX DR., CROSS KEY, SWM KANATA CITY ON

3-0087-96-

Approved

Database:

Database:

Database:

Certificate #: Application Year:

Issue Date: 4/1/1996

Approval Type: Municipal sewage

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:

Contaminants: Emission Control:

Site: MACDONALD REALESTATE LTD.

HAZELDEAN RD. KANATA CITY ON

Certificate #: 7-1305-86-Application Year: 86

Issue Date:11/4/1986Approval Type:Municipal waterStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: Contaminants: Emission Control:

Site: KANATA RESEARCH PARK CORPORATION

TERRY FOX DR. KANATA N. BUS. P KANATA CITY ON

Certificate #:7-0653-87-Application Year:87Issue Date:6/9/1987Approval Type:Municipal waterStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: GARFORD LTD. AND NOTLAW LTD.-TERRY FOX D

M.T.O. ACCES RD/TERRY FOX DR. KANATA CITY ON

**Certificate #:** 7-0939-91-

Database:

Order No: 20321400060

erisinfo.com | Environmental Risk Information Services

Application Year: 91 8/2/1991 Issue Date: Municipal water Approval Type: Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

**TAYLOR DEVELOPMENTS** Site:

SHOPPING CEN., TERRY FOX DRIVE KANATA CITY ON

Certificate #: 7-1321-88-Application Year: 88 Issue Date: 8/19/1988 Municipal water Approval Type: Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

KANATA CITY VALLEY-VU REALTY Site:

FUTURE TERRY FOX DR. KANATA CITY ON

7-1420-86-Certificate #: Application Year: 86 Issue Date: 12/17/1986 Municipal water Approval Type: Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants:

**Emission Control:** 

511376 ONTARIO INC. Site:

HAZELDEAN RD. S.W. RET. FAC. GOULBOURN TWP. ON

Certificate #: 3-0858-93-Application Year: 93 Issue Date: 9/15/1993 Municipal sewage Approval Type: Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

**Emission Control:** 

Database:

Database: CA

Database: CA

<u>Site:</u> KANATA CITY VALLEY-VU REALTY FORCEMAIN FUTURE TERRY FOX DR. P.S. KANATA CITY ON

Database: CA

Certificate #: 3-1793-86Application Year: 86
Issue Date: 12/17/1986
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> MACDONALD REALESTATE LTD. HAZELDEAN RD. KANATA CITY ON Database:

Certificate #:3-1645-86-Application Year:86Issue Date:11/4/1986Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: KANATA CITY

TERRY FOX DRIVE KANATA CITY ON

Database:

Certificate #: 3-1806-87Application Year: 87
Issue Date: 10/5/1987
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: PENEX HAZELDEAN LIMITED

HAZELDEAN ROAD (SWM) KANATA CITY ON

Database: CA

Order No: 20321400060

Certificate #:3-0099-97-Application Year:97Issue Date:4/11/1997Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description:

Contaminants: Emission Control:

Site: CLARIDGE HOMES (KANATA) INC.

HAZELDEAN RD.,PT.LOT 30/CON.XI KANATA CITY ON

Database: CA

Certificate #: 3-0960-96Application Year: 96
Issue Date: 9/6/1996
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: Westcreek Meadows - Phase 2B

Part of West Half of Lot 30, Concession 11 Kanata ON

Database: CA

Database:

Certificate #: 2660-4PZM2T

Application Year:00Issue Date:10/12/00

Approval Type: Municipal & Private water

Status: Approved

Application Type:New Certificate of ApprovalClient Name:Claridge Homes (Kanata) Inc.Client Address:210 Gladstone Avenue, Suite #2001

Client City: Ottawa
Client Postal Code: K2P 0Y6

Project Description: This application is for the installation of watermains on Kincardine Drive to serve the Westcreek Meadows, Phase

2B, subdivision.

Contaminants:

**Emission Control:** 

Site: Westcreek Meadows - Phase 2B

Part of West Half of Lot 30, Concession 11 Kanata ON

Certificate #: 1686-4PZLMV Application Year: 00

Issue Date: 10/12/00
Approval Type: 10/12/00 Municipal & Private sewage

Status:ApprovedApplication Type:New Certificate of ApprovalClient Name:Claridge Homes (Kanata) Inc.Client Address:210 Gladstone Avenue, Suite #2001

Client Address: 210 Glad
Client City: Ottawa
Client Postal Code: K2P 0Y6

Project Description: This application is for the installation of sanitary and storm sewers on Kincardine Drive to serve the Westcreek

Meadows, Phase 2B, subdivision.

Contaminants: Emission Control:

Site: CANADIAN TIRE REAL ESTATE LTD., GILPAUL

TERRY FOX DR., GAS BAR SWM FAC. KANATA CITY ON

Database:

Order No: 20321400060

\_\_\_\_

**Certificate #:** 3-0329-99-

Application Year: 99 7/26/1999 Issue Date: Municipal sewage Approval Type: Cancelled Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

Terry Fox Drive Stormwater Management Facility at Realigned Richardson Side Road Site:

Database:

Terry Fox Drive Ottawa ON

1044-5E9JWT Certificate #: Application Year: 02 9/27/02 Issue Date:

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval

Client Name: City of Ottawa

110 Laurier Avenue West Client Address:

Client City: City of Ottawa K1P 1J1 Client Postal Code:

Project Description: SWM Facility, quality and quantitay control with inlet and outlet sewers

Contaminants: **Emission Control:** 

Site: Database: CA

Terry Fox Drive Kanata ON

0854-4JBJN5 Certificate #:

Application Year: 00 Issue Date: 4/13/00

Municipal & Private water Approval Type:

Status: Approved

Application Type: New Certificate of Approval

Client Name: Corporation of the Regional Municipality of Ottawa-Carleton

Client Address: 111 Lisgar Street

Client City: Ottawa K2P 2L7 Client Postal Code:

Project Description: Extension of the watermain on Terry Fox Drive from Winchester Drive south to Michael Cowpland Drive, with a 400

mm diameter watermain.

**Emission Control:** 

Contaminants:

Site: Riotrin Properties (Hazeldean) Inc. Ottawa ON

Database: CA

Order No: 20321400060

Certificate #: 4886-7YTL68 Application Year: 2009 Issue Date: 12/18/2009

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: **Emission Control:** 

<u>Site:</u> Taggart Construction Limited

Mobile Facility Ottawa ON

Database:

 Certificate #:
 0636-7KEL2F

 Application Year:
 2008

 Issue Date:
 11/19/2008

 Approval Type:
 Air

 Status:
 Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> Riotrin Properties (Hazeldean) Inc.

Ottawa ON

Database: CA

 Certificate #:
 2213-7YETBS

 Application Year:
 2010

 Issue Date:
 1/4/2010

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> KANATA CITY KANATA N. BUSINESS PARK TERRY FOX DRIVE KANATA CITY ON

Database:

 Certificate #:
 3-0786-87 

 Application Year:
 87

 Issue Date:
 6/9/1987

 Approval Type:
 Municipal se

Approval Type: Municipal sewage Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

**Emission Control:** 

Site: TACO BELL OF CANADA

HAZELDEAN ROAD KANATA CITY ON

Database: CA

Order No: 20321400060

 Certificate #:
 8-4092-94 

 Application Year:
 94

 Issue Date:
 7/15/1994

 Approval Type:
 Industrial air

 Status:
 Approved

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description:

CONDENSATE & FRYER EXHAUST HOODS

Contaminants: Odour/Fumes **Emission Control:** Fabric Filters,

Site: **Taggart Construction Limited** Ottawa ON

Database: CONV

012802 File No:

Location: Region:

Ministry District:

Crown Brief No: Court Location: **Publication City:** 

**Publication Title:** 

Act: Act(s): First Matter: Second Matter: Investigation 1: Investigation 2: Penalty Imposed: Description:

Taggart Construction Limited, Paterson Group Inc. and Robert Passmore have been fined \$5,000 each, totalling \$15,000 plus a victim fine surcharge, after pleading guilty on January 15, 2009 to violations under the Ontario Water Resources Act. Taggart Construction Limited and Paterson Group Inc. were convicted of failing to comply with a Provincial Officer Order by taking more than 50,000 litres of water per day, and Mr. Passmore was convicted

of giving false or misleading information to the ministry. The parties were given six months to pay the fine. The Court heard that Taggart Construction Limited was contracted by a developer to install municipal services at a subdivision in Ottawa which required dewatering activities. After being issued a Provincial Officer Order to restrict water taking activities to below 50,000 litres per day until a permit had been obtained, Taggart hired Paterson Group Inc. to submit an application for the permit. Taggart then pumped over 50,000 litres of water based on information provided by Paterson Group employee, Mr. Passmore, that the go ahead to pump had been given when a permit had yet to be issued. In an interview with ministry investigators, Mr. Passmore denied giving Taggart verbal approval to pump in excess of 50,000 litres per day. Taggart Construction Limited, Paterson Group Inc. and

Mr. Passmore were charged following an investigation by the Ministry of the Environment's Investigations and Enforcement Branch.

Background: URL:

**Additional Details** 

**Publication Date:** 

Count:

**OWRA** Act:

Regulation: Section:

Act/Regulation/Section: **OWRA** 

Date of Offence: Date of Conviction:

Date Charged: January 15, 2009 fine, victim fine surcharge Charge Disposition:

Fine: \$5,000

Synopsis:

Site: **Taggart Construction Limited** 

Mobile Facility Ottawa Ontario Ottawa

Database: **EBR** 

Order No: 20321400060

IA07E0165 EBR Registry No: Decision Posted: Ministry Ref No: 8556-6XWUA3 **Exception Posted:** 

Notice Type: Instrument Decision Section: Notice Stage: 803008003 Act 1: Notice Date: December 09, 2008 Act 2:

January 30, 2007 Proposal Date: Site Location Map:

Year: 2007

(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Instrument Type:

Off Instrument Name:

Posted By:

**Taggart Construction Limited** Company Name:

Site Address: **Location Other:** Proponent Name:

3187 Albion Rd S, Ottawa Ontario, K1V 8Y3 Proponent Address:

Comment Period:

URL:

Site Location Details:

Mobile Facility Ottawa Ontario Ottawa

Site: City of Ottawa

Terry Fox Drive and Hazeldean Road Ottawa ON K1P 1J1

**ECA** 

Approval No: Approval Date: 5809-5B2HCC 2002-06-12 Approved **ECA** 

City: Longitude: Latitude: Geometry X:

MOE District:

**MOE District:** 

Discharger Report:

Health/Env Conseq:

Agency Involved: Nearest Watercourse:

Site District Office:

Site Postal Code:

Site Municipality:

Material Group:

Client Type: Sector Type:

Site Address:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

Ottawa

-75.92240000000001

45.282000000000004

**IDS** Link Source: Mississippi Valley Geometry Y: SWP Area Name: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Address: Terry Fox Drive and Hazeldean Road

Full Address:

Record Type:

Status:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2808-5ANTEY-14.pdf

Site: **Taggart Construction Limited** 

Mobile Facility Ottawa ON K1V 8Y3

Database: **ECA** 

Database:

0636-7KEL2F Approval No: 2008-11-19 Approval Date: Status: Approved Record Type: **ECA IDS** Link Source: SWP Area Name:

City: Longitude: Latitude: Geometry X: Geometry Y:

Approval Type: **ECA-AIR** Project Type: AIR Address: Mobile Facility

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8556-6XWUA3-14.pdf

Site:

TERRY FOX DR PAD TRANSFORMER BY NEWBRIDGE COMM, LTD. KANATA CITY ON

SPL

Order No: 20321400060

Ref No: 4874 Site No: Incident Dt: 6/7/1988

Year: Incident Cause: COOLING SYSTEM LEAK

Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freg 1: Contaminant UN No 1: **Environment Impact:** Nature of Impact:

Receiving Medium: Receiving Env:

LAND MOE Response:

Dt MOE Arvl on Scn: Site Geo Ref Accu:

Database:

20103

erisinfo.com | Environmental Risk Information Services

MOE Reported Dt: 6/7/1988 Site Map Datum: **Dt Document Closed:** SAC Action Class: FIRE/EXPLOSION Incident Reason: Source Type:

Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: KANATA HYDRO - 150 L MINERAL OIL (NO PCBS) TO GROUND.

Contaminant Qty:

Van's Industrial & Specialty Coatings<UNOFFICIAL> Site:

Terry Fox Drive, Nepean Ottawa ON

Database:

Ref No: 2438-6GNMTJ Discharger Report: 0 Site No: Material Group: Oil

9/28/2005 Incident Dt:

Health/Env Conseq: Client Type: Year:

Incident Cause: Other Transport Accident Sector Type: Other Motor Vehicle Incident Event: Agency Involved:

Contaminant Code: Nearest Watercourse:

Contaminant Name: **DIESEL FUEL** Site Address: Site District Office: Ottawa Contaminant Limit 1:

Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Not Anticipated **Environment Impact:** Site Municipality: Ottawa

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Land & Water

Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE** Reported Dt: 9/28/2005 Site Map Datum:

SAC Action Class: **Dt Document Closed:** Spills to Watercourses

Discharger Report:

Incident Reason: Adverse Road Condition - Road faults Source Type:

Site Name: East side of Terry Fox Drive, between March Road and Legget Drive<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Van's Cleaning, 40 L diesel to road, ditch, sewer

Contaminant Qty:

Site:

Database:

Order No: 20321400060

Ottawa ON

**Taggart Construction Limited** 

7584-BB3KRQ Ref No: Site No: NA

Material Group: Incident Dt: 4/4/2019 Health/Env Conseq: Year: Client Type:

Corporation Incident Cause: Sector Type:

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address:

Site District Office: Contaminant Limit 1: Ottawa

Contam Limit Freg 1: Site Postal Code:

Contaminant UN No 1: Site Region: Eastern **Environment Impact:** Site Municipality: Ottawa

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 4/9/2019 **MOE** Reported Dt: Site Map Datum: **Dt Document Closed:** SAC Action Class: Incident Reason: Source Type:

Site Name: 1896 John Quinn rd, Metcalfe<UNOFFICIAL>

Site County/District:

Site Geo Ref Meth: Incident Summary:

Mobile Crusher Relocation - 2019 Contaminant Qty:

erisinfo.com | Environmental Risk Information Services

Site: TOP OIL RESOURCES

TOP OIL RESOURCES HAZELDEAN ROAD, GOULBORN TWP. DIESEL FUEL OUTLET OTTAWA-CARLETON R.M.

ON

Ref No: 25861 Site No: Material Group: 9/25/1989 Incident Dt:

Year: Incident Cause:

UNDERGROUND TANK LEAK

Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:

Contaminant UN No 1: **Environment Impact:** 

Nature of Impact: Receiving Medium:

Receiving Env: MOE Response:

Dt MOE Arvl on Scn:

MOE Reported Dt: Dt Document Closed:

Incident Reason: Site Name:

Site County/District:

Site:

Site Geo Ref Meth: Incident Summary:

Contaminant Qty:

Discharger Report:

Health/Env Conseq: Client Type:

Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:

Site Municipality: 20000

Site Lot: Site Conc:

Northing: Easting: **MCCR** 

Site Geo Ref Accu: Site Map Datum: SAC Action Class:

Source Type:

TOP OIL RESOURCES- 7000 LTR DIESEL FUEL LEAK FROMUNDERGROUND TANK

Database: lot 29 ON **WWIS** 

Well ID: 1522539

Construction Date: Data Src:

8/8/1988 Domestic Primary Water Use: Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply

Water Type:

LAND

9/28/1989

**UNKNOWN** 

Casing Material: 25154 Audit No:

Tag:

Construction Method:

Elevation (m): Elevation Reliability:

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Date Received:

Abandonment Rec:

Contractor: 3749 Form Version: 1

Owner: Street Name:

County: **OTTAWA** 

MARCH TOWNSHIP Municipality:

18

Site Info:

Lot: 029

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

#### **Bore Hole Information**

Bore Hole ID: 10044351 Elevation: DP2BR: 0 Elevrc:

Spatial Status: Zone:

Code OB: East83: Code OB Desc: Mixed in a Layer North83:

Open Hole: Org CS: Cluster Kind: **UTMRC:** 

Date Completed: 7/14/1988 **UTMRC Desc:** unknown UTM Database:

Remarks: Location Method: na

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### <u>Overburden and Bedrock</u> <u>Materials Interval</u>

<u> Materiais iritervai</u>

 Formation ID:
 931051797

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 18

Most Common Material: SANDSTONE

 Mat2:
 85

 Mat2 Desc:
 SOFT

 Mat3:
 80

 Mat3 Desc:
 POROUS

 Formation Top Depth:
 7

 Formation End Depth:
 45

 Formation End Depth UOM:
 ft

# Overburden and Bedrock

Materials Interval

**Formation ID:** 931051796

Layer: Color: 2 **GREY** General Color: Mat1: 01 **FILL** Most Common Material: Mat2: 26 ROCK Mat2 Desc: Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: 0 Formation End Depth: 7 Formation End Depth UOM: ft

# Method of Construction & Well

Use

Method Construction ID: 961522539

Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

# Pipe Information

**Pipe ID:** 10592921

Casing No:

Comment: Alt Name:

# **Construction Record - Casing**

**Casing ID:** 930077565

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 20

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

# Results of Well Yield Testing

**Pump Test ID:** 991522539

Pump Set At:

Static Level:19Final Level After Pumping:19Recommended Pump Depth:40

Pumping Rate: Flowing Rate:

Recommended Pump Rate: 14
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 2
Pumping Duration MIN: 0
Flowing: No

#### **Draw Down & Recovery**

Pump Test Detail ID: 934110456

Test Type:

Test Duration: 15
Test Level: 19
Test Level UOM: ft

#### Water Details

*Water ID*: 933480469

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

Water Found Depth: 32
Water Found Depth UOM: ft

### Water Details

*Water ID:* 933480470

 Layer:
 2

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 42

 Water Found Depth UOM:
 ft

Site:

con 11 ON

Database:

WWIS

Order No: 20321400060

Well ID: 1521315 Data Entry Status:

Construction Date: Data Src:

 Primary Water Use:
 Domestic
 Date Received:
 5/20/1987

 Sec. Water Use:
 Selected Flag:
 Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 1558

Casing Material:Form Version:Audit No:04582Owner:

Tag: Street Name: Construction Method: County:

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 GOULBOURN TOWNSHIP

Elevation Reliability: Site Info:
Depth to Bedrock: Lot:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy: Concession: 11

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

#### **Bore Hole Information**

**Bore Hole ID:** 10043137

**DP2BR:** 0

Spatial Status: Code OB:

Code OB Desc: Mixed in a Layer

Open Hole: Cluster Kind:

**Date Completed:** 4/16/1987

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

#### Overburden and Bedrock

#### Materials Interval

**Formation ID:** 931047547

**Layer:** 1 **Color:** 6

General Color: **BROWN** Mat1: 01 **FILL** Most Common Material: Mat2: 26 Mat2 Desc: **ROCK** Mat3: 77 LOOSE Mat3 Desc: Formation Top Depth: 0 Formation End Depth: 5 Formation End Depth UOM: ft

# Overburden and Bedrock

## Materials Interval

**Formation ID:** 931047548

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

**Mat2:** 78

Mat2 Desc: MEDIUM-GRAINED

Mat3: Mat3 Desc:

Formation Top Depth: 5
Formation End Depth: 174
Formation End Depth UOM: ft

#### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961521315

Method Construction Code: 5

Elevation:

Elevrc:

**Zone:** 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: na

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

**Pipe ID:** 10591707

Casing No: Comment:

Alt Name:

Construction Record - Casing

**Casing ID:** 930075316

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To:22Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

**Casing ID:** 930075317

Layer: 2

Material: 4

Open Hole or Material: OPEN HOLE

Depth From:
Depth To: 174
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

**Pump Test ID:** 991521315

Pump Set At:
Static Level: 29
Final Level After Pumping: 100
Recommended Pump Depth: 150
Pumping Rate: 5

Flowing Rate:

Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1

Pumping Test Method:1Pumping Duration HR:1Pumping Duration MIN:0Flowing:No

Draw Down & Recovery

Pump Test Detail ID:934651240Test Type:Draw DownTest Duration:45

Test Duration: 45
Test Level: 100
Test Level UOM: ft

**Draw Down & Recovery** 

Pump Test Detail ID: 934909448

Draw Down Test Type: Test Duration: 100 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934390093 Test Type: Draw Down Test Duration: 30

100 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

934105994 Pump Test Detail ID: Test Type: Draw Down Test Duration: 15 100 Test Level: Test Level UOM:

#### Water Details

Water ID: 933478822 Layer:

Kind Code: 3

**SULPHUR** Kind: Water Found Depth: 169 Water Found Depth UOM: ft

Site: Database: lot 29 ON **WWIS** 

3323

Order No: 20321400060

Well ID: 1528518 Data Entry Status:

Construction Date: Data Src:

6/12/1995 Primary Water Use: Domestic Date Received: Selected Flag: Yes

Sec. Water Use:

Final Well Status: Water Supply Abandonment Rec: Water Type: Contractor:

Casing Material:

Form Version: 1 Audit No: 153005 Owner:

Street Name: Tag:

Construction Method: **OTTAWA** County:

MARCH TOWNSHIP Elevation (m): Municipality: Site Info:

Elevation Reliability: Depth to Bedrock: 029

Lot: Well Depth: Concession:

Concession Name: Overburden/Bedrock: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

# **Bore Hole Information**

10050054 Bore Hole ID: Elevation: DP2BR: 9 Elevrc:

Spatial Status: Zone: 18

Code OB: East83: Code OB Desc: Bedrock North83: Open Hole: Org CS:

Cluster Kind: **UTMRC**:

Date Completed: 5/30/1995 **UTMRC Desc:** unknown UTM

Remarks: Location Method: na Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

#### Overburden and Bedrock

Materials Interval

**Formation ID:** 931069903

**Layer:** 1 **Color:** 6

General Color: BROWN Mat1: 01
Most Common Material: FILL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 9
Formation End Depth UOM: ft

#### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931069904

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 17

 Most Common Material:
 SHALE

 Mat2:
 15

Mat2 Desc: LIMESTONE

Mat3:

Mat3 Desc:

Formation Top Depth: 9
Formation End Depth: 140
Formation End Depth UOM: ft

## Annular Space/Abandonment

Sealing Record

**Plug ID:** 933113428

 Layer:
 1

 Plug From:
 7

 Plug To:
 20

 Plug Depth UOM:
 ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID: 961528518

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

## **Pipe Information**

**Pipe ID:** 10598624

Casing No:

Comment: Alt Name:

#### **Construction Record - Casing**

**Casing ID:** 930087476

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 20
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

#### Results of Well Yield Testing

**Pump Test ID:** 991528518

Pump Set At:

Static Level:15Final Level After Pumping:135Recommended Pump Depth:125Pumping Rate:5

Flowing Rate:
Recommended Pump Rate:
5
Levels UOM:
Rate UOM:
Water State After Test Code:
1
Water State After Test:
Pumping Test Method:
1
Pumping Duration HR:
1
5
CLEAR

Pumping Duration MIN: 0
Flowing: No

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 934104688

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 95

 Test Level UOM:
 ft

# Draw Down & Recovery

 Pump Test Detail ID:
 934648829

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 24

 Test Level UOM:
 ft

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934388313

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 56

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

 Pump Test Detail ID:
 934906012

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 15

 Test Level UOM:
 ft

# Water Details

*Water ID:* 933488227

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 85

 Water Found Depth UOM:
 ft

# Water Details

*Water ID*: 933488228

 Layer:
 2

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 130

 Water Found Depth UOM:
 ft

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

#### Abandoned Aggregate Inventory:

Provincial

**AAGR** 

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

Government Publication Date: Sept 2002\*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

#### **Abandoned Mine Information System:**

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

# Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

#### Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

# **Automobile Wrecking & Supplies:**

Private

AUWR

Order No: 20321400060

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jun 30, 2020

**Borehole:** Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011\*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Environment and Climate Change Canada cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or

Government Publication Date: Jul 31, 2020

#### **Chemical Manufacturers and Distributors:**

diesel tanks. Records are not verified for accuracy or completeness.

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Jun 30, 2020

#### Compressed Natural Gas Stations:

Private

CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Sep 2020

#### Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

**COAL** 

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

Government Publication Date: Apr 1987 and Nov 1988\*

#### Compliance and Convictions:

Provincial

**CONV** 

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Dec 2019

Certificates of Property Use:

Provincial

CPU

Order No: 20321400060

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Oct 31, 2020

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Jul 31, 2020

#### **Environmental Activity and Sector Registry:**

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Nov 30, 2020

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Oct 31, 2020

#### **Environmental Compliance Approval:**

Provincial F

FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Nov 30, 2020

#### **Environmental Effects Monitoring:**

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007\*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Oct 31, 2020

#### **Environmental Issues Inventory System:**

Federal

EIIS

Order No: 20321400060

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001\*

#### Emergency Management Historical Event:

Provincial

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

#### **Environmental Penalty Annual Report:**

Provincial

**EPAR** 

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

#### List of Expired Fuels Safety Facilities:

Provincial

**EXP** 

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions: Federal **FCON** 

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007\*

#### Contaminated Sites on Federal Land:

Federal

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2020

#### Fisheries & Oceans Fuel Tanks:

Federal

**FOFT** 

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

#### Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

**FRST** 

Order No: 20321400060

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank: Provincial **FST** 

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

not verified for accuracy or completeness. Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010\*

#### Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2020

#### **Greenhouse Gas Emissions from Large Facilities:**

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2018

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009\*

#### Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003\*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

# Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

Order No: 20321400060

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009\*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

#### National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994\*

#### Non-Compliance Reports:

Provincial

**NCPL** 

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

#### National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001\*

#### National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

#### National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007\*

#### National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Sep 30, 2020

### National Energy Board Wells:

Federal

**NEBP** 

Order No: 20321400060

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003\*

#### National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December

Government Publication Date: 1974-2003\*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008\*

#### National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2020

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

#### Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Oct 31, 2020

## Canadian Pulp and Paper:

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

# Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 20321400060

PAP

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Nov 30, 2020

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 31, 2020

#### Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996\*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Oct 31, 2020

#### Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Sep 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jun 30, 2020

# Scott's Manufacturing Directory:

Private

SCT

Order No: 20321400060

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011\*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Nov 2019

#### Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All

Government Publication Date: 1990-Dec 31, 2017

sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Private Anderson's Storage Tanks: **TANK** 

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953\*

#### Transport Canada Fuel Storage Tanks:

Federal **TCFT** 

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2019

#### Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

Provincial

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

#### Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Nov 30, 2020

#### Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial **WDSH** 

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990\*

#### Water Well Information System:

Provincial

**WWIS** 

Order No: 20321400060

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2020

# **Definitions**

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

# **APPENDIX 3**

**QUALIFICATIONS OF ASSESSORS** 

# Mandy Witteman, B.Eng., M.A.Sc.



# **POSITION**

Intermediate Environmental Engineer

# **EDUCATION**

Carleton University
M.A.Sc., Environmental Engineering, 2013
B.Eng., Environmental Engineering, 2008

# **MEMBERSHIPS & AWARDS**

Ontario Professional Engineers Association (EIT) NSERC Industry R&D Scholarship

# **EXPERIENCE**

2018 - Present

#### Paterson Group Inc.

Consulting Engineers Geotechnical and Environmental Division Environmental Engineer

2014 - 2015

# **Thurber Engineering Limited**

Oil Sand Tailings Group Tailings Engineer

2009 - 2014

# **Carleton University**

Department of Civil & Environmental Engineering Research Engineer, Research Assistant & Teaching Assistant

2008 - 2009

# **SLR Consulting Limited**

Contaminated Sites
Junior Environmental Engineer

# **SELECTED LIST OF PROJECTS**

Phase I & II Environmental Site Assessments – NRC, Kingston Remediation – National Capital Region, Saskatchewan Multi-lift and dry-stacking pilot programs – Northern Alberta Polymer amended oil sand tailings – Northern Alberta Hydraulic cut-off wall – Allen, Saskatchewan Cemented paste backfill systems – Northern Ontario

# Mark S. D'Arcy, P. Eng.

# patersongroup

Geotechnical Engineering

**Environmental Engineering** 

**Hydrogeology** 

Geological Engineering

**Materials Testing** 

**Building Science** 

Archaeological Services

# **POSITION**

Associate and Supervisor of the Environmental Division Senior Environmental/Geotechnical Engineer

# **EDUCATION**

Queen's University, B.A.Sc.Eng, 1991 Geotechnical / Geological Engineering

# **MEMBERSHIPS**

Ottawa Geotechnical Group Professional Engineers of Ontario

#### **EXPERIENCE**

1991 to Present

# Paterson Group Inc.

Associate and Senior Environmental/Geotechnical Engineer Environmental and Geotechnical Division Supervisor of the Environmental Division

# **SELECT LIST OF PROJECTS**

Mary River Exploration Mine Site - Northern Baffin Island

Agricultural Supply Facilities - Eastern Ontario

Laboratory Facility – Edmonton (Alberta)

Ottawa International Airport - Contaminant Migration Study - Ottawa

Richmond Road Reconstruction - Ottawa

Billings Hurdman Interconnect - Ottawa

Bank Street Reconstruction - Ottawa

Environmental Review - Various Laboratories across Canada - CFIA

Dwyer Hill Training Centre - Ottawa

Nortel Networks Environmental Monitoring - Carling Campus - Ottawa

Remediation Program - Block D Lands - Kingston

Investigation of former landfill sites - City of Ottawa

Record of Site Condition for Railway Lands - North Bay

Commercial Properties - Guelph and Brampton

Brownfields Remediation - Alcan Site - Kingston

Montreal Road Reconstruction - Ottawa

Appleford Street Residential Development - Ottawa

Remediation Program - Ottawa Train Yards

Remediation Program - Bayshore and Heron Gate

Gladstone Avenue Reconstruction – Ottawa

Somerset Avenue West Reconstruction - Ottawa