# WETLAND EVALUATION DATA AND SCORING RECORD

Wetland Name: Portions of the Goulbourn Wetland Complex
Geographic Location (municipality, lot/concession, etc):
Part of Lot 14 and 15, Concession 9, City of Ottawa
<u> </u>
Map / Photo Locational Reference (e.g., latitude/longitude, NTS map, UTM):
18 T 425326 5006561 (UTM NAD83)
Eco-District: 6E-11 (Smith Falls)
Wetland Size (hectares): 74.58

4	
S	
× N	
<i>&gt;</i>	
_	
e L	
Ţ	
$\supset$	
20	

Vegetation Form	FA
h	0.94
С	
dh	
dc	
ts	0.06
ls	
ds	
gc	
m	
ne	
be	
re	
ff	
f	
su	
u	

### 1.0 BIOLOGICAL COMPONENT

### 1.1 PRODUCTIVITY

- 1.1.1 Growing Degree-Days/Soils (max: 30 pts) Refer to page 36 of manual for further explanation.
- 1. Determine the correct GDD value for your wetland (use Figure 5).
- 2. Circle the appropriate GDD value from the evaluation table below.
- 3. Determine the Fractional Area (FA) of the wetland for each soil type.
- 4. Multiply the fractional area of each soil type by the applicable score-factor in the evaluation table.
- 5. Sum the scores for each soil type to obtain the final score (maximum score is 30 points).

### PortionsGoulbourn Wetland Complex

		Clay- Loam	Silt- Marl	Lime- stone	Sand	Humic- Mesic	Fibric	Granite
gays	<2800	15	13	11	9	8	7	5
<u> </u>	2800-3200	18	15	13	11	9	8	7
ow.	3200-3600	22	18	15	13	11	9	7
Growir Degree-[	3600-4000	26	21	18	15	13	10	8
	>4000	30	25	20	18	15	12	8

Soil Type	FA of wetland in soil type	Enter appropriate score-factor from above table	
Clay/Loam	0.73	<sub>X</sub> 22	<sub>=</sub> 16.06
Silt/Marl:		Х	=
Limestone:		Х	=
Sand:		Х	=
Humic/Mesic:	0.27	<sub>X</sub> 11	<sub>=</sub> 2.97
Fibric:		Х	=
Granite:		Х	=
Total			19.03

GDD/Soils Score (maximum 30 points) 19

### 1.1.2 Wetland Type

(Fractional Areas = area of wetland type/total wetland area)

	Fractional Area			Score
Bog		x 3	=	
Fen		x 6	=	
Swamp	1	x 8	=	8
Marsh		x 15	=	
Total			=	8

Wetland Type Score (maximum 15 points) 8

### 1.1.3 Site Type

(Fractional Area = area of site type/total wetland area)

	Fractional			Score
	Area			
Isolated		x 1	=	
Palustrine (permanent or intermittent flow)	1	x 2	=	2
Riverine		x 4	=	
Riverine (at rivermouth)		x 5	=	
Lacustrine (at rivermouth)		x 5	=	
Lacustrine (with barrier beach)		x 3	=	
Lacustrine (exposed to lake)		x 2	=	
Total			=	2

Site Type Score (maximum 5 points) 2

### 1.2 BIODIVERSITY

### 1.2.1 Number of Wetland Types

(Check only one)

One	=	9 points
Two	=	13
Three	=	20
Four	=	30

Number of Wetland Types Score (maximum 30 points) 9\_\_\_\_\_

### 1.2.2. Vegetation Communities

Use the data sheet provided in Appendix 4 to record and score vegetation communities (the completed form must be attached to this data record)

Scoring (circle only one option for each of the columns below):

Total	# of	communities
with	1-3 f	orms
1	=	1.5 pts
2	=	2.5
3	=	3.5
4	=	4.5
_5	=	5
6	=	5.5
7	=	6
_		6.5
8	=	0.5
9	=	7
9		7
9	= = =	7 7.5 8
9 10 11 + 0.5	= = = 5 for	7 7.5 8

	Total	# of	communities
_	with	4-5 f	orms
	1	=	2 pts
•	2	=	3.5
	3	=	5
	4	=	6.5
	5	=	7.5
	6	=	8.5
	7	=	9.5
	8	=	10.5
	9	=	11.5
	10	=	12.5
	11	=	13
	+ 0.5	for	each
	addit	ional	community
		=	2

Total # of communities				
with 6 or	with 6 or more forms			
1 =	3 pts			
2 =	5			
3 =	7			
4 =	9			
5 =	10.5			
6 =	12			
7 =	13.5			
8 =	15			
9 =	16.5			
10 =	18			
11 =	19			
+ 1.0 for each				
additional community				
=				

Vegetation Communities Score (maximum 45 points) 8

### 1.2.3 Diversity of Surrounding Habitat

Check all appropriate items. Only habitat within 1.5 km of the wetland boundary and at least 0.5 ha in size are to be scored.

	row crop
	pasture
	abandoned agricultural land
$\overline{\ \ }$	deciduous forest
V.	coniferous forest
$\overline{V}$	mixed forest*
	abandoned pits and quarries
	open lake or deep river
	fence rows with deep cover, or shelterbelts
	terrain appreciably undulating, hilly or with ravines
$\overline{\ \ }$	creek flood plain
_	

\* "Mixed forest" is defined as either 25% coniferous trees distributed singly or in clumps in deciduous forest, or 25% deciduous trees distributed singly or in clumps in coniferous forest. Note that Forest Resource Inventory (FRI) maps can be misleading since 25% conifer within a unit could be entirely concentrated around a lake.

Score 1 point for each feature checked, up to a maximum of 7 points.

Diversity of Surrounding Habitat Score	
(maximum 7 points) 4	

### 1.2.4 Proximity to Other Wetlands

Check highest appropriate category. (Note: if the wetland is lacustrine, score option #1 at 8 points).

✓		Points
,	Hydrologically connected by surface water to other wetlands (different dominant wetland typ	e),
$\checkmark$	or to open lake or deep river within 1.5 km	8
	Hydrologically connected by surface water to other wetlands (same dominant wetland type)	
	within 0.5 km	8
	Hydrologically connected by surface water to other wetlands (different dominant wetland typ	e),
	or to open lake or deep river from 1.5 to 4 km away	5
	Hydrologically connected by surface water to other wetlands (same dominant wetland type)	
	from 0.5 to 1.5 km away	5
	Within 0.75 km of other wetlands (different dominant wetland type) or open water body,	
	but not hydrologically connected by surface water	5
	Within 1 km of other wetlands, but not hydrologically connected by surface water	2
	No wetland within 1 km	0

Name and distance (from wetland) of wetlands/waterbodies scored above: 0.72m from other portions of the Gouldbourn Complex PSW

Proximity to other Wetlands Score	
(maximum 8 points) 8	

### 1.2.5 Interspersion

Number of Intersections = 77

✓	Number of Intersections	Po	ints		
	(Check one only)				
	26 or less	=	3		
	27 to 40	=	6		
	41 to 60	=	9		
	61 to 80	=	12		
	81 to 100	=	15		
	101 to 125	=	18		
	126 to 150	=	21		
	151 to 175	=	24		
	176 to 200	=	27		
	>200	=	30		

Interspersion Score (maximum 30 points) 12

# 1.2.6 Open Water Types

NOTE: this attribute is only to be scored for permanently flooded open water within the wetland (adjacent lakes do not count). Check one option only.

<b>√</b>	Open Water Type	Characteristic	Poi	ints
<b></b>	Туре 1	Open water occupies < 5 % of wetland area	=	8
	Type 2	Open water occupies 5-25% of wetland (occurring in central area)	=	8
	Type 3	Open water occupies 5-25% (occurring in various-sized ponds,		
		dense patches of vegetation or vegetation in diffuse stands)	=	14
	Type 4	Open water occupies 26-75% of wetland (occurring in a central area)	=	20
	Type 5	Open water occupies 26-75% of wetlands (small ponds and		
		embayments are common)	=	30
	Type 6	Open water occupies 76%-95% of wetland (occurring in large		
		central area; vegetation is peripheral)	=	8
	Type 7	Open water occupies 76-95% of wetland (vegetation in		
		patches or diffuse open stands)	=	14
	Type 8	Open water occupies more than 95% of wetland area	=	3
	No open water		=	0

Open Water Type Score (maximum 30 points) 8

# 1.3 SIZE (BIOLOGICAL

### **COMPONENT)**

Total Size of Wetland =  $\frac{74.58}{}$  ha

Sum of scores from Biodiversity Subcomponent

1.2.1

+ 1.2.2

+ 1.2.3

+ 1.2.4

+ 1.2.5

+ 1.2.6

50

Circle the appropriate score from the table below.

	Total Score for Biodiversity Subcomponent										
		<37	37-47	48-60	61-72	73-84	85-96	97-108	109-120	121-132	>132
	<20 ha	1	5	7	8	9	17	25	34	43	50
	20-40	5	7	8	9	10	19	28	37	46	50
	41-60	6	8	9	10	11	21	31	40	49	50
	61-80	7	9	10	11	13	23	34	43	50	50
	81-100	8	10		13	15	25	37	46	50	50
	101-120	9	11	13	15	18	28	40	49	50	50
	121-140	10	13	15	17	21	31	43	50	50	50
Wetland size (ha)	141-160	11	15	17	19	23	34	46	50	50	50
	161-180	13	17	19	21	25	37	49	50	50	50
	181-200	15	19	21	23	28	40	50	50	50	50
	201-400	17	21	23	25	31	43	50	50	50	50
	401-600	19	23	25	28	34	46	50	50	50	50
	601-800	21	25	28	31	37	49	50	50	50	50
	801-1000	23	28	31	34	40	50	50	50	50	50
	1001-1200	25	31	34	37	43	50	50	50	50	50
	1201-1400	28	34	37	40	46	50	50	50	50	50
	1401-1600	31	37	40	43	49	50	50	50	50	50
	1601-1800	34	40	43	46	50	50	50	50	50	50
	1801-2000	37	43	47	49	50	50	50	50	50	50
	>2000	40	46	50	50	50	50	50	50	50	50

Size Score (Biological Component) (maximum 50 points) 10

### 2.0 SOCIAL COMPONENT

### 2.1 ECONOMICALLY VALUABLE

### **PRODUCTS**

### 2.1.1 Wood Products

Check the option that best reflects the total area (ha) of forested wetland (i.e., areas where the dominant vegetation form is h or c). Note that this is the area of all the forested vegetation communities, not total wetland size. Do not include areas where harvest is not permitted. Check only one option.

Area of wetland used for scoring 2.1.1: 70.41ha

	< 5 ha	=	0 pts
	5 - 25 ha	=	3
	26 – 50 ha	=	6
<b>/</b>	51 – 100 ha	=	9
	101 – 200 ha	=	12
	> 200 ha	=	18

Source of information: Field Observation and Satelitte Imagery Wood Products Score (maximum 18 points) 9

### 2.1.2 Wild Rice

Check only one.

ots

Source of information: Field Observation and Satelitte Imagery Wild Rice Score (maximum 6 points) 0

### 2.1.3 Commercial Baitfish

### Check only one.

/	Present	= 12 pts	
	Absent	= 0	
	Fishing not permitted	= 0	

Source of information:	
Field Observation	

Commercial Fish Score (maximum 12 points) 12

### 2.1.4 Furbearers

Only species recognized as furbearers under the Fish & Wildlife Conservation Act may be scored here. Score 3 points for each furbearer species listed, up to a maximum of 12 points. Score 0 points if trapping is prohibited.

	Name of furbearer	Source of information	
1.	Beaver	Field Observation	
2.	Coyote	Field Observation	
3.	Muskrat	Field Observation	
4.	Bear	Field Observation	
5.	Raccoon	Field Observation	
6.	Red Squirrel	Field Observation	

Furbearer Score (maximum 12 points) 12

### 2.2 RECREATIONAL ACTIVITIES

Sources of information and reasons for scoring a wetland under high or moderate use below, must be included below.

Circle one score for each of the activities listed. Score is cumulative – add score for hunting, nature enjoyment and fishing together for final score.

	Type of Wetland-Associated Use							
		Hunting	Nature Enjoyment/	Fishing				
			Ecosystem Study					
Intensity of Use	High	40 points	40 points	40 points				
	Moderate	20	20	20				
	Low	8	8	8				
	Not Possible/	0	0	0				
	No evidence							

Sources of information (include evidence/criteria forming basis for score and any relevant reference used to obtain that information):

Hunting:	Converation with property owners
Ü	
Nature:	Converation with property owners
Fishing:	No viable lakes/rivers/stream for fishing (field visit)

Recreational Activities Score (maximum 80 points) 8

### 2.3 LANDSCAPE AESTHETICS

### 2.3.1 Distinctness

Check only one.

	Clearly Distinct	= 3 pts
<b>-</b>	Indistinct	= 0

Landscape Distinctness Score
(maximum 3 points) 0

### 2.3.2 Absence of Human Disturbance

Check only one.

Human disturbances absent or nearly so	=	7 pts
One or several localized disturbances	=	4
Moderate disturbance; localized water pollution	=	2
Wetland intact but impairment of ecosystem quality intense in some areas	=	1
Extreme ecological degradation, or water pollution severe and widespread	=	0

Details regarding type, extent and location of disturbance scored: Channel is regularly maintained, by dredging activity and removal of beaver dams	
Source of information: Field Observation and Communication with Property Owner	

Absence of Human Disturbance Score (maximum 7 points) 4

### 2.4 EDUCATION AND PUBLIC

### **AWARENESS**

### 2.4.1 Educational Uses

Check highest appropriate category.

Frequent	=	20 pts
Infrequent	=	12
No visits	=	0

Details regarding the type and frequency of education uses scored above:
Source of information:
Communication with the Property Owner

Educational Uses Score (maximum 20 points) 0

### 2.4.2 Facilities and Programs

Additional Notes/Comments:

Check all appropriate options, score highest category checked.

Staffed interpretation centre	=	8 pts
No interpretation centre or staff, but a system of self-guiding trails or brochures available	=	4
Facilities such as maintained paths (e.g., woodchips), boardwalks, boat launches or		
observation towers, but no brochures or other interpretation	=	2
No facilities or programs	=	0

Source of information: Field Observation and Communication with Property Owner	

Facilities and Programs Score  $(maximum\ 8\ points)\ 0$ 

### 2.4.3 Research and Studies

Check all that apply; score highest category checked.

Long term research has been done	=	12 pts
Research papers published in refereed scientific journal or as a thesis	=	10
One or more (non-research) reports have been written on some aspect		
of the wetland's flora, fauna, hydrology, etc.	=	5
No research or reports	=	0

List of reports, publications, research studies etc. scored above:
Long term monitoring program present within this wetland, to meet the requirments of MECP authorization required by the previous
owner.

Research and Studies Score (maximum 12 points) 12

# 2.5 PROXIMITY TO AREAS OF HUMAN SETTLEMENT

Name of Settlement: Stitsville (Ottawa)	
Distance of wetland from settlement: 3.12km	
Population of settlement: 48,990	(Source: City of Ottawa )

Circle only the highest score applicable

		population >10,000	population 2,500-10,000	population <2,500 or cottage community
70	within or adjoining settlement	40 points	26 points	16 points
ice of wetland settlement	0.5 to 10 km from settlement	26	16	10
Distance of wetland to settlement	10 to 60 km from settlement	12	8	4
Ϊ́Ο	>60 km from nearest settlement	5	2	0

Proximity to Human Settlement Score (maximum 40 points) 26

### 2.6 OWNERSHIP

FA of wetland held by or held under a legal contract by a conservation body			
(as defined by the Conservation Land Act) for wetland protection		х	10 =
FA of wetland occurring in provincially or nationally protected areas (e.g., parks			
and conservation reserves)		х	10 =
FA of wetland area in Crown/public ownership, not as above		х	8 =
FA of wetland area in private ownership, not as above	1	х	4 = 4

Source of information: LIO, FIELD VISIT, GEOOttawa

Ownership Score (maximum 10 points) 4

### 2.7 SIZE (SOCIAL COMPONENT)

Total Size of Wetland =  $\underline{74.58}$  ha Sum of scores from Subcomponents 2.1, 2.2, and 2.5 =  $\underline{67}$  Circle the appropriate score from the table below.

Total for Size Dependent Social Features										
	<31	31-45	46-60	61-75	76-90	91-105	106-120	121-135	136-150	>150
<2 ha	1	2	4	8	10	12	14	14	14	15
2-4	1	2	4	8	12	13	14	14	15	16
5-8	2	2	5	9	13	14	15	15	16	16
9-12	3	3	6	10	14	15	15	16	17	17
13-17	3	4	7	10	14	15	16	16	17	17
18-28	4	5	8	11	15	16	16	17	17	18
29-37	5	7	10	13	16	17	18	18	19	19
38-49	5	7	10	13	16	17	18	18	19	20
50-62	5	8	11	14	17	17	18	19	20	20
63-81	5	8	11	15	17	18	19	20	20	20
82-105	6	9	11	15	18	18	19	20	20	20
106-137	6	9	12	16	18	19	20	20	20	20
138-178	6	9	13	16	18	19	20	20	20	20
179-233	6	9	13	16	18	20	20	20	20	20
234-302	7	9	13	16	18	20	20	20	20	20
303-393	7	9	14	17	18	20	20	20	20	20
394-511	7	10	14	17	18	20	20	20	20	20
512-665	7	10	14	17	18	20	20	20	20	20
666-863	7	10	14	17	19	20	20	20	20	20
864-1123	8	12	15	17	19	20	20	20	20	20
1124-1460	8	12	15	17	19	20	20	20	20	20
1461-1898	8	13	15	18	19	20	20	20	20	20
1899-2467	8	14	16	18	20	20	20	20	20	20
>2467	8	14	16	18	20	20	20	20	20	20

### 2.8 ABORIGINAL VALUES AND

### **CULTURAL HERITAGE**

Either or both Aboriginal or Cultural Values may be scored. However, the maximum score permitted for 2.8 is 30 points.

Full documentation of sources must be attached to the data record.

### 2.8.1 Aboriginal Values

Significant	= 30 pts
Not Significant	= 0
Unknown	= 0

Additional Comments/Notes:		

### 2.8.2 Cultural Heritage

Not Significant = 0 Unknown = 0	Significant	= 30 pts
Unknown = 0	Not Significant	= 0
	Unknown	= 0

Additional Comments/Notes:	

Aboriginal Values/Cultural Heritage Score (maximum 30 points) 0\_\_\_\_\_

### 3.0 HYDROLOGICAL COMPONENT

### 3.1 FLOOD ATTENUATION

Check one of the following options.

If wetland is a coastal wetland, → score 0 points for this section.

If wetland is entirely isolated in site type, → score 100 points automatically.

Wetland not as above – proceed through 'steps' A through F below.

- (A) Total wetland area =  $\frac{74.58}{1}$  ha
- (B) Size of wetland's catchment =  $\frac{747.81}{}$  ha
- (C) Size of other detention areas in catchment =  $\frac{16.27}{}$  ha
- (D) Total area of upstream detention areas = {A + C} =  $\frac{90.85}{h_a}$
- (E) Upstream Detention Factor =  $\{(A/D) \times 2\} = 1$  (maximum 1.0)
- (F) Attenuation Factor =  $\{(A/B) \times 10\} = \frac{1}{1}$  (maximum 1.0)

Flood Attenuation Final Score =  $\{(E + F)/2\} \times 100 =$ 

Flood Attenuation Score (maximum 100 points) 100

#### 3.2 WATER QUALITY

#### **IMPROVEMENT**

### 3.2.1 Short Term Water Quality Improvement

Step 1: Determination of maximum initial score

Wetland on one of the 5 defined large lakes or 5 major rivers (Go to Step 5A)

All other wetlands (Go through Steps 2, 3, 4, and 5B)

Step 2: Determination of Watershed Improvement Factor (WIF)

Calculation of WIF is based on the fractional area (FA) of each site type that makes up the total area of the wetland.

(FA = area of site type/total area of wetland)

FA of isolated wetland	=		x 0.5 =	
FA of riverine wetland	=		x 1.0 =	
FA of palustrine wetland with no inflow	=		x 0.7 =	
FA of palustrine wetland with inflows	=	1	x 1.0 =	1
FA of lacustrine on lake shoreline	=		x 0.2 =	
FA of lacustrine at lake inflow or outflow	=		x 1.0 =	

Sum (WIF cannot exceed 1.0) 1

Step 3: Determination of Catchment Land Use Factor (LUF)

(Choose the first category that fits upstream land use in the catchment.)

Over 50% agricultural and/or urban	=	1.0
Between 30 and 50% agricultural and/or urban	=	8.0
Over 50% forested or other natural vegetation	=	0.6

LUF (maximum 1.0) 0.6

Step 4: Determination of Pollutant Uptake Factor (PUF)


Calculation of PUF is based on the fractional area (FA) of each vegetation type that makes up the total area of the wetland. Base assessment on the dominant vegetation form for each community except where dead trees or shrubs dominate. In that case base assessment on the dominant live vegetation type.

(FA = area of vegetation type/total area of wetland)

FA of wetland with live trees, shrubs, herbs or mosses			1
(c, h, ts, ls, gc, m)	= x	0.75 =	= 0.75
FA of wetland with emergent, submergent or floating vegetation			
(re, be, ne, su, f, ff)	= x	1.0 =	=
FA of wetland with little or no vegetation (u)			
	= x	0.5 =	=

Sum (PUF cannot exceed 1.0) \_\_\_0.75

Step 5: Calculation of final score




Final score:  $60 \times WIF \times LUF \times PUF = \frac{27}{100}$ 

Short Term Water Quality Improvement Score (maximum 60 points) 27

### 3.2.2 Long Term Nutrient Trap

### Step 1:



Step 2: Choose only one of the following settings that best describes the wetland being evaluated

	Wetland located in a river mouth	=	10 pts
	Wetland is a bog, fen, or swamp with more than 50% of the wetland being		
	covered with organic soil	=	10
	Wetland is a bog, fen, or swamp with less than 50% of the wetland being		
<b>/</b>	covered with organic soil	=	3
	Wetland is a marsh with more than 50% of the wetland covered with organic soil	=	3
	None of the above	=	0

Long Term Nutrient Trap Score
(maximum 10 points) 3

# 3.2.3 Groundwater Discharge

Circle the characteristics that best describe the wetland being evaluated and then sum the scores. If the sum exceeds 30 points, assign the maximum score of 30). Note: for wetland type, wetland type scored does not have to the dominant type in the wetland.

			Potential for Discharge	
		None to Little	Some	High
	Wetland type	Boa = 0	Swamp/Marsh = 2	Fen = 5
Characteristics	Topography	Flat/rolling = 0	Hilly = 2	Steep = 5
teris	Wetland area:	Large (>50%) = 0	Moderate (5-50%) = 2	Small (<5%) = 5
arac	Upslope catchment area			
Ch	Lagg development	None found = $0$	Minor = 2	Extensive = 5
pur	Seeps	None = 0	≤ 3 seeps = 2	> 3 seeps = 5
Wetland	Surface marl deposits	None = 0	≤ 3 sites = 2	> 3 sites = 5
>	Iron precipitates	None = 0	≤ 3 sites = 2	> 3 sites = 5
	Located within 1 km	N/A = 0	N/A = 0	Yes = 10
	of a major aquifer			No = 0

Additional Comments/Notes:								

Groundwater Discha	arge Score
(maximum 30 points)	6

### 3.3 CARBON SINK

Check only one of the following:

	Bog, fen or swamp with more than 50% coverage by organic soil		5 pts
<b>/</b>	Bog, fen or swamp with between 10 to 50% coverage by organic soil	=	2
	Marsh with more than 50% coverage by organic soil	=	3
	Wetlands not in one of the above categories	=	0
	1 3.		

Source of information:

LIO, Agricultural Information Atlas, Field Visit

Carbon Sink Score
(maximum 5 points) 2

### 3.4 SHORELINE EROSION

### **CONTROL**

From the wetland vegetation map determine the dominant vegetatino type within the erosion zone for lacustrine and riverine site type areas only. Score according to the factors listed below.

#### Step 1:

<b>/</b>	✓   Wetland entirely isolated or palustrine		0 pts
	Any part of the wetland is riverine or lacustrine	=	Go to step 2

Step 2: Choose the one characteristic that best describes the shoreline vegetation (see page 109 for description of "shoreline".)

Trees and shrubs	= 15 pts
Emergent vegetation	= 8
Submergent vegetation	= 6
Other shoreline vegetation	= 3
No vegetation	= 0

Shoreline Erosion Control Score (maximum 15 points) 0

### 3.5 GROUNDWATER RECHARGE

### 3.5.1 Site Type

Wetland > 50% lacustrine (by area) or located on one of t	= 0 pts		
Wetland not as above. Calculate final score as follows:			
■ FA of isolated or palustrine wetland	=	x 50 =	50
■ FA of riverine wetland	=	x 20 =	
■ FA of lacustrine wetland (not dominant site type)	=	x 0 =	

Groundwater Recharge/Wetland Site Type Score (maximum 50 points) 50

### 3.5.2 Soil Recharge Potential

Circle only one choice that **best** describes the soils in **the area surrounding the wetland** being evaluated (the soils within the wetland are not scored here).

		Group A, B, C	Group D (clays, substrates in high water	
		(sands, gravels,	tables, shallow substrates over impervious	
		loams)	materials such as bedrock)	
ant Type	Lacustrine or major river	0	0	
	Isolated	10	5	
Dominant Wetland Typ	Palustrine	7	4	
We D	Riverine (not on a major river)	5	2	

Groundwater Recharge/Wetland Soil Recharge
Potential Score (maximum 10 points) 7

### 4.0 SPECIAL FEATURES

### **COMPONENT**

### 4.1 RARITY

### 4.1.1 Wetland Types

Ecodistrict	Rarity within the Landscape		Rarity of Wetland Type (4.1.1.2)				
	(4.1.1.1)	Marsh	Swamp	Fen	Bog		
6E-1	60	40	0	80	80		
6E -2	60	40	0	80	80		
6E-4	60	40	0	80	80		
6E-5	20	40	0	80	80		
6E-6	40	20	0	80	80		
6E-7	60	10	0	80	80		
6E-8	20	20	0	80	80		
6E-9	0	20	0	80	80		
6E-10	20	0	20	80	80		
6E-11	0	30	0	80	80		
6E-12	0	30	0	60	80		
6E-13	60	10	0	80	80		
6E-14	40	20	0	40	80		
6E-15	40	0	0	80	80		
6E-16	60	20	0	80	60		
6E-17	40	10	0	30	80		
7E-1	60	0	60	80	80		
7E-2	60	0	0	80	80		
7E-3	60	00	0	80	80		
7E-4	80	0	0	80	80		
7E-5	60	20	0	80	80		
7E-6	80	30	0	80	80		

### 4.1.1.1 Rarity within the Landscape

Choose appropriate score from 2nd column above.

Score (maximum 80 points) 0

### 4.1.1.2 Rarity of Wetland Type

Score is cumulative, based on presence/absence. Circle all appropriate scores from above table and sum.

### 4.1.2 Species

### 4.1.2.1 Provincially Significant Animal Species

Scientific Name	Activity	Dates Observed	Info Source	
Contopus virens	N/A	N/A	OBBA	
Vermivora chrysoptera	N/A	N/A	NHIC/OBBA	
Hylocichla mustelina	N/A	N/A	NHIC/OBBA	
Antrostomus vociferus	N/A	N/A	NHIC/OBBA	
	Contopus virens  Vermivora chrysoptera  Hylocichla mustelina	Contopus virens N/A  Vermivora chrysoptera N/A  Hylocichla mustelina N/A	Contopus virens N/A N/A  Vermivora chrysoptera N/A N/A  Hylocichla mustelina N/A N/A	

#### Additional Notes/Comments:

Provincially Significant Turtles where found to not be present within the wetland information was present in MECP permit monitoring reports provided by J.F. Sabourin and Associates Inc.

One species	=	50 pts	9 species	=	140 pts	17 species	=	160 pts
2 species	=	80	10 species	=	143	18 species	=	162
3 species	=	95	11 species	=	146	19 species	=	164
4 species	=	105	12 species	=	149	20 species	=	166
5 species	=	115	13 species	=	152	21 species	=	168
6 species	=	125	14 species	=	154	22 species	=	170
7 species	=	130	15 species	=	156	23 species	=	172
8 species	=	135	16 species	=	158	24 species	=	174
						25 species	=	176

Add one point for every species past 25 (for example, 26 species = 177 points, 27 species = 178 points etc.)

Provincially Significant Animal Species	
(no maximum) 105	

# 4.1.2.2 Provincially Significant Plant Species

Common Name	Scientific Name	Activity	Dates Observed	Info Source
None Found				
	•			

Additional Notes/Comments:		

Provincially Significant Turtles where found to not be present within the wetland information was present in MECP

						ourin and Associates		
One species		50 pts	9 species			17 species		160 pts
2 species	=	80	10 species	=	143	18 species	=	162
3 species	=	95	11 species	=	146	19 species	=	164
4 species	=	105	12 species	=	149	20 species	=	166
5 species	=	115	13 species	=	152	21 species	=	168
6 species	=	125	14 species	=	154	22 species	=	170
7 species	=	130	15 species	=	156	23 species	=	172
8 species	=	135	16 species	=	158	24 species	=	174
						25 species	=	176

Add one point for every species past 25 (for example, 26 species = 177 points, 27 species = 178 points etc.)

Provincially Significant Plant Species
(no maximum) <u>0</u>

# 4.1.2.3 Regionally Significant Species

Common Name	Scientific Name	Activity	Dates Observed	Info Source
None Found				

One species= 20 pts	4 species =	45 pts	7 species	=	58 pts
2 species = 30	5 species =	50	8 species	=	61
3 species = 40	6 species =	55	9 species	=	64
			10 species	=	67

For each significant species over 10 in wetland, add 1 point.

Regionally Significant Species Score
(no maximum score) 0

### 4.1.2.4 Locally Significant Species

vity Dates Observed Info Source

One species= 10 pts	4 species =	31 pts	7 species	-	43 pts
2 species = 17	5 species =	38	8 species	=	45
3 species = 24	6 species =	41	9 species	=	47
			10 species	=	49

For each significant species over 10 in wetland, add 1 point.

Locally Significant Species Score	
(no maximum score) 0	

### **4.2 SIGNIFICANT FEATURES**

### **AND HABITATS**

### 4.2.1 Colonial Waterbirds

Record all available information. Score the highest applicable category. Include additional information as possible (e.g., nest locations, etc).

Activity	Species	Info Source	te	Points
Currently nesting				
				= Type text
Known to have nested				
within the past 5 years				= 25
Active feeding area				
(great blue heron excluded)				= 15
None known				
		LIO, NHIC, FIELD VISITS		= 0

Additional Notes/Commen	ts:		

Colonial Waterbird Nesting Score (maximum 50 points) 0

### 4.2.2 Winter Cover for Wildlife

Score highest appropriate category. Include rationale/sources of information.

Provincially significant	=	100 pts
Significant in Ecoregion	=	50
Significant in Ecodistrict	=	25
Locally significant	=	10
 Little or poor winter cover	=	0

Species/habitat/vegetation community scored (e.g., winter deer cover in hemlock swamp, S3 and S4b):

Source of information:
Field Observation

Winter Cover for Wildlife Score (maximum 100 points) 0

### 4.2.3 Waterfowl Staging and/or Moulting Areas

Check highest level of significance for both staging and moulting; add scores for staging and for moulting together for final score. However, maximum score for evaluation under this section is 150 points.

		Staging	Moulting
Nationally/internationally significant	t =	150 pts	= 150 pts
Provincially significant	=	100	= 100
Significant in the Ecoregion	=	50	= 50
Significant in Ecodistrict	=	25	= 25
Known to occur	=	10	= 10
Not possible/Unknown	=	0	= 0

Species/habitat/vegetation community scored (e.g., approx 20 mallards in W3):

Source of information:

Field Visit

Waterfowl Staging/Moulting Score (maximum 150 points) 0

### 4.2.4 Waterfowl Breeding

Check highest level of significance.

	Nationally/internationally significant	=	150 pts
	Provincially significant	=	100
	Significant in the Ecoregion	=	50
	Significant in Ecodistrict	=	25
<b>-</b>	Habitat Suitable	=	10
	Habitat not suitable	=	0

Species/habitat/vegetation community scored (e.g., mallard in W3): Ducks and Geese Possible in S4

Source of information:

Field Observation

Waterfowl Breeding Score (maximum 150 points) 10

### 4.2.5 Migratory Passerine, Shorebird or Raptor Stopover Area

Check highest level of significance.

Nationally / internationally significant =	=	150 pts
Provincially significant =	=	100
Significant in Ecoregion =	=	50
Significant in Ecodistrict =	=	25
Known to occur =	=	10
 Not possible / Unknown =	=	0

Species/habitat/vegetation community scored:

Source of information:

Field Observation: Significant Wildlife Habitat Ecoregion Criteria Schedule for: Shorebird Migratory Stopover Areas and Landbird Migratory Stopover Areas

#### 4.2.6 Fish Habitat

### 4.2.6.1 Spawning and Nursery Habitat

Area Factors for Low Marsh, High Marsh and Swamp Communities.

No. of ha of Fish Habitat	Area Factor
< 0.5 ha	0.1
0.5 – 4.9	0.2
5.0 – 9.9	0.4
10.0 – 14.9	0.6
15.0 – 19.9	0.8
20.0 +	1.0

C.		
STA	n i	ľ
Jic	Ρ'	

Fish habitat is not present within the wetland Go to Step 7, Score 0 points

Fish habitat is present within the wetland Go to Step 2

Step 2: Choose only one option

Significance of the spawning and nursery habitat within the
wetland is known

Go to Step 3

Significance of the spawning and nursery habitat within
the wetland is not known

Go through Steps 4, 5 and 6

Step 3: Select the highest appropriate category below, attach documentation:

Significant in Ecoregion Go to Step 7, Score 100 points

Significant in Ecodistrict Go to Step 7, Score 50 points

Locally Significant Habitat (5.0+ ha) Go to Step 7, Score 25 points

Locally Significant Habitat (<5.0 ha) Go to Step 7, Score 15 points

#### Source of information:

Step 4: Low Marsh = the 'permanent' marsh area, from the existing water line out to the outer boundary of the wetland.

Low marsh not present Go to Step 5

Low marsh present Continue through Step 4, scoring as noted below

#### Scoring of Low Marsh:

- 1. Check the appropriate **Vegetation Group** (see Appendix 7) for each Low Marsh community. (Based on the one most clearly dominant plant species of the dominant form in each Low Marsh vegetation community.)
- 2. Sum the areas (ha) of the vegetation communities assigned to each Vegetation Group.
- 3. Use these areas to assign an Area Factor (from Table 7) for each checked Vegetation Group.
- 4. Multiply the **Area Factor** by the **Multiplication Factor** for each row to calculate **Score**.
- 5. Sum all numbers in Score column to get **Total Score for Low Marsh**.

Scoring to	r Presence of Key Vegetatior	i Groups – L	OW WIAISH			
Vegetation Group Number	Vegetation Group Name	Present as a Dominant Form (check)	Total Area (ha)	Area Factor (from Table 7)	Multiplication Factor	Score
1	Tallgrass				6	
2	Shortgrass-Sedge				11	
3	Cattail-Bulrush-Burreed				5	
4	Arrowhead-Pickerelweed				5	
5	Duckweed				2	
6	Smartweed-Waterwillow				6	
7	Waterlily-Lotus				11	
8	Waterweed-Watercress				9	
NOT <b>Ę</b> : This	Exaluation Data and Scoring	9			10	
10	Coontail-Naiad-Watermilfoil				13	
11	Narrowleaf Pondweed				5	
12	Broadleaf Pondweed				8	

Total Score for Low Marsh (maximum 75 points)

Continue to Step 5

Step 5: High Marsh = the 'seasonal' marsh area, from the water line to the inland boundary of marsh wetland type. This is essentially what is commonly referred to as a wet meadow, in that there is insufficient standing water to provide fisheries habitat except during flood or high water conditions.

<b>✓</b>	High marsh not present	Go to Step 6
	High marsh present	Continue through Step 5, scoring as noted below

#### Scoring of High Marsh:

- 1. Check the appropriate Vegetation Group (see Appendix 7) for each High Marsh community. (Based on the one most clearly dominant plant species of the dominant form in each High Marsh vegetation community.)
- 2. Sum the areas (ha) of the vegetation communities assigned to each Vegetation Group.
- 3. Use these areas to assign an Area Factor (from Table 7) for each checked Vegetation Group.
- 4. Multiply the **Area Factor** by the **Multiplication Factor** for each row to calculate **Score**.
- 5. Sum all numbers in Score column to get **Total Score for High Marsh**.

Scoring for Presence of Key Vegetation Groups – High Marsh								
Vegetation Group Number	Vegetation Group Name	Present as a Dominant Form (check)	Total Area (ha)	Area Factor (from Table 7)	Multiplication Factor	Score		
1	Tallgrass				6			
2	Shortgrass-Sedge				11			
3	Cattail-Bulrush-Burreed				5			
4	Arrowhead-Pickerelweed				5			
	Total Score for High Marsh (maximum 25 points)							

Continue to Step 6

	Swamp containing fish habitat not present	Go to Step 7
<b>/</b>	Swamp containing fish habitat present	Continue through Step 6, scoring as follows

#### Scoring of Swamp:

- 1. Determine the total area (ha) of seasonally flooded swamp communities within the wetland containing fish habitat and record below.
- 2. Determine the total area (ha) of permanently flooded swamp communities within the wetland containing fish habitat and record below.
- 3. Use these areas to assign an **Area Factor** (from Table 7).
- 4. Multiply the Area Factor by the **Multiplication Factor** for each row to calculate **Score**.
- 5. Sum all numbers in Score column to get **Total Score for Swamp**.

Scoring Swamps for Fish Habitat (Seasonally flooded; Permanently flooded)						
Swamp Containing Fish Habitat	Present (check)	Total Area (ha)	Area Factor (from Table 7)	Multiplication Factor	Score	
Seasonally Flooded Swamp				10		
Permanently Flooded Swamp	<b>/</b>	1.76	0.2	10	0.352	
Total Score for Swamp (maximum 20 points)						

Continue to Step 7

#### Step 7: CALCULATION OF FINAL SCORE

NOTE: Scores for Steps 4, 5 and 6 are only recorded if Steps 1 and 3 have not been scored.

۹.	Score from Step 1 (fish habitat not present)	= _	_X_
	Score from Step 3 (significance known)	= _	X
C.	Score from Step 4 (Low Marsh)	= _	X
D.	Score from Step 5 (High Marsh)	= _	_X_
=	Scara from Ston 6 (Swamp)	_	1

Calculation of Final Score for Spawning and Nursery Habitat = A or B or Sum of C, D, and E

Score for Spawning and Nursery Habitat	
(maximum 100 points) <u>1</u>	

# 4.2.6.2 Migration and Staging Habitat

Step 1:				
	Staging or Migration Habitat is not present in the wetland	Go to Step 4, Score 0 points		
	Staging or Migration Habitat is present in the wetland, significance of the habitat is known	Go to Step 2		
<b>✓</b>	Staging or Migration Habitat is present in the wetland, significance of the habitat is not known	Go to Step 3		
Step 2:	p 2: Select the highest appropriate category below. Ensure that documentation is attached to the data record.			
	Significant in Ecoregion	Score 25 points in Step 4		
	Significant in Ecodistrict	Score 15 points in Step 4		
	Locally Significant	Score 10 points in Step 4		
	Fish staging and/or migration habitat present, but not as a	bove Score 5 points in Step 4		
Source	of information:			
Step 3:	Select the highest appropriate category below based on p the dominant site type). Refer to Site Types recorded earl	resence of the designated site type (i.e. does not have to be er (section 1.1.3). Attach documentation.		
	Wetland is riverine at rivermouth or lacustrine at rivermou	h Score 25 points in Step 4		
	Wetland is riverine, within 0.75 km of rivermouth	Score 15 points in Step 4		
	Wetland is lacustrine, within 0.75 km of rivermouth	Score 10 points in Step 4		
<b>/</b>	Fish staging and/or migration habitat present, but not as a	bove Score 5 points in Step 4		
Step 4:	Enter a score from only one of the three above Steps.			
		Score for Staging and Migration Habitat (maximum 25 points) 5		


### 4.3 ECOSYSTEM AGE

		Fractional Area		Score
Bog	=		x 25 =	
Fen, on deeper soils; floating mats or marl	=		x 20 =	
Fen, on limestone rock	=		x 5 =	
Swamp	=	1	x 3 =	3
Marsh	=		x 0 =	
	Tot	:al	=	

Ecosystem Age Score (maximum 25 points) 3

# 4.4 GREAT LAKES COASTAL

### **WETLANDS**



# **GENERAL INFORMATION**

Wetland Evaluator(s)	
Name: Shaun St Pierre	Affiliation: BCH Environmental Consulting Inc
Signature:	
	en undertaken and completed in accordance with the Ontario h Edition / Northern Manual 2nd Edition)
Name:	Affiliation:
Signature:	
(by signing, I confirm that this evaluation has be Wetland Evaluation System Southern Manual 4th	en undertaken and completed in accordance with the Ontario h Edition / Northern Manual 2nd Edition)
Name:	Affiliation:
Signature:	
_	en undertaken and completed in accordance with the Ontario
Name:	Affiliation:
Signature:	
_	en undertaken and completed in accordance with the Ontario
Name:	Affiliation:
Signature:	
_	en undertaken and completed in accordance with the Ontario
Date(s) wetland visited (in field): See Table	Below
Date evaluation completed: March 22, 20	
Estimated time devoted to completing the f	11

### Weather Conditions

i) at time of field work: See Table Below

ii) summer conditions in general: N/A

DATE	TIME	AIR TEMP. (°C)	WIND (Beaufort Scale)	CLOUD COVER / PRECIPITATION	STAFF
October 20, 2023	0945h-1230h	14	Light Air	Overcast	S.St.Pierre C.Fontaine
March 18, 2024	0800h-1330h	-4	Light Air	Clear Skies	C.Fontaine

NOTE: This Wetland Evaluation Data and Scoring Record should be viewed with the accompanied report which adds additional information and context to some of the decision making:

BCH Environmental Consulting (2024). Wetland Evaluation: 7301 Flewellyn Road, Ottawa. Part of Lot 14 & 15, Concession 9, City of Ottawa.

### WETLAND EVALUATION SCORING

# RECORD

WETLAND NAME: Portions of the Goulbourn Wetland Complex

# 1.0 BIOLOGICAL COMPONENT

19 8 2 29	1.1	PROD 1.1.1 1.1.2 1.1.3	UCTIVITY Growing Degree-Days/Soils Wetland Type Site Type
9 8 4 12 8 10	1.2	BIODI 1.2.1 1.2.2 1.2.3 1.2.4 1.2.5 1.2.6	Diversity of Surrounding Habitat
10	1.3	SIZE (I	Biological Component)
90		TOTA	L (Biological Component)

### 2.0 SOCIAL COMPONENT

9 0 12 12	2.1	ECONOMICALLY VALUABLE PRODUCTS 2.1.1 Wood Products 2.1.2 Wild Rice 2.1.3 Commerical Baitfish 2.1.4 Furbearers
33		Total for Economically Valuable Products
8	2.2	RECREATIONAL ACTIVITIES
<u>0</u> <u>4</u>	2.3	LANDSCAPE AESTHETICS 2.3.1 Distinctness 2.3.2 Absence of Human Disturbance Total for Landscape Aesthetics
0 0 12	2.4	EDUCATION AND PUBLIC AWARENESS 2.4.1 Educational Uses 2.4.2 Facilities and Programs 2.4.3 Research and Studies  Total for Education and Public Awareness
26	2.5	PROXIMITY TO AREAS OF HUMAN SETTLEMENT
4	2.6	OWNERSHIP
15	2.7	SIZE (Social Component)
0 0	2.8	ABORIGINAL VALUES AND CULTURAL HERITAGE 2.8.1 Aboriginal Values 2.8.2 Cultural Heritage
102		TOTAL (Social Component)

# 3.0 HYDROLOGICAL COMPONENT

100	3.1 FLOOD ATTENUATION
27 3 6	<ul> <li>3.2 WATER QUALITY IMPROVEMENT</li> <li>3.2.1 Short Term Water Quality Improvement</li> <li>3.2.2 Long Term Nutrient Trap</li> <li>3.2.3 Groundwater Discharge</li> </ul>
36	Total for Water Quality Improvement
2	3.3 CARBON SINK
0	3.4 SHORELINE EROSION CONTROL
50 7 57	3.5 GROUNDWATER RECHARGE 3.5.1 Site Type 3.5.2 Soil Recharge Potential  Total for Groundwater Recharge
195	TOTAL (Hydrological Component)

TOTAL (Hydrological Component)

# 4.0 SPECIAL FEATURES COMPONENT

0 0	4.1 RARITY 4.1.1 Wetlands 4.1.1.1 Rarity within the Landscape 4.1.1.2 Rarity of Wetland Type
0	Total for Wetland Rarity
105 0 0 0 0	4.1.2 Species 4.1.2.1 Provincially Significant Animals 4.1.2.2 Provincially Significant Plants 4.1.2.3 Regionally Significant Species 4.1.2.4 Locally Significant Species Total for Species Rarity
0 0 0 10 0 1 5	<ul> <li>4.2 SIGNIFICANT FEATURES AND HABITATS</li> <li>4.2.1 Colonial Waterbirds</li> <li>4.2.2 Winter Cover for Wildlife</li> <li>4.2.3 Waterfowl Staging and/or Moulting Areas</li> <li>4.2.4 Waterfowl Breeding</li> <li>4.2.5 Migratory Passerine, Shorebird or Raptor Stopover Area</li> <li>4.2.6 Fish Habitat</li> <li>4.2.6.1 Spawning and Nursery Habitat</li> <li>4.2.6.2 Migration and Staging Habitat</li> <li>Total for Significant Features and Habitats</li> </ul>
_3	4.3 ECOSYSTEM AGE
0	4.4 GREAT LAKES COASTAL WETLANDS
124	TOTAL FOR SPECIAL FEATURES COMPONENT (not to exceed 250)

# SUMMARY OF EVALUATION RESULT

# Wetland Portions of the Goulbourn Wetland Complex

90	1.0 TOTAL FOR BIOLOGICAL COMPONENT
102	2.0 TOTAL FOR SOCIAL COMPONENT
195	3.0 TOTAL FOR HYDROLOGICAL COMPONENT
124	4.0 TOTAL FOR SPECIAL FEATURES COMPONENT
511	TOTAL WETLAND SCORE