

Phase I – Environmental Site Assessment

1296 and 1300 Carling Avenue,
Ottawa, Ontario

Prepared for Ambassador Realty Inc.

Report: PE3966-2
October 10, 2025

TABLE OF CONTENTS

EXECUTIVE SUMMARY.....	iii
1.0 INTRODUCTION.....	1
2.0 PHASE I PROPERTY INFORMATION.....	1
3.0 SCOPE OF INVESTIGATION	2
4.0 RECORDS REVIEW	3
4.1 General.....	3
4.2 Environmental Source Information	7
4.3 Physical Setting Sources	10
5.0 INTERVIEWS	14
6.0 SITE RECONNAISSANCE.....	15
6.1 General Requirements.....	15
6.2 Specific Observations at the Phase I Property.....	15
6.3 Neighbouring Properties	20
7.0 REVIEW AND EVALUATION OF INFORMATION	21
7.1 Current and Past Uses.....	21
7.2 Areas of Potential Environmental Concern.....	21
7.3 Conceptual Site Model.....	26
8.0 REVIEW AND EVALUATION OF INFORMATION	32
8.1 Assessment.....	32
8.2 Recommendations	33
9.0 STATEMENT OF LIMITATIONS	34
10.0 REFERENCES.....	35

List of Figures

Figure 1 - Key Plan
 Figure 2 - Topographic Map
 Drawing PE3966-2 - Site Plan
 Drawing PE3966-3 - Surrounding Land Use Plan

List of Appendices

- Appendix 1 Survey Plan
Aerial Photographs
Site Photographs
- Appendix 2 TSSA Correspondence
MECP Well Records
MECP FOI
City of Ottawa HLUI
ERIS Report
- Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Paterson Group was retained by Ambassador Realty Inc. to carry out a Phase I – Environmental Site Assessment (Phase I ESA) for the property addressed 1296 and 1300 Carling Avenue, in the City of Ottawa, Ontario (Phase I Property). The objective of this Phase I ESA was to research the past and current use of the Phase I Property and 250 m study area (Phase I Study Area) and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was first developed for residential purposes prior to 1928 (earliest available aerial photograph) and was used for residential purposes until 1960 to 1961, when the Phase I Property was developed with two multi-unit commercial office buildings. Based on reviewed aerial photographs and previous subsurface investigations, fill material was imported to the Phase I Property during development (APEC 1). As well, asphaltic covered surfaces are considered to have had de-icing salt applied for the safety of vehicular or pedestrian traffic under conditions of snow or ice (APEC 2). The Phase I Property buildings were occupied by various commercial tenants since development, including a commercial printer and publisher (APEC 9) in the 1970s. No other on-site tenant activities were considered to represent PCAs.

Surrounding land use consisted of a mix of residential and commercial use land with some former industrial use land. Off-site PCAs considered to represent APECs identified based on historical activity in the Phase I Study Area include a former commercial automotive service garage (APEC 8), and a former soda bottling facility (APEC 5) with one underground fuel storage tank (APEC 4). Other PCAs identified in the Phase I Study Area were not considered to represent APECs due to their separation distance and/or downgradient or cross-gradient orientation with respect to the Phase I Property.

Following the historical research, a site visit was conducted. The Phase I Property is currently occupied by two three-storey multi-unit commercial office buildings, each with one basement level. PCAs identified on-site during the site visit include a former interior transformer and oil circuit breaker (APEC 3), a hydraulic personnel elevator (APEC 10), and a hydraulic freight elevator (APEC 11), all within the building addressed 1296 Carling Avenue. Off-site PCAs considered to represent APECs on the Phase I Property \observed included a diesel backup generator and aboveground storage tank (APEC 6), and a pad mounted transformer (APEC 7) on the property adjacent to the west. No additional potential environmental concerns were identified during the site visit.

Neighbouring land use in the Phase I Study Area consists of a mix of residential and commercial use properties. No additional PCAs or APECs were identified with respect to present land use.

Recommendations

Based on the findings of this assessment, **it is our opinion that a Phase II – Environmental Site Assessment will be required for the Phase I Property.**

Hazardous Building Materials

A designated substance survey was completed in 2022 by Paterson Group for the building addressed 1296 Carling Avenue (western subject building). The report confirmed the presence of asbestos containing materials, including select flooring and mastic, stipple plaster, pipe insulation, and drywall joint compound. Lead based paints were also identified in one location. This report should be referred to prior to any renovation or demolition activities for this building.

It is recommended that a Designated Substance Survey (DSS) be carried out for the building at 1300 Carling Avenue, in accordance with Ontario Regulation 490/09, under the Occupational Health and Safety Act, if one has not already been completed. This DSS should be completed prior to undertaking any demolition activities.

1.0 INTRODUCTION

At the request of Ambassador Realty Inc., Paterson Group (Paterson) carried out a Phase I Environmental Site Assessment (Phase I ESA) for the property encompassing the municipal addresses 1296 and 1300 Carling Avenue, in the City of Ottawa, Ontario (Phase I Property). The purpose of this Phase I ESA was to research the past and current use of the Phase I Property and Study Area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

Paterson was engaged to conduct this Phase I ESA by Mr. Arthur Loeb of Ambassador Realty Inc. Mr. Loeb can be contacted at 185 Somerset Street West, Ottawa, or through their head office by telephone at (613) 233-01104.

This Phase I-ESA report has been prepared under the supervision of a Qualified Person (QP_{ESA}) in general accordance with Ontario Regulation (O.Reg.) 153/04, as amended under the Environmental Protection Act, and the requirements of CSA Z768-01 (reaffirmed 2022). The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I-ESA are based on a review of readily available geological, historical, and regulatory information as well as a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial, and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

2.0 PHASE I PROPERTY INFORMATION

Addresses: 1296 and 1300 Carling Avenue, Ottawa, Ontario.

Legal Description: Part of Lots 20, 21, 22 & 23 and Part of Block 8,
Registered Plan No 221 (Nepean),
City of Ottawa.

Location: The Phase I Property is located on the south side of Carling Avenue, approximately 150m east of Archibald Street, in the City of Ottawa, Ontario. Refer to Figure 1 - Key Plan in the Figures section following the text.

Latitude and Longitude: 45° 23' 36" N, 75° 45' 28" W

Site Description:

Configuration:	Irregular
Site Area:	0.40 ha (approximately)
Zoning:	AM10 – Arterial Mainstreet Zone
Current Use:	The Phase I Property is currently occupied by two multi-tenant commercial buildings and associated parking area. The current land use as defined by O.Reg. 153/04 is “Commercial Use”.
Services:	The Phase I Property is located in a municipally serviced area.

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases, and regulatory agencies.
- Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance.
- Conduct interviews with persons knowledgeable of current and historic operations on the subject properties, and if warranted, neighbouring properties.
- Present the results of our findings in a comprehensive report in general accordance with the requirements of O.Reg. 153/04, as amended, under the Environmental Protection Act, and in compliance with the requirements of CSA Z768-01 (reaffirmed 2022).
- Provide a preliminary environmental site evaluation based on our findings.
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I Study Area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

First Developed Use Determination

Based on the information gathered in this assessment, the Phase I Property was first developed prior to 1928 for residential purposes.

Fire Insurance Plans

The 1948 and 1956 Fire Insurance Plans (FIPs) for the Phase I Property and properties within the Phase I Study Area were reviewed as part of this assessment. Fire Insurance Plans (FIPs) from 1948 depict the Phase I Property as being occupied by 3 buildings, which appear to be a residential dwelling in the north, a detached vehicle storage building, and an outbuilding to the south. The 1956 FIPs do not show any buildings or structures present on the Phase I Property. No on-site PCAs were identified in the FIP review.

The neighbouring lands consisted of a mixture of residential dwellings, commercial properties, and some industrial activities. Potentially contaminating activities (PCAs) identified within the Phase I Study Area are listed in Table 1 below.

Table 1: Off-Site Potentially Contaminating Activities Fire Insurance Plans Review Summary				
Address	Year of FIP	Historical Activity	Approximate Distance / Orientation from Site	APEC
Carling Avenue				
1314, 1318	1948, 1956	Soft Drink Bottling (1948, 1956); 1xUST (1956)	30 m W	Yes
1330, 1340	1948, 1956	Gasoline Service Station, 3xUSTs (1948); 2xUSTs (1956)	95 m W	No
1350	1948	Automotive Garage	175 m W	No
	1956	Gasoline Service Station with 2xUSTs		No
1331, 1351	1948, 1956	Bulk Oil Storage with 5 Steel Tanks (1948); 6 Steel Tanks (1956)	120 m W	No
1331, 1351	1948, 1956	Gasoline Service Station with 2xUSTs;	100 m W	No
1339	1948	Sun Oil Co. warehouse with 2xASTs (Gasoline)	120 m NW	No
1365, 1359	1948, 1956	Private Garage (Department of Highways) with 2xUSTs	230 m W	No
1275, 1265	1948, 1956	Ottawa Hydro Electric Commission Power House	165 m NE	No
Merivale Road				
24, 848	1948, 1956	Automotive Garage; 2xUSTs (1956)	30 m SE	Yes

PCAs identified during the FIP review not considered to represent APECs on the Phase I Property include activities with significant separation distances relative to the subject land and/or downgradient or cross gradient orientation with respect to the Phase I Property.

Historical PCAs identified in the FIPs reviewed are shown on Drawing PE3966-3-Surrounding Land Use Plan.

City of Ottawa Street Directories

City directories were reviewed in approximate ten (10) year intervals with shorter review intervals selected where necessary to capture changes on the Phase I Property and/or properties within the Phase I Study Area, from 1961 (first listed year) until 2011 (directories discontinued beyond this year).

The buildings on the Phase I Property addressed 1296 Carling Avenue and 1300 Carling Avenue were first listed in 1961. The directories listed multiple commercial tenants until 2011, including insurance companies, financial institutions, medical offices and health centres, a Tae Kwon Do gym, and other businesses considered to have been utilizing the facility as office space. No PCAs were identified in the directory search for on-site activities.

Surrounding properties have historically been mixed-use, and have included various commercial and industrial activities previously identified in the FIP review. New PCAs identified in the directory review were limited to a dry cleaner listed at the Westgate Shopping Centre, across Carling Avenue, from 1960 to 1989. Based on the separation distance and downgradient orientation with respect to the Phase I Property, this PCA is not considered to represent an APEC on the Phase I Property.

A listing for “Patton’s Cleaners” was noted adjacent to the subject site, at 1316 Carling Avenue, in the 1970 City Directory. This listing was only present for a single year and was combined with a hair styling listing, and is therefore not considered to be related to dry cleaning activities or related to a PCA.

Historical PCAs identified in the city directories review are shown on Drawing PE3966-3- Surrounding Land Use Plan.

Survey Plan

A survey plan, titled Plan of Building Location Survey of Part of Lots 20, 21, 22 & 23 and a Part of Block 8, Registered Plan No. 221 (Nepean), City of Ottawa, Regional Municipality of Ottawa-Carleton was prepared for the Phase I Property on September 18, 1984.

The plan, prepared by Fairhall & Moffatt Limited, generally shows the subject site and buildings as they currently exist.

A copy of the survey plan is included in Appendix 1.

Chain of Title

Paterson did not incorporate a Chain of Title search for the Phase I Property as part of this assessment as it was determined that information gathered from other sources, such as personal interviews and aerial photographs, satisfies the objectives of the records review.

Previous Environmental Reports

- ☐ *“Phase I - II Environmental Site Assessment, 1296 and 1300 Carling Avenue, Ottawa, Ontario,”* prepared by Paterson Group Inc. (Paterson), dated March 7, 2017.

A Phase I – II ESA was previously carried out by Paterson on the Phase I Property in 2017 for due diligence purposes. Based on the findings of the historical research, potential environmental concerns were identified as a result of former off-site activities including automotive service garages, retail fuel outlets, industrial bottling activities, and underground storage tanks. A subsurface investigation was recommended and subsequently carried out to assess potential soil and groundwater impacts.

The subsurface investigation was carried out on February 25, 2017, and consisted of the placement of 5 boreholes on the Phase I Property (BH1 to BH5), three of which were instrumented with groundwater monitoring wells.

The soil profile encountered consisted of a layer of asphaltic concrete overlying a thin layer of sand and gravel fill, followed by silty clay to clayey silt overlying a coarse till material (primarily sand and gravel) to the depth investigated (5.33 m maximum depth). A thin layer of topsoil was encountered at BH5, beneath the fill. The depth of fill ranged from 0.20 m to 0.60 m. Bedrock was not encountered in any of the borehole locations.

Three soil samples were submitted to Paracel Laboratories for analytical testing of benzene, toluene, ethylbenzene and xylene (BTEX), and petroleum hydrocarbon fractions F1 to F4 (PHCs) parameters. Groundwater samples recovered from BH1, BH2, and BH4 were submitted for analysis of VOC or BTEX and PHC parameters. All of the analytical results comply with the MECP Table 3 commercial standards. The results also comply with the MECP Table 3 residential standards.

Based on the approximate age of the subject buildings (early 1960s), designated substances such as asbestos and lead based paints may be present in the buildings, and testing in accordance with Ontario Regulation 278/05 and 490/09 was recommended prior to demolition or major renovations.

- ☐ *“Designated Substance Survey, 1296 Carling Avenue, Ottawa, Ontario,”* prepared by Paterson Group Inc. (Paterson), dated December 20, 2022.

A designated substance survey was completed in 2022 by Paterson Group for the building addressed 1296 Carling Avenue (eastern subject building). The report confirmed the presence of asbestos containing materials, including select flooring

and mastic, stipple plaster, pipe insulation, and drywall joint compound. Lead based paints were also identified in one location. This report should be referred to prior to any renovation or demolition activities for this building.

4.2 Environmental Source Information

Environment Canada's National Pollutant Release Inventory

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on June 17, 2025. No records were found in the NPRI database for the Phase I Property or properties within 250 m of the Phase I Property.

Ontario PCB Waste Storage Site Inventory

The Ontario Ministry of the Environment, Conservation and Parks (MECP) document entitled "Ontario Inventory of PCB Storage Sites October 1991" was reviewed as part of this Phase I-ESA. A search of provincial PCB waste storage sites was conducted on June 17, 2025. No PCB waste storage sites were identified on the Phase I Property or within 250 m of the Phase I Property.

MECP Waste Disposal Site Inventory

The MECP document entitled, "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of this Phase I-ESA. This document included all recorded active and closed waste disposal sites, industrial manufactured gas plants, and coal tar distillation plants situated in the Province of Ontario.

Based on the document review, no such sites were identified on the Phase I Property or within 250 m of the Phase I Property.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the Phase I Property. A review of this document did not identify any former coal gasification plants located on the Phase I Property or within the Phase I Study Area.

Ministry of the Environment, Conservation and Parks (MECP) Instruments

An FOI request submitted to the MECP Freedom of Information (FOI) office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the

site. A response from the MECP dated July 10, 2025 did not identify any records pertaining to the Phase I Property.

A copy of the correspondence is provided in Appendix 2.

MECP Submissions

A request was submitted to the MECP Freedom of Information office for information with respect to reports related to environmental conditions for the Phase I Property.

The response from the MECP indicated that no relevant records were identified pertaining to the Phase I Property.

MECP Incident Reports

A request was submitted to the MECP Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants, or inspections maintained by the MECP for the Phase I property or any of the neighbouring properties.

The response from the MECP indicated that no relevant records were identified pertaining to the Phase I Property.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry was conducted on May 7, 2025, as part of this assessment. This database contains publicly available information on Records of Site Condition (RSCs) filed in the Province of Ontario since 2004.

Three (3) records of site condition (RSCs) have been filed within the Phase I Study Area, including the properties addressed Part of 1309 Carling Avenue (approximately 90 m NE), and 1354 and 1376 Carling Avenue (approximately 230 m W). A review of these RSCs did not identify any new PCAs with respect to the Phase I Property.

Technical Standards and Safety Authority (TSSA)

The TSSA Fuels Safety Branch in Toronto was contacted electronically on May 8, 2025, as part of this assessment, to inquire about current and former fuel storage tank records for the Phase I Property and municipal addresses within the Phase I Study Area, including:

- 1272 Carling Avenue
- 1296 Carling Avenue
- 1300 Carling Avenue
- 1316 Carling Avenue
- 1320 Carling Avenue
- 1247 Thames Street
- 1251 Thames Street
- 1267 Thames Street
- 848 Merivale Road
- 858 Merivale Road

The response from the TSSA indicated that no records were identified for the Phase I Property, or properties listed within the Phase I Study Area.

An ERIS database report completed for the Phase I Property included a search of TSSA related records for the Phase I Property and properties within the 250 m search radius, the results of which are included in that section of the report.

City of Ottawa Old Landfill Sites

The City of Ottawa's Former Landfills online map was reviewed as part of this assessment. This map identifies 123 former landfills through the City of Ottawa's Old Landfill Management Strategy (OLMS 2004) and includes location, ownership, periods of operation and waste type for 82 sites identified as previously owned/operated either fully or in part by former municipalities and townships within the boundaries of the City of Ottawa, and is updated periodically.

A review of this map on June 17, 2025, did not identify any landfill sites situated on the Phase I Property or within 250 m of the Phase I Property.

Former Industrial Sites

The report entitled "Mapping and Assessment of Former Industrial Sites, City of Ottawa" by Intera Technologies Limited was also reviewed. The Phase I Property was not listed. The Intera report did list one property north of Carling Avenue, across from Archibald Street, as Barrington Petroleum Products Ltd (Site # 20) with a description of "non industrial site: bulk storage of oil and gas". This historical activity was previously identified in the FIP review and is considered to represent a PCA not resulting in an APEC on the Phase I Property, due to the separation distance and downgradient orientation as previously discussed. No other former industrial sites within the Phase I Study Area were identified.

ERIS Database Report

An ERIS (Environmental Risk Information Service) Report obtained for the Phase I Property and properties within the Phase I Study Area was reviewed as part of this assessment.

Based on the ERIS search, 197 records were identified within the search radius, which included 5 on-site records. Pertinent records identified for the Phase I Property and adjacent properties are discussed below.

On-site Records:

On-site records included Scott's Manufacturing Directories for 1300 Carling Avenue (Thermal Insulation Association, c. 1965, and Evert Communications Ltd., c. 1974). These were described in the records as periodical publishers and miscellaneous publishing, respectively. Printing and publishing activities associated with the building addressed 1300 Carling Avenue represents an APEC on the Phase I Property (APEC 14 – Former Printing and Publishing).

Remaining on-site records were limited to waste generation records related to pharmaceutical and healthcare activities, not considered to represent PCAs.

Off-site Records:

Relevant off-site records included monitoring well records associated with neighbouring properties to assess previously identified PCAs, small spills and incidents significantly separated from the Phase I Property such as to not have had the potential to impact the Phase I Property (150 m+), and waste generation records associated with commercial properties either not representing a PCA (grocery stores, health facilities, etc), or consisting of previously identified PCAs in the Phase I Study Area (retail fuel outlets, etc.).

No new off-site PCAs were identified in the review of the ERIS report.

A copy of the ERIS report is included in Appendix 2.

City of Ottawa Historical Land Use Inventory (HLUI) Database

A requisition was sent to the City of Ottawa to request information from the City's Historical Land Use Inventory (HLUI 2011) database for the Phase I Property and adjacent properties.

A response was not received prior to this report being issued. A copy of the correspondence has been provided in Appendix 2.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library (NAPL) and the City of Ottawa's geoOttawa website were reviewed in approximate 10-year intervals, with shorter review intervals selected where necessary to capture changes on the Phase I Property and/or properties within the Phase I Study Area. Based on the review, the following observations have been made:

- 1928 (City of Ottawa website) The Phase I Property appears to be occupied by several small buildings which appear to be agricultural outbuildings and/or residential dwellings. Carling Avenue, Merivale Road, and Thames Street are present at this time. Surrounding properties appear to be vacant or agricultural use, with a large lumber storage yard further to the southeast, across Merivale Road, and a railroad track further north.
- 1938 No significant changes appear to have been made to with respect to the Phase I Property or surrounding lands.
- 1945 No significant changes appear to have been made to the Phase I Property or adjacent properties. The lumber storage yards further to the southeast are no longer present.
- 1958 (City of Ottawa website) The buildings on the Phase I Property have been demolished and the site is undeveloped at this time. The adjacent property to the east has been developed with a motel, the lands to the north have been developed with a commercial shopping centre, and the properties to the west have been developed with what appear to be residential or commercial buildings. A retail fuel outlet and bulk fuel storage tanks are present 90 m to the west. The lands to the south have been developed with residential dwellings, with a retail fuel outlet and garage present 30 m to the southeast.
- 1965 The Phase I Property has been developed with the currently existing commercial buildings. The lands to the south have been further developed with residential dwellings. The former bulk fuel storage site further west has been redeveloped with what appears to be a commercial building.
- 1976 (City of Ottawa website) No significant changes appear to have been made to the Phase I Property. The property adjacent to the west of the Phase I Property has been redeveloped with a commercial

building. No other major changes to surrounding properties are apparent.

1983	(poor scale) No significant changes appear to have been made to the subject site or surrounding properties.
1993	No significant changes appear to have been made to the subject site or surrounding properties.
2002	(City of Ottawa website) No significant changes appear to have been made to the subject site or surrounding properties.
2011	(City of Ottawa website) No significant changes appear to have been made to the subject site or surrounding properties.
2022	(City of Ottawa website) No significant changes appear to have been made to the subject site or surrounding properties.

Copies of selected aerial photographs reviewed are included in Appendix 1.

PCAs resulting in APECs identified during the aerial photograph review include the following:

PCA ID 30: Importation of Fill Material of Unknown Quality

Based on the reviewed air photos, fill material appears to have been imported at the Phase I Property. It is unclear both where this fill material originated from, as well as the chemical quality of this material. As such, the importation of fill material of unknown quality is considered to represent an APEC on the Phase I Property (APEC 1).

No PCA ID: Application of Road Salt

Based on the reviewed air photos, the asphaltic concrete covered areas of the Phase I Property were used for vehicle traffic, parking, and storage in the past. It is likely that de-icing agents (salt) were applied to the surface for winter operations. As such, the application of road salt across the Phase I Property is considered to represent an APEC on the Phase I Property (APEC 2).

The exemption in Section 49.1 of O.Reg. 153/04 is being relied upon for APEC 2, which states that “The qualified person has determined, based on a phase one environmental site assessment or a phase two environmental site assessment, that a substance has been applied to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both.”

Physiographic Maps

A Physiographic Map was reviewed from the Natural Resources Canada – The Atlas of Canada website. According to this physiographic map, the site is located in the St. Lawrence Lowlands. According to the mapping description provided: “The lowlands are plain-like areas that were all affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets.” The subject site is located in the Central St. Lawrence Lowland, which is generally less than 150 m above sea level.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic maps indicate that the Phase I Property is approximately 75 m ASL, and that the regional topography in the general area of the site slopes downward to the northwest, towards the Ottawa River. The nearest named water body is the Ottawa River, located approximately 2.3 km northwest of the Phase I Property at its closest point. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was reviewed as part of this assessment. Based on the information from NRCAN, bedrock in the area of the Phase I Property consists of interbedded limestone and dolomite of the Gull River Formation. Based on the maps, the surficial geology consists of offshore marine sediments with an overburden thickness of 5 to 10 m.

Water Bodies, Areas of Natural Significance and Groundwater Information

No water bodies are present on the Phase I Property or within the Phase I Study Area. The nearest named water body is the Ottawa River, located approximately 2.3 km northwest of the Phase I Property at its closest point.

A search for ANSI sites situated within the Phase I Study Area was conducted electronically via the Ontario Ministry of Natural Resources and Forestry (OMNRF) website as part of this assessment. A review of the available mapping information did not identify any ANSIs on the Phase I Property or within the Phase I Study Area.

Water Well Records

A well record search was conducted on May 1, 2025 for all drilled wells associated with properties within 250 m of the Phase I Property. The search returned 18 off-site well records, 16 of which were for groundwater monitoring wells and two potable wells installed in 1951 located within the Phase I Study Area. Potable wells were associated with properties that have since been redeveloped and are municipally serviced.

Monitoring wells consisted of boreholes drilled along City roadways for monitoring purposes, as well as environmental monitoring on nearby properties previously identified as PCAs. In general, the observed strata consisted of silt and silty clay overlying sand and/or sandy till.

A copy of the well records has been included in Appendix 2.

Fill Placement

Based on the historical review in combination with previous environmental investigations, fill material of an unknown quality is present on-site. It is expected that that fill material is associated with previous site development and grading activities, and represents an APEC on the Phase I Property.

5.0 INTERVIEWS

Property Owner Representative

Ms. Marie Chenier, a representative for the property owner (Ambassador Realty Inc.) was available to answer questions in-person during the site visit, as well as by email. Ms. Chenier has been familiar with the property for approximately 10 years. Ms. Chenier stated that the buildings were originally constructed in 1960 (1300 Carling Avenue) and 1961 (1296 Carling Avenue). According to Ms. Chenier, the previous transformer located in the basement of the building addressed 1296 Carling Avenue also powered some of the 1300 Carling Avenue building. To her knowledge, the most recent interior transformer was a dry-type transformer prior to being decommissioned in 2022. Ms. Chenier was unaware of previous heating methods or current or previous fuel storage tanks on the property, or any other potential environmental concerns relating to the current or previous uses of the property.

Mr. Arthur Loeb, the current property owner, was previously interviewed in 2017 to discuss the historical and current use of the subject property. Mr. Loeb indicated that he has owned the property since the 1980s, and the buildings have been

heated with natural gas since that time. Mr. Loeb was unaware of any potential environmental concerns with respect to the current or historical use of the subject land.

The information obtained in the interviews is consistent with the site information obtained from other sources (Aerial photos, ERIS Database Report, etc) and site observations, and is considered to be valid.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

A site visit was completed as part of this assessment on July 3, 2025. Weather conditions were overcast with rainfall, and a temperature of approximately 18°C. Mr. Jesse Andrechek, P.Eng., from the Environmental Department of Paterson Group conducted the site assessment. The duration of the site visit was approximately 2 hours. In addition to the Phase I Property, the uses of the neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit, from publicly accessible areas.

6.2 Specific Observations at the Phase I Property

Site Features

The Phase I Property consists of two three-storey commercial buildings (addressed 1296, and 1300 Carling Avenue) and associated landscaping, asphaltic parking areas, access laneway and drive aisles. Garbage is stored in bins in the rear parking area.

Site drainage consists of sheetflow to catch basins within the parking areas and along the adjacent streets, and some infiltration in grassed areas. The Phase I Property and regional topography slope gently down to the north to northwest, in the general direction of the Ottawa River.

Site features are presented on Drawing PE3966-2 – Site Plan, provided in the Figures section of this report.

Buildings and Structures

Two buildings are present on the Phase I Property:

1296 Carling Avenue

The building addressed 1296 Carling Avenue consists of a three-storey multi tenant commercial office building, with one basement level, constructed in approximately 1961. The building is finished on the exterior with brick and aluminum siding, and features a poured concrete foundation and a flat rolled roof. The building is municipally serviced, and heated via natural gas.

1300 Carling Avenue

The building addressed 1300 Carling Avenue consists of a three-storey multi tenant commercial office building, with one basement level constructed in approximately 1960. The building is finished on the exterior with brick and cladding, and features a poured concrete foundation and a flat rolled roof. The building is municipally serviced, and heated via natural gas.

Subsurface Structures and Utilities

The Phase I Property is situated in a municipally serviced area. Based on public and private locates received in June to July 2025, underground utility services on the property include water and sewer services which enter the site from Carling Avenue between the two subject buildings; natural gas pipelines which extend from Carling along the east building face and enter towards the rear of each building, a buried Bell conduit extending south of the 1300 Carling Avenue building, and an underground high voltage cable extending south of the 1296 Carling Avenue building.

Private Wells or Sewage Works

No existing or signs of former potable wells or private septic beds or holding tanks were observed on the Phase I Property.

Fuels and Chemical Storage

No signs of aboveground or underground storage tanks (ASTs or USTs) were observed on the Phase I Property at the time of the site visit.

Some ponded water was observed in asphaltic covered areas due to rainfall during the site visit, which was generally clear with no unusual visual or olfactory observations noted. No areas of stained surfaces, stressed vegetation or unidentified substances were observed on-site.

Current or Former Rail or Spur Lines

No evidence of existing or former rail or spur lines was observed on the Phase I Property during the site visit.

Waste Management

Solid non-hazardous domestic waste produced by the building tenants is stored in dumpsters in the parking areas adjacent to the buildings, and removed by a contractor on a regular basis. No concerns were identified with respect to waste management during the site visit.

Polychlorinated Biphenyls (PCBs) and Transformer Oil

No exterior transformers were observed on the Phase I Property during the site visit.

Interior Assessment

An interior assessment was completed for the two subject buildings:

1296 Carling Avenue

A general description of the interior of the building is as follows:

- The floors throughout the building consist of ceramic tile, carpet, and 30x30 cm vinyl floor tile, while the basement floor was concrete.
- Wall materials consisted of drywall, plaster on metal lathe/mesh, masonry block wall, and concrete.
- The ceilings consisted of suspended ceiling tiles where the original ceiling tile was replaced, with some of the basement ceiling finished with plaster.
- Lighting throughout the building was provided by fluorescent fixtures.

Potentially Hazardous Building Products

A designated substance survey was completed in 2022 by Paterson Group for the building addressed 1296 Carling Avenue. The report confirmed the presence of asbestos containing materials, including select flooring and mastic, stipple plaster, pipe insulation, and drywall joint compound. Lead based paints were also identified in one location. This report should be referred to prior to any renovation or demolition activities for this building.

Other Potential Environmental Concerns

Interior Fuel and Chemical Storage

No vent and fill pipes or aboveground fuel storage tanks were observed within the subject building at the time of the site visit.

Chemical products identified in the subject building were observed to be limited to commercially available cleaning and household products stored in their original containers which do not pose a risk to the Phase I Property.

Ozone Depleting Substances (ODSs)

Ozone depleting substances observed at the time of visit included fire extinguishers, refrigerators and air conditioners. These appliances should be regularly serviced by a licensed technician.

Wastewater Discharges

Wastewater generated from the subject building is discharged to the City of Ottawa sanitary sewer system. Roof drainage is discharged via surface run-off and infiltration. A sump pit was observed in the subject building, which appeared dry at the time of the site visit with no unusual visual or olfactory observations noted.

No potential environmental concerns were identified with respect to wastewater discharge.

Mould and Moisture

No evidence of excess moisture or mould growth was observed during the site visit.

1300 Carling Avenue

A general description of the interior of the building is as follows:

- The floors throughout the building consist of terrazzo, ceramic tile, and carpet, while the basement floor was concrete.
- Wall materials consisted of drywall, plaster on metal lathe/mesh, masonry block wall, and concrete.
- The ceilings consisted of suspended ceiling tiles, concrete, and drywall, with some drywall finished with a stippled texture.
- Lighting throughout the building was provided by LED and fluorescent fixtures.

Potentially Hazardous Building Products

Asbestos-Containing Materials (ACMs)

Based on the age of the subject building (early 1960s) ACMs may be present in the building. Potential ACMs observed included plaster and joint compound, pipe insulation, ceiling stipple, and window caulking. In general, the ACMs were found to be in good to fair condition.

Lead-Based Paints

Based on the age of the subject building (early 1960s) lead based paint is potentially present within the structure.

Polychlorinated Biphenyls (PCBs) and Transformer Oil

A transformer vault located in the basement was identified during the site visit, which formerly housed an interior transformer and related equipment. A decommissioned oil circuit breaker was present in this room, along with conduits extending from the floor slab formerly supplying high voltage to the distribution transformers (presumably multiple single-phase transformers based on the layout). Based on the age of the subject building, it is possible that PCB containing oil was used in the electrical equipment formerly in use in this location.

The former presence of this interior transformer and oil circuit breaker is an on-site PCA resulting in an APEC on the Phase I Property.

Fluorescent light ballasts installed before 1980 may contain PCBs. It is likely that all ballasts have now been replaced with PCB-free ballasts.

Urea Formaldehyde Foam Insulation (UFFI)

UFFI was not observed at the time of the site inspection. However, not all areas were inspected and UFFI may be present within wall cavities.

Other Potential Environmental Concerns

Interior Fuel and Chemical Storage

No vent and fill pipes or aboveground fuel storage tanks were observed within the subject building at the time of the site visit.

Chemical products identified in the subject building were observed to be limited to commercially available cleaning and household products stored in their original containers which do not pose a risk to the Phase I Property.

Ozone Depleting Substances (ODSs)

Ozone depleting substances observed at the time of visit included fire extinguishers, refrigerators and air conditioners. These appliances should be regularly serviced by a licensed technician.

Wastewater Discharges

Wastewater generated from the subject building is discharged to the City of Ottawa sanitary sewer system. Roof drainage is discharged via surface run-off and infiltration. A sump pit was observed in the subject building, which contained approximately 30 cm of generally clear water with no unusual visual or olfactory observations noted.

No potential environmental concerns were identified with respect to wastewater discharge.

Mould and Moisture

No evidence of excess moisture or mould growth was observed during the site visit.

6.3 Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible areas at the time of the site visits. Land use adjacent to the Phase I Property was as follows:

- North: Carling Avenue, followed by commercial retail (Westgate Shopping Centre) and parking area;
- South: Residential use dwellings followed by Thames Street, and residential dwellings and commercial buildings;
- East: Commercial hotel and retail/restaurants, followed by Merivale Road;
- West: Mixed-use residential and commercial high-rise and parking area, followed by commercial offices and residential buildings.

Off-site PCAs were observed on the property adjacent to the west of the Phase I Property (1316 Carling Avenue), including a diesel AST associated with a backup generator, and two pad mounted transformers. The AST and centrally located pad mounted transformer are considered to represent off-site APECs on the Phase I Property. The pad mounted transformer in the northern portion of this property is an off-site PCA not considered to represent an APEC based on the noted condition

and age of construction (between 2012 and 2014) as well as the cross-gradient orientation with respect to the Phase I Property.

Land use within the Phase I Study Area consists of a mix of residential and commercial use. No additional PCAs were identified based on current land uses within the Phase I Study Area.

Surrounding land use within the Phase I Study Area is presented on Drawing PE3966-3 – Surrounding Land Use Plan.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

The following tables indicate the current and past uses of the Phase I Property, as well as associated potentially contaminating activities dating back to the first developed use of the site based on the Fire Insurance Plans, aerial photographs, and personal interviews.

Table 2: Current and Past Uses of the Phase I Property			
Time Period	Description of Property Use	Property Use	Other Observations from Aerial Photos, FIPs, etc.
Prior to 1928	NA	Presumed Residential or Agricultural Use	No available observations.
1928 to 1960	Residential dwelling and outbuildings presumably for residential purposes	Residential Use	The 1928, 1938, and 1945 aerial photographs and 1948 FIPs shows the land as developed with what appears to be a dwelling and several outbuildings in the central portion of the property.
1960 to 2025	Two multi-unit commercial rental buildings and associated parking area	Commercial Use	The 1962 aerial photograph shows the land as developed with two commercial buildings in the northern portion of the property. Aerial photographs from 1983, 1993, 2002, 2011, and 2022 show no significant change to the property.

7.2 Areas of Potential Environmental Concern

Based on the assessment, potentially contaminating activities (PCAs) were identified on-site and off-site, resulting in areas of potential environmental concern (APECs) on the Phase I Property. As per Column A of Table 2 of the O.Reg. 153/04, as amended, the following on-and off-site PCAs that represent APECs on the Phase I Property are:

Table of Areas of Potential Environmental Concern					
Area of potential environmental concern	Location of area of potential environmental concern on phase one property	Potentially contaminating activity	Location of PCA (on-site or off-site)	Contaminants of potential concern	Media potentially impacted (Groundwater, soil and/or sediment)
APEC 1 (Importation of Fill Material of Unknown Quality)	Across Entire Phase I Property	PCA ID 30: Importation of Fill Material of Unknown Quality	On-site	BTEX PHCs PAHs Metals (Including As, Sb, Se) CrVI Hg	Soil
APEC 2¹ (Application of Road Salt)	Across Entire Phase I Property	No PCA ID: Application of de-icing salt for the safety of vehicular or pedestrian traffic under conditions of snow or ice	On-site	EC SAR	Soil
APEC 3 (Former Interior Oil Transformer and Oil Circuit Breaker)	Northeastern portion of Phase I Property	PCA ID 55: Transformer Manufacturing, Processing, and Use	On-site	PCBs PHCs PAHs	Soil
				PCBs PHCs	Groundwater
APEC 4 (Former Off-site Underground Storage Tank)	Central portion of Phase I Property, along the western property boundary	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX PHCs VOCs PAHs	Soil and Groundwater
APEC 5 (Former Off-site Soda Bottling Facility)	Central portion of Phase I Property, along the western property boundary	No PCA ID: Former Industrial Activity	Off-site	BTEX PHCs VOCs	Soil
				BTEX PHCs VOCs Metals (Including As, Sb, Se)	Groundwater
APEC 6 (Existing Off-site Diesel Generator and Aboveground Storage Tank)	Central portion of Phase I Property, along the western property boundary	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX PHCs VOCs PAHs	Soil and Groundwater

Table of Areas of Potential Environmental Concern					
APEC 7 (Existing Off-site Pad Mounted Transformer)	Central portion of Phase I Property, along the western property boundary	PCA ID 55: Transformer Manufacturing, Processing, and Use	Off-site	PHCs PAHs	Soil
				PHCs PAHs	Groundwater
APEC 8 (Former Off-site Automotive Service Garage)	Southeastern portion of the Phase II Property	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX PHCs VOCs	Soil and Groundwater
APEC 9 (Former Printing and Publishing)	Northeastern portion of the Phase I Property	PCA ID 31: Ink Manufacturing, Processing, and Bulk Storage	On-site	VOCs	Soil and Groundwater
APEC 10 (Existing Hydraulic Elevator)	Northeastern portion of the Phase I Property	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs	Soil and Groundwater
APEC 11 (Existing Hydraulic Freight Elevator)	Northeastern portion of the Phase I Property	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs	Soil and Groundwater
¹ – The exemption in Section 49.1 of O.Reg. 153/04 is being relied upon for APEC 2, which states that “The qualified person has determined, based on a phase one environmental site assessment or a phase two environmental site assessment, that a substance has been applied to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both.”					

The rationale for identifying the PCAs identified in the above table is based on a review of historical information (including but not limited to aerial photographs, municipal and federal records, and previous sampling and reporting), personal interviews and field observations, as further discussed below.

APEC 1 (PCA 1 on Drawing PE3966-2, Item 30 “Importation of Fill Material of Unknown Quality”)

Based on a review of aerial photographs, as well as past subsurface investigations, fill material of unknown quality was imported to the Phase I Property during previous development. The presence of the fill material is considered to represent an APEC potentially impacting soil on the Phase I Property.

APEC 1 is considered to extend across the entire Phase I Property.

APEC 2 (PCA 2 on Drawing PE3966-2, No Item Number “Application of Road Salt”)

This APEC is related to the potential application of salt or similar substance to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both. The potential use of road salt is considered to represent an APEC potentially impacting soil on the Phase I Property.

APEC 2 is situated in the northern and central portion of the Phase I Property.

APEC 3 (PCA 3 on Drawing PE3966-2, Item 55 “Former Interior Oil Transformer and Oil Circuit Breaker”)

This APEC is related to the former interior transformer and circuit breaker in the basement of the 1296 Carling Avenue building on the Phase I Property. The former presence of this interior transformer and ancillary oil-containing electrical equipment is considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 3 is situated in the north-central portion of the Phase I Property.

APEC 4 (PCA 4 on Drawing PE3966-2, Item 28 “Former Off-Site Underground Storage Tank”)

This APEC is related to the former presence of an underground storage tank on property adjacent west of the Phase I Property. This former UST is an off-site PCA considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 4 is situated in the west-central portion of the Phase I Property.

APEC 5 (PCA 5 on Drawing PE3966-2, Item NA “Former Off-Site Soda Bottling Facility”)

This APEC is related to the former industrial bottling facility on the property adjacent west of the Phase I Property. This former activity is considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 5 is situated in the west-central portion of the Phase I Property.

APEC 6 (PCA 6 on Drawing PE3966-2, Item 28 “Existing Off-Site Diesel Generator and Aboveground Storage Tank”)

This APEC is related to the presence of a diesel generator and aboveground storage tank situated on the property adjacent to the west of the Phase I Property. This AST and generator is an off-site PCA considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 6 is situated in the west-central portion of the Phase I Property.

APEC 7 (PCA 12 on Drawing PE3966-2, Item 55 “Existing Off-Site Pad Mounted Transformer”)

This APEC is related to the presence of a pad mounted transformer situated on the property adjacent to the west of the Phase I Property. This transformer is an off-site PCA considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 7 is situated in the west-central portion of the Phase I Property.

APEC 8 (PCA 13 on Drawing PE3966-2, Item 27 “Former Off-Site Automotive Service Garage”)

This APEC is related to the former presence of an automotive service garage situated on the property approximately 30 m southeast of the Phase I Property. This former garage is an off-site PCA considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 8 is situated in the south-eastern portion of the Phase I Property.

APEC 9 (PCA 14 on Drawing PE3966-2, Item NA “Former Printing and Publishing”)

This APEC is related to former commercial publishing activity within the building addressed 1300 Carling Avenue on the Phase I Property. This former activity is considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 9 is situated in the north-eastern portion of the Phase I Property.

APEC 10 (PCA 15 on Drawing PE3966-2, Item 28 “Existing Hydraulic Elevator”)

This APEC is related to an existing hydraulic elevator within the building addressed 1296 Carling Avenue on the Phase I Property. This hydraulic equipment is an on-site PCA considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 10 is situated in the north-eastern portion of the Phase I Property.

APEC 11 (PCA 16 on Drawing PE3966-2, Item 28 “Existing Hydraulic Freight Elevator”)

This APEC is related to an existing hydraulic freight elevator within the building addressed 1296 Carling Avenue on the Phase I Property. This hydraulic equipment is an on-site PCA considered to represent an APEC potentially impacting soil and groundwater on the Phase I Property.

APEC 11 is situated in the north-eastern portion of the Phase I Property.

Contaminants of Potential Concern

As noted in Table 2 above, the following Contaminants of Potential Concern (CPCs) were identified with respect to the soil or groundwater beneath the Phase I Property:

Soil

- Benzene, Toluene, Ethylbenzene, Xylenes (BTEX);
- Volatile Organic Compounds (VOCs);
- Petroleum Hydrocarbons, F₁-F₄ (PHCs);
- Polycyclic Aromatic Hydrocarbons (PAHs);
- Metals;
- Hydride Forming Metals (As, Sb, Se);
- Mercury (Hg);
- Hexavalent Chromium (Cr(VI));
- Polychlorinated Biphenyls (PCBs);

Groundwater

- Benzene, Toluene, Ethylbenzene, Xylenes (BTEX);
- Volatile Organic Compounds (VOCs);
- Petroleum Hydrocarbons, F₁-F₄ (PHCs);
- Polycyclic Aromatic Hydrocarbons (PAHs);
- Metals;
- Hydride Forming Metals (As, Sb, Se);
- Polychlorinated Biphenyls (PCBs).

7.3 Conceptual Site Model

Geological and Hydrogeological Setting

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was reviewed as part of this assessment. Based on the information from NRCAN, bedrock in the area of the Phase I Property consists of interbedded limestone and dolomite of the Gull River Formation. Based on the maps, the surficial geology consists of offshore marine sediments with an overburden thickness of 5 to 10 m.

Based on previous subsurface investigations groundwater was measured at depths of 1.1 to 3.7 m below grade, and was interpreted to flow in a northerly direction. Bedrock was not encountered to the maximum investigated depth (5.0 m bgs).

Fill Material of Unknown Quality

Based on the historical review in combination with the previous Phase I and II ESA report, fill material of unknown quality was identified on-site. It is expected that this fill material is associated with the demolition, grading and/or backfilling of the former on-site buildings and existing buildings.

Existing Buildings and Structures

Two buildings are present on the Phase I Property:

1296 Carling Avenue

The building addressed 1296 Carling Avenue consists of a three-storey multi tenant commercial office building, with one basement level, constructed in approximately 1961. The building is finished on the exterior with brick and aluminum siding, and features a poured concrete foundation and a flat rolled roof. The building is municipally serviced, and heated via natural gas.

1300 Carling Avenue

The building addressed 1300 Carling Avenue consists of a three-storey multi tenant commercial office building, with one basement level constructed in approximately 1960. The building is finished on the exterior with brick and clad, and features a poured concrete foundation and a flat rolled roof. The building is municipally serviced, and heated via natural gas.

No other buildings or structures are present on the Phase I Property.

Below Grade Structure and Underground Utilities

The Phase I Property is situated in a municipally serviced area. Based on public and private locates received in June and July 2025, underground utility services on the property include water and sewer services which enter the site from Carling Avenue between the two subject buildings; natural gas pipelines which extend from Carling along the east building face and enter towards the rear of each building, a buried Bell conduit extending south of the 1300 Carling Avenue building, and an underground high voltage cable extending south of the 1296 Carling Avenue building.

Water Bodies

No water bodies are present on the Phase I Property or within the Phase I Study Area. The nearest named water body is the Ottawa River, located approximately 2.3 km northwest of the Phase I Property at its closest point.

Areas of Natural Significance

A search for ANSI sites situated within the Phase I Study Area was conducted electronically via the Ontario Ministry of Natural Resources and Forestry (OMNRF) website as part of this assessment. A review of the available mapping information did not identify any ANSIs on the Phase I Property or within the Phase I Study Area.

Well Records

A well record search was conducted on May 1, 2025 for all drilled wells associated with properties within 250 m of the Phase I Property. The search returned 18 off-site well records, 16 of which were for groundwater monitoring wells and two potable wells installed in 1951 located within the Phase I Study Area. Potable wells were associated with properties that have since been redeveloped and are municipally serviced.

Monitoring wells consisted of boreholes drilled along City roadways for monitoring purposes, as well as environmental monitoring on nearby properties previously identified as PCAs. In general, the observed strata consisted of silt and silty clay overlying sand and/or sandy till.

Neighbouring Land Use

An inspection of the neighbouring properties was conducted from publicly accessible areas at the time of the site visits. Land use adjacent to the Phase I Property was as follows:

- North: Carling Avenue, followed by commercial retail (Westgate Shopping Centre) and parking area;
- South: Residential use dwellings followed by Thames Street, and residential dwellings and commercial buildings;
- East: Commercial hotel and retail/restaurants, followed by Merivale Road;
- West: Mixed-use residential and commercial high-rise and parking, followed by commercial offices and residential buildings.

Land use within the Phase I Study Area consists of a mix of residential and commercial use. No additional PCAs were identified based on current land uses within the Phase I Study Area.

Surrounding land use within the Phase I Study Area is presented on Drawing PE3966-3 – Surrounding Land Use Plan.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

Based on the assessment, potentially contaminating activities (PCAs) were identified on-site and off-site, resulting in areas of potential environmental concern (APECs) on the Phase I Property. As per Column A of Table 2 of the O.Reg. 153/04, as amended, the following on-and off-site PCAs that represent APECs on the Phase I Property are:

Table of Areas of Potential Environmental Concern					
Area of potential environmental concern	Location of area of potential environmental concern on phase one property	Potentially contaminating activity	Location of PCA (on-site or off-site)	Contaminants of potential concern	Media potentially impacted (Groundwater, soil and/or sediment)
APEC 1 (Importation of Fill Material of Unknown Quality)	Across Entire Phase I Property	PCA ID 30: Importation of Fill Material of Unknown Quality	On-site	BTEX PHCs PAHs Metals (Including As, Sb, Se) CrVI Hg	Soil
APEC 2¹ (Application of Road Salt)	Across Entire Phase I Property	No PCA ID: Application of de-icing salt for the safety of vehicular or pedestrian traffic under conditions of snow or ice	On-site	EC SAR	Soil
APEC 3 (Former Interior Oil Transformer and Oil Circuit Breaker)	Northeastern portion of Phase I Property	PCA ID 55: Transformer Manufacturing, Processing, and Use	On-site	PCBs PHCs PAHs	Soil
				PCBs PHCs	Groundwater
APEC 4 (Former Off-site Underground Storage Tank)	Central portion of Phase I Property, along the western property boundary	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX PHCs VOCs PAHs	Soil and Groundwater
APEC 5 (Former Off-site Soda Bottling Facility)	Central portion of Phase I Property, along the western property boundary	No PCA ID: Former Industrial Activity	Off-site	BTEX PHCs VOCs	Soil
				BTEX PHCs VOCs Metals (Including As, Sb, Se)	Groundwater
APEC 6 (Existing Off-site Diesel Generator and Aboveground Storage Tank)	Central portion of Phase I Property, along the western property boundary	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX PHCs VOCs PAHs	Soil and Groundwater

Table of Areas of Potential Environmental Concern					
APEC 7 (Existing Off-site Pad Mounted Transformer)	Central portion of Phase I Property, along the western property boundary	PCA ID 55: Transformer Manufacturing, Processing, and Use	Off-site	PHCs PAHs	Soil
				PHCs PAHs	Groundwater
APEC 8 (Former Off-site Automotive Service Garage)	Southeastern portion of the Phase II Property	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX PHCs VOCs	Soil and Groundwater
APEC 9 (Former Printing and Publishing)	Northeastern portion of the Phase I Property	PCA ID 31: Ink Manufacturing, Processing, and Bulk Storage	On-site	VOCs	Soil and Groundwater
APEC 10 (Existing Hydraulic Elevator)	Northeastern portion of the Phase I Property	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs	Soil and Groundwater
APEC 11 (Existing Hydraulic Freight Elevator)	Northeastern portion of the Phase I Property	PCA ID 28: Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs	Soil and Groundwater
¹ – The exemption in Section 49.1 of O.Reg. 153/04 is being relied upon for APEC 2, which states that “The qualified person has determined, based on a phase one environmental site assessment or a phase two environmental site assessment, that a substance has been applied to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice or both.”					

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of the Phase I ESA is considered to be sufficient to conclude that there are on and off-site PCAs that have resulted in APECs on the Phase I Property.

A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 REVIEW AND EVALUATION OF INFORMATION

8.1 Assessment

Paterson Group was retained by Ambassador Realty Inc. to carry out a Phase I – Environmental Site Assessment (Phase I ESA) for the property addressed 1296 and 1300 Carling Avenue, in the City of Ottawa, Ontario (Phase I Property). The objective of this Phase I ESA was to research the past and current use of the Phase I Property and 250 m study area (Phase I Study Area) and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was first developed for residential purposes prior to 1928 (earliest available aerial photograph) and was used for residential purposes until 1960 to 1961, when the Phase I Property was developed with two multi-unit commercial office buildings. Based on reviewed aerial photographs and previous subsurface investigations, fill material was imported to the Phase I Property during development (APEC 1). As well, asphaltic covered surfaces are considered to have had de-icing salt applied for the safety of vehicular or pedestrian traffic under conditions of snow or ice (APEC 2). The Phase I Property buildings were occupied by various commercial tenants since development, including a commercial printer and publisher (APEC 9) in the 1970s. No other on-site tenant activities were considered to represent PCAs.

Surrounding land use consisted of a mix of residential and commercial use land with some former industrial use land. Off-site PCAs considered to represent APECs identified based on historical activity in the Phase I Study Area include a former commercial automotive service garage (APEC 8), and a former soda bottling facility (APEC 5) with one underground fuel storage tank (APEC 4). Other PCAs identified in the Phase I Study Area were not considered to represent APECs due to their separation distance and/or downgradient or cross-gradient orientation with respect to the Phase I Property.

Following the historical research, a site visit was conducted. The Phase I Property is currently occupied by two three-storey multi-unit commercial office buildings, each with one basement level. PCAs identified on-site during the site visit include a former interior transformer and oil circuit breaker (APEC 3), a hydraulic personnel elevator (APEC 10), and a hydraulic freight elevator (APEC 11), all within the building addressed 1296 Carling Avenue. Off-site PCAs considered to represent APECs on the Phase I Property \observed included a diesel backup generator and aboveground storage tank (APEC 6), and a pad mounted transformer (APEC 7)

on the property adjacent to the west. No additional potential environmental concerns were identified during the site visit.

Neighbouring land use in the Phase I Study Area consists of a mix of residential and commercial use properties. No additional PCAs or APECs were identified with respect to present land use.

8.2 Recommendations

Based on the findings of this assessment, **it is our opinion that a Phase II – Environmental Site Assessment will be required for the Phase I Property.**

Hazardous Building Materials

A designated substance survey was completed in 2022 by Paterson Group for the building addressed 1296 Carling Avenue (western subject building). The report confirmed the presence of asbestos containing materials, including select flooring and mastic, stipple plaster, pipe insulation, and drywall joint compound. Lead based paints were also identified in one location. This report should be referred to prior to any renovation or demolition activities for this building.

It is recommended that a Designated Substance Survey (DSS) be carried out for the building at 1300 Carling Avenue, in accordance with Ontario Regulation 490/09, under the Occupational Health and Safety Act, if one has not already been completed. This DSS should be completed prior to undertaking any demolition activities.

9.0 STATEMENT OF LIMITATIONS

This Phase I – Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04, as amended, and meets the requirements of CSA Z768-01 (reaffirmed 2022). The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I ESA are based on a review of readily available geological, historical, and regulatory information as well as a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial, and federal agencies and was limited within the scope-of-work, time, and budget of the project herein.

Should any conditions be encountered at the Phase I Property and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Ambassador Realty Inc. Permission and notification from Ambassador Realty Inc. and Paterson Group will be required prior to the release of this report to any other party.

Paterson Group Inc.



Jesse Andrechek, P.Eng., QP_{ESA}



Mark D'Arcy, P.Eng., QP_{ESA}



Report Distribution:

- Ambassador Realty Inc.
- Paterson Group Inc.

10.0 REFERENCES

Federal Records

- Natural Resources Canada: Air Photo Library
- Natural Resources Canada: The Atlas of Canada
- Geological Survey of Canada: Surficial and Subsurface Mapping
- Environment Canada: National Pollutant Release Inventory
- National Archives of Canada

Provincial Records

- MECP: Freedom of Information and Privacy Office
- MECP: Municipal Coal Gasification Plant Site Inventory, 1991
- MECP: Waste Disposal Site Inventory, 1991
- MECP: Brownfields Environmental Site Registry
- MECP: Water Well Inventory.
- MECP: Ontario PCB Waste Storage Site Inventory, 1991
- Office of Technical Standards and Safety Authority, Fuels Safety Branch
- Ministry of Natural Resources and Forestry Areas of Natural Significance
- Chapman, L.J., and Putnam, D.F., 1984: 'The Physiography of Southern Ontario, Third Edition', Ontario Geological Survey Special Volume 2

Municipal Records

- City of Ottawa: GeoOttawa
- City of Ottawa: Historical Land Use Inventory Database
- City of Ottawa: document entitled, "Old Landfill Management Strategy, Phase I – Identification of Sites", prepared by Golder Associates, 2004

Local Information Sources

- Personal Interviews
- Survey Plan prepared by Annis, O'Sullivan, Vollebekk Ltd., dated July 8, 2020.
- Previous Engineering Reports

Public Information Sources

- ERIS Database Report
- Google Earth
- Google Maps/Street View

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE3966-2 – SITE PLAN

DRAWING PE3966-3 – SURROUNDING LAND USE PLAN




Figure 1
KEY PLAN






Figure 2
TOPOGRAPHIC PLAN



AREAS OF POTENTIAL ENVIRONMENTAL CONCERN :

ID #	PCA ID	DESCRIPTION
1	30	IMPORTATION OF FILL MATERIAL OF UNKNOWN QUALITY
2	N/A	APPLICATION OF SALT
3	55	FORMER INTERIOR OIL TRANSFORMER AND OIL CIRCUIT BREAKER
4	28	FORMER OFF-SITE UNDERGROUND STORAGE TANK
5	N/A	FORMER OFF-SITE SODA BOTTLING FACILITY
6	28	EXISTING OFF-SITE DIESEL GENERATOR AND ABOVEGROUND STORAGE TANK
7	55	EXISTING OFF-SITE PAD MOUNTED TRANSFORMER
8	27	FORMER OFF-SITE AUTOMOTIVE SERVICE GARAGE
9	31	FORMER PRINTING AND PUBLISHING
10	28	EXISTING HYDRAULIC ELEVATOR
11	28	EXISTING HYDRAULIC FREIGHT ELEVATOR

LEGEND:
 - - - - - PHASE I PROPERTY BOUNDARY



PATERSON GROUP
 9 AURIGA DRIVE
 OTTAWA, ON
 K2E 7T9
 TEL: (613) 226-7381


NO.	REVISIONS	DATE	INITIAL

AMBASSADOR REALTY INC.
PHASE I - ENVIRONMENTAL SITE ASSESSMENT
1296 AND 1300 CARLING AVENUE

OTTAWA, ONTARIO

SITE PLAN

Scale:	1:500	Date:	08/2025
Drawn by:	GK	Report No.:	PE3966-3
Checked by:	JA	Dwg. No.:	PE3966-2
Approved by:	MD	Revision No.:	



POTENTIALLY CONTAMINATING ACTIVITIES :

ID #	PCA ID	DESCRIPTION
1	30	IMPORTATION OF FILL MATERIAL OF UNKNOWN QUALITY
2	N/A	APPLICATION OF SALT
3	55	FORMER INTERIOR OIL TRANSFORMER AND OIL CIRCUIT BREAKER
4	28	FORMER OFF-SITE UNDERGROUND STORAGE TANK
5	N/A	FORMER OFF-SITE SODA BOTTLING FACILITY
6	28	EXISTING OFF-SITE DIESEL GENERATOR AND ABOVEGROUND STORAGE TANK
7	55	EXISTING OFF-SITE PAD MOUNTED TRANSFORMER
8	27	FORMER OFF-SITE AUTOMOTIVE SERVICE GARAGE
9	31	FORMER PRINTING AND PUBLISHING
10	28	EXISTING HYDRAULIC ELEVATOR
11	28	EXISTING HYDRAULIC FREIGHT ELEVATOR
12	59	FORMER OFF-SITE LUMBER YARD
13	52	FORMER OFF-SITE ROADWAY MAINTENANCE YARD WITH 2XUSTS
14	18	OFF-SITE ELECTRICAL SUBSTATION
15	28	FORMER OFF-SITE RETAIL FUEL OUTLET
16	15	EXISTING OFF-SITE PAD MOUNTED TRANSFORMER (C. 2013-2014)
17	37	FORMER OFF-SITE COMMERCIAL DRY CLEANING
18	46	FORMER OFF-SITE RAIL TRACKS
19	46	FORMER OFF-SITE SPUR LINES
20	27	FORMER OFF-SITE AUTOMOTIVE SERVICE GARAGE
21	28	FORMER OFF-SITE RETAIL FUEL OUTLET
22	28	FORMER OFF-SITE RETAIL FUEL OUTLET
23	28	FORMER OFF-SITE BULK OIL DEPOT
24	28	FORMER OFF-SITE BULK OIL AND GASOLINE DEPOT

PHASE I - ENVIRONMENTAL SITE ASSESSMENT STUDY AREA

LEGEND:
 PHASE I PROPERTY BOUNDARY
 SCALE: 1:3000

PATERSON GROUP
 9 AURIGA DRIVE
 OTTAWA, ON
 K2E 7T9
 TEL: (613) 226-7381

NO.	REVISIONS	DATE	INITIAL

AMBASSADOR REALTY INC.
PHASE I - ENVIRONMENTAL SITE ASSESSMENT
1296 AND 1300 CARLING AVENUE

OTTAWA, ONTARIO

SURROUNDING LAND USE PLAN

Scale:	1:3000	Date:	08/2025
Drawn by:	GK	Report No.:	PE3966-3
Checked by:	JA	Dwg. No.:	PE3966-3
Approved by:	MD	Revision No.:	

APPENDIX 1

SURVEY PLAN

AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS




CARLING AVENUE
ROAD ALLOWANCE BETWEEN CON. I (O.F.) AND CON. 'A' (R.F.) NEPEAN

ARCHIBALD STREET

THAMES STREET
(Formerly THOMAS STREET)

PRELIMINARY PRINT




0000 THROUGH
727-8000

AVENUE


N. I (O.F.) AND CON. 'A' (R.F.) NEPEAN

... OF CARLING AVENUE BY BY-LAW 12-66, INST. N^o 342213




CARLING AVENUE

AVENUE



PRELIMINARY PRINT



ENLARGEMENT
Not to Scale

MES STREET
(Formerly THOMAS STREET)


50' (PLAN)

PLAN OF BUILDING LOCATION SURVEY OF
 PART OF LOTS 20, 21, 22 & 23 AND PART OF BLOCK 8
 REGISTERED PLAN N^o 221 (NEPEAN)
CITY OF OTTAWA
 REGIONAL MUNICIPALITY OF OTTAWA - CARLETON

SCALE: 1" = 40'

W. H. MOFFATT, O. L. S.
 1984

CARLING AVENUE



ENLARGEMENT
 Not to Scale

SURVEYOR'S CERTIFICATE

I CERTIFY THAT:
 THE SURVEY REPRESENTED BY THIS PLAN WAS COMPLETED
 ON THE DAY OF 1984

**PRELIMINARY
 PRINT**
 W. H. MOFFATT
 ONTARIO LAND SURVEYOR

DATE

NOTES

1. BEARINGS ARE ASTRONOMIC AND ARE DERIVED FROM THE SOUTHERLY
 LIMIT OF CARLING AVENUE HAVING A BEARING OF N68° 52' 00" W
 AS SHOWN ON REGISTERED PLAN N^o 221 (NEPEAN)

LEGEND


- ⊕ — DENOTES SURVEY MONUMENT FOUND
- ⊙ — DENOTES SURVEY MONUMENT SET
- S.I.B. — DENOTES STANDARD IRON BAR
- S.S.I.B. — DENOTES SHORT STANDARD IRON BAR
- I.B. — DENOTES IRON BAR
- C.C. — DENOTES CUT CROSS
- WIT. — DENOTES WITNESS
- ⊙ H.P./B.P. — DENOTES HYDRO POLE / BELL POLE
- M. & A. — DENOTES McROSTIE & ASSOCIATES
- R. W. A. — DENOTES R. W. ARNETT, O. L. S.

50p x 18/84


FAIRHALL & MOFFATT LIMITED
 ONTARIO LAND SURVEYORS KANATA

FILE	JOB NO. 196	REF. N ^o 37-221 NP.
------	-------------	--------------------------------

Carling



AERIAL PHOTOGRAPH
1928




AERIAL PHOTOGRAPH
1938




AERIAL PHOTOGRAPH
1945




AERIAL PHOTOGRAPH
1965



AERIAL PHOTOGRAPH
1976




AERIAL PHOTOGRAPH
1983



AERIAL PHOTOGRAPH
1993



AERIAL PHOTOGRAPH
2002



AERIAL PHOTOGRAPH
2011



AERIAL PHOTOGRAPH
2022

Site Photographs

PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 1: View of the front (north) building face of 1296 Carling Avenue.



Photograph 2: View of the front (north) building face of 1300 Carling Avenue.

Site Photographs

PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 3: View from the north-central portion of the site, between the two subject buildings, facing north towards Carling Avenue.



Photograph 4: View from the southern parking lot area, facing east.

Site Photographs


PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 5: View from the southeast corner of the subject site, facing northwest.



Photograph 6: View of the southern building face of 1296 Carling Avenue.

Site Photographs

PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 7: View from the centre portion of the subject site, facing south.




Photograph 8: View of the pad mounted transformer west of the subject site, in great condition.

Site Photographs

PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 9: View of the diesel AST and backup generator on the property adjacent to the west.



Photograph 10: View of the freight elevator in the interior of the 1296 Carling Avenue building.

Site Photographs


PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 11: View of the general office area in the interior of the 1296 Carling Avenue building.



Photograph 12: View of the sump pit in a mechanical room of the 1296 Carling Avenue building.

Site Photographs

PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 13: View of the location of the former interior transformer and decommissioned oil circuit breaker room in the interior of the 1296 Carling Avenue building.



Photograph 14: View of a sign indicating the tenants of 1296 Carling Avenue.

Site Photographs

PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 15: View of the first floor hallway and elevator in the interior of the 1300 Carling Avenue building.




Photograph 16: View of general office space in the interior of the 1300 Carling Avenue building.

Site Photographs

PE3966

1296 and 1300 Carling Avenue, Ottawa, Ontario

July 3, 2025



Photograph 17: View of a sign indicating the tenants of 1300 Carling Avenue.



Photograph 18: View inside a mechanical room in the interior of the 1300 Carling Avenue building.

APPENDIX 2

TSSA CORRESPONDANCE

MECP WELL RECORDS

MECP FOI

CITY OF OTTAWA HLUI

ERIS REPORT

Jesse Andrechek

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: July 14, 2025 8:25 AM
To: Jesse Andrechek
Subject: RE: Search Records Request: PE3966

External Email: Do not click on links or open attachments unless you trust the sender.

NO RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

- We confirm that there are no records in our current database of any fuel storage tanks at the subject address(es).

Accessing the applications

1. Click [Request a Public Record](#) - TSSA and click "need a copy of a document"
2. Select the appropriate application, download it, complete it in full and save it (Note: you will have to upload the application)
3. Proceed to page 3 of the application and click the "TSSA Service Prepayment Portal" link under payment options (the link will take you the secure site where you can pay for the request via credit card)

Accessing the Service Prepayment Portal

1. Select new or existing customer (*if you are an existing customer, you will need your account number & postal code to access your account)
2. Under "Program Area" select **Public Information** and click continue
3. Enter application form number (found on the bottom left corner of the application form) and click continue
4. Complete the primary contact information section
5. Complete the fee section
6. Upload your completed application
7. Upload supporting documents (if required) and click continue

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationsservices@tssa.org.

Kind regards,

From: Jesse Andrechek <JAndrechek@patersongroup.ca>
Sent: Friday, July 11, 2025 3:17 PM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: Search Records Request: PE3966

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

Could you please complete a search of your records for underground/aboveground storage tanks, historical spills or other incidents/infractions for the following addresses in Ottawa ON:

Carling Avenue: 1272, 1296, 1300, 1316, 1320
Thames Street: 1247, 1251, 1267
Merivale: 848, 858

Thank you,

Best regards,
Jesse Andrechek, P.Eng., QP_{ESA}



JESSE ANDRECHEK, P.Eng., QP_{ESA}
PROJECT MANAGER - ENVIRONMENTAL
TEL: (613) 226-7381 ext. 228
9 AURIGA DRIVE
OTTAWA ON K2E 7T9
patersongroup.ca

TEMPORARY SHORING DESIGN SERVICES ARE NOW AVAILABLE, PLEASE CONTACT US TO SEE HOW WE CAN HELP!

NEW OFFICE OPEN IN THE GREATER TORONTO AREA WITH OUR EXPANSIVE LIST OF SERVICES NOW AVAILABLE!

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>).

[Go Back to Map](#)

Well ID

Well ID Number: 7352447

Well Audit Number: Z297759

Well Tag Number:

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	1265 CARLING AVENUE
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 442601.00 Northing: 5026184.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
7.92 m	0 m	BENTONITE	

Method of Construction & Well Use

Method of Construction	Well Use
	Monitoring
	Not Used

Status of Well

Abandoned-Other

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7610

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	
Final water level	
If flowing give rate	

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

--

Depth From	Depth To	Diameter

Audit Number: Z297759

Date Well Completed: January 28, 2020

Date Well Record Received by MOE: January 29, 2020

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .

[Go Back to Map](#)

Well ID

Well ID Number: 7352448

Well Audit Number: Z297761

Well Tag Number:

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	1265 CARLING AVENUE
Township	OTTAWA CITY

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 442588.00 Northing: 5026193.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
6.1 m	0 m	BENTONITE	

Method of Construction & Well Use

Method of Construction	Well Use
	Monitoring
	Not Used

Status of Well

Abandoned-Other

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7610

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	
Final water level	
If flowing give rate	

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

--

Depth From	Depth To	Diameter

Audit Number: Z297761

Date Well Completed: January 28, 2020

Date Well Record Received by MOE: January 29, 2020

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

UTM 11 18 2 ⁴ 3 14-21413 10 E

9 R 5101215171010 N


Elev. 9 R 0121510

Basin 215



ONTARIO

15 No 7809



The Well Drillers Act
Department of Mines, Province of Ontario

Water Well Record

County or Territorial District Carleton Township, Village, Town or City City of Ottawa
[Redacted] (Town or City)
Cost of Well (excluding pump) [Redacted]
(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) <u>6 in.</u>	Date
Length(s) of casing(s) <u>8.5</u>	Static level <u>5</u>
Type of screen	Pumping level <u>8</u>
Length of screen	Pumping rate
Distance from top of screen to ground level	Duration of test
Is well a gravel-wall type?	Distance from cylinder or bowls to ground level

Water Record

Kind (fresh or mineral) <u>fresh</u>	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
Quality (hard, soft, contains iron, sulphur, etc.)			
Appearance (clear, cloudy, coloured) <u>clear</u>	<u>32</u>	<u>soft</u>	<u>27</u>
For what purpose(s) is the water to be used? <u>16,000 gal</u>			
How far is well from possible source of contamination? <u>100 ft</u>			
What is the source of contamination?			
Enclose a copy of any mineral analysis that has been made of water.			

Well Log


Overburden and Bedrock Record

From	To
0 ft.	...ft.

<u>clay</u>	<u>1</u>	<u>4</u>
<u>gravel</u>	<u>4</u>	<u>20</u>
<u>blue shale</u>	<u>20</u>	<u>36</u>

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Situation: Is well on upland, in valley, or on hillside?
 Drilling Firm London Drilling Co.
 Address [Redacted]
 Name of Driller John W. [Redacted] Address 703 Gilmour St
 Date [Redacted] Licence Number [Redacted]

FORM 5 Signature of Licensee

ARCHIBALD ST.

UTM 1182 44214210 E

9R 5025720 N

Elev. 9R 02510


Basin 25



ONTARIO

15 No

78/0



The Well Drillers Act
Department of Mines, Province of Ontario

Water Well Record

County or Territorial District Carleton Place, Village, Town or City City of Ottawa

Date Completed July 1951 (day) 1 (month) 1951 (year) Cost of Well (excluding pump)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 6 in, Length(s) of casing(s) 32, Type of screen, Length of screen, Distance from top of screen to ground level, Is well a gravel-wall type?, Date, Static level 2 ft, Pumping level 3 ft, Pumping rate, Duration of test, Distance from cylinder or bowls to ground level

Water Record

Kind (fresh or mineral) fresh, Quality (hard, soft, contains iron, sulphur, etc.) soft, Appearance (clear, cloudy, coloured) Clear, For what purpose(s) is the water to be used? house, How far is well from possible source of contamination?, What is the source of contamination?, Enclose a copy of any mineral analysis that has been made of water

Table with 3 columns: Depth(s) to Water Horizon(s), Kind of Water, No. of Feet Water Rises. Row 1: 22, fresh, 20

Well Log

Overburden and Bedrock Record


From 0 ft. To ...ft.

Clay 1 4

Gravel 4 32

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Situation: Is well on upland, in valley, or on hillside?

Drilling Firm Gordon Sullivan

Address

Name of Driller John J. Sullivan Address

Date Licence Number

A090600 MW#1

Master Well Owner's and Land Owner's Information

Thames Street
 County/District/Municipality: _____ City/Town/Village: Ottawa Province: Ontario Postal Code: _____

UTM Coordinates: Zone 18 Easting 442461 Northing 5025978 GPS Unit Make Garmin Model Etrex Mode of Operation: Undifferentiated Averaged Differentiated, specify _____

Overburden and Bedrock Materials (see instructions on the back of this form)				
General Colour	Most Common Material	Other Materials	General Description	Depth (Metres) From To
	Asphalt			0 0.1
Brown	Sand + gravel		Dense to compact	0.1 0.9
Grey	Silty clay		compact stiff to firm	0.9 1.5
Grey	Clay silty		stiff to firm	1.5 3.6
Grey	Clay + sand		silty, some gravel loose	3.6 6.1

Hole Details		
Depth (Metres) From	To	Diameter (Centimetres)
0	6.1	20

Water Use
 Public Industrial Not used Other, specify _____
 Domestic Commercial Dewatering
 Livestock Municipal Monitoring
 Irrigation Test Hole Cooling & Air Conditioning

Method of Construction
 Cable Tool Air Percussion Digging
 Rotary (Conventional) Diamond Boring
 Rotary (Reverse) Jetting Other, specify HSA
 Rotary (Air) Driving

Status of Well
 Test Hole Abandoned, Insufficient Supply
 Replacement Well Abandoned, Poor Water Quality
 Dewatering Well Other, specify _____
 Alteration (Construction) Abandoned, other, specify _____

No Casing and Screen Used Yes No
Static Water Level Test _____ Metres

Screen
 Galvanized Steel Fibreglass Concrete Plastic
 Outside Diameter (Centimetres) 5.8 Slot No. 10

Water Details
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals

Disinfected Yes No. If no, provide reason: monitoring well Date Master Well Completed (yyyy/mm/dd) 2009/11/30

Cluster Information (Please also fill out the additional Cluster Well Information for Well Construction for each parcel of land and cluster.)
 Total Wells in Cluster 3 Please indicate Number of Cluster Well Information Log Sheets Submitted
 Total Wells on this Property unknown 1

Location of Well Cluster
 Detailed Map must be provided as an attachment no larger than legal size (8.5" x 14"). Sketches are not allowed.
 Check box to confirm detailed map is provided as per Section 11.1 (3)


Consent to release additional information concerning the cluster to the Director upon request

Construction Details				
Inside Diameter (Centimetres)	Material (steel, plastic, fibreglass, concrete, galvanized)	Wall Thickness	Depth (Metres) From To	
5.1	PVC	Sched 40	0	6.1

Annular Space/Abandonment Sealing Record			
Depth Set at (Metres) From	To	Type of Sealant Used (Material and Type)	Volume Used (Cubic Metres)
0	3.0	Bentonite	60kgs

Well Contractor and Well Technician Information
 Business Name of Well Contractor: George Downing Estate Drilling Ltd Well Contractor's Licence No.: 118 14 14
 Business Address (Street No., Name, number, RR): 410 Rue Principale Grenville Sur La Rouge Municipality: _____
 Province: QC Postal Code: J1O V1 1B0 Business E-mail Address: downing@hawk.igs.net
 Bus. Telephone No. (inc. area code): 819 2426 469 Name of Well Technician (Last Name, First Name): Downing, Bruce
 Well Technician's Licence No.: 2173 Signature of Technician: [Signature] Date Submitted (yyyy/mm/dd): 2009/12/21

Audit No.: M 05542 Well Contractor No.: _____
 Date Received (yyyy/mm/dd): JAN 28 2010 Date of Inspection (yyyy/mm/dd): _____
 Remarks: _____



C-1844
 MOBILE
 C 26159

FIGURE 2
 JAN 28 2010

A090600 MW#1

Master Well Owner's and Land Owner's Information

Thames Street
 County/District/Municipality: _____ City/Town/Village: Ottawa Province: Ontario Postal Code: _____

UTM Coordinates: Zone 18 Easting 442461 Northing 5025978 GPS Unit Make Garmin Model Etrex Mode of Operation: Undifferentiated Averaged Differentiated, specify _____

Overburden and Bedrock Materials (see instructions on the back of this form)				
General Colour	Most Common Material	Other Materials	General Description	Depth (Metres) From To
	Asphalt			0 0.1
Brown	Sand + gravel		Dense to compact	0.1 0.9
Grey	Silty clay		compact stiff to firm	0.9 1.5
Grey	Clay silty		stiff to firm	1.5 3.6
Grey	Clay + sand		silty, some gravel loose	3.6 6.1

Hole Details		
Depth (Metres) From	To	Diameter (Centimetres)
0	6.1	20

Water Use
 Public Industrial Not used Other, specify _____
 Domestic Commercial Dewatering
 Livestock Municipal Monitoring
 Irrigation Test Hole Cooling & Air Conditioning

Method of Construction
 Cable Tool Air Percussion Digging
 Rotary (Conventional) Diamond Boring
 Rotary (Reverse) Jetting Other, specify HSA
 Rotary (Air) Driving

Status of Well
 Test Hole Abandoned, Insufficient Supply
 Replacement Well Abandoned, Poor Water Quality
 Dewatering Well Other, specify _____
 Alteration (Construction) Abandoned, other, specify _____

No Casing and Screen Used Yes No
Static Water Level Test _____ Metres

Screen
 Galvanized Steel Fibreglass Concrete Plastic
 Outside Diameter (Centimetres) 5.8 Slot No. 10

Water Details
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals
 Water found at Depth _____ Metres Gas Fresh Salty Sulphur Minerals

Disinfected Yes No. If no, provide reason: monitoring well Date Master Well Completed (yyyy/mm/dd) 2009/11/30

Cluster Information (Please also fill out the additional Cluster Well Information for Well Construction for each parcel of land and cluster.)
 Total Wells in Cluster 3 Please indicate Number of Cluster Well Information Log Sheets Submitted
 Total Wells on this Property unknown 1

Location of Well Cluster
 Detailed Map must be provided as an attachment no larger than legal size (8.5" x 14"). Sketches are not allowed.
 Check box to confirm detailed map is provided as per Section 11.1 (3)

Consent to release additional information concerning the cluster to the Director upon request

Construction Details				
Inside Diameter (Centimetres)	Material (steel, plastic, fibreglass, concrete, galvanized)	Wall Thickness	Depth (Metres) From To	
5.1	PVC	Sched 40	0	6.1

Annular Space/Abandonment Sealing Record			
Depth Set at (Metres) From	To	Type of Sealant Used (Material and Type)	Volume Used (Cubic Metres)
0	3.0	Bentonite	60kgs

Well Contractor and Well Technician Information
 Business Name of Well Contractor: George Downing Estate Drilling Ltd Well Contractor's Licence No.: 118 14 14
 Business Address (Street No., Name, number, RR): 410 Rue Principale Grenville Sur La Rouge Municipality: _____
 Province: QC Postal Code: J1O 1J3 Business E-mail Address: downing@hawk.igs.net
 Bus. Telephone No. (inc. area code): 819 2426 469 Name of Well Technician (Last Name, First Name): Downing, Bruce
 Well Technician's Licence No.: 2173 Signature of Technician: [Signature] Date Submitted (yyyy/mm/dd): 2009/12/21

Audit No. M 05542 Well Contractor No. _____
 Date Received (yyyy/mm/dd) JAN 28 2010 Date of Inspection (yyyy/mm/dd) _____
 Remarks _____



C-1844
 MOBILE
 C 26159

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

11

Municipality: _____ Con: _____

County or District Ottawa		Township/Borough/City/Town/Village Ottawa		Con block tract survey, etc. A	Lot 1
Owner's surname City of Ottawa	First Name Infrastructure Services	Address Thames Street		Date completed 14 Sept 2010	
Zone 18		Easting 442617	Northing 5025962	RC 25	Elevation 20

General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
Black	Asphalt			0	0.3
Brown	Sand & Gravel	silt	dense	0.3	2.6
Grey	silt	clay, sand	compact	2.6	5.0
Grey	clay	silt, sand	firm	5.0	10
Grey	silt	clay, sand, gravel	loose	10	20

31 _____
32 _____


41 WATER RECORD	
Water found at - feet	Kind of water
6.5	<input checked="" type="checkbox"/> Fresh <input type="checkbox"/> Salty
	<input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas

51 CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
2	<input checked="" type="checkbox"/> Steel <input type="checkbox"/> Galvanized <input type="checkbox"/> Concrete <input type="checkbox"/> Open hole <input type="checkbox"/> Plastic	0.12	0	20

SCREEN		Sizes of opening (Slot No.)	Diameter	Length
		10	2 inches	15.0 feet
		Material and type PVC Plastic		Depth at top of screen 5.0 feet

61 PLUGGING & SEALING RECORD	
Depth set at - feet	
From	To
0	2
2	4
4	20
Material and type (Cement grout, bentonite, etc.)	
sand & gravel	
Bentonite chips	
Bentonite slurry	

71 PUMPING TEST			
Pumping test method	Pumping rate		
<input type="checkbox"/> Pump <input type="checkbox"/> Bailer	GPM		
Static level	Water level end of pumping		
19-21	23-24		
feet	feet		
Water levels during			
15 minutes	30 minutes	45 minutes	60 minutes
25-28	29-31	32-34	35-37
feet	feet	feet	feet



FINAL STATUS OF WELL	
<input type="checkbox"/> Water supply	<input type="checkbox"/> Abandoned, insufficient supply
<input type="checkbox"/> Observation well	<input type="checkbox"/> Abandoned, poor quality
<input type="checkbox"/> Test hole	<input type="checkbox"/> Replacement well
<input type="checkbox"/> Recharge well	<input checked="" type="checkbox"/> Abandoned (Other)
	<input type="checkbox"/> Dewatering

decommissioned

WATER USE	
<input type="checkbox"/> Domestic	<input type="checkbox"/> Commercial
<input type="checkbox"/> Stock	<input type="checkbox"/> Municipal
<input type="checkbox"/> Irrigation	<input type="checkbox"/> Public supply
<input type="checkbox"/> Industrial	<input type="checkbox"/> Cooling & air conditioning
	<input type="checkbox"/> Not use
	<input checked="" type="checkbox"/> Other

environmental use

METHOD OF CONSTRUCTION	
<input type="checkbox"/> Cable tool	<input type="checkbox"/> Air percussion
<input type="checkbox"/> Rotary (conventional)	<input checked="" type="checkbox"/> Boring
<input type="checkbox"/> Rotary (reverse)	<input type="checkbox"/> Diamond
<input type="checkbox"/> Rotary (air)	<input type="checkbox"/> Jetting
	<input type="checkbox"/> Driving
	<input type="checkbox"/> Digging
	<input type="checkbox"/> Other

Name of Well Contractor DST Consulting Engineers	Well Contractor's Licence No. 6838
Address 605 Hewison St. Thunder Bay, ON	
Name of Well Technician Manon Giroux	Well Technician's Licence No. T-3025
Signature of Technician/Contractor <i>Manon Giroux</i>	Submission date day 30 mo 9 yr 10

MINISTRY USE ONLY	Data source	Contractor	Date received
	Date of inspection	Inspector	OCT 04 2010
	Remarks		



Measurements recorded in: Metric Imperial

Page _____ of _____

Well Owner's Information

First Name: DFB Associates, Last Name / Organization: DFB Associates, E-mail Address: [blank], Mailing Address: 22-2350 Stevenage Drive, Ottawa, Ont., K1G3W3, Telephone No.: 3613737776

Well Location

Address of Well Location: 999 Merivale Road, Township: Ottawa, City/Town/Village: Ottawa, Province: Ontario, Postal Code: [blank], UTM Coordinates: NAD 83 18 442621 5025931, Municipal Plan and Sublot Number: 327929

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Includes handwritten entries: grey, sand and gravel, sand silt and gravel, silty clay, and a note: CMW 3 was tagged.

Annular Space table with columns: Depth Set at (m/ft) From, To; Type of Sealant Used (Material and Type); Volume Placed (m³/ft³). Includes handwritten entries: 0 to 0.85 hole plug, 0.85 to 4.60 filter sand, 1 1/2 bags, 7 bags.

Method of Construction and Well Use section with checkboxes for Cable Tool, Rotary, Boring, etc., and Public, Commercial, etc. Includes handwritten entry: HS Auger.

Construction Record - Casing table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To, Status of Well. Includes handwritten entries: 5.2 plastic, 0.4, 0 to 1.50.

Construction Record - Screen table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To. Includes handwritten entries: 6.0 plastic, 10, 1.50 to 4.60.

Water Details and Hole Diameter section with columns: Water found at Depth, Kind of Water, Hole Diameter Depth (m/ft) From, To, Diameter (cm/in). Includes handwritten entries: 2.49 (m/ft), 0 to 4.60, 22.

Well Contractor and Well Technician Information section with fields for Business Name (OGS INC.), Address (5518 Appleton Side Road, Almonte), and Technician Name (Chlmann, Brian).

Results of Well Yield Testing table with columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Includes handwritten entries for various depths and pumping rates.

Map of Well Location

Please provide a map below following instructions on the back. Site plan and area map are enclosed.


Ministry Use Only section with fields for Audit No. (Z150548), Date Work Completed (20120417), and Date Submitted (20130102).

Note: This Well Record for Well Cluster Part 3 - Detailed Drawing of all Well Locations, must be attached to Parts 1 and 2. The drawing must include all property boundaries, an arrow indicating the North direction, all named roads and sufficient measurements to locate all wells in the cluster in relation to fixed points. The drawing must show the location of each well and each well must be numbered on the drawing to match number used for that well on the Well Record for Well Cluster Parts 1 and 2. The well with the well tag must be clearly identified on the Drawing.

UTM coordinates should appear beside each well, if space permits. Additional comments on wells can be included on the drawing

Well Tag Number: # A13 2248

"Well Record for Well Cluster" Form Audit Number: # C19566



DATE: APRIL 2012	SCALE: AS SHOWN
PROJECT: BDC1045	FIGURE: 1 SITE PLAN
<p>THIS DRAWING IS THE PROPERTY OF CM3 ENVIRONMENTAL LOANED TO THE RECIPIENT WHO AGREES THAT IT SHALL NOT BE GIVEN OUT, COPIED OR DUPLICATED FOR THE USE OF ANOTHER RECIPIENT FOR THE PURPOSE TO WHICH IT REFERS.</p>	
<p>CM3 ENVIRONMENTAL 120 ROBERTSON ROAD SUITE 208 OTTAWA, ON K2H 5Z1</p>	
<p>DFB ASSOCIATES GROUNDWATER ASSESSMENT 999 MERIVALE ROAD, OTTAWA, ON</p>	



Address 999 Merivale Rd
Ottawa, ON K1Z 6A6, Canada

Get Google Maps on your phone
Text the word "GMAPS" to 466453



06964
2150548

JAN 09 2013

A132248

Measurements recorded in: Metric Imperial

Well Owner's Information

First Name: DFB Associates
 Last Name / Organization: DFB Associates
 E-mail Address: [Blank]
 Well Constructed by Well Owner

Mailing Address (Street Number/Name): 22-2350 Stenavage Drive
 Municipality: Ottawa
 Province: Ont
 Postal Code: K1G 3W3
 Telephone No. (inc. area code): 613 737 7776

Well Location

Address of Well Location (Street Number/Name): 999 Merivale Road
 Township: Ottawa
 Lot: 8
 Concession: [Blank]

County/District/Municipality: Ottawa Carleton
 City/Town/Village: Ottawa
 Province: Ontario
 Postal Code: [Blank]

UTM Coordinates: NAD 83 18 44 26 21 50 25 9 31
 Easting: 18 44 26 21 50 25 9 31
 Northing: 50 25 9 31
 Municipal Plan and Sublot Number: 327929

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
			Well tag was missing.		

Annular Space			Volume Placed (m³/ft³)
Depth Set at (m/ft) From	Depth Set at (m/ft) To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	0.50	hole plug	1/3 bag
0.50	4.60	benetonic cement grout	50 litres

Results of Well Yield Testing				
After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Pump intake set at (m/ft) Pumping rate (l/min / GPM) Duration of pumping _____ hrs + _____ min Final water level end of pumping (m/ft) If flowing give rate (l/min / GPM) Recommended pump depth (m/ft) Recommended pump rate (l/min / GPM) Well production (l/min / GPM) Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	Static Level			
	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Method of Construction		Well Use	
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning
<input type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial	
<input type="checkbox"/> Other, specify		<input type="checkbox"/> Other, specify	

Construction Record - Casing			Status of Well		
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input checked="" type="checkbox"/> Abandoned, other, specify decommissioned <input type="checkbox"/> Other, specify
			From	To	

Construction Record - Screen				
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To

Water Details		Hole Diameter		
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
		0	4.60	22

Well Contractor and Well Technician Information

Business Name of Well Contractor: OGS INC
 Well Contractor's Licence No.: 6964
 Business Address (Street Number/Name): 5518 Appleton Side Road
 Municipality: Almonte
 Province: Ont
 Postal Code: K0A1A0
 Business E-mail Address: ogsinc@bellnet.ca
 Bus. Telephone No. (inc. area code): 613 256 7666
 Name of Well Technician (Last Name, First Name): Stride, Jason
 Well Technician's Licence No.: 3634
 Signature of Technician and/or Contractor: [Signature]
 Date Submitted: 2013 01 02

Map of Well Location

Please provide a map below following instructions on the back.

Site plan and area maps are enclosed.

Comments:

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
<input type="checkbox"/> Yes <input type="checkbox"/> No	Y Y Y Y / M M / D D D 2012 06 11	Audit No. 2150552 JAN 10 2013



Abandonment

All measurements recorded in: Metric Imperial

Well Tag No. of Deepest Well: (Print Well Tag No.) A132240 Well # on Drawing of Deepest Well: cmw1 4.60m

Follow instructions on the front and back of this form. Print or Type

Well Cluster Location Information					Mandatory Attachments/Additional Information	
Address of Well Location (Street Number(s)/Name(s), RR, if available)		Lot(s)	Concession(s)	Geographic Township	County/District/Upper Tier Municipality	
999 Merivale Road		8		Ottawa	Ottawa Carleton	
City, Town, Village or Hamlet		Province	GPS Unit Make	Model	Unit Mode of Operation <input checked="" type="checkbox"/> Undifferentiated <input type="checkbox"/> Averaged <input type="checkbox"/> Differentiated, specify: _____	
Ottawa		Ontario	Magellan			

Land Owner Consent Form must be attached.
 Detailed Drawing of All Well Locations must be attached.
I, the person constructing the well, will promptly submit to the Director, on request, any additional information in my custody or control related to any well in the well cluster that I have constructed.
Signature of Technician/Contractor: *Jason Strude* Date (yyyy/mm/dd): _____

Well # on Drawing	UTM Coordinates		Hole Depth (m/ft)	Hole Diameter (cm/in)	Method of Construction	Casing Material; Diameter (cm/in)	Casing (m/ft)		Screen Interval (m/ft)		Annular Space Material (m/ft)			Overburden/Bedrock or Abandonment Filing Material Intervals (m/ft)	Static Water Level (m/ft)	Date of Completion (yyyy/mm/dd)
	Zone	Easting					Northing	From	To	From	To	From	To			
cmw 1	18	4426085025417	4.60	22							0	0.50	hole plug		2.25	2012/06/11
cmw 2	18	4426045025434	4.60	"							0	0.50	hole plug		2.60	"
cmw 3	18	4426215025431	4.60	"							0	0.50	hole plug		2.49	"


Well Contractor and Well Technician Information				Date First Well in Cluster Constructed or Abandoned (yyyy/mm/dd)		Date Last Well in Cluster Completed (yyyy/mm/dd)		Ministry Use Only	
Business Name of Well Contractor		Business Address (Street Number/Name, RR)		Municipality	Province			Date Received (yyyy/mm/dd)	Audit No.
OGS INC		5518 Appleton Side Rd.		Almonte	Ont			JAN 10 2013	C 19569
Postal Code	Bus. Telephone No.	Well Contractor's Licence No.	Business E-mail Address						Comments: <i>2/5052</i>
K0A1A0	613-256-7666	6964	ogsinc@bellnet.ca						
Name of Well Technician (First Name, Last Name)		Well Technician's Licence No.	Signature of Well Technician		Date Submitted (yyyy/mm/dd)				
Jason Strude		3634	<i>Jason Strude</i>		2013/01/02				

Note: This Well Record for Well Cluster Part 3 - Detailed Drawing of all Well Locations, must be attached to Parts 1 and 2. The drawing must include all property boundaries, an arrow indicating the North direction, all named roads and sufficient measurements to locate all wells in the cluster in relation to fixed points. The drawing must show the location of each well and each well must be numbered on the drawing to match number used for that well on the Well Record for Well Cluster Parts 1 and 2. The well with the well tag must be clearly identified on the Drawing.

UTM coordinates should appear beside each well, if space permits. Additional comments on wells can be included on the drawing

Well Tag Number: # A132240 Abandonment

"Well Record for Well Cluster" Form Audit Number: # C19569



DATE: APRIL 2012	SCALE: AS SHOWN
PROJECT: BDC1045	FIGURE: 1 SITE PLAN
THIS DRAWING IS THE PROPERTY OF CM3 ENVIRONMENTAL LOANED TO THE RECIPIENT WHO AGREES THAT IT SHALL NOT BE GIVEN OUT, COPIED OR DUPLICATED FOR THE USE OF ANOTHER RECIPIENT FOR THE PURPOSE TO WHICH IT REFERS.	
CM3 ENVIRONMENTAL 120 ROBERTSON ROAD SUITE 208 OTTAWA, ON K2H 5Z1	
DFB ASSOCIATES GROUNDWATER ASSESSMENT 999 MERIVALE ROAD, OTTAWA, ON	



Address 999 Merivale Rd
Ottawa, ON K1Z 6A6, Canada

Get Google Maps on your phone
Text the word "GMAPS" to 466453



C-6964
Z150552
C19569.

JAN 10 2013



Measurements recorded in: Metric Imperial

Page 1 of 1

Well Location

Address of Well Location (Street Number/Name): 848 MERIVALE AVE
 Township: OTTAWA
 Lot:
 Concession:
 County/District/Municipality:
 City/Town/Village: OTTAWA
 Province: Ontario
 Postal Code:
 UTM Coordinates: Zone Easting Northing
 NAD 83 18 442655 5026008
 Municipal Plan and Sublot Number:
 Other:
 Depth (m/ft): From To

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BRN	GRAVEL	SAND	SOFT	0	0.61
GRY	SILT	CLAY	SOFT + DRG	0.61	3.1
GRY	SAND	SILT + CLAY	SOFT + NET	3.1	6.1

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 - 0.31	CONCRETE/FLUSH MOUNT	
0.31 - 2.74	BEN SEAL	
2.74 - 6.1	SAND	

Results of Well Yield Testing

After test of well yield, water was:
 Clear and sand free
 Other, specify
 If pumping discontinued, give reason:
 Pump intake set at (m/ft):
 Pumping rate (l/min / GPM):
 Duration of pumping: hrs + min
 Final water level end of pumping (m/ft):
 If flowing give rate (l/min / GPM):
 Recommended pump depth (m/ft):
 Recommended pump rate (l/min / GPM):
 Well production (l/min / GPM):
 Disinfected? Yes No

Time (min)	Draw Down		Recovery	
	Water Level (m/ft)	Time (min)	Water Level (m/ft)	Time (min)
Static Level				
1		1		
2		2		
3		3		
4		4		
5		5		
10		10		
15		15		
20		20		
25		25		
30		30		
40		40		
50		50		
60		60		

Method of Construction

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial
 Other, specify DIR PUSH Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
4.03	PVC	0.368	0	3.1	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify <input type="checkbox"/> Other, specify

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
4.82	PVC	10	3.1	6.1

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	Depth (m/ft)	Diameter (cm/in)
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	From To	
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	0 6.1	8.25
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify		

Well Contractor and Well Technician Information

Business Name of Well Contractor: SIRATA DRILLING GROUP
 Well Contractor's Licence No.: 7 J 4 1
 Business Address (Street Number/Name): 1-147 WEST BEAVER CREEK RD.
 Municipality: RICHMOND HILL
 Province: ON
 Postal Code: L4B 1C6
 Business E-mail Address: WRECORDS@SIRATA502L.COM
 Bus. Telephone No. (inc. area code): 905 764 9304
 Name of Well Technician (Last Name, First Name): BEATTI BRIAN
 Well Technician's Licence No.: 3 6 1 6
 Signature of Technician and/or Contractor:
 Date Submitted: 2014 02 14

Map of Well Location

Please provide a map below following instructions on the back.

SEE MAP
 MW #2


Well owner's information package delivered: Yes No
 Date Package Delivered: YYY Y MM DD
 Date Work Completed: 2014 02 14

Ministry Use Only

Audit No.: Z179980
 Received: 13 2014



- LEGEND**
- SITE PERIMETER
 - SITE BUILDINGS
 - RESIDENTIAL
 - COMMERCIAL
 - UNDERGROUND STORAGE TANKS
 - PARKING




PROJECT NAME
PHASE I ENVIRONMENTAL SITE ASSESSMENT

CLIENT NAME
 1727362 ONTARIO INC.

PROJECT LOCATION
 1274 CARLING AVENUE AND 818, 834,
 848 AND 850 MERIVALE ROAD, OTTAWA, ONTARIO

FIGURE NAME
SITE AND SURROUNDING LAND USE PLAN

APPROXIMATE SCALE AS SHOWN	PROJECT NO. 90560	DATE JANUARY 2014	FIGURE NO. 2
----------------------------	-------------------	-------------------	--------------



0896712 1 (REV)

MAR 13 2014

S-15147



Measurements recorded in: Metric Imperial

A164398

5-18768 Page ____ of ____

Well Owner's Information

First Name: R.O. Can, Last Name / Organization: [blank], E-mail Address: [blank], Mailing Address: 2300 Yonge St Suite 500 Box 2386 Toronto, Municipality: Toronto, Province: ON, Postal Code: M4Y 1E4, Telephone No.: [blank]

Well Location

Address of Well Location: 1309 Carling Ave., Township: [blank], Lot: [blank], Concession: [blank], City/Town/Village: Ottawa, Province: Ontario, Postal Code: [blank], UTM Coordinates: NAD 83 18442423 5026130

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with 5 columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From/To. Rows include: grey concrete (0-0.31), Brn sand/gravel (0.31-1.21), grey clay/silt (1.21-2.43), grey till/clay/silt (2.43-3.04).

Annular Space table with 4 columns: Depth Set at (m/ft) From/To, Type of Sealant Used, Volume Placed, [blank]. Rows: 0-0.31 Concrete / flushment, 0.31-1.21 Bentonite, 1.21-3.04 sand.

Method of Construction and Well Use. Method of Construction includes Cable Tool, Rotary, Boring, etc. Well Use includes Public, Commercial, Municipal, etc.

Construction Record - Casing table with 5 columns: Inside Diameter, Open Hole OR Material, Wall Thickness, Depth (m/ft) From/To, Status of Well. Row: 4.03 PVC, 0.368, 0-1.52, Observation and/or Monitoring Hole.


Construction Record - Screen table with 5 columns: Outside Diameter, Material, Slot No., Depth (m/ft) From/To, Status of Well. Row: 4.82 PVC, 10, 1.52-3.04, Abandoned, Poor Water Quality.

Water Details and Hole Diameter table. Water found at Depth (m/ft) and Kind of Water (Fresh, Untested, Gas, Other). Hole Diameter (m/ft) and Diameter (cm/in).

Well Contractor and Well Technician Information. Business Name: Strata Drilling Group, Well Contractor's Licence No.: 7241, Business Address: 465 Steeles Crst, Municipality: Markham, Province: ON, Business E-mail Address: lrecords@strateso.ca, Name of Well Technician: Beath Brian, Date Submitted: 20160616.

Results of Well Yield Testing table with 5 columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Rows include Pump intake set at, Pumping rate, Duration of pumping, Final water level end of pumping, If flowing give rate, Recommended pump depth, Recommended pump rate, Well production.


Map of Well Location section with handwritten text: 'see map BH15-12'. Includes a 'Ministry Use Only' section with Audit No. 2229814 and date JUL 21 2016.



* Portable drill rig

548766

- LEGEND**
- PROPOSED BOREHOLE/MONITORING WELL LOCATION
 - APPROXIMATE BOREHOLE LOCATION
 - APPROXIMATE PHASE TWO PROPERTY
 - APPROXIMATE PHASE I DEVELOPMENT



DRAFT

CLIENT
 RIOCAN MANAGEMENT INC.

PROJECT
 PHASE TWO ENVIRONMENTAL SITE ASSESSMENT
 1309 CARLING AVENUE, OTTAWA, ONTARIO

TITLE
 PROPOSED MONITORING WELL LOCATIONS

REFERENCE(S)
 BASE DATA ATLAS OF CANADA, NATURAL RESOURCES CANADA, 2011; AMN LTD. OBTAINED 2015.
 RESOURCES & QUEEN'S PARKERS 1511 LTD OBTAIN LICENSE FROM ONTARIO MINISTRY OF NATURAL
 RESOURCES & ENVIRONMENT. 2015.
 PHOTOGRAPHY: TRANSENSE INCORPORATION. DATUM: NAD 83 COORDINATE SYSTEM. UTM ZONE 18N

CONSULTANT
 YYYY-MM-DD 2015-11-30



DESIGNED JT
PREPARED JT
REVIEWED JT
APPROVED JT

PROJECT NO. PHASE 17000
 1527989

FIGURE 1

C-7241 2-229814

JUL 21 2016



Measurements recorded in: Metric Imperial

A164351

S-18768 Page ____ of ____

Well Owner's Information

First Name: _____ Last Name / Organization: RioCan E-mail Address: _____ Well Constructed by Well Owner

Mailing Address (Street Number/Name): 2300 Yonge St., Suite 500, PO Box 2386, Toronto Municipality: _____ Province: ON Postal Code: M4P1E4 Telephone No. (inc. area code): _____

Well Location

Address of Well Location (Street Number/Name): 1309 Carling Ave Township: _____ Lot: _____ Concession: _____

County/District/Municipality: _____ City/Town/Village: OTTAWA Province: Ontario Postal Code: _____

UTM Coordinates: Zone: _____ Easting: 181442466 Northing: 5026140 Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
BRN	Sand	Gravel	Loose	0	2.13
BRN	Silt	Clay	Soft	2.13	3.66
GRY	Silt	Clay	Soft	3.66	7.32

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/R³)
0 - 0.31	Concrete / Flush mount	
0.31 - 5.49	Bentonite	
5.49 - 7.32	Sand	

Results of Well Yield Testing

After test of well yield, water was:	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
<input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____				
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
Duration of pumping _____ hrs + _____ min	4		4	
Final water level end of pumping (m/ft)	5		5	
	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
Recommended pump rate (l/min / GPM)	30		30	
Well production (l/min / GPM)	40		40	
	50		50	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	60		60	

Method of Construction

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial
 Other, specify _____ Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
5.20	PVC	390	0	5.79	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
6.03	PVC	10	5.79	7.32

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Hole Diameter	
		Depth (m/ft)	Diameter (cm/in)
		0 - 7.32	20.95

Well Contractor and Well Technician Information

Business Name of Well Contractor: Sipata Drilling Group Well Contractor's Licence No.: 7241

Business Address (Street Number/Name): 165 Shields Court Municipality: Markham

Province: ON Postal Code: L3R8V2 Business E-mail Address: Wrecords@stradaoil.com

Bus. Telephone No. (inc. area code): 9059407919 Name of Well Technician (Last Name, First Name): Halliday Phil

Well Technician's Licence No.: 3852 Signature of Technician and/or Contractor: [Signature] Date Submitted: 20160617

Map of Well Location

Please provide a map below following instructions on the back.

*5m
3m
SHA
Speers Drystart
Sec Map*

Comments: _____

Well owner's information package delivered <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date Package Delivered: <u>20160606</u>	Ministry Use Only Audit No: <u>2229820</u> <u>JUL 21 2016</u> Received
Date Work Completed: <u>20160606</u>		



Measurements recorded in: Metric Imperial

A169658

S-18768 Page of

Well Owner's Information

First Name: Last Name / Organization: Rio Can E-mail Address: Well Constructed by Well Owner

Mailing Address (Street Number/Name): 2300 Yonge St., suite 500, PO Box 2386, Toronto Municipality: ON M4P1E4 Province: Postal Code: Telephone No. (inc. area code):

Well Location

Address of Well Location (Street Number/Name): 1909 Carling Ave Township: Lot: Concession:

County/District/Municipality: City/Town/Village: Ottawa Province: Ontario Postal Code:

UTM Coordinates: Zone: Easting: Northing: 18H 4241615026094 Municipal Plan and Sublot Number: Other:

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To. Rows include: 6124 Gravel Loose 0 6.1, BRN Sand Soft 6.1 1.5, BRN silt Clay Soft 1.5 4.21, 6124 silt clay Soft 4.21 6.1

Table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³). Rows include: 0 3.1 Concrete/Flushmount, 3.1 4.21 Bentonite, 4.21 6.1 Sand

Method of Construction and Well Use. Method of Construction includes Rotary (Conventional), Rotary (Reverse), Boring, Air percussion, Other. Well Use includes Public, Commercial, Not used, Domestic, Municipal, Dewatering, Livestock, Test Hole, Monitoring, Irrigation, Cooling & Air Conditioning, Industrial, Other.

Construction Record - Casing. Columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To. Row: 5.20 PVC 320 0 4.27

Status of Well. Includes checkboxes for Water Supply, Replacement Well, Test Hole, Recharge Well, Dewatering Well, Observation and/or Monitoring Hole, Alteration (Construction), Abandoned, Insufficient Supply, Abandoned, Poor Water Quality, Abandoned, other, specify, Other.

Construction Record - Screen. Columns: Outside Diameter (cm/in), Material (Plastic, Galvanized, Steel), Slot No., Depth (m/ft) From, To. Row: 6.03 PVC 10 4.27 6.1

Map of Well Location. Includes a hand-drawn diagram of a well with labels 'Curb', 'Well', 'Locating Point', and 'See map'.

Water Details. Columns: Water found at Depth (m/ft), Kind of Water (Fresh, Untested, Gas, Other). Rows for different depths.

Hole Diameter. Columns: Depth (m/ft) From, To, Diameter (cm/in). Row: 0 6.1 20.95

Well Contractor and Well Technician Information. Business Name of Well Contractor: Strata Drilling Group Well Contractor's Licence No.: 7241 Business Address (Street Number/Name): 165 Shields Court Municipality: Markham Province: ON Postal Code: L3R8U2 Business E-mail Address: Wrecords@stratasoil.com

Name of Well Technician (Last Name, First Name): Halladay Phil Well Technician's Licence No.: 3839 Signature of Technician and/or Contractor: Date Submitted: 2016/06/17

Results of Well Yield Testing. Columns: Draw Down (Time (min), Water Level (m/ft)), Recovery (Time (min), Water Level (m/ft)). Rows for static level, pump intake, pumping rate, duration, final water level, flowing give rate, recommended pump depth, recommended pump rate, well production, disinfected.

Comments: Includes handwritten notes and a diagram of the well location.

Well owner's information package delivered: Yes No Date Package Delivered: YYY YMM DDD Date Work Completed: 20160606

Ministry Use Only. Audit No.: 2229844 JUL 21 2016 Received:



Well Tag#: A191035 (slow)

Measurements recorded in: Metric Imperial

S-19420 Page ____ of ____

310172 ONTARIO

Address of Well Location (Street Number/Name): 1316 Carling Ave
 Township: _____ Lot: _____ Concession: _____
 County/District/Municipality: _____ City/Town/Village: Ottawa Province: **Ontario** Postal Code: _____
 UTM Coordinates: Zone 18 Easting 442514 Northing 5026015 Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
Brown	Sand	Gravel	Soft, dry	0	.31
Grey	Silt	Sand Gravel	Soft, moist	.31	2.44
Grey	Sand silt	Gravel	Soft, wet	2.44	4.57

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 .31	Concrete Flushmount	
.31 1.22	Bentonite	
1.22 4.57	Sand	

Results of Well Yield Testing

After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Static Level	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
	25		25	
	30		30	
	40		40	
	50		50	
60		60		

Method of Construction

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial Other, specify _____
 Other, specify direct Push

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
4.03	PVC	368	0	1.5	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
4.82	PVC	10	1.5	4.57

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Hole Diameter	
		Depth (m/ft) From To	Diameter (cm/in)
		0	4.57 8.25

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Drilling Group Well Contractor's Licence No.: 7241
 Business Address (Street Number/Name): 165 Shields Court Municipality: Markham
 Province: ON Postal Code: L3R8V2 Business E-mail Address: Wrecords@stratasoitc.ca
 Bus. Telephone No. (inc. area code): 9059407919 Name of Well Technician (Last Name, First Name): Halladay Phil
 Well Technician's Licence No.: 3832 Signature of Technician and/or Contractor: [Signature] Date Submitted: 2016/11/17

Map of Well Location

Please provide a map below following instructions on the back.

Carling Ave

Comments: _____

Well owner's information package delivered: Yes No

Date Package Delivered: 2016/11/17

Date Work Completed: _____

Ministry Use Only

Audit No.: 2238023

DEC 12 2016

Received: _____



Well Tag#: A191034 (low)

Measurements recorded in: [X] Metric [] Imperial

310172 ONTARIO LTD.

Address of Well Location (Street Number/Name) 1316 Carling Ave, Township, Lot, Concession, City/Town/Village Ottawa, Province Ontario, Postal Code, UTM Coordinates, Zone, Easting, Northing, Municipal Plan and Sublot Number, Other

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form). Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From, To.

Annular Space. Table with columns: Depth Set at (m/ft) From, To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³).

Results of Well Yield Testing. Table with columns: Draw Down (Time (min), Water Level (m/ft)), Recovery (Time (min), Water Level (m/ft)).

Method of Construction and Well Use. Includes checkboxes for Cable Tool, Rotary, Boring, Air percussion, Diamond, Jetting, Driving, Digging, Public, Commercial, Not used, Domestic, Municipal, Dewatering, Livestock, Test Hole, Monitoring, Irrigation, Cooling & Air Conditioning, Industrial, and Other.

Construction Record - Casing. Table with columns: Inside Diameter (cm/in), Open Hole OR Material, Wall Thickness (cm/in), Depth (m/ft) From, To, Status of Well.

Construction Record - Screen. Table with columns: Outside Diameter (cm/in), Material, Slot No., Depth (m/ft) From, To, Status of Well.

Water Details and Hole Diameter. Table with columns: Water found at Depth (m/ft), Kind of Water, Depth (m/ft) From, To, Diameter (cm/in).

Well Contractor and Well Technician Information. Includes Business Name of Well Contractor, Well Contractor's Licence No., Business Address, Municipality, Province, Postal Code, Business E-mail Address, Bus. Telephone No., Name of Well Technician, Well Technician's Licence No., Signature of Technician and/or Contractor, Date Submitted.

Map of Well Location. Includes a hand-drawn map showing Carling Ave and a well location marked with a box labeled '1316'. A scale bar indicates 30m. Comments section is also present.



Well Tag#: A190039 (low)
A190039

Measurements recorded in: Metric Imperial

INVESTORS REAL PROPERTY FUND

Address of Well Location (Street Number/Name): 1335 Carling Ave
 Township: _____ Lot: _____ Concession: _____
 County/District/Municipality: _____ City/Town/Village: Ottawa Province: **Ontario** Postal Code: _____
 UTM Coordinates Zone: 18 Easting: 942419 Northing: 57024064 Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
<u>GRY</u>	<u>Gravel</u>			<u>0</u>	<u>-31</u>
<u>BRN</u>	<u>Sand</u>			<u>-31</u>	<u>3-1</u>
<u>GRY</u>	<u>Fill</u>			<u>3-1</u>	<u>5-79</u>

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
<u>0</u>	<u>.31</u>	<u>Concrete / Flush mount</u>	
<u>.31</u>	<u>2.44</u>	<u>Bentonite</u>	
<u>2.44</u>	<u>5.79</u>	<u>Sand</u>	

Method of Construction

Cable Tool Diamond Public Commercial Not used
 Rotary (Conventional) Jetting Domestic Municipal Dewatering
 Rotary (Reverse) Driving Livestock Test Hole Monitoring
 Boring Digging Irrigation Cooling & Air Conditioning
 Air percussion Industrial
 Other, specify direct Push Other, specify _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
<u>4.03</u>	<u>PVC</u>	<u>368</u>	<u>0</u>	<u>2.74</u>	<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input checked="" type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify _____ <input type="checkbox"/> Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
<u>4.82</u>	<u>PVC</u>	<u>10</u>	<u>2.74</u>	<u>5.79</u>

Results of Well Yield Testing

After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: Static Level				
	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
Duration of pumping ____ hrs + ____ min	4		4	
Final water level end of pumping (m/ft)	5		5	
If flowing give rate (l/min / GPM)	10		10	
	15		15	
	20		20	
	25		25	
Recommended pump depth (m/ft)	30		30	
Recommended pump rate (l/min / GPM)	40		40	
Well production (l/min / GPM)	50		50	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	60		60	

Map of Well Location

Please provide a map below following instructions on the back.

See MAP
MW 3

Water Details

Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify _____	Hole Diameter	
		Depth (m/ft) From	To Diameter (cm/in)
		<u>0</u>	<u>5.79</u> <u>8.25</u>

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Drilling Group Well Contractor's Licence No.: 7241
 Business Address (Street Number/Name): 165 Shields Court Municipality: Markham
 Province: ON Postal Code: L3R8V2 Business E-mail Address: Wrecords@stratasoil.com
 Bus. Telephone No. (inc. area code): 905 948 7919 Name of Well Technician (Last Name, First Name): Halladay Phil
 Well Technician's Licence No.: 3832 Signature of Technician and/or Contractor: [Signature] Date Submitted: 20170224



Well owner's information package delivered: Yes No

Date Package Delivered: Y Y Y Y M M D D
 Date Work Completed: 20170221

Ministry Use Only
 Audit No.: 250744
 Received: MAR 13 2017

Proposed BHs.

S-19838



LEGEND

- SITE PERIMETER
- SITE BUILDING
- RESIDENTIAL
- COMMERCIAL
- RETAIL FUEL OUTLET
- PARKING

0m 125m
 APPROXIMATE SCALE

 INFERRED GROUNDWATER FLOW DIRECTION

PROJECT NAME PHASE I ENVIRONMENTAL SITE ASSESSMENT		
CLIENT NAME		
PROJECT LOCATION 1335 CARLING AVENUE, OTTAWA, ONTARIO		
FIGURE NAME SITE AND SURROUNDING LAND USE PLAN		
APPROXIMATE SCALE AS SHOWN	PROJECT NO. 121417.002	DATE FEBRUARY 2017
FIGURE NO.		2

White mtec

MAR 13 2017



Well Record for Well Cluster - Part 1 of 3 (Only for Multiple Test Holes or Dewatering Wells) Regulation 903 Ontario Water Resources Act

All measurements recorded in: Metric Imperial

Follow instructions on the front and back of this form. Print or Type

Well Tag No. of Deepest Well: (Print Well Tag No.)

A281991

Dewatering wells

Test holes

Well No. on Drawing of Deepest Well: 19-12

No. of wells reported

Page 1 of 1

Well Cluster Location Information					Mandatory Attachments/Additional Information	
Address of Well Location (Street Number(s)/Name(s), RR, if available)		Lot(s)	Concession(s)	Geographic Township	County/District/Upper Tier Municipality	
1265 Carling Ave					Carleton	
City, Town, Village or Hamlet		Province	GPS Unit Make	Model	Unit Mode of Operation <input type="checkbox"/> Undifferentiated <input type="checkbox"/> Averaged	
Ottawa		Ontario			<input type="checkbox"/> Differentiated, specify: _____	

Land Owner Consent Form must be attached.

Detailed Drawing of All Well Locations must be attached.

I, the person constructing the well, will promptly submit to the Director, on request, any additional information in my custody or control related to any well in the well cluster that I have constructed.


Signature of Technician/Contractor _____ Date (yyyy/mm/dd) _____

Well Details													Overburden/Bedrock or Abandonment Filing Material Intervals (m/ft)	Static Water Level (m/ft) Found	Date of Completion (yyyy/mm/dd)		
Well # on Drawing	UTM Coordinates		Hole Depth (m/ft)	Hole Diameter (cm/ft)	Method of Construction	Casing Material; Diameter (cm/ft)	Casing (m/ft)		Screen Interval (m/ft)		Annular Space Material (m/ft)						
Zone	Eastings	Northing					From	To	From	To	From	To	Material:				
19-9	18	4421507	51026187	26	6 1/4	Auger	PVC 2"	0	21	21	26	20	26	Hole Plug Sand	0-5 Fill, Stones; 5-13 Clay; 13-26 Silt	10	2019 10/28
19-10D	18	4425119	510262110	37	"	"	"	0	32	32	37	31	37	Hole Plug Sand	0-5 Asphalt road bed, backfill, stones; 5-10 Clay, dry; 10-25 Clay, Silt; 25-37 Wet silt; 37 Bedrock	10	2019 10/30
19-10S	18	4425119	510262110	15	"	"	"	0	5	5	15	4	15	Hole Plug Sand	0-5 Asphalt Road Bed; 5-10 Clay, Dry; 10-15 Clay, Wet	10	2019 10/30
19-11D	18	442593	510262311	22	"	"	"	0	17	17	22	17.5	22	Hole Plug Sand	0-5 Asphalt Road Bed, backfill, stones; 5-10 Clay, dry; 10-22 Silty clay, wet	10	2019 10/29
19-11S	18	442593	510262311	15	"	"	"	0	5	5	15	4	15	Hole Plug Sand	0-5 Asphalt road bed; 5-10 Clay, dry; 10-15 Clay, wet	10	2019 10/30
19-12	18	442554	510261619	40	"	"	"	0	29	29	34	30	40	Hole Plug Sand	0-5 Asphalt, fill, stones; 5-10 Clay, dry; 10-30 Clay, wet; 30-40 Silt, wet	10	2019 10/29

Well Contractor and Well Technician Information				Date First Well in Cluster Constructed or Abandoned (yyyy/mm/dd)	Date Last Well in Cluster Completed (yyyy/mm/dd)	Ministry Use Only	
Business Name of Well Contractor		Business Address (Street Number/Name, RR)		Municipality	Province	Date Received (yyyy/mm/dd)	Audit No.
Aardvark Drilling Inc.		25 C Lewis Rd		Guelph	ON	DEC 06 2019	C 44509
Postal Code	Bus. Telephone No.	Well Contractor's Licence No.	Business E-mail Address		Well Abandonment		
M1H1V1E9	(519) 826 9340	7238/7675	info@aardvarkdrillinginc.com		Person Abandoning the Wells:		
Name of Well Technician (First Name, Last Name)		Well Technician's Licence No.	Signature of Well Technician		Name		
AWT-M. Howard; WT-K. Smith		3591			(Print or Type) - See instruction 11 on the back of this form		
			Date Submitted (yyyy/mm/dd)		Comments:		
			2019/11/27				

19-0213-00

Legend



DEC 06 2013 C44509

Google Earth

©2013 Google

100 ft



Tag#: A157824 A157824

Measurements recorded in: Metric Imperial

5-15147 Page of

Well Owner's Information

First Name: 1727362, Last Name / Organization: Ontario Inc, E-mail Address: [blank], Mailing Address: 8710 the Gore Rd., Municipality: Brampton, Province: ON, Postal Code: L6P0B1

Well Location

Address of Well Location: 848 Merivale Rd, Township: [blank], Lot: [blank], Concession: [blank], City/Town/Village: Ottawa, Province: Ontario, Postal Code: [blank]

Overburden and Bedrock Materials/Abandonment Sealing Record

Table with 5 columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m/ft) From/To. Rows include Gravel, Sand, Silt, Clay, and Sand with descriptions like 'soft, dry' and 'soft, wet'.

Annular Space table with columns: Depth Set at (m/ft) From/To, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³). Rows include Concrete Flushmount, Benseal, and Sand.

Results of Well Yield Testing table with columns: Draw Down (Time, Water Level), Recovery (Time, Water Level). Includes pumping rate, duration, and final water level.

Method of Construction and Well Use checkboxes. Includes Cable Tool, Rotary, Boring, etc., and Public, Commercial, Domestic, etc.

Construction Record - Casing table with columns: Inside Diameter, Open Hole OR Material, Wall Thickness, Depth (m/ft) From/To, Status of Well.

Construction Record - Screen table with columns: Outside Diameter, Material, Slot No., Depth (m/ft) From/To, Status of Well.


Water Details and Hole Diameter tables. Water Details includes depth and kind of water. Hole Diameter includes depth and diameter.

Well Contractor and Well Technician Information. Includes Business Name (STRATA DRILLING GROUP), Business Address (2-147 WEST BEAVER CREEK RD), and Well Technician (BEATTY, BRIAN).

Map of Well Location section with handwritten text 'See map' and 'MW # 1'. Includes a 'Ministry Use Only' section with Audit No. Z179979.



- LEGEND**
- SITE PERIMETER
 - SITE BUILDINGS
 - RESIDENTIAL
 - COMMERCIAL
 - UNDERGROUND STORAGE TANKS
 - PARKING



PROJECT NAME PHASE I ENVIRONMENTAL SITE ASSESSMENT			
CLIENT NAME 1727362 ONTARIO INC.			
PROJECT LOCATION 1274 CARLING AVENUE AND 818, 834, 848 AND 850 MERIVALE ROAD, OTTAWA, ONTARIO			
FIGURE NAME SITE AND SURROUNDING LAND USE PLAN			
APPROXIMATE SCALE AS SHOWN	PROJECT NO. 90560	DATE JANUARY 2014	FIGURE NO. 2

676612 217979

MAR 13 2014

5-K1017

Ministry of the Environment
and Climate Change

Freedom of Information and
Protection of Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Ministère de l'Environnement et de
l'Action en matière de changement
climatique

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075
Télééc. : (416) 314-4285



February 16, 2017

Anna Graham
Paterson Group Inc.
154 Colonnade Rd
Ottawa, ON K2E 7J5

Dear Anna Graham:

RE: *Freedom of Information and Protection of Privacy Act Request*
Our File #: A-2017-00682, Your Reference #: PE3966

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 1296 and 1300 Carling Ave, Ottawa.

After a thorough search of the Ministry's Ottawa District Office, Investigations and Enforcement Branch, Environmental Approvals Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, records were located in response to your request. It is my decision to provide partial access to the attached information as personal information has been removed to protect privacy (Section 21(1)(f) of the Act). Portions of records that are not responsive to the scope of the request have been removed and are marked as N/R.

In accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, detailed below are our charges:

• Search Time 1 hour @ \$30/hour	\$30.00
• Copying 8 pages @ \$0.20/page	\$1.60
• Delivery	3.00
• Total	<u>\$ 34.60</u>
• Deposit Received	<u>- 30.00</u>
• BALANCE WAIVED (NOT REQUIRED)	\$4.60

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Reshana Singh at reshana.singh@ontario.ca.

Yours truly,


Christopher Mastropietro
FOI Manager (A)

Attachments



Search

Generator Details

Registration/Notification Number

ON6003999

Legal Company Name

Primary Name: Carlingwood Clinico Leasing Ltd. Division Name: NA

Company Operating Name

Primary Name: Appletree Medical Centre Division Name: NA

Mailing Address

Division Building:	NA	Post Box Number:	NA
Address Line 1:	2575B Baseline Road	Address Line 2:	NA
Town/City:	Ottawa	Postal Code / Zip Code:	K2H 7B3
County: (if inside Ontario)	OTTAWA CARLTON (RM)	Province/State (If inside Canada/US)	ONTARIO
County: (if outside Ontario)	NA	Province / State (If outside Canada / US)	NA
Country:	Canada		

Site Location

This should be the street address of the site that is being registered. You are required to register each site that generates hazardous waste separately.

Division Building:	NA	Post Box Number:	NA
Address Line 1:	1296 Carling Avenue		
Address Line 2:	NA		
Town/City:	Ottawa	Postal Code / Zip Code:	K1Z 7K8
County: (if inside Ontario)	OTTAWA CARLTON (RM)	Province / State (If inside Canada / US)	ONTARIO
County: (if outside Ontario)	NA	Province / State (If outside Canada / US)	NA
Country:	Canada		



Ministry of the Environment

[central site](#) | [feedback](#) | [search](#) | [site map](#) | [français](#)

[HOME](#) | [AIR](#) | [WATER](#) | **[LAND](#)** | [ABOUT US](#) | [NEWS & PUBLICATIONS](#)

[User Management](#) | [Company Mgmt](#) | [Manifests](#) | [Site Data](#) | [HELP](#) | [Logout](#)

hwin
Administration



Search

Company Name: **Carlingwood C&E Leasing Ltd.**
Company Number: **ON6005999 (Generator)**

Active Waste Classes

Active Waste Class Listing

[Add New Waste Class](#) | [Inactive Waste Classes](#)

Active On-site Waste Classes

Waste Class	View Details	Hazardous Waste Number (per waste stream)	Reg. 347 Schedules	Disposal Method	Part 2B required	Part 2B complete	Physical State	Off-Site	Status
261 - P	View Details	N/A					Solid	Off-Site	Active
312 - P	View Details	N/A					Solid	Off-Site	Active
		N/A					Solid	Off-Site	Active



This site maintained by the Government of Ontario

Technical Inquires to Webmaster
© 2002 Queen's Printer for Ontario

INCIDENT REPORT

Reference Number:	3430-7ARPA7	File Storage Number:	SI OC OT CA 700
Module:	Incident Reporting	Module Type:	Pro-Active
Cross Reference:	(doc link)	Task Link:	B582-7ARPCN <input type="checkbox"/>
Originating Document:		Created by:	Beth Wilcox
Incident Report Reference Number:	3430-7ARPA7 <input type="checkbox"/>		
Date Created:	2008/01/11	Date Completed:	2008/06/14
Bring Forward Date:		Bring Forward Reason:	
Status:	Closed		
Program	Waste - Hazardous & Liquid Industrial	Activity:	HWIN Generator Exception

Is this an air emission (measured or modelled) or wastewater (sewage) discharge exceedance that will become part of the Environmental Compliance Report?

(legislation, certificate of approval, order, or guideline)

Yes
 No
 To be determined

[Click here for Guidance](#)

Caller or PO Information

Reported By:		
First Name	Last Name	
Beth	Wilcox	
Contact Mailing Address		
Municipality:		
Ottawa		

Reported By:	
--------------	--

MOE Information

Date & Time Reported to MOE:	2008/01/11 13:07		
Office Receiving Incident Report:	Ottawa District Office		
Incident Info Received By:	Beth Wilcox		
MOE Response:	No Field Response	Site Region:	Eastern
Date & Time of MOE Arrival at Scene:			
Master Incident Report Number:			
SAC Action Class:			
Non-Standard Procedure:	No		
ERP Call-out Initiated:			

Client(s)

--

Client Details

Carlingwood Clinico Leasing Ltd.<UNOFFICIAL>
 Mailing Address: 2575B Baseline Road, , Ottawa, Ontario, Canada, K2H 7B3
 Physical Address: Concession: , Plan: , 2575B Baseline Road, Ottawa, City, Ontario, Canada, K2H 7B3
 Extension: , email:

Site(s)**Site Details**

Carlingwood Clinico Leasing Ltd.<UNOFFICIAL>
 Address: Lot: , Part: , 1296 Carling Ave, Ottawa, City, K1Z 7K8
 District Office: Ottawa

Incident Information

Incident Summary:	Generator Exception Report <i>cannot be longer than 60 characters</i>
Incident Description:	<p>Generator exception reporting indicated that waste class 312P is produced at the site but has not been registered as a waste stream under generator registration number ON6005999.</p> <p>A letter was sent to the company for this site and Clinico sites at Baseline Road, Carling Ave, and Slater Street on January 11, 2008, requesting they register all the subject wastes generated at the sites by February 11, 2008. See attachment.</p> <p>April 29, 2008 (10:00) - EO contacted [redacted] Jennifer Potter has taken over. She is [redacted] and doesn't know the username/password for the sites. She contacted HWIN this morning and in order to get the username/password for each site, she has to fax in a letter, signed by the President, indicating all the generator sites (11 in total). She is hoping to complete everything by next week and will contact EO when successful in completing the generator registrations.</p> <p>June 5, 2008 (11:25) - EO contacted Jennifer to follow-up on status of generator registration as HWIN still indicates the registration is expired. Jennifer indicated she has faxed in the letter that was requested by HWIN, but has not heard anything since. EO suggested contacting HWIN to obtain a username and password so that she can renew the generator registration for these sites. She said she will.</p> <p>June 10, 2008 - According to the Ministry of the Environment's HWIN, the company is currently registered for waste class 312P. Registration was completed June 10, 2008.</p> <p>No further MOE action is required at this time; file closed.</p>

s.21

Links & Comments:	
Attachments Names:	Clinico Generator Exception Letter.doc

Date & Time of Incident	Incident Date Confirmation? Actual 2006/11/02		
Source Type:		Sector Type:	
Nearest Watercourse:		Watershed Category Code:	
Environmental Impact:			
Nature of Impact:			
Incident Cause:		Incident Reason:	
Damaged Party:	No		

Contaminants Table

Contaminant Name	Code	UN#	Limit	Quantity	[units]	[freq]

Controller of Material:		Owner of Material:	
Estimated Clean Up Cost:		Who Cleaned Up:	
% Clean Up:	%	Agencies Involved:	

Voluntary / Mandatory Abatement

Is there Voluntary Abatement Activity?	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> To be determined
---	---------------------------	-------------------------------------	--

Voluntary / Mandatory Compliance Items

Type	Parent RefNo	Work Summary (may be truncated)	Date	AttainList
------	--------------	---------------------------------	------	------------

Offence(s)

Suspected Violation(s)/Offence(s):	
Act - Regulation - Section, Description {General Offence}	

Provincial Officer:

Name: Emily Straberger
Badge No: 1281

Work Unit:

District/Area Office: Ottawa District Office
Date: 2008/06/10

Signature:

Area Supervisor:

Name: Paul Kehoe

Work Unit:

District/Area Office:
Date: 2008/06/14

Signature:

Paul Kehoe.

January 11, 2008

Clinico Leasing Ltd.
2575B Baseline Road
Ottawa, Ontario
K2H 7B3

ATTENTION: Lee Thompson

Dear Lee Thompson:

RE: Shipment of Pathological Wastes

Please find enclosed an application form to amend your generator registration numbers, ON6327030, ON7099924, ON6005999, and ON5770575. Enclosed are copies of manifests GF37206, CV71344, GF40451, and RU08053 for ON6327030. There is also manifest GF39805 for ON7099924 and GF34014 for ON6005999. Finally, there are manifests CV73861 and CV74015 for ON5770507. In addition, enclosed is your generator registration number and registered waste classes from the Hazardous Waste Information Network ("HWIN") for each site.

All four sites, [REDACTED]

s.N/R

[REDACTED] Carlingwood Clinico Leasing Ltd at 1296 Carling Avenue, [REDACTED] [REDACTED] have been shipping waste class 312P, Pathological Wastes. However, waste class 312P has not been added as a waste stream under your valid generator registration numbers.

s.N/R

[REDACTED]

Carlingwood Clinico Leasing Ltd (ON6005999) at the site at 1296 Carling Avenue shipped waste class 312P on November 2, 2006.

s.N/R

[REDACTED]

Please amend your generator registration numbers for each site to include 312P, Pathological wastes, by **February 11, 2008**. Please send confirmation of registration (a copy of your application form or a copy of your registration from HWIN) to the undersigned officer at:

Ministry of the Environment
Ottawa District Office

2430 Don Reid Drive
Ottawa, ON K1H 1E1

Please contact me at 613-521-3450 ext. 235 if you have any questions.

Sincerely,

Emily Straberger
Environmental Officer

File codes:

SI OC OT SL 700
SI OC OT CA 700
SI OC OT BA 700
SI OC OT CA 700

Ministry of the Environment,
Conservation and Parks

Corporate Services Branch
40 St. Clair Avenue West
Toronto ON M4V 1M2

Ministère de l'Environnement, de la
Protection de la nature et des Parcs

Direction des services ministériels
40, avenue St. Clair Ouest
Toronto ON M4V 1M2



July 10, 2025

Mr. Jesse Andrechek
Paterson Group
9 Auriga Drive
Ottawa, Ontario K2E 7T9
jandrechek@patersongroup.ca

Dear Jesse Andrechek:

RE: **MECP FOI A-2025-04153, Your Reference PE3966 – Decision Letter**

This letter is in response to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to:

1296 AND 1300 Carling Avenue, Ottawa

Timeframe: January 1, 1986 to June 23, 2025

After a thorough search through the ministry files, no records were located responsive to your request. The official responsible for making the access decision on your request is the undersigned. This file is now closed.

You may request a review of my decision within 30 days from the date of this letter by contacting the Information and Privacy Commissioner/Ontario at <http://www.ipc.on.ca>. Please note there may be a fee associated with submitting the appeal.

If you have any questions, please contact Shannon Neita at shannon.neita@ontario.ca.

Yours truly,

Shannon Neita

for
Josephine DeSouza
Manager, Access and Privacy Office



PATERSON GROUP

Consulting Engineers

9 Auriga Drive
Ottawa, Ontario
K2E 7T9

Tel: (613) 226-7381

Geotechnical Engineering
Environmental Engineering
Hydrogeology
Materials Testing
Building Science
Rural Development Design
Temporary Shoring Design
Retaining Wall Design
Noise and Vibration Studies

patersongroup.ca

July 10, 2025
File: PE3966-HLUI

City of Ottawa
110 Laurier Avenue W
Ottawa, Ontario
K1P 1J1

Subject: **Authorization Letter: HLUI Search
Phase I – Environmental Site Assessment
1296 and 1300 Carling Avenue
Ottawa, Ontario**


Dear Sir/Madame

Please consider this letter as confirmation that Paterson Group has been retained to conduct a Phase I - Environmental Site Assessment at the aforementioned property.

With this letter, the property owner authorizes the City of Ottawa and other regulatory bodies to release, to Paterson Group, information requested for the purpose of completing an environmental assessment of the property.

Name of Company/Property Owner: Ambassador Realty Inc.

Name of Representative: Arthur Loeb

Signature: 

Date: 7/11/2025

Office Use Only

Application Number: _____	Ward Number: _____	Application Received: (dd/mm/yyyy): _____
Client Service Centre Staff: _____	Fee Received: \$	<input type="text"/>



Historic Land Use Inventory

Application Form

Notice of Public Record

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

Municipal Freedom of Information and Protection Act

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business and Technical Support Services, Planning, Development and Building Services Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 52815.

Background Information

***Site Address or Location:**

** Mandatory Field*

*Applicant/Agent Information:

Company name:

Contact name:

Mailing Address:

Telephone: Email Address:

*Registered Property Owner Information: Same as above

Name:

Mailing Address:

Telephone: Email Address:

Site Details

Legal Description
and PIN:

What is the land
currently used for?

Residential and Commercial Mixed Use

Lot frontage: m Lot depth: m Lot area: _____ m²

OR Lot area: (irregular lot) m²

Does the site have Full Municipal Services: Yes No

Required Fees

Please don't hesitate to visit the [Historic Land Use Inventory website](#) more information. Fees must be paid in full at the time of application submission.

Planning Fee

Submittal Requirements

The following are required to be submitted with this application:

- 1. Consent to Disclose Information:** Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, **the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner.** This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. Disclaimer:** Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Development and Building Services Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3. A site plan or key plan of the property, its location and particular features.**
- 4. Any significant dates or time frames that you would like researched.**

Disclaimer
For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to Paterson Group ("the Requester") does so only under the following conditions and understanding:

1. The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.
2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
4. Copyright is reserved to the City.
5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed: J. Andrechek

Dated (dd/mm/yyyy): 07/11/2025

Per: Jesse Andrechek
(Please print name)

Title: Environmental Engineer

Company: Paterson Group



DATABASE REPORT

Project Property: *PE3966 - Phase I ESA
1296 and 1300 Carling Avenue
Ottawa ON K1Z 7K8*

Project No: *PE3966 / PO#63394*

Report Type: *Standard Report*

Order No: *25062300894*

Requested by: *Paterson Group Inc.*

Date Completed: *June 26, 2025*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	24
Map.....	43
Aerial.....	44
Topographic Map.....	45
Detail Report.....	46
Unplottable Summary.....	233
Unplottable Report.....	234
Appendix: Database Descriptions.....	239
Definitions.....	249

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: PE3966 - Phase I ESA
1296 and 1300 Carling Avenue Ottawa ON K1Z 7K8

Project No: PE3966 / PO#63394

Coordinates:

Latitude: 45.3855362
Longitude: -75.7336285
UTM Northing: 5,026,041.78
UTM Easting: 442,567.95
UTM Zone: 18T

Elevation: 239 FT
72.95 M

Order Information:

Order No: 25062300894
Date Requested: June 23, 2025
Requested by: Paterson Group Inc.
Report Type: Standard Report

Historical/Products:

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	5	5
CA	<i>Certificates of Approval</i>	Y	0	5	5
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	2	2
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	17	17
EIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	113	113
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPR2	<i>National Pollutant Release Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory - Historic</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	8	8
PFAS	<i>Ontario PFAS Spills</i>	Y	0	0	0
PFCH	<i>NPRI Reporters - PFAS Substances</i>	Y	0	0	0
PFHA	<i>Potential PFAS Handlers from NPRI</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	6	6
PPHA	<i>Potential PFAS Handlers from EASR</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	0	0
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	2	2
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	5	5
SPL	<i>Ontario Spills</i>	Y	0	9	9
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	24	24

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
		<hr/>			
		Total:	0	197	197

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	---------------------	--------------------------	------------------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	SCT	Thermal Insulation Association	1300 Carling Ave Suite 309 Ottawa ON K1Z 7L2	WNW/42.4	-0.07	46
1	GEN	2734182 Ontario LTD	1300 Carling Ave Ottawa ON K1Z7L2	WNW/42.4	-0.07	46
2	SCT	EVERT COMMUNICATIONS LIMITED	1296 CARLING AVE OTTAWA ON K1Z 7K8	NNW/43.8	0.18	47
2	GEN	Carlingwood Clinico Leasing Ltd.	1296 Carling Avenue Ottawa ON K1Z 7K8	NNW/43.8	0.18	47
2	GEN	Carlingwood Clinico Leasing Ltd.	1296 Carling Avenue Ottawa ON K1Z 7K8	NNW/43.8	0.18	47
3	WWIS		1316 CARLING AVE Ottawa ON Well ID: 7276790	W/51.3	-0.07	48
4	CA	Triole Investments Limited	1316 Carling Avenue Ottawa ON K1Z 7L1	WNW/55.1	-0.07	51
4	EHS		1316 Carling Ave Ottawa ON K1Z7L1	WNW/55.1	-0.07	51
4	ECA	Triole Investments Limited	1316 Carling Avenue Ottawa ON K2J 4A9	WNW/55.1	-0.07	51
5	WWIS		1316 CARLING AVE Ottawa ON Well ID: 7276789	WSW/60.2	-0.07	52
6	EHS		1316 Carling Avenue Ottawa ON K1Z 7L1	WSW/60.7	-0.07	55
7	GEN	Macies Hotel Ltd.	1274 Carling Ave. Ottawa ON K1Z 7K8	NE/67.4	1.13	55

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
7	GEN	Macies Hotel Ltd.	1274 Carling Ave. Ottawa ON K1Z 7K8	NE/67.4	1.13	55
7	EHS		1274 Carling Ave Ottawa ON K1Z7K8	NE/67.4	1.13	56
7	GEN	Regional Elevator	1274 Carling Ave Ottawa ON K1Z 7K8	NE/67.4	1.13	56
7	GEN	Jemcor Elevating Inc.	1274 Carling Avenue Ottawa ON K1Z 7K8	NE/67.4	1.13	57
8	GEN	Homestead Land Holdings	1316 Carling Ave Ottawa ON K1Z 7L1	W/74.8	-0.07	57
9	WWIS		848 MERIVALE RD Ottawa ON Well ID: 7217444	ESE/86.3	0.94	58
10	WWIS		848 MERIVALE AVE Ottawa ON Well ID: 7217443	ESE/93.4	0.94	61
11	WWIS		lot I con A ON Well ID: 7152275	SE/93.7	1.02	64
12	GEN	Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z 7K8	W/99.9	-0.07	65
12	GEN	Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z 7K8	W/99.9	-0.07	66
12	GEN	Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON	W/99.9	-0.07	66
12	GEN	Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z7K8	W/99.9	-0.07	66
12	GEN	Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z7K8	W/99.9	-0.07	67

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
12	GEN	Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z7K8	W/99.9	-0.07	67
12	GEN	Canadian Addiction Treatment Clinics LP	1318 Carling Avenue Ottawa ON K1Z7K8	W/99.9	-0.07	67
12	GEN	Canadian Addiction Treatment Clinics LP	1318 Carling Avenue Ottawa ON K1Z7K8	W/99.9	-0.07	68
12	GEN	Canadian Addiction Treatment Clinics LP	1318 Carling Avenue Ottawa ON K1Z7K8	W/99.9	-0.07	68
12	GEN	Ontario Addiction Treatment Centre	OATC Ottawa West, 1318 Carling Avenue Ottawa ON	W/99.9	-0.07	68
13	BORE		ON	WNW/103.9	-0.07	71
14	GEN	Carling IDA Pharmacy	1320 Carling Avenue Ottawa ON	WSW/107.3	-0.07	72
15	GEN	2673023 Ontario Inc.	1320 Carling Avenue Ottawa ON K1Z 7K8	W/110.1	-0.07	74
16	CA	OTTAWA CITY - LEASIDE AVE. /WOODWARD DR.	MERIVALE RD./THAMES ST. OTTAWA CITY ON	ESE/112.0	0.84	74
17	EHS		858, 864-868 Merivale, 1246 Thames Ottawa ON	ESE/114.3	0.93	75
18	PINC		858 Merivale Road, Ottawa ON	SE/115.8	1.01	75
19	PES	NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER	1321 CARLING AVE OTTAWA ON K1Z 7L3	WNW/122.4	-0.07	75
19	GEN	Your Independant Grocer	1321 Carling Avenue Ottawa ON	WNW/122.4	-0.07	76

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	PES	NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER	1321 CARLING AVE(STORE CLOSED OCT 11/03) OTTAWA ON K1Z7L3	WNW/122.4	-0.07	76
19	PES	NATIONAL GROCERS CO. LTD. /WESTGATE YOUR IND. GROCER	1321 CARLING AVENUE OTTAWA ON K1Z7L3	WNW/122.4	-0.07	76
19	PES	NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER	1321 CARLING AVE(STORE CLOSED OCT 11/03) OTTAWA ON K1Z7L3	WNW/122.4	-0.07	77
20	WWIS		999 MERIVALE ROAD Ottawa ON <i>Well ID: 7194995</i>	SE/122.8	1.01	77
20	WWIS		999 MERIVALL ROAD OTTAWA ON <i>Well ID: 7195098</i>	SE/122.8	1.01	80
21	CA	1117018 ONTARIO LIMITED	1330 CARLING AVENUE (SWM) OTTAWA CITY ON K1Z 7K8	WSW/130.6	-0.07	82
21	EHS		1330 Carling Avenue Ottawa ON K1Z 7K8	WSW/130.6	-0.07	83
21	EHS		1330 Carling Ave Ottawa ON K1Z7K8	WSW/130.6	-0.07	83
22	PINC		853 Merivale Road, Ottawa ON	ESE/135.7	0.98	83
23	EHS		878 Merivale Rd Ottawa ON K1Z5Z6	SE/139.0	0.15	83
24	EHS		1330 Carling Ave and 815 Archibald St Ottawa ON K1Z 7K8	WSW/140.7	-0.07	84
25	WWIS		1309 CARLING AVE OTTAWA ON <i>Well ID: 7267591</i>	WNW/141.6	-0.07	84
26	PINC		1262 Thames Street, Ottawa ON	S/142.4	-0.07	87

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
27	BORE		ON	W/143.0	-0.07	87
28	WWIS		1265 CARLING AVENUE Ottawa ON <i>Well ID: 7352447</i>	NNE/146.0	1.62	89
29	EHS		1295 Carling Avenue Ottawa ON K1Z 1A2	NNE/147.3	1.62	91
30	PINC		823 Merivale Road, Ottawa ON	ENE/149.5	2.87	91
31	WWIS		ON <i>Well ID: 7348927</i>	NNE/150.4	1.62	92
32	WWIS		1335 CARLING AVE Ottawa ON <i>Well ID: 7282860</i>	W/150.9	-0.07	93
33	WWIS		1265 CARLING AVENUE Ottawa ON <i>Well ID: 7352448</i>	N/152.5	0.87	96
34	PINC		1270 Thames Street, Ottawa ON	SSW/153.1	-0.07	98
35	BORE		ON	WSW/153.9	-0.07	98
36	WWIS		ON <i>Well ID: 1507810</i>	WSW/154.0	-0.07	99
37	SPL	ONTARIO HYDRO	CARLING & MERIVALE STREETS CAPACITOR OTTAWA CITY ON	NE/155.2	1.78	102
37	SPL		Carling Avenue and Merivale Road Ottawa ON	NE/155.2	1.78	103
38	WWIS		1309 CARLING AVE OTTAWA ON	WNW/160.7	-0.07	103

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<i>Well ID:</i> 7267593			
39	WWIS		ON <i>Well ID:</i> 1507809	SW/160.8	-0.07	107
40	WWIS		1309 CARLING AVE. OTTAWA ON <i>Well ID:</i> 7267545	WNW/169.7	-0.07	110
41	SPL	GROCERY STORE	AT THE INDEPENDENT GROCERY STORE AT 1309 CARLING RD. OTTAWA CITY ON K1Z 7L3	NW/170.0	-0.07	113
41	PES	WESTGATE HOME HARDWARE	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW/170.0	-0.07	114
41	GEN	R. WHITE (SEE & USE ON2588408)	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW/170.0	-0.07	114
41	GEN	SHOPPERS DRUG MART	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW/170.0	-0.07	115
41	PES	SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE)	1309 CARLING AVE OTTAWA ON K1Z 7L3	NW/170.0	-0.07	115
41	GEN	RIOCAN HOLDINGS INC	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW/170.0	-0.07	116
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	116
41	PES	SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE)	1309 CARLING AVE OTTAWA ON K1Z 7L3	NW/170.0	-0.07	116
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	117
41	GEN	riocan management	1309 carling ave ottawa ON K1Z 7L3	NW/170.0	-0.07	117
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	118

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
41	GEN	Narmin Jalaldin Drugs Mart Limited	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	118
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	118
41	PES	SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE)	1309 CARLING AVE OTTAWA ON K1Z7L3	NW/170.0	-0.07	119
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	119
41	GEN	Riocan Management	1309 Carling Ave Ottawa ON	NW/170.0	-0.07	120
41	GEN	Riocan Management	1309 Carling Ave Ottawa ON	NW/170.0	-0.07	120
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON	NW/170.0	-0.07	121
41	EHS		1309 Carling Ave Ottawa ON K1Z0A5	NW/170.0	-0.07	122
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	122
41	GEN	Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	122
41	GEN	Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW/170.0	-0.07	123
41	GEN	Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	123
41	GEN	Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	124

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	125
41	GEN	Riocan REIT	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	125
41	GEN	Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW/170.0	-0.07	126
41	GEN	Riocan REIT	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	127
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	128
41	GEN	Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	128
41	GEN	Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	129
41	GEN	Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW/170.0	-0.07	130
41	GEN	Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	130
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	131
41	GEN	Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW/170.0	-0.07	131
41	GEN	Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	132
41	GEN	Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	133

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
41	GEN	Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	133
41	RSC	RIOCAN HOLDINGS INC.	1309 CARLING AVENUE ON Ottawa ON	NW/170.0	-0.07	136
41	GEN	Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW/170.0	-0.07	136
41	GEN	Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW/170.0	-0.07	137
41	GEN	Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	137
41	ECA	RC GP Trust as general partner for and on behalf of RC Westgate LP.	1309 Carling Ave Ottawa ON M4P 1E4	NW/170.0	-0.07	138
41	GEN	Loblaw Companies Limited - Shoppers Drug Mart	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	138
41	GEN	SHOPPERS DRUG MART 0628	1309 CARLING AVE Ottawa ON	NW/170.0	-0.07	139
41	GEN	Trillium Dental	6-1309 Carling Avenue Ottawa ON	NW/170.0	-0.07	143
41	GEN	Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW/170.0	-0.07	146
42	WWIS		1265 CARLING AVENUE Ottawa ON Well ID: 7352445	NNW/174.8	-0.07	149
43	WWIS		1265 CARLING AVENUE Ottawa ON Well ID: 7352446	NNW/175.8	-0.07	152
44	CA	OTTAWA CITY	ARCHIBALD ST./CARLING AVE. OTTAWA CITY ON	W/177.0	-0.07	154

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
45	WWIS		1309 CARLING AVE OTTAWA ON <i>Well ID: 7267592</i>	WNW/179.4	-0.07	154
46	SCT	Zachary A Dental Lab Ltd.	1335 Carling Ave Suite 400 Ottawa ON K1Z 8N8	W/185.0	-0.07	158
46	EHS		1335 Carling Ave. Ottawa ON K1Z 8N8	W/185.0	-0.07	158
46	SCT	A. Zachary Dental Laboratory	1335 Carling Ave Suite 400 Ottawa ON K1Z 8N8	W/185.0	-0.07	158
46	SCT	Echo Dental Lab Ltd.	1335 Carling Ave Suite 415 Ottawa ON K1Z 8N8	W/185.0	-0.07	158
46	GEN	Milident Inc.	550-1335 Carling Avenue Ottawa ON K1Z 8N8	W/185.0	-0.07	159
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	159
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	159
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/185.0	-0.07	160
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/185.0	-0.07	160
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	161
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON	W/185.0	-0.07	161
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON	W/185.0	-0.07	162

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
46	GEN	165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W/185.0	-0.07	162
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	162
46	GEN	165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W/185.0	-0.07	163
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	163
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/185.0	-0.07	164
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/185.0	-0.07	164
46	GEN	165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W/185.0	-0.07	165
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/185.0	-0.07	165
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	165
46	GEN	165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W/185.0	-0.07	166
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	166
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/185.0	-0.07	167
46	EHS		1335 Carling Ave Ottawa ON K1Z8N8	W/185.0	-0.07	167

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	167
46	GEN	165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W/185.0	-0.07	168
46	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/185.0	-0.07	168
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	168
46	GEN	165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W/185.0	-0.07	169
46	GEN	Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W/185.0	-0.07	169
47	EHS		1255 Coldrey Avenue Ottawa ON	SSE/185.1	0.72	173
48	WWIS		1309 CARLING AVE OTTAWA ON <i>Well ID: 7267547</i>	WNW/188.0	-0.07	173
49	SPL	PRIVATE OWNER	197 CERAR AVE FURNACE OIL TANK OTTAWA CITY ON	ESE/189.2	2.78	176
50	GEN	Medicart Vein Clinic	1335 Carling Avenue Ottawa ON	W/190.8	-0.07	177
51	GEN	Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W/193.2	-0.07	181
52	PINC		1282 Thames Street, Ottawa ON	SSW/194.0	0.62	184
53	EHS		1335 Carling Ave Ottawa ON Ottawa ON K1Z 8N8	W/198.8	-0.07	184

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
54	WWIS		1335 CARLING AVE Ottawa ON <i>Well ID: 7282861</i>	W/201.0	-0.07	184
55	BORE		ON	WSW/204.2	-0.07	188
56	WWIS		lot 28 con 2 ON <i>Well ID: 1510605</i>	WSW/204.3	-0.07	189
56	EASR	HOLLOWAY LODGING LIMITED PARTNERSHIP	1354 Carling AV Ottawa ON K1Z 7L5	WSW/204.3	-0.07	191
56	SPL		1354 Carling Avenue, Ottawa OTTAWA ON	WSW/204.3	-0.07	192
56	RSC	HL GENERAL PARTNER INC.	1354 CARLING AVENUE ON Ottawa ON	WSW/204.3	-0.07	193
57	EHS		1240 Carling Ave Ottawa ON K1Z 7K7	ENE/213.8	3.84	193
58	CA	ONTARIO HYDRO (OTTAWA-CARLING T.S.)	1275 CARLING AVENUE OTTAWA CITY ON	NE/216.1	3.23	193
59	GEN	Taggart Construction Ltd.	1354 Carling Ottawa ON K1Z 8N8	WSW/216.2	-0.07	194
60	WWIS		1335 CARLING AVE Ottawa ON <i>Well ID: 7282862</i>	W/219.0	-0.07	195
61	BORE		ON	W/221.2	-0.07	198
62	SPL	PRIVATE OWNER	IN FRONT OF 1292 THAMES STREET MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K1Z 7N4	SSW/227.2	0.93	200
63	EHS		1255 Carling Avenue Ottawa ON	NE/233.4	3.87	200

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
64	WWIS		lot 33 con 2 ON Well ID: 1510612	S/241.4	0.93	201
65	SPL	SHELL CANADA PRODUCTS LTD.	900 MERIVALE RD. TANK TRUCK (CARGO) OTTAWA CITY ON K1Z 5Z8	S/243.1	0.93	203
65	SPL	SHELL CANADA PRODUCTS LTD.	900 MERIVALLE ROAD SCHOOL FURNACE OIL TANK TANK TRUCK (CARGO) OTTAWA CITY ON	S/243.1	0.93	204
65	EHS		900 Merivale Rd Ottawa ON K1Z 5Z8	S/243.1	0.93	205
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	205
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	206
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	206
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON	S/243.1	0.93	207
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	207
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	207
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	208
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	208

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	209
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S/243.1	0.93	209
65	GEN	Carlington Community Health Centre	900 Merivale Road Ottawa ON	S/243.1	0.93	210
66	SPL	ONTARIO HYDRO	TRANSFORMER STATION AT 1245 CARLING AVE. TRANSFORMER OTTAWA CITY ON K1Z 8N3	NE/247.9	3.87	214
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	215
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON	NE/247.9	3.87	216
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON	NE/247.9	3.87	217
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON	NE/247.9	3.87	218
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	219
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON	NE/247.9	3.87	220
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	221
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	222
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	223

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	224
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	225
66	GEN	Hydro Ottawa ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE/247.9	3.87	226
66	GEN	Hydro Ottawa Limited	1245 Carling Ave Ottawa ON	NE/247.9	3.87	227

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 5 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	WNW	103.87	<u>13</u>
	ON	W	143.03	<u>27</u>
	ON	WSW	153.88	<u>35</u>
	ON	WSW	204.21	<u>55</u>
	ON	W	221.17	<u>61</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 5 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
OTTAWA CITY - LEASIDE AVE. WOODWARD DR.	MERIVALE RD./THAMES ST. OTTAWA CITY ON	ESE	112.01	<u>16</u>
ONTARIO HYDRO (OTTAWA- CARLING T.S.)	1275 CARLING AVENUE OTTAWA CITY ON	NE	216.10	<u>58</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	-----------------------	-------------------------	----------------------------	-----------------------

Triole Investments Limited	1316 Carling Avenue Ottawa ON K1Z 7L1	WNW	55.08	4
1117018 ONTARIO LIMITED	1330 CARLING AVENUE (SWM) OTTAWA CITY ON K1Z 7K8	WSW	130.61	21
OTTAWA CITY	ARCHIBALD ST./CARLING AVE. OTTAWA CITY ON	W	176.99	44

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011 - May 31, 2025 has found that there are 1 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
HOLLOWAY LODGING LIMITED PARTNERSHIP	1354 Carling AV Ottawa ON K1Z 7L5	WSW	204.26	56

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011 - May 31, 2025 has found that there are 2 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Triole Investments Limited	1316 Carling Avenue Ottawa ON K2J 4A9	WNW	55.08	4
RC GP Trust as general partner for and on behalf of RC Westgate LP.	1309 Carling Ave Ottawa ON M4P 1E4	NW	169.97	41

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 31, 2024 has found that there are 17 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1274 Carling Ave Ottawa ON K1Z7K8	NE	67.44	7
	858, 864-868 Merivale, 1246 Thames Ottawa ON	ESE	114.34	17

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	878 Merivale Rd Ottawa ON K1Z5Z6	SE	138.97	<u>23</u>
	1295 Carling Avenue Ottawa ON K1Z 1A2	NNE	147.26	<u>29</u>
	1255 Coldrey Avenue Ottawa ON	SSE	185.08	<u>47</u>
	1240 Carling Ave Ottawa ON K1Z 7K7	ENE	213.77	<u>57</u>
	1255 Carling Avenue Ottawa ON	NE	233.39	<u>63</u>
	900 Merivale Rd Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1316 Carling Ave Ottawa ON K1Z7L1	WNW	55.08	<u>4</u>
	1316 Carling Avenue Ottawa ON K1Z 7L1	WSW	60.65	<u>6</u>
	1330 Carling Avenue Ottawa ON K1Z 7K8	WSW	130.61	<u>21</u>
	1330 Carling Ave Ottawa ON K1Z7K8	WSW	130.61	<u>21</u>
	1330 Carling Ave and 815 Archibald St Ottawa ON K1Z 7K8	WSW	140.74	<u>24</u>

1309 Carling Ave Ottawa ON K1Z0A5	NW	169.97	41
1335 Carling Ave Ottawa ON K1Z8N8	W	185.05	46
1335 Carling Ave. Ottawa ON K1Z 8N8	W	185.05	46
1335 Carling Ave Ottawa ON Ottawa ON K1Z 8N8	W	198.85	53

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Dec 31, 2024 has found that there are 113 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Carlingwood Clinico Leasing Ltd.	1296 Carling Avenue Ottawa ON K1Z 7K8	NNW	43.84	2
Carlingwood Clinico Leasing Ltd.	1296 Carling Avenue Ottawa ON K1Z 7K8	NNW	43.84	2
Macies Hotel Ltd.	1274 Carling Ave. Ottawa ON K1Z 7K8	NE	67.44	7
Macies Hotel Ltd.	1274 Carling Ave. Ottawa ON K1Z 7K8	NE	67.44	7
Regional Elevator	1274 Carling Ave Ottawa ON K1Z 7K8	NE	67.44	7
Jemcor Elevating Inc.	1274 Carling Avenue Ottawa ON K1Z 7K8	NE	67.44	7

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON K1Z 5Z8	S	243.10	<u>65</u>
Carlington Community Health Centre	900 Merivale Road Ottawa ON	S	243.10	<u>65</u>
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	<u>66</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66
Hydro Ottawa Ltd	1245 Carling Ave Ottawa ON K1Z 8N3	NE	247.92	66

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hydro Ottawa Limited	1245 Carling Ave Ottawa ON	NE	247.92	<u>66</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
2734182 Ontario LTD	1300 Carling Ave Ottawa ON K1Z7L2	WNW	42.43	<u>1</u>
Homestead Land Holdings	1316 Carling Ave Ottawa ON K1Z 7L1	W	74.75	<u>8</u>
Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z 7K8	W	99.95	<u>12</u>
Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z 7K8	W	99.95	<u>12</u>
Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON	W	99.95	<u>12</u>
Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z7K8	W	99.95	<u>12</u>
Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z7K8	W	99.95	<u>12</u>
Ontario Addiction Treatment Centre	1318 Carling Avenue Ottawa ON K1Z7K8	W	99.95	<u>12</u>
Canadian Addiction Treatment Clinics LP	1318 Carling Avenue Ottawa ON K1Z7K8	W	99.95	<u>12</u>
Canadian Addiction Treatment Clinics LP	1318 Carling Avenue Ottawa ON K1Z7K8	W	99.95	<u>12</u>

Canadian Addiction Treatment Clinics LP	1318 Carling Avenue Ottawa ON K1Z7K8	W	99.95	12
Ontario Addiction Treatment Centre	OATC Ottawa West, 1318 Carling Avenue Ottawa ON	W	99.95	12
Carling IDA Pharmacy	1320 Carling Avenue Ottawa ON	WSW	107.31	14
2673023 Ontario Inc.	1320 Carling Avenue Ottawa ON K1Z 7K8	W	110.10	15
Your Independant Grocer	1321 Carling Avenue Ottawa ON	WNW	122.38	19
R. WHITE (SEE & USE ON2588408)	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW	169.97	41
SHOPPERS DRUG MART	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW	169.97	41
RIOCAN HOLDINGS INC	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
riocan management	1309 carling ave ottawa ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Narmin Jalaldin Drugs Mart Limited	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41

Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Riocan Management	1309 Carling Ave Ottawa ON	NW	169.97	41
Riocan Management	1309 Carling Ave Ottawa ON	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW	169.97	41
Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41
Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Riocan REIT	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41

Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW	169.97	41
Riocan REIT	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41
Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW	169.97	41
Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW	169.97	41
Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41
Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Appletree Medical Management Group Inc.	1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Narmin Jalaldin Drugs Ltd.	1309 CARLING AVE Ottawa ON K1Z 7L3	NW	169.97	41

Westgate Dental Partnership, 1041255 Ontario Inc.	6-1309 Carling Avenue Ottawa ON K1Z 7L3	NW	169.97	41
Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41
Loblaw Companies Limited - Shoppers Drug Mart	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41
SHOPPERS DRUG MART 0628	1309 CARLING AVE Ottawa ON	NW	169.97	41
Trillium Dental	6-1309 Carling Avenue Ottawa ON	NW	169.97	41
Riocan Holdings Inc.	1309 Carling Ave Ottawa ON K1Z 7L3	NW	169.97	41
Milident Inc.	550-1335 Carling Avenue Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	185.05	46
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46

Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON	W	185.05	46
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON	W	185.05	46
165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	185.05	46
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	185.05	46
165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W	185.05	46
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46

Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W	185.05	46
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
165279 Canada Inc	1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	W	185.05	46
Dr T Harle & Dr J Paul	1335 carling ave suite 414 ottawa ON K1Z 8N8	W	185.05	46
Medicart Vein Clinic	1335 Carling Avenue Ottawa ON	W	190.79	50
Sports and Spinal Injury Clinic	1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	W	193.24	51
Taggart Construction Ltd.	1354 Carling Ottawa ON K1Z 8N8	WSW	216.21	59

PES - Pesticide Register

A search of the PES database, dated Oct 2011 - May 31, 2025 has found that there are 8 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	-----------------------	-------------------------	----------------------------	-----------------------

NATIONAL GROCERS CO. LTD. /WESTGATE YOUR IND. GROCER	1321 CARLING AVENUE OTTAWA ON K1Z7L3	WNW	122.38	19
NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER	1321 CARLING AVE(STORE CLOSED OCT 11/03) OTTAWA ON K1Z7L3	WNW	122.38	19
NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER	1321 CARLING AVE(STORE CLOSED OCT 11/03) OTTAWA ON K1Z7L3	WNW	122.38	19
NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER	1321 CARLING AVE OTTAWA ON K1Z 7L3	WNW	122.38	19
WESTGATE HOME HARDWARE	1309 CARLING AVENUE OTTAWA ON K1Z 7L3	NW	169.97	41
SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE)	1309 CARLING AVE OTTAWA ON K1Z 7L3	NW	169.97	41
SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE)	1309 CARLING AVE OTTAWA ON K1Z 7L3	NW	169.97	41
SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE)	1309 CARLING AVE OTTAWA ON K1Z7L3	NW	169.97	41

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 6 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	858 Merivale Road, Ottawa ON	SE	115.80	18
	853 Merivale Road, Ottawa ON	ESE	135.72	22
	823 Merivale Road, Ottawa ON	ENE	149.51	30

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1282 Thames Street, Ottawa ON	SSW	193.97	52

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1262 Thames Street, Ottawa ON	S	142.36	26
	1270 Thames Street, Ottawa ON	SSW	153.06	34

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-May 2025 has found that there are 2 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
RIOCAN HOLDINGS INC.	1309 CARLING AVENUE ON Ottawa ON	NW	169.97	41
HL GENERAL PARTNER INC.	1354 CARLING AVENUE ON Ottawa ON	WSW	204.26	56

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 5 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
EVERT COMMUNICATIONS LIMITED	1296 CARLING AVE OTTAWA ON K1Z 7K8	NNW	43.84	2

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Thermal Insulation Association	1300 Carling Ave Suite 309 Ottawa ON K1Z 7L2	WNW	42.43	1

Echo Dental Lab Ltd.	1335 Carling Ave Suite 415 Ottawa ON K1Z 8N8	W	185.05	46
A. Zachary Dental Laboratory	1335 Carling Ave Suite 400 Ottawa ON K1Z 8N8	W	185.05	46
Zachary A Dental Lab Ltd.	1335 Carling Ave Suite 400 Ottawa ON K1Z 8N8	W	185.05	46

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2024; Aug-Feb 2025 has found that there are 9 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Carling Avenue and Merivale Road Ottawa ON	NE	155.25	37
ONTARIO HYDRO	CARLING & MERIVALE STREETS CAPACITOR OTTAWA CITY ON	NE	155.25	37
PRIVATE OWNER	197 CERAR AVE FURNACE OIL TANK OTTAWA CITY ON	ESE	189.17	49
PRIVATE OWNER	IN FRONT OF 1292 THAMES STREET MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K1Z 7N4	SSW	227.22	62
SHELL CANADA PRODUCTS LTD.	900 MERIVALLE ROAD SCHOOL FURNACE OIL TANK TANK TRUCK (CARGO) OTTAWA CITY ON	S	243.10	65
SHELL CANADA PRODUCTS LTD.	900 MERIVALE RD. TANK TRUCK (CARGO) OTTAWA CITY ON K1Z 5Z8	S	243.10	65
ONTARIO HYDRO	TRANSFORMER STATION AT 1245 CARLING AVE. TRANSFORMER OTTAWA CITY ON K1Z 8N3	NE	247.92	66

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Lower Elevation	Address	Direction	Distance (m)	Map Key
GROCERY STORE	AT THE INDEPENDENT GROCERY STORE AT 1309 CARLING RD. OTTAWA CITY ON K1Z 7L3	NW	169.97	41
	1354 Carling Avenue, Ottawa OTTAWA ON	WSW	204.26	56


WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31 2023 has found that there are 24 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	848 MERIVALE RD Ottawa ON <i>Well ID: 7217444</i>	ESE	86.35	9
	848 MERIVALE AVE Ottawa ON <i>Well ID: 7217443</i>	ESE	93.37	10
	lot I con A ON <i>Well ID: 7152275</i>	SE	93.65	11
	999 MERIVALL ROAD OTTAWA ON <i>Well ID: 7195098</i>	SE	122.83	20
	999 MERIVALE ROAD Ottawa ON <i>Well ID: 7194995</i>	SE	122.83	20
	1265 CARLING AVENUE Ottawa ON <i>Well ID: 7352447</i>	NNE	146.01	28
	ON <i>Well ID: 7348927</i>	NNE	150.38	31

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1265 CARLING AVENUE Ottawa ON <i>Well ID:</i> 7352448	N	152.54	<u>33</u>
	lot 33 con 2 ON <i>Well ID:</i> 1510612	S	241.38	<u>64</u>
 <u>Lower Elevation</u>	 <u>Address</u>	 <u>Direction</u>	 <u>Distance (m)</u>	 <u>Map Key</u>
	1316 CARLING AVE Ottawa ON <i>Well ID:</i> 7276790	W	51.32	<u>3</u>
	1316 CARLING AVE Ottawa ON <i>Well ID:</i> 7276789	WSW	60.23	<u>5</u>
	1309 CARLING AVE OTTAWA ON <i>Well ID:</i> 7267591	WNW	141.57	<u>25</u>
	1335 CARLING AVE Ottawa ON <i>Well ID:</i> 7282860	W	150.91	<u>32</u>
	ON <i>Well ID:</i> 1507810	WSW	153.96	<u>36</u>
	1309 CARLING AVE OTTAWA ON <i>Well ID:</i> 7267593	WNW	160.67	<u>38</u>
	ON <i>Well ID:</i> 1507809	SW	160.78	<u>39</u>
	1309 CARLING AVE. OTTAWA ON <i>Well ID:</i> 7267545	WNW	169.69	<u>40</u>
	1265 CARLING AVENUE Ottawa ON <i>Well ID:</i> 7352445	NNW	174.83	<u>42</u>

1265 CARLING AVENUE Ottawa ON	NNW	175.80	<u>43</u>
<i>Well ID:</i> 7352446			
1309 CARLING AVE OTTAWA ON	WNW	179.43	<u>45</u>
<i>Well ID:</i> 7267592			
1309 CARLING AVE OTTAWA ON	WNW	188.01	<u>48</u>
<i>Well ID:</i> 7267547			
1335 CARLING AVE Ottawa ON	W	201.03	<u>54</u>
<i>Well ID:</i> 7282861			
lot 28 con 2 ON	WSW	204.26	<u>56</u>
<i>Well ID:</i> 1510605			
1335 CARLING AVE Ottawa ON	W	219.02	<u>60</u>
<i>Well ID:</i> 7282862			




Map: 0.25 Kilometer Radius

Order Number: 25062300894

Address: 1296 and 1300 Carling Avenue, Ottawa, ON



★ Project Property	Freeways; Highways	Beach	Shopping & Sports Area
⬡ Buffer Outline	Traffic Circle; Ramp	Airport	University/College
▲ Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
■ Eris Sites with Same Elevation	Local Road	Military Base	Park (National)
▼ Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
○ Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	



45°22'30"N

45°22'30"N

Aerial Year: 2023

Order Number: 25062300894

Address: 1296 and 1300 Carling Avenue, Ottawa, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership



Topographic Map

Address: 1296 and 1300 Carling Avenue, ON

Source: ESRI World Topographic Map

Order Number: 25062300894



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 2	WNW/42.4	72.9 / -0.07	Thermal Insulation Association 1300 Carling Ave Suite 309 Ottawa ON K1Z 7L2	SCT
Established:		1965			
Plant Size (ft²):					
Employment:		1			
--Details--					
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
Description:		Business Associations			
SIC/NAICS Code:		813910			
<u>1</u>	2 of 2	WNW/42.4	72.9 / -0.07	2734182 Ontario LTD 1300 Carling Ave Ottawa ON K1Z7L2	GEN
<u>Generator Info</u>					
Generator No:		ON7372829		Choice of Contact:	
Approval Years:		As of Jan 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
<u>2020 Generator Info</u>					
Gen No:		ON7372829		Choice of Contact:	
ID:		29347		CO_OFFICIAL	
Contaminated Fac:		N		Phone No Official:	
MHSW Facility:		N		613 798 7171 Ext.	
NAICS Code1:		446110		County Ont:	
NAICS Code2:				OTTAWA CARLTON (RM)	
NAICS Code3:				County Out:	
				District:	
				402	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen Name:		2734182 Ontario LTD			
Gen Div:					
Gen Op Name:		CareWise DrugStore			
Gen Op Div:					
Site Adrs1:		1300 Carling Ave			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z7L2			
Site Country:		Canada			
Co Official:		RAED EID			
Co Admin:					
<u>2</u>	1 of 3	NNW/43.8	73.1 / 0.18	EVERT COMMUNICATIONS LIMITED 1296 CARLING AVE OTTAWA ON K1Z 7K8	SCT
Established:		1974			
Plant Size (ft²):		4000			
Employment:		9			
--Details--					
Description:		MISCELLANEOUS PUBLISHING			
SIC/NAICS Code:		2741			
<u>2</u>	2 of 3	NNW/43.8	73.1 / 0.18	Carlingwood Clinico Leasing Ltd. 1296 Carling Avenue Ottawa ON K1Z 7K8	GEN
<u>Generator Info</u>					
Generator No:		ON6005999		Choice of Contact:	
Approval Years:		06,07,08		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 622111	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		General (except Paediatric) Hospitals			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>2</u>	3 of 3	NNW/43.8	73.1 / 0.18	Carlingwood Clinico Leasing Ltd. 1296 Carling Avenue Ottawa ON K1Z 7K8	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON6005999			Choice of Contact:	
Approval Years:	2009			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	622111
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		General (except Paediatric) Hospitals			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

<u>3</u>	1 of 1	W/51.3	72.9 / -0.07	1316 CARLING AVE Ottawa ON	WWIS
Well ID:	7276790			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	12/12/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z237919			Contractor:	7241
Tag:	A191034			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		OTTAWA CITY			
Site Info:					

<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:	1006305101			Tag No:	A191034
Depth M:	4.57			Contractor:	7241
Year Completed:	2016			Latitude:	45.3854260598368
Well Completed Dt:	11/17/2016			Longitude:	-75.7342651346223
Audit No:	Z237919			Y:	45.385426053464904
Path:				X:	-75.73426497298894

<u>Bore Hole Information</u>					
Bore Hole ID:	1006305101			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442518.00
Code OB Desc:				North83:	5026030.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/17/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1006479854
Layer: 3
Color: 2
General Color: GREY
Material 1: 28
Material 1 Desc: SAND
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 91
Material 3 Desc: WATER-BEARING
Formation Top Depth: 2.440000057220459
Formation End Depth: 4.570000171661377
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1006479852
Layer: 1
Color: 6
General Color: BROWN
Material 1: 28
Material 1 Desc: SAND
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 1.2200000286102295
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1006479853
Layer: 2
Color: 2
General Color: GREY
Material 1: 06
Material 1 Desc: SILT
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 91
Material 3 Desc: WATER-BEARING
Formation Top Depth: 1.2200000286102295
Formation End Depth: 2.440000057220459
Formation End Depth UOM: m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006479863			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		1.2200000286102295			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006479864			
Layer:		3			
Plug From:		1.2200000286102295			
Plug To:		4.539999961853027			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006479862			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006479861			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1006479851			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006479857			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.5			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006479858			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:		4.570000171661377 5 m cm 4.820000171661377			
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		1006479856 m			
<u>Hole Diameter</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1006479855 8.25 0.0 4.570000171661377 m cm			
<u>4</u>	1 of 3	WNW/55.1	72.9 / -0.07	Triole Investments Limited 1316 Carling Avenue Ottawa ON K1Z 7L1	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		4976-6F6J59 2005 8/11/2005 Air Approved 			
<u>4</u>	2 of 3	WNW/55.1	72.9 / -0.07	1316 Carling Ave Ottawa ON K1Z7L1	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20160729054 C Standard Report 05-AUG-16 29-JUL-16 Approx 9310 m2 Title Searches; Aerial Photos		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	City of Ottawa ON .25 -75.734303 45.385126
<u>4</u>	3 of 3	WNW/55.1	72.9 / -0.07	Triole Investments Limited 1316 Carling Avenue Ottawa ON K2J 4A9	ECA
Approval No: Approval Date:		4976-6F6J59 2005-08-11		MOE District: City:	Ottawa

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:	Approved			Longitude:	-75.73429
Record Type:	ECA			Latitude:	45.38517
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Business Name:	Triole Investments Limited				
Address:	1316 Carling Avenue				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8993-6D7NPA-14.pdf				
PDF Site Location:					

5	1 of 1	WSW/60.2	72.9 / -0.07	1316 CARLING AVE Ottawa ON	WWIS
Well ID:	7276789			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	12/12/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z238023			Contractor:	7241
Tag:	A191035			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/727\7276789.pdf				

Additional Detail(s) (Map)

Well Completed Date:	11/17/2016
Year Completed:	2016
Depth (m):	4.57
Latitude:	45.3852907227237
Longitude:	-75.7343144776923
X:	-75.73431431654433
Y:	45.38529071649963
Path:	727\7276789.pdf

Bore Hole Information

Bore Hole ID:	1006305095	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442514.00
Code OB Desc:		North83:	5026015.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	11/17/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 1006479819
Layer: 3
Color: 2
General Color: GREY
Material 1: 28
Material 1 Desc: SAND
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 91
Material 3 Desc: WATER-BEARING
Formation Top Depth: 2.440000057220459
Formation End Depth: 4.570000171661377
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1006479817
Layer: 1
Color: 6
General Color: BROWN
Material 1: 28
Material 1 Desc: SAND
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 0.9100000262260437
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1006479818
Layer: 2
Color: 2
General Color: GREY
Material 1: 06
Material 1 Desc: SILT
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 91
Material 3 Desc: WATER-BEARING
Formation Top Depth: 0.9100000262260437
Formation End Depth: 2.440000057220459
Formation End Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 1006479827
Layer: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006479829			
Layer:		3			
Plug From:		1.2200000286102295			
Plug To:		4.570000171661377			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006479828			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		1.2200000286102295			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006479826			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1006479816			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006479822			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.5			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006479823			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.570000171661377			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006479821			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006479820			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>6</u>	1 of 1	WSW/60.7	72.9 / -0.07	1316 Carling Avenue Ottawa ON K1Z 7L1	EHS
Order No:	20190709202			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	15-JUL-19			Search Radius (km):	.25
Date Received:	09-JUL-19			X:	-75.734224
Previous Site Name:				Y:	45.385187
Lot/Building Size:					
Additional Info Ordered:					
<u>7</u>	1 of 5	NE/67.4	74.1 / 1.13	Macies Hotel Ltd. 1274 Carling Ave. Ottawa ON K1Z 7K8	GEN
<u>Generator Info</u>					
Generator No:	ON2619626			Choice of Contact:	
Approval Years:	05			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	721111
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Hotels				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
<u>Waste Detail(s)</u>					
Waste Class:	252				
Waste Class Name:	WASTE OILS & LUBRICANTS				
<u>7</u>	2 of 5	NE/67.4	74.1 / 1.13	Macies Hotel Ltd. 1274 Carling Ave.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Ottawa ON K1Z 7K8

Generator Info

Generator No:	ON5260329	Choice of Contact:	
Approval Years:	05	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	721111
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Hotels		

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

<u>7</u>	3 of 5	NE/67.4	74.1 / 1.13	1274 Carling Ave Ottawa ON K1Z7K8	EHS
----------	--------	---------	-------------	--------------------------------------	-----

Order No:	20140107042	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	14-JAN-14	Search Radius (km):	.25
Date Received:	07-JAN-14	X:	-75.732748
Previous Site Name:		Y:	45.385886
Lot/Building Size:			
Additional Info Ordered:			

<u>7</u>	4 of 5	NE/67.4	74.1 / 1.13	Regional Elevator 1274 Carling Ave Ottawa ON K1Z 7K8	GEN
----------	--------	---------	-------------	--	-----

Generator Info

Generator No:	ON4782601	Choice of Contact:	
Approval Years:	As of Jan 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	252 L
Waste Class Name:	Waste crankcase oils and lubricants

2020 Generator Info

Gen No:	ON4782601	Choice of Contact:	CO_OFFICIAL
ID:	18757	Phone No Official:	613-462-4675 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code1: NAICS Code2: NAICS Code3: Gen Name: Gen Div: Gen Op Name: Gen Op Div: Site Adrs1: Site Bldg: Site Pobox: Province In: Site Adrs2: Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:	238291	Regional Elevator Regional Elevator - Job Site 1274 Carling Ave ONTARIO Ottawa		County Out: District: 402	

2020 Generator Manifest

ID:	39030	Sum Received Qty:	820.0
Generator No:	ON4782601	Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	035	Count Manifests:	1
Waste Char:	L	District:	306
Waste Code:	252		

<u>7</u>	5 of 5	NE/67.4	74.1 / 1.13	Jemcor Elevating Inc. 1274 Carling Avenue Ottawa ON K1Z 7K8	GEN
----------	--------	---------	-------------	---	-----

Generator Info

Generator No:	ON3948225	Choice of Contact:	
Approval Years:	As of Oct 2022	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	252 L
Waste Class Name:	WASTE OILS & LUBRICANTS

<u>8</u>	1 of 1	W/74.8	72.9 / -0.07	Homestead Land Holdings 1316 Carling Ave Ottawa ON K1Z 7L1	GEN
----------	--------	--------	--------------	--	-----

Generator Info

Generator No:	ON5024217	Choice of Contact:	
Approval Years:	As of Dec 2017	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Phone No Admin:
SIC Description:

Waste Detail(s)

Waste Class: 114 C
Waste Class Name: Other inorganic acid wastes

2017 Generator Info

Gen No:	ON5024217	Choice of Contact:	CO_OFFICIAL
ID:	19921	Phone No Official:	613-806-3200 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	238990	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Homestead Land Holdings		
Gen Div:			
Gen Op Name:	Homestead Land Holdings		
Gen Op Div:			
Site Adrs1:	1316 Carling Ave		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L1		
Site Country:	Canada		
Co Official:	Dedrick Sterling		
Co Admin:			

2017 Generator Manifest

ID:	43999	Sum Received Qty:	100.0
Generator No:	ON5024217	Waste Class Name:	OTHER INORGANIC ACID WASTES
Receiver Type:	035	Count Manifests:	1
Waste Char:	C	District:	402
Waste Code:	114		

<u>9</u>	1 of 1	ESE/86.3	73.9 / 0.94	848 MERIVALE RD Ottawa ON	WWIS
----------	--------	----------	-------------	------------------------------	------

Well ID:	7217444	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring and Test Hole	Data Entry Status:	
Use 2nd:	0	Data Src:	
Final Well Status:	Test Hole	Date Received:	03/13/2014
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z179979	Contractor:	7241
Tag:	A157824	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliability:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7217444.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		02/14/2014			
Year Completed:		2014			
Depth (m):		6.1			
Latitude:		45.3852747939302			
Longitude:		-75.7325898082684			
X:		-75.73258964609481			
Y:		45.38527478698684			
Path:		721\7217444.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1004719532		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 442649.00	
Code OB Desc:				North83: 5026012.00	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		02/14/2014		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005094389			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.6100000143051147			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005094391			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		3.0999999046325684			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005094390			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.6100000143051147			
Formation End Depth:		3.0999999046325684			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005094399			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005094401			
Layer:		3			
Plug From:		2.740000009536743			
Plug To:		6.099999904632568			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005094400			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		2.740000009536743			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1005094398			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1005094388			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005094394			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		3.0999999046325684			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005094395			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.0999999046325684			
Screen End Depth:		6.099999904632568			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1005094393			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005094392			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

10	1 of 1	ESE/93.4	73.9 / 0.94	848 MERIVALE AVE Ottawa ON	WWIS
Well ID:	7217443			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Test Hole			Date Received:	03/13/2014
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z179980			Contractor:	7241
Tag:	A157825			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: NEPEAN TOWNSHIP
Site Info:

Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7217443.pdf

Additional Detail(s) (Map)

Well Completed Date: 02/14/2014
Year Completed: 2014
Depth (m): 6.1
Latitude: 45.3852392831348
Longitude: -75.7325127068159
X: -75.73251254551919
Y: 45.38523927632885
Path: 721\7217443.pdf

Bore Hole Information

Bore Hole ID: 1004719529	Elevation:
DP2BR:	Elevrc:
Spatial Status:	Zone: 18
Code OB:	East83: 442655.00
Code OB Desc:	North83: 5026008.00
Open Hole:	Org CS: UTM83
Cluster Kind:	UTMRC: 4
Date Completed: 02/14/2014	UTMRC Desc: margin of error : 30 m - 100 m
Remarks:	Location Method: wwr
Location Method Desc: on Water Well Record	
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Overburden and Bedrock

Materials Interval

Formation ID: 1005092690
Layer: 2
Color: 2
General Color: GREY
Material 1: 06
Material 1 Desc: SILT
Material 2: 05
Material 2 Desc: CLAY
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 0.6100000143051147
Formation End Depth: 3.0999999046325684
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005092689

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.6100000143051147			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005092691			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		3.0999999046325684			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005092699			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005092701			
Layer:		3			
Plug From:		2.740000009536743			
Plug To:		6.099999904632568			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005092700			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		2.740000009536743			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1005092698			
Method Construction Code:		D			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005092688			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005092694			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		3.0999999046325684			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005092695			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.0999999046325684			
Screen End Depth:		6.099999904632568			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1005092693			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005092692			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[11](#)

1 of 1

SE/93.7

74.0 / 1.02

lot 1 con A
ON

WWIS

Well ID: 7152275
Construction Date:
Use 1st:
Use 2nd:
Final Well Status:
Water Type:

Flowing (Y/N):
Flow Rate:
Data Entry Status: Yes
Data Src:
Date Received: 10/04/2010
Selected Flag: TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Abandonment Rec:	
Audit No:	239784			Contractor:	6838
Tag:				Form Version:	2
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	I
Depth to Bedrock:				Concession:	A
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		OTTAWA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152275.pdf			

Additional Detail(s) (Map)

Well Completed Date: 09/30/2010
Year Completed: 2010
Depth (m):
Latitude: 45.3848221425967
Longitude: -75.7329927198242
X: -75.73299255837095
Y: 45.384822136158334
Path: 715\7152275.pdf

Bore Hole Information

Bore Hole ID:	1003342603	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442617.00
Code OB Desc:		North83:	5025962.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	09/30/2010	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

12	1 of 10	W/99.9	72.9 / -0.07	Ontario Addiction Treatment Centre 1318 Carling Avenue Ottawa ON K1Z 7K8	GEN
--------------------	---------	--------	--------------	--	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	
Approval Years:	2011	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	621420
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
12	2 of 10	W/99.9	72.9 / -0.07	Ontario Addiction Treatment Centre 1318 Carling Avenue Ottawa ON K1Z 7K8	GEN

Generator Info

Generator No:	ON4615739	Choice of Contact:	
Approval Years:	2012	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	621420
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Out-Patient Mental Health and Substance Abuse Centres		

12	3 of 10	W/99.9	72.9 / -0.07	Ontario Addiction Treatment Centre 1318 Carling Avenue Ottawa ON	GEN
--------------------	---------	--------	--------------	--	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	
Approval Years:	2013	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	621420
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	OUT-PATIENT MENTAL HEALTH AND SUBSTANCE ABUSE CENTRES		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

12	4 of 10	W/99.9	72.9 / -0.07	Ontario Addiction Treatment Centre 1318 Carling Avenue Ottawa ON K1Z7K8	GEN
--------------------	---------	--------	--------------	---	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621420
Country:	Canada		
Co Admin:	Rhonda Daiter		
Phone No Admin:	4168166110 Ext.		
SIC Description:	OUT-PATIENT MENTAL HEALTH AND SUBSTANCE ABUSE CENTRES		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
12	5 of 10	W/99.9	72.9 / -0.07	Ontario Addiction Treatment Centre 1318 Carling Avenue Ottawa ON K1Z7K8	GEN

Generator Info

Generator No:	ON4615739	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621420
Country:	Canada		
Co Admin:	Rhonda Daiter		
Phone No Admin:	4168166110 Ext.		
SIC Description:	OUT-PATIENT MENTAL HEALTH AND SUBSTANCE ABUSE CENTRES		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

12	6 of 10	W/99.9	72.9 / -0.07	Ontario Addiction Treatment Centre 1318 Carling Avenue Ottawa ON K1Z7K8	GEN
--------------------	---------	--------	--------------	---	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621420
Country:	Canada		
Co Admin:	Rhonda Daiter		
Phone No Admin:	4168166110 Ext.		
SIC Description:	OUT-PATIENT MENTAL HEALTH AND SUBSTANCE ABUSE CENTRES		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

12	7 of 10	W/99.9	72.9 / -0.07	Canadian Addiction Treatment Clinics LP 1318 Carling Avenue Ottawa ON K1Z7K8	GEN
--------------------	---------	--------	--------------	--	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	
Approval Years:	As of Dec 2018	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			

12	8 of 10	W/99.9	72.9 / -0.07	Canadian Addiction Treatment Clinics LP 1318 Carling Avenue Ottawa ON K1Z7K8	GEN
--------------------	---------	--------	--------------	--	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	
Approval Years:	As of Jul 2020	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

12	9 of 10	W/99.9	72.9 / -0.07	Canadian Addiction Treatment Clinics LP 1318 Carling Avenue Ottawa ON K1Z7K8	GEN
--------------------	---------	--------	--------------	--	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

12	10 of 10	W/99.9	72.9 / -0.07	Ontario Addiction Treatment Centre OATC Ottawa West, 1318 Carling Avenue Ottawa ON	GEN
--------------------	----------	--------	--------------	--	-----

Generator Info

Generator No:	ON4615739	Choice of Contact:	
Approval Years:	As of Oct 2022	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Phone No Admin:
SIC Description:

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No: ON4615739
Generator Company Name: Ontario Addiction Treatment Centre
Street: OATC Ottawa West, 1318 Carling Avenue
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K1Z7K8
Waste Class: 312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES

2017 Generator Info

Gen No:	ON4615739	Choice of Contact:	CO_OFFICIAL
ID:	18358	Phone No Official:	647-988-4071 Ext.
Contaminated Fac:	N	Phone No Admin:	647-208-8510 Ext.
MHSW Facility:	N	County Ont:	RENFREW
NAICS Code1:	621420	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Canadian Addiction Treatment Clinics LP		
Gen Div:			
Gen Op Name:	Ontario Addiction Treatment Centre		
Gen Op Div:	OATC Ottawa West		
Site Adrs1:	1318 Carling Avenue		
Site Bldg:	OATC Ottawa West		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z7K8		
Site Country:	Canada		
Co Official:	Raffi Laras		
Co Admin:	Robyn Yack		

2018 Generator Info

Gen No:	ON4615739	Choice of Contact:	CO_OFFICIAL
ID:	18416	Phone No Official:	647-208-8510 Ext.
Contaminated Fac:	N	Phone No Admin:	613-915-5245 Ext.
MHSW Facility:	N	County Ont:	RENFREW
NAICS Code1:	621420	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Canadian Addiction Treatment Clinics LP		
Gen Div:			
Gen Op Name:	Ontario Addiction Treatment Centre		
Gen Op Div:	OATC Ottawa West		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Adrs1:		1318 Carling Avenue			
Site Bldg:		OATC Ottawa West			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z7K8			
Site Country:		Canada			
Co Official:		Robyn Yack			
Co Admin:		Lai Leon			

2019 Generator Info

Gen No:	ON4615739	Choice of Contact:	CO_OFFICIAL
ID:	18372	Phone No Official:	4372150418 Ext.
Contaminated Fac:	N	Phone No Admin:	613-915-5245 Ext.
MHSW Facility:	N	County Ont:	RENFREW
NAICS Code1:	621420	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Canadian Addiction Treatment Clinics LP		
Gen Div:			
Gen Op Name:	Ontario Addiction Treatment Centre		
Gen Op Div:	OATC Ottawa West		
Site Adrs1:	1318 Carling Avenue		
Site Bldg:	OATC Ottawa West		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z7K8		
Site Country:	Canada		
Co Official:	Michael Liu		
Co Admin:	Lai Leon		

2020 Generator Info

Gen No:	ON4615739	Choice of Contact:	CO_OFFICIAL
ID:	18071	Phone No Official:	4372150418 Ext.
Contaminated Fac:	N	Phone No Admin:	613-915-5245 Ext.
MHSW Facility:	N	County Ont:	RENFREW
NAICS Code1:	621420	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Canadian Addiction Treatment Clinics LP		
Gen Div:			
Gen Op Name:	Ontario Addiction Treatment Centre		
Gen Op Div:	OATC Ottawa West		
Site Adrs1:	1318 Carling Avenue		
Site Bldg:	OATC Ottawa West		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z7K8		
Site Country:	Canada		
Co Official:	Michael Liu		
Co Admin:	Lai Leon		

2021 Generator Info

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen No:	ON4615739			Choice of Contact:	CO_OFFICIAL
ID:	18169			Phone No Official:	9057733884 Ext.3368
Contaminated Fac:	N			Phone No Admin:	613-915-5245 Ext.
MHSW Facility:	N			County Ont:	RENFREW
NAICS Code1:	621420			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Canadian Addiction Treatment Clinics LP				
Gen Div:					
Gen Op Name:	Ontario Addiction Treatment Centre				
Gen Op Div:	OATC Ottawa West				
Site Adrs1:	1318 Carling Avenue				
Site Bldg:	OATC Ottawa West				
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K1Z7K8				
Site Country:	Canada				
Co Official:	Cheryl M Millado				
Co Admin:	Lai Leon				

2021 Generator Manifest

ID:	39375	Sum Received Qty:	10.44
Generator No:	ON4615739	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	3
Waste Char:	P	District:	402
Waste Code:	312		

<u>13</u>	1 of 1	WNW/103.9	72.9 / -0.07	ON	BORE
Borehole ID:	848115			Inclin FLG:	No
OGF ID:	215589763			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	03-APR-1975			Municipality:	
Static Water Level:				Lot:	LOT 33
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.385963
Total Depth m:	18.4			Longitude DD:	-75.734809
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	442476
Drill Method:	Diamond Drill			Northing:	5026090
Orig Ground Elev m:	76.7			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	74.8				
Concession:	CON 1 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6560006	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	.2	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Topsoil	Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:		TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.		Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 6560007 Top Depth: .2 Bottom Depth: 1.4 Material Color: Brown Material 1: Clay Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description:		STIFF BROWN SILTY CLAY (WEATHERED CRUST) **Note: Many records provided by the department have a truncated [Stratum Description] field.		Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 6560009 Top Depth: 3.2 Bottom Depth: 18.4 Material Color: Grey Material 1: Bedrock Material 2: Limestone Material 3: Shale Material 4: Dolomite Gsc Material Description: Stratum Description:		FAIRLY SOUND TO SOUND GREY FINE TO MEDIUM GRAINED LIMESTONE BEDROCK, WITH THIN IRREGULAR SHALE BANDS, SOME DOLOMITE LAYERS **Note: Many records provided by the department have a truncated [Stratum Description] field.		Mat Consistency: Material Moisture: Material Texture: Fine to Medium Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 6560008 Top Depth: 1.4 Bottom Depth: 3.2 Material Color: Grey-Brown Material 1: Till Material 2: Silt Material 3: Sand Material 4: Gravel - Bolders Gsc Material Description: Stratum Description:		VERY DENSE GREY BROWN SANDY SILT WITH GRAVEL AND BOULDERS (TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.		Mat Consistency: Very Dense Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	

14

1 of 1

WSW/107.3

72.9 / -0.07

Carling IDA Pharmacy
1320 Carling Avenue
Ottawa ON

GEN

Generator Info

Generator No: ON5908474
Approval Years: As of Oct 2022
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No: ON5908474
Generator Company Name: Carling IDA Pharmacy
Street: 1320 Carling Avenue
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K1Z7K8
Waste Class: 312 P,261 A

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 261 - PHARMACEUTICALS

2020 Generator Info

Gen No:	ON5908474	Choice of Contact:	CO_OFFICIAL
ID:	23397	Phone No Official:	6137227774 Ext.
Contaminated Fac:	N	Phone No Admin:	6137227774 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	325410	County Out:	
NAICS Code2:	414510	District:	402
NAICS Code3:			
Gen Name:	2673023 Ontario Inc.		
Gen Div:			
Gen Op Name:	Carling IDA Pharmacy		
Gen Op Div:			
Site Adrs1:	1320 Carling Avenue		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7K8		
Site Country:	Canada		
Co Official:	Sandy Naguib		
Co Admin:	Michael Elsanhouty		

2020 Generator Manifest

ID:	44607	Sum Received Qty:	11.2
Generator No:	ON5908474	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	1
Waste Char:	P	District:	402
Waste Code:	312		

2021 Generator Info

Gen No:	ON5908474	Choice of Contact:	CO_OFFICIAL
ID:	23740	Phone No Official:	6137227774 Ext.
Contaminated Fac:	N	Phone No Admin:	6137227774 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	325410	County Out:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code2: NAICS Code3: Gen Name: Gen Div: Gen Op Name: Gen Op Div: Site Adrs1: Site Bldg: Site Pobox: Province In: Site Adrs2: Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:	414510	2673023 Ontario Inc. Carling IDA Pharmacy 1320 Carling Avenue ONTARIO Ottawa		District: 402	
<u>2021 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	46295 ON5908474 030 P 312			Sum Received Qty: Waste Class Name: Count Manifests: District:	54.56 PATHOLOGICAL WASTES 1 402
15	1 of 1	W/110.1	72.9 / -0.07	2673023 Ontario Inc. 1320 Carling Avenue Ottawa ON K1Z 7K8	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	ON5908474 As of Nov 2021 Registered Canada			Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:	261 A Pharmaceuticals				
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:	312 P Pathological wastes				
16	1 of 1	ESE/112.0	73.8 / 0.84	OTTAWA CITY - LEASIDE AVE./WOODWARD DR. MERIVALE RD./THAMES ST. OTTAWA CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type:	3-0631-92-92 6/10/1992 Municipal sewage				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
17	1 of 1	ESE/114.3	73.9 / 0.93	858, 864-868 Merivale, 1246 Thames Ottawa ON	EHS
Order No: 20061204014 Status: C Report Type: Complete Report Report Date: 12/12/2006 Date Received: 12/4/2006 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Merivale/Thames Municipality: Ottawa Client Prov/State: ON Search Radius (km): 0.25 X: -75.732525 Y: 45.384862			
18	1 of 1	SE/115.8	74.0 / 1.01	858 Merivale Road, Ottawa ON	PINC
Incident Id: 2776488 Incident No: 619846 Incident Reported Dt: Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Tank Status: RC Established Task No: 3397918 Spills Action Centre: Fuel Type: Natural Gas Fuel Occurrence Tp: Pipeline Strike Date of Occurrence: 6/10/2011 0:00 Occurrence Start Dt: 2011/09/15 Depth: 31 Customer Acct Name: Incident Address: Operation Type: Construction Site (pipeline strike) Pipeline Type: Service / Riser Distribution Pipeline Regulator Type: Service Regulator (up to 60 psi intake) Summary: 858 Merivale Road, Ottawa - 1 1/4" Pipeline Hit Reported By: Stiles, Jeff - Enbridge Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Occurrence Desc: Linestrike - Failed To Hand Dig Damage Reason: Excavation practices not sufficient Notes: Failed To Hand Dig		Pipe Material: Plastic Fuel Category: Natural Gas Health Impact: No Environment Impact: No Property Damage: Yes Service Interrupt: Yes Enforce Policy: Yes Public Relation: No Pipeline System: Transmission pipeline PSIG: 53 Attribute Category: FS-Perform P-line Inc Invest Regulator Location: Outside Method Details: E-mail			
19	1 of 5	WNW/122.4	72.9 / -0.07	NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER 1321 CARLING AVE OTTAWA ON K1Z 7L3	PES
Detail Licence No: 23-01-12166-0 Licence No: 12166 Status: Approval Date: Report Source:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:				Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: 4 Operator District: Operator County: 22 Op Municipality: Post Office Box: MOE District: SWP Area Name:	

19	2 of 5	WNW/122.4	72.9 / -0.07	Your Independant Grocer 1321 Carling Avenue Ottawa ON	GEN
--------------------	--------	-----------	--------------	---	-----

Generator Info

Generator No: ON1308563 Approval Years: 03,04 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:
---	--

19	3 of 5	WNW/122.4	72.9 / -0.07	NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER 1321 CARLING AVE(STORE CLOSED OCT 11/03) OTTAWA ON K1Z7L3	PES
--------------------	--------	-----------	--------------	--	-----

Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:	Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:
---	--

19	4 of 5	WNW/122.4	72.9 / -0.07	NATIONAL GROCERS CO. LTD./WESTGATE YOUR IND. GROCER 1321 CARLING AVENUE OTTAWA ON K1Z7L3	PES
--------------------	--------	-----------	--------------	---	-----

Detail Licence No: Licence No: 10150	Operator Box: Operator Class:
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Retail Vendor Class 03 Licence Type Code: 21 Licence Class: 03 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 7222284 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:					
19	5 of 5	WNW/122.4	72.9 / -0.07	NATIONAL GROCERS CO LTD O/A WESTGATE INDEP GROCER 1321 CARLING AVE(STORE CLOSED OCT 11/03) OTTAWA ON K1Z7L3	PES
Detail Licence No: 23-01-12166-0 Licence No: 12166 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: 0 Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:					
Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 416 Oper Phone No: 2188044 Operator Ext: Operator Lot: Oper Concession: Operator Region: 4 Operator District: Operator County: 22 Op Municipality: Post Office Box: MOE District: SWP Area Name:					
20	1 of 2	SE/122.8	74.0 / 1.01	999 MERIVALE ROAD Ottawa ON	WWIS
Well ID: 7194995 Construction Date: Use 1st: Test Hole Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z150548 Tag: A132248 Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 01/09/2013 Selected Flag: TRUE Abandonment Rec: Contractor: 6964 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7194995.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		04/17/2012			
Year Completed:		2012			
Depth (m):		4.6			
Latitude:		45.3845434524686			
Longitude:		-75.7329380235423			
X:		-75.73293786179173			
Y:		45.38454344496968			
Path:		719\7194995.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1004232669		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				18	
Code OB Desc:				East83:	
Open Hole:				442621.00	
Cluster Kind:				North83:	
Date Completed:		04/17/2012		5025931.00	
Remarks:				Org CS:	
Location Method Desc:		on Water Well Record		UTM83	
Elevrc Desc:				UTMRC:	
Location Source Date:				4	
Improvement Location Source:				UTMRC Desc:	
Improvement Location Method:				margin of error : 30 m - 100 m	
Source Revision Comment:				Location Method:	
Supplier Comment:				wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004754224			
Layer:		3			
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		4.269999980926514			
Formation End Depth:		4.599999904632568			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004754222			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:					
Material 1 Desc:					
Material 2:		11			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:		GRAVEL			
Material 3:		28			
Material 3 Desc:		SAND			
Formation Top Depth:		0.0			
Formation End Depth:		3.6500000953674316			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004754223			
Layer:		2			
Color:					
General Color:					
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		11			
Material 3 Desc:		GRAVEL			
Formation Top Depth:		3.6500000953674316			
Formation End Depth:		4.269999980926514			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004754231			
Layer:		1			
Plug From:		0.0			
Plug To:		0.8500000238418579			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004754232			
Layer:		2			
Plug From:		0.8500000238418579			
Plug To:		4.599999904632568			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004754230			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		HS AUGER			
<u>Pipe Information</u>					
Pipe ID:		1004754221			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004754227			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.5			
Casing Diameter:		5.199999809265137			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004754228			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.599999904632568			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.0			
<u>Water Details</u>					
Water ID:		1004754226			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		2.490000009536743			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004754225			
Diameter:		22.0			
Depth From:		0.0			
Depth To:		4.599999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
20	2 of 2	SE/122.8	74.0 / 1.01	999 MERIVALL ROAD OTTAWA ON	WWIS
Well ID:		7195098		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Abandoned-Other		Date Received: 01/10/2013	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec: Yes	
Audit No:		Z150552		Contractor: 6964	
Tag:		A132248		Form Version: 7	
Constructn Method:				Owner:	
Elevation (m):				County: OTTAWA-CARLETON	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7195098.pdf			

Additional Detail(s) (Map)

Well Completed Date: 06/11/2012
Year Completed: 2012
Depth (m):
Latitude: 45.3845434524686
Longitude: -75.7329380235423
X: -75.73293786179173
Y: 45.38454344496968
Path: 719\7195098.pdf

Bore Hole Information

Bore Hole ID:	1004233266	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442621.00
Code OB Desc:		North83:	5025931.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/11/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1004747803
Layer: 2
Plug From: 0.5
Plug To: 4.599999904632568
Plug Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1004747802
Layer: 1
Plug From: 0.0
Plug To: 0.5
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1004747801
Method Construction Code:
Method Construction:
Other Method Construction:

Pipe Information

Pipe ID: 1004747795

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:		0			
<u>Construction Record - Casing</u>					
Casing ID:		1004747799			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004747800			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1004747798			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004747797			
Diameter:		22.0			
Depth From:		0.0			
Depth To:		4.599999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

21

1 of 3

WSW/130.6

72.9 / -0.07

1117018 ONTARIO LIMITED
1330 CARLING AVENUE (SWM)
OTTAWA CITY ON K1Z 7K8

CA

Certificate #: 3-0579-97-
Application Year: 97
Issue Date: 6/24/1997
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Emission Control:					
21	2 of 3	WSW/130.6	72.9 / -0.07	1330 Carling Avenue Ottawa ON K1Z 7K8	EHS
Order No:	20080624004			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	7/4/2008			Search Radius (km):	0.25
Date Received:	6/24/2008			X:	-75.735442
Previous Site Name:				Y:	45.385291
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				
21	3 of 3	WSW/130.6	72.9 / -0.07	1330 Carling Ave Ottawa ON K1Z7K8	EHS
Order No:	20140616018			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	24-JUN-14			Search Radius (km):	.25
Date Received:	16-JUN-14			X:	-75.735434
Previous Site Name:	Shell Gas Station			Y:	45.38516
Lot/Building Size:	0.49 acres				
Additional Info Ordered:					
22	1 of 1	ESE/135.7	73.9 / 0.98	853 Merivale Road, Ottawa ON	PINC
Incident Id:	2768104			Pipe Material:	Plastic
Incident No:	611482			Fuel Category:	Natural Gas
Incident Reported Dt:				Health Impact:	No
Type:	FS-Pipeline Incident			Environment Impact:	No
Status Code:	Pipeline Damage Reason Est			Property Damage:	Yes
Tank Status:	RC Established			Service Interrupt:	Yes
Task No:	3379890			Enforce Policy:	Yes
Spills Action Centre:				Public Relation:	No
Fuel Type:	Natural Gas			Pipeline System:	
Fuel Occurrence Tp:	Pipeline Strike			PSIG:	53
Date of Occurrence:	6/11/2011 0:00			Attribute Category:	FS-Perform P-line Inc Invest
Occurrence Start Dt:	2011/06/13			Regulator Location:	Outside
Depth:	39			Method Details:	E-mail
Customer Acct Name:					
Incident Address:					
Operation Type:	Construction Site (pipeline strike)				
Pipeline Type:	Service / Riser Distribution Pipeline				
Regulator Type:	Service Regulator (up to 60 psi intake)				
Summary:	853 Merivale Road, Ottawa - 1 ¼" Pipeline Hit				
Reported By:	Wayne Pilon - TSSA				
Affiliation:	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)				
Occurrence Desc:	Mistook Copper Water Service For Gas Line.				
Damage Reason:	Excavation practices not sufficient				
Notes:	Imprudent Excavation.				
23	1 of 1	SE/139.0	73.1 / 0.15	878 Merivale Rd Ottawa ON K1Z5Z6	EHS
Order No:	20170724038			Nearest Intersection:	
Status:	C			Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	Standard Report			Client Prov/State: ON	
Report Date:	27-JUL-17			Search Radius (km): .25	
Date Received:	24-JUL-17			X: -75.732871	
Previous Site Name:				Y: 45.384405	
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

[24](#) 1 of 1 WSW/140.7 72.9 / -0.07 1330 Carling Ave and 815 Archibald St Ottawa ON K1Z 7K8 [EHS](#)

Order No:	20200205796	Nearest Intersection:	
Status:	C	Municipality:	Ottawa
Report Type:	Standard Report	Client Prov/State:	ON
Report Date:	10-FEB-20	Search Radius (km):	.25
Date Received:	05-FEB-20	X:	-75.7352787
Previous Site Name:	Shell Products Limited	Y:	45.3850336
Lot/Building Size:	1,982 m2		
Additional Info Ordered:			

[25](#) 1 of 1 WNW/141.6 72.9 / -0.07 1309 CARLING AVE OTTAWA ON [WWIS](#)

Well ID:	7267591	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring and Test Hole	Data Entry Status:	
Use 2nd:	0	Data Src:	
Final Well Status:	Monitoring and Test Hole	Date Received:	07/21/2016
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z229820	Contractor:	7241
Tag:	A164351	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	OTTAWA CITY		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7267267591.pdf

Additional Detail(s) (Map)

Well Completed Date:	06/06/2016
Year Completed:	2016
Depth (m):	7.32
Latitude:	45.3864118512335
Longitude:	-75.7349421485991
X:	-75.73494198709643
Y:	45.38641184432615
Path:	726\7267591.pdf

Bore Hole Information

Bore Hole ID:	1006167070	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	442466.00
Code OB Desc:				North83:	5026140.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/06/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 1006177228
Layer: 3
Color: 2
General Color: GREY
Material 1: 06
Material 1 Desc: SILT
Material 2: 05
Material 2 Desc: CLAY
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 3.6600000858306885
Formation End Depth: 7.320000171661377
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006177227
Layer: 2
Color: 6
General Color: BROWN
Material 1: 06
Material 1 Desc: SILT
Material 2: 05
Material 2 Desc: CLAY
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 2.130000114440918
Formation End Depth: 3.6600000858306885
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006177226
Layer: 1
Color: 6
General Color: BROWN
Material 1: 28
Material 1 Desc: SAND
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 77
Material 3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 2.130000114440918

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006177236			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006177237			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		5.489999771118164			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006177238			
Layer:		3			
Plug From:		5.489999771118164			
Plug To:		7.320000171661377			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006177235			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006177225			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006177231			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.789999961853027			
Casing Diameter:		5.199999809265137			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006177232			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		10			
Screen Top Depth:		5.789999961853027			
Screen End Depth:		7.320000171661377			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1006177230			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006177229			
Diameter:		20.950000762939453			
Depth From:		0.0			
Depth To:		7.320000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

26	1 of 1	S/142.4	72.9 / -0.07	1262 Thames Street, Ottawa ON	PINC
Incident Id:	2764128			Pipe Material:	Plastic
Incident No:	607526			Fuel Category:	Natural Gas
Incident Reported Dt:				Health Impact:	No
Type:	FS-Pipeline Incident			Environment Impact:	No
Status Code:	Pipeline Damage Reason Est			Property Damage:	Yes
Tank Status:	RC Established			Service Interrupt:	Yes
Task No:	3369254			Enforce Policy:	Yes
Spills Action Centre:				Public Relation:	No
Fuel Type:	Natural Gas			Pipeline System:	
Fuel Occurrence Tp:	Pipeline Strike			PSIG:	53
Date of Occurrence:	5/24/2011 0:00			Attribute Category:	FS-Perform P-line Inc Invest
Occurrence Start Dt:	2011/06/28			Regulator Location:	Outside
Depth:	36			Method Details:	E-mail
Customer Acct Name:					
Incident Address:					
Operation Type:	Construction Site (pipeline strike)				
Pipeline Type:	Service / Riser Distribution Pipeline				
Regulator Type:	Service Regulator (up to 60 psi intake)				
Summary:	1262 Thames Street, Ottawa - 1/2" Pipeline Hit				
Reported By:	Stiles, Jeff - Enbridge				
Affiliation:	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)				
Occurrence Desc:	failed to daylight, expired locates				
Damage Reason:	Excavation practices not sufficient				
Notes:	expired locate, did not maintain boundaries				

27	1 of 1	W/143.0	72.9 / -0.07	ON	BORE
Borehole ID:	848116			Inclin FLG:	No
OGF ID:	215589764			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Completion Date:	11-APR-1975			Municipality:	
Static Water Level:				Lot:	LOT 33
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.38568
Total Depth m:	15.3			Longitude DD:	-75.735444
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	442426
Drill Method:	Diamond Drill			Northing:	5026059
Orig Ground Elev m:	73.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	74.6				
Concession:	CON 1 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560010			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	Asphalt
Material 1:	Asphalt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ASPHALT **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560011			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	1.1			Material Texture:	
Material Color:				Non Geo Mat Type:	Fill-Misc
Material 1:	Fill			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	FILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560014			Mat Consistency:	
Top Depth:	9.3			Material Moisture:	
Bottom Depth:	12.2			Material Texture:	Fine to Medium
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	VERY FINE TO MEDIUM GRAINED LIMESTONE BEDROCK WITH MANY SHALE BANDS AND LAMINAE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560015			Mat Consistency:	
Top Depth:	12.2			Material Moisture:	
Bottom Depth:	15.3			Material Texture:	Fine to Medium
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	FAIRLY SOUND VERY FINE TO MEDIUM GRAINED LIMESTONE BEDROCK, MANY SHALE BANDS AND LAMINAE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560012			Mat Consistency:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	1.1			Material Moisture:	
Bottom Depth:	2.6			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BROWN SILTY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560013			Mat Consistency:	
Top Depth:	2.6			Material Moisture:	
Bottom Depth:	9.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

28	1 of 1	NNE/146.0	74.6 / 1.62	1265 CARLING AVENUE Ottawa ON	WWIS
Well ID:	7352447			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:	Monitoring			Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	01/29/2020
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z297759			Contractor:	7610
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					

Additional Detail(s) (Map)

Bore Hole ID:	1008022943	Tag No:	
Depth M:		Contractor:	7610
Year Completed:	2020	Latitude:	45.3868189592503
Well Completed Dt:	01/28/2020	Longitude:	-75.7332229142165
Audit No:	Z297759	Y:	45.386818952102374
Path:		X:	-75.733222752315

Bore Hole Information

Bore Hole ID:	1008022943	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442601.00
Code OB Desc:		North83:	5026184.00
Open Hole:		Org CS:	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	4
Date Completed:	01/28/2020			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008340575			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008340583			
Layer:		1			
Plug From:		7.920000076293945			
Plug To:		0.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1008340582			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008340574			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008340578			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008340579			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1008340577			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1008340576			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
29	1 of 1	NNE/147.3	74.6 / 1.62	1295 Carling Avenue Ottawa ON K1Z 1A2	EHS
Order No:		24010900898		Nearest Intersection:	
Status:		C		Municipality: Ottawa	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		12-JAN-24		Search Radius (km): .25	
Date Received:		09-JAN-24		X: -75.7332099	
Previous Site Name:		Westgate Shopping Centre		Y: 45.3868284	
Lot/Building Size:					
Additional Info Ordered:					
30	1 of 1	ENE/149.5	75.8 / 2.87	823 Merivale Road, Ottawa ON	PINC
Incident Id:		2789172		Pipe Material: Plastic	
Incident No:		632470		Fuel Category: Natural Gas	
Incident Reported Dt:				Health Impact: No	
Type:		FS-Pipeline Incident		Environment Impact: No	
Status Code:		Pipeline Damage Reason Est		Property Damage: Yes	
Tank Status:		RC Established		Service Interrupt: Yes	
Task No:		3428020		Enforce Policy: Yes	
Spills Action Centre:				Public Relation: No	
Fuel Type:		Natural Gas		Pipeline System:	
Fuel Occurrence Tp:		Pipeline Strike		PSIG: 50	
Date of Occurrence:		8/2/2011 0:00		Attribute Category: FS-Perform P-line Inc Invest	
Occurrence Start Dt:		2011/08/02		Regulator Location: Outside	
Depth:		39		Method Details: E-mail	
Customer Acct Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Incident Address:
Operation Type: Construction Site (pipeline strike)
Pipeline Type: Service / Riser Distribution Pipeline
Regulator Type: Service Regulator (up to 60 psi intake)
Summary: 823 Merivale Road, Ottawa - 2" Pipeline Hit
Reported By: Wayne Pilon - TSSA
Affiliation: Safety Authorities (MOL, ESA, Insurers, etc.)
Occurrence Desc: SEWER WORK
Damage Reason: Excavation practices not sufficient
Notes: failed to hand dig

31	1 of 1	NNE/150.4	74.6 / 1.62	ON	WWIS
--------------------	--------	-----------	-------------	----	------

Well ID:	7348927	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	Yes
Use 2nd:		Data Src:	
Final Well Status:		Date Received:	12/06/2019
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	C44509	Contractor:	7675
Tag:	A281991	Form Version:	8
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliability:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	OTTAWA CITY		
Site Info:			

Additional Detail(s) (Map)

Bore Hole ID:	1007737657	Tag No:	A281991
Depth M:		Contractor:	7675
Year Completed:	2019	Latitude:	45.3868464529445
Well Completed Dt:	10/30/2019	Longitude:	-75.7331466247464
Audit No:	C44509	Y:	45.3868464461594
Path:		X:	-75.73314646291244

Bore Hole Information

Bore Hole ID:	1007737657	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442607.00
Code OB Desc:		North83:	5026187.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10/30/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
32	1 of 1	W/150.9	72.9 / -0.07	1335 CARLING AVE Ottawa ON	WWIS
Well ID:	7282860			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Test Hole			Data Entry Status:	
Use 2nd:	Monitoring			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	03/13/2017
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z250744			Contractor:	7241
Tag:	A190039			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7282860.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	02/21/2017				
Year Completed:	2017				
Depth (m):	5.79				
Latitude:	45.3857419443194				
Longitude:	-75.7355338410479				
X:	-75.73553367938709				
Y:	45.385741937148524				
Path:	728\7282860.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1006366385			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442419.00
Code OB Desc:				North83:	5026066.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	02/21/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006584767				
Layer:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		3.0999999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006584766			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006584768			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		34			
Material 1 Desc:		TILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.0999999046325684			
Formation End Depth:		5.789999961853027			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006584778			
Layer:		3			
Plug From:		2.440000057220459			
Plug To:		5.789999961853027			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006584777			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		2.440000057220459			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006584776			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006584775			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006584765			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006584771			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		2.740000009536743			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006584772			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.740000009536743			
Screen End Depth:		5.789999961853027			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1006584770			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006584769			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

33	1 of 1	N/152.5	73.8 / 0.87	1265 CARLING AVENUE Ottawa ON	WWIS
Well ID:	7352448			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:	Monitoring			Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	01/29/2020
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z297761			Contractor:	7610
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY				
Site Info:					

Additional Detail(s) (Map)

Bore Hole ID:	1008023127	Tag No:	
Depth M:		Contractor:	7610
Year Completed:	2020	Latitude:	45.3868988983371
Well Completed Dt:	01/28/2020	Longitude:	-75.7333900119138
Audit No:	Z297761	Y:	45.386898891088876
Path:		X:	-75.73338985057379

Bore Hole Information

Bore Hole ID:	1008023127	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442588.00
Code OB Desc:		North83:	5026193.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	01/28/2020	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1008340585			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008340593			
Layer:		1			
Plug From:		6.099999904632568			
Plug To:		0.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008340592			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008340584			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008340588			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008340589			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1008340587			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1008340586			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

34	1 of 1	SSW/153.1	72.9 / -0.07	1270 Thames Street, Ottawa ON	PINC
Incident Id:	2767954			Pipe Material:	Plastic
Incident No:	611336			Fuel Category:	Natural Gas
Incident Reported Dt:				Health Impact:	No
Type:	FS-Pipeline Incident			Environment Impact:	No
Status Code:	Pipeline Damage Reason Est			Property Damage:	Yes
Tank Status:	RC Established			Service Interrupt:	Yes
Task No:	3379623			Enforce Policy:	Yes
Spills Action Centre:				Public Relation:	No
Fuel Type:	Natural Gas			Pipeline System:	
Fuel Occurrence Tp:	Pipeline Strike			PSIG:	53
Date of Occurrence:	5/24/2011 0:00			Attribute Category:	FS-Perform P-line Inc Invest
Occurrence Start Dt:	2011/06/13			Regulator Location:	Outside
Depth:	40			Method Details:	E-mail
Customer Acct Name:					
Incident Address:					
Operation Type:	Construction Site (pipeline strike)				
Pipeline Type:	Service / Riser Distribution Pipeline				
Regulator Type:	Service Regulator (up to 60 psi intake)				
Summary:	1270 Thames Street, Ottawa - 1/2" Pipeline Hit				
Reported By:	Stiles, Jeff - Enbridge				
Affiliation:	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)				
Occurrence Desc:	Linestrike - Expired Locates				
Damage Reason:	Excavation practices not sufficient				
Notes:	Expired Locates, Failed To Support.				

35	1 of 1	WSW/153.9	72.9 / -0.07	ON	BORE
Borehole ID:	612912			Inclin FLG:	No
OGF ID:	215514218			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	MAY-1950			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.38463
Total Depth m:	6.7			Longitude DD:	-75.735115
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	442451

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Drill Method: Orig Ground Elev m: 76.2 Elev Reliabil Note: DEM Ground Elev m: 73.6 Concession: Location D: Survey D: Comments:				Northing: 5025942 Location Accuracy: Accuracy: Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218392946 Top Depth: 0 Bottom Depth: 1.2 Material Color: Material 1: Clay Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218392947 Top Depth: 1.2 Bottom Depth: 6.7 Material Color: Brown Material 1: Gravel Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:				Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		GRAVEL. 00022AL. BROWN,STIFF. CLAY. GREY,BROWN, STIFF TO VERY STIFF,WEATHERED.CLAY. GREY,S **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<u>Source</u>					
Source Type: Data Survey Source Orig: Geological Survey of Canada Source Date: 1956-1972 Confidence: Observatio: Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: OTTAWA2.txt RecordID: 05420 NTS_Sheet: Confiden 1:				Source Appl: Spatial/Tabular Source Iden: 1 Scale or Res: Varies Horizontal: NAD27 Verticalda: Mean Average Sea Level	
<u>Source List</u>					
Source Identifier: 1 Source Type: Data Survey Source Date: 1956-1972 Scale or Resolution: Varies Source Name: Urban Geology Automated Information System (UGAIS) Source Originators: Geological Survey of Canada				Horizontal Datum: NAD27 Vertical Datum: Mean Average Sea Level Projection Name: Universal Transverse Mercator	
36	1 of 1	WSW/154.0	72.9 / -0.07	ON	WWIS
Well ID: 1507810 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply				Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 08/08/1951	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3725
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		OTTAWA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1507810.pdf			

Additional Detail(s) (Map)

Well Completed Date: 05/15/1950
Year Completed: 1950
Depth (m): 6.7056
Latitude: 45.3846284797534
Longitude: -75.7351144759228
X: -75.73511431460496
Y: 45.38462847315499
Path: 150\1507810.pdf

Bore Hole Information

Bore Hole ID:	10029845	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442450.70
Code OB Desc:		North83:	5025942.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	05/15/1950	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Location Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931008086
Layer: 2
Color:
General Color:
Material 1: 11
Material 1 Desc: GRAVEL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 22.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931008085			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961507810			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10578415			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930052354			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991507810			
Pump Set At:					
Static Level:		2.0			
Final Level After Pumping:		3.0			
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: No					
<u>Water Details</u>					
Water ID: 933462072					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 22.0					
Water Found Depth UOM: ft					

37	1 of 2	NE/155.2	74.7 / 1.78	ONTARIO HYDRO CARLING & MERIVALE STREETS CAPACITOR OTTAWA CITY ON	SPL
Ref No: 129179					
Year:					
Incident Dt: 7/14/1996					
Dt MOE Arvl on Scn:					
MOE Reported Dt: 7/14/1996					
Dt Document Closed:					
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality: OTTAWA CITY					
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause: COOLING SYSTEM LEAK					
Incident Preceding Spill:					
Incident Reason: OTHER					
Incident Summary: ONTARIO HYDRO-5 L NON-PCBTRANSFORMER OIL TO GRND, CONTAINED,CLEANED-UP.					
Environment Impact: NOT ANTICIPATED					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium: LAND					
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Call Report Locatn Geodata:
Time Reported:
System Facility Address:

37	2 of 2	NE/155.2	74.7 / 1.78	Carling Avenue and Merivale Road Ottawa ON	SPL
Ref No:	5837-BFK5FU			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	8/30/2019			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	8/30/2019			Impact to Health:	2 - Minor Environment
Dt Document Closed:	9/10/2019			Agency Involved:	
Site No:	NA				
MOE Response:	No				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Ottawa				
Nearest Watercourse:					
Site Name:	Intersection<UNOFFICIAL>				
Site Address:	Carling Avenue and Merivale Road				
Site Region:	Eastern				
Site Municipality:	Ottawa				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:	5026200.63				
Easting:	442708.05				
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:	Motor Vehicle				
Incident Cause:					
Incident Preceding Spill:	Leak/Break				
Incident Reason:	Unknown / N/A				
Incident Summary:	Ottawa 311: Unknown volume antifreeze from pass. vehicle to storm sewer				
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	0 other - see incident description				
Contaminant Qty 1:	0				
Contaminant Unit:	other - see incident description				
Contaminant Code:	24				
Contaminant Name:	ETHYLENE GLYCOL (ANTIFREEZE)				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:	n/a				
Receiving Medium:	Land				
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:	Miscellaneous Industrial				
SAC Action Class:	Land Spills				
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

38	1 of 1	WNW/160.7	72.9 / -0.07	1309 CARLING AVE OTTAWA ON	WWIS
Well ID:	7267593			Flowing (Y/N):	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	07/21/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z229844			Contractor:	7241
Tag:	A169688			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7267593.pdf

Additional Detail(s) (Map)

Well Completed Date: 06/06/2016
Year Completed: 2016
Depth (m): 6.1
Latitude: 45.3859937136003
Longitude: -75.7355754281862
X: -75.73557526595971
Y: 45.3859937071425
Path: 726\7267593.pdf

Bore Hole Information

Bore Hole ID:	1006167076	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442416.00
Code OB Desc:		North83:	5026094.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/06/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1006177259
Layer: 4
Color: 2
General Color: GREY
Material 1: 06
Material 1 Desc: SILT
Material 2: 05
Material 2 Desc: CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		4.210000038146973			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006177256			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.6100000143051147			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006177257			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.6100000143051147			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006177258			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		1.5			
Formation End Depth:		4.210000038146973			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006177269			
Layer:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		4.210000038146973			
Plug To:		6.099999904632568			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006177268			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		4.210000038146973			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006177267			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006177266			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006177255			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006177262			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.269999980926514			
Casing Diameter:		5.199999809265137			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006177263			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.269999980926514			
Screen End Depth:		6.099999904632568			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006177261			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006177260			
Diameter:		20.950000762939453			
Depth From:		0.0			
Depth To:		6.099999904632568			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

39	1 of 1	SW/160.8	72.9 / -0.07	ON	WWIS
Well ID:	1507809			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	08/08/1951
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3725
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1507809.pdf

Additional Detail(s) (Map)

Well Completed Date: 07/15/1950
Year Completed: 1950
Depth (m): 10.9728
Latitude: 45.3844492902174
Longitude: -75.7349844172636
X: -75.73498425477982
Y: 45.38444928351877
Path: 150\1507809.pdf

Bore Hole Information

Bore Hole ID: 10029844
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Elevation:
Elevrc:
Zone: 18
East83: 442460.70
North83: 5025922.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	07/15/1950			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 931008084
Layer: 3
Color: 3
General Color: BLUE
Material 1: 17
Material 1 Desc: SHALE
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 20.0
Formation End Depth: 36.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931008082
Layer: 1
Color:
General Color:
Material 1: 05
Material 1 Desc: CLAY
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931008083
Layer: 2
Color:
General Color:
Material 1: 11
Material 1 Desc: GRAVEL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 20.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Method of Construction & Well Use

Method Construction ID: 961507809
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10578414
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930052352
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 25.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930052353
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 36.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: PUMP
Pump Test ID: 991507809
Pump Set At:
Static Level: 5.0
Final Level After Pumping: 8.0
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR:
Pumping Duration MIN:
Flowing: No

Water Details

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		933462071			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32.0			
Water Found Depth UOM:		ft			

40	1 of 1	WNW/169.7	72.9 / -0.07	1309 CARLING AVE. OTTAWA ON	WWIS
Well ID:	7267545			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Observation Wells			Date Received:	07/21/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z229814			Contractor:	7241
Tag:	A164398			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7267267545.pdf				

Additional Detail(s) (Map)

Well Completed Date:	06/08/2016
Year Completed:	2016
Depth (m):	3.04
Latitude:	45.3863183100163
Longitude:	-75.7354902199721
X:	-75.73549005806075
Y:	45.38631830295152
Path:	726\7267545.pdf

Bore Hole Information

Bore Hole ID:	1006166679	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442423.00
Code OB Desc:		North83:	5026130.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/08/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006176469			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		34			
Material 1 Desc:		TILL			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		2.430000066757202			
Formation End Depth:		3.0399999618530273			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006176466			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006176467			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.2100000381469727			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006176468			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		1.2100000381469727			
Formation End Depth:		2.430000066757202			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006176477			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006176478			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		1.2100000381469727			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006176479			
Layer:		3			
Plug From:		1.2100000381469727			
Plug To:		3.0399999618530273			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006176476			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006176465			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006176472			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.5199999809265137			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1006176473			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5199999809265137			
Screen End Depth:		3.0399999618530273			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1006176471			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006176470			
Diameter:		8.300000190734863			
Depth From:		0.0			
Depth To:		3.0399999618530273			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

41	1 of 47	NW/170.0	72.9 / -0.07	GROCERY STORE AT THE INDEPENDENT GROCERY STORE AT 1309 CARLING RD. OTTAWA CITY ON K1Z 7L3	SPL
Ref No:	73317			Municipality No:	20101
Year:				Nature of Damage:	
Incident Dt:	7/10/1992			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	7/10/1992			Impact to Health:	
Dt Document Closed:				Agency Involved:	WORKS DEPT.
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		OTTAWA CITY			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		UNKNOWN			
Incident Preceding Spill:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Reason: Incident Summary: Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:		UNKNOWN		INDEPENDENT GROCERY STORE- UNKNOWN LIQUID TO LAND FROM STORE'S BASEMENT. NOT ANTICIPATED	
		Other			
		LAND			

41	2 of 47	NW/170.0	72.9 / -0.07	WESTGATE HOME HARDWARE 1309 CARLING AVENUE OTTAWA ON K1Z 7L3	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:		Vendor		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	

41	3 of 47	NW/170.0	72.9 / -0.07	R. WHITE (SEE & USE ON2588408) 1309 CARLING AVENUE OTTAWA ON K1Z 7L3	GEN
Generator Info Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON2572800 00,01		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	6031
		PHARMACIES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

41	4 of 47	NW/170.0	72.9 / -0.07	SHOPPERS DRUG MART 1309 CARLING AVENUE OTTAWA ON K1Z 7L3	GEN
--------------------	---------	----------	--------------	--	-----

Generator Info

Generator No:	ON2588408	Choice of Contact:	
Approval Years:	00,01	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	6031
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	PHARMACIES		

Waste Detail(s)

Waste Class:	261
Waste Class Name:	PHARMACEUTICALS

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

41	5 of 47	NW/170.0	72.9 / -0.07	SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE) 1309 CARLING AVE OTTAWA ON K1Z 7L3	PES
--------------------	---------	----------	--------------	--	-----

Detail Licence No:		Operator Box:	
Licence No:		Operator Class:	
Status:		Operator No:	
Approval Date:		Operator Type:	
Report Source:		Oper Area Code:	
Licence Type:	Limited Vendor	Oper Phone No:	
Licence Type Code:	23	Operator Ext:	
Licence Class:		Operator Lot:	
Licence Control:		Oper Concession:	
Latitude:		Operator Region:	
Longitude:		Operator District:	
Lot:		Operator County:	
Concession:		Op Municipality:	
Region:		Post Office Box:	
District:		MOE District:	
County:		SWP Area Name:	
Trade Name:			
PDF URL:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
41	6 of 47	NW/170.0	72.9 / -0.07	RIOCAN HOLDINGS INC 1309 CARLING AVENUE OTTAWA ON K1Z 7L3	GEN

Generator Info

Generator No:	ON6325224	Choice of Contact:	
Approval Years:	05	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	531310
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Real Estate Property Managers		

Waste Detail(s)

Waste Class: 251
Waste Class Name: OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class: 145
Waste Class Name: PAINT/PIGMENT/COATING RESIDUES

41	7 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	---------	----------	--------------	---	-----

Generator Info

Generator No:	ON9362784	Choice of Contact:	
Approval Years:	06,07,08	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	622111
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	General (except Paediatric) Hospitals		

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class: 261
Waste Class Name: PHARMACEUTICALS

41	8 of 47	NW/170.0	72.9 / -0.07	SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE) 1309 CARLING AVE OTTAWA ON K1Z 7L3	PES
--------------------	---------	----------	--------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:				Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	

41	9 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	---------	----------	--------------	---	-----

Generator Info

Generator No: ON9362784 Approval Years: 2009 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: General (except Paediatric) Hospitals	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 622111
--	---

Waste Detail(s)

Waste Class: 261 Waste Class Name: PHARMACEUTICALS

Waste Detail(s)

Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES

41	10 of 47	NW/170.0	72.9 / -0.07	riocan management 1309 carling ave ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	--	-----

Generator Info

Generator No: ON9277081 Approval Years: 2010 Status: PO Box No: Country: Co Admin: Phone No Admin:	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 531120
---	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		Lessors of Non-Residential Buildings (except Mini-Warehouses)			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
41	11 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:		ON9362784		Choice of Contact:	
Approval Years:		2010		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 622111	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		General (except Paediatric) Hospitals			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
41	12 of 47	NW/170.0	72.9 / -0.07	Narmin Jalaldin Drugs Mart Limited 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:		ON8397469		Choice of Contact:	
Approval Years:		2011		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 446110, 446120	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
41	13 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:		ON9362784		Choice of Contact:	
Approval Years:		2011		Contaminated Fac:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:				MHSW Facility: SIC Code: 622111	
		General (except Paediatric) Hospitals			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			

41	14 of 47	NW/170.0	72.9 / -0.07	SHOPPERS DRUG MART #0628 (WESTGATE SHOPPING CENTRE) 1309 CARLING AVE OTTAWA ON K1Z7L3	PES
Detail Licence No:		Operator Box:			
Licence No:	13127	Operator Class:			
Status:		Operator No:			
Approval Date:		Operator Type:			
Report Source:	Legacy Licenses (Excluding TS)	Oper Area Code: 613			
Licence Type:	Limited Vendor	Oper Phone No: 7224277			
Licence Type Code:	23	Operator Ext:			
Licence Class:	01	Operator Lot:			
Licence Control:		Oper Concession:			
Latitude:		Operator Region:			
Longitude:		Operator District:			
Lot:		Operator County:			
Concession:		Op Municipality:			
Region:		Post Office Box:			
District:		MOE District:			
County:		SWP Area Name:			
Trade Name:					
PDF URL:					

41	15 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:	ON9362784	Choice of Contact:			
Approval Years:	2012	Contaminated Fac:			
Status:		MHSW Facility:			
PO Box No:		SIC Code: 622111			
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	General (except Paediatric) Hospitals				
<u>Waste Detail(s)</u>					
Waste Class:		312			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
41	16 of 47	NW/170.0	72.9 / -0.07	Riocan Management 1309 Carling Ave Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON9277081			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	531120
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Lessors of Non-Residential Buildings (except Mini-Warehouses)				
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
41	17 of 47	NW/170.0	72.9 / -0.07	Riocan Management 1309 Carling Ave Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON9277081			Choice of Contact:	
Approval Years:	2013			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	531120, 531310
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES), REAL ESTATE PROPERTY MANAGERS				
<u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		221			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		242			
Waste Class Name:		HALOGENATED PESTICIDES			

41	18 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON9362784	Choice of Contact:	
Approval Years:	2013	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	622111
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	GENERAL (EXCEPT PAEDIATRIC) HOSPITALS		

Waste Detail(s)

Waste Class:	261
Waste Class Name:	PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

[41](#) 19 of 47 NW/170.0 72.9 / -0.07 1309 Carling Ave Ottawa ON K1Z0A5 EHS

Order No: 20150611005 Nearest Intersection:
Status: C Municipality:
Report Type: Custom Report Client Prov/State: ON
Report Date: 17-JUN-15 Search Radius (km): .25
Date Received: 11-JUN-15 X: -75.734321
Previous Site Name: Y: 45.386501
Lot/Building Size:
Additional Info Ordered: Topographic Maps

[41](#) 20 of 47 NW/170.0 72.9 / -0.07 Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3 GEN

Generator Info

Generator No: ON9362784 Choice of Contact: CO_OFFICIAL
Approval Years: 2016 Contaminated Fac: No
Status: MHSW Facility: No
PO Box No: SIC Code: 622111
Country: Canada
Co Admin:
Phone No Admin:
SIC Description: GENERAL (EXCEPT PAEDIATRIC) HOSPITALS

Waste Detail(s)

Waste Class: 261
Waste Class Name: PHARMACEUTICALS

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

[41](#) 21 of 47 NW/170.0 72.9 / -0.07 Westgate Dental Partnership, 1041255 Ontario Inc. 6-1309 Carling Avenue Ottawa ON K1Z 7L3 GEN

Generator Info

Generator No: ON4526295 Choice of Contact: CO_OFFICIAL
Approval Years: 2016 Contaminated Fac: No
Status: MHSW Facility: No
PO Box No: SIC Code: 621210
Country: Canada
Co Admin: Diane Lenihan

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin:		613-761-1203 Ext.			
SIC Description:		OFFICES OF DENTISTS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
41	22 of 47	NW/170.0	72.9 / -0.07	Narmin Jalaldin Drugs Ltd. 1309 CARLING AVE Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:	ON8867865			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	446110
Country:	Canada				
Co Admin:	Nastran Najafi-Fard				
Phone No Admin:	416-493-1220 Ext.3218				
SIC Description:	446110				
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
41	23 of 47	NW/170.0	72.9 / -0.07	Riocan Holdings Inc. 1309 Carling Ave Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:	ON9277081			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	531190, 531310, 531390
Country:	Canada				
Co Admin:	Kelly Sheffield				
Phone No Admin:	613-722-3433 Ext.23				
SIC Description:	531190, REAL ESTATE PROPERTY MANAGERS, OTHER ACTIVITIES RELATED TO REAL ESTATE				
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		242			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		HALOGENATED PESTICIDES			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			

41	24 of 47	NW/170.0	72.9 / -0.07	Westgate Dental Partnership, 1041255 Ontario Inc. 6-1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON4526295	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621210
Country:	Canada		
Co Admin:	Diane Lenihan		
Phone No Admin:	613-761-1203 Ext.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		OFFICES OF DENTISTS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
41	25 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:	ON9362784			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	622111
Country:	Canada				
Co Admin:	Di Lu				
Phone No Admin:	613-726-3559 Ext.26				
SIC Description:	GENERAL (EXCEPT PAEDIATRIC) HOSPITALS				
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
41	26 of 47	NW/170.0	72.9 / -0.07	Riocan REIT 1309 Carling Ave Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:	ON9277081			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	531190, 531310, 531390
Country:	Canada				
Co Admin:	Kelly Sheffield				
Phone No Admin:	613-722-3433 Ext.23				
SIC Description:	531190, REAL ESTATE PROPERTY MANAGERS, OTHER ACTIVITIES RELATED TO REAL ESTATE				
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Waste Detail(s)</u>					
Waste Class:		242			
Waste Class Name:		HALOGENATED PESTICIDES			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			

41	27 of 47	NW/170.0	72.9 / -0.07	Narmin Jalaldin Drugs Ltd. 1309 CARLING AVE Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON8867865	Choice of Contact:	CO_ADMIN
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	446110
Country:	Canada		
Co Admin:	Nastran Najafi-Fard		
Phone No Admin:	416-493-1220 Ext.3218		
SIC Description:	446110		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

41	28 of 47	NW/170.0	72.9 / -0.07	Riocan REIT 1309 Carling Ave Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	--	-----

Generator Info

Generator No:	ON9277081	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	531190, 531310, 531390
Country:	Canada		
Co Admin:	Kelly Sheffield		
Phone No Admin:	613-722-3433 Ext.23		
SIC Description:	531190, REAL ESTATE PROPERTY MANAGERS, OTHER ACTIVITIES RELATED TO REAL ESTATE		

Waste Detail(s)

Waste Class:	242
Waste Class Name:	HALOGENATED PESTICIDES

Waste Detail(s)

Waste Class:	251
Waste Class Name:	OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class:	331
Waste Class Name:	WASTE COMPRESSED GASES

Waste Detail(s)

Waste Class:	112
Waste Class Name:	ACID WASTE - HEAVY METALS

Waste Detail(s)

Waste Class:	122
Waste Class Name:	ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			

41	29 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON9362784	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	622111
Country:	Canada		
Co Admin:	Di Lu		
Phone No Admin:	613-726-3559 Ext.26		
SIC Description:	GENERAL (EXCEPT PAEDIATRIC) HOSPITALS		

Waste Detail(s)

Waste Class:	261
Waste Class Name:	PHARMACEUTICALS

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

41	30 of 47	NW/170.0	72.9 / -0.07	Westgate Dental Partnership, 1041255 Ontario Inc. 6-1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON4526295	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621210
Country:	Canada		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin:		Diane Lenihan			
Phone No Admin:		613-761-1203 Ext.			
SIC Description:		OFFICES OF DENTISTS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

<u>41</u>	31 of 47	NW/170.0	72.9 / -0.07	Riocan Holdings Inc. 1309 Carling Ave Ottawa ON K1Z 7L3	GEN
---------------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON9277081	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 145 I
Waste Class Name: Wastes from the use of pigments, coatings and paints

Waste Detail(s)

Waste Class: 213 I
Waste Class Name: Petroleum distillates

Waste Detail(s)

Waste Class: 112 C
Waste Class Name: Acid solutions - containing heavy metals

Waste Detail(s)

Waste Class: 122 C
Waste Class Name: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Detail(s)

Waste Class: 221 L
Waste Class Name: Light fuels

Waste Detail(s)

Waste Class: 242 A
Waste Class Name: Halogenated pesticides and herbicides

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			

41	32 of 47	NW/170.0	72.9 / -0.07	Narmin Jalaldin Drugs Ltd. 1309 CARLING AVE Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON8867865	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

Waste Detail(s)

Waste Class:	261 A
Waste Class Name:	Pharmaceuticals

41	33 of 47	NW/170.0	72.9 / -0.07	Westgate Dental Partnership, 1041255 Ontario Inc. 6-1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	--	-----

Generator Info

Generator No:	ON4526295	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Phone No Admin:
SIC Description:

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

41	34 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No: ON9362784
Approval Years: As of Dec 2018
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: Pharmaceuticals

41	35 of 47	NW/170.0	72.9 / -0.07	Narmin Jalaldin Drugs Ltd. 1309 CARLING AVE Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No: ON8867865
Approval Years: As of Jul 2020
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: Pharmaceuticals

Waste Detail(s)

Waste Class: 312 P

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		Pathological wastes			
41	36 of 47	NW/170.0	72.9 / -0.07	Riocan Holdings Inc. 1309 Carling Ave Ottawa ON K1Z 7L3	GEN

Generator Info

Generator No:	ON9277081	Choice of Contact:
Approval Years:	As of Jul 2020	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 112 C
Waste Class Name: Acid solutions - containing heavy metals

Waste Detail(s)

Waste Class: 263 I
Waste Class Name: Misc. waste organic chemicals

Waste Detail(s)

Waste Class: 252 L
Waste Class Name: Waste crankcase oils and lubricants

Waste Detail(s)

Waste Class: 213 I
Waste Class Name: Petroleum distillates

Waste Detail(s)

Waste Class: 251 L
Waste Class Name: Waste oils/sludges (petroleum based)

Waste Detail(s)

Waste Class: 242 A
Waste Class Name: Halogenated pesticides and herbicides

Waste Detail(s)

Waste Class: 331 I
Waste Class Name: Waste compressed gases including cylinders

Waste Detail(s)

Waste Class: 122 C
Waste Class Name: Alkaline slutions - containing other metals and non-metals (not cyanide)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Waste Detail(s)

Waste Class: 145 I
Waste Class Name: Wastes from the use of pigments, coatings and paints

Waste Detail(s)

Waste Class: 221 L
Waste Class Name: Light fuels

41	37 of 47	NW/170.0	72.9 / -0.07	Westgate Dental Partnership, 1041255 Ontario Inc. 6-1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No: ON4526295	Choice of Contact:
Approval Years: As of Jul 2020	Contaminated Fac:
Status: Registered	MHSW Facility:
PO Box No:	SIC Code:
Country: Canada	
Co Admin:	
Phone No Admin:	
SIC Description:	

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

41	38 of 47	NW/170.0	72.9 / -0.07	Appletree Medical Management Group Inc. 1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No: ON9362784	Choice of Contact:
Approval Years: As of Jul 2020	Contaminated Fac:
Status: Registered	MHSW Facility:
PO Box No:	SIC Code:
Country: Canada	
Co Admin:	
Phone No Admin:	
SIC Description:	

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: Pharmaceuticals

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

2017 Generator Info

Gen No:	ON9362784	Choice of Contact:	CO_OFFICIAL
ID:	36574	Phone No Official:	613-726-3558 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Appletree Medical Management Group Inc.		
Gen Div:			
Gen Op Name:	Appletree Medical Centre		
Gen Op Div:			
Site Adrs1:	1309 Carling Avenue		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Reza Irvanian		
Co Admin:			

2017 Generator Manifest

ID:	65081	Sum Received Qty:	37.0
Generator No:	ON9362784	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	3
Waste Char:	P	District:	402
Waste Code:	312		

2018 Generator Info

Gen No:	ON9362784	Choice of Contact:	CO_OFFICIAL
ID:	37294	Phone No Official:	613-726-3558 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Appletree Medical Management Group Inc.		
Gen Div:			
Gen Op Name:	Appletree Medical Centre		
Gen Op Div:			
Site Adrs1:	1309 Carling Avenue		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Nina Reznikova		
Co Admin:			

2018 Generator Manifest

ID:	65570	Sum Received Qty:	7.2
------------	-------	--------------------------	-----

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Generator No:	ON9362784			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				

2019 Generator Info

Gen No:	ON9362784	Choice of Contact:	CO_OFFICIAL
ID:	37820	Phone No Official:	613-726-3558 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Appletree Medical Management Group Inc.		
Gen Div:			
Gen Op Name:	Appletree Medical Centre		
Gen Op Div:			
Site Adrs1:	1309 Carling Avenue		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Nina Reznikova		
Co Admin:			

2019 Generator Manifest

ID:	65565	Sum Received Qty:	37.0
Generator No:	ON9362784	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	2
Waste Char:	P	District:	402
Waste Code:	312		

2020 Generator Info

Gen No:	ON9362784	Choice of Contact:	CO_OFFICIAL
ID:	37579	Phone No Official:	613-726-3558 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Appletree Medical Management Group Inc.		
Gen Div:			
Gen Op Name:	Appletree Medical Centre		
Gen Op Div:			
Site Adrs1:	1309 Carling Avenue		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Nina Reznikova		
Co Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

2020 Generator Manifest

ID:	61697	Sum Received Qty:	27.96
Generator No:	ON9362784	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	1
Waste Char:	P	District:	402
Waste Code:	312		

41	39 of 47	NW/170.0	72.9 / -0.07	RIOCAN HOLDINGS INC. 1309 CARLING AVENUE ON Ottawa ON	RSC
RSC No:	226431	X:	-75.7336731602209		
RA No:		Y:	45.38698349142691		
Status:	FILED	Latitude:	45.38698349		
Filing Date:		Longitude:	-75.73367316		
Date Ack:		UTM Coordinates:			
Date Returned:		Latitude Longitude:			
Approval Date:	February 25, 2020	Accuracy Estimate:			
Cert Date:		Measurement Method:			
Cert Prop Use No:		Mailing Address:			
Curr Property Use:		Telephone:			
Intended Prop Use:		Fax:			
Restoration Type:		Email:			
Soil Type:		Postal Code:	K1Z 1A2		
Criteria:		Ministry District:			
Stratified (Y/N):		MOE District:	Ottawa		
Audit (Y/N):		SWP Area Name:	Rideau Valley		
Entire Leg Prop. (Y/N):		Qual Person Name:	KEITH HOLMES		
CPU Issu Sect 1686:		Consultant:			
Business Name:	RIOCAN HOLDINGS INC.				
Address:	1309 CARLING AVENUE ON				
Legal Desc:					
Site Pin:	04025-0172 (LT)				
Asmt Roll No:					
Project Type:	POST2011				
Approval Type:	RSC based on Phase One and Two ESAs				
Applicable Standards:					
PDF Link:	https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=226431				

41	40 of 47	NW/170.0	72.9 / -0.07	Narmin Jalaldin Drugs Ltd. 1309 CARLING AVE Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	--	-----

Generator Info

Generator No:	ON8867865	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	261 A
Waste Class Name:	Pharmaceuticals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
41	41 of 47	NW/170.0	72.9 / -0.07	Westgate Dental Partnership, 1041255 Ontario Inc. 6-1309 Carling Avenue Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:		ON4526295		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
41	42 of 47	NW/170.0	72.9 / -0.07	Riocan Holdings Inc. 1309 Carling Ave Ottawa ON K1Z 7L3	GEN
<u>Generator Info</u>					
Generator No:		ON9277081		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		242 A			
Waste Class Name:		Halogenated pesticides and herbicides			
<u>Waste Detail(s)</u>					
Waste Class:		221 L			
Waste Class Name:		Light fuels			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Waste Detail(s)

Waste Class: 252 L
Waste Class Name: Waste crankcase oils and lubricants

Waste Detail(s)

Waste Class: 213 I
Waste Class Name: Petroleum distillates

Waste Detail(s)

Waste Class: 331 I
Waste Class Name: Waste compressed gases including cylinders

Waste Detail(s)

Waste Class: 251 L
Waste Class Name: Waste oils/sludges (petroleum based)

Waste Detail(s)

Waste Class: 122 C
Waste Class Name: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Detail(s)

Waste Class: 145 I
Waste Class Name: Wastes from the use of pigments, coatings and paints

Waste Detail(s)

Waste Class: 112 C
Waste Class Name: Acid solutions - containing heavy metals

41	43 of 47	NW/170.0	72.9 / -0.07	RC GP Trust as general partner for and on behalf of RC Westgate LP. 1309 Carling Ave Ottawa ON M4P 1E4	ECA
--------------------	----------	----------	--------------	--	-----

Approval No: 7810-BWKR9G
Approval Date: 2021-01-08
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: RC GP Trust as general partner for and on behalf of RC Westgate LP.
Address: 1309 Carling Ave
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9909-BW7JGQ-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

41	44 of 47	NW/170.0	72.9 / -0.07	Loblaw Companies Limited - Shoppers Drug Mart 1309 Carling Ave	GEN
--------------------	----------	----------	--------------	---	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Ottawa ON K1Z 7L3

Generator Info

Generator No:	ON3463215	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

2021 Generator Info

Gen No:	ON3463215	Choice of Contact:	CO_ADMIN
ID:	13106	Phone No Official:	4372362837 Ext.
Contaminated Fac:	N	Phone No Admin:	8667837422 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446199	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Loblaw Companies Limited - Shoppers Drug Mart		
Gen Div:			
Gen Op Name:	WellWise # 8494		
Gen Op Div:			
Site Adrs1:	1309 Carling Ave		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Lisa Pinto		
Co Admin:	Annie Kirby		

41	45 of 47	NW/170.0	72.9 / -0.07	SHOPPERS DRUG MART 0628 1309 CARLING AVE Ottawa ON	GEN
--------------------	----------	----------	--------------	--	-----

Generator Info

Generator No:	ON8867865	Choice of Contact:	
Approval Years:	As of Oct 2022	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: PHARMACEUTICALS

Generator Info as of Dec 2024

Generator No: ON8867865
Generator Company Name: SHOPPERS DRUG MART 0628
Street: 1309 CARLING AVE
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K1Z7L3
Waste Class: 312 P,261 A

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 261 - PHARMACEUTICALS

2017 Generator Info

Gen No:	ON8867865	Choice of Contact:	CO_ADMIN
ID:	34665	Phone No Official:	613-722-4277 Ext.
Contaminated Fac:	N	Phone No Admin:	416-493-1220 Ext.3218
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Narmin Jalaldin Drugs Ltd.		
Gen Div:			
Gen Op Name:	Shoppers Drug Mart 628		
Gen Op Div:			
Site Adrs1:	1309 CARLING AVE		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Narmin Jalaldin		
Co Admin:	Nastran Najafi-Fard		

2017 Generator Manifest

ID:	62613	Sum Received Qty:	7.4
Generator No:	ON8867865	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	1
Waste Char:	P	District:	402
Waste Code:	312		

2017 Generator Manifest

ID:	62612	Sum Received Qty:	38.0
-----	-------	-------------------	------

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Generator No:	ON8867865			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	3
Waste Char:	A			District:	402
Waste Code:	261				

2018 Generator Info

Gen No:	ON8867865	Choice of Contact:	CO_ADMIN
ID:	35322	Phone No Official:	613-722-4277 Ext.
Contaminated Fac:	N	Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Narmin Jalaldin Drugs Ltd.		
Gen Div:			
Gen Op Name:	Shoppers Drug Mart 628		
Gen Op Div:			
Site Adrs1:	1309 CARLING AVE		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Narmin Jalaldin		
Co Admin:	Pharmacy Operations Development		

2018 Generator Manifest

ID:	63038	Sum Received Qty:	12.2
Generator No:	ON8867865	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	2
Waste Char:	P	District:	402
Waste Code:	312		

2018 Generator Manifest

ID:	63037	Sum Received Qty:	107.79
Generator No:	ON8867865	Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030	Count Manifests:	9
Waste Char:	A	District:	402
Waste Code:	261		

2019 Generator Info

Gen No:	ON8867865	Choice of Contact:	CO_ADMIN
ID:	35807	Phone No Official:	613-722-4277 Ext.
Contaminated Fac:	N	Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Narmin Jalaldin Drugs Ltd.		
Gen Div:			
Gen Op Name:	Shoppers Drug Mart 628		
Gen Op Div:			
Site Adrs1:	1309 CARLING AVE		
Site Bldg:			
Site Pobox:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 7L3			
Site Country:		Canada			
Co Official:		Narmin Jalaldin			
Co Admin:		Pharmacy Operations Development			
<u>2019 Generator Manifest</u>					
ID:	62989			Sum Received Qty:	25.0
Generator No:	ON8867865			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	3
Waste Char:	P			District:	402
Waste Code:	312				
<u>2019 Generator Manifest</u>					
ID:	62988			Sum Received Qty:	128.0
Generator No:	ON8867865			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	13
Waste Char:	A			District:	402
Waste Code:	261				
<u>2020 Generator Info</u>					
Gen No:	ON8867865			Choice of Contact:	CO_ADMIN
ID:	35533			Phone No Official:	613-722-4277 Ext.
Contaminated Fac:	N			Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Narmin Jalaldin Drugs Ltd.				
Gen Div:					
Gen Op Name:	Shoppers Drug Mart 628				
Gen Op Div:					
Site Adrs1:	1309 CARLING AVE				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K1Z 7L3				
Site Country:	Canada				
Co Official:	Narmin Jalaldin				
Co Admin:	Pharmacy Operations Development				
<u>2020 Generator Manifest</u>					
ID:	59226			Sum Received Qty:	160.91
Generator No:	ON8867865			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	11
Waste Char:	A			District:	402
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	59225			Sum Received Qty:	6.0
Generator No:	ON8867865			Waste Class Name:	PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Receiver Type:	035			Count Manifests:	1
Waste Char:	A			District:	305
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	59227			Sum Received Qty:	20.5
Generator No:	ON8867865			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON8867865			Choice of Contact:	CO_ADMIN
ID:	36424			Phone No Official:	613-722-4277 Ext.
Contaminated Fac:	N			Phone No Admin:	416-493-1220 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Narmin Jalaldin Drugs Ltd.				
Gen Div:	Shoppers Drug Mart 628				
Gen Op Name:	1309 CARLING AVE				
Gen Op Div:					
Site Adrs1:	1309 CARLING AVE				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K1Z 7L3				
Site Country:	Canada				
Co Official:	Narmin Jalaldin				
Co Admin:	Pharmacy Operations Development				
<u>2021 Generator Manifest</u>					
ID:	61830			Sum Received Qty:	30.92
Generator No:	ON8867865			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	3
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Manifest</u>					
ID:	61829			Sum Received Qty:	110.52
Generator No:	ON8867865			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	12
Waste Char:	A			District:	402
Waste Code:	261				

41	46 of 47	NW/170.0	72.9 / -0.07	Trillium Dental 6-1309 Carling Avenue Ottawa ON	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No: ON4526295 **Choice of Contact:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No: ON4526295
Generator Company Name: Trillium Dental
Street: 6-1309 Carling Avenue
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K1Z7L3
Waste Class: 312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES

2017 Generator Info

Gen No:	ON4526295	Choice of Contact:	CO_OFFICIAL
ID:	18012	Phone No Official:	613-595-1360 Ext.
Contaminated Fac:	N	Phone No Admin:	613-761-1203 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Westgate Dental Partnership, 1041255 Ontario Inc.		
Gen Div:			
Gen Op Name:	Trillium Dental		
Gen Op Div:	Westgate Location		
Site Adrs1:	6-1309 Carling Avenue		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Lori DiMichele		
Co Admin:	Corry Legnaro		

2017 Generator Manifest

ID:	41609	Sum Received Qty:	18.3
Generator No:	ON4526295	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	2
Waste Char:	P	District:	402
Waste Code:	312		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2018 Generator Info</u>					
Gen No:	ON4526295			Choice of Contact:	CO_OFFICIAL
ID:	18046			Phone No Official:	613-595-1360 Ext.
Contaminated Fac:	N			Phone No Admin:	613-761-1203 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Westgate Dental Partnership, 1041255 Ontario Inc.				
Gen Div:					
Gen Op Name:	Trillium Dental				
Gen Op Div:	Westgate Location				
Site Adrs1:	6-1309 Carling Avenue				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K1Z 7L3				
Site Country:	Canada				
Co Official:	Lori DiMichele				
Co Admin:	Corry Legnaro				
<u>2019 Generator Info</u>					
Gen No:	ON4526295			Choice of Contact:	CO_OFFICIAL
ID:	17968			Phone No Official:	613-595-1360 Ext.
Contaminated Fac:	N			Phone No Admin:	613-761-1203 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Westgate Dental Partnership, 1041255 Ontario Inc.				
Gen Div:					
Gen Op Name:	Trillium Dental				
Gen Op Div:	Westgate Location				
Site Adrs1:	6-1309 Carling Avenue				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K1Z 7L3				
Site Country:	Canada				
Co Official:	Lori DiMichele				
Co Admin:	Corry Legnaro				
<u>2020 Generator Info</u>					
Gen No:	ON4526295			Choice of Contact:	CO_OFFICIAL
ID:	17670			Phone No Official:	613-595-1360 Ext.
Contaminated Fac:	N			Phone No Admin:	613-761-1203 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Westgate Dental Partnership, 1041255 Ontario Inc.				
Gen Div:					
Gen Op Name:	Trillium Dental				
Gen Op Div:	Westgate Location				
Site Adrs1:	6-1309 Carling Avenue				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 7L3			
Site Country:					
Co Official:		Lori DiMichele			
Co Admin:		Corry Legnaro			

2021 Generator Info

Gen No:	ON4526295	Choice of Contact:	CO_OFFICIAL
ID:	17768	Phone No Official:	613-595-1360 Ext.
Contaminated Fac:	N	Phone No Admin:	613-761-1203 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Westgate Dental Partnership, 1041255 Ontario Inc.		
Gen Div:			
Gen Op Name:	Trillium Dental		
Gen Op Div:	Westgate Location		
Site Adrs1:	6-1309 Carling Avenue		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Lori DiMichele		
Co Admin:	Corry Legnaro		

41	47 of 47	NW/170.0	72.9 / -0.07	Riocan Holdings Inc. 1309 Carling Ave Ottawa ON K1Z 7L3	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON9277081	Choice of Contact:	
Approval Years:	As of Oct 2022	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	122 C
Waste Class Name:	ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Waste Class:	145 I
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Waste Detail(s)</u>					
Waste Class:			251 L		
Waste Class Name:			OIL SKIMMINGS & SLUDGES		
<u>Waste Detail(s)</u>					
Waste Class:			242 A		
Waste Class Name:			HALOGENATED PESTICIDES		
<u>Waste Detail(s)</u>					
Waste Class:			221 L		
Waste Class Name:			LIGHT FUELS		
<u>Waste Detail(s)</u>					
Waste Class:			112 C		
Waste Class Name:			ACID WASTE - HEAVY METALS		
<u>Waste Detail(s)</u>					
Waste Class:			213 I		
Waste Class Name:			PETROLEUM DISTILLATES		
<u>Waste Detail(s)</u>					
Waste Class:			331 I		
Waste Class Name:			WASTE COMPRESSED GASES		
<u>Waste Detail(s)</u>					
Waste Class:			252 L		
Waste Class Name:			WASTE OILS & LUBRICANTS		
<u>Waste Detail(s)</u>					
Waste Class:			263 I		
Waste Class Name:			ORGANIC LABORATORY CHEMICALS		

2017 Generator Info

Gen No:	ON9277081	Choice of Contact:	CO_OFFICIAL
ID:	36225	Phone No Official:	613-422-3433 Ext.22
Contaminated Fac:	N	Phone No Admin:	613-722-3433 Ext.23
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531190	County Out:	
NAICS Code2:	531310	District:	402
NAICS Code3:	531390		
Gen Name:	Riocan Holdings Inc.		
Gen Div:			
Gen Op Name:	Riocan Management		
Gen Op Div:			
Site Adrs1:	1309 Carling Ave		
Site Bldg:	Westgate Shopping Centre		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 7L3			
Site Country:		Canada			
Co Official:		Mike Claessen			
Co Admin:		Kelly Sheffield			

2017 Generator Manifest

ID:	64583	Sum Received Qty:	325.0
Generator No:	ON9277081	Waste Class Name:	LIGHT FUELS
Receiver Type:	035	Count Manifests:	1
Waste Char:	L	District:	402
Waste Code:	221		

2018 Generator Info

Gen No:	ON9277081	Choice of Contact:	CO_OFFICIAL
ID:	36941	Phone No Official:	613-422-3433 Ext.22
Contaminated Fac:	N	Phone No Admin:	613-722-3433 Ext.23
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531190	County Out:	
NAICS Code2:	531310	District:	402
NAICS Code3:	531390		
Gen Name:	Riocan Holdings Inc.		
Gen Div:			
Gen Op Name:	Riocan Management		
Gen Op Div:			
Site Adrs1:	1309 Carling Ave		
Site Bldg:	Westgate Shopping Centre		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Mike Claessen		
Co Admin:	Kelly Sheffield		

2019 Generator Info

Gen No:	ON9277081	Choice of Contact:	CO_OFFICIAL
ID:	37469	Phone No Official:	613-422-3433 Ext.22
Contaminated Fac:	N	Phone No Admin:	613-722-3433 Ext.23
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531190	County Out:	
NAICS Code2:	531310	District:	402
NAICS Code3:	531390		
Gen Name:	Riocan Holdings Inc.		
Gen Div:			
Gen Op Name:	Riocan Management		
Gen Op Div:			
Site Adrs1:	1309 Carling Ave		
Site Bldg:	Westgate Shopping Centre		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Mike Claessen		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Co Admin: Kelly Sheffield

2019 Generator Manifest

ID:	65081	Sum Received Qty:	615.0
Generator No:	ON9277081	Waste Class Name:	LIGHT FUELS
Receiver Type:	035	Count Manifests:	1
Waste Char:	L	District:	402
Waste Code:	221		

2020 Generator Info

Gen No:	ON9277081	Choice of Contact:	CO_OFFICIAL
ID:	37218	Phone No Official:	613-422-3433 Ext.22
Contaminated Fac:	N	Phone No Admin:	613-722-3433 Ext.23
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531190	County Out:	
NAICS Code2:	531310	District:	402
NAICS Code3:	531390		
Gen Name:	Riocan Holdings Inc.		
Gen Div:			
Gen Op Name:	Riocan Management		
Gen Op Div:			
Site Adrs1:	1309 Carling Ave		
Site Bldg:	Westgate Shopping Centre		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Mike Claessen		
Co Admin:	Kelly Sheffield		

2021 Generator Info

Gen No:	ON9277081	Choice of Contact:	CO_OFFICIAL
ID:	38187	Phone No Official:	613-422-3433 Ext.22
Contaminated Fac:	N	Phone No Admin:	613-722-3433 Ext.23
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531190	County Out:	
NAICS Code2:	531310	District:	402
NAICS Code3:	531390		
Gen Name:	Riocan Holdings Inc.		
Gen Div:			
Gen Op Name:	Riocan Management		
Gen Op Div:			
Site Adrs1:	1309 Carling Ave		
Site Bldg:	Westgate Shopping Centre		
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 7L3		
Site Country:	Canada		
Co Official:	Mike Claessen		
Co Admin:	Anthony Doran		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7352445			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:	Monitoring			Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	01/29/2020
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z297762			Contractor:	7610
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		OTTAWA CITY			
Site Info:					

Additional Detail(s) (Map)

Bore Hole ID:	1008022937			Tag No:	7610
Depth M:				Contractor:	7610
Year Completed:	2020			Latitude:	45.3870556566552
Well Completed Dt:	01/28/2020			Longitude:	-75.7342095880596
Audit No:	Z297762			Y:	45.38705565020909
Path:				X:	-75.73420942644171

Bore Hole Information

Bore Hole ID:	1008022937			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	442524.00
Code OB Desc:				North83:	5026211.00
Open Hole:				Org CS:	MTM09
Cluster Kind:				UTMRC:	4
Date Completed:	01/28/2020			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID:	1008340555
Layer:	
Color:	
General Color:	
Material 1:	
Material 1 Desc:	
Material 2:	
Material 2 Desc:	
Material 3:	
Material 3 Desc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008340563			
Layer:		1			
Plug From:		4.570000171661377			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008340562			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008340554			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008340558			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008340559			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1008340557			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter

Hole ID: 1008340556
Diameter:
Depth From:
Depth To:
Hole Depth UOM: ft
Hole Diameter UOM: inch

[43](#) 1 of 1 **NNW/175.8** **72.9 / -0.07** **1265 CARLING AVENUE** **Ottawa ON** **WWIS**

Well ID:	7352446	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Not Used	Data Entry Status:	
Use 2nd:	Monitoring	Data Src:	
Final Well Status:	Abandoned-Other	Date Received:	01/29/2020
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	Yes
Audit No:	Z297911	Contractor:	7610
Tag:		Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	OTTAWA CITY		
Site Info:			

Additional Detail(s) (Map)

Bore Hole ID:	1008022940	Tag No:	
Depth M:		Contractor:	7610
Year Completed:	2020	Latitude:	45.3870646572294
Well Completed Dt:	01/28/2020	Longitude:	-75.7342097045843
Audit No:	Z297911	Y:	45.38706464998403
Path:		X:	-75.7342095432219

Bore Hole Information

Bore Hole ID:	1008022940	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442524.00
Code OB Desc:		North83:	5026212.00
Open Hole:		Org CS:	MTM09
Cluster Kind:		UTMRC:	4
Date Completed:	01/28/2020	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1008340565			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008340573			
Layer:		1			
Plug From:		11.430000305175781			
Plug To:		0.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008340572			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008340564			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008340568			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008340569			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1008340567			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1008340566			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
44	1 of 1	W/177.0	72.9 / -0.07	OTTAWA CITY ARCHIBALD ST./CARLING AVE. OTTAWA CITY ON	CA
Certificate #:		3-0892-96-			
Application Year:		96			
Issue Date:		10/2/1996			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
45	1 of 1	WNW/179.4	72.9 / -0.07	1309 CARLING AVE OTTAWA ON	WWIS
Well ID:		7267592			
Construction Date:					
Use 1st:		Monitoring and Test Hole			
Use 2nd:		0			
Final Well Status:		Monitoring and Test Hole			
Water Type:					
Casing Material:					
Audit No:		Z229845			
Tag:		A169689			
Constructn Method:					
Elevation (m):					
Elevatn Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Clear/Cloudy:					
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src:					
Date Received:				07/21/2016	
Selected Flag:				TRUE	
Abandonment Rec:					
Contractor:				7241	
Form Version:				7	
Owner:					
County:				OTTAWA-CARLETON	
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7267592.pdf			

Additional Detail(s) (Map)

Well Completed Date: 06/06/2016
Year Completed: 2016
Depth (m): 6.71
Latitude: 45.3861365709796
Longitude: -75.7357561169871
X: -75.73575595482059
Y: 45.38613656413637
Path: 726\7267592.pdf

Bore Hole Information

Bore Hole ID:	1006167073	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442402.00
Code OB Desc:		North83:	5026110.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/06/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1006177242
Layer: 3
Color: 2
General Color: GREY
Material 1: 05
Material 1 Desc: CLAY
Material 2: 06
Material 2 Desc: SILT
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 1.5
Formation End Depth: 4.210000038146973
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006177240
Layer: 1
Color: 8
General Color: BLACK
Material 1: 27
Material 1 Desc: OTHER
Material 2: 11
Material 2 Desc: GRAVEL
Material 3: 73
Material 3 Desc: HARD

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:			0.0		
Formation End Depth:			0.3100000023841858		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1006177243		
Layer:			4		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			12		
Material 2 Desc:			STONES		
Material 3:			66		
Material 3 Desc:			DENSE		
Formation Top Depth:			4.210000038146973		
Formation End Depth:			6.710000038146973		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1006177241		
Layer:			2		
Color:			2		
General Color:			GREY		
Material 1:			11		
Material 1 Desc:			GRAVEL		
Material 2:			28		
Material 2 Desc:			SAND		
Material 3:			77		
Material 3 Desc:			LOOSE		
Formation Top Depth:			0.3100000023841858		
Formation End Depth:			1.5		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1006177251		
Layer:			1		
Plug From:					
Plug To:					
Plug Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1006177253		
Layer:			2		
Plug From:			0.3100000023841858		
Plug To:			4.880000114440918		
Plug Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1006177254		
Layer:			3		
Plug From:			4.880000114440918		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		6.710000038146973			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006177252			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006177250			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006177239			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006177246			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.179999828338623			
Casing Diameter:		5.199999809265137			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006177247			
Layer:		1			
Slot:		10			
Screen Top Depth:		5.179999828338623			
Screen End Depth:		6.710000038146973			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Water Details</u>					
Water ID:		1006177245			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
		Hole ID:	1006177244		
		Diameter:	8.25		
		Depth From:	0.0		
		Depth To:	6.710000038146973		
		Hole Depth UOM:	m		
		Hole Diameter UOM:	cm		
46	1 of 31	W/185.0	72.9 / -0.07	Zachary A Dental Lab Ltd. 1335 Carling Ave Suite 400 Ottawa ON K1Z 8N8	SCT
		Established:			
		Plant Size (ft²):			
		Employment:			
		--Details--			
		Description:	Medical Equipment and Supplies Manufacturing		
		SIC/NAICS Code:	339110		
46	2 of 31	W/185.0	72.9 / -0.07	1335 Carling Ave. Ottawa ON K1Z 8N8	EHS
		Order No:	20040921032	Nearest Intersection:	
		Status:	C	Municipality:	
		Report Type:	Site Report	Client Prov/State:	ON
		Report Date:	9/23/04	Search Radius (km):	0.25
		Date Received:	9/21/04	X:	-75.735728
		Previous Site Name:		Y:	45.385614
		Lot/Building Size:			
		Additional Info Ordered:			
46	3 of 31	W/185.0	72.9 / -0.07	A. Zachary Dental Laboratory 1335 Carling Ave Suite 400 Ottawa ON K1Z 8N8	SCT
		Established:	1971		
		Plant Size (ft²):			
		Employment:	1		
		--Details--			
		Description:	Medical Equipment and Supplies Manufacturing		
		SIC/NAICS Code:	339110		
46	4 of 31	W/185.0	72.9 / -0.07	Echo Dental Lab Ltd. 1335 Carling Ave Suite 415 Ottawa ON K1Z 8N8	SCT
		Established:	01-JUN-79		
		Plant Size (ft²):	1000		
		Employment:			
		--Details--			
		Description:	Medical Equipment and Supplies Manufacturing		
		SIC/NAICS Code:	339110		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
46	5 of 31	W/185.0	72.9 / -0.07	Milident Inc. 550-1335 Carling Avenue Ottawa ON K1Z 8N8	GEN
Generator Info					
Generator No:	ON5442111			Choice of Contact:	
Approval Years:	07,08			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621210
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Offices of Dentists				
Waste Detail(s)					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
46	6 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
Generator Info					
Generator No:	ON4081183			Choice of Contact:	
Approval Years:	2010			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621210
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Offices of Dentists				
Waste Detail(s)					
Waste Class:	148				
Waste Class Name:	INORGANIC LABORATORY CHEMICALS				
Waste Detail(s)					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
Waste Detail(s)					
Waste Class:	264				
Waste Class Name:	PHOTOPROCESSING WASTES				
46	7 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ottawa ON K1Z 8N8					
<u>Generator Info</u>					
Generator No:	ON4081183			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621210
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Offices of Dentists			
<u>Waste Detail(s)</u>					
Waste Class:		264			
Waste Class Name:		PHOTOPROCESSING WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			

46	8 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	GEN
--------------------	---------	---------	--------------	--	-----

Generator Info

Generator No:	ON9709569			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					

46	9 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	GEN
--------------------	---------	---------	--------------	--	-----

Generator Info

Generator No:	ON9709569			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin:					
SIC Description:		Offices of Physicians			

46	10 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	---	-----

Generator Info

Generator No:	ON4081183	Choice of Contact:	
Approval Years:	2012	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	621210
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Offices of Dentists		

Waste Detail(s)

Waste Class:	148
Waste Class Name:	INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class:	264
Waste Class Name:	PHOTOPROCESSING WASTES

46	11 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON	GEN
--------------------	----------	---------	--------------	---	-----

Generator Info

Generator No:	ON4081183	Choice of Contact:	
Approval Years:	2013	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	621210
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	OFFICES OF DENTISTS		

Waste Detail(s)

Waste Class:	264
Waste Class Name:	PHOTOPROCESSING WASTES

Waste Detail(s)

Waste Class:	148
---------------------	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
46	12 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON9709569			Choice of Contact:	
Approval Years:	2013			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	OFFICES OF PHYSICIANS				
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
46	13 of 31	W/185.0	72.9 / -0.07	165279 Canada Inc 1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	GEN
<u>Generator Info</u>					
Generator No:	ON5603133			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621110
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:	OFFICES OF PHYSICIANS				
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
46	14 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
<u>Generator Info</u>					
Generator No:	ON4081183			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: OFFICES OF DENTISTS				MHSW Facility: No SIC Code: 621210	
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		264			
Waste Class Name:		PHOTOPROCESSING WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			

46	15 of 31	W/185.0	72.9 / -0.07	165279 Canada Inc 1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	--	-----

Generator Info

Generator No:	ON5603133	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:	OFFICES OF PHYSICIANS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

46	16 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	---	-----

Generator Info

Generator No:	ON4081183	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621210
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:	OFFICES OF DENTISTS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		264			
Waste Class Name:		PHOTOPROCESSING WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

46	17 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	--	-----

Generator Info

Generator No:	ON9709569	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110
Country:	Canada		
Co Admin:	Eleanor Cox		
Phone No Admin:	613 729-8098 Ext.		
SIC Description:	OFFICES OF PHYSICIANS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

46	18 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	--	-----

Generator Info

Generator No:	ON9709569	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110
Country:	Canada		
Co Admin:	Eleanor Cox		
Phone No Admin:	613 729-8098 Ext.		
SIC Description:	OFFICES OF PHYSICIANS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
46	19 of 31	W/185.0	72.9 / -0.07	165279 Canada Inc 1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	GEN

Generator Info

Generator No:	ON5603133	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:	OFFICES OF PHYSICIANS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

46	20 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	--	-----

Generator Info

Generator No:	ON9709569	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110
Country:	Canada		
Co Admin:	Eleanor Cox		
Phone No Admin:	613 729-8098 Ext.		
SIC Description:	OFFICES OF PHYSICIANS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

46	21 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	---	-----

Generator Info

Generator No:	ON4081183	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621210
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:	OFFICES OF DENTISTS		

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		264			
Waste Class Name:		PHOTOPROCESSING WASTES			

46	22 of 31	W/185.0	72.9 / -0.07	165279 Canada Inc 1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	--	-----

Generator Info

Generator No:	ON5603133	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

46	23 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	---	-----

Generator Info

Generator No:	ON4081183	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	148 C
Waste Class Name:	Misc. wastes and inorganic chemicals

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Waste Class: 148 B
Waste Class Name: Misc. wastes and inorganic chemicals

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

46	24 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	--	-----

Generator Info

Generator No:	ON9709569	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

46	25 of 31	W/185.0	72.9 / -0.07	1335 Carling Ave Ottawa ON K1Z8N8	EHS
--------------------	----------	---------	--------------	--------------------------------------	-----

Order No:	20170120045	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Standard Report	Client Prov/State:	ON
Report Date:	25-JAN-17	Search Radius (km):	.25
Date Received:	20-JAN-17	X:	-75.736042
Previous Site Name:		Y:	45.385772
Lot/Building Size:			
Additional Info Ordered:			

46	26 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	---	-----

Generator Info

Generator No:	ON4081183	Choice of Contact:
Approval Years:	As of Jul 2020	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
<u>Waste Detail(s)</u>					
Waste Class:		148 B			
Waste Class Name:		Misc. wastes and inorganic chemicals			
46	27 of 31	W/185.0	72.9 / -0.07	165279 Canada Inc 1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	GEN
<u>Generator Info</u>					
Generator No:		ON5603133		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
46	28 of 31	W/185.0	72.9 / -0.07	Sports and Spinal Injury Clinic 1335 Carling Ave., Suite 602 Ottawa ON K1Z 8N8	GEN
<u>Generator Info</u>					
Generator No:		ON9709569		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
46	29 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

ottawa ON K1Z 8N8

Generator Info

Generator No:	ON4081183	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

Waste Detail(s)

Waste Class: 148 B
Waste Class Name: Misc. wastes and inorganic chemicals

Waste Detail(s)

Waste Class: 148 C
Waste Class Name: Misc. wastes and inorganic chemicals

46	30 of 31	W/185.0	72.9 / -0.07	165279 Canada Inc 1335 Carling Ave Suite 600 Ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	--	-----

Generator Info

Generator No:	ON5603133	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

46	31 of 31	W/185.0	72.9 / -0.07	Dr T Harle & Dr J Paul 1335 carling ave suite 414 ottawa ON K1Z 8N8	GEN
--------------------	----------	---------	--------------	---	-----

Generator Info

Generator No:	ON4081183	Choice of Contact:
----------------------	-----------	---------------------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					

Waste Detail(s)

Waste Class: 148 C
Waste Class Name: INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 148 B
Waste Class Name: INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No: ON4081183
Generator Company Name: Dr. Noorein Hejira DPC
Street: 1335 Carling Ave, suite 414
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K1Z8N8
Waste Class: 312 P, 148 B, 148 C

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 148 - INORGANIC LABORATORY CHEMICALS; 148 - INORGANIC LABORATORY CHEMICALS

2017 Generator Info

Gen No:	ON4081183	Choice of Contact:	CO_OFFICIAL
ID:	16296	Phone No Official:	613-722-8191 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Dr T Harle & Dr J Paul		
Gen Div:			
Gen Op Name:	Dr T Harle & Dr J Paul		
Gen Op Div:			
Site Adrs1:	1335 carling ave		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:	suite 414		
Site City:	ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Wendy Fleming		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Co Admin:

2017 Generator Manifest

ID:	39462	Sum Received Qty:	23.0
Generator No:	ON4081183	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035	Count Manifests:	2
Waste Char:	P	District:	302
Waste Code:	312		

2018 Generator Info

Gen No:	ON4081183	Choice of Contact:	CO_OFFICIAL
ID:	16274	Phone No Official:	613-722-8191 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Dr T Harle & Dr J Paul		
Gen Div:			
Gen Op Name:	Dr T Harle & Dr J Paul		
Gen Op Div:			
Site Adrs1:	1335 carling ave		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:	suite 414		
Site City:	ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Wendy Fleming		
Co Admin:			

2019 Generator Info

Gen No:	ON4081183	Choice of Contact:	CO_OFFICIAL
ID:	16136	Phone No Official:	613-722-8191 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Dr T Harle & Dr J Paul		
Gen Div:			
Gen Op Name:	Dr T Harle & Dr J Paul		
Gen Op Div:			
Site Adrs1:	1335 carling ave		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:	suite 414		
Site City:	ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Wendy Fleming		
Co Admin:			

2019 Generator Manifest

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	38615			Sum Received Qty:	11.0
Generator No:	ON4081183			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	302
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON4081183			Choice of Contact:	CO_OFFICIAL
ID:	15823			Phone No Official:	613-722-8191 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Dr T Harle & Dr J Paul			
Gen Div:					
Gen Op Name:		Dr T Harle & Dr J Paul			
Gen Op Div:					
Site Adrs1:		1335 carling ave			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		suite 414			
Site City:		ottawa			
Province Out:					
Site Postal Code:		K1Z 8N8			
Site Country:		Canada			
Co Official:		Wendy Fleming			
Co Admin:					
<u>2021 Generator Info</u>					
Gen No:	ON4081183			Choice of Contact:	CO_OFFICIAL
ID:	15830			Phone No Official:	613-722-8191 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Dr T Harle & Dr J Paul			
Gen Div:					
Gen Op Name:		Dr T Harle & Dr J Paul			
Gen Op Div:					
Site Adrs1:		1335 carling ave			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		suite 414			
Site City:		ottawa			
Province Out:					
Site Postal Code:		K1Z 8N8			
Site Country:		Canada			
Co Official:		Wendy Fleming			
Co Admin:					
<u>2021 Generator Manifest</u>					
ID:	36569			Sum Received Qty:	10.5
Generator No:	ON4081183			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	302
Waste Code:	312				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
47	1 of 1	SSE/185.1	73.7 / 0.72	1255 Coldrey Avenue Ottawa ON	EHS
Order No:	20101220023			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	12/29/2010			Search Radius (km):	0.25
Date Received:	12/20/2010 4:23:42 PM			X:	-75.732986
Previous Site Name:				Y:	45.383933
Lot/Building Size:					
Additional Info Ordered:					

48	1 of 1	WNW/188.0	72.9 / -0.07	1309 CARLING AVE OTTAWA ON	WWIS
Well ID:	7267547			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:	0			Data Src:	
Final Well Status:	Observation Wells			Date Received:	07/21/2016
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z229815			Contractor:	7241
Tag:	A164404			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7267267547.pdf

Additional Detail(s) (Map)

Well Completed Date: 06/07/2016
Year Completed: 2016
Depth (m): 6.09
Latitude: 45.3863346658522
Longitude: -75.7357459128888
X: -75.73574575084382
Y: 45.386334659232446
Path: 726\7267547.pdf

Bore Hole Information

Bore Hole ID:	1006166685	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442403.00
Code OB Desc:		North83:	5026132.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/07/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Elevrc Desc:
 Location Source Date:
 Improvement Location Source:
 Improvement Location Method:
 Source Revision Comment:
 Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 1006176499
 Layer: 1
 Color: 8
 General Color: BLACK
 Material 1: 27
 Material 1 Desc: OTHER
 Material 2: 11
 Material 2 Desc: GRAVEL
 Material 3:
 Material 3 Desc:
 Formation Top Depth: 0.0
 Formation End Depth: 0.3100000023841858
 Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1006176500
 Layer: 2
 Color: 6
 General Color: BROWN
 Material 1: 28
 Material 1 Desc: SAND
 Material 2: 11
 Material 2 Desc: GRAVEL
 Material 3: 85
 Material 3 Desc: SOFT
 Formation Top Depth: 0.3100000023841858
 Formation End Depth: 1.2100000381469727
 Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1006176502
 Layer: 4
 Color: 2
 General Color: GREY
 Material 1: 34
 Material 1 Desc: TILL
 Material 2: 06
 Material 2 Desc: SILT
 Material 3: 85
 Material 3 Desc: SOFT
 Formation Top Depth: 3.0399999618530273
 Formation End Depth: 5.480000019073486
 Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1006176501

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	3				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	06				
Material 2 Desc:	SILT				
Material 3:	85				
Material 3 Desc:	SOFT				
Formation Top Depth:	1.2100000381469727				
Formation End Depth:	3.0399999618530273				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006176503				
Layer:	5				
Color:	2				
General Color:	GREY				
Material 1:	34				
Material 1 Desc:	TILL				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	5.480000019073486				
Formation End Depth:	6.090000152587891				
Formation End Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006176512				
Layer:	2				
Plug From:	0.3100000023841858				
Plug To:	4.260000228881836				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006176511				
Layer:	1				
Plug From:	0.0				
Plug To:	0.3100000023841858				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006176513				
Layer:	3				
Plug From:	4.260000228881836				
Plug To:	6.090000152587891				
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	1006176510				
Method Construction Code:	D				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006176498			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006176506			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.570000171661377			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006176507			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.570000171661377			
Screen End Depth:		6.090000152587891			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1006176505			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006176504			
Diameter:		8.300000190734863			
Depth From:		0.0			
Depth To:		6.090000152587891			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[49](#)

1 of 1

ESE/189.2

75.7 / 2.78

PRIVATE OWNER
197 CERAR AVE FURNACE OIL TANK
OTTAWA CITY ON

SPL

Ref No: 30503
Year:
Incident Dt: 2/1/1990
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/2/1990

Municipality No: 20101
Nature of Damage:
Discharger Report:
Material Group:
Impact to Health:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Dt Document Closed:				Agency Involved:	WORKS
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		OTTAWA CITY			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		OTHER CONTAINER LEAK			
Incident Preceding Spill:					
Incident Reason:		OVERSTRESS/OVERPRESSURE			
Incident Summary:		TEXACO -HOME HEATING TANKRUPTURED,136 LTR TO SEWER-CONTAINED.			
Environment Impact:		POSSIBLE			
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

50	1 of 1	W/190.8	72.9 / -0.07	Medicart Vein Clinic 1335 Carling Avenue Ottawa ON	GEN
--------------------	--------	---------	--------------	--	-----

Generator Info

Generator No:	ON5603133	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No: ON5603133
Generator Company Name: Medicart Vein Clinic
Street: 1335 Carling Avenue
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K1Z 8N8
Waste Class: 312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES

2017 Generator Info

Gen No:	ON5603133	Choice of Contact:	CO_OFFICIAL
ID:	22123	Phone No Official:	613-722-0101 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	165279 Canada Inc		
Gen Div:			
Gen Op Name:	Dr. Beaupre Vein CLinic		
Gen Op Div:			
Site Adrs1:	1335 Carling Ave Suite 600		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Julie Dore		
Co Admin:			

2017 Generator Manifest

ID:	46870	Sum Received Qty:	613.3
Generator No:	ON5603133	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	12
Waste Char:	P	District:	402
Waste Code:	312		

2018 Generator Info

Gen No:	ON5603133	Choice of Contact:	CO_OFFICIAL
ID:	22322	Phone No Official:	613-722-0101 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code3:					
Gen Name:		165279 Canada Inc			
Gen Div:					
Gen Op Name:		Dr. Beaupre Vein CLinic			
Gen Op Div:					
Site Adrs1:		1335 Carling Ave Suite 600			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 8N8			
Site Country:		Canada			
Co Official:		Julie Dore			
Co Admin:					

2018 Generator Manifest

ID:	46743	Sum Received Qty:	387.6
Generator No:	ON5603133	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	12
Waste Char:	P	District:	402
Waste Code:	312		

2019 Generator Info

Gen No:	ON5603133	Choice of Contact:	CO_OFFICIAL
ID:	22389	Phone No Official:	613-722-0101 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	165279 Canada Inc		
Gen Div:			
Gen Op Name:	Dr. Beaupre Vein CLinic		
Gen Op Div:			
Site Adrs1:	1335 Carling Ave Suite 600		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Julie Dore		
Co Admin:			

2019 Generator Manifest

ID:	46418	Sum Received Qty:	439.0
Generator No:	ON5603133	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	21
Waste Char:	P	District:	402
Waste Code:	312		

2020 Generator Info

Gen No:	ON5603133	Choice of Contact:	CO_OFFICIAL
ID:	22130	Phone No Official:	613-722-0101 Ext.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		165279 Canada Inc			
Gen Div:					
Gen Op Name:		Medicart Vein Clinic			
Gen Op Div:					
Site Adrs1:		1335 Carling Ave Suite 600			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 8N8			
Site Country:		Canada			
Co Official:		Tascha Desbois			
Co Admin:					

2020 Generator Manifest

ID:	43055	Sum Received Qty:	162.13
Generator No:	ON5603133	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	8
Waste Char:	P	District:	402
Waste Code:	312		

2020 Generator Manifest

ID:	43054	Sum Received Qty:	59.0
Generator No:	ON5603133	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035	Count Manifests:	3
Waste Char:	P	District:	305
Waste Code:	312		

2021 Generator Info

Gen No:	ON5603133	Choice of Contact:	CO_OFFICIAL
ID:	22387	Phone No Official:	613-722-0101 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:		165279 Canada Inc	
Gen Div:			
Gen Op Name:		Medicart Vein Clinic	
Gen Op Div:			
Site Adrs1:		1335 Carling Ave Suite 600	
Site Bldg:			
Site Pobox:			
Province In:		ONTARIO	
Site Adrs2:			
Site City:		Ottawa	
Province Out:			
Site Postal Code:		K1Z 8N8	
Site Country:		Canada	
Co Official:		Tascha Desbois	
Co Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2021 Generator Manifest</u>					
ID:	44673			Sum Received Qty:	26.0
Generator No:	ON5603133			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>2021 Generator Manifest</u>					
ID:	44674			Sum Received Qty:	409.73
Generator No:	ON5603133			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	19
Waste Char:	P			District:	402
Waste Code:	312				

51 1 of 1 **W/193.2** **72.9 / -0.07** **Sports and Spinal Injury Clinic
1335 Carling Ave., Suite 602
Ottawa ON K1Z 8N8** **GEN**

Generator Info

Generator No:	ON9709569	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

2017 Generator Info

Gen No:	ON9709569	Choice of Contact:	CO_OFFICIAL
ID:	37926	Phone No Official:	6137298098 Ext.
Contaminated Fac:	N	Phone No Admin:	613 729-8098 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Sports and Spinal Injury Clinic		
Gen Div:			
Gen Op Name:	Sports and Spinal Injury Clinic		
Gen Op Div:			
Site Adrs1:	1335 Carling Ave., Suite 602		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Jane Jane de Paulsen		
Co Admin:	Eleanor Cox		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>2017 Generator Manifest</u>					
ID:	66834			Sum Received Qty:	9.2
Generator No:	ON9709569			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON9709569			Choice of Contact:	CO_OFFICIAL
ID:	38689			Phone No Official:	6137298098 Ext.
Contaminated Fac:	N			Phone No Admin:	613 729-8098 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Sports and Spinal Injury Clinic			
Gen Div:					
Gen Op Name:		Sports and Spinal Injury Clinic			
Gen Op Div:					
Site Adrs1:		1335 Carling Ave., Suite 602			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 8N8			
Site Country:		Canada			
Co Official:		Jane de Paulsen			
Co Admin:		Eleanor Cox			
<u>2018 Generator Manifest</u>					
ID:	67416			Sum Received Qty:	8.9
Generator No:	ON9709569			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON9709569			Choice of Contact:	CO_OFFICIAL
ID:	39267			Phone No Official:	6137298098 Ext.
Contaminated Fac:	N			Phone No Admin:	613 729-8098 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Sports and Spinal Injury Clinic			
Gen Div:					
Gen Op Name:		Sports and Spinal Injury Clinic			
Gen Op Div:					
Site Adrs1:		1335 Carling Ave., Suite 602			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 8N8			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Site Country:		Canada			
Co Official:		Jane de Paulsen			
Co Admin:		Eleanor Cox			

2019 Generator Manifest

ID:	67437	Sum Received Qty:	19.0
Generator No:	ON9709569	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	2
Waste Char:	P	District:	402
Waste Code:	312		

2020 Generator Info

Gen No:	ON9709569	Choice of Contact:	CO_OFFICIAL
ID:	39024	Phone No Official:	6137298098 Ext.
Contaminated Fac:	N	Phone No Admin:	613 729-8098 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Sports and Spinal Injury Clinic		
Gen Div:			
Gen Op Name:	Sports and Spinal Injury Clinic		
Gen Op Div:			
Site Adrs1:	1335 Carling Ave., Suite 602		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Jane de Paulsen		
Co Admin:	Eleanor Cox		

2020 Generator Manifest

ID:	63413	Sum Received Qty:	12.0
Generator No:	ON9709569	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035	Count Manifests:	1
Waste Char:	P	District:	305
Waste Code:	312		

2021 Generator Info

Gen No:	ON9709569	Choice of Contact:	CO_OFFICIAL
ID:	40074	Phone No Official:	6137298098 Ext.
Contaminated Fac:	N	Phone No Admin:	613 729-8098 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Sports and Spinal Injury Clinic		
Gen Div:			
Gen Op Name:	Sports and Spinal Injury Clinic		
Gen Op Div:			
Site Adrs1:	1335 Carling Ave., Suite 602		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Adrs2: Site City: Ottawa Province Out: Site Postal Code: K1Z 8N8 Site Country: Canada Co Official: Jane de Paulsen Co Admin: Eleanor Cox					
2021 Generator Manifest					
ID: 66424 Generator No: ON9709569 Receiver Type: 030 Waste Char: P Waste Code: 312		Sum Received Qty: 17.1 Waste Class Name: PATHOLOGICAL WASTES Count Manifests: 2 District: 402			
52	1 of 1	SSW/194.0	73.6 / 0.62	1282 Thames Street, Ottawa ON	PINC
Incident Id: 2766416 Incident No: 609806 Incident Reported Dt: Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Tank Status: RC Established Task No: 3374560 Spills Action Centre: Fuel Type: Natural Gas Fuel Occurrence Tp: Pipeline Strike Date of Occurrence: 6/3/2011 0:00 Occurrence Start Dt: 2011/06/28 Depth: 40 Customer Acct Name: Incident Address: Operation Type: Construction Site (pipeline strike) Pipeline Type: Service / Riser Distribution Pipeline Regulator Type: Service Regulator (up to 60 psi intake) Summary: 1282 Thames Street, Ottawa - 1/2" Pipeline Hit Reported By: Armstrong, Alan - Enbridge Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Occurrence Desc: trench collapsed Damage Reason: Excavation practices not sufficient Notes: failed to support piping, trench collapsed					
Pipe Material: Plastic Fuel Category: Natural Gas Health Impact: No Environment Impact: No Property Damage: Yes Service Interrupt: Yes Enforce Policy: Yes Public Relation: No Pipeline System: PSIG: 53 Attribute Category: FS-Perform P-line Inc Invest Regulator Location: Outside Method Details: E-mail					
53	1 of 1	W/198.8	72.9 / -0.07	1335 Carling Ave Ottawa ON Ottawa ON K1Z 8N8	EHS
Order No: 24052700137 Status: C Report Type: Standard Report Report Date: 30-MAY-24 Date Received: 27-MAY-24 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.7361542 Y: 45.3857255					
54	1 of 1	W/201.0	72.9 / -0.07	1335 CARLING AVE Ottawa ON	WWIS
Well ID: 7282861 Construction Date:					
Flowing (Y/N): Flow Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Test Hole			Data Entry Status:	
Use 2nd:	Monitoring			Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	03/13/2017
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z250743			Contractor:	7241
Tag:	A190038			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7282861.pdf				

Additional Detail(s) (Map)

Well Completed Date: 02/21/2017
Year Completed: 2017
Depth (m): 5.79
Latitude: 45.3854676479425
Longitude: -75.7361945236258
X: -75.73619436223515
Y: 45.38546764107485
Path: 728\7282861.pdf

Bore Hole Information

Bore Hole ID:	1006366388	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442367.00
Code OB Desc:		North83:	5026036.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/21/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1006584821
Layer: 4
Color: 2
General Color: GREY
Material 1: 34
Material 1 Desc: TILL
Material 2:
Material 2 Desc:
Material 3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:			4.570000171661377		
Formation End Depth:			5.789999961853027		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006584820		
Layer:			3		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			84		
Material 2 Desc:			SILTY		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			1.5		
Formation End Depth:			4.570000171661377		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006584819		
Layer:			2		
Color:			6		
General Color:			BROWN		
Material 1:			28		
Material 1 Desc:			SAND		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			0.3100000023841858		
Formation End Depth:			1.5		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006584818		
Layer:			1		
Color:			2		
General Color:			GREY		
Material 1:			11		
Material 1 Desc:			GRAVEL		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			0.3100000023841858		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1006584830		
Layer:			2		
Plug From:			0.3100000023841858		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		2.440000057220459			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006584829			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006584831			
Layer:		3			
Plug From:		2.440000057220459			
Plug To:		5.789999961853027			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006584828			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006584817			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006584824			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		2.740000009536743			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006584825			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.740000009536743			
Screen End Depth:		5.789999961853027			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006584823			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006584822			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

55	1 of 1	WSW/204.2	72.9 / -0.07	ON	BORE
Borehole ID:	612909			Inclin FLG:	No
OGF ID:	215514215			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUL-1948			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.384535
Total Depth m:	12.5			Longitude DD:	-75.735816
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	442396
Drill Method:				Northing:	5025932
Orig Ground Elev m:	76.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	74.3				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218392935			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY.				
Geology Stratum ID:	218392936			Mat Consistency:	Hard
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	12.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Gsc Material Description:
Stratum Description:

GRAVEL. 0004100117RY STIFF TO VERY HARD, FISSURED. CLAY. GREY,SOFT,STIFF,FISSURED. 00000
 **Note: Many records provided by the department have a truncated [Stratum Description] field.

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 05417 NTS_Sheet:		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

56	1 of 4	WSW/204.3	72.9 / -0.07	lot 28 con 2 ON	WWIS
--------------------	--------	------------------	---------------------	----------------------------	-------------

Well ID:	1510605	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	01/05/1950
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	3725
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	028
Depth to Bedrock:		Concession:	02
Well Depth:		Concession Name:	OF
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	OTTAWA CITY (NEPEAN)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510605.pdf

Additional Detail(s) (Map)

Well Completed Date:	07/18/1948
Year Completed:	1948
Depth (m):	12.4968
Latitude:	45.3845339504725
Longitude:	-75.735815800613
X:	-75.73581563900434
Y:	45.38453394332748
Path:	151\1510605.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole ID: 10032631
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 07/18/1948
Remarks:
Location Method Desc: Original Pre1985 UTM Rel Code 9: unknown UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83: 442395.70
North83: 5025932.00
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: p9

Overburden and Bedrock
Materials Interval

Formation ID: 931015351
Layer: 2
Color:
General Color:
Material 1: 11
Material 1 Desc: GRAVEL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 20.0
Formation End Depth: 41.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931015350
Layer: 1
Color:
General Color:
Material 1: 05
Material 1 Desc: CLAY
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 20.0
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 961510605
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe ID: 10581201
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930057838
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 20.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930057839
Layer: 2
Material:
Open Hole or Material:
Depth From:
Depth To: 41.0
Casing Diameter: 4.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: PUMP
Pump Test ID: 991510605
Pump Set At:
Static Level:
Final Level After Pumping: 0.0
Recommended Pump Depth:
Pumping Rate: 5.0
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: Yes

Water Details

Water ID: 933465631
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 41.0
Water Found Depth UOM: ft

<u>56</u>	2 of 4	WSW/204.3	72.9 / -0.07	HOLLOWAY LODGING LIMITED PARTNERSHIP 1354 Carling AV Ottawa ON K1Z 7L5	EASR
-----------	--------	-----------	--------------	--	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No:	R-009-2113127221			MOE District:	Ottawa
Status:	REGISTERED			Municipality:	Ottawa
Date:	2021-04-21			Latitude:	45.38472222
Record Type:	EASR			Longitude:	-75.73611111
Link Source:	MOFA			Geometry X:	-8430905.3236
Project Type:	Water Taking - Construction Dewatering			Geometry Y:	5682292.842399998
Full Address:					
Approval Type:	EASR-Water Taking - Construction Dewatering				
SWP Area Name:	Rideau Valley				
PDF NAICS Code:					
PDF URL:					
PDF Site Location:					

56	3 of 4	WSW/204.3	72.9 / -0.07	1354 Carling Avenue, Ottawa OTTAWA ON	SPL
Ref No:	1-FZX62			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	5/17/2021 12:00:00 PM			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	5/17/2021 1:13:36 PM			Impact to Health:	0 No Impact
Dt Document Closed:	6/9/2021 9:04:48 AM			Agency Involved:	
Site No:					
MOE Response:	Desktop Response				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Ottawa District Office				
Nearest Watercourse:					
Site Name:					
Site Address:	1354 Carling Avenue, Ottawa				
Site Region:					
Site Municipality:	OTTAWA				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:	Tank - Underground				
Incident Cause:					
Incident Preceding Spill:	Unknown / N/A				
Incident Reason:	Unknown				
Incident Summary:	TSSA: 80L fuel oil to ground from generator fuel oil tank				
Environment Impact:	1 Minor Impact				
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	80 litre (L)				
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:	OILY WATER				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:	Land				
Activity Preceding Spill:	Construction or repair				
Property 2nd Watershed:	Central Ottawa				
Property Tertiary Watershed:	02KF-Central Ottawa - Mississippi				
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:	{"integration_ids":["PR00004343455"],"wks":["POINT (-75.7362947000 45.3850230000)"],"creation_date":"2021-				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
05-17"} Time Reported: System Facility Address:					
56	4 of 4	WSW/204.3	72.9 / -0.07	HL GENERAL PARTNER INC. 1354 CARLING AVENUE ON Ottawa ON	RSC
RSC No:	236075			X:	-75.73651259020525
RA No:				Y:	45.38438543742254
Status:	FILED			Latitude:	45.38438544
Filing Date:				Longitude:	-75.73651259
Date Ack:				UTM Coordinates:	
Date Returned:				Latitude Longitude:	
Approval Date:	February 14, 2023			Accuracy Estimate:	
Cert Date:				Measurement Method:	
Cert Prop Use No:				Mailing Address:	
Curr Property Use:				Telephone:	
Intended Prop Use:				Fax:	
Restoration Type:				Email:	
Soil Type:				Postal Code:	K1Z 7L5
Criteria:				Ministry District:	
Stratified (Y/N):				MOE District:	Ottawa
Audit (Y/N):				SWP Area Name:	Rideau Valley
Entire Leg Prop. (Y/N):				Qual Person Name:	KARYN MUNCH
CPU Issu Sect 1686:				Consultant:	
Business Name:	HL GENERAL PARTNER INC.				
Address:	1354 CARLING AVENUE ON				
Legal Desc:					
Site Pin:	04002-0263 (LT), 04002-0266 (LT)				
Asmt Roll No:					
Project Type:	POST2011				
Approval Type:	RSC based on Phase One and Two ESAs				
Applicable Standards:					
PDF Link:	https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=236075				
57	1 of 1	ENE/213.8	76.8 / 3.84	1240 Carling Ave Ottawa ON K1Z 7K7	EHS
Order No:	22100405648			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	07-OCT-22			Search Radius (km):	.25
Date Received:	04-OCT-22			X:	-75.7316411
Previous Site Name:				Y:	45.3868557
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Title Searches; City Directory; Aerial Photos				
58	1 of 1	NE/216.1	76.2 / 3.23	ONTARIO HYDRO (OTTAWA-CARLING T.S.) 1275 CARLING AVENUE OTTAWA CITY ON	CA
Certificate #:	4-0086-94-				
Application Year:	94				
Issue Date:	10/5/1994				
Approval Type:	Industrial wastewater				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client City: Client Postal Code: Project Description: TRANSFORMER SPILL CONTAINMENT SYSTEM Contaminants: Emission Control:					

59	1 of 1	WSW/216.2	72.9 / -0.07	Taggart Construction Ltd. 1354 Carling Ottawa ON K1Z 8N8	GEN
--------------------	--------	-----------	--------------	--	-----

Generator Info

Generator No:	ON8525702	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	146 L
Waste Class Name:	Other specified inorganic sludges, slurries or solids

2021 Generator Info

Gen No:	ON8525702	Choice of Contact:	CO_OFFICIAL
ID:	34957	Phone No Official:	(613) 807-5341 Ext.
Contaminated Fac:	N	Phone No Admin:	6135055345 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531310	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Taggart Construction Ltd.		
Gen Div:			
Gen Op Name:	Taggart Construction Ltd.		
Gen Op Div:			
Site Adrs1:	1354 Carling		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 8N8		
Site Country:	Canada		
Co Official:	Jamie jr320 Ross		
Co Admin:	Brian Lane		

2021 Generator Manifest

ID:	60109	Sum Received Qty:	54508.0
Generator No:	ON8525702	Waste Class Name:	OTHER SPECIFIED INORGANICS
Receiver Type:	035	Count Manifests:	4
Waste Char:	L	District:	402
Waste Code:	146		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
60	1 of 1	W/219.0	72.9 / -0.07	1335 CARLING AVE Ottawa ON	WWIS

Well ID:	7282862	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Test Hole	Data Entry Status:	
Use 2nd:	Monitoring	Data Src:	
Final Well Status:	Monitoring and Test Hole	Date Received:	03/13/2017
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z250741	Contractor:	7241
Tag:	A190037	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7282862.pdf

Additional Detail(s) (Map)

Well Completed Date:	02/21/2017
Year Completed:	2017
Depth (m):	5.79
Latitude:	45.385979692498
Longitude:	-75.7363544579085
X:	-75.73635429639522
Y:	45.38597968517772
Path:	728\7282862.pdf

Bore Hole Information

Bore Hole ID:	1006366391	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442355.00
Code OB Desc:		North83:	5026093.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/21/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006584875
Layer:	2
Color:	6
General Color:	BROWN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		01			
Material 2 Desc:		FILL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006584874			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006584877			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		34			
Material 1 Desc:		TILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		4.570000171661377			
Formation End Depth:		5.789999961853027			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006584876			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		84			
Material 2 Desc:		SILTY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.5			
Formation End Depth:		4.570000171661377			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1006584887			
Layer:		3			
Plug From:		2.440000057220459			
Plug To:		5.789999961853027			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006584885			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006584886			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		2.440000057220459			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006584884			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006584873			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006584880			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		2.740000009536743			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006584881			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.740000009536743			
Screen End Depth:		5.789999961853027			
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<u>Water Details</u>					
Water ID:		1006584879			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006584878			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>61</u>	1 of 1	W/221.2	72.9 / -0.07	ON	BORE
Borehole ID:	848112			Inclin FLG:	No
OGF ID:	215589760			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	25-MAR-1975			Municipality:	
Static Water Level:				Lot:	ROAD
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.385133
Total Depth m:	18.1			Longitude DD:	-75.736395
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	442351
Drill Method:	Diamond Drill			Northing:	5025999
Orig Ground Elev m:	74.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	74.3				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6559990			Mat Consistency:	Firm
Top Depth:	3.2			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	FIRM GREY SILTY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559992			Mat Consistency:	Very Dense
Top Depth:	5.3			Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth:	10.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt - Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay - Cobbles			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	VERY DENSE GREY SANDY SILT TO SILTY SAND WITH GRAVEL, SOME CLAY, COBBLES AND BOULDERS (TILL) (NOTE: NUMEROUS COBBLES AND BOULDERS FROM 29' - 34.5' FOOT DEPTH) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559993			Mat Consistency:	
Top Depth:	10.6			Material Moisture:	
Bottom Depth:	18.1			Material Texture:	Fine to Medium
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Shale			Geologic Period:	
Material 4:	Dolomite			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SOUND GREY FINE TO MEDIUM GRAINED LIMESTONE BEDROCK, SOME SHALY AND DOLOMITE BANDS **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559991			Mat Consistency:	Loose
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	5.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Clay - Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LOOSE GREY SANDY SILT WITH CLAY AND GRAVEL (TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559987			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559988			Mat Consistency:	Loose
Top Depth:	.1			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	Fine to Medium
Material Color:	Brown			Non Geo Mat Type:	Fill -Rock
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LOOSE BROWN FINE TO MEDIUM SAND WITH SILT (FILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6559989			Mat Consistency:	Loose
Top Depth:	2.1			Material Moisture:	
Bottom Depth:	3.2			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		LOOSE BROWN SILTY SAND WITH GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
62	1 of 1	SSW/227.2	73.9 / 0.93	PRIVATE OWNER IN FRONT OF 1292 THAMES STREET MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K1Z 7N4	SPL
Ref No:	173371			Municipality No: 20101	
Year:				Nature of Damage:	
Incident Dt:	10/2/1999			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	10/2/1999			Impact to Health:	
Dt Document Closed:				Agency Involved: FD	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		OTTAWA CITY			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		CONTAINER OVERFLOW			
Incident Preceding Spill:					
Incident Reason:		UNKNOWN			
Incident Summary:		PRIVATE AUTO-45 LITERS GASOLINE TO ROADWAY AND CATCHBASIN,FD.			
Environment Impact:		POSSIBLE			
Health Env Consequence:					
Nature of Impact:		Water course or lake			
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND / WATER			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
63	1 of 1	NE/233.4	76.8 / 3.87	1255 Carling Avenue Ottawa ON	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No:	20150729034			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	05-AUG-15			Search Radius (km):	.25
Date Received:	29-JUL-15			X:	-75.734638
Previous Site Name:				Y:	45.386978
Lot/Building Size:					
Additional Info Ordered:					

64	1 of 1	S/241.4	73.9 / 0.93	lot 33 con 2 ON	WWIS
Well ID:	1510612			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	07/24/1951
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3725
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	033
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY (NEPEAN)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510612.pdf				

Additional Detail(s) (Map)

Well Completed Date:	08/20/1949
Year Completed:	1949
Depth (m):	19.812
Latitude:	45.3833803033892
Longitude:	-75.733246159234
X:	-75.73324599740553
Y:	45.38338029612561
Path:	151\1510612.pdf

Bore Hole Information

Bore Hole ID:	10032638	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	442595.70
Code OB Desc:		North83:	5025802.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	08/20/1949	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Location Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931015366			
Layer:		2			
Color:					
General Color:					
Material 1:		26			
Material 1 Desc:		ROCK			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931015365			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		13			
Material 2 Desc:		BOULDERS			
Material 3:		09			
Material 3 Desc:		MEDIUM SAND			
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961510612			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10581208			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930057852			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:	930057853				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	65.0				
Casing Diameter:	4.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	991510612				
Pump Set At:					
Static Level:	45.0				
Final Level After Pumping:	45.0				
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:	No				
<u>Water Details</u>					
Water ID:	933465640				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	65.0				
Water Found Depth UOM:	ft				

65	1 of 14	S/243.1	73.9 / 0.93	SHELL CANADA PRODUCTS LTD. 900 MERIVALE RD. TANK TRUCK (CARGO) OTTAWA CITY ON K1Z 5Z8	SPL
--------------------	---------	---------	-------------	---	-----

Ref No:	65928	Municipality No:	20101
Year:		Nature of Damage:	
Incident Dt:	1/9/1992	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	1/9/1992	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			
MOE Response:			
Site County/District:			
Site Geo Ref Meth:			
Site District Office:			
Nearest Watercourse:			
Site Name:			
Site Address:			
Site Region:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Municipality: Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: Incident Preceding Spill: Incident Reason: Incident Summary: Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:		OTTAWA CITY			
		PIPE/HOSE LEAK			
		ERROR			
		SHELL HOME HEATING: 2 L FUEL OIL TO GRND FROM HOSE. POSSIBLE			
		Soil Contamination			
		LAND			

65	2 of 14	S/243.1	73.9 / 0.93	SHELL CANADA PRODUCTS LTD. 900 MERIVALLE ROAD SCHOOL FURNACE OIL TANK TANK TRUCK (CARGO) OTTAWA CITY ON	SPL
Ref No:	81214			Municipality No: 20101	
Year:				Nature of Damage:	
Incident Dt:	1/24/1993			Discharger Report:	
Dt MOE Arvl on Scrn:				Material Group:	
MOE Reported Dt:	1/24/1993			Impact to Health:	
Dt Document Closed:				Agency Involved: FD.	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:	OTTAWA CITY				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Name: Client Type: Source Type: Incident Cause: CONTAINER OVERFLOW Incident Preceding Spill: Incident Reason: ERROR Incident Summary: SHELL-300 L FURNACE OIL TO GRND,OVERFILLED TANK, FD,CLEANUP ONGOING. Environment Impact: POSSIBLE Health Env Consequence: Nature of Impact: Multi Media Pollution Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: LAND Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					

[65](#) 3 of 14 S/243.1 73.9 / 0.93 900 Merivale Rd
Ottawa ON K1Z 5Z8 **EHS**

Order No:	20130125028	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Standard Report	Client Prov/State:	ON
Report Date:	05-FEB-13	Search Radius (km):	.25
Date Received:	25-JAN-13	X:	-75.733573
Previous Site Name:		Y:	45.383236
Lot/Building Size:			
Additional Info Ordered:			

[65](#) 4 of 14 S/243.1 73.9 / 0.93 **Carlington Community Health Centre**
900 Merivale Road
Ottawa ON K1Z 5Z8 **GEN**

Generator Info

Generator No:	ON4564006	Choice of Contact:	
Approval Years:	2010	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	621494
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Community Health Centres		

Waste Detail(s)

Waste Class:	261
Waste Class Name:	PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>65</u>	5 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
<u>Generator Info</u>					
Generator No:		ON4564006		Choice of Contact:	
Approval Years:		2011		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 621494	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Community Health Centres			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>65</u>	6 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
<u>Generator Info</u>					
Generator No:		ON4564006		Choice of Contact:	
Approval Years:		2012		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 621494	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Community Health Centres			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
65	7 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON	GEN

Generator Info

Generator No:	ON4564006	Choice of Contact:	
Approval Years:	2013	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	621494
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class: 261
Waste Class Name: PHARMACEUTICALS

65	8 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
--------------------	---------	---------	-------------	--	-----

Generator Info

Generator No:	ON4564006	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621494
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:	621494		

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class: 261
Waste Class Name: PHARMACEUTICALS

65	9 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
--------------------	---------	---------	-------------	--	-----

Generator Info

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Generator No: ON4564006
Approval Years: 2015
Status:
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description: 621494

Choice of Contact: CO_OFFICIAL
Contaminated Fac: No
MHSW Facility: No
SIC Code: 621494

Waste Detail(s)

Waste Class: 261
Waste Class Name: PHARMACEUTICALS

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

<u>65</u>	10 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
------------------	----------	----------------	--------------------	---	------------

Generator Info

Generator No: ON4564006
Approval Years: 2014
Status:
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description: 621494

Choice of Contact: CO_OFFICIAL
Contaminated Fac: No
MHSW Facility: No
SIC Code: 621494

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class: 261
Waste Class Name: PHARMACEUTICALS

<u>65</u>	11 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
------------------	----------	----------------	--------------------	---	------------

Generator Info

Generator No: ON4564006
Approval Years: As of Dec 2018
Status: Registered
PO Box No:
Country: Canada
Co Admin:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Phone No Admin:
SIC Description:

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: Pharmaceuticals

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

65	12 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
--------------------	----------	---------	-------------	--	-----

Generator Info

Generator No: ON4564006
Approval Years: As of Jul 2020
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: Pharmaceuticals

65	13 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON K1Z 5Z8	GEN
--------------------	----------	---------	-------------	--	-----

Generator Info

Generator No: ON4564006
Approval Years: As of Nov 2021
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 145 T

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			

65	14 of 14	S/243.1	73.9 / 0.93	Carlington Community Health Centre 900 Merivale Road Ottawa ON	GEN
--------------------	----------	---------	-------------	--	-----

Generator Info

Generator No:	ON4564006	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 261 A
Waste Class Name: PHARMACEUTICALS

Waste Detail(s)

Waste Class: 145 T
Waste Class Name: PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: PATHOLOGICAL WASTES

Generator Info as of Dec 2024

Generator No:	ON4564006
Generator Company Name:	Carlington Community Health Centre
Street:	900 Merivale Road
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K1Z5Z8
Waste Class:	312 P,261 A,145 T

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 261 - PHARMACEUTICALS; 145 - PAINT/PIGMENT/COATING RESIDUES

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>2017 Generator Info</u>					
Gen No:	ON4564006			Choice of Contact:	CO_OFFICIAL
ID:	18158			Phone No Official:	613-722-4000 Ext.302
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621494			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Carlington Community Health Centre			
Gen Div:					
Gen Op Name:		Carlington Community Health Centre			
Gen Op Div:					
Site Adrs1:		900 Merivale Road			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 5Z8			
Site Country:		Canada			
Co Official:		Barry Holmes			
Co Admin:					
<u>2017 Generator Manifest</u>					
ID:	41766			Sum Received Qty:	100.06
Generator No:	ON4564006			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	6
Waste Char:	P			District:	402
Waste Code:	312				
<u>2017 Generator Manifest</u>					
ID:	41765			Sum Received Qty:	14.5
Generator No:	ON4564006			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	3
Waste Char:	A			District:	402
Waste Code:	261				
<u>2018 Generator Info</u>					
Gen No:	ON4564006			Choice of Contact:	CO_OFFICIAL
ID:	18199			Phone No Official:	613-722-4000 Ext.302
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621494			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Carlington Community Health Centre			
Gen Div:					
Gen Op Name:		Carlington Community Health Centre			
Gen Op Div:					
Site Adrs1:		900 Merivale Road			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 5Z8			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Site Country:		Canada			
Co Official:		Barry Holmes			
Co Admin:					
<u>2018 Generator Manifest</u>					
ID:	41641			Sum Received Qty:	20.6
Generator No:	ON4564006			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	2
Waste Char:	A			District:	402
Waste Code:	261				
<u>2018 Generator Manifest</u>					
ID:	41642			Sum Received Qty:	70.7
Generator No:	ON4564006			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	5
Waste Char:	P			District:	402
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON4564006			Choice of Contact:	CO_OFFICIAL
ID:	18133			Phone No Official:	613-722-4000 Ext.302
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621494			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Carlington Community Health Centre			
Gen Div:					
Gen Op Name:		Carlington Community Health Centre			
Gen Op Div:					
Site Adrs1:		900 Merivale Road			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 5Z8			
Site Country:		Canada			
Co Official:		Mike Mavretic			
Co Admin:					
<u>2019 Generator Manifest</u>					
ID:	41038			Sum Received Qty:	68.0
Generator No:	ON4564006			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	6
Waste Char:	P			District:	402
Waste Code:	312				
<u>2019 Generator Manifest</u>					
ID:	41037			Sum Received Qty:	11.0
Generator No:	ON4564006			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	2
Waste Char:	A			District:	402
Waste Code:	261				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>2020 Generator Info</u>					
Gen No:	ON4564006			Choice of Contact:	CO_OFFICIAL
ID:	17829			Phone No Official:	613-722-4000 Ext.302
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621494			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Carlington Community Health Centre			
Gen Div:					
Gen Op Name:		Carlington Community Health Centre			
Gen Op Div:					
Site Adrs1:		900 Merivale Road			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 5Z8			
Site Country:		Canada			
Co Official:		Mike Mavretic			
Co Admin:					
<u>2020 Generator Manifest</u>					
ID:	37910			Sum Received Qty:	4.8
Generator No:	ON4564006			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	2
Waste Char:	A			District:	402
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	37911			Sum Received Qty:	57.5
Generator No:	ON4564006			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	5
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON4564006			Choice of Contact:	CO_OFFICIAL
ID:	17935			Phone No Official:	613-722-4000 Ext.338
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621494			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Carlington Community Health Centre			
Gen Div:					
Gen Op Name:		Carlington Community Health Centre			
Gen Op Div:					
Site Adrs1:		900 Merivale Road			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 5Z8			
Site Country:		Canada			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Official:		Mike Mavretic			
Co Admin:					
<u>2021 Generator Manifest</u>					
ID:	39082			Sum Received Qty:	8.5
Generator No:	ON4564006			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	1
Waste Char:	A			District:	402
Waste Code:	261				
<u>2021 Generator Manifest</u>					
ID:	39083			Sum Received Qty:	86.99
Generator No:	ON4564006			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	6
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Manifest</u>					
ID:	39084			Sum Received Qty:	200.0
Generator No:	ON4564006			Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES
Receiver Type:	035			Count Manifests:	2
Waste Char:	T			District:	402
Waste Code:	145				
66	1 of 14	NE/247.9	76.8 / 3.87	ONTARIO HYDRO TRANSFORMER STATION AT 1245 CARLING AVE. TRANSFORMER OTTAWA CITY ON K1Z 8N3	SPL
Ref No:	88658			Municipality No:	20101
Year:				Nature of Damage:	
Incident Dt:	7/19/1993			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	7/19/1993			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		OTTAWA CITY			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		COOLING SYSTEM LEAK			
Incident Preceding Spill:					
Incident Reason:		EQUIPMENT FAILURE			
Incident Summary:		ONT.HYDRO - 2 L OF TRANSFORMER OIL TO LAND FROM TRANSFORMER.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:		NOT ANTICIPATED			
		Other			
		LAND			

66	2 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON K1Z 8N3	GEN
--------------------	---------	----------	-------------	---	-----

Generator Info

Generator No:	ON2953529	Choice of Contact:	
Approval Years:	04,05,06,07,08	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	221122
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Electric Power Distribution		

Waste Detail(s)

Waste Class:	146
Waste Class Name:	OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class:	221
Waste Class Name:	LIGHT FUELS

Waste Detail(s)

Waste Class:	243
Waste Class Name:	PCB'S

Waste Detail(s)

Waste Class:	122
Waste Class Name:	ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			

66	3 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON	GEN
-----------	----------------	-----------------	--------------------	--	------------

Generator Info

Generator No:	ON2953529	Choice of Contact:	
Approval Years:	2009	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	221122, 221121
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Electric Power Distribution, Electric Bulk Power Transmission and Control		

Waste Detail(s)

Waste Class:	146
Waste Class Name:	OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class:	145
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class:	251
Waste Class Name:	OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class:	122
Waste Class Name:	ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Waste Class:	213
---------------------	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

66	4 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON	GEN
--------------------	---------	----------	-------------	---	-----

Generator Info

Generator No:	ON2953529	Choice of Contact:	
Approval Years:	2010	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	221122, 221121
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Electric Power Distribution, Electric Bulk Power Transmission and Control		

Waste Detail(s)

Waste Class:	145
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class:	213
Waste Class Name:	PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class:	243
Waste Class Name:	PCBS

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class:	221
Waste Class Name:	LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			

66	5 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa Ltd 1245 Carling Ave Ottawa ON	GEN
--------------------	---------	----------	-------------	---	-----

Generator Info

Generator No:	ON2953529	Choice of Contact:	
Approval Years:	2011	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	221122, 221121
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Electric Power Distribution, Electric Bulk Power Transmission and Control		

Waste Detail(s)

Waste Class: 221
Waste Class Name: LIGHT FUELS

Waste Detail(s)

Waste Class: 213
Waste Class Name: PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class: 251
Waste Class Name: OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class: 146
Waste Class Name: OTHER SPECIFIED INORGANICS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
			122		
			Waste Class:	ALKALINE WASTES - OTHER METALS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			243		
			Waste Class:	PCBS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			145		
			Waste Class:	PAINT/PIGMENT/COATING RESIDUES	
			Waste Class Name:		
66	6 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON K1Z 8N3	GEN
<u>Generator Info</u>					
			Generator No:	ON2953529	
			Approval Years:	2012	
			Status:		
			PO Box No:		
			Country:		
			Co Admin:		
			Phone No Admin:		
			SIC Description:	Electric Power Distribution, Electric Bulk Power Transmission and Control	
			Choice of Contact:		
			Contaminated Fac:		
			MHSW Facility:		
			SIC Code:	221122, 221121	
<u>Waste Detail(s)</u>					
			251		
			Waste Class:	OIL SKIMMINGS & SLUDGES	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			146		
			Waste Class:	OTHER SPECIFIED INORGANICS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			221		
			Waste Class:	LIGHT FUELS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			252		
			Waste Class:	WASTE OILS & LUBRICANTS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			145		
			Waste Class:	PAINT/PIGMENT/COATING RESIDUES	
			Waste Class Name:		
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Waste Class: 243
Waste Class Name: PCBS

Waste Detail(s)

Waste Class: 213
Waste Class Name: PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class: 122
Waste Class Name: ALKALINE WASTES - OTHER METALS

66	7 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON	GEN
--------------------	---------	----------	-------------	---	-----

Generator Info

Generator No:	ON2953529	Choice of Contact:	
Approval Years:	2013	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	221122, 221121
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	ELECTRIC POWER DISTRIBUTION		

Waste Detail(s)

Waste Class: 145
Waste Class Name: PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class: 221
Waste Class Name: LIGHT FUELS

Waste Detail(s)

Waste Class: 122
Waste Class Name: ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Waste Class: 146
Waste Class Name: OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class: 251
Waste Class Name: OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		243			
Waste Class Name:		PCBS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

66	8 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON K1Z 8N3	GEN
--------------------	---------	----------	-------------	---	-----

Generator Info

Generator No:	ON2953529	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	221122, 221121
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:	ELECTRIC POWER DISTRIBUTION, 221121		

Waste Detail(s)

Waste Class: 221
Waste Class Name: LIGHT FUELS

Waste Detail(s)

Waste Class: 331
Waste Class Name: WASTE COMPRESSED GASES

Waste Detail(s)

Waste Class: 121
Waste Class Name: ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class: 213
Waste Class Name: PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class: 146

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			

66	9 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON K1Z 8N3	GEN
--------------------	---------	----------	-------------	---	-----

Generator Info

Generator No:	ON2953529	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	221122, 221121
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:	ELECTRIC POWER DISTRIBUTION, 221121		

Waste Detail(s)

Waste Class:	121
Waste Class Name:	ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class:	213
Waste Class Name:	PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class:	251
Waste Class Name:	OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class:	243
Waste Class Name:	PCBS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
			122		
			Waste Class:	ALKALINE WASTES - OTHER METALS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			221		
			Waste Class:	LIGHT FUELS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			145		
			Waste Class:	PAINT/PIGMENT/COATING RESIDUES	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			252		
			Waste Class:	WASTE OILS & LUBRICANTS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			146		
			Waste Class:	OTHER SPECIFIED INORGANICS	
			Waste Class Name:		
<u>Waste Detail(s)</u>					
			331		
			Waste Class:	WASTE COMPRESSED GASES	
			Waste Class Name:		

66	10 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON K1Z 8N3	GEN
--------------------	----------	----------	-------------	---	-----

Generator Info

Generator No:	ON2953529	Choice of Contact:	CO_ADMIN
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	221122, 221121
Country:	Canada		
Co Admin:	Joel Stairs		
Phone No Admin:	613-738-5499 Ext.7612		
SIC Description:	ELECTRIC POWER DISTRIBUTION, 221121		

Waste Detail(s)

			252		
			Waste Class:	WASTE OILS & LUBRICANTS	
			Waste Class Name:		

Waste Detail(s)

			146		
			Waste Class:	OTHER SPECIFIED INORGANICS	
			Waste Class Name:		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Waste Detail(s)</u>					
<i>Waste Class:</i>			243		
<i>Waste Class Name:</i>			PCBS		
<u>Waste Detail(s)</u>					
<i>Waste Class:</i>			145		
<i>Waste Class Name:</i>			PAINT/PIGMENT/COATING RESIDUES		
<u>Waste Detail(s)</u>					
<i>Waste Class:</i>			122		
<i>Waste Class Name:</i>			ALKALINE WASTES - OTHER METALS		
<u>Waste Detail(s)</u>					
<i>Waste Class:</i>			221		
<i>Waste Class Name:</i>			LIGHT FUELS		
<u>Waste Detail(s)</u>					
<i>Waste Class:</i>			251		
<i>Waste Class Name:</i>			OIL SKIMMINGS & SLUDGES		
<u>Waste Detail(s)</u>					
<i>Waste Class:</i>			213		
<i>Waste Class Name:</i>			PETROLEUM DISTILLATES		

66	11 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON K1Z 8N3	GEN
--------------------	----------	----------	-------------	---	-----

Generator Info

<i>Generator No:</i>	ON2953529	<i>Choice of Contact:</i>
<i>Approval Years:</i>	As of Dec 2018	<i>Contaminated Fac:</i>
<i>Status:</i>	Registered	<i>MHSW Facility:</i>
<i>PO Box No:</i>		<i>SIC Code:</i>
<i>Country:</i>	Canada	
<i>Co Admin:</i>		
<i>Phone No Admin:</i>		
<i>SIC Description:</i>		

Waste Detail(s)

<i>Waste Class:</i>	121 C
<i>Waste Class Name:</i>	Alkaline slutions - containing heavy metals

Waste Detail(s)

<i>Waste Class:</i>	122 C
<i>Waste Class Name:</i>	Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
<u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
<u>Waste Detail(s)</u>					
Waste Class:		213 I			
Waste Class Name:		Petroleum distillates			
<u>Waste Detail(s)</u>					
Waste Class:		221 L			
Waste Class Name:		Light fuels			
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			

[66](#)

12 of 14

NE/247.9

76.8 / 3.87

Hydro Ottawa Ltd
1245 Carling Ave
Ottawa ON K1Z 8N3

GEN

Generator Info

Generator No: ON2953529
Approval Years: As of Jul 2020
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 251 L
Waste Class Name: Waste oils/sludges (petroleum based)

Waste Detail(s)

Waste Class: 146 T
Waste Class Name: Other specified inorganic sludges, slurries or solids

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		122 C			
Waste Class Name:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<u>Waste Detail(s)</u>					
Waste Class:		221 L			
Waste Class Name:		Light fuels			
<u>Waste Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
<u>Waste Detail(s)</u>					
Waste Class:		121 C			
Waste Class Name:		Alkaline slutions - containing heavy metals			
<u>Waste Detail(s)</u>					
Waste Class:		213 I			
Waste Class Name:		Petroleum distillates			
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
<hr/>					
<u>66</u>	13 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa ltd 1245 Carling Ave Ottawa ON K1Z 8N3	GEN

Generator Info

Generator No:	ON2953529	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class: 146 T
Waste Class Name: Other specified inorganic sludges, slurries or solids

Waste Detail(s)

Waste Class: 213 I
Waste Class Name: Petroleum distillates

Waste Detail(s)

Waste Class: 252 L

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		Waste crankcase oils and lubricants			
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
<u>Waste Detail(s)</u>					
Waste Class:		122 C			
Waste Class Name:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
<u>Waste Detail(s)</u>					
Waste Class:		221 L			
Waste Class Name:		Light fuels			
<u>Waste Detail(s)</u>					
Waste Class:		121 C			
Waste Class Name:		Alkaline slutions - containing heavy metals			

<u>66</u>	14 of 14	NE/247.9	76.8 / 3.87	Hydro Ottawa Limited 1245 Carling Ave Ottawa ON	GEN
---------------------------	----------	-----------------	--------------------	--	------------

Generator Info

Generator No:	ON2953529	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	122 C
Waste Class Name:	ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Waste Class:	121 C
Waste Class Name:	ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class:	331 I
Waste Class Name:	WASTE COMPRESSED GASES

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Waste Detail(s)

Waste Class: 146 T
Waste Class Name: OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class: 251 L
Waste Class Name: OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class: 213 I
Waste Class Name: PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class: 252 L
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class: 221 L
Waste Class Name: LIGHT FUELS

Generator Info as of Dec 2024

Generator No: ON2953529
Generator Company Name: Hydro Ottawa Limited
Street: 1245 Carling Ave
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K1Z8N3
Waste Class: 251 L,221 L,252 L,122 C,213 I,146 T,121 C,331 I

Waste Class Decoded:

251 - OIL SKIMMINGS & SLUDGES; 221 - LIGHT FUELS; 252 - WASTE OILS & LUBRICANTS; 122 - ALKALINE WASTES - OTHER METALS; 213 - PETROLEUM DISTILLATES; 146 - OTHER SPECIFIED INORGANICS; 121 - ALKALINE WASTES - HEAVY METALS; 331 - WASTE COMPRESSED GASES

2017 Generator Info

Gen No:	ON2953529	Choice of Contact:	CO_OFFICIAL
ID:	11996	Phone No Official:	613-738-5499 Ext.7610
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	221122	County Out:	
NAICS Code2:	221121	District:	402
NAICS Code3:			
Gen Name:	Hydro Ottawa ltd		
Gen Div:			
Gen Op Name:	Hydro Ottawa ltd		
Gen Op Div:			
Site Adrs1:	1245 Carling Ave		
Site Bldg:			
Site Pobox:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 8N3			
Site Country:		Canada			
Co Official:		PAUL LABROSSE			
Co Admin:					
<u>2017 Generator Manifest</u>					
ID:	33871			Sum Received Qty:	50.0
Generator No:	ON2953529			Waste Class Name:	ALKALINE WASTES - HEAVY METALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	C			District:	402
Waste Code:	121				
<u>2017 Generator Manifest</u>					
ID:	33873			Sum Received Qty:	8343.0
Generator No:	ON2953529			Waste Class Name:	OIL SKIMMINGS & SLUDGES
Receiver Type:	035			Count Manifests:	2
Waste Char:	L			District:	402
Waste Code:	251				
<u>2017 Generator Manifest</u>					
ID:	33872			Sum Received Qty:	40.0
Generator No:	ON2953529			Waste Class Name:	OTHER SPECIFIED INORGANICS
Receiver Type:	035			Count Manifests:	1
Waste Char:	T			District:	402
Waste Code:	146				
<u>2018 Generator Info</u>					
Gen No:	ON2953529			Choice of Contact:	CO_OFFICIAL
ID:	11786			Phone No Official:	613-738-5499 Ext.7610
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	221122			County Out:	
NAICS Code2:	221121			District:	402
NAICS Code3:					
Gen Name:	Hydro Ottawa ltd				
Gen Div:					
Gen Op Name:	Hydro Ottawa ltd				
Gen Op Div:					
Site Adrs1:	1245 Carling Ave				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K1Z 8N3				
Site Country:	Canada				
Co Official:	PAUL LABROSSE				
Co Admin:					
<u>2018 Generator Manifest</u>					
ID:	33632			Sum Received Qty:	5703.0
Generator No:	ON2953529			Waste Class Name:	OIL SKIMMINGS & SLUDGES

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Receiver Type:	035			Count Manifests:	2
Waste Char:	L			District:	402
Waste Code:	251				

2019 Generator Info

Gen No:	ON2953529	Choice of Contact:	CO_OFFICIAL
ID:	11505	Phone No Official:	613-738-5499 Ext.7610
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	221122	County Out:	
NAICS Code2:	221121	District:	402
NAICS Code3:			
Gen Name:	Hydro Ottawa ltd		
Gen Div:			
Gen Op Name:	Hydro Ottawa ltd		
Gen Op Div:			
Site Adrs1:	1245 Carling Ave		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 8N3		
Site Country:	Canada		
Co Official:	PAUL LABROSSE		
Co Admin:			

2019 Generator Manifest

ID:	32858	Sum Received Qty:	162.0
Generator No:	ON2953529	Waste Class Name:	ALKALINE WASTES - HEAVY METALS
Receiver Type:	035	Count Manifests:	1
Waste Char:	C	District:	402
Waste Code:	121		

2019 Generator Manifest

ID:	32860	Sum Received Qty:	12848.0
Generator No:	ON2953529	Waste Class Name:	OIL SKIMMINGS & SLUDGES
Receiver Type:	035	Count Manifests:	2
Waste Char:	L	District:	402
Waste Code:	251		

2019 Generator Manifest

ID:	32859	Sum Received Qty:	60.0
Generator No:	ON2953529	Waste Class Name:	OTHER SPECIFIED INORGANICS
Receiver Type:	035	Count Manifests:	2
Waste Char:	T	District:	402
Waste Code:	146		

2020 Generator Info

Gen No:	ON2953529	Choice of Contact:	CO_OFFICIAL
ID:	11143	Phone No Official:	613-738-5499 Ext.7610
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	221122	County Out:	
NAICS Code2:	221121	District:	402
NAICS Code3:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Gen Name:		Hydro Ottawa Ltd			
Gen Div:					
Gen Op Name:		Hydro Ottawa Ltd			
Gen Op Div:					
Site Adrs1:		1245 Carling Ave			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K1Z 8N3			
Site Country:		Canada			
Co Official:		PAUL LABROSSE			
Co Admin:					

2020 Generator Manifest

ID:	30166	Sum Received Qty:	16780.0
Generator No:	ON2953529	Waste Class Name:	OIL SKIMMINGS & SLUDGES
Receiver Type:	035	Count Manifests:	2
Waste Char:	L	District:	402
Waste Code:	251		

2021 Generator Info

Gen No:	ON2953529	Choice of Contact:	CO_OFFICIAL
ID:	10968	Phone No Official:	613-738-5499 Ext.7610
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	221122	County Out:	
NAICS Code2:	221121	District:	402
NAICS Code3:			
Gen Name:	Hydro Ottawa Ltd		
Gen Div:			
Gen Op Name:	Hydro Ottawa Ltd		
Gen Op Div:			
Site Adrs1:	1245 Carling Ave		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K1Z 8N3		
Site Country:	Canada		
Co Official:	PAUL LABROSSE		
Co Admin:			

2021 Generator Manifest

ID:	30497	Sum Received Qty:	6800.0
Generator No:	ON2953529	Waste Class Name:	OIL SKIMMINGS & SLUDGES
Receiver Type:	035	Count Manifests:	1
Waste Char:	L	District:	402
Waste Code:	251		

Unplottable Summary

Total: **10** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	ROYAL OTTAWA HOSPITAL	MERIVALE RD.	OTTAWA CITY ON	
CA	City of Ottawa	Carling Ave	Ottawa ON	
ECA	City of Ottawa	Carling Ave	Ottawa ON	K2G 6J8
ECA	City of Ottawa	Carling Ave	Ottawa ON	K2G 6J8
GEN	7770251 CANADA INC	MERIVALE ROAD	OTTAWA ON	
GEN	Carmelo Idone	Rear Merivale Rd.	Ottawa ON	K1Z 6A5
PRT	SHELL CANADA PRODUCTS LTD	MERIVALE RD	OTTAWA ON	
SPL	HOTEL/MOTEL	CARLING AVENUE (N.O.S.)	OTTAWA CITY ON	
SPL	Kiewit Eurovia Vinci	Carling Ave	Ottawa ON	
SPL	OTTAWA TRANSIT	CARLING AVENUE BUS	OTTAWA ON	

Unplottable Report

Site: ROYAL OTTAWA HOSPITAL
MERIVALE RD. OTTAWA CITY ON

Database:
CA

Certificate #: 3-1424-85-006
Application Year: 85
Issue Date: 12/13/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Carling Ave Ottawa ON

Database:
CA

Certificate #: 2472-8GRQTN
Application Year: 2011
Issue Date: 5/20/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Carling Ave Ottawa ON K2G 6J8

Database:
ECA

Approval No: 2472-8GRQTN
Approval Date: 2011-05-20
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: City of Ottawa
Address: Carling Ave
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5823-8GCKK6-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: City of Ottawa
Carling Ave Ottawa ON K2G 6J8

Database:
ECA

Approval No: 3723-9ATJC6
Approval Date: 2013-08-30

MOE District:
City:

Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: City of Ottawa
Address: Carling Ave
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9325-9AMR2C-14.pdf>
PDF Site Location:

Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: 7770251 CANADA INC
MERIVALE ROAD OTTAWA ON

Database:
GEN

Generator Info

Generator No: ON6163455
Approval Years: 2013
Status:
PO Box No:
Country:
Co Admin:
Phone No Admin:
SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code: 812320

Waste Detail(s)

Waste Class: 241
Waste Class Name: HALOGENATED SOLVENTS

Site: Carmelo Idone
Rear Merivale Rd. Ottawa ON K1Z 6A5

Database:
GEN

Generator Info

Generator No: ON5601283
Approval Years: 2015
Status:
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description: LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES)

Choice of Contact: CO_OFFICIAL
Contaminated Fac: No
MHSW Facility: No
SIC Code: 531120

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class: 251
Waste Class Name: OIL SKIMMINGS & SLUDGES

Site: SHELL CANADA PRODUCTS LTD
MERIVALE RD OTTAWA ON

Database:
PRT

Location ID: 11000
Type: retail
Expiry Date: 1995-12-31

Capacity (L): 8280000
Licence #: 0022412017

Site: HOTEL/MOTEL
CARLING AVENUE (N.O.S.) OTTAWA CITY ON

Database:
SPL

Ref No: 84065 **Municipality No:** 20101
Year: **Nature of Damage:**
Incident Dt: 4/14/1993 **Discharger Report:**
Dt MOE Arvl on Scn: **Material Group:**
MOE Reported Dt: 4/14/1993 **Impact to Health:**
Dt Document Closed: **Agency Involved:** MCCR
Site No:
MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name:
Site Address:
Site Region:
Site Municipality: OTTAWA CITY
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: UNDERGROUND TANK LEAK
Incident Preceding Spill:
Incident Reason: CORROSION
Incident Summary: EMBASSY WEST HOTEL: FUEL-CONTAMINATED SOIL FOUND BY UNDERGROUND TANK
Environment Impact: CONFIRMED
Health Env Consequence:
Nature of Impact: Soil contamination
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: Kiewit Eurovia Vinci
Carling Ave Ottawa ON

Database:
SPL

Ref No: 4771-BW6QNN **Municipality No:**
Year: **Nature of Damage:**
Incident Dt: 12/10/2020 **Discharger Report:**
Dt MOE Arvl on Scn: **Material Group:**
MOE Reported Dt: 12/10/2020 **Impact to Health:** 2 - Minor Environment
Dt Document Closed: 2/1/2021 **Agency Involved:**
Site No: NA

MOE Response: No
Site County/District:
Site Geo Ref Meth:
Site District Office: Ottawa
Nearest Watercourse:
Site Name: Lincoln Fields Bus Station<UNOFFICIAL>
Site Address: Carling Ave
Site Region: Eastern
Site Municipality: Ottawa
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing: 5023820
Easting: 438710
Entity Operating Name:
Client Name: Kiewit Eurovia Vinci
Client Type: Corporation
Source Type: Motor Vehicle
Incident Cause:
Incident Preceding Spill: Leak/Break
Incident Reason: Operator/Human Error
Incident Summary: Spill: 3L hydraulic oil to ground, clnd
Environment Impact:
Health Env Consequence:
Nature of Impact:
Contaminant Qty: 3 L
Contaminant Qty 1: 3
Contaminant Unit: L
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1: n/a
Receiving Medium: Land
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type: Miscellaneous Communal
SAC Action Class: Land Spills
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: OTTAWA TRANSIT
 CARLING AVENUE BUS OTTAWA ON

Database:
 SPL

Ref No: 187680
Year:
Incident Dt: 9/29/2000
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/29/2000
Dt Document Closed:
Site No:
MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name:
Site Address:
Site Region:
Site Municipality: OTTAWA
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:

Municipality No: 20107
Nature of Damage:
Discharger Report:
Material Group:
Impact to Health:
Agency Involved: PUBLIC WORKS, FIRE DEPARTMENT

Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: PIPE/HOSE LEAK
Incident Preceding Spill:
Incident Reason: UNKNOWN
Incident Summary: OC TRANSPD:DIESEL FUEL LEAK FROM FUEL PUMP/LINE INTO SEWER-WORKS NOTIFIED
Environment Impact: POSSIBLE
Health Env Consequence:
Nature of Impact: Water course or lake
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: WATER
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNR), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2024

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2025

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2023

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2025

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Apr 2025

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Apr 2025

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - May 31, 2025

Drill Hole Database:

Provincial [DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2024

Delisted Fuel Tanks:

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023

Environmental Activity and Sector Registry:

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011 - May 31, 2025

Environmental Registry:

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - May 31, 2025

Environmental Compliance Approval:

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011 - May 31, 2025

Environmental Effects Monitoring:

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 31, 2024

Environmental Issues Inventory System:

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment, Conservation and Parks (MECP). These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2024

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Jan 2025

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. As of January 1, 2023, businesses and institutions subject to the amended Reg. 347: General – Waste Management are required to report their activities and pay fees through Resource Productivity & Recovery Authority (RPRA) online Hazardous Waste Program Registry (HWPR) rather than the Hazardous Waste Information Network (HWIN) system previously operated by the Ministry of the Environment, Conservation and Parks (MECP). Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Dec 31, 2024

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Apr 2024

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2025

National Analysis of Trends in Emergencies System (NATES):

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial [NCPL](#)

The Ministry of the Environment Conservation and Parks (MECP) provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act. MECP publicly releases the Environmental Compliance Report (ECR) on the Ontario Data Catalogue. In Ontario, all facilities with regulated wastewater discharges or air emissions under the Ontario Water Resources Act and the Environmental Protection Act must monitor and report any cases where approved operating limits have been exceeded.

Government Publication Date: Dec 31, 2023

National Defense & Canadian Forces Fuel Tanks:

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-May 31, 2025

National Energy Board Wells:

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPR2

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Feb 2024

National Pollutant Release Inventory - Historic:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2025

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-Aug 2024

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - May 31, 2025

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011 - May 31, 2025

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug 2024; Oct-Nov 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Feb 2024

Potential PFAS Handlers from NPRI:

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Feb 2024

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Potential PFAS Handlers from EASR:

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - May 31, 2025

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2025

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2025

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug-Feb 2025

Wastewater Discharger Registration Database:

Provincial SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks:

Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - May 31, 2025

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

JESSE ANDRECHEK

P.ENG., QP_{ESA}

PROJECT MANAGER - ENVIRONMENTAL

JESSE JOINED PATERSON GROUP IN 2019 AS PART OF THE ENVIRONMENTAL AND GEOTECHNICAL DIVISION. JESSE HAS RECEIVED HIS ADVANCED DIPLOMA IN CIVIL ENGINEERING TECHNOLOGY FROM ST. LAWRENCE COLLEGE IN 2016, AS WELL AS HIS BACHELOR OF APPLIED SCIENCE IN CIVIL ENGINEERING FROM QUEEN'S UNIVERSITY IN 2019. IN HIS TIME WITH PATERSON, JESSE HAS BEEN INVOLVED PRIMARILY IN RESIDENTIAL AND COMMERCIAL DEVELOPMENTS ACROSS ONTARIO, WHERE HE CONDUCTED PHASE I AND II ENVIRONMENTAL SITE ASSESSMENTS (ESAS) TO MECP AND CSA STANDARDS, ASSISTED IN THE FILING OF RECORDS OF SITE CONDITION (RSCs), MANAGED EXCESS SOILS INVESTIGATIONS, SUPERVISED ENVIRONMENTAL REMEDIATION PROGRAMS TO CSA, CCME, AND MECP STANDARDS, AND CONDUCTED ENVIRONMENTAL AND GEOTECHNICAL SUBSURFACE INVESTIGATIONS. HIS SCOPE OF WORK CONSISTS OF ENVIRONMENTAL INVESTIGATION, REPORTING, AND RECOMMENDATIONS, PREPARATION OF PROPOSALS AND WORK PLANS, MANAGEMENT OF FIELD PERSONNEL, COMMUNICATION WITH STAKEHOLDERS, CONDUCTING SOIL AND GROUNDWATER SAMPLING PROGRAMS, SUPERVISING THE REMEDIATION OF CONTAMINATED SITES, AND ENSURING COMPLIANCE TO APPLICABLE REGULATORY STANDARDS.



YEARS OF EXPERIENCE

- WITH PATERSON: 6

LICENCE/ PROFESSIONAL AFFILIATIONS

- Professional Engineers of Ontario

EDUCATION

- BACHELOR OF APPLIED SCIENCE IN CIVIL ENGINEERING, 2019 QUEEN'S UNIVERSITY KINGSTON, ONTARIO
- CIVIL ENGINEERING TECHNOLOGY, ADVANCED DIPLOMA, 2016 ST. LAWRENCE COLLEGE KINGSTON, ONTARIO

OFFICE LOCATION

9 AURIGA DRIVE, OTTAWA, ONTARIO, K2E 7T9

SELECT LIST OF PROJECTS

- 930 CARLING AVENUE (FEDERAL PROPERTY) – FORMER SIR JOHN CARLING BUILDING (OTTAWA HOSPITAL NEW CIVIC CAMPUS) - SUPPLEMENTAL PHASE II ESAs, SITE REMEDIATION, EXCESS SOIL MANAGEMENT, AND RSC (ONGOING)
- 1040 SOMERSET STREET WEST, OTTAWA, ON – PHASE I ESA, PHASE II ESAs, SITE REMEDIATION, EXCESS SOIL MANAGEMENT AND RSC
- 52 SCARSDALE ROAD, TORONTO, ON – SUPPLEMENTAL PHASE II ESA AND SITE REMEDIATION
- CANTERBURY AVENUE AND ARCH STREET INTEGRATED ROAD AND SEWER, OTTAWA, ON – REGULATORY EXCESS SOIL MANAGEMENT AND REPORTING
- 200 BARIBEAU STREET, OTTAWA, ON - PHASE I ESA, PHASE II ESA, SITE REMEDIATION, AND RSC
- 11610 COUNTY ROAD 2, MORRISBURG, ON – REUSE SITE ASSESSMENT AND QP OVERSIGHT
- CAIVAN COMMUNITIES: THE RIDGE, OTTAWA, ON - ENVIRONMENTAL AND GEOTECHNICAL SUBSURFACE INVESTIGATIONS, SOIL AND GROUNDWATER SAMPLING, AND SITE REMEDIATION.
- TAGGART RESIDENTIAL DEVELOPMENT, GARDINER ROAD, KINGSTON, ON – PHASE II ESA SUPERVISION, GROUNDWATER MONITORING, REMEDIATION SUPERVISION, AND RSC ASSISTANCE
- 5501 BANK STREET, OTTAWA, ON – RETAIL FUEL OUTLET DECOMMISSIONING AND SITE REMEDIATION
- 668 REGIONAL ROAD 17, CLARINGTON, ON – GEOTECHNICAL INVESTIGATION

PROFESSIONAL EXPERIENCE

2019 TO PRESENT, PROJECT MANAGER - ENVIRONMENTAL, PATERSON GROUP, OTTAWA, ONTARIO

CONDUCT PHASE I - ENVIRONMENTAL SITE ASSESSMENTS (ESAs) TO CSA AND O.REG. 153/04 STANDARDS ACTING AS A QUALIFIED PERSON.

CONDUCT PHASE II - ENVIRONMENTAL SITE ASSESSMENTS (ESAs) AND SUPPLEMENTAL PHASE II ESAs TO CSA, CCME, AND O.REG. 153/04 STANDARDS ACTING AS A QUALIFIED PERSON;

SUPERVISE SOIL AND GROUNDWATER REMEDIATION PROGRAMS TO CSA, CCME, AND O.REG. 153/04 STANDARDS ACTING AS A QUALIFIED PERSON;

PREPARATION OF RECORDS OF SITE CONDITION TO O.REG. 153/04 STANDARDS ACTING AS A QUALIFIED PERSON;

CONDUCT EXCESS SOIL INVESTIGATIONS TO O.REG. 406/19 STANDARDS, AND OVERSEE SOIL TRANSPORT AND REGULATORY REPORTING ACTING AS A QUALIFIED PERSON;

MANAGE EXCAVATION CONTRACTORS AND FIELD PERSONNEL TO ENSURE SOIL AND GROUNDWATER QUALITY CONTROL;

PRESENT ANALYTICAL TEST RESULTS, INTERPRETATIONS, ASSESSMENTS, RECOMMENDATIONS AND/OR CONCLUSIONS IN TECHNICAL REPORTS AS WELL AS VERBAL AND WRITTEN COMMUNICATION WITH STAKEHOLDERS;

TRAIN AND MENTOR JUNIOR STAFF, AND ASSIST AND SUPPORT INTERMEDIATE AND SENIOR STAFF;

OVERSEE GEOTECHNICAL, ENVIRONMENTAL, AND HYDROGEOLOGICAL SUBSURFACE INVESTIGATIONS INCLUDING BOREHOLE DRILLING AND TEST PIT EXCAVATION ON NUMEROUS PROPOSED DEVELOPMENTS;

CONDUCT SETTLEMENT SURCHARGE SURVEYS, SETTLEMENT PLATE INSTALLATIONS, SLOPE STABILITY SURVEYS, SEISMIC SHEAR-WAVE VELOCITY SURVEYS, TOPOGRAPHIC SURVEYS, AND GEOTECHNICAL SUBSURFACE INVESTIGATIONS, INCLUDING IN SENSITIVE CLAY DEPOSITS;

FACILITATE LABORATORY TESTING FOR SOIL, WATER, AND SEDIMENT SAMPLES AND PROVIDE DETAILED RECOMMENDATIONS BASED ON THE RESULTS;

PROBLEM SOLVING TO COMPLETE ANALYSIS REQUIRED WITHIN REGULATORY FRAMEWORK;

ADAPT TO UNFORESEEN ON-SITE CHALLENGES AND PROVIDE FIRST-HAND INSIGHTS TO HELP COLLABORATE TOWARD A SOLUTION;

PROVIDE OVERSIGHT AND RECOMMENDATIONS FOR LARGE-SCALE REMEDIATION PROJECTS;

MONITOR AND SAMPLE MULTIPLE GROUNDWATER WELLS WITH A HIGH DEGREE OF PRECISION REGARDING THE QUALITY AND PARAMETERS OF THE SAMPLE;



PATERSON GROUP

solution oriented engineering



Mark S. D'Arcy, P.Eng., QP_{ESA} **Director – Environmental Division**

After receiving his Bachelors of Applied Science from Queen's University in 1991 in Geological Engineering, Mark joined Paterson Group Inc. During the first 10 years of Mark's career, he was heavily involved in all aspects of field work, including drilling boreholes, excavating test pits, conducting phase I site inspections, environmental sampling and analysis and inspection of environmental remediations. During Mark's field experience, he gained invaluable field and office experience, which would prepare Mark to become the Environmental Division Manager. Mark's field experience ranges from Phase I Environmental Site Assessments (ESAs) to on-site soil and groundwater remediations, as well as, environmental/geotechnical borehole investigations. Mark's field experience has provided extensive knowledge of subsurface conditions, contractor relations and project management. These skills would provide Mark with the ability to understand a variety of situations, which has lead Paterson to an extremely successful Environmental Department. Mark became the Environmental Manager in 2006, which consisted of two engineers and two field technicians. Mark has been an integral part in growing the Environmental Division, which now consists of nine engineers and three field technicians. Mark is the Senior Project Manager for a wide variety of environmental projects within the Eastern Ontario area including Phase I ESAs, Phase II ESAs, remediations for filing Records of Site Condition in the Ontario Ministry of the Environment and Climate Change (MOECC) Environmental Site Registry, Brownfield Applications and Landfill Monitoring Programs. As the Senior Project Manager, Mark is responsible for directing project personnel, final report review and overall project success. Mark has proven leadership and ability to manage small to large scale projects within the allotted time and budget.

EDUCATION

B.A.Sc. 1991, Geological Engineering, Queen's University, Kingston, ON

LICENCE/PROFESSIONAL AFFILIATIONS

Professional Engineers of Ontario

ESA Qualified Person with MECP

Ontario Society of Professional Engineers

Consulting Engineers of Ontario

YEARS OF EXPERIENCE

With Paterson: 33

OFFICE LOCATION

9 Auriga Drive, Ottawa, Ontario, K2E 7T9

SELECT LIST OF PROJECTS

- 222 Beechwood Avenue, Ottawa, Ontario (Senior Project Manager for Phase I ESA, Phase II ESA, Phase III ESA, Environmental Remediation)
- 409 MacKay Street, Ottawa, Ontario (Senior Project Manager for Phase I ESA, Phase II ESA, Phase III ESA, Environmental Remediation)
- Art's Court Redevelopment, Ottawa, Ontario (Senior Project Manager for Phase I ESA, Phase II ESA, Phase III ESA, Environmental Remediation)
- Visitor Welcome Centre, Phase II and Phase III, Parliament Hill, Ottawa, Ontario (Senior Project Manager for Environmental Remediation)
- Mattawa Landfill, Mattawa, Ontario (Senior Project Manager, Annual Water Quality Monitoring report)
- Multi-Phase Redevelopment of the Ottawa Train Yards, Ottawa, Ontario (Senior Project Manager)
- Rideau Centre Expansion, Ottawa, Ontario (Senior Project Manager for Phase I ESA, Phase II ESA, Phase III ESA, Environmental Remediation)
- 26 Stanley Avenue, Ottawa, Ontario, Phase I ESA, Phase II ESA (Senior Project Manager)
- Monitoring Landfills for River Valley, Kipling and Lavigne (Senior Project Manager)
- Block D Lands – Brownfields Project - Kingston

PROFESSIONAL EXPERIENCE

2001 to present, Manager of Environmental Division, Paterson Group Inc., Ottawa, Ontario

- Manage all aspects of the environmental division (management of personnel, budgeting, invoicing, scheduling, business development, reporting, marketing, and fieldwork).
- Review day to day operations within the environmental division.
- Design, perform, and lead Phase I, II and Phase III ESAs, Remediation's, Brownfield Applications and Record of Site conditions, fieldwork surveys, excavation, monitoring, laboratory analysis, and interpretation.
- Write, present, and publish reports with methodology and laboratory analysis results, along with recommendations for environmental findings.
- Responsible for ensuring projects meet Ministry of Environment and Climate Change Standards and Guidelines.
- Building and fostering relationships with clients, stakeholders, and Ministry officials.
- Supervise and continuous training of staff in environmental methods (environmental sampling techniques, technical expertise and guidance).
- Applied due diligence in ensuring the health and safety of staff and the public in field locations.

1991 to 2001, Geotechnical and Environmental Engineer, Paterson Group Inc., Ottawa, Ontario

- Provide on-site geotechnical and environmental expertise to various clients.
- Oversee geotechnical and environmental investigations for drilling and test pitting on numerous proposed utility installations, residential and commercial developments.
- Problem solving to help advance or maintain project schedules.
- Complete environmental reports with recommendations to meet environmental standards set by MOE and CCME standards.
- Conduct site inspections, bearing medium evaluations, bearing surface inspections, concrete testing and field density testing.
- Liaising with contractors, consultants and government officials.
- Provide cost estimates for geotechnical and environmental field programs and construction costs.
- Review RFI's, submittals, monthly progress reports and other various construction related work.