

Houle Chevrier Engineering Ltd.

180 Wescar Lane R.R. 2 Carp, Ontario K0A 1L0 Tel: (613) 836-1422 Fax: (613) 836-9731 www.hceng.ca

REPORT ON

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 401 MARCH ROAD OTTAWA, ONTARIO

Submitted to:

Starbank Properties Corporation 329 Brooke Avenue Toronto, Ontario M5M 2L4

DISTRIBUTION:

5 bound copies – Starbank Properties Corporation
1 digital copy – Starbank Properties Corporation
1 bound copy – Houle Chevrier Engineering Ltd.

September 2013 Our Ref: 13-340

TABLE OF CONTENTS

| Table | e of Contents | i | | | | | |
|------------|--|----------------|--|--|--|--|--|
| SECT | TION | PAGE | | | | | |
| 1.0 | EXECUTIVE SUMMARY | 1 | | | | | |
| 2.0 | INTRODUCTION | 3 | | | | | |
| 2.1 | Phase One Property Information | | | | | | |
| 3.0 | SCOPE OF INVESTIGATION | 4 | | | | | |
| 4.0 | RECORDS REVIEW | 5 | | | | | |
| 4.1 | 4.1.1 Phase One Study Area Determination | 55 | | | | | |
| 5.0 | INTERVIEWS | | | | | | |
| 5.1 5.2 | · · · · · · · · · · · · · · · · · · · | | | | | | |
| 6.0 | SITE RECONNAISSANCE | 16 | | | | | |
| 6.1 | General Requirements6.1.1 Site Photographs | 16 | | | | | |
| 6.2 | Specific Observations at Phase One Property 6.2.1 Onsite Structures 6.2.2 Observations 6.2.3 Site Services | 17171717171717 | | | | | |
| 6.4 6.5 | Enhanced Investigation Property | 18 | | | | | |

| 7.0 | REVIEW | AND EVALUATION OF INFORMATION | 20 |
|---|--|---|------------------------|
| 7.1 7.2 7.3 | Poten Areas 7.3.1 7.3.2 7.3.3 7.3.4 7.3.5 | nt and Past Uses tially Contaminating Activities of Potential Environmental Concern APEC 1: Fill Material APEC 2: Debris APEC 3: Off-Site PCAs to the South APEC 4: Off-Site PCAs to the North Discussion of Uncertainty One Conceptual Site Model APEC 1: Fill Material APEC 2: Debris APEC 3: Off-Site PCAs to the South APEC 3: Off-Site PCAs to the North Underground Utilities Geological and Hydrogeological Information Discussion of Uncertainty | 2023232323232424242525 |
| 8.0 | CONCLU | , JSIONS | |
| 9.0 | REFERE | ENCES | 29 |
| 10.0 | APPEND | DICES | 30 |
| FIGUE | RE 1 RE 2 | ring Page 30 - Key Plan - Study Area Plan - Topographic Map | |
| APPE APPE APPE APPE APPE APPE APPE APPE | NDIX A NDIX B NDIX C NDIX D NDIX E NDIX F NDIX G NDIX H NDIX I NDIX J NDIX K | Fire Insurance Plan Request Ontario Land Registry Title Search Results Ecolog Eris Database Report City Directory Records Technical Standards and Safety Authority Search Results City of Ottawa – Freedom of Information Request Aerial Photographs – National Air Photo Library Mississippi Valley Conservation Authority Mapping – PSWs and ANSIs Ministry of Environment Well Records Site Photographs Plan of Survey | |

1.0 EXECUTIVE SUMMARY

Houle Chevrier Engineering Ltd. (HCEL) was retained by Starbank Properties Corporation to carry out a Phase One Environmental Site Assessment (ESA) for the property located at 401 March Road in Ottawa, Ontario (hereafter referred to as "the subject property").

The primary objective of this Phase One ESA was to identify any former or current operations or practices at the subject property and its vicinity to document the presence or absence of areas of potential environmental concern. This Phase One ESA was carried out in accordance with Ontario Regulation 153/04 made under the Environmental Protection Act and meets the requirements of Part VII (Sections 23 to 31) and Schedule D of the regulation.

Section 2.0 of this report provides a brief description of the site and Section 3.0 of this report provides the scope of investigation. Section 4.0 presents the findings of the records review. Section 5.0 presents the results of the interviews conducted. Section 6.0 presents the findings of the site reconnaissance. Section 7.0 provides a review and evaluation of information gathered. Section 8.0 presents the conclusions and recommendations of the study. Section 9.0 lists the references used and Section 10.0 provides the appendices.

The following Areas of Potential Environmental Concern (APECs) were determined through the Phase One ESA to exist for the subject property:

APEC 1: Fill Material

During the site reconnaissance the topography of the subject property appeared to be raised in reference to the surround properties, which indicates that filling has taken place. In addition a borehole record identified on the subject property in the ERIS Report indicated 1.4 metres of fill on the property. The contaminants of concern are PHCs, VOCs, PAHs and metals.

APEC 2: Debris

The site reconnaissance identified a pile of construction debris in the western portion of the subject property. The construction debris contained concrete, wood and metal. The contaminants of concern are metals.

APEC 3: Off-Site PCAs to the South

The historical review and site reconnaissance identified a railway line adjacent to the south of the subject property. Multiple waste generators and manufacturers of electronic, computer and vehicle parts including propulsion systems were identified from 35 to 90 metres south of the subject property. In addition, the MOE well records identified four (4) monitoring wells constructed on the adjacent property to the south. The contaminants of concern are PAHs, VOCs, PHCs and metals.

APEC 4: Off-Site PCAs to the North

The ERIS report identified a waste generator, medical devices manufacturer and lead pollutant releases at the property adjacent to the north of the subject property. The closest point of the building which appears to be the location of the factory and/or warehouse is located approximately 80 metres northwest of the subject property. The contaminants of concern are VOCs, PAHs and metals.

Based on this information, it is our opinion that a Phase Two Environmental Site Assessment is required for the subject property in order to investigate the APECs on the subject property.

2.0 INTRODUCTION

2.1 Phase One Property Information

Houle Chevrier Engineering Ltd. (HCEL) was retained by the Starbank Properties Corporation to carry out a Phase One Environmental Site Assessment (ESA) for the property located at 401 March Road in Ottawa, Ontario. The legal description for the property is Part of Lot 6, Concession 3, being Part 3 on Plan 4R-12138, same and except Parts 14615 on Plan 4R-11329, Geographic Township of March, City of Ottawa. PIN 04518-0051. The general location of the subject property is illustrated on the Key Plan, Figure 1.

The subject property is owned by 1443626 Ontario Inc. and March Road Hotel Partnerships. The contact person for the property is Mr. Dung Lam at 416-922-2222.

3.0 SCOPE OF INVESTIGATION

The primary objective of this Phase One ESA was to identify any former or current operations or practices at the subject property and its vicinity to document the presence or absence of areas of potential environmental concern.

This Phase One ESA was carried out in accordance with Ontario Regulation 153/04 made under the Environmental Protection Act and meets the requirements of Part VII (Sections 23 to 31) and Schedule D of the regulation. The scope of the investigation includes a records review, interviews, a site reconnaissance, an evaluation of the information gathered and reporting. The Phase One ESA report will document and demonstrate how the objectives of the Phase One ESA were achieved, whether further investigation is required, whether there exists an adequate basis for any further investigation and whether there is a basis for any required certifications.

4.0 RECORDS REVIEW

4.1 General

4.1.1 Phase One Study Area Determination

The subject property is approximately 1.4 hectares (3.4 acres) in size and is located at 401 March Road in Ottawa, Ontario. The current site use is unused vacant land and has historically been unused vacant land since at least prior to 1934. Surrounding land use has historically been agricultural until sometime between 1958 and 1967 when development began and currently is a mix of commercial and industrial. Based on this information, a Phase One ESA study area of 250 metres surrounding the subject property is deemed sufficient for the purpose of this Phase One ESA. The location of the subject property and the extent of the Phase One ESA study area are provided on the Study Area Plan, Figure 2.

No land use outside the 250 metres study area has been identified as a considerable environmental concern to warrant inclusion in the study area.

4.1.2 First Developed Use Determination

Based on a review of the information, the subject property was never developed.

4.1.3 Fire Insurance Plans / Insurance Reports

No fire insurance plans were available for the subject property. The results of the search are provided in Appendix A.

4.1.4 Chain of Title

A chain of title search for this property was provided by Wentzell Titles of Kemptville, Ontario and is provided in Appendix B. The legal description for 401 March Road is Part of Lot 6, Concession 3, being Part 3 on Plan 4R-12138, same and except Parts 14615 on Plan 4R-11329, Geographic Township of March, City of Ottawa. PIN 04518-0051. The highlights of the chain of title search are provided as follows:

 The property was first purchased by Edward Loggan from the Crown sometime prior to 1831;

September 2013

Our ref: 13-340

- Atomic Energy of Canada Limited purchased the property in 1966 and sold the property to Balys Holdings Inc. in 1997;
- The current owners purchased the property in 2001.

One potential environmental concern identified from the review of the historical land ownership is that Atomic Energy of Canada Limited owned the property from 1966 to 1997, however no development occurred during that time on the subject property.

4.1.5 Environmental Reports

No environmental reports were provided for our review.

4.2 Environmental Source Information

4.2.1 Ecolog Eris Database Report

HCEL contacted Ecolog Environmental Risk Information Services Ltd. (Ecolog Eris) to conduct a search of over fifty (50) public and private information databases for the subject property and the area within 250 metres of the subject property. The complete Ecolog Eris report including a list of databases searched is provided in Appendix C.

All listings were reviewed and the following entries were identified as relevant:

| Company / Name | Location – Distance from subject property | Database | Description |
|--|--|--|---|
| - | On the subject property | Borehole | Borehole record from 1984 Fill material to 1.4 metres below ground surface followed by topsoil, weathered crust and firm silty clay |
| PUC | Carling Avenue, between March Road and Legget Drive – 35 to more than 250 metres east | Ontario Spills | Raw sewage into storm ditch in 1991Environmental impact listed as not anticipated |
| Loeb Inc. | March Road and Carling Avenue – adjacent to the north | Ontario Spills | 163 Kg of Freon to air due to equipment failure Environmental impact to air listed as not anticipated |
| Spar Aerospace 365 March Road –35 metres south | | Ontario Regulation 347 Waste Generators Summary | Wastes listed: - Acid waste – heavy metals - Paint/pigment/coating residues - Inorganic laboratory |

| Company / Name | Location – Distance from subject property | Database | Description |
|--|---|--|---|
| DRS Technologies Canada Company | | | chemicals - Aliphatic solvents - Halogenated solvents - Waste oils & lubricants - Organic laboratory chemicals |
| & Communication metres south | | Scott's Manufacturing Directory | Manufactures: - Guided missile and space vehicle propulsion units and propulsion unit parts - Guided missile and space vehicle parts and auxiliary equipment, not elsewhere classified |
| Morguard Investments | 356 March Road – not mapped, assumed 90 metres east | Ontario Regulation 347 Waste Generators Summary | Wastes listed: - Other specified inorganic sludges, slurries or solids |
| Kanata Research Park Corporation | | | Registered heating systemRegistered standby power system |
| Optotek Limited | | Certificate of Approval | Approval for industrial air Halogenated solvents listed |
| AMCA International Ltd. | 62 Steacie Drive – 90 metres south | Ontario Regulation 347 Waste Generators Summary | Wastes listed: Inorganic laboratory chemicals Aliphatic solvents Halogenated solvents Waste oils & lubricants Aromatic solvents Petroleum distillates Emulsified oils Organic laboratory chemicals Waste compressed gases |
| Golder Associates | | | Wastes listed: - Waste oils & lubricants - Petroleum distillates - Emulsified oils |
| Optotek Limited 62 Steacie Drive – 90 metres south | | Scott's Manufacturing Directory | Manufactures: |

| Company / Name | Location – Distance from subject property | Database | Description |
|---|---|--|--|
| MDS Nordion / Atomic Enegry, AECL Radiochemical Company/ Best Theratronics Ltd. | 413 March Road – 80 metres northwest | Ontario Regulation 347 Waste Generators Summary | All wastes listed: - Acid waste – heavy metals - Other inorganic acid wastes - Alkaline wastes – other metals - Neutralized wastes – heavy metals - Steel making residues - Paint/pigment/coating residues - Other specified inorganics - Inorganic laboratory chemicals - Aromatic solvents - Aliphatic solvents - Petroleum distillates - Light fuels - Halogenated solvents - Oil skimmings & sludges - Waste oils & lubricants - Emulsified oils - Organic laboratory chemicals - Organic laboratory chemicals - Organic acids - Photoprocessing wastes - Pathological wastes - Waste compressed gases |
| Best Theratronics Ltd. | | National Pollutant Release Inventory | - Release of lead (and its compounds) in 2008, 2009, 2010 and 2011 |
| Best Medical Canada, Ltd. | | | Manufactures: - Measuring, medical and controlling devices - Electromedical and electrotherapeutic apparatus |
| Control Microsystems Inc. | | | Wastes listed: - Halogenated solvents - Petroleum distillates - Aliphatic solvents - Listed in 2009 - Develops and manufactures supervisory control and data acquisition hardware and software |

| Company / Name | Location – Distance from subject property | Database | Description |
|-------------------------------|--|---------------------------------------|--|
| | | Scott's Manufacturing Directory | Manufactures: Computer and peripheral equipment manufacturing Switchgear and switchboard, and relay and industrial control apparatus manufacturing All other general-purpose machinery manufacturing Audio and video equipment manufacturing Computer and peripheral equipment manufacturing Semiconductor and other electronic component manufacturing Wiring device manufacturing Radio and television broadcasting and wireless communications equipment manufacturing Other communications equipment manufacturing Software publishers |
| Reltek Inc | 44 Steacie Drive – 165 metres south | Scott's Manufacturing Directory | Manufactures: |
| Zarlink Semiconductor Inc. | 400 March Road – 240 metres north | Certificates of Approval | - Certificate of approval for industrial air for an emergency diesel generator, two gas-fired water heaters, one gasfired stem humidifier and two boilers |

| Company / Name | Location – Distance from subject property | Database | Description |
|---|---|--|---|
| | | Ontario regulation 347 Waste Generators Summary | Wastes listed: Inorganic laboratory chemicals Acid waste — heavy metals Waste compressed gases Halogenated solvents Acid waste — other metals Organic laboratory chemicals Alkaline wastes — heavy metals Alkaline wastes — other metals Waste oils & lubricants Aliphatic solvents Pathological wastes Emulsified oils Petroleum distillates Other specified inorganics Aromatic solvents Paint/pigment/coating residues Pathological wastes |
| Kanata Research Park Corporation | | Environmental Activity and Sector Registry | Registered heating systemRegistered standby power system |
| Enablence Technologies Inc. | | Scott's Manufacturing Directory | Manufactures: - Communication and energy wire and cable |
| Liston Animal Hospital | | Ontario Regulation 347 Waste Generators Summary | Wastes listed: - Pathological wastes |
| EmbroidMe Inc. | 4055 Carling Avenue – 180 metres east | Scott's Manufacturing Directory | Listed as: - All other wholesaler- distributors - Stationery and office supplies wholesaler- distributors - Commercial screen printing - Other printing - All other textile product mills |
| Ontario Hydro Lot 7, Concession 3 – Likely location at transformer station located 400 metres west | | Certificates of Approval | Approval for industrial wastewater for spill containment for transformers T1 & T2 |

4.2.2 City Directories

A review of the city directories from 1992 to 2010 was completed for the subject property (401 March Road), 329, 360, 365 and 413 March Road, 28, 44 and 62 Steacie Drive, and 4048 Carling Avenue, Ottawa, Ontario. A copy of the City Directory records is provided in Appendix D. All records were reviewed and the relevant highlights are provided in the following table:

| Address | Distance from Subject Property | Description |
|------------------------------------|--------------------------------|--|
| 365 March Road | 35 metres south | 1992 to 1994/95 – Spar Aerospace 2004/05 – Cisco Systems 2010 – Innovapost |
| 413 March Road 80 metres northwest | | 1992 to 2010 – Theratronics Int'l / Best Theratronics |
| 28 Steacie Drive | 200 metres south | 1992 to 1999/2000 – Control Microsystems 2004/05 – Kids R Unique |
| 44 Steacie Drive | 165 metres south | 1992 to 1994/95 – Advanced Circuit Systems 1999/2000 – Reltek Inc. |
| 62 Steacie Drive | 90 metres south | 1992 to 2004/05 – Optotek Ltd. 2010 – Elliptic Semiconductor and Golder Associates |

4.2.3 Technical Standards and Safety Authority

The Technical Standards and Safety Authority (TSSA) was contacted on August 29, 2013 to request available records regarding the subject property (401 March Road), 329, 360, 365, 390, 400 and 413 March Road and 28, 44 and 62 Steacie Drive in Ottawa, Ontario. The TSSA response indicated that they have no records in their database for any fuel storage tanks at the addresses searched. A copy of the search request and the response from the TSSA are provided in Appendix E.

4.2.4 City of Ottawa - Freedom of Information Request

The City of Ottawa was contacted to provide information from the Planning, Transit and the Environment Departments and from the Historical Land Use Inventory (HLUI). A copy of the response from the City of Ottawa is provided in Appendix F. Based on a review of the HLUI information, the selected activities identified as being associated with potential environmental concerns are listed in the following table:

| Company Name | Location | Facility Type | Approximate Years of Operation (Listed) | |
|---|---------------------|---|--|--|
| Theratronics International Limited | 413 March Road – 80 | Machine Shop Industry | 1994 to 2000 | |
| MDS Nordion | metres northwest | Machine Shop Industry 2000 | | |
| DRS Technologies Canada Company 365 March Road – 35 metres south | | Communication and Other Electronic Equipment Industries | 1986-1998 (Spar Aerospace Ltd.) 2000 | |

4.3 Physical Setting Sources

4.3.1 Aerial Photographs

Selected aerial photographs were examined as part of this Phase One ESA. Copies of the aerial photographs are provided in Appendix G.

Aerial photographs were obtained at approximately ten (10) year intervals and were selected based on suitable scales for analysis and for historical land uses of the subject property. The earliest aerial photograph obtained was in 1934. Observations made with respect to the selected aerial photographs are discussed below:

| Plate Number | Date | Air Photograph Number | Observations |
|-----------------|------|-----------------------------|--|
| G1 | 1934 | A4698-33 | The subject property is undeveloped agricultural land; Surrounding land uses are agricultural; A railway is visible adjacent to the south of the subject property. |
| G2 | 1946 | A10321-9 | No significant changes are visible compared to the 1934 aerial photograph. |
| G3 | 1958 | A16940-65 | Rural residential properties have been developed east of the subject property. |
| G4 | 1967 | A20310-74 | An industrial property has been developed north of the subject property; Residential development has occurred south of the subject property. |

| Plate Number | Date | Air Photograph Number | Observations |
|-----------------|------|-----------------------------|--|
| G 5 | 1976 | A24332-46 | Commercial and/or industrial development has occurred to the south and east of the subject property; Additional residential development has occurred south of the subject property; A transformer station is visible west of the subject property. |
| G6 | 1991 | geoOttawa | Additional commercial and/or industrial development has occurred surrounding the subject property. |
| G 7 | 2004 | A28523-69 | No significant changes are visible compared to the 1991 aerial photograph. |

Based on the review of selected historical air photographs, the subject property has never been developed. Surrounding commercial and/or industrial development started sometime between 1958 and 1967. The railway located south of the subject property is a potentially contaminating activity and was constructed sometime prior to 1934.

4.3.2 Topography, Hydrology and Geology

A topographic map based on Ontario Base Mapping is provided on the Topographic Map, Figure 3. The subject property has a relatively flat topography and is at an elevation of approximately 84 metres above sea level. Surrounding topography generally slopes gradually downwards to the north.

Surficial and bedrock geology maps of the Ottawa area indicate that the overburden in the vicinity of the subject property generally consists of offshore marine sediments (clay and silt) with a thickness ranging from 10 to 25 metres. The bedrock is mapped as Precambrian quartzite and interlayered paragneiss.

Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. Based on the topography of the area, it is expected that the local shallow groundwater flow is towards the northeast.

4.3.3 Fill Materials

Based on the raised topography of the subject property, it is likely that fill material has been placed. The results of a previous borehole advanced on the subject property also indicates the presence of fill material.

4.3.4 Water Bodies and Areas of Natural Significance

A creek is located approximately 230 metres west of the subject property. No areas of natural significance were identified on the subject property or within the study area.

Conservation Ontario's web mapping site AutoCAMaps.ca, an internet mapping application which includes the Mississippi Valley Conservation Authority (MVCA) was used to identify any provincially significant wetlands (PSWs) or areas of natural or scientific interest (ANSI) on or within the study area. No PSWs or ANSIs were identified within the study area and a copy of the search results is provided in Appendix H.

4.3.5 Well Records

A copy of MOE Well Records for a 400 metre radius from the centre of the subject property is provided in Appendix I. The locations of the adjacent water wells, based on the UTM coordinates provided in the water well records, have been plotted on Figure 3 following the text of this report.

The stratigraphy of the overburden from ground surface to bedrock indicates that the overburden soil surrounding the subject property generally consists of clay over granite.

The average depth to bedrock, based on the water well records, is approximately 17.8 metres below ground surface (m bgs) and the average depth to the water table, based on static water levels is approximately 2.5 m bgs.

The MOE well records identified monitoring wells constructed by Strata Soil Sampling Inc. to the south of the subject property.

4.3.6 Site Operating Records

No site operating records were provided for the subject property.

5.0 INTERVIEWS

An interview was carried out with a person familiar with the subject property. Details of the interview are summarized in the following sections.

5.1 Interview with Property Owner

An interview was carried out by telephone with Mr. Jason Gates, a consultant for Atlific Hotels and Resorts, on August 8, 2013. The following relevant information concerning potentially contaminating activities and areas of potential environmental concern were noted:

- Plans were prepared to develop the subject property as a hotel, which was cancelled in 2001.
- In the fall of 2001 Greely Construction installed a reinforced concrete hydro vault on the property. The conduits were installed but no hydro lines were installed.
- Mr. Gates indicated that Trow completed a Phase I ESA for the property.
- Mr. Gates does not recollect whether any issues have been raised as the site has always been vacant.

5.2 Assessment and Evaluation of Interview

The information provided in the interview is consistent with other information sources in that the subject property has always been vacant.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

A site reconnaissance was carried out on August 30, 2013 from 8:00 am to 10:00 am. The weather conditions at the time of the site reconnaissance were sunny with a temperature of approximately 24 degrees Celsius.

September 2013

Our ref: 13-340

The primary assessor for this Phase One Environmental Site Assessment, Brett Painter, has completed the Associated Environmental Site Assessors of Canada (AESAC) Phase I Environmental Site Assessment Training Course. He has a formal education which includes a Bachelor of Science with a major in Biology and a Master of Science in Biodiversity Conservation and Management which provides a sound knowledge in areas of environmental contamination concerns to the natural environment. In addition, Brett has been trained in and successfully completed Workplace Hazardous Materials Information System (WHMIS) training and has been performing Phase One and Phase Two ESA's for over two years.

The Phase One ESA was carried out under the supervision of Mr. Craig Houle, M.Eng., P.Eng., a registered Professional Engineer in the Province of Ontario to ensure that the Phase One ESA has been carried out to meet the objectives and requirements of Ontario Regulation 153/04. Mr. Houle is a registered Qualified Person to conduct environmental site assessments and file Record of Site Condition applications.

6.1.1 Site Photographs

Photographs of the subject property were taken during the course of the site reconnaissance to document the general condition of the property and any areas of potential environmental concern. The relevant photographs are presented in Appendix J. A discussion of the photographs is provided in the following table:

| Plate Number | Compass Orientation | Description |
|-----------------|------------------------|--|
| J1 | West | View of south side of subject property along railway. |
| J2 | East | Concrete structure (possible electrical vault) on southeast portion of subject property. |
| J3 | North | Pile of debris on west portion of subject property. |
| J4 | North | View of east side of subject property along March Road. |

6.2 Specific Observations at Phase One Property

6.2.1 Onsite Structures

No onsite structures were observed on the subject property.

6.2.2 Observations

The following observations were made for the subject property:

- The subject property is vacant undeveloped grass and tree covered land.
- It appears that fill has been placed across the subject property as it has a raised topography compared to adjacent properties.
- A concrete structure which appears to be a hydro vault was observed on the southeast portion of the subject property.
- A pile of possible construction debris containing concrete, wood, metal and other items was observed on the west portion of the subject property.
- Broken pieces of a concrete slab were observed around the base of a tree on the centre
 of the subject property.

6.2.3 Site Services

The subject property is not currently serviced. Services are located adjacent to the subject property on the north and east.

6.3 Specific Observations within the Study Area

6.3.1 Services

Natural gas service, and storm and sanitary sewers were observed within the study area. Overhead hydro was observed along surrounding streets and along the railway.

6.3.2 Water Bodies and Areas of Natural Significance

No water bodies or areas of natural significance were identified within the Phase One Environmental Site Assessment study area.

6.3.3 Surrounding Properties

The following general observations were made for the properties surrounding the subject property:

- Surrounding property use to the north is a mix of commercial and industrial.
- To the south surrounding property use is a railway followed by a mix of commercial and industrial.
- The surrounding property use to the east is a roadway followed by a mix of commercial and industrial.
- To the west surrounding property use is a railway and vacant land followed by a hydro transformer station.

6.4 Enhanced Investigation Property

The Phase One ESA property is not an enhanced investigation property, since the available information indicates that the subject property has never been used as a commercial garage, gasoline outlet or dry cleaning facility.

6.5 Written Description of Investigation

The site reconnaissance was carried out on August 30, 2013 by Mr. Brett Painter, M.Sc., of Houle Chevrier Engineering Ltd. The site reconnaissance was carried out to determine if there were environmental concerns with the subject property and/or surrounding property uses.

A detailed written description of the investigation and the results of the site reconnaissance investigation are provided in Sections 6.1 to 6.4.

The following potentially contaminating activities were determined to exist on the subject property:

- It appears that the subject property contains fill material.
- A pile of debris was observed on the west portion of the subject property.

The following potentially contaminating activities were observed adjacent to the subject property:

- A railway is located adjacent to the south of the subject property.
- Neighbouring properties to the north and south appear to be industrial

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

Current and past uses of the subject property are documented in the following table:

| Year | Owner | Description of Property Use | Other Observations |
|--------------------|--|--------------------------------|---|
| 1831 to 1934 | Edward Loggan and others | Unknown | No aerial photographs were available prior to 1934. |
| 1934 to 2013 | 1443626 Ontario Inc., March Road Hotel Partnerships and others | Vacant | Based on the 1934 to 2004 aerial photographs the subject property has never been developed. |

7.2 Potentially Contaminating Activities

The following potentially contaminating activities (PCA) were identified during the site reconnaissance and through the review of the historical information for the subject property:

- Information for a borehole located on the subject property in the ERIS report and the site reconnaissance identified fill material of unknown origin to exist on the subject property.
- A pile of debris was observed on the east portion of the subject property.

Potentially contaminating activities within the Phase One ESA study area and the likelihood for creating an area of potential environmental concern (APEC) on the subject property are as follows:

| PCA | Description | Likelihood of creating APEC | Reasoning |
|--|---|-----------------------------------|--|
| Railway | The site reconnaissance and aerial photographs identified a railway adjacent to the south of the subject property | High | Based on the railway being adjacent to the subject property. |
| Raw sewage spill on Carling Avenue | A raw sewage spill to the ditch in 1991 | Low | Environmental review was listed as not anticipated and it did not occur on the subject property. |
| Freon to air at March Road and Carling Avenue | 124 Kg of Freon was released to the air due to equipment failure | Low | Based on the Freon being released to the air. |
| Waste generation and manufacturing at 365 March Road | Multiple wastes generated and manufacturer of guided missile and space vehicle parts including propulsion | Medium | Based on proximity to subject property (35m south) and monitoring wells identified. |

| PCA | Description | Likelihood of creating APEC | Reasoning |
|--|--|-----------------------------------|---|
| Waste generator at 356 March Road | Generation of inorganic sludges, slurries or solids | Low | Based on distance to subject property (90m east) and listing of a single waste |
| Registered heating and standby power system at 390 March Road | The ERIS report identified a heating system and standby power system. Possible fuel sources would be natural gas or diesel / fuel oil | Low | Based on distance to subject property (150m northeast) |
| Waste generation and manufacturing at 62 Steacie Drive | Multiple wastes generated including halogenated solvents | Medium | Based on proximity to subject property (90m south) and likely groundwater flow direction towards subject property |
| Waste generation, pollutant release and manufacturing at 413 March Road | Multiple wastes generated including halogenated solvents. Release of lead from 2008 to 2011, and manufacturing of medical devices. | Medium | Based on proximity to subject property (80m northwest) |
| Waste generation and manufacturing at 48 Steacie Drive | Multiple wastes generated including halogenated solvents. Manufacturer of various electronic equipment. | Low | Based on distance to subject property (165m south). |
| Manufacturing at 44 Steacie Drive | Manufacturer of various electronics equipment. | Low | Based on distance to subject property (165m south). |
| Certificates of approval, waste generation and manufacturing at 400 March Road | Emergency diesel generator and gas-fired water heaters and boilers. Multiple wastes generated including halogenated solvents. Manufacturing of communication and energy wire and cable. | Low | Based on distance to subject property (240m north). |
| Waste generation and manufacturing at 4055 Carling Avenue | Generation of pathological wastes and manufacturing of textiles and printing | Low | Based on distance to subject property (180m east). |
| Certificate of approval for Ontario Hydro | Approval for industrial wastewater for spill containment for two transformers | Low | Based on likely distance to subject property (400m west). |

7.3 **Areas of Potential Environmental Concern**

The areas of potential environmental concern (APEC) on the subject property are summarized in the following table:

| APEC | Location of APEC on Phase One Property | PCA | Location of PCA | Contaminants of Potential Concern | Media Potentially Impacted |
|--------|--|---|---------------------------------|---|----------------------------------|
| APEC 1 | Across whole subject property | -Fill material | On site | -PHCs ¹ -VOCs ² -Metals -PAHs ³ | -Soil |
| APEC 2 | West portion of subject property | -Debris | On site | -Metals | -Soil |
| APEC 3 | South portion of subject property | -Railway -Waste generation -Electronic, computer and vehicle manufacturing | Adjacent to south of subject | -PAHs -Metals -VOCs -PHCs | -Soil -Shallow groundwater |
| APEC 4 | North portion of subject property | -Waste generation -Medical devices manufacturing -Pollutant release of lead | North of subject property | -VOCs -PAHs -Metals | -Shallow groundwater |

- 1. PHCs Petroleum Hydrocarbons
- VOCs Volatile Organic Compounds
 PAHs Polycyclic aromatic hydrocarbons

The logic and reasoning used to evaluate the available information is that the information was reviewed in a comprehensive manner starting with available historical information, followed by the results of the site reconnaissance and finally the results of the interviews. These three components were evaluated using our professional experience, judgement and available documentation including guidelines to determine potentially contaminating activities. potentially contaminating activities were then reassessed using our professional experience and judgement in order to identify the areas of potential environmental concern to the subject property. The comprehensive review, application of professional experience and judgement and the results of the factual data constitutes a thorough review of the available information that is sufficient for the purposes of the Phase One ESA.

A summary and description of the determined areas of potential environmental concern and the contaminants of potential concern are provided in the following sections:

7.3.1 APEC 1: Fill Material

The soil across the subject property could be impacted from the presence of fill material from unknown sources. Due to the fill material being an unknown, the contaminants of concern are PHCs, VOCs, PAHs and metals.

7.3.2 APEC 2: Debris

The soil in the area of the debris pile on the western portion of the subject property could be impacted from the debris. The debris pile contained mostly concrete, wood and metal, therefore the contaminants of concern are metals.

7.3.3 APEC 3: Off-Site PCAs to the South

The soil and shallow groundwater in the south portion of the subject property could be impacted from the adjacent railway, waste generators and manufacturers. The contaminants of concern from these sources based on the type of wastes generated, the railway and the electronic manufacturing are PAHs, VOCs, PHCs and metals.

7.3.4 APEC 4: Off-Site PCAs to the North

The shallow groundwater in the north portion of the subject property could be impacted from the adjacent waste generator, manufacturing and pollutant release. The contaminants of concern from these sources based on the type of wastes generated and the medical devices manufacturing are VOCs, PAHs and metals.

7.3.5 Discussion of Uncertainty

There is uncertainty associated with the waste generation and manufacturing at the off-site properties as it is unknown what volumes of waste is generated and the manufacturing process.

7.4 Phase One Conceptual Site Model

The required details of the Phase One Conceptual Site Model are presented on Figure 2 and Figure 3 as noted in the following table:

| Conceptual Model Detail | Figure |
|--|--|
| Existing Buildings and Structures | Study Area Plan, Figure 2 |
| Water Bodies | Topographic Map, Figure 3 |
| Areas of Natural Significance | Not Present within the Phase One Study |
| | Area |
| Drinking Water Wells | Topographic Map, Figure 3 |
| Roads | Study Area Plan, Figure 2 |
| Adjacent Property Use | Study Area Plan, Figure 2 |
| Potentially Contaminating Activities | Study Area Plan, Figure 2 |
| Areas of Potential Environmental Concern | Study Area Plan, Figure 2 |

A description and assessment of areas where potentially contaminating activities have occurred and the factors that could affect contaminants of concern if any were present are provided in the following sections.

7.4.1 APEC 1: Fill Material

During the site reconnaissance the topography of the subject property appeared to be raised in reference to the surround properties, which indicates that filling has taken place. In addition a borehole record identified on the subject property in the ERIS Report indicated 1.4 metres of fill on the property. The contaminants of concern are PHCs, VOCs, PAHs and metals.

7.4.2 APEC 2: Debris

The site reconnaissance identified a pile of construction debris in the western portion of the subject property. The construction debris contained concrete, wood and metal. The contaminants of concern are metals.

7.4.3 APEC 3: Off-Site PCAs to the South

The historical review and site reconnaissance identified a railway line adjacent to the south of the subject property. Multiple waste generators and manufacturers of electronic, computer and vehicle parts including propulsion systems were identified from 35 to 90 metres south of the subject property. In addition, the MOE well records identified four (4) monitoring wells constructed on the adjacent property to the south. The contaminants of concern are PAHs, VOCs, PHCs and metals.

7.4.4 APEC 4: Off-Site PCAs to the North

The ERIS report identified a waste generator, medical devices manufacturer and lead pollutant releases at the property adjacent to the north of the subject property. The closest point of the building which appears to be the location of the factory and/or warehouse is located approximately 80 metres northwest of the subject property. The contaminants of concern are VOCs, PAHs and metals.

7.4.5 Underground Utilities

There is potential for underground utilities to affect contaminant transport on or to the subject property, if contaminants are present. Municipal sewer, water and natural gas are located adjacent to the subject property and conduits for hydro have been installed on the subject property. The locations of the underground utilities have not been confirmed as part of the Phase One Environmental Site Assessment.

7.4.6 Geological and Hydrogeological Information

Surficial and bedrock geology maps of the Ottawa area indicate that the overburden in the vicinity of the subject property generally consists of offshore marine sediments (clay and silt) with a thickness ranging from 10 to 25 metres. The bedrock is mapped as Precambrian quartzite and interlayered paragneiss.

The depth to the water table based on the water well records is approximately 2.5 m bgs.

Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. Based on the topography of the area, it is expected that the local shallow groundwater flow is towards the northeast.

7.4.7 Discussion of Uncertainty

There uncertainty with the groundwater flow direction as it is based on the surficial topography of the area, which has likely been changed due to development. The groundwater flow direction may also be altered by underground service trenches.

8.0 CONCLUSIONS

The logic and reasoning used to evaluate the available information is that the information was reviewed in a comprehensive manner starting with available historical information, followed by the results of the site reconnaissance. These two components were evaluated using our professional experience, judgement and available documentation including guidelines to determine potentially contaminating activities. The potentially contaminating activities were then reassessed using our professional experience and judgement in order to identify areas of potential environmental concern to the subject property. Areas of potential environmental concern and potentially contaminating activities were assessed using site specific geological and hydrogeological information, professional experience and judgement to determine the likelihood of contamination to the subject property from the various sources. The comprehensive review, application of professional experience and judgement and the results of the factual data constitutes a thorough review of the available information that is sufficient for the purposes of the Phase One ESA.

The following Areas of Potential Environmental Concern (APECs) were determined through the Phase One ESA to exist for the subject property:

APEC 1: Fill Material

During the site reconnaissance the topography of the subject property appeared to be raised in reference to the surround properties, which indicates that filling has taken place. In addition a borehole record identified on the subject property in the ERIS Report indicated 1.4 metres of fill on the property. The contaminants of concern are PHCs, VOCs, PAHs and metals.

APEC 2: Debris

The site reconnaissance identified a pile of construction debris in the western portion of the subject property. The construction debris contained concrete, wood and metal. The contaminants of concern are metals.

APEC 3: Off-Site PCAs to the South

The historical review and site reconnaissance identified a railway line adjacent to the south of the subject property. Multiple waste generators and manufacturers of electronic, computer and

vehicle parts including propulsion systems were identified from 35 to 90 metres south of the subject property. In addition, the MOE well records identified four (4) monitoring wells constructed on the adjacent property to the south. The contaminants of concern are PAHs, VOCs, PHCs and metals.

APEC 4: Off-Site PCAs to the North

The ERIS report identified a waste generator, medical devices manufacturer and lead pollutant releases at the property adjacent to the north of the subject property. The closest point of the building which appears to be the location of the factory and/or warehouse is located approximately 80 metres northwest of the subject property. The contaminants of concern are VOCs, PAHs and metals.

Based on this information, it is our opinion that a Phase Two Environmental Site Assessment is required for the subject property in order to investigate the APECs on the subject property.

The results of this Phase One ESA should in no way be construed as a warranty that the subject property is free from any and all contaminants other than those noted in this report, nor that all compliance issues have been addressed.

This report was prepared for the exclusive use of Starbank Properties Corporation and is based on data and information collected during the Phase One ESA of the property conducted by Houle Chevrier Engineering Ltd. This report may not be relied upon by any other person or entity without the express written consent of Houle Chevrier Engineering Ltd. and Starbank Properties Corporation In evaluating this site, Houle Chevrier Engineering Ltd. has relied in good faith on information provided by others. We accept no responsibility for any deficiencies or inaccuracies in this report as a result of omissions, misinterpretations, or fraudulent acts of others.

The assessment of environmental conditions and possible site hazards presented has been made using the available historical and technical data collected and provided by others. The conclusions provided herein represent the best judgement of Houle Chevrier Engineering Ltd. based on current environmental standards. Due to the nature of the investigation and the limited data available, we cannot warrant against undiscovered environmental liabilities.

The scope of the Phase One ESA is sufficient to identify existing and/or potential environmental liabilities that are obvious from visual examination of surface features and from available sources of information. This level of work is a method of risk reduction, not risk elimination. No building materials, water, liquid, gas, products or chemical sampling and/or testing on or in the vicinity of the subject property was carried out as part of this assessment. The Phase One ESA does not include a program of intrusive observation/testing. These activities would be carried out as part of a Phase Two ESA. This environmental assessment included only a cursory overview of the neighbouring land uses from public right of ways and from the subject property and does not constitute a complete assessment of the adjacent sites.

The Phase One Environmental Site Assessment has been carried out by the qualified personnel and reviewed by the undersigned. This Phase One ESA was carried out in accordance with Ontario Regulation 153/04 made under the Environmental Protection Act and meets the requirements of Part VII (Sections 23 to 31) and Schedule D of the regulation.

We trust this report is satisfies your present requirements. If you have any questions concerning this report, please do not hesitate to contact our office.

Yours truly,

HOULE CHEVRIER ENGINEERING LTD.

Brett Painter, B.Sc., M.Sc., Environmental Scientist

A.C. Heule

Craig Howe, M.Eng., P. Eng.

Principal

9.0 REFERENCES

Geography Network Canada. Ontario Basic Mapping (http://www.geographynetwork.ca/website/obm/viewer.htm). October 2004.


Geological Survey of Canada. <u>Urban Geology of the National Capital Region</u> (http://gsc.nrcan.gc.ca/urbgeo/natcap/index e.php). November 5, 2007.

Ontario Ministry of the Environment. <u>Ontario Regulation 153/04</u>, Made under the Environmental Protection Act, Part XV.1 – Records of Site Condition. October 31, 2011.

10.0 APPENDICES

Appendices for the Phase One ESA report are provided following the Figures of the report.

FIGURE 1 **KEY PLAN**




N.T.S



Date: September 2013 Project:

13-340



LEGEND:



SUBJECT PROPERTY



250 METRE OFFSET

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN:



APEC 1: FILL MATERIAL



APEC 2: DEBRIS



APEC 3: OFF-SITE PCAs TO THE SOUTH



APEC 4: OFF-SITE PCAs TO THE NORTH

POTENTIALLY CONTAMINATING ACTIVITIES:



RAILWAY



SPILL/POLLUTANT RELEASE



WASTE GENERATOR



MANUFACTURING



STANDBY POWER GENERATION


| Client STARBANK PROPERTIES CORPORATION | | Location | 401 MARCH ROAD OTTAWA, ON | Revision 0 |
|--|-------------------|-----------------------|------------------------------|-------------------------|
| Drawn by B.P. | Approved by A.C.H | Project No. 13-340 | | Approx. Scale 1:3000 |

| Houle Chevrier | Title | |
|-------------------------------|-------|-------------|
| Houle Chevrier Engineering | Date | |
| \ | | |

STUDY AREA PLAN

September 2013


FIGURE 2



September 2013 Our Ref: 13-340

APPENDIX A FIRE INSURANCE PLANS







An **SCM** Company

150 Commerce Valley Drive W 8th Floor Markham, Ontario L3T 7Z3 T: 905-882-6300 www.optaintel.ca

Report Completed By: Sunita Kapoor

Site Address:

401 March Road Ottawa, Ontario

Project No:

20130806003

Opta Order ID:

Requested by:

Eleanor Goolab Ecolog Eris

Date Completed:

August 14, 2013

Opta Environmental Services <u>Historical Environmental Information Reporting System (HEIRS™)</u>

August 14, 2013

Eleanor Goolab Ecolog Eris 80 Valleybrook Drive, Toronto, Ontario. M3B2S9

Dear Eleanor,

Re: Your Site Address 401 March Road, Ottawa, Ontario

Your Project No.: 20130806003

As requested, we have searched our records regarding the above site and the following information was found:

| Information | Date(s) | Comment | Cost |
|---|-----------------|---|------------|
| Research Fee per street address | | \$50.00 flat fee per street address. | \$50.00 |
| Fire Insurance Plans | No Record Found | \$100.00 for each Fire Insurance Plan. | |
| Reports: All Risk/Multi- Risk: Inspection: COPE: Other: | No Record Found | \$55.00 for each Inspection/Survey report | |
| Site Plan(s) | No Record Found | \$70.00 for each Site plan | |
| | | Subtotal | |
| | | Minimum order fee of \$155.00 | Applicable |
| | | 2 (two)/4 (four) Day Rush Service | N/A |
| | | Total | \$50.00 |

NRF: No Records Found. NO:50.00 Not Ordered.

The total cost for this report is \$50.00 pluscariecharges (if applicable) and HST. Please see the Terms and Conditions for our search on page two of this report.

Thank you for employing the services of Opta Information Intelligence.

Sunita Kapoor Opta Environmental Services



150 Commerce Valley Drive W Markham, Ontario L3T 7Z3 T: 905.882.6300 Toll Free: 1.800.268.8080 F: 905.695.6543 An SCM Company www.optaintel.ca

Opta Environmental Services Historical Environmental Information Reporting System (HEIRS[™]) Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



September 2013 Our Ref: 13-340

APPENDIX B
ONTARIO LAND REGISTRY
TITLE SEARCH RESULTS

| | | Manch Const. | | | | T. | The state of the s | - | | *************************************** | Takena | | | | | | | mega , W Tourne | | MORROWAN, | -Namostona - | | | | | |
|--|----------------------|--------------|--|--|--|--------|--|--|--------|---|---------|-----------|--|--|--|--|---|--|---|-----------|-------------------|--|--|---------------|--|--|
| Beth Painta, | Ph. no 12-3112 | Z 2 | 61.5 | Harmaniania di manganaminian di manganaminian di manganamini di manganan manganan mandan di manganamini di man | THE THE THE CHARLES AND THE CH | Elund | The state of the s | THE STATE OF THE S | 170 | i b | | 0, 116 | | The state of the s | Robert | THE TAXABLE WITH THE PROPERTY OF THE PROPERTY | | Seam 1 K | Cast the second | | Season | All the | A CONTRACTOR OF THE CONTRACTOR | S los as less | Rose Residential Company of the Comp | |
| ath; Be | ENVIRONMENTAL SEARCH | Vendor | LABO | | FEBRUARY CONTRACTOR CO | Fangs | Lagged and | | Edward | | | Color | The state of the s | | 2 Illian | THE PERSON OF TH | | The state of the s | ikan masaan debah mengan di | | Segret 0.6 | The state of the s | | Storie | Golden George Commence of the | |
| The second secon | · | DATE | a de la companya de l | 22 | | Jrn 22 | 188) | · | Ma 23 | LESS. | | 7 1/2 | 928) | | 22724 | 1820 | | S & S | 906 | | 8 | 906] | | Jan 24 | 1913 | |
| | | TYPE | at the | *************************************** | | Deed | | | Geed | | | 0.10 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | The state of the s | | 6 | H | 40.74 | | The second second | | | Geed | ************************************** | |
| | | INSTRUMENT # | e ser pies i la pri i spas e i la sa casa deleké s ja sepa paga sepa casa i | *************************************** | | 6.2707 | PROLEVIA FOR THE PROPERTY OF T | | 12950 | | Parking | 10 H 2 96 | 777777777777777777777777777777777777777 | | 336 H/A | 72 | | M K 1856 | *************************************** | | MH 1860 | | | MH 23/5 | | |

| 77 | | | ENVIRONMENTAL SEARCH | Y |
|--|--|--|--|--|
| NSTRUMENT # | HA. | DATE | VENDOR | Purchaser |
| 27274 | gal J | Lalle. | Benefit Contraction | Share 1. |
| 932 979 977 971 37 7 98 81 67 1 1333 1 44 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 47 E14 1 E 2 1 P 2 E 2 E 2 P 7 P 1 P 1 4 4 4 1 4 0 1 8 9 P 7 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 | | 3 | |
| | | | | manual |
| 1743056 | B | 94 15 | grang a. | Spense |
| | | 926/ | | Marian Ma |
| | accord According Add | | | and the same of th |
| 146123 | Deed | 92-19 | Serves | Atomic Colors |
| | 7 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 60 | Bethun | A Comment of the second of the |
| | | | The state of the s | Land to the state of the state |
| 11332979 | WOMEN COMMEN | Grand day 23 | atomi Eressi | The City of |
| PRINCE TERMINAL MANAGEMENT PRINCE TO THE PRI | TOTAL PROPERTY. | 9 | | Marie |
| | | A Delegation of the second | | Table |
| L7/094388 Bed | Manufaction of the second | References | Charles Contract Cont | Balus Haldings |
| rizelerreriandelekelekenigelekekelekelekekekekekekekekekekeke | 6 PD 16 B 16 | | Jana II principalar | |
| | | | limited | |
| C+13545B0 | Registration of the second | S THE STATE OF THE | The state of the s | graves land |
| 1 | PIPIGPI MBIASI SIPMBERTINANSAIGHA | 2007 | | Timited |
| | | | | Partressus |
| 1521920 | June | C/CAS | grant load | 1443626 attenisher. |
| | The World | 2 | Timited Partnerships | (Greatlates Marelland |
| | | | | Watel Pathonship (prins) |
| Les Jest Des | The state of the s | Tra dimension | Year Madistrinia : Part of Tat 6 Consequences 3 | (luent dense) |
| Ming Jan 3on lan 4R- | 1200 P | Ī | 12138 saux & Suret Park | 14615 on they 4R-11329 |
| Degreetic Township of Barroh, | i China | 10 | associans . PM | 1500-81550 |
| | | | 110011 | |

PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER

OPFICE #4 REGISTRY

LAND

04518-0050 (LT)

PAGE 1 OF

PREPARED FY ON 2013/08/

SUBJECT TO RESERVATIONS IN CROWN GRANT PART OF LOT 6, CONCESSION 3, PART 14 AND 15 ON 4R-11329, KANATA/NARCH.SUBJECT TO AN BASEMENT IN PAVOUR OF THE CORPORATION OF THE CITY OF * CERTIFIED BY LAND REGISTRAR LN ACCORDANCE WITH LAND TITLES

PROPERTY DESCRIPTION:

PROPERTY REMARKS:

DATE OF CONVERSION TO LAND TITLES WAS CHANGED FROM 1997/02/25 TO 1995/03/20 ON \$297/03/11 BY LAND REGISTRAR.

SSTATE/OUALIFIER:

| ASIATE/UNALIPIER: FRE SIMPLE IT CONVERSION ONA | ASIATE/UUALLEIER: PES SIMPLE LT CONVERSION CHALIPIED | : | RECENTLY: DIVISION 1 | RECENTLY. DIVISION PRON 04518-0040 | 50 75 46,0 / | PIN CREATION DATE: |
|--|--|---|-------------------------|--|--------------------------|--|
| OPNERS' NAMES THE REGIONAL I | MES AL MUNICIPALI | OPNERS' NAMES THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON | CAPACITY | SHARE | land, bat it | ourland, but it is not See map |
| REG. NUM. | DATE | INSTRUMENT TYPE | AMOUNT | PARTIES FROM | | PANIES TO |
| **EPFECTI | **ERFECTIVE 2000/07/29 | THE NOTATION OF THE | "BLOCK IMPLEMENTAT | TION DATE" OF 1995/03/20 ON THIS PIN** | | |
| ***** | TACED WITH TH | **RES REPLACED WITH THE "PIN CREATION DAIR" | OF 1997/02/27** | | | |
| ** PRINTODI | TH INCLUDES A | INCLUDES ALL DOCUMENT TYPES AND | DELETED INSTRUME | DELETED INSTRUMENTS SINCE: 1997/02/25 ** | | |
| * *SUBJECT, | | ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, | | <u> </u> | | |
| * | SUBSECTION | SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, | LBS ACT, EXCRPT F | PRAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES | SUCCESSION DUTIES * | |
| 1 10 | AND ESCHERE | AND RSCHEATS OR FORFEITURE TO THE CROWN. | B CROWN. | | | |
| † † | THE RIGHTS | OF ANY PERSON WHO WOL | LD, BUT FOR THE | THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF | ND OR AVY PART OF | |
| ė ė | IT THROUGH | DENGTH OF ADVERSE POS | SESSION, PRESCRIP | IT THROUGH DENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY | led by | |
| ή. A | CONVENTION. | | | | | |
| 1k 14 | ANY LEASE TA | ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE RE | N 70 (2) OF THE RE | GISTRY ACT APPLIES. | | |
| **DATE OF | CONVERSION TC | CONVERSION TO LAND TITLES: 1995/03/20 ** | 1/20 63 | | | |
| CT127969 | 1970/11/13 | MECHANICS LIEN | \$21,013 | | | |
| CT130373 | 1971/01/25 | CERTIFICATE | | | | |
| SR9500 | 1985/11/29 | PLAN REPERBNCE | | | | |
| N332979 | 1986/04/23 MRECTIONS: '7 | TRANSFER EASEMENT FRANSFEREE' CHANGED FRO | OM 'THE CITY OF R | 1986/04/23 TRANSFER BASEMENT CORRECTIONS: 'TRANSFEREE' CHANGED FROM 'THE CITY OF KENATA' TO 'THE CORPORATION OF THE CITY OF KANATA' ON 1997/02/27 | OF KENATA' ON 1997/02/27 | THE CORPORATION OF THE CITY OF KANATA BY GAIL BOUNSALL. |
| 5R12138 | 1988/09/23 | PLAN RSFERENCE | | | | |
| 4R11329 | 1995/06/23 | PLAN REPERENCE | | | | |
| | | | | | | |

NOTE: ADJOINING PROPERTIES SHOUD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY. NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

90/80 35A9

8L98Hb S095AS SR7862 0552 4R18714 98611A9 \$700 4R4626 5R2703 64801A2 7,000 04517 4R5187 S CONCESSION'S **2K10**330 See His See Hi A CONTRACTOR OF THE PARTY OF TH Sign Sign BRUST REGIONAL ROAD AS 0003 2557 *109949* 0891 584976 01.ZZ45 0644 1881 68671A4 5R11923 5000 Strette Soo 4R20982 4R20022 8000 SR19TTS 1631 4R21324 00₁₇3 2600 AR1276664 5R12138 5R10081 Lote 6001 **4**E00 4R21418 \$502HS

September 2013 Our Ref: 13-340

APPENDIX C ECOLOG ERIS DATABASE REPORT





Project Property: 13-340

401 March Rd

Ottawa ON K2K0E4

Report Type: Custom-Build Your Own Report

Order #: 20130806003

Date: August 13, 2013

EcoLog ERIS Ltd.

Environmental Risk

Information Service Ltd. (ERIS) A division of Glacier Media Inc.

P: 1.866.517.5204 E: info@erisinfo.com

www.erisinfo.com

Table of Contents

| Table of Contents | 1 |
|---|----|
| Executive Summary | 2 |
| Executive Summary: Report Summary | 3 |
| Executive Summary: Site Report Summary – Project Property | 5 |
| Executive Summary: Site Report Summary – Surrounding Properties | |
| <u>Map</u> | 11 |
| Aerial | 12 |
| Detail Report | 13 |
| Unplottable Report | 65 |
| Appendix: Database Descriptions | |
| Definitions | |
| | |

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase 1 Environmental Site Assessment but is solely intended to be used to focus further investigation.

Licence for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your licence to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by EcoLog Environmental Risk Information Services Ltd ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavoured to present you with information that is accurate, EcoLog ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of EcoLog ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by EcoLog ERIS Ltd. Copyright in data used in the Service or Report(s) (the "Data") is owned by EcoLog ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of EcoLog ERIS.

Executive Summary

Property Information:

Project Property: 13-340

401 March Rd Ottawa ON K2K0E4

Order Information:

 Order No.:
 20130806003

 Date Requested:
 14/08/2013

Requested by: Houle Chevrier Engineering
Report Type: Custom-Build Your Own Report

Additional Products:

City Directory Search Subject Site plus 8 Adjacent Properties

Insurance Products Fire Insurance Plans

Executive Summary: Report Summary

| Database | Name | Selected | On Site | Boundary to 0.25KM | Total |
|-------------|---|----------|---------|-----------------------|-------|
| <u>AAGR</u> | Abandoned Aggregate Inventory | Y | 0 | 0 | 0 |
| <u>AGR</u> | Aggregate Inventory | Υ | 0 | 0 | 0 |
| <u>AMIS</u> | Abandoned Mine Information System | Y | 0 | 0 | 0 |
| <u>ANDR</u> | Anderson's Waste Disposal Sites | Υ | 0 | 0 | 0 |
| <u>AUWR</u> | Automobile Wrecking & Supplies | Υ | 0 | 0 | 0 |
| <u>BORE</u> | Borehole | Υ | 1 | 35 | 36 |
| <u>CA</u> | Certificates of Approval | Υ | 0 | 3 | 3 |
| <u>CFOT</u> | Commercial Fuel Oil Tanks | Υ | 0 | 0 | 0 |
| <u>CHEM</u> | Chemical Register | Υ | 0 | 0 | 0 |
| <u>COAL</u> | Inventory of Coal Gasification Plants and Coal Tar Sites | Υ | 0 | 0 | 0 |
| <u>CONV</u> | Compliance and Convictions | Υ | 0 | 0 | 0 |
| <u>CPU</u> | Certificates of Property Use | Υ | 0 | 0 | 0 |
| <u>DRL</u> | Drill Hole Database | Υ | 0 | 0 | 0 |
| <u>EASR</u> | Environmental Activity and Sector Registry | Υ | 0 | 6 | 6 |
| <u>EBR</u> | Environmental Registry | Υ | 0 | 0 | 0 |
| <u>ECA</u> | Environmental Compliance Approval | Υ | 0 | 0 | 0 |
| <u>EEM</u> | Environmental Effects Monitoring | Y | 0 | 0 | 0 |
| <u>EHS</u> | ERIS Historical Searches | Y | 1 | 6 | 7 |
| <u>EIIS</u> | Environmental Issues Inventory System | Υ | 0 | 0 | 0 |
| <u>EXP</u> | List of TSSA Expired Facilities | Υ | 0 | 0 | 0 |
| <u>FCON</u> | Federal Convictions | Υ | 0 | 0 | 0 |
| <u>FCS</u> | Contaminated Sites on Federal Land | Y | 0 | 0 | 0 |
| <u>FOFT</u> | Fisheries & Oceans Fuel Tanks | Y | 0 | 0 | 0 |
| <u>FST</u> | Fuel Storage Tank | Υ | 0 | 0 | 0 |
| <u>GEN</u> | Ontario Regulation 347 Waste Generators Summary | Υ | 0 | 42 | 42 |
| <u>HINC</u> | TSSA Historic Incidents | Υ | 0 | 0 | 0 |
| <u>IAFT</u> | Indian & Northern Affairs Fuel Tanks | Υ | 0 | 0 | 0 |
| <u>INC</u> | TSSA Incidents | Υ | 0 | 0 | 0 |
| <u>LIMO</u> | Landfill Inventory Management Ontario | Υ | 0 | 0 | 0 |
| <u>MINE</u> | Canadian Mine Locations | Υ | 0 | 0 | 0 |
| <u>MNR</u> | Mineral Occurrences | Υ | 0 | 0 | 0 |
| <u>NATE</u> | National Analysis of Trends in Emergencies System (NATES) | Υ | 0 | 0 | 0 |
| <u>NCPL</u> | Non-Compliance Reports | Υ | 0 | 0 | 0 |
| <u>NDFT</u> | National Defence & Canadian Forces Fuel Tanks | Y | 0 | 0 | 0 |
| <u>NDSP</u> | National Defence & Canadian Forces Spills | Y | 0 | 0 | 0 |
| <u>NDWD</u> | National Defence & Canadian Forces Waste Disposal | Y | 0 | 0 | 0 |
| <u>NEES</u> | Sites National Environmental Emergencies System (NEES) | Υ | 0 | 0 | 0 |

| Database | Name | Selected | On Site | Boundary to 0.25KM | Total |
|-------------|--|----------|---------|-----------------------|-------|
| <u>NPCB</u> | National PCB Inventory | Υ | 0 | 0 | 0 |
| <u>NPRI</u> | National Pollutant Release Inventory | Υ | 0 | 4 | 4 |
| <u>OGW</u> | Oil and Gas Wells | Υ | 0 | 0 | 0 |
| <u>OOGW</u> | Ontario Oil and Gas Wells | Υ | 0 | 0 | 0 |
| <u>OPCB</u> | Inventory of PCB Storage Sites | Υ | 0 | 0 | 0 |
| <u>ORD</u> | Orders | Υ | 0 | 0 | 0 |
| <u>PAP</u> | Canadian Pulp and Paper | Υ | 0 | 1 | 1 |
| <u>PCFT</u> | Parks Canada Fuel Storage Tanks | Υ | 0 | 0 | 0 |
| <u>PES</u> | Pesticide Register | Υ | 0 | 0 | 0 |
| <u>PINC</u> | TSSA Pipeline Incidents | Υ | 0 | 0 | 0 |
| <u>PRT</u> | Private and Retail Fuel Storage Tanks | Υ | 0 | 0 | 0 |
| <u>PTTW</u> | Permit to Take Water | Υ | 0 | 0 | 0 |
| <u>REC</u> | Ontario Regulation 347 Waste Receivers Summary | Υ | 0 | 0 | 0 |
| <u>RSC</u> | Record of Site Condition | Υ | 0 | 0 | 0 |
| <u>RST</u> | Retail Fuel Storage Tanks | Υ | 0 | 0 | 0 |
| <u>SCT</u> | Scott's Manufacturing Directory | Υ | 0 | 10 | 10 |
| <u>SPL</u> | Ontario Spills | Υ | 0 | 2 | 2 |
| <u>SRDS</u> | Wastewater Discharger Registration Database | Υ | 0 | 0 | 0 |
| <u>TANK</u> | Anderson's Storage Tanks | Υ | 0 | 0 | 0 |
| <u>TCFT</u> | Transport Canada Fuel Storage Tanks | Υ | 0 | 0 | 0 |
| <u>VAR</u> | TSSA Variances for Abandonment of Underground Storage Tanks | Υ | 0 | 0 | 0 |
| <u>WDS</u> | Waste Disposal Sites - MOE CA Inventory | Υ | 0 | 0 | 0 |
| <u>WDSH</u> | Waste Disposal Sites - MOE 1991 Historical Approval Inventory | Y | 0 | 0 | 0 |
| <u>WWIS</u> | Water Well Information System | Υ | 0 | 9 | 9 |
| | | Total: | 2 | 118 | 120 |

Executive Summary: Site Report Summary – Project Property

| Map Key | DB | Company/Site Name | Address | Page Number |
|------------|------|-------------------|--------------------------|----------------|
| 1 | BORE | | ON | 13 |
| 4 | EHS | | 401 March Road Ottawa ON | 13 |

Executive Summary: Site Report Summary – Surrounding Properties


| Map Key | DB | Company/Site Name | Address | Page Number |
|------------|------|--------------------------------------|--|----------------|
| <u>2</u> | BORE | | ON | 13 |
| <u>3</u> | BORE | | ON | 14 |
| <u>5</u> | BORE | | ON | 14 |
| <u>6</u> | BORE | | ON | 15 |
| <u>Z</u> | BORE | | ON | 15 |
| <u>8</u> | BORE | | ON | 16 |
| 9 | BORE | | ON | 16 |
| <u>10</u> | BORE | | ON | 17 |
| <u>11</u> | BORE | | ON | 17 |
| <u>12</u> | SPL | PUC | CARLING AVE -BETWEEN MARCH RD & LAGGETT RD. SANITARY SEWER KANATA CITY ON | 18 |
| <u>12</u> | SPL | Loeb Inc. <unofficial></unofficial> | March Road and Carling Avenue Ottawa ON | 18 |
| <u>13</u> | WWIS | | ON | 19 |
| <u>14</u> | BORE | | ON | 19 |
| <u>15</u> | BORE | | ON | 20 |
| <u>16</u> | GEN | SPAR (SEE & USE ON2304801) 35-100 | SYSTEMS DIV. 385 MARCH ROAD, KANATA C/O P.O. BOX 13050 KANATA ON K2K 1X3 | 20 |
| <u>16</u> | GEN | SPAR,(SEE & USE ON2304801) | SYSTEMS DIVISION 385 MARCH ROAD KANATA ON | 21 |
| <u>17</u> | WWIS | | ON | 21 |
| <u>18</u> | BORE | | ON | 22 |
| <u>19</u> | GEN | MORGUARD INVESTMENTS | 356 MARCH ROAD KANATA ON K2K 3N5 | 22 |
| <u>19</u> | GEN | MORGUARD INVESTMENTS | 356 MARCH ROAD KANATA ON K2K 3N5 | 23 |
| <u>20</u> | BORE | | ON | 23 |
| <u>21</u> | BORE | | ON | 23 |
| <u>21</u> | WWIS | | ON | 24 |

| Map Key | DB | Company/Site Name | Address | Page Number |
|------------|------|---|---|----------------|
| <u>22</u> | BORE | | ON | 24 |
| <u>23</u> | WWIS | | ON | 25 |
| <u>24</u> | EHS | | 365 March Road Ottawa ON | 25 |
| <u>24</u> | GEN | SPAR AEROSPACE | DEFENCE SYSTEMS DIVISION 365 MARCH ROAD KANATA ON K2K 3N5 | 26 |
| <u>24</u> | GEN | DRS TECHNOLOGIES CANADA COMPANY | 365 MARCH ROAD KANATA ON K2K 2C9 | 26 |
| <u>24</u> | GEN | SPAR AEROSPACE LTDDEFENCE 35-100 | SYSTEMS DIV. 365 MARCH ROAD, KANATA C/O P.O. BOX 13050 KANATA ON K2K 3N5 | 26 |
| <u>24</u> | GEN | SPAR AEROSPACE LTDDEFENCE | SYSTEMS DIV. 365 MARCH ROAD, KANATA C/O 5090 EXPLORER DR., SUITE 900 MISSISSAUGA ON K2K 3N5 | 27 |
| <u>24</u> | SCT | DRS FLIGHT SAFETY & COMM | 365 MARCH RD KANATA ON K2K 3N5 | 27 |
| <u>25</u> | BORE | | ON | 28 |
| <u>26</u> | BORE | | ON | 28 |
| <u>27</u> | NPRI | Best Theratronics Ltd | 413 March Rd Ottawa ON K2K 0E4 | 29 |
| <u>27</u> | NPRI | Best Theratronics Ltd. | 413 March Road Ottawa ON K2K0E4 | 29 |
| <u>27</u> | NPRI | Best Theratronics Ltd | 413 March Rd Ottawa ON K2K 0E4 | 29 |
| <u>28</u> | BORE | | ON | 30 |
| <u>29</u> | BORE | | ON | 30 |
| <u>30</u> | EASR | Kanata Research Park Corporation | 390 MARCH RD KANATA KANATA ON K2K 0G7 | 31 |
| <u>30</u> | EASR | Kanata Research Park Corporation | 390 MARCH ROAD OTTAWA ON | 31 |
| <u>30</u> | EASR | Kanata Research Park Corporation | 390 MARCH ROAD OTTAWA ON | 31 |
| <u>30</u> | EASR | Kanata Research Park Corporation | 390 MARCH ROAD OTTAWA ON | 31 |
| <u>31</u> | CA | OPTOTEK LIMITED | 62 STEACIE DR. LOT 6 CONC. 3 KANATA CITY ON K2K 2A9 | 31 |
| <u>31</u> | EHS | | 62 Steacie Drive n/a ON K2K 2A9 | 32 |
| <u>31</u> | GEN | AMCA INTERNATIONAL LTD.(OUTOFBUS) 03-096 | RESEARCH & TECHNOLOGY CENTRE 62 STEACIE DRIVE KANATA ON K2K 2A9 | 32 |
| <u>31</u> | GEN | OPTOTEK LIMITED | 62 STEACIE DRIVE KANATA ON K2K 2A9 | 32 |
| <u>31</u> | GEN | AMCA INTERNATIONAL LTD.(OUTOFBUS) | RESEARCH & TECHNOLOGY CENTRE 62 STEACIE DRIVE KANATA ON K2K 2A9 | 32 |
| <u>31</u> | GEN | OPTOTEK LIMITED 29- 514 | 62 STEACIE DRIVE KANATA ON K2K 2A9 | 33 |
| <u>31</u> | GEN | Optotek Ltd | 62 Steacie Drive Ottawa ON | 33 |
| <u>31</u> | GEN | GOLDER ASSOCIATES LTD. | 62 STEACIE DRIVE KANATA ON | 33 |


| Map Key | DB | Company/Site Name | Address | Page Number |
|------------|------|---|--|----------------|
| 31 | SCT | Elliptic Technologies Inc. | 62 Steacie Dr Suite 201 Kanata ON K2K 2A9 | 34 |
| <u>31</u> | SCT | Optotek Limited | 62 Steacie Dr Kanata ON K2K 2A9 | 34 |
| <u>32</u> | BORE | | ON | 34 |
| <u>33</u> | BORE | | ON | 35 |
| <u>34</u> | EHS | | 413 March Road Ottawa (Kanata) ON K2K 0E4 | 35 |
| <u>34</u> | EHS | | 413 March Road Kanata, Ontario ON K2K 0E4 | 35 |
| <u>34</u> | GEN | MDS NORDION | 413 MARCH ROAD KANATA ON K2K 1X8 | 35 |
| <u>34</u> | GEN | ATOMIC ENERGY (OUT OF BUSINESS) | AECL RADIOCHEMICAL COMPANY 413 MARCH ROAD KANATA ON K2K 1X8 | 36 |
| <u>34</u> | GEN | Best Theratronics Ltd. | 413 March Road Kanata ON K2K 0E4 | 36 |
| <u>34</u> | GEN | ATOMIC (SEE & USE ON1038900) | MEDICAL, 413 MARCH ROAD P.O. BOX 13140 KANATA ON K2K 2B7 | 37 |
| <u>34</u> | GEN | ATOMIC ENERGY OF CANADA LIMITED | RADIOCHEMICAL COMPANY 413 MARCH ROAD KANATA ON K2K 1X8 | 38 |
| <u>34</u> | GEN | Best Theratronics Ltd. | 413 March Road Kanata ON K2K 0E4 | 38 |
| <u>34</u> | GEN | ATOMIC ENERGY (SEE & USE ON1038900) | 413 MARCH ROAD KANATA ON K2K 2B7 | 39 |
| <u>34</u> | GEN | THERATRONICS INTERNATIONAL LIMITED | 413 MARCH ROAD KANATA ON K2K 2B7 | 39 |
| <u>34</u> | GEN | ATOMIC ENERGY (OUT OF BUSINESS) 03-242 | RADIOCHEMICAL COMPANY 413 MARCH ROAD KANATA ON K2K 1X8 | 40 |
| <u>34</u> | GEN | Best Theratronics Ltd. | 413 March Road Kanata ON K2K 0E4 | 40 |
| <u>34</u> | GEN | THERATR(SEE & USE ON1141701) | 413 MARCH ROAD KANATA ON K2K 2B7 | 41 |
| <u>34</u> | GEN | THERATRONICS INTERNATIONAL LIMITED | 413 MARCH ROAD P.O. BOX 13140 KANATA ON K2K 2B7 | 42 |
| <u>34</u> | GEN | ATOMIC ENERGY (OUT OF BUSINESS) | RADIOCHEMICAL COMPANY 413 MARCH ROAD KANATA ON K2K 1X8 | 42 |
| <u>34</u> | GEN | ATOMIC ENERGY OF CANADA LTD. | MEDICAL, 413 MARCH ROAD P.O. BOX 13140 KANATA ON K2K 2B7 | 43 |
| <u>34</u> | GEN | THERATRONICS INTERNATIONAL LIMITED37-441 | 413 MARCH ROAD KANATA ON K2K 2B7 | 44 |
| <u>34</u> | GEN | ATOMIC (SEE & USE ON1038900) 03-128 | MEDICAL, 413 MARCH ROAD P.O. BOX 13140 KANATA ON K2K 2B7 | 44 |
| <u>34</u> | GEN | Best Theratronics Ltd. | 413 March Road Kanata ON K2K 0E4 | 45 |
| <u>34</u> | GEN | Best Theratronics Ltd. | 413 March Road Kanata ON K2K 0E4 | 45 |
| <u>34</u> | NPRI | Best Theratronics Ltd. | 413 March Road Ottawa ON K2K0E4 | 46 |
| <u>34</u> | SCT | Best Medical Canada, Ltd. | 413 March Rd Ottawa ON K2K 0E4 | 46 |
| <u>34</u> | SCT | THERATRONICS INTERNATIONAL LTD | 413 MARCH RD KANATA ON K2K | 47 |

| Мар | DB | Company/Site Name | Address | Page Number |
|-------------------------|------|----------------------------------|------------------------------------|----------------|
| Key <u>34</u> | SCT | Best Medical Canada, Ltd. | 413 March Rd Kanata ON K2K 0E4 | 47 |
| <u>35</u> | BORE | | ON | 47 |
| <u>36</u> | BORE | | ON | 48 |
| <u>37</u> | WWIS | | ON | 48 |
| <u>38</u> | WWIS | | ON | 49 |
| <u>39</u> | BORE | | ON | 49 |
| <u>40</u> | GEN | CONTROL MICROSYSTEMS INC. | 48 Steacie Drive Kanata ON K2K 2A9 | 50 |
| <u>40</u> | GEN | CONTROL MICROSYSTEMS INC. | 48 Steacie Drive Kanata ON K2K 2A9 | 50 |
| <u>40</u> | GEN | CONTROL MICROSYSTEMS INC. | 48 Steacie Drive Kanata ON K2K 2A9 | 50 |
| <u>40</u> | PAP | Control Microsystems | 48 Steacie Dr Kanata ON K2K 2A9 | 51 |
| <u>40</u> | SCT | Control Microsystems Inc. | 48 Steacie Dr Kanata ON K2K 2A9 | 51 |
| <u>41</u> | BORE | | ON | 52 |
| <u>42</u> | BORE | | ON | 52 |
| <u>42</u> | WWIS | | ON | 53 |
| <u>43</u> | BORE | | ON | 53 |
| <u>44</u> | BORE | | ON | 54 |
| <u>45</u> | BORE | | ON | 55 |
| <u>46</u> | BORE | | ON | 55 |
| <u>47</u> | SCT | RELTEK INC | 44 STEACIE DR KANATA ON K2K 2A9 | 56 |
| <u>48</u> | CA | Zarlink Phase 5 | 400 March Road Kanata ON K2K 3H4 | 56 |
| <u>48</u> | CA | | 400 March Road Kanata ON K2K 3H4 | 56 |
| <u>48</u> | EASR | Kanata Research Park Corporation | 400 MARCH ROAD OTTAWA ON | 57 |
| <u>48</u> | EASR | Kanata Research Park Corporation | 400 MARCH ROAD OTTAWA ON | 57 |
| <u>48</u> | EHS | | 400 March Road Ottawa ON | 57 |
| <u>48</u> | GEN | ZARLINK SEMICONDUCTOR INC. | 400 March Rd. KANATA ON K2K 3H4 | 57 |
| <u>48</u> | GEN | ZARLINK SEMICONDUCTOR INC. | 400 March Rd. KANATA ON K2K 3H4 | 58 |
| <u>48</u> | SCT | Enablence Technologies Inc. | 400 March Rd Kanata ON K2K 3H4 | 59 |


| Map DB | | Company/Site Name | Address | Page Number |
|-------------------------|------|------------------------|--|----------------|
| Key <u>49</u> | BORE | | ON | 59 |
| <u>50</u> | BORE | | ON | 60 |
| <u>51</u> | EHS | | 340 Legget Drive Ottawa ON | 60 |
| <u>52</u> | WWIS | | ON | 60 |
| <u>53</u> | BORE | | ON | 61 |
| <u>54</u> | BORE | | ON | 61 |
| <u>54</u> | WWIS | | ON | 62 |
| <u>55</u> | BORE | | ON | 62 |
| <u>56</u> | GEN | LISTON ANIMAL HOSPITAL | 4055 CARLING AVE. UNIT 5 KANATA ON K2K 2A4 | 63 |
| <u>56</u> | GEN | LISTON ANIMAL HOSPITAL | 4055 CARLING AVE. UNIT 5 KANATA ON K2K 2A4 | 63 |
| <u>56</u> | GEN | LISTON ANIMAL HOSPITAL | 4055 CARLING AVE. UNIT 5 KANATA ON | 63 |
| <u>56</u> | GEN | LISTON ANIMAL HOSPITAL | 4055 CARLING AVE. UNIT 5 KANATA ON | 63 |
| <u>56</u> | GEN | LISTON ANIMAL HOSPITAL | 4055 CARLING AVE. UNIT 5 KANATA ON | 63 |
| <u>56</u> | SCT | EmbroidMe Inc. | 4055 Carling Ave Unit 4 Kanata ON K2K 2A4 | 64 |



Address: 401 March Rd, Ottawa, ON, K2K0E4



Source: © 2012 DMTI Spatial Inc.



Aerial Order No: 20130806003

Address: 401 March Rd, Ottawa, ON, K2K0E4

Detail Report

| Мар Кеу | Number Record | | ation | Site | | DB |
|--|---|---|--------------------|----------------------------|---|--|
| 1 | 1 of 1 | 85.0 | | ON | | <u>BORE</u> |
| Borehole ID: Use: Drill Method: Easting: Location Acc Elev. Reliabi Total Depth I Township: Lot: Completion I Primary Wate | curacy: lity Note: m: Date: er Use: | 803715 Geotechnical/Geo Hollow stem auge 428548.583 10.700000 | | estigation | Type: Status: UTM Zone: Northing: Orig. Ground Elev m: DEM Ground Elev m: Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | Borehole 18 5020845.488 83.199997 86.699997 BH 10 3.800000 |
| Location Des Details Stratum ID Bottom De _l | : | 218577627 1.400000 | | | Top Depth m: Stratum Desc: | 0 Grey-Brown Fill-Misc Silty Clay Trace: Org M |
| Stratum ID Bottom De | - | 218577628 1.700000 | | | Top Depth m: Stratum Desc: | 1.400000 Topsoil |
| Stratum ID Bottom De | | 218577629 4.900000 | | | Top Depth m: Stratum Desc: | 1.700000 Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay |
| + Stratum ID Bottom De _l | | 218577630 10.700000 | | | Top Depth m: Stratum Desc: | 4.900000 Grey Firm Silty Clay |
| 4 | 1 of 1 | 84.0 | | 401 March Roa Ottawa ON | d | EHS |
| Order No.: Report Date: Report Type. Search Radil Addit. Info O | : us (km): | 0.25 | 007 Complete Re | port d /or Site Plans | | |
| 2 | 1 of 1 | 84.0 | | ON | | BORE |
| Borehole ID: Use: Drill Method: Easting: Location Acc Elev. Reliabi Total Depth I | curacy: lity Note: | 805742 Geotechnical/Ger Hollow stem aug 428499.827 | | estigation | Type: Status: UTM Zone: Northing: Orig. Ground Elev m: DEM Ground Elev m: Primary Name: | Borehole 18 5020915.390 82.199997 3 |

| Map Key | o Key Number of Elevation Records m | | n Site | | DB | |
|--|--|--|--------------------|--|---|--|
| Township: Lot: Completion Primary Wa Location De | ater Use: | 1987-MAY-7 | | Concession: Municipality: Static Water Level: Sec. Water Use: | | |
| Details | | | | | | |
| Stratum II | | 218585986 | | Top Depth m: | 0 | |
| Bottom D | epth m: | 0.100000 | | Stratum Desc: | Grey Crushed Stone | |
| Stratum II | D: | 218585987 | | Top Depth m: | 0.100000 | |
| Bottom D | epth m: | 0.600000 | | Stratum Desc: | Brown Sand - Gravel | |
| Stratum II | D: | 218585988 | | Top Depth m: | 0.600000 | |
| Bottom D | epth m: | 1.200000 | | Stratum Desc: | Grey-Brown Silty Clay With: Gr | |
| Stratum II | D: | 218585989 | | Top Depth m: | 1.200000 | |
| Bottom D | epth m: | 1.500000 | | Stratum Desc: | Grey-Brown Silty Clay | |
| 3 | 1 of 1 | 84.0 | | | BORE | |
| | | | ON | | | |
| Borehole ID | D: | 805743 | | Type: | Borehole | |
| Use: Drill Method | ٨. | Geotechnical/Geolog Hollow stem auger | ical Investigation | Status: UTM Zone: | 18 | |
| Easting: | J. | 428474.481 | | Northing: | 5020898.364 | |
| Location Ac | | | | Orig. Ground Elev m: | | |
| Elev. Reliak | | 45 200000 | | DEM Ground Elev m: | 82.300003 | |
| Total Depth Township: | 1 111. | 15.200000 | | Primary Name: Concession: | 4 | |
| Lot: | | | | Municipality: | | |
| Completion Primary Wa Location De | ater Use: | 1987-MAY-7 | | Static Water Level: Sec. Water Use: | | |
| Details | | | | | | |
| Stratum II | D: | 218585990 | | Top Depth m: | 0 | |
| Bottom D | epth m: | 0.100000 | | Stratum Desc: | Grey Crushed Stone | |
| Stratum II | D: | 218585991 | | Top Depth m: | 0.100000 | |
| Bottom D | | 0.600000 | | Stratum Desc: | Brown Sand - Gravel | |
| + | | | | | | |
| Stratum II | D: | 218585992 | | Top Depth m: | 0.600000 | |
| Bottom D | epth m: | 1.500000 | | Stratum Desc: | Grey-Brown Silty Clay Trace: Gr Tr Org M | |
| 5 | 1 of 1 | 83.7 | ON | | <u>BORE</u> | |
| Borehole ID | D: | 805741 | | Туре: | Borehole | |
| Use: | -1. | Geotechnical/Geolog | ical Investigation | Status: | 40 | |
| Drill Method Easting: | a: | Hollow stem auger 428519.631 | | UTM Zone: Northing: | 18 5020938.519 | |
| Location Ac | ccuracy: | 120010.001 | | Orig. Ground Elev m: | 002000.010 | |
| Elev. Reliat Total Depth | bility Note: | 15.200000 | | DEM Ground Elev m: Primary Name: | 82.099998 2 | |
| 1. | 4 origin fo | comi Ecol og ERI | C 4-1 | | Order #: 20130806003 | |

| Map Key | Number of Elevation Site Records m | | Site | | DB | |
|---|---------------------------------------|---------------------------|-----------------------------|--------------|--|---|
| Township: Lot: Completion Primary Wa Location D | ater Use: | 1987-MAY- | -7 | | Concession: Municipality: Static Water Level: Sec. Water Use: | |
| Details - | | | | | | |
| Stratum I | ID: | 218585983 | 1 | | Top Depth m: | 0 |
| Bottom D | epth m: | 0.200000 | | | Stratum Desc: | Grey Crushed Stone |
| + | 10 | 040505004 | | | T D # | 0.00000 |
| Stratum I | | 218585984 1 | | | Top Depth m: Stratum Desc: | 0.200000 Brown Sand - Gravel Occasional: Cob |
| Bottom D + | ерит пт. | ı | | | Stratum Desc. | Brown Sand - Graver Occasional. Cob |
| Stratum I | ID: | 218585985 | ; | | Top Depth m: | 1 |
| Bottom D | | 1.500000 | | | Stratum Desc: | Grey-Brown Silty Clay Trace: Gr Tr Org M |
| 6 | 1 of 1 | | 84.0 | ON | | <u>BORE</u> |
| Davahala II | D. | 005740 | | | Tuna | Davehala |
| Borehole II Use: |). | 805746 Geotechnic | al/Geological I | nvestigation | Type: Status: | Borehole |
| Drill Metho | d: | Hollow ster | n auger | J | UTM Zone: | 18 |
| Easting: Location A | ccuracy: | 428454.352 | 2 | | Northing: Orig. Ground Elev m: | 5020876.241 |
| Elev. Relia | | | | | DEM Ground Elev m: | 82.599998 |
| Total Depti | h m: | 11.800000 | | | Primary Name: | 5 |
| Township: Lot: | | | | | Concession: Municipality: | |
| Completion | | 1987-MAY- | -7 | | Static Water Level: | |
| Primary Wa Location D | | | | | Sec. Water Use: | |
| Details - | | | | | | |
| Stratum I | | 218586001 | | | Top Depth m: | 0 |
| Bottom D | epth m: | 0.200000 | | | Stratum Desc: | Grey Crushed Stone |
| + | ID: | 04050000 | | | Ton Don'th my | 0.000000 |
| Stratum I | | 218586002 | | | Top Depth m: | 0.200000 Brown Sand, Croval |
| Bottom D + | еритт: | 0.400000 | | | Stratum Desc: | Brown Sand - Gravel |
| Stratum I | ID: | 218586003 | , | | Top Depth m: | 0.400000 |
| Bottom D | | 0.900000 | | | Stratum Desc: | Grey-Brown Silty Clay With: Gr |
| + | | | | | | |
| Stratum I | ID: | 218586004 | | | Top Depth m: | 0.900000 |
| Bottom D | epth m: | 1.200000 | | | Stratum Desc: | Brown Silt - Sand With: Gr |
| 7 | 1 of 1 | | 84.0 | ON | | <u>BORE</u> |
| | | | | UN | | |
| Borehole II | D: | 803679 | -1/01 | | Type: | Borehole |
| Use: Drill Metho | d: | Geotechnic Hollow ster | al/Geological II n auger | nvestigation | Status: UTM Zone: | 18 |
| Easting: | . . | 428447.453 | | | Northing: | 5020869.870 |
| Location A | | | | | Orig. Ground Elev m: | 82.599998 |
| Elev. Relia Total Deptl | | 9.400000 | | | DEM Ground Elev m: Primary Name: | 82.800003 BH 7 |
| - 12 | | | | | | |

| Map Key | Number of Elevation Records m | | Site | | DB | |
|---|-------------------------------|------------------------|------------------|--|--|--|
| Township: Lot: Completion Primary Wa Location D | ater Use: | 1984-MAY-31 | | Concession: Municipality: Static Water Level: Sec. Water Use: | 1 | |
| Details - | | | | | | |
| Stratum I | | 218577465 | | Top Depth m: | 0.700000 | |
| Bottom D | Depth m: | 4 | | Stratum Desc: | Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay | |
| Stratum I | ID: | 218577466 | | Top Depth m: | 4 | |
| Bottom D | | 9.400000 | | Stratum Desc: | Grey Firm Silty Clay | |
| Stratum I | ID: | 218577463 | | Top Depth m: | 0 | |
| Bottom D | | 0.400000 | | Stratum Desc: | Brown Fill-Misc Sand - Gravel | |
| + | | 0.10000 | | | | |
| Stratum I | ID: | 218577464 | | Top Depth m: | 0.400000 | |
| Bottom D | Pepth m: | 0.700000 | | Stratum Desc: | Topsoil | |
| 8 | 1 of 1 | 83.1 | ON | | BORE | |
| Borehole II | n. | 805739 | | Туре: | Borehole | |
| Use: | J. | Geotechnical/Geologica | al Investigation | Status: | Bototiole | |
| Drill Metho | d: | Hollow stem auger | | UTM Zone: | 18 | |
| Easting: Location A | ccuracy: | 428545.302 | | Northing: Orig. Ground Elev m: | 5020954.540 | |
| Elev. Relia | | | | DEM Ground Elev m: | 82.599998 | |
| Total Depti | h m: | 15.200000 | | Primary Name: | 1 | |
| Township: Lot: | | | | Concession: Municipality: | | |
| Completion Primary Wa Location D | ater Use: | 1987-MAY-7 | | Static Water Level: Sec. Water Use: | | |
| Details - | | | | | | |
| Stratum I | ID: | 218585977 | | Top Depth m: | 0 | |
| Bottom D | Pepth m: | 0.200000 | | Stratum Desc: | Grey Crushed Stone | |
| + | | | | | | |
| Stratum I | | 218585978 | | Top Depth m: | 0.200000 | |
| Bottom D | Depth m: | 0.600000 | | Stratum Desc: | Brown Sand - Gravel | |
| + | | | | | | |
| Stratum I | | 218585979 | | Top Depth m: | 0.600000 | |
| Bottom D | epth m: | 1.500000 | | Stratum Desc: | Grey-Brown Silty Clay Trace: Gr Tr Org M | |
| 9 | 1 of 1 | 83.4 | ON | | BORE | |
| Borehole II | D· | 803487 | | Туре: | Borehole | |
| Use: | <i></i> | Geotechnical/Geologica | al Investigation | Status: | Dololloid | |
| Drill Metho | d: | Hollow stem auger | J | UTM Zone: | 18 | |
| Easting: | | 428606.871 | | Northing: Orig. Ground Elev m: | 5020914.897 82.199997 | |
| Location A | COLUMN COLUM | | | | | |

| Map Key | Numbe Record | | Site | | DB |
|---|-------------------|--|------------------|---|--|
| Total Depth Township: Lot: Completion Primary Wa Location De | Date: ter Use: | 7.300000 1984-JUN-22 | | Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | BH 21 1.100000 |
| Details | | | | | |
| Stratum II | D: | 218576668 | | Top Depth m: | 4.400000 |
| Bottom De | epth m: | 7.300000 | | Stratum Desc: | Grey Firm to Stiff Silty Clay |
| + | _ | | | | _ |
| Stratum II | | 218576665 | | Top Depth m: | 0 |
| Bottom D | eptn m: | 0.600000 | | Stratum Desc: | Brown Fill-Misc sand silt Trace: Cl Tr Gr |
| + Stratum II | ٦. | 218576666 | | Top Depth m: | 0.600000 |
| Bottom D | | 0.800000 | | Stratum Desc: | Topsoil |
| + | оритт. | 0.00000 | | Giratam Desc. | ТОРЗОП |
| Stratum II | D: | 218576667 | | Top Depth m: | 0.800000 |
| Bottom De | epth m: | 4.400000 | | Stratum Desc: | Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay |
| 10 | 1 of 1 | 84.1 | ON | | <u>BORE</u> |
| Borehole ID | ١. | 805747 | | Typo: | Borehole |
| Use: Drill Method Easting: Location Ad | d: ccuracy: | Geotechnical/Geologic Hollow stem auger 428432.029 | al Investigation | Type: Status: UTM Zone: Northing: Orig. Ground Elev m: | 18 5020862.158 |
| Elev. Reliat Total Depth Township: Lot: | | 15.200000 | | DEM Ground Elev m: Primary Name: Concession: Municipality: | 83.099998 6 |
| Completion Primary Wa Location De | ter Use: | 1987-MAY-7 | | Static Water Level: Sec. Water Use: | |
| Details | | | | | |
| Stratum II | | 218586007 | | Top Depth m: | 1.200000 |
| Bottom D | eptn m: | 1.500000 | | Stratum Desc: | Grey-Brown Silty Clay With: Gr |
| + Stratum II | ٦. | 218586005 | | Top Depth m: | 0 |
| Bottom De | | 0.800000 | | Stratum Desc: | Grey Crushed Stone |
| + | | | | | |
| Stratum II | | 218586006 | | Top Depth m: | 0.800000 |
| Bottom D | epth m: | 1.200000 | | Stratum Desc: | Brown Sand - Gravel Occasional: Cob |
| 11 | 1 of 1 | 83.0 | ON | | <u>BORE</u> |
| Borehole ID |). | 803676 | | Туре: | Borehole |
| Use: | • | Geotechnical/Geologic | al Investigation | Status: | 50.01010 |
| Drill Method | <i>1:</i> | Hollow stem auger | J | UTM Zone: | 18 |
| Easting: Location Ac Elev. Reliat | | 428554.439 | | Northing: Orig. Ground Elev m: DEM Ground Elev m: | 5020975.368 82.800003 83 |

| Map Key Number Record | | Site | DB |
|---|--|---|---|
| Total Depth m: Township: Lot: Completion Date: Primary Water Use: Location Description: | 9.800000 1984-JUN-22 | Primary Name: Concession: Municipality: Static Water Leve Sec. Water Use: | BH 6 I: 2.300000 |
| Details | | | |
| Stratum ID: | 218577449 | Top Depth m: | 0 |
| Bottom Depth m: | 0.200000 | Stratum Desc: | Fill-Misc crushed gravel |
| + | | | |
| Stratum ID: | 218577450 | Top Depth m: | 0.200000 |
| Bottom Depth m: | 0.400000 | Stratum Desc: | Grey-Brown Fill-Misc Silty Clay |
| + Stratum ID: | 218577451 | Top Depth m: | 0.400000 |
| Bottom Depth m: | 1.300000 | Stratum Desc: | Brown Fill-Misc Sand |
| + | | 2 | |
| Stratum ID: | 218577452 | Top Depth m: | 1.300000 |
| Bottom Depth m: | 1.700000 | Stratum Desc: | Dark Brown Silty Clay With: Org M |
| + | | | |
| Stratum ID: | 218577453 | Top Depth m: | 1.700000 |
| Bottom Depth m: | 5.200000 | Stratum Desc: | Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay |
| + Stratum ID: | 218577454 | Top Depth m: | 5.200000 |
| Bottom Depth m: | 8.900000 | Stratum Desc: | Grey Firm to Stiff Silty Clay |
| + | 0.00000 | Guatam 2000. | Grey Film to Gill, Gilly Gilly |
| Stratum ID: | 218577455 | Top Depth m: | 8.900000 |
| Bottom Depth m: | 9.800000 | Stratum Desc: | Grey Loose to Compact Till Silt - Sand With: CI W Gr |
| 2 1 of 2 | 82.0 | PUC CARLING AVE -BETWEEN MARC SANITARY SEWER KANATA CITY ON | SPL CH RD & LAGGETT RD. |
| Ref No.: ncident Dt: MOE Reported Dt: Contaminant Name: | 58663 10/16/1991 10/16/1991 | | |
| contaminant Quantity: acident Summary: acident Cause: acident Reason: ature of Impact: eceiving Medium: anvironmental Impact: | CURB CONST WASTEWATER OTHER Surface Water LAND / WATER | R DISCHARGE TO WATERCOURSE Pollution R | SANITARY SEWER INTO STORM DITCH |
| 2 2 of 2 | 82.0 | Loeb Inc. <unofficial></unofficial> | <u> </u> |

Loeb Inc.<UNOFFICIAL> 12 2 of 2 82.0 <u>SPL</u> March Road and Carling Avenue

Ottawa ON

8310-73BS4T Ref No.: Incident Dt: 5/18/2007 MOE Reported Dt:

DB Number of Elevation Site Map Key Records Contaminant Name: FREON R-404A (CFC) Contaminant Quantity: 163 kg Incident Summary: Loeb, 163 kg R404A to atm. Discharge or Emission to Air Incident Cause: Incident Reason: **Equipment Failure** Air Pollution Nature of Impact: Receiving Medium: Air Environmental Impact: Not Anticipated 13 1 of 1 85.0 **WWIS** ON Well Id: 7155871 Lot: Concession: Concession Name: OTTAWA-CARLETON County: Municipality: **MARCH** Easting Nad83: 428631 Northing Nad83: 5020795 Utm Reliability: margin of error: 10 - 30 m Zone: 18 Primary Water Use: Test Hole Construction Date: 22-OCT-10 Sec. Water Use: Monitoring Well Depth: 3.66 m Pump Rate: Static Water Level: Flow Rate: Clear/Cloudy: Specific Capacity: Final Well Status: Observation Wells Construction Method: Other Method Flowing (y/n): Elevation Reliability: Elevation (m): Depth to Bedrock: Overburden/Bedrock: Water Type: Casing Material: **PLASTIC** --- Details ---Thickness: .61 m Original Depth: .61 m Material Colour: **BROWN** Material: TOPSOIL, SOFT, WATER-BEARING Thickness: 3.05 m Original Depth: Material Colour: **BROWN** Material: CLAY, SOFT, WATER-BEARING Thickness: 6.7 m Original Depth: 10.36 m Material Colour: **GREY** Material: CLAY, SOFT, WATER-BEARING 14 1 of 1 82.3 **BORE** ON Borehole ID: Туре: Borehole 803674 Status: Use: Geotechnical/Geological Investigation Drill Method: Hollow stem auger UTM Zone: 18 Easting: 428568.859 Northing: 5020989.598 Location Accuracy: Orig. Ground Elev m: 82.599998 Elev. Reliability Note: DEM Ground Elev m: 82.500000 Total Depth m: 9.800000 Primary Name: BH 5 Township: Concession: Municipality: Lot:

Completion Date:

Primary Water Use: Location Description:

--- Details ---

Stratum ID: 218577439 Top Depth m:

Bottom Depth m: 0.400000 Stratum Desc: Fill-Misc crushed gravel

Static Water Level:

Sec. Water Use:

2.300000

1984-JUN-19

| Мар Кеу | Number Record | | Elevation m | Site | | DB |
|---|------------------|---|-------------------------|------------|--|--|
| Stratum ID |) <i>:</i> | 218577440 | | | Top Depth m: | 0.400000 |
| Bottom De | epth m: | 1.500000 | | | Stratum Desc: | Brown Compact Fill-Misc Sand - Gravel |
| Stratum ID |) <i>:</i> | 218577441 | | | Top Depth m: | 1.500000 |
| Bottom De | epth m: | 5.300000 | | | Stratum Desc: | Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay |
| + Stratum ID |): | 218577442 | | | Top Depth m: | 5.300000 |
| Bottom De | epth m: | 7.200000 | | | Stratum Desc: | Grey Firm Silty Clay |
| + Stratum ID | D: | 218577443 | | | Top Depth m: | 7.200000 |
| Bottom De | epth m: | 9.800000 | | | Stratum Desc: | Grey Very Loose to Compact Till Silt - Sand With: Gr Trace: Cl Occasional: Cob |
| 15 | 1 of 1 | 8 | 34.0 | ON | | BORE |
| D 1 1 1D | | 000740 | | | T | B 1.1 |
| Borehole ID: Use: Drill Method: Easting: | : : | 803718 Geotechnic Hollow sten 428661.711 | | estigation | Type: Status: UTM Zone: Northing: | Borehole 18 5020852.881 |
| Location Acc Elev. Reliabi Total Depth Township: | ility Note: | 10.400000 | | | Orig. Ground Elev m: DEM Ground Elev m: Primary Name: Concession: | 83 86.199997 BH 11 |
| Lot: Completion I Primary Wat Location Des | ter Use: | 1984-JUN-2 | 22 | | Municipality: Static Water Level: Sec. Water Use: | 2.400000 |
| Details | - | | | | | |
| Stratum ID |) <i>:</i> | 218577640 | | | Top Depth m: | 0 |
| Bottom De | epth m: | 1.200000 | | | Stratum Desc: | Brown Fill-Misc Sand - Gravel Occasional: Cob |
| + Stratum ID | ٦٠ | 218577641 | | | Top Depth m: | 1.200000 |
| Bottom De | | 1.500000 | | | Stratum Desc: | Dark Brown Topsoil Silty Clay |
| + | | | | | | |
| Stratum ID Bottom De | · - | 218577642 5 | | | Top Depth m: Stratum Desc: | 1.500000 Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay |
| + Ctratum ID | ٠. | 040577640 | | | Ton Donth my | E |
| Stratum ID Bottom De | | 218577643 10.400000 | | | Top Depth m: Stratum Desc: | 5 Grey Firm to Stiff Silty Clay |
| 16 | 1 of 2 | • | 34.5 | | . 385 MARCH RÓAD, K | B5-100 <u>GEN</u> KANATA C/O P.O. BOX |
| SIC Code: SIC Descript Generator #. Approval Yrs | : | | HER COMMUN. 10161502 | & ELE. | | |

Number of Site DB Map Key Elevation Records -- Details ---Waste Code: 112 ACID WASTE - HEAVY METALS Waste Description: Waste Code: 145 PAINT/PIGMENT/COATING RESIDUES Waste Description: Waste Code: Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 212 Waste Description: ALIPHATIC SOLVENTS Waste Code: 241 Waste Description: HALOGENATED SOLVENTS Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS Waste Code: 263 ORGANIC LABORATORY CHEMICALS Waste Description: 16 2 of 2 84.5 SPAR,(SEE & USE ON2304801) **GEN** SYSTEMS DIVISION 385 MARCH ROAD KANATA ON SIC Code: 3359 SIC Description: OTHER COMMUN. & ELE. ON0161502 Generator #: Approval Yrs: 98 --- Details ---Waste Code: 112 Waste Description: ACID WASTE - HEAVY METALS Waste Code: Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: 148 Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 212 ALIPHATIC SOLVENTS Waste Description: Waste Code: 241 Waste Description: HALOGENATED SOLVENTS Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS 17 1 of 1 85.0 **WWIS** ON Well Id: 7155872 Lot: Concession: Concession Name: County: OTTAWA-CARLETON Municipality: MARCH Easting Nad83: 428668 Northing Nad83: 5020821 Utm Reliability: Zone: 18 margin of error: 10 - 30 m

| Мар Кеу | Map Key Number of Records | | Elevation m | Site | | DB | |
|--|------------------------------|---------------------------------------|----------------|------------------------------------|---|---|--|
| Primary Wat Sec. Water of Pump Rate: Flow Rate: Specific Cap | Use: pacity: | Municipal Dewatering Other Meth | | | Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: | 22-OCT-10 7.32 m Replacement Well | |
| Construction Elevation (m Depth to Bed Water Type: | n): drock: | Other Meth | od | | Flowing (y/n): Elevation Reliability: Overburden/Bedrock: Casing Material: | PLASTIC | |
| Details | _ | | | | | | |
| Thickness | <i>:</i> | .61 m | | | Original Depth: | .61 m | |
| Material C | olour: | BROWN | | | Material: | TOPSOIL, GRAVEL, SOFT | |
| + Thickness | <i>:</i> | 3.05 m | | | Original Depth: | 3.66 m | |
| Material C | olour: | GREY | | | Material: | CLAY, SOFT, WATER-BEARING | |
| + Thickness | <i>:</i> | 3.66 m | | | Original Depth: | 7.32 m | |
| Material C | olour: | GREY | | | Material: | SOFT, WATER-BEARING | |
| 18 | 1 of 1 | | 84.1 | | | <u>BORE</u> | |
| | | | | ON | | | |
| Borehole ID. | : | 803723 | | | Туре: | Borehole | |
| Use: Drill Method | | | al/Geological | Investigation | Status: UTM Zone: | 40 | |
| Easting: | • | Hollow sten 428678.490 | | | Northing: | 18 5020859.568 | |
| Location Acc | | | | | Orig. Ground Elev m: | 83.099998 | |
| Elev. Reliab | | 10 400000 | | | DEM Ground Elev m: | 84.400002 | |
| Total Depth Township: Lot: | III. | 10.400000 | | | Primary Name: Concession: Municipality: | BH 12 | |
| Completion of Primary Wate Location Dec | ter Use: | 1984-JUN-2 | 22 | | Static Water Level: Sec. Water Use: | 2 | |
| Details | - | | | | | | |
| Stratum ID | | 218577654 | | | Top Depth m: | 0 | |
| Bottom De | epth m: | 1.400000 | | | Stratum Desc: | Brown to Black Compact Fill-Misc Silt - Sand With: Gr Trace: Cl Tr Brk Frag Tr Org M Tr Constr Debris | |
| + Stratum ID |). | 218577655 | | | Top Depth m: | 1.400000 | |
| Bottom De | | 1.600000 | | | Stratum Desc: | Dark Grey Fill-Misc Silt - Sand With: Cl | |
| + | | | | | | | |
| Stratum ID | | 218577656 | | | Top Depth m: | 1.600000 | |
| Bottom De | epth m: | 5.100000 | | | Stratum Desc: | Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay | |
| + Stratum ID |). | 218577657 | | | Top Depth m: | 5.100000 | |
| Bottom De | | 10.400000 | | | Stratum Desc: | Grey Firm to Stiff Silty Clay | |
| 19 | 1 of 2 | , | 83.0 | MORGUARI 356 MARCH KANATA OI | | <u>GEN</u> | |

DB Number of Elevation Site Map Key Records SIC Code: SIC Description: Generator #: ON2866684 Approval Yrs: As of Apr 2012 --- Details ---Waste Code: 146 Waste Description: Other specified inorganic sludges, slurries or solids 19 2 of 2 83.0 **MORGUARD INVESTMENTS GEN** 356 MARCH ROAD KANATA ON K2K 3N5 SIC Code: 531310 SIC Description: Generator #: ON2866684 Approval Yrs: 2011 20 1 of 1 84.9 **BORE** ON 803482 Borehole ID: Type: Borehole Use: Geotechnical/Geological Investigation Status: Drill Method: Hollow stem auger UTM Zone: 18 Easting: 428678.778 Northing: 5020833.065 Orig. Ground Elev m: Location Accuracy: 83.400002 Elev. Reliability Note: DEM Ground Elev m: 84.800003 Total Depth m: 3 Primary Name: **BH 20** Township: Concession: Municipality: Lot: Completion Date: 1984-JUN-21 Static Water Level: Primary Water Use: Sec. Water Use: Location Description: --- Details ---218576645 Top Depth m: Stratum ID: Bottom Depth m: 1.400000 Stratum Desc: Brown Very Loose to Compact Fill-Misc Sand - Gravel With: Cob Top Depth m: 1.400000 Stratum ID: 218576646 Stratum Desc: Dark Brown Topsoil Bottom Depth m: 1.700000 218576647 Top Depth m: 1.700000 Stratum ID: Bottom Depth m: Stratum Desc: Grey-Brown Very Stiff Weathered Crust Silty Clay 21 1 of 2 81.0 **BORE** ON Borehole ID: 609752 Type: Borehole Status: Use: UTM Zone: Drill Method: 18 Easting: 428641.000 Northing: 5020982.000 Location Accuracy: Orig. Ground Elev m: 82.300003 Elev. Reliability Note: DEM Ground Elev m: 81.199997 Total Depth m: 46.299999 Primary Name: Township: Concession:

| Map Key | Number Record | | Elevation m | Site | | DB |
|--|---|--|----------------|--------------|--|--|
| Lot: Completion Primary Wa Location De | ater Use: | 1966-JUN | | | Municipality: Static Water Level: Sec. Water Use: | 11.300000 |
| Details | | | | | | |
| Stratum II | | 218383989 | | | Top Depth m: | 0 |
| Bottom D | epth m: | 25.299999 | | | Stratum Desc: | CLAY. |
| + | _ | | | | | |
| Stratum II Bottom D | | 218383990 46.299999 |) | | Top Depth m: Stratum Desc: | 25.299999 GRANITE. GREY. 00150STABLE AT 233.0 FEET.ITE. 400. BEDROCK. SEISMIC VELOCITY = |
| 21 | 2 of 2 | | 81.0 | ON | | <u>wwis</u> |
| Well Id: Concession County: Easting Nac Zone: Primary Wa Sec. Water Pump Rate: Specific Ca Constructio Elevation (r Depth to Be Water Type Details Thickness Material C + Thickness Material C | d83: ater Use: Use: pacity: n Method: n): edrock: :: Colour: | 1503406 04 OTTAWA-0 428640.6 18 Domestic 4 GPM Diamond 81.22 83 FRESH 83 ft | CARLETON | | Lot: Concession Name: Municipality: Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n): Elevation Reliability: Overburden/Bedrock: Casing Material: Original Depth: Material: Original Depth: Material: | 006 CON MARCH 5020982 margin of error: 100 m - 300 m 24-JUN-66 83 ft 6 ft CLEAR Water Supply N Bedrock OPEN HOLE,STEEL 83 ft CLAY 152 ft GRANITE |
| 22 | 1 of 1 | | 85.0 | ON | | BORE |
| Borehole IE Use: Drill Method Easting: Location Ad Elev. Reliab Total Depth Township: Lot: Completion Primary Wa Location De | d: ccuracy: bility Note: n m: Date: ster Use: escription: | 803484 Geotechnic Hollow ster 428683.85 8.800000 | 8 | nvestigation | Type: Status: UTM Zone: Northing: Orig. Ground Elev m: DEM Ground Elev m: Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | Borehole 18 5020823.971 82 83.800003 BH 20A |
| Details | | | | | | |
| Stratum II | | 218576652 | 2 | | Top Depth m: | 0 |
| Bottom D | epth m: | 0.100000 | | | Stratum Desc: | Topsoil |

| Map Key | Numbe Record | | Elevation m | Site | | DB |
|---|---------------------------|-----------------------|--|-----------------------------|--|--|
| + Stratum | ID: | 218576653 | | | Top Depth m: | 0.100000 |
| Bottom L | Depth m: | 1.100000 | | | Stratum Desc: | Grey to Grey Brown Fill-Misc Silty Clay Trace: Org M Tr Constr Debris |
| + Stratum | ID: | 219576654 | | | Ton Donth m: | 1.100000 |
| | וט. Depth m: | 218576654 1.200000 | | | Top Depth m: Stratum Desc: | Grey Sand |
| + | 200011111 | 1.200000 | | | Girataini Boos. | Sie, Saila |
| Stratum | ID: | 218576655 | | | Top Depth m: | 1.200000 |
| Bottom I | Depth m: | 3.800000 | | | Stratum Desc: | Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay |
| + | | | | | | |
| Stratum | | 218576656 | | | Top Depth m: | 3.800000 |
| Bottom I | Depth m: | 8.800000 | | | Stratum Desc: | Grey Stiff Silty Clay |
| 23 | 1 of 1 | i | 85.0 | ON | | <u>wwis</u> |
| | | | | O.N | | |
| Well Id: Concessio | nn: | 7155873 | | | Lot: Concession Name: | |
| County: | и 1. | OTTAWA-C | CARLETON | | Municipality: | MARCH |
| Easting Na | ad83: | 428665 | | | Northing Nad83: | 5020758 |
| Zone: Primary W | latar I laa: | 18 Test Hole | | | Utm Reliability: Construction Date: | margin of error : 10 - 30 m 21-OCT-10 |
| Sec. Wate | | Monitoring | | | Well Depth: | 8.89 m |
| Pump Rate | e: | J | | | Static Water Level: | |
| Flow Rate | | | | | Clear/Cloudy: Final Well Status: | Depleasment Well |
| Specific C | on Method: | Other Meth | od | | Flowing (y/n): | Replacement Well |
| Elevation (| (m): | | - C | | Elevation Reliability: | |
| Depth to E | | | | | Overburden/Bedrock: | DI ACTIO |
| Water Typ | e: | | | | Casing Material: | PLASTIC |
| Details | | | | | | |
| Thicknes | | .61 m | | | Original Depth: | .61 m |
| Material | Colour: | BLACK | | | Material: | TOPSOIL, SOFT, DRY |
| + Thicknes | 00. | 2.74 m | | | Original Depth: | 3.35 m |
| Material | | BROWN | | | Material: | CLAY, SILT, DRY |
| + | Colour. | DICOVIN | | | ivialeriai. | GEAT, SIET, DICT |
| Thicknes | ss: | 1.53 m | | | Original Depth: | 4.88 m |
| Material | | GREY | | | Material: | CLAY, SOFT |
| + Thicknes | ss: | 4.01 m | | | Original Depth: | 8.89 m |
| Material | Colour: | GREY | | | Material: | CLAY, SOFT, WATER-BEARING |
| 24 | 1 of 6 | , | 85. <i>0</i> | 365 March Road Ottawa ON | d | <u>EHS</u> |
| Order No Report Da Report Ty _l Search Ra Addit. Info | te: pe: adius (km): | 6/2 | 100624019 28/2010 ustom Report 25 | | | |

Number of Elevation Site DB Map Key Records 24 2 of 6 85.0 SPAR AEROSPACE **GEN DEFENCE SYSTEMS DIVISION 365 MARCH ROAD** KANATA ON K2K 3N5 SIC Code: 3359 SIC Description: OTHER COMMUN. & ELE. Generator #: ON0161502 Approval Yrs: 86,87,88 --- Details ---Waste Code: 112 Waste Description: ACID WASTE - HEAVY METALS Waste Code: ALIPHATIC SOLVENTS Waste Description: Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: Waste Description: WASTE OILS & LUBRICANTS 24 3 of 6 85.0 DRS TECHNOLOGIES CANADA COMPANY **GEN** 365 MARCH ROAD KANATA ON K2K 2C9 SIC Code: 3359 OTHER COMMUN. & ELE. SIC Description: ON2304801 Generator #: Approval Yrs: 97,98,99,00,01 --- Details ---Waste Code: 112 Waste Description: ACID WASTE - HEAVY METALS Waste Code: PAINT/PIGMENT/COATING RESIDUES Waste Description: Waste Code: 148 Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: Waste Description: ALIPHATIC SOLVENTS Waste Code: 241 HALOGENATED SOLVENTS Waste Description: Waste Code: Waste Description: WASTE OILS & LUBRICANTS Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS SPAR AEROSPACE LTD.-DEFENCE 24 4 of 6 85.0 <u>GEN</u> SYSTEMS DIV. 365 MARCH ROAD, KANATA C/O P.O. BOX 13050 KANATA ON K2K 3N5 SIC Code: 3359

Site DB Map Key Number of Elevation Records SIC Description: OTHER COMMUN. & ELE. Generator #: ON0161502 Approval Yrs: 92,93,94,95,96 --- Details ---Waste Code: Waste Description: **ACID WASTE - HEAVY METALS** Waste Code: 145 PAINT/PIGMENT/COATING RESIDUES Waste Description: Waste Code: 148 Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 212 Waste Description: **ALIPHATIC SOLVENTS** Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: Waste Description: WASTE OILS & LUBRICANTS Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS 24 5 of 6 85.0 SPAR AEROSPACE LTD.-DEFENCE **GEN** SYSTEMS DIV. 365 MARCH ROAD, KANATA C/O 5090 **EXPLORER DR., SUITE 900** MISSISSAUGA ON K2K 3N5 SIC Code: 3359 SIC Description: OTHER COMMUN. & ELE. ON0161502 Generator #: Approval Yrs: 89,90 --- Details ---Waste Code: 112 Waste Description: ACID WASTE - HEAVY METALS Waste Code: 145 Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 212 Waste Description: ALIPHATIC SOLVENTS Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: 252 WASTE OILS & LUBRICANTS Waste Description: Waste Code: Waste Description: ORGANIC LABORATORY CHEMICALS 24 6 of 6 85.0 DRS FLIGHT SAFETY & COMM <u>SCT</u> 365 MARCH RD KANATA ON K2K 3N5

| Map Key Number Records | | | Site | | DB |
|---|--|--|--------------|---|---|
| Established: Plant Size (fi Employment | t²): | 1967 1200 90 | | | |
| Details SIC/NAICS Descriptior + | Code: | 3764 GUIDED MISSILE | AND SPACE VE | HICLE PROPULSION U | NITS AND PROPULSION UNIT PARTS |
| SIC/NAICS Description | | 3769 GUIDED MISSILE ELSEWHERE CLA | | HICLE PARTS AND AU | XILIARY EQUIPMENT, NOT |
| 25 | 1 of 1 | 86.8 | ON | | BORE |
| Borehole ID: Use: Drill Method: Easting: Location Acc Elev. Reliabi Total Depth I Township: Lot: Completion I Primary Wat Location Des | curacy: ility Note: m: Date: er Use: | 803682 Geotechnical/Geological Inv Hollow stem auger 428360.869 6.400000 | estigation | Type: Status: UTM Zone: Northing: Orig. Ground Elev m: DEM Ground Elev m: Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | Borehole 18 5020794.489 86.300003 86.400002 BH 8 0.900000 |
| Details | • | | | | |
| Stratum ID Bottom De | | 218577472 1.200000 | | Top Depth m: Stratum Desc: | 0 Grey-Brown Fill-Misc Silty Clay Trace: Org M |
| + Stratum ID Bottom De | | 218577473 4.300000 | | Top Depth m: Stratum Desc: | 1.200000 Grey-Brown Very Stiff Weathered Crust Silty Clay |
| | | 218577474 6.400000 | | Top Depth m: Stratum Desc: | 4.300000 Grey to Reddish Brown Firm Silty Clay |
| 26 | 1 of 1 | 87.0 | ON | | BORE |
| Borehole ID: Use: Drill Method: Easting: Location Acc Elev. Reliabi Total Depth Township: Lot: Completion L Primary Wat Location Des | curacy: ility Note: m: Date: er Use: | 803708 Geotechnical/Geological Inv Hollow stem auger 428352.617 6.400000 1984-MAY-31 | estigation | Type: Status: UTM Zone: Northing: Orig. Ground Elev m: DEM Ground Elev m: Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | Borehole 18 5020787.644 86.900002 86 BH 9 0.500000 |
| Details Stratum ID | | 218577607 | | Top Depth m: | 0 |

| Map Key | Number Records | | on Site | | DB |
|---|-------------------|--------------------------------------|-------------------------------------|-------------------------------|---|
| Bottom De | epth m: | 0.600000 | | Stratum Desc: | Brown to Grey Fill-Misc Sand - Gravel Trace: Constr Debris |
| + Stratum ID | ٠. | 218577608 | | Ton Donth mi | 0.600000 |
| Bottom De | | 4 | | Top Depth m: Stratum Desc: | 0.600000 Grey-Brown Very Stiff Weathered Crust Silty Clay With: Sa |
| + | | | | | . , |
| Stratum ID Bottom De | | 218577609 6.400000 | | Top Depth m: Stratum Desc: | 4 Grey Firm to Stiff Silty Clay Occasional: Sa |
| 27 | 1 of 3 | 81.0 | Best Ther 413 March Ottawa Ol | | <u>NPRI</u> |
| NPRI #: Year: Longitude: | | 11667 2009 -75.9141 | | | |
| Latitude: Details | - | 45.3388 | | | |
| Air: Water: Land: Units: Substance | es Release | kg d: Lead (and | its compounds) | | |
| 27 | 2 of 3 | 81.0 | Best Ther 413 March Ottawa Ol | | <u>NPRI</u> |
| NPRI #: Year: Longitude: Latitude: | | 11667 2010 -75.9141 45.3388 | | | |
| Details Air: Water: | - | | | | |
| Land: | | | | | |
| Units: Substance | s Release | kg d: Lead (and | its compounds) | | |
| 27 | 3 of 3 | 81.0 | Best Ther 413 March Ottawa Ol | | <u>NPRI</u> |
| NPRI #: Year: Longitude: Latitude: | | 11667 2008 -75.9141 45.3388 | | | |
| Details Air: Water: Land: Units: Substance | | kg d: Lead (and | its compounds) | | |

DB Map Key Number of Elevation Site Records 28 1 of 1 80.0 **BORE** ON Borehole ID: 803671 Type: Borehole Status: Use: Geotechnical/Geological Investigation Drill Method: Hollow stem auger UTM Zone: 18 5021000.670 Easting: 428672.337 Northing: Location Accuracy: Orig. Ground Elev m: 80.900002 Elev. Reliability Note: DEM Ground Elev m: 80.800003 Total Depth m: 7.300000 Primary Name: BH 4 Concession: Township: Lot: Municipality: 1984-JUN-18 Static Water Level: 1.400000 Completion Date: Sec. Water Use: Primary Water Use: Location Description: --- Details ---Stratum ID: 218577427 Top Depth m: Stratum Desc: Bottom Depth m: Topsoil Top Depth m: 0 Stratum ID: 218577428 Stratum Desc: Sand Bottom Depth m: 0.200000 218577429 Top Depth m: 0.200000 Stratum ID: Bottom Depth m: 3.700000 Stratum Desc: Grey-Brown Very Stiff Weathered Crust Silty Clay Stratum ID: Top Depth m: 218577430 3.700000 Bottom Depth m: Stratum Desc: 7.300000 Grey Stiff Silty Clay 29 1 of 1 85.0 **BORE** ON Borehole ID: 803480 Borehole Type: Geotechnical/Geological Investigation Status: Use: Drill Method: UTM Zone: Hollow stem auger 18 5020785.494 Easting: 428709.670 Northing: Location Accuracy: Orig. Ground Elev m: 86.199997 Elev. Reliability Note: DEM Ground Elev m: 83.300003 Total Depth m: 7.300000 Primary Name: **BH 19** Township: Concession: Municipality: Lot: Static Water Level: Completion Date: 1984-JUN-20 Primary Water Use: Sec. Water Use: Location Description: --- Details ---Stratum ID: 218576635 Top Depth m: Bottom Depth m: Stratum Desc: 0.300000 Topsoil Stratum ID: 218576636 Top Depth m: 0.300000 Grey-Brown Very Stiff to Stiff Bottom Depth m: 4.400000 Stratum Desc: Weathered Crust Silty Clay Stratum ID: 218576637 Top Depth m: 4.400000

Stratum Desc:

Bottom Depth m:

7.300000

Grey Firm Silty Clay

| Map Key | Number of Records | Elevation m | Site | DB |
|--|------------------------------|---|--|-------------|
| 30 | 1 of 4 | 82.0 | Kanata Research Park Corporation 390 MARCH RD KANATA KANATA ON K2K 0G7 | <u>EASR</u> |
| CofA Numb Date: Status: Project Typ | | R-003-4870842836 3/30/2012 Registered Heating System | | |
| 30 | 2 of 4 | 82.0 | Kanata Research Park Corporation 390 MARCH ROAD OTTAWA ON | <u>EASR</u> |
| CofA Numb Date: Status: Project Typ | | R-002-3153239727 9/5/2012 Registered Standby Power Sys | | |
| 30 | 3 of 4 | 82.0 | Kanata Research Park Corporation 390 MARCH ROAD OTTAWA ON | <u>EASR</u> |
| CofA Numb Date: Status: Project Typ | | R-002-5152566723 9/25/2012 Registered Standby Power Sys | | |
| 30 | 4 of 4 | 82.0 | Kanata Research Park Corporation 390 MARCH ROAD OTTAWA ON | <u>EASR</u> |
| CofA Numb Date: Status: Project Typ | | R-003-9153154648 9/5/2012 Registered Heating System | 3 | |
| 31 | 1 of 10 | 88.0 | OPTOTEK LIMITED 62 STEACIE DR. LOT 6 CONC. 3 KANATA CITY ON K2K 2A9 | <u>CA</u> |
| Certificate # Application Issue Date: Approval Ty Status: Application Client Name Client Addr Client City: | Year: /pe: Type: e: | 8-4011-87- 87 1/15/1988 Industrial air Approved in 1988 | | |
| Client Posta Project Des Contaminal Emission C | scription: nts: | HALOGONATED S | SOLVENTS | |

DB Map Key Number of Elevation Site Records 31 2 of 10 88.0 62 Steacie Drive **EHS** n/a ON K2K 2A9 Order No.: 20060323011w Report Date: 3/23/2006 Report Type: Online Mapless Search Radius (km): 0.25 Addit. Info Ordered: 31 3 of 10 88.0 AMCA INTERNATIONAL LTD.(OUTOFBUS) 03-096 **GEN** RESEARCH & TECHNOLOGY CENTRE 62 STEACIE DRIVE KANATA ON K2K 2A9 SIC Code: 3022 SIC Description: PLATE WORK INDUSTRY Generator #: ON0480500 92,93,94,95,96,97,98 Approval Yrs: 31 4 of 10 88.0 **OPTOTEK LIMITED GEN** 62 STEACIE DRIVE KANATA ON K2K 2A9 SIC Code: 3352 SIC Description: ELECT. PARTS & COMP. Generator #: ON0135401 Approval Yrs: 90,98,99,00,01,02,03,04,05 --- Details ---Waste Code: 148 Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 212 Waste Description: ALIPHATIC SOLVENTS Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS 31 5 of 10 88.0 AMCA INTERNATIONAL LTD.(OUTOFBUS) **GEN RESEARCH & TECHNOLOGY CENTRE 62 STEACIE DRIVE** KANATA ON K2K 2A9 SIC Code: 3022 SIC Description: PLATE WORK INDUSTRY ON0480500 Generator #: Approval Yrs: 86,87,88,89 --- Details ---Waste Code: Waste Description: AROMATIC SOLVENTS Waste Code: Waste Description: ALIPHATIC SOLVENTS Waste Code: 213

| Map Key | Number of Records | Elevation m | Site | DB |
|--|----------------------|---|---|------------|
| Waste De- | • | PETROLEUM D | ISTILLATES | |
| Waste De. | | WASTE OILS & | LUBRICANTS | |
| Waste Co Waste De | | 253 EMULSIFIED O | ILS | |
| 31 | 6 of 10 | 88.0 | OPTOTEK LIMITED 29-514 62 STEACIE DRIVE KANATA ON K2K 2A9 | <u>GEN</u> |
| SIC Code: SIC Descrip Generator # Approval Yr | : | 3352 ELECT. PARTS ON0135401 92,93,94,95,96,9 | | |
| Details Waste Co Waste De | de: | 212 ALIPHATIC SOL | LVENTS | |
| Waste Co Waste De | | 241 HALOGENATEI | O SOLVENTS | |
| + Waste Co Waste De | | 252 WASTE OILS & | LUBRICANTS | |
| 31 | 7 of 10 | 88.0 | Optotek Ltd 62 Steacie Drive Ottawa ON | <u>GEN</u> |
| SIC Code: SIC Descrip Generator # Approval Yr | : | 334410 Semiconductor a ON6973632 06 | and Other Electronic Component Manuf | |
| Details Waste Co Waste De: + | de: | 148 INORGANIC LA | BORATORY CHEMICALS | |
| Waste Co Waste De | | 211 AROMATIC SOI | LVENTS | |
| Waste Co Waste De | | 252 WASTE OILS & | LUBRICANTS | |
| + Waste Co Waste De | | 263 ORGANIC LABO | DRATORY CHEMICALS | |
| + Waste Co Waste De | | 331 WASTE COMPE | RESSED GASES | |
| 31 | 8 of 10 | 88.0 | GOLDER ASSOCIATES LTD. 62 STEACIE DRIVE KANATA ON | <u>GEN</u> |
| SIC Code: SIC Descrip Generator # | : | 541620 ON7637612 | | |
| Approval Yr. | s: | 2011 | | |

DB Number of Elevation Site Map Key Records 9 of 10 88.0 Elliptic Technologies Inc. <u>SCT</u> 31 62 Steacie Dr Suite 201 Kanata ON K2K 2A9 Established: 01-AUG-01 Plant Size (ft2): Employment: --- Details ---SIC/NAICS Code: Description: Manufacturing and Reproducing Magnetic and Optical Media SIC/NAICS Code: 334410 Description: Semiconductor and Other Electronic Component Manufacturing 31 10 of 10 88.0 **Optotek Limited SCT** 62 Steacie Dr Kanata ON K2K 2A9 Established: 1977 Plant Size (ft2): 5000 Employment: --- Details ---SIC/NAICS Code: 334410 Description: Semiconductor and Other Electronic Component Manufacturing SIC/NAICS Code: 334610 Description: Manufacturing and Reproducing Magnetic and Optical Media SIC/NAICS Code: Description: Computer Systems Design and Related Services **BORE** 32 1 of 1 88.5 ON Borehole ID: 803725 Type: Borehole Geotechnical/Geological Investigation Status: Use: Drill Method: UTM Zone: **Boring** 18 Easting: 428328.965 Northing: 5020762.586 Location Accuracy: Orig. Ground Elev m: 86.599998 Elev. Reliability Note: DEM Ground Elev m: 86.800003 Total Depth m: 6.100000 Primary Name: **AH 13** Township: Concession: Municipality: Lot: Completion Date: 1984-MAY-3 Static Water Level: Primary Water Use: Sec. Water Use: Location Description: --- Details ---Stratum ID: 218577658 Top Depth m: Stratum Desc: Topsoil Bottom Depth m: 0.300000 Stratum ID: 218577659 Top Depth m: 0.300000 Bottom Depth m: 4.600000 Stratum Desc: Grey-Brown Weathered Crust Silty Clay

| Map Key | Numbe Record | | Site | | DB |
|------------------------|-------------------------|-------------------------------------|------------------|------------------------------|---|
| Stratum | ID: | 218577660 | | Top Depth m: | 4.600000 |
| Bottom Depth m: | | 6.100000 | | Stratum Desc: | Grey Silty Clay Trace: Org M |
| 33 | 1 of 1 | 88.0 | ON | | BORE |
| Davahala | ID. | 000404 | | T. max | Davahala |
| Borehole . Use: | ID: | 803184 Geotechnical/Geological I | nvestigation | Type: Status: | Borehole |
| Drill Meth | od: | Not known | invooligation | UTM Zone: | 18 |
| Easting: | | 428487.763 | | Northing: | 5020645.139 |
| Location A | | | | Orig. Ground Elev m: | 00.00007 |
| | ability Note: | 1 | | DEM Ground Elev m: | 88.699997 AH.S-2 |
| Total Dep Township. | | 1 | | Primary Name: Concession: | АП.5-2 |
| Lot: | • | | | Municipality: | |
| Completic | | 1986-MAY-1 | | Static Water Level: | |
| | /ater Use: | | | Sec. Water Use: | |
| Location L | Description: | | | | |
| Details | | 0.405750.45 | | - | |
| Stratum | | 218575215 | | Top Depth m: | 0.200000 |
| | Depth m: | 0.600000 | | Stratum Desc: | Brown Sand - Gravel Occasional: Cob |
| + | | | | | |
| Stratum | | 218575216 | | Top Depth m: | 0.600000 |
| Bottom | Depth m: | 1 | | Stratum Desc: | Dark Brown Topsoil Silt - Sand With: Org M |
| Stratum | ID· | 218575213 | | Top Depth m: | 0 |
| | Depth m: | 0 | | Stratum Desc: | Asphalt |
| + | орини. | v | | on atam 2000. | rophan |
| Stratum | ID: | 218575214 | | Top Depth m: | 0 |
| Bottom | Depth m: | 0.200000 | | Stratum Desc: | Brown Sand - Gravel Granular A |
| 34 | 1 of 24 | 81.0 | 413 March R | Road | <u>EHS</u> |
| | | | Ottawa (Kan | ata) ON K2K 0E4 | |
| Order No. | : | 20110225001 | | | |
| Report Da | - | 3/8/2011 | | | |
| Report Ty | pe: | Custom Report | | | |
| | adius (km): Ordered: | 0.25 | and/an 0:4- DI | _ | |
| Addit. INIC | Oraerea: | Fire Insur. Maps | and/or Site Plan | S | |
| 34 | 2 of 24 | 81.0 | 413 March R | | <u>EHS</u> |
| | | | Kanata, Onta | ario ON K2K 0E4 | |
| Order No. | <i>:</i> | 20120724015 | | | |
| Report Da | nte: | 02-AUG-12 | | | |
| Report Ty | | Standard Report | | | |
| | adius (km): Ordered: | .25 | | | |
| nuuii. IIIIU | oruereu. | | | | |
| 34 | 3 of 24 | 81.0 | MDS NORDI | ON | GEN |
| | · | 3 . | 413 MARCH | | <u></u> |
| | | | KANATA ON | I K2K 1V9 | |

Number of Elevation Site DB Map Key Records SIC Code: 3081 SIC Description: MACHINE SHOP IND. Generator #: ON1141701 Approval Yrs: 99,00,01 --- Details ---Waste Code: Waste Description: ALKALINE WASTES - OTHER METALS Waste Code: Waste Description: **NEUTRALIZED WASTES - HEAVY METALS** Waste Code: 143 Waste Description: STEEL MAKING RESIDUES Waste Code: 145 Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: 146 Waste Description: OTHER SPECIFIED INORGANICS Waste Code: Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: Waste Description: AROMATIC SOLVENTS Waste Code: Waste Description: ALIPHATIC SOLVENTS Waste Code: 221 Waste Description: LIGHT FUELS Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: 253 **EMULSIFIED OILS** Waste Description: Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: 264 Waste Description: PHOTOPROCESSING WASTES Waste Code: 312 Waste Description: PATHOLOGICAL WASTES **GEN** 4 of 24 81.0 ATOMIC ENERGY (OUT OF BUSINESS) 34 AECL RADIOCHEMICAL COMPANY 413 MARCH ROAD KANATA ON K2K 1X8 SIC Code: 8225 SIC Description: **REGULATORY SERVICES** Generator #: ON0029502 Approval Yrs: 98

34 5 of 24 81.0 Best Theratronics Ltd. GEN 413 March Road

Number of Elevation Site DB Map Key

Records

Kanata ON K2K 0E4

SIC Code: 333299, 333519, 333990

SIC Description: All Other Industrial Machinery Manufacturing, Other Metalworking Machinery Manufacturing, All Other

General-Purpose Machinery Manufacturing

ON8046323 Generator #:

Approval Yrs: 2009

--- Details ---

Waste Code:

ACID WASTE - HEAVY METALS Waste Description:

Waste Code: 145

Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code:

Waste Description: OTHER SPECIFIED INORGANICS

Waste Code:

Waste Description: INORGANIC LABORATORY CHEMICALS

Waste Code:

Waste Description: **ALIPHATIC SOLVENTS**

Waste Code: 241

Waste Description: HALOGENATED SOLVENTS

Waste Code: 252

Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 263

Waste Description: ORGANIC LABORATORY CHEMICALS

Waste Code:

Waste Description: PHOTOPROCESSING WASTES

Waste Code: 331

Waste Description: WASTE COMPRESSED GASES

34 6 of 24 81.0 ATOMIC (SEE & USE ON1038900) <u>GEN</u>

MEDICAL, 413 MARCH ROAD P.O. BOX 13140

KANATA ON K2K 2B7

SIC Code: 8176

RESEARCH ADMIN. SIC Description:

Generator #: ON0029501 Approval Yrs: 88,89,90

--- Details ---

Waste Code:

Waste Description: PAINT/PIGMENT/COATING RESIDUES

Waste Code:

Waste Description: OTHER SPECIFIED INORGANICS

Waste Code:

Waste Description: ALIPHATIC SOLVENTS

Waste Code:

HALOGENATED SOLVENTS Waste Description:

DB Map Key Number of Elevation Site Records Waste Code: 253 **EMULSIFIED OILS** Waste Description: Waste Code: 264 Waste Description: PHOTOPROCESSING WASTES 34 7 of 24 81.0 ATOMIC ENERGY OF CANADA LIMITED **GEN** RADIOCHEMICAL COMPANY 413 MARCH ROAD KANATA ON K2K 1X8 SIC Code: 8225 SIC Description: REGULATORY SERVICES Generator #: ON0029502 Approval Yrs: 86,87,88 --- Details ---Waste Code: 112 **ACID WASTE - HEAVY METALS** Waste Description: Waste Code: Waste Description: OTHER INORGANIC ACID WASTES Waste Code: Waste Description: ALKALINE WASTES - OTHER METALS Waste Code: Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: 148 INORGANIC LABORATORY CHEMICALS Waste Description: Waste Code: Waste Description: AROMATIC SOLVENTS Waste Code: 212 ALIPHATIC SOLVENTS Waste Description: Waste Code: Waste Description: PETROLEUM DISTILLATES Waste Code: 241 HALOGENATED SOLVENTS Waste Description: Waste Code: 251 Waste Description: **OIL SKIMMINGS & SLUDGES** Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: 267 Waste Description: **ORGANIC ACIDS** Waste Code: Waste Description: WASTE COMPRESSED GASES 34 8 of 24 81.0 Best Theratronics Ltd. **GEN** 413 March Road Kanata ON K2K 0E4

Number of Elevation Site DB Map Key Records SIC Code: 333299 333519 333990 SIC Description: All Other Industrial Machinery Manufacturing, Other Metalworking Machinery Manufacturing, All Other General-Purpose Machinery Manufacturing ON8046323 Generator #: Approval Yrs: 07,08 --- Details ---Waste Code: Waste Description: ACID WASTE - HEAVY METALS Waste Code: 145 PAINT/PIGMENT/COATING RESIDUES Waste Description: Waste Code: 146 Waste Description: OTHER SPECIFIED INORGANICS Waste Code: 148 Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: Waste Description: ALIPHATIC SOLVENTS Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: Waste Description: WASTE OILS & LUBRICANTS Waste Code: Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: Waste Description: PHOTOPROCESSING WASTES Waste Code: 331 Waste Description: WASTE COMPRESSED GASES 34 9 of 24 81.0 ATOMIC ENERGY (SEE & USE ON1038900) **GEN** 413 MARCH ROAD KANATA ON K2K 2B7 SIC Code: 8176 SIC Description: RESEARCH ADMIN. Generator #: ON0029501 Approval Yrs: 98 34 10 of 24 81.0 THERATRONICS INTERNATIONAL LIMITED **GEN** 413 MARCH ROAD KANATA ON K2K 2B7 SIC Code: 3081 SIC Description: MACHINE SHOP IND. Generator #: ON1038900 Approval Yrs: 97,98

--- Details ---

Waste Code: 122

Waste Description: ALKALINE WASTES - OTHER METALS

| Map Key Number of Records | Elevation Site m | • | DB |
|--|---|---|------------|
| Waste Code: Waste Description: | 131 NEUTRALIZED WASTE | S - HEAVY METALS | |
| Waste Code: Waste Description: + | 145 PAINT/PIGMENT/COAT | ING RESIDUES | |
| Waste Code: Waste Description: | 146 OTHER SPECIFIED INC | DRGANICS | |
| Waste Code: Waste Description: | 148 INORGANIC LABORATO | ORY CHEMICALS | |
| + Waste Code: Waste Description: | 211 AROMATIC SOLVENTS | | |
| + Waste Code: Waste Description: | 212 ALIPHATIC SOLVENTS | | |
| + Waste Code: Waste Description: | 221 LIGHT FUELS | | |
| + Waste Code: Waste Description: | 241 HALOGENATED SOLVE | ENTS | |
| + Waste Code: Waste Description: | 253 EMULSIFIED OILS | | |
| + Waste Code: Waste Description: | 263 ORGANIC LABORATOR | RY CHEMICALS | |
| + Waste Code: Waste Description: | 264 PHOTOPROCESSING V | WASTES | |
| + Waste Code: Waste Description: | 312 PATHOLOGICAL WAST | ES | |
| 34 11 of 24 | RAD | OMIC ENERGY (OUT OF BUSINESS) 03-242 DIOCHEMICAL COMPANY 413 MARCH ROAD NATA ON K2K 1X8 | <u>GEN</u> |
| SIC Code: SIC Description: Generator #: Approval Yrs: | 8225 REGULATORY SERVIC ON0029502 92,93,94,95,96,97 | ES | |
| 34 12 of 24 | 413 | t Theratronics Ltd. March Road ata ON K2K 0E4 | <u>GEN</u> |
| SIC Code: SIC Description: Generator #: Approval Yrs: | ON8046323 As of Apr 2012 | | |
| Details Waste Code: Waste Description: + | 112 Acid solutions - containir | ng heavy metals | |
| Waste Code: Waste Description: | 122 Alkaline slutions - contai | ning other metals and non-metals (not cyanide) | |

DB Map Key Number of Elevation Site Records Waste Code: 145 Waste Description: Wastes from the use of pigments, coatings and paints Waste Code: 146 Waste Description: Other specified inorganic sludges, slurries or solids Waste Code: Waste Description: Misc. wastes and inorganic chemicals Waste Code: Waste Description: Aliphatic solvents and residues Waste Code: Waste Description: Halogenated solvents and residues Waste Code: 252 Waste Description: Waste crankcase oils and lubricants Waste Code: 263 Waste Description: Misc. waste organic chemicals Waste Code: 264 Waste Description: Photoprocessing wastes Waste Code: Waste Description: Waste compressed gases including cylinders 34 13 of 24 81.0 THERATR(SEE & USE ON1141701) **GEN** 413 MARCH ROAD KANATA ON K2K 2B7 SIC Code: 3081 SIC Description: MACHINE SHOP IND. Generator #: ON1038900 Approval Yrs: 99,00 --- Details ---Waste Code: 122 Waste Description: ALKALINE WASTES - OTHER METALS Waste Code: Waste Description: **NEUTRALIZED WASTES - HEAVY METALS** Waste Code: 145 Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: 146 Waste Description: OTHER SPECIFIED INORGANICS Waste Code: 148 Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 211 Waste Description: AROMATIC SOLVENTS Waste Code: Waste Description: ALIPHATIC SOLVENTS Waste Code:

41

Waste Description:

LIGHT FUELS

DB Map Key Number of Elevation Site Records Waste Code: 241 Waste Description: HALOGENATED SOLVENTS Waste Code: 253 Waste Description: **EMULSIFIED OILS** Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: Waste Description: PATHOLOGICAL WASTES Waste Code: 264 Waste Description: PHOTOPROCESSING WASTES 14 of 24 34 81.0 THERATRONICS INTERNATIONAL LIMITED **GEN** 413 MARCH ROAD P.O. BOX 13140 KANATA ON K2K 2B7 SIC Code: 8176 SIC Description: RESEARCH ADMIN. Generator #: ON1038900 Approval Yrs: 88,89,90 --- Details ---Waste Code: Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: 146 OTHER SPECIFIED INORGANICS Waste Description: Waste Code: Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 212 **ALIPHATIC SOLVENTS** Waste Description: Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: 253 **EMULSIFIED OILS** Waste Description: Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: 264 Waste Description: PHOTOPROCESSING WASTES 34 15 of 24 ATOMIC ENERGY (OUT OF BUSINESS) **GEN** 81.0 RADIOCHEMICAL COMPANY 413 MARCH ROAD KANATA ON K2K 1X8 SIC Code: 8225 SIC Description: REGULATORY SERVICES ON0029502 Generator #: Approval Yrs: 89,90 --- Details ---Waste Code: 112 Waste Description: **ACID WASTE - HEAVY METALS**

DΒ Number of Site Map Key Elevation Records Waste Code: 114 Waste Description: OTHER INORGANIC ACID WASTES Waste Code: 122 **ALKALINE WASTES - OTHER METALS** Waste Description: Waste Code: Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: Waste Description: AROMATIC SOLVENTS Waste Code: 212 Waste Description: **ALIPHATIC SOLVENTS** Waste Code: Waste Description: PETROLEUM DISTILLATES Waste Code: 241 HALOGENATED SOLVENTS Waste Description: Waste Code: Waste Description: **OIL SKIMMINGS & SLUDGES** Waste Code: WASTE OILS & LUBRICANTS Waste Description: Waste Code: ORGANIC LABORATORY CHEMICALS Waste Description: Waste Code: 267 Waste Description: **ORGANIC ACIDS** Waste Code: 331 Waste Description: WASTE COMPRESSED GASES ATOMIC ENERGY OF CANADA LTD. <u>GEN</u> 34 16 of 24 81.0 MEDICAL, 413 MARCH ROAD P.O. BOX 13140 KANATA ON K2K 2B7 SIC Code: 8176 SIC Description: RESEARCH ADMIN. Generator #: ON0029501 Approval Yrs: 86,87 --- Details ---Waste Code: 145 Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: Waste Description: **ALIPHATIC SOLVENTS** Waste Code: 241 Waste Description: HALOGENATED SOLVENTS Waste Code: Waste Description: **EMULSIFIED OILS**

DB Map Key Number of Elevation Site Records Waste Code: 264 Waste Description: PHOTOPROCESSING WASTES THERATRONICS INTERNATIONAL LIMITED37-441 34 17 of 24 81.0 **GEN** 413 MARCH ROAD KANATA ON K2K 2B7 SIC Code: 3081 MACHINE SHOP IND. SIC Description: Generator #: ON1038900 Approval Yrs: 92,93,94,95,96 --- Details ---Waste Code: 122 Waste Description: ALKALINE WASTES - OTHER METALS Waste Code: **NEUTRALIZED WASTES - HEAVY METALS** Waste Description: Waste Code: Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: Waste Description: OTHER SPECIFIED INORGANICS Waste Code: Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: 211 Waste Description: AROMATIC SOLVENTS Waste Code: Waste Description: ALIPHATIC SOLVENTS Waste Code: 221 LIGHT FUELS Waste Description: Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: 253 **EMULSIFIED OILS** Waste Description: Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: 264 Waste Description: PHOTOPROCESSING WASTES Waste Code: Waste Description: PATHOLOGICAL WASTES 34 18 of 24 81.0 ATOMIC (SEE & USE ON1038900) <u>GEN</u> MEDICAL, 413 MARCH ROAD P.O. BOX 13140 KANATA ON K2K 2B7 SIC Code:

8176

SIC Description: RESEARCH ADMIN. Generator #: ON0029501 Approval Yrs: 92,93,94,95,96,97

Number of Elevation Site DB Map Key Records 19 of 24 81.0 Best Theratronics Ltd. **GEN** 34 413 March Road Kanata ON K2K 0E4 SIC Code: 333299, 333519, 333990 All Other Industrial Machinery Manufacturing, Other Metalworking Machinery Manufacturing, All Other SIC Description: General-Purpose Machinery Manufacturing Generator #: ON8046323 Approval Yrs: 2011 --- Details ---Waste Code: 212 Waste Description: ALIPHATIC SOLVENTS Waste Code: Waste Description: HALOGENATED SOLVENTS Waste Code: WASTE COMPRESSED GASES Waste Description: Waste Code: Waste Description: PAINT/PIGMENT/COATING RESIDUES Waste Code: INORGANIC LABORATORY CHEMICALS Waste Description: Waste Code: WASTE OILS & LUBRICANTS Waste Description: Waste Code: Waste Description: ACID WASTE - HEAVY METALS Waste Code: 146 Waste Description: OTHER SPECIFIED INORGANICS Waste Code: Waste Description: ALKALINE WASTES - OTHER METALS Waste Code: Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: 264 Waste Description: PHOTOPROCESSING WASTES 34 20 of 24 81.0 Best Theratronics Ltd. **GEN** 413 March Road Kanata ON K2K 0E4 SIC Code: 333299, 333519, 333990 SIC Description: All Other Industrial Machinery Manufacturing, Other Metalworking Machinery Manufacturing, All Other General-Purpose Machinery Manufacturing

Generator #: ON8046323 Approval Yrs: 2010

--- Details ---

Waste Code: 24

Waste Description: HALOGENATED SOLVENTS

Waste Code: 145

Waste Description: PAINT/PIGMENT/COATING RESIDUES

| Мар Кеу | Number of Records | Elevation m | Site | DB |
|---|----------------------|---|--|-------------|
| + Waste Co Waste De | | 122 ALKALINE WAST | ES - OTHER METALS | |
| + Waste Co Waste De: + | | 148 INORGANIC LABO | ORATORY CHEMICALS | |
| Waste Co Waste De | | 112 ACID WASTE - HI | EAVY METALS | |
| + Waste Co Waste De | | 264 PHOTOPROCESS | SING WASTES | |
| + Waste Co Waste De | | 146 OTHER SPECIFIE | ED INORGANICS | |
| + Waste Co Waste De | | 252 WASTE OILS & L | UBRICANTS | |
| + Waste Co Waste De: + | | 331 WASTE COMPRE | SSED GASES | |
| Waste Co Waste De | | 212 ALIPHATIC SOLV | ENTS | |
| + Waste Co Waste De | | 263 ORGANIC LABOR | RATORY CHEMICALS | |
| 34 | 21 of 24 | 81.0 | Best Theratronics Ltd. 413 March Road Ottawa ON K2K0E4 | <u>NPRI</u> |
| NPRI #: Year: Longitude: Latitude: | | 0000011667 2011 -75.9141 45.3388 | | |
| Details Air: Water: Land: | - | | | |
| Units: Substance | es Released: | kg Lead (and its com | pounds) | |
| 34 | 22 of 24 | 81.0 | Best Medical Canada, Ltd. 413 March Rd Ottawa ON K2K 0E4 | <u>SCT</u> |
| Established: Plant Size (f Employmen | ft²): | 1/1/1984 3000 | | |
| Details SIC/NAIC Description + | S Code: | 334512 Measuring, Medica | al and Controlling Devices Manufacturing | |
| SIC/NAIC Description | | 334512 Measuring, Medica | al and Controlling Devices Manufacturing | |

| Map Key | Number Records | | Site | | DB |
|--|-------------------|---------------------------|--|--|---------------------------------------|
| 34 | 23 of 24 | 81.0 | THERATRON 413 MARCH I KANATA ON | | TD <u>SCT</u> |
| Established | d: | 1952 | | | |
| Plant Size (| | 0 | | | |
| Employmer | nt: | 260 | | | |
| Details SIC/NAIC Descriptio | S Code: | 3845 ELECTROMEDI | CAL AND ELECT | ROTHERAPEUTIC APPA | RATUS |
| 34 | 24 of 24 | 81.0 | Best Medical 413 March Ro Kanata ON Ki | 1 | <u>SCT</u> |
| Established Plant Size (Employmer | (ft²): | 01-JAN-84 3000 | | | |
| Details SIC/NAIC Descriptio | S Code: | 334512 Measuring, Medi | cal and Controllin | g Devices Manufacturing | |
| SIC/NAIC Description | | 334512 Measuring, Medi | cal and Controllin | g Devices Manufacturing | |
| 35 | 1 of 1 | 90.0 | ON | | <u>BORE</u> |
| Borehole ID | D: | 803182 | | Туре: | Borehole |
| Use: | | Geotechnical/Geological I | nvestigation | Status: | |
| Drill Method | d: | Not known | | UTM Zone: | 18 |
| Easting: Location Ac | ccuracv: | 428382.999 | | Northing: Orig. Ground Elev m: | 5020674.088 |
| Elev. Reliak | | | | DEM Ground Elev m: | 91.400002 |
| Total Depth | n m: | 1.600000 | | Primary Name: | AH.S-1 |
| Township: Lot: | | | | Concession: Municipality: | |
| Completion Primary Wa Location De | ater Use: | 1986-MAY-1 | | Static Water Level: Sec. Water Use: | |
| Details | | | | | |
| Stratum II | | 218575205 | | Top Depth m: | 0 |
| Bottom D | epth m: | 0 | | Stratum Desc: | Asphalt |
| + | | | | | |
| Stratum II | | 218575206 | | Top Depth m: | 0 |
| Bottom D | epth m: | 0.200000 | | Stratum Desc: | Brown Sand - Gravel Granular A |
| + Stratum II | D. | 218575207 | | Ton Denth m: | 0.200000 |
| Bottom D | | 0.900000 | | Top Depth m: Stratum Desc: | Brown Sand - Gravel Occasional: Cob |
| + | οραι ΙΙΙ. | 0.00000 | | Guatain Desc. | 2.5wii Galia Giavei Godasioliai. Gob |
| Stratum II | D: | 218575208 | | Top Depth m: | 0.900000 |
| Bottom D | | 1 | | Stratum Desc: | Grey-Brown Weathered Crust Silty Clay |
| + | | | | | |

DB Number of Elevation Site Map Key Records

Bottom Depth m: 1.600000 Stratum Desc: Brown Till sand silt With: Gr Occasional:

Cob

36 1 of 1 89.0 **BORE** ON

Borehole ID: 803727 Type: Borehole

Status: Use: Geotechnical/Geological Investigation

Drill Method: UTM Zone: **Boring** 18

Easting: 428315.223 Northing: 5020747.844 Location Accuracy: Orig. Ground Elev m: 87.099998 Elev. Reliability Note: DEM Ground Elev m: 87.800003

Total Depth m: 3 Primary Name: **AH 14** Township: Concession:

Lot: Municipality: Completion Date: Static Water Level: 1984-MAY-3 Primary Water Use: Sec. Water Use:

Location Description:

--- Details ---Stratum ID: 218577665 Top Depth m:

Bottom Depth m: 0.300000 Stratum Desc: Topsoil

Stratum ID: 218577666

Top Depth m: 0.300000 Stratum Desc: Grey-Brown Weathered Crust Silty Clay

Bottom Depth m: 2.900000

Top Depth m: 2.900000 Stratum ID: 218577667

Bottom Depth m: Stratum Desc: Brown Till 3

37 1 of 1 86.1 **WWIS** ON

Well Id: 1503342 Lot: 007

Concession Name: CON Concession: 03 OTTAWA-CARLETON County: Municipality: **MARCH** 428280.6 Northing Nad83: 5020867

Easting Nad83: Zone: 18 Utm Reliability: margin of error: 100 m - 300 m

Primary Water Use: **Public** Construction Date: 22-JUN-65 Sec. Water Use: Well Depth: 86 ft

Pump Rate: **10 GPM** Static Water Level: 9 ft **CLEAR** Flow Rate: Clear/Cloudy: Specific Capacity: Final Well Status: Water Supply

Construction Method: Cable Tool Flowing (y/n):

Elevation (m): 85.88 Elevation Reliability:

Depth to Bedrock: Overburden below Bedrock Overburden/Bedrock: 62 OPEN HOLE, STEEL **FRESH** Casing Material:

Water Type: --- Details ---

Thickness: 40 ft Original Depth: 40 ft

Material Colour: Material: **CLAY**

Thickness: 22 ft Original Depth: 62 ft Material: Material Colour: **GRAVEL**

Original Depth: Thickness: 23 ft 85 ft

Material Colour: **GREY** Material: **GRANITE**

| | nber of Ele ords m | evation Site | | DB |
|---|--|----------------------------------|--|---|
| + Thickness: Material Colour: | 1 ft | | Original Depth: Material: | 86 ft MEDIUM SAND |
| + Thickness: Material Colour: | 44 ft RED | | Original Depth: Material: | 130 ft GRANITE |
| 38 1 of 1 | 85.0 | ON | | <u>wwis</u> |
| Well Id: Concession: County: Easting Nad83: Zone: Primary Water Use: Sec. Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Method Elevation (m): Depth to Bedrock: Water Type: Details Thickness: Material Colour: + Thickness: Material Colour: + Thickness: Material Colour: + Thickness: Material Colour: + Thickness: | Monitoring od: Other Method .91 m BROWN 2.44 m BROWN 1.53 m GREY 5.48 m | RLETON | Lot: Concession Name: Municipality: Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n): Elevation Reliability: Overburden/Bedrock: Casing Material: Original Depth: Material: Original Depth: Material: Original Depth: Material: Original Depth: | MARCH 5020722 margin of error: 10 - 30 m 21-OCT-10 4.88 m Observation Wells PLASTIC .91 m GRAVEL, SAND, SOFT 3.35 m CLAY, SILT, SOFT 4.88 m CLAY, , SOFT |
| Material Colour: | GREY | | Material: | CLAY, SOFT, WATER-BEARING |
| 39 1 of 1 | 82. | 3 ON | | <u>BORE</u> |
| Borehole ID: Use: Drill Method: Easting: Location Accuracy: Elev. Reliability No. Total Depth m: Township: Lot: Completion Date: Primary Water Use Location Description | Hollow stem at 428780.016 te: 10.400000 1984-JUN-18 | Geological Investigation uger | Type: Status: UTM Zone: Northing: Orig. Ground Elev m: DEM Ground Elev m: Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | Borehole 18 5020915.172 82.400002 80.599998 BH 3 3.100000 |
| Details Stratum ID: | 218577404 | | Top Depth m: | 0 |

| Map Key | Numbe Record | | Elevation m | Site | | DB |
|--|-----------------|------------------|----------------------------|--|-------------------------------|----------------------------------|
| Bottom De | epth m: | 0.300000 | | | Stratum Desc: | Crushed Stone |
| + Stratum IE | ٦. | 218577405 | | | Ton Donth m | 0.300000 |
| | | | | | Top Depth m: Stratum Desc: | Brown Fill-Misc Sand - Gravel |
| Bottom De | ғрин т. | 1.100000 | | | Stratum Desc. | Brown Fill-Iviisc Sand - Gravei |
| + Stratum ID | ٠. | 240577406 | | | Ton Donth mi | 1 100000 |
| | | 218577406 | | | Top Depth m: Stratum Desc: | 1.100000 |
| Bottom De | гритт. | 1.500000 | | | Stratum Desc. | Brown Fill-Misc Sand |
| + Stratum ID | ٦. | 218577407 | | | Top Depth m: | 1.500000 |
| Bottom De | | 1.800000 | | | Stratum Desc: | Dark Brown Fill-Misc Silty Clay |
| + | <i>ε</i> ραττι. | 1.000000 | | | Stratum Desc. | Dark Brown Fill-Wilse Silty Clay |
| Stratum IE | ٦. | 218577408 | | | Top Depth m: | 1.800000 |
| Bottom De | | 5.300000 | | | Stratum Desc: | Grey-Brown Very Stiff to Stiff |
| Dolloin De | <i>-</i> ριππ. | 3.300000 | | | Stratum Desc. | Weathered Crust Silty Clay |
| + | | | | | | ,, |
| Stratum IE | D: | 218577409 | | | Top Depth m: | 5.300000 |
| Bottom De | epth m: | 10.400000 | | | Stratum Desc: | Grey Stiff Silty Clay |
| 40 | 1 of 5 | • | 36.8 | CONTROL I 48 Steacie I Kanata ON | | <u>GEN</u> |
| SIC Code: SIC Descrip Generator # Approval Yr | <u>t.</u> | 10 | N1710900 02,03,04,05,00 | 6,07,08 | | |
| Details | | 0.4 | | | | |
| Waste Co | | 24 H <i>F</i> | 1 ALOGENATED | SOLVENTS | | |
| Waste Co Waste De | | 21 AL | 2 IPHATIC SOL | VENTS | | |
| 40 | 2 of 5 | | 36.8 | CONTROL I 48 Steacie I Kanata ON | | <u>GEN</u> |
| SIC Code: SIC Descrip Generator # Approval Yr | <u>;</u> | All | N1710900 | al Equipment ar | nd Component Manufacturin | ng |
| Details Waste Co Waste De | de: | 21 AL | 2 IPHATIC SOL' | VENTS | | |
| Waste Co Waste De | | 21 PE | 3 ETROLEUM DI | STILLATES | | |
| 40 | 3 of 5 | ł | 86.8 | CONTROL I 48 Steacie I Kanata ON | | <u>GEN</u> |
| SIC Code: SIC Descrip | tion: | | 5990 Other Electrica | al Equipment a | nd Component Manufacturin | ng |

Number of Elevation Site DB Map Key Records Generator #: ON1710900 Approval Yrs: 2010 --- Details ---Waste Code: **ALIPHATIC SOLVENTS** Waste Description: Waste Code: Waste Description: PETROLEUM DISTILLATES 40 4 of 5 86.8 Control Microsystems <u>PAP</u> 48 Steacie Dr Kanata ON K2K 2A9 2009 Year. 146886635 Company ID: Operation: **Head Office** Type: Division: Mailing Address: 48 Steacie Dr, Kanata ON K2K 2A9 Mill Notes: Control Microsystems is a market leader in the development and manufacturing of SCADA hardware and software. The company's SCADAPack controllers are installed in over 100,000 installations around the world and are known for their high value and reliability. The SCADAPack controller product line combines standard PLC and RTU features with ladder logic programming, flexible I/O, and data logging capabilities. All Control Microsystems products are marketed around the world through a comprehensive network of product representatives, resellers and distributors. As part of its industryleading customer support program. Control Microsystems offers direct technical and sales support through dedicated factory teams. For more information visit www.controlmicrosystems.com History: Active Status: 40 5 of 5 86.8 Control Microsystems Inc. **SCT** 48 Steacie Dr Kanata ON K2K 2A9 Established: 01-AUG-80 Plant Size (ft2): 24000 Employment: --- Details ---SIC/NAICS Code: 334110 Description: Computer and Peripheral Equipment Manufacturing SIC/NAICS Code: Switchgear and Switchboard, and Relay and Industrial Control Apparatus Manufacturing Description: SIC/NAICS Code: 333990 Description: All Other General-Purpose Machinery Manufacturing SIC/NAICS Code: 334310 Description: Audio and Video Equipment Manufacturing SIC/NAICS Code: 334110 Description: Computer and Peripheral Equipment Manufacturing SIC/NAICS Code: Description: Semiconductor and Other Electronic Component Manufacturing SIC/NAICS Code: Description: Wiring Device Manufacturing

| Map Key Number Records | | | Site | | DB |
|-----------------------------|-------------|----------------------------|------------------|-------------------------------------|---|
| + SIC/NAIC Descriptio | | 334220 Radio and Televi | sion Broadcastir | ng and Wireless Communic | ations Equipment Manufacturing |
| + SIC/NAIC Descriptio | | 334290 Other Communic | ations Equipme | nt Manufacturing | |
| + SIC/NAIC Descriptio | | 511210 Software Publish | ers | | |
| 41 | 1 of 1 | 87.2 | ON | | <u>BORE</u> |
| Davahala ID | | 803185 | | Tura | Davahala |
| Borehole ID Use: | <i>'.</i> | Geotechnical/Geological I | nvestigation | Type: Status: | Borehole |
| Drill Method | l: | Not known | gadon | UTM Zone: | 18 |
| Easting: | | 428586.046 | | Northing: | 5020613.812 |
| Location Ac | | | | Orig. Ground Elev m: | 07.00000 |
| Elev. Reliab Total Depth | | 2 | | DEM Ground Elev m: Primary Name: | 87.300003 AH.S-3 |
| Total Depth Township: | 111. | 2 | | Concession: | Al 1.3-3 |
| Lot: | | | | Municipality: | |
| Completion | | 1986-MAY-1 | | Static Water Level: | |
| Primary Wa Location De | | | | Sec. Water Use: | |
| Details | · - | | | | |
| Stratum IE | D <i>:</i> | 218575217 | | Top Depth m: | 0 |
| Bottom De | epth m: | 0 | | Stratum Desc: | Asphalt |
| + | | | | | |
| Stratum IE | D <i>:</i> | 218575218 | | Top Depth m: | 0 |
| Bottom De | epth m: | 0.200000 | | Stratum Desc: | Brown Sand - Gravel granular A |
| + | | | | | |
| Stratum IE | D: | 218575219 | | Top Depth m: | 0.200000 |
| Bottom De | epth m: | 0.800000 | | Stratum Desc: | Brown Sand - Gravel Occasional: Blds |
| + | • | | | | |
| Stratum IE | D: | 218575220 | | Top Depth m: | 0.800000 |
| Bottom De | epth m: | 1.600000 | | Stratum Desc: | Brown Sand Trace: Si |
| + | | | | | |
| Stratum IE | | 218575221 | | Top Depth m: | 1.600000 |
| Bottom De | epth m: | 1.700000 | | Stratum Desc: | Dark Grey Topsoil Silty Clay Trace: Org |
| + | | | | | M |
| Stratum IE |): | 218575222 | | Top Depth m: | 1.700000 |
| Bottom De | | 2 | | Stratum Desc: | Grey-Brown Weathered Crust Silty Clay |
| 42 | 1 of 2 | 80.0 | | | <u>BORE</u> |
| | | | ON | | |
| Borehole ID |) <i>:</i> | 609759 | | Type: | Borehole |
| Use: Drill Method | 1. | | | Status: UTM Zone: | 18 |
| Easting: | 1. | 428371.000 | | Northing: | 5021082.000 |
| Location Ac | curacy: | 001 1.000 | | Orig. Ground Elev m: | 82.300003 |
| Elev. Reliab | ility Note: | | | DEM Ground Elev m: | 78.900002 |
| Total Depth | | 43.900002 | | Primary Name: | |
| | | | | | |

| | mber of cords | Elevation m | Site | | | DB |
|---|--|----------------|------|--|--|----------------|
| Township: Lot: Completion Date: Primary Water Us Location Descripti | | | | Concession: Municipality: Static Water Level: Sec. Water Use: | | |
| Details | | | | | | |
| Stratum ID: | 21838400 | 5 | | Top Depth m: | 0 | |
| Bottom Depth m | n: 19.500000 |) | | Stratum Desc: | CLAY. BLUE. | |
| + | | | | | | |
| Stratum ID: | 21838400 | | | Top Depth m: | 19.500000 | |
| Bottom Depth m | a: 20.100000 |) | | Stratum Desc: | SAND. | |
| Stratum ID: | 21838400 | 7 | | Top Depth m: | 20.100000 | |
| Bottom Depth m | | | | Stratum Desc: | GRAVEL. | |
| + | | | | | | |
| Stratum ID: | 21838400 | 8 | | Top Depth m: | 21.299999 | |
| Bottom Depth m | a: 43.900002 | 2 | | Stratum Desc: | BEDROCK. 001421011 | C VELOCITY = |
| | | | | | 20200. 35 0013502204704500000 253TE. | 00160000000700 |
| 42 2 of | 2 | 80.0 | ON | | | wwis |
| Well Id: Concession: County: Easting Nad83: Zone: Primary Water Use: Pump Rate: Flow Rate: Specific Capacity: Construction Meth Elevation (m): Depth to Bedrock: Water Type: Details Thickness: Material Colour: + Thickness: | 428370.6 18 e: Livestock Domestic nod: Cable Too 78.95 70 FRESH 64 ft BLUE 2 ft 4 ft | CARLETON | | Lot: Concession Name: Municipality: Northing Nad83: Utm Reliability: Construction Date: Well Depth: Static Water Level: Clear/Cloudy: Final Well Status: Flowing (y/n): Elevation Reliability: Overburden/Bedrock: Casing Material: Original Depth: Material: Original Depth: Material: Original Depth: Material: Original Depth: Material: Original Depth: Material: | O07 CON MARCH 5021082 unknown UTM 28-JUL-50 70 ft 20 ft Water Supply N Bedrock OPEN HOLE,STEEL 64 ft CLAY 66 ft MEDIUM SAND 70 ft GRAVEL 144 ft ROCK | |
| 43 1 of | 1 | 86.0 | ON | | | <u>BORE</u> |

DB Number of Elevation Site Map Key Records Borehole ID: 609748 Type: Borehole Use: Status: UTM Zone: Drill Method: 18 5020882.000 Northing: Easting: 428261.000 Location Accuracy: Orig. Ground Elev m: 85.300003 Elev. Reliability Note: DEM Ground Elev m: 86 Total Depth m: -999.000000 Primary Name: Township: Concession: Lot: Municipality: Completion Date: Static Water Level: 3.400000 Primary Water Use: Sec. Water Use: Location Description: --- Details ---Stratum ID: 218383980 Top Depth m: Bottom Depth m: 12.200000 Stratum Desc: CLAY. Stratum ID: 218383981 Top Depth m: 12.200000 Bottom Depth m: 18.900000 Stratum Desc: GRAVEL. WATER STABLE AT 269.0 FEET. Stratum ID: 218383982 Top Depth m: 18.900000 BEDROCK, GRANITE. 400. BEDROCK. Bottom Depth m: Stratum Desc: SEISMIC VELOCITY = 14500. GRANITE. 00100VELOCIT 1 of 1 81.5 **BORE** ON Borehole ID: 803665 Type: Borehole Use: Geotechnical/Geological Investigation Status:

44

Drill Method: Hollow stem auger UTM Zone: 18

Easting: 428791.323 Northing: 5020924.960

Orig. Ground Elev m: Location Accuracy: 81.699997 Elev. Reliability Note: DEM Ground Elev m: 80.400002

Total Depth m: 8.800000 Primary Name: BH₂

Township: Concession: Municipality: Lot:

Completion Date: 1984-JUN-18 Static Water Level: 1.400000

Primary Water Use: Sec. Water Use: Location Description:

--- Details ---Stratum ID: 218577395

218577398

Top Depth m: Stratum Desc: Crushed Stone

Bottom Depth m: 0.100000

Stratum ID: 218577396 Top Depth m: 0.100000

Brown Fill-Misc Sand Bottom Depth m: 0.400000 Stratum Desc:

Stratum ID: 218577397 Top Depth m: 0.400000

Bottom Depth m: 0.800000 Stratum Desc: Dark Brown Fill-Misc Silty Clay Trace: Gr

Top Depth m:

Bottom Depth m: 4.100000 Stratum Desc: Grey-Brown Very Stiff to Stiff

Weathered Crust Silty Clay

0.800000

Stratum ID:

| Map Key Numbe Record | | Site | DB |
|---|--|---|---|
| + | | | |
| Stratum ID: | 218577399 | Top Depth m: | 4.100000 |
| Bottom Depth m: | 8.800000 | Stratum Desc: | Grey Firm to Stiff Silty Clay |
| 45 1 of 1 | 85.0 | ON | <u>BORE</u> |
| Borehole ID: Use: Drill Method: Easting: Location Accuracy: Elev. Reliability Note: Total Depth m: Township: Lot: Completion Date: Primary Water Use: Location Description: | 803478 Geotechnical/Geological Inverted Hollow stem auger 428754.930 7.300000 1984-JUN-20 | Type: Status: UTM Zone: Northing: Orig. Ground Elev m DEM Ground Elev m Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | |
| Details Stratum ID: Bottom Depth m: + | 218576628 | Top Depth m: Stratum Desc: | 0 Topsoil |
| Stratum ID: Bottom Depth m: | 218576629 1.500000 | Top Depth m: Stratum Desc: | 0 Brown Compact Fill-Misc Sand - Gravel Occasional: Cob |
| + Stratum ID: | 218576630 | Top Depth m: | 1,500000 |
| Bottom Depth m: | 4.300000 | Stratum Desc: | Grey-Brown Very Stiff to Stiff Weathered Crust Silty Clay |
| Stratum ID: | 218576631 | Top Depth m: | 4.300000 |
| Bottom Depth m: | 7.300000 | Stratum Desc: | Grey Stiff Silty Clay |
| 46 1 of 1 | 89.4 | ON | BORE |
| Borehole ID: Use: Drill Method: Easting: Location Accuracy: Elev. Reliability Note: Total Depth m: Township: Lot: Completion Date: Primary Water Use: Location Description: | 803728 Geotechnical/Geological Investoring 428289.528 2.300000 1984-MAY-3 | Type: Status: UTM Zone: Northing: Orig. Ground Elev m DEM Ground Elev m Primary Name: Concession: Municipality: Static Water Level: Sec. Water Use: | |
| Details | 040577000 | T 5 " | |
| Stratum ID: Bottom Depth m: | 218577668 0.300000 | Top Depth m: Stratum Desc: | 0 Topsoil |
| + Stratum ID: | 218577669 | Top Depth m: | 0.300000 |

Number of Elevation Site DB Map Key Records

Bottom Depth m: 2.300000 Stratum Desc: Brown Till Silt - Sand With: CI W Gr

RELTEK INC 47 1 of 1 86.4 SCT

> 44 STEACIE DR KANATA ON K2K 2A9

1979 Established: Plant Size (ft2): 6000 Employment:

--- Details ---

SIC/NAICS Code: 3577

COMPUTER PERIPHERAL EQUIPMENT, NOT ELSEWHERE CLASSIFIED Description:

SIC/NAICS Code:

Description: RADIO AND TELEVISION BROADCASTING AND COMMUNICATIONS EQUIPMENT

SIC/NAICS Code: 334110

Description: Computer and Peripheral Equipment Manufacturing

SIC/NAICS Code:

Description: Radio and Television Broadcasting and Wireless Communications Equipment Manufacturing

48 1 of 8 81.0 Zarlink Phase 5 <u>CA</u>

400 March Road Kanata ON K2K 3H4

Certificate #: 6681-585KBA

Application Year: Issue Date: 5/8/02 Approval Type: Industrial air Status: Approved Amended CofA Application Type:

Client Name: Zarlink Semiconductor Inc.

Client Address: 400 March Road

Client City: Kanata Client Postal Code: K2K 2W7

Project Description: This application is to amend the current Air Certificate of Approval No. 8433-4VAJ5H to reflect an

increase in the size of the emergency diesel generator from 100 kW to 150 kW and the change of

company name from Mitel Corporation Ltd. to Zarlink Semiconductor Inc.

Contaminants:

Emission Control: No Controls

48 2 of 8 81.0 400 March Road <u>CA</u>

Kanata ON K2K 3H4

8433-4VAJ5H Certificate #:

Application Year: 02 Issue Date: 5/8/02 Approval Type: Industrial air

Status: Revoked and/or Replaced Application Type: New Certificate of Approval Client Name: Mitel Corporation Ltd. Client Address: 400 March Road Client City: Kanata

Client Postal Code: K2K 2W7

Project Description: This application is for a Certificate of Approval for one (1) emergency diesel generator, two (2)

720,000 BTU/hr gas-fired water heaters, one (1) gas-fired steam humidifier, and two (2) boilers.

Contaminants:

Number of Elevation Site DB Map Key Records Emission Control: 3 of 8 81.0 Kanata Research Park Corporation **EASR** 48 400 MARCH ROAD OTTAWA ON CofA Number: R-002-1152484973 Date: 9/4/2012 Registered Status: Standby Power System Project Type: 4 of 8 81.0 Kanata Research Park Corporation **EASR** 48 400 MARCH ROAD OTTAWA ON CofA Number: R-003-5152378185 Date: 9/4/2012 Registered Status: Project Type: Heating System 5 of 8 81.0 400 March Road **EHS** 48 Ottawa ON Order No.: 20111213021 Report Date: 12/20/2011 3:29:00 PM Report Type: **Custom Report** Search Radius (km): 0.25 Addit. Info Ordered: 48 6 of 8 81.0 ZARLINK SEMICONDUCTOR INC. **GEN** 400 March Rd. KANATA ON K2K 3H4 SIC Code: 334410 SIC Description: Semiconductor and Other Electronic Component Manufacturing Generator #: ON2637200 Approval Yrs: 2011 --- Details ---Waste Code: Waste Description: INORGANIC LABORATORY CHEMICALS Waste Code: ACID WASTE - HEAVY METALS Waste Description: Waste Code: Waste Description: WASTE COMPRESSED GASES Waste Code: 241 Waste Description: HALOGENATED SOLVENTS Waste Code: Waste Description: ACID WASTE - OTHER METALS Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS

Number of Site DB Map Key Elevation Records Waste Code: 121 Waste Description: ALKALINE WASTES - HEAVY METALS Waste Code: 122 **ALKALINE WASTES - OTHER METALS** Waste Description: Waste Code: Waste Description: WASTE OILS & LUBRICANTS Waste Code: Waste Description: ALIPHATIC SOLVENTS Waste Code: 312 Waste Description: PATHOLOGICAL WASTES Waste Code: 253 Waste Description: **EMULSIFIED OILS** Waste Code: 213 Waste Description: PETROLEUM DISTILLATES Waste Code: 146 OTHER SPECIFIED INORGANICS Waste Description: Waste Code: Waste Description: AROMATIC SOLVENTS Waste Code: PAINT/PIGMENT/COATING RESIDUES Waste Description: 7 of 8 ZARLINK SEMICONDUCTOR INC. **GEN** 48 81.0 400 March Rd. KANATA ON K2K 3H4 SIC Code: 334410 SIC Description: Semiconductor and Other Electronic Component Manufacturing Generator #: ON2637200 2010 Approval Yrs: --- Details ---Waste Code: 263 Waste Description: ORGANIC LABORATORY CHEMICALS Waste Code: 121 Waste Description: ALKALINE WASTES - HEAVY METALS Waste Code: 213 Waste Description: PETROLEUM DISTILLATES Waste Code: 253 **EMULSIFIED OILS** Waste Description: Waste Code: 211 Waste Description: AROMATIC SOLVENTS Waste Code: 331 Waste Description: WASTE COMPRESSED GASES Waste Code:

58

WASTE OILS & LUBRICANTS

Waste Description:

| Map Key | Number Records | | | | DB | |
|---|-------------------|----------------------------|--|--|------------------------|-------------|
| Waste Coo Waste Des | | 112 ACID WASTE - H | EAVY METALS | | | |
| Waste Co Waste Des | | 241 HALOGENATED | SOLVENTS | | | |
| + Waste Cod Waste Des | | 146 OTHER SPECIFIE | ED INORGANICS | } | | |
| Waste Cod Waste Des | | 122 ALKALINE WAST | ES - OTHER ME | | | |
| + Waste Co Waste Des | | 145 PAINT/PIGMENT/ | COATING RESI | DUES | | |
| + Waste Cod Waste Des | | 113 ACID WASTE - O | | | | |
| + Waste Cod Waste Des | | 312 PATHOLOGICAL | | | | |
| + Waste Cod Waste Des | | 148 INORGANIC LAB | | | | |
| Waste Coo Waste Des | | 212 ALIPHATIC SOLV | | | | |
| 48 | 8 of 8 | 81.0 | Enablence Te 400 March Rd Kanata ON K2 | | <u>SCT</u> | |
| Established: Plant Size (f Employmen | ft²): | 01-AUG-04 9137 | | | | |
| Details SIC/NAICS Description | S Code: | 335920 Communication a | nd Energy Wire a | nd Cable Manufacturing | | |
| 49 | 1 of 1 | 89.1 | ON | | | <u>BORE</u> |
| Parabala ID | | 803729 | | Tunor | Borehole | |
| Borehole ID. Use: | | Geotechnical/Geological In | vestigation | Type: Status: | DOLETION | |
| | | Boring | | UTM Zone: | 18 | |
| | | 428269.121 | | Northing: | 5020705.206 | |
| Location Acc | • | | | Orig. Ground Elev m: DEM Ground Elev m: | 88.300003 88.300003 | |
| Elev. Reliab Total Depth | | 6.100000 | | Primary Name: | AH 16 | |
| Township: | | | | Concession: | | |
| Lot: | 5 (| 1004 144)/ 0 | | Municipality: | | |
| Completion Date: 1984-MAY- Primary Water Use: Location Description: | | 1984-MAY-3 | | Static Water Level: Sec. Water Use: | | |
| Details | - | | | | | |
| Stratum ID: 21857 | | 218577670 | | Top Depth m: | 0 | |
| Bottom De | epth m: | 0 | | Stratum Desc: | Topsoil | |
| + Stratum IE | D: | 218577671 | | Top Depth m: | 0 | |
| 59 | erisinfo | coml EcoLog ERIS Ltd | | | Order #- 20 | 130806003 |

| Map Key | Numbe Record | | evation | Site | | DB |
|-------------------------|---------------------------|-------------------------|--------------|----------------------------|--------------------------------------|---|
| | Depth m: | 0.700000 | | | Stratum Desc: | Brown Silt - Sand With: Gr Trace: Cl |
| + Stratum | ID: | 218577672 | | | Top Depth m: | 0.700000 |
| | Depth m: | 4.600000 | | | Stratum Desc: | Grey-Brown Weathered Crust Silty Cla |
| Stratum | ID: | 218577673 | | | Top Depth m: | 4.600000 |
| Bottom I | Depth m: | 6.100000 | | | Stratum Desc: | Grey Silty Clay |
| 50 | 1 of 1 | 81.: | 3 | ON | | <u>BORE</u> |
| Borehole I | 'D· | 609750 | | | Туре: | Borehole |
| Use: | | 000.00 | | | Status: | |
| Drill Metho | od: | 420024 000 | | | UTM Zone: | 18 |
| Easting: Location A | ocuracy: | 428831.000 | | | Northing: Orig. Ground Elev m: | 5020932.000 80.800003 |
| | ability Note: | | | | DEM Ground Elev m: | 80.300003 |
| Total Dept | th m: | -999.000000 | | | Primary Name: | |
| Township: | | | | | Concession: | |
| Lot: Completio | n Date: | | | | Municipality: Static Water Level: | 9.800000 |
| Primary W | | | | | Sec. Water Use: | 0.00000 |
| Details | | | | | | |
| Stratum | ID: | 218383985 | | | Top Depth m: | 0 |
| | Depth m: | 24.400000 | | | Stratum Desc: | CLAY. |
| + Stratum | ID· | 218383986 | | | Top Depth m: | 24.400000 |
| | Depth m: | | | | Stratum Desc: | BEDROCK,GRANITE. WATER STABLE AT 233.0 FEET.ITE. 400. BEDROCK. SEISMIC VELOCITY = |
| 51 | 1 of 1 | 79. | 1 | 340 Legget Di Ottawa ON | rive | <u>EHS</u> |
| | te: pe: adius (km): | 7/29/2 Custo 0.35 | m Report | | | |
| Addit. Info | Ordered: | Fire Ir | nsur. Maps a | and/or Site Plans; | City Directory | |
| 52 | 1 of 1 | 80.9 | 9 | | | <u>wwis</u> |
| | | | | ON | | |
| Well Id: | | 1503403 | | | Lot: | 006 |
| Concessio | on: | 04 | | | Concession Name: | CON |
| County: Fasting M | 2483· | OTTAWA-CAR | RLETON | | Municipality: | MARCH 5020012 |
| Easting Nad83: Zone: | | 428860.6 18 | | | Northing Nad83: Utm Reliability: | 5020912 margin of error : 100 m - 300 m |
| erimary W | /ater Use: | Domestic | | | Construction Date: | 19-JUL-56 |
| Sec. Wate | er Use: | | | | Well Depth: | 85 ft |
| Pump Rate | | 4 GPM | | | Static Water Level: | -2 ft |
| Flow Rate Specific C | | | | | Clear/Cloudy: Final Well Status: | CLEAR Water Supply |
| | on Method: | Diamond | | | Flowing (y/n): | Y |
| | | | | | | |

| Мар Кеу | Number Records | | Elevation m | Site | | | DB |
|---|-------------------|--|-------------------|--------------|--|---------------------------------|--------------------|
| Elevation (m | | 80.42 | | | Elevation Reliability: | | |
| Depth to Bed Water Type: | | 80 FRESH | | | Overburden/Bedrock: Casing Material: | Bedrock OPEN HOLE,STEEL | |
| Details | • | | | | | | |
| Thickness: | • | 80 ft | | | Original Depth: | 80 ft | |
| Material Co + | olour: | BLUE | | | Material: | CLAY | |
| Thickness: | | 5 ft | | | Original Depth: | 85 ft | |
| Material Co | olour: | | | | Material: | GRANITE | |
| 53 | 1 of 1 | | 89.0 | ON | | | BORE |
| D | | 000700 | | | T | Danahala | |
| Borehole ID: Use: Drill Method: Easting: | | 803730 Geotechni Boring 428245.01 | cal/Geological Ir | nvestigation | Type: Status: UTM Zone: Northing: | Borehole 18 5020684.157 | |
| Location Acc Elev. Reliabi Total Depth I Township: | ility Note: | 6.100000 | | | Orig. Ground Elev m: DEM Ground Elev m: Primary Name: Concession: | 87.900002 87.900002 AH 17 | |
| Lot: Completion I Primary Wat Location Des | er Use: | 1984-MAY | ⁄-3 | | Municipality: Static Water Level: Sec. Water Use: | | |
| Details | | | | | | | |
| Stratum ID |) <u>:</u> | 21857767 | 4 | | Top Depth m: | 0 | |
| Bottom De | pth m: | 0.200000 | | | Stratum Desc: | Topsoil | |
| + | | | | | | | |
| Stratum ID |) <i>:</i> | 21857767 | 5 | | Top Depth m: | 0.200000 | |
| Bottom De | pth m: | 4 | | | Stratum Desc: | Grey-Brown Weathered | d Crust Silty Clay |
| + | | | | | | | |
| Stratum ID |); | 21857767 | 6 | | Top Depth m: | 4 | |
| Bottom De | pth m: | 6.100000 | | | Stratum Desc: | Grey Silty Clay | |
| 54 | 1 of 2 | | 85.0 | ON | | | <u>BORE</u> |
| Borehole ID: | | 609742 | | | Туре: | Borehole | |
| Use: | | | | | Status: | | |
| Drill Method: | • | 428806.00 | 00 | | UTM Zone: | 18 | |
| Easting: Location Acc | curacv: | 420000.00 | JO | | Northing: Orig. Ground Elev m: | 5020662.000 85.300003 | |
| Elev. Reliabi | | | | | DEM Ground Elev m: | 87 | |
| Total Depth I Township: | m: | 45.700001 | | | Primary Name: Concession: | | |
| Lot: Completion L Primary Wat Location Des | er Use: | 1952-NO\ | / | | Municipality: Static Water Level: Sec. Water Use: | -1.500000 | |
| Details | | | | | | | |
| Stratum ID |) <u>:</u> | 21838396 | 5 | | Top Depth m: | 0 | |
| Bottom De | pth m: | 7.600000 | | | Stratum Desc: | CLAY. BLUE. | |

DB Map Key Number of Elevation Site Records + Top Depth m: 7.600000 Stratum ID: 218383966 Bottom Depth m: 45.700001 Stratum Desc: GRANITE. 00090285.0 FEET.BEDROCK, SANDSTONE. ITE. WHITE. 0022000180LOCITY = 18200 85.0 **WWIS** 54 2 of 2 ON 1503337 006 Well Id: Lot: Concession Name: CON Concession: County: OTTAWA-CARLETON Municipality: **MARCH** Easting Nad83: 428805.6 Northing Nad83: 5020662 Zone: 18 Utm Reliability: unknown UTM Primary Water Use: Domestic Construction Date: 11-NOV-52 Sec. Water Use: Well Depth: 25 ft 2 GPM Pump Rate: Static Water Level: 8 ft Flow Rate: Clear/Cloudy: **CLEAR** Water Supply Specific Capacity: Final Well Status: Construction Method: Flowing (y/n): Diamond Ν Elevation Reliability: Elevation (m): 86.95 Depth to Bedrock: Overburden/Bedrock: 25 Bedrock **FRESH** Casing Material: OPEN HOLE, STEEL Water Type: --- Details ---Thickness: 25 ft Original Depth: 25 ft **BLUE** Material: CLAY Material Colour: Thickness: 125 ft Original Depth: 150 ft Material Colour: Material: **GRANITE** 79.0 55 1 of 1 **BORE** ON Borehole ID: 803661 Type: Borehole Geotechnical/Geological Investigation Status: Use: Hollow stem auger Drill Method: UTM Zone: 18 Eastina: 428859.085 Northing: 5020984.693 Location Accuracy: Orig. Ground Elev m: 79.400002 Elev. Reliability Note: DEM Ground Elev m: 79.800003 Primary Name: Total Depth m: 7.300000 BH 1 Township: Concession: Lot: Municipality: Completion Date: 1984-MAY-30 Static Water Level: 0.800000 Primary Water Use: Sec. Water Use: Location Description: --- Details ---Stratum ID: 218577383 Top Depth m: Bottom Depth m: 0.200000 Stratum Desc: Topsoil Stratum ID: Top Depth m: 0.200000 218577384 Grey-Brown Very Stiff Weathered Crust Bottom Depth m: 3.600000 Stratum Desc: Silty Clay Stratum ID: 218577385 Top Depth m: 3.600000 Bottom Depth m: 7.300000 Stratum Desc: Grey Firm to Stiff Silty Clay

| Мар Кеу | Number of Records | Elevation m | Site | DB |
|--|----------------------|---|---|-----------------|
| 56 | 1 of 6 | 80.0 | LISTON ANIMAL HOSPITAL 4055 CARLING AVE. UNIT 5 KANATA ON K2K 2A4 | <u>GEN</u> |
| SIC Code SIC Desc Generator Approval | ription: r #: | 541940 Veterinary Services ON4653811 07,08 | 5 | |
| Details Waste (Waste [| | 312 PATHOLOGICAL \ | WASTES | |
| 56 | 2 of 6 | 80.0 | LISTON ANIMAL HOSPITAL 4055 CARLING AVE. UNIT 5 KANATA ON K2K 2A4 | <u>GEN</u> |
| SIC Code | | | | |
| Generator Approval | r #: | ON4653811 As of Apr 2012 | | |
| Details Waste (Waste L | | 312 Pathological waste | s | |
| 56 | 3 of 6 | 80.0 | LISTON ANIMAL HOSPITAL 4055 CARLING AVE. UNIT 5 KANATA ON | GEN |
| SIC Code SIC Desc Generator Approval | ription: r #: | 541940 Veterinary Services ON4653811 2009 | 5 | |
| Details Waste (Waste L | | 312 PATHOLOGICAL \ | WASTES | |
| 56 | 4 of 6 | 80.0 | LISTON ANIMAL HOSPITAL 4055 CARLING AVE. UNIT 5 KANATA ON | <u>GEN</u> |
| SIC Code SIC Desci Generator Approval | ription: r #: | 541940 Veterinary Services ON4653811 2010 | 5 | |
| Details Waste (Waste L | | 312 PATHOLOGICAL \ | NASTES | |
| 56 | 5 of 6 | 80.0 | LISTON ANIMAL HOSPITAL 4055 CARLING AVE. UNIT 5 KANATA ON | <u>GEN</u> |
| SIC Code | | 541940 Veterinary Services | S | |
| | • • | 2.2 2, 22 | | 0 1 " 004000000 |

Order #: 20130806003

| Мар Кеу | Number of Records | Elevation m | Site | DB |
|--|----------------------|-----------------------------|--|------------|
| Generator #: Approval Yrs | | ON4653811 2011 | | |
| Details Waste Cod Waste Des | de: | 312 PATHOLOGICA | AL WASTES | |
| 56 | 6 of 6 | 80.0 | EmbroidMe Inc. 4055 Carling Ave Unit 4 Kanata ON K2K 2A4 | <u>SCT</u> |
| Established: Plant Size (fi Employment | ⁽²): | 01-SEP-03 | | |
| Details SIC/NAICS Description | Code: | 418990 All Other Wholes | saler-Distributors | |
| + SIC/NAICS Description | | 418210 Stationery and C | Office Supplies Wholesaler-Distributors | |
| + SIC/NAICS Description | | 323113 Commercial Scr | een Printing | |
| + SIC/NAICS Description | | 323119 Other Printing | | |
| + SIC/NAICS Description | | 314990 All Other Textile | Product Mills | |

Unplottable Report

<u>Site:</u>

Lot 6 Con 3 Kanata ON

AAGR

Type: Quarry

Region/County: Ottawa-Carleton

Township: Kanata
Concession: 3
Lot: 6
Size (ha): 2.25

Landuse: Comments:

Site: City of Ottawa Database: Carling Avenue (Road allownce) Ottawa ON CA

Certificate #: 3615-6QHRAR

Application Year: 2006
Issue Date: 6/13/2006

Approval Type: Municipal and Private Sewage Works

Status: Approved

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Application Type:

Site: ONTARIO HYDRO, SOUTH MARCH TS Database: LOT 7, CONC, 3 KANATA CITY ON CA

 Certificate #:
 4-0070-97

 Application Year:
 97

 Issue Date:
 7/17/1997

Approval Type: Industrial wastewater

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: SPILL CONT. FOR TRANSFORMERS T1 & T2

Contaminants: Emission Control:

Site: L.SIPOLINS Database: SOUTH OF CARLING AVE. OTTAWA CITY ON CA

Certificate #: 7-1008-85-006

erisinfo.com | EcoLog ERIS Ltd. 13-340 401 March Rd Ottawa ON K2K0E4 Order #: 20130806003

Application Year: 85

Issue Date: 11/15/85
Approval Type: Municipal water
Status: Approved

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Carling Ave Ottawa ON

Database: CA

Certificate #: 2472-8GRQTN
Application Year: 2011
Issue Date: 5/20/2011

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Cod

Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: R.M. OF OTTAWA-CARLETON

MARCH ROAD RECON., SWM FAC. KANATA CITY ON

Database: CA

 Certificate #:
 3-0372-96

 Application Year:
 96

 Issue Date:
 6/20/1996

Approval Type: Municipal sewage

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Cod

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: 1374421 Ontario Ltd.

North Part of Lot 6, Concession III Ottawa ON

Database: CA

Certificate #: 1907-62VS2P
Application Year: 2004
Issue Date: 7/21/2004

Approval Type: Municipal and Private Sewage Works

Status: Revoked and/or Replaced

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: KNL Developments Inc.

Lot 6 (Concession 3) and 7 (Concession 2 &3) Ottawa ON

Database: **EBR**

Year: 2012 EBR Registry No.: 011-5554

Ministry Ref. No.: MNR INST 04/12 Type: Instrument Proposal

Instrument Type: (ESA s.17(2) (c)) - Permit for activities with conditions to achieve overall benefit to the species

Proposal Date: February 01, 2012

Location: Lot 6 (Concession 3) and 7 (Concession 2 &3), March Township CITY OF OTTAWA

2193 Arch Street Ottawa Ontario Canada K1G 2H5 Proponent Address:

Site: Database: Carling Ave N Of, Grandview Rd Ottawa ON **EHS**

Order No.: 20051020002 Report Date: 10/18/2005 Report Type: Site Report Search Radius (km): 0.25

Addit. Info Ordered:

Site: Database: Carling Ave N of Grandview Dr W Ottawa ON **EHS**

Order No.: 20051017043 Report Date: 10/18/2005 Report Type: Site Report Search Radius (km): 0.25

Addit. Info Ordered:

Site: NATIONAL DEFENCE Database: SHERLY'S BAY (PROPERTY) OFF CARLING AVE. OTTAWA CITY ON SPL

Ref No.: 223921 Incident Dt: 4/11/2002 MOE Reported Dt: 4/11/2002

Contaminant Name: Contaminant Quantity:

Incident Summary: NATIONAL DEFENCE, LEAKING UST, INSTALLED PRE 1980 UNKNOW VOLUME TO

Incident Cause: UNDERGROUND TANK LEAK

Incident Reason: UNKNOWN Nature of Impact: Soil contamination

Receiving Medium: LAND Environmental Impact: **POSSIBLE**

Database: Site: MARCHWOOD TRANSFORMER STATION ON STATION ROAD KANATA CITY ON SPL

Ref No.: 37209

13-340

erisinfo.com | EcoLog ERIS Ltd. 401 March Rd Ottawa ON K2K0E4 Order #: 20130806003

 Incident Dt:
 7/4/1990

 MOE Reported Dt:
 7/4/1990

Contaminant Name: Contaminant Quantity:

Incident Summary: KANATA PUC - TRANSFORMER STATION ON FIRE, MAX 20000 L. TRANSF. OIL

Incident Cause: COOLING SYSTEM LEAK

Incident Reason: FIRE/EXPLOSION Nature of Impact: Human health

Receiving Medium: AIR

Environmental Impact: POSSIBLE

Site: Industry Canada - Communications Research Centre

Carling Avenue (Between Moody and March Road) Ottawa ON

Database: SPL

 Ref No.:
 6336-5TMS96

 Incident Dt:
 11/25/2003

 MOE Reported Dt:
 11/25/2003

Contaminant Name: SEWAGE, RAW UNCHLORINATED

Contaminant Quantity:

Incident Summary: CRC: Sewage forcemain hit, contained to land

Incident Cause: Valve / Fitting Leak Or Failure

Incident Reason: Error- Operator error Nature of Impact: Other Impact(s)

Receiving Medium: Land

Environmental Impact: Not Anticipated

Site: City of Ottawa
CARLING AVE., IN FRONT OF WESTGATE SHOPPING CENTRE<UNOFFICIAL> Ottawa ON

Database:

SPL

Order #: 20130806003

 Ref No.:
 7707-5XRK48

 Incident Dt:
 4/5/2004

 MOE Reported Dt:
 4/5/2004

Contaminant Name: COOLANT (N.O.S.)

Contaminant Quantity: 7 L

Incident Summary: OC Transpo,7 L antifreeze into storm sewer, works

Incident Cause:Pipe Or Hose LeakIncident Reason:Equipment FailureNature of Impact:Soil Contamination

Receiving Medium: Land Environmental Impact: Possible

Site: Database:
Carling Ave near Woodroffe Ottawa ON SPL

 Ref No.:
 3016-6UGHU4

 Incident Dt:
 10/11/2006

 MOE Reported Dt:
 10/11/2006

 Contaminant Name:
 HYDRAULIC OIL

Contaminant Quantity: 9 L

Incident Summary: Carling Ave: spill 2 gallons hydraulic oil

Incident Cause:

Incident Reason:

Nature of Impact: Soil Contamination

Receiving Medium: Land

Environmental Impact: Not Anticipated

<u>Site:</u> O.C. TRANSPO Database:

erisinfo.com | EcoLog ERIS Ltd. 13-340 401 March Rd Ottawa ON K2K0E4

 Ref No.:
 113894

 Incident Dt:
 6/1/1995

 MOE Reported Dt:
 6/1/1995

Contaminant Name: Contaminant Quantity:

Incident Summary: O.C. TRANSPO - UNKNOWN AMOUNT OF MOTOR OIL TO RD. & SEWER FROM BUS.

Incident Cause:OTHER CONTAINER LEAKIncident Reason:EQUIPMENT FAILURENature of Impact:Water course or lakeReceiving Medium:LAND / WATEREnvironmental Impact:POSSIBLE

<u>Site:</u> OC TRANSPO Database: CARLING AVE. BETWEE COLE AVE. & MAITLAND AVE. OTTAWA CITY ON SPL

 Ref No.:
 238849

 Incident Dt:
 9/9/2002

 MOE Reported Dt:
 9/9/2002

Contaminant Name: Contaminant Quantity:

Incident Summary: OC TRANSIT BUS: 60 L HYDRAULIC OIL TO ROAD & STORM SEWER. CLEANING.

Incident Cause:
Incident Reason:
Nature of Impact:
Receiving Medium:
Environmental Impact:
PIPE/HOSE LEAK
EQUIPMENT FAILURE
Multi Media Pollution
LAND, WATER
POSSIBLE

<u>Site:</u> ONTARIO HYDRO Database: SOUTH MARCH TRANSFORMER STATION, MARCH ROAD KANATA CITY ON SPL

 Ref No.:
 128700

 Incident Dt:
 6/26/1996

 MOE Reported Dt:
 7/3/1996

Contaminant Name: Contaminant Quantity:

Incident Summary: ONTARIO HYDRO: 250 ML OF PCB OIL (200 PPM) TO SOILCONTAINED AND CLEANED

UF

Incident Cause: COOLING SYSTEM LEAK

Incident Reason: OTHER

Nature of Impact: Soil contamination

Receiving Medium: LAND

Environmental Impact: CONFIRMED

<u>Site:</u> OTTAWA-CARLETON TRANSIT Database: MARCH ROAD, SOUTH OF CARLING OTTAWA CITY ON SPL

 Ref No.:
 222088

 Incident Dt:
 2/25/2002

 MOE Reported Dt:
 2/25/2002

Contaminant Name: Contaminant Quantity:

Incident Summary: OC TRANSIT: 2L OF ANTIFREEZE IN THE SEWER, CLEANING

Incident Cause:
Incident Reason:
Incident Cause:
Incident Reason:
Inciden

<u>Site:</u> OTTAWA TRANSIT Database: CARLING AVENUE OTTAWA ON SPL

 Ref No.:
 187680

 Incident Dt:
 9/29/2000

 MOE Reported Dt:
 9/29/2000

Contaminant Name: Contaminant Quantity:

Incident Summary: OC TRANSPO:DIESEL FUEL LEAK FROM FUEL PUMP/LINE INTO SEWER-WORKS

NOTIFIED

Incident Cause: PIPE/HOSE LEAK Incident Reason: UNKNOWN

Nature of Impact: Water course or lake

Receiving Medium: WATER
Environmental Impact: POSSIBLE

Site: HOTEL/MOTEL Database: CARLING AVENUE OTTAWA CITY ON SPL

 Ref No.:
 84065

 Incident Dt:
 4/14/1993

 MOE Reported Dt:
 4/14/1993

Contaminant Name: Contaminant Quantity:

Incident Summary: EMBASSY WEST HOTEL: FUEL-CONTAMINATED SOIL FOUND BY UNDERGROUND

TANK

Incident Cause: UNDERGROUND TANK LEAK

Incident Reason: CORROSION
Nature of Impact: Soil contamination

Receiving Medium: LAND

Environmental Impact: CONFIRMED

Appendix: Database Descriptions

Ecolog Environmental Risk Information Services Ltd can search the following databases. The extent of Historical information varies with each database and current information is determined by what is publicity available to Ecolog ERIS at the time of update. **Note**: Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Up to Sept 2002

Provincial

AAGR

The MAAP Program maintains a database of all abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.

Aggregate Inventory:

Up to Aug 2012

Provincial

AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. Please note that the database is only referenced by lot\concession and city/town location. The database provides information regarding the registered owner/operator, location, status, licence type, and maximum tonnage.

Abandoned Mine Information System:

1800-Feb 2013

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Anderson's Waste Disposal Sites:

1860s-Present

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritive. The information was collected for research purposes only.

Automobile Wrecking & Supplies:

2001-Jun 2010

Private

AUWR

This database provides an inventory of all known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Borehole: 1875-Aug 2011 Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Certificates of Approval:

1985-Oct 30, 2011*

Provincial

CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Commercial Fuel Oil Tanks:

1948-Apr 2013

Provincial

CFOT

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

Chemical Register:

1992, 1999-Jun 2010

Private

CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

<u>Inventory of Coal Gasification Plants and Coal Tar</u> Sites:

Apr 1987 and Nov 1988*

Provincial

COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Compliance and Convictions:

1989-Jun 2013

Provincial

CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Certificates of Property Use:

1994-Jun 2013

Provincial

CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Drill Hole Database:

1886-Jun 2013

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Environmental Activity and Sector Registry:

Oct 31, 2011-Jul 2013

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Environmental Registry:

1994-Jun 2013

Provincial

EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Environmental Compliance Approval:

Oct 31, 2011-Jul 2013

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For CofA's prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Environmental Effects Monitoring:

1992-2007

Eederal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

ERIS Historical Searches:

1999-Mar 2013

Private

EHS

EcoLog ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Environmental Issues Inventory System:

1992-2001*

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

List of TSSA Expired Facilities:

Current to Feb 2012

Provincial

EXP

This is a list of all expired facilities that fall under the TSSA (TSSA Act & Safety Regulations), including the six regulations that exist under the Fuels Safety Division. It will include facilities such as private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. These tanks have been removed and automatically fall under the expired facilities inventory held by TSSA.

Federal Convictions:

1988-Jun 2007*

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Contaminated Sites on Federal Land:

June 2000-Jan 2013

Federal

FCS

The Federal Contaminated Sites Inventory includes information on all known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Fisheries & Oceans Fuel Tanks:

1964-Sept 2003

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of all aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Fuel Storage Tank:

Current to Jun 2011

Provincial

FST

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

Ontario Regulation 347 Waste Generators Summary:

1986-Apr 2012

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

TSSA Historic Incidents:

2006-June 2009

Provincial

HINC

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Indian & Northern Affairs Fuel Tanks:

1950-Aug 2003*

Federal

<u>IAFT</u>

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of all aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

June 2009-Apr 2013 TSSA Incidents: Provincial

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Landfill Inventory Management Ontario:

2012 Provincial **LIMO** The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Canadian Mine Locations:

1998-2009

MINE

NCPL

Private

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Mineral Occurrences: 1846-Apr 2013 Provincial **MNR**

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the planimetric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

National Analysis of Trends in Emergencies System 1974-1994* Federal **NATE** (NATES):

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Non-Compliance Reports:

1992(water only), 1994-2010 Provincial

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

National Defence & Canadian Forces Fuel Tanks:

Up to May 2001*

Federal

IDFT

The Department of National Defence and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

National Defence & Canadian Forces Spills:

Mar 1999-Aug 2010

Federal

NDSP

The Department of National Defence and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

National Defence & Canadian Forces Waste Disposal 2001-Apr 2007*

Federal

<u>NDWD</u>

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

<u>National Environmental Emergencies System</u> (NEES):

1974-2003*

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for all previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its

National PCB Inventory:

1988-2008*

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. All federal out-of-service PCB containing equipment and all PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites.

legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

National Pollutant Release Inventory:

1993-2011

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Oil and Gas Wells:

1988-Jun 2013

Private

OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Ontario Oil and Gas Wells:

1800-Jul 2013

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, well cap date, licence no., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Inventory of PCB Storage Sites:

1987-Oct 2004

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

<u>Orders:</u> 1994-Jun 2013 Provincial <u>ORD</u>

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Canadian Pulp and Paper:

1999, 2002, 2004, 2005,

Private

PAP

2009

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Parks Canada Fuel Storage Tanks:

1920-Jan 2005*

Federal

PCFT

Canadian Heritage maintains an inventory of all known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Pesticide Register:

1988-Jun 2013

Provincial

PES

The Ontario Ministry of Environment maintains a database of all manufacturers and vendors of registered pesticides.

TSSA Pipeline Incidents:

June 2009-Mar 2012

Provincial

PINC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

Private and Retail Fuel Storage Tanks:

1989-1996*

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Permit to Take Water:

1994-Jun 2013

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Ontario Regulation 347 Waste Receivers Summary:

1986-2011

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Record of Site Condition:

1997-Sept 2001, Oct 2004-

Provincial

RSC

Jun 2013

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Retail Fuel Storage Tanks:

1999-Jun 2010

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Scott's Manufacturing Directory:

1992-Mar 2011

Private

SCT

SPL

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Ontario Spills: 1988-Aug 2012 Provincial

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Wastewater Discharger Registration Database:

1990-2011

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Anderson's Storage Tanks:

1915-1953*

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Transport Canada Fuel Storage Tanks:

1970-Mar 2007

Federal

CFT

With the provinces of BC, MB, NB, NF, ON, PE, and QC; Transport Canada currently owns and operates 90 fuel storage tanks. Our inventory provides information on the site name, location, tank age, capacity and fuel type.

TSSA Variances for Abandonment of Underground Storage Tanks:

Current to Jun 2013

Provincial

VAR

The TSSA, Under the Liquid Fuels Handling Code and the Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, you may apply to seek a variance from this code requirement. This is a list of all variances granted for abandoned tanks.

Waste Disposal Sites - MOE CA Inventory:

1970-Jul 2013

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Waste Disposal Sites - MOE 1991 Historical Approval Up to Oct 1990* Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Water Well Information System:

1955-May 2013

Provincial

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>. This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries". All values are an approximation.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property, within the report search radius, and the surrounding area outside the search radius.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red upside down triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and were included as reference.

September 2013 Our Ref: 13-340

APPENDIX D CITY DIRECTORY RECORDS



ENVIRONMENTAL RISK INFORMATION SERVICE

| City Directory Information Source | |
|------------------------------------|--|
| Vernon's Ottawa, ON City Directory | |

| PROJECT NUMBER: 20130806003 | | |
|-----------------------------|-----------------------------------|--|
| Site Address: | 401 March Rd. (Kanata) Ottawa, ON | |
| | | |
| Year: 2010 | | |
| GL TI I | | |
| Site Listing: | -Address Not Listed | |
| Adjacent Properties: | | |
| | | |
| 329 March Road | -Multi Tenant Commercial/Office | |
| | | |
| 360 March Road | -Multi Tenant Office | |
| 265 Mayah Daad | Innovenest | |
| 365 March Road | -Innovapost | |
| 413 March Road | -Best Theratronics | |
| | | |
| 28 Steacie Drive | -Address Not Listed | |
| 44.54 | A II N. T. T. T. | |
| 44 Steacie Drive | -Address Not Listed | |
| 62 Steacie Drive | -Elliptic Semiconductor | |
| VI STORES DITTO | -Golder Assoc. | |
| | | |
| 4048 Carling Avenue | -March Road Physiotherapy | |

| PROJECT NUMBER: 20130806003 | |
|-----------------------------|-----------------------------------|
| Site Address: | 401 March Rd. (Kanata) Ottawa, ON |
| | |
| Year: 2004/05 | |
| | |
| Site Listing: | -Address Not Listed |
| | |
| Adjacent Properties: | |

| 329 March Road | -Multi Tenant Commercial/Office |
|---------------------|---------------------------------|
| 360 March Road | -Royal Bank |
| 365 March Road | -Cisco Systems |
| 413 March Road | -Best Theratronics |
| 28 Steacie Drive | -Kids R Unique |
| 44 Steacie Drive | -Address Not Listed |
| 62 Steacie Drive | -Optotek Ltd. |
| 4048 Carling Avenue | -Address Not Listed |

| 401 March Rd. (Kanata) Ottawa, ON |
|-----------------------------------|
| |
| |
| |
| -Address Not Listed |
| |
| |
| -Multi Tenant Commercial/Office |
| -Multi Teliani Commercial/Office |
| -Address Not Listed |
| Tradition Title Elisted |
| -Address Not Listed |
| |
| -Best Theratronics |
| |
| -Control Microsystems |
| Dalkala I.i. |
| -Reltek Inc. |
| -Optotek Ltd. |
| -Optotek Liu. |
| -Address Not Listed |
| |

| PROJECT NUMBER: 20130806003 | PROJECT NUMBER : 20130806003 | |
|-----------------------------|-------------------------------------|--|
|-----------------------------|-------------------------------------|--|

| Site Address: | 401 March Rd. (Kanata) Ottawa, ON |
|---------------------------|-----------------------------------|
| | |
| Year: 1994/95 | |
| | |
| Site Listing: | -Address Not Listed |
| | |
| Adjacent Properties: | |
| 329 March Road | -Multi Tenant Commercial/Office |
| 529 March Road | -Multi Tellant Commercial/Office |
| 360 March Road | -Address Not Listed |
| - COO MILI CHI ITOUU | Tiddless Tiot Listed |
| 365 March Road | -Spar Aerospace |
| | |
| 413 March Road | -Theratronics Int'l |
| | |
| 28 Steacie Drive | -Control Microsystems |
| 44.64 | 1.0 |
| 44 Steacie Drive | -Advanced Circuit Systems |
| 62 Steacie Drive | -Optotek |
| 02 Steacie Dilve | -Opiotek |
| 4048 Carling Avenue | -Address Not Listed |
| 10 10 Carining II (Circu | Tadiob i tot Libra |

| PROJECT NUMBER: 20130806003 | |
|-----------------------------|-----------------------------------|
| Site Address: | 401 March Rd. (Kanata) Ottawa, ON |
| | |
| Year: 1992 | |
| | |
| Site Listing: | -Address Not Listed |
| | |
| Adjacent Properties: | |
| | |
| 329 March Road | -Multi Tenant Commercial/Office |
| 2001 | A 11 NT / T / 1 |
| 360 March Road | -Address Not Listed |
| 265 Manual Danid | Chan A sussing as |
| 365 March Road | -Spar Aerospace |
| 413 March Road | -Theratronics Int'l |
| | |
| 28 Steacie Drive | -Control Microsystems |
| | |

| 44 Steacie Drive | -Advanced Circuit Systems |
|---------------------|---------------------------|
| | |
| 62 Steacie Drive | -Optotek |
| | |
| 4048 Carling Avenue | -Address Not Listed |

⁻All listings for businesses were listed as they are in the city directory.
-Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory

^{**}Kanata, ON is listed from 1992 to 2010 within the city directory archives**

September 2013 Our Ref: 13-340

APPENDIX E TECHNICAL STANDARDS AND SAFETY AUTHORITY SEARCH RESULTS

Subject: Re: Search for USTs and Incidents From: Public Information Services <publicinformationservices@tssa.org> Date: 29/08/2013 3:44 PM To: Brett Painter

bpainter@hceng.ca> Hi Brett, Thank you for your inquiry. We have no record in our database of any fuel storage tanks at the subject address (addresses). For a further search in our archives please submit your request in writing to Public Information Services via e-mail (publicinformationservices@tssa.org) or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA. Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever. Thank you and have a great day! Regards, Sarah Quibell **Public Information Services TECHNICAL STANDARDS & SAFETY AUTHORITY** "Putting Public Safety First" 14th Floor, Centre Tower 3300 Bloor Street West Toronto, ON M8X 2X4 www.tssa.org Toll-Free: 1-877-682-8772 On Thu, Aug 29, 2013 at 3:28 PM, Brett Painter < bpainter@hceng.ca > wrote:

1 of 4 04/09/2013 10:54 AM

Thanks for the prompt reply. Could you please also search 401 March Road.

Thanks,

Brett Painter, B.Sc., M.Sc.

Environmental Scientist T 613.836.1422 ext. 258 | F 613.836.9731 bpainter@hceng.ca



Houle Chevrier Engineering Ltd.

180 Wescar Lane, R.R. 2, Carp, Ontario KOA 1L0 www.hceng.ca

This email is directed in confidence solely to the person(s) to whom it was addressed and may contain privileged, confidential or private information that is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the sender and delete this email and any attachments. Houle Chevrier Engineering Ltd. does not accept liability for any damage caused by any virus transmitted by this email. It is the recipients' responsibility to screen this email and its attachments for viruses prior to opening them.





On 29/08/2013 2:57 PM, Public Information Services wrote:

HI Brett;

Thank you for your inquiry...

We have no record in our database of any fuel storage tanks at the subject address (addresses).

For a further search in our archives please submit your request in writing to Public Information Services via e-mail (publicinformationservices@tssa.org) or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Thank you and have a great day!

Prem

Public Information Services

"Putting Public Safety First"

Technical Standards and Safety Authority 14th Floor, Centre Tower 3300 Bloor Street West Toronto, ON M8X 2X4

2 of 4 04/09/2013 10:54 AM

Toll-Free: <u>1-877-682-8772</u>

Email: publicinformationservices@tssa.org

Web Site: www.tssa.org

On Thu, Aug 29, 2013 at 2:29 PM, Brett Painter < bpainter@hceng.ca > wrote:

Hi,

Could you please perform a search for Storage Tanks and incidents at the following addresses. Our reference number for this project is: 13-340.

329, 360, 365, 390, 400, 413 March Road and 28, 44, 62 Steacie Drive in Ottawa, Ontario.

_-

Regards,

Brett Painter, B.Sc., M.Sc.

Environmental Scientist

T 613.836.1422 ext. 258 | F 613.836.9731

bpainter@hceng.ca

Houle Chevrier

Houle Chevrier Engineering Ltd.

180 Wescar Lane, R.R. 2, Carp, Ontario KOA 1L0 www.hceng.ca

This email is directed in confidence solely to the person(s) to whom it was addressed and may contain privileged, confidential or private information that is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the sender and delete this email and any attachments. Houle Chevrier Engineering Ltd. does not accept liability for any damage caused by any virus transmitted by this email. It is the recipients' responsibility to screen this email and its attachments for viruses prior to opening them.

This electronic message and any attached documents are intended only for the named recipients.

This communication from the Technical Standards and Safety Authority may contain information

that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed,

copied, forwarded or distributed without authorization. If you have received this message in error,

3 of 4 04/09/2013 10:54 AM

September 2013 Our Ref: 13-340

APPENDIX F CITY OF OTTAWA FREEDOM OF INFORMATION REQUEST



File Number: C10-01-13-0194

August 15, 2013

Brett Painter Houle Chevrier Engineering Ltd. 180 Wescar Lane, R.R. 2 Carp, ON K0A 1L0

Sent via email [bpainter@hceng.ca]

Dear Mr. Painter,

Re: Information Request – Ref. No. 13-340 401 March Road, Ottawa, Ontario ("Subject Property")

Internal Department Circulation

The Planning and Growth Management Department has the following information in response to your request for information regarding the Subject Property:

• No information was returned on the Subject Property from Departmental circulation.

Search of Historical Land Use Inventory

This acknowledges receipt of the signed Disclaimer regarding your request for information from the City's Historical Land Use Inventory (HLUI 2005) database for the Subject Property.

A search of the HLUI database revealed the following information:

• There are no activities associated with the Subject Property.

The HLUI database was also searched for activity associated with properties located within 50m of the Subject Property. The following information was revealed:

• There are 3 activities associated with properties located within 50m of the Subject Property: Activity Numbers 13157, 8891 & 5003.

Shaping our future together
Ensemble, formons notre avenir

City of Ottawa Infrastructure Services and Community Sustainability Department Planning and Growth Management Branch

110 Laurier Avenue West, 4th Floor Ottawa, ON K1P 1J1 Tel: (613) 580-2424 ext. 14743 Fax: (613) 560-6006 www.ottawa.ca Ville d'Ottawa Services d'infrastructure et Viabilité des collectivités Direction de l'approbation des demandes d'aménagement et d'infrastructure

110, avenue Laurier Ouest, 4e étage Ottawa (Ontario) K1P 1J1 Tèl.: (613) 580-2424 ext. 14743 Téléc: (613) 560-6006 www.ottawa.ca A site map has been included to show the location of the Subject Property as well as the location of all the activities noted above.

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment for additional information.

If you have any further questions or comments, please contact Dilys Huang at 613-580-2424 ext. 14743 or HLUI@ottawa.ca.

Sincerely,

David Wise, MUP, MCIP, RPP


Program Manager

Development Review (Suburban Services) - West Planning and Growth Management Department

DW/DH

Attach: 4

cc: File no. C10-01-13-0194





CITY OF OTTAWA

Report:

RPTC_OT_DEV0122

HLUI ID: __670ISZ

Run On:

06 Aug 2013 at: 13:31:01

AREA (Square Metres): 73040.362

Study Year 1998

PIN 045180049 **Multi-NAIC**

Multiple Activities

Activity ID:

13157

Multiple PINS:

Υ

Previous Activity ID(s): 6598

PIN Certainty: **Related PINS:**

045180037

Name:

THERATRONICS INTERNATIONAL LIMITED

Address:

413 MARCH ROAD, KANATA

Facility Type:

Machine Shop Industry

Comments 1:

Comments 2:

Generator Number: ON1038900

Storage Tanks:

HL References 1:

KNBPmap 1996, 1998 KBD; PID1994

HL References 2:

HL References 3: 2000 PID

| NAICS | SIC |
|--------|-----|
| 621510 | 868 |
| 332710 | 308 |
| 336310 | 308 |
| 332710 | 0 |
| 336350 | 0 |
| 333619 | 0 |
| 333619 | 308 |
| 336310 | 0 |
| 336350 | 308 |
| 621990 | 868 |

Company Name

Year of Operation

Theratronics International Ltd.

c. 1994-1998

THERATRONICS INTERNATIONAL LIMITED

c. 2000

Atomic Medical

c. 1994

MAP Report Ver: 1 Page 1 of 1



CITY OF OTTAWA

HLUI ID: __679BMB

TEOTID. __070BIND

AREA (Square Metres): 62147.113

Study Year 2005

PIN 045180037 Multi-NAIC

Report:

Run On:

Multiple Activities

06 Aug 2013 at: 13:31:50

RPTC_OT_DEV0122

Activity ID:

8891

Multiple PINS:

V

PIN Certainty:

1

Previous Activity ID(s):

Related PINS:

045180037

Name:

MDS NORDION

Address:

413 MARCH ROAD, KANATA

Facility Type:

Machine Shop Industry

Comments 1:

Comments 2:

Generator Number: ON1141701

Storage Tanks:

HL References 1:

HL References 2: HL References 3:

2000 PID

| NAICS | SIC |
|--------|-----|
| 333619 | 0 |
| 336350 | 0 |
| 336310 | 0 |
| 332710 | 0 |

Company Name

Year of Operation

MDS NORDION

c. 2000

MAP Report Ver: 1 Page 2 of 2



CITY OF OTTAWA

Report: Run On: RPTC_OT_DEV0122

HLUI ID: __679GEW

AREA (Square Metres): 30358.939

06 Aug 2013 at: 13:31:58

Study Year 1998

PIN 045110001 Multi-NAIC

Multiple Activities

Activity ID:

5003

Multiple PINS:

Ν

PIN Certainty:

Previous Activity ID(s): 4580

Related PINS:

045110001

Name:

DRS TECHNOLOGIES CANADA COMPANY

Address:

365 MARCH ROAD, KANATA

Facility Type:

Communication and Other Electronic Equipment Industries

Comments 1:

Comments 2:

Generator Number: ON2304801

Storage Tanks:

HL References 1:

SC98, 1986 KP File LHK, 1998 KBD

HL References 2:

HL References 3:

2000 PID

| SIC |
|-----|
| 335 |
| 335 |
| 321 |
| 0 |
| 335 |
| 335 |
| 321 |
| 0 |
| |

Company Name

Year of Operation

Spar Aerospace Ltd.

c. 1986-1998

DRS TECHNOLOGIES CANADA COMPANY

c. 2000

MAP Report Ver: 1


Page 1 of 1

September 2013 Our Ref: 13-340


APPENDIX G AERIAL PHOTOGRAPHS NATIONAL AIR PHOTO LIBRARY
































APPENDIX H MISSISSIPPI VALLY CONSERVATION AUTHORITY MAPPING PSWs AND ANSIS



APPENDIX I MOE WELL RECORDS

| | W | ell Compu | iter Print | Out Data a | as of August 8 2013 | | | Page: 1 / 2 |
|-------------------------------|------------------------|-------------------------------------|-----------------|--------------------------------|---|---------------------------|------------------------------|---|
| TOWNSHIP CONCESSION (LOT) | UTM ¹ | DATE ² CNTR ³ | CASING DIA 4 | WATER ^{5,6} DETAIL | STAT LVL/PUMP LVL ⁷ RATE ⁸ /TIME HR:MIN | WATER USE ⁹ | SCREEN INFO ¹⁰ | WELL # (AUDIT#) WELL TAG # STATE ¹² DEPTHS TO WHICH FORMATIONS EXTEND ^{5,11} |
| MARCH TOWNSHIP CON 03(006) | 18 428806 5020662 W | 1952/11 1802 | 04 02 | FR 0090 | 008 / 025 002 / 5:0 | DO | | 1503337 () BLUE CLAY 0025 GRNT 0150 |
| MARCH TOWNSHIP CON 03(007) | 18 428371 5021082 W | 1950/07 4832 | 05 05 | FR 0142 | 020 / / :0 | ST DO | | 1503340 () BLUE CLAY 0064 MSND 0066 GRVL 0070 ROCK 0144 |
| MARCH TOWNSHIP CON 03(007) | 18 428281 5020867 W | 1965/06 4216 | 05 05 | FR 0130 | 009 / 058 010 / 8:0 | PS | | 1503342 () CLAY 0040 GRVL 0062 GREY GRNT 0085 MSND 0086 RED GRNT 0130 |
| MARCH TOWNSHIP CON 04(006) | 18 428916 5020912 W | 1952/06 1802 | 03 03 | FR 0032 | 008 / 2:0 | DO | | 1503399 () BLUE CLAY 0030 GRNT 0033 |
| MARCH TOWNSHIP CON 04(006) | 18 428861 5020912 W | 1956/07 1802 | 03 03 | FR 0083 | -002 / 005 004 / 2:0 | DO | | 1503403 () BLUE CLAY 0080 GRNT 0085 |
| MARCH TOWNSHIP CON 04(006) | 18 428641 5020982 W | 1966/06 1603 | 03 03 | FR 0150 | 006 / 030 004 / 3:0 | DO | | 1503406 () CLAY 0083 GREY GRNT 0152 |
| MARCH TOWNSHIP | 18 428631 5020795 W | 2010/10 7241 | 02 | | | | 14 20 | 7155871 (Z120949) A104508 BRWN LOAM SOFT WBRG 0002 BRWN CLAY SOFT WBRG 0012 GREY CLAY SOFT WBRG 0034 |
| MARCH TOWNSHIP | 18 428668 5020821 W | 2010/10 7241 | 02 | | | MN | 9 15 | 7155872 (Z120994) A104487 BRWN LOAM GRVL SOFT 0002 GREY CLAY SOFT WBRG 0012 GREY SOFT WBRG 0024 |
| MARCH TOWNSHIP | 18 428665 5020758 W | 2010/10 7241 | 02 | | | | 9 15 | 7155873 (Z120961) A104488 BLCK LOAM SOFT DRY 0002 BRWN CLAY SILT DRY 0011 GREY CLAY SOFT 0016 GREY CLAY SOFT WBRG 0029 |
| MARCH TOWNSHIP | 18 428732 5020722 W | 2010/10 7241 | 02 | | | | 13 21 | 7155874 (Z120959) A104489 BRWN GRVL SAND SOFT 0003 BRWN CLAY SILT SOFT 0011 GREY CLAY SOFT 0016 GREY CLAY SOFT WBRG 0034 |

Well Computer Print Out Data as of August 8 2013

Notes:

- UTM in Zone, Easting, Northing and Datum is NAD83; L: UTM estimated from Centroid of Lot; W: UTM not from Lot Centroid
- 2. Date Work Completed
- 3. Well Contractor Licence Number
- 4. Casing diameter in inches
- 5. Unit of Depth in Feet
- 6. See Table 4 for Meaning of Code

- 7. STAT LVL: Static Water Level in Feet ; PUMP LVL: Water Level After Pumping in Feet
- 8. Pump Test Rate in GPM, Pump Test Duration in Hour : Minutes

Page: 2 / 2

- 9. See Table 3 for Meaning of Code
- 10. Screen Depth and Length in feet
- 11. See Table 1 and 2 for Meaning of Code
- 12. A: Abandonment; P: Partial Data Entry Only

| | 1. Core Material and Descriptive terms | | | | | | | | | | | |
|------|--|--|------|--------------|--|------|--------------------|--|------|-------------------|----------|-------------------|
| Code | Description | | Code | Description | | Code | Description | | Code | Description | Code | Description |
| BLDR | BOULDERS | | FCRD | FRACTURED | | IRFM | IRON FORMATION | | PORS | POROUS | SOFT | SOFT |
| BSLT | BASALT | | FGRD | FINE-GRAINED | | LIMY | LIMY | | PRDG | PREVIOUSLY DUG | SPST | SOAPSTONE |
| CGRD | COARSE- GRAINED | | FGVL | FINE GRAVEL | | LMSN | LIMESTONE | | PRDR | PREV. DRILLED | STKY | STICKY |
| CGVL | COARSE GRAVEL | | FILL | FILL | | LOAM | TOPSOIL | | QRTZ | QUARTZITE | STNS | STONES |
| CHRT | CHERT | | FLDS | FELDSPAR | | LOOS | LOOSE | | QSND | QUICKSAND | STNY | STONEY |
| CLAY | CLAY | | FLNT | FLINT | | LTCL | LIGHT- COLOURED | | QTZ | QUARTZ | THIK | THICK |
| CLN | CLEAN | | FOSS | FOSILIFEROUS | | LYRD | LAYERED | | ROCK | ROCK | THIN | THIN |
| CLYY | CLAYEY | | FSND | FINE SAND | | MARL | MARL | | SAND | SAND | TILL | TILL |
| CMTD | CEMENTED | | GNIS | GNEISS | | MGRD | MEDIUM- GRAINED | | SHLE | SHALE | UNKN | UNKNOWN TYPE |
| CONG | CONGLOMERATE | | GRNT | GRANITE | | MGVL | MEDIUM GRAVEL | | SHLY | SHALY | VERY | VERY |
| CRYS | CRYSTALLINE | | GRSN | GREENSTONE | | MRBL | MARBLE | | SHRP | SHARP | WBRG | WATER- BEARING |
| CSND | COARSE SAND | | GRVL | GRAVEL | | MSND | MEDIUM SAND | | SHST | SCHIST | WDFR | WOOD FRAGMENTS |
| DKCL | DARK- COLOURED | | GRWK | GREYWACKE | | MUCK | MUCK | | SILT | SILT | WTHD | WEATHERED |
| DLMT | DOLOMITE | | GVLY | GRAVELLY | | OBDN | OVERBURDEN | | SLTE | SLATE | | |
| DNSE | DENSE | | GYPS | GYPSUM | | PCKD | PACKED | | SLTY | SILTY | | |
| DRTY | DIRTY | | HARD | HARD | | PEAT | PEAT | | SNDS | SANDSTONE | | |
| DRY | DRY | | HPAN | HARDPAN | | PGVL | PEA GRAVEL | | SNDY | SANDY | | |

| 2. | Core Color |
|------|-------------|
| Code | Description |
| WHIT | WHITE |
| GREY | GREY |
| BLUE | BLUE |
| GREN | GREEN |
| YLLW | YELLOW |
| BRWN | BROWN |
| RED | RED |
| BLCK | BLACK |
| BLGY | BLUE-GREY |

| 3. Water Use | | | | | | | |
|--------------|-----------------|------|-------------|--|--|--|--|
| Code | Description | Code | Description | | | | |
| DO | Domestic | ОТ | Other | | | | |
| ST | Livestock | TH | Test Hole | | | | |
| IR | Irrigation | DE | Dewatering | | | | |
| IN | Industrial | MO | Monitoring | | | | |
| CO | Commercial | | | | | | |
| MN | Municipal | | | | | | |
| PS | Public | | | | | | |
| AC | Cooling And A/C | | | | | | |
| NU | Not Used | | | | | | |

| 4. Water Detail | | | | | | | |
|-----------------|-------------|------|-------------|--|--|--|--|
| Code | Description | Code | Description | | | | |
| FR | Fresh | GS | Gas | | | | |
| SA | Salty | IR | Iron | | | | |
| SU | Sulphur | | | | | | |
| MN | Mineral | | | | | | |
| UK | Unknown | | | | | | |

APPENDIX J SITE PHOTOGRAPHS

















APPENDIX K
PLAN OF SURVEY

