



**Goodkey, Weedmark
& Associates Limited**

Consulting Engineers

1688 Woodward Dr.
Ottawa, ON
Canada
K2C 3R8

Tel. 613-727-5111
Fax 613-727-5115
info@gwal.com

Principals & Associates

A. Bogdanowicz, P.Eng.
M.G. Carriere, C.E.T.
R.J. McIntyre, P.Eng.
F.W.A. Bann, P.Eng.
S. Hamilton, P.Eng.
R. Lefebvre, P.Eng.
J. Moffat, P.Eng.
W. Needham, C.E.T.
E. Pérusse, P.Eng., ing.
D.R. Vyas, P.Eng., MIEEE

February 5, 2014

VIA E-MAIL

Taplen Construction Inc.
6 Antares Drive
Phase II, Suite 206
Nepean, ON K2E 8A9

ATTENTION: MICHAEL ASSAL, PRESIDENT

Dear Sir:

**SUBJECT: APEX SOUTH BUSINESS PARK
OUR PROJECT NO. 2013-192**

We have designed the site lighting for the new Apex South Business Park in accordance with the following guidelines as requested by the City of Ottawa:

1. It must be designed using only fixtures that meet the criteria for Full Cut-Off (Sharp cut-off) Classification, as recognized by the Illuminating Engineering Society of North America (IESNA or IES), and;
2. It must result in minimal light spillage onto adjacent properties. As a guideline, 0.5 fc is normally the maximum allowable spillage.
3. Exterior lighting will all be building mounted.

Yours very truly,

GOODKEY, WEEDMARK & ASSOCIATES LIMITED



Mike Fontyn, P.Eng.

MF/ml

