

TWO PLY REINFORCED RUBBER HOSE (25mm DIA). PLACE STAKE ON SIDE OF -50mm LAYER OF MULCH. ENSURE NO MULCH WITHIN 100mm OF TRUNK - TOPSOIL TREE-WELL/SAUCER AT EDGE OF -REMOVE BURLAP AND WIRE BASKET FROM TOP 3 OF ROOT BALL. DO NOT DISTURB -DEEP SCARIFY SUBGRADE MINIMUM 300mm TO ENSURE PERMEABLITY • TREE STAKES ARE GENERALLY TO BE USED FOR CONDITIONS WHERE THE INSTALLED TREE IS UNSTABLE AND/OR

PREVAILING WIND

TREE PIT (50mm X 150m)

-COMPACTED TOPSOIL MIX

-UNDISTURBED SUBGRADE

OR DAMAGE ROOTS.

-TOPSOIL SAUCER AT EDGE OF PLANTING BED (50mm X 150m) -50mm LAYER OF MULCH. ENSURE NO MULCH WITHIN 50mm OF STEMS — SPREAD ROOTS AS REQUIRED TO UNSURE NO ROOTS ARE GIRDLING THE STEMS -DEEP SCARIFY SUBGRADE MINIMUM 300mm TO ENSURE PERMEABLITY - UNDISTURBED SUBGRADE


STELL D'ORO DAYLILY


TOP OF ROOT BALL TO RETAIN SAME ELEVATION AS GROWING CONDITIONS

HEMEROCALLIS 'STELLA D'ORO'

* NATIVE SPECIES

ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED . POST AND RAILS TO BE WELL-PEELED CEDAR, WITH NO PEELER MARKS . CORNER AND END POSTS TO HAVE MINIMUM 25 x 100mm OBLONG HOLES FOR RAILS. 4. SOURCE OF FENCING TO BE APPROVED BY THE CITY DATE: MAY 2001 3 RAIL POST & RAIL FENCE REV: JAN 2015





UNIT 10-163 STERLING ROAD TORONTO, ON, CANADA, M6R 2B2 PH: 437 . 700 . 5446 UNIT 101-45 SPENCER STREET OTTAWA, ON, CANADA, K1Y 2P5 PH: 343 . 882 . 4918



1066 Somerset Street West, Suite 200, Ottawa Ontario, K1Y 4T3 Telephone: 613.724.9914 E-mail: architecture@brydengibson.ca

4	Reissued for site plan control	29-Sept-202
3	Reissued for site plan control	09-June-202
2	Reissued for site plan control	13-Nov-202
1	Issued for site plan control	11-June-202
NO.:	REVISION:	DATE:

. MEASUREMENTS ARE IN MILLIMETERS UNLESS SPECIFIED OTHERWISE. DO NO ALE THE DRAWING(S). ALL DRAWINGS TO BE READ IN CONJUNCTION WIT NTRACT SPECIFICATIONS.

COPYRIGHT RESERVED. THIS DRAWING IS THE EXCLUSIVE PROPERTY OF URBANTYPOLOGY INC. AND SHALL NOT BE REPRODUCED OR USED FOR PURPOSES DTHER THAN INTENDED BY THE OWNER, WITHOUT PERMISSION. HIS DRAWING SHALL ONLY BE USED FOR CONSTRUCTION WHEN FIXED WITH A ROFESSIONAL SEAL AND SIGNATURE BY THE LANDSCAPE ARCHITECT. IT IS THI VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE;
 REPORT ALL ERRORS AND/OR OMISSIONS TO THE CONTRACT ADMINISTRATOR;


6175 ROCKDALE RD.

6175 ROCKDALE ROAD VARS, ONTARIO, KOA 3H0

DRAWN: SM START DATE: 10-JUNE-2024 CHECKED: SM

LANDSCAPE PLAN

6CALE: 1:300 PAGE SIZE: 24X36 PROJECT NUMBER: 24.21



DWG No: F2

BECOMES UNSTABLE

TREE PLANTING

 REMOVE STAKES ONE YEAR AFTER INSTALL INSTALL STAKE BEYOND EDGE OF ROOT BALL

ALLOW 10mm TO 25mm SLACK ON GUY WIRE SUPPORT FOR TREE

TOP OF ROOT BALL TO RETAIN SAME ELEVATION AS GROWING CONDITIONS

NTS

NTS

POT. 400mm O.C.

I GAL. POT

-PRUNE DEAD OR BROKEN BRANCHES