

# PHASE 1 ENVIRONMENTAL SITE ASSESSMENT 6688 FRANKTOWN RD, OTTAWA, ON



Project No.: CP-17-0503

Prepared for:

Bing Professional Engineering Inc.

Prepared by:

McIntosh Perry Consulting Engineers Ltd.

115 Walgreen Road

Carp, Ontario

K0A 1L0

June 2018

McINTOSH PERRY

## Executive Summary

---

McIntosh Perry Consulting Engineers Ltd. (McIntosh Perry) was retained by Mr. Bingfeng Li of Bing Professional Engineering Inc. (Bing Professional Engineering) to conduct a Phase 1 Environmental Site Assessment (ESA) on a parcel of land located at 6688 Franktown Road in Ottawa, Ontario (the Site). The Site currently consists of forested land, with a cleared portion that will be utilized for future development of a place of worship. The total area of the Site is approximately 39.89 hectares (ha), while the proposed development will have a footprint of approximately 2.71 ha.

It is our understanding that the Phase 1 ESA is being completed for due diligence and site plan approval in support of a proposed development at the Site. The planned future use of the Site is as a place of worship, and will consist of two institutional structures and a large paved parking lot with an associated laneway.

The Phase 1 ESA is in general compliance with Ontario Regulation (O.Reg.) 153/04 - Part XV.1 of the Environmental Protection Act, as amended, and CSA Standard Z768-01 (R2012), 1993. The Phase 1 ESA is not, however, suitable for the purpose of submitting a Record of Site Condition (RSC).

The Phase 1 Study Area includes all properties within 250 m of the Site.

The Site appears to have been used in some capacity during the 1860s and 1870s, where historical mapping shows at least one on-site residential structure. It is likely that a portion of the Site was used for agricultural purposes at this time; however, the extent of any such use is unknown at this time. Based on a review of aerial photographs, the Site has been forested since at least 1946. The currently proposed development of the Site will represent its first (contemporary) developed use.

The Phase 1 ESA did not identify any on-site Potentially Contaminating Activities (PCA) or Areas of Potential Environmental Concern (APEC).

Based on the absence of confirmed PCAs and APECs at the Site and within the Phase 1 ESA study area, a Phase 2 ESA is not required at this time. Based on the information presented in this Phase 1 ESA, development of the Site as a place of worship (i.e. community use) does not represent a significant environmental liability at this time.

## TABLE OF CONTENTS

<b>1.0</b>	<b>INTRODUCTION</b> .....	<b>1</b>
1.1	Phase 1 Property Information .....	1
1.1.1	Property Identification .....	1
1.1.2	Property Ownership and Contact Details .....	1
1.1.3	Current and Proposed Future Uses .....	2
1.2	Surrounding Land Use .....	2
<b>2.0</b>	<b>SCOPE OF INVESTIGATION</b> .....	<b>3</b>
<b>3.0</b>	<b>RECORDS REVIEW</b> .....	<b>4</b>
3.1	General .....	4
3.1.1	Phase 1 Study Area Determination .....	4
3.1.2	First Developed Use Determination .....	4
3.1.3	Fire Insurance Plans .....	4
	Chain of Title .....	4
3.1.4	Reports by Others .....	4
3.2	Environmental Source Information .....	4
3.2.1	Databases Searched .....	4
3.2.2	Database Findings Relevant to the Phase 1 ESA .....	6
3.2.3	MOECC Freedom of Information Request .....	7
3.2.4	TSSA Information Request .....	7
3.3	Physical Setting .....	8
3.3.1	Aerial Photographs and Satellite Images .....	8
3.3.2	Topography .....	9
3.3.3	Hydrology .....	9
3.3.4	Geology .....	9
3.3.5	Hydrogeology .....	9
3.3.6	Fill Materials .....	9
3.3.7	Water Bodies and Areas of Natural Significance .....	9
3.3.8	Well Records .....	10

4.0	INTERVIEWS .....	11
5.0	SITE RECONNAISSANCE .....	13
5.1	General Requirements .....	13
5.1.1	Qualifications of the Assessors .....	13
5.1.2	Weather Conditions at Time of Inspection .....	13
5.1.3	Property Occupancy/ Use Status at Time of Inspection .....	13
5.1.4	Site Photographs.....	13
5.2	Description of Investigations.....	14
5.2.1	Phase 1 Property.....	14
5.2.2	Phase 1 Study Area .....	14
5.3	Specific Observations at the Phase 1 Property.....	14
5.3.1	Structures and Other Improvements.....	14
5.3.2	Below Ground Structures.....	14
5.3.3	Storage Tanks .....	14
5.3.4	Hazardous Materials.....	14
5.3.5	Potable and Non-Potable Water Sources.....	15
5.3.6	Underground Service Trenches .....	15
5.3.7	Exit and Entry Points .....	15
5.3.8	Existing and Former Heating Systems.....	15
5.3.9	Cooling Systems.....	15
5.3.10	Drains, Pits, and Sumps.....	15
5.3.11	Unidentified Substances.....	15
5.3.12	Stains and/or Corrosion Near Drains, Pits, and Sumps.....	15
5.3.13	Well Details.....	15
5.3.14	Details of Sewage Works.....	15
5.3.15	Ground Surface Details .....	15
5.3.16	Current and Former Railway Lines.....	15
5.3.17	Staining to Soil, Vegetation, or Pavement.....	16
5.3.18	Stressed Vegetation .....	16

5.3.19 Fill and Debris ..... 16

5.3.20 Mould ..... 16

5.3.21 Areas of Potential Environmental Concern (APECs) and Potentially Contaminating Activities (PCAs) ..... 16

5.4 Surrounding Properties ..... 16

**6.0 REVIEW AND EVALUATION OF INFORMATION ..... 17**

6.1 Current and Past Uses of Phase 1 Property ..... 17

6.2 Potentially Contaminating Activities (PCA) and Areas of Potential Environmental Concern (APEC) ..... 17

**7.0 CONCLUSIONS ..... 18**

**8.0 LIMITATIONS ..... 19**

**9.0 REFERENCES ..... 21**

**TABLES**

Table 1 Current and Historical Land Use from Aerial Photographs and Satellite Images

Table 2 Interview Summary

**FIGURES**

Figure 1 Site Location

Figure 2 Site Layout

Figure 3 Surrounding Land Use

Figure 4 Topography and Drainage

**APPENDICES**

Appendix A Correspondence

Appendix B EcoLog ERIS Report

Appendix C Aerial Photographs

Appendix D Site Photographs

Appendix E Background Information

## 1.0 INTRODUCTION

McIntosh Perry Consulting Engineers Ltd. (McIntosh Perry) was retained by Mr. Bingfeng Li of Bing Professional Engineering Inc. (Bing Professional Engineering) to conduct a Phase 1 Environmental Site Assessment (ESA) on a parcel of land located at 6688 Franktown Road in Ottawa, Ontario (the Site). The Site currently consists of forested land, with a cleared portion that will be utilized for future development of a place of worship. The total area of the Site is approximately 39.89 hectares (ha), while the proposed development will have a footprint of approximately 2.71 ha.

It is our understanding that the Phase 1 ESA is being completed for due diligence and site plan approval in support of a proposed development at the Site. The planned future use of the Site is as a place of worship, and will consist of two institutional structures and a large paved parking lot with an associated laneway.

The Site location is shown on Figure 1 (Site Location). The Site layout and features are shown on Figure 2 (Site Layout).

Based on a review of aerial photographs, historical information, and discussions with the current owner, it appears as though the Site has been forested since at least 1946. Based on a published map from 1863 (see Appendix E), there was at least one on-site residential structure during the 1860s and 1870s. While there are no air photos from this time period, it is reasonable to assume that these houses were associated with farming activities at the Site. The earliest available air photo (1946) shows the Site in its general current configuration.

**Please Note:** A Record of Site Condition (RSC) under Ontario Regulation 153/04, as amended, is not required by Bing Professional Engineering for the Site. The Phase 1 Environmental Site Assessment undertaken at this site by McIntosh Perry was undertaken for environmental due diligence and site plan approval purposes only.

### 1.1 Phase 1 Property Information

The Site is currently zoned as 'Rural Institutional' property in Pat 13 (s. 223-224) of the City of Ottawa Zoning By-Law. The Site is currently unused, and consists predominantly of forested or cleared land. Site features are shown on Figure 2 (Site Layout).

#### 1.1.1 Property Identification

The legal description of the property is "Part Lot 19, Concession 3 East, Rural Plan 4R-7040; Part 1".

#### 1.1.2 Property Ownership and Contact Details

McIntosh Perry is working for Bing Professional Engineering, who currently own the Site and has requested the Phase 1 ESA for due diligence and site plan approval purposes. McIntosh Perry's site contact person for the Site is Bingfeng Li, who is the Chief Structural Engineer with Bing Professional Engineering. Mr. Li can be contacted at [bingfeng.li@bingpro.ca](mailto:bingfeng.li@bingpro.ca).

### 1.1.3 Current and Proposed Future Uses

The Site is currently unused. The Site as a whole is zoned as a Rural Institutional, which is generally consistent with the proposed future usage of the Site as a place of worship. The proposed land use change is not considered sensitive.

## 1.2 Surrounding Land Use

Surrounding land use is predominantly rural residential, agricultural, commercial, or unused (forested). There is an adjacent buried gas pipeline and associated easement located immediately southwest of the Site. Aerial photographs indicate the presence of a wayside aggregate pit, or similar operation, immediately northeast of the Site.

## 2.0 SCOPE OF INVESTIGATION

A Phase 1 ESA is a preliminary environmental screening tool designed to provide a qualitative assessment of the environmental condition of a site, based on a desktop review of available documentation pertaining to the site, observations made during a site visit, and information from interviews with people who have knowledge of the site and its history. Sampling and chemical analysis of soils, groundwater, and/or other materials/substances are beyond the scope of work for a Phase 1 ESA.

This Phase 1 ESA has been prepared using the general principles and format defined under O.Reg. 153/04, as amended. The report is also in general compliance with “Phase 1 Environmental Site Assessment”, Canadian Standards Association (CSA) standard CSA Z768-01, Reaffirmed 2012.

**Please Note:**

The current Phase 1 ESA has not been prepared for submission of a Record of Site Condition (RSC) as defined under O.Reg. 153/04, as amended.

A designated substances survey was not completed as part of the current investigation.



## 3.0 RECORDS REVIEW

### 3.1 General

#### 3.1.1 Phase 1 Study Area Determination

The Phase 1 Study Area includes the following properties:

- 6688 Franktown Road, Ottawa (the Site)
- All properties within approximately 250m of the Site boundary

The Phase 1 ESA Study Area, including surrounding land uses, is shown on Figure 3 (Surrounding Land Use).

#### 3.1.2 First Developed Use Determination

The Site appears to have been used in some capacity during the 1860s and 1870s, where historical mapping shows at least one on-site residential structure (Appendix E). It is likely that a portion of the Site was used for agricultural purposes at this time; however, the extent of any such use is unknown at this time. Based on a review of aerial photographs, the Site has been forested since at least 1946. The currently proposed development of the Site will represent its first (contemporary) developed use.

#### 3.1.3 Fire Insurance Plans

The Catalogue of Canadian Fire Insurance Plans was not searched as part of this Phase 1 ESA.

##### Chain of Title

A land title search was not obtained for the Site.

#### 3.1.4 Reports by Others

No reports by others were available for review.

## 3.2 Environmental Source Information

McIntosh Perry completed a records review to obtain information about the Site pertaining to items of actual and/or potential environmental concern.

#### 3.2.1 Databases Searched

McIntosh Perry obtained information contained in the databases listed below from EcoLog ERIS of Toronto, Ontario. Details about the sources of information and the years included for each database, as well as the pertinent information obtained from these databases are included in the EcoLog ERIS report which is included as Appendix E.

##### Federal Government Databases:

- Environmental Effects Monitoring

- Environmental Issues Inventory System
- Federal Convictions
- Contaminated Sites on Federal Land
- Fisheries & Oceans Fuel Tanks
- Indian and Northern Affairs Fuel Tanks
- National Analysis of Trends in Emergencies System (NATES)
- National Defence & Canadian Forces Fuel Tanks
- National Defence & Canadian Forces Spills
- National Defence & Canadian Forces Waste Disposal Sites
- National Environmental Emergencies System (NEES)
- National PCB Inventory
- National Pollutant Release Inventory
- Parks Canada Fuel Storage Tanks
- Transport Canada Fuel Storage Tanks

**Provincial Government Databases:**

- Abandoned Aggregate Inventory
- Aggregate Inventory
- Abandoned Mines Information System
- Certificates of Approval
- Coal Gasification Plants
- Compliance and Convictions
- Drill Holes
- Environmental Registry
- Ontario Regulation 347 Waste Generators Summary
- Mineral Occurrences
- Non-Compliance Reports
- Ontario Oil and Gas Wells
- Ontario Inventory of PCB Storage Sites
- Ministry Orders
- Occurrence Reporting Information System
- Pesticide Register
- Private Fuel Storage Tanks
- Ontario Regulation 347 Waste Receivers Summary
- Record of Site Condition
- Wastewater Discharger Registration Database
- Waste Disposal Sites – MOECA Inventory

- Waste Disposal Sites – MOE 1991 Historical Approval Inventory
- Water Well Information System

#### Private Databases:

- Anderson's Waste Disposal Sites
- Automobile Wrecking and Supplies
- Commercial Fuel Oil Tanks
- Chemical Register
- ERIS Historical Searches
- Canadian Mine Locations
- Oil and Gas Wells
- Canadian Pulp and Paper
- Retail Fuel Storage Tanks
- Scott's Manufacturing Directory
- Anderson's Storage Tanks

#### 3.2.2 Database Findings Relevant to the Phase 1 ESA

The databases searched by EcoLog ERIS contained the following information pertaining to the Site as well as properties within an approximately 250 m radius from the Site boundary:

- Two Certificates of Approval
- Two Environmental Compliance Approvals
- Fifteen ERIS Historical Searches
- One Emergency Management Historical Event
- Two Contaminated Sites on Federal Land
- Sixty Ontario Regulation 347 Waste Generator Summary Records
- One TSSA Incident
- Eight Pesticide Register records
- Twenty-One Scott's Manufacturing Directory records
- Ten Ontario Spills records
- Twelve Water Well Information System records

Pertinent information from the EcoLog ERIS report is summarized as follows:

#### Borehole Records

Five Borehole Records were noted within 250 m of the Site boundaries. Three of these boreholes had a maximum depth less than 10 m (2.4 m, 2.7 m, 7.6 m), while the other two had maximum depths greater than 10 m (18.3 m and 19.8 m). Further details can be found in Appendix B.

### Historical ERIS Searches

One Historical ERIS Search was noted within 250 m of the Site boundaries. This site is located 92.9 m away at 6659 Franktown Rd, Ottawa ON, K0A 2Z0. The details of this search are included in Appendix B.

### Water Well Information System

Nineteen Water Well Information System records were noted within 250 m of the Site boundary, and one was noted on the subject Site. For the wells within 250 m of the site boundary, seventeen wells are listed for domestic purposes, one well is listed for livestock purposes, and one well has no listed usage (abandoned). The average depth of these bedrock wells is 32.4 m, where 18.3 m is the minimum and 236 feet is the maximum depth. The average depth of water is 31.8 m, where 15.8 m is the minimum and 693.8 m is the maximum. The single well located on project property is listed as domestic. This overburden well is measured at 6.7 m deep. These well records are summarized in detail in Appendix B.

#### 3.2.3 MOECC Freedom of Information Request

In order to identify any previous environmental reports concerning the Site, an MOECC freedom of information (FOI) request was submitted. At the time of writing there has been no official response from the MOECC (the request was submitted on May 29, 2018, and the turn-around-time for MOECC FOI is typically one to two months).

Responses not received at the time of this report will be reported under separate cover if relevant information is obtained.

A copy of the MOECC correspondence is provided in Appendix A.

#### 3.2.4 TSSA Information Request

An FOI request was also submitted to the Technical Standards and Safety Authority (TSSA). At the time of writing there have been no official responses from the TSSA. Responses not received at the time of this report will be reported under separate cover if relevant information is obtained.

### 3.3 Physical Setting

#### 3.3.1 Aerial Photographs and Satellite Images

Table 1 describes observations about current and historical land use for the Site and surrounding properties that were noted during a limited review of aerial photos, included in Appendix C. Current land use designations in the study area are included on Figure 3.

Table 1: Current and Historical Land Use from Aerial Photographs and Satellite Images

Date	Source	Observations
1946	EcoLog ERIS	Site appears to be forested with some open areas (possibly swampy) in the northwest portion. Surrounding area is predominantly unused, although any developed usage appears to be primarily rural residential and agricultural.
1959	EcoLog ERIS	Site appears to be forested with some open areas (possibly agricultural use) in the northwest portion. Surrounding development is primarily rural residential and agricultural.
1976	GeoOttawa	Site appears to be forested with some saturated areas in the northwest portion. Surrounding development is primarily rural residential and agricultural.
1991	GeoOttawa	No significant change from previous photo. Site appears to be forested with some saturated areas in the northwest portion. Surrounding development is primarily rural residential and agricultural.
2002	GeoOttawa	No significant change from previous photo. Site appears to be forested with some saturated areas in the northwest portion. Surrounding development is primarily rural residential and agricultural.
2014	GeoOttawa	Site appears to be forested with some saturated areas in the northwest portion. On-site laneway is built, as is the rural subdivision adjacent to the southeast corner of the Site. A portion of the adjacent property (northeast) appears to be in use as an aggregate pit. Surrounding development is primarily rural residential and agricultural.
2017	GeoOttawa	No significant change from previous photo. Site appears to be forested with some saturated areas in the northwest portion. On-site laneway is built, as is the rural subdivision adjacent to the southeast corner of the Site. Surrounding development is primarily rural residential and agricultural.

Based on a review of aerial photographs, historical information, and discussions with the current owner, it appears as though the Site has been predominantly forested well before 1946. Based on a published map from 1863 (see Appendix E), there was at least one on-site residential structure during the 1860s and 1870s. While there are no air photos from this time period, it is reasonable to assume that these houses were associated with farming activities at the Site. It is also not clear how expansive these presumed farming activities would have been. The earliest available air photo (1946) shows the Site in its general current configuration, although one subsequent air photo (1956) shows evidence of possible agricultural activity in the northwest portion of the Site.

Based on this review, no further Potentially Contaminating Activities were identified to generate on-site Areas of Potential Environmental Concern.

### 3.3.2 Topography

Elevation at the Site ranges from approximately 102-112 m above sea level (m asl). The Site itself is relatively flat and poorly drained. Surrounding properties are of similar relief, with regional topography sloping gently downward to the southeast towards the Jock River (see Figure 4).

### 3.3.3 Hydrology

The Site occurs within the Jock River watershed. The Jock River, which is a tributary of the Ottawa River system, is located approximately 1.6 km southeast of the Site, at its closest point. Site drainage consists of infiltration in permeable areas, as well as overland flow to surface water ditches along the peripheries of the Site.

### 3.3.4 Geology

#### 3.3.4.1 Surficial Geology

Geological maps of the area classify the overburden at the Site as coarse-textured glaciomarine deposits, including sand, gravel, and minor silt and clay. (OGS, 2018)

#### 3.3.4.2 Bedrock Geology

Geological maps of the area classify the bedrock under the Site as limestone, dolostone, shale, arkose, and sandstone of the Ottawa Group, Simcoe Group, and/or of the Shadow Lake Formation. (OGS, 2018)

### 3.3.5 Hydrogeology

The subject property is located within the Jock River watershed. On both a localized and regional scale, groundwater flow is expected to be generally toward the Jock River (southeast).

### 3.3.6 Fill Materials

No concerns with fill materials were identified at the Site.

### 3.3.7 Water Bodies and Areas of Natural Significance

The closest permanent waterbody is the Jock River, which is located approximately 1.6 km southeast of the Site, at its closest point.

When completing a Phase 1 ESA, considerations are made for the following MNR-maintained areas of natural significance:

- Areas of Natural and Scientific Interest (ANSIs);
- Provincially Significant Wetlands (PSWs); and,

- Wildlife Management Areas (WMAs).

The Richmond Fen (Provincially Significant Wetland, PSW) is located approximately 216 m from the Site, at its closest point.

### 3.3.8 Well Records

McIntosh Perry performed a well record search utilizing the EcoLog ERIS Water Well Information System data (based on MOECC GIS data). Nineteen records were found within 250 m of the Site boundary, and one record was found for the Site itself. All records are summarized in Appendix B.

Of the nineteen wells within 250 m of the site boundary, seventeen are listed for domestic purposes, one well is listed for livestock purposes, and one well has no listed usage (abandoned). The average depth of these bedrock wells is 106.3 feet, where 60 feet is the minimum and 236 feet is the maximum depth. The average depth of water is 104.3 feet, where 52 feet is the minimum and 229 feet is the maximum. The single well located on project property is listed as domestic, and is likely dug.

## 4.0 INTERVIEWS

McIntosh Perry personnel conducted an interview to obtain information about the subject property pertaining to items of actual and/or potential environmental concern. An interview was conducted with Bingfeng Li, Project Manager – Bing Professional Engineering Inc., via telephone on June 13, 2018. The interviewee provided information about the Site and the on-site activities. The interview was conducted using a standard set of questions.

The information obtained from the interview is summarized as follows:

Table 2: Interview Summary

Potential Item of Concern	Interview Comments
Accidents/ Spills	No
Previous Use of Site	Forested
Adjacent Properties	Predominantly farming
Fuel Handling/ Storage	No
Maintenance/ Operational Areas	No
Hazardous Materials Storage	No
Salt Storage	No
Fuel Storage Tanks	No
Odours	No
Potable Water	Unknown
Septic and Wastewater Discharges	No structures
Pesticides	Unknown
Mould	No
Heating and Cooling Systems	No structures
Major Mechanical Equipment	No
Waste Oils, Solvents, Batteries	No
PCBs	No
Asbestos	No structures
Lead Paint	No structures
ODS	No structures
Electromagnetic Radiation	No
UFFI	No structures
Mercury	No structures
Radon Gas	No structures/ below ground structures
Soil and Groundwater Conditions	Unknown



Potential Item of Concern	Interview Comments
Wells	Monitoring wells only
Waste Disposal and Recycling	Third party contractor
Fill Material	Laneway construction only (built 2014) using clean fill
Floor Drains/OWS (discharge locations)	No structures
Other	No

**Please Note:** Statements made by those interviewed were not made categorically and are limited to personal knowledge of, and experience with, the Site. The significance of environmental concerns that have been identified by other methods was not reduced based on the interview statements.

## 5.0 SITE RECONNAISSANCE

The objectives of the site reconnaissance were as follows:

- To identify potential environmental concerns associated with current and past uses of the site.
- To identify Potentially Contaminating Activities (PCAs) on, in, or under the site.
- To identify, as practical, current and past uses, activities, and PCAs in the Phase 1 study area.
- To identify details of potential contaminant pathways on, in, or under the Phase 1 property and potential environmental concerns and contaminants of potential concern.

McIntosh Perry had open and ready access to all areas of the site during the site visit.

### 5.1 General Requirements

McIntosh Perry conducted the Site reconnaissance on May 2, 2018 (from approximately 11:30 to 15:30 HR). Patrick Leblanc of McIntosh Perry inspected all accessible areas of the Site, and observed other properties in the Phase 1 Study Area.

#### 5.1.1 Qualifications of the Assessors

Field assessment for this report was undertaken by Patrick Leblanc, P.Eng. and Justin Cameron, B.Sc. of McIntosh Perry. Patrick has over 10 years of environmental engineering experience, and has completed many Phase 1 and 2 ESAs. Reporting was completed by Jordan Bowman, B.Sc. and Dan Arnott, P.Eng. Jordan has a Bachelor's degree in environmental science and extensive experience in completing Phase 1 and 2 ESAs for a variety of sites in Ontario. Dan is an Ontario licensed Professional Engineer and a Qualified Person (QP) under O.Reg. 153/04, as amended, and has completed dozens of Phase 1 and 2 ESAs across Ontario.

McIntosh Perry is licensed to practice engineering and geoscience in the Province of Ontario. McIntosh Perry holds Certificates of Authorization with the Professional Engineers of Ontario (PEO) and the Association of Professional Geoscientists of Ontario (APGO) and is a full member of the Consulting Engineers of Ontario (CEO).

#### 5.1.2 Weather Conditions at Time of Inspection

Weather conditions at the time of the Site visit were warm, with sun and clouds.

#### 5.1.3 Property Occupancy/Use Status at Time of Inspection

Currently, the Site is primarily a forested area with a smaller portion cleared in preparation for development. The northern-most portion of the property was saturated at the time of inspection.

#### 5.1.4 Site Photographs

Photographs of the Site and study area are included in Appendix D. A brief description is included with each photograph, including location and orientation where applicable.

## 5.2 Description of Investigations

The Phase 1 component of the current investigation is a preliminary environmental screening that aims to provide a qualitative assessment of the environmental condition of the site based on a review of available information pertaining to the site, observations made during a site visit, and information from interviews with people who have knowledge of the site and its history.

The Phase 1 portion of the current investigation includes the following components:

- A review of available background information.
- An interview with a person with knowledge of the site and its history.
- Site reconnaissance.
- Freedom of information requests (Ministry of the Environment and Climate Change (MOECC), Technical Standards and Safety Authority (TSSA), and the Township of Leeds and the Thousand Islands.

### 5.2.1 Phase 1 Property

The Site is currently unused, and consists predominantly of forested or cleared land. The Site is located at 6688 Franktown Road in Ottawa, approximately 575 m southwest of Jays Road, at its closest point. The Site was assessed on May 2, 2018.

### 5.2.2 Phase 1 Study Area

All properties located within 250 m of the boundaries of the Site were observed from the Site or from publicly accessible locations on May 2, 2018.

## 5.3 Specific Observations at the Phase 1 Property

### 5.3.1 Structures and Other Improvements

While historical mapping (Appendix E) reveals some type of development on the Site in the late 1800s (presumably farmstead structures), the Site is currently vacant forested land.

### 5.3.2 Below Ground Structures

No below ground structures were observed on the Site.

### 5.3.3 Storage Tanks

No liquid storage tanks were observed on the Site.

### 5.3.4 Hazardous Materials

No hazardous materials observed at the Site.

#### 5.3.5 Potable and Non-Potable Water Sources

There are currently no services to the Site.

#### 5.3.6 Underground Service Trenches

There are currently no services to the Site.

#### 5.3.7 Exit and Entry Points

The exit and entry points to the Site were inspected. No concerns were identified.

#### 5.3.8 Existing and Former Heating Systems

There are no on-site structures or heating systems.

#### 5.3.9 Cooling Systems

There are no on-site structures or cooling systems.

#### 5.3.10 Drains, Pits, and Sumps

No drains, pits, or sumps were observed at the Site.

#### 5.3.11 Unidentified Substances

No unidentified substances were observed at the Site.

#### 5.3.12 Stains and/or Corrosion Near Drains, Pits, and Sumps

No stains and/or corrosion were observed at the Site.

#### 5.3.13 Well Details

There were no wells observed at the Site. One well record was found for the Site; however, this well is presumed to be dug (22 feet deep) and may be abandoned/lost. Well records for properties within the Phase 1 ESA Study Area are discussed in previous sections.

#### 5.3.14 Details of Sewage Works

There are currently no services to the Site.

#### 5.3.15 Ground Surface Details

There are no on-site structures. Outdoor ground surface at the Site is dominated by saturated, sandy loam.

#### 5.3.16 Current and Former Railway Lines

No current or former railway lines were observed at the Site or within the study area.

#### 5.3.17 Staining to Soil, Vegetation, or Pavement

No staining was observed at the Site.

#### 5.3.18 Stressed Vegetation

No stressed vegetation was observed at the Site.

#### 5.3.19 Fill and Debris

No significant fill or debris was observed at the Site.

#### 5.3.20 Mould

No mould-like substances were observed at the Site.

#### 5.3.21 Areas of Potential Environmental Concern (APECs) and Potentially Contaminating Activities (PCAs)

No on-site PCAs were identified during the site visit.

### 5.4 Surrounding Properties

Surrounding properties in the vicinity of the Site generally consisted of the following:

- North: Commercial, rural residential, agricultural
- East: Rural residential, agricultural, potential pit operation
- South: Rural residential, agricultural
- West: Rural residential, agricultural, buried gas pipeline

Surrounding land use is shown on Figure 3.

McIntosh Perry did not confirm the presence of any past or present PCAs located at the Site or within the Phase 1 ESA study area.

## 6.0 REVIEW AND EVALUATION OF INFORMATION

The following sections provide a review, evaluation, and interpretation of the information obtained from the records review, interviews, and site reconnaissance.

### 6.1 Current and Past Uses of Phase 1 Property

The Site appears to have been used in some capacity during the 1860s and 1870s, where historical mapping shows at least one on-site residential structure. It is likely that a portion of the Site was used for agricultural purposes at this time; however, the extent of any such use is unknown at this time. Based on a review of aerial photographs, the Site has been forested since at least 1946. The currently proposed development of the Site will represent its first (contemporary) developed use.

### 6.2 Potentially Contaminating Activities (PCA) and Areas of Potential Environmental Concern (APEC)

No PCAs or APECs were identified at the Site or within the Phase 1 ESA study area.

## 7.0 CONCLUSIONS

Based on the absence of confirmed PCAs and APECs at the Site and within the Phase 1 ESA study area, a Phase 2 ESA is not required at this time. Based on the information presented in this Phase 1 ESA, development of the Site as a place of worship (i.e. community use) does not represent a significant environmental liability at this time.

## 8.0 LIMITATIONS

This report has been prepared, and the work referred to in this report has been undertaken by McIntosh Perry Consulting Engineers Ltd. for Bing Professional Engineering Inc. (Bing Professional Engineering). It is intended for the sole and exclusive use of Bing Professional Engineering. The report may not be relied upon by any other person or entity without the express written consent of McIntosh Perry Consulting Engineers Ltd. (in the form of a Reliance Letter).

Any use which a third party makes of this report, or any reliance on decisions made based on it, without a Reliance Letter are the responsibility of such third parties. McIntosh Perry Consulting Engineers Ltd. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.

Some of the information presented in this report was provided through maps, air photographs, and interviews. Although attempts were made, whenever possible, to obtain a minimum of two confirmatory sources of information, McIntosh Perry Consulting Engineers Ltd., has, in certain instances, been required to assume that the information provided is accurate.

The conclusions presented represent the best professional judgment of the assessor based on current environmental standards and on the site conditions observed during the site inspection on May 2, 2017. Due to the nature of the investigation and the limited data available, the assessor cannot warrant against undiscovered environmental liabilities.

Should additional information become available, McIntosh Perry Consulting Engineers Ltd. requests that this information be brought to our attention so that we may re-assess the conclusions presented herein.



We trust that this information is satisfactory for your present requirements. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Respectfully submitted,

McIntosh Perry Consulting Engineers Ltd.

	
<p>Jordan Bowman, B.Sc.                  Environmental Scientist                  j.bowman@mcintoshperry.com                  (613) 836-2184 (2280)</p>	<p>Fraser Armstrong, P.Eng.                  Sr. Geo-Environmental Engineer                  f.armstrong@mcintoshperry.com                  (613) 542-3788 (3138)</p>

## 9.0 REFERENCES

Canadian Standards Association (CSA), Z768-01: Phase I Environmental Site Assessment, CSA International, Toronto, 2001 (Updated 2003, Reaffirmed 2012).

EcoLog ERIS, 2018. Site-Specific Search Report Results.


Natural Resources Canada (NRCAN), 2011. Geobase online mapping tool: Hydro Network GIS Data accessed through <<http://geobase.ca/geobase/en/viewer.jsp?group=nhn>>.

Ontario Geologic Survey (OGS), 2017 GISData for bedrock and surficial geology stratigraphy.

Ontario Ministry of Environment and Climate Change (MOECC), Ontario Regulation (O.Reg.) 153/04; Records of Site Condition – Part XV.1 of the Act (i.e. The Environmental Protection Act), as amended.

Ontario Geological Survey (OGS), 2018 – Google Earth™ (website: [http://www.mndmf.gov.on.ca/mines/ogs\\_earth\\_e.asp](http://www.mndmf.gov.on.ca/mines/ogs_earth_e.asp)).

## FIGURES



H:\01 Project - Proposals\2017 Jobs\CP-17-0503 Bing Professional Eng Inc. Proposed Template\ESA\CP-17-0503\_01\_SiteLocation\6688Ffranktown.mxd

**LEGEND**

- Approximate Property Boundary
- Local Road
- Major Road
- Watercourse
- Waterbody
- Wooded Area


**REFERENCE**

GIS data provided by the Ontario Ministry of Natural Resources and Forestry, 2018.



CLIENT:		<b>BING PROFESSIONAL ENGINEERING</b>	
PROJECT:		<b>PHASE 1 ESA - 6688 FRANKTOWN ROAD</b>	
TITLE:		<b>SITE LOCATION</b>	
PROJECT NO: CP-17-0503		FIGURE:	
Date	May., 09, 2018	<b>1</b>	
GIS	JD		
Checked By	JB		


**McINTOSH PERRY**  
 115 Walgreen Road, RR3, Carp, ON K0A1L0  
 Tel: 613-836-2184 Fax: 613-836-3742  
 www.mcintoshperry.com



FRANKTOWN ROAD

JOYS ROAD

PINESTRAND CRESCENT



**LEGEND**


- Approximate Property Boundary
- Proposed Development

**REFERENCE**

GIS data provided by the Ontario Ministry of Natural Resources and Forestry, 2018.

CLIENT:		<b>BING PROFESSIONAL ENGINEERING</b>	
PROJECT:		PHASE 1 ESA - 6688 FRANKTOWN ROAD	
TITLE:		SITE LAYOUT	
<b>McINTOSH PERRY</b> <small>115 Walgreen Road, RR3, Carp, ON K0A1L0 Tel: 613-836-2184 Fax: 613-836-3742 www.mcintoshperry.com</small>	PROJECT NO: CP-17-0503	FIGURE:	<b>2</b>
	Date	May., 11, 2018	
	Checked By	JD	

H:\01 Project - Proposals\2017 - Proposals\01 Bing Professional Eng Inc - Proposed Template\SPA\_6688 Franktown Road\15 - GIS\mxd\Phase1\ESA\CP-17-0503\_02\_SiteLayout\6688Franktown.mxd



**LEGEND**

- Approximate Site Boundary
- 250m Buffer


**REFERENCE**

GIS data provided by the Ontario Ministry of Natural Resources and Forestry, 2018.



CLIENT:		<b>BING PROFESSIONAL ENGINEERING</b>	
PROJECT:		PHASE 1 ESA - 6688 FRANKTOWN ROAD	
TITLE:		STUDY AREA AND SURROUNDING LAND USE	
PROJECT NO: CP-17-0503		FIGURE:	
Date	May., 09, 2018	<b>3</b>	
GIS	JD		
Checked By	JB		

**McINTOSH PERRY**  
 115 Walgreen Road, RR3, Carp, ON K0A1L0  
 Tel: 613-836-2184 Fax: 613-836-3742  
 www.mcintoshperry.com



**LEGEND**

- Site Boundary
- Watercourse
- Spot Height (masl)
- Waterbody
- Contour (masl)
- Provincially Significant Wetland
- Local Road
- Unevaluated Wetland
- Major Road
- Wooded Area

**REFERENCE**

GIS data provided by the Ontario Ministry of Natural Resources and Forestry, 2018.

CLIENT: <b>BING PROFESSIONAL ENGINEERING</b>	
PROJECT: <b>PHASE 1 ESA - 6688 FRANKTOWN ROAD</b>	
TITLE: <b>DRAINAGE AND TOPOGRAPHY</b>	
PROJECT NO: CP-17-0503	FIGURE: <b>4</b>
Date May., 09, 2018	
GIS JD	
Checked By JB	

**McINTOSH PERRY**  
 115 Walgreen Road, RR3, Carp, ON K0A1L0  
 Tel: 613-836-2184 Fax: 613-836-3742  
 www.mcintoshperry.com

## APPENDIX A

### CORRESPONDENCE



Jordan Bowman

---

From: Public Information Services <publicinformationsservices@tssa.org>  
Sent: May-29-18 5:43 PM  
To: Jordan Bowman  
Subject: RE: Info request - 6688 Franktown Rd, Ottawa

Hello Jordan,

Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject address.

For a further search in our archives please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org) or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Yalini

From: Jordan Bowman <[j.bowman@mcintoshperry.com](mailto:j.bowman@mcintoshperry.com)>  
Sent: May 29, 2018 1:59 PM  
To: Public Information Services <[publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org)>  
Subject: Info request - 6688 Franktown Rd, Ottawa

Hello,

I am inquiring as to any environmental records related to 6688 Franktown Rd, Ottawa, ON.

Thank you,

Jordan

**Jordan Bowman, B.Sc.**

**Environmental Scientist**

115 Walgreen Road, R.R. 3, Carp, ON K0A 1L0

T. 613.836.2184 (ext 2280) | F. 613.836.3742 | C. 613.229.9528

[j.bowman@mcintoshperry.com](mailto:j.bowman@mcintoshperry.com) | [www.mcintoshperry.com](http://www.mcintoshperry.com)

McINTOSH PERRY

---

Confidentiality Notice – If this email wasn't intended for you, please return or delete it. Click [here](#) to read all of the legal language around this concept.





This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

## Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on completion and use of this form. Our fax no. is (416) 314-4285.

Requester Data			For Ministry Use Only	
Name, Company Name, Mailing Address and Email Address of Requester			FOI Request No.	Date Request Received
Email address: j.bowman@mcintoshperry.com			Fee Paid	
<input type="checkbox"/> ACCT <input type="checkbox"/> CHQ <input type="checkbox"/> VISA/MC <input type="checkbox"/> CASH			<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> SAC <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SWA	
Telephone/Fax Nos. Tel. (613) 836-2184 ext. 2280 Fax (613) 836-3742	Your Project/Reference No. OCP-17-0503	Signature/Print /Name of Requester		
Request Parameters				
Municipal Address / Lot, Concession, Geographic Township <b>(Municipal address essential for cities, towns or regions)</b>				
6688 Franktown Rd, Ottawa, ON				
Present Property Owner(s) and Date(s) of Ownership				
Various				
Previous Property Owner(s) and Date(s) of Ownership				
Unused				
Present/Previous Tenant(s), (if applicable)				
Search Parameters			Specify Year(s) Requested	
<i>Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.</i>				
Environmental concerns (General correspondence, occurrence reports, abatement)			1986-2017	
Orders			1986-2017	
Spills			1986-2017	
Investigations/prosecutions ► Owner <b>AND</b> tenant information must be provided			1986-2017	
Waste Generator number/classes			1986-2017	
Certificates of Approval ► Proponent information must be provided				
1985 and prior records are searched manually. <b>Search fees in excess of \$300.00</b> could be incurred, depending on the types and years to be searched. Specify Certificates of Approval number(s) (if known). <b>If supporting documents are also required, mark SD box</b> and specify type e.g. maps, plans, reports, etc.				
			<b>SD</b>	<b>Specify Year(s) Requested</b>
air - emissions				1986-2017
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)				1986-2017
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations				1986-2017
waste water - industrial discharges				1986-2017
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites				1986-2017
waste systems - PCB destruction, mobile waste processing units, haulers: sewage, non-hazardous & hazardous waste				1986-2017
pesticides - licenses				1986-2017

A \$5.00 non-refundable application fee, payable to the Minister of Finance, is mandatory. The cost of locating on-site and/or preparing any record is \$30.00/hour and 20 cents/page for photocopying and you will be contacted for approval for fees in excess of \$30.00.

## APPENDIX B

## ECOLOGERIS

**ERIS**  
ENVIRONMENTAL RISK INFORMATION SERVICES



# DATABASE REPORT

**Project Property:** *6688 Franktown Rd Ph 1 ESA  
6688 Franktown Rd  
Ottawa ON  
170503*

**Project No:** *170503*

**Report Type:** *Quote - Custom-Build Your Own Report*

**Order No:** *20180522066*

**Requested by:** *McIntosh Perry Consulting Engineers*

**Date Completed:** *May 28, 2018*

**Environmental Risk  
Information Services**  
A division of Glacier Media Inc.  
P: 1.866.517.5204  
E: [info@erisinfo.com](mailto:info@erisinfo.com)

**[www.erisinfo.com](http://www.erisinfo.com)**

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	9
Map.....	11
Aerial.....	12
Topographic Map.....	13
Detail Report.....	14
Unplottable Summary.....	88
Unplottable Report.....	91
Appendix: Database Descriptions.....	195
Definitions.....	204

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** 6688 Franktown Rd Ph 1 ESA  
6688 Franktown Rd Ottawa ON

**Project No:** 170503

## **Order Information:**

**Order No:** 20180522066  
**Date Requested:** May 22, 2018  
**Requested by:** McIntosh Perry Consulting Engineers  
**Report Type:** Quote - Custom-Build Your Own Report

## **Historical/Products:**

**Aerial Photographs** Aerials - National Collection - .tiff files

## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	5	5
CA	<i>Certificates of Approval</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DRYCLEANERS	<i>Dry Cleaning Facilities</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	0	0
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	1	1
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EXP	<i>List of TSSA Expired Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	0	0
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>TSSA Incidents</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MISA PENALTY	<i>Environmental Penalty Annual Report</i>	Y	0	0	0



<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.25km</b>	<b>Total</b>
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBW	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGW	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PINC	<i>TSSA Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	0	0
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	0	0
SPL	<i>Ontario Spills</i>	Y	0	0	0
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>TSSA Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	1	19	20
<b>Total:</b>			1	25	26

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	WWIS		lot 20 con 3 ON	-/0.0	0.00	<a href="#">14</a>

## Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">2</a>	BORE		ON	NNW/30.0	0.00	<a href="#">16</a>
<a href="#">2</a>	WWIS		lot 20 con 3 ON	NNW/30.0	0.00	<a href="#">16</a>
<a href="#">3</a>	WWIS		lot 19 con 3 ON	S/32.3	0.00	<a href="#">18</a>
<a href="#">4</a>	WWIS		lot 16 con 4 GLOUCESTER ON	NW/40.7	0.00	<a href="#">21</a>
<a href="#">5</a>	WWIS		lot 19 con 4 RICHMOND ON	NW/46.3	0.00	<a href="#">23</a>
<a href="#">6</a>	WWIS		lot 13 con 10 BECKWITH ON	NW/75.4	0.00	<a href="#">28</a>
<a href="#">7</a>	WWIS		lot 6 con 5 GREELY ON	NW/77.9	0.00	<a href="#">33</a>
<a href="#">8</a>	WWIS		lot 3 con 4 GREELY ON	NW/78.9	0.00	<a href="#">38</a>
<a href="#">9</a>	WWIS		lot 2 con 5 ASHTON ON	NW/80.1	0.00	<a href="#">43</a>
<a href="#">10</a>	WWIS		lot 4 con 4 Ottawa ON	NW/81.5	0.00	<a href="#">48</a>
<a href="#">11</a>	WWIS		lot 19 con 4 ON	NNW/84.5	0.00	<a href="#">53</a>
<a href="#">12</a>	WWIS		lot 19 con 4 ON	NW/88.2	0.00	<a href="#">56</a>
<a href="#">13</a>	WWIS		lot 7 con 8 MUNSTER ON	NNW/88.3	0.00	<a href="#">58</a>
<a href="#">14</a>	EHS		6659 Franktown Rd Ottawa ON K0A2Z0	NNW/92.9	0.00	<a href="#">63</a>
<a href="#">15</a>	WWIS		lot 20 con 4 ON	NNW/100.9	0.00	<a href="#">63</a>
<a href="#">16</a>	WWIS		lot 20 con 4 ON	N/121.9	0.00	<a href="#">66</a>
<a href="#">17</a>	BORE		ON	N/148.7	0.00	<a href="#">68</a>
<a href="#">18</a>	BORE		ON	WSW/152.4	0.00	<a href="#">68</a>
<a href="#">19</a>	BORE		ON	N/154.0	0.00	<a href="#">69</a>
<a href="#">20</a>	WWIS		lot 20 con 4 RICHMOND ON	N/167.6	0.00	<a href="#">69</a>
<a href="#">21</a>	WWIS		lot 20 con 3 RICHMOND ON	ESE/180.0	0.00	<a href="#">74</a>
<a href="#">22</a>	BORE		ON	WSW/193.6	0.00	<a href="#">79</a>
<a href="#">22</a>	WWIS		lot 19 con 3 ON	WSW/193.6	0.00	<a href="#">80</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">23</a>	WWIS		lot 18 con 3 ON	W/213.9	0.00	<a href="#">82</a>
<a href="#">24</a>	WWIS		lot 20 con 4 ON	N/243.6	0.00	<a href="#">85</a>

# Executive Summary: Summary By Data Source

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2014 has found that there are 5 BORE site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	30.0	<a href="#"><u>2</u></a>
	ON	148.7	<a href="#"><u>17</u></a>
	ON	152.4	<a href="#"><u>18</u></a>
	ON	154.0	<a href="#"><u>19</u></a>
	ON	193.6	<a href="#"><u>22</u></a>

## **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Feb 28, 2018 has found that there are 1 EHS site(s) within approximately 0.25 kilometers of the project property.


<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	6659 Franktown Rd Ottawa ON K0A2Z0	92.9	<a href="#"><u>14</u></a>

## **WWIS - Water Well Information System**

A search of the WWIS database, dated Mar 31, 2017 has found that there are 20 WWIS site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	lot 20 con 3 ON	0.0	<a href="#"><u>1</u></a>
	lot 20 con 3 ON	30.0	<a href="#"><u>2</u></a>
	lot 19 con 3 ON	32.3	<a href="#"><u>3</u></a>
	lot 16 con 4 GLOUCESTER ON	40.7	<a href="#"><u>4</u></a>
	lot 19 con 4 RICHMOND ON	46.3	<a href="#"><u>5</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	lot 13 con 10 BECKWITH ON	75.4	<a href="#"><u>6</u></a>
	lot 6 con 5 GREELY ON	77.9	<a href="#"><u>7</u></a>
	lot 3 con 4 GREELY ON	78.9	<a href="#"><u>8</u></a>
	lot 2 con 5 ASHTON ON	80.1	<a href="#"><u>9</u></a>
	lot 4 con 4 Ottawa ON	81.5	<a href="#"><u>10</u></a>
	lot 19 con 4 ON	84.5	<a href="#"><u>11</u></a>
	lot 19 con 4 ON	88.2	<a href="#"><u>12</u></a>
	lot 7 con 8 MUNSTER ON	88.3	<a href="#"><u>13</u></a>
	lot 20 con 4 ON	100.9	<a href="#"><u>15</u></a>
	lot 20 con 4 ON	121.9	<a href="#"><u>16</u></a>
	lot 20 con 4 RICHMOND ON	167.6	<a href="#"><u>20</u></a>
	lot 20 con 3 RICHMOND ON	180.0	<a href="#"><u>21</u></a>
	lot 19 con 3 ON	193.6	<a href="#"><u>22</u></a>
	lot 18 con 3 ON	213.9	<a href="#"><u>23</u></a>
	lot 20 con 4 ON	243.6	<a href="#"><u>24</u></a>




### Map : 0.25 Kilometer Radius

Order No: 20180522066  
 Address: 6688 Franktown Rd, Ottawa, ON



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		



250 125 0 250 m

1:10000  
 Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**Aerial (2015)**

**Address: 6688 Franktown Rd, Ottawa, ON**


Source: ESRI World Imagery

Order No: 20180522066



© ERIS Information Limited Partnership





Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

# Topographic Map

Address: 6688 Franktown Rd, Ottawa, ON

Source: ESRI World Topographic Map

Order No: 20180522066



© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

<u>1</u>	1 of 1	-/0.0	99.9 / 0.00	lot 20 con 3 ON	WWIS
----------	--------	-------	-------------	--------------------	------

**Well ID:** 1502410  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:** 0  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:**  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 9/18/1967  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3503  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** GOULBOURN TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:** 03  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10024453  
**DP2BR:**  
**Code OB:** o  
**Code OB Desc:** Overburden  
**Open Hole:**  
**Elevation:** 100.599533  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 5  
**UTMRC Desc:** margin of error : 100 m - 300 m  
**Location Method:** p5  
**Org CS:**  
**Date Completed:** 6/12/1967

**Overburden and Bedrock Materials Interval**

**Formation ID:** 930994451  
**Layer:** 1  
**Color:**  
**General Color:**  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:** 13  
**Other Materials:** BOULDERS  
**Mat3:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			0.00		
<b>Formation End Depth:</b>			20.00		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>		930994452			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			20.00		
<b>Formation End Depth:</b>			22.00		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961502410			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10573023			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930041675			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>			22.00		
<b>Casing Diameter:</b>			5.00		
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991502410			
<b>Pump Set At:</b>					
<b>Static Level:</b>			8.00		
<b>Final Level After Pumping:</b>			12.00		
<b>Recommended Pump Depth:</b>			18.00		
<b>Pumping Rate:</b>			5.00		
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>			5.00		
<b>Levels UOM:</b>			ft		
<b>Rate UOM:</b>			GPM		
<b>Water State After Test Code:</b>			1		
<b>Water State After Test:</b>			CLEAR		
<b>Pumping Test Method:</b>			1		
<b>Pumping Duration HR:</b>			1		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pumping Duration MIN: Flowing:</b>		0 N			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933455193			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		22.00			
<b>Water Found Depth UOM:</b>		ft			
<b>2</b>	<b>1 of 2</b>	<b>NNW/30.0</b>	<b>99.9 / 0.00</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>		610281		<b>Type:</b>	Borehole
<b>Use:</b>				<b>Status::</b>	
<b>Drill Method::</b>				<b>UTM Zone::</b>	18
<b>Easting::</b>		432201		<b>Northing::</b>	5003172
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	99.1
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	100
<b>Total Depth m::</b>		19.8		<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>		AUG-1964		<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>				<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>		218385168		<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>		2.4		<b>Stratum Desc:</b>	CLAY,SOIL.
<b>Stratum ID:</b>		218385169		<b>Top Depth(m):</b>	2.4
<b>Bottom Depth(m):</b>		19.8		<b>Stratum Desc:</b>	SANDSTONE. 00060EY. 0010000060. GREY. 00064STONE. TILL. BROWN,DENSE. 00040035
<b>2</b>	<b>2 of 2</b>	<b>NNW/30.0</b>	<b>99.9 / 0.00</b>	<b>lot 20 con 3 ON</b>	<b>WWIS</b>
<b>Well ID:</b>		1502409		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>		Domestic		<b>Date Received:</b>	8/31/1964
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b>	1
<b>Final Well Status:</b>		Water Supply		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	3503
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	020
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Bore Hole ID:** 10024452  
**DP2BR:** 8  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:** 100.629638  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 5  
**UTMRC Desc:** margin of error : 100 m - 300 m  
**Location Method:** p5  
**Org CS:**  
**Date Completed:** 8/15/1964

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 930994449  
**Layer:** 1  
**Color:**  
**General Color:**  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 02  
**Other Materials:** TOPSOIL  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 8.00  
**Formation End Depth UOM:** ft

**Formation ID:** 930994450  
**Layer:** 2  
**Color:**  
**General Color:**  
**Mat1:** 18  
**Most Common Material:** SANDSTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 8.00  
**Formation End Depth:** 65.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961502409  
**Method Construction Code:** 1  
**Method Construction:** Cable Tool  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10573022  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Construction Record - Casing**

**Casing ID:** 930041673  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 10.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930041674  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 65.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991502409  
**Pump Set At:**  
**Static Level:** 4.00  
**Final Level After Pumping:** 28.00  
**Recommended Pump Depth:** 52.00  
**Pumping Rate:** 10.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 0  
**Pumping Duration MIN:** 30  
**Flowing:** N

**Water Details**

**Water ID:** 933455192  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 60.00  
**Water Found Depth UOM:** ft

<u>3</u>	1 of 1	S/32.3	99.9 / 0.00	lot 19 con 3 ON	..... WWIS
----------	--------	--------	-------------	--------------------	---------------

<b>Well ID:</b> 1524746 <b>Construction Date:</b> <b>Primary Water Use:</b> Domestic <b>Sec. Water Use:</b> <b>Final Well Status:</b> Water Supply <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> 80332 <b>Tag:</b> <b>Construction Method:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> 1 <b>Date Received:</b> 9/17/1990 <b>Selected Flag:</b> 1 <b>Abandonment Rec:</b> <b>Contractor:</b> 1558 <b>Form Version:</b> 1 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA-CARLETON
---	---



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		78			
<b>Other Materials:</b>		MEDIUM-GRAINED			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		16.00			
<b>Formation End Depth:</b>		90.00			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961524746			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10595064			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930081392			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		22.00			
<b>Casing Diameter:</b>		6.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b>Casing ID:</b>		930081393			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		90.00			
<b>Casing Diameter:</b>		6.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991524746			
<b>Pump Set At:</b>					
<b>Static Level:</b>		10.00			
<b>Final Level After Pumping:</b>		40.00			
<b>Recommended Pump Depth:</b>		75.00			
<b>Pumping Rate:</b>		20.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.00			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pumping Duration MIN: Flowing:</b>		0 N			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934109933			
<b>Test Type:</b>					
<b>Test Duration:</b>		15			
<b>Test Level:</b>		40.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		934385342			
<b>Test Type:</b>					
<b>Test Duration:</b>		30			
<b>Test Level:</b>		40.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		934654703			
<b>Test Type:</b>					
<b>Test Duration:</b>		45			
<b>Test Level:</b>		40.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		934903078			
<b>Test Type:</b>					
<b>Test Duration:</b>		60			
<b>Test Level:</b>		40.00			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933483480			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		50.00			
<b>Water Found Depth UOM:</b>		ft			
<b>Water ID:</b>		933483481			
<b>Layer:</b>		2			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		84.00			
<b>Water Found Depth UOM:</b>		ft			

<u>4</u>	1 of 1	NW/40.7	99.9 / 0.00	lot 16 con 4 GLOUCESTER ON	WWIS
<b>Well ID:</b>		1536667		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	9/7/2006
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	1
<b>Final Well Status:</b>		Abandoned-Other		<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	1119
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>		Z48579		<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	2714 FENTON RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	PLAN 5R-1387 PART 1
<b>Depth to Bedrock:</b>				<b>Lot:</b>	016
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	11691761			<b>Spatial Status:</b>	
<b>DP2BR:</b>				<b>Cluster Kind:</b>	
<b>Code OB:</b>	u			<b>UTMRC:</b>	3
<b>Code OB Desc:</b>	all layers are unknown type			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Open Hole:</b>				<b>Location Method:</b>	wwr
<b>Elevation:</b>	100.824737			<b>Org CS:</b>	UTM83
<b>Elevrc:</b>				<b>Date Completed:</b>	6/22/2006
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	933070648				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0.00				
<b>Formation End Depth:</b>	26.21				
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	933302004				
<b>Layer:</b>	1				
<b>Plug From:</b>	26.21				
<b>Plug To:</b>	0.00				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>	961536667				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	11696627				
<b>Casing No:</b>	1				
<b>Comment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Alt Name:</b>					
<a href="#">5</a>	1 of 1	NW/46.3	99.9 / 0.00	lot 19 con 4 RICHMOND ON	WWIS
<b>Well ID:</b>		7248774	<b>Data Entry Status:</b>		
<b>Construction Date:</b>			<b>Data Src:</b>		
<b>Primary Water Use:</b>		Domestic	<b>Date Received:</b> 9/22/2015		
<b>Sec. Water Use:</b>			<b>Selected Flag:</b> 1		
<b>Final Well Status:</b>		Water Supply	<b>Abandonment Rec:</b>		
<b>Water Type:</b>			<b>Contractor:</b> 1119		
<b>Casing Material:</b>			<b>Form Version:</b> 7		
<b>Audit No:</b>		Z191564	<b>Owner:</b>		
<b>Tag:</b>		A186910	<b>Street Name:</b> 6685 FRANKTOWN ROAD		
<b>Construction Method:</b>			<b>County:</b> OTTAWA-CARLETON		
<b>Elevation (m):</b>			<b>Municipality:</b> GOULBOURN TOWNSHIP		
<b>Elevation Reliability:</b>			<b>Site Info:</b> PART 1 & 2		
<b>Depth to Bedrock:</b>			<b>Lot:</b> 019		
<b>Well Depth:</b>			<b>Concession:</b> 04		
<b>Overburden/Bedrock:</b>			<b>Concession Name:</b> CON		
<b>Pump Rate:</b>			<b>Easting NAD83:</b>		
<b>Static Water Level:</b>			<b>Northing NAD83:</b>		
<b>Flowing (Y/N):</b>			<b>Zone:</b>		
<b>Flow Rate:</b>			<b>UTM Reliability:</b>		
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005699380	<b>Spatial Status:</b>		
<b>DP2BR:</b>			<b>Cluster Kind:</b>		
<b>Code OB:</b>			<b>UTMRC:</b> 4		
<b>Code OB Desc:</b>			<b>UTMRC Desc:</b> margin of error : 30 m - 100 m		
<b>Open Hole:</b>			<b>Location Method:</b> gis		
<b>Elevation:</b>		100.862258	<b>Org CS:</b> UTM83		
<b>Elevrc:</b>			<b>Date Completed:</b> 8/3/2015		
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005726909			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0.00			
<b>Formation End Depth:</b>		16.00			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005726910			
<b>Layer:</b>		2			
<b>Color:</b>		2			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		16.00			
<b>Formation End Depth:</b>		100.00			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005726911			
<b>Layer:</b>		3			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>		15			
<b>Other Materials:</b>		LIMESTONE			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		100.00			
<b>Formation End Depth:</b>		130.00			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005726912			
<b>Layer:</b>		4			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>		15			
<b>Other Materials:</b>		LIMESTONE			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		130.00			
<b>Formation End Depth:</b>		140.00			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005726947			
<b>Layer:</b>		1			
<b>Plug From:</b>		22.00			
<b>Plug To:</b>		122.00			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005726948			
<b>Layer:</b>		2			
<b>Plug From:</b>		12.00			
<b>Plug To:</b>		0.00			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005726946			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					

**Pipe Information**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pipe ID:</b>			1005726907		
<b>Casing No:</b>			0		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1005726916		
<b>Layer:</b>			1		
<b>Material:</b>			1		
<b>Open Hole or Material:</b>			STEEL		
<b>Depth From:</b>			-2.00		
<b>Depth To:</b>			22.00		
<b>Casing Diameter:</b>			6.25		
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		
<b>Casing ID:</b>			1005726917		
<b>Layer:</b>			2		
<b>Material:</b>			4		
<b>Open Hole or Material:</b>			OPEN HOLE		
<b>Depth From:</b>			22.00		
<b>Depth To:</b>			140.00		
<b>Casing Diameter:</b>			6.00		
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>			1005726918		
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>			ft		
<b>Screen Diameter UOM:</b>			inch		
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>			1005726908		
<b>Pump Set At:</b>			120.00		
<b>Static Level:</b>			14.25		
<b>Final Level After Pumping:</b>			43.67		
<b>Recommended Pump Depth:</b>			120.00		
<b>Pumping Rate:</b>			20.00		
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>			20.00		
<b>Levels UOM:</b>			ft		
<b>Rate UOM:</b>			GPM		
<b>Water State After Test Code:</b>			0		
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>			0		
<b>Pumping Duration HR:</b>			1		
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1005726919		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		21.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726920			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		43.66			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726921			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		24.58			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726922			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		30.08			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726923			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		28.08			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726924			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		30.16			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726925			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		31.50			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726926			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		19.08			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726927			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		33.16			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726928			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		17.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726930			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726929			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		37.66			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726931			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		40.41			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726932			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726934			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726933			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		41.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726936			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726935			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		43.16			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726937			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		43.50			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726938			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726939			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		43.66			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726940			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726941			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		43.66			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726942			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726943			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		43.66			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1005726944			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		14.25			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005726915			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		130.00			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005726913			
<b>Diameter:</b>		9.75			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		22.00			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b>Hole ID:</b>		1005726914			
<b>Diameter:</b>		6.00			
<b>Depth From:</b>		22.00			
<b>Depth To:</b>		140.00			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

**6**      1 of 1      **NW/75.4**      **99.9 / 0.00**      **lot 13 con 10**      **BECKWITH ON**      **WWIS**

<b>Well ID:</b>	7108135	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	7/15/2008
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1119
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z80774	<b>Owner:</b>	
<b>Tag:</b>	A066491	<b>Street Name:</b>	380 BALMORALDR
<b>Construction Method:</b>		<b>County:</b>	LANARK
<b>Elevation (m):</b>		<b>Municipality:</b>	BECKWITH TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	10
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1001657826	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:		UTMRC:	3
Code OB Desc:		UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:		Location Method:	wwr
Elevation:	100.770095	Org CS:	UTM83
Elevrc:		Date Completed:	6/3/2008
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock  
Materials Interval**

Formation ID:	1001779894
Layer:	1
Color:	
General Color:	
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0.00
Formation End Depth:	0.91
Formation End Depth UOM:	m

Formation ID:	1001779895
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0.91
Formation End Depth:	30.47
Formation End Depth UOM:	m

**Annular Space/Abandonment  
Sealing Record**

Plug ID:	1001779897
Layer:	1
Plug From:	12.19

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		0.00			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001779928			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001779892			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001779899			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		12.80			
<b>Depth To:</b>		0.00			
<b>Casing Diameter:</b>		0.15			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001779900			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1001779893			
<b>Pump Set At:</b>		24.38			
<b>Static Level:</b>		7.32			
<b>Final Level After Pumping:</b>		7.64			
<b>Recommended Pump Depth:</b>		24.38			
<b>Pumping Rate:</b>		91.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		91.00			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1001779902		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			7.47		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779901		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			7.44		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779903		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			2		
<b>Test Level:</b>			7.47		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779904		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			2		
<b>Test Level:</b>			7.32		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779906		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			7.32		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779905		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			7.50		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779907		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			4		
<b>Test Level:</b>			7.52		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779908		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			4		
<b>Test Level:</b>			7.32		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779909		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			7.54		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779910		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			7.32		
<b>Test Level UOM:</b>			m		
<b>Pump Test Detail ID:</b>			1001779911		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			10		
<b>Test Level:</b>			7.58		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779912			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		7.32			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779913			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		7.60			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779914			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		7.32			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779915			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		7.61			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779916			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		7.32			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779917			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		7.62			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779918			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		7.32			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779919			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		7.63			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779920			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		7.32			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779921			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		7.63			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779922			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		7.32			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779923			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		7.63			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779924			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		7.32			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779925			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		7.64			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001779926			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		7.32			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001779898			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		25.00			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001779896			
<b>Diameter:</b>		15.55			
<b>Depth From:</b>		30.47			
<b>Depth To:</b>		0.00			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

7      1 of 1      **NW/77.9**      **99.9 / 0.00**      **lot 6 con 5  
GREELY ON**      **WWIS**

<b>Well ID:</b>	1536384	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	6/12/2006
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1119
<b>Casing Material:</b>		<b>Form Version:</b>	3
<b>Audit No:</b>	Z39983	<b>Owner:</b>	
<b>Tag:</b>	A036169	<b>Street Name:</b>	6045/6055 BANK STREET
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	PLAN 902 P/L 73/74
<b>Depth to Bedrock:</b>		<b>Lot:</b>	006
<b>Well Depth:</b>		<b>Concession:</b>	05
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		49.98			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933290720			
<b>Layer:</b>		1			
<b>Plug From:</b>		10.36			
<b>Plug To:</b>		7.31			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		933290721			
<b>Layer:</b>		2			
<b>Plug From:</b>		7.31			
<b>Plug To:</b>		0.00			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961536384			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11560057			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930877588			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		10.97			
<b>Casing Diameter:</b>		15.88			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b>Casing ID:</b>		930877589			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		10.36			
<b>Depth To:</b>		49.98			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		11569466			
<b>Pump Set At:</b>		42.67			
<b>Static Level:</b>		1.30			
<b>Final Level After Pumping:</b>		2.04			
<b>Recommended Pump Depth:</b>		42.67			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pumping Rate:</b>		91.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		91.00			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11602252			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		1.72			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602251			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		1.59			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602253			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		1.59			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602254			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		1.65			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602255			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		1.62			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602256			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		1.56			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602258			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		1.45			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602257			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		1.62			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602260			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>		1.38			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602259			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		1.62			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602261			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		1.68			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602262			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		1.30			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602263			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		1.74			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602264			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		1.76			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602265			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		1.79			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602266			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		1.81			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602267			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		1.85			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602268			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		1.89			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11602269			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		2.04			
<b>Test Level UOM:</b>		m			

**Water Details**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		934076137			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		13.11			
Water Found Depth UOM:		m			
Water ID:		934076136			
Layer:		2			
Kind Code:					
Kind:					
Water Found Depth:		48.16			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		11681157			
Diameter:		15.23			
Depth From:		0.00			
Depth To:		49.98			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>8</u>	1 of 1	NW/78.9	99.9 / 0.00	lot 3 con 4 GREELY ON	WWIS
Well ID:	7053852			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Domestic			<b>Date Received:</b>	12/14/2007
Sec. Water Use:				<b>Selected Flag:</b>	1
Final Well Status:	Water Supply			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	1119
Casing Material:				<b>Form Version:</b>	4
Audit No:	Z61172			<b>Owner:</b>	
Tag:	A072307			<b>Street Name:</b>	6778 SUNCREST DRIVE
Construction Method:				<b>County:</b>	OTTAWA-CARLETON
Elevation (m):				<b>Municipality:</b>	OSGOODE TOWNSHIP
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	003
Well Depth:				<b>Concession:</b>	04
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	23053852	<b>Spatial Status:</b>	
DP2BR:		<b>Cluster Kind:</b>	
Code OB:		<b>UTMRC:</b>	3
Code OB Desc:		<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
Open Hole:	Y	<b>Location Method:</b>	wwr
Elevation:	100.76818	<b>Org CS:</b>	UTM83
Elevrc:		<b>Date Completed:</b>	11/13/2007
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1001510005		
<b>Layer:</b>			1		
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			11		
<b>Other Materials:</b>			GRAVEL		
<b>Mat3:</b>			13		
<b>Other Materials:</b>			BOULDERS		
<b>Formation Top Depth:</b>			0.00		
<b>Formation End Depth:</b>			6.71		
<b>Formation End Depth UOM:</b>			m		
<b>Formation ID:</b>			1001510006		
<b>Layer:</b>			2		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			6.71		
<b>Formation End Depth:</b>			18.29		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1001510008		
<b>Layer:</b>			1		
<b>Plug From:</b>			9.45		
<b>Plug To:</b>			6.40		
<b>Plug Depth UOM:</b>			m		
<b>Plug ID:</b>			1001510009		
<b>Layer:</b>			2		
<b>Plug From:</b>			6.40		
<b>Plug To:</b>			0.00		
<b>Plug Depth UOM:</b>			m		
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>			1001510041		
<b>Method Construction Code:</b>			5		
<b>Method Construction:</b>			Air Percussion		
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			1001510003		
<b>Casing No:</b>			0		
<b>Comment:</b>					
<b>Alt Name:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1001510012		
<b>Layer:</b>					
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		10.06			
<b>Casing Diameter:</b>		0.15			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>			1001510013		
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>			1001510004		
<b>Pump Set At:</b>		12.19			
<b>Static Level:</b>		0.40			
<b>Final Level After Pumping:</b>		0.51			
<b>Recommended Pump Depth:</b>		12.19			
<b>Pumping Rate:</b>		91.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		91.00			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		3			
<b>Water State After Test:</b>		OTHER			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		N			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1001510014		
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		0.45			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>			1001510015		
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		0.46			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>			1001510017		
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		0.45			
<b>Test Level UOM:</b>		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		1001510016			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		0.46			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510018			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		0.47			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510019			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		0.44			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510021			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		0.44			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510020			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		0.47			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510023			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		0.43			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510022			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		0.48			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510025			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		0.42			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510024			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		0.49			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510027			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		0.42			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510026			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		0.50			
<b>Test Level UOM:</b>		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		1001510029			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		0.41			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510028			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		0.50			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510030			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		0.50			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510031			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		0.40			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510033			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		0.40			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510032			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		0.50			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510035			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		0.40			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510034			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		0.50			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510037			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		0.40			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510036			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		0.51			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001510038			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		0.51			
<b>Test Level UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Test Detail ID:</b> 1001510039					
<b>Test Type:</b> Recovery					
<b>Test Duration:</b> 60					
<b>Test Level:</b> 0.40					
<b>Test Level UOM:</b> m					
<b>Water Details</b>					
<b>Water ID:</b> 1001510010					
<b>Layer:</b> 1					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b> 12.80					
<b>Water Found Depth UOM:</b> m					
<b>Water ID:</b> 1001510011					
<b>Layer:</b> 2					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b> 17.06					
<b>Water Found Depth UOM:</b> m					
<b>Hole Diameter</b>					
<b>Hole ID:</b> 1001510007					
<b>Diameter:</b> 15.87					
<b>Depth From:</b>					
<b>Depth To:</b> 18.29					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					

<u>9</u>	1 of 1	NW/80.1	99.9 / 0.00	lot 2 con 5 ASHTON ON	WWIS
<b>Well ID:</b> 7047631					
<b>Construction Date:</b>					
<b>Primary Water Use:</b> Domestic					
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b> Water Supply					
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b> Z65159					
<b>Tag:</b> A055162					
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Depth to Bedrock:</b>					
<b>Well Depth:</b>					
<b>Overburden/Bedrock:</b>					
<b>Pump Rate:</b>					
<b>Static Water Level:</b>					
<b>Flowing (Y/N):</b>					
<b>Flow Rate:</b>					
<b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b>					
<b>Date Received:</b> 8/7/2007					
<b>Selected Flag:</b> 1					
<b>Abandonment Rec:</b>					
<b>Contractor:</b> 1119					
<b>Form Version:</b> 3					
<b>Owner:</b>					
<b>Street Name:</b> 8821 COPELAND ROAD					
<b>County:</b> OTTAWA-CARLETON					
<b>Municipality:</b> GOULBOURN TOWNSHIP					
<b>Site Info:</b> PART 2					
<b>Lot:</b> 002					
<b>Concession:</b> 05					
<b>Concession Name:</b> CON					
<b>Easting NAD83:</b>					
<b>Northing NAD83:</b>					
<b>Zone:</b>					
<b>UTM Reliability:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b> 23047631					
<b>DP2BR:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Open Hole:</b>					
<b>Spatial Status:</b>					
<b>Cluster Kind:</b>					
<b>UTMRC:</b> 3					
<b>UTMRC Desc:</b> margin of error : 10 - 30 m					
<b>Location Method:</b> wwr					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Elevation:</b>	100.766807			<b>Org CS:</b>	UTM83
<b>Elevrc:</b>				<b>Date Completed:</b>	7/4/2007
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	30147631				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>	05				
<b>Most Common Material:</b>	CLAY				
<b>Mat2:</b>	81				
<b>Other Materials:</b>	SANDY				
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0.00				
<b>Formation End Depth:</b>	1.52				
<b>Formation End Depth UOM:</b>	m				
<b>Formation ID:</b>	30247631				
<b>Layer:</b>	2				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	1.52				
<b>Formation End Depth:</b>	43.28				
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	44002777				
<b>Layer:</b>	1				
<b>Plug From:</b>	6.10				
<b>Plug To:</b>	0.00				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>	25947631				
<b>Method Construction Code:</b>	5				
<b>Method Construction:</b>	Air Percussion				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	29047631				
<b>Casing No:</b>	0				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		42147631			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		6.71			
<b>Casing Diameter:</b>		15.88			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b>Casing ID:</b>		42247631			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		6.10			
<b>Depth To:</b>		43.28			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		27047631			
<b>Pump Set At:</b>		36.57			
<b>Static Level:</b>		8.56			
<b>Final Level After Pumping:</b>		24.72			
<b>Recommended Pump Depth:</b>		36.57			
<b>Pumping Rate:</b>		56.78			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		56.78			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>		N			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		45025563			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		11.64			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025575			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		19.30			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025566			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		17.07			
<b>Test Level UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Pump Test Detail ID:</b>		45025567			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		13.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025565			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		14.35			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025587			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		14.80			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025572			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		15.41			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025573			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		13.40			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025568			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		12.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025574			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		16.26			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025569			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		19.25			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025570			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		9.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025571			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		20.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025564			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		8.56			
<b>Test Level UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Pump Test Detail ID:</b>		45025586			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		22.07			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025585			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		8.56			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025583			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		8.56			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025584			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		22.76			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025582			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		8.56			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025578			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		23.30			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025581			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		8.56			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025577			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		23.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025576			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		24.34			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025579			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		8.56			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		45025588			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		24.72			
<b>Test Level UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Test Detail ID:</b>		45025580			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		8.56			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		41147631			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		40.54			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		46001878			
<b>Diameter:</b>		15.23			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		43.28			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b>10</b>	<b>1 of 1</b>	<b>NW/81.5</b>	<b>99.9 / 0.00</b>	<b>lot 4 con 4 Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7108150			
<b>Construction Date:</b>					
<b>Primary Water Use:</b>		Domestic			
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b>		Water Supply			
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b>		Z80771			
<b>Tag:</b>		A072299			
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Depth to Bedrock:</b>					
<b>Well Depth:</b>					
<b>Overburden/Bedrock:</b>					
<b>Pump Rate:</b>					
<b>Static Water Level:</b>					
<b>Flowing (Y/N):</b>					
<b>Flow Rate:</b>					
<b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b>					
<b>Date Received:</b>		7/15/2008			
<b>Selected Flag:</b>		1			
<b>Abandonment Rec:</b>					
<b>Contractor:</b>		1119			
<b>Form Version:</b>		7			
<b>Owner:</b>					
<b>Street Name:</b>		1339 SOUTH BEACH			
<b>County:</b>		OTTAWA-CARLETON			
<b>Municipality:</b>		OSGOODE TOWNSHIP			
<b>Site Info:</b>					
<b>Lot:</b>		004			
<b>Concession:</b>		04			
<b>Concession Name:</b>					
<b>Easting NAD83:</b>					
<b>Northing NAD83:</b>					
<b>Zone:</b>					
<b>UTM Reliability:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1001658004			
<b>DP2BR:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Open Hole:</b>					
<b>Elevation:</b>		100.766052			
<b>Elevrc:</b>					
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Spatial Status:</b>					
<b>Cluster Kind:</b>					
<b>UTMRC:</b>		3			
<b>UTMRC Desc:</b>		margin of error : 10 - 30 m			
<b>Location Method:</b>		wwr			
<b>Org CS:</b>		UTM83			
<b>Date Completed:</b>		5/28/2008			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		1001780808			
<i>Layer:</i>		1			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>		11			
<i>Other Materials:</i>		GRAVEL			
<i>Mat3:</i>		13			
<i>Other Materials:</i>		BOULDERS			
<i>Formation Top Depth:</i>		0.00			
<i>Formation End Depth:</i>		13.41			
<i>Formation End Depth UOM:</i>		m			
<i>Formation ID:</i>		1001780809			
<i>Layer:</i>		2			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		15			
<i>Most Common Material:</i>		LIMESTONE			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		13.41			
<i>Formation End Depth:</i>		47.24			
<i>Formation End Depth UOM:</i>		m			
<i>Formation ID:</i>		1001780810			
<i>Layer:</i>		3			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		18			
<i>Most Common Material:</i>		SANDSTONE			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		47.24			
<i>Formation End Depth:</i>		54.86			
<i>Formation End Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1001780812			
<i>Layer:</i>		1			
<i>Plug From:</i>		15.23			
<i>Plug To:</i>		12.19			
<i>Plug Depth UOM:</i>		m			
<i>Plug ID:</i>		1001780813			
<i>Layer:</i>		2			
<i>Plug From:</i>		12.19			
<i>Plug To:</i>		0.00			
<i>Plug Depth UOM:</i>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1001780845			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1001780806			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1001780816			
<i>Layer:</i>		1			
<i>Material:</i>		1			
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>		15.84			
<i>Depth To:</i>		0.00			
<i>Casing Diameter:</i>		0.15			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1001780817			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>					
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		1001780807			
<i>Pump Set At:</i>		30.47			
<i>Static Level:</i>		6.93			
<i>Final Level After Pumping:</i>		17.60			
<i>Recommended Pump Depth:</i>		30.47			
<i>Pumping Rate:</i>		91.00			
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>		91.00			
<i>Levels UOM:</i>		m			
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>		0			
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>		0			
<i>Pumping Duration HR:</i>		1			
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1001780818			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		9.50			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780819			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		12.85			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780820			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		11.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780821			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		8.96			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780823			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780822			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		11.90			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780824			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		12.65			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780825			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780826			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		13.21			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780827			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780829			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780828			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		14.70			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780831			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780830			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		15.55			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780832			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		16.03			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780833			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780835			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780834			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		16.36			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780837			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780836			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		16.60			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780839			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780838			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		16.99			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780840			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		17.34			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780841			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780842			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		17.60			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		1001780843			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		6.93			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001780814			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		28.95			
<b>Water Found Depth UOM:</b>		m			
<b>Water ID:</b>		1001780815			
<b>Layer:</b>		2			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		52.42			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001780811			
<b>Diameter:</b>		15.50			
<b>Depth From:</b>		54.86			
<b>Depth To:</b>		0.00			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[11](#)      1 of 1      **NNW/84.5**      **99.9 / 0.00**      **lot 19 con 4 ON**      **WWIS**

<b>Well ID:</b>	1515832	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	1/19/1977
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	3644
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>		<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Lot:</b> 019 <b>Concession:</b> 04 <b>Concession Name:</b> CON <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 10037772 <b>DP2BR:</b> 12 <b>Code OB:</b> r <b>Code OB Desc:</b> Bedrock <b>Open Hole:</b> <b>Elevation:</b> 100.59394 <b>Elevrc:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Spatial Status:</b> <b>Cluster Kind:</b> <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> p4 <b>Org CS:</b> <b>Date Completed:</b> 11/18/1976	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 931030348 <b>Layer:</b> 1 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 28 <b>Most Common Material:</b> SAND <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> 0.00 <b>Formation End Depth:</b> 12.00 <b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 931030349 <b>Layer:</b> 2 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 15 <b>Most Common Material:</b> LIMESTONE <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> 12.00 <b>Formation End Depth:</b> 64.00 <b>Formation End Depth UOM:</b> ft					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 961515832 <b>Method Construction Code:</b> 5 <b>Method Construction:</b> Air Percussion					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10586342  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930066567  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 25.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991515832  
**Pump Set At:**  
**Static Level:** 0.00  
**Final Level After Pumping:** 50.00  
**Recommended Pump Depth:** 50.00  
**Pumping Rate:** 6.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934101401  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934378173  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934639693  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934897176  
**Test Type:** Draw Down

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Duration:</b>		60			
<b>Test Level:</b>		50.00			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933472011			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		62.00			
<b>Water Found Depth UOM:</b>		ft			

<a href="#">12</a>	1 of 1	NW/88.2	99.9 / 0.00	lot 19 con 4 ON	WWIS
<b>Well ID:</b>		1516119		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b> 1	
<b>Primary Water Use:</b>		Domestic		<b>Date Received:</b> 8/25/1977	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> 1	
<b>Final Well Status:</b>		Water Supply		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 3644	
<b>Casing Material:</b>				<b>Form Version:</b> 1	
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevation (m):</b>				<b>Municipality:</b> GOULBOURN TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b> 019	
<b>Well Depth:</b>				<b>Concession:</b> 04	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b> CON	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>		10038054		<b>Spatial Status:</b>	
<b>DP2BR:</b>		15		<b>Cluster Kind:</b>	
<b>Code OB:</b>		r		<b>UTMRC:</b> 4	
<b>Code OB Desc:</b>		Bedrock		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Open Hole:</b>				<b>Location Method:</b> p4	
<b>Elevation:</b>		100.755569		<b>Org CS:</b>	
<b>Elevrc:</b>				<b>Date Completed:</b> 7/27/1977	
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>		931031209	
<b>Layer:</b>		1	
<b>Color:</b>		2	
<b>General Color:</b>		GREY	
<b>Mat1:</b>		28	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0.00			
<b>Formation End Depth:</b>		15.00			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		931031210			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		15.00			
<b>Formation End Depth:</b>		105.00			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961516119			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10586624			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930066995			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		25.00			
<b>Casing Diameter:</b>		6.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991516119			
<b>Pump Set At:</b>					
<b>Static Level:</b>		6.00			
<b>Final Level After Pumping:</b>		25.00			
<b>Recommended Pump Depth:</b>		25.00			
<b>Pumping Rate:</b>		20.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		10.00			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water State After Test Code:</b>	2				
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>	1				
<b>Pumping Duration HR:</b>	1				
<b>Pumping Duration MIN:</b>	0				
<b>Flowing:</b>	N				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934101661				
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>	15				
<b>Test Level:</b>	25.00				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	934379272				
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>	30				
<b>Test Level:</b>	25.00				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	934640786				
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>	45				
<b>Test Level:</b>	25.00				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	934898270				
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>	60				
<b>Test Level:</b>	25.00				
<b>Test Level UOM:</b>	ft				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	933472358				
<b>Layer:</b>	1				
<b>Kind Code:</b>	1				
<b>Kind:</b>	FRESH				
<b>Water Found Depth:</b>	102.00				
<b>Water Found Depth UOM:</b>	ft				

<b>13</b>	1 of 1	<b>NNW/88.3</b>	<b>99.9 / 0.00</b>	<b>lot 7 con 8 MUNSTER ON</b>	<b>WWIS</b>
<b>Well ID:</b>	1534476			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	2/6/2004
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1119
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z04839			<b>Owner:</b>	
<b>Tag:</b>	A004896			<b>Street Name:</b>	#23 KOLO DRIVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	007
<b>Well Depth:</b>				<b>Concession:</b>	08
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	11104751			<b>Spatial Status:</b>	
DP2BR:	6			<b>Cluster Kind:</b>	
Code OB:	r			<b>UTMRC:</b>	5
Code OB Desc:	Bedrock			<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
Open Hole:				<b>Location Method:</b>	wwr
Elevation:	100.737953			<b>Org CS:</b>	UTM83
Elevrc:				<b>Date Completed:</b>	12/22/2003
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	932954869				
Layer:	1				
Color:	8				
General Color:	BLACK				
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:	01				
Other Materials:	FILL				
Mat3:					
Other Materials:					
Formation Top Depth:	0.00				
Formation End Depth:	1.83				
Formation End Depth UOM:	m				
Formation ID:	932954870				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:	18				
Other Materials:	SANDSTONE				
Mat3:					
Other Materials:					
Formation Top Depth:	1.83				
Formation End Depth:	54.86				
Formation End Depth UOM:	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
Plug ID:	933248397				
Layer:	1				
Plug From:	6.10				
Plug To:	0.00				
Plug Depth UOM:	m				
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction ID:</b>		961534476			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11109103			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930837223			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		6.70			
<b>Casing Diameter:</b>		15.88			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		11117309			
<b>Pump Set At:</b>					
<b>Static Level:</b>		3.80			
<b>Final Level After Pumping:</b>		43.00			
<b>Recommended Pump Depth:</b>		30.50			
<b>Pumping Rate:</b>		75.70			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		189.30			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11121648			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		0			
<b>Test Level:</b>		3.80			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121649			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		0			
<b>Test Level:</b>		4.30			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121650			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		4.00			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121663			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121651			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121664			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121652			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121665			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121666			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121653			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121654			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121667			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121668			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		4.10			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121655			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		4.10			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121669			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		4.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121656			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		4.20			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121657			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		4.20			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121670			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		4.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121671			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		4.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121658			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		4.20			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121778			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		4.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121659			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		4.30			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121779			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		4.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121660			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		4.30			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121661			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		4.30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121780			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		4.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121781			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		4.00			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11121662			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		4.30			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934046254			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		52.70			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11109102			
<b>Diameter:</b>		15.24			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		54.86			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<a href="#">14</a>	1 of 1	NNW/92.9	99.9 / 0.00	6659 Franktown Rd Ottawa ON K0A2Z0	EHS
<b>Order ID:</b>		545259		<b>Date Received:</b> 10-NOV-17	
<b>Order No:</b>		20171110157		<b>Lot/Building Size:</b>	
<b>Customer ID:</b>		77170		<b>Municipality:</b>	
<b>Company ID:</b>		97		<b>Client Prov/State:</b> ON	
<b>Status:</b>		C		<b>Search Radius (km):</b> .25	
<b>Report Code:</b>		3CAN		<b>Large Radius:</b> .35	
<b>Report Type:</b>		Standard Report		<b>X:</b> -75.864803	
<b>Report Date:</b>		17-NOV-17		<b>Y:</b> 45.178682	
<b>Report Requested by:</b>		exp Services Inc.			
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">15</a>	1 of 1	NNW/100.9	99.9 / 0.00	lot 20 con 4 ON	WWIS
<b>Well ID:</b>		1502428		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b> 1	
<b>Primary Water Use:</b>		Domestic		<b>Date Received:</b> 12/21/1949	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> 1	
<b>Final Well Status:</b>		Water Supply		<b>Abandonment Rec:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Water Type:</b>				<b>Contractor:</b>	4824
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	020
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	10024471	<b>Spatial Status:</b>	
<b>DP2BR:</b>	30	<b>Cluster Kind:</b>	
<b>Code OB:</b>	r	<b>UTMRC:</b>	9
<b>Code OB Desc:</b>	Bedrock	<b>UTMRC Desc:</b>	unknown UTM
<b>Open Hole:</b>		<b>Location Method:</b>	p9
<b>Elevation:</b>	100.506614	<b>Org CS:</b>	
<b>Elevrc:</b>		<b>Date Completed:</b>	6/16/1948
<b>Remarks:</b>			
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	930994491
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	11
<b>Most Common Material:</b>	GRAVEL
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0.00
<b>Formation End Depth:</b>	30.00
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	930994492
<b>Layer:</b>	2
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	30.00
<b>Formation End Depth:</b>	60.00
<b>Formation End Depth UOM:</b>	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		961502428			
<i>Method Construction Code:</i>		1			
<i>Method Construction:</i>		Cable Tool			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		10573041			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		930041711			
<i>Layer:</i>		1			
<i>Material:</i>		1			
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>					
<i>Depth To:</i>		30.00			
<i>Casing Diameter:</i>		4.00			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<i>Casing ID:</i>		930041712			
<i>Layer:</i>		2			
<i>Material:</i>		4			
<i>Open Hole or Material:</i>		OPEN HOLE			
<i>Depth From:</i>					
<i>Depth To:</i>		60.00			
<i>Casing Diameter:</i>		4.00			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		991502428			
<i>Pump Set At:</i>					
<i>Static Level:</i>		15.00			
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>		3.00			
<i>Levels UOM:</i>		ft			
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>		1			
<i>Water State After Test:</i>		CLEAR			
<i>Pumping Test Method:</i>		1			
<i>Pumping Duration HR:</i>		1			
<i>Pumping Duration MIN:</i>		0			
<i>Flowing:</i>		N			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		933455212			
<i>Layer:</i>		1			
<i>Kind Code:</i>		1			
<i>Kind:</i>		FRESH			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		60.00			
Water Found Depth UOM:		ft			

<a href="#">16</a>	1 of 1	N/121.9	99.9 / 0.00	lot 20 con 4 ON	WWIS
<b>Well ID:</b>	1502429			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	10/6/1958
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1301
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	020
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	10024472			<b>Spatial Status:</b>	
<b>DP2BR:</b>	9			<b>Cluster Kind:</b>	
<b>Code OB:</b>	r			<b>UTMRC:</b>	5
<b>Code OB Desc:</b>	Bedrock			<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Open Hole:</b>				<b>Location Method:</b>	p5
<b>Elevation:</b>	100.52465			<b>Org CS:</b>	
<b>Elevrc:</b>				<b>Date Completed:</b>	7/28/1958
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	930994493
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0.00
<b>Formation End Depth:</b>	9.00
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	930994494
<b>Layer:</b>	2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		9.00			
<b>Formation End Depth:</b>		91.00			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961502429			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10573042			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930041713			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		9.00			
<b>Casing Diameter:</b>		2.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b>Casing ID:</b>		930041714			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		91.00			
<b>Casing Diameter:</b>		2.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991502429			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>		100.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water State After Test:</b> <b>Pumping Test Method:</b> <b>Pumping Duration HR:</b> <b>Pumping Duration MIN:</b> <b>Flowing:</b>		CLEAR 1 Y			
<b>Water Details</b>					
<b>Water ID:</b> <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b>		933455213 1 1 FRESH 91.00 ft			
<a href="#">17</a>	1 of 1	N/148.7	99.9 / 0.00	ON	BORE
<b>Borehole ID:</b> <b>Use:</b> <b>Drill Method::</b> <b>Easting::</b> <b>Location Accuracy::</b> <b>Elev. Reliability Note::</b> <b>Total Depth m::</b> <b>Township::</b> <b>Lot::</b> <b>Completion Date::</b> <b>Primary Water Use::</b>		610285  432251  -999		<b>Type:</b> <b>Status::</b> <b>UTM Zone::</b> <b>Northing::</b> <b>Orig. Ground Elev m::</b> <b>DEM Ground Elev m::</b> <b>Primary Name::</b> <b>Concession::</b> <b>Municipality:</b> <b>Static Water Level::</b> <b>Sec. Water Use::</b>	Borehole  18 5003282 99.1 100  -999.9
<b>--Details--</b>					
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>		218385176 2.7		<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 CLAY.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>		218385177		<b>Top Depth(m):</b> <b>Stratum Desc:</b>	2.7 BEDROCK,LIMESTONE. 025E. 0000060. GREY. 00064STONE. TILL. BROWN,DENSE. 000
<a href="#">18</a>	1 of 1	WSW/152.4	99.9 / 0.00	ON	BORE
<b>Borehole ID:</b> <b>Use:</b> <b>Drill Method::</b> <b>Easting::</b> <b>Location Accuracy::</b> <b>Elev. Reliability Note::</b> <b>Total Depth m::</b> <b>Township::</b> <b>Lot::</b> <b>Completion Date::</b> <b>Primary Water Use::</b>		610270  432031  -999		<b>Type:</b> <b>Status::</b> <b>UTM Zone::</b> <b>Northing::</b> <b>Orig. Ground Elev m::</b> <b>DEM Ground Elev m::</b> <b>Primary Name::</b> <b>Concession::</b> <b>Municipality:</b> <b>Static Water Level::</b> <b>Sec. Water Use::</b>	Borehole  18 5002602 100 100  7.6
<b>--Details--</b>					
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>		218385141 0.6		<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 CLAY.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>		218385142 7.9		<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.6 SAND.





Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Elevrc:</i>				<i>Date Completed:</i>	3/19/2010
<i>Remarks:</i>					
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					
<i>Formation ID:</i>		1003083642			
<i>Layer:</i>		1			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		0.00			
<i>Formation End Depth:</i>		22.00			
<i>Formation End Depth UOM:</i>		ft			
<i>Formation ID:</i>		1003083643			
<i>Layer:</i>		2			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		15			
<i>Most Common Material:</i>		LIMESTONE			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		22.00			
<i>Formation End Depth:</i>		172.00			
<i>Formation End Depth UOM:</i>		ft			
<i>Formation ID:</i>		1003083644			
<i>Layer:</i>		3			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		18			
<i>Most Common Material:</i>		SANDSTONE			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		172.00			
<i>Formation End Depth:</i>		236.00			
<i>Formation End Depth UOM:</i>		ft			
<u><b>Annular Space/Abandonment</b></u>					
<u><b>Sealing Record</b></u>					
<i>Plug ID:</i>		1003083646			
<i>Layer:</i>		1			
<i>Plug From:</i>		28.00			
<i>Plug To:</i>		0.00			
<i>Plug Depth UOM:</i>		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003083679			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003083640			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003083649			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-2.00			
<b>Depth To:</b>		28.00			
<b>Casing Diameter:</b>		6.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b>Casing ID:</b>		1003083650			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		28.00			
<b>Depth To:</b>		236.00			
<b>Casing Diameter:</b>		6.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003083651			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003083641			
<b>Pump Set At:</b>		160.00			
<b>Static Level:</b>		6.60			
<b>Final Level After Pumping:</b>		6.70			
<b>Recommended Pump Depth:</b>		100.00			
<b>Pumping Rate:</b>		20.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		20.00			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		3			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Water State After Test:</b>		OTHER			
<b>Pumping Test Method:</b>	0				
<b>Pumping Duration HR:</b>	1				
<b>Pumping Duration MIN:</b>	0				
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	1003083653				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	1				
<b>Test Level:</b>	6.60				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083652				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	1				
<b>Test Level:</b>	6.70				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083655				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	2				
<b>Test Level:</b>	6.60				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083654				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	2				
<b>Test Level:</b>	6.70				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083656				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	3				
<b>Test Level:</b>	6.70				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083657				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	3				
<b>Test Level:</b>	6.60				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083659				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	4				
<b>Test Level:</b>	6.60				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083658				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	4				
<b>Test Level:</b>	6.70				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083661				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	5				
<b>Test Level:</b>	6.60				
<b>Test Level UOM:</b>	ft				
<b>Pump Test Detail ID:</b>	1003083660				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	5				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083663			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083662			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083665			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083664			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083667			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083666			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083668			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083669			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083671			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083670			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083672			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083673			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083675			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083674			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083676			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		6.70			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		1003083677			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		6.60			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003083647			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		227.00			
<b>Water Found Depth UOM:</b>		ft			
<b>Water ID:</b>		1003083648			
<b>Layer:</b>		2			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		229.00			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003083645			
<b>Diameter:</b>		6.00			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		236.00			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b>21</b>	1 of 1	<b>ESE/180.0</b>	<b>99.9 / 0.00</b>	<b>lot 20 con 3 RICHMOND ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7040907			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	2/12/2007
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1119
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z55592			<b>Owner:</b>	
<b>Tag:</b>	A052476			<b>Street Name:</b>	635 PINESTRAND CR.
<b>Construction Method:</b>				<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>				<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	PLAN 4M-1252 S/L 6
<b>Depth to Bedrock:</b>				<b>Lot:</b>	020
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	11763343			<b>Spatial Status:</b>	
<b>DP2BR:</b>	11			<b>Cluster Kind:</b>	
<b>Code OB:</b>	r			<b>UTMRC:</b>	3
<b>Code OB Desc:</b>	Bedrock			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Open Hole:</b>				<b>Location Method:</b>	wwr
<b>Elevation:</b>	98.349411			<b>Org CS:</b>	UTM83
<b>Elevrc:</b>				<b>Date Completed:</b>	12/24/2006
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	933092119				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	13				
<b>Other Materials:</b>	BOULDERS				
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0.00				
<b>Formation End Depth:</b>	3.35				
<b>Formation End Depth UOM:</b>	m				
<b>Formation ID:</b>	933092120				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	3.35				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		18.59			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933314171			
<b>Layer:</b>		1			
<b>Plug From:</b>		6.10			
<b>Plug To:</b>		3.05			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		933314172			
<b>Layer:</b>		2			
<b>Plug From:</b>		3.05			
<b>Plug To:</b>		0.00			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		967040907			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11771033			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930896016			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		0.00			
<b>Depth To:</b>		6.71			
<b>Casing Diameter:</b>		15.88			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b>Casing ID:</b>		930896017			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		6.10			
<b>Depth To:</b>		18.59			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		11777335			
<b>Pump Set At:</b>		15.24			
<b>Static Level:</b>		0.86			
<b>Final Level After Pumping:</b>		1.86			
<b>Recommended Pump Depth:</b>		15.24			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pumping Rate:</b>		91.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		91.00			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11819559			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		1.34			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819558			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		1.33			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819561			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		1.21			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819560			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		1.47			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819563			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		1.13			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819562			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		1.52			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819564			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		1.58			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819565			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		1.09			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819567			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>		1.06			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819566			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		1.60			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819954			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		0.97			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819568			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		1.70			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819955			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		1.74			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819956			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		0.90			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819957			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		1.78			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819958			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		1.79			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819959			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		1.80			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819960			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		1.80			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819961			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		1.83			
<b>Test Level UOM:</b>		m			
<b>Pump Test Detail ID:</b>		11819962			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		1.86			
Test Level UOM:		m			
<b><u>Water Details</u></b>					
Water ID:		934084179			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		8.53			
Water Found Depth UOM:		m			
Water ID:		934084180			
Layer:		2			
Kind Code:					
Kind:					
Water Found Depth:		11.58			
Water Found Depth UOM:		m			
Water ID:		934084181			
Layer:		3			
Kind Code:					
Kind:					
Water Found Depth:		15.85			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		11849518			
Diameter:		14.91			
Depth From:		0.00			
Depth To:		18.59			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">22</a>	1 of 2	WSW/193.6	99.9 / 0.00	ON	BORE
Borehole ID:	610268			Type:	Borehole
Use:				Status::	
Drill Method::				UTM Zone::	18
Easting::	432011			Northing::	5002562
Location Accuracy::				Orig. Ground Elev m::	100
Elev. Reliability Note::				DEM Ground Elev m::	100
Total Depth m::	18.3			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JAN-1962			Static Water Level::	3
Primary Water Use::				Sec. Water Use::	
<b><u>--Details--</u></b>					
Stratum ID:	218385138			Top Depth(m):	0.0
Bottom Depth(m):	0.6			Stratum Desc:	CLAY.
Stratum ID:	218385139			Top Depth(m):	0.6
Bottom Depth(m):	7.9			Stratum Desc:	SAND.
Stratum ID:	218385140			Top Depth(m):	7.9
Bottom Depth(m):	18.3			Stratum Desc:	LIMESTONE. GREY. 00060AT 320.0 FEET..K,LIMESTONE. 099 SEISMIC VELOCITY = 17000.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">22</a>	2 of 2	WSW/193.6	99.9 / 0.00	lot 19 con 3 ON	WWIS
<b>Well ID:</b>		1502408		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b> 1	
<b>Primary Water Use:</b>		Livestock		<b>Date Received:</b> 1/16/1962	
<b>Sec. Water Use:</b>		Domestic		<b>Selected Flag:</b> 1	
<b>Final Well Status:</b>		Water Supply		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 1301	
<b>Casing Material:</b>				<b>Form Version:</b> 1	
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> OTTAWA-CARLETON	
<b>Elevation (m):</b>				<b>Municipality:</b> GOULBOURN TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b> 019	
<b>Well Depth:</b>				<b>Concession:</b> 03	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b> CON	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		10024451		<b>Spatial Status:</b>	
<b>DP2BR:</b>		26		<b>Cluster Kind:</b>	
<b>Code OB:</b>		r		<b>UTMRC:</b> 5	
<b>Code OB Desc:</b>		Bedrock		<b>UTMRC Desc:</b> margin of error : 100 m - 300 m	
<b>Open Hole:</b>				<b>Location Method:</b> p5	
<b>Elevation:</b>		100.38356		<b>Org CS:</b>	
<b>Elevrc:</b>				<b>Date Completed:</b> 1/10/1962	
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		930994446			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0.00			
<b>Formation End Depth:</b>		2.00			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		930994447			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		09			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		MEDIUM SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2.00			
<b>Formation End Depth:</b>		26.00			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		930994448			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		26.00			
<b>Formation End Depth:</b>		60.00			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961502408			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10573021			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930041671			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		28.00			
<b>Casing Diameter:</b>		5.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b>Casing ID:</b>		930041672			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		60.00			
<b>Casing Diameter:</b>		5.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Test ID:</b> 991502408					
<b>Pump Set At:</b>					
<b>Static Level:</b> 8.00					
<b>Final Level After Pumping:</b> 10.00					
<b>Recommended Pump Depth:</b> 20.00					
<b>Pumping Rate:</b> 8.00					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b> 10.00					
<b>Levels UOM:</b> ft					
<b>Rate UOM:</b> GPM					
<b>Water State After Test Code:</b> 2					
<b>Water State After Test:</b> CLOUDY					
<b>Pumping Test Method:</b> 1					
<b>Pumping Duration HR:</b> 1					
<b>Pumping Duration MIN:</b> 0					
<b>Flowing:</b> N					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 933455191					
<b>Layer:</b> 1					
<b>Kind Code:</b> 1					
<b>Kind:</b> FRESH					
<b>Water Found Depth:</b> 60.00					
<b>Water Found Depth UOM:</b> ft					
<hr/>					
<a href="#">23</a>	1 of 1	W/213.9	99.9 / 0.00	lot 18 con 3 ON	WWIS
<b>Well ID:</b> 1523647					
<b>Construction Date:</b>					
<b>Primary Water Use:</b> Domestic					
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b> Water Supply					
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b> 49922					
<b>Tag:</b>					
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Depth to Bedrock:</b>					
<b>Well Depth:</b>					
<b>Overburden/Bedrock:</b>					
<b>Pump Rate:</b>					
<b>Static Water Level:</b>					
<b>Flowing (Y/N):</b>					
<b>Flow Rate:</b>					
<b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b> 1					
<b>Date Received:</b> 8/4/1989					
<b>Selected Flag:</b> 1					
<b>Abandonment Rec:</b>					
<b>Contractor:</b> 3644					
<b>Form Version:</b> 1					
<b>Owner:</b>					
<b>Street Name:</b>					
<b>County:</b> OTTAWA-CARLETON					
<b>Municipality:</b> GOULBOURN TOWNSHIP					
<b>Site Info:</b>					
<b>Lot:</b> 018					
<b>Concession:</b> 03					
<b>Concession Name:</b> CON					
<b>Easting NAD83:</b>					
<b>Northing NAD83:</b>					
<b>Zone:</b>					
<b>UTM Reliability:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 10045421					
<b>DP2BR:</b> 50					
<b>Code OB:</b> r					
<b>Code OB Desc:</b> Bedrock					
<b>Open Hole:</b>					
<b>Elevation:</b> 101.117897					
<b>Elevrc:</b>					
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Spatial Status:</b>					
<b>Cluster Kind:</b>					
<b>UTMRC:</b> 5					
<b>UTMRC Desc:</b> margin of error : 100 m - 300 m					
<b>Location Method:</b> gis					
<b>Org CS:</b>					
<b>Date Completed:</b> 4/10/1989					

Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

**Overburden and Bedrock Materials Interval**

Formation ID: 931055339  
 Layer: 1  
 Color: 2  
 General Color: GREY  
 Mat1: 05  
 Most Common Material: CLAY  
 Mat2:  
 Other Materials:  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 0.00  
 Formation End Depth: 50.00  
 Formation End Depth UOM: ft

Formation ID: 931055340  
 Layer: 2  
 Color: 2  
 General Color: GREY  
 Mat1: 15  
 Most Common Material: LIMESTONE  
 Mat2:  
 Other Materials:  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 50.00  
 Formation End Depth: 75.00  
 Formation End Depth UOM: ft

**Method of Construction & Well Use**

Method Construction ID: 961523647  
 Method Construction Code: 5  
 Method Construction: Air Percussion  
 Other Method Construction:

**Pipe Information**

Pipe ID: 10593991  
 Casing No: 1  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 930079470  
 Layer: 1  
 Material: 1  
 Open Hole or Material: STEEL  
 Depth From:  
 Depth To: 53.00  
 Casing Diameter: 6.00  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing ID:</b>		930079471			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		75.00			
<b>Casing Diameter:</b>		6.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991523647			
<b>Pump Set At:</b>					
<b>Static Level:</b>		6.00			
<b>Final Level After Pumping:</b>		30.00			
<b>Recommended Pump Depth:</b>		30.00			
<b>Pumping Rate:</b>		20.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		10.00			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		N			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934105586			
<b>Test Type:</b>					
<b>Test Duration:</b>		15			
<b>Test Level:</b>		30.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		934390232			
<b>Test Type:</b>					
<b>Test Duration:</b>		30			
<b>Test Level:</b>		30.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		934650791			
<b>Test Type:</b>					
<b>Test Duration:</b>		45			
<b>Test Level:</b>		30.00			
<b>Test Level UOM:</b>		ft			
<b>Pump Test Detail ID:</b>		934908416			
<b>Test Type:</b>					
<b>Test Duration:</b>		60			
<b>Test Level:</b>		30.00			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933481991			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		69.00			
<b>Water Found Depth UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">24</a>	1 of 1	N/243.6	99.9 / 0.00	lot 20 con 4 ON	WWIS
<b>Well ID:</b> 1502430 <b>Construction Date:</b> <b>Primary Water Use:</b> Domestic <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Water Supply <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> 1 <b>Date Received:</b> 5/25/1961 <b>Selected Flag:</b> 1 <b>Abandonment Rec:</b> <b>Contractor:</b> 4824 <b>Form Version:</b> 1 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA-CARLETON <b>Municipality:</b> GOULBOURN TOWNSHIP <b>Site Info:</b> <b>Lot:</b> 020 <b>Concession:</b> 04 <b>Concession Name:</b> CON <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 10024473 <b>DP2BR:</b> 17 <b>Code OB:</b> r <b>Code OB Desc:</b> Bedrock <b>Open Hole:</b> <b>Elevation:</b> 100.164924 <b>Elevrc:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Spatial Status:</b> <b>Cluster Kind:</b> <b>UTMRC:</b> 5 <b>UTMRC Desc:</b> margin of error : 100 m - 300 m <b>Location Method:</b> p5 <b>Org CS:</b> <b>Date Completed:</b> 11/24/1960			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 930994495 <b>Layer:</b> 1 <b>Color:</b> 7 <b>General Color:</b> RED <b>Mat1:</b> 09 <b>Most Common Material:</b> MEDIUM SAND <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> 0.00 <b>Formation End Depth:</b> 17.00 <b>Formation End Depth UOM:</b> ft		<b>Formation ID:</b> 930994496 <b>Layer:</b> 2 <b>Color:</b> 2 <b>General Color:</b> GREY			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		17.00			
<b>Formation End Depth:</b>		60.00			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961502430			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10573043			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930041715			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		17.00			
<b>Casing Diameter:</b>		4.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b>Casing ID:</b>		930041716			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		60.00			
<b>Casing Diameter:</b>		4.00			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991502430			
<b>Pump Set At:</b>					
<b>Static Level:</b>		15.00			
<b>Final Level After Pumping:</b>		20.00			
<b>Recommended Pump Depth:</b>		20.00			
<b>Pumping Rate:</b>		1.00			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.00			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Pumping Duration HR:</i>		0			
<i>Pumping Duration MIN:</i>		30			
<i>Flowing:</i>		N			

**Water Details**

**Water ID:** 933455214  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 60.00  
**Water Found Depth UOM:** ft

# Unplottable Summary

Total: 45 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 19 Con 3	Rideau ON	
AAGR		Lot 20 Con 3	Osgoode ON	
CA	Findlay Creek Properties Ltd. and 1374537 Ontario Limited	Lot 19, Concession 4 (RF)	Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited	Lot Part 18 & 19, Conc. 4	Ottawa ON	
LIMO	The Corporation of the City of Ottawa	Lot 19-20, Concession 3	City of Ottawa ON	
SPL		TAYLOR DRAIN, LOTS 14 TO 20, CONC 4 \	RIDEAU TOWNSHIP ON	
SPL	TRANSCANADA PIPELINES	LOT 19, CONC. 3 MOTOR VEHICLE (OPERATING FLUID)	GOULBOURN TOWNSHIP ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		con 3	ON	
WWIS		lot 20	ON	

WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 20	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	lot 19	ON

WWIS	lot 19	ON
WWIS	lot 19	ON
WWIS	con 4	ON
WWIS	con 3	ON

# Unplottable Report

---

**Site:** Lot 19 Con 3 Rideau ON

**Database:**  
AAGR

**Type:** Pit  
**Region/County:** Ottawa-Carleton  
**Township:** Rideau  
**Concession::** 3  
**Lot::** 19  
**Size (ha)::** 0.09  
**Landuse::**  
**Comments::**

---

**Site:** Lot 20 Con 3 Osgoode ON

**Database:**  
AAGR

**Type:** Pit  
**Region/County:** Ottawa-Carleton  
**Township:** Osgoode  
**Concession::** 3  
**Lot::** 20  
**Size (ha)::** 1.2  
**Landuse::**  
**Comments::**

---

**Site:** Findlay Creek Properties Ltd. and 1374537 Ontario Limited  
Lot 19, Concession 4 (RF) Ottawa ON

**Database:**  
CA

**Certificate #:** 7588-664KZR  
**Application Year:** 2004  
**Issue Date:** 10/27/2004  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** DCR/Phoenix Development Corporation Limited  
Lot Part 18 & 19, Conc. 4 Ottawa ON

**Database:**  
CA

**Certificate #:** 5643-8BGJZQ  
**Application Year:** 2010  
**Issue Date:** 12/6/2010  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**

Contaminants::  
Emission Control::

---

**Site:** The Corporation of the City of Ottawa  
Lot 19-20, Concession 3 City of Ottawa ON

**Database:**  
[LIMO](#)

**C of A No:** A460703  
**C of A Issue Date:** 8/6/1971  
**C of A Issued to:**  
**Operation Status:** Closed  
**Landfill Type:**  
**Total Site Area:**  
**Footprint:**  
**Tot Apprvd Capac:**  
**Tot Aprv Cp Unit:**  
**Fill Rate:**  
**Fill Rate Unit:**  
**Est Remain Cap:**  
**ERC Volume Unit:**  
**ERC Methodology:**  
**ERC Dt Last Det:**  
**Total Waste Rec:**  
**TWR Unit:**  
**TWR Methodology:**  
**Site Name:** Ridge Road Landfill  
**Air Emmis Monitor:**  
**Leachate Off-Site:**  
**Leachate On Site:**  
**Landfill Gas Manag (P):**  
**Landfill Gas Manag (F):**  
**Landfill Gas Manag (E):**  
**Req Col Lndfll Gas:**  
**Lndfll Gas Cllected:**  
**Lndfll Gas Mntr:**  
**Service Area:**  
**Approved Waste Type:**

**Site County:** Ottawa  
**MOE Region:** Eastern  
**MOE District:** Ottawa  
**Easting:**  
**Northing:**  
**Latitude:**  
**Longitude:**  
**UTM Zone:**  
**Data Source:** small landfills  
**Cntm Attn Zn:**  
**Grndwtr Mntr:**  
**Surf Wtr Mntr:**  
**Lst Rprting Yr:**  
**Fin Assrnce:**  
**Nat Attnuatn:**  
**Liners:**  
**Cvr Material:**

---

**Site:** TAYLOR DRAIN, LOTS 14 TO 20, CONC 4 \ RIDEAU TOWNSHIP ON

**Database:**  
[SPL](#)

**Ref No:** 160716  
**Site No:**  
**Incident Dt:** //  
**Year:**  
**Incident Cause:**  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 10/1/1998  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:**  
**Incident Summary:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 20612  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**



**Site:** TRANSCANADA PIPELINES  
LOT 19, CONC. 3 MOTOR VEHICLE (OPERATING FLUID) GOULBOURN TOWNSHIP ON

**Database:**  
SPL

<b>Ref No:</b>	74850	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	8/17/1992	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED	<b>Site Municipality:</b>	20604
<b>Nature of Impact:</b>	Soil contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scr:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	8/17/1992	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	CORROSION		
<b>Incident Summary:</b>	TRANSCANADA PIPELINES: 40L DIESEL FUEL LEAK FROMTRUCK HOSE		

**Site:** con 3 ON

**Database:**  
WWIS

<b>Well ID:</b>	1526050	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	1/20/1992
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	6019
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>	84010	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OSGOODE TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	10047785	<b>Spatial Status:</b>	
<b>DP2BR:</b>		<b>Cluster Kind:</b>	
<b>Code OB:</b>	o	<b>UTMRC:</b>	9
<b>Code OB Desc:</b>	Overburden	<b>UTMRC Desc:</b>	unknown UTM
<b>Open Hole:</b>		<b>Location Method:</b>	na
<b>Elevation:</b>		<b>Org CS:</b>	
<b>Elevrc:</b>		<b>Date Completed:</b>	10/11/1991
<b>Remarks:</b>			
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			

Source Revision Comment:  
Supplier Comment:

**Overburden and Bedrock  
Materials Interval**

Formation ID: 931063066  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 84  
Other Materials: SILTY  
Mat3: 02  
Other Materials: TOPSOIL  
Formation Top Depth: 0.00  
Formation End Depth: 26.00  
Formation End Depth UOM: ft

Formation ID: 931063067  
Layer: 2  
Color: 2  
General Color: GREY  
Mat1: 11  
Most Common Material: GRAVEL  
Mat2: 84  
Other Materials: SILTY  
Mat3:  
Other Materials:  
Formation Top Depth: 26.00  
Formation End Depth: 29.00  
Formation End Depth UOM: ft

**Annular Space/Abandonment  
Sealing Record**

Plug ID: 933111504  
Layer: 1  
Plug From: 14.00  
Plug To: 20.00  
Plug Depth UOM: ft

**Method of Construction & Well  
Use**

Method Construction ID: 961526050  
Method Construction Code: 8  
Method Construction: Jetting  
Other Method Construction:

**Pipe Information**

Pipe ID: 10596355  
Casing No: 1  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 930083655  
Layer: 1  
Material: 2  
Open Hole or Material: GALVANIZED  
Depth From:

Depth To: 29.00  
Casing Diameter: 2.00  
Casing Diameter UOM: inch  
Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 933326391  
Layer: 1  
Slot: 016  
Screen Top Depth: 26.00  
Screen End Depth: 29.00  
Screen Material:  
Screen Depth UOM: ft  
Screen Diameter UOM: inch  
Screen Diameter: 2.00

**Results of Well Yield Testing**

Pump Test ID: 991526050  
Pump Set At:  
Static Level: 19.00  
Final Level After Pumping: 22.00  
Recommended Pump Depth:  
Pumping Rate: 37.00  
Flowing Rate:  
Recommended Pump Rate:  
Levels UOM: ft  
Rate UOM: GPM  
Water State After Test Code: 1  
Water State After Test: CLEAR  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: N

**Water Details**

Water ID: 933485227  
Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 26.00  
Water Found Depth UOM: ft

**Site:**  
con 3 ON

**Database:**  
WWIS

Well ID: 1526046  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 84014  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):

Data Entry Status:  
Data Src: 1  
Date Received: 1/20/1992  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 6019  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot:  
Concession: 03  
Concession Name: CON  
Easting NAD83:  
Northing NAD83:  
Zone:

Flow Rate:  
Clear/Cloudy:

UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10047781  
DP2BR:  
Code OB: o  
Code OB Desc: Overburden  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Spatial Status:  
Cluster Kind:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 10/11/1991

**Overburden and Bedrock  
Materials Interval**

Formation ID: 931063060  
Layer: 1  
Color: 2  
General Color: GREY  
Mat1: 11  
Most Common Material: GRAVEL  
Mat2: 84  
Other Materials: SILTY  
Mat3: 28  
Other Materials: SAND  
Formation Top Depth: 0.00  
Formation End Depth: 27.00  
Formation End Depth UOM: ft

**Annular Space/Abandonment  
Sealing Record**

Plug ID: 933111500  
Layer: 1  
Plug From: 18.00  
Plug To: 25.00  
Plug Depth UOM: ft

**Method of Construction & Well  
Use**

Method Construction ID: 961526046  
Method Construction Code: 8  
Method Construction: Jetting  
Other Method Construction:

**Pipe Information**

Pipe ID: 10596351  
Casing No: 1  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 930083651

Layer: 1  
Material: 2  
Open Hole or Material: GALVANIZED  
Depth From:  
Depth To: 27.00  
Casing Diameter: 2.00  
Casing Diameter UOM: inch  
Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 933326387  
Layer: 1  
Slot: 016  
Screen Top Depth: 24.00  
Screen End Depth: 27.00  
Screen Material:  
Screen Depth UOM: ft  
Screen Diameter UOM: inch  
Screen Diameter: 2.00

**Results of Well Yield Testing**

Pump Test ID: 991526046  
Pump Set At:  
Static Level: 23.00  
Final Level After Pumping: 24.00  
Recommended Pump Depth:  
Pumping Rate: 7.00  
Flowing Rate:  
Recommended Pump Rate:  
Levels UOM: ft  
Rate UOM: GPM  
Water State After Test Code: 1  
Water State After Test: CLEAR  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: N

**Water Details**

Water ID: 933485223  
Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 24.00  
Water Found Depth UOM: ft

**Site:**  
con 3 ON

**Database:**  
WWIS

Well ID: 1526047  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 84013  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Data Entry Status:  
Data Src: 1  
Date Received: 1/20/1992  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 6019  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot:  
Concession: 03

**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10047782  
**DP2BR:**  
**Code OB:** o  
**Code OB Desc:** Overburden  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 10/11/1990

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931063061  
**Layer:** 1  
**Color:**  
**General Color:**  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 06  
**Other Materials:** SILT  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 28.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 933111501  
**Layer:** 1  
**Plug From:** 20.00  
**Plug To:** 26.00  
**Plug Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961526047  
**Method Construction Code:** 8  
**Method Construction:** Jetting  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10596352  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930083652  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 28.00  
**Casing Diameter:** 2.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Screen**

**Screen ID:** 933326388  
**Layer:** 1  
**Slot:** 016  
**Screen Top Depth:** 25.00  
**Screen End Depth:** 28.00  
**Screen Material:**  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 2.00

**Results of Well Yield Testing**

**Pump Test ID:** 991526047  
**Pump Set At:**  
**Static Level:** 23.00  
**Final Level After Pumping:** 24.00  
**Recommended Pump Depth:**  
**Pumping Rate:** 37.00  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Water Details**

**Water ID:** 933485224  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 24.00  
**Water Found Depth UOM:** ft

**Site:**  
con 3 ON

**Database:**  
WWIS

**Well ID:** 1529038  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 171230  
**Tag:**  
**Construction Method:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 8/13/1996  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1558  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON

**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:** 03  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10050574  
**DP2BR:** 9  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 7/22/1996

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931071551  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:** 81  
**Other Materials:** SANDY  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 4.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931071552  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 4.00  
**Formation End Depth:** 9.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931071553  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 11  
**Other Materials:** GRAVEL



**Mat3:** 74  
**Other Materials:** LAYERED  
**Formation Top Depth:** 9.00  
**Formation End Depth:** 14.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931071554  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 78  
**Other Materials:** MEDIUM-GRAINED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 14.00  
**Formation End Depth:** 75.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933114049  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 22.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961529038  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10599144  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930088390  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 24.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930088391  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 75.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991529038  
**Pump Set At:**  
**Static Level:** 8.00  
**Final Level After Pumping:** 30.00  
**Recommended Pump Depth:** 50.00  
**Pumping Rate:** 20.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934114962  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 70.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934389505  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 60.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934659654  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934907626  
**Test Type:** Draw Down  
**Test Duration:** 60  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933488974  
**Layer:** 1  
**Kind Code:** 5  
**Kind:** Not stated  
**Water Found Depth:** 58.00  
**Water Found Depth UOM:** ft

**Site:**  
con 3 ON

**Database:**  
WWIS

**Well ID:** 1528043  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 142089

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 7/14/1994  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 4877  
**Form Version:** 1  
**Owner:**

Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot:  
Concession: 03  
Concession Name: CON  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10049583  
DP2BR: 2  
Code OB: r  
Code OB Desc: Bedrock  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Spatial Status:  
Cluster Kind:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 6/9/1994

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931068358  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 05  
Most Common Material: CLAY  
Mat2: 12  
Other Materials: STONES  
Mat3: 79  
Other Materials: PACKED  
Formation Top Depth: 0.00  
Formation End Depth: 2.00  
Formation End Depth UOM: ft

Formation ID: 931068359  
Layer: 2  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2: 71  
Other Materials: FRACTURED  
Mat3:  
Other Materials:  
Formation Top Depth: 2.00  
Formation End Depth: 5.00  
Formation End Depth UOM: ft

Formation ID: 931068360  
Layer: 3  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE

**Mat2:** 73  
**Other Materials:** HARD  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 5.00  
**Formation End Depth:** 92.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933112883  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 21.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961528043  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10598153  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930086651  
**Layer:** 1  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 21.00  
**Casing Diameter:** 10.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930086652  
**Layer:** 2  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 51.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930086653  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 92.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991528043  
**Pump Set At:**  
**Static Level:** 18.00  
**Final Level After Pumping:** 60.00  
**Recommended Pump Depth:** 80.00  
**Pumping Rate:** 10.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 8.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934112329  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934387138  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 18.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934656466  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 18.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934904837  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 18.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933487622  
**Layer:** 1  
**Kind Code:** 5  
**Kind:** Not stated  
**Water Found Depth:** 9.00  
**Water Found Depth UOM:** ft

**Water ID:** 933487623  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 45.00  
**Water Found Depth UOM:** ft

**Water ID:** 933487624  
**Layer:** 3  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 83.00  
**Water Found Depth UOM:** ft

**Site:**  
con 3 ON

**Database:**  
WWIS

**Well ID:** 1528042  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 142105  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 7/14/1994  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 4877  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:** 03  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10049582  
**DP2BR:** 1  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 6/10/1994

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931068355  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 85  
**Other Materials:** SOFT  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 1.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931068356  
**Layer:** 2  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 73  
**Other Materials:** HARD

**Mat3:**

**Other Materials:**

**Formation Top Depth:** 1.00  
**Formation End Depth:** 147.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931068357  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 18  
**Most Common Material:** SANDSTONE  
**Mat2:** 73  
**Other Materials:** HARD  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 147.00  
**Formation End Depth:** 161.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933112882  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 21.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961528042  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10598152  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930086648  
**Layer:** 1  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 21.00  
**Casing Diameter:** 10.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930086649  
**Layer:** 2  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 21.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930086650  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 161.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991528042  
**Pump Set At:**  
**Static Level:** 30.00  
**Final Level After Pumping:** 145.00  
**Recommended Pump Depth:** 150.00  
**Pumping Rate:** 8.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 6.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934112328  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 35.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934387137  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934656465  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934904836  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933487620  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 134.00  
**Water Found Depth UOM:** ft

**Water ID:** 933487621



Layer: 2  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 151.00  
Water Found Depth UOM: ft

**Site:**  
con 3 ON

**Database:**  
WWIS

Well ID: 1526049  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 84007  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

**Data Entry Status:**  
Data Src: 1  
Date Received: 1/20/1992  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 6019  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot:  
Concession: 03  
Concession Name: CON  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10047784  
DP2BR:  
Code OB: o  
Code OB Desc: Overburden  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

**Spatial Status:**  
Cluster Kind:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 10/11/1991

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931063064  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 06  
Other Materials: SILT  
Mat3: 08  
Other Materials: FINE SAND  
Formation Top Depth: 0.00  
Formation End Depth: 32.00  
Formation End Depth UOM: ft

Formation ID: 931063065  
Layer: 2

**Color:** 2  
**General Color:** GREY  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 32.00  
**Formation End Depth:** 35.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933111503  
**Layer:** 1  
**Plug From:** 15.00  
**Plug To:** 21.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961526049  
**Method Construction Code:** 8  
**Method Construction:** Jetting  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10596354  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930083654  
**Layer:** 1  
**Material:** 2  
**Open Hole or Material:** GALVANIZED  
**Depth From:**  
**Depth To:** 35.00  
**Casing Diameter:** 2.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Screen**

**Screen ID:** 933326390  
**Layer:** 1  
**Slot:** 016  
**Screen Top Depth:** 32.00  
**Screen End Depth:** 35.00  
**Screen Material:**  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 2.00

**Results of Well Yield Testing**

**Pump Test ID:** 991526049  
**Pump Set At:**

**Static Level:** 19.00  
**Final Level After Pumping:** 22.00  
**Recommended Pump Depth:**  
**Pumping Rate:** 7.00  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Water Details**

**Water ID:** 933485226  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 32.00  
**Water Found Depth UOM:** ft

**Site:**  
 con 3 ON

**Database:**  
 WWIS

**Well ID:** 1526048  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 84008  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 1/20/1992  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 6019  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:** 03  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10047783  
**DP2BR:**  
**Code OB:** o  
**Code OB Desc:** Overburden  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 10/11/1991

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931063062  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 08  
**Other Materials:** FINE SAND  
**Mat3:** 84  
**Other Materials:** SILTY  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 26.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931063063  
**Layer:** 2  
**Color:**  
**General Color:**  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 84  
**Other Materials:** SILTY  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 26.00  
**Formation End Depth:** 28.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933111502  
**Layer:** 1  
**Plug From:** 15.00  
**Plug To:** 22.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961526048  
**Method Construction Code:** 8  
**Method Construction:** Jetting  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10596353  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930083653  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 28.00  
**Casing Diameter:** 2.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Screen**

Screen ID: 933326389  
Layer: 1  
Slot: 016  
Screen Top Depth: 25.00  
Screen End Depth: 28.00  
Screen Material:  
Screen Depth UOM: ft  
Screen Diameter UOM: inch  
Screen Diameter: 2.00

**Results of Well Yield Testing**

Pump Test ID: 991526048  
Pump Set At:  
Static Level: 8.00  
Final Level After Pumping: 22.00  
Recommended Pump Depth:  
Pumping Rate: 37.00  
Flowing Rate:  
Recommended Pump Rate:  
Levels UOM: ft  
Rate UOM: GPM  
Water State After Test Code: 1  
Water State After Test: CLEAR  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: N

**Water Details**

Water ID: 933485225  
Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 26.00  
Water Found Depth UOM: ft

**Site:**  
con 3 ON

**Database:**  
WWIS

Well ID: 1521473  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 04634  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src: 1  
Date Received: 7/9/1987  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 1558  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: GOULBOURN TOWNSHIP  
Site Info:  
Lot:  
Concession: 03  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

**Bore Hole ID:** 10043295  
**DP2BR:** 17  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 6/3/1987

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931048172  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 8.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931048173  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 81  
**Other Materials:** SANDY  
**Mat3:** 13  
**Other Materials:** BOULDERS  
**Formation Top Depth:** 8.00  
**Formation End Depth:** 17.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931048174  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 78  
**Other Materials:** MEDIUM-GRAINED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 17.00  
**Formation End Depth:** 135.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961521473  
**Method Construction Code:** 1

**Method Construction:** Cable Tool  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10591865  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930075609  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 22.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930075610  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 25.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930075611  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 135.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991521473  
**Pump Set At:**  
**Static Level:** 7.00  
**Final Level After Pumping:** 12.00  
**Recommended Pump Depth:** 70.00  
**Pumping Rate:** 10.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934106539  
**Test Type:** Draw Down

**Test Duration:** 15  
**Test Level:** 12.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934390639  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 12.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934651783  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 12.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934908874  
**Test Type:** Draw Down  
**Test Duration:** 60  
**Test Level:** 12.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933479049  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 90.00  
**Water Found Depth UOM:** ft  
  
**Water ID:** 933479050  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 131.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
WWIS

<p> <b>Well ID:</b> 1518685  <b>Construction Date:</b>  <b>Primary Water Use:</b> Domestic  <b>Sec. Water Use:</b>  <b>Final Well Status:</b> Water Supply  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b>  <b>Tag:</b>  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b> </p>	<p> <b>Data Entry Status:</b>  <b>Data Src:</b> 1  <b>Date Received:</b> 11/1/1983  <b>Selected Flag:</b> 1  <b>Abandonment Rec:</b>  <b>Contractor:</b> 1517  <b>Form Version:</b> 1  <b>Owner:</b>  <b>Street Name:</b>  <b>County:</b> OTTAWA-CARLETON  <b>Municipality:</b> OSGOODE TOWNSHIP  <b>Site Info:</b>  <b>Lot:</b> 020  <b>Concession:</b>  <b>Concession Name:</b>  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b> </p>
---	--

**Bore Hole Information**

<p> <b>Bore Hole ID:</b> 10040555  <b>DP2BR:</b> 34         </p>	<p> <b>Spatial Status:</b>  <b>Cluster Kind:</b> </p>
--	---



Code OB: r  
Code OB Desc: Bedrock  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 10/14/1983

Overburden and Bedrock  
Materials Interval

Formation ID: 931039209  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 02  
Most Common Material: TOPSOIL  
Mat2:  
Other Materials:  
Mat3:  
Other Materials:  
Formation Top Depth: 0.00  
Formation End Depth: 5.00  
Formation End Depth UOM: ft

Formation ID: 931039210  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 05  
Most Common Material: CLAY  
Mat2:  
Other Materials:  
Mat3:  
Other Materials:  
Formation Top Depth: 5.00  
Formation End Depth: 19.00  
Formation End Depth UOM: ft

Formation ID: 931039211  
Layer: 3  
Color: 6  
General Color: BROWN  
Mat1: 14  
Most Common Material: HARDPAN  
Mat2:  
Other Materials:  
Mat3:  
Other Materials:  
Formation Top Depth: 19.00  
Formation End Depth: 34.00  
Formation End Depth UOM: ft

Formation ID: 931039212  
Layer: 4  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2:  
Other Materials:  
Mat3:  
Other Materials:

**Formation Top Depth:** 34.00  
**Formation End Depth:** 55.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961518685  
**Method Construction Code:** 1  
**Method Construction:** Cable Tool  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10589125  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930070803  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991518685  
**Pump Set At:**  
**Static Level:** 16.00  
**Final Level After Pumping:** 40.00  
**Recommended Pump Depth:** 50.00  
**Pumping Rate:** 10.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 2  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934103997  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934380002  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 25.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934649983

**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 35.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934899522  
**Test Type:** Draw Down  
**Test Duration:** 60  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933475459  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 45.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
WWIS

**Well ID:** 1534087  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 257445  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 9/30/2003  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1414  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10543202  
**DP2BR:** 4  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 9/18/2003

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 932925016  
**Layer:** 1

**Color:** 6  
**General Color:** BROWN  
**Mat1:** 34  
**Most Common Material:** TILL  
**Mat2:** 73  
**Other Materials:** HARD  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 4.00  
**Formation End Depth UOM:** ft

**Formation ID:** 932925017  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 74  
**Other Materials:** LAYERED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 4.00  
**Formation End Depth:** 182.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933240974  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 38.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961534087  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 11091772  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930098243  
**Layer:** 1  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 8.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930098244  
**Layer:** 2  
**Material:** 1

**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft  
  
**Casing ID:** 930098245  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991534087  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:** 170.00  
**Pumping Rate:** 4.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 4.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Water Details**

**Water ID:** 934037006  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 170.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
WWIS

**Well ID:** 1533899  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 257266  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 7/25/2003  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1414  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**

Flow Rate:  
Clear/Cloudy:

UTM Reliability:

**Bore Hole Information**

**Bore Hole ID:** 10543014  
**DP2BR:** 8  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 7/4/2003

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 932924538  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 34  
**Most Common Material:** TILL  
**Mat2:** 13  
**Other Materials:** BOULDERS  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 6.00  
**Formation End Depth UOM:** ft

**Formation ID:** 932924539  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 34  
**Most Common Material:** TILL  
**Mat2:** 13  
**Other Materials:** BOULDERS  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 6.00  
**Formation End Depth:** 8.00  
**Formation End Depth UOM:** ft

**Formation ID:** 932924540  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 26  
**Other Materials:** ROCK  
**Mat3:** 74  
**Other Materials:** LAYERED  
**Formation Top Depth:** 8.00  
**Formation End Depth:** 120.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 933240796  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 42.00  
**Plug Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961533899  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 11091584  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930097823  
**Layer:** 1  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 8.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930097824  
**Layer:** 2  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930097825  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991533899  
**Pump Set At:**  
**Static Level:** 25.00  
**Final Level After Pumping:** 120.00  
**Recommended Pump Depth:** 110.00  
**Pumping Rate:** 8.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 8.00

Levels UOM: ft  
Rate UOM: GPM  
Water State After Test Code: 2  
Water State After Test: CLOUDY  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: N

**Draw Down & Recovery**

Pump Test Detail ID: 934113032  
Test Type: Recovery  
Test Duration: 15  
Test Level: 40.00  
Test Level UOM: ft

Pump Test Detail ID: 934396646  
Test Type: Recovery  
Test Duration: 30  
Test Level: 35.00  
Test Level UOM: ft

Pump Test Detail ID: 934656606  
Test Type: Recovery  
Test Duration: 45  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934914053  
Test Type: Recovery  
Test Duration: 60  
Test Level: 25.00  
Test Level UOM: ft

**Water Details**

Water ID: 934036722  
Layer: 1  
Kind Code: 3  
Kind: SULPHUR  
Water Found Depth: 110.00  
Water Found Depth UOM: ft

**Site:**  
lot 20 ON

**Database:**  
WWIS

Well ID: 1522545  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 25153  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:

Data Entry Status:  
Data Src: 1  
Date Received: 8/8/1988  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 3749  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot: 020  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:



Clear/Cloudy:

**Bore Hole Information**

**Bore Hole ID:** 10044357  
**DP2BR:** 2  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 7/6/1988

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931051813  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 2.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931051814  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 2.00  
**Formation End Depth:** 59.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931051815  
**Layer:** 3  
**Color:** 1  
**General Color:** WHITE  
**Mat1:** 18  
**Most Common Material:** SANDSTONE  
**Mat2:** 85  
**Other Materials:** SOFT  
**Mat3:** 80  
**Other Materials:** POROUS  
**Formation Top Depth:** 59.00  
**Formation End Depth:** 79.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 933109935  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 40.00  
**Plug Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961522545  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10592927  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930077574  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 40.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991522545  
**Pump Set At:**  
**Static Level:** 0.00  
**Final Level After Pumping:** 0.00  
**Recommended Pump Depth:** 65.00  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:** 12.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:**  
**Pumping Duration HR:** 2  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934110462  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 0.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934386307  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 0.00

**Test Level UOM:** ft  
**Pump Test Detail ID:** 934655682  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 0.00  
**Test Level UOM:** ft  
**Pump Test Detail ID:** 934904506  
**Test Type:** Draw Down  
**Test Duration:** 60  
**Test Level:** 0.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933480479  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 54.00  
**Water Found Depth UOM:** ft  
**Water ID:** 933480480  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 67.00  
**Water Found Depth UOM:** ft  
**Water ID:** 933480481  
**Layer:** 3  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 75.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
 WWIS

<p> <b>Well ID:</b> 1524942  <b>Construction Date:</b>  <b>Primary Water Use:</b> Domestic  <b>Sec. Water Use:</b>  <b>Final Well Status:</b> Water Supply  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b> 56413  <b>Tag:</b>  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b> </p>	<p> <b>Data Entry Status:</b>  <b>Data Src:</b> 1  <b>Date Received:</b> 9/17/1990  <b>Selected Flag:</b> 1  <b>Abandonment Rec:</b>  <b>Contractor:</b> 3644  <b>Form Version:</b> 1  <b>Owner:</b>  <b>Street Name:</b>  <b>County:</b> OTTAWA-CARLETON  <b>Municipality:</b> OSGOODE TOWNSHIP  <b>Site Info:</b>  <b>Lot:</b> 020  <b>Concession:</b>  <b>Concession Name:</b>  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b> </p>
---	--

**Bore Hole Information**

<p> <b>Bore Hole ID:</b> 10046685  <b>DP2BR:</b> 31  <b>Code OB:</b> r         </p>	<p> <b>Spatial Status:</b>  <b>Cluster Kind:</b>  <b>UTMRC:</b> 9         </p>
---	--

**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 3/9/1990

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931059569  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 31.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931059570  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 31.00  
**Formation End Depth:** 63.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961524942  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595255  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930081755  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**

**Depth To:** 35.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft  
  
**Casing ID:** 930081756  
**Layer:** 2  
**Material:**  
**Open Hole or Material:**  
**Depth From:**  
**Depth To:** 63.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991524942  
**Pump Set At:**  
**Static Level:** 7.00  
**Final Level After Pumping:** 50.00  
**Recommended Pump Depth:** 50.00  
**Pumping Rate:** 15.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 10.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934110540  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934385948  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934655729  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934904104  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933483723  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH

Water Found Depth: 54.00  
Water Found Depth UOM: ft

**Site:**  
lot 20 ON

**Database:**  
WWIS

**Well ID:** 1526781  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 123374  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 12/3/1992  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3749  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10048472  
**DP2BR:** 0  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 8/25/1992

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931065155  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 26  
**Most Common Material:** ROCK  
**Mat2:** 01  
**Other Materials:** FILL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 5.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931065156  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15

**Most Common Material:** LIMESTONE  
**Mat2:** 78  
**Other Materials:** MEDIUM-GRAINED  
**Mat3:** 73  
**Other Materials:** HARD  
**Formation Top Depth:** 5.00  
**Formation End Depth:** 95.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933111949  
**Layer:** 1  
**Plug From:** 4.00  
**Plug To:** 22.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961526781  
**Method Construction Code:** 1  
**Method Construction:** Cable Tool  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10597042  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930084886  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 22.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991526781  
**Pump Set At:**  
**Static Level:** 27.00  
**Final Level After Pumping:** 64.00  
**Recommended Pump Depth:** 89.00  
**Pumping Rate:** 9.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 9.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 2  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

Draw Down & Recovery

**Pump Test Detail ID:** 934108950  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 56.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934392164  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 37.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934653097  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 29.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934910293  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 27.00  
**Test Level UOM:** ft

Water Details

**Water ID:** 933486209  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 54.00  
**Water Found Depth UOM:** ft

**Water ID:** 933486210  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 70.00  
**Water Found Depth UOM:** ft

Site: lot 20 ON

**Database:**  
[WWIS](#)

**Well ID:** 1526787  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 128350  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 12/3/1992  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3749  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**



**Bore Hole Information**

**Bore Hole ID:** 10048477  
**DP2BR:** 35  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 10/6/1992

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931065165  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 77  
**Other Materials:** LOOSE  
**Mat3:** 68  
**Other Materials:** DRY  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 7.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931065166  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** 7.00  
**Formation End Depth:** 33.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931065167  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 33.00  
**Formation End Depth:** 35.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931065168  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE

**Mat2:** 85  
**Other Materials:** SOFT  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 35.00  
**Formation End Depth:** 55.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933111954  
**Layer:** 1  
**Plug From:** 6.00  
**Plug To:** 37.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961526787  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10597047  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930084891  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 37.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991526787  
**Pump Set At:**  
**Static Level:** 18.00  
**Final Level After Pumping:** 39.00  
**Recommended Pump Depth:** 48.00  
**Pumping Rate:** 10.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934108955  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 21.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934392169  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 18.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934653102  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 18.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934910294  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 18.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933486215  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 47.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
**WWIS**

**Well ID:** 1527840  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 120104  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 4/13/1994  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 6629  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** GOULBOURN TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10049426  
**DP2BR:** 32  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**

Elevrc:

Date Completed:

10/27/1992

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source:

Improvement Location Method:

Source Revision Comment:

Supplier Comment:

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 931067850  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 85  
Other Materials: SOFT  
Mat3: 73  
Other Materials: HARD  
Formation Top Depth: 0.00  
Formation End Depth: 5.00  
Formation End Depth UOM: ft

Formation ID: 931067851  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 12  
Other Materials: STONES  
Mat3:  
Other Materials:  
Formation Top Depth: 5.00  
Formation End Depth: 32.00  
Formation End Depth UOM: ft

Formation ID: 931067852  
Layer: 3  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2: 74  
Other Materials: LAYERED  
Mat3:  
Other Materials:  
Formation Top Depth: 32.00  
Formation End Depth: 178.00  
Formation End Depth UOM: ft

**Annular Space/Abandonment**

**Sealing Record**

Plug ID: 933112754  
Layer: 1  
Plug From: 0.00  
Plug To: 20.00  
Plug Depth UOM: ft

**Method of Construction & Well**

**Use**

**Method Construction ID:** 961527840  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10597996  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930086347  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 34.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930086348  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 178.00  
**Casing Diameter:**  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991527840  
**Pump Set At:**  
**Static Level:** 32.00  
**Final Level After Pumping:**  
**Recommended Pump Depth:** 160.00  
**Pumping Rate:** 20.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 20.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:**  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934111774  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 135.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934386583  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 100.00

**Test Level UOM:** ft  
**Pump Test Detail ID:** 934655912  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 71.00  
**Test Level UOM:** ft  
**Pump Test Detail ID:** 934904283  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 32.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933487391  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 120.00  
**Water Found Depth UOM:** ft  
**Water ID:** 933487392  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 160.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
 WWIS

**Well ID:** 1531374  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 220233  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 9/7/2000  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1517  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10052908  
**DP2BR:** 14  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 8/30/2000

**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931078306  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 05  
**Other Materials:** CLAY  
**Mat3:** 81  
**Other Materials:** SANDY  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 14.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931078307  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 26  
**Other Materials:** ROCK  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 14.00  
**Formation End Depth:** 78.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 933116540  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 27.00  
**Plug Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961531374  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10601478  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930092563  
**Layer:** 1  
**Material:** 1

**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991531374  
**Pump Set At:**  
**Static Level:** 22.00  
**Final Level After Pumping:** 55.00  
**Recommended Pump Depth:** 70.00  
**Pumping Rate:** 20.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 8.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 2  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 30  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934113538  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934396042  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 47.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934657533  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 55.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934914425  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 55.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933491813  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 50.00  
**Water Found Depth UOM:** ft

**Water ID:** 933491814  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 76.00



Water Found Depth UOM: ft

**Site:**  
lot 20 ON

**Database:**  
WWIS

**Well ID:** 1528846  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:** Cooling And A/C  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 167352  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 1/29/1996  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3749  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 020  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10050382  
**DP2BR:** 0  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 12/14/1995

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931070991  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 26  
**Most Common Material:** ROCK  
**Mat2:** 02  
**Other Materials:** TOPSOIL  
**Mat3:** 79  
**Other Materials:** PACKED  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 3.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931070992  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE

**Mat2:** 73  
**Other Materials:** HARD  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 3.00  
**Formation End Depth:** 205.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933113804  
**Layer:** 1  
**Plug From:** 4.00  
**Plug To:** 22.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961528846  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10598952  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930088058  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 22.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930088059  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 205.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991528846  
**Pump Set At:**  
**Static Level:** 24.00  
**Final Level After Pumping:** 83.00  
**Recommended Pump Depth:** 180.00  
**Pumping Rate:** 35.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 25.00  
**Levels UOM:** ft

**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934105736  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 47.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934388942  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 32.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934658536  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 28.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934907061  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 25.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933488712  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 164.00  
**Water Found Depth UOM:** ft

**Water ID:** 933488713  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 202.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
[WWIS](#)

**Well ID:** 1525658  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 098151  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 10/8/1991  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1517  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 020

**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10047393  
**DP2BR:** 57  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 9/18/1991

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931061946  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 57.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931061947  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 57.00  
**Formation End Depth:** 62.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 933111345  
**Layer:** 1  
**Plug From:** 2.00  
**Plug To:** 20.00  
**Plug Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961525658  
**Method Construction Code:** 1  
**Method Construction:** Cable Tool  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595963  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930082964  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 57.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991525658  
**Pump Set At:**  
**Static Level:** 15.00  
**Final Level After Pumping:** 30.00  
**Recommended Pump Depth:** 45.00  
**Pumping Rate:** 15.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 8.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 2  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934105033  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934388692  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 27.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934649230  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934906410  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933484708  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 57.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
**WWIS**

<b>Well ID:</b>	1523082	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	12/14/1988
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1517
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>	25477	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OSGOODE TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	020
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	10044888	<b>Spatial Status:</b>	
<b>DP2BR:</b>	32	<b>Cluster Kind:</b>	
<b>Code OB:</b>	r	<b>UTMRC:</b>	9
<b>Code OB Desc:</b>	Bedrock	<b>UTMRC Desc:</b>	unknown UTM
<b>Open Hole:</b>		<b>Location Method:</b>	na
<b>Elevation:</b>		<b>Org CS:</b>	
<b>Elevrc:</b>		<b>Date Completed:</b>	11/22/1988
<b>Remarks:</b>			
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931053483  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY

**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 7.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931053484  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 12  
**Most Common Material:** STONES  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 11  
**Other Materials:** GRAVEL  
**Formation Top Depth:** 7.00  
**Formation End Depth:** 32.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931053485  
**Layer:** 3  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 32.00  
**Formation End Depth:** 38.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931053486  
**Layer:** 4  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 38.00  
**Formation End Depth:** 60.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933110099  
**Layer:** 1  
**Plug From:** 4.00  
**Plug To:** 34.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961523082  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10593458  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930078520  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 34.00  
**Casing Diameter:** 18.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991523082  
**Pump Set At:**  
**Static Level:** 16.00  
**Final Level After Pumping:** 40.00  
**Recommended Pump Depth:** 40.00  
**Pumping Rate:** 30.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 12.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934112656  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934388074  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 35.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934649056  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934906260  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Water Details**



**Water ID:** 933481211  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 58.00  
**Water Found Depth UOM:** ft

**Site:** lot 20 ON

**Database:**  
WWIS

<b>Well ID:</b>	1518767	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	1/10/1984
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	3644
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>		<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	OSGOODE TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	020
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	10040637	<b>Spatial Status:</b>	
<b>DP2BR:</b>	74	<b>Cluster Kind:</b>	
<b>Code OB:</b>	r	<b>UTMRC:</b>	9
<b>Code OB Desc:</b>	Bedrock	<b>UTMRC Desc:</b>	unknown UTM
<b>Open Hole:</b>		<b>Location Method:</b>	na
<b>Elevation:</b>		<b>Org CS:</b>	
<b>Elevrc:</b>		<b>Date Completed:</b>	11/15/1983
<b>Remarks:</b>			
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 931039492  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 6.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931039493  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 6.00  
**Formation End Depth:** 39.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931039494  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 39.00  
**Formation End Depth:** 74.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931039495  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 74.00  
**Formation End Depth:** 115.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961518767  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10589207  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930070948  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 76.00  
**Casing Diameter:** 6.00

**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft  
  
**Casing ID:** 930070949  
**Layer:** 2  
**Material:**  
**Open Hole or Material:**  
**Depth From:**  
**Depth To:** 115.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991518767  
**Pump Set At:**  
**Static Level:** 8.00  
**Final Level After Pumping:** 40.00  
**Recommended Pump Depth:** 40.00  
**Pumping Rate:** 50.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 10.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934103243  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934380501  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934650484  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934900021  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933475564  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 110.00  
**Water Found Depth UOM:** ft

**Site:**  
lot 19 ON

**Database:**  
WWIS

**Well ID:** 1522730  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 27084  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 10/26/1988  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3644  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** GOULBOURN TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10044540  
**DP2BR:** 10  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 8/19/1988

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931052415  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 10.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931052416  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**

**Other Materials:**

**Mat3:**

**Other Materials:**

**Formation Top Depth:** 10.00  
**Formation End Depth:** 82.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961522730  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10593110  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930077889  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 22.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930077890  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 82.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991522730  
**Pump Set At:**  
**Static Level:** 0.00  
**Final Level After Pumping:** 30.00  
**Recommended Pump Depth:** 30.00  
**Pumping Rate:** 25.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 10.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934111475  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 30.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934386898  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 30.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934656274  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 30.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934905091  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933480732  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 55.00  
**Water Found Depth UOM:** ft  
  
**Water ID:** 933480733  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 80.00  
**Water Found Depth UOM:** ft

**Site:**  
 lot 19 ON

**Database:**  
 WWIS

<b>Well ID:</b> 1524207 <b>Construction Date:</b> <b>Primary Water Use:</b> Domestic <b>Sec. Water Use:</b> <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> 56433 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> 1 <b>Date Received:</b> 1/26/1990 <b>Selected Flag:</b> 1 <b>Abandonment Rec:</b> <b>Contractor:</b> 3644 <b>Form Version:</b> 1 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA-CARLETON <b>Municipality:</b> OSGOODE TOWNSHIP <b>Site Info:</b> <b>Lot:</b> 019 <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>
---	---

**Bore Hole Information**

**Bore Hole ID:** 10045979  
**DP2BR:** 26  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 9/25/1989

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931057171  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 14  
**Other Materials:** HARDPAN  
**Mat3:** 12  
**Other Materials:** STONES  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 26.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931057172  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 26.00  
**Formation End Depth:** 63.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961524207  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10594549  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930080510  
**Layer:** 1

**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 29.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft  
  
**Casing ID:** 930080511  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 63.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991524207  
**Pump Set At:**  
**Static Level:** 7.00  
**Final Level After Pumping:** 40.00  
**Recommended Pump Depth:** 40.00  
**Pumping Rate:** 30.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 15.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934107788  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 40.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934392017  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 40.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934652987  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 40.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934910187  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933482770



Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 58.00  
Water Found Depth UOM: ft

**Site:**  
lot 19 ON

**Database:**  
WWIS

Well ID: 1524953  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 68450  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

**Data Entry Status:**  
Data Src: 1  
Date Received: 9/17/1990  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 3644  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot: 019  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10046696  
DP2BR: 26  
Code OB: r  
Code OB Desc: Bedrock  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

**Spatial Status:**  
Cluster Kind:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 8/17/1990

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931059596  
Layer: 1  
Color: 2  
General Color: GREY  
Mat1: 14  
Most Common Material: HARDPAN  
Mat2: 12  
Other Materials: STONES  
Mat3:  
Other Materials:  
Formation Top Depth: 0.00  
Formation End Depth: 26.00  
Formation End Depth UOM: ft  
  
Formation ID: 931059597  
Layer: 2

**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 26.00  
**Formation End Depth:** 103.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961524953  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595266  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930081777  
**Layer:** 1  
**Material:**  
**Open Hole or Material:**  
**Depth From:**  
**Depth To:** 29.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930081778  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 103.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991524953  
**Pump Set At:**  
**Static Level:** 25.00  
**Final Level After Pumping:** 60.00  
**Recommended Pump Depth:** 60.00  
**Pumping Rate:** 50.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 15.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1

**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934110551  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 60.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934385959  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 60.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934655740  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 60.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934904115  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 60.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933483737  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 95.00  
**Water Found Depth UOM:** ft

**Site:** lot 19 ON

**Database:**  
**WWIS**

**Well ID:** 1524954  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 56349  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 9/17/1990  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3644  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10046697  
**DP2BR:** 58

**Spatial Status:**  
**Cluster Kind:**

**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 5/2/1990

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931059598  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 58.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931059599  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 58.00  
**Formation End Depth:** 125.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961524954  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595267  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930081779  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL

**Depth From:**  
**Depth To:** 61.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930081780  
**Layer:** 2  
**Material:**  
**Open Hole or Material:**  
**Depth From:**  
**Depth To:** 125.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991524954  
**Pump Set At:**  
**Static Level:** 10.00  
**Final Level After Pumping:** 50.00  
**Recommended Pump Depth:** 50.00  
**Pumping Rate:** 20.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 10.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934110552  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934385960  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934655741  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934904116  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 50.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933483738  
**Layer:** 1  
**Kind Code:** 1

**Kind:** FRESH  
**Water Found Depth:** 70.00  
**Water Found Depth UOM:** ft  
  
**Water ID:** 933483739  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 120.00  
**Water Found Depth UOM:** ft

**Site:** lot 19 ON

**Database:**  
WWIS

<b>Well ID:</b>	1525459	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	6/14/1991
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	1
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	3749
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>	91549	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA-CARLETON
<b>Elevation (m):</b>		<b>Municipality:</b>	GOULBOURN TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	019
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	10047197	<b>Spatial Status:</b>	
<b>DP2BR:</b>	6	<b>Cluster Kind:</b>	
<b>Code OB:</b>	r	<b>UTMRC:</b>	9
<b>Code OB Desc:</b>	Bedrock	<b>UTMRC Desc:</b>	unknown UTM
<b>Open Hole:</b>		<b>Location Method:</b>	na
<b>Elevation:</b>		<b>Org CS:</b>	
<b>Elevrc:</b>		<b>Date Completed:</b>	5/8/1991
<b>Remarks:</b>			
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931061215  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:** 14  
**Other Materials:** HARDPAN  
**Formation Top Depth:** 0.00

**Formation End Depth:** 6.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931061216  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 6.00  
**Formation End Depth:** 80.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933111212  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 7.00  
**Plug Depth UOM:** ft

**Plug ID:** 933111213  
**Layer:** 2  
**Plug From:** 7.00  
**Plug To:** 22.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961525459  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595767  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930082635  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 22.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991525459  
**Pump Set At:**  
**Static Level:** 6.00  
**Final Level After Pumping:** 52.00

**Recommended Pump Depth:** 72.00  
**Pumping Rate:** 8.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934112282  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 32.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934387686  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 52.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933484458  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 72.00  
**Water Found Depth UOM:** ft

**Site:** lot 19 ON

**Database:**  
 WWIS

**Well ID:** 1528113  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 126256  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 8/8/1994  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 4006  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10049652  
**DP2BR:** 12  
**Code OB:** r  
**Code OB Desc:** Bedrock

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM



**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Location Method:** na  
**Org CS:**  
**Date Completed:** 7/12/1994

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931068615  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 25  
**Most Common Material:** OVERBURDEN  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:** 79  
**Other Materials:** PACKED  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 12.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931068616  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 71  
**Other Materials:** FRACTURED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 12.00  
**Formation End Depth:** 20.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931068617  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 71  
**Other Materials:** FRACTURED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 20.00  
**Formation End Depth:** 100.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 933112980  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 20.00  
**Plug Depth UOM:** ft

**Method of Construction & Well**

Use

**Method Construction ID:** 961528113  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

Pipe Information

**Pipe ID:** 10598222  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

Construction Record - Casing

**Casing ID:** 930086759  
**Layer:** 1  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 20.00  
**Casing Diameter:** 10.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930086760  
**Layer:** 2  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 20.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930086761  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 100.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

Results of Well Yield Testing

**Pump Test ID:** 991528113  
**Pump Set At:**  
**Static Level:** 10.00  
**Final Level After Pumping:** 25.00  
**Recommended Pump Depth:** 90.00  
**Pumping Rate:** 5.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934112376  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 12.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934387185  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 17.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934656513  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934904884  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 25.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933487701  
**Layer:** 1  
**Kind Code:** 5  
**Kind:** Not stated  
**Water Found Depth:** 90.00  
**Water Found Depth UOM:** ft

**Site:** lot 19 ON

**Database:**  
[WWIS](#)

**Well ID:** 1531372  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 220234  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 9/7/2000  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1517  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10052906  
**DP2BR:** 14  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na

**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Org CS:**  
**Date Completed:** 8/28/2000

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931078299  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 14.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931078300  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 14.00  
**Formation End Depth:** 80.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 933116538  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 27.00  
**Plug Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961531372  
**Method Construction Code:** 1  
**Method Construction:** Cable Tool  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10601476  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930092561  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991531372  
**Pump Set At:**  
**Static Level:** 15.00  
**Final Level After Pumping:** 60.00  
**Recommended Pump Depth:** 75.00  
**Pumping Rate:** 15.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 8.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 2  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:**  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934113536  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934396040  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 55.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934657531  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 60.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934914423  
**Test Type:** Draw Down  
**Test Duration:** 60  
**Test Level:** 60.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933491811  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 78.00  
**Water Found Depth UOM:** ft

**Site:**  
lot 19 ON

**Database:**  
WWIS

**Well ID:** 1533898  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 257295  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 7/25/2003  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1414  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10543013  
**DP2BR:** 11  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 7/3/2003

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 932924534  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 34  
**Most Common Material:** TILL  
**Mat2:** 13  
**Other Materials:** BOULDERS  
**Mat3:** 79  
**Other Materials:** PACKED  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 3.00  
**Formation End Depth UOM:** ft

**Formation ID:** 932924535  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 34  
**Most Common Material:** TILL  
**Mat2:** 13  
**Other Materials:** BOULDERS

**Mat3:** 79  
**Other Materials:** PACKED  
**Formation Top Depth:** 3.00  
**Formation End Depth:** 11.00  
**Formation End Depth UOM:** ft

**Formation ID:** 932924536  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 26  
**Other Materials:** ROCK  
**Mat3:** 17  
**Other Materials:** SHALE  
**Formation Top Depth:** 11.00  
**Formation End Depth:** 30.00  
**Formation End Depth UOM:** ft

**Formation ID:** 932924537  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 26  
**Other Materials:** ROCK  
**Mat3:** 74  
**Other Materials:** LAYERED  
**Formation Top Depth:** 30.00  
**Formation End Depth:** 120.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933240795  
**Layer:** 1  
**Plug From:** 0.00  
**Plug To:** 42.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961533898  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 11091583  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930097820  
**Layer:** 1  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**

**Depth To:**  
**Casing Diameter:** 8.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft  
  
**Casing ID:** 930097821  
**Layer:** 2  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft  
  
**Casing ID:** 930097822  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991533898  
**Pump Set At:**  
**Static Level:** 25.00  
**Final Level After Pumping:** 120.00  
**Recommended Pump Depth:** 110.00  
**Pumping Rate:** 8.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 8.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934113031  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 40.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934396645  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 35.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934656605  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 30.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934914052  
**Test Type:** Recovery  
**Test Duration:** 60



Test Level: 25.00  
Test Level UOM: ft

Water Details

Water ID: 934036721  
Layer: 1  
Kind Code: 3  
Kind: SULPHUR  
Water Found Depth: 110.00  
Water Found Depth UOM: ft

Site:  
lot 19 ON

Database:  
**WWIS**

Well ID: 1526072  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 100584  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src: 1  
Date Received: 2/4/1992  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 3701  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot: 019  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10047807  
DP2BR: 50  
Code OB: r  
Code OB Desc: Bedrock  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Spatial Status:  
Cluster Kind:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 7/29/1991

Overburden and Bedrock  
Materials Interval

Formation ID: 931063139  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 28  
Other Materials: SAND  
Mat3: 05  
Other Materials: CLAY

**Formation Top Depth:** 0.00  
**Formation End Depth:** 35.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931063140  
**Layer:** 2  
**Color:** 3  
**General Color:** BLUE  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 79  
**Other Materials:** PACKED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 35.00  
**Formation End Depth:** 50.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931063141  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 50.00  
**Formation End Depth:** 155.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961526072  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10596377  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Results of Well Yield Testing**

**Pump Test ID:** 991526072  
**Pump Set At:**  
**Static Level:** 40.00  
**Final Level After Pumping:** 85.00  
**Recommended Pump Depth:** 125.00  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:** 6.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:**  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

Draw Down & Recovery

**Pump Test Detail ID:** 934106251  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 75.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934389885  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 85.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934650828  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 85.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934908026  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 85.00  
**Test Level UOM:** ft

Water Details

**Water ID:** 933485263  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 102.00  
**Water Found Depth UOM:** ft

**Water ID:** 933485264  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 128.00  
**Water Found Depth UOM:** ft

**Water ID:** 933485265  
**Layer:** 3  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 155.00  
**Water Found Depth UOM:** ft

Site: lot 19 ON

**Database:**  
**WWIS**

**Well ID:** 1524908  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 56425  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 9/17/1990  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3644  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**

**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10046651  
**DP2BR:** 42  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 4/17/1990

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931059458  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 12.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931059459  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 12.00  
**Formation End Depth:** 34.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931059460  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 12  
**Other Materials:** STONES  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 34.00  
**Formation End Depth:** 42.00

**Formation End Depth UOM:** ft  
**Formation ID:** 931059461  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 42.00  
**Formation End Depth:** 83.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961524908  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10595221  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930081688  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 45.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930081689  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 83.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991524908  
**Pump Set At:**  
**Static Level:** 7.00  
**Final Level After Pumping:** 30.00  
**Recommended Pump Depth:** 30.00  
**Pumping Rate:** 15.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 10.00  
**Levels UOM:** ft  
**Rate UOM:** GPM

Water State After Test Code: 2  
Water State After Test: CLOUDY  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934110506  
Test Type:  
Test Duration: 15  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934385914  
Test Type:  
Test Duration: 30  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934655274  
Test Type:  
Test Duration: 45  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934904070  
Test Type:  
Test Duration: 60  
Test Level: 30.00  
Test Level UOM: ft

Water Details

Water ID: 933483683  
Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 60.00  
Water Found Depth UOM: ft

Water ID: 933483684  
Layer: 2  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 78.00  
Water Found Depth UOM: ft

Site: lot 19 ON

**Database:**  
**WWIS**

Well ID: 1523726  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 49803  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:

Data Entry Status:  
Data Src: 1  
Date Received: 8/4/1989  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 3644  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot: 019  
Concession:

**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10045500  
**DP2BR:** 10  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 6/28/1989

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931055541  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 14  
**Other Materials:** HARDPAN  
**Mat3:** 12  
**Other Materials:** STONES  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 10.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931055542  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 10.00  
**Formation End Depth:** 64.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 961523726  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

Pipe ID: 10594070  
Casing No: 1  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 930079627  
Layer: 1  
Material: 1  
Open Hole or Material: STEEL  
Depth From:  
Depth To: 22.00  
Casing Diameter: 6.00  
Casing Diameter UOM: inch  
Casing Depth UOM: ft

Casing ID: 930079628  
Layer: 2  
Material: 4  
Open Hole or Material: OPEN HOLE  
Depth From:  
Depth To: 64.00  
Casing Diameter: 6.00  
Casing Diameter UOM: inch  
Casing Depth UOM: ft

**Results of Well Yield Testing**

Pump Test ID: 991523726  
Pump Set At:  
Static Level: 10.00  
Final Level After Pumping: 30.00  
Recommended Pump Depth: 30.00  
Pumping Rate: 15.00  
Flowing Rate:  
Recommended Pump Rate: 10.00  
Levels UOM: ft  
Rate UOM: GPM  
Water State After Test Code: 2  
Water State After Test: CLOUDY  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: N

**Draw Down & Recovery**

Pump Test Detail ID: 934106084  
Test Type:  
Test Duration: 15  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934390311  
Test Type:  
Test Duration: 30  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934651289  
Test Type:  
Test Duration: 45  
Test Level: 30.00  
Test Level UOM: ft



**Pump Test Detail ID:** 934908495  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933482096  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 57.00  
**Water Found Depth UOM:** ft

**Site:**  
lot 19 ON

**Database:**  
WWIS

**Well ID:** 1524206  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 56432  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 1/26/1990  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3644  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10045978  
**DP2BR:** 27  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 9/25/1989

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931057169  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 14

**Other Materials:** HARDPAN  
**Mat3:** 12  
**Other Materials:** STONES  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 27.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931057170  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 27.00  
**Formation End Depth:** 63.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961524206  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10594548  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930080508  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 30.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930080509  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 63.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991524206  
**Pump Set At:**  
**Static Level:** 8.00  
**Final Level After Pumping:** 40.00  
**Recommended Pump Depth:** 40.00

**Pumping Rate:** 30.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 15.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934107787  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934392016  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934652986  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934910186  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933482769  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 56.00  
**Water Found Depth UOM:** ft

**Site:**  
 lot 19 ON

**Database:**  
 WWIS

**Well ID:** 1523079  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 25476  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 12/13/1988  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 1517  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**

Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10044885  
DP2BR: 33  
Code OB: r  
Code OB Desc: Bedrock  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Spatial Status:  
Cluster Kind:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 11/21/1988

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 931053471  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 14  
Most Common Material: HARDPAN  
Mat2: 05  
Other Materials: CLAY  
Mat3: 12  
Other Materials: STONES  
Formation Top Depth: 0.00  
Formation End Depth: 28.00  
Formation End Depth UOM: ft

Formation ID: 931053472  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 11  
Other Materials: GRAVEL  
Mat3: 12  
Other Materials: STONES  
Formation Top Depth: 28.00  
Formation End Depth: 33.00  
Formation End Depth UOM: ft

Formation ID: 931053473  
Layer: 3  
Color: 8  
General Color: BLACK  
Mat1: 17  
Most Common Material: SHALE  
Mat2:  
Other Materials:  
Mat3:  
Other Materials:  
Formation Top Depth: 33.00  
Formation End Depth: 37.00  
Formation End Depth UOM: ft

**Formation ID:** 931053474  
**Layer:** 4  
**Color:** 8  
**General Color:** BLACK  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 37.00  
**Formation End Depth:** 60.00  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 933110096  
**Layer:** 1  
**Plug From:** 4.00  
**Plug To:** 37.00  
**Plug Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 961523079  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10593455  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930078517  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 37.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991523079  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:** 40.00  
**Recommended Pump Depth:** 50.00  
**Pumping Rate:** 30.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 12.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1

**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934112653  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934388071  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 35.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934649053  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934906257  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 40.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933481208  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 58.00  
**Water Found Depth UOM:** ft

**Site:** lot 19 ON

**Database:**  
**WWIS**

**Well ID:** 1522944  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 18369  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 10/26/1988  
**Selected Flag:** 1  
**Abandonment Rec:**  
**Contractor:** 3644  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA-CARLETON  
**Municipality:** OSGOODE TOWNSHIP  
**Site Info:**  
**Lot:** 019  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10044751 **Spatial Status:**

**DP2BR:** 25  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 5/25/1988

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931053028  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 25.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931053029  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 25.00  
**Formation End Depth:** 62.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961522944  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10593321  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930078285  
**Layer:** 1  
**Material:** 1

**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 27.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft  
  
**Casing ID:** 930078286  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 62.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991522944  
**Pump Set At:**  
**Static Level:** 10.00  
**Final Level After Pumping:** 30.00  
**Recommended Pump Depth:** 30.00  
**Pumping Rate:** 20.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 10.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934112102  
**Test Type:**  
**Test Duration:** 15  
**Test Level:** 30.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934387525  
**Test Type:**  
**Test Duration:** 30  
**Test Level:** 30.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934648507  
**Test Type:**  
**Test Duration:** 45  
**Test Level:** 30.00  
**Test Level UOM:** ft  
  
**Pump Test Detail ID:** 934905714  
**Test Type:**  
**Test Duration:** 60  
**Test Level:** 30.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933481018  
**Layer:** 1



Kind Code: 1  
Kind: FRESH  
Water Found Depth: 55.00  
Water Found Depth UOM: ft

**Site:**  
con 4 ON

**Database:**  
WWIS

Well ID: 1528107  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 143607  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src: 1  
Date Received: 8/9/1994  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 2348  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: OSGOODE TOWNSHIP  
Site Info:  
Lot:  
Concession: 04  
Concession Name: CON  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10049646  
DP2BR: 40  
Code OB: r  
Code OB Desc: Bedrock  
Open Hole:  
Elevation:  
Elevrc:  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Spatial Status:  
Cluster Kind:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na  
Org CS:  
Date Completed: 6/13/1994

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 931068599  
Layer: 1  
Color:  
General Color:  
Mat1: 28  
Most Common Material: SAND  
Mat2: 14  
Other Materials: HARDPAN  
Mat3:  
Other Materials:  
Formation Top Depth: 0.00  
Formation End Depth: 33.00  
Formation End Depth UOM: ft

Formation ID: 931068600  
Layer: 2  
Color:

**General Color:**  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 33.00  
**Formation End Depth:** 40.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931068601  
**Layer:** 3  
**Color:**  
**General Color:**  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 40.00  
**Formation End Depth:** 47.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961528107  
**Method Construction Code:** 4  
**Method Construction:** Rotary (Air)  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10598216  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930086749  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 40.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991528107  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:** 30.00  
**Recommended Pump Depth:** 30.00  
**Pumping Rate:** 15.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 10.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1

Water State After Test: CLEAR  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: N

**Draw Down & Recovery**

Pump Test Detail ID: 934112371  
Test Type:  
Test Duration: 15  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934387180  
Test Type:  
Test Duration: 30  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934656508  
Test Type:  
Test Duration: 45  
Test Level: 30.00  
Test Level UOM: ft

Pump Test Detail ID: 934904879  
Test Type:  
Test Duration: 60  
Test Level: 30.00  
Test Level UOM: ft

**Water Details**

Water ID: 933487695  
Layer: 1  
Kind Code: 1  
Kind: FRESH  
Water Found Depth: 44.00  
Water Found Depth UOM: ft

**Site:**  
con 3 ON

**Database:**  
WWIS

Well ID: 1521314  
Construction Date:  
Primary Water Use: Domestic  
Sec. Water Use:  
Final Well Status: Water Supply  
Water Type:  
Casing Material:  
Audit No: 04583  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src: 1  
Date Received: 5/20/1987  
Selected Flag: 1  
Abandonment Rec:  
Contractor: 1558  
Form Version: 1  
Owner:  
Street Name:  
County: OTTAWA-CARLETON  
Municipality: GOULBOURN TOWNSHIP  
Site Info:  
Lot:  
Concession: 03  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

**Bore Hole ID:** 10043136  
**DP2BR:** 8  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Elevation:**  
**Elevrc:**  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Spatial Status:**  
**Cluster Kind:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na  
**Org CS:**  
**Date Completed:** 4/13/1987

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931047543  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0.00  
**Formation End Depth:** 4.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931047544  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 14  
**Most Common Material:** HARDPAN  
**Mat2:** 13  
**Other Materials:** BOULDERS  
**Mat3:** 79  
**Other Materials:** PACKED  
**Formation Top Depth:** 4.00  
**Formation End Depth:** 8.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931047545  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 8.00  
**Formation End Depth:** 167.00  
**Formation End Depth UOM:** ft

**Formation ID:** 931047546  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 18  
**Most Common Material:** SANDSTONE  
**Mat2:** 73

**Other Materials:** HARD  
**Mat3:** 78  
**Other Materials:** MEDIUM-GRAINED  
**Formation Top Depth:** 167.00  
**Formation End Depth:** 224.00  
**Formation End Depth UOM:** ft

**Method of Construction & Well Use**

**Method Construction ID:** 961521314  
**Method Construction Code:** 5  
**Method Construction:** Air Percussion  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10591706  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930075314  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 22.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Casing ID:** 930075315  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 224.00  
**Casing Diameter:** 6.00  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991521314  
**Pump Set At:**  
**Static Level:** 6.00  
**Final Level After Pumping:** 20.00  
**Recommended Pump Depth:** 30.00  
**Pumping Rate:** 30.00  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.00  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 934105993  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934390092  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934651239  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Pump Test Detail ID:** 934909447  
**Test Type:** Draw Down  
**Test Duration:** 60  
**Test Level:** 20.00  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933478820  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 150.00  
**Water Found Depth UOM:** ft

**Water ID:** 933478821  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 218.00  
**Water Found Depth UOM:** ft

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Sep 2017**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Nov 2016**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Jan 31, 2018**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2014**

## **Certificates of Approval:**

Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Commercial Fuel Oil Tanks:**

Provincial **CFOT**

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

**Government Publication Date: Feb 28, 2017**

**Chemical Register:**

Private **CHEM**

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2018**

**Compressed Natural Gas Stations:**

Private **CNG**

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 31, 2012**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial **COAL**

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial **CONV**

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Nov 2017**

**Certificates of Property Use:**

Provincial **CPU**

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994-Feb 28, 2018**

**Drill Hole Database:**

Provincial **DRL**

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886-Nov 30, 2017**

**Dry Cleaning Facilities:**

Federal **DRYCLEANERS**

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2016**

**Environmental Activity and Sector Registry:**

Provincial **EASR**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011-Jan 31, 2018**



**Environmental Registry:**Provincial **EBR**

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994-Feb 28, 2018****Environmental Compliance Approval:**Provincial **ECA**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011-Jan 31, 2018****Environmental Effects Monitoring:**Federal **EEM**

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\*****ERIS Historical Searches:**Private **EHS**

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Feb 28, 2018****Environmental Issues Inventory System:**Federal **EIIS**

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\*****Emergency Management Historical Event:**Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016****List of TSSA Expired Facilities:**Provincial **EXP**

List of facilities with removed tanks which were once registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed automatically fall under the expired facilities inventory held by TSSA.

**Government Publication Date: Feb 28, 2017****Federal Convictions:**Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

**Government Publication Date: Jun 2000-Mar 2018**

**Fisheries & Oceans Fuel Tanks:**

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2017**

**Fuel Storage Tank:**

Provincial

FST

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

**Government Publication Date: Feb 28, 2017**

**Fuel Storage Tank - Historic:**

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-December 31, 2017**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

**Government Publication Date: 2013-Dec 2015**

**TSSA Historic Incidents:**

Provincial

HINC

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**TSSA Incidents:**

Provincial [INC](#)

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

**Government Publication Date: Feb 28, 2017**

**Landfill Inventory Management Ontario:**

Provincial [LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Dec 31, 2013**

**Canadian Mine Locations:**

Private [MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Environmental Penalty Annual Report:**

Provincial [MISA PENALTY](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2017**

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Jan 2018**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2016**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Aug 2010**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Dec 31, 2017**

**National Energy Board Wells:**

Federal

NEBW

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-December 31, 2017**

**Ontario Oil and Gas Wells:**

Provincial

OGGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Oct 2017**

**Inventory of PCB Storage Sites:**

Provincial [OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial [ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994-Feb 28, 2018**

**Canadian Pulp and Paper:**

Private [PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009**

**Parks Canada Fuel Storage Tanks:**

Federal [PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial [PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: 1988-Mar 2018**

**TSSA Pipeline Incidents:**

Provincial [PINC](#)

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

**Government Publication Date: Feb 28, 2017**

**Private and Retail Fuel Storage Tanks:**

Provincial [PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial [PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994-Feb 28, 2018**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial [REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-2016**

<b><u>Record of Site Condition:</u></b>	Provincial	<b>RSC</b>
The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).		
<b>Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2017</b>		
<b><u>Retail Fuel Storage Tanks:</u></b>	Private	<b>RST</b>
This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.		
<b>Government Publication Date: 1999-Jan 31, 2018</b>		
<b><u>Scott's Manufacturing Directory:</u></b>	Private	<b>SCT</b>
Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.		
<b>Government Publication Date: 1992-Mar 2011*</b>		
<b><u>Ontario Spills:</u></b>	Provincial	<b>SPL</b>
This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.		
<b>Government Publication Date: 1988-Feb 2018</b>		
<b><u>Wastewater Discharger Registration Database:</u></b>	Provincial	<b>SRDS</b>
Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).		
<b>Government Publication Date: 1990-Dec 31, 2016</b>		
<b><u>Anderson's Storage Tanks:</u></b>	Private	<b>TANK</b>
The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.		
<b>Government Publication Date: 1915-1953*</b>		
<b><u>Transport Canada Fuel Storage Tanks:</u></b>	Federal	<b>TCFT</b>
List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.		
<b>Government Publication Date: 1970-Aug 2017</b>		
<b><u>TSSA Variances for Abandonment of Underground Storage Tanks:</u></b>	Provincial	<b>VAR</b>
List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.		
<b>Government Publication Date: Feb 28, 2017</b>		
<b><u>Waste Disposal Sites - MOE CA Inventory:</u></b>	Provincial	<b>WDS</b>
The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.		
<b>Government Publication Date: Oct 2011-Jan 31, 2018</b>		

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Mar 31, 2017**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.




## APPENDIX C

### AERIAL PHOTOGRAPHS

1946

















## APPENDIX D

### SITE PHOTOGRAPHS



*Photo 1: Main entrance to the property*



*Photo 2: High pressure natural gas pipeline running along Franktown Road*



*Photo 3: Buried Force-main adjacent to Franktown Road*



*Photo 4: General area around the site*



*Photo 5: General area around the site*



*Photo 6: General area around the site*



*Photo 7: Southside of the property looking Northwest*




*Photo 8: Residential area to the Northeast of the site*

## APPENDIX E

### BACKGROUND INFORMATION







Thos Good 100

Mrs T. Little 100

Wm Scott 100

Francis Butler 100

Andw Taylor 100

Jas Copeland 100

Geo S. Lyon 100

Thos Phillips Sr 100

Jas Mc Veety 100

Jno Mc Lean 200

Wm Joy 50  
50  
Wm Nixon 60 50

R.E.  
Lyon

Jno

Shea 100

Corporation Limits

Mrs Stupleton 100

Edw Riely 100

Robt Garvin 100

Mrs T.

H. A. Bennett Little 77

H. Mc Elroy 200

Wm & Jas Mc Elroy 100

H. A. Bennett 77 A.M.

Thos Phillips 100

Jno Graham 100

Andw Arbuckle 100

Mathew Arbuckle 50

Geo Arbuckle 50

Corporation Limits

RICHMOND

Goodwood R.  
Corporation Limits

Bennett  
R. Bennett  
S. Bennett

Jno Stewart  
Wm Moore

Henry A Bennett

Branch  
Corporation

Thos  
McCord 100

Limits

Jas  
Armstrong 100

Jno Lewis 75

