


**NOTES:**

1.	PIPE INSIDE DIAMETER (mm)	CLEARANCE (mm)
	900 OR LESS	CONC 450 PVC 450
	OVER 900	500

2. FINAL BACKFILL - APPROVED NATIVE MATERIAL OR SELECT SUBGRADE.
3. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS SHOWN OTHERWISE.
4. WHEN NECESSARY POOR SOILS SHALL BE EXCAVATED TO CREATE A FOUNDATION THAT SHALL BE FILLED TO THE BOTTOM OF THE BEDDING WITH GRANULAR 'B'.
5. THE USE OF CLEAR CRUSHED STONE AS A BEDDING LAYER IS NOT PERMITTED.
6. ALL EXISTING ASPHALT AND CONCRETE REMOVAL LIMITS TO BE SAWCUT.
7. 300mm KEY TO BE SAWCUT AND REMOVED OR MILLED.
8. ROAD REINSTATEMENT ON THE CURB SIDE OF THE TRENCH EXCAVATION SHALL EXTEND TO THE CURB FACE, OR EDGE OF TRAFFIC LANE IF CLOSER.
9. TACK COAT SHALL BE APPLIED TO ALL MILLED SURFACES



## SEWER SERVICE INSTALLATION TYPICAL DETAIL

N.T.S.

**LEGEND:**

- NEW STORM SERVICE
- NEW SANITARY SERVICE
- NOISE WALL (REFER TO STRUCTURAL)
- PROPOSED BUILDING OUTLINE
- PROPERTY LINE
- EXISTING SANITARY SEWER
- EXISTING FIRE HYDRANT
- HYDRO POLE
- EXISTING MAINTENANCE HOLE
- EXISTING CATCH BASIN
- BOREHOLE LOCATION
- BOLLARDS
- EXISTING FENCE

1:250  
HORIZONTAL  
0m 5 10

## NOTES

ALL INTERIOR WALLS ARE NOT SHOWN DUE TO THE  
SECURE NATURE OF THE FACILITY.

All dimensions in




A	2024-08-13	ISSUED FOR ROAD CUT PERMIT
---	------------	----------------------------

REV#	YYYY-MM-DD	SUBMISSION INFORMATION
------	------------	------------------------

**DISCLAIMER:**  
THIS DRAWING IS PROTECTED BY COPYRIGHT LAW, AND SHOULD NOT BE REPRODUCED IN ANY MANNER, OR FOR ANY PURPOSE, EXCEPT BY WRITTEN PERMISSION OF MORRISON HERSHFIELD. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO MORRISON HERSHFIELD.

---

PROFESSIONAL SEALS

[illegible]

--	--



Stantec Consulting Ltd

Suite 200, 2932 Baseline Road  
Ottawa, ON K2H 1B1  
Tel: 613 739 2910

PROJECT

CBN GS  
NEW LOADING BAY  
PHASE 2

DRAWING

## SITE SERVICING PLAN - PHASE 2

DESIGN DG	DATE 2024-08-12	SCALE
DRAWN SC	PROJECT NO. 2200108.00	As Shown
CHECKED JF	DRAWING NO C003	VERIFIED A
APPROVED JF		

[illegible]