

**FLOOR KEY PLAN**  
1:1000

**PLAN LEGEND**

- EXIT
- NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS NOT SERVING THE EXIT
- FOR ELECTRICAL BOXES IN THE FRP PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 91A54
- CEILING SHAFT WALL, SEE NOTE ON PLANS

**GROUND FLOOR PLAN GENERAL**  
1:150

**GENERAL NOTES**

- NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS AT THE EXITS.
- ALL OPENINGS FOR ELECTRICAL BOXES IN FRP PARTITION MUST BE OFFSET TO KEEP THE FRP WALLS INTEGRITY.
- BALCONIES: FOR ALL CORNER BALCONIES, CREATE SLOPE IN BOTH DIRECTION FACING AWAY FROM THE BUILDING.
- SEE INTERIOR DESIGN DRAWINGS FOR REFLECTIVE CEILING PLANS

**BARRIER FREE UNITS**

Total units amount Building A: 84 Units  
Required Barrier-free units: 9 Unit (15%)

Total units amount Building B: 48 Units  
Required Barrier-free units: 7 Unit (15%)

3 Bedrooms: 4 Unit - 0 Barrier-free unit  
2 Bedrooms: 8 Units - 4 Barrier-free unit  
1 Bedroom: 51 Units - 7 Barrier-free unit  
1 Studio: 1 Unit - 0 Barrier-free unit

2 Bedrooms: 8 Units - 8 Barrier-free unit  
1 Bedroom: 38 Units - 8 Barrier-free unit  
1 Studio: 1 Unit - 0 Barrier-free unit

**BARRIER FREE COMMON SPACES**

NOTES:  
- BARRIER-FREE UNITS SHALL BE PROVIDED WITH A BF PATH OF TRAVEL FROM THE SUITE ENTRANCE DOOR INTO THE FOLLOWING ROOMS: ONE BEDROOM, ONE BF BATHROOM, KITCHEN AND LIVING ROOM.  
- PATH OF TRAVEL SHALL BE OF A MINIMUM WIDTH OF 1100mm.  
- EVERY DOOR GIVING ACCESS TO AN AREA MENTIONED ABOVE SHALL BE OF 965mm (TO BE VERIFIED WITH MANUFACTURER) IN ORDER TO PROVIDE A PERFECTLY NON-OBSTRUCTED CLEAR WIDTH PASSAGE OF NOT LESS THAN 860mm. DOORS NEED TO HAVE A CLEARANCE OF 600mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWING TOWARD THE APPROACH SIDE AND 300mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWINGS AWAY FROM THE APPROACH SIDE.  
- THERMOSTATS SHALL BE INSTALLED AT A HEIGHT OF 1200mm ABOVE FINISHED FLOOR. ANY OTHER CONTROLS SHALL BE INSTALLED BETWEEN 900mm AND 1100mm HIGH.  
- DESIGNATED BARRIER/FREE WASHROOMS SHALL CONTAIN A LAVATORY, A WATER CLOSET AND A BATHUB OR A SHOWER. NOTE THAT THE BATHROOM IS NOT INTENDED TO INCLUDE A BF BATHUB AND/OR SHOWER. BF WASHROOM SHALL BE DESIGNED TO PERMIT A WHEELCHAIR TO TURN IN AN OPEN SPACE OF NOT LESS THAN 1500mm IN DIAMETER. WALL REINFORCEMENT SHALL BE INSTALLED FOR FUTURE REQUIRED GRAB BARS FOR ALL PLUMBING FIXTURES INSTALLED.

NOTES:  
- PATH OF TRAVEL SHALL BE OF A MINIMUM WIDTH OF 1100mm.  
- EVERY DOOR GIVING A BARRIER-FREE ACCESS TO A SHALL BE OF 965mm (TO BE VERIFIED WITH MANUFACTURER) IN ORDER TO PROVIDE A PERFECTLY NON-OBSTRUCTED CLEAR WIDTH PASSAGE OF NOT LESS THAN 860mm. DOORS NEED TO HAVE A CLEARANCE OF 600mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWING TOWARD THE APPROACH SIDE AND 300mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWINGS AWAY FROM THE APPROACH SIDE.  
- CONTROLS FOR THE OPERATION OF INTERCOM SERVICES OR SAFETY DEVICES IN A BARRIER-FREE PATH OF TRAVEL, INCLUDING ELECTRICAL SWITCHES, THERMOSTATS AND INTERCOM SWITCHES SHALL BE MOUNTED:  
i) 1200 mm ABOVE THE FINISHED FLOOR IN THE CASE OF A THERMOSTAT OR A MANUAL PULL STATION, AND  
ii) NOT LESS THAN 900 mm AND NOT MORE THAN 1100 mm ABOVE THE FINISHED FLOOR, IN THE CASE OF ALL OTHER CONTROLS.

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architecte et ne doivent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architecte and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veillez aviser l'architecte de toute dimension erreur et/ou divergences entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the others professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GÉOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
154 Colomède Road South Ottawa (Nepere), Ontario Canada K2E 7J5  
T 613 226-7381 www.patersongroup.ca


**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
15 rue de Valcourt, unité 6, Gatineau, Québec J8T 8H1  
T 819 24-8383 www.larouchecanada.ca

**STRUCTURE / structure**  
**qdi**  
635, boulevard de la Gaspé, gatineau (QC) J8T 8G1  
T 819 243-4474 lqdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Levstek Consultants**  
5971 Hugh Corners Drive, Ottawa ON K2A 0V6  
T 613 825 0518 larouchelevstek.com

**CIVIL / Civil**  
**Stantec**  
400 - 1331 Clys Avenue, Ottawa ON K2C 3G4  
T 613 724-6337 krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF architect(e)s** SENCRL  
630, St-Je, Rues-Lévesque C. 52e étage, Montréal QC H3B 1S6  
T 514 847 1117 NEUFArchitectes.com



**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
112 units  
ORLEANS, ON

EMPLACEMENT / Location: NO PROJET No. 10498.02

NO	REVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
I	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Coordination	2021-10-13
M	Issued for Coordination	2021-10-15
N	Issued for Tender	2021-10-15
O	Issued for Coordination	2021-11-01
P	Issued for Coordination	2022-02-11
Q	Issued for SPA	2022-02-25

DESSINÉ PAR / Drawn by: **PM**  
VÉRIFIÉ PAR / Checked by: **Paul McQ.**  
DATE / Date: 06/14/17  
ÉCHELLE / Scale: As indicated

**GROUND FLOOR PLAN GENERAL**

REVISION / Revision: **Q**  
NO. DESSIN / Dwg Number: **A201**

C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_P20\_pmqcqueen.rvt



PLOT DATE:2022-02-28 12:33:20 PM

007121910212 #18062









FLOOR KEY PLAN  
1:1000

**PLAN LEGEND**

- EXIT - NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS NOT SERVING THE EXIT
- FOR ELECTRICAL BOXES IN THE FRP PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 9/A854
- CEILING SHAFT WALL. SEE NOTE ON PLANS

GROUND FLOOR PLAN BUILDING B  
1:100

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architecte et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architecte and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veuillez aviser l'architecte de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the others professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
 154 Colomède Road South Ottawa (Nepean), Ontario Canada K2E 7J5  
 T 613 226-7381 www.patersongroup.ca


**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
 15 rue De Valcourt, unité 6, Gatineau, Québec J8T 8H1  
 T 819 24-8383 www.larouchecanada.ca

**STRUCTURE / structure**  
**qdi**  
 635, boulevard de la Gaspé, gatineau (QC) J8T 8G1  
 T 819 243-4474 qdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Levstek Consultants**  
 5971 Hugh Cornwell, Ottawa ON K0A 0V0  
 T 613 825 0519 larocquelevstek.com

**CIVIL / Civil**  
**Stantec**  
 400 - 1331 Clyde Avenue, Ottawa ON K2C 3G4  
 T 613 724-6337 krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF architect(e)s** SENCRL  
 630, boul. René-Lévesque O. 52e étage, Montréal QC H3B 1S6  
 T 514 847 1117 NEUFArchitectes.com



**CLIENT / Client**  
**brigi**

**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
 112 units  
 ORLEANS, ON

**EMPLACEMENT / Location**  
 NO. PROJET No. 10498.02

NO.	RÉVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
J	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25

DESSINÉ PAR Drawn by: **PM**  
 DATE (aa.mm.ii): **07/11/18**  
 TITRE DU DESSIN Drawing Title:

VÉRIFIÉ PAR Checked by: **Paul McQ.**  
 ÉCHELLE Scale: **As indicated**


**GROUND FLOOR PLAN BUILDING B**

RÉVISION / Revision: **O**  
 NO. DESSIN / Dwg Number: **A201b**  
 #18062

C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_R20\_pmqueen.rvt

PLOT DATE:2022-02-28 12:37:24 PM





SECOND FLOOR PLAN GENERAL  
1 : 150

**GENERAL NOTES**

- NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS AT THE EXITS.
- ALL OPENINGS FOR ELECTRICAL BOXES IN FRP PARTITION MUST TO BE OFFSET TO KEEP THE FRP WALLS INTEGRITY.
- BALCONIES: FOR ALL CORNER BALCONIES, CREATE SLOPE IN BOTH DIRECTION FACING AWAY FROM THE BUILDING.
- SEE INTERIOR DESIGN DRAWINGS FOR REFLECTIVE CEILING PLANS

**BARRIER FREE UNITS**

Total units amount Building A: 64 Units Required Barrier-free units: 8 Unit (15%)		Total units amount Building B: 48 Units Required Barrier-free units: 7 Unit (15%)	
3 Bedrooms: 4 Unit - 0 Barrier-free unit	2 Bedrooms: 8 Units - 4 Barrier-free unit	2 Bedrooms: 8 Units - 8 Barrier-free unit	1 Bedroom: 38 Units - 8 Barrier-free unit
2 Bedrooms: 8 Units - 4 Barrier-free unit	1 Bedroom: 51 Units - 7 Barrier-free unit	1 Studio: 1 Unit - 0 Barrier-free unit	
1 Studio: 1 Unit - 0 Barrier-free unit			

**BARRIER FREE COMMON SPACES**

- NOTES**
- PATH OF TRAVEL SHALL BE OF A MINIMUM WIDTH OF 1100mm.
  - EVERY DOOR GIVING A BARRIER-FREE ACCESS TO A SHALL BE OF 965mm (TO BE VERIFIED WITH MANUFACTURER) IN ORDER TO PROVIDE A PERFECTLY NON-OBSTRUCTED CLEAR WIDTH PASSAGE OF NOT LESS THAN 860mm. DOORS NEED TO HAVE A CLEARANCE OF 600mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWING TOWARD THE APPROACH SIDE AND 300mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWINGS AWAY FROM THE APPROACH SIDE.
  - THERMOSTATS SHALL BE INSTALLED AT A HEIGHT OF 1200mm ABOVE FINISHED FLOOR. ANY OTHER CONTROLS SHALL BE INSTALLED BETWEEN 900mm AND 1100mm HIGH.
  - DESIGNATED BARRIER-FREE WASHROOMS SHALL CONTAIN A LAVATORY, A WATER CLOSET AND A BATHUB OR A SHOWER. NOTE THAT THE BATHROOM IS NOT INTENDED TO INCLUDE A BF BATHUB AND/OR SHOWER. BF WASHROOM SHALL BE DESIGNED TO PERMIT A WHEELCHAIR TO TURN IN AN OPEN SPACE OF NOT LESS THAN 1500mm IN DIAMETER. WALL REINFORCEMENT SHALL BE INSTALLED FOR FUTURE REQUIRED GRAB BARS FOR ALL PLUMBING FIXTURES INSTALLED.

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architecte et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architecte and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Vous devez aviser l'architecte de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the other professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
154 Colomède Road South Ottawa (Nepere), Ontario Canada K2E 7J5  
T 613 226-7381 www.patersongroup.ca


**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
15 rue de Valcourt, unité 6, Gatineau, Québec J8T 8H1  
T 819 24-8383 www.laroucheconseil.ca

**STRUCTURE / structure**  
**qdi**  
635, boulevard de la Gappe, gatineau (QC) J8T 8G1  
T 819 243-4424 lqdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**lvestek Consultants**  
5871 High Court, Ottawa ON K0K 0V6  
T 613 825 0519 larcoc@lvestek.com

**CIVIL / Civil**  
**Stantec**  
400 - 1331 Clys Avenue, Ottawa ON K2C 3G4  
T 613 724-6337 krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF architect(e)s** SENCRL  
630, St-Jul, René-Lévesque C. 52e étage, Montréal QC H3B 1S6  
T 514 847 1117 NEUFArchitectes.com



**CLIENT / Client**  
**brigi**

**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
112 units  
ORLEANS, ON NO PROJET No: 10498.02

NO	RÉVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
I	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25

DESSINÉ PAR Drawn by: **PM** VÉRIFIÉ PAR Checked by: **Paul McQ.**  
DATE (aa.mm.ii): **06/14/17** ÉCHELLE Scale: **As indicated**

**TITRE DU DESSIN / Drawing Title**  
**SECOND FLOOR PLAN GENERAL**


REVISION Revision: **O** NO. DESSIN Dwg Number: **A202**  
#18062

C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_R20\_pmaqueen.rvt




**PLAN LEGEND**

- EXIT - NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS NOT SERVING THE EXIT
- FOR ELECTRICAL BOXES IN THE FRP PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 91A854
- CEILING SHAFT WALL. SEE NOTE ON PLANS



**FLOOR KEY PLAN**  
1:1000



**SECOND FLOOR PLAN BUILDING A**  
1:100

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architecte et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architecte and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veuillez aviser l'architecte de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the other professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
154 Colomade Road South Ottawa (Nepээр), Ontario Canada K2E 7J5  
T 613 226-7381 www.patersongroup.ca

**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
15 rue De Valcourt, unité 6, Gatineau, Québec J8T 8H1  
T 819 24-8383 www.larouchecanest.ca


**STRUCTURE / structure**  
**qdi**  
635, boulevard de la Gappe, gatineau (QC) J8T 8G1  
T 819 243-4424 lqdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Lestek Consultants**  
5971 Hugh Crockett, Ottawa ON K0A 0V0  
T 613 825 0519 larcocleestek.com

**CIVIL / Civil**  
**Stantec**  
400 - 1331 Cyprien Avenue, Ottawa ON K2C 3G4  
T 613 724-6337 krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF Architect(e)s** SENCRL  
630, St-J. René-Lévesque O. 52e étage, Montréal QC H3B 1S6  
T 514 847 1117 NEUFarchitectes.com

**SCEAU / Seal**



**CLIENT / Client**  
**brigi**

**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
112 units  
ORLEANS, ON

NO	RÉVISION	DATE (aa-mm-jj)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
I	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25



**DESSIN PAR / Drawn by** Paul McQ.  
**DATE (aa.mm.jj)** 07/10/18  
**TITRE DU DESSIN / Drawing Title** As indicated

**VERIFIÉ PAR / Checked by** Paul McQ.  
**ÉCHELLE / Scale** As indicated

**NO. DESSIN / Dwg Number** A202a  
**NO. RÉVISION / Revision** #18062

C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_R20\_pmcaqueen.rvt





**PLAN LEGEND**

- EXIT - NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRR PARTITIONS NOT SERVING THE EXIT
- FOR ELECTRICAL BOXES IN THE FRR PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 9/A854
- CEILING SHAFT WALL, SEE NOTE ON PLANS

**SECOND FLOOR PLAN BUILDING B**  
1:100

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architectes et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architects and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veuillez aviser l'architecte de toute dimension erronée et/ou divergences entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the other professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
154 Colomade Road South Ottawa (Nepere), Ontario Canada K2E 7J5  
T 613 226-7381 www.patersongroup.ca

**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
15 rue De Valcourt, unité 6, Gatineau, Québec J8T 8H1  
T 819 24-8383 www.larouchecanada.ca


**STRUCTURE / structure**  
**qdi**  
635, boulevard de la Gaspé, gatineau (QC) J8T 8G1  
T 819 243-4424 qdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Levstek Consultants**  
5971 High Crossway, Ottawa ON K0A 0V0  
T 613 825 0518 larocquelvstek.com

**CIVIL / Civil**  
**Stantec**  
400 - 1331 Clyde Avenue, Ottawa ON K2C 3G4  
T 613 724-6337 kris.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF architect(e)s** SENCRL  
630, St-Jul, Rémix-Lévesque C. 52e étage, Montréal QC H3B 1S6  
T 514 847 1117 NEUFArchitectes.com

**SCEAU / Seal**



**CLIENT / Client**  
**brigit**

**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
112 units  
ORLEANS, ON

NO PROJET No. 10498.02

NO	RÉVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
I	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25

DESSINÉ PAR Drawn by **PM** VÉRIFIÉ PAR Checked by **Paul McQ.**  
DATE (aa.mm.jj) **07/10/18** ÉCHELLE Scale **As indicated**

TITRE DU DESSIN Drawing Title  
**SECOND FLOOR PLAN BUILDING B**

RÉVISION Revision NO. DESSIN Dwg Number  
**A202b**  
#18062


C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_R20\_pmqqueen.rvt








C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_R20\_pmqueen.rvt



**PLAN LEGEND**

EXIT - NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS NOT SERVING THE EXIT  
 - FOR ELECTRICAL BOXES IN THE FRP PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 91A854

CEILING SHAFT WALL, SEE NOTE ON PLANS



**FLOOR KEY PLAN**  
1:1000

**THIRD FLOOR PLAN BUILDING A**  
1:100

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architecte et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architecte and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Vous devez vérifier l'exactitude de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the other professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
 154 Colomède Road South Ottawa (Nepere), Ontario Canada K2E 7J5  
 T 613 226-7381 www.patersongroup.ca

**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
 535, boulevard de la Gaspé, Gatineau, Québec J8T 8H1  
 T 819 24-8383 www.larouchecanet.ca

**STRUCTURE / structure**  
**qdi**  
 635, boulevard de la Gaspé, Gatineau (QC) J8T 8G1  
 T 819 243-4424 / qdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Levstek Consultants**  
 5971 Hugh Crockett, Ottawa ON K0A 0V0  
 T 613 825 0518 levstek.com

**CIVIL / Civil**  
**Stantec**  
 400 - 1331 Crysler Avenue, Ottawa ON K2C 3G4  
 T 613 724-6337 / krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF architect(e)s** SENCLAL  
 630, St-J. René-Lévesque C. 52e étage, Montréal QC H3B 1S6  
 T 514 847 1117 NEUFarchitectes.com

**SCEAU / Seal**



**CLIENT / Client**  
**brigi**

**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
 112 units  
 ORLEANS, ON

NO	REVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
I	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25

DESSINÉ PAR Drawn by: **PM**  
 DATE (aa.mm.ii): **07/11/18**  
 TITRE DU DESSIN Drawing Title:



VERIFIÉ PAR Checked by: **Paul McQ.**  
 ÉCHELLE Scale: **As indicated**

**THIRD FLOOR PLAN BUILDING A**

REVISION Revision: **O**  
 NO. DESSIN Dwg Number: **A203a**  
 #18062



C:\Fichiers Revit\Local\P2BL8\_10498.02\_ARC\_INT\_R20\_pmqqueen.rvt



FLOOR KEY PLAN  
1:1000

**PLAN LEGEND**

- EXIT - NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRR PARTITIONS NOT SERVING THE EXIT
- FOR ELECTRICAL BOXES IN THE FRR PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 9/A854
- CEILING SHAFT WALL. SEE NOTE ON PLANS

THIRD FLOOR PLAN BUILDING B  
1:100

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architecte et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architecte and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant aux documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veuillez aviser l'architecte de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the others professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
 154 Colomade Road South Ottawa (Nepere), Ontario Canada K2E 7J5  
 T 613 226-7381 www.patersongroup.ca

**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
 15 rue De Vaucourt, unité 6, Gatineau, Québec J8T 8H1  
 T 819 24-8383 www.larouchecanada.ca



**STRUCTURE / structure**  
**qdi**  
 635, boulevard de la Gaspé, gatineau (QC) J8T 8G1  
 T 819 243-4424 qdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Levstek Consultants**  
 5971 Hugh Croston, Ottawa ON K0A 0V0  
 T 613 825 0518 larocqlevstek.com

**CIVIL / Civil**  
**Stantec**  
 400 - 1331 Clyde Avenue, Ottawa ON K2C 3G4  
 T 613 724-6337 krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF architect(e)s** SENCAL  
 630, St-Jul, Rensé-Lévesque C. 52e étage, Montréal QC H3B 1S6  
 T 514 847 1117 NEUFarchitectes.com

**SCEAU / Seal**



**CLIENT / Client**  
**brigii**

**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
 112 units  
 ORLEANS, ON

**NO PROJET No.**  
 10498.02

NO	RÉVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
I	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25

**DESSINÉ PAR / Drawn by**  
 PM

**VÉRIFIÉ PAR / Checked by**  
 Paul McQ.

**DATE (aa.mm.ii)**  
 07/11/18


**ÉCHELLE / Scale**  
 As indicated

**THIRD FLOOR PLAN BUILDING B**

**RÉVISION / Revision**  
 O

**NO. DESSIN / Dwg Number**  
**A203b**





**FLOOR KEY PLAN**

1:1000

**PLAN LEGEND**

- EXIT: NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRR PARTITIONS NOT SERVING THE EXIT.
- FOR ELECTRICAL BOXES IN THE FRR PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 91A84
- CEILING SHAFT WALL, SEE NOTE ON PLANS

**FOURTH FLOOR PLAN GENERAL**

1:200

**GENERAL NOTES**

- NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRR PARTITIONS AT THE EXITS.
- ALL OPENINGS FOR ELECTRICAL BOXES IN FRR PARTITION MUST BE OFFSET TO KEEP THE FRR WALLS INTEGRITY.
- BALCONIES: FOR ALL CORNER BALCONIES, CREATE SLOPE IN BOTH DIRECTION FACING AWAY FROM THE BUILDING.
- SEE INTERIOR DESIGN DRAWINGS FOR REFLECTIVE CEILING PLANS

**BARRIER FREE UNITS**

Total units amount Building A: 64 Units		Total units amount Building B: 48 Units	
Required Barrier-free units: 9 Unit (15%)		Required Barrier-free units: 7 Unit (15%)	
3 Bedrooms: 4 Unit	0 Unit - 0 Barrier-free unit	2 Bedrooms: 8 Units	8 Units - 8 Barrier-free unit
2 Bedrooms: 8 Units	4 Units - 4 Barrier-free unit	1 Bedroom: 38 Units	8 Barrier-free unit
1 Bedroom: 51 Units	7 Barrier-free unit	1 Studio: 1 Unit	0 Barrier-free unit
1 Studio: 1 Unit	0 Barrier-free unit		

**BARRIER FREE COMMON SPACES**

- NOTES**
- BARRIER-FREE UNITS SHALL BE PROVIDED WITH A BF PATH OF TRAVEL FROM THE SUITE ENTRANCE DOOR INTO THE FOLLOWING ROOMS: ONE BEDROOM, ONE BF BATHROOM, KITCHEN AND LIVING ROOM.
  - PATH OF TRAVEL SHALL BE OF A MINIMUM WIDTH OF 1100mm.
  - EVERY DOOR GIVING ACCESS TO AN AREA MENTIONED ABOVE SHALL BE OF 965mm (TO BE VERIFIED WITH MANUFACTURER) IN ORDER TO PROVIDE A PERFECTLY NON-OBSTRUCTED CLEAR WIDTH PASSAGE OF NOT LESS THAN 860mm. DOORS NEED TO HAVE A CLEARANCE OF 600mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWING TOWARD THE APPROACH SIDE AND 300mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWINGS AWAY FROM THE APPROACH SIDE.
  - THERMOSTATS SHALL BE INSTALLED AT A HEIGHT OF 1200mm ABOVE FINISHED FLOOR. ANY OTHER CONTROLS SHALL BE INSTALLED BETWEEN 900mm AND 1100mm HIGH.
  - DESIGNATED BARRIER-FREE WASHROOMS SHALL CONTAIN A LAVATORY, A WATER CLOSET AND A BATHTUB OR A SHOWER. NOTE THAT THE BATHROOM IS NOT INTENDED TO INCLUDE A BF BATHTUB AND/OR SHOWER. BF WASHROOM SHALL BE DESIGNED TO PERMIT A WHEELCHAIR TO TURN IN AN OPEN SPACE OF NOT LESS THAN 1500mm IN DIAMETER. WALL REINFORCEMENT SHALL BE INSTALLED FOR FUTURE REQUIRED GRAB BARS FOR ALL PLUMBING FIXTURES INSTALLED.
- NOTES**
- PATH OF TRAVEL SHALL BE OF A MINIMUM WIDTH OF 1100mm.
  - EVERY DOOR GIVING A BARRIER-FREE ACCESS TO A SHALL BE OF 965mm (TO BE VERIFIED WITH MANUFACTURER) IN ORDER TO PROVIDE A PERFECTLY NON-OBSTRUCTED CLEAR WIDTH PASSAGE OF NOT LESS THAN 860mm. DOORS NEED TO HAVE A CLEARANCE OF 600mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWING TOWARD THE APPROACH SIDE AND 300mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWINGS AWAY FROM THE APPROACH SIDE.
  - CONTROLS FOR THE OPERATION OF BUILDING SERVICES OR SAFETY DEVICES IN A BARRIER-FREE PATH OF TRAVEL, INCLUDING ELECTRICAL SWITCHES, THERMOSTATS AND INTERCOM SWITCHES SHALL BE MOUNTED:
    - i) 1200 mm ABOVE THE FINISHED FLOOR IN THE CASE OF A THERMOSTAT OR A MANUAL PULL STATION, AND
    - ii) NOT LESS THAN 900 mm AND NOT MORE THAN 1100 mm ABOVE THE FINISHED FLOOR, IN THE CASE OF ALL OTHER CONTROLS.

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architectes et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architectes and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veuillez aviser l'architecte de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the other professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
 154 Colomède Road South Ottawa (Nepean), Ontario Canada K2E 7J5  
 T 613 226-7381 www.patersongroup.ca

**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
 15, rue De Valcourt, unité 6, Gatineau, Québec J8T 8H1  
 T 819 24-8383 www.larouchecanetel.ca

**STRUCTURE / structure**  
**gdi**  
 635, boulevard de la Gaspé, Gatineau (QC) J8T 8G1  
 T 819 243-4424 lgdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Levstek Consultants**  
 5971 High Crossway, Ottawa ON K2V 0V6  
 T 613 825 0519 larocquelevstek.com

**CIVIL / Civil**  
**Stantec**  
 400 - 1331 Clys Avenue, Ottawa ON K2C 3G4  
 T 613 724-6337 krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF architect(e)s** SENCRL  
 630, St-Je, René-Lévesque O. 52e étage, Montréal QC H3B 1S6  
 T 514 847 1117 NEUFArchitectes.com

**SCEAU / Seal**



**CLIENT / Client**  
**PETRIES II BLOCK 8**  
 112 units  
 ORLEANS, ON

**NO RÉVISION DATE (aa-mm-ii)**

A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
I	Issued for Coordination	2021-09-24
J	Issued for Full Building Permit	2021-10-01
K	Issued for Coordination	2021-10-06
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25

**DESSIN PAR / Drawn by**  
 PM

**VÉRIFIÉ PAR / Checked by**  
 Paul McQ.

**DATE (aa.mm.ii)**  
 06/14/17

**ÉCHELLE / Scale**  
 As indicated

**FOURTH FLOOR PLAN GENERAL**

**REVISION / Revision**


**NO. DESSIN / Dwg Number**  
**A204**

C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_R20\_pmqqueen.rvt



C:\Fichiers Revit\Locaux\P2BL8\_10498.02\_ARC\_INT\_R20\_pmqqueen.rvt


PLOT DATE:2022-02-28 12:39:05 PM



**PLAN LEGEND**

EXIT:  
 - NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS NOT SERVING THE EXIT  
 - FOR ELECTRICAL BOXES IN THE FRP PARTITIONS WHEN OUTLET BOX IS NOT SERVING THE EXIT, SEE DETAIL 91A854

CEILING SHAFT WALL. SEE NOTE ON PLANS



**FLOOR KEY PLAN**  
1:1000

**FOURTH FLOOR PLAN BUILDING A**  
1:100

**NOTES GÉNÉRALES / General Notes**

- Ces documents d'architecture sont la propriété exclusive de NEUF architectes et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architects and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veuillez aviser l'architecte de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the other professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

**GEOTECHNIQUE / Geotechnical**  
**Paterson Group Inc.**  
 154 Colomade Road South Ottawa (Nepere), Ontario Canada K2E 7J5  
 T 613 226-7381 www.patersongroup.ca

**MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical**  
**LCA**  
 15, rue De Valcourt, unité 6, Gatineau, Québec J8T 8G1  
 T 819 24-8383 www.larouchecanada.ca


**STRUCTURE / structure**  
**qdi**  
 635, boulevard de la Gappe, gatineau (QC) J8T 8G1  
 T 819 243-4474 qdi.ca

**ARCHITECTURE DE PAYSAGE / Landscape Architect**  
**Lovstek Consultants**  
 5971 Hugh Crockett, Ottawa ON K0G 3V0  
 T 613 825 0519 larocquelovstek.com

**CIVIL / Civil**  
**Stantec**  
 400 - 1331 Clays Avenue, Ottawa ON K2C 3G4  
 T 613 724 6237 krc.albor@stantec.com

**ARCHITECTES / Architect**  
**NEUF Architect(e)s** SENCRL  
 630, St-J. Remi-Lévesque C. 52e étage, Montréal QC H3B 1S6  
 T 514 847 1117 NEUFarchitectes.com

**SCEAU / Seal**



**CLIENT / Client**  
**brigi**

**OUVRAGE / Project**  
**PETRIES II BLOCK 8**  
 112 units  
 ORLEANS, ON

NO	REVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit (Cancelled)	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23
J	Issued for Coordination	2021-09-24
K	Issued for Full Building Permit	2021-10-01
L	Issued for Tender	2021-10-15
M	Issued for Coordination	2021-11-01
N	Issued for Coordination	2022-02-11
O	Issued for SPA	2022-02-25

DESSINÉ PAR Drawn by: **PM**  
 DATE (aa.mm.ii): **07/12/18**  
 TITRE DU DESSIN Drawing Title: **FOURTH FLOOR PLAN BUILDING A**

VERIFIÉ PAR Checked by: **Paul McQ.**  
 ÉCHELLE Scale: **As indicated**

**FOURTH FLOOR PLAN BUILDING A**

REVISION Revision: **O**  
 NO. DESSIN Dwg Number: **A204a**  
 #18062



