


800 SERIES

MBE-0870-00025
Legacy # MLB870-W




MATERIALS: Bench ends are made from solid cast aluminum. The seat employs pine wood slats.

FINISH: All steel components are protected with E-Coat rust proofing. The Maglin Powdercoat System provides a durable finish on all metal surfaces.

INSTALLATION: The bench is delivered pre-assembled. Holes (0.5") are provided in each foot for securing to base.

TO SPECIFY: Select MBE-0870-00025
Choose:
- Powdercoat Color

HEIGHT: 32.2" (81.7cm) LENGTH: 69.5" (176.5cm) DEPTH: 24.2" (61.4cm) WEIGHT: 121.62lbs (55.1kg)




MAGLIN
Site Furniture

T 800 798 5504
F 877 260 5393
www.maglin.com
sales@maglin.com

All drawings, specifications, design and details on this page remain the property of Maglin Site Furniture Inc. and may not be used without Maglin authorization. Details and specifications may vary due to continuing improvements of our products.

300 SERIES

MBR-0300-00007
Legacy # MBR300-5-S




MATERIALS: The bike rack is constructed using solid steel rod and H.S. steel tube.

FINISH: All steel components are protected with E-Coat rust proofing. The Maglin Powdercoat System provides a durable finish on all metal surfaces.

INSTALLATION: The bike rack is delivered pre-assembled.

TO SPECIFY: Select MBR-0300-00007
Choose:
- Powdercoat Color

HEIGHT: 33" (83.8cm) LENGTH: 58.75" (149.2cm) DEPTH: 22" (55.9cm) WEIGHT: 78.53lbs (35.6kg)



MAGLIN
Site Furniture

T 800 798 5504
F 877 260 5393
www.maglin.com
sales@maglin.com

All drawings, specifications, design and details on this page remain the property of Maglin Site Furniture Inc. and may not be used without Maglin authorization. Details and specifications may vary due to continuing improvements of our products.

G. Wildman

GERALDINE WILDMAN
ACTING MANAGER, DEVELOPMENT REVIEW EAST
PLANNING, REAL ESTATE & ECONOMIC DEVELOPMENT
DEPARTMENT, CITY OF OTTAWA


APPROVED
By wildmange at 7:15 pm, Jun 01, 2022

POWDERCOAT COLOR: TITANIUM (GLOSS)

1
L2.01 BENCH NTS

POWDERCOAT COLOR: TITANIUM (GLOSS)

2
L2.01 BICYCLE RACK NTS



FRONT ELEVATION

REINFORCING BARS DETAILS

NOTES:

- Centre post not required for L < 1.5m.
- Adhesive anchor installation and embedment depth shall be as per manufacturer's requirements. The embedment depth shall not be greater than 80% of concrete thickness.
- Concrete cover to reinforcing steel 70±10mm.
- Steps shall have a uniform run of not less than 250mm but not more than 355mm, and a uniform rise of not less than 125mm but not more than 200mm.

A Number of steps as specified.
B The difference in elevation between the adjacent ground level and steps shall not exceed 600mm.

C Class of concrete to be 30MPa.
D Reinforcing steel shall be according to CAN/CSA-G30.18-M92 (R1998) Grade 400.
E Threaded rod for adhesive anchors shall be equivalent to ASTM A325.
F Pipe shall be according to ASTM Specification A53 Grade 'B'.
G Steel plate shall be according to CSA G40.20/G40.21-98 Grade 300W.
H All pedestrian railing components to be hot dip galvanized after fabrication in conformance with CAN/CSA-G164-M92 (R1998).
I All dimensions are in millimetres unless otherwise shown.

ONTARIO PROVINCIAL STANDARD DRAWING Nov 2000 Rev 0

CONCRETE STEPS
SLAB ON GRADE WITH FOOTINGS

OPSD - 512.010


3
L2.01 CONCRETE STEPS and RAILING NTS

FOR APPROVAL ONLY

no.	date	revision
2.	APR.14/22	PER CITY COMMENTS (4)
1.	APR.7/22	PER CITY COMMENTS (3)

North Arrow

Stamp



Contractor shall check and verify all dimensions on site and report all errors and/or omissions to the Consultant.

Work to be done in accordance with all applicable codes and by-laws.

Do not scale Drawing.

Copyright reserved. This Drawing is the exclusive property of the Landscape Architect and shall not be used without consent.

Consultant

LEVSTEK CONSULTANTS
LANDSCAPE ARCHITECTS

5871 Hugh Crescent - Ottawa - Ontario - K0A 2W0
613 - 826 - 0518

Client

brigit

Project

PETRIE'S LANDING II
8466 JEANNE D'ARC BOULEVARD NORTH
BLOCK 8

Drawing Title

DETAILS

Drawn	Date	Drawing No.
	JUNE 2019	L2.01
Scale	Project No.	
AS NOTED	828.04	

D07-12-19-0212