

FLOOR KEY PLAN
1 : 1000

SECOND FLOOR PLAN GENERAL
1 : 150

GENERAL NOTES

- NO DRILLING OR OPENINGS FOR ANY EQUIPMENT ARE ALLOWED IN THE FRP PARTITIONS AT THE EXITS.
- ALL OPENINGS FOR ELECTRICAL BOXES IN FRP PARTITION MUST TO BE OFFSET TO KEEP THE FRP WALLS INTEGRITY.
- BALCONIES: FOR ALL CORNER BALCONIES, CREATE SLOPE IN BOTH DIRECTION FACING AWAY FROM THE BUILDING.

BARRIER FREE UNITS

Total units amount Building A: 64 Units Required Barrier-free units: 9 Unit (15%)	Total units amount Building B: 48 Units Required Barrier-free units: 7 Unit (15%)
3 Bedrooms: 4 Unit - 0 Barrier-free unit 2 Bedrooms: 8 Units - 4 Barrier-free unit 1 Bedroom: 51 Units - 7 Barrier-free unit 1 Studio: 1 Unit - 0 Barrier-free unit	2 Bedrooms: 8 Units - 8 Barrier-free unit 1 Bedroom: 38 Units - 8 Barrier-free unit 1 Studio: 1 Unit - 0 Barrier-free unit

BARRIER FREE COMMON SPACES

NOTES

- PATH OF TRAVEL SHALL BE OF A MINIMUM WIDTH OF 1100mm.
- EVERY DOOR GIVING A BARRIER-FREE ACCESS TO A SHALL BE OF 965mm (TO BE VERIFIED WITH MANUFACTURER) IN ORDER TO PROVIDE A PERFECTLY NON-OBSTRUCTED CLEAR WIDTH PASSAGE OF NOT LESS THAN 860mm. DOORS NEED TO HAVE A CLEARANCE OF 600mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWING TOWARD THE APPROACH SIDE AND 300mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWINGS AWAY FROM THE APPROACH SIDE.
- CONTROLS FOR THE OPERATION OF BUILDING SERVICES OR SAFETY DEVICES IN A BARRIER-FREE PATH OF TRAVEL, INCLUDING ELECTRICAL SWITCHES, THERMOSTATS AND INTERCOM SWITCHES SHALL BE MOUNTED:
 - i) 1200 mm ABOVE THE FINISHED FLOOR IN THE CASE OF A THERMOSTAT OR A MANUAL PULL STATION, AND
 - ii) NOT LESS THAN 900 mm AND NOT MORE THAN 1100 mm ABOVE THE FINISHED FLOOR, IN THE CASE OF ALL OTHER CONTROLS.

NOTES

- BARRIER-FREE UNITS SHALL BE PROVIDED WITH A BP PATH OF TRAVEL FROM THE SUITE ENTRANCE DOOR INTO THE FOLLOWING ROOMS: ONE BEDROOM, ONE BF BATHROOM, KITCHEN AND LIVING ROOM.
- PATH OF TRAVEL SHALL BE OF A MINIMUM WIDTH OF 1100mm.
- EVERY DOOR GIVING ACCESS TO AN AREA MENTIONED ABOVE SHALL BE OF 965mm (TO BE VERIFIED WITH MANUFACTURER) IN ORDER TO PROVIDE A PERFECTLY NON-OBSTRUCTED CLEAR WIDTH PASSAGE OF NOT LESS THAN 860mm. DOORS NEED TO HAVE A CLEARANCE OF 600mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWING TOWARD THE APPROACH SIDE AND 300mm BEYOND THE EDGE OF THE DOOR OPENING IF THE DOOR SWINGS AWAY FROM THE APPROACH SIDE.
- THERMOSTATS SHALL BE INSTALLED AT A HEIGHT OF 1200mm ABOVE FINISHED FLOOR. ANY OTHER CONTROLS SHALL BE INSTALLED BETWEEN 900mm AND 1100mm HIGH.
- DESIGNATED BARRIER-FREE WASHROOMS SHALL CONTAIN A LAVATORY, A WATER CLOSET AND A BATHUB OR A SHOWER. NOTE THAT THE BATHROOM IS NOT INTENDED TO INCLUDE A BF BATHUB AND/OR SHOWER. BF WASHROOM SHALL BE DESIGNED TO PERMIT A WHEELCHAIR TO TURN IN AN OPEN SPACE OF NOT LESS THAN 1500mm IN DIAMETER. WALL REINFORCEMENT SHALL BE INSTALLED FOR FUTURE REQUIRED GRAB BARS FOR ALL PLUMBING FIXTURES INSTALLED.

NOTES GÉNÉRALES / General Notes

- Ces documents d'architecture sont la propriété exclusive de NEUF architecte et ne peuvent être utilisés, reproduits ou copiés sans autorisation écrite préalable. / These architectural documents are the exclusive property of NEUF architecte and cannot be used, copied or reproduced without written pre-authorization.
- Les dimensions apparaissant sur ces documents doivent être vérifiées par l'entrepreneur avant le début des travaux. / All dimensions which appear on the documents must be verified by the contractor before to start the work.
- Veuillez aviser l'architecte de toute dimension erreur et/ou divergence entre ces documents et ceux des autres professionnels. / The architect must be notified of all errors, omissions and discrepancies between these documents and those of the others professionals.
- Les dimensions sur ces documents doivent être lues et non mesurées. / The dimensions on these documents must be read and not measured.

GEOTECHNIQUE / Geotechnical
Paterson Group Inc.
154 Colomane Road South Ottawa (Nepean), Ontario Canada K2E 7J5
T 613 226-7381 www.patersongroup.ca


MÉCANIQUE ÉLECTRIQUE / Mechanical Electrical
LCA
15 rue De Vaucourt, unité 6, Gatineau, Québec J8T 8H1
T 819 24-8383 www.jarouchecanest.ca

STRUCTURE / structure
qdi
635, boulevard de la Gaspie, gatineau (QC) J8T 8G1
T 819 243-4424 qdi.ca

ARCHITECTURE DE PAYSAGE / Landscape Architect
Levstek Consultants
5971 Hugh Crockett, Ottawa ON K0A 0V0
T 613 825 0518 larocque@levstek.com

CIVIL / Civil
Stantec
400 - 1331 Clyde Avenue, Ottawa ON K2C 3G4
T 613 724-6337 kris.albon@stantec.com

ARCHITECTES / Architect
NEUF architect(e)s SENCAL
630, St-Jas, Rémix-Lévesque C. 32e étage, Montréal QC H3B 1S6
T 514 847 1117 NEUFArchitectes.com



CLIENT / Client
brigi

OUVRAGE / Project
PETRIES II BLOCK 8
112 units
ORLEANS, ON

NO	RÉVISION	DATE (aa-mm-ii)
A	Issue for Coordination	2021-07-16
B	Issued for Coordination	2021-07-28
C	Issued for Coordination	2021-08-05
D	Issued for Coordination	2021-08-13
E	Issued for Permit	2021-08-30
F	Issued for Coordination	2021-09-08
G	Issued for Coordination	2021-09-15
H	Issued for SPA	2021-09-23

DESSIN PAR / Drawn by
PM

VERIFIÉ PAR / Checked by
Paul McQ.

DATE (aa mm ii)
06/14/17

ÉCHELLE / Scale
As indicated

TITRE DU DESSIN / Drawing Title
SECOND FLOOR PLAN GENERAL

RÉVISION / Revision

NO. DESSIN / Dwg Number
A202