

Phase I Environmental Site Assessment

280 Eric Czapnik Way Ottawa, Ontario

Prepared for:

Landric Homes Inc. 1173 Cyrville Road, Suite 202 Ottawa, Ontario K1J 7S6

Attention: Eric Danis, Development Director

LRL File No.: 200041

June 4, 2020

EXECUTIVE SUMMARY

Landric Homes has retained LRL Associates Ltd. (LRL) to complete a Phase I Environmental Site Assessment (ESA) on the property located at 280 Eric Czapnik Way in Ottawa (Orleans), Ontario (herein referred to as the "Site"). This assessment was conducted to identify potential environmental concerns or liabilities related to the past and present operations conducted on the property and the adjacent lands. The assessment included a review of the history of the Site, contact with relevant regulatory agencies, a limited walk-through Site inspection of the property and interviews with those knowledgeable of the Site. This assessment was conducted in the context of a proposed development application.

The Site is situated at the eastern extents of the City of Ottawa limits, within the Orleans ward of the City, within a high-density residential setting. Commercial developments (retail/office space) is present at the southwestern extents of the 250 m search radius. The Site is currently undeveloped and has been since at least 1946. According to available aerial photographs reviewed as part of this assessment, the Site and surrounding properties have been generally undeveloped, or agricultural fields, treed and low density residential as of at least 1946 through 1960. Further residential development to the neighbouring lands has been prominent since 1970's. It is understood that a multi-unit residential development is proposed to be constructed on the Site.

The Site is irregular shaped with an area of approximately 5,200 m² (0.52 hectare). The majority of the Site is covered by overgrown grasses and shrubs, excluding the eastern extent where granular crushed stone is present across the surface utilized as a staging/storage area for a neighbouring construction project. A large mound of fill, approximately 860 m², is present across the majority of the property extending between approximately 10 to 15 m above grade. Furthermore, smaller piles of granular crushed stone fill, being approximately 235 m² is present at the eastern extent of the Site. These granular crushed stone pile also include concrete and traces of asphalt debris. The topography of the Site is sloping north with elevations ranging between 60 and 70 m amsl. The mound of fill across the majority of the property accounts for an additional large incline the property. The Ottawa River is located approximately 1.1 km north of the Site, however, the Petrie Island Wetland is located approximately 800 m to the north of the Site.

Records of six (6) potable supply wells were retrieved within 250 m of the Site. Each of which are drilled into the underlying bedrock formation. However, presently the neighbouring properties are service by municipal water, sanitary and storm sewer services. The Site is not serviced nor is there any indication of private services present.

Fourteen records of Certificates of Approvals were retrieved although the exact location of each cannot be confirmed due to limited information available in the record (i.e. address). These records were identified as being "unplottable". The records present low risks for environmental concerns as a result of the type of approval and processes.

Records were retrieved for a total of ten (10) environmental compliance approvals, five (5) spills of which two (2) are listed as occurring along the Highway 17/174 located north of the Site, one (1) waste generator, and two (2) fuel oil spills and leaks incidents. Each of which present low risk for environmental concerns as a result of either the type of process issued, the distance from the site, the product released, or the inferred hydrogeological and topographic features of the area. One (1) record was retrieved of an abandoned mine within 250 m of the Site. The Queenswood Village Quarry is listed as an abandoned mine as of 2003 that operated since at least 1989 as a limestone industry. Although the location of the quarry matches that of the Site (Lot 36,

Concession 1, South of Ottawa River), based on a review of available aerial photographs dating back to the mid-1940's, no visible evidence of a guarry was identified. Furthermore, the general area of the Site was developed significantly in the 1970's, when, according to the AMIS, the guarry was in operation. The risk associated with the former quarry operations is considered low.

No records of a coal tar industrial site, pollutant release, environmental registry, or manufacturing facilities under the Scott's Manufacturing Directory within a 250 m radius of the Site. No records of active or closed waste disposal sites were retrieved within 1 km of the Site.

Based on the results of the Phase I Environmental Site Assessment the following areas of potential environmental concern were identified:

PEC	Location	Comments	Contaminants of Potential Concern	Media Potentially Impacted	Level of Risk
Fill of unknown quality	Across the majority of the Site.	Approximate area of 860 m ² . The quality of the fill material should be confirmed to permit for informative decisions on the appropriate handling and potential adverse effects to the site conditions as a result.	VOC, PHC, Metals	Soil	Moderate to High
Asphalt debris	Eastern portion of the Site.	Small quantities observed at the time of the Site visit within the granular crushed stone piles	PHC, VOC	Soil	Low
Spills	Highway 17 construction site in Cumberland Township.	145 L spill of hydraulic oil in September 1993 to the ground from paver equipment.	VOC, PHC	Soil and Groundwater	Low
	Highway 174 Westbound.	An unspecified amount of coolant was spilt to the Highway 174 westbound from as a result of malfunction with a City of Ottawa public transit vehicle.	Glycol	Soil and Groundwater	Low
Notes: PE	C – Potential Environme C – Volatile Organic Col	mtal Concern Risk levels:	Low – Unlikely poten Moderate – Some po	tial for environmenta tential for environme	l impacts ntal impacts

PHC – Petroleum Hydrocarbon Compounds

High – Definite potential for environmental impacts

The potential environmental risks to the Site associated with properties within 250 m are considered low to moderate. The records of the spills along the Highway 17/174 present low risk for environmental concern due to the distance from the Site and hydrogeological and geological features of the general area. The existing pile of fill across the Site presents a moderate to high risk for potential environmental concern. Although the material appeared to consist primarily of sand and till, with granular crushed stone and traces of concrete, the material has not been confirmed suitable for use on the Site or has the safe handling procedures for off-Site disposal been established. The small quantities of asphalt debris were encountered in granular crushed stone fill piles along the eastern foot of the fill mound. The risk associated with the asphalt debris is low, however asphalt is not considered suitable for use as fill and should be disposed of off-site at a licensed facility.

Based on the findings of the Phase I ESA, a Phase II ESA is not recommended. However, the following additional environmental work is recommended:

- The asphalt debris encountered in the granular crushed stone fill piles along the eastern foot of the fill mound should be removed from the Site and disposed of accordingly at a licenced facility. Although granular crushed stone is considered acceptable for use as fill material, asphalt is not permitted to be buried as fill material according to provincial regulations; and
- Representative confirmatory samples of the large fill mound across the majority of the Site should be collected and analysed in accordance with the applicable provincial regulations, Ontario Regulation 406/19: On-Site and Excess Soil Management, 2019 to confirm if the material is acceptable to be used on Site for fill, or how to handle and disposed of the material at an off-Site location accordingly, and safely.
 - The fill mound is approximately 860 m² in area and extends between approximately 10 and 15 m in height for an approximate volume of 12,450 m³. According to O. Reg. 406/19, a minimum of 56 soil samples are to be collected from the fill mound at various locations, including various intervals into the mound, for the analysis of the parameters of the concern.
 - Analytical results of the fill material will be compared to the O. Reg. 153/04:
 - Table 7: Generic Site Condition Standards (SCS) for Shallow Soils in a Non-Potable Ground Water Condition, residential land use and coarse-textured soils if the material is to be left on Site for future use as fill material;
 - Table 1: Full Depth Background SCS residential land use and coarsetextured soils if the material is to be disposed of off-Site at a property other than a waste disposal site or soil recycling facility; and
 - TCLP Schedule 4, O. Reg. 558, for off-Site disposal acceptance at a licenced waste disposal facility.
 - Soils which do not comply with the representative SCS be disposed of accordingly.
 - No soils in excess of the Table 7 SCS will be permitted for use on Site; and
 - Once soils are removed from the Site which are in excess of Table 7, the conditions of the ground surface underlying the fill mound will be verified through additional verification sampling.

TABLE OF CONTENTS

1	INT	RODUCTION	I
	1.1	Property Information	I
	1.2	Site Occupancy	2
2	SC	OPE OF INVESTIGATION	2
3	RE	CORDS REVIEW	2
	3.1	General	2
	3.1.	.1 Phase I Study Area Determination	2
	3.1.	.2 First Developed Use Determination	3
	3.1.	.3 Fire Insurance Plans	3
	3.1.	.4 Property Underwriters' Report	3
	3.2	City Directories	3
	3.3	Chain of Title	3
	3.4	Environmental Reports	1
	3.5	Environmental Source Information	1
	3.5.	.1 The City of Freedom of Information Request	1
	3.5.	.2 City of Ottawa Historical Land Use Inventory (HLUI)	5
	3.5. Rec	.3 Ontario Ministry of Environment, Conservation and Parks Freedom of Information quest 5	
	3.5.	.4 Inventory of Coal Tar Industrial Sites in Ontario	3
	3.5.	.5 Technical Standards and Safety Authority	3
	3.5.	.6 Ministry of Environment, Conservation and Parks Well Records	3
	3.5.	.7 National Pollutant Release Inventory	7
	3.5.	.8 Certificates of Approvals 8	3
	3.5.9 Environmental Compliance Approval)
	3.5.10 Environmental Site Registry10)
	3.5.11 Waste Disposal Site Inventory10)
	3.5.	.12 Other Databases10)
	3.6	Physical Setting Sources14	1
	3.6.1 Aerial Photographs14		1
	3.6.	.2 Topography, Hydrology & Geology16	3
4	INT	ERVIEWS17	7

5	SITI	E RECONNAISSANCE1	7
ł	5.1	Site Visit Information1	7
ł	5.2	General1	8
	5.2.	1 Hazardous Materials & Unidentified Substances1	8
	5.2.	2 Storage Tanks & Containers1	8
	5.2.	3 Odours1	8
ļ	5.3	Exterior Observations1	8
	5.3.	1 Topography, Geology & Hydrogeology1	8
	5.3.	2 Structures1	9
	5.3.	3 Other Observations2	0
ļ	5.4	Utilities2	0
ł	5.5	Interior of Structures2	1
ļ	5.6	Adjacent Land Use2	1
ļ	5.7	Special Attention Items2	1
	5.7.	1 Designated Substances	2
	5.7.	2 Other Hazardous Building Materials/Items2	3
6	RE\	VIEW AND EVALUATION OF INFORMATION2	4
(6.1	Current and Past Uses2	4
(6.2	Potential Contaminating Activity & Areas of Potential Environmental Concern2	4
(6.3	Phase I Conceptual Site Model2	5
7	COI	NCLUSIONS2	7
8	LIMITATIONS AND USE OF REPORT		
9	REF	FERENCES	0

FIGURES

(In order following text)

Figure 1 Site Location

Figure 2 Site Plan

APPENDICES

(In order following Figures)

- Appendix A Chain of Title
- Appendix B Ontario Well Records
- Appendix C Ecolog Eris Report
- Appendix D Ecolog Eris Aerial Photograph Search Results
- Appendix E Aerial Photographs
- Appendix F Topographic Map
- Appendix G Site Visit Photographs
- Appendix H Table 2 of Schedule D of O. Reg. 153/04

1 INTRODUCTION

Landric Homes has retained LRL Associates Ltd. (LRL) to complete a Phase I Environmental Site Assessment (ESA) on the property located at 280 Eric Czapnik Way in Ottawa (Orleans), Ontario (herein referred to as the "Site"). The Site is situated within a residential area at the eastern extents of the City of Ottawa limits, within the Orleans ward of the City. The Site is currently undeveloped and has been since at least the mid-1940's (circa 1946). It is understood that a multi-unit residential development is proposed to be constructed on the Site. This assessment was conducted to identify potential environmental concerns or liabilities related to the past and present operations conducted on the property and the adjacent lands. The assessment included a review of the history of the Site, contact with relevant regulatory agencies, a limited walk-through Site inspection of the property and interviews with those knowledgeable of the Site. This assessment was conducted in the context of a proposed development application.

The Phase I ESA identifies the existing environmental conditions and potential environmental liabilities associated with the subject property, focusing on the possible presence of contamination on the property. It includes a review of available information (historical data and aerial photographs) and a visual Site inspection to assess potential contamination of past or present activities conducted on the property itself and on adjacent properties.

Potential contamination represents the uncontrolled release of foreign substances within the natural environment. Such an event can result in air, soil and groundwater contamination that may represent environmental liabilities towards the Site and perhaps towards adjacent properties. The ESA evaluates in a consistent manner, within the time constraints imposed for this report, whether such events have occurred at this Site. This level of work is a method of risk reduction and does not eliminate risk for the client.

Address:	280 Eric Czapnik Way, Ottawa, Ontario
Frontage:	Eric Czapnik Way
Zoning:	Residential Fifth Density (R5) – Mid-high rise apartments
Legal description:	Block 9, Plan 4M1542; subject to an easement as in OC591803; subject to an easement in gross over Part 2 Plan 4R-28903 as in OC1722931; subject to an easement as in OC1723610; Subject to an easement as in OC1828333; City of Ottawa.
Property Identification Number:	14508-0355 (LT)
UTM Coordinates:	18T 0460472 E 5036801 N
Dimensions:	Irregular: Being between approximately 106 and 120 m wide (east-west) by between approximately 28 and 64 m deep.
Area:	Approximately 5,200 m ² (0.52 hectare)

1.1 **Property Information**

The Site's location is shown in **Figure 1** and the general Site configuration is shown on the Site Plan in **Figure 2**. For the purposes of this report Highway 174, will be inferred as running in an east-west direction.

1.2 Site Occupancy

Current owner:	Landric Homes Inc.
	Name: Eric Danis
Site Contact:	Address : 63 Chemin de Montréal Est, Gatineau, QC J8M 1K3
Sile Contact.	Phone : (819) 663-0003
	Email : ericdanis@constructionlaverendrye.com
Owner since:	February 2020
Current use:	Vacant
Current use since:	At least 1976

2 SCOPE OF INVESTIGATION

LRL conducted this work in accordance to standard Phase I ESA procedures, which generally reflect the requirements of the Canadian Standards Association (CSA) document entitled Phase I Environmental Site Assessment, Z768-01 (R2016). The scope of work for the Phase I ESA consisted of the following:

- Reviewing reasonably ascertainable records regarding the occupancy of the Site and surrounding properties (i.e. business directories, fire insurance plans and aerial photographs);
- Interviewing current and previous owners and/or tenants and local and provincial authorities;
- Conducting a Site visit that consists of a "walk-through" visual assessment of the Site and adjacent properties (from publicly accessible areas); and
- Evaluation of the information collected.

This report will present the results of the ESA carried out between April 8th, 2020 and May 13th, 2020.

3 RECORDS REVIEW

3.1 General

3.1.1 Phase I Study Area Determination

Study area:	250 m
Rational for extending study area beyond the minimum 250 m	
Not applicable.	

3.1.2 First Developed Use Determination

First developed use is defined by O. Reg. 153/04 Section 22(1) as the first property use after 1875 that resulted in a building or structure or the first potentially contaminating activity, whichever is earlier.

First developed use:	Stockpiling of Fill Material
Year	Mid-1970's.
	Based on available aerial photographs reviewed as part of this assessment, the Site was developed with agricultural fields from between 1946 through at least 1960. From the mid-1970's (circa 1976) through 2011, the Site is vacant with earth moving activities, confirmed to include the addition of fill material, as viewed during the Site visit (Section 5.1).
Basis for determination of first developed use	
Aerial Photographs and Site Visit	

3.1.3 Fire Insurance Plans

Fire Insurance Plans (FIP) mapped streets and buildings of urban Canada in detail and illustrate building construction, occupancy and potential fire hazards. They also provide detailed information regarding storage tanks, transformers, boilers and electrical rooms. The original plans were produced between 1875 and 1923 and continued to be produced and updated until production ceased in 1974. No Fire Insurance Plans were found for the Site.

3.1.4 Property Underwriters' Report

Property Underwriters Site Plans and Reports provide detailed information on a site-specific basis and include descriptions of building construction, heating sources, production processes, and the presence of chemicals or materials which may be stored on Site. They also indicate the presence of environmental hazards such as electrical rooms, transformers, boilers, and storage tanks. No Property Underwriters' Reports were available for the Site.

3.2 City Directories

City directories have been produced for most urban and some rural areas since the late 1800s. These directories are often archived in research and municipal libraries. The directories are generally not comprehensive and may contain gaps in time periods. Where available, city directories were reviewed in a minimum five-year increment to determine historical property use of the subject and adjoining properties.

As a result of the current viral pandemic situation, access to the available city directories was not permitted by the retained search provider. No records are available at this time.

3.3 Chain of Title

Land Titles contain legal title information concerning property ownership, transfer details, and any encumbrances such as mortgages or easements. Each time a new transaction occurs, property records are updated as soon as the instrument is registered. A copy of the Chain of Title is included in **Appendix A**.

Records search provider:	Service Ontario Land Registry Office	
Date of search:	April 3, 2020	
	The search covered the period from October 1846 to February 2020. In October 1846, the Site was transferred from Crown to Canada Company. Thereafter, until 1991, the Site was transferred amongst various individuals. The land transactions succeeding 1991 included various corporations and commercial listings as follows:	
	 In August 1991, the Site was transferred from Richmond Glen Estates Ltd. to the Regional Municipality of Ottawa- Carleton, becoming City of Ottawa in 2005; 	
Pertinent Information:	• Easements to various utility companies and corporations, included Hydro One Networks Inc., Bell Canada, Enbridge Gas Distribution Inc., and Rogers Communications Inc., were issued between 2006 and 2016;	
	• The property changed ownership in 2007 from the City of Ottawa to OTCP Residential Lands G.P. Inc., which changed their name to Forum Investment and Development Corporation in 2011; and	
	• The Site was transferred to Hillside Vista Inc. in November 2011 before the final transaction to the current property owner, Landric Homes Inc., in February 2020.	

3.4 Environmental Reports

No previous environmental reports were provided to LRL to review as part of this investigation.

3.5 Environmental Source Information

3.5.1 The City of Freedom of Information Request

The City of Ottawa was contacted to obtain available information for the Site through a Freedom of Information request.

Interview subject:	The City of Ottawa
Date:	May 13 th , 2020

Pertinent information:

Under the Freedom of Information Act, a Freedom of Information request was made to the City of Ottawa. A formal response is expected and will be reviewed by LRL. If the response details any issues of potential environmental concern with respect to the Site, a copy will be forwarded to the client so that it can be appended to this report.

3.5.2 City of Ottawa Historical Land Use Inventory (HLUI)

The City of Ottawa has compiled a Historical Land Use Inventory (HLUI) which is intended to be used to gather information on the type and location of all land uses within the City of Ottawa limits (rural and urban) that had or have the potential to have an adverse environmental impact by way of contamination to soil, groundwater or surface water spanning the period of between 1990 and 1998, with additional entries in 1999. The HLUI is to be used as a screening tool to aid in the review of development applications by the City of Ottawa, as well as to support in environmental site assessments and other related property investigations.

The activities defined in the HLUI are based on the 1980 Canadian Standard Industrial Classification (SIC) codes. The HLUI is not an inventory of brownfields in Ottawa and is developed based on historical land use activities which does not contain any information on actual property conditions. Therefore, a property listed in the HLUI does not necessarily mean that property is contaminated at this time as subsequent or more recent remedial or environmental activities may have been carried out to alter the condition of the property.

Interview subject:	The City of Ottawa
Date:	May 13 th , 2020

Pertinent information:

A Historical Land Use Inventory search request was made to the City of Ottawa. A formal response is expected and will be reviewed by LRL. If the response details any issues of potential environmental concern with respect to the Site, a copy will be forwarded to the client so that it can be appended to this report.

3.5.3 Ontario Ministry of Environment, Conservation and Parks Freedom of Information Request

The Ontario Ministry of Environment, Conservation and Parks (MECP) was contacted under the FOI Act to obtain available information for the Site regarding:

- Certificates of Approvals or any permits relating to air emissions (including noise), water taking and discharging, waste disposal sites, septic systems, pesticides storage or other similar instruments;
- Incidents, orders, offences, spills, discharges of contaminants or inspections;
- Waste management records, including current and historical waste storage locations and waste generator and waste receiver information; and
- Reports submitted to the MECP related to the environmental conditions of the property.

Attempts were made to submit the MECP FOI request via fax, however, LRL was unable to successfully submit the request due to an apparent high volume of inquiries at this time. An additional attempt to reach the MECP by email for aid on this matter was made, however unfortunately the response did not provide LRL with additional resources to facilitate the submission. Once the FOI is submitted, a formal response will be expected, and will be reviewed by LRL. If the response details any issues of potential environmental concern with respect to the site, a copy will be forwarded to the client so that it can be appended to this report.

3.5.4 Inventory of Coal Tar Industrial Sites in Ontario

The MECP has created an inventory of all known and historical coal gasification plants. It identifies industrial sites that produced and continue to produce or use coal tar or other related tars. The program was discontinued in 1988.

Database:	Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario
Years covered:	Up to 1988
Search radius:	250 m
Description of data, analysis and findings relevant to the Phase I ESA:	
No records were found within a 250 m radius of the Site.	

3.5.5 Technical Standards and Safety Authority

Fuel storage at commercial and industrial facilities is regulated by the Technical Standards and Safety Authority (TSSA). Records of aboveground storage tanks are maintained for bulk storage facilities only. Underground storage tanks are required to be registered with the TSSA. There are no requirements to register private underground and aboveground fuel oil storage tanks for heating or waste oil. Records of registered and licensed tanks have been maintained since 1990.

Interview subject:	Connie Hill, Public Information Agent
Date:	April 20, 2020
Pertinent information:	
TSSA was contacted regarding available information concerning the presence of petroleum	

storage tanks, fuel spill records, accidents or fuel-related incidents which may be registered on the Site or surrounding properties. The TSSA has indicated that there are no records of fuel storage tanks on the Site or the adjacent properties (558 and 556 Recolte Private, 273 and 275 Eric Czapnik Way, 325 and 345 Centrum Boulevard, 3217, 3245 and 3251 St-Joseph Boulevard.)

3.5.6 Ministry of Environment, Conservation and Parks Well Records

The Ministry of Environment, Conservation and Parks' well records database provides information of locations and characteristics of water wells throughout Canada in accordance with Ontario Regulation 903. Information of the stratigraphy, depth of bedrock and approximate depth of water table is also provided. Copies of the Well Records retrieved are included in **Appendix B**.

Database:	MECP Well Records	
Search radius:	250 m	
Date accessed:	April 20, 2020	
Description of data, analysis	and findings relevant to the Phase I ESA:	
 Six (6) well records are located within a 250 m radius of the Site, all of which are for domestic purposes. Each of the well records are included in Appendix B and are summarized below: Well No. 1513193, located approximately 130 m east of the Site, is a drilled well installed in 1963 for domestic purposes. The subsurface stratigraphy was described as 		
underlain by grey limesto	one to 18.9 m, where the well was terminated. The static water e 3.0 m bgs;	
 Well No. 1513198, locate installed in 1969 for dom clay to 39.5 m bgs, unde clay) to 45.1 m bgs, follow terminated. The static way 	ed approximately 135 m southeast of the Site, is a drilled well estic purposes. The subsurface stratigraphy was described as erlain by coarse gravel and boulders (inferred to be mixed with wed by limestone to a depth of 48.2 m bgs, where the well was ater level was measured to be 7.6 m bgs;	
 Well No. 1516402, locate installed in 1977 for dom clay to 5.2 m bgs, unde limestone bedrock to 38. was measured to be 10.4 	ed approximately 136 m southeast of the Site, is a drilled well estic purposes. The subsurface stratigraphy was described as rlain by grey slate to approximately 13.7 m bgs, followed by 1 m bgs, where the well was terminated. The static water level 4 m bgs;	
 Well No. 1513197, locate installed in 1967 for dom loose stone and clay to the well was terminated. 	ed approximately 154 m southeast of the Site, is a drilled well estic purposes. The subsurface stratigraphy was described as 1.2 m bgs, underlain by grey limestone to 55.2 m bgs, where The static water level was measured to be 12.2 m bgs;	
 Well No. 1513195, locate installed in 1965 for dom broken stone and clay to the well was terminated. 	ed approximately 158 m southeast of the Site, is a drilled well estic purposes. The subsurface stratigraphy was described as 0.1.2 m bgs, underlain by grey limestone to 54.9 m bgs, where The static water level was measured to be 9.1 m bgs; and	
 Well No. 1513194, locate installed in 1964 for dom grey limestone to 53.6 r was measured to be 9.1 	ed approximately 195 m southeast of the Site, is a drilled well estic purposes. The subsurface stratigraphy was described as n bgs, where the well was terminated. The static water level m bgs.	

3.5.7 National Pollutant Release Inventory

The National Pollutant Release Inventory is maintained by Environment Canada. It is designed to collect comprehensive data regarding releases to air, water or land, and water transfers for recycling. The database was accessed through a database service provider (Ecolog Eris, Toronto, Ontario) and their report is included in **Appendix C**.

Database:	National Pollutant Release Inventory
Years covered:	1993 to May 2017
Search radius:	250 m
Description of data, analysis and findings relevant to the Phase I ESA:	

No records were found within a 250 m radius of the Site.

3.5.8 Certificates of Approvals

Any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval (CofA) before it can operate lawfully. The database was accessed through a database service provider (Ecolog Eris, Toronto, Ontario) and their report is included in **Appendix C**.

Database:	Certificates of Approval
Years covered:	1985 to October 2011
Search radius:	250 m
Description of data, analysis	and findings relevant to the Phase I ESA:
No records were found within provider has included additional m search radius of the Site. For "Unplottable" due to limited in unplottable records of spills wh are summarized as follows:	a 250 m radius of the Site. However, the database service al records which cannot be confirmed as being within the 250 urteen records were retrieved. These records are identified as formation available in the records, namely addresses. The ich cannot be confirmed as beyond a 250 m radius of the Site
 A Certified of Approval for – Highway 17, Trans Ca 	or municipal sewage was issued to the Cumberland Township nada Highway 17 in July 1990;
 A Certificate of Approva Langue Francaise, St. Jo 	l for municipal sewage was issued to the Conseil Scolaire de oseph Boulevard Cumberland Township in May 1991;
 A Certificate of Approva Joannisse, listed at Lot 3 	l for municipal sewage was cancelled in February 192 for J. 30 Concession 1, Cumberland Township;
 A Certificate of Approval Road, in the Township or 	for municipal sewage was cancelled in May 1993 at 10 th Line f Cumberland;

- A Certificate of Approval for municipal sewage was approved in September 1993 and a second one in October 1993 at Rural Route #34, Cumberland Township;
- A Certificate of Approval for municipal sewage was approved to Builder Development Corp., in February 1994 for St. Joseph Boulevard Apartment, located in the Cumberland Township;
- A revised amendment Certificate of Approval application for municipal water was approved in March 1985 for Centrum Boulevard in Cumberland;
- A Certificate of Approval for municipal and private sewage works was approved for DCR Phoenix Development Corporation Limited, in February 2008;

- A Certificate of Approval for municipal and private sewage works was approved to 1534436 Ontario Limited March 2004;
- Twelve records of Certificate of Approvals for Municipal and Private Sewage Works, issued to DCR/Phoenix Development Corporation Limited, were retrieved. The approval dates ranged between Municipal and Private Sewage Works, approved in March 2004 and January 2011;
- A Certificate of Approval for municipal and private sewage works was issued to 1534436 Ontario Limited in March 2004;
- Two (2) listings of municipal water Certified of Approvals for Perez Corporation, located at Centrum Boulevard Cumberland, were approved in December 1987; and

The records retrieved for CofA approvals identified in the "Unplottable" records present low risk for environmental concerns as a result of the type of approval and processes issued (i.e. air emissions, municipal and private sanitary and water services).

3.5.9 Environmental Compliance Approval

In October 2011, the previously used Certificate of Approval process was replaced by the more efficient Environmental Compliance Approval (ECA) system. There are variations in the methodology for the application process, as well as the improved ECA application process and how the application can be applied with comparison to the previous CofA process. The database was accessed through a database service provider (Ecolog Eris, Toronto, Ontario) and their report is included in **Appendix C**.

Database:	Environmental Compliance Approval
Years covered:	October 2011 – March 31, 2020
Search radius:	250 m

Description of data, analysis and findings relevant to the Phase I ESA:

Nine (9) records were retrieve for Environmental Compliance Approval's within 250 m of the Site. No records were retrieved for the Site. The records found are summarized as follows:

- Two (2) records were retrieved for Hillside Vista Inc., c/o DCR Phoenix Development Corp Ltd., located at 241 Centrum Boulevard, for the approval of municipal and private sewage works ECA in October 2015;
- Two (2) records were retrieved for DCR/Phoenix Development Corp Ltd., located at 241 Centrum Boulevard, for the approval of the municipal and private sewage works in February 2016 and November 2018;
- Two (2) records were retrieved for 1534436 Ontario Limited, for a municipal and private sewage works ECA in March 2004. The specific address was not provided, however based on the coordinates provided (Longitude: -75.5032/ Latitude: 45.4843), it is located approximate 90 m northeast of the Site; and
- Three (3) records for OTCP Arts Centre G.P. Inc. located at Commercial Drive, Reference Plan 4R-21938 for an ECA for municipal and private sewage works, in February and June 2008.

The database service provider has included additional records which cannot be confirmed as being within the 250 m search radius of the Site. These records are identified as "unplottable" due to limited information available in the records, namely addresses. The "unplottable"

records of spills which cannot be confirmed as beyond a 250 m radius of the Site are summarized as follows:

• DCR/Phoenix Development Corporation Limited, approved an ECA for municipal and Private Sewage Works in December 2010.

The records retrieved for ECA approvals within 250 m of the Site, as well as the "Unplottable" records present low risk for environmental concerns as a result of the type of ECA and processes issued (i.e. municipal sanitary and water services).

3.5.10 Environmental Site Registry

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments or regulations that could significantly affect the environment. Applications for permits, licences or certificates of approval to release substances into the air or water are posted on the registry. The database was accessed through database service provider (Ecolog Eris, Toronto, Ontario) and their report is included in **Appendix C**.

Database:	Environmental Registry
Years covered:	1994 to February 29, 2020
Search radius:	250 m
Date accessed:	April 13, 2020
Description of data, analysis and findings relevant to the Phase I ESA:	
No records were found within a 250 m radius of the Site.	

3.5.11 Waste Disposal Site Inventory

The MECP's Waste Management branch maintains an inventory of known open (active or inactive) and closed disposal site in Ontario.

Database:	Waste Disposal Site Inventory
Years covered:	1970 to 1990
Search radius:	1000 m
Description of data, analysis and findings relevant to the Phase I ESA:	
No records were retrieved within 1000 m (1 km) of the Site.	

3.5.12 Other Databases

Other Databases are covered by the Ecolog Eris Report included in **Appendix C**. They are outlined below.

3.5.12.1 Ontario Spills

Database:	Ontario Spills
Years covered:	1988 to August 2019
Search radius:	250 m
Date accessed:	January 29, 2020
Description of data, analysis and findings relevant to the Phase I ESA:	

The search of the Ontario Spills database has revealed two (2) records of spills within a 250 m radius of the Site. The records retrieved are summarized as follows:

- In May 2002, an unknown amount of an unspecified material was spilt to the ground at a Hydro One site located near 325 Centrum Boulevard, approximately 100 m west of the Site. The spill is reported to have been from a drum at an unfenced decommissioned site. No further details are available; and
- In January 2016, a natural gas (methane) leak was reported at a townhouse located at 3275 St-Joseph Boulevard, approximately 120 m southeast of the Site. The leak was a result of a fire/explosion.

Both occurrences present low risk for environmental concern to the Site due to their distance from the Site and the type of product released. Natural gas is not considered a potential environmental concern.

The database service provider has included additional records which cannot be confirmed as being within the 250 m search radius of the Site. These records are identified as "unplottable" due to limited information available in the records, namely addresses. The "unplottable" records of spills which cannot be confirmed as beyond a 250 m radius of the Site are summarized as follows:

- In August 1990, at Highway 17 Cumberland Township, an unspecified amount of natural gas was released into the atmosphere as a result of a damaged pipe or hose from moving equipment. As mentioned above, natural gas is not considered a potential environmental concern, therefore the risk associated with this spill is considered low;
- In September 1993, a reported 145 L of hydraulic oil was spilt to the ground from paver equipment at a Highway 17 construction site in the Cumberland Township. Highway 17 was renamed to Highway 174 upon completion of the expansion of the highway in 1997. Therefore, it is possible the identified hydraulic oil spill occurred on the highway situated 30 m north of the Site. The risk for environmental concern associated with the historical spill is low based on the inferred groundwater flow direction being north towards the Ottawa River, downgradient of the Site, as well as the topographic features of the Site and surrounding lands. The Site is elevated in comparison to the highway, therefore it is unlikely residual from the spill would have migrating onto the Site; and
- In 2007, an unspecified amount of coolant was spilt to the Highway 174 westbound from as a result of malfunction with a City of Ottawa public transit vehicle (OC Transpo). Environmental impacts were listed as not being anticipated, and as previously mentioned, due to the inferred hydrogeological and topographic features of the area, the risk for potential environmental concern to the Site is considered to be low.

3.5.12.2 Abandoned Mine Information System (AMIS)

The AMIS database provides information on abandoned and inactive mines located on Crown land as well as on privately owned property. Such information regarding the former facilities includes the name of facility, the status, background information, operation dates and mine features as well as the primary material extracted, hazards and remediation.

Database:	Abandoned Mine Information System
Years covered:	1800 to October 2018
Search radius:	250 m
Description of data, analysis and findings relevant to the Phase I ESA:	

One (1) record was retrieved from the AMIS which included the former Queenswood Village Quarry. The Queenswood Village Quarry is listed as an abandoned mine as of 2003. The reason for the closure is unspecified however it is revealed that the quarry operated since at least 1989 as a limestone industry. The location of the quarry is described as Lot 36, Concession 1, South of Ottawa River. The Site is situated within the area described. However based on a review of available aerial photographs dating back to the mid 1940's (described in greater detail in Section 3.6.1), no visible evidence of a quarry was identified. Furthermore, the general area of the Site was developed significantly as of the 1970's, when, according to the AMIS, the quarry was in operation.

3.5.12.3 Ontario Regulation 347 Waste Generators Summary

The MECP's Waste Management branch maintains an inventory of Waste Generators in Ontario.

Database:	Ontario Regulation 347 Waste Generators Summary
Years covered:	1986 to January 31, 2020
Search radius:	250 m
Date accessed:	April 13, 2020
Description of data, analysis and findings relevant to the Phase I ESA:	

One (1) record for a registered waste generator was retrieved within 250 m of the Site. Place Beausejour, located at 340 Centrum Boulevard, approximately 110 m southwest of the Site, is registered as a generator of Oil Skimmings and Sludges in 2016. The risk for potential environmental concern to the Site is considered to be low due to the distance from the Site.

3.5.12.4 Ontario Regulation 347 Waste Receivers Summary

Under Regulation 347 of the Ontario Environmental Protection Act (EPA), a receiver of regulated waste is required to register the facility as a waste receiver. The EPA regulates waste disposal through Certificates of Approval and Provisional Certificates Approval.

Database:	Ontario Regulation 347 Waste Receivers Summary
Years covered:	1986 to 2016

Search radius: 250 m

Date accessed: April 13, 2020

Description of data, analysis and findings relevant to the Phase I ESA:

No records were found within a 250 m radius of the Site.

3.5.12.5 Private and Retail Fuel Storage Tanks

Database:	Private and Retail Fuel Storage Tanks
Years covered:	1989 to 1996
Search radius:	250 m
Description of data, analysis and findings relevant to the Phase I ESA:	
No records were found within a 250 m radius of the Site.	

3.5.12.6 Fuel Oil Spills and Leaks

The Spill Action Centre compiles and lists the registered spills and leaks of petroleum products, natural gas including propane and hydrogen. The information in the list is not a complete inventory of the spills and leaks, but rather a copy of the incidents reported to the Spills Action Centre. The records include incidents such as fuel-related spills, fires and explosions. The information listed is not confirmed for accuracy of completeness.

Database:	Fuel Oil Spills and Leaks	
Publication Date:	February 28, 2017	
Search radius:	250 m	
Description of data	a, analysis and findings relevant to the Phase I ESA:	
Records of two (2) i following:	ncidents were retrieved within a 250 m radius of the Site. They include the	
 In February 2015, an approximate 1 L of natural gas was released at 303 Pintail Terrace, residential dwelling located approximately 180 m north of the Site, as a result of a down draft through a vent; and 		
 In January 2 Boulevard, 12 	016, a release of 1 L of natural gas was reported at 3275 St-Joseph 20 m southeast of the Site, 1 L as a result of an explosion at a townhouse.	
Natural gas is not c with the incidents is	onsidered a potential environmental concern therefore the risk associated considered low.	

3.5.12.7 Scott's Manufacturing Directories

Scott's Directories is a data bank containing information on over 70,000 manufacturers in Ontario.

Database:	Scott's Manufacturing Directory	
Years covered:	1992 to March 2011	
Search radius:	250 m	
Description of data, analysis and findings relevant to the Phase I ESA:		
No records were found within a 250 m radius of the Site.		

3.5.12.8 Inventory of PCB Storage Sites

The MECP maintains an inventory of PCB storage sites within the Ontario.

Database:	Inventory of PCB Storage Sites	
Years covered:	1987 – October 2014; and 2012 – December 2013	
Search radius:	ch radius: 250 m	
Description of data, analysis and findings relevant to the Phase I ESA:		
No records were found within a 250 m radius of the Site.		
No records were found within a 250 m radius of the Site.		

3.6 Physical Setting Sources

3.6.1 Aerial Photographs

Select aerial photographs reviewed were obtained through database service provider (Ecolog Eris, Toronto, Ontario) and their report is included in **Appendix D**. Their search returned aerial photographs through the National Air Photo Library (NAPL). Photographs retrieved by Ecolog Eris included the following years: 1946, 1955, 1960 and 1988. The remaining aerial photographs reviewed were obtained by LRL through the City of Ottawa interactive mapping system, geoOttawa (1976, 1991, 2002, 2011 and 2017).

Review of the photographs was completed to develop a general history of the development of the Site and surrounding properties. Aerial photographs may be at a scale that limits a detailed review of the Site and surrounding properties. Copies of select aerial photographs are included in **Appendix E**.

Year	Photo Number	Scale
1946		1:15 000
1955		1:35 000
1960		1:25 000
1976		
1988		1:20 000
1991		
2002		
2011		
2017		

Rational for time period between aerial photographs used

A regular interval of approximately 10 years was used, when possible. No aerial photographs are available prior to the mid-1940's.

Summary of information obtained from aerial photographs

The Site and surrounding properties are generally undeveloped, agricultural fields or treed in the 1946. Structures inferred to be residential or agricultural related are observed on select neighbouring lands to the north and south of the Site and a road is observed to the north of the Site running in an east-west direction. No significant changes were observed to the Site or the neighbouring lands in 1955 and 1960 aerial photographs with the exception to a road present to the south of the Site, inferred to be the present-day St-Joseph Boulevard. Increased residential development is observed to the south of the Site in the 1976 aerial imagery (AP1), which increased more so in 1988, as well as at the lands to the north, east and west. High-density development is observed to the north and south. Highway 174 is observed north of the Site in 1991 (AP2) with increased development to the west of the Site. No significant changes were observed in 2002, 2011 and 2017 (AP3). Earth moving activities are observed on the east, including Eric Czapnik Way.

Relevant information regarding potentially contaminating activity and areas of potential environmental concern

No potentially contaminating activity or potential environmental concerns were identified.

3.6.2 Topography, Hydrology & Geology

A topographic map was obtained to illustrate the location of the Site in relation to any water bodies in the area and document the regional topography. The map is included in **Appendix F**.

Мар:	Ontario Base Map	
Approximate elevation:	Between approximately 60 and 70 m above mean sea level (amsl).	
Topography:	Sloping north with a large incline across the centre of the property (mound of fill material)	
Nearest open water body:	Ottawa River located approximately 1.1 km north of the Site, however, the Petrie Island Wetland is located approximately 800 m to the north of the Site.	

Geological maps were reviewed to obtain information on regional geology, surficial soils and bedrock.

Generalized surficial geology ¹ :	Champlain Sea Sediments: Clay and silt underlying erosional terraces; upper part of marine deposits removed to variable depths by fluvial erosional so in places clay is uniform blue-grey unit includes lenses, bars, and channel- fills to sand and pockets of nonmarine silt that were formed during terrace (or channel) cutting.
	Bedrock Paleozoic: Limestone, dolomite, sandstone, and locally shale; relatively flat-lying; mainly occurring as bare, tabular outcrops; includes areas thinly veneered by unconsolidated Quaternary sediments up to 1 m thick.
Generalized bedrock geology ² :	Ottawa Formation: Limestone with some shaly partings; some sandstone in basal part.

¹ St-Onge D.A., 2009: Surficial geology, lower Ottawa valley, Ontario-Quebec; Geological Survey of Canada, Map 2104A, scale 1:125000.

² Harrison J.E., 1980: Generalized bedrock geology, Ottawa-Hull, Ontario-Quebec; Geological Survey of Canada, Map 1508A, scale 1:125000.

4 INTERVIEWS

Interview eubicate	Eric Danis, Development Director	
interview Subject.	Landric Homes Inc. (Owner of Site)	
Date:	May 13, 2020	

Pertinent information:

- Mr. Danis indicated that Landric Homes Inc. purchased the property in February 2020, however he has been familiar with the Site for the last 2-years.
- According to Mr. Danis, the Site is currently vacant, and it is anticipated to construct a four-storey multi tenant residence.
- To the best of Mr. Danis knowledge, he is not aware of any current or historical potential contaminating activities on the Site of the adjacent properties such as fueling stations, manufacturing facilities, dry cleaners, commercial painting facility of landfill.
- Mr. Danis has indicated, that to best of his knowledge, the Site has never been equipped or developed with a septic system, water supply well, storm drain utilities, under/aboveground storage tanks, chemical storage or additional indicators of potential environmental concerns.
- No waste is produced on the Site according to Mr. Danis.
- To the best of Mr. Danis knowledge, the Site has never had notices of environmental violations from any regulatory agency, investigations by a government agency or potential responsibility for environmental contamination, or any lawsuits, disputes or administrative proceeding regarding environmental concerns associated with the site or activities conducted on the site.

5 SITE RECONNAISSANCE

5.1 Site Visit Information

Date:	May 8, 2020	
Time:	12:40 PM – 13:20 PM	
Weather Conditions:	Overcast, 5°C	
Person conducting Site visit:	Jessica Arthurs, Environmental Technician	
Limitation to visit:	itation to visit:Dense cover of fallen overgrown grasses from last seas covered the majority of the Site which limited observations the ground surface beneath the foliage.	
Property Use	Generally undeveloped and vacant with a construction staging and storage yard at the eastern extent in support of the ongoing construction activities on the neighbouring lands to the south and southeast. Further details are provided in Section 0.	

Photographs from the Site visits are included in **Appendix G**.

5.2 General

5.2.1 Hazardous Materials & Unidentified Substances

Hazardous materials:	Not observed.
Unidentified substances:	Not observed.

5.2.2 Storage Tanks & Containers

Aboveground storage tanks (ASTs):	Not observed.
Underground storage tanks (USTs):	Not observed.
Fill ports, vent pipes:	Not observed.
Storage containers:	Not observed.

5.2.3 Odours

Odours:	Not observed.
Air emissions:	Not observed.

5.3 Exterior Observations

5.3.1 Topography, Geology & Hydrogeology

Landscaped & vegetated area:	The majority of the Site is covered by overgrown grasses and shrubs, excluding the eastern extent where granular crushed stone is present across the surface. Small clusters of trees are present at the southeastern, northwestern and northeastern portions of the Site.
Pavement, roads & driveways:	Not observed, however the eastern extent of the Site is utilized as a staging/storage area for a neighbouring construction project. This portion of the Site is covered with a granular crushed stone material. Further details of the staging area are provided in Section 5.3.3.
Topography:	The Site slopes steeply to the north from the southern property line. The location currently used as a construction staging/storage area at the eastern extent of the Site is generally flat with steep slopes along the north and northeastern extents.
	A large mound of fill is present across the majority of the property extending to approximately 10 and 15 m above grade.
Surface drainage:	Not observed.
Drainage improvements:	Not observed.

Receives drainage from adjacent lands:	Suspected from the adjacent residential property, including associated parking and circulation area, to the south.
Watercourses, ditches or standing water:	Not observed on the Site, however a ditch is present north of the Site along the southern extent of the neighbouring Highway 174. It is anticipated that runoff from the highway is intercepted by the ditch.
Other observations:	Bedrock outcrops were observed on the adjacent land to the south of the Site.

5.3.2 Structures

The Site is vacant with no existing structures. No evidence indicative of historical developments was observed on the Site.

Structures:	Not Applicable.
Location:	Not Applicable.
Use:	Not Applicable.
Construction date:	Not Applicable.
Footprint:	Not Applicable.
Floors:	Not Applicable.
Basement:	Not Applicable.
Exterior finish:	Not Applicable.

5.3.3 Other Observations

Wells:	Not observed.
Sewage disposal:	Not observed.
Pits and lagoons:	Not observed.
Wastewater:	Not observed.
Solid waste:	Approximately 235 m ² of granular crushed stone with concrete and traces of asphalt debris is present at the eastern extent of the Site along the foot of the fill mound. Furthermore, traces of concrete are present along the south base of the large mound of fill across the subject Site.
Stained material:	Not observed.
Stressed vegetation:	Not observed.
Fill or previous fill activities:	A large mound of fill is present across the majority of the Site. The pile is estimated to extend between 10 and 15 m in height and covers an area of approximately 860 m ² . The material appears to be primarily sand and till with granular crushed stone. However, grass cover limited a detailed examination of the entire pile.
Earth-moving activity:	Not observed.
Other	The eastern extent of the Site is used as a staging/storage area of neighbouring construction activities. Materials and supplies generally associated with construction were observed, including modu-loc fencing and components, traffic control barrels, water service piping and fittings, sanitary or storm piping and fittings and snow fencing. No evidence of the storage of chemicals or fuels was observed.

5.4 Utilities

Potable Water:	No.	
Wastewater:	No.	
Storm Sewer:	No.	
Electricity:	No.	
Telephone:	No.	
Natural Gas:	No.	

5.5 Interior of Structures

No building structures are present on the Site.

Heating Systems	Not Applicable.
Cooling Systems	Not Applicable.
Floor drains:	Not Applicable.
Sumps:	Not Applicable.
Paint booth:	Not Applicable.
Staining or corrosion (other than water):	Not Applicable.
Mechanical equipment:	Not Applicable.
Interior finishing	Not Applicable.
Other:	Not applicable.

5.6 Adjacent Land Use

The current land uses of the adjoining properties were observed from the property limits and publicly accessible locations to assess potential impacts to the Site that may arise from off-Site operations. The properties surrounding the subject Site are as follows:

North:	Undeveloped followed by Highway 174.		
South:	High density residential and associated parking and circulation area.		
East:	Eric Czapnik Way followed by high density residential.		
West	Grassed parkland with evidence of municipal service manhole covers.		

5.7 Special Attention Items

Eleven chemical contaminants have been identified under the Occupational Health and Safety Act (OHSA) and regulations have been set in place to prohibit, regulate restrict, limit or control workers exposure to these substances. Other hazardous materials not included in the OHSA but under the Environmental Protection Act were also observed. The observations presented herein do not constitute a designated substance/hazardous material survey but are rather for information purposes only.

5.7.1 Designated Substances

Asbestos Containing Material (ACM)

Since the late 1970's the manufacture and use of asbestos containing building materials started to decrease. It is commonly presumed that buildings constructed prior to 1980 are more likely to contain both friable and non-friable forms of asbestos. General buildings constructed up to the mid 1980's are more likely to contain non-friable asbestos (flooring, joint compound).

Not Applicable.

Lead

Lead may be present in a variety of building materials including paint and water distributions pipes, however lead based paints (LBP) are considered the most significant hazard. According to published information by Health Canada concerning LBP, buildings constructed before 1980 may contain lead-based interior and exterior paints.

Not Applicable.

Mercury

Minor amounts of mercury are commonly found in a variety of building material including mercury vapour lamps, fluorescent light tubing and thermostats and other electrically control switches.

Not Applicable.

Others

No other designated substances were identified (i.e. arsenic, ethylene oxide, silica, vinyl chloride, benzene, coke oven emissions, acrylonitrile or isocyanates).

5.7.2 Other Hazardous Building Materials/Items

Microbial Contamination and Mould: Not Applicable.

Ozone-Depleting Substances (ODS):

ODS such as chlorofluorocarbons (CFC) and hydrochlorofluorocarbon (HCFC) are typically found in refrigeration equipment, air conditioners, aerosols, cleaning solvents and fire extinguishers. Federal regulations required the elimination of production and import of CFC and a freeze on the production and import of HCFC by January 1, 1996. The regulations govern only the production and import therefore these materials are stilled used as long as a supply is in place.

Not Applicable.

Polychlorinated Biphenyls (PCB):

The Federal Chlorobiphenyls Regulation, SOR/91-152 prohibits PCBs from being used in products, equipment, machinery, electrical transformers and capacitors which were manufactured or imported into the country after July 1, 1980. However, older equipment in use after this date may still contain PCBs if the equipment fluid has not been replaced. PCB-containing equipment can also include fluorescent, mercury, and sodium vapour light ballasts.

Not Applicable.

Urea Formaldehyde Foam Insulation (UFFI):

UFFI was widely used as an insulating material until December 1980 when a ban was enacted under the Hazardous Products Act. UFFI was commonly injected through walls by drilling injection holes in roof structures, ceilings and overhangs.

Not Applicable.

Radon:

Radon gas is a product of the decay series of uranium that is commonly found in geological units that contain black shale, sandstone or granite. Radon can percolate up through the soil where it may accumulate in basement of buildings with cracks or joints in the foundation. Because the existence of radon is dependent upon geological factors, it is more a regional concern than site specific. Based on the review of radon maps of Eastern Ontario, radon levels in the area of the Site are moderate. Radon exposure can lead to increased risk of developing lung cancer.

Electric and Magnetic Fields:

Electromagnetic fields are generally associated with high frequency power lines. No high voltage power lines were noted within 250 m of the Site.

Noise and Vibration:

Noise and vibration are typical of an urban environment.

Methane:

Methane gas is a colourless and odourless gas commonly formed by the decomposition of organic material. The Site is not close to any active or closed waste disposal sites, marshes, swamps or peat deposits therefore methane is not a concern.

6 REVIEW AND EVALUATION OF INFORMATION

6.1 Current and Past Uses

Below is a summary of the current and past uses of 280 Eric Czapnik Way, Ottawa, Ontario:

Year	Name of Owner	Description of Property Use	Property Use	Source of Information
<1846	Crown	Unknown	Unknown	Land Title Search
1846 -1991	Various Individuals	Undeveloped	Agricultural fields or treed as of at least 1946 through approximately 1976.	Aerial photographs and Land Title Search
1991 - 2005	Richmond Glen Estates Ltd.	Undeveloped	Vacant	Aerial photographs and Land Title Search
2005 - 2007	Regional Municipality of Ottawa-Carleton	Undeveloped	Vacant	Aerial photographs and Land Title Search
2007 - 2011	City of Ottawa to OTCP Residential Lands G.P. Inc. / Forum Investment and Development Corporation	Undeveloped	Vacant	Aerial photographs and Land Title Search
2011 – February 2020	Hillside Vista Inc.	Undeveloped	Vacant	Aerial photographs and Land Title Search
February 2020 to Present	Landric Homes Inc.	Undeveloped	Vacant	Aerial photographs and Land Title Search

6.2 Potential Contaminating Activity & Areas of Potential Environmental Concern

A potentially contaminating activity is a use or activity set out in Table 2 of Schedule D of the O. Reg. 153/04. These activities are summarized in the Table included in **Appendix H**. The activities on the Site and lands within 250 m generally consist of residential, vacant and Highway 174 infrastructure with commercial land use in the distant southwest (retail/office space).

Based on the results of the Phase I Environmental Site Assessment the following areas of potential environmental concern were identified:

PEC	Location	Comments	Contaminants of Potential Concern	Media Potentially Impacted	Level of Risk
Fill of unknown quality	Across the majority of the Site.	Approximate area of 860 m ² . The quality of the fill material should be confirmed to permit for informative decisions on the appropriate handling and potential adverse effects to the site conditions as a result.	VOC, PHC, Metals	Soil	Moderate to High
Asphalt debris	Eastern portion of the Site.	Small quantities observed at the time of the Site visit within the granular crushed stone piles	PHC, VOC	Soil	Low
Spills	Highway 17 construction site in Cumberland Township.	145 L spill of hydraulic oil in September 1993 to the ground from paver equipment.	VOC, PHC	Soil and Groundwater	Low
	Highway 174 Westbound.	An unspecified amount of coolant was spilt to the Highway 174 westbound from as a result of malfunction with a City of Ottawa public transit vehicle.	Glycol	Soil and Groundwater	Low

 Notes:
 PEC – Potential Environmental Concern
 Risk levels:
 Low – Unlikely potential for environmental impacts

 VOC – Volatile Organic Compounds
 PHC – Petroleum Hydrocarbons
 Moderate – Some potential for environmental impacts

6.3 Phase I Conceptual Site Model

The location of the Site is shown in the attached **Figure 1** and the current layout of the Site is shown in the attached **Figure 2**. The Phase I ESA identified the following:

- The Site is situated at the eastern extents of the City of Ottawa limits, within the Orleans ward of the City, within a high-density residential setting. Commercial developments (retail/office space) is present at the southwestern extents of the search radius. The Site is currently undeveloped and has been since at least 1946. It is understood that a multi-unit residential development is proposed to be constructed on the Site.
- The Site is irregular shaped with an area of approximately 5,200 m² (0.52 hectare). The majority of the Site is covered by overgrown grasses and shrubs, excluding the eastern extent where granular crushed stone is present across the surface and is utilized as a staging/storage area for a neighbouring construction project.
- A large mound of fill is present across the majority of the property with an approximate area of 860 m² and an elevation of between approximately 10 to 15 m above grade. An approximately 235 m² of granular crushed stone with concrete and traces of asphalt is present at the eastern extent of the Site. Furthermore, traces of concrete are present along the south base of the large mound of fill.

- According to available aerial photographs reviewed as part of this assessment, the Site and surrounding properties are generally undeveloped, agricultural fields, treed and low density-residential between at least 1946 through 1960. Increased residential development on the neighbouring lands have been present since at least the mid 1970's.
- Records of six (6) potable supply wells were retrieved within 250 m of the Site. Each of which are drilled into the underlying bedrock formation. However, presently the neighbouring properties are service by municipal water, sanitary and storm sewer services. The Site is not serviced nor is there any indication of private services present.
- The topography of the Site is sloping north with elevations ranging between 60 and 70 m amsl. The mound of fill across the majority of the property accounts for an additional large incline the property. The Ottawa River located approximately 1.1 km north of the Site, however, the Petrie Island Wetland is located approximately 800 m to the north of the Site.
- No records of Certificates of Approval were found within a 250 m radius of the Site. However, the database service provider has included additional records, which, although cannot be confirmed as being within the 250 m search radius, have the potential of being within the search radius based on information included in the record. Fourteen additional records were retrieved and are identified as "unplottable" due to limited information available in the records, namely addresses. The "unplottable" records present low risk for environmental concerns as a result of the type of approval and processes issued (i.e. air emissions, municipal and private sanitary and water services).
- Nine (9) records were retrieved for Environmental Compliance Approval's within 250 m of the Site, and one (1) record was retrieved for within the "unplottable" records reviewed. No records were retrieved for the Site. The records retrieved for ECA's present low risk for environmental concerns as a result of the type of ECA and processes issued (i.e. municipal sanitary and water services).
- Two (2) records of spills within a 250 m radius of the Site, and three (3) "unplottable" records were retrieved. Generally, these occurrences present low risks for environmental concern to the Site due to their distances and the type of product released. However, the following "unplottable" records retrieved are of a slightly elevated risk for environmental concern, as the confirmed location of the incidents are not known:
 - A reported 145 L spill of hydraulic oil in September 1993 to the ground from paver equipment at a Highway 17 construction site in the Cumberland Township was identified. Highway 17 was renamed to Highway 174 upon completion of the expansion of the highway in 1997. Therefore, it is possible the identified hydraulic oil spill did occur on the highway situated 30 m north of the Site. The risk for environmental concern associated with the historical spill is low based on the inferred groundwater flow direction being north towards the Ottawa River, down-gradient of the Site, as well as the topographic features of the Site and surrounding lands. The Site is elevated in comparison to the highway; therefore it is unlikely residual from the spill would have migrating onto the Site; and
 - In 2007, an unspecified amount of coolant was spilt to the Highway 174 westbound as a result of malfunction with a City of Ottawa public transit vehicle (OC Transpo). Environmental impacts were listed as not being anticipated, and as previously mentioned, due to the inferred hydrogeological and topographic features of the area, the risk for potential environmental concern to the Site is considered to be low.
- One (1) record was retrieved of an abandoned mine. The Queenswood Village Quarry is listed as an abandoned mine as of 2003. The reason for the closure is unspecified,

however it is revealed that the quarry operated since at least 1989 as a limestone industry. Although the location of the quarry matches that of the Site (Lot 36, Concession 1, South of Ottawa River). Based on a review of available aerial photographs dating back to the mid-1940's, no visible evidence of a quarry was identified. Furthermore, the general area of the Site was developed significantly in the 1970's, when, according to the AMIS, the quarry was in operation. The risk associated with the former quarry operations is considered low.

- One (1) record for a registered waste generator was retrieved within 250 m of the Site. Place Beausejour, located at 340 Centrum Boulevard, approximately 110 m southwest of the Site, is registered as a generator of Oil Skimmings and Sludges in 2016. The risk for potential environmental concern to the Site is considered to be low due to the distance from the Site.
- Records of two (2) incidents were retrieved within a 250 m radius of the Site, both involving the release of natural gas. Natural gas is not considered a potential environmental concern, therefore the potential risk associated with the incidents is considered low.
- No records of a coal tar industrial site, pollutant release, environmental registry, or manufacturing facilities under the Scott's Manufacturing Directory within a 250 m radius of the Site. No records of active or closed waste disposal sites were retrieved within 1 km of the Site.

The potential environmental risks to the Site associated with properties within 250 m are considered low to moderate. The records of the petroleum and coolant spills along the Highway 17/174 present low risk for environmental concern due to the distance from the Site and hydrogeological and geological features of the general area. The existing pile of fill presents a moderate to high risk to the Site. The material appeared to consist primarily of till, with granular crushed stone and traces of concrete. The material has not been confirmed suitable for use on the Site or has the safe handling procedures for off-Site disposal been established. The small quantities of asphalt debris were encountered in granular crushed stone fill piles along the eastern foot of the fill mound. The risk associated with the asphalt debris is low, however asphalt is not considered suitable for use as fill and should be disposed of off-site at a licensed facility.

7 CONCLUSIONS

Based on the findings of the Phase I ESA, a Phase II ESA is not recommended. However, the following additional environmental work is recommended:

- The asphalt debris encountered in the granular crushed stone fill piles along the eastern foot of the fill mound should be removed from the Site and disposed of accordingly at a licenced facility. Although granular crushed stone is considered acceptable for use as fill material, asphalt is not permitted to be buried as fill material according to provincial regulations; and
- Representative confirmatory samples of the large fill mound across the majority of the Site should be collected and analysed in accordance with the applicable provincial regulations, Ontario Regulation 406/19: On-Site and Excess Soil Management, 2019 to confirm if the material is acceptable to be used on Site for fill, or how to handle and disposed of the material at an off-Site location accordingly, and safely.
 - The fill pile is approximately 860 m² in size and extends between approximately 10 and 15 m in height for an approximate volume of 12,450 m³. According to O. Reg. 406/19, a minimum of 56 soil samples are to be

collected from the fill pile at various locations, including various intervals into the mound, for the analysis of the parameters of the concern.

- Analytical results of the fill material will be compared to the O. Reg. 153/04:
 - Table 7: Generic SCS for Shallow Soils in a Non-Potable Ground Water Condition, residential land use and coarse-textured soils if the material is to be left on Site for future use as fill material;
 - Table 1: Full Depth Background SCS residential land use and coarsetextured soils if the material is to be disposed of off-Site at a property other than a waste disposal site or soil recycling facility; and
 - TCLP Schedule 4, O. Reg. 558, for off-Site disposal acceptance at a licenced waste disposal facility.
- Soils which do not comply with the representative SCS be disposed of accordingly.
 - No soils in excess of the Table 7 site condition standards will be permitted for use on Site; and
 - Once soils which are in excess of Table 7 are removed from the Site, the conditions of the ground surface underlying the fill mound will be verified through additional verification sampling.

8 LIMITATIONS AND USE OF REPORT

The results of this Phase I ESA should not be considered a warranty that the subject property is free from any and all contaminants from former and current practices, other than those noted in this report, nor that all compliance issues have been addressed.

The findings contained in this report are based on data and information collected during the Phase I ESA of the subject property conducted by LRL Associates Ltd. The conclusions and recommendations are based solely on-Site conditions encountered at the time of our inspection on May 8th, 2020, supplemented by historical information and data obtained as described in this report. No assurance is made regarding changes in conditions subsequent to the time of this investigation. If additional information is discovered or obtained, LRL Associates Ltd. should be requested to re-evaluate the conclusions presented in this report and to provide amendments as required.

In evaluating the subject property, LRL Associates Ltd. has relied in good faith on information provided by individuals as noted in this report. We assume that the information provided is factual and accurate. We accept no responsibility for any deficiencies, misstatements or inaccuracies contained in this report as a result of omissions, misinterpretation or fraudulent acts of the persons contacted.

This report is intended for the sole use of Landric Homes Inc. and their authorized agents. LRL Associates Ltd. will not be responsible for any use of the information contained within this report by any third party.

In addition, LRL Associates Ltd. will not be responsible for the real or perceived decrease in the property value, its saleability or ability to gain financing, through the reporting of factual information.

Yours truly, LRL Associates Ltd.

or la

Jessica Arthurs Environmental Technician

PROFESSIONAL ST LICENSED 100110298 Eng WANCE OF ON Matthew Whitney, P

W:\FILES 2020\200041\04 Environmental\01 PhaseIESA\04 Report\200041.Report.PhaseIESA.280EricCzapnikWayOttawa.LandricHomes.2020.06.04.docx
9 **REFERENCES**

Canadian Standards Association, Z768-01 Phase I Environmental Site Assessment, November 2001 (R2016).

City of Ottawa, Ottawa Maps, geoOttawa, http://maps.ottawa.ca/geoOttawa/.

Harrison J.E., 1980: Generalized bedrock geology, Ottawa-Hull, Ontario-Quebec; Geological Survey of Canada, Map 1508A, scale 1:125000.

Ministry of Environment and Energy, Coal Tar Site Investigations 1986 – 1995, January 1997.

Ministry of Environment, Environmental Protection Act, Ontario Regulation 511/09, Records of Site Condition-Part 15.1 of the Act, Parts 1-7

Ministry of the Environment, Guide for Completing Phase I Environmental Site Assessments Under Ontario Regulation 153/04, June 2011.

Ontario Well Records Map accessed though: <u>https://www.ontario.ca/environment-and-energy/map-well-records</u>

Ontario Regulation 153/04, amended to O. Reg. 269/11 made under the Environmental Protection Act, *Record of Site Conditions – Part X.1 of the Environmental Protection Act*, July 1, 2011.

Ontario Regulation 406/19, 2019, On-Site and Excess Soil Management, December 4, 2019.

St-Onge D.A., 2009: Surficial geology, lower Ottawa valley, Ontario-Quebec; Geological Survey of Canada, Map 2104A, scale 1:125000.

Waste Management Branch, Ontario Ministry of the Environment, Waste Disposal Site Inventory, June 1991.

FIGURES





APPENDIX A

CHAIN OF TITLE

CHAIN OF TITLE REPORT

•

.

Project #:	20200408040	Searched at:	Ottawa	
Address:	280 Eric Czapnik Way, Orleans	LRO #:	4	
Legai	Block 9, Plan 4M1542			Page 1
Description:		_		0
PIN #:	14508-0355(LT)	_		
INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
	Patent	26 10 1846	Crown	Canada Company
3674	Deed	03 07 1856	Canada Company	Theophile MULBEAUF
1037	Deed	07 11 1863	Theophile Mulbeauf	Horace TRAVERSE
10013	B Deed	24 03 1864	Horace Traverse	Henry THOMAS
612	Deed	20 11 1893	Henry Thomas	John FEATHERSTON
697	Deed	12 05 1894	John Featherston	John THOMPKINS
767	Deed	26 10 1894	John Thompkins	Joseph PAPINEAU
1346	Deed	29 05 1896	Joseph Papineau	Seidore ST. JACQUES
1347	Z Deed	29 05 1896	Seidore St. Jacques	William DUNLOP

Cont'd on page 2

CHAIN OF TITLE REPORT

.

Project #:	20200408040	Searched at:	Ottawa	
Address: Legal Description:	280 Eric Czapnik Way, Orleans Block 9, Plan 4M1542	LRO #:	4	Page 2
PIN #:	14508-0355(LT)	_		
INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
18057	Deed	02 07 1946	William Dunlop - estate	Eugene BRISEBOIS & Felicita BRISEBOIS
64812	Deed	01 03 1979	Felicita Brisebois (surviving joint tenant)	Aristide GRENIER
71785	Deed	25 08 1980	Aristide Grenier	Jean-Marie GRENIER & Emilie GRENIER
83874	Deed	17 06 1983	Jean-Marie Grenier Emilie Grenier	Gerard ROBERT & Gilberte ROBERT
97661	Deed	22 10 1988	Gerard Robert & Gilberte Robert	Richmond Glen Estates Ltd.
120361	Deed	15 03 1989	Richmond Glen Estates Ltd.	785606 Ontario Inc.
120362	Deed	15 03 1989	785606 Ontario Inc.	Richmond Glen Estates Ltd.
125138	Mortgage	06 11 1989	Richmond Glen Estates Ltd.	Confederation Trust Company (Mortgagee)
RR136810	Deed	27 08 1991 (Richmond Gl	Confederation Trust Company en Estates Ltd defaulted in 125138)	Regional Municipality of Ottawa-Carleton

Cont'd on page 3

CHAIN OF TITLE REPORT

Project #: 20200408040			Searched at:	Ottawa	
Address: Legal	280 Eric Czap Block 9, Plan	onik Way, Orleans 4M1542	LRO #: 	4	Page 3
PIN #:	14508-0355(L	T)	-		
INSTR #		DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
OC500807	,	Name Change	19 08 2005	Regional Municipality of Ottawa- Carleton	City of Ottawa
OC591803	3	Easement	15 05 2006	City of Ottawa	Hydro One Networks Inc.
OC713787	7	Deed	01 05 2007	City of Ottawa	OTCP Residential Lands G.P. Inc.
OC1306219	9	Name Change	16 11 2011	OTCP Residential Lands G.P. Inc.	Forum Investment and Development Corporation
OC1306294	4	Deed	16 11 2011	Forum Investment and Development Corporation	Hillside Vista Inc.
OC172293 ²	1	Easement	15 03 1989	Hillside Vista Inc.	City of Ottawa
OC172360	9	Easement	21 09 2015	Hillside Vista Inc.	Rogers Communications Inc.
OC172361	0	Easement	21 09 2015	Hillside Vista Inc.	Bell Canada
OC182833	3	Easement	20 09 2016	Hillside Vista Inc.	Enbridge Gas Distribution Inc.
OC219637	0	Deed (Present Owner)	27 02 2020	Hillside Vista Inc.	Landric Homes Inc.

PROPERTY DE: PROPERTY DE: PROPERTY REI ESTATE/OUAL FEE SIMPLE ABSOLUTE OWNERS' NAMI	Ontario	ServiceOr BLOCK 9, PLAN 4M15 EASEMENT AS IN OCT	LAND REGIS OFFIC • CEF 42; SUBJECT TO AN E 723609; SUBJECT TO <u>RECENTLY:</u> SUBDIVISION CAPACITY S	PARCEL REGISTER (ABBREVIATED) FOR PROPER TRY E #4 TIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT ASEMENT AS IN OC591803; SUBJECT TO AN EASEMENT IN GROSS AN EASEMENT AS IN OC1723610; SUBJECT TO AN EASEMENT AS I FROM 14508-0346 HABE	TY IDENTIFIER PAGE 1 OF 4 PREPARED FOR bertuccil ON 2020/04/30 AT 11:01:32 TO RESERVATIONS IN CROWN GRANT * OVER PART 2 PLAN 4R-28903 AS IN OC1722931; SUBJECT TO AN IN OC1828333; CITY OF OTTAWA <u>PIN CREATION DATE:</u> 2015/08/13	
LANDRIC HOME	INC.		ROWN			CERT/
REG. NUM.	DATE	INSTRUMENT TIPE	AMOUNT	PARTIES FROM	PARTIES TO	CHKD
** PRINTOUT	INCLUDES AL	L DOCUMENT TYPES AND	DELETED INSTRUMENT	\$ SINCE 2015/08/13 **		
0C591803	2006/05/15	TRANSFER EASEMENT	\$1	CITY OF OTTAWA	HYDRO ONE NETWORKS INC.	c
0C713705 RE	2007/05/01 Marks: By-lau	BYLAW No. 2007-199		CITY OF OTTAWA		c
OC713798	2007/05/01	NOTICE		*** DELETED AGAINST THIS PROPERTY *** OTCP RESIDENTIAL LANDS G.P. INC.	CITY OF OTTAWA	
OC713816	2007/05/01	NO OPTION PURCHASE		OTCP RESIDENTIAL LANDS G.P. INC.	CITY OF OTTAWA	c
0C1306295 <i>RE</i>	2011/11/16 MARKS: OC713	NOTICE		HILLSIDE VISTA INC.	HILLSIDE VISTA INC.	с
OC1306296	2011/11/16	NOTICE		••• DELETED AGAINST THIS PROPERTY ••• HILLSIDE VISTA INC.	HILLSIDE VISTA INC.	
RE	MARKS: OC713	198				
OC1306297	2011/11/16	CHARGE		*** DELETED AGAINST THIS PROPERTY *** HILLSIDE VISTA INC.	LAURENTIAN BANK OF CANADA	
OC1697319	2015/07/03	CHARGE		*** DELETED AGAINST THIS PROPERTY *** HILLSIDE VISTA INC.	JOR-DAN MANAGEMENT INC.	
0C1697320	2015/07/03	NO ASSGN RENT GEN		*** DELETED AGAINST THIS PROPERTY *** HILLSIDE VISTA INC.	JOR-DAN MANAGEMENT INC.	
RE	MARKS: OC169	7319				
4M1542	2015/08/06	PLAN SUBDIVISION				с
0C1709106	2015/08/06	NO SUB AGREEMENT		CITY OF OTTAWA	HILLSIDE VISTA INC.	c
OC1709107	2015/08/06	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY ***		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY. NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER



PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER

PAGE 2 OF 4 PREPARED FOR bertuccil ON 2020/04/30 AT 11:01:32

REGISTRY OFFICE **#**4

LAND

14508-0355 (LT)

۰	CERTIFIED	IN	ACCORDANCE	WITH	THE	LAND	TITLES	ACT	٠	SUBJECT	то	RESERVATIONS	IN	CROWN	GRANT	1
---	-----------	----	------------	------	-----	------	--------	-----	---	---------	----	--------------	----	-------	-------	---

REG. NUM.	DATE	INSTRUMENT TYPE	Amount	PARTIES FROM	PARTIES TO	CERT/ CHKD
	MARKS: OC1306	297 TO OC1709106		LAURENTIAN BANK OF CANADA	CITY OF OTTAWA	
OC1709108	2015/08/06	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY *** JOR-DAN MANAGEMENT INC.	CITY OF OTTAWA	
RE	MARKS: OC169,	319 10 001/09106				
0C1709109	2015/08/06	NOTICE	\$1	CITY OF OTTAWA	HILLSIDE VISTA INC.	с
OC1709110	2015/08/06	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY *** LAURENTIAN BANK OF CANADA	CITY OF OTTAWA	
RE	MARKS: OC1306	297 TO OC1709109				
0C1709111	2015/08/06	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY *** JOR-DAN MANAGEMENT INC.	CITY OF OTTAWA	
RE	MARKS: OC1697	319 TO OC1709109				
OC1709112	2015/08/06	APL INH ORDER-LAND		*** DELETED AGAINST THIS PROPERTY *** CITY OF OTTAWA		
RE	MARKS: SEE DO	CUMENT FOR COMPLIANC	E REQUIREMENTS.			
4R28903	2015/08/06	PLAN REFERENCE				с
0C1722929	2015/09/18	DISCHARGE INTEREST		CITY OF OTTAWA		
RE	MARKS: 0C7137	95.				
0C1722931	2015/09/18	TRANSFER EASEMENT	\$1	HILLSIDE VISTA INC.	CITY OF OTTAWA	с
0C1722932	2015/09/18	POSTPONEMENT		··· COMPLETELY DELETED ··· LAURENTIAN BANK OF CANADA	CITY OF OTTAWA	
RE.	MARKS: OC1306	297 TO OC1722931 DEI	eted by court boyle	2020/01/29		
0C1722933	2015/09/18	POSTPONEMENT		*** COMPLETELY DELETED *** JOR-DAN MANAGEMENT INC.	CITY OF OTTAWA	
REMARKS: OC1697319 TO CC1722931 DELETED BY COURT BOYL				2020/01/29		
0C1723609	2015/09/21	TRANSFER EASEMENT	\$1	HILLSIDE VISTA INC.	ROGERS COMMUNICATIONS INC.	с
0C1723610	2015/09/21	TRANSFER EASEMENT	\$1	HILLSIDE VISTA INC.	BELL CANADA	с
0C1723635	2015/09/21	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY *** LAURENTIAN BANK OF CANADA	ROGERS COMMUNICATIONS INC.	

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY. NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



LAND REGISTRY OFFICE #4

PAGE 3 OF 4 PREPARED FOR bertuccil ON 2020/04/30 AT 11:01:32

OFFICE #4 14508-0355 (LT) * CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
RE	MARKS: OC130	6297 TO OC1723609				
0C1723636	2015/09/21	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY ***	POGERS COMMUNICATIONS INC.	
RE	MARKS: OC169	7319 TO OC1723609				
OC1723637	2015/09/21	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY ***	RELL CANADA	
RE	MARKS: OC130	6297 TO OC1723610				
0C1723638	2015/09/21	POSTPONEMENT		*** DELETED AGAINST THIS PROPERTY ***		
RE	MARKS: OC169	319 TO OC1723610		OUR-DRIN PRANAGEMENT INC.	DETE CHINDH	
0C1725058	2015/09/25	APL DEL INH ORDER		*** COMPLETELY DELETED ***		
RE	MARKS: OC170	9112.				
OC1765787	2016/02/22	NOTICE		*** COMPLETELY DELETED *** HILLSIDE VISTA INC.	LAURENTIAN BANK OF CANADA	
RE	MARKS: OC1306	297				
OC1828333	2016/09/20	TRANSFER EASEMENT	\$2	HILLSIDE VISTA INC.	ENBRIDGE GAS DISTRIBUTION INC.	c
OC1828347	2016/09/20	POSTPONEMENT		*** COMPLETELY DELETED *** LAURENTIAN BANK OF CANADA	ENERIDGE GAS DISTRIBUTION INC	
RE	MARKS: OC1306	297 TO OC1828333				
OC1828348	2016/09/20	POSTPONEMENT		*** COMPLETELY DELETED *** JOR-DAN MANAGEMENT INC.	ENBRIDGE GAS DISTRIBUTION INC	
RE	MARKS: OC1697	319 TO OC1828333				
OC1868477	2017/02/17	CHARGE		*** DELETED AGAINST THIS PROPERTY *** HILLSIDE VISTA INC.	LAURENTIAN BANK OF CANADA	
OC1868489	2017/02/17	CHARGE		*** DELETED AGAINST THIS PROPERTY *** HILLSIDE VISTA INC.	JOR-DAN MANAGEMENT INC.	
OC1870846	2017/02/28	DISCH OF CHARGE		*** COMPLETELY DELETED ***		
		207		LAURENTIAN BANK OF CANADA		
RE	MARKS: UCIJUE	297.				
OC1870931	2017/03/01	DISCH OF CHARGE		*** COMPLETELY DELETED ***		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY. NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



FARCEL

PARCEL REGISTER (ABBREVIATED) FOR PROPERTY IDENTIFIER

PAGE 4 OF 4 PREPARED FOR bertuccil ON 2020/04/30 AT 11:01:32

REGISTRY OFFICE #4

LAND

14508-0355 (LT)

· CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT · SUBJECT TO RESERVATIONS IN CROWN GRANT ·

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
RE	MARKS: OC1697	319.		JOR-DAN MANAGEMENT INC.		
0C1985073	2018/04/11	TRANSFER OF CHARGE		*** DELETED AGAINST THIS PROPERTY *** JOR-DAN MANAGEMENT INC.	J.S.M. LTD	
RE	MARKS: OC1868	489.				
OC2156477	2019/10/22	NOTICE	\$1	CITY OF OTTAWA	HILLSIDE VISTA INC.	c
OC2196345	2020/02/27	DISCH OF CHARGE		J.S.M. LTD		
RE	MARKS: OC1868	489.				
OC2196370 RE	2020/02/27 MARKS: PLANNI	TRANSFER NG ACT STATEMENTS.	\$1,500,000	HILLSIDE VISTA INC.	LANDRIC HOMES INC.	с
OC2199893	2020/03/11	DISCH OF CHARGE		*** COMPLETELY DELETED *** LAURENTIAN BANK OF CANADA		
RE	MARKS: OC186	477.				



ServiceOntario

PRINTED ON 30 APR, 2020 AT 11:05:33 FOR BERTUCCI1



PROPERTY INDEX MAP OTTAWA-CARLETON(No. 04)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	<u> </u>
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED

Ontario

APPENDIX B

ONTARIO WELL RECORDS

UTM $1/18$ z 41610161210 E 151^{R} 5101316161010^{R} The Ontario Water Reso Eleve 7^{R} 121215 WATER WER Pusin 215 USATER WER County or District Russell O.F. Con I Ret 35 T Con 1st from Ottawa Front Lot 35	ources LL Fownsh Date co	$\frac{15131}{\text{Commission}}$ REC 3 <i>i</i> G hip, Village, T completed 1	93. Act ORDES 5h own or City. 7 (day	DEC 3 100 ONTARIO WATEL OURCES COMMIS Cumbert October 1 month	SION 963 year)
		·····/4 .00	• Muure. U	Uterway VIII.	2
Casing and Screen Record	1		Pumpi	ng Test	्रम
Inside diameter of casing 5 5 /8	Sta	tic level	l	0!	
Total length of casing 18'	Tes	t-pumping ra	1te	2	G.P.M.
Type of screen	Pur	nping level		25'	
Length of screen	Du	ration of test j	oumping	2 hrs.	
Depth to top of screen	Wa	ter clear or cl	oudy at end o	f test clea	r
Diameter of finished hole 5 5/8	Red	commended p	oumping rate	6	G.P.M.
	wit	h pump settir	ug of		w ground surface
Well Log			1	Water	Record
Overburden and Bedrock Record		From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
bolders and broken roc	:k	0	14	62	<u><u><u></u></u></u>
For what $\hat{p}_{urnose}(s)$ is the water to be used?			Location	of Well	
Is well on upland, in valley, or on hillside? Drilling or Boring Firm G. Charbonneau, Diamond & Cable Drilling Address R.R. #1. Box 194. Orleans. Ont.		In diagram road and	n below shov lot line. In	v distances of wel dicate north by	l from arrow. Maath
	10			SHACK BADA	er filler en sol
Licence Number	6	EAN	· · · ·	**************************************	and the second
Name of Driller or Borer G. Charbonneau	E I	OR	8 MILE		
Address R.R.# 1, Box 194, Orleans, Ont.		d		20	
Date Octoper 11, 1905			OLL	7 17 .	
Town 7 15M 60 4190					
rorm / 15M-60-4138					
OWRC COPY		North State State		فالمدرية لية	

) w	The Ontario	Water Reso WEL	urces Comr	nission Act	5/G,	15/4	C/A
later management in	Ontario 1. PRINT ONLY IN SPA		11	56012	55 9 1561901	3 DE		
	2. CHECK & CORRECT	TOWNSHIP, BOROUGH, CI	1 2 ITY, TOWN, VILLAGE		CON., BLOCK, TRACT, SUI	EVEY, ETC.	9.5	25 25
A se win	1 usel	S S				DATE COMPLETE	D 48-53	
			, Urleans,	ELEVATION				YR.
<u> </u>		01316						
	MOST	OF OVERBURDER			GENERAL DESCRIPTION		DEPTH - FE	EET
blue	COMMON MATERIAL						FROM D 10	<u>10</u> 00
VIUG	ciaj	ocerce gravel	& bolders				100 14	18
grev	limestone	CONTRE SLAVET	a borders		1513198		148 19	58
5× 0 y		······			3 9			
			1 1 4 1 1					
31) QAAC	1395111 0748	1/1/13 1 GAS	ī8tænst 1 1 1					
	R RECORD	51 CASING &			Z SIZE (S) OF OPENING (SLOT NO.)	65 31-33 DIAMETER	34-38 LENGT	75 ГН
WATER FOUND AT - FEET	KIND OF WATER	INSIDE DIAM. MATERIAL	WALL THICKNESS		W MATERIAL AND TYPE	DEPT	INCHES	41-
1581° 1	$\begin{array}{c c} RESH & 3 \\ \hline SULPHUR \\ \hline SALTY & 4 \\ \hline MINERAL \\ \hline \end{array}$	10-11 1 🖸 STEEL	12	13-16	sci	OF	SCREEN	FEET
15-18 1	FRESH 3 SULPHUR	2 GALVANIZED 3 CONCRETE 4 OPEN HOLE	510 0	D 0150	61 PLUGGING	& SEALIN	IG REC	OR
20-23 1		17-18 1 📄 STEEL 2 🗋 GALVANIZED	19	20-23	DEPTH SET AT - FEET FROM TO	MATERIAL AND TYPE	(CEMENT LEAD PACKI	GRO ER, E
25-28 1	FRESH 3 SULPHUR 29		26	0158	18-21 22-25			
2 30-33] SALTY 4 _ MINERAL] FRESH 3 _ SULPHUR ³⁴ ⁶⁰	2 GALVANIZED			26-29 30-33 80	1		
2								
			5-16 00 17-18 IOURS 00 MINS.					
STATIC LEVEL	WATER LEVEL 25 WATER END OF PUMPING	LEVELS DURING	PUMPING RECOVERY	LOT	LINE. INDICATE NORTH BY AR	ROW.		
025 ⁺⁵⁻²¹	04022-24 325-28 040 15 MINUTES 26-28 070	30 MINUTES 45 MINUT 29-31	ES 60 MINUTES 32-34 35-37				1tt	T
D FEET	38-41 PUMP INTAKE SE	T AT WATER AT EN	FEET CF FEET				INAL	-
RECOMMENDED PUN	GPM. 5	O FEET CLEA 43-45 RECOMMENDE	AR 2 CLOUDY D 46-49		l		X	
Shallow		O FEET RATE	20 6 gpm.	1.735	٠ ()	1 741	,	
	54 GPM. /FT. SPECIFI				1 205 - 10	~o* >/		
FINAL STATUS	2 D OBSERVATION WELL 3 D TEST HOLE	 → □ ABANDONED, INS 6 □ ABANDONED, PO 7 □ UNFINISHED 	OR QUALITY			and the second		74-cu
OF WELL	4 RECHARGE WELL						ورو مؤاف ایک وی کو اور در اور اور و	
WATER USE ()		6 MUNICIPAL 7 PUBLIC SUPPLY 8 COOLING OR AIR CO 9 No	NDITIONING OT USED			,		
METHOD OF DRILLING	57 1 CABLE TOOL 2 ROTARY (CONVENTI) 3 ROTARY (REVERSE) 4 ROTARY (AIR) 5 AIR PERCUSSION	6 BORING ONAL) 7 DIAMONI 8 JETTING 9 DRIVING	D	DRILLERS REMAR	кs:			
ADDRESS	contractor	& Cable Drilli	LICENCE NUMBER	DATA SOURCE DATE OF INSPE	58 CONTRACTOR 59 1504 ECTION INSPECTOR	52 DATE RECEIVED 300	770	63
<u>م</u> ک	R. 1. Box 194, () rleans, Ont. 			1	100	· V	
MAME OF DRILE	R UR BUREN		LICENCE NUMBER					
Z NAME OF DRILLE Z <u>G. Ch</u> SIGNATURE OF C	arbonneau	SUBMISSION DATE	3395					

	MINISTRY OF TH The Ontario Wa	HE ENVIRONMENT		21654
W w	ATER WE	LL REC	CORD	JIGJFI
Ontario 1. PRINT ONLY IN 2. CHECK S CORR	SPACES PROVIDED) 1516402		· · · · · · · · · · · · ·
COUNTY OR DISTRICT	TOWNSHIP, BOROUGH, CITY, TOWN, VILLA Cumberland	GE CO	10. 14 15 N., BLOCK, TRACT, SURVEY, ETC. 0. F/ 10	5 D26
	R 2, Orlean	s. Ont.	DATE COMPI	.ETED 48-53
	036499		BASIN CODE	
LC	DG OF OVERBURDEN AND BED	DROCK MATERIALS (SEE	INSTRUCTIONS)	47
GENERAL COLOUR COMMON MATERIAL	OTHER MATERIALS	GENE	RAL DESCRIPTION	DEPTH - FEET FROM TO
yellow clay				0 17
grey limestone				17 45
BICY LIMESUONE				45 125
,				
	· · · · · · · · · · · · · · · · · · ·			
(3) <u>0017505</u> 0045	219 0125215			
$\begin{array}{c c} 32 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ $			54 65 (S) OF OPENING 31-33 DIAMETER	75 80
WATER FOUND AT - FEET KIND OF WATER	INSIDE MATERIAL WALL			INCHES FEET
0125 2 SALTY 4 MINERAL	10-11 1 [7-5TEEL 19-12 67-27] GALVANIZED 188	0 (2213-16		FSCREEN FEET
15-18 1 _ FRESH 3 _ SULPHUR ¹⁹ 2 _ SALTY 4 _ MINERAL	06 CONCRETE	61	PLUGGING & SEALI	NG RECORD
20-23 1 _ FRESH 3 _ SULPHUR 24 2 _ SALTY 4 _ MINERAL	17-18 1 STEEL 19; 2 GALVANIZED 3 CONCRETE	20-23 DEPTH FROM	SET AT - FEET MATERIAL AND T	YPE (CEMENT GROUT LEAD PACKER, ETC.)
25-28 I [] FRESH 3 [] SULPHUR 29 2 [] SALTY 4 [] MINERAL	4 [] OPEN HOLE 24-25 1 [] STEEL 26	27-30	B-21 22-25	
30-33 1 🗌 FRESH 3 🗍 SULPHUR 3440 2 🗋 SALTY 4 🗍 MINERAL	3 CONCRETE 4 COPEN HOLE	26	-29 30-33 80	
71 PUMPING TEST METHOD IO PUMPING RATE	11-14 DURATION OF PUMPING		OCATION OF WELL	n an
STATIC WATER LEVEL '25 LEVEL END OF WATER LEV	GPM HOURS WIN	IN DIAGRAM BELC	OW SHOW DISTANCES OF WELL FR	OM ROAD AND
19-21 22-24 15 MINUTES	2 TRECOVERY 30 MINUTES 45 MINUTES 60 MINUTES 30 MINUTES 50 MINUTES 30 MINUTES 30 MINUTES 50 MINUTES 30 MINU	37	135	×1
FEET FEET FEET 1F FLOWING, GIVE RATE 38-41 PUMP INTAKE SET	FEET FEET FEET FEET FEET FEET FEET FEET	2	101-1	х У
RECOMMENDED PUMP TYPE RECOMMENDED	FEET 1 DELEAR 2 CLOUDY	9		\mathbf{A}
So-53 GPM./FT. SPECI	FIC CAPACITY	. D		
FINAL SA WATER SUPPLY	5 🗌 ABANDONED, INSUFFICIENT SUPPLY		4443	, 4
STATUS OF WELL A RECHARGE WELL	6 ABANDONED, POOR QUALITY 7 UNFINISHED			Revelop Control of the
1 DA BOMESTIC	5 COMMERCIAL 6 MUNICIPAL	- / *	400 Frit.	1.00
	7 D PUBLIC SUPPLY 8 D COOLING OR AIR CONDITIONING	3		4/1.
57 CABLE TOOL				11C
OF OF OF OF OF OF OF OF OF OF	NAL) 7 🗍 DIAMOND 8 🗍 JETTING		standard and standard	
DRILLING / S AIR PERCUSSION	9 🔲 DRIVING	DRILLERS REMARKS	5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
NAME OF WELL CONTRACTOR	Licence NUMBER	DATA 58 CC	DNTRACTOR 59-62 DATE RECEIVED	270 63-68 80
ADDRESS	eang Ont K10 1m1	DATE OF INSPECTION	9 INSPECTAR N'N	
NAME OF DRILLER OR BORER	LICENCE NUMBER	B REMARKS	Lunsalow	P
Signature of contracter Bourged	コート SUBMISSION DATE	chey		WI
MINISTRY OF THE ENVIRONME				FORM 7 MOE 07-091

UTAX 1/8 z 4416 0161210 E 15 R 510/346161010He Ontario Water Reso Elev. $\frac{17}{R}$ 012101 WATER WEL County or District Definition Orf. Con That 35 T Con. 1st. Non Ottawa B Lot 35	2 2 2 2 2 2 2 2 2 2 2 2 2 2	Act ORD 31G-56 Town or City 22 August 0rléans,	UMD A DIV 56 Nº ONTARIO FISOURCES fumber 1967. Ont.	342 8 1957 9 WATER COMMISSION 1 and year)
Casing and Screen Record		Pumpii	ng Test	
Inside diameter of casing	Static level	40'	Γ	
Total length of casing	Test-pumping r	ate		G.P.M.
Type of screen	Pumping level	100'		
Length of screen	Duration of test	pumping	3 hrs.	
Depth to top of screen	Water clear or c	loudy at end o	f test clear	
Diameter of finished hole 5"	Recommended	pumping rate	6	G.P.M.
	with pump setti	ng of 100	feet belo	w ground surface
Well Log			Water	r Record
Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
loose rock & clay	o	4	181	fresh
For what purpose(s) is the water to be used? domestic		Location	of Well	
For what purpose(s) is the water to be used: Is well on upland, in valley, or on hillside? Upland Drilling or Boring Firm G. Charbonneau, Diamond & Cable Drilling, Address R.R. 1, Box 194, Orleans, Ont. Licence Number 2593 Name of Driller or Borer George Leary Address Carleton Blace, Ont.	In diagra road and	um below show l lot line. In	v distances of we dicate north by	Il from arrow. Marth 7
Date 22 August, 1964 Jeran Charten (Signature of Licensed Drilling or Boring Contractor) Form 7 15M-60-4138 OWRCCOPY			XT 207.35 207.58.58	Lot 34

C7	250		WATER RESOUR	CES C
UTM 118 z 416 016 410 E	115131	85 i	DIVISION	808
5 R 5 0 3 6 5 2 9 N Ortania Water Bar			MAA J & PA	X
			ONTARIO WATE	RSION -
WAIER WEL	L KEU	UNU		and a second and a second s
Casing of Astrict Ransoll O.F. Cont Rot 35 T	ownship, Village, T	Fown or City	Twp. of Crunt	erland
Con. Con. Stawa Hiller	ate completed	April 30	1965 month	year)
	dress	RR #1, Or	leans, Ont.	
Casing and Screen Record		Pumpin	g Test	
Inside diameter of casing 54	Static level	301	1	
Total length of casing 53 ¹	Test-pumping r	ate 18		G.P.M.
Type of screen	Pumping level	50'		
Length of screen	Duration of test	pumping	3 hrs.	••••••
Depth to top of screen	Water clear or cl	oudy at end of	test C1	ear
Diameter of finished hole 54	Recommended]	pumping rate	6	G.P.M.
	with pump settir	ng of 70	feet belo	w ground surface
Well Log		1	Wate	r Record
Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
Broken stone and clay Grev limestone	0	4	100	
	·····	100	100	fresn
For what purpose(s) is the water to be used?	1	Location	of Well	·
Domesticm	In diagram	n below show	distances of wel	l from
Is well on upland, in valley, or on hillside? Upland	road and	lot line. Ind	icate north by	arrow.
Drilling or Boring Firm G. Charbonneau				Mac
Diamond & Cable Drilling				
Address RR #1, Box 194, Orleans, Ont.	\uparrow			
	8/<	Hoofert	<u> </u>	
Licence Number 1331			1	
Name of Driller or Borer. Bruck Stacey				
Address RR #1, Jasper, Ont.				\backslash
Date April 39, 1965.				
(Signature of Licensed Drilling or Boring Contractor)				LOT34
Form 7 15M-60-4138				The second
			× 8.33	
		. <u> </u>		

MG. UTM $ 1 8 ^2 4+6 0 6 8 0 ^E$ $ 5 ^R 5 0 3 6 5 5 5 9 ^R$ Ontario Water Reso Elev. $ 7 ^R 6 2 4 0 $ WATER WEI Basin $ 2 6 1 Ruesell O.F. Con I Cot 35$ Con. Lot 055 Lot 35 I	ources Commission L REC Fownship, Village, T Date completed	3194 Act T ORD $31G-5h$ own or City $1 October$	WATER DIN 56 JAN ONTAR RESOURCES Cumberland	RESOURCES VISION 191965 IO WATER COMMUSION
	ressR.R#		Ont.	·
Casing and Screen Record		Pumping	g Test	
Inside diameter of casing 5 5/8 Total length of casing 54' Type of screen Length of screen	Static level Test-pumping ra Pumping level Duration of test Water clear or cl	30 ¹ ate 6 80 pumping oudy at end of	4 hrs. test clear	G.P.M.
Depth to top of screen	Recommended	pumping rate	6	G.P.M.
Diameter of finished hole	with pump settin	ng of) feet belo	w ground surface
Well Log			Water	r Record
Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
grey limestone		176	176'	fresh
For what purpose(s) is the water to be used? domestic		Location	of Well	
Is well on upland, in valley, or on hillside? hillside Drilling or Boring Firm G. Charbonneau, Diamond & Cable Drilling, Address R.R. # 1, Box 194, Orleans, Ont.	In diagra	I lot line. Inc.	distances of we dicate north by <u>AVS CANA</u>	Arrow. 7147
Licence Number 1418 Name of Driller or Borer Bruce Stacey Address R.R. # 4, Jasper, Ont.	•	<u>_</u>		
Date 1st October, 1964. Junual Cherbonneum (Signature of Licensed Drilling or Boring Contractor) Form 7, 15M 60-4138		охі 1	X	
OWRC COPY			055.58	ć

APPENDIX C

ECOLOG ERIS REPORT



Project Property:

Project No: Report Type: Order No: Requested by: Date Completed: 200041 - Landric Homes 280 Eric Czapnik Way Orléans ON K1E 3X8 200041 Standard Report 20200408040 LRL Associates Ltd. April 13, 2020

Environmental Risk Information Services A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com



Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	4
Executive Summary: Site Report Summary - Project Property	6
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	10
Мар	14
Aerial	15
Topographic Map	16
Detail Report	17
Unplottable Summary	42
Unplottable Report	45
Appendix: Database Descriptions	84
Definitions	93

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property:200041 - Landric Homes280 Eric Czapnik WayOrléans ON K1E 3X8

200041

184 FT 56.08 M

Coordinates:

Project No:

Latitude:	45.4841138
Longitude:	-75.5058169
UTM Northing:	5,036,856.02
UTM Easting:	460,471.04
UTM Zone:	18T

Elevation:

Order Information:

Order No:	
Date Requested:	
Requested by:	
Report Type:	

20200408040 April 8, 2020 LRL Associates Ltd. Standard Report

Historical/Products:

Aerial Photographs City Directory Search Insurance Products Land Title Search Topographic Map Aerials - National Collection CD - Subject Site plus 250m Radius Fire Insurance Maps/Inspection Reports/Site Plans Historical Land Title Search ANSI Map & Ontario Base Map (OBM)

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	1	1
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	3	3
СА	Certificates of Approval	Y	0	0	0
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	9	9
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	6	6
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FED TANKS	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	1	1
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	2	2

Database	Name	Searched	Project Property	Within 0.25 km	Total
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	2	2
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	5	5
		Total:	0	29	29

Executive Summary: Site Report Summary - Project Property

Мар	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff	Page
Key					(m)	Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>1</u>	EHS		3259 St Joseph Blvd Orléans ON K1C 1T1	SSW/50.9	6.08	<u>17</u>
<u>2</u>	EHS		241 Centrum Blvd Ottawa ON	E/116.6	3.39	<u>17</u>
<u>2</u>	EHS		241 Centrum Blvd Ottawa ON K1E0A1	E/116.6	3.39	<u>17</u>
<u>2</u>	ECA	Hillside Vista Inc. c/o DCR Phoenix Development Corp Ltd.	241 Centrum Blvd Ottawa ON K2E 6T8	E/116.6	3.39	<u>17</u>
<u>2</u>	ECA	DCR/Phoenix Development Corporation Limited	241 Centrum Blvd Ottawa ON K2E 6T8	E/116.6	3.39	<u>18</u>
<u>2</u>	ECA	Hillside Vista Inc. c/o DCR Phoenix Development Corp Ltd.	241 Centrum Blvd Ottawa ON K2E 6T8	E/116.6	3.39	<u>18</u>
<u>3</u>	ECA	DCR/Phoenix Development Corporation Limited	Silo St (241 Centrum Boulevard) Ottawa ON K2E 6T8	E/124.7	0.84	<u>18</u>
<u>4</u>	EHS		Queensway, 10th Line, Centrum Blvd, Place D'Orleans Dr Ottawa ON	ESE/130.4	7.86	<u>18</u>
<u>5</u>	BORE		ON	SE/139.0	14.42	<u>19</u>
<u>6</u>	EHS		St. Joseph Blvd Ottawa ON	SSE/140.5	16.73	<u>20</u>
Z	EHS		Hillside Vista Ottawa ON	E/168.3	4.81	<u>20</u>
<u>8</u>	BORE		ON	E/182.9	12.15	<u>20</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>9</u>	WWIS		lot 35 con 1 ON <i>Well ID:</i> 1513193	E/182.9	12.15	<u>21</u>
<u>10</u>	AMIS	QUEENSWOOD VILLAGE Q	CUMBERLAND ON	WSW/196.0	3.06	<u>24</u>
<u>11</u>	BORE		ON	ESE/202.8	18.79	<u>24</u>
<u>12</u>	WWIS		lot 35 con 1 ON <i>Well ID:</i> 1513198	ESE/202.9	18.79	<u>26</u>
<u>13</u>	ECA	1534436 Ontario Limited	Ottawa ON K2E 6T8	E/205.6	3.34	<u>29</u>
<u>13</u>	ECA	1534436 Ontario Limited	Ottawa ON K2E 6T8	E/205.6	3.34	<u>29</u>
<u>14</u>	WWIS		lot 35 con 1 ON <i>Well ID:</i> 1516402	ESE/208.4	21.75	<u>29</u>
<u>15</u>	ECA	OTCP Arts Centre G.P. Inc.	Commercial Dr , Reference Plan 4R-21938 Ottawa ON M5J 2N7	WSW/211.4	1.79	<u>32</u>
<u>15</u>	ECA	OTCP Arts Centre G.P. Inc.	Commercial Dr , Reference Plan 4R-21938 Ottawa ON M5J 2N7	WSW/211.4	1.79	<u>32</u>
<u>15</u>	ECA	OTCP Arts Centre G.P. Inc.	Commercial Dr , Reference Plan 4R-21938 Ottawa ON M5J 2N7	WSW/211.4	1.79	<u>33</u>
<u>16</u>	INC		303 PINTAIL TERRACE, OTTAWA ON	WNW/213.0	3.54	<u>33</u>
<u>17</u>	WWIS		lot 35 con 1 ON <i>Well ID</i> : 1513197	ESE/224.2	21.73	<u>34</u>
<u>18</u>	WWIS		lot 35 con 1 ON	ESE/230.0	19.54	<u>36</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1513195			
<u>19</u>	SPL	HYDRO ONE	HYDRO ONE SITE NEAR 325 CENTRUM BLVD OTTAWA CITY ON K1E 3W8	SW/231.8	3.15	<u>38</u>
<u>20</u>	INC		3275 ST JOSEPH BLVD, ORLÉANS ON	E/238.0	16.74	<u>39</u>
<u>20</u>	SPL		3275 St Josephs Blvd, Orleans Ottawa ON	E/238.0	16.74	<u>40</u>
<u>21</u>	GEN	Place Beausejour	340 Centrum Blvd. Ottawa ON K1E 3W2	SSW/238.7	12.39	<u>40</u>

Executive Summary: Summary By Data Source

AMIS - Abandoned Mine Information System

A search of the AMIS database, dated 1800-Oct 2018 has found that there are 1 AMIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	<u>Map Key</u>
QUEENSWOOD VILLAGE Q	CUMBERLAND ON	WSW	195.98	<u>10</u>

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 3 BORE site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SE	138.98	<u>5</u>
	ON	E	182.91	<u>8</u>
	ON	ESE	202.76	<u>11</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Mar 31, 2020 has found that there are 9 ECA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Hillside Vista Inc. c/o DCR Phoenix Development Corp Ltd.	241 Centrum Blvd Ottawa ON K2E 6T8	E	116.62	<u>2</u>
DCR/Phoenix Development Corporation Limited	241 Centrum Blvd Ottawa ON K2E 6T8	E	116.62	<u>2</u>

Equal/Higher Elevation	Address	Direction	Distance (m)	<u>Map Key</u>
Hillside Vista Inc. c/o DCR Phoenix Development Corp Ltd.	241 Centrum Blvd Ottawa ON K2E 6T8	E	116.62	<u>2</u>
DCR/Phoenix Development Corporation Limited	Silo St (241 Centrum Boulevard) Ottawa ON K2E 6T8	E	124.71	<u>3</u>
1534436 Ontario Limited	Ottawa ON K2E 6T8	E	205.55	<u>13</u>
1534436 Ontario Limited	Ottawa ON K2E 6T8	E	205.55	<u>13</u>
OTCP Arts Centre G.P. Inc.	Commercial Dr , Reference Plan 4R- 21938 Ottawa ON M5J 2N7	WSW	211.39	<u>15</u>
OTCP Arts Centre G.P. Inc.	Commercial Dr , Reference Plan 4R- 21938 Ottawa ON M5J 2N7	WSW	211.39	<u>15</u>
OTCP Arts Centre G.P. Inc.	Commercial Dr , Reference Plan 4R- 21938 Ottawa ON M5J 2N7	WSW	211.39	<u>15</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jan 31, 2020 has found that there are 6 EHS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address 3259 St Joseph Blvd Orléans ON K1C 1T1	Direction SSW	<u>Distance (m)</u> 50.91	<u>Map Key</u> <u>1</u>
	241 Centrum Blvd Ottawa ON K1E0A1	E	116.62	<u>2</u>
	241 Centrum Blvd Ottawa ON	E	116.62	2

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
	Queensway, 10th Line, Centrum Blvd, Place D'Orleans Dr Ottawa ON	ESE	130.35	<u>4</u>
	St. Joseph Blvd Ottawa ON	SSE	140.54	<u>6</u>
	Hillside Vista Ottawa ON	E	168.28	<u>7</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jan 31, 2020 has found that there are 1 GEN site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Place Beausejour	340 Centrum Blvd. Ottawa ON K1E 3W2	SSW	238.67	<u>21</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Feb 28, 2017 has found that there are 2 INC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
	303 PINTAIL TERRACE, OTTAWA ON	WNW	213.01	<u>16</u>
	3275 ST JOSEPH BLVD, ORLÉANS ON	E	237.97	<u>20</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Aug 2019 has found that there are 2 SPL site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	<u>Map Key</u>
HYDRO ONE	HYDRO ONE SITE NEAR 325 CENTRUM BLVD OTTAWA CITY ON K1E 3W8	SW	231.81	<u>19</u>

Equal/Higher Elevation	Address	Direction	Distance (m)	<u>Map Key</u>
	3275 St Josephs Blvd, Orleans Ottawa ON	E	237.97	<u>20</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 5 WWIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
	lot 35 con 1 ON	E	182.95	<u>9</u>
	Well ID: 1513193			
	lot 35 con 1 ON	ESE	202.86	<u>12</u>
	Well ID: 1513198			
	lot 35 con 1 ON	ESE	208.41	<u>14</u>
	Well ID: 1516402			
	lot 35 con 1 ON	ESE	224.22	<u>17</u>
	Well ID: 1513197			
	lot 35 con 1 ON	ESE	230.01	<u>18</u>
	Well ID: 1513195			





Source: © 2015 DMTI Spatial Inc.





Address: 280 Eric Czapnik Way, Orléans, ON

Source: ESRI World Imagery

Order Number: 20200408040



© ERIS Information Limited Partnership






Address: 280 Eric Czapnik Way, ON

Source: ESRI World Topographic Map

Order Number: 20200408040



© ERIS Information Limited Partnership

Detail Report

Map Key	Number Records	of Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>1</u>	1 of 1	SSW/50.9	62.2 / 6.08	3259 St Joseph Blvd Orléans ON K1C 1T1		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional I	e: ; /ed: te Name: g Size: nfo Ordered:	20190212216 C Custom Report 20-FEB-19 12-FEB-19 Fire Insur. Maps ar	nd/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.505917 45.483661	
2	1 of 5	E/116.6	59.5 / 3.39	241 Centrum Blvd Ottawa ON		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional I	e: yed: te Name: g Size: nfo Ordered:	20111025038 C Custom Report 10/31/2011 10/25/2011 2:02:58 PM Fire Insur. Maps ar	nd/or Site Plans;	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.505606 1	
2	2 of 5	E/116.6	59.5 / 3.39	241 Centrum Blvd Ottawa ON K1E0A1		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional I	e: ed: te Name: g Size: nfo Ordered:	20131213033 C Custom Report 24-DEC-13 13-DEC-13		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .3 -75.504836 45.483826	
2	3 of 5	E/116.6	59.5 / 3.39	Hillside Vista Inc. c/o Corp Ltd. 241 Centrum Blvd Ottawa ON K2E 6T8	DCR Phoenix Development	ECA
Approval No Approval Da Status: Record Typ Link Source SWP Area N Approval Ty Project Typ Address: Full Addres	o: ate: e: e: Vame: vpe: e: s:	5703-A2WKM8 2015-10-13 Approved ECA IDS Rideau Valley ECA-MUNICIPAL A MUNICIPAL AND F 241 Centrum Blvd	AND PRIVATE SEW PRIVATE SEWAGE	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: AGE WORKS WORKS	Ottawa -75.5116 45.480056999999995	

Мар Кеу	Number Records	of Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Full PDF Link	k:	https://www.access	environment.ene	.gov.on.ca/instruments/8323-A2SRC8-14.pdf	
<u>2</u>	4 of 5	E/116.6	59.5 / 3.39	DCR/Phoenix Development Corporation Limited 241 Centrum Blvd Ottawa ON K2E 6T8	ECA
Approval No: Approval Dat Status: Record Type Link Source: SWP Area Na Approval Typ Project Type Address: Full Address Full PDF Link	: te: ame: pe: : : k:	7121-A6LK69 2016-02-01 Approved ECA IDS ECA-MUNICIPAL A MUNICIPAL AND F 241 Centrum Blvd https://www.access	ND PRIVATE SE PRIVATE SEWAG environment.ene	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: EWAGE WORKS GE WORKS GE WORKS	
2	5 of 5	E/116.6	59.5 / 3.39	Hillside Vista Inc. c/o DCR Phoenix Development Corp Ltd. 241 Centrum Blvd Ottawa ON K2E 6T8	ECA
Approval No: Approval Dat Status: Record Type Link Source: SWP Area Na Approval Typ Project Type Address: Full Address Full PDF Link	: te: : : ame: : : : : : : k:	7128-A2UP2U 2015-10-14 Approved ECA IDS ECA-MUNICIPAL A MUNICIPAL AND F 241 Centrum Blvd https://www.access	ND PRIVATE SE PRIVATE SEWAG environment.ene	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: EWAGE WORKS GE WORKS GE WORKS	
<u>3</u>	1 of 1	E/124.7	56.9 / 0.84	DCR/Phoenix Development Corporation Limited Silo St (241 Centrum Boulevard) Ottawa ON K2E 6T8	ECA
Approval No: Approval Dat Status: Record Type Link Source: SWP Area Na Approval Type Project Type. Address: Full Address Full PDF Link	: te: ame: oe: : : k:	0706-B65HMF 2018-11-06 Approved ECA IDS ECA-MUNICIPAL A MUNICIPAL AND F Silo St (241 Centru https://www.access	ND PRIVATE SE PRIVATE SEWAG m Boulevard) environment.ene	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: EWAGE WORKS SE WORKS SE WORKS	
<u>4</u>	1 of 1	ESE/130.4	63.9 / 7.86	Queensway, 10th Line, Centrum Blvd, Place D'Orleans Dr Ottawa ON	EHS
Order No: Status: Report Type: Report Date:	-	20050408012 C 4/20/2005		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25	

18

erisinfo.com | Environmental Risk Information Services

Order No: 20200408040

Мар Кеу	Number Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Receive Previous Site Lot/Building S Additional Inf	d: Name: Size: o Ordered:	4/8/2005			X: Y:	-75.505825 1
<u>5</u>	1 of 1		SE/139.0	70.5 / 14.42	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion D Static Water I Primary Wate Sec. Water Us Total Depth n Depth Ref: Depth Elev: Drill Method: Orig Ground I DEM Ground I DEM Ground I Concession: Location D: Survey D: Comments:	Date: Level: r Use: Se: 1: Elev m: Note: Elev m:	616360 21551714 Borehole OCT-1963 -999 Ground Su 74.7 72.9	9 Irface		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 45.483094 -75.504787 18 460551 5036742 Not Applicable
Borehole Geo Geology Strat Top Depth: Bottom Depth Material Colo	blogy Stratu tum ID: n: r:	<u>im</u> 21840374 4.3 Grey	3		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:	
Material 1: Material 2: Material 3: Material 4: Gsc Material 1	Description	Bedrock Limestone			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Stratum Desc	ription:		BEDROCK. GREY. Many records provid	STONE. GREY. led by the depart	00143FEET.GREY. = 6000 ment have a truncated [Stra	. BEDROCK. SEISMIC VELOCITY = 1950 **Not atum Description] field.
Geology Strat Top Depth: Bottom Depth Material Color Material 1: Material 2: Material 3: Material 4: Gsc. Material	tum ID: n: r: Description	21840374 0 4.3 Boulders	2		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Stratum Desc	ription:		BOULDERS.			
<u>Source</u>						
Source Type: Source Orig: Source Date: Confidence: Observatio:		Data Surve Geologica 1956-1972	ey I Survey of Canada 2		Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level

erisinfo.com | Environmental Risk Information Services

Order No: 20200408040

Map Key Number Records		of Direction/ 5 Distance (m)		Elev/Diff (m)	Site		DB
Source Detail Confiden 1:	's:		File: OTTAWA2.txt	RecordID: 088680	0 NTS_Sheet: 31G05H		
Source List							
Source Identi Source Type: Source Date: Scale or Reso Source Name	fier: blution:	1 Data Sur 1956-197 Varies	vey 2 Urban Geology Aut	omated Informatic	Horizontal Datum: Vertical Datum: Projection Name: on System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator	
Source Origin	lators:		Geological Survey (
<u>6</u>	1 of 1		SSE/140.5	72.8 / 16.73	St. Joseph Blvd Ottawa ON		EHS
Order No: Status: Report Type: Report Date: Date Received Previous Site Lot/Building S Additional Inf	d: Name: Size: o Ordered:	20140306 C Standard 17-MAR- 06-MAR- linear ext	6041 Report 14 14 ension ~200m City Directory		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.50546 45.482874	
<u>7</u>	1 of 1		E/168.3	60.9 / 4.81	Hillside Vista Ottawa ON		EHS
Order No: Status: Report Type: Report Date: Date Received Previous Site Lot/Building S Additional Inf	d: Name: Size: io Ordered:	20170725 C Standard 01-AUG- 25-JUL-1	5101 Report 17 7 Fire Insur. Maps an	d/or Site Plans; C	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: ity Directory	ON .25 -75.503668 45.484017	
<u>8</u>	1 of 1		E/182.9	68.2 / 12.15	ON		BORE
Borehole ID: OGF ID: Status: Type: Use: Completion D Static Water L Primary Wate Sec. Water US Total Depth m Depth Ref: Depth Elev: Drill Method: Orig Ground I Elev Reliabil I DEM Ground Concession: Location D: Survey D: Comments:	Date: Level: r Use: se: 1: Elev m: Note: Elev m:	616364 21551715 Borehole OCT-196 18.9 Ground S 68.6 66.5	53 3 Surface		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 45.48382 -75.503514 18 460651 5036822 Not Applicable	

Map Key Number Records	of Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Borehole Geology Strate	<u>um</u>			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 2: Material 4: Gsc Material Description Stratum Description:	218403750 0 4.3 Boulders Bedrock		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 3: Gsc Material Description Stratum Description:	218403751 4.3 18.9 Grey Limestone 1: LIMESTONE. GREY Many records provid	Y. 00062Y. 00158 ded by the departr	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: 3FEET.GREY. = 6000. BEI ment have a truncated [Stra	DROCK. SEISMIC VELOCITY = 1950 **Note: tum Description] field.
<u>Source</u> Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details:	Data Survey Geological Survey of Canada 1956-1972 Urban Geology Auto File: OTTAWA2.txt	omated Informatic RecordID: 08872	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: n System (UGAIS) NTS Sheet:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
Confiden 1: <u>Source List</u> Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Auto Geological Survey o	omated Informatio of Canada	Horizontal Datum: Vertical Datum: Projection Name: on System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator
9 1 of 1 Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:	<i>E/182.9</i> 1513193 Domestic 0 Water Supply	68.2 / 12.15	lot 35 con 1 ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name:	1 12/3/1963 Yes 1504 1 OTTAWA-CARLETON CUMBERLAND TOWNSHIP 035 01 OF

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Pump Rate: Static Water L Flowing (Y/N) Flow Rate: Clear/Cloudy:	evel: :			Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
Bore Hole Info	ormation					
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des: Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Soun Improvement Improvement Source Revisi Supplier Com	10035181 0 s: h c: Mixed in a red: 10/17/196 rce Date: Location Source: Location Method: ion Comment: ment:	1 a Layer 63		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	66.538078 18 460650.8 5036822 5 margin of error : 100 m - 300 m p5	
<u>Overburden a</u> Materials Inte	<u>nd Bedrock</u> rval					
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En	r: n Material: ls: ls: p Depth: d Depth: d Depth UOM:	931022657 2 GREY 15 LIMESTONE				
<u>Overburden a</u> Materials Inte	<u>nd Bedrock</u> <u>rval</u>					
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Other Materia Mat3: Other Materia Formation To Formation En Formation En Formation En Method of Con Use	r: n Material: ls: ls: p Depth: d Depth: d Depth UOM: nstruction & Well truction ID:	931022656 1 13 BOULDERS 26 ROCK 0 14 ft				
22	erisinfo.com Enviro	onmental Risk Info	rmation Service	es	Order No: 202004	108040

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Con Method Con Other Metho	struction Code: struction: od Construction:	7 Diamond			
<u>Pipe Informa</u>	ation				
Pipe ID: Casing No: Comment: Alt Name:		10583751 1			
<u>Construction</u>	n Record - Casing				
Casing ID: Layer: Material: Open Hole of Depth From. Depth To: Casing Dian Casing Dian Casing Dept	or Material: : neter: neter UOM: th UOM:	930062342 2 4 OPEN HOLE 62 7 inch ft			
<u>Constructio</u>	n Record - Casing				
Casing ID: Layer: Material: Open Hole of Depth From Depth To: Casing Dian Casing Dian Casing Dept	or Material: : neter: neter UOM: th UOM:	930062341 1 STEEL 18 7 inch ft			
<u>Results of V</u>	/ell Yield Testing				
Pump Test I Pump Set A Static Level. Final Level J Recommend Pumping Rat Flowing Rat Recommend Levels UOM Rate UOM: Water State Pumping Du Pumping Du Flowing: <u>Water Detail</u> Water ID:	D: After Pumping: Hed Pump Depth: te: e: Hed Pump Rate: ted Pump Rate: ter Test Code: After Test: After Test: st Method: Irration HR: Irration MIN:	991513193 10 25 25 12 6 ft GPM 1 CLEAR 1 2 0 N			
Layer: Kind Code: Kind: Water Found Water Found	d Depth: d Depth UOM:	1 1 FRESH 62 ft			
23	erisinfo.com Env	ironmental Risk Info	rmation Services	S	 Order No: 20200408040

Мар Кеу	Numbe Record	r of Direction/ Is Distance (m)	Elev/Diff (m)	Site		DB
<u>10</u>	1 of 1	WSW/196.0	59.1 / 3.06	QUEENSWOOD VILL	AGE Q	AMIS
				CUMBERLAND ON		
Site Access AMIS Distr Abandoned Old MDI ID: New MDI ID Official Nm: Mine Status Mine Plan/S Site Class: Clos Reaso. Closure Pla Prim Comm Prim Comm Prim Comm Operat Acco Date Entere Date Last M Effective Da Hyper Link:	Code: Code: Mine ID: Mine ID: Section: n Code: n: od Code: nod code: nod: sess: d: d: d: d: d: d: d: d: d: d:	07449 SO2465 MDI31G05NE00003 QUEENSWOOD VILLAGE Q ABANDONED UNDETERMINED NOT APPLICABLE UNDETERMINED UNDETRMINED N/A 2003-01-27.15:37:01 http://www.geologyo	ontario.mndm.gov	Start Year: End Year: Prog Rehab Plan: Evid of Site Contam: Evid of Sulphide: Evid Animals Pres: Revegetation: Veg Condition: Veg Descr: Chemical Doc: Jurisdiction: Lot No: Concession: Zone: Northing: Easting: Clos Reason: Con.ca/mndmfiles/AMIS/data	UNDETERMINED UNK UNK UNK UNK UNK A.R.A. 36 1 1 18 5036723 460327 UNDETRMINED a/records/07449.html	
District Des Animal Des Status Type Mine Featur AMIS Bkgro Alias Name	c: c: e Code: res Desc: I Info: :	TWEED QUARRY OGS 1989, LIMEST DIMENSIONS COI QUEENSWOOD VII	ONE INDUSTRIE MMODITY: LIME LLAGE Q	ES OF ONTARIO VOL.1 RE STONE. LOT 36 CONC 1 S	PORTS A QUARRY OF UNDE OUTH OF OTTAWA RIVER.	TERMINEDNOWN
AMIS Featu	<u>res</u>					
AMIS Featu Effective Da Date Last M Dt Entered I Mine Feat C Feature Typ Mine Feat T Hazard Stat Depth or He Feature Wic Mine Featur	re ID: ate: lodified: in AMIS: class Desc: be Code: ype Desc: us Desc: bight: th: re Condition	78693 FEATURE TO SURFACE QUARRY NOT AVAILABLE 0 D Desc:		Feature Length: Eval Performed Ind: Soil Erosion Flag: Txt Feature ID: UTM Zone: UTM Northing: UTM Easting: Lat DD Features: Long DD Features:	0 18 5036722 460310 45.4829 -75.50787	
<u>11</u>	1 of 1	ESE/202.8	74.9 / 18.79	ON		BORE
Borehole ID OGF ID: Status: Type: Use: Completion Static Water Primary Wa Sec. Water Total Depth Depth Ref: Depth Elev:): Date: r Level: ter Use: Use: m:	616362 215517151 Borehole JUL-1969 48.2 Ground Surface		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: Longitude DD: UTM Zone:	No Initial Entry No No 45.48328 -75.503509 18	

Map Key	Numbe Record	r of Is	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Elev Reliabil I DEM Ground Concession: Location D: Survey D: Comments:	Note: Elev m:	74.3			Accuracy:	Not Applicable	
Borehole Geo	ology Stra	<u>tum</u>					
Geology Strat Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3:	tum ID: h: r:	218403748 45.1 48.2 Grey Limestone	3		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
Gsc Material	Descriptio	on:					
Stratum Desc	ription:	L	IMESTONE. GREY	. 001583FEET.G	REY. = 6000. BEDROCK.	SEISMIC VELOCITY = 19500. K.	
Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4:	tum ID: h: r:	218403746 0 30.5 Blue Clay	5		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
Gsc Material Stratum Desc	Descriptio pription:	on: (CLAY. BLUE.				
Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material Stratum Desc	tum ID: n: r: Descriptio rription:	218403747 30.5 45.1 Gravel Boulders	GRAVEL.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
•							
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name Source Detail Confiden 1:	:: !s:	Data Surve Geological 1956-1972 I	y Survey of Canada Jrban Geology Auto File: OTTAWA2.txt F	mated Informatio RecordID: 08870	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: n System (UGAIS) NTS_Sheet:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level	
Source List							
Source Identi Source Type: Source Date: Scale or Reso Source Name	fier: olution:	1 Data Surve 1956-1972 Varies	y Jrban Geology Auto	mated Informatio	Horizontal Datum: Vertical Datum: Projection Name: n System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator	
Source Origii	iators:	(seological Survey o				

Order No: 20200408040

Map Key	Numbe Record	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>12</u>	1 of 1		ESE/202.9	74.9 / 18.79	lot 35 con 1 ON	WWIS
Well ID: Construction Primary Wate Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Elevation (m Elevation Re Depth to Bed Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy	n Date: er Use: Jse: tatus: rial: n Method:): eliability: drock: /Bedrock: /Bedrock: Level: J):	1513198 Domestic 0 Water Sup	ıply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 7/30/1970 Yes 1504 1 OTTAWA-CARLETON CUMBERLAND TOWNSHIP 035 01 OF
<u>Bore Hole In</u>	formation					
Bore Hole ID DP2BR: Spatial Statu Code OB De: Open Hole: Cluster Kind Date Comple Remarks: Elevrc Desc: Location Sod Improvemen Improvemen Source Revis Supplier Cor Overburden Materials Inte Formation IE Layer: Color: General Colo Mat1: Most Comme Mat2: Other Material	o: is: sc: sc: it eted: it tocation is it Location is it Location is it Location is it Location is ison Comm mment: <u>and Bedroc</u> <u>erval</u> o: or: on Material. ials:	10035186 148 r Bedrock 7/11/1969 Source: Method: tent:	931022667 3 2 GREY 15 LIMESTONE		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	74.276809 18 460650.8 5036762 4 margin of error : 30 m - 100 m p4
Mat3: Other Materi Formation To Formation En Formation En <u>Overburden</u> <u>Materials Inte</u>	ials: iop Depth: ind Depth: ind Depth U <u>and Bedroc</u> ierval	ЮМ: і с <u>к</u>	148 158 ft			
Formation ID	D:	:	931022665			
26	erisinfo.co	om Enviro	nmental Risk Info	ormation Service	es	Order No: 20200408040

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Color:		3			
Mat1:	-	05			
Most Commo	n Material:	CLAY			
Mat2:					
Other Materia	ls:				
Other Materia	ls:				
Formation To	p Depth:	0			
Formation En	d Depth:	100			
Formation En	d Depth UOM:	π			
<u>Overburden a</u> <u>Materials Inte</u>	nd Bedrock rval				
Formation ID:		931022666			
Layer:		2			
Color: General Color	<i>.</i>				
Mat1:	•	11			
Most Commo	n Material:	GRAVEL			
Mat2:	1				
Other Materia Mat3:	IS:	BOULDERS			
Other Materia	ls:				
Formation To	p Depth:	100			
Formation En	d Depth:	148 #			
Formation En	u Deptil OOM.	n			
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons	truction ID:				
Method Cons	truction Code:	7			
Method Const	truction:	Diamond			
Other Method	Construction:				
Pipe Informat	ion				
Pipe ID:		10583756			
Casing No:		1			
Comment:					
Alt Name:					
Construction	<u> Record - Casing</u>				
Casing ID:		930062352			
Layer: Matorial:		2			
Open Hole or	Material:	OPEN HOLE			
Depth From:					
Depth To:		158			
Casing Diame	eter: hter UOM·	inch			
Casing Depth	UOM:	ft			
. .					
Construction	<u>Record - Casing</u>				
Casing ID:		930062351			
Layer: Material		2			

27

	Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
-	Open Hole or	Material:	GALVANIZED			
	Depth From:					
	Depth To:		150			
	Casing Diame	eter:	2			
	Casing Diame	eter UOM:	inch			
	Casing Depth	001/12	п			
	Results of We	ell Yield Testing				
	Pump Test ID Pump Set At:	:	991513198			
	Static Level:		25			
	Final Level Af	ter Pumping:	40			
	Recommende	d Pump Depth:	50			
	Pumping Rate	9:	10			
	Flowing Rate:	d Pump Pater	6			
	Levels UOM [.]	a rump nate.	ft			
	Rate UOM:		GPM			
	Water State A	fter Test Code:	1			
	Water State A	fter Test:	CLEAR			
	Pumping Test	t Method:	1			
	Pumping Dura	ation HR:	2			
	Fumping Dura Flowing		N			
	r ionnig.					
	<u>Draw Down &</u>	<u>Recovery</u>				
	Pump Test De	etail ID:	934378041			
	Test Type:		Draw Down			
	Test Duration	:	30			
	Test Level UC	ом-	ft			
	1001 20101 00					
	<u>Draw Down &</u>	<u>Recovery</u>				
	Pump Test De	etail ID:	934639039			
	Test Type:		Draw Down			
	Test Duration	:	45			
	Test Level UC	DM:	ft			
	1001 20101 00		it.			
	<u>Draw Down &</u>	<u>Recovery</u>				
	Pump Test De	etail ID:	934098928			
	Test Type:		Draw Down			
	Test Duration	:	15 30			
	Test Level UC	ом-	ft			
	1001 20101 00					
	<u>Draw Down &</u>	<u>Recovery</u>				
	Pump Test De	etail ID:	934896521			
	Test Type:		Draw Down			
	Test Duration	:	60			
	Test Level:	ом-	40 ft			
			~			
	Water Details					
	Water ID:		933468700			

Map Key Nur Rec	mber of ords	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Layer: Kind Code: Kind: Water Found Depth Water Found Depth	: UOM:	1 1 FRESH 158 ft				
<u>13</u> 1 of 2	?	E/205.6	59.4 / 3.34	1534436 Ontario Lim	iited	ECA
				Ottawa ON K2E 6T8		
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address:	9820-5X 2004-03 Approve ECA IDS Rideau	(LN8F -31 d Valley ECA-MUNICIPAL MUNICIPAL AND	AND PRIVATE SE PRIVATE SEWAG	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: WAGE WORKS SE WORKS	Ottawa -75.5032 45.48430000000005	
Full Address: Full PDF Link:		https://www.acces	senvironment.ene	gov.on.ca/instruments/8332	2-5WVQD8-14.pdf	
<u>13</u> 2 of 2	2	E/205.6	59.4 / 3.34	1534436 Ontario Lim	iited	ECA
				Ottawa ON K2E 6T8		
Approval No: Approval Date: Status: Record Type: Link Source:	0785-5V 2004-03 Approve ECA IDS	VXK5X -12 d		MOE District: City: Longitude: Latitude: Geometry X:	Ottawa -75.5032 45.48430000000005	
SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:	Rideau	Valley ECA-MUNICIPAL MUNICIPAL AND https://www.acces	AND PRIVATE SE PRIVATE SEWAG senvironment.ene	Geometry Y: EWAGE WORKS E WORKS gov.on.ca/instruments/4487	7-5WVQK2-14.pdf	
<u>14</u> 1 of 1	1	ESE/208.4	77.8/21.75	lot 35 con 1 ON		wwis
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Metho Elevation (m): Elevation Reliability Depth to Bedrock: Well Depth: Overburden/Bedroc Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	1516402 Domesti 0 Water S	2 c upply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 2/10/1978 Yes 1504 1 OTTAWA-CARLETON CUMBERLAND TOWNSHIP 035 01 OF	

Bore Hole Information

Bore Hole ID: DP2BR·	10038325 17	Elevation: Elevro:	75.427894
Spatial Status:		Zone:	18
Code OB:	r	East83:	460629.8
Code OB Desc:	Bedrock	North83:	5036721
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	7/14/1977	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date	:		

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

00400000
931032022
2
2
GREY
19
SLATE
17
45
ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

931032021
1
5
YELLOW
05
CLAY
0
17
ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	931032023
Laver:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2: Other Materia Mat3: Other Materia Formation To Formation Er Formation Er	als: als: p Depth: ad Depth: ad Depth UOM:	45 125 ft			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons Method Cons Method Cons Other Method	truction ID: truction Code: truction: I Construction:	4 Rotary (Air)			
<u>Pipe Information Pipe Information Pipe Information Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pipe</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		10586895 1			
Construction	Record - Casing				
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diame Casing Diame Casing Depth	Material: eter: eter UOM: o UOM:	930067364 1 STEEL 22 6 inch ft			
<u>Results of We</u>	ell Yield Testing				
Pump Test ID Pump Set At: Static Level: Final Level A Recommende Pumping Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur Flowing:): fter Pumping: ed Pump Depth: e: ed Pump Rate: After Test Code: After Test: t Method: ation HR: ation MIN:	991516402 34 120 115 6 6 ft GPM 1 CLEAR 1 1 30 N			
<u>Draw Down 8</u>	Recovery				
Pump Test D Test Type: Test Duration Test Level: Test Level U0	etail ID: 1: DM:	934641451 Recovery 45 34 ft			

Мар Кеу	Number Records	of Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>Draw Down &</u>	Recovery					
Pump Test De Test Type: Test Duration Test Level: Test Level UC	etail ID: : DM:	934380360 Recovery 30 34 ft				
<u>Draw Down &</u>	<u>Recovery</u>					
Pump Test De Test Type: Test Duration Test Level: Test Level UC	etail ID: : DM:	934899353 Recovery 60 34 ft				
Draw Down &	Recovery					
Pump Test De Test Type: Test Duration Test Level: Test Level UC	etail ID: : DM:	934101897 Recovery 15 60 ft				
Water Details						
Water ID: Layer: Kind Code: Kind: Water Found Water Found	Depth: Depth UOM	933472703 1 FRESH 125 ft				
<u>15</u>	1 of 3	WSW/211.4	57.9 / 1.79	OTCP Arts Centro Commercial Dr , I Ottawa ON M5J 2	e G.P. Inc. Reference Plan 4R-21938 N7	ECA
Approval No: Approval Date Status: Record Type: Link Source: SWP Area Na Approval Typ Project Type: Address: Full Address: Full PDF Link	e: me: e: :	9834-7BMLUX 2008-02-12 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL AND Commercial Dr , R https://www.acces	AND PRIVATE SE PRIVATE SEWAC eference Plan 4R senvironment.ene	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: EWAGE WORKS GE WORKS -21938 .gov.on.ca/instruments/0	Ottawa -75.5079 45.4829 633-7BJT5N-14.pdf	
<u>15</u>	2 of 3	WSW/211.4	57.9 / 1.79	OTCP Arts Centro Commercial Dr , I Ottawa ON M5J 2	e G.P. Inc. Reference Plan 4R-21938 N7	ECA
Approval No: Approval Date Status: Record Type: Link Source: SWP Area Na Approval Typ	e: me: e:	7167-7FJQUB 2008-06-18 Approved ECA IDS Rideau Valley ECA-MUNICIPAL	AND PRIVATE SE	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: EWAGE WORKS	Ottawa -75.5079 45.4829	

32

_

_

Map Key	Number Records	of Direction/ Distance (Elev/Diff m) (m)	Site		DB
Project Type: Address: Full Address:	:	MUNICIPAL AN Commercial Dr	ND PRIVATE SEWA	GE WORKS -21938	200 7D IT20 44 adf	
	ς:	https://www.acc	essenvironment.ene	e.gov.on.ca/instruments/85	90-7 BJ 1 36- 14.pai	
<u>15</u>	3 of 3	WSW/211.4	57.9 / 1.79	OTCP Arts Centre Commercial Dr , F Ottawa ON M5J 21	G.P. Inc. Reference Plan 4R-21938 N7	ECA
Approval No: Approval Dat Status: Record Type: Link Source: SWP Area Na Approval Type: Adpross: Full Address: Full Address	: : ame: : : : :	0685-7BQL94 2008-02-12 Approved ECA IDS Rideau Valley ECA-Municipal Municipal Drink Commercial Dr	Drinking Water Syst ing Water Systems , Reference Plan 4R	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: ems	Ottawa -75.5079 45.4829	
<u>16</u>	1 of 1	WNW/213.0	59.6 / 3.54	303 PINTAIL TERF ON	RACE, OTTAWA	INC
Incident No:		1576866				
Incident ID: Attribute Cate	egory:	FS-Perform L1	Incident Insp			
Status Code: Incident Loca	ation:	303 PINTAIL T	ERRACE, OTTAWA	- CO RELEASE		
Drainage Sys Sub Surface	stem: Contam.:					
Aff. Prop. Use Contam Mig	e Water: rated:					
Contact Natu	ral Env.:					
Near Body of Approx. Quai	Water: nt. Rel.:					
Equipment M Serial No:	lodel:					
Residential A	App. Type:					
Industrial Ap	p. Type:					
Institutional A Venting Type	App. Type: e:					
Vent Connect Vent Chimne	tor Mater: v Mater:					
Pipeline Type	e: lved:					
Pipe Material	17eu. 1:					
Regulator Lo	d Cover: cation:					
Regulator Ty Operation Pre	pe: essure:					
Liquid Prop I Liquid Prop I	<i>Make:</i> Model:					
Liquid Prop S	Serial No:					
Cylinder Cap	acity:					
Cylinder Mate	erial Type:					
Tank Capacit Fuels Occure	ence Type:	CO Release				
Fuel Type Inv	volved:	Natural Gas				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date of Occu	rence:	2015/02/15 00:00:00)		
Time of Occu	irence:	21:29:00			
Occur Insp S	tart Date:	2015/02/17 00:00:00)		
Any Health In	npact:	No			
Any Environi	nental Impact:	No			
Was Service	Interrupted:	Yes			
Was Property	/ Damaged:	No			
Operation Tv	pe Involved:	Private Dwelling			
Enforcement	Policy:	NULL			
Prc Escalatio	n Required:	NULL			
Task No:	-	5367915			
Notes:					
Occurence N	arrative:	CO leak from natural	l gas water heate	er down draft in vent	
Tank Materia	I Type:		•		
Tank Storage	Type:				
Tank Locatio	n Type:				
Pump Flow R	ate Capac:				
Liauid Prop I	Votes:				
•					

<u>17</u>	1 of 1	ESE/224.2	77.8/21.73	lot 35 con 1 ON		wwis
Well ID: Constructio Primary Wai Sec. Water V Final Well S Water Type: Casing Mate Audit No: Tag: Constructio Elevation Ra Depth to Be Well Depth: Overburden Pump Rate: Static Watei Flow Rate: Clear/Cloud	n Date: ter Use: Use: tatus: erial: n Method: n): eliability: edrock: v/Bedrock: r Level: N):	1513197 Domestic 0 Water Supply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 9/18/1967 Yes 1504 1 OTTAWA-CARLETON CUMBERLAND TOWNSHIP 035 01 OF	
<u>Bore Hole Ir</u>	nformation					
Bore Hole II DP2BR: Spatial Statt Code OB: Code OB De Open Hole: Cluster Kind Date Compl Remarks: Elevrc Desc Location So Improvemen	D: us: esc: d: eted: :: surce Date: nt Location ;	10035185 4 r Bedrock 8/22/1967 Source:		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	76.043235 18 460650.8 5036722 5 margin of error : 100 m - 300 m p5	

Overburden and Bedrock

Improvement Location Method: Source Revision Comment: Supplier Comment:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Materials Inte	<u>rval</u>				
Formation ID: Layer: Color:		931022663 1			
General Color Mat1: Most Commo Mat2:	r: n Material:	11 GRAVEL 12			
Other Materia Mat3: Other Materia	ls: ls:	STONES			
Formation To Formation En Formation En	p Depth: d Depth: d Depth UOM:	0 4 ft			
<u>Overburden a</u> <u>Materials Inte</u>	<u>nd Bedrock</u> rval				
Formation ID: Layer: Color:		931022664 2 2			
General Color Mat1: Most Commo Mat2: Other Materia	r: n Material: ls:	GREY 15 LIMESTONE			
Mat3: Other Materia Formation To Formation En Formation En	ls: p Depth: d Depth: d Depth UOM:	4 181 ft			
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons Method Cons Method Cons Other Method	truction ID: truction Code: truction: I Construction:	7 Diamond			
<u>Pipe Informat</u>	ion				
Pipe ID: Casing No: Comment: Alt Name:		10583755 1			
Construction	<u>Record - Casing</u>				
Casing ID: Layer: Material: Open Hole or Depth From:	Material:	930062349 1 1 STEEL			
Depth To: Casing Diame Casing Diame Casing Depth	eter: eter UOM: UOM:	50 5 inch ft			

Construction Record - Casing

Map Key	Number o Records	of Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Casing ID:		930062350				
Layer:		2				
Open Hole o	r Material:	4 OPEN HOLE				
Depth From:	matoman	00				
Depth To:		181				
Casing Diam	eter:	5 inch				
Casing Diam Casing Dept	h UOM:	ft				
-						
<u>Results of W</u>	ell Yield Test	ing				
Pump Test IL	D:	991513197				
Pump Set At	-					
Static Level:		40				
Final Level A	lod Pumping	100 100				
Pumping Ra	te:	8				
Flowing Rate	ə:	v				
Recommend	led Pump Rate	e: 6				
Levels UOM:		ft				
Rate UOM:		GPM				
Water State	After Test Co After Test	CIEAR				
Pumping Tes	st Method:	1				
Pumping Du	ration HR:	3				
Pumping Du	ration MIN:	0				
Flowing:		Ν				
Water Details	<u>S</u>					
Water ID:		933468699				
Layer:		1				
Kind Code:		1				
Kind:		FRESH				
Water Found	I Depth: I Dopth UOM:	181 #				
	i Deptil OOM.					
<u>18</u>	1 of 1	ESE/230.0	75.6 / 19.54	lot 35 con 1 ON		WWIS
Well ID:	1	1513195		Data Entry Status:		
Construction	1 Date:	Demostia.		Data Src:	1	
Primary Wate	er Use: L			Date Received:	5/17/1965 Xoc	
Final Well St	atus \	Vater Supply		Abandonment Rec	165	
Water Type:	uiu5. (Contractor:	1802	
Casing Mate	rial:			Form Version:	1	
Audit No:				Owner:		
Tag:	Matheast			Street Name:		
Construction	ı wethod:).			County: Municipality:	OTTAWA-CARLETON CUMBERI AND TOW/NSHID	
Elevation Re). liabilitv:			Site Info:	JOWDERLAND TOWNSHIP	
Depth to Bec	drock:			Lot:	035	
Well Depth:				Concession:	01	
Overburden/	Bedrock:			Concession Name:	OF	
Pump Rate:	Loval			Easting NAD83:		
Static Water Flowing (V/N	Lever:			Northing NAD83: Zone:		
Flow Rate:	·/·			UTM Reliability:		

Clear/Cloudy:

36

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Bore Hole Info	rmation					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc:	100351; 4 : :: Bedrock	83 K 65		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	75.926658 18 460670.8 5036742 5 margin of error : 100 m - 300 m p5	
Location Sour Improvement I Improvement I Source Revisio Supplier Com	ce Date: Location Source: Location Method: on Comment: ment:					
<u>Overburden ar</u> Materials Inter	<u>nd Bedrock</u> <u>val</u>					
Formation ID: Layer: Color:		931022659 1				
General Color: Mat1: Most Common Mat2: Other Material Mat3:	: n Material: s:	12 STONES 05 CLAY				
Other Material Formation Top Formation Enc Formation Enc	s: 5 Depth: 1 Depth: 1 Depth UOM:	0 4 ft				
<u>Overburden ar</u> <u>Materials Inter</u>	<u>nd Bedrock</u> <u>val</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Other Material Mat3: Other Material Formation Top Formation End	: n Material: s: s: Depth: d Depth: d Depth UOM:	931022660 2 GREY 15 LIMESTONE 4 180 ft				
<u>Method of Cor</u> <u>Use</u>	nstruction & Well					
Method Const Method Const Method Const Other Method	ruction ID: ruction Code: ruction: Construction:	7 Diamond				
Pipe Informati	<u>on</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
Pipe ID: Casing No: Comment: Alt Name:		10583753 1			
Construction	Record - Casing				
Casing ID: Layer: Material: Open Hole o Depth From: Depth To:	r Material:	930062345 1 1 STEEL 53			
Casing Diam Casing Diam Casing Depti	eter: eter UOM: h UOM:	o inch ft			
<u>Construction</u>	Record - Casing				
Casing ID: Layer: Material: Open Hole o Depth From: Depth To: Casing Diam Casing Depti	r Material: eter: eter UOM: h UOM:	930062346 2 4 OPEN HOLE 180 5 inch ft			
<u>Results of W</u>	ell Yield Testing				
Pump Test II Pump Set At Static Level: Final Level A Recommend Pumping Rate Flowing Rate Recommend Levels UOM: Rate UOM: Water State A Pumping Du Pumping Du Flowing:	D: fter Pumping: ed Pump Depth: te: ed Pump Rate: ed Pump Rate: After Test Code: After Test: at Method: ration HR: ration MIN:	991513195 30 50 70 18 6 ft GPM 1 CLEAR 1 3 0 N			
Water Details	8				
Water ID: Layer: Kind Code: Kind: Water Found Water Found	Depth: Depth UOM:	933468697 1 1 FRESH 180 ft			
<u>19</u>	1 of 1	SW/231.8	59.2 / 3.15	HYDRO ONE HYDRO ONE SITE NEAR 325 CENTRUM BLVD OTTAWA CITY ON K1E 3W8	SPL
Ref No:	226797	7		Discharger Report:	
38	erisinfo.com Env	vironmental Risk Info	ormation Service	es Order No: 20	0200408040

Map Key Number Record	r of Direction/ s Distance (m)	Elev/Diff (m)	Site		DB
Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Resported Dt: Dt Document Closed: Incident Reason: Site Name:	5/27/2002 OTHER CONTAINER LEAK POSSIBLE Soil contamination LAND 5/27/2002 UNKNOWN		Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	20107	
Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	HYDRO ONE: OLD	DRUM ON UN-	FENCED DECOMISSIONED	SITE SPILLED UKN TO GROUN	
20 1 of 2	E/238.0	72.8 / 16.74	3275 ST JOSEPH BL ON	/D, ORLÉANS	INC
Incident No: Incident ID: Attribute Category: Status Code: Incident Location: Drainage System: Sub Surface Contam.: Aff. Prop. Use Water: Contact Natural Env.: Near Body of Water: Approx. Quant. Rel.: Equipment Model: Serial No: Residential App. Type: Industrial App. Type: Industrial App. Type: Industrial App. Type: Industrial App. Type: Vent Connector Mater: Pipeline Type: Pipeline Involved: Pipe Material: Depth Ground Cover: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Make: Liquid Prop Make: Liquid Prop Serial No: Equipment Type: Cylinder Capac. Units: Cylinder Capac. Units: Cylinder Material Type:	1798900 FS-Perform L1 Incid 3275 ST JOSEPH F	dent Insp BLVD, ORLÉANS	S - EXPLOSION		

Мар Кеу	Number Records	r of Direction/ s Distance (m)	Elev/Diff (m)	Site	DB
Fuels Occur Fuel Type Im Date of Occu Time of Occu Occur Insp S Any Health In Any Environ Was Service Was Propert Operation Ty Enforcement Prc Escalatio Task No: Notes: Occurence N Tank Materia Tank Storage Tank Locatio Pump Flow F Liquid Prop I	ence Type: volved: urence: tart Date: mpact: mental Impa Interrupted y Damaged: y Damaged: y Damaged: y Damaged: to n Required larrative: larrative: to Type: to Type: Rate Capac: Notes:	Explosion Natural Gas 2016/01/31 00:00:0 07:30:00 2016/02/01 00:00:0 Yes act: No I: Yes : Yes d: Private Dwelling NULL 6033578 explosion and fire a	0 0 t townhouse		
20	2 of 2	E/238.0	72.8 / 16.74	3275 St Josephs Blvd, Ottawa ON	, Orleans SPL
Ref No: Site No: Incident Dt: Year: Incident Cau Incident Ever Contaminant Contaminant Contaminant Contaminant Contaminant Contaminant Receiving Er MOE Resport Dt MOE Arvl MOE Resport Dt MOE Arvl MOE Report Dt Document Site County// Site Geo Ref Incident Sun Contaminant	se: nt: code: t Name: t Limit 1: t Freq 1: t UN No 1: t Impact: oact: edium: nv: sse: on Scn: ed Dt: t Closed: son: District: Meth: nmary: t Qty:	7636-A6QK52 NA 2016/01/31 Fire/Explosion 35 NATURAL GAS (METHANE) Air No 2016/02/01 Unknown / N/A Townhouse Explosi 0 other - see incider	on <unofficial on -OFM Reques nt description</unofficial 	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	Unknown / N/A 3275 St Josephs Blvd, Orleans Ottawa TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
21 Generator No Status: Approval Yea Contam. Fac MHSW Facili SIC Code: SIC Descript	1 of 1 o: ars: ility: ity: ion:	SSW/238.7 ON8218077 2016 No 814110 814110	68.5 / 12.39	Place Beausejour 340 Centrum Blvd. Ottawa ON K1E 3W2 PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	GEN Canada CO_OFFICIAL John Bettencourt 613-834-4456 Ext.

40

Detail(s)

Waste Class: Waste Class Desc: 251 OIL SKIMMINGS & SLUDGES

Unplottable Summary

Total: 49 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	CUMBERLAND TWP HIGHWAY 17	TRANS CANADA HWY 17	CUMBERLAND TWP. ON	
CA	CONSEIL SCOLAIRE DE LANGUE FRANCAISE	ST. JOSEPH BOULEVARD	CUMBERLAND TWP. ON	
CA	J. JOANNISSE - LOT 30/CONC. 1	ST.JOSEPH BLVD/STM-WATER MGT.	CUMBERLAND TWP. ON	
CA	Township of Cumberland	10TH LINE RD./S.W.M.	CUMBERLAND TWP. ON	
CA	CUMBERLAND TOWNSHIP	RR #34 (ST. JOSEPH BLVD.)	CUMBERLAND TWP. ON	
CA	CUMBERLAND TOWNSHIP	RR #34 (ST. JOSEPH BLVD.) SWM	CUMBERLAND TWP. ON	
CA	BUILDER DEVELOPMENT CORP.	ST. JOSEPH BLVD. APT. (SWM)	CUMBERLAND TWP. ON	
СА	TWP.	CENTRUM BLVD.	CUMBERLAND ON	
CA	DCR Phoenix Development Corporation Limited		Ottawa ON	
СА	1534436 Ontario Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited and the National Capital Commission		Ottawa ON	
CA	DCR Phoenix Development Corporation Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	

CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	1534436 Ontario Limited		Ottawa ON	
CA	DCR/Phoenix Development Corporation Limited		Ottawa ON	
CA	PEREZ CORPORATION	CENTRUM BLVD.	CUMBERLAND TWP. ON	
CA	PEREZ CORPORATION	CENTRUM BLVD.	CUMBERLAND TWP. ON	
CA	CARLETON BOARD OF EDUCATION	BLOCK 312, 10TH LINE	CUMBERLAND TWP. ON	
ECA	DCR/Phoenix Development Corporation Limited		Ottawa ON	K2E 6T8
RST	MR GAS LTD	HWY 17 ARNPRIOR	OTTAWA ON	K0A 2H0
SPL	PAUL'S BACKHOE SERVICE	HWY 34 NORTH 5 - 5.5 MILES NORTH OF HWY 417 EAST 333 CHAMPLAIN ST., HAWKESBURY, ONT.	OTTAWA CITY ON	
SPL	ONTARIO HYDRO	HWY 17 EAST OF CUMBERLAND STA. (WEST LANE) MOTOR VEHICLE (OPERATING FLUID)	CUMBERLAND TWP. ON	
SPL	UNKNOWN	10TH LINE ROAD	CUMBERLAND TOWNSHIP ON	
SPL	CONSUMERS GAS	HWY 17 NATURAL GAS PIPELINE	CUMBERLAND TWP. ON	
SPL	CRAWFORD TRANSPORT	ON HWY. 17 AT THE PLACE D'ORLEANS ABOUT 5 MI. EAST OF OTTAWA MOTOR VEHICLE (OPERATING FLUID)	OTTAWA-CARLETON R. M. ON	
SPL	TRANSPORT TRUCK	HWY 17 AT QUIGLEY HILL MOTOR VEHICLE (OPERATING FLUID)	CUMBERLAND TOWNSHIP ON	
SPL	ONTARIO HYDRO	HWY 17 AT QUIGLEY HILL TRANSFORMER	CUMBERLAND TOWNSHIP ON	
SPL	BEAVER ROAD BUILDERS LTD.	ST. JOSEPH BLVD. AT TAYLOR CREEK MOTOR VEHICLE (OPERATING FLUID)	CUMBERLAND TOWNSHIP ON	
SPL	CONTRACTOR	HIGHWAY 17 CONSTRUCTION SITE MOTOR VEHICLE (OPERATING FLUID)	CUMBERLAND TOWNSHIP ON	
SPL	TRANSPORT TRUCK	AT THE MR. GAS SERVICE STATION ON HWY. 17 AT TRIM RD. IN ORLEANS MOTOR VEHICLE (OPERATING FLUID)	CUMBERLAND TOWNSHIP ON	
SPL	City of Ottawa	Hwy 174 westbound	Ottawa ON	

SPL		Hwy 17 where crosses South Indian Creek (Limoges Casselman Construction Site) <unofficial></unofficial>	Ottawa ON
SPL	City of Ottawa	ON 10TH LINE NORTH AT ST. JOSEPH <unofficial></unofficial>	Ottawa ON
SPL	CONSTRUCTION SITE	MISSISSIPPI BRIDGE CONST. SITE, 300 M WEST OF HWY 17, 3.5 KM N OF ANTRIM (N.O. S.)	OTTAWA CITY ON
WWIS		lot 35	ON
WWIS		lot 36	ON
WWIS		lot 36	ON
WWIS		lot 36	ON
WWIS		lot 35	ON
WWIS		lot 35	ON
WWIS		lot 36	ON
WWIS		lot 35	ON

Unplottable Report

Site: **CUMBERLAND TWP. - HIGHWAY 17** TRANS CANADA HWY 17 CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: **Client Address: Client City:** Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

3-1281-90-90 7/17/1990 Municipal sewage Approved

CONSEIL SCOLAIRE DE LANGUE FRANCAISE Site: ST. JOSEPH BOULEVARD CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: **Client Postal Code: Project Description:** Contaminants: **Emission Control:**

3-0596-91-91 5/17/1991 Municipal sewage Approved

Site: J. JOANNISSE - LOT 30/CONC.1 ST.JOSEPH BLVD/STM-WATER MGT. CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: **Client Address:** Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

3-0647-91-91 2/11/1992 Municipal sewage Cancelled

Site: Township of Cumberland Database: 10TH LINE RD./S.W.M. CUMBERLAND TWP. ON CA Certificate #: 3-1386-92-Application Year: 92 erisinfo.com | Environmental Risk Information Services

Database: CA

Database: CA



Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 5/28/1993 Municipal sewage Cancelled

<u>Site:</u> CUMBERLAND TOWNSHIP RR #34 (ST. JOSEPH BLVD.) CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-1028-93-93 9/16/1993 Municipal sewage Approved

<u>Site:</u> CUMBERLAND TOWNSHIP RR #34 (ST. JOSEPH BLVD.) SWM CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-1066-93-93 10/13/1993 Municipal sewage Approved

<u>Site:</u> BUILDER DEVELOPMENT CORP. ST. JOSEPH BLVD. APT. (SWM) CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-0050-94-94 2/14/1994 Municipal sewage Approved Database: CA

Database: CA

Database:

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7-0110-85-007 85 3/11/85 Municipal water Revised Ammendment

<u>Site:</u> DCR Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 1405-7BQRFT 2008 2/12/2008 Municipal and Private Sewage Works Approved

<u>Site:</u> 1534436 Ontario Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 0785-5WXK5X 2004 3/12/2004 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited and the National Capital Commission Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: 1108-64ENJ3 2004 10/7/2004 Municipal and Private Sewage Works Approved Database: CA

Database: CA

Database: CA

Database:

СА

<u>Site:</u> DCR Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 2387-7FJNVM 2008 6/13/2008 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 2423-8BKMY7 2010 12/13/2010 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 2519-89BLNM 2010 9/17/2010 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: 3694-6EQPPV 2005 8/8/2005 Municipal and Private Sewage Works Approved

48



Database: CA

Database: CA

Database: CA Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 4027-78FLST 2007 10/30/2007 Municipal and Private Sewage Works Revoked and/or Replaced

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 4370-7WBQGD 2009 10/2/2009 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 5746-89AQZW 2010 9/17/2010 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON



Database: CA

Database: CA

Database: CA

Certificate #:

6336-5ZSPY5

Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 2004 6/11/2004 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 8716-69QKEM 2005 2/18/2005 Municipal and Private Sewage Works Approved

<u>Site:</u> 1534436 Ontario Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 9820-5XLN8F 2004 3/31/2004 Municipal and Private Sewage Works Approved

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7851-8CTN4K 2011 1/7/2011 Municipal and Private Sewage Works Approved Database: CA



Database: CA

Site: PEREZ CORPORATION CENTRUM BLVD. CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: **Client City:** Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

7-1867-87-87 12/30/1987 Municipal water Approved

PEREZ CORPORATION Site: CENTRUM BLVD. CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: **Client Address: Client City: Client Postal Code:** Project Description: Contaminants: **Emission Control:**

3-2207-87-87 12/30/1987 Municipal sewage Approved

CARLETON BOARD OF EDUCATION Site: BLOCK 312, 10TH LINE CUMBERLAND TWP. ON

Certificate #: Application Year: Issue Date:	8-4077-91- 91 7/12/1991
Approval Type:	Industrial air
Status: Application Type:	Approved
Client Name: Client Address:	
Client City: Client Postal Code: Project Description:	INST 3 CLEAVER-BROOKS BOILERS 40KW GEN
Contaminants: Emission Control:	Nitrogen Oxides, Sulphur Dioxide No Controls

<u>Site:</u> DCR/Phoenix Development Corporation Limited Ottawa ON K2E 6T8

ECA

IDS

2423-8BKMY7

2010-12-13

Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address:

City: Approved Longitude: Latitude: Geometry X: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS

MOE District:

51

Database: CA

Database: CA

Database: **ECA**
MR GAS LTD Site: HWY 17 ARNPRIOR OTTAWA ON KOA 2H0

Headcode: Headcode Desc: Phone: List Name: Description:

1186800 Service Stations-Gasoline, Oil & Natural Gas 6138322880



Database:

SPL

SPL

PAUL'S BACKHOE SERVICE Site: HWY 34 NORTH 5 - 5.5 MILES NORTH OF HWY 417 EAST 333 CHAMPLAIN ST., HAWKESBURY, ONT. OTTAWA CITY ON

Ref No: 224046 Discharger Report: Site No: Material Group: 4/15/2002 Incident Dt: Health/Env Conseq: Year: Client Type: Sector Type: Incident Cause: UNKNOWN Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Site Region: Contaminant UN No 1: POSSIBLE Site Municipality: Environment Impact: 20107 Site Lot: Nature of Impact: Soil contamination Receiving Medium: LAND / WATER Site Conc: Northing: **Receiving Env:** MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 4/15/2002 Site Map Datum: **Dt Document Closed:** SAC Action Class: UNKNOWN Incident Reason: Source Type: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: PAUL'S BACKHOE SERVICE SPILL UNKNOWN VOL OF GAS & WATER, CONTAINED Contaminant Qty:

ONTARIO HYDRO Database: Site: HWY 17 EAST OF CUMBERLAND STA. (WEST LANE) MOTOR VEHICLE (OPERATING FLUID) CUMBERLAND TWP. ON

Ref No: Site No: Incident Dt: Year	39231 8/14/1990	Discharger Report: Material Group: Health/Env Conseq: Client Type:	
Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:	PIPE/HOSE LEAK	Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code:	
Environment Impact: Nature of Impact:	NOT ANTICIPATED	Site Region: Site Municipality: Site Lot:	20601
Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason:	LAND 8/14/1990 OVERSTRESS/OVERPRESSURE	Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	

Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

<u>Site:</u>	UNKNOWN 10TH LINE ROAI	D CUMBERLAND TOWNSHIP ON			Database: <mark>SPL</mark>
Ref No:		101790	Discharger Report:		
Site No:	_		Material Group:		
Inciden	t Dt:	6/24/1994	Health/Env Conseq:		
Year:			Client Type:		
Incident	Cause:	OTHER CONTAINER LEAK	Sector Type:		
Incident	Event:		Agency Involved:		
Contam	inant Code:		Nearest Watercourse:		
Contam	inant Name:		Site Address:		
Contam	inant Limit 1:		Site District Office:		
Contam	Limit Freq 1:		Site Postal Code:		
Contam	Inant UN NO 1:		Site Region:	20601	
Environ	ment impact:	POSSIBLE	Site Municipality:	20601	
Nature	of impact:	Vvater course or lake	Site Lot:		
Receivi	ng Mealum:	LAND	Site Conc:		
Receivi	ng Env:		Northing:		
MOE RE	sponse:		Easting:	ORLEANS WORKS	
	Arvi on Sch:	6/24/4004	Site Geo Rei Accu:		
NUCE RE	ported Dt:	0/24/1994	Site Map Datum:		
Dt Docu	Person		SAC ACTION Class:		
	Reason:	UNKNOWN	Source Type:		
Site Nai	ne:				
Site Col	District. Def Meth:				
Inciden	Summary	LINKNOWN SOURCE-PETROLEI			
Contam	inant Qty:			N, WOTTOOR OALLED.	

<u>Site:</u> CONSUMERS GAS HWY 17 NATURAL GAS PIPELINE CUMBERLAND TWP. ON

Ref No:	39641	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	8/23/1990	Health/Env Conseg:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Vome		Site Address	
Conteminent Limit 1:		Sile Address.	
		Sile District Onice.	
		Site Postal Code:	
Contaminant UN NO 1:		Site Region:	00001
Environment Impact:	POSSIBLE	Site Municipality:	20601
Nature of Impact:	Human health	Site Lot:	
Receiving Medium:	AIR	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/23/1990	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	DAMAGE BY MOVING EQUIPMENT	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	CONSUMERS GAS-PIPELINE RU	JPTURE.	
Contaminant Qtv:			

Site: CRAWFORD TRANSPORT

Database:

SPL

ON HWY. 17 AT THE PLACE D'ORLEANS ABOUT 5 MI. EAST OF OTTAWA MOTOR VEHICLE (OPERATING FLUID) OTTAWA-CARLETON R.M. ON

Ref No:	68430	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	3/26/1992	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	CONTAINER OVERFLOW	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20000
Nature of Impact:	Other	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	МТО
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	3/26/1992	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	OTHER	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	P.P. CRAWFORD TRANSPO	ORT - 450 L OF LIQUID TAR TO RO	AD FROM TANK TRUCK.
Contaminant Qty:			

Site: TRANSPORT TRUCK

HWY 17 AT QUIGLEY HILL MOTOR VEHICLE (OPERATING FLUID) CUMBERLAND TOWNSHIP ON

Database: SPL

Ref No:	72101	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	6/15/1992	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER TRANSPORTATION ACCIDENT	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	20601
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	FD, ONTARIO HYDRO ,MTO.
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	6/15/1992	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	M.V.A225 L HYDRAULIC OIL & 25 L	DIESEL FUEL TOROAD/D	ITCH,CONTAINED.
Contaminant Qty:			

<u>Site:</u> ONTARIO HYDRO HWY 17 AT QUIGLEY HILL TRANSFORMER CUMBERLAND TOWNSHIP ON

Ref No: Site No:	72102	Discharger Report: Material Group:
Incident Dt: Year:	6/15/1992	Health/Env Conseq: Client Type:
Incident Cause: Incident Event:	COOLING SYSTEM LEAK	Sector Type: Agency Involved:

Database: <mark>SPL</mark>

Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

CONFIRMED Soil Contamination LAND

6/15/1992

ERROR

Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20601 Site Lot: Site Conc: Northing: Easting: FD,PD. Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:

ONTARIO HYDRO- 45 LITRES TRANSFORMER OIL 31 PPM PCB'S TO GRND, M.V.A.

<u>Site:</u> BEAVER ROAD BUILDERS LTD. ST. JOSEPH BLVD. AT TAYLOR CREEK MOTOR VEHICLE (OPERATING FLUID) CUMBERLAND TOWNSHIP ON

Database:

<u>Site:</u> CONTRACTOR HIGHWAY 17 CONSTRUCTION SITE MOTOR VEHICLE (OPERATING FLUID) CUMBERLAND TOWNSHIP ON Database:

Ref No:	91870	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	9/30/1993	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freg 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20601
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	

55

erisinfo.com | Environmental Risk Information Services

Order No: 20200408040

<u>Site:</u> TRANSPORT TRUCK AT THE MR. GAS SERVICE STATION ON HWY. 17 AT TRIM RD. IN ORLEANS MOTOR VEHICLE (OPERATING FLUID) CUMBERLAND TOWNSHIP ON

Database: SPL

Database: <mark>SPL</mark>

Ref No:	166790	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	4/20/1999	Health/Env Conseg:	
Year:		Client Type:	
Incident Cause	OTHER CONTAINER LEAK	Sector Type	
Incident Event:		Agency Involved	
Contaminant Code:		Nearest Watercourse	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit From 1:		Site District Onice.	
Contaminant UN No 1:		Site Postar Code.	
	CONFIRMED	Sile Region.	20601
Environment impact:		Site municipality:	20601
Nature of Impact:	vvater course or lake	Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/20/1999	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			

MULTI MARQUES - 200 L OF DIESEL FUEL TO GROUND & SEWER FROM TRUCK.

<u>Site:</u> City of Ottawa Hwy 174 westbound Ottawa ON

Incident Summary:

Contaminant Qty:

Ref No:	1861-72DJ2M	Discharger Report:	
Site No:		Material Group:	Chemicals
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Other Discharges	Sector Type:	Other Motor Vehicle
Incident Event:	-	Agency Involved:	
Contaminant Code:	27	Nearest Watercourse:	
Contaminant Name:	COOLANT (N.O.S.)	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:	Soil Contamination	Site Lot:	
Receiving Medium:	Land	Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/18/2007	Site Map Datum:	
Dt Document Closed:	5/3/2007	SAC Action Class:	
Incident Reason:	Spill	Source Type:	
Site Name:	OC Transpo vehicle, Hwy 174 westbou	ind <unofficial></unofficial>	
Site County/District:			
Site Geo Ref Meth:			

Site:

Hwy 17 where crosses South Indian Creek (Limoges Casselman Construction Site)<UNOFFICIAL> Ottawa ON

Ref No: Site No: Incident Dt: Yoor:	6723-75LPCT	Discharger Report: Material Group: Health/Env Conseq: Client Type:	Oil
rear. Incident Coucos		Chent Type.	Othor
Incluent Cause.		Sector Type.	Other
Contominent Code:	15	Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
	HYDRAULIC OIL	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	0.11
Environment Impact:	Confirmed	Site Municipality:	Ottawa
Nature of Impact:	Surface Water Pollution	Site Lot:	
Receiving Medium:	Water	Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/30/2007	Site Map Datum:	
Dt Document Closed:	8/30/2007	SAC Action Class:	
Incident Reason:		Source Type:	
Site Name:	Hwy 17 where crosses Sc	outh Indian Creek	
Site County/District:	-		
Site Geo Ref Meth:			
Incident Summary:	Dufferin Construction: 0.5	L hyd. oil to South Indian Creek	
Contaminant Qty:	0.5 L		

Site: City of Ottawa

ON 10TH LINE NORTH AT ST. JOSEPH<UNOFFICIAL> Ottawa ON

Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event:	6543-5TFKC5 11/19/2003	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved:	Oil
Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	TRANSMISSION OIL	Site Address:	
Contaminant Limit 1:		Site District Office:	Ottawa
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Eastern
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:		Site Lot:	
Receiving Medium:	Land & Water	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:	11/10/2020	Site Geo Ref Accu:	
MOE Reported Dt:	11/19/2003	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:			
Site Name:	ON TOTH LINE NORTH AT ST. JOSEF	HEUNOFFICIAL>	
Site County/District.			
Incident Summary:	OC Transpo-45 L Hydraulic Oil to Road	1 & CB.	
Contaminant Qty:	45 L		

<u>Site:</u> CONSTRUCTION SITE MISSISSIPPI BRIDGE CONST. SITE, 300 M WEST OF HWY 17, 3.5 KM N OF ANTRIM (N.O.S.) OTTAWA CITY ON

Database: SPL

Database: SPL

Database:

SPL

Ref No	:
--------	---

192858

Discharger Report:

Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: **Dt Document Closed:** Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

1/3/2001

CONTAINER OVERFLOW

Not Anticipated Water course or lake Land

1/3/2001

1520198

Domestic

Water Supply

UNKNOWN

Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20107 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:

DUFFERIN CONSTRUCTION- 40-60 L SILTY WATER OVER-FLOWED SILT FENCE, CONT'D.

Data Entry Status: Data Src:

Abandonment Rec:

Date Received:

Selected Flag:

Contractor: Form Version:

Owner: Street Name:

County:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Municipality: Site Info:

UTM Reliability:

1

Yes

2351

1

035

12/17/1985

OTTAWA-CARLETON

CUMBERLAND TOWNSHIP

Site:

lot 35 ON

Well ID:
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status:
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Bore Hole Information

Bore Hole ID:	10042043	Elevation:	
DP2BR:	78	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	
Code OB Desc:	Bedrock	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	11/27/1985	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date	o.		

Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Database: WWIS

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2:	931044037 2 3 BLUE 05 CLAY
Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	11 36 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931044036 1 6 BROWN 28 SAND
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	0 11 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials:	931044039 4 8 BLACK 17 SHALE
Formation Top Depth: Formation End Depth: Formation End Depth UOM:	78 88 ft
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931044038 3 8 BLACK 14 HARDPAN 13 BOULDERS
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	36 78 ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Pipe ID:	10590613
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930073381
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	78
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991520198
Pump Set At:	
Static Level:	35
Final Level After Pumping:	80
Recommended Pump Depth:	85
Pumping Rate:	6
Flowing Rate:	
Recommended Pump Rate:	5
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	N

Draw Down & Recovery

Pump Test Detail ID:	934111428
Test Type:	Draw Down
Test Duration:	15
Test Level:	48
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934377248
Test Type:	Draw Down
Test Duration:	30
Test Level:	53
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934656002
Test Type:	Draw Down
Test Duration:	45
Test Level:	64
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934904971
Test Type:	Draw Down
Test Duration:	60
Test Level:	88
Test Level UOM:	ft

Water Details

7379
Н

Site:

lot 36 ON

Well ID:	1524807	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	9/7/1990
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	2351
Casing Material:		Form Version:	1
Audit No:	67171	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	CUMBERLAND TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	036
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:		2	
-			

Bore Hole Information

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Bore Hole ID:	10046554	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:	0	East83:	
Code OB Desc:	Overburden	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	8/23/1990	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			

Database: WWIS

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	931059166 2 6 BROWN 05 CLAY 6 19 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931059167 3 3 BLUE 05 CLAY
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	19 54 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931059168 4 8 BLACK 11 GRAVEL
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	54 59 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931059165 1 6 BROWN 28 SAND
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	0 6 ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Pipe ID:	10595124
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930081509
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	59
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991524807
Pump Set At:	
Static Level:	26
Final Level After Pumping:	47
Recommended Pump Depth:	54
Pumping Rate:	18
Flowing Rate:	
Recommended Pump Rate:	8
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	35
Flowing:	N

Draw Down & Recovery

Pump Test Detail ID:	934385399
Test Type:	Draw Down
Test Duration:	30
Test Level:	46
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934903554
Test Type:	Draw Down
Test Duration:	60
Test Level:	47
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934655178
Test Type:	Draw Down
Test Duration:	45
Test Level:	47
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934109990
Test Type:	Draw Down
Test Duration:	15
Test Level:	39
Test Level UOM:	ft

Water Details

Water ID:	933483563
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	59
Water Found Depth UOM:	ft

Site:

lot 36 ON

Well ID:	1525357	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	3/5/1991
Sec. Water Use:	Cooling And A/C	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3749
Casing Material:		Form Version:	1
Audit No:	91536	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	CUMBERLAND TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	036
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			
Bore Hole Information			
Bore Hole ID:	10047095	Elevation:	
DP2BR:	65	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	
Code OB Desc:	Bedrock	North83:	

North83: Org CS:

UTMRC:

UTMRC Desc:

Location Method:

9

na

unknown UTM

Database: WWIS

Open Hole:

Remarks:

Cluster Kind:

Elevrc Desc:

Date Completed:

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

11/30/1990

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931060888 3 8 BLACK 11 GRAVEL 77 LOOSE
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	60 65 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931060889 4 8 BLACK 17 SHALE 85 SOFT
Viats: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	65 100 ft

Overburden and Bedrock Materials Interval

Formation ID:	931060886
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	00
Other Materials:	UNKNOWN TYPE
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	12
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931060887
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	00
Other Materials:	UNKNOWN TYPE
Mat3:	
Other Materials:	
Formation Top Depth:	12
Formation End Depth:	60
Formation End Depth UOM:	ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: Layer: Plug From: Plug To: Plug Depth UOM: <u>Method of Construction & Well</u>	933111163 1 8 71 ft
<u>Use</u> Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	1 Cable Tool
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	10595665 1
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	930082451 1 STEEL 71 6 inch ft
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Denth From:	930082452 2
Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	100 5 inch ft
Results of Well Yield Testing	
Pump Test ID:	991525357
Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth:	25 65
runping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM:	ft
Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method:	GPM 2 CLOUDY 2
Pumping Duration HR:	1

erisinfo.com | Environmental Risk Information Services

Pumping Duration MIN:	0
Flowing:	Ν

Draw Down & Recovery

Pump Test Detail ID:	934387593
Test Type:	Draw Down
Test Duration:	30
Test Level:	65
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934112188
Test Type:	Draw Down
Test Duration:	15
Test Level:	46
Test Level UOM:	ft

Water Details

Water ID:	933484324
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	91
Water Found Depth UOM:	ft

Water Details

Water ID:	933484323
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	79
Water Found Depth UOM:	ft

<u>Site:</u>

lot 36 ON

Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material:	1525356 Domestic Cooling And A/C Water Supply	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version:	1 3/5/1991 Yes 3749 1
Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	91535	Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	OTTAWA-CARLETON CUMBERLAND TOWNSHIP 036

Bore Hole Information

Bore Hole ID:	10047094	Elevation:	
DP2BR:	64	Elevrc:	

Database: WWIS Spatial Status: Code OB: r Code OB Desc: Bedrock **Open Hole: Cluster Kind:** Date Completed: 11/26/1990 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	931060885
Layer:	5
Color:	8
General Color:	BLACK
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	64
Formation End Depth:	77
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931060882
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	00
Other Materials:	UNKNOWN TYPE
Mat3:	
Other Materials:	
Formation Top Depth:	10
Formation End Depth:	35
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931060884
	4
Layer:	4
Color:	8
General Color:	BLACK
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	60
Formation End Depth:	64
Formation End Depth UOM:	ft

Overburden and Bedrock

 Zone:
 18

 East83:
 North83:

 Org CS:
 UTMRC:

 UTMRC Desc:
 unit

 Location Method:
 na

.

unknown UTM na

Materials Interval

Formation ID:	931060881
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Other Materials:	SAND
Mat3:	77
Other Materials:	LOOSE
Formation Top Depth:	0
Formation End Depth:	10
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials:	931060883 3 2 GREY 05 CLAY
Formation Top Depth:	35
Formation End Depth:	60
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	933111162
Layer:	1
Plug From:	8
Plug To:	66
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Pipe ID:	10595664
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930082449
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	66
Casing Diameter:	6

Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID:	930082450
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	77
Casing Diameter:	
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991525356
Pump Set At:	
Static Level:	25
Final Level After Pumping:	40
Recommended Pump Depth:	70
Pumping Rate:	30
Flowing Rate:	
Recommended Pump Rate:	20
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	N

Draw Down & Recovery

Pump Test Detail ID:	934112187
Test Type:	Draw Down
Test Duration:	15
Test Level:	32
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934387592
Test Type:	Draw Down
Test Duration:	30
Test Level:	40
Test Level UOM:	ft

Water Details

Water ID:	933484322
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	74
Water Found Depth UOM:	ft

Site:

<u>Site:</u> lot 35 ON				Database: WWIS
Well ID:	1533669	Data Entry Status:		
Construction Date:		Data Src:	1	
Primary Water Use:	Domestic	Date Received:	4/14/2003	

Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: **Construction Method:** Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Water Supply

221998

Bore Hole Information

Bore Hole ID: 10537503 DP2BR: 23 Spatial Status: Code OB: r Code OB Desc: Bedrock **Open Hole:** Cluster Kind: Date Completed: 4/24/2001 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	932905481
Layer:	1
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Other Materials:	SAND
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	18
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	932905483
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	23

Selected Flag: Abandonment Rec: Contractor: Form Version: **Owner:** Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Yes

3749 1

OTTAWA-CARLETON CUMBERLAND TOWNSHIP

035

Elevation: Elevrc: Zone: 18 East83: North83: Org CS: UTMRC: 9 UTMRC Desc: Location Method: na

unknown UTM

Formation End Depth:	140
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	932905482
Layer:	2
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Other Materials:	SAND
Mat3:	79
Other Materials:	PACKED
Formation Top Depth:	18
Formation End Depth:	23
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	933236221
Plug From:	0
Plug To: Plug Depth UOM:	44 ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Pipe ID:	11086073
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930097425
Layer:	1
Material:	
Open Hole or Material:	
Depth From:	
Depth To:	44
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991533669
Pump Set At:	
Static Level:	32
Final Level After Pumping:	80
Recommended Pump Depth:	100
Pumping Rate:	30
Flowing Rate:	

70

Recommended Pump Rate:	30
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	N

Draw Down & Recovery

Pump Test Detail ID:	934665347
Test Type:	Draw Down
Test Duration:	45
Test Level:	80
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934913474
Test Type:	Draw Down
Test Duration:	60
Test Level:	80
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934121214
Test Type:	Draw Down
Test Duration:	15
Test Level:	52
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934395650
Test Type:	Draw Down
Test Duration:	30
Test Level:	74
Test Level UOM:	ft

Water Details

Water ID:	934031005
Layer:	3
Kind Code:	5
Kind:	Not stated
Water Found Depth:	136
Water Found Depth UOM:	ft

Water Details

Water ID:	934031003
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	79
Water Found Depth UOM:	ft

Water Details

Water ID:	934031004
Layer:	2

Site:

lot 35 ON Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

e: Domestic Water Supply

206792

1531000

Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10052534 DP2BR: Spatial Status: Code OB: 0 Code OB Desc: Overburden **Open Hole:** Cluster Kind: Date Completed: 12/2/1999 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	931077210
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	85
Other Materials:	SOFT
Mat3:	
Other Materials:	
Formation Top Depth:	6
Formation End Depth:	52
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Data Entry Status:
Data Src:
Date Received:
Selected Flag:
Abandonment Rec:
Contractor:
Form Version:
Owner:
Street Name:
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name
Fasting NAD83
Northing NAD03.
70no.
LITM Roliability
o nim nenability.

Elevation:Elevrc:Zone:18East83:North83:Org CS:UTMRC:9UTMRC Desc:unknown UTMLocation Method:na

1 1/11/2000 Yes

6006 1

OTTAWA-CARLETON CUMBERLAND TOWNSHIP

035

Database: WWIS

Formation ID:	931077211
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	85
Other Materials:	SOFT
Mat3:	
Other Materials:	
Formation Top Depth:	52
Formation End Depth:	65
Formation End Depth UOM:	ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	021077200
Formation ID.	931077209
Layer:	1
Color:	5
General Color:	YELLOW
Mat1:	28
Most Common Material:	SAND
Mat2:	85
Other Materials:	SOFT
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	6
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	933116177
Layer:	1
Plug From:	0
Plug To:	20
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

ŀ

Construction Record - Casing

Casing ID:	930091781
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	65
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991531000
Pump Set At:	
Static Level:	27
Final Level After Pumping:	35
Recommended Pump Depth:	60
Pumping Rate:	30
Flowing Rate:	
Recommended Pump Rate:	10
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	Ν

Draw Down & Recovery

Pump Test Detail ID:	934903894
Test Type:	Recovery
Test Duration:	60
Test Level:	35
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934120577
Test Type:	Recovery
Test Duration:	15
Test Level:	35
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934664715
Test Type:	Recovery
Test Duration:	45
Test Level:	35
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934395433
Test Type:	Recovery
Test Duration:	30
Test Level:	35
Test Level UOM:	ft

Water Details

Water ID:	933491322
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	65
Water Found Depth UOM:	ft

Site:

lot 36 ON

Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: **Construction Method:** Elevation (m): Elevation Reliability: Depth to Bedrock: . Well Depth: Overburden/Bedrock: Pump Rate: . Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

1530686

Domestic

206737

10052220

Water Supply

Bore Hole Information

Bore Hole ID:

DP2BR: 50 Spatial Status: Code OB: r Code OB Desc: Bedrock **Open Hole:** Cluster Kind: Date Completed: 6/25/1999 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	931076266
Layer:	4
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	13
Other Materials:	BOULDERS
Mat3:	85
Other Materials:	SOFT
Formation Top Depth:	42
Formation End Depth:	50
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931076265
Layer:	3
Color:	3
General Color:	BLUE
Mat1:	05
Most Common Material:	CLAY
Mat2:	85
Other Materials:	SOFT

Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

1 8/11/1999 Yes

6006

1

OTTAWA-CARLETON CUMBERLAND TOWNSHIP

036

Elevation: Elevrc: Zone: 18 East83: North83: Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: na

Mat3:

Other Materials:	
Formation Top Depth:	13
Formation End Depth:	42
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931076263
Layer:	1
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	85
Other Materials:	SOFT
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	8
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931076267
Layer:	5
Color:	8
General Color:	BLACK
Mat1:	17
Most Common Material:	SHALE
Mat2:	80
Other Materials:	POROUS
Mat3:	
Other Materials:	
Formation Top Depth:	50
Formation End Depth:	63
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

931076264 2
2
GREY
05
CLAY
85
SOFT
8
13
ft

Annular Space/Abandonment Sealing Record

Plug ID: Laver:	933115828 1
Plug From:	0
Plug To:	20
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	4
Method Construction:	Rotary (Air)
Other Method Construction:	

Pipe Information

Pipe ID:	10600790
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930091118
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	50
Casing Diameter:	7
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID:	930091119
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	62
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

991530686
22
60
58
8
6
ft
GPM
1
CLEAR
1
1
0
Ν

Draw Down & Recovery

Pump Test Detail ID:	934664170
Test Type:	Recovery
Test Duration:	45
Test Level:	22
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934120031
Test Type:	Recovery
Test Duration:	15
Test Level:	30
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934902788
Test Type:	Recovery
Test Duration:	60
Test Level:	22
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934385652
Test Type:	Recovery
Test Duration:	30
Test Level:	30
Test Level UOM:	ft

Water Details

Water ID:	933490904
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	50
Water Found Depth UOM:	ft

lot 35 ON

Site:

Database: WWIS

Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	1526515 Domestic Water Supply 116373	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 9/2/1992 Yes 2351 1 OTTAWA-CARLETON CUMBERLAND TOWNSHIP 035
Bore Hole Information			
Bore Hole ID:	10048216	Elevation:	

Bore Hole ID:	10048216	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone: 18	
Code OB:	0	East83:	
Code OB Desc:	Overburden	North83:	
Open Hole:		Org CS:	

Cluster Kind: Date Completed: 7/14/1992 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	931064392
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	7
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931064394
Layer:	3
Color:	2
General Color:	GREY
Mat1:	14
Most Common Material:	HARDPAN
Mat2:	13
Other Materials:	BOULDERS
Mat3:	
Other Materials:	
Formation Top Depth:	28
Formation End Depth:	69
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931064393
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	7
Formation End Depth:	28
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

933111760 1

Plug ID: Layer:

81

UTMRC: UTMRC Desc: Location Method: 9 unknown UTM na

Plug From:	4
Plug To:	22
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Pipe ID:	10596786
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930084425
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	69
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991526515
Pump Set At:	
Static Level:	27
Final Level After Pumping:	61
Recommended Pump Depth:	65
Pumping Rate:	7
Flowing Rate:	
Recommended Pump Rate:	6
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	10
Flowing:	Ν

Draw Down & Recovery

934652042	
Draw Down	
45	
61	
ft	

Draw Down & Recovery

Pump Test Detail ID:	934107892	
Test Type:	Draw Down	
Test Duration:	15	
Test Level:	50	
Test Level UOM:	ft	

Draw Down & Recovery

Pump Test Detail ID:	934391524
Test Type:	Draw Down
Test Duration:	30
Test Level:	58
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934909239
Test Type:	Draw Down
Test Duration:	60
Test Level:	61
Test Level UOM:	ft

Water Details

Water ID:	933485858
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	69
Water Found Depth UOM:	ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory: Provincial AAGR The MAAP Program maintains a database of abandoned pits and guarries. Please note that the database is only referenced by lot and concession and

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the Government Publication Date: Up to Sep 2019

Provincial Abandoned Mine Information System: AMIS The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation. Government Publication Date: 1800-Oct 2018

Government Publication Date: 1860s-Present

was collected for research purposes only.

Aboveground Storage Tanks:

or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated. Government Publication Date: May 31, 2014

Private Automobile Wrecking & Supplies: AUWR This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole: BORE A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW. Government Publication Date: 1875-Jul 2018

Provincial Aggregate Inventory:

city/town location. The database provides information regarding the location, type, size, land use, status and general comments.* Government Publication Date: Sept 2002*

AGR registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Private Anderson's Waste Disposal Sites: ANDR The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information

Provincial AST Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water

Provincial

erisinfo.com | Environmental Risk Information Services

Certificates of Approval:

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of

Chemical Register:

Dry Cleaning Facilities:

Commercial Fuel Oil Tanks: Provincial Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2017

Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be

CHEM This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Government Publication Date: 1985-Oct 30, 2011*

Government Publication Date: Jan 2004-Dec 2017

Please refer to those individual databases for any information after Oct.31, 2011.

tetrachloroethylene to the environment from dry cleaning facilities.

Compressed Natural Gas Stations:

Compliance and Convictions:

Certificates of Property Use:

Drill Hole Database:

85

3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance. Government Publication Date: Dec 2012 - Feb 2020

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.* Government Publication Date: Apr 1987 and Nov 1988*

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law. Government Publication Date: 1989-Nov 2019

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) -Certificate of Property Use. Government Publication Date: 1994-Feb 29, 2020

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA).

Federal

Private

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at

Provincial

Private

Provincial

Provincial

Provincial This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and

CA

CDRY

CFOT

CNG

COAL

CONV

CPU

Provincial

DRI

Order No: 20200408040

Environmental Registry:

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases. Government Publication Date: 1994-Feb 29, 2020

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain

activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Environmental Activity and Sector Registry:

Government Publication Date: Oct 2011-Mar 31, 2020

Environmental Compliance Approval: On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Mar 31, 2020

Environmental Effects Monitoring:

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Profile" page.

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical

Government Publication Date: 1999-Jan 31, 2020 Environmental Issues Inventory System:

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed. Government Publication Date: 1992-2001*

Emergency Management Historical Event:

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017. Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1. 2011 - Dec 31. 2018

Provincial

EASR

EBR

FCA

EEM

EHS

FIIS

EMHE

EPAR

Provincial

Provincial

Federal

Federal

Private

Provincial

Provincial

List of Expired Fuels Safety Facilities:

outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel

Government Publication Date: Feb 28, 2017

Federal Convictions:

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty. Government Publication Date: 1988-Jun 2007

Contaminated Sites on Federal Land:

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fisheries & Oceans Fuel Tanks:

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation. Government Publication Date: 1964-Sep 2018

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Fuel Storage Tank:

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jan 31, 2020

Provincial

EXP

FCON

FCS

FED TANKS

FOFT

FST

Federal

Federal

Provincial

Provincial

Provincial



FSTH

Federal

Federal
List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq). Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents: HINC List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Indian & Northern Affairs Fuel Tanks: IAFT The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario: LIMO The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Mineral Occurrences:

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database. Government Publication Date: 1998-2009*

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released. Government Publication Date: 1974-1994*

Greenhouse Gas Emissions from Large Facilities:

Government Publication Date: 2006-June 2009*

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

88

MINE

MNR

INC

Provincial

Federal

NATE

Federal

Provincial

GHG

Federal

Provincial

Provincial

Private

Federal NDFT The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have

Government Publication Date: Up to May 2001*

prohibited any release of this database.

National Defense & Canadian Forces Spills: The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type

Federal **NDWD** The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Federal National Energy Board Pipeline Incidents: **NEBI** Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

NEES In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored. Government Publication Date: 1988-2008*

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. Government Publication Date: 1993-May 2017

Non-Compliance Reports:

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Government Publication Date: 2008-Dec 31, 2019

of spill, as well as the quantity of substance spilled & recovered. Government Publication Date: Mar 1999-Apr 2018 National Defence & Canadian Forces Waste Disposal Sites:

Government Publication Date: 2001-Apr 2007*

National Energy Board Wells: Federal NEBP Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 1974-2003*

National Pollutant Release Inventory:

National PCB Inventory:

NPRI

NPCB

Provincial

Federal

NDSP

NCPL

Federal

Federal

Federal

89

Order No: 20200408040

OGWE

OOGW

OPCB

Provincial

Provincial

Private

PCFT

PAP

PES

PINC

PRT

PTTW

Provincial

Provincial

Provincial The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage

Provincial

Oil and Gas Wells:

is updated on a monthly basis. More information is available at www.nickles.com. Government Publication Date: 1988-Feb 29, 2020

Ontario Oil and Gas Wells:

Inventory of PCB Storage Sites:

Canadian Pulp and Paper:

Pesticide Register:

Pipeline Incidents:

Government Publication Date: 1800-Jun 2019

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory. Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All

geology/stratigraphy table information, plus all water table information is also provide for each well record.

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database

Provincial Orders: ORD This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures. Government Publication Date: 1994-Feb 29, 2020

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce. Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks: Federal Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator. Government Publication Date: 1920-Jan 2005*

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides. Government Publication Date: 1988 - Mar 2020

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2017

tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety

Private and Retail Fuel Storage Tanks:

Authority (TSSA). Government Publication Date: 1989-1996*

Permit to Take Water:

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Feb 29, 2020

Ontario Regulation 347 Waste Receivers Summary:

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data. Government Publication Date: 1986-2016

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2020

Retail Fuel Storage Tanks:

or propane storage tanks.

Ontario Spills:

Record of Site Condition:

Scott's Manufacturing Directory:

Government Publication Date: 1999-Jan 31, 2020

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database. Government Publication Date: 1992-Mar 2011*

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. Government Publication Date: 1988-Aug 2019

Wastewater Discharger Registration Database: SRDS Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Anderson's Storage Tanks:

Transport Canada Fuel Storage Tanks:

Government Publication Date: 1990-Dec 31, 2017

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

91

Private This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and /

Provincial

Provincial

Private

Provincial

Private

Federal

TCFT

TANK



RFC

RSC

RST

SCT

SPL

erisinfo.com | Environmental Risk Information Services

Water Well Information System:

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Variances for Abandonment of Underground Storage Tanks:

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Mar 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Provincial

Provincial

WDS

VAR

Provincial

Provincial

WDSH

WWIS

92

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX D

ECOLOG ERIS AERIAL PHOTOGRAPH SEARCH RESULTS



Project Property:	200041 - Landric Homes	
	280 Eric Czapnik Way	
	Orléans ON K1E 3X8	
Project No:	200041	
Requested By:	LRL Associates Ltd.	
Order No:	20200408040	
Date Completed:	April 13, 2020	

Environmental Risk Information Services A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com

Decade	Year	Image Scale	Source
1920	Not Available		
1930	Not Available		
1940	1946	15000	NAPL
1950	1955	35000	NAPL
1960	1960	25000	NAPL
1980	1988	20000	NAPL

Aerial Maps included in this report are produced by the sources listed above and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property. No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc.(in the US) and ERIS Information Limited Partnership (in Canada), both doing business and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS', using aerial photos listed in above sources. The maps contained in this report does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Environmental Risk Information Services

A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com



1946 Year: Source: NAPL 1: 10000 Map Scale: Comments:





0 0.125 0.25 0.5 Year: 1955 Source: NAPL Map Scale: 1: 10000

Comments:





0 0.125 0.25 0.5 Year: 1960 Source: NAPL Map Scale: 1: 10000 Comments:





0	0.125	0.25	0.5
			Kilometers
Year	:	1988	
Sou	rce:	NAPL	
Map	Scale:	1: 10000	
Con	nments:		



APPENDIX E

AERIAL PHOTOGRAPHS







APPENDIX F

TOPOGRAPHIC MAP



Ontario Base Mapping (OBM) Data



Order No. 20200408040

APPENDIX G

SITE VISIT PHOTOGRAPHS



SITE VISIT PHOTOGRAPHS

Our File Ref.:200041Client:Landric Homes Inc.Project:Phase I Environmental Site AssessmentSite Location:280 Eric Czapnik Way, Ottawa, Ontario

Photograph No. 1

Date: 5/4/2020

Description

General Site conditions from the northeast portion of the property facing west along the northern extent.



Photograph No. 2

Date: 5/4/2020

Description

From the north facing south along the eastern portion of the Site. Large fill mound present in background.



Photograph No. 3Date: 5/4/2020DescriptionGeneral Site
conditions at the
northwest portion of
the property, facing
west.

Photograph No. 4

Date: 5/4/2020

Description

General Site conditions along the northern extent of the Site, from west facing east. The large fill mound is visible along the right limit of the photograph.



Photograph No. 5 Date: 5/4/2020 Description Southwest portion of the Site facing south. Neighbouring highdensity residential developments are visible in the background. Photograph No. 6 Date: 5/4/2020 Description Southwester portion of the Site facing east. Large fill mound is present in the background.

Photograph No. 7 Date: 5/4/2020 Description Western extent of the large fill mound present across the majority of the Site. Photograph No. 8 Date: 5/4/2020 Description South-central base of fill mound. Evidence of concrete waste.

Date: 5/4/2020

Description

Construction staging area at the eastern portion of the Site. Evidence of construction related materials including fencing components, drainage pipes and supplies packaging.



Photograph No. 10

Date: 5/4/2020

Description

Construction staging yard at the eastern portion of the Site. General material observed include modu-loc fencing, water and sanitary/storm sewer utility piping and components.





Date: 5/4/2020

Description

High-density residential development to the east of the Site from the Site facing west along Eric Czapnik Way.



Photograph No. 14

Date: 5/4/2020

Description

Adjacent property to the west of the Site: vacant land followed by high density residential.





Date: 5/4/2020

Description

Central of Site facing north towards the Highway 174, and high-density residential development in the background.



Photograph No. 18

Description

Date: 5/4/2020

Adjacent property to the south of the Site: Multi-tenant residence and associated parking and circulation area.



Date: 5/4/2020

Description

Adjacent property to the north of the eastern portion of the Site. Construction of Eric Czapnik Way extension, and evidence of historical land use in the background (agricultural silo).



Photograph No. 20

Date: 5/4/2020 Description

Construction activities to the southeast of the Site.



APPENDIX **H**

TABLE 2 OF SCHEDULE D OF O. REG. 153/04

Ontario Regulation 153/04 – Schedule D Summary of Potentially Contaminating Activities & Areas of Potential Environmental Concern

Acid and Alkali Manufacturing, Processing and Bulk Storage	Explosives and Firing Range	Petroleum-derived Gas Refining, Manufacturing, Processing and Bulk Storage
Adhesives and Resins Manufacturing, Processing and Bulk Storage	Fertilizer Manufacturing, Processing and Bulk Storage	Pharmaceutical Manufacturing and Processing
Airstrips and Hangars Operation	Fire Retardant Manufacturing, Processing and Bulk Storage	Plastics (including Fibreglass) Manufacturing and Processing
Antifreeze and De-icing Manufacturing and Bulk Storage	Fire Training	Port Activities, including Operation and Maintenance of Wharves and Docks
Asphalt and Bitumen Manufacturing	Flocculants Manufacturing, Processing and Bulk Storage	Pulp, Paper and Paperboard Manufacturing and Processing
Battery Manufacturing, Recycling and Bulk Storage	Foam and Expanded Foam Manufacturing and Processing	Rail Yards, Tracks and Spurs
Boat Manufacturing	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	Rubber Manufacturing and Processing
Chemical Manufacturing, Processing and Bulk Storage	Gasoline and Associated Products Storage in Fixed Tanks	Salt Manufacturing, Processing and Bulk Storage
Coal Gasification	Glass Manufacturing	Salvage Yard, including automobile wrecking
Commercial Autobody Shops	Importation of Fill Material of Unknown Quality	Soap and Detergent Manufacturing, Processing and Bulk Storage
Commercial Trucking and Container Terminals	Ink Manufacturing, Processing and Bulk Storage	Solvent Manufacturing, Processing and Bulk Storage
Concrete, Cement and Lime Manufacturing	Iron and Steel Manufacturing and Processing	Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
Cosmetics Manufacturing, Processing and Bulk Storage	Metal Treatment, Coating, Plating and Finishing	Tannery
Crude Oil Refining, Processing and Bulk Storage	Metal Fabrication	Textile Manufacturing and Processing
Discharge of Brine related to oil and gas production	Mining, Smelting and Refining; Ore Processing; Tailings Storage	Transformer Manufacturing, Processing and Use
Drum and Barrel and Tank Reconditioning and Recycling	Oil Production	Treatment of Sewage equal to or greater than 10,000 litres per day
Dye Manufacturing, Processing and Bulk Storage	Operation of Dry Cleaning Equipment (where chemicals are used)	Vehicles and Associated Parts Manufacturing
Electricity Generation, Transformation and Power Stations	Ordnance Use	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
Electronic and Computer Equipment Manufacturing	Paints Manufacturing, Processing and Bulk Storage	Wood Treating and Preservative Facility and Bulk Storage of Treated and Preserved Wood Products
Explosives and Ammunition Manufacturing, Production and Bulk Storage	Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	