349 Danforth Avenue, Ottawa Environmental Site Assessment Phase I



Prepared for:

RN Development Inc. 337 Sunnyside Ave, Suite 101, Ottawa, ON K1S 0R9

By: ARCH-Nova Design Inc.

Project # E-01-21

March 2021

Updated: June 2021

TABLE OF CONTENTS

EXE	4	
1.	Introduction	6
2.	Site Description	6
3.	Records Review	7
3.1	Aerial Photographs	7
3.2	Property Use and Ownership Records	7
	3.2.1 Insurance Records	7
	3.2.2 Property Use Directories	8
3.3	Previous Environmental or Geotechnical Reports	8
3.4	Regulatory Requests	10
3.5	Physical Setting and Analysis	10
3.6	Land Use Documents	10
4.	Site Reconnaissance	10
4.1	Property Use	11
4.2	Interviews	11
4.3	Potable Water Supply	11
4.4	Sewage and Wastewater Disposal	11
4.5	Building Heating and Cooling Systems	11
4.6	Special Attention Substances	12
4.7	Phase I Conceptual Site Model	13
	4.7.1 Roads, Parking Facilities and Rights of Way	13
	4.7.2 Building and Site Drainage	13

	4.7.3 Storage Tanks and Containers	13		
	4.7.4 Hazardous & Unidentified Substances	13		
	4.7.5 Abandoned and Existing Wells	14		
	4.7.6 Drains, Pits and Lagoons	14		
	4.7.7 Stressed Vegetation	14		
	4.7.8 Surficial Staining	14		
	4.7.9 Odours and Noise	14		
	4.7.10 Presence of Fill and Debris	14		
	4.7.11 Topographic, Geologic and Hydrogeologic Conditions	14		
	4.7.12 Adjacent Sites	16		
5.	Conclusions and Recommendations	17		
6.	Limitations	19		
7.	Assessor Qualifications	20		
7.1	Arch-Nova Design Inc.	20		
7.2	Qualified Person	20		
APPENDICES				
APPENDIX 1- Fire Insurance Plan				
APPENDIX 2- Chain of Titles				
APPENDIX 3- Site Photos				
APPENDIX 4- Aero Photos				
APPENDIX 5- EcologEris Report				
APPENDIX 6- Physical Setting Report				
APPENDIX 7-Geotechnical Investigation Report				

EXECUTIVE SUMMARY

Arch-NOVA Design Inc. was retained by "RN Development Inc.", 337 Sunnyside Ave, Suite 101, Ottawa, ON K1S 0R9, to conduct a Phase I Environmental Site Assessment (ESA) at the property on 349 Danforth Avenue in Ottawa, Ontario.

Based on the results of the Phase I ESA, the following conclusions and recommendations are provided. Recommendations are shown in Italics:

- 1. The subject property is currently unoccupied and within mixed occupancy area. The building is planned for demolition. Adjacent properties are parking lots and commercial buildings.
- 2 Surface water flow paths do not suggest that any contamination is transferred from one to another property. Most of drainage is directed toward the drainage along Danforth Avenue. Minimum infiltration is anticipated as all surfaces are either asphalt, gravel and shingle roofs
- 3. The Summary of Data Source assembled recorded incidents however, the nature of incidents was considered as occasional (spillage from vehicles, traffic accidents etc.) with small amount of contaminants. Incidents were reported as cleared and the remediation measures implemented.
- 4. During the technical inspection of the property there was no specific substance noted on the site. The property is unoccupied and there is no source for concern related to environmental requirements. In addition to the environmental report compliant to Ontario Regulation 153/04, the research showed that there was no previous non-compliance report found.
- 5. Adjacent properties appear fully developed (parkings and commercial buildings. Two adjacent parkings were developed 2010s after buildings on sites had been demolished. At the time of site visit and preparation of this report, there were no reports on contamination nor remediation on these sites. It is assumed that no contamination is present now nor it can be transmitted through ground as minimal to no infiltration is now anticipated (asphalt surfaces.
- 6. It is recommended that, for purpose of site cleaning, a demolition and disposal plan and record of demolition and disposal to be prepared. If necessary a sampling of soil at excavation site

may be taken. It is in order to delineate borders for soil excavation as well as isolation soil where excavation is not advisable (i.e. under the wall on north side).

7. This report concludes that no further environmental assessment will be needed.

1. Introduction

Arch-NOVA Design Inc. was retained by "RN Development", 337 Sunnyside Ave, Suite 101, Ottawa, ON K1S 0R9, to conduct a Phase I Environmental Site Assessment (ESA) at the property on 349 Danforth Avenue in Ottawa, Ontario.

The work was carried out to meet the requirements of the current Ontario Regulation 153/04, Phase 1 Environmental Site Assessment. The objective of the Phase I ESA was to:

- a. identify any evidence of actual and potential site contamination including soil and groundwater and,
- b. determine the need for a Phase 2 ESA and if necessary, provide the basis for conducting a Phase 2 ESA or any subsequent risk assessment.

The Ontario Regulation 153/04 defines contaminant as any solid, liquid, gas, odour, heat, sound, vibration, radiation or combination of any of item resulting directly or indirectly from human activities that causes or may cause an adverse effect.

The scope of work for the Phase I ESA included a review of historical land use records, a visual inspection of the site and surrounding properties (as visible from the site or public right-of-way), interviews with person(s) having knowledge of past and present site activities, and a compilation of this information into a Phase I Environmental Site Assessment Report.

2. Site Description

For the purpose of this assessment, Danforth Avenue is considered to run **north-south**. The subject property is located at 349 Danforth, **Part Lot 3, Plan 204, PIN: 04017-0156.**

The subject property is currently unoccupied with a three-storey house, with a parking at rear (north part) of the property and with a driveway access along east side of the property. A paved sidewalk is located along the south side of the property. The house is located along the south side of the property. On east and west sides of the property there are paved parking. Along north side of the property there is a commercial building.



349 Danforth Avenue, Ottawa: Location

3. Records Review

Historical information sources, such as aerial photographs, fire insurance plans, property use directories, geotechnical reports and land use documents were reviewed in order to assess past land use at the site and immediately adjacent properties.

3.1 Aerial Photographs

Aerial photographs¹ of the surrounding area dated from 1920 to 2015 show that the area was urban area with mixed use. Aerial shows that even in 1920 the building shape appears similar to today's. In period since 1930 the area developed into mixed commercial-residential area with visible commercial development at corner of Richmond Road and Churchill Avenue. Through this entire period the property at 349 Danforth remained residential with no visible changes in shape of the building. In period between 2000 and 2010 adjacent houses on east and west side from this property were demolished and new parking lots were built. This layout remains until now.

3.2 Property Use and Ownership Records

3.2.1 Insurance Records

¹ Appendix 4: Aero Photos

A 1956 Fire Insurance Plan² of the area encompassing the subject property confirms the site and surrounding area. Also the plan shows a building on the property in very similar layout as todays.

3.2.2 Property Use Directories

Property use directories were obtained (Chain of Titles) for the period from 1878 to present. It confirms that the property was used as a residential for entire period of time. Having the period since 1920 being confirmed that the site was always used as a residential, the period of last 50 years for Chain of Titles was deemed sufficient for assessment of potential contamination **based on the site use.**

3.3 Previous Environmental or Geotechnical Reports

3.3.1 EXP Services Inc. prepared a Geotechnical Investigation for the location on September 14, 20203. The report provided an information on the ground water level: "Water level measurements were made in the monitoring wells installed in all boreholes upon and after installation. The measurements revealed that the groundwater table to be at a depth ranging between 5.0 m and 6.0 m below the existing ground surface or elevations 95.4 m to 93.8 m. A significant grade raise is not expected at the site. However, for design purposes, a maximum grade raise of 1 m is permissible at the site from a geotechnical point of view".

Also the report provided an information of geostrata and the structure support capacity: "The investigation has revealed that the subsurface conditions comprise of very loose to loose fill underlain by bedrock encountered at depths ranging from 0.6 m and 0.8 m below ground surface. Wash boring and core drilling used to advance all boreholes into bedrock to depths ranging from 9.5 m to 10.2 m below ground surface.

A significant grade raise is not expected at the site. However, for design purposes, a maximum grade raise of 1 m is permissible at the site from a geotechnical point of view. Based on the results of the investigation, the proposed building may be founded on the

_

² Appendix 1: Fire Insurance Plan

³ Appendix 7: EXP;Geotechnical Investigation, Proposed Residential Development, 349 Danforth Avenue Ottawa, OTT-00259161-A0. September 14, 2020.

limestone bedrock below any weathered or fractured zones and designed for a bearing pressure at Ultimate Limit State (ULS) of 1000 kPa.

All the footing beds should be examined by a senior geotechnician to ensure that they are prepared properly, and they are able to support the ULS bearing pressure.

The basement slab of the proposed building may be set on a bed of 300 mm of clear stone set over bedrock or engineered fill. Perimeter drainage systems is recommended for the proposed building with one basement level."

3.3.2 EXP Services Inc. prepared a "Phase Two Environmental Site Assessment 349 Danforth Avenue" dated September 10, 2020. The report allocated two Areas of Potential Contamination (APC)⁴, one still active (dry cleaning facility) and the other one non-active. "Based on the results of the investigation, several chlorinated VOC, cis-1,2-dichloroethylene, tetrachloroethylene, trichloroethylene and vinyl chloride, exceeded the applicable MECP Table 7 SCS and were considered groundwater COC".

In section 5.9.4 "Utilities" EXP's report stated: "The approximate location of underground utilities was based on locates obtained prior to drilling. The underground utility corridors for hydro, gas, phone, sanitary sewer, and municipal water are typically present within 3 metres of ground surface, while the water table is approximately 4.5 metres below ground surface; therefore, it is unlikely that the presence of subsurface utilities has affected the direction of groundwater flow".

The report did not elaborate on potential effects of groundwater on utilities particularly water and sewer mains nor samples were taken.

Based on presented analysis it is difficult to establish firm correlation between the source (only one active), contaminant and its transportation by ground water and level of accumulation and potential total accumulation.

_

⁴ Phase Two Environmental Site Assessment, EXP Services Inc: Section 5.9.6. Page 25

3.4 Regulatory Requests

Based on the land use change City of Ottawa indicated that Record of Site Condition may be required.

3.5 Physical Setting and Analysis⁵

No environmental significance was reported. Complete PSR is presented in Appendix 6.

3.6 Land Use Documents

A review of the following publications was carried out as part of this ESA:

- Anderson's Waste Disposal Sites
- ERIS Historic Searches (June 1991).

According to the above-noted publications, no significant use of land for waste disposal was recorded.

Other significant land uses in vicinity of the site take place along Danforth Avenue and include a large parking lots, a large retail store, office buildings and dry cleaning store. The Summary of Data Source assembled recorded incidents however, the nature of incidents was considered as occasional (spillage from vehicles, traffic accidents etc.) with small amount of contaminants. Incidents were reported as cleared and the remediation measures implemented.

The report also provides all operation approvals, expiration reports and incidents summary. All business operations appear compliant with current regulations with up-to-date approvals.

4. Site Reconnaissance

The site inspection was conducted on March 05.2021 by Zoran Mrdja, P.Eng., FEC, of Arch-NOVA Design Inc. The site visit included the observation and inspection of the entire property. The subject property is currently unoccupied with a two storey house, a driveway along east side of the property and gravel parking at rear (north side). Immediate surrounding consists of two parking lots (east and west), Dunforth Avenue on south and a wall of the commercial building on north.

-

⁵ Appendix 6: Physical Setting Report

Inside, the building is divided into two apartments; one on main floor and the other one is on the second floor and attic. One main entrance is on the south facing Danforth Avenue. Under the building there is a crawling space. The property is serviced by municipal water supply, sewage, electricity and gas. Heating and cooling is forcer air system.

4.1 Property Use

The site is currently used as a residential property and it is unoccupied. In the period from the 1920's to the current time, the property was used **as residential**. For a short period of time between 2010 and 2020 previous owner used the main floor apartment for a home-based business of drapes and curtains sales with no onsite manufacturing or installed any kind of industrial manufacturing equipment. This kind of business is not considered as potential environmental hazard.

4.2 Interviews

A formal discussion with the current owner's representative Mr. Frank Porcari was held prior to the site visit and during the visit. The owner's intention is to build a new apartment building. The existing building is to be demolished and material disposed. The interior assessment was performed on the same date. The building was unoccupied and inspected without any access restriction.

4.3 Potable Water Supply

The subject site is located in the area that is municipally serviced for potable water supply.

4.4 Sewage and Wastewater Disposal

The subject site is located in an area that is municipally serviced for sewage and wastewater disposal.

4.5 Building Heating and Cooling Systems

The building is connected to the gas services. Currently the house is heated by furnace-forced air heating system. There is no evidence of above ground tanks. In case that the underground tank is found during the construction, an excavation and proper disposal of the tank must be planned and report provided in accordance to current regulation. Soil inspection and subsequently the soil remediation must be performed and recorded.

4.6 Special Attention Substances

Observations made during the site inspection regarding several special attention substances are outlined below.

Polychlorinated Biphenyls (PCBs)

Potential equipment which could contain PCBs include: mercury and sodium vapour fluorescent light ballasts, oil filled capacitors and transformers. Equipment potentially containing PCBs will be subject to demolition and will be put in the disposal plan for the building.

Asbestos-Containing Materials (ACM)

Assuming that the building was built in in early 1900s, there is a potential for presence of asbestos. The building parts and equipment potentially containing ACM will be subject to demolition and will be put in the disposal plan for the building.

Ozone-Depleting Substances (ODS)

AC unit appears to be of newer production so ODS coolants should not be present. Equipment potentially containing ODS will be subject to demolition and will be put in the disposal plan for the building.

Lead

Possible lead-containing substances – such as solder or painted surfaces – will be subject to demolition and will be put in the disposal plan for the building.

Urea Formaldehyde Foam Insulation (UFFI)

UFFI will be subject to demolition and will be put in the disposal plan for the building.

Mercury

Possible mercury-containing devices will be subject to demolition and will be put in the disposal plan for the building.

4.7 Phase I Conceptual Site Model

Based on historical review and site visit, it was concluded that there is unlike potential for soil or groundwater contamination at the subject property **associated with its usage as a residential property**. Adjacent properties were cleaned some 10 to 15 years ago and converted to parking lots. There is no information or report of contaminants found on site and/or environmental cleaning undertaken at that time.

Information presented in this report covering the Conceptual Site Model (CSM) is included in the EcoLog Eris report (Appendix 5). The followings summarize the CSM.

4.7.1 Roads, Parking Facilities and Rights of Way⁶

The property has access from Danforth Avenue on its s east side by a driveway to the parking at rear and on south to the main entrance to the house.

4.7.2 Building and Site Drainage

Site drainage is divided into two large portions:

- North portion and driveway appear to drain toward Danforth Avenue. and then further into catch basins on the street. The roof drains over eavestroughs and downspouts to driveway and gravel (east side).
- South portion consists of the house entrance from a walkway along Danforth Avenue.
 Vegetation on the site is insignificant.

4.7.3 Storage Tanks and Containers

No evidence of above-ground or below-ground storage tanks or containers were noted at the time of the site inspection.

4.7.4 Hazardous & Unidentified Substances

Hazardous or unidentified substances were not detected at the site.

_

⁶ APPENDIX 3- Site Photos

4.7.5 Abandoned and Existing Wells

No abandoned or existing wells were detected at the site.

There were four boreholes drilled in 2020, and used for the geotechnical investigation and sampling (Exp Reports).

4.7.6 Drains, Pits and Lagoons

No drains, pits or lagoons were detected at the site.

4.7.7 Stressed Vegetation

No stressed vegetation was noted on the property during the field investigation. From the historical data and photos, it is noted that vegetation has been present for a long period. The backyard parking is fenced on east and west side and there is the wall of adjacent commercial building on north.

4.7.8 Surficial Staining

No stains on surface around the building as well inside the building were found. At the time of visit there was snow cover on ground so there was limited visual access.

4.7.9 Odours and Noise

No odour was registered on site or the surrounding area.

No significant noise was noted at the site during the reconnaissance. Danfort Avenue is considered as the one with low to moderate traffic. There are large parking lots around the site where some noise can be expected in early morning and later in afternoon. This potential noise issue should be addressed through the new building design (windows type).

4.7.10 Presence of Fill and Debris

During the site visit on March 05,2021 there was snow cover on site but no debris or garbage was found on site.

4.7.11 Topographic, Geologic and Hydrogeologic Conditions

No significant and permanent surface stream was observed on site. The nearest stream is Ottawa River at about 800 m distance.

Based on Physical Setting Report the geologic map is as follows⁷:

4.7.11.1 Site Stratigraphy

Geological Deposit: Till

Deposit Age: Quaternary

Primary Material: diamicton

Secondary Material:

Primary General: glacial

Primary General Modifier:

Veneer:

Episode: Wisconsin

Sub Episode: Michigan

Strata Modifier: Surface

Provenance: N-NE

Carbon Content:

Formation: Undifferentiated silty-sandy till on Paleozoic terrain

Permeability: Low-Medium

Material Description: Sandy and silty compact diamicton, grey at depth but brown where oxidized; calcareous where derived from sedimentary rocks and not leached; consists dominantly of lodgment till. In areas that lie below marine limit (198 m a.s.l.) it is overlain by a discontinuous lag consisting of gravel, sand and boulders"

⁷ Appendix 6: Physical Setting Report: Page 8

4.7.11.2 Hydrogeological Characteristics

Gorundwater Depth: "Water level measurements were made in the monitoring wells installed in all boreholes upon and after installation. The measurements revealed that the groundwater table to be at a depth ranging between 5.0 m and 6.0 m below the existing ground surface or elevations 95.4 m to 93.8 m. A significant grade raise is not expected at the site. However, for design purposes, a maximum grade raise of 1 m is permissible at the site from a geotechnical point of view."

Geologic strata: "The investigation has revealed that the subsurface conditions comprise of very loose to loose fill underlain by bedrock encountered at depths ranging from 0.6 m and 0.8 m below ground surface. Wash boring and core drilling used to advance all boreholes into bedrock to depths ranging from 9.5 m to 10.2 m below ground surface"⁹.

4.7.12 Adjacent Sites

Visual reconnaissance was conducted at adjacent properties during the site visit. Adjacent sites were observed as follows:

- South: Danforth Avenue and a commercial building across the street.
- North: commercial building
- West: parking lot
- East: parking lot

There are no significant environmental concerns based on the reconnaissance of adjacent properties. Based on the relative locations and the interpreted surface flow direction in the area (north-south), it is considered to be little potential for contaminant migration from either property to another.

⁹ Appendix 7: EXP;Geotechnical Investigation, Proposed Residential Development, 349 Danforth Avenue Ottawa, OTT-00259161-A0. September 14, 2020

⁸ Appendix 7: EXP;Geotechnical Investigation, Proposed Residential Development, 349 Danforth Avenue Ottawa, OTT-00259161-A0. September 14, 2020

5. Conclusions and Recommendations

Based on the results of the Phase I ESA, the following conclusions and recommendations are provided. Recommendations are shown in Italics:

- 5.1 The subject property is currently unoccupied and within mixed occupancy area. The building is planned for demolition. Adjacent properties are parking lots and commercial buildings.
- 5.2 Surface water flow paths do not suggest that any contamination is transferred from one to another property. Most of drainage is directed toward the drainage along Danforth Avenue. Minimum infiltration is anticipated as all surfaces are either asphalt, gravel and shingle roofs
- 5.3 The Summary of Data Source assembled recorded incidents however, the nature of incidents was considered as occasional (spillage from vehicles, traffic accidents etc.) with small amount of contaminants. Incidents were reported as cleared and the remediation measures implemented.
- 5.4 During the technical inspection of the property there was no specific substance noted on the site. The property is unoccupied and there is no source for concern related to environmental requirements. In addition to the environmental report compliant to Ontario Regulation 153/04, the research showed that there was no previous non-compliance report found.
- 5.5 Adjacent properties appear fully developed (parkings and commercial buildings. Two adjacent parkings were developed 2010s after buildings on sites had been demolished. At the time of site visit and preparation of this report, there were no reports on contamination nor remediation on these sites. It is assumed that no contamination is present now nor it can be transmitted through ground as minimal to no infiltration is now anticipated (asphalt surfaces.
- 5.6 Phase Two Environmental Site Assessment (EXP Services Inc. 2020) reported groundwater contamination: "The report allocated two Areas of Potential Contamination (APC)¹⁰, one still active (dry cleaning facility) and the other one non-active. "Based on the results of the investigation, several chlorinated VOC, cis-1,2-dichloroethylene, tetrachloroethylene,

¹⁰ Phase Two Environmental Site Assessment, EXP Services Inc: Section 5.9.6. Page 25

trichloroethylene and vinyl chloride, exceeded the applicable MECP Table 7 SCS and were considered groundwater COC" and

5.7 In section 5.9.4 "Utilities" EXP's report stated: "The approximate location of underground utilities was based on locates obtained prior to drilling. The underground utility corridors for hydro, gas, phone, sanitary sewer, and municipal water are typically present within 3 metres of ground surface, while the water table is approximately 4.5 metres below ground surface; therefore, it is unlikely that the presence of subsurface utilities has affected the direction of groundwater flow".

The report did not elaborate on potential effects of groundwater on utilities particularly water and sewer mains nor samples were taken.

Based on presented analysis it is difficult to establish firm correlation between the source (only one active), contaminant and its transportation by ground water and level of accumulation and potential total accumulation.

- 5.8 In order to fully address findings presented above it is recommended that, for purpose of site cleaning, a demolition and disposal plan and record of demolition and disposal to be prepared. If necessary, a sampling of soil at excavation site to be taken. It is in order to delineate borders for soil excavation as well as isolating the soil where excavation is not advisable (i.e. under the wall on north side) or underpinning and shoring are required. This record will be part of RSC filling.
- 5.9 This report concludes that no further environmental assessment will be needed.

6. Limitations

This report was prepared exclusively for the purposes, project and site locations outlined in the report. The report is based on information provided to, or obtained by Arch-NOVA Design Inc. indicated in the report, and applies solely to site conditions existing at the time of the site investigation. Although a reasonable investigation was conducted by Arch-NOVA Design Inc., the investigation was by no means exhaustive and cannot be construed as a certification of absence of any contaminants from the site. Rather, the Arch-NOVA Design report represents a reasonable review of available information within an established work scope, schedule and budget. It is therefore possible that currently unrecognized contamination or potentially hazardous materials may exist at the site, and the levels of contamination or hazardous materials may vary across the site. Further review and updating of the report may be required as local conditions and the site conditions, and the regulatory and planning frameworks, change over time.

This report was prepared by Arch-NOVA Design Inc. for the sole benefit of the engineer and owners. The material in it reflects Arch-NOVA's judgment in light of the information available to it at the time of preparation. Any use that a third party makes of this report, or any reliance on decisions made based on it, are the responsibilities of such third parties. Arch-NOVA Design Inc. does not accept responsibility for damages, if any, suffered by any third party as a result of decisions made based on this report.

We trust this report is satisfactory for your purposes. If you have any questions regarding our submission, please do not hesitate to contact this office.

Respectfully submitted,

Arch-NOVA Design Inc.

Zoran Mrdja, P.Eng., FEC





Authorized by Professional Engineers of Ontario to provide professional services to public

7. Assessor Qualifications

7.1 Arch-Nova Design Inc.

Arch-Nova Design Inc. is a Canadian owned corporation founded in 2004. The company provides architectural and engineering services to the private and public clients including developers, municipalities, industrial, commercial and institutional clients (ICI) and the Government's departments and agencies.


Company's primary services include architectural and engineering design, environmental services, program and project management and specialized consulting services for the Government.

Arch-Nova Design Inc. is based in Ottawa and provides services in Canada and internationally.

7.2 Qualified Person

The Phase I ESA was managed and reviewed by Zoran Mrdja, P.Eng,, FEC Manager of Engineering Services. Mr. Mrdja has 37 years of experience in civil engineering, environmental assessments and remediation including water resources protection, hydrogeological assessments and ground water protection, municipal infrastructure and environmental remediation for sanitary sewer spills, wild life protection and green building initiatives implementation.

APPENDIX 1
Fire Insurance Plan









An SCM Company

175 Commerce Valley Drive W Markham, Ontario L3T 7Z3

T: 905-882-6300 W: www.optain<u>tel.ca</u>

Report Completed By:

Stephanie

Site Address:

349 Danforth Avenue Ottawa ON

Project No:

21011600014 Opta Order ID:

84854

Requested by:

Eleanor Goolab Ecolog Eris

Date Completed:

1/29/2021 8:51:48 AM

Page: 2

Project Name: 349 Danforth Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report


Search Area: 349 Danforth Avenue Ottawa ON

Requested by:

Eleanor Goolab Date Completed: 01/29/2021 08:51:48



OPTA INFORMATION INTELLIGENCE



Page: 3

Project Name: 349 Danforth Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report

Opta Historical Environmental Services Enviroscan Terms and Conditions

Requested by: Eleanor Goolab Date Completed: 01/29/2021 08:51:48



OPTA INFORMATION INTELLIGENCE

Opta Historical Environmental Services Enviroscan Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W

Markham, Ontario

L3T 7Z3

T: 905.882.6300

Toll Free: 905.882.6300

F: 905.882.6300

An SCM Company

www.optaintel.ca

ENVIROSCAN Report

Page: 4
Project Name: 349 Danforth
Avenue ESA Phase I

Project #: 21011600014

Report Index



Eleanor Goolab Date Completed: 01/29/2021 08:51:48

Requested by:

OPTA INFORMATION INTELLIGENCE

Page **Report Title**

6	(1965) Volume: Ottawa Volume 3	Firemap: 307
8	(1965) Volume: Ottawa Volume 3	Firemap: 308-3
10	(1965) Volume: Ottawa Volume 3	Firemap: 309-1
12	(1965) Volume: Ottawa Volume 3	Firemap: 322-1
14	(1965) Volume: Ottawa Volume 3	Firemap: 322-2
16	(1965) Volume: Ottawa Volume 3	Firemap: 323-2

Page: 5 Project Name: 349 Danforth Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report


1965 Volume: Ottawa 3 Firemap: 307 Ottawa Volume 3 Plan: 1451 (1956)

Sheet: 307 (1965)

Requested by:



Eleanor Goolab OPTA INFORMATION INTELLIGENCE Date Completed: 01/29/2021 08:51:48



Page: 6 Project Name: 349 Danforth Avenue ESA Phase I


Project #: 21011600014

1965 Volume: Ottawa 3 Firemap: 307 Ottawa Volume 3 Plan: 1451 (1956)

Sheet: 307 (1965)

Requested by: Eleanor Goolab Date Completed: 01/29/2021 08:51:48





ENVIROSCAN Report

Page: 7 Project Name: 349 Danforth Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report

1965 Volume: Ottawa 3 Firemap: 308-3 Ottawa Volume 3 Plan: 1451 (1956)


Sheet: 308-3 (1965)

Eleanor Goolab Date Completed: 01/29/2021 08:51:48

Requested by:



OPTA INFORMATION INTELLIGENCE



Page: 8 Project Name: 349 Danforth Avenue ESA Phase I


Project #: 21011600014

1965 Volume: Ottawa 3 Firemap: 308-3 Ottawa Volume 3 Plan: 1451 (1956)

Sheet: 308-3 (1965)

Requested by: Eleanor Goolab Date Completed: 01/29/2021 08:51:48





ENVIROSCAN Report

Page: 9 Project Name: 349 Danforth Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report


1965 Volume: Ottawa 3 Firemap: 309-1

Ottawa Volume 3 Plan: 1451 (1956) Sheet: 309-1 (1965)

Requested by: Eleanor Goolab



OPTA INFORMATION INTELLIGENCE



Page: 10 Project Name: 349 Danforth Avenue ESA Phase I


Project #: 21011600014

1965 Volume: Ottawa 3 Firemap: 309-1 Ottawa Volume 3 Plan: 1451 (1956)

Sheet: 309-1 (1965)

Requested by: Eleanor Goolab Date Completed: 01/29/2021 08:51:48





ENVIROSCAN Report

Page: 11
Project Name: 349 Danforth
Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report

1965 Volume: Ottawa 3 Firemap: 322-1

Ottawa Volume 3 Plan: 1451 (1956) Sheet: 322-1 (1965)

Requested by: Eleanor Goolab



OPTA INFORMATION INTELLIGENCE



Page: 12 Project Name: 349 Danforth Avenue ESA Phase I


Project #: 21011600014

1965 Volume: Ottawa 3 Firemap: 322-1

Ottawa Volume 3 Plan: 1451 (1956) Sheet: 322-1 (1965)

Requested by: Eleanor Goolab Date Completed: 01/29/2021 08:51:48





ENVIROSCAN Report

Page: 13
Project Name: 349 Danforth
Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report

1965 Volume: Ottawa 3 Firemap: 322-2

Ottawa Volume 3 Plan: 1451 (1956) Sheet: 322-2 (1965)

Requested by: Eleanor Goolab



OPTA INFORMATION INTELLIGENCE



Page: 14
Project Name: 349 Danforth
Avenue ESA Phase I


Project #: 21011600014

1965 Volume: Ottawa 3 Firemap: 322-2 Ottawa Volume 3 Plan: 1451 (1956)

Sheet: 322-2 (1965)

Requested by: Eleanor Goolab Date Completed: 01/29/2021 08:51:48





ENVIROSCAN Report

Page: 15 Project Name: 349 Danforth Avenue ESA Phase I

Project #: 21011600014

ENVIROSCAN Report

1965 Volume: Ottawa 3 Firemap: 323-2


Ottawa Volume 3 Plan: 1451 (1956) Sheet: 323-2 (1965)

Requested by:

Eleanor Goolab



OPTA INFORMATION INTELLIGENCE



Page: 16 Project Name: 349 Danforth Avenue ESA Phase I


Project #: 21011600014

1965 Volume: Ottawa 3 Firemap: 323-2 Ottawa Volume 3 Plan: 1451 (1956)

Sheet: 323-2 (1965)

Requested by: Eleanor Goolab Date Completed: 01/29/2021 08:51:48





ENVIROSCAN Report

APPENDIX 2 Chain of Titles

CHAIN OF TITLE REPORT

Project #: Address: Legal Description:	21011600014 349 Danforth Avenue, Ottawa Part Lot 3 Plan 204 n/s Danforth A as in CR618520	Searched at: LRO #:	Ottawa 4	Page 1
PIN #:	04017-0156(LT)			
INSTR#	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
645	6 Deed	03 07 1879	Colin Cameron	Thomas COLE
1689	9 Deed	28 05 1895	Thomas Cole	John E. COLE
2633	2 Deed	05 03 1913	John E. Cole	Walter HAGAR
2942	3 Deed	07 06 1915	Walter Hagar	Mortimer N. CUMMINGS
11310	6 Deed	30 06 1930	Mortimer N. Cummings	Gordon YOUNG
11294	1 Deed	10 11 1931	Gordon Young	George J. YOUNG
4803	8 Deed	01 04 1948	Gordon Young, John F. Young & Kenneth H. W. Young exor for George J. Young - Estate	Jane YOUNG
28755	6 Deed	03 01 1952	Jane Young - Estate	John F. YOUNG & Kenneth H. W. YOUNG

Cont'd on Page 2

CHAIN OF TITLE REPORT

Project #: Address: Legal Description:	21011600014 349 Danforth Avenue, Ottawa Part Lot 3 Plan 204 n/s Danforth Ave as in CR618520	Searched at: LRO #:	Ottawa 4	Page 2
PIN#:	040117-0156(LT)	_		
INSTR#	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
32184	9 Deed	17 05 1954	Kenneth H. W. Young	John F. YOUNG
459884	4 Deed	27 03 1967	Amy E. Young exor for John F. Young - Estate	Betty BROWN, Shirley TULMAN & John YOUNG
50849	0 Deed	27 07 1967	Betty Brown, Shirley Tulman & John Young	Ronald Stacey BENNETT
CR61852	0 Deed	15 09 1972	Ronald Stacey Bennett	Bruno GIAMMARIA & Norma GIAMMARIA
LT119925	4 Deed	31 05 1999	Bruno Giammaria & Norma Giammaria	Michael Joseph JOLICOEUR
OC27788	5 Deed	02 12 2003	Michael Joseph Jolicoeur	lan ROBB, Valerie ROBB & Elizabeth Ann MALONEY
OC119550	9 Deed	30 12 2010	lan Robb, Valerie Robb & Elizabeth Ann Maloney	7711034 Canada Inc. / O/A Ottawa Drapery & Supplies
OC223264	1 Deed (Present Owner)	07 07 2020	7711034 Canada Inc. / O/A Ottawa Drapery & Supplies	RN Developments Inc.



LAND REGISTRY OFFICE #4

04017-0156 (LT)

PAGE 1 OF 2
PREPARED FOR bertucci
ON 2021/01/24 AT 16:24:09

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION:

PT LT 3, PL 204 , N/S OF DANFORTH AV; AS IN CR618520 ; OTTAWA/NEPEAN

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE

LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK 147

PIN CREATION DATE: 1996/05/27

OWNERS' NAMES

RN DEVELOPMENTS INC.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
EFFECTIVE	2000/07/29	THE NOTATION OF THE	BLOCK IMPLEMENTATION	ON DATE" OF 1996/05/27 ON THIS PIN		
WAS REPLA	CED WITH THE	"PIN CREATION DATE"	OF 1996/05/27			
** PRINTOUT	INCLUDES ALI	DOCUMENT TYPES AND	DELETED INSTRUMENTS	SINCE 1996/05/24 **		
**SUBJECT,	ON FIRST REGI	STRATION UNDER THE .	LAND TITLES ACT, TO			
**	SUBSECTION 4	(1) OF THE LAND TIT.	LES ACT, EXCEPT PARA	GRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *		
**	AND ESCHEATS	OR FORFEITURE TO TH	CROWN.			
**	THE RIGHTS OF	ANY PERSON WHO WOU.	LD, BUT FOR THE LAN	TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF		
**	IT THROUGH L	NGTH OF ADVERSE POS	SESSION, PRESCRIPTION	N, MISDESCRIPTION OR BOUNDARIES SETTLED BY		
**	CONVENTION.					
**	ANY LEASE TO	WHICH THE SUBSECTION	V 70(2) OF THE REGIS	STRY ACT APPLIES.		
**DATE OF C	ONVERSION TO	LAND TITLES: 1996/0	5/27 **			
CR618520	1972/09/15	TRANSFER		*** COMPLETELY DELETED ***		
					GIAMMARIA, BRUNO GIAMMARIA, NORMA	
N650418	1993/02/10	CHARGE		*** COMPLETELY DELETED ***	CANADIAN IMPERIAL BANK OF COMMERCE	
	1999/05/31	TRANSFER		*** COMPLETELY DELETED ***		
LT1199254	1999/05/31	IRANSPER		GIAMMARIA, BRUNO	JOLICOEUR, MICHAEL JOSEPH	
				GIAMMARIA, NORMA		
LT1199255	1999/05/31	CHARGE		*** COMPLETELY DELETED ***		
				JOLICOEUR, MICHAEL JOSEPH	ROYAL BANK OF CANADA	
LT1230619	1999/09/23	DISCH OF CHARGE		*** COMPLETELY DELETED ***		
			<u></u>	CANADIAN IMPERIAL BANK OF COMMERCE		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



LAND
REGISTRY
OFFICE #4

04017-0156 (LT)

PAGE 2 OF 2
PREPARED FOR bertucci
ON 2021/01/24 AT 16:24:09

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
REI	ARKS: RE: N6	50418				
OC277885	2003/12/02	TRANSFER		*** COMPLETELY DELETED *** JOLICOEUR, MICHAEL JOSEPH	ROBB, IAN ROBB, VALERIE MALONEY, ELIZABETH ANN	
REI	MARKS: PLANNI	NG ACT STATEMENTS			1	
oc299325	2004/02/12	DISCH OF CHARGE		*** COMPLETELY DELETED *** ROYAL BANK OF CANADA		
RE	MARKS: RE: L1	1199255				
OC1195509	2010/12/30	TRANSFER		*** COMPLETELY DELETED *** MALONEY, ELIZABETH ANN ROBB, IAN ROBB, VALERIE	7711034 CANADA INC., O/A OTTAWA DRAPERY & SUPPLIES	
OC1195510	2010/12/30	CHARGE	\$367,200	7711034 CANADA INC., O/A OTTAWA DRAPERY & SUPPLIES	THE TORONTO-DOMINION BANK	С
	2020/07/07 MARKS: PLANNI	TRANSFER NG ACT STATEMENTS.	\$680,000	7711034 CANADA INC., O/A OTTAWA DRAPERY & SUPPLIES	RN DEVELOPMENTS INC.	С





BUILDING CODE SERVICES

Report on Compliance Pursuant to Compliance Report By-Law

Receipt Number	Amount	\$247.00 Application Numb	er 20-AUG-009				
NOTE Remainder	of page to be completed by Applicant/	Agent					
	August 10, 2020 Name Frank Porcari	August 10, 2020 Name					
Applicant/ Agent	Address Postal Code 101 - 337 Sunnyside Avenue, Ottawa, ON K1S 0R9 Contact Name Frank Porcari Email Address frank@ottawacarletonconstruction.com / fernando@ottawacarletonconstruction.com						
	Phone Number 613-295-5253 Municipal Address	Fax Number					
Property Being Searched	349 Danforth Avenue Legal Description Plan 204, Part Lot 3 Registered Owner Frank Porcari						
	Survey Submitted Prepared By Yes No		Date				
	Residential	Commercial/Mixed-Use	Industrial/Institutional				
Present	□ Detached Dwelling□ Duplex Dwelling□ Three-Unit Dwelling	(Specify exact use i.e. office, restaurant, etc.)	(Specify exact use i.e. warehouse, manufacturing, hospital, school etc.)				
Use(s) of Property As per Applicant	☐ Semi-Detached Dwelling ☐ Townhouse Dwelling						
Прричин	☐ Apartment Dwelling ☐ Other (please specify)						
			l				
	Number of Units/Suites 2	Number of Units/Suites Number of Buildings					
	Forms and inform	nation available at ottawa.ca.					

			Appl	ication Number	20-AUG-009
_		ZONING DESIGNATION	ı		
-	ГМ Н(24)	pursuant to approved by-law	200	8-250	
_		pursuant to by-law awaiting		a) expiration of ap b) O.M.B. disposi	
	CONFORMITY O	F PRESENT USE WITH THE LIS	STED		
	Permitted as				
	TOTAL				
	Permitted pursuant to Committee o	f Adjustment Decision(s)			
				(copy attached)
X	Not permitted but enjoys a legal no	n-conforming right as a duplex dy	vellin	g	
	Not permitted and may be in violat	ion			
	Conformity cannot be verified				
JO	TE				

	COMMONA	TOTAL OF DI AN OF GUIDANNA WAYNE	170*	TAIC DATE AND	
7		TY OF PLAN OF SURVEY WITE	1 ZUN	ING BY-LAW	
nta	No survey submitted/received with rio Land Surveyor	Pate Signed			
				Certified True Copy	Photocop
				MAIN BUILDING	ACCESSOR' BUILDING
)	Location on lot complies with pres				
)	Location on lot complies with zoni				
	Committee of Adjustment Decision	n(s)(copy a		4)	
)		with respect to present zoning require			
)	s. 34(9) of the Planning Act, R.S.O	eation on lot is non-conforming pursua. 1990 with respect to current zoning			
)	requirements or regulatory provision. Is not located on lot in conformity.				П
	(i) and a search of Department r	ecords revealed that the Building enjo	ys leg	al 🗌	
		espect to its location on the lot		_	
		ucted in conformity with the Regulati joy legal non-conforming rights with			
		scribed as			
	A violation exists, which can be de				
	A violation exists, which can be de				
)	Unable to comment				
)	Unable to comment				
)	Unable to comment				
)	Unable to comment				
) O'	Unable to comment				

ENCROACHMENT	Application Number 20-AUG-009
The survey indicates that are,	/is encroaching on City of Ottawa property
For more information, please contact	
BUILDING PERMIT(S) IS	
☐ No Record of Building Permits on File ☐ See attached list of bu	
BUILDING PERMIT NUMBER 7270	Date Issued September 7, 1950
Purpose Alter a two storey duplex - new bathroom on groun	d floor
Inspection Status All work under this permit was completed	☐ Inspection(s) required
Particulars No inspection information found for this permit	
BUILDING PERMIT NUMBER I	
Purpose	· · · · · · · · · · · · · · · · · · ·
Inspection Status	
All work under this permit was completed	☐ Inspection(s) required
Particulars	
BUILDING PERMIT NUMBER I Purpose	Date Issued
Inspection Status	
☐ All work under this permit was completed	☐ Inspection(s) required
Particulars	
For more information, please contact	613-580-2424 ext.
May not include all permits on file. Pending permits are considered ap	
OUTSTANDING WORK ORDERS AND/	OR COMPLAINTS
BUILDING CODE Order(s) Yes No	Complaint(s) Yes No
Order Number(s)	Copy of Order(s) Attached
Complaint Number(s)	
For more information, please contact	613-580-2424 ext.
ZONING/PROPERTY STANDARDS Order(s) Yes No	Complaint(s)
Order Number(s)	Copy of Order(s) Attached
Complaint Number(s)	
For more information, please contact	613-580-2424 ext.
For clarification or additional information regarding this Constant of the Course of t	

N.B. The foregoing information does not constitute an opinion or advice, or representation by, the City of Ottawa of the lawfulness of the use of the property or the buildings thereon, nor compliance with any applicable laws, codes, and regulations. The regulator must satisfy himself or herself with respect to the same. Every effort is made to ensure that the information contained herein is correct, but the City of Ottawa accepts no responsibility for any errors, omissions or inaccuracies.

APPENDIX 3
Site Photos







Driveway(east)



Parking (north)



Gas connection & meter (east)



Front view (south)



View from rear (west)



Roof drainage (east)





Kitchen (2nd floor)

APPENDIX 4 Aero photos



Project Property: 349 Danforth Avenue ESA Phase I

349 Danforth Avenue

Ottawa ON K2A 0E1

Project No:

Requested By: Arch-Nova Design Inc.

Order No: 21011600014

Date Completed: January 19, 2021

Decade	Year	Image Scale	Source
1920	1929	20000	NAPL
1930	1938	10000	NAPL
1940	1946	15000	NAPL
1950	1952	15000	NAPL
1960	1965	10000	City of Ottawa
1970	1976	10000	City of Ottawa
1980	1983	15000	NAPL
1990	1999	10000	City of Ottawa
2000	2005	10000	City of Ottawa
2010	2015	10000	City of Ottawa

Aerial Maps included in this report are produced by the sources listed above and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property. No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc.(in the US) and ERIS Information Limited Partnership (in Canada), both doing business and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS', using aerial photos listed in above sources. The maps contained in this report does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com



Year: 1929 Source: NAPL Map Scale: 1: 10000





1938 Year: Source: NAPL 1: 10000 Map Scale:

Comments:

Order Number: 21011600014





Year: 1946 Source: NAPL Map Scale: 1: 10000

Comments:


order Hambert Zioiloodol i






Year: 1952 Source: NAPL Map Scale: 1: 10000





Source: City of Ottawa Map Scale: 1: 10000





Source: City of Ottawa Map Scale: 1: 10000






Year: 1983 Source: NAPL Map Scale: 1: 10000

Comments:

.






Source: City of Ottawa Map Scale: 1: 10000





Source: City of Ottawa Map Scale: 1: 10000





Source: City of Ottawa Map Scale: 1: 10000



APPENDIX 5 Ecolog Eris Report



Project Property: 349 Danforth Avenue ESA Phase I

349 Danforth Avenue Ottawa ON K2A 0E1

Project No:

Report Type: Standard Report
Order No: 21011600014

Requested by: Arch-Nova Design Inc.

Date Completed: January 20, 2021

Table of Contents

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	4
Executive Summary: Site Report Summary - Project Property	6
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	
Map	43
Aerial	
Topographic Map	45
Detail Report	46
Unplottable Summary	
Unplottable Report	142
Appendix: Database Descriptions	175
Definitions	184

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

_			
$\nu r \cap$	norti	, Int∩	rmation:
	DCI L	, ,,,,	iiiiauoii.

Project Property: 349 Danforth Avenue ESA Phase I

349 Danforth Avenue Ottawa ON K2A 0E1

Order No: 21011600014

Project No:

Coordinates:

 Latitude:
 45.3913044

 Longitude:
 -75.7541952

 UTM Northing:
 5,026,697.48

 UTM Easting:
 440,963.89

 UTM Zone:
 UTM Zone 18T

Elevation: 226 FT

68.81 M

Order Information:

Order No: 21011600014

Date Requested: January 16, 2021

Requested by: Arch-Nova Design Inc.

Report Type: Standard Report

Historical/Products:

Aerial Photographs Aerials - National Collection

City Directory Search CD - Subject Site plus 10 Adjacent Properties

ERIS Xplorer <u>ERIS Xplorer</u>

Insurance Products Fire Insurance Maps/Inspection Reports/Site Plans

Land Title Search Historical Land Title Search

Physical Setting Report (PSR) PSR

Topographic MapNational Topographic MapsTopographic MapOntario Base Map (OBM)

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Υ	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Υ	0	0	0
BORE	Borehole	Υ	0	0	0
CA	Certificates of Approval	Υ	0	1	1
CDRY	Dry Cleaning Facilities	Υ	0	1	1
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Manufacturers and Distributors	Υ	0	0	0
CHM	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Υ	0	0	0
DRL	Drill Hole Database	Υ	0	0	0
DTNK	Delisted Fuel Tanks	Υ	0	0	0
EASR	Environmental Activity and Sector Registry	Υ	0	0	0
EBR	Environmental Registry	Υ	0	0	0
ECA	Environmental Compliance Approval	Υ	0	0	0
EEM	Environmental Effects Monitoring	Υ	0	0	0
EHS	ERIS Historical Searches	Υ	3	36	39
EIIS	Environmental Issues Inventory System	Υ	0	0	0
EMHE	Emergency Management Historical Event	Υ	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Υ	0	3	3
FCON	Federal Convictions	Υ	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	3	3
FSTH	Fuel Storage Tank - Historic	Y	0	2	2
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	92	92
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Υ	0	1	1

Database	Name	Searched	Project Property	Within 0.25 km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Υ	0	0	0
INC	Fuel Oil Spills and Leaks	Υ	0	1	1
LIMO	Landfill Inventory Management Ontario	Υ	0	0	0
MINE	Canadian Mine Locations	Υ	0	0	0
MNR	Mineral Occurrences	Υ	0	2	2
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Υ	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Υ	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Υ	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Υ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Υ	0	0	0
NPCB	National PCB Inventory	Υ	0	0	0
NPRI	National Pollutant Release Inventory	Υ	0	0	0
OGWE	Oil and Gas Wells	Υ	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Υ	0	0	0
ORD	Orders	Υ	0	0	0
PAP	Canadian Pulp and Paper	Υ	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Υ	0	0	0
PES	Pesticide Register	Υ	0	7	7
PINC	Pipeline Incidents	Υ	0	3	3
PRT	Private and Retail Fuel Storage Tanks	Υ	0	1	1
PTTW	Permit to Take Water	Υ	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Υ	0	0	0
RSC	Record of Site Condition	Υ	0	1	1
RST	Retail Fuel Storage Tanks	Υ	0	0	0
SCT	Scott's Manufacturing Directory	Υ	0	13	13
SPL	Ontario Spills	Υ	0	14	14
SRDS	Wastewater Discharger Registration Database	Υ	0	0	0
TANK	Anderson's Storage Tanks	Υ	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Υ	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Υ	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Υ	0	0	0
WWIS	Water Well Information System	Y	0	15	15
		Total:	3	196	199

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	EHS		349 Danforth Avenue Ottawa ON K2A 0E1	-/0.0	0.01	<u>46</u>
1	EHS		349 Danforth Avenue Ottawa ON K2A 0E1	-/0.0	0.01	<u>46</u>
<u>1</u>	EHS		349 Danforth Avenue Ottawa ON K2A 0E1	-/0.0	0.01	<u>46</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>2</u>	GEN	VELO SPORTABLE CYCLE	358 RICHMOND ROAD OTTAWA ON K2A 0E8	WNW/29.9	0.06	<u>46</u>
<u>2</u>	GEN	1534244 Ontario Inc	358 Richmond Road Ottawa ON	WNW/29.9	0.06	<u>47</u>
<u>3</u>	GEN	Blyth Academy Ottawa	352 Danforth Ave Ottawa ON	S/35.3	1.09	<u>47</u>
<u>3</u>	GEN	Blyth Academy Ottawa	352 Danforth Ave Ottawa ON K2A 0E2	S/35.3	1.09	<u>47</u>
<u>3</u>	GEN	Blyth Academy Ottawa	352 Danforth Ave Ottawa ON K2A 0E2	S/35.3	1.09	<u>48</u>
<u>3</u>	GEN	Blyth Academy Ottawa	352 Danforth Ave Ottawa ON K2A 0E2	S/35.3	1.09	<u>48</u>
<u>4</u>	PES	DOVERS HARDWARE	356 RICHMOND ROAD OTTAWA ON K2A 0E8	NW/38.3	0.06	<u>48</u>
<u>4</u>	EHS		356 Richmond Road Ottawa ON K2A 0E8	NW/38.3	0.06	<u>49</u>
<u>4</u> .	EHS		356 Richmond Road Ottawa ON	NW/38.3	0.06	<u>49</u>
<u>4</u> .	PES	DOVERS HARDWARE	356 RICHMOND ROAD OTTAWA ON K2A0E7	NW/38.3	0.06	<u>49</u>
<u>5</u>	EHS		354 Richmond Road Ottawa ON K2A 0E8	NNE/40.1	0.00	<u>50</u>
<u>5</u> *	GEN	PEARL CLEANERS	354B RICHMOND ROAD OTTAWA ON K2A 0E8	NNE/40.1	0.00	<u>50</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>6</u>	GEN	ALBERT & SON ENGRAVERS	412B CHURCHILL AVE. OTTAWA ON K1Z 5C6	NE/47.7	-0.01	<u>50</u>
<u>7</u>	EHS		412 Churchill Ave Ottawa ON	NE/47.7	-0.01	<u>50</u>
<u>7</u>	EHS		412 Churchill Avenue Ottawa ON K1V 8Y5	NE/47.7	-0.01	<u>51</u>
<u>7</u>	SPL	Enbridge Gas Distribution Inc.	412 & 414 Churchill Ave. Ottawa ON	NE/47.7	-0.01	<u>51</u>
<u>7</u>	INC		412 & 414 Churchill Avenue, Ottawa ON	NE/47.7	-0.01	<u>51</u>
<u>8</u>	EHS		424 Churchill Avenue Ottawa ON K1Z 5C8	E/50.7	1.09	<u>52</u>
<u>8</u> -	GEN	LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1N 6B5	E/50.7	1.09	<u>52</u>
<u>8</u>	GEN	LAUNDRY LAND 24-215	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	E/50.7	1.09	<u>52</u>
<u>8</u>	GEN	LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	E/50.7	1.09	<u>53</u>
<u>8</u>	GEN	LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	E/50.7	1.09	<u>53</u>
<u>8</u> .	GEN	LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	E/50.7	1.09	<u>53</u>
<u>8</u> .	GEN	LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	E/50.7	1.09	<u>54</u>
<u>8</u> *	GEN	LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	E/50.7	1.09	<u>54</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>8</u>	GEN	LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON	E/50.7	1.09	<u>54</u>
8	GEN	LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	E/50.7	1.09	<u>54</u>
<u>8</u>	GEN	LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	E/50.7	1.09	<u>55</u>
<u>8</u>	GEN	LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	E/50.7	1.09	<u>55</u>
<u>8</u>	GEN	LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	E/50.7	1.09	<u>55</u>
<u>8</u>	CDRY	Laundry Land Cleaning	424 Churchill Ave N Ottawa ON K1Z5C8	E/50.7	1.09	<u>56</u>
<u>8</u> .	GEN	LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	E/50.7	1.09	<u>56</u>
9	GEN	Mountain Equipment Co-op	366 Richmond Road Ottawa ON	W/59.7	0.07	<u>56</u>
9	GEN	Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W/59.7	0.07	<u>57</u>
9	GEN	Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W/59.7	0.07	<u>57</u>
9	GEN	Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W/59.7	0.07	<u>57</u>
9	GEN	Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W/59.7	0.07	<u>57</u>
<u>9</u> .	GEN	Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W/59.7	0.07	<u>58</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
9	GEN	Mountain Equipment Co-op Ottawa	366 Richmond Road Ottawa ON K2A 0E8	W/59.7	0.07	<u>58</u>
<u>9</u>	GEN	Mountain Equipment Co-op Ottawa	366 Richmond Road Ottawa ON K2A 0E8	W/59.7	0.07	<u>58</u>
<u>9</u>	PES	MOUNTAIN EQUIPMENT CO- OPERATIVE	366 RICHMOND RD OTTAWA ON K2A 0E8	W/59.7	0.07	<u>59</u>
<u>9</u>	PES	MEC CANADA INC.	366 RICHMOND RD OTTAWA ON K2A 0E8	W/59.7	0.07	<u>59</u>
9	EHS		366 Richmond Rd Ottawa ON K2A 0E8	W/59.7	0.07	<u>59</u>
<u>10</u>	GEN	561391 Ontario Inc.	350 Richmond Road Ottawa ON K2A 0E8	N/65.5	0.05	<u>60</u>
<u>11</u>	SCT	BlackCherry Digital Media Inc.	346 Richmond Rd Suite 210 Ottawa ON K2A 0E8	NNE/69.3	0.05	<u>60</u>
<u>12</u>	GEN	WESTBOROUGH PHARMASAVE	340 RICHMOND ROAD OTTAWA ON K2A 0E8	NNE/72.6	0.05	<u>60</u>
<u>12</u>	GEN	WESTBORO PHARMACY LTD	WESTBORO PHARMACY LIMITED 340 RICHMOND ROAD OTTAWA ON K2A 0E8	NNE/72.6	0.05	<u>60</u>
<u>13</u>	EHS		Byron Ottawa ON	SSW/76.2	1.02	<u>61</u>
<u>14</u>	GEN	JOSEPH C. GAFFNEY	372 RICHMOND ROAD OTTAWA ON K2A 0E8	WSW/77.0	0.13	<u>61</u>
<u>14</u>	GEN	JOSEPH C. GAFFNEY 22-433	372 RICHMOND ROAD OTTAWA ON K2A 0E8	WSW/77.0	0.13	<u>61</u>
<u>15</u>	GEN	FREDERICK GRODDE LTD.	379 DANFORTH AVENUE OTTAWA ON K2A 0E1	WSW/85.4	0.00	<u>62</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>15</u>	GEN	FREDERICK GRODDE LTD.	379 DANFORTH AVENUE OTTAWA ON K2A 0E1	WSW/85.4	0.00	<u>62</u>
<u>15</u>	GEN	FREDERICK GRODDE LTD.	379 DANFORTH AVENUE OTTAWA ON K2A 0E1	WSW/85.4	0.00	<u>62</u>
<u>16</u>	HINC		343 RICHMOND ROAD Ottawa ON K2A 0E7	N/90.1	0.12	<u>62</u>
<u>17</u>	wwis		380 RICHMOND ROAD OTTAWA ON Well ID: 7198182	WSW/91.1	0.13	<u>63</u>
<u>18</u>	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>66</u>
<u>18</u>	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>66</u>
18	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>67</u>
18	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>67</u>
18	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON	SSE/98.5	2.07	<u>67</u>
18	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>68</u>
18	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>68</u>
<u>18</u>	GEN	Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>68</u>
18	GEN	Ottawa-Carleton District School Board Health & Safety	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>69</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>18</u>	GEN	Ottawa-Carleton District School Board Health & Safety	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE/98.5	2.07	<u>69</u>
<u>19</u>	EHS		Richmond Rd Churchill Ave N Ottawa ON	NNE/99.2	0.06	<u>69</u>
<u>20</u>	EHS		345 Richmond Road Ottawa ON K2A 0E7	N/99.9	0.12	<u>70</u>
<u>21</u>	EHS		332 and 334 Richmond Road Ottawa ON	NE/100.3	0.06	<u>70</u>
<u>22</u>	EHS		380 Richmond Rd Ottawa ON K2A 0E8	W/103.0	-0.96	<u>70</u>
<u>23</u>	EHS		337 Richmond Road Ottawa ON K2A 0E7	N/103.9	-0.50	<u>70</u>
<u>24</u>	wwis		345 RAVENHURST AVE. WELL #4 Ottawa ON Well ID: 7218229	ESE/104.6	1.99	<u>70</u>
<u>25</u>	wwis		388 RICHMOND RD OTTAWA ON Well ID: 7305577	WNW/105.1	-0.96	<u>72</u>
<u>26</u>	SPL	PRIVATE RESIDENCE	518 BYRON AVE. STORAGE TANK/BARREL OTTAWA CITY ON K2A 0E3	SSW/105.6	1.06	<u>75</u>
<u>27</u>	wwis		345 RAVENHURST AVE. WELL #2 Ottawa ON Well ID: 7218235	S/105.9	1.36	<u>76</u>
<u>28</u>	wwis		324 RICHMOND ROAD Ottawa ON Well ID: 7295754	NE/106.6	-0.06	<u>77</u>
<u>29</u>	SCT	Valberg Imaging	322 Richmond Rd Ottawa ON K1Z 6X6	NE/119.0	-0.06	<u>81</u>
<u>29</u>	EHS		322 Richmond Rd Ottawa ON K1Z6X6	NE/119.0	-0.06	<u>81</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>30</u>	wwis		337 RICHMOND RD Ottawa ON	N/121.7	-0.50	<u>81</u>
<u>31</u>	EHS		Well ID: 7171703 386 Richmond Rd Ottawa ON K2A0E8	WSW/124.7	-0.84	<u>84</u>
<u>32</u>	SPL		386 Richmond Rd S21 RESIDENCE <unofficial> Ottawa ON K2A 0E8</unofficial>	WSW/125.1	-0.84	<u>84</u>
<u>32</u>	EHS		386 Richmond Rd Ottawa ON K2A0E8	WSW/125.1	-0.84	<u>84</u>
<u>32</u>	GEN	Ottawa Carleton Construction Group Ltd.	386 Richmond Road Ottawa ON K2A 0E8	WSW/125.1	-0.84	<u>85</u>
<u>33</u>	wwis		388 RICHMOND ROAD OTTAWA ON Well ID: 7303998	WSW/126.2	-0.02	<u>85</u>
<u>34</u>	wwis		388 RICHMOND ROAD OTTAWA ON <i>Well ID:</i> 7303999	WSW/126.3	-0.02	<u>88</u>
<u>35</u>	wwis		388 RICHMOND RD OTTAWA ON <i>Well ID:</i> 7305578	WSW/128.5	-0.02	<u>90</u>
<u>36</u>	wwis		345 RAVENHURST AVE. WELL #3 Ottawa ON Well ID: 7218228	SE/129.1	2.98	<u>93</u>
<u>37</u>	SPL	BANK OF NOVA SCOTIA	388 RICHMOND ROAD BRANCH 388 RICHMOND ST, OTTAWA OTTAWA CITY ON K2A 0E8	WSW/135.3	-0.84	<u>95</u>
<u>37</u>	SPL	PRIVATE BUSINESS	388 RICHMOND RD. OTTAWA BANK OF NOVA SCOTIA STORAGE TANK OTTAWA CITY ON K2A 0E8	WSW/135.3	-0.84	<u>96</u>
<u>37</u>	SPL	PRIVATE BUSINESS	BANK OF NOVA SCOTIA, 388 RICHMOND ST STORAGE TANK OTTAWA CITY ON K2A 0E8	WSW/135.3	-0.84	<u>96</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>37</u>	SPL		388 Richmond Rd. Ottawa ON K2A 0E8	WSW/135.3	-0.84	<u>97</u>
<u>37</u>	EHS		388 Richmond Rd Ottawa ON K2A0E8	WSW/135.3	-0.84	<u>97</u>
38	GEN	AL PARSONS (OUT OF BUSINESS)	376 MADISON AVE. OTTAWA ON K2A 0B7	WNW/138.9	-0.85	<u>97</u>
38	GEN	AL PARSONS (OUT OF BUSINESS) 02-233	376 MADISON AVE. OTTAWA ON K2A 0B7	WNW/138.9	-0.85	<u>97</u>
<u>39</u>	GEN	First General Services (URA)	528 Byron St Ottawa ON K2A 0E3	SW/139.0	1.17	<u>98</u>
<u>40</u>	wwis		345 RAVENHURST AVE. WELL #1 Ottawa ON <i>Well ID</i> : 7218236	SSW/141.5	1.37	<u>98</u>
41	GEN	HYBRID PHRARM INC	318 RICHMOND RD OTTAWA ON K1Z6X6	NE/144.5	-0.11	100
41	GEN	HYBRID PHRARM INC	318 RICHMOND RD OTTAWA ON K1Z6X6	NE/144.5	-0.11	<u>100</u>
<u>42</u>	WWIS		lot 31 con 1 ON <i>Well ID:</i> 7292792	NNE/157.6	-0.64	100
<u>43</u>	SPL	PRIVATE RESIDENCE	HOME AT 389 DANFORTH AVE FURNACE OIL TANK FURNACE OIL TANK OTTAWA CITY ON K2A 0E1	WSW/158.4	0.08	<u>101</u>
<u>44</u>	SCT	Imagnan Corp.	376 Churchill Ave N Suite 107 Ottawa ON K1Z 5C3	NNW/159.4	-1.69	102
<u>44</u>	EHS		376 Churchill Avenue Ottawa ON	NNW/159.4	-1.69	102
<u>44</u>	SCT	C.J.T. Surplus Equipment Ltd.	376 Churchill Ave N Suite 306 Ottawa ON K1Z 5C3	NNW/159.4	-1.69	102

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
44	GEN	regional elevator	376 churchill road ottawa ON	NNW/159.4	-1.69	102
<u>45</u>	SCT	Forbie Activewear	314 Richmond Rd Ottawa ON K1Z 6X6	NE/161.4	-0.11	102
<u>46</u>	EHS		363 Madison Ave Ottawa ON K2A0B6	NW/163.1	-1.95	103
<u>47</u>	PRT	TWENTY FIRST CENTURY MOTORS INC	319 RICHMOND RD OTTAWA ON K1Z6X7	NNE/164.6	-0.64	<u>103</u>
<u>47</u>	FSTH	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA ON K1Z 6X7	NNE/164.6	-0.64	<u>103</u>
<u>47</u>	FSTH	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA ON K1Z 6X7	NNE/164.6	-0.64	<u>104</u>
<u>47</u>	GEN	Avenues Garage Ltd.	319 Richmond Rd Ottawa ON	NNE/164.6	-0.64	104
<u>47</u>	EXP	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE/164.6	-0.64	<u>104</u>
<u>47</u>	EXP	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE/164.6	-0.64	105
<u>47</u>	EXP	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE/164.6	-0.64	105
<u>47</u>	EHS		319 Richmond Rd Ottawa ON K1Z6X7	NNE/164.6	-0.64	<u>106</u>
<u>47</u>	EHS		319 Richmond Road Ottawa ON	NNE/164.6	-0.64	<u>106</u>
<u>47</u>	EHS		319, 325 and 327 Richmond Road, 380 Winona Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7	NNE/164.6	-0.64	106

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>47</u>	EHS		319, 325 and 327 Richmond Road, 380 Winona Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7	NNE/164.6	-0.64	<u>106</u>
<u>47</u>	FST	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE/164.6	-0.64	106
<u>47</u>	FST	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE/164.6	-0.64	<u>107</u>
<u>47</u>	FST	AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE/164.6	-0.64	<u>107</u>
<u>47</u>	EHS		319, 325 and 327 Richmond Road, 380 Winona Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7	NNE/164.6	-0.64	108
48	EHS		397 and 399 Winston Avenue Ottawa ON K2A 1Y8	W/166.9	-1.28	108
<u>49</u>	RSC	Mr. Arnold Midgley, The Trustees of Kitchissippi United Church	450 Churchill Avenue North, Ottawa, Ontario, K1Z 5E2 ON K1Z 5E2	SE/170.0	2.95	108
<u>50</u>	EHS		404 Eden Avenue Ottawa ON	ENE/174.3	-0.06	109
<u>51</u>	SCT	Entomological Society of Cda	393 Winston Ave Ottawa ON K2A 1Y8	WNW/174.4	-2.00	109
<u>52</u>	SCT	Simply Wood Furnishings Ltd.	393A Richmond Rd Ottawa ON K2A 0E9	W/174.8	-1.20	<u>109</u>
<u>52</u>	GEN	Mike Steinberg	393-401 Richmond Road Ottawa ON K2A 0E9	W/174.8	-1.20	<u>109</u>
<u>52</u>	SCT	Simply Wood Furnishings	393A Richmond Rd Ottawa ON K2A 0E9	W/174.8	-1.20	<u>110</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>53</u>	wwis		450 CHURCHILL AVENUE NORTH Ottawa ON Well ID: 7154750	SE/180.4	3.55	<u>110</u>
<u>54</u>	SCT	Gold Cast	377 Churchill Ave N Ottawa ON K1Z 5C4	N/185.4	-0.96	<u>113</u>
<u>55</u>	MNR	SAMPLE 23	ON	SSE/185.7	3.07	<u>113</u>
<u>55</u>	MNR	HIGHLAND PARK	ON	SSE/185.7	3.07	<u>114</u>
<u>56</u>	SCT	Forbie Activewear	375 Churchill Ave N Ottawa ON K1Z 5C4	N/190.5	-0.96	<u>114</u>
<u>57</u>	GEN	Cassone Construction	300 Richmond Rd. Ottawa ON	NE/192.9	-0.06	<u>115</u>
<u>58</u>	EHS		380 Winona Ave Ottawa ON K1Z 5H7	NNE/193.2	-0.96	115
<u>58</u>	EHS		380 Winona Ave Ottawa ON K1Z 5H7	NNE/193.2	-0.96	<u>115</u>
<u>58</u>	EHS		380 Winona Ave Ottawa ON K1Z 5H7	NNE/193.2	-0.96	<u>115</u>
<u>58</u>	EHS		380 Winona Ave Ottawa ON K1Z 5H7	NNE/193.2	-0.96	<u>115</u>
<u>59</u>	EHS		411 Roosevelt Avenue Ottawa ON K2A 3X9	WSW/195.9	-0.93	<u>116</u>
<u>59</u>	GEN	DISTRICT REALTY	411 ROOSEVELT AVENUE OTTAWA ON K2A3X9	WSW/195.9	-0.93	<u>116</u>
<u>60</u>	SPL	PRIVATE RESIDENCE	HOUSE AT 356 WHITBY AVE FURNACE OIL TANK OTTAWA CITY ON K2A 0B5	NW/197.5	-1.95	116

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>61</u>	EHS		401 Richmond Road Ottawa ON K2A 0E9	W/204.1	-1.94	<u>117</u>
<u>61</u>	WWIS		401 RICHMOND RD Ottawa ON Well ID: 7180984	W/204.1	-1.94	<u>117</u>
<u>62</u>	GEN	Cameron Veterinary Professional Corp	348 Whitby Ave Ottawa ON K2A 0B5	NNW/206.4	-2.21	<u>120</u>
<u>62</u>	GEN	Cameron Veterinary Professional Corp	348 Whitby Ave Ottawa ON K2A 0B5	NNW/206.4	-2.21	<u>120</u>
<u>62</u>	GEN	Cameron Veterinary Professional Corp	348 Whitby Ave Ottawa ON K2A 0B5	NNW/206.4	-2.21	<u>121</u>
<u>63</u>	GEN	TUBMAN FUNERAL HOMES	403 RICHMOND RD OTTAWA ON K2A 0E9	W/206.7	-1.97	<u>121</u>
<u>63</u>	GEN	TUBMAN FUNERAL HOMES 44- 171	403 RICHMOND RD OTTAWA ON K2A 0E9	W/206.7	-1.97	122
<u>63</u>	GEN	TUBMAN FUNERAL HOMES	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	122
<u>63</u>	GEN	J.A. TUBMAN FUNERAL HOMES LIMITED	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	122
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	122
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	123
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	123
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	123

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	124
<u>63</u>	EHS		403 Richmond Rd Ottawa ON K2A0E9	W/206.7	-1.97	124
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON	W/206.7	-1.97	<u>124</u>
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	125
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	125
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	125
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	126
<u>63</u>	GEN	TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W/206.7	-1.97	126
<u>63</u>	EHS		403 Richmond Road Ottawa ON K2A 0E9	W/206.7	-1.97	126
<u>64</u>	SPL	Enbridge Gas Distribution Inc.	433 Roosevelt Ave. Ottawa ON	SW/208.1	0.13	<u>126</u>
<u>64</u>	PINC	ENBRIDGE GAS INC	433 ROOSEVELT AVE,,OTTAWA,ON,K2A 1Z4,CA ON	SW/208.1	0.13	127
<u>65</u>	CA	OTTAWA CITY	BYRON AVE./ROOSEVELT AVE. OTTAWA CITY ON	WSW/213.8	0.09	127
<u>66</u>	GEN	METROTYPE GRAPHICS LTD.	364 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	NNW/214.3	-2.01	128

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>66</u>	GEN	METROTYPE GRAPHICS LTD.	364 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	NNW/214.3	-2.01	128
<u>66</u>	GEN	METROTYPE GRAPHICS LTD. 26-238	364 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	NNW/214.3	-2.01	128
<u>66</u>	GEN	METRO(OUT OF BUS) 26-238	364 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	NNW/214.3	-2.01	<u>129</u>
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW/214.3	-2.01	129
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW/214.3	-2.01	129
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW/214.3	-2.01	129
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW/214.3	-2.01	<u>130</u>
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW/214.3	-2.01	<u>130</u>
<u>66</u>	EHS		364 Churchill Ave N Ottawa ON K1Z5C2	NNW/214.3	-2.01	<u>130</u>
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON	NNW/214.3	-2.01	<u>131</u>
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW/214.3	-2.01	<u>131</u>
<u>66</u>	GEN	Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW/214.3	-2.01	131
<u>67</u>	SPL	CANADIAN WASTE SERVICES	363 CHURCHILL, NORTH OF RICHMOND MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	N/216.4	-2.10	132

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>68</u>	PINC	ENBRIDGE GAS INC	401 EDEN AVE,,OTTAWA,ON,K1Z 5J1,CA ON	ENE/217.8	0.17	<u>132</u>
<u>69</u>	PES	P. & T. EQUIPMENT	311 RICHMOND ROAD, SUITE 308 OTTAWA ON K1Z 6X3	NE/219.8	-1.02	<u>133</u>
<u>69</u>	SCT	GEVC Interactive Inc.	311 Richmond Rd Suite 204 Ottawa ON K1Z 6X3	NE/219.8	-1.02	133
<u>70</u>	SPL	PRIVATE RESIDENCE	359 WHITBY AVENUE FURNACE OIL TANK OTTAWA CITY ON K2A 0B3	NW/231.7	-2.94	<u>133</u>
<u>71</u>	EHS		389 Roosevelt Ave Ottawa ON K2A1Y9	W/233.6	-3.02	134
<u>72</u>	wwis		ON <i>Well ID:</i> 7233985	NW/238.0	-3.03	134
<u>73</u>	SPL	Enbridge Gas Distribution Inc.	412 Edgewood Avenue Ottawa ON	ENE/238.5	-0.04	<u>135</u>
<u>73</u>	PINC	PIPELINE HIT 1/2"	412 EDGEWOOD AVE,,OTTAWA,ON,K1Z 5K5,CA ON	ENE/238.5	-0.04	135
<u>74</u>	SCT	DOUBLE L PRINTERS	416 RICHMOND RD OTTAWA ON K2A 0G2	WSW/242.4	-1.93	136
<u>74</u>	SCT	Double L Printers - Div. of 595511 Ontario Inc.	416 Richmond Rd Ottawa ON K2A 0G2	WSW/242.4	-1.93	<u>136</u>
<u>75</u>	PES	J. CLARK PHARMACY CARE LTD O/A SHOPPERS DRUG MART #1396	410 RICHMOND ROAD OTTAWA ON K2A 0G2	WSW/244.1	-1.93	<u>136</u>
<u>75</u>	PES	J. CLARK PHARMACY CARE LTD O/A SHOPPERS DRUG MART #1396	410 RICHMOND ROAD OTTAWA ON K2A4C4	WSW/244.1	-1.93	136
<u>75</u>	GEN	J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	WSW/244.1	-1.93	<u>137</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>75</u>	GEN	J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	WSW/244.1	-1.93	<u>137</u>
<u>75</u>	GEN	J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	WSW/244.1	-1.93	<u>138</u>
<u>75</u>	GEN	J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	WSW/244.1	-1.93	138
<u>76</u>	SPL	Hydro-Ottawa	341 WHITBY ST <unofficial> Ottawa ON K2A 0B3</unofficial>	NNW/247.9	-3.00	138

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 1 CA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
OTTAWA CITY	BYRON AVE./ROOSEVELT AVE. OTTAWA CITY ON	WSW	213.79	<u>65</u>

CDRY - Dry Cleaning Facilities

A search of the CDRY database, dated Jan 2004-Dec 2018 has found that there are 1 CDRY site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
Laundry Land Cleaning	424 Churchill Ave N Ottawa ON K1Z5C8	E	50.67	<u>8</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Oct 31, 2020 has found that there are 39 EHS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address 349 Danforth Avenue Ottawa ON K2A 0E1	<u>Direction</u> -	Distance (m) 0.00	Map Key 1
	349 Danforth Avenue Ottawa ON K2A 0E1	-	0.00	1
	349 Danforth Avenue Ottawa ON K2A 0E1	-	0.00	1
	356 Richmond Road Ottawa ON K2A 0E8	NW	38.30	<u>4</u>

Equal/Higher Elevation	Address 356 Richmond Road Ottawa ON	<u>Direction</u> NW	<u>Distance (m)</u> 38.30	Map Key 4
	354 Richmond Road Ottawa ON K2A 0E8	NNE	40.06	<u>5</u>
	424 Churchill Avenue Ottawa ON K1Z 5C8	E	50.67	<u>8</u>
	366 Richmond Rd Ottawa ON K2A 0E8	W	59.72	9
	Byron Ottawa ON	SSW	76.19	<u>13</u>
	Richmond Rd Churchill Ave N Ottawa ON	NNE	99.22	<u>19</u>
	345 Richmond Road Ottawa ON K2A 0E7 332 and 334 Richmond Road	N NE	99.92	<u>20</u> <u>21</u>
	Ottawa ON			
Lower Elevation	Address 412 Churchill Ave Ottawa ON	<u>Direction</u> NE	<u>Distance (m)</u> 47.74	<u>Map Key</u> <u>7</u>
	412 Churchill Avenue Ottawa ON K1V 8Y5	NE	47.74	7
	380 Richmond Rd Ottawa ON K2A 0E8	W	102.98	<u>22</u>

337 Richmond Road Ottawa ON K2A 0E7	N	103.94	<u>23</u>
322 Richmond Rd Ottawa ON K1Z6X6	NE	118.95	<u>29</u>
386 Richmond Rd Ottawa ON K2A0E8	wsw	124.73	<u>31</u>
386 Richmond Rd Ottawa ON K2A0E8	wsw	125.06	<u>32</u>
388 Richmond Rd Ottawa ON K2A0E8	wsw	135.34	<u>37</u>
376 Churchill Avenue Ottawa ON	NNW	159.43	<u>44</u>
363 Madison Ave Ottawa ON K2A0B6	NW	163.12	<u>46</u>
319 Richmond Rd Ottawa ON K1Z6X7	NNE	164.59	<u>47</u>
319 Richmond Road Ottawa ON	NNE	164.59	<u>47</u>
319, 325 and 327 Richmond Road, 380 Winona Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7	NNE	164.59	<u>47</u>
319, 325 and 327 Richmond Road, 380 Winona Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7	NNE	164.59	<u>47</u>
319, 325 and 327 Richmond Road, 380 Winona Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7	NNE	164.59	<u>47</u>
397 and 399 Winston Avenue Ottawa ON K2A 1Y8	W	166.87	<u>48</u>

404 Eden Avenue Ottawa ON	ENE	174.29	<u>50</u>
380 Winona Ave Ottawa ON K1Z 5H7	NNE	193.16	<u>58</u>
380 Winona Ave Ottawa ON K1Z 5H7	NNE	193.16	<u>58</u>
380 Winona Ave Ottawa ON K1Z 5H7	NNE	193.16	<u>58</u>
380 Winona Ave Ottawa ON K1Z 5H7	NNE	193.16	<u>58</u>
411 Roosevelt Avenue Ottawa ON K2A 3X9	WSW	195.91	<u>59</u>
401 Richmond Road Ottawa ON K2A 0E9	W	204.11	<u>61</u>
403 Richmond Rd Ottawa ON K2A0E9	W	206.74	<u>63</u>
403 Richmond Road Ottawa ON K2A 0E9	W	206.74	<u>63</u>
364 Churchill Ave N Ottawa ON K1Z5C2	NNW	214.33	<u>66</u>
389 Roosevelt Ave Ottawa ON K2A1Y9	W	233.62	<u>71</u>

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Jul 31, 2020 has found that there are 3 EXP site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE	164.59	<u>47</u>
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE	164.59	<u>47</u>
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE	164.59	<u>47</u>

FST - Fuel Storage Tank

A search of the FST database, dated Jul 31, 2020 has found that there are 3 FST site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE	164.59	<u>47</u>
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE	164.59	<u>47</u>
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA K1Z 6X7 ON CA ON	NNE	164.59	<u>47</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

Order No: 21011600014

Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA ON K1Z 6X7	NNE	164.59	<u>47</u>
AVENUES GARAGE LTD	319 RICHMOND RD OTTAWA ON K1Z 6X7	NNE	164.59	<u>47</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2020 has found that there are 92 GEN site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation VELO SPORTABLE CYCLE	Address 358 RICHMOND ROAD OTTAWA ON K2A 0E8	<u>Direction</u> WNW	<u>Distance (m)</u> 29.92	Map Key 2
1534244 Ontario Inc	358 Richmond Road Ottawa ON	WNW	29.92	<u>2</u>
Blyth Academy Ottawa	352 Danforth Ave Ottawa ON	S	35.33	<u>3</u>
Blyth Academy Ottawa	352 Danforth Ave Ottawa ON K2A 0E2	S	35.33	<u>3</u>
Blyth Academy Ottawa	352 Danforth Ave Ottawa ON K2A 0E2	S	35.33	3
Blyth Academy Ottawa	352 Danforth Ave Ottawa ON K2A 0E2	S	35.33	3
PEARL CLEANERS	354B RICHMOND ROAD OTTAWA ON K2A 0E8	NNE	40.06	<u>5</u>
LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1N 6B5	Е	50.67	<u>8</u>
LAUNDRY LAND 24-215	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	Е	50.67	<u>8</u>

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8	E	50.67	<u>8</u>
LAUNDRY LAND	424 CHURCHILL AVENUE OTTAWA ON	Е	50.67	8
LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	Е	50.67	<u>8</u>
LAUNDRY LAND	424 Churchill ave. Ottawa ON K1Z 5C8	Е	50.67	<u>8</u>
Mountain Equipment Co-op	366 Richmond Road Ottawa ON	W	59.72	<u>9</u>
Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W	59.72	<u>9</u>
Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W	59.72	<u>9</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W	59.72	<u>9</u>
Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W	59.72	<u>9</u>
Mountain Equipment Co-op	366 Richmond Road Ottawa ON K2A 0E8	W	59.72	<u>9</u>
Mountain Equipment Co-op Ottawa	366 Richmond Road Ottawa ON K2A 0E8	W	59.72	<u>9</u>
Mountain Equipment Co-op Ottawa	366 Richmond Road Ottawa ON K2A 0E8	W	59.72	<u>9</u>
561391 Ontario Inc.	350 Richmond Road Ottawa ON K2A 0E8	N	65.54	<u>10</u>
WESTBOROUGH PHARMASAVE	340 RICHMOND ROAD OTTAWA ON K2A 0E8	NNE	72.56	<u>12</u>
WESTBORO PHARMACY LTD	WESTBORO PHARMACY LIMITED 340 RICHMOND ROAD OTTAWA ON K2A 0E8	NNE	72.56	<u>12</u>
JOSEPH C. GAFFNEY	372 RICHMOND ROAD OTTAWA ON K2A 0E8	wsw	77.03	<u>14</u>
JOSEPH C. GAFFNEY 22-433	372 RICHMOND ROAD OTTAWA ON K2A 0E8	WSW	77.03	<u>14</u>
FREDERICK GRODDE LTD.	379 DANFORTH AVENUE OTTAWA ON K2A 0E1	WSW	85.37	<u>15</u>

Equal/Higher Elevation FREDERICK GRODDE LTD.	Address 379 DANFORTH AVENUE OTTAWA ON K2A 0E1	<u>Direction</u> WSW	<u>Distance (m)</u> 85.37	<u>Map Key</u> <u>15</u>
FREDERICK GRODDE LTD.	379 DANFORTH AVENUE OTTAWA ON K2A 0E1	WSW	85.37	<u>15</u>
Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE	98.54	<u>18</u>
Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE	98.54	<u>18</u>
Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE	98.54	<u>18</u>
Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE	98.54	<u>18</u>
Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON	SSE	98.54	<u>18</u>
Ottawa-Carleton District School Board	345 Ravenhill Ave. Ottawa ON K2A 0J5	SSE	98.54	<u>18</u>
Ottawa-Carleton District School Board Ottawa-Carleton District School	345 Ravenhill Ave. Ottawa ON K2A 0J5 345 Ravenhill Ave.	SSE	98.54	<u>18</u>
Board Ottawa-Carleton District School	Ottawa ON K2A 0J5 345 Ravenhill Ave.	SSE	98.54	<u>18</u>
Board Health & Safety Ottawa-Carleton District School	Ottawa ON K2A 0J5 345 Ravenhill Ave.	SSE	98.54	<u>18</u>
Board Health & Safety	Ottawa ON K2A 0J5		33.3	<u>18</u>

First General Services (URA)	528 Byron St Ottawa ON K2A 0E3	SW	138.98	<u>39</u>
Lower Elevation ALBERT & SON ENGRAVERS	Address 412B CHURCHILL AVE. OTTAWA ON K1Z 5C6	<u>Direction</u> NE	Distance (m) 47.68	Map Key 6
Ottawa Carleton Construction Group Ltd.	386 Richmond Road Ottawa ON K2A 0E8	wsw	125.06	<u>32</u>
AL PARSONS (OUT OF BUSINESS)	376 MADISON AVE. OTTAWA ON K2A 0B7	WNW	138.89	38
AL PARSONS (OUT OF BUSINESS) 02-233	376 MADISON AVE. OTTAWA ON K2A 0B7	WNW	138.89	<u>38</u>
HYBRID PHRARM INC	318 RICHMOND RD OTTAWA ON K1Z6X6	NE	144.47	<u>41</u>
HYBRID PHRARM INC	318 RICHMOND RD OTTAWA ON K1Z6X6	NE	144.47	<u>41</u>
regional elevator	376 churchill road ottawa ON	NNW	159.43	<u>44</u>
Avenues Garage Ltd.	319 Richmond Rd Ottawa ON	NNE	164.59	<u>47</u>
Mike Steinberg	393-401 Richmond Road Ottawa ON K2A 0E9	W	174.81	<u>52</u>
Cassone Construction	300 Richmond Rd. Ottawa ON	NE	192.88	<u>57</u>

Direction

Distance (m)

Map Key

Order No: 21011600014

Equal/Higher Elevation

<u>Address</u>

DISTRICT REALTY	411 ROOSEVELT AVENUE OTTAWA ON K2A3X9	WSW	195.91	<u>59</u>
Cameron Veterinary Professional Corp	348 Whitby Ave Ottawa ON K2A 0B5	NNW	206.41	<u>62</u>
Cameron Veterinary Professional Corp	348 Whitby Ave Ottawa ON K2A 0B5	NNW	206.41	<u>62</u>
Cameron Veterinary Professional Corp	348 Whitby Ave Ottawa ON K2A 0B5	NNW	206.41	<u>62</u>
TUBMAN FUNERAL HOMES 44- 171	403 RICHMOND RD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
J.A. TUBMAN FUNERAL HOMES LIMITED	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND	403 RICHMOND ROAD	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND CREMATION TUBMAN FUNERAL HOMES AND	403 RICHMOND ROAD OTTAWA ON K2A 0E9 403 RICHMOND ROAD	W	206.74	<u>63</u>
CREMATION	OTTAWA ON K2A 0E9	vV	200.74	<u>63</u>

TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES AND CREMATION	403 RICHMOND ROAD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
TUBMAN FUNERAL HOMES	403 RICHMOND RD OTTAWA ON K2A 0E9	W	206.74	<u>63</u>
METROTYPE GRAPHICS LTD. METROTYPE GRAPHICS LTD.	364 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9 364 CHURCHILL STREET NORTH	NNW	214.33	<u>66</u>
METROTYPE GRAPHICS LTD.	OTTAWA ON K1Z 5G9 364 CHURCHILL STREET NORTH	NNW	214.33	<u>66</u> 66
26-238 METRO(OUT OF BUS) 26-238	OTTAWA ON K1Z 5G9 364 CHURCHILL STREET NORTH	NNW	214.33	66
Cameron Veterinary Professional	OTTAWA ON K1Z 5G9 364 Churchill Avenue North	NNW	214.33	66
Corporation Cameron Veterinary Professional	Ottawa ON K1Z 5C2 364 Churchill Avenue North	NNW	214.33	66
Corporation	Ottawa ON K1Z 5C2			<u></u>

Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW	214.33	<u>66</u>
Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW	214.33	<u>66</u>
Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW	214.33	<u>66</u>
Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON	NNW	214.33	<u>66</u>
Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW	214.33	<u>66</u>
Cameron Veterinary Professional Corporation	364 Churchill Avenue North Ottawa ON K1Z 5C2	NNW	214.33	<u>66</u>
J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	wsw	244.15	<u>75</u>
J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	WSW	244.15	<u>75</u>
J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	WSW	244.15	<u>75</u>
J. Clark Pharmacy Care Ltd.	410 RICHMOND ROAD OTTAWA ON K2A 4C4	WSW	244.15	<u>75</u>

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 1 HINC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
	343 RICHMOND ROAD Ottawa ON K2A 0E7	N	90.06	<u>16</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Jul 31, 2020 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
	412 & 414 Churchill Avenue, Ottawa ON	NE	47.74	<u>7</u>

MNR - Mineral Occurrences

A search of the MNR database, dated 1846-Jan 2020 has found that there are 2 MNR site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
SAMPLE 23	ON	SSE	185.70	<u>55</u>
HIGHLAND PARK	ON	SSE	185.70	<u>55</u>

PES - Pesticide Register

A search of the PES database, dated Oct 2011-Dec 31, 2020 has found that there are 7 PES site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	<u>Direction</u>	Distance (m)	<u>Map Key</u>
DOVERS HARDWARE	356 RICHMOND ROAD OTTAWA ON K2A0E7	NW	38.30	<u>4</u>
DOVERS HARDWARE	356 RICHMOND ROAD OTTAWA ON K2A 0E8	NW	38.30	4
MOUNTAIN EQUIPMENT CO- OPERATIVE	366 RICHMOND RD OTTAWA ON K2A 0E8	W	59.72	9

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
MEC CANADA INC.	366 RICHMOND RD OTTAWA ON K2A 0E8	W	59.72	9

Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
P. & T. EQUIPMENT	311 RICHMOND ROAD, SUITE 308 OTTAWA ON K1Z 6X3	NE	219.84	<u>69</u>
J. CLARK PHARMACY CARE LTD O/A SHOPPERS DRUG MART #1396	410 RICHMOND ROAD OTTAWA ON K2A 0G2	wsw	244.15	<u>75</u>
J. CLARK PHARMACY CARE LTD O/A SHOPPERS DRUG MART #1396	410 RICHMOND ROAD OTTAWA ON K2A4C4	WSW	244.15	<u>75</u>

PINC - Pipeline Incidents

A search of the PINC database, dated Oct 31, 2020 has found that there are 3 PINC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
ENBRIDGE GAS INC	433 ROOSEVELT AVE,,OTTAWA,ON, K2A 1Z4,CA ON	SW	208.05	<u>64</u>
ENBRIDGE GAS INC	401 EDEN AVE,,OTTAWA,ON,K1Z 5J1,CA ON	ENE	217.82	<u>68</u>
Lower Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
PIPELINE HIT 1/2"	412 EDGEWOOD AVE,,OTTAWA,ON, K1Z 5K5,CA ON	ENE	238.48	<u>73</u>

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

Lower Elev	Address Address	<u>Direction</u>	Distance (m)	<u>Map Key</u>
	erisinfo com I Environmental Risk Information Services			Order No: 21011600014

Address

346 Richmond Rd Suite 210

Ottawa ON K2A 0E8

Distance (m)

69.29

Map Key

11

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Nov 2020 has found that there are 1 RSC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
Mr. Arnold Midgley, The Trustees of Kitchissippi United Church	450 Churchill Avenue North, Ottawa, Ontario, K1Z 5E2 ON K1Z 5E2	SE	169.97	<u>49</u>

SCT - Scott's Manufacturing Directory

Equal/Higher Elevation

BlackCherry Digital Media Inc.

A search of the SCT database, dated 1992-Mar 2011* has found that there are 13 SCT site(s) within approximately 0.25 kilometers of the project property.

Direction

NNE

Lower Elevation Valberg Imaging	Address 322 Richmond Rd Ottawa ON K1Z 6X6	<u>Direction</u> NE	<u>Distance (m)</u> 118.95	<u>Map Key</u> 29
C.J.T. Surplus Equipment Ltd.	376 Churchill Ave N Suite 306 Ottawa ON K1Z 5C3	NNW	159.43	<u>44</u>
Imagnan Corp.	376 Churchill Ave N Suite 107 Ottawa ON K1Z 5C3	NNW	159.43	<u>44</u>
Forbie Activewear	314 Richmond Rd Ottawa ON K1Z 6X6	NE	161.44	<u>45</u>
Entomological Society of Cda	393 Winston Ave Ottawa ON K2A 1Y8	WNW	174.44	<u>51</u>

Simply Wood Furnishings	393A Richmond Rd Ottawa ON K2A 0E9	W	174.81	<u>52</u>
Simply Wood Furnishings Ltd.	393A Richmond Rd Ottawa ON K2A 0E9	W	174.81	<u>52</u>
Gold Cast	377 Churchill Ave N Ottawa ON K1Z 5C4	N	185.36	<u>54</u>
Forbie Activewear	375 Churchill Ave N Ottawa ON K1Z 5C4	N	190.49	<u>56</u>
GEVC Interactive Inc.	311 Richmond Rd Suite 204 Ottawa ON K1Z 6X3	NE	219.84	<u>69</u>
Double L Printers - Div. of 595511 Ontario Inc.	416 Richmond Rd Ottawa ON K2A 0G2	wsw	242.36	<u>74</u>
DOUBLE L PRINTERS	416 RICHMOND RD OTTAWA ON K2A 0G2	wsw	242.36	<u>74</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Nov 2019; Jul 2020 - Aug 2020 has found that there are 14 SPL site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
PRIVATE RESIDENCE	518 BYRON AVE. STORAGE TANK/BARREL OTTAWA CITY ON K2A 0E3	SSW	105.60	<u>26</u>
PRIVATE RESIDENCE	HOME AT 389 DANFORTH AVE FURNACE OIL TANK FURNACE OIL TANK OTTAWA CITY ON K2A 0E1	WSW	158.39	<u>43</u>
Enbridge Gas Distribution Inc.	433 Roosevelt Ave. Ottawa ON	sw	208.05	<u>64</u>

Lower Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
Enbridge Gas Distribution Inc.	412 & 414 Churchill Ave. Ottawa ON	NE	47.74	<u>7</u>
	386 Richmond Rd S21 RESIDENCE <unofficial> Ottawa ON K2A 0E8</unofficial>	wsw	125.06	32
	388 Richmond Rd. Ottawa ON K2A 0E8	WSW	135.34	<u>37</u>
PRIVATE BUSINESS	BANK OF NOVA SCOTIA, 388 RICHMOND ST STORAGE TANK OTTAWA CITY ON K2A 0E8	wsw	135.34	<u>37</u>
PRIVATE BUSINESS	388 RICHMOND RD. OTTAWA BANK OF NOVA SCOTIA STORAGE TANK OTTAWA CITY ON K2A 0E8	wsw	135.34	<u>37</u>
BANK OF NOVA SCOTIA	388 RICHMOND ROAD BRANCH 388 RICHMOND ST, OTTAWA OTTAWA CITY ON K2A 0E8	wsw	135.34	<u>37</u>
PRIVATE RESIDENCE	HOUSE AT 356 WHITBY AVE FURNACE OIL TANK OTTAWA CITY ON K2A 0B5	NW	197.54	<u>60</u>
CANADIAN WASTE SERVICES	363 CHURCHILL, NORTH OF RICHMOND MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	N	216.39	<u>67</u>
PRIVATE RESIDENCE	359 WHITBY AVENUE FURNACE OIL TANK OTTAWA CITY ON K2A 0B3	NW	231.75	<u>70</u>
Enbridge Gas Distribution Inc.	412 Edgewood Avenue Ottawa ON	ENE	238.48	<u>73</u>
Hydro-Ottawa	341 WHITBY ST <unofficial> Ottawa ON K2A 0B3</unofficial>	NNW	247.95	<u>76</u>

WWIS - Water Well Information System


A search of the WWIS database, dated Apr 30, 2020 has found that there are 15 WWIS site(s) within approximately 0.25 kilometers of


Equal/Higher Elevation	Address 380 RICHMOND ROAD OTTAWA ON Well ID: 7198182	<u>Direction</u> WSW	Distance (m) 91.14	<u>Map Key</u> <u>17</u>
	345 RAVENHURST AVE. WELL #4 Ottawa ON Well ID: 7218229	ESE	104.63	24
	345 RAVENHURST AVE. WELL #2 Ottawa ON	S	105.85	<u>27</u>
	Well ID: 7218235 345 RAVENHURST AVE. WELL #3 Ottawa ON	SE	129.14	<u>36</u>
	Well ID: 7218228 345 RAVENHURST AVE. WELL #1 Ottawa ON	SSW	141.52	<u>40</u>
	Well ID: 7218236			
	450 CHURCHILL AVENUE NORTH Ottawa ON Well ID: 7154750	SE	180.35	<u>53</u>
	10. 10. 10.			
Lower Elevation	Address 388 RICHMOND RD	<u>Direction</u> WNW	<u>Distance (m)</u> 105.05	Map Key
	OTTAWA ON Well ID: 7305577			_
	324 RICHMOND ROAD Ottawa ON	NE	106.55	<u>28</u>
	Well ID: 7295754 337 RICHMOND RD Ottawa ON	N	121.73	<u>30</u>
	Well ID: 7171703			
	388 RICHMOND ROAD OTTAWA ON	WSW	126.21	<u>33</u>
	Well ID: 7303998	Wow	100.05	
	388 RICHMOND ROAD OTTAWA ON	WSW	126.25	<u>34</u>

Well ID: 7303999

388 RICHMOND RD OTTAWA ON	WSW	128.49	<u>35</u>
Well ID: 7305578			
lot 31 con 1 ON	NNE	157.60	<u>42</u>
Well ID: 7292792			
401 RICHMOND RD Ottawa ON	W	204.11	<u>61</u>
Well ID: 7180984			
ON	NW	237.97	<u>72</u>

Well ID: 7233985





Aerial Year: 2015

Address: 349 Danforth Avenue, Ottawa, ON

Source: ESRI World Imagery

Order Number: 21011600014



Topographic Map

Address: 349 Danforth Avenue, ON

Source: ESRI World Topographic Map

Order Number: 21011600014



Detail Report

Мар Кеу	Number Records		Elev/Diff) (m)	Site		DB
1	1 of 3	-/0.0	68.8 / 0.01	349 Danforth Avenue Ottawa ON K2A 0E1		EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20200318139 C Standard Report 23-MAR-20 18-MAR-20 Fire Insur. Maps	and/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.7541952 45.3913044	
1	2 of 3	-/0.0	68.8 / 0.01	349 Danforth Avenue Ottawa ON K2A 0E1		EHS
Order No: Status: Report Typ Report Date Date Recei Previous S. Lot/Buildin Additional I	e: ved: ite Name:	20200318139 C Standard Report 23-MAR-20 18-MAR-20	and/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.7541952 45.3913044	
<u>1</u>	3 of 3	-/0.0	68.8 / 0.01	349 Danforth Avenue		EHS
Order No: Status: Report Typ Report Date Date Recei Previous S Lot/Buildin Additional I	e: ved: ite Name:	20200318139 C Standard Report 23-MAR-20 18-MAR-20 Fire Insur. Maps	and/or Site Plans	Ottawa ON K2A 0E1 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.7541952 45.3913044	
<u>2</u>	1 of 2	WNW/29.9	68.9 / 0.06	VELO SPORTABLE C 358 RICHMOND ROAL OTTAWA ON K2A 0E8)	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON1830701 00,01 6541 SPORTING GOO	DDS STORE	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:		
<u>Detail(s)</u>						

Order No: 21011600014

Map Key	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Waste Class			145 PAINT/PIGMENT/C	OATING RESID	UES	
Waste Clas Waste Clas			212 ALIPHATIC SOLVE	ENTS		
Waste Clas Waste Clas			213 PETROLEUM DIST	TILLATES		
Waste Clas Waste Clas			221 LIGHT FUELS			
Waste Clas Waste Clas			251 OIL SKIMMINGS &	SLUDGES		
Waste Clas Waste Clas			252 WASTE OILS & LU	BRICANTS		
<u>2</u>	2 of 2		WNW/29.9	68.9 / 0.06	1534244 Ontario Inc 358 Richmond Road Ottawa ON	GEN
Generator N	Vo:	ON59933	376		PO Box No:	
Status: Approval Y	ears:	03,04,06			Country: Choice of Contact:	
Contam. Fa MHSW Faci					Co Admin: Phone No Admin:	
SIC Code: SIC Descrip		451110	Sporting Goods Sto	pres		
<u>Detail(s)</u>						
Waste Clas Waste Clas			211 AROMATIC SOLVE	ENTS		
Waste Clas Waste Clas			213 PETROLEUM DIST	TILLATES		
<u>3</u>	1 of 4		S/35.3	69.9 / 1.09	Blyth Academy Ottawa 352 Danforth Ave Ottawa ON	GEN
Generator N	Vo:	ON76871	172		PO Box No:	
Status: Approval Yo Contam. Fa		2013			Country: Choice of Contact: Co Admin:	
MHSW Faci					Phone No Admin:	
SIC Code: SIC Descrip	otion:	611110	ELEMENTARY ANI	D SECONDARY	SCHOOLS	
Detail(s)						
Waste Clas Waste Clas			263 ORGANIC LABORA	ATORY CHEMIC	ALS	
Waste Clas Waste Clas			148 INORGANIC LABO	RATORY CHEM	ICALS	
3	2 of 4		S/35.3	69.9 / 1.09	Blyth Academy Ottawa 352 Danforth Ave Ottawa ON K2A 0E2	GEN

Order No: 21011600014

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) ON7687172

Generator No: PO Box No:

Country: Status: Canada CO_OFFICIAL Approval Years: 2016 Choice of Contact:

Contam. Facility: No Co Admin: MHSW Facility: No Phone No Admin:

611110 SIC Code:

SIC Description: **ELEMENTARY AND SECONDARY SCHOOLS**

Detail(s)

Waste Class: 148

INORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

3 of 4 S/35.3 69.9 / 1.09 Blyth Academy Ottawa 3 **GEN** 352 Danforth Ave

Ottawa ON K2A 0E2

Generator No: ON7687172 PO Box No:

Status: Country: Canada 2015 Choice of Contact: CO_OFFICIAL Approval Years:

Contam. Facility: No Co Admin: MHSW Facility: No Phone No Admin:

SIC Code: 611110

ELEMENTARY AND SECONDARY SCHOOLS SIC Description:

Detail(s)

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 263

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Blyth Academy Ottawa 4 of 4 69.9 / 1.09 3 S/35.3 **GEN**

352 Danforth Ave Ottawa ON K2A 0E2

ON7687172 Generator No: PO Box No:

Status: Country: Canada 2014 Choice of Contact: CO_OFFICIAL Approval Years: Contam. Facility: No Co Admin:

MHSW Facility: Phone No Admin: No SIC Code: 611110

ELEMENTARY AND SECONDARY SCHOOLS SIC Description:

Detail(s)

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

NW/38.3 68.9 / 0.06 **DOVERS HARDWARE** 1 of 4 4 **PES** 356 RICHMOND ROAD

OTTAWA ON K2A 0E8

Detail Licence No: Operator Box:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Licence No: Status: Approval Date: Report Source:

Licence Type Code:

Licence Type: Vendor

Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:

Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No:

Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: **Operator County:** Op Municipality: Post Office Box: MOE District:

SWP Area Name:

Nearest Intersection:

Client Prov/State:

Search Radius (km):

Nearest Intersection:

Municipality:

Richmond road and Churchill Avenue

PES

Order No: 21011600014

Ottawa

-75.754594

45.391582

ON

0.25

2 of 4 NW/38.3 68.9 / 0.06 356 Richmond Road 4 **EHS** Ottawa ON K2A 0E8

20091223015 Order No:

Status:

Standard Report Report Type: Report Date: 12/31/2009 Date Received: 12/23/2009 Previous Site Name:

Lot/Building Size: 5100 square feet

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

3 of 4 NW/38.3 68.9 / 0.06 356 Richmond Road 4 **EHS** Ottawa ON

20160608079 Order No:

Status: C

Report Type: Standard Report Report Date: 15-JUN-16 08-JUN-16 Date Received:

Previous Site Name: Antique Store, unknown

Lot/Building Size: ~0.1 ac

Additional Info Ordered:

Municipality: Ottawa Client Prov/State: ON

Search Radius (km): .25 X:

-75.754455 Y: 45.391589

NW/38.3 68.9 / 0.06 **DOVERS HARDWARE** 4 of 4 4 356 RICHMOND ROAD

> OTTAWA ON K2A0E7 Operator Box:

Detail Licence No: Licence No: 05219

Status: Approval Date:

Legacy Licenses (Excluding TS) Report Source:

Retail Vendor Class 03 Licence Type:

Licence Type Code: 21 Licence Class: 03

Licence Control: Latitude: Longitude: Lot:

Concession: Region:

Operator Class: Operator No: Operator Type: Oper Area Code:

613 7224523 Oper Phone No: Operator Ext:

Operator Lot: Oper Concession: Operator Region: Operator District: **Operator County:** Op Municipality: Post Office Box:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) District: **MOE District:** County: SWP Area Name: Trade Name: PDF Link: 5 1 of 2 NNE/40.1 68.8 / 0.00 354 Richmond Road **EHS** Ottawa ON K2A 0E8 Order No: 20030922015 Nearest Intersection: Churchill Avenue Status: Municipality: (formerly RMOC) Report Type: **Custom Report** Client Prov/State: ON 9/24/03 Search Radius (km): 0.25 Report Date: Date Received: 9/22/03 0 X: Y: 0 Previous Site Name: Lot/Building Size: Additional Info Ordered: NNE/40.1 68.8 / 0.00 **PEARL CLEANERS** 5 2 of 2 **GEN** 354B RICHMOND ROAD OTTAWA ON K2A 0E8 Generator No: ON1984500 PO Box No: Country: Status: Approval Years: Choice of Contact: 95,96,97,98,99,00,01 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 2499 OTHER CLOTHING ETC. SIC Description: Detail(s) Waste Class: 241 HALOGENATED SOLVENTS Waste Class Desc: 6 1 of 1 NE/47.7 68.8 / -0.01 **ALBERT & SON ENGRAVERS GEN** 412B CHURCHILL AVE. OTTAWA ON K1Z 5C6 Generator No: ON2135900 PO Box No: Status: Country: Choice of Contact: Approval Years: 96,97,98 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 2821 SIC Description: PLATEMAKING, ETC. Detail(s) Waste Class: Waste Class Desc: ACID WASTE - HEAVY METALS Waste Class: Waste Class Desc: AROMATIC SOLVENTS Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS 7 1 of 4 NE/47.7 68.8 / -0.01 412 Churchill Ave **EHS** Ottawa ON

Order No: 21011600014

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Order No: 20041115003 Status:

Report Type: **Custom Report** Report Date: 11/18/04 Date Received: 11/15/04

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Richmond Road & Churchill Ave Municipality:

Client Prov/State: ON

Search Radius (km): 0.25 -75.753662 Y: 45.391773

2 of 4 NE/47.7 68.8 / -0.01 412 Churchill Avenue 7 **EHS** Ottawa ON K1V 8Y5

20061204035 Order No: Nearest Intersection:

Status: С

Complete Report Report Type: Report Date: 12/8/2006 12/4/2006 Date Received:

Previous Site Name: Lot/Building Size: Additional Info Ordered:

Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.753662

Y: 45.391773

Pipeline

TSSA - Fuel Safety Branch

SPL

INC

Order No: 21011600014

3 of 4 NE/47.7 68.8 / -0.01 Enbridge Gas Distribution Inc. 7

412 & 414 Churchill Ave.

Ottawa ON

Agency Involved:

Site District Office:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Site Postal Code:

Site Address:

Site Region: Site Municipality:

Site Lot:

Site Conc:

Northing:

Easting:

Nearest Watercourse:

Ref No: 8482-84ZNTG Discharger Report:

Site No: Material Group: Incident Dt: Health/Env Conseq: Year:

Client Type: Discharge or Emission to Air Sector Type:

Incident Cause: Incident Event:

Contaminant Code:

NATURAL GAS (METHANE) Contaminant Name: Contaminant Limit 1:

Contam Limit Freq 1: Contaminant UN No 1: Environment Impact:

Not Anticipated

Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn:

4/30/2010 MOE Reported Dt:

Dt Document Closed: Incident Reason: Equipment/Vehicles

Site Name: Site County/District:

Site Geo Ref Meth: Incident Summary:

TSSA: Enbridge:1" plastic damage, methane to atmosphere

Contaminant Qty: 40 min (duration)

4 of 4 NE/47.7 68.8 / -0.01 412 & 414 Churchill Avenue, Ottawa 7 ON

possible road Construction site<UNOFFICIAL>

Incident No: 377302 Any Health Impact: Incident ID: 2528892 Any Enviro Impact:

Instance No: Status Code: Causal Analysis Complete

Attribute Category: FS-Incident Context:

Service Interrupted: Was Prop Damaged: Reside App. Type:

Commer App. Type:

 Date of Occurrence:
 Indus App. Type:

 Time of Occurrence:
 Institut App. Type:

 Incident Created On:
 Venting Type:

 Instance Creation Dt:
 Vent Conn Mater:

 Instance Install Dt:
 Vent Chimney Mater:

Occur Insp Start Date: Pipeline Type:
Approx Quant Rel: Pipeline Involved:

Tank Capacity:Pipe Material:PlasticFuels Occur Type:Depth Ground Cover:.8mFuel Type Involved:Regulator Location:OutsideEnforcement Policy:Regulator Type:Service Regulator (up to 60 psi intake)

Prc Escalation Req:
Tank Material Type:
Liquid Prop Make:
Tank Storage Type:
Liquid Prop Model:
Tank Location Type:
Liquid Prop Serial No:
Pump Flow Rate Cap:
Liquid Prop Notes:

Task No: Equipment Type:
Notes: Equipment Model:
Drainage System: Serial No:
Sub Surface Contam.: Cylinder Capacity:
Aff Prop Use Water: Cylinder Cap Units:

Contam. Migrated: Cylinder Cap Units.

Contact Natural Env: Near Body of Water:

Incident Location: 412 & 414 Churchill Avenue, Ottawa - 1" Pipeline Hit

Occurence Narrative: Gas Line not properly Located.

Operation Type Involved:

Item:

Item Description:

Device Installed Location:

8 1 of 15 E/50.7 69.9 / 1.09 424 Churchill Avenue Ottawa ON K1Z 5C8

 Order No:
 20030922008
 Nearest Intersection:
 Danforth Avenue

 Status:
 C
 Municipality:
 (formerly RMOC)

Municipality: Status: (formerly RMOC) Report Type: **Custom Report** Client Prov/State: ON 9/24/03 0.25 Report Date: Search Radius (km): Date Received: 9/22/03 X: 0 Y: 0

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans and/or Inspection Reports

8 2 of 15 E/50.7 69.9 / 1.09 LAUNDRY LAND

424 CHURCHILL AVENUE OTTAWA ON K1N 6B5

Generator No: ON0550900 PO Box No: Status: Country: Approval Years: 86,87,88,89 Choice of Contact:

Contam. Facility: Co Admin:

MHSW Facility: Phone No Admin:

SIC Code: 9721

SIC Description: POWER LAUND./CLEANERS

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

8 3 of 15 E/50.7 69.9 / 1.09 LAUNDRY LAND 24-215

GEN

EHS

Service / Riser Distribution Pipeline

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

> 424 CHURCHILL AVENUE **OTTAWA ON K1Z 5C8**

PO Box No: Country:

Co Admin:

Choice of Contact:

Phone No Admin:

Generator No: ON0550900

Status:

Approval Years: Contam. Facility: 92,93,94,95,96,97,98

MHSW Facility:

SIC Code:

9721 SIC Description:

POWER LAUND./CLEANER

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

4 of 15 E/50.7 69.9 / 1.09 LAUNDRY LAND 8

424 CHURCHILL AVENUE

GEN

GEN

GEN

Order No: 21011600014

OTTAWA ON K1Z 5C8

PO Box No: Country:

Co Admin:

Choice of Contact:

Phone No Admin:

Generator No: ON0550900

Status:

Approval Years: 99,00,01,02,03,04,05,06,07,08

Contam. Facility:

MHSW Facility:

SIC Code: 9721

SIC Description:

POWER LAUND./CLEANERS

Detail(s)

Waste Class: 241

HALOGENATED SOLVENTS Waste Class Desc:

5 of 15 E/50.7 69.9 / 1.09 LAUNDRY LAND 8

424 CHURCHILL AVENUE

OTTAWA ON K1Z 5C8

PO Box No: Country:

Co Admin:

Choice of Contact:

Phone No Admin:

ON0550900 Generator No:

Status:

Approval Years: 2009

Contam. Facility: MHSW Facility:

SIC Code: 812310

Coin-Operated Laundries and Dry Cleaners SIC Description:

Detail(s)

Waste Class: 241

HALOGENATED SOLVENTS Waste Class Desc:

8 6 of 15 E/50.7 69.9 / 1.09 LAUNDRY LAND

424 CHURCHILL AVENUE

OTTAWA ON K1Z 5C8

Generator No: ON0550900 PO Box No: Country:

Choice of Contact: Approval Years: 2010 Contam. Facility: Co Admin: Phone No Admin:

MHSW Facility: SIC Code: 812310

SIC Description: Coin-Operated Laundries and Dry Cleaners

Status:

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

Detail(s)

Waste Class:

Waste Class Desc: HALOGENATED SOLVENTS

LAUNDRY LAND 7 of 15 E/50.7 69.9 / 1.09 8 **GEN**

424 CHURCHILL AVENUE OTTAWA ON K1Z 5C8

ON0550900 Generator No: PO Box No: Status: Country:

Choice of Contact: Approval Years: 2011 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: 812310

SIC Description: Coin-Operated Laundries and Dry Cleaners

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

69.9 / 1.09 8 8 of 15 E/50.7 LAUNDRY LAND **GEN 424 CHURCHILL AVENUE**

OTTAWA ON K1Z 5C8

Phone No Admin:

ON0550900 Generator No: PO Box No:

Status: Country: 2012 Choice of Contact: Approval Years: Contam. Facility: Co Admin:

MHSW Facility: 812310 SIC Code:

SIC Description: Coin-Operated Laundries and Dry Cleaners

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

E/50.7 69.9 / 1.09 LAUNDRY LAND 8 9 of 15 **GEN**

424 CHURCHILL AVENUE OTTAWA ON

ON0550900 Generator No: PO Box No:

Status: Country: Approval Years: 2013 Choice of Contact:

Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

812310 SIC Code: COIN-OPERATED LAUNDRIES AND DRY CLEANERS

SIC Description:

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

LAUNDRY LAND 8 10 of 15 E/50.7 69.9 / 1.09 **GEN** 424 Churchill ave.

Number of Direction/ Elev/Diff Site DΒ Map Key (m)

Records Distance (m)

Ottawa ON K1Z 5C8

Generator No: ON0550900 PO Box No:

Canada Status: Country: Approval Years: 2016 Choice of Contact: CO_ADMIN Thai Phong Tran Contam. Facility: No Co Admin: 728-2105 Ext. Nο MHSW Facility: Phone No Admin: 812310 SIC Code:

COIN-OPERATED LAUNDRIES AND DRY CLEANERS SIC Description:

Detail(s)

Waste Class: 241

HALOGENATED SOLVENTS Waste Class Desc:

8 11 of 15 E/50.7 69.9 / 1.09 LAUNDRY LAND **GEN** 424 Churchill ave.

Ottawa ON K1Z 5C8

ON0550900 Generator No: PO Box No:

Status: Country: Canada CO_ADMIN Approval Years: 2015 Choice of Contact: Contam. Facility: No Co Admin: Thai Phong Tran MHSW Facility: No Phone No Admin: 728-2105 Ext. 812310 SIC Code:

SIC Description: COIN-OPERATED LAUNDRIES AND DRY CLEANERS

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

LAUNDRY LAND 12 of 15 E/50.7 69.9 / 1.09 8 **GEN**

424 Churchill ave. Ottawa ON K1Z 5C8

Generator No: ON0550900 PO Box No:

Status: Country: Canada Choice of Contact: Approval Years: 2014 CO_ADMIN Contam. Facility: No Co Admin: Thai Phong Tran MHSW Facility: No Phone No Admin: 728-2105 Ext. 812310 SIC Code:

COIN-OPERATED LAUNDRIES AND DRY CLEANERS SIC Description:

Detail(s)

Waste Class:

Waste Class Desc: HALOGENATED SOLVENTS

ON0550900

69.9 / 1.09 13 of 15 LAUNDRY LAND 8 E/50.7 **GEN** 424 Churchill ave.

Ottawa ON K1Z 5C8

Order No: 21011600014

PO Box No: Status: Registered Country: Canada

Choice of Contact: Approval Years: As of Dec 2018 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: SIC Description:

Generator No:

Detail(s)

Waste Class: 241 H

Waste Class Desc: Halogenated solvents and residues

8 14 of 15 E/50.7 69.9 / 1.09 Laundry Land Cleaning CDRY 424 Churchill Ave N

Ottawa ON K1Z5C8

Legal Name of Company: Laundry Land Dry Cleaning

Waste Quantity by Year

2018 Reporting Year: Quantity of PERC (kg): 309 Total Waste Water (kg): 230 Total Waste Water (L): 0 Total Residue (kg): 0 Total Residue (L): 0 Total Mix (kg): 0 Total Mix (L): Request for Confidentiality: no Reason for Confidentiality:

8 15 of 15 E/50.7 69.9 / 1.09 LAUNDRY LAND 424 Churchill ave.

Ottawa ON K1Z 5C8

Generator No:ON0550900PO Box No:Status:RegisteredCountry:Canada

Approval Years: As of Jul 2020
Contam. Facility:
MHSW Facility:
SIC Code:

Choice of Contact: Co Admin: Phone No Admin:

Phone No Admin:

Order No: 21011600014

Detail(s)

SIC Description:

Waste Class: 241 H

Waste Class Desc: Halogenated solvents and residues

9 1 of 11 W/59.7 68.9 / 0.07 Mountain Equipment Co-op GEN

Ottawa ON

Generator No: ON6336429 PO Box No: Status: Country: Approval Years: 2013 Choice of Contact: Contam. Facility: Co Admin:

MHSW Facility: SIC Code: 451110, 811490

SIC Description: SPORTING GOODS STORES, OTHER PERSONAL AND HOUSEHOLD GOODS REPAIR AND MAINTENANCE

Detail(s)

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site		DB
9	2 of 11	W/59.7	68.9 / 0.07	Mountain Equipment 366 Richmond Road Ottawa ON K2A 0E8	•	GEN
Generator N	lo:	ON6336429		PO Box No:		
Status: Approval Ye Contam. Fac MHSW Facil	cility:	2011		Country: Choice of Contact: Co Admin: Phone No Admin:		
SIC Code: SIC Descript		451110, 811490				
9	3 of 11	W/59.7	68.9 / 0.07	Mountain Equipment 366 Richmond Road Ottawa ON K2A 0E8		GEN
Generator N	lo:	ON6336429		PO Box No:		
Status: Approval Ye		2012		Country: Choice of Contact:		
Contam. Fac MHSW Facil	•			Co Admin: Phone No Admin:		
SIC Code: SIC Descript		451110, 811490	Stores Other Perso	nal and Household Goods R	Panair and Maintananca	
SIC Descript	uon.	Sporting Goods	Stores, Other Ferso	nai and Household Goods N	серан ани манценансе	
<u>9</u>	4 of 11	W/59.7	68.9 / 0.07	Mountain Equipmen 366 Richmond Road Ottawa ON K2A 0E8	•	GEN
Generator N	lo:	ON6336429		PO Box No:		
Status: Approval Ye	ears:	2015		Country: Choice of Contact:	Canada CO_OFFICIAL	
Contam. Fac MHSW Facil	•	No No		Co Admin: Phone No Admin:	Justin Partridge 6137297802 Ext.	
SIC Code: SIC Descript	•	451110, 811490 SPORTING GOO	ONS STORES OTH		SEHOLD GOODS REPAIR ANI	D MAINTENANCI
SIC Descript	uon.	Si Oltrino dol	JDG GTORES, OTT	IEICT EIGONAE AND HOO	OLITOLD GOODS ILLI AIII AIII	DIVIAINTENANOI
Detail(s)						
Waste Class Waste Class		251 OIL SKIMMINGS	S & SLUDGES			
Waste Class Waste Class		252 WASTE OILS &	LUBRICANTS			
<u>9</u>	5 of 11	W/59.7	68.9 / 0.07	Mountain Equipment 366 Richmond Road Ottawa ON K2A 0E8		GEN
Generator N	lo:	ON6336429		PO Box No:		
Status: Approval Ye		2016		Country: Choice of Contact:	Canada CO_OFFICIAL	
Contam. Fac MHSW Facil	•	No No		Co Admin: Phone No Admin:	Justin Partridge 6137297802 Ext.	
SIC Code: SIC Descript	tion:	451110, 811490 SPORTING GO	ODS STORES, OTH	IER PERSONAL AND HOU:	SEHOLD GOODS REPAIR ANI	D MAINTENANCE
<u>Detail(s)</u>						

Order No: 21011600014

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 251

Map Key Number of Direction/ Elev/Diff Site DB

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Records

Waste Class Desc: WASTE OILS & LUBRICANTS

9 6 of 11 W/59.7 68.9 / 0.07 Mountain Equipment Co-op

366 Richmond Road Ottawa ON K2A 0E8

Canada

GEN

Order No: 21011600014

Generator No: ON6336429 PO Box No:

Distance (m)

Status: Country:

Approval Years:2014Choice of Contact:CO_OFFICIALContam. Facility:NoCo Admin:Lukasz DybinksiMHSW Facility:NoPhone No Admin:613 729 7802 Ext.

(m)

SIC Code: 451110, 811490

SIC Description: SPORTING GOODS STORES, OTHER PERSONAL AND HOUSEHOLD GOODS REPAIR AND MAINTENANCE

Detail(s)

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

9 7 of 11 W/59.7 68.9 / 0.07 Mountain Equipment Co-op Ottawa GEN
366 Richmond Road

Ottawa ON K2A 0E8

Generator No: ON6336429 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Dec 2018Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: SIC Description:

Detail(s)

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 331

Waste Class Desc: Waste compressed gases including cylinders

9 8 of 11 W/59.7 68.9 / 0.07 Mountain Equipment Co-op Ottawa GEN

366 Richmond Road Ottawa ON K2A 0E8

Generator No: ON6336429 PO Box No:

Status: Registered Country: Canada

Approval Years:As of Oct 2019Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:SIC Code:

Detail(s)

SIC Description:

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Records Distance (m)

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 146 7

Waste Class Desc: Other specified inorganic sludges, slurries or solids

9 9 of 11 W/59.7 68.9 / 0.07 MOUNTAIN EQUIPMENT CO-OPERATIVE

366 RICHMOND RD

PES

PES

Order No: 21011600014

OTTAWA ON K2A 0E8

Operator Box:

Detail Licence No:

Waste Class:

L-232-3030715030 Licence No: **Operator Class:** Status: Operator No: Active Approval Date: 2018-10-16 Operator Type: Report Source: **PEST-Limited Vendor** Oper Area Code: Licence Type: Limited Vendor Oper Phone No: Licence Type Code: Operator Ext:

 Licence Type Code:
 Operator Ext:

 Licence Class:
 Operator Lot:

 Licence Control:
 Oper Concession:

 Latitude:
 45.39111111
 Operator Region:

 Longitude:
 -75.75472222
 Operator District:

Lot: Operator District:

Lot: Operator County:
Concession: Op Municipality:
Region: Post Office Box:
MOE District.

District:MOE District:OttawaCounty:SWP Area Name:Rideau Valley

Trade Name:

9

PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2098076

10 of 11 W/59.7 68.9 / 0.07 MEC CANADA INC.

366 RICHMOND RD OTTAWA ON K2A 0E8

Detail Licence No: Operator Box:

Licence No:L-232-7104524418Operator Class:Status:ActiveOperator No:Approval Date:2020-11-17Operator Type:Report Source:PEST-Limited VendorOper Area Code:

Licence Type: Limited Vendor Oper Phone No:
Licence Type Code: Operator Ext:
Licence Class: Operator Lot:
Licence Control: Oper Concession:

Latitude: 45.39111111 Operator Region:
Longitude: -75.75472222 Operator District:
Lot: Operator County:
Concession: Op Municipality:
Paging: Paging: Paging: Paging: Operator Region: Operator Region: Operator County: Operator Co

Region:Post Office Box:District:MOE District:OttawaCounty:SWP Area Name:Rideau Valley

Trade Name:

PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2304627

9 11 of 11 W/59.7 68.9 / 0.07 366 Richmond Rd Ottawa ON K2A 0E8

Order No: 20282400321 Nearest Intersection:

Status: C Municipality:

Report Type:Custom ReportClient Prov/State:ONReport Date:31-AUG-20Search Radius (km):.25

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Previous Site Name: **Y**: 45.3913714 Lot/Building Size: Additional Info Ordered: 10 1 of 1 N/65.5 68.9 / 0.05 561391 Ontario Inc. **GEN** 350 Richmond Road Ottawa ON K2A 0E8 ON1337355 Generator No: PO Box No: Status: Country: Approval Years: 03,04 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: SIC Description: BlackCherry Digital Media Inc. 11 1 of 1 NNE/69.3 68.9 / 0.05 SCT 346 Richmond Rd Suite 210 Ottawa ON K2A 0E8 Established: 01-AUG-04 Plant Size (ft2): Employment: --Details--Graphic Design Services Description: SIC/NAICS Code: 541430 Software Publishers Description: SIC/NAICS Code: 511210 Description: Computer Systems Design and Related Services SIC/NAICS Code: 541510 Motion Picture and Video Production Description: SIC/NAICS Code: 512110 12 1 of 2 NNE/72.6 68.9 / 0.05 WESTBOROUGH PHARMASAVE **GEN** 340 RICHMOND ROAD OTTAWA ON K2A 0E8 Generator No: ON1842422 PO Box No: Country: Status: Approval Years: 00,01 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 6031 SIC Description: **PHARMACIES** Detail(s)

Waste Class: 261

Waste Class Desc: PHARMACEUTICALS

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

12 2 of 2 NNE/72.6 68.9 / 0.05 WESTBORO PHARMACY LTD WESTBORO PHARMACY LIMITED 340 GEN

Order No: 21011600014

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

> RICHMOND ROAD OTTAWA ON K2A 0E8

Generator No: ON1842422

Status:

Approval Years: 02,03,04

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

PO Box No: Country:

Choice of Contact: Co Admin: Phone No Admin:

Detail(s)

Waste Class: 261

Waste Class Desc: **PHARMACEUTICALS**

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

13 1 of 1 SSW/76.2 69.8 / 1.02 Byron **EHS** Ottawa ON

Order No: 20170727112 Status: С Report Type: **Custom Report**

Report Date: 03-AUG-17 27-JUL-17 Date Received:

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25

-75.754379 X: Y: 45.390631

GEN

Order No: 21011600014

1 of 2 WSW/77.0 68.9 / 0.13 14

JOSEPH C. GAFFNEY 372 RICHMOND ROAD OTTAWA ON K2A 0E8

PO Box No:

Choice of Contact:

Phone No Admin:

Country:

Co Admin:

Generator No: ON1338700

Status:

Approval Years: 90

Contam. Facility: MHSW Facility:

SIC Code: 6331

SIC Description: GASOLINE SERV. ST.

Detail(s)

Waste Class: 221

Waste Class Desc: LIGHT FUELS

JOSEPH C. GAFFNEY 22-433 2 of 2 WSW/77.0 68.9 / 0.13 14 **GEN** 372 RICHMOND ROAD

Generator No: ON1338700

Status:

Approval Years: Contam. Facility: 92,93,94,95,96,97,98

MHSW Facility: SIC Code:

6331

SIC Description: GASOLINE SERV. ST. PO Box No: Country:

Choice of Contact: Co Admin: Phone No Admin:

OTTAWA ON K2A 0E8

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail(s)						
Waste Class Waste Class			221 LIGHT FUELS			
<u>15</u>	1 of 3		WSW/85.4	68.8 / 0.00	FREDERICK GRODDE LTD. 379 DANFORTH AVENUE OTTAWA ON K2A 0E1	GEN
Generator N	lo:	ON17886	00		PO Box No:	
Status: Approval Ye Contam. Fac		93,94,95,	96,97,98,99,00,01		Country: Choice of Contact: Co Admin:	
MHSW Facil SIC Code: SIC Descript	ity:	9999	OTHER SERVICE	S	Phone No Admin:	
<u>Detail(s)</u>						
Waste Class Waste Class			211 AROMATIC SOLV	ENTS		
Waste Class Waste Class			213 PETROLEUM DIS	TILLATES		
<u>15</u>	2 of 3		WSW/85.4	68.8 / 0.00	FREDERICK GRODDE LTD. 379 DANFORTH AVENUE OTTAWA ON K2A 0E1	GEN
Generator N Status: Approval Ye Contam. Fac MHSW Facil SIC Code: SIC Descript	ears: cility: lity:	ON17886	00		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>15</u>	3 of 3		WSW/85.4	68.8 / 0.00	FREDERICK GRODDE LTD. 379 DANFORTH AVENUE OTTAWA ON K2A 0E1	GEN
Generator N Status: Approval Ye Contam. Fac MHSW Facil. SIC Code: SIC Descript	ears: cility: lity:	ON17886	00		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>16</u>	1 of 1		N/90.1	68.9 / 0.12	343 RICHMOND ROAD Ottawa ON K2A 0E7	HINC
External File Fuel Occurred Date of Occurred Fuel Type In Status Desc. Job Type De Oper. Type I Service Intel Property Dat Fuel Life Cyd	ence Type: urrence: ivolved: : esc: Involved: rruptions: mage:		FS INC 0609-0284 Pipeline Strike 10/18/2006 Natural Gas Completed - Causa Incident/Near-Miss Commercial (e.g. r Yes No Utilization	al Analysis(End) Occurrence (FS)		

Order No: 21011600014

Number of Direction/ Elev/Diff Site DΒ Map Key (m)

Records Distance (m)

Root Cause: Equipment/Material/Component:No Root Cause: Procedures:No Maintenance:No Design:No Training:No

Management:No Human Factors:Yes

Reported Details: Fuel Category: Gaseous Fuel Occurrence Type: Incident

Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)

County Name: Ottawa

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: **Environmental Impact:**

> 1 of 1 WSW/91.1 68.9 / 0.13 380 RICHMOND ROAD 17 **WWIS** OTTAWA ON

Well ID: 7198182 **Construction Date:**

Monitoring and Test Hole Primary Water Use:

Sec. Water Use:

Final Well Status: Test Hole

Water Type: Casing Material:

Z163364 Audit No:

A141813 Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy:

PDF URL (Map):

Bore Hole Information

Bore Hole ID: 1004260983

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

1/25/2013 Date Completed:

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004820108

2 Layer:

Date Received:

Data Entry Status:

3/7/2013 Selected Flag: Yes

Abandonment Rec:

Contractor: 7241 Form Version:

Owner:

Data Src:

Street Name: 380 RICHMOND ROAD

County: **OTTAWA**

Municipality: NEPEAN TOWNSHIP Site Info:

67.462875

440878

5026667

UTM83

wwr

margin of error: 30 m - 100 m

Order No: 21011600014

18

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM Reliability:

2 Color: General Color: **GREY** Mat1: 11 Most Common Material: **GRAVEL** Mat2: 28 SAND Mat2 Desc: Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: .31 Formation End Depth: .61 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004820110

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc:

Mat3:74Mat3 Desc:LAYEREDFormation Top Depth:1.22Formation End Depth:10.67Formation End Depth UOM:m

Overburden and Bedrock

Materials Interval

Formation ID: 1004820107

 Layer:
 1

 Color:
 7

 General Color:
 RED

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: .31
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004820109

Layer: 3 Color: 6 General Color: **BROWN** Mat1: 28 SAND Most Common Material: Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 85 Mat3 Desc: **SOFT** Formation Top Depth: .61 Formation End Depth: 1.22 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004820120

 Layer:
 2

 Plug From:
 0.31

 Plug To:
 7.01

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004820119

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.31

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1004820121

 Layer:
 3

 Plug From:
 7.01

 Plug To:
 10.67

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:1004820118Method Construction Code:5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1004820106

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004820114

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0Depth To:7.62Casing Diameter:4.03Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1004820115

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 7.62

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End L Screen Mater Screen Depth Screen Diame Screen Diame	rial: h UOM: eter UOM:		10.67 5 m cm 4.82			
Water Details	<u> </u>					
Water ID: Layer: Kind Code: Kind:			1004820113			
Water Found Water Found		1:	m			
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	ІОМ:		1004820112 7.62 1.52 10.67 m			
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	ЮМ:		1004820111 11.43 0 1.52 m cm			
<u>18</u>	1 of 10		SSE/98.5	70.9 / 2.07	Ottawa-Carleton District School Board 345 Ravenhill Ave. Ottawa ON K2A 0J5	GEN
Generator No Status: Approval Yea Contam. Faci MHSW Facilii SIC Code: SIC Descripti	ars: ility: ty:	ON6810 2009 611110	332 Elementary and S	ocondary Schools	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
	ion.		Liementary and o	ccondary ocnools		
<u>Detail(s)</u> Waste Class: Waste Class			146 OTHER SPECIFIE	ED INORGANICS		
<u>18</u>	2 of 10		SSE/98.5	70.9 / 2.07	Ottawa-Carleton District School Board 345 Ravenhill Ave. Ottawa ON K2A 0J5	GEN
Generator No Status: Approval Yea Contam. Fac	ars: ility:	ON6810 2010	332		PO Box No: Country: Choice of Contact: Co Admin:	
MHSW Facilit SIC Code: SIC Descripti		611110	Elementary and S	econdary Schools	Phone No Admin:	

Order No: 21011600014

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

Detail(s)

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class:

PAINT/PIGMENT/COATING RESIDUES Waste Class Desc:

18 3 of 10 SSE/98.5 70.9 / 2.07 Ottawa-Carleton District School Board **GEN**

345 Ravenhill Ave. Ottawa ON K2A 0J5

ON6810332 Generator No: PO Box No:

Status: Country:

Approval Years: 2011 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

611110 SIC Code:

Elementary and Secondary Schools SIC Description:

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

Waste Class Desc: OTHER SPECIFIED INORGANICS

18 4 of 10 SSE/98.5 70.9 / 2.07 Ottawa-Carleton District School Board **GEN**

345 Ravenhill Ave. Ottawa ON K2A 0J5

Generator No: ON6810332 PO Box No:

Country:

Status: Approval Years: 2012 Choice of Contact: Contam. Facility: Co Admin:

MHSW Facility: Phone No Admin:

SIC Code: 611110 SIC Description: Elementary and Secondary Schools

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

Waste Class Desc: OTHER SPECIFIED INORGANICS

5 of 10 SSE/98.5 70.9 / 2.07 Ottawa-Carleton District School Board 18

345 Ravenhill Ave.

Ottawa ON

GEN

Order No: 21011600014

Generator No: ON6810332 PO Box No: Status: Country:

Approval Years: 2013 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: 611110

ELEMENTARY AND SECONDARY SCHOOLS SIC Description:

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

GEN

Order No: 21011600014

Detail(s)

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

18 6 of 10 SSE/98.5 70.9 / 2.07 Ottawa-Carleton District School Board

345 Ravenhill Ave.

Ottawa ON K2A 0J5

Generator No: ON6810332 PO Box No:

Status: Country: Canada Approval Years: 2016 Choice of Contact: CO_OFFICIAL Contam. Facility: No Co Admin: Greg Benson Phone No Admin: 613-596-8211 Ext.8549

MHSW Facility: No SIC Code: 611110

ELEMENTARY AND SECONDARY SCHOOLS SIC Description:

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

SSE/98.5 7 of 10 Ottawa-Carleton District School Board 18 70.9 / 2.07 **GEN**

345 Ravenhill Ave. Ottawa ON K2A 0J5

ON6810332 Generator No: PO Box No:

Canada Status: Country: 2015 Choice of Contact: Approval Years: CO_OFFICIAL Contam. Facility: No Co Admin: Greg Benson

MHSW Facility: No Phone No Admin: 613-596-8211 Ext.8549

611110 SIC Code:

SIC Description: **ELEMENTARY AND SECONDARY SCHOOLS**

Detail(s)

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Ottawa-Carleton District School Board 8 of 10 SSE/98.5 70.9 / 2.07 18 **GEN** 345 Ravenhill Ave.

Ottawa ON K2A 0J5

ON6810332 Generator No: PO Box No:

Status: Country: Canada

2014 CO_OFFICIAL Approval Years: Choice of Contact: Contam. Facility: Co Admin: No Greg Benson MHSW Facility: 613-596-8211 Ext.8549 No Phone No Admin:

SIC Code: 611110

SIC Description: **ELEMENTARY AND SECONDARY SCHOOLS**

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Detail(s)

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

SSE/98.5 18 9 of 10 70.9 / 2.07 Ottawa-Carleton District School Board Health &

Safety

345 Ravenhill Ave. Ottawa ON K2A 0J5 **GEN**

Order No: 21011600014

Generator No: ON6810332 PO Box No:

Canada Status: Registered Country: Approval Years: As of Dec 2018

Choice of Contact: Co Admin: Phone No Admin:

MHSW Facility: SIC Code: SIC Description:

Contam. Facility:

Detail(s)

Waste Class: 145 I

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

18 10 of 10 SSE/98.5 70.9 / 2.07 Ottawa-Carleton District School Board Health & **GEN**

345 Ravenhill Ave. Ottawa ON K2A 0J5

ON6810332 Generator No: PO Box No:

Canada Status: Registered Country:

Approval Years: As of Jul 2020 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: SIC Description:

Detail(s)

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

Waste Class Desc: Wastes from the use of pigments, coatings and paints

68.9 / 0.06 NNE/99.2 Richmond Rd Churchill Ave N 19 1 of 1 **EHS**

Ottawa ON

Order No: 20170727127 Nearest Intersection: Status: Municipality:

Report Type: Standard Report Client Prov/State: ON 03-AUG-17 Report Date: Search Radius (km): .25

27-JUL-17 -75.753809 Date Received: X: Previous Site Name: Y: 45.392155 Lot/Building Size:

Additional Info Ordered:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 1 of 1 N/99.9 68.9 / 0.12 345 Richmond Road 20 **EHS** Ottawa ON K2A 0E7 20090504042 Order No: Nearest Intersection: Status: Municipality: Report Type: Standard Report Client Prov/State: ON 5/13/2009 0.25 Search Radius (km): Report Date: Date Received: 5/4/2009 X: -75.754352 Y: Previous Site Name: 45.392197 Lot/Building Size: Additional Info Ordered: 1 of 1 NE/100.3 68.9 / 0.06 332 and 334 Richmond Road 21 **EHS** Ottawa ON Order No: 20051104004 Nearest Intersection: Richmond Rd. and Churchhill Ave. N. Status: Municipality: Report Type: **Custom Report** Client Prov/State: ON Search Radius (km): Report Date: 11/14/2005 0.25 Date Received: 11/4/2005 X: -75.75355 45.392084 Previous Site Name: Y: Lot/Building Size: Additional Info Ordered: 22 1 of 1 W/103.0 67.8 / -0.96 380 Richmond Rd **EHS** Ottawa ON K2A 0E8 Order No: 20121221002 Nearest Intersection: C Municipality: Status: Report Type: Client Prov/State: ON **Custom Report** 27-DEC-12 Report Date: Search Radius (km): .25 21-DEC-12 -75.755508 Date Received: X: Previous Site Name: Y: 45.391245 Lot/Building Size: Additional Info Ordered: 1 of 1 N/103.9 68.3 / -0.50 337 Richmond Road 23 **EHS** Ottawa ON K2A 0E7 20110815003 Nearest Intersection: Order No: Municipality: Status: **Custom Report** ON Report Type: Client Prov/State: Report Date: 8/19/2011 Search Radius (km): 0.25 Date Received: 8/15/2011 9:06:50 AM X: -75.754012 Y: Previous Site Name: 45.392231 Lot/Building Size: Additional Info Ordered: 24 1 of 1 ESE/104.6 70.8 / 1.99 345 RAVENHURST AVE. WELL #4 **WWIS** Ottawa ON Well ID: 7218229 Data Entry Status: Construction Date: Data Src: 3/21/2014

Date Received:

Selected Flag:

Contractor:

Abandonment Rec:

Yes

Yes

1558

Order No: 21011600014

Abandoned-Other

Water Type:

Primary Water Use:

Sec. Water Use:

Final Well Status:

7

Order No: 21011600014

Casing Material:

Form Version: Audit No: Z172516 Owner:

345 RAVENHURST AVE. WELL #4 Tag: Street Name: **Construction Method:** County: **OTTAWA**

Elevation (m): Municipality: **NEPEAN TOWNSHIP** Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218229.pdf

Bore Hole Information

Bore Hole ID: 1004724844 Elevation: 76.743453

Elevrc: DP2BR: Spatial Status: Zone: 18 Code OB: East83: 441043 Code OB Desc: North83: 5026629

Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

UTMRC Desc: Date Completed: 7/25/2013 margin of error: 30 m - 100 m Remarks: Location Method:

Elevrc Desc: Location Source Date:

Annular Space/Abandonment Sealing Record

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Plug ID: 1005101933

Layer: Plug From: 137.15 Plug To: 1.82 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005101932

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1005101926

Casing No:

Comment: Alt Name:

Construction Record - Casing

1005101930 Casing ID:

Layer: Material:

Open Hole or Material:

Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM:

cm m

Construction Record - Screen

Screen ID: 1005101931

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter:

Water Details

Water ID: 1005101929

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005101928

Diameter: Depth From: Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

25 1 of 1 WNW/105.1 67.8 / -0.96 388 RICHMOND RD OTTAWA ON

Well ID: 7305577

Construction Date:
Primary Water Use: Test Hole
Sec. Water Use: Monitoring
Final Well Status: Observation Wells

Final Well Status: Water Type: Casing Material:

Audit No: Z277516 **Tag:** A190061

Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:
Data Src:
Date Received: 2/13/2018

Selected Flag: Yes
Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name: 388 RICHMOND RD County: OTTAWA

OTTAWA CITY

Municipality:
Site Info:
Lot:
Concession:

Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

WWIS

18

440864

5026730 UTM83

Order No: 21011600014

PDF URL (Map):

Bore Hole Information

Bore Hole ID: 1006985625 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:

 Code OB:
 East83:

 Code OB Desc:
 North83:

 Open Hole:
 Org CS:

 Cluster Kind:
 UTMRC:

Date Completed: 1/16/2018 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: w
Elevro Desc:

Overburden and Bedrock

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Formation ID: 1007145562

Layer: Color: 6 **BROWN** General Color: Mat1: 28 Most Common Material: SAND 06 Mat2: SILT Mat2 Desc: Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth:

Formation Top Depth: 0
Formation End Depth: 3.5
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007145563

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

 Mat3:
 73

 Mat3 Desc:
 HARD

 Formation Top Depth:
 3.5

 Formation End Depth:
 5.5

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007145564

 Layer:
 3

 Color:
 2

 General Color:
 GREY

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc:

Mat3:73Mat3 Desc:HARDFormation Top Depth:5.5Formation End Depth:11Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007145575

 Layer:
 3

 Plug From:
 5.5

 Plug To:
 11

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007145574

 Layer:
 2

 Plug From:
 1

 Plug To:
 5.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007145573

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007145572

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1007145561

Casing No: 0
Comment:

Construction Record - Casing

Casing ID: 1007145568

Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Panth To: 6

Depth To: 6 **Casing Diameter:** 1.38

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007145569

Laver: 10 Slot: Screen Top Depth: 6 Screen End Depth: 11 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.66

Water Details

1007145567 Water ID:

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007145566 Diameter: 2.375 Depth From: 4 Depth To: 11 Hole Depth UOM: ft Hole Diameter UOM: inch

Hole Diameter

1007145565 Hole ID: Diameter: 2.875 Depth From: Depth To: 4 Hole Depth UOM: ft Hole Diameter UOM: inch

SSW/105.6 69.9 / 1.06 PRIVATE RESIDENCE 26 1 of 1

518 BYRON AVE. STORAGE TANK/BARREL

OTTAWA CITY ON K2A 0E3

Ref No: 27129

Site No:

Incident Dt: 10/28/1989

Year:

Incident Cause: OTHER CAUSE (N.O.S.)

Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: NOT ANTICIPATED

Nature of Impact:

Receiving Medium: LAND

Receiving Env: MOE Response: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code:

Discharger Report: Material Group:

Site Region: Site Municipality: 20101

Site Lot: Site Conc: Northing: Easting:

SPL

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Dt MOE Arvl on Scn:

CORROSION

Site Geo Ref Accu: MOE Reported Dt: 10/28/1989 Site Map Datum: **Dt Document Closed:** SAC Action Class:

Incident Reason: Site Name: Site County/District: Site Geo Ref Meth:

400 L FURNACE OIL TO GRD AT RESIDENCE. Incident Summary:

Contaminant Qty:

S/105.9 70.2 / 1.36 345 RAVENHURST AVE. WELL #2 1 of 1 27 **WWIS** Ottawa ON

Source Type:

7218235 Well ID: Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 3/21/2014 Sec. Water Use: Selected Flag: Yes Final Well Status: Abandoned-Other Abandonment Rec: Yes Water Type: Contractor: 1558 Form Version: Casing Material:

Audit No: Z172518 Owner:

345 RAVENHURST AVE. WELL #2 Street Name: Tag:

Construction Method: County: **OTTAWA OTTAWA CITY** Elevation (m): Municipality:

Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218235.pdf

Bore Hole Information

Bore Hole ID: 1004724862 Elevation: 75.069595

DP2BR: Elevrc: Spatial Status: Zone: 18 440955 Code OB: East83: Code OB Desc: North83: 5026592 Open Hole: Org CS: UTM83 Cluster Kind: UTMRC:

Date Completed: 7/25/2013 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 21011600014

Remarks: Location Method: digit Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

1005101999 Plug ID:

Layer: Plug From: 137.15 Plug To: 1.82 Plug Depth UOM: m

Method of Construction & Well

Method Construction ID: Method Construction Code:

Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1005101992 Casing No:

1005101998

Comment: Alt Name:

Construction Record - Casing

1005101996 Casing ID:

Layer: Material:

Open Hole or Material:

Depth From: Depth To: Casing Diameter: Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

1005101997 Screen ID:

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Water Details

Water ID: 1005101995

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005101994

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

> **28** 1 of 1 NE/106.6 68.7 / -0.06 324 RICHMOND ROAD

Ottawa ON

Order No: 21011600014

WWIS

Well ID: 7295754

Construction Date:

Primary Water Use: Test Hole Sec. Water Use: Monitoring

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

 Audit No:
 Z258542

 Tag:
 A189841

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

PDF URL (Map):

Bore Hole Information

Bore Hole ID: 1006738446

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 8/21/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006884699

Layer: 2
Color: 6
General Color: B

General Color: BROWN Mat1: 09

Most Common Material: MEDIUM SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 1

 Formation End Depth:
 3

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006884700

Data Entry Status:

Data Src:

Date Received: 9/29/2017 Selected Flag: Yes Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name: 324 RICHMOND ROAD

County: OTTAWA Municipality: OTTAWA CITY

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation: 68.905883

Elevrc:

Zone: 18
East83: 441037
North83: 5026775
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

3 Layer: Color: 2 **GREY** General Color: Mat1: 15

Most Common Material: LIMESTONE Mat2: 74 Mat2 Desc: **LAYERED** Mat3: 73

Mat3 Desc: HARD Formation Top Depth: 3 Formation End Depth: 4 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006884698

Layer: Color: 8 General Color: **BLACK** Mat1: 11 Most Common Material: **GRAVEL** Mat2: 73 Mat2 Desc: HARD Mat3: 79 **PACKED** Mat3 Desc: Formation Top Depth: 0

Formation End Depth: Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1006884712 Plug ID:

Layer: 19 Plug From: 40 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006884709

Layer: Plug From: 0 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006884711

Layer: 3 Plug From: 2 19 Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006884710

Layer:

Plug From: Plug To: 2 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

1006884708 **Method Construction ID:** D

Method Construction Code:

Method Construction: Direct Push DIAMOND Other Method Construction:

Pipe Information

Pipe ID: 1006884697 0

Casing No: Comment: Alt Name:

Construction Record - Casing

1006884704 Casing ID:

Layer: Material: 5

Open Hole or Material: **PLASTIC** Depth From: 0 Depth To: 20 Casing Diameter: 1.38 Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Screen

Screen ID: 1006884705

Layer: 1 10 Slot: Screen Top Depth: 20 Screen End Depth: 40 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.66

Water Details

1006884703 Water ID:

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006884702 Diameter: 2.375 Depth From: 4 Depth To: 40 Hole Depth UOM: ft Hole Diameter UOM: inch

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	ЈОМ:	1006884701 2.875 0 4 ft inch				
<u>29</u>	1 of 2	NE/119.0	68.7/-0.06	Valberg Imaging 322 Richmond Rd Ottawa ON K1Z 6X6		SCT
Established: Plant Size (ft Employment	⁽²):	01-DEC-85				
Details Description: SIC/NAICS C		Other Printing 323119				
Description: SIC/NAICS C		Photographic Serv 541920	rices			
<u>29</u>	2 of 2	NE/119.0	68.7/-0.06	322 Richmond Rd Ottawa ON K1Z6X6		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building	ed: e Name: Size:	20170719096 C Standard Report 25-JUL-17 19-JUL-17	nd/or Sito Dlong	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.753159 45.392206	
Additional In	iro Oraerea:	Fire Insur. Maps a	nd/or Site Plans			
30	1 of 1	N/121.7	68.3 / -0.50	337 RICHMOND RD Ottawa ON		wwis
Well ID: Construction Primary Wate Sec. Water U Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Red Well Depth: Overburden/I Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy	er Use: Ise: Ise: Ise: Ise: Ise: Ise: Ise: I	7171703 Monitoring and Test Hole 0 Test Hole Z134378 A106606		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	11/15/2011 Yes 7241 7 337 RICHMOND RD OTTAWA OTTAWA CITY	

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7171703.pdf

Elevro:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

66.915748

18

440971

UTM83

wwr

margin of error: 10 - 30 m

5026819

Bore Hole Information

Bore Hole ID: 1003606801 Elevation:

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 9/8/2011

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004064137

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

Mat1: 28 SAND Most Common Material: Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 85 SOFT Mat3 Desc: Formation Top Depth: 0 Formation End Depth: .61 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004064138

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

 Mat2:
 68

 Mat2 Desc:
 DRY

 Mat3:
 73

 Mat3 Desc:
 HARD

 Formation Top Depth:
 .61

 Formation End Depth:
 9.14

 Formation End Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004064148

 Layer:
 3

 Plug From:
 1.5

 Plug To:
 9.14

 Plug Depth UOM:
 m

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

Plug ID: 1004064146

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.31

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1004064147

 Layer:
 2

 Plug From:
 0.31

 Plug To:
 1.5

m

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004064145

Method Construction Code: 5

Method Construction: Air Parausia

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1004064136

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004064141

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0Depth To:1.5Casing Diameter:4.03Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1004064142

Layer: 1 Slot: 10 Screen Top Depth: 1.5 Screen End Depth: 9.14 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.82

Water Details

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 1004064140 Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: m **Hole Diameter** Hole ID: 1004064139 5.71 Diameter: Depth From: 0 Depth To: 9.14 Hole Depth UOM: m Hole Diameter UOM: cm 1 of 1 WSW/124.7 68.0 / -0.84 386 Richmond Rd 31 **EHS** Ottawa ON K2A0E8 20171116067 Order No: Nearest Intersection: Municipality: Status: C Report Type: **Custom Report** Client Prov/State: ON 21-NOV-17 .25 Report Date: Search Radius (km): 16-NOV-17 -75.755712 Date Received: X: Υ: Previous Site Name: 45.391011 Lot/Building Size: Additional Info Ordered: Topographic Maps 1 of 3 WSW/125.1 68.0 / -0.84 386 Richmond Rd S21 32 SPL RESIDENCE<UNOFFICIAL> Ottawa ON K2A 0E8 Ref No: 6156-6P2LJU Discharger Report: Site No: Material Group: Oils Health/Env Conseq: Incident Dt: 4/20/2006 Year: Client Type: Incident Cause: Sector Type: Other Unknown Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: **FURNACE OIL** Contaminant Name: Site Address: 386 RICHMOND RD Contaminant Limit 1: Site District Office: Ottawa Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Possible **Environment Impact:** Site Municipality: Ottawa Nature of Impact: Air Pollution Site Lot: Receiving Medium: Air Site Conc: Receiving Env: Northing: MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 4/20/2006 Site Map Datum: **Dt Document Closed:** SAC Action Class: Incident Reason: Unknown - Reason not determined Source Type: Site Name: 386 RICHMOND RD Site County/District: Site Geo Ref Meth: Incident Summary: TSSA:fuel odour complaint-386 Richmond Rd. Ottawa Contaminant Qty: Not Specified WSW/125.1 32 2 of 3 68.0 / -0.84 386 Richmond Rd

Ottawa ON K2A0E8

EHS

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

20170525017 Order No:

Status: С

ON Report Type: Standard Report Client Prov/State: Report Date: 30-MAY-17 Search Radius (km): .25 -75.755713 Date Received: 25-MAY-17 X: Y: 45.390953 Previous Site Name:

Lot/Building Size:

Fire Insur. Maps and/or Site Plans Additional Info Ordered:

32 3 of 3 WSW/125.1 68.0 / -0.84 Ottawa Carleton Construction Group Ltd.

386 Richmond Road Ottawa ON K2A 0E8

Nearest Intersection:

Municipality:

ON3053460 Generator No:

Registered Status: Approval Years: As of Oct 2019 Contam. Facility:

MHSW Facility: SIC Code: SIC Description: Country: Canada Choice of Contact:

GEN

Order No: 21011600014

Co Admin: Phone No Admin:

PO Box No:

Detail(s)

Waste Class: 221 L Waste Class Desc: Light fuels

33 1 of 1 WSW/126.2 68.8 / -0.02 388 RICHMOND ROAD **WWIS** OTTAWA ON

Well ID: 7303998

Primary Water Use: Test Hole Sec. Water Use: Monitoring

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Construction Date:

Audit No: Z277536 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

A182773

PDF URL (Map):

Data Entry Status:

Data Src:

Date Received: 1/19/2018 Selected Flag: Yes Abandonment Rec: Contractor: 7241 7

Form Version: Owner:

Street Name: 388 RICHMOND ROAD

OTTAWA County: Municipality: **OTTAWA CITY** Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006976690 Elevation: DP2BR: Elevrc: Spatial Status: Zone:

18 Code OB: 440856 East83: Code OB Desc: 5026632 North83: UTM83 Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 12/15/2017 **UTMRC Desc:** margin of error: 30 m - 100 m Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 1007132205

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 1
Formation End Depth: 3
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007132204

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 10

Most Common Material: COARSE SAND

Mat2: 11
Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007132214

 Layer:
 2

 Plug From:
 1

 Plug To:
 2

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007132213

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Plug ID: 1007132215

 Layer:
 3

 Plug From:
 2

 Plug To:
 3

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007132212

Method Construction Code:

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1007132203

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007132208

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

 Depth From:
 0

 Depth To:
 2

 Casing Diameter:
 1.049

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Screen

Screen ID: 1007132209

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2

 Screen End Depth:
 3

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 1.315

Water Details

Water ID: 1007132207

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1007132206

 Diameter:
 2.375

 Depth From:
 0

 Depth To:
 3

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Hole Depth UOM: ft
Hole Diameter UOM: inch

34 1 of 1 WSW/126.3 68.8 / -0.02 388 RICHMOND ROAD WWIS

Well ID: 7303999

Construction Date:
Primary Water Use:
Sec. Water Use:
Monitoring

Final Well Status: Monitoring and Test Hole

Water Type:

Casing Material:
Audit No:

Audit No: Z277537 **Tag:** A189804

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Clear/Cloudy:
PDF URL (Map):

Flow Rate:

Data Entry Status:

Data Src:

Date Received: 1/19/2018 Selected Flag: Yes

Abandonment Rec:

Contractor: 7241 Form Version: 7

Owner:

Street Name: 388 RICHMOND ROAD

County: OTTAWA
Municipality: OTTAWA CITY
Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006976693

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 12/15/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007132218

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT

Mat3:

Mat3 Desc:

Formation Top Depth: 1
Formation End Depth: 3.5
Formation End Depth UOM: ft

Elevation: Elevrc:

 Zone:
 18

 East83:
 440852

 North83:
 5026639

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 21011600014

Location Method: www

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Overburden and Bedrock

Materials Interval

Formation ID: 1007132217

Layer:

Color: 6

General Color: BROWN Mat1: 10

Most Common Material: COARSE SAND

Mat2: 11
Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007132227

 Layer:
 2

 Plug From:
 1

 Plug To:
 2

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007132228

 Layer:
 3

 Plug From:
 2

 Plug To:
 3.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007132226

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007132225

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1007132216

Casing No: 0

Comment: Alt Name:

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Record - Casing

Casing ID: 1007132221

Layer: Material:

PLASTIC Open Hole or Material: Depth From: 0 2.5 Depth To: Casing Diameter: 1.9 Casing Diameter UOM: inch ft Casing Depth UOM:

Construction Record - Screen

1007132222 Screen ID:

Layer: Slot: 10 2.5 Screen Top Depth: Screen End Depth: 3.5 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.61

Water Details

Water ID: 1007132220

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007132219 Diameter: 3.25 Depth From: 0 3.5 Depth To: Hole Depth UOM: ft

inch

WSW/128.5

68.8 / -0.02 OTTAWA ON

7305578 Well ID:

1 of 1

Construction Date:

Hole Diameter UOM:

Primary Water Use: Test Hole Sec. Water Use: Monitoring Final Well Status: **Observation Wells**

Water Type:

35

Casing Material:

Audit No: Z277515 A189839 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Data Src: Date Received:

2/13/2018 Selected Flag: Yes Abandonment Rec:

Contractor:

388 RICHMOND RD

Data Entry Status:

7241 Form Version: Owner:

388 RICHMOND RD Street Name: County: **OTTAWA OTTAWA CITY** Municipality: Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

WWIS

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Flowing (Y/N):

Zone:

Flow Rate: Clear/Cloudy: UTM Reliability:

PDF URL (Map):

Bore Hole ID:

Bore Hole Information

1006985628

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: Date Completed: 1/16/2018

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007145579

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

 Most Common Material:
 LIMESTONE

Mat2:

Mat2 Desc:

Mat3:73Mat3 Desc:HARDFormation Top Depth:3Formation End Depth:5Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007145577

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 12

 Most Common Material:
 STONES

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1007145578

Elevation:

Elevrc: Zone:

 East83:
 440848

 North83:
 5026642

 Org CS:
 UTM83

UTMRC: 3

UTMRC Desc: margin of error : 10 - 30 m

18

Location Method: gis

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Mat2 Desc:
 SILT

Mat3: Mat3 Desc:

Formation Top Depth: 1
Formation End Depth: 3

Formation End Depth: 3
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007145589

 Layer:
 2

 Plug From:
 1

 Plug To:
 2

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007145590

 Layer:
 3

 Plug From:
 2

 Plug To:
 5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1007145588

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007145587 Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1007145576

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007145583

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Depth From:0Depth To:2Casing Diameter:1.38Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1007145584

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2

 Screen End Depth:
 5

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 1.66

Water Details

Water ID: 1007145582

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

 Hole ID:
 1007145581

 Diameter:
 2.375

 Depth From:
 4

 Depth To:
 5

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

 Hole ID:
 1007145580

 Diameter:
 2.875

 Depth From:
 0

 Depth To:
 4

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

36 1 of 1 SE/129.1 71.8 / 2.98 345 RAVENHURST AVE. WELL #3 Ottawa ON WWIS

Order No: 21011600014

Well ID: 7218228 Data Entry Status:

Construction Date:

Primary Water Use:

Sec. Water Use:

Sec. Water Use:

Selected Flag:

Yes

Abandoned Other

Abandonment Poc:

Yes

Sec. Water Use:Selected Flag:YesFinal Well Status:Abandoned-OtherAbandonment Rec:YesWater Type:Contractor:1558Casing Material:Form Version:7

 Audit No:
 Z172517
 Owner:

 Tag:
 Street Name:
 345 RAVENHURST AVE. WELL #3

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 OTTAWA CITY

 Elevation Reliability:
 Site Info:

Depth to Bedrock: Lot:
Well Depth: Concession:

DΒ Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Overburden/Bedrock:

Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218228.pdf PDF URL (Map):

Bore Hole Information

1004724841 77.372154 Bore Hole ID: Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 441053 Code OB Desc: North83: 5026604 Open Hole: Org CS: UTM83

UTMRC: Cluster Kind:

Date Completed: 7/25/2013 UTMRC Desc: margin of error: 30 m - 100 m Remarks: Location Method:

Elevrc Desc: Location Source Date:

Annular Space/Abandonment

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Sealing Record

1005101925 Plug ID:

Layer: Plug From: 137.15 Plug To: 1.82 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005101924

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1005101918

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005101922

Layer: Material:

Open Hole or Material:

Depth From: Depth To: Casing Diameter:

Casing Diameter UOM: cm Casing Depth UOM: m

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Record - Screen

Screen ID: 1005101923

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Water Details

Water ID: 1005101921

Layer: Kind Code: Kind:

Water Found Depth: m

Water Found Depth UOM:

Hole Diameter

Hole ID: 1005101920

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

> WSW/135.3 68.0 / -0.84 1 of 5 37

OTTAWA CITY ON K2A 0E8

Ref No: 85046

Site No: Incident Dt: 5/4/1993

Year:

ABOVE-GROUND TANK LEAK Incident Cause: Incident Event:

POSSIBLE

Contaminant Code: Contaminant Name: Contaminant Limit 1:

Contam Limit Freq 1: Contaminant UN No 1: Environment Impact:

Nature of Impact: Multi Media Pollution

Receiving Medium: LAND Receiving Env:

MOE Response: Dt MOE Arvl on Scn:

5/4/1993 MOE Reported Dt: Dt Document Closed:

Incident Reason: Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary:

OVERSTRESS/OVERPRESSURE

erisinfo.com | Environmental Risk Information Services

Contaminant Qty:

BANK OF NOVA SCOTIA

388 RICHMOND ROAD BRANCH 388 RICHMOND

ST, OTTAWA

Discharger Report: Material Group:

Health/Env Conseq: Client Type: Sector Type:

Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:

Site Municipality: 20101

Site Lot: Site Conc: Northing:

Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class:

Source Type:

SPL

Map Key	Number Records		Elev/Diff) (m)	Site	DB
37 2 of 5		WSW/135.3	68.0 / -0.84	PRIVATE BUSINESS 388 RICHMOND RD. OTTAWA BANK OF NOVA SCOTIA STORAGE TANK OTTAWA CITY ON K2A 0E8	SPL
Ref No:		222829		Discharger Report:	
Site No: Incident Dt:		3/8/2002		Material Group: Health/Env Conseq:	
Year:		OTHER CONTAINER LEAF	/	Client Type:	
Incident Cau Incident Eve		OTHER CONTAINER LEAF	`	Sector Type: Agency Involved:	
Contaminan				Nearest Watercourse: Site Address:	
Contaminan Contaminan				Site Address: Site District Office:	
Contam Lim				Site Postal Code:	
Contaminan Environmen		POSSIBLE		Site Region: Site Municipality: 20107	
Nature of Impact:		Soil contamination		Site Lot:	
Receiving Medium: Receiving Env:		LAND		Site Conc: Northing:	
MOE Respo				Easting:	
Dt MOE Arv MOE Report		3/8/2002		Site Geo Ref Accu: Site Map Datum:	
Dt Documer	t Closed:	0401/57 101/17		SAC Action Class:	
Incident Rea Site Name:	ason:	GASKET, JOINT		Source Type:	
Site County					
Site Geo Re Incident Sui Contaminan	nmary:	BANK OF NOVA	SCOTIA:SPILL FU	EL OIL TO PARKING LOT CONTAINED /CLEANING.	
<u>37</u>	3 of 5	WSW/135.3	68.0 / -0.84	PRIVATE BUSINESS BANK OF NOVA SCOTIA, 388 RICHMOND ST STORAGE TANK OTTAWA CITY ON K2A 0E8	SPL
Ref No:		222842		Discharger Report:	
Site No: Incident Dt:		3/8/2002		Material Group: Health/Env Conseq:	
Year:		3/8/2002		Client Type:	
Incident Cause:		ABOVE-GROUND TANK LEAK		Sector Type:	
Incident Event:				Agency Involved:	

Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Site District Office: Contaminant Limit 1: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Environment Impact: **POSSIBLE** Site Municipality: 20107 Nature of Impact: Soil contamination Site Lot: Receiving Medium: LAND Site Conc: Receiving Env: Northing:

Receiving Medium: LAND Site Conc:
Receiving Env: Northing:
MOE Response: Easting:
Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt:3/8/2002Site Map Datum:Dt Document Closed:SAC Action Class:Incident Reason:EQUIPMENT FAILURESource Type:

Site Name: Site County/District: Site Geo Ref Meth:

Incident Summary: BANK OF NOVA SCOTIA: 50L FURNACE OIL TO GROUND, NO WATER, CLEANED UP

Order No: 21011600014

Contaminant Qty:

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
37	4 of 5		WSW/135.3	68.0 / -0.84	388 Richmond Rd. Ottawa ON K2A 0E8		SPL
Ref No:		3388-6HZ	HC2		Discharger Report:	0	
Site No: Incident Dt: Year:		11/8/2005	i		Material Group: Health/Env Conseq: Client Type:	Oil	
Incident Cau Incident Eve Contaminan	ent:	,	ove Ground) Leak		Sector Type: Agency Involved: Nearest Watercourse:	Other	
Contaminan Contaminan Contam Lim Contaminan	t Limit 1: it Freq 1:	FUEL OIL			Site Address: Site District Office: Site Postal Code: Site Region:	Ottawa	
Environmen	t Impact:	Not Antici	pated		Site Municipality:	Ottawa	
Nature of Im Receiving M Receiving En MOE Respon	ledium: nv:	Land			Site Lot: Site Conc: Northing: Easting:		
Dt MOE Arvi MOE Report	on Scn:	11/8/2005	;		Site Geo Ref Accu: Site Map Datum:		
Dt Documen	t Closed:		erator error		SAC Action Class:	Land Spills	
Site Name: Site County/ Site Geo Ref	/District:	спог- Ор	Bank of Nova Scoti	ia <unofficial></unofficial>	Source Type:		
Incident Sun Contaminan	nmary:		Furnace oil spill, qt	y unkn, Ottawa			
<u>37</u>	5 of 5		WSW/135.3	68.0 / -0.84	388 Richmond Rd Ottawa ON K2A0E8		EHS
Order No:		20171107	015		Nearest Intersection:		
Status: Report Type	. -	C Standard	Penort		Municipality: Client Prov/State:	ON	
Report Date:		10-NOV-1	•		Search Radius (km):	.25	
Date Receive Previous Site		07-NOV-1	7		X: Y:	-75.755826 45.3909	
Lot/Building Additional In	Size:		Fire Insur. Maps ar	nd/or Site Plans	1.	45.5909	
38	1 of 2		WNW/138.9	68.0 / -0.85	AL PARSONS (OUT OF 376 MADISON AVE. OTTAWA ON K2A 0B7	BUSINESS)	GEN
Generator N	o:	ON10299	00		PO Box No:		
Status: Approval Ye		88,89,90			Country: Choice of Contact: Co Admin:		
Contam. Fac MHSW Facil					Phone No Admin:		
SIC Code: SIC Descript	tion:	5412	ELECTRONIC HH.	APP.			
Detail(s)							
Waste Class Waste Class			213 PETROLEUM DIS ^T	TILLATES			
38	2 of 2		WNW/138.9	68.0 / -0.85	AL PARSONS (OUT OF 376 MADISON AVE.	BUSINESS) 02-233	GEN

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

OTTAWA ON K2A 0B7

Generator No: ON1029900

Status:

Approval Years: 92,93,94,95,96,97,98

Contam. Facility: MHSW Facility:

SIC Code: 5412

SIC Description: ELECTRONIC HH. APP. PO Box No: Country:

Choice of Contact: Co Admin: Phone No Admin:

39 1 of 1 SW/139.0 70.0 / 1.17 First General Services (URA)

528 Byron St

Ottawa ON K2A 0E3

Generator No: ON3182297

Status: Approval Years:

03,04 Contam. Facility:

MHSW Facility: SIC Code: SIC Description: PO Box No: Country:

Choice of Contact: Co Admin: Phone No Admin:

40 1 of 1 SSW/141.5 70.2 / 1.37 345 RAVENHURST AVE. WELL #1 **WWIS** Ottawa ON

Well ID: 7218236 Data Entry Status:

Construction Date:

Primary Water Use: Sec. Water Use:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Z172519 Audit No:

Tag: **Construction Method:** Elevation (m): Elevation Reliability:

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Src: Date Received: 3/21/2014 Selected Flag: Yes Abandonment Rec: Yes 1558 Contractor: Form Version:

Owner:

Street Name: 345 RAVENHURST AVE. WELL #1 **GEN**

County: **OTTAWA OTTAWA CITY** Municipality:

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218236.pdf

Bore Hole Information

Bore Hole ID: 1004724871 Elevation: 73.028633

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 7/25/2013

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Elevrc:

Zone: 18 East83: 440923 North83: 5026562 Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 100 m - 300 m

Order No: 21011600014

Location Method: digit

Site DΒ Map Key Number of Direction/ Elev/Diff Records Distance (m) (m)

Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005102007

Layer:

Plug From: 137.15 Plug To: 1.82 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1005102006

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

Pipe ID: 1005102000

0 Casing No: Comment:

Construction Record - Casing

Casing ID: 1005102004

Layer: Material:

Alt Name:

Open Hole or Material:

Depth From: Depth To: Casing Diameter: Casing Diameter UOM: cm

Casing Depth UOM:

Construction Record - Screen

Screen ID: 1005102005

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

m Screen Diameter UOM: cm

Screen Diameter:

Water Details

Water ID: 1005102003

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Мар Кеу	Numbe Record		Elev/Diff (m)	Site		DB
Hole Diameter	<u>r</u>					
Hole ID: Diameter: Depth From: Depth To:		1005102002				
Hole Depth UG Hole Diameter		m cm				
<u>41</u>	1 of 2	NE/144.5	68.7/-0.11	HYBRID PHRARM INC 318 RICHMOND RD OTTAWA ON K1Z6X6		GEN
Generator No. Status: Approval Yea. Contam. Facil MHSW Facility SIC Code: SIC Description	rs: lity: y:	ON3143006 Registered As of Dec 2018		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
Detail(s)						
Waste Class: Waste Class L	Desc:	261 C Pharmaceuticals				
<u>41</u>	2 of 2	NE/144.5	68.7/-0.11	HYBRID PHRARM INC 318 RICHMOND RD OTTAWA ON K1Z6X6		GEN
Generator No. Status: Approval Year Contam. Facil MHSW Facility SIC Code: SIC Description	rs: lity: y:	ON3143006 Registered As of Jul 2020		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
<u>Detail(s)</u>						
Waste Class: Waste Class L	Desc:	261 A Pharmaceuticals				
Waste Class: Waste Class L	Desc:	261 C Pharmaceuticals				
Waste Class: Waste Class L	Desc:	312 P Pathological wast	es			
42	1 of 1	NNE/157.6	68.2 / -0.64	lot 31 con 1 ON		wwis
Well ID: Construction Primary Water Sec. Water Us Final Well Sta Water Type:	r Use: se:	7292792		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	Yes 8/17/2017 Yes 7543	
Casing Materi Audit No: Tag: Construction		C36222 A191633		Form Version: Owner: Street Name: County:	8 OTTAWA	

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

NEPEAN TOWNSHIP Elevation (m): Municipality: Elevation Reliability: Site Info:

031 Depth to Bedrock: Lot: Well Depth: Concession: 01 Overburden/Bedrock: Concession Name: OF

Easting NAD83: Pump Rate: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Improvement Location Method: Source Revision Comment: Supplier Comment:

1 of 1

43

PDF URL (Map):

67.020515 Bore Hole ID: 1006712700 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18 Code OB: East83: 441029

Code OB Desc: North83: 5026841 Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

Date Completed: 7/27/2017 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method: Remarks: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source:

PRIVATE RESIDENCE

SPL

Order No: 21011600014

HOME AT 389 DANFORTH AVE FURNACE OIL TANK FURNACE OIL TANK

OTTAWA CITY ON K2A 0E1

68.9 / 0.08

Ref No: 36769 Discharger Report: Site No: Material Group: Incident Dt: 3/29/1990 Health/Env Conseq: Year: Client Type: OTHER CONTAINER LEAK Incident Cause:

Sector Type: Incident Event: Agency Involved: Nearest Watercourse: Contaminant Code: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

POSSIBLE Site Municipality: 20101 **Environment Impact:**

Nature of Impact: Vegetation Site Lot: Receiving Medium: LAND Site Conc: Receiving Env: Northing: MOE Response: Easting:

WSW/158.4

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 3/29/1990 Site Map Datum: **Dt Document Closed:** SAC Action Class:

CORROSION Incident Reason: Source Type: Site Name:

Site County/District: Site Geo Ref Meth: Incident Summary: BACKENTRY- UNKNOWN QUANTITY OF FURNACE OIL TO GROUND, PINHOLE LEAK

Contaminant Qty:

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff) (m)	Site		DE
44	1 of 4		NNW/159.4	67.1 / -1.69	Imagnan Corp. 376 Churchill Ave N S Ottawa ON K1Z 5C3	uite 107	SCT
Established: Plant Size (fi Employment	t²):		01-JUN-95				
Details Description: SIC/NAICS C			Stationery and Of 418210	fice Supplies Wholes	aler-Distributors		
Description: SIC/NAICS C			All Other Industria 333299	al Machinery Manufac	cturing		
44	2 of 4		NNW/159.4	67.1 / -1.69	376 Churchill Avenue Ottawa ON		EHS
Order No: Status: Report Type Report Date Date Receive Previous Sit Lot/Building Additional In	ed: e Name: Size:	2010033 C Custom I 4/7/2010 3/30/201	Report		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.754597 45.392814	
44	3 of 4		NNW/159.4	67.1 / -1.69	C.J.T. Surplus Equipm 376 Churchill Ave N S Ottawa ON K1Z 5C3		SCT
Established: Plant Size (fi Employment	t²):		01-DEC-70				
Details Description: SIC/NAICS C			Wholesale Trade 419120	Agents and Brokers			
Description: SIC/NAICS C			Wholesale Trade 419120	Agents and Brokers			
<u>44</u>	4 of 4		NNW/159.4	67.1 / -1.69	regional elevator 376 churchill road ottawa ON		GEN
Generator N Status: Approval Ye Contam. Fac MHSW Facill SIC Code: SIC Descript	ars: :ility: ity:	ON29010 2011 238291	040		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:		
<u>45</u>	1 of 1		NE/161.4	68.7/-0.11	Forbie Activewear 314 Richmond Rd Ottawa ON K1Z 6X6		SCT

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 1993 Established: Plant Size (ft2): Employment: --Details--

Cut and Sew Clothing Contracting Description: SIC/NAICS Code: 315210

Description: Other Men's and Boys' Cut and Sew Clothing Manufacturing SIC/NAICS Code: 315229

Other Women's and Girls' Cut and Sew Clothing Manufacturing Description:

SIC/NAICS Code: 315239

Description: All Other Cut and Sew Clothing Manufacturing

SIC/NAICS Code: 315299

Clothing Accessories and Other Clothing Manufacturing Description:

SIC/NAICS Code: 315990

46 1 of 1 NW/163.1 66.9 / -1.95 363 Madison Ave **EHS** Ottawa ON K2A0B6

20130709019 Order No:

С Status: Report Type: Standard Report

18-JUL-13 Report Date: 09-JUL-13 Date Received: Previous Site Name: Unknown Lot/Building Size: 450 sm

Additional Info Ordered:

Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 -75.755576 X: Y: 45.392404

68.2 / -0.64 47 1 of 15 NNE/164.6

TWENTY FIRST CENTURY MOTORS INC 319 RICHMOND RD

PRT

Order No: 21011600014

OTTAWA ON K1Z6X7

Location ID: 11058 Type: retail Expiry Date: 1995-11-30 Capacity (L): 68100 0076376086 Licence #:

2 of 15 NNE/164.6 68.2 / -0.64 **AVENUES GARAGE LTD** 47 **FSTH** 319 RICHMOND RD OTTAWA ON K1Z 6X7

License Issue Date: 4/1/2002 Tank Status: Licensed Tank Status As Of: August 2007 Operation Type: Retail Fuel Outlet

Gasoline Station - Full Serve Facility Type:

--Details--

Status: Active Year of Installation: 1984

Corrosion Protection:

22700 Capacity:

Liquid Fuel Single Wall UST - Gasoline Tank Fuel Type:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Status: Active Year of Installation: 1984 **Corrosion Protection:** 22700 Capacity: Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline Status: Active Year of Installation: 1984 **Corrosion Protection:** Capacity: 22700 Liquid Fuel Single Wall UST - Diesel Tank Fuel Type: 3 of 15 NNE/164.6 **AVENUES GARAGE LTD** 47 68.2 / -0.64 **FSTH** 319 RICHMOND RD **OTTAWA ON K1Z 6X7** 4/1/2002 License Issue Date: Tank Status: Licensed December 2008 Tank Status As Of: Retail Fuel Outlet Operation Type: Gasoline Station - Full Serve Facility Type: --Details--Status: Active Year of Installation: 1984 **Corrosion Protection:** 22700 Capacity: Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline Status: Active Year of Installation: 1984 **Corrosion Protection:** Capacity: 22700 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline Status: Active Year of Installation: 1984 **Corrosion Protection:** Capacity: 22700 Liquid Fuel Single Wall UST - Diesel Tank Fuel Type: 4 of 15 NNE/164.6 68.2 / -0.64 Avenues Garage Ltd. 47 **GEN** 319 Richmond Rd Ottawa ON Generator No: ON3859040 PO Box No: Status: Country: Approval Years: 2013 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 811111 SIC Code: SIC Description: GENERAL AUTOMOTIVE REPAIR Detail(s) Waste Class: 221 Waste Class Desc: LIGHT FUELS 47 5 of 15 NNE/164.6 68.2 / -0.64 **AVENUES GARAGE LTD EXP** 319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

Number of Elev/Diff Site DΒ Map Key Direction/

ON

Model:

Quantity:

Fuel Type2:

Fuel Type3:

Piping Steel:

Unit of Measure:

Piping Galvanized:

Panam Related:

Panam Venue Nm:

Tank Single Wall St:

Piping Underground: Tank Underground:

Records Distance (m) (m)

10905908 Instance No: **EXPIRED** Status: Instance ID:

Instance Type:

Instance Creation Dt: 7/19/2000 8:15:15 PM 5/21/2009

Instance Install Dt:

Item:

FS Liquid Fuel Tank Item Description: Facility Type: **FS LIQUID FUEL TANK**

Overfill Prot Type: NULL 7/5/2009 1:22:04 AM

Creation Date: **Expired Date:**

Manufacturer: NULL

Source:

FS Liquid Fuel Tank Description: 2009VBS

Serial No: NULL Ulc Standard: NULL

319 RICHMOND RD OTTAWA K1Z 6X7 ON CA Facility Location:

47 6 of 15 NNE/164.6 68.2 / -0.64 **AVENUES GARAGE LTD**

319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

NULL

NULL

NULL

NULL

NULL

EΑ

EXP

EXP

Order No: 21011600014

NULL

NULL

NULL

NULL **NULL**

EΑ

ON Model:

Quantity:

Fuel Type2:

Fuel Type3:

Piping Steel: Piping Galvanized:

Unit of Measure:

Tank Single Wall St:

Tank Underground: Panam Related:

Panam Venue Nm:

Piping Underground:

10905926 Instance No:

Status: **EXPIRED** Instance ID:

Instance Type:

Instance Creation Dt: 7/19/2000 8:15:15 PM

Instance Install Dt: 5/21/2009

Item:

Item Description: FS Liquid Fuel Tank FS LIQUID FUEL TANK Facility Type:

Overfill Prot Type: NULL

Creation Date: 7/5/2009 1:22:06 AM Expired Date:

Manufacturer:

NULL

Source: FS Liquid Fuel Tank

Description: 2009VBS Serial No: NULL Ulc Standard: NULL

Facility Location: 319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

47 7 of 15 NNE/164.6 68.2 / -0.64 **AVENUES GARAGE LTD**

319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

ON

10905941 Instance No: Status: **EXPIRED**

Instance ID:

Instance Type:

Instance Creation Dt: 7/19/2000 8:15:15 PM

Instance Install Dt: 5/21/2009

Item: Item Description: FS Liquid Fuel Tank

Facility Type: **FS LIQUID FUEL TANK** Overfill Prot Type: NULL

7/5/2009 1:22:07 AM Creation Date:

Expired Date:

Manufacturer: **NULL**

FS Liquid Fuel Tank Source:

NULL Model: Quantity: 1 Unit of Measure: EΑ NULL Fuel Type2: **NULL** Fuel Type3:

Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground:

NULL Panam Related:

Panam Venue Nm: **NULL**

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 2009VBS Description: Serial No: **NULL** Ulc Standard: NULL Facility Location: 319 RICHMOND RD OTTAWA K1Z 6X7 ON CA 319 Richmond Rd 47 8 of 15 NNE/164.6 68.2 / -0.64 **EHS** Ottawa ON K1Z6X7 Order No: 20171218067 Nearest Intersection: Status: Municipality: Report Type: Standard Report Client Prov/State: ON 21-DEC-17 Search Radius (km): Report Date: .25 Date Received: 18-DEC-17 -75.753618 X: Y: 45.392568 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans 9 of 15 NNE/164.6 68.2 / -0.64 319 Richmond Road 47 **EHS** Ottawa ON 20170710302 Order No: Nearest Intersection: С Municipality: Status: Standard Report Client Prov/State: ON Report Type: Report Date: 17-JUL-17 Search Radius (km): .25 10-JUL-17 -75.75336 Date Received: X: Previous Site Name: Y: 45.392635 Lot/Building Size: City Directory Additional Info Ordered: 10 of 15 NNE/164.6 68.2 / -0.64 319, 325 and 327 Richmond Road, 380 Winona 47 **EHS** Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7 Order No: 20200514086 Nearest Intersection: Status: Municipality: C Standard Report ON Report Type: Client Prov/State: Report Date: 20-MAY-20 Search Radius (km): .25 Date Received: 14-MAY-20 -75.7535774 X: Y: 45.3927205 Previous Site Name: Lot/Building Size: Additional Info Ordered: 47 11 of 15 NNE/164.6 68.2 / -0.64 319, 325 and 327 Richmond Road, 380 Winona **EHS** Ave., and 381 Churchill Ave. Ottawa ON K1Z 6X7 20200514086 Order No: Nearest Intersection: Status: С Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 20-MAY-20 Search Radius (km): .25 14-MAY-20 Date Received: X: -75.7535774 Previous Site Name: Y: 45.3927205 Lot/Building Size: Additional Info Ordered:

NNE/164.6

68.2 / -0.64

AVENUES GARAGE LTD

319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

FST

Order No: 21011600014

47

12 of 15

Number of Direction/ Elev/Diff Site DΒ Map Key

ON

Records Distance (m) (m)

10905908 Manufacturer: Instance No: Status: Serial No:

Cont Name: Ulc Standard: Instance Type: Quantity: **FS LIQUID FUEL TANK** Unit of Measure: Item:

FS Liquid Fuel Tank Gasoline Item Description: Fuel Type: Tank Type: Liquid Fuel Single Wall UST Fuel Type2: NULL

Install Date: Fuel Type3: 5/21/2009 NULL

Install Year: 1984 Piping Steel: Piping Galvanized: Years in Service:

Model: NULL Tanks Single Wall St: Description: Piping Underground: Capacity: 22700 Num Underground: Tank Material: Steel Panam Related:

Corrosion Protect: Panam Venue: **Overfill Protect:**

Facility Type: FS Liquid Fuel Tank

Parent Facility Type:

Facility Location: Device Installed Location: 319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

Fuel Storage Tank Details

AVENUES GARAGE LTD Owner Account Name:

47 13 of 15 NNE/164.6 68.2 / -0.64 **AVENUES GARAGE LTD FST** 319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

ON

10905926 Manufacturer: Instance No: Status: Serial No:

Ulc Standard: Cont Name: Instance Type: Quantity: FS LIQUID FUEL TANK Item: Unit of Measure:

Item Description: FS Liquid Fuel Tank Fuel Type: Gasoline Tank Type: Liquid Fuel Single Wall UST NULL

Fuel Type2: Install Date: Fuel Type3: **NULL** 5/21/2009

Install Year: 1984 Piping Steel: Years in Service: Piping Galvanized:

NULL Model: Tanks Single Wall St: Piping Underground: Description: 22700 Num Underground: Capacity:

Tank Material: Steel Panam Related: Corrosion Protect: Panam Venue: Overfill Protect:

FS Liquid Fuel Tank Facility Type:

Parent Facility Type:

Facility Location: Device Installed Location: 319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

Fuel Storage Tank Details

Owner Account Name: **AVENUES GARAGE LTD**

47 14 of 15 NNE/164.6 68.2 / -0.64 **AVENUES GARAGE LTD**

319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

FST

Order No: 21011600014

Instance No: 10905941 Manufacturer: Serial No: Status:

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Ulc Standard:

Unit of Measure:

Diesel

NULL

NULL

Quantity:

Fuel Type:

Fuel Type2:

Fuel Type3:

Piping Steel: Piping Galvanized:

Tanks Single Wall St:

Piping Underground:

Num Underground:

Panam Related:

Panam Venue:

Cont Name: Instance Type:

FS LIQUID FUEL TANK Item: Item Description: FS Liquid Fuel Tank Liquid Fuel Single Wall UST

Tank Type: Install Date: 5/21/2009 1984

Install Year: Years in Service:

Model: Description:

22700 Capacity: Tank Material: Steel

Corrosion Protect: Overfill Protect:

Facility Type: FS Liquid Fuel Tank

NULL

Parent Facility Type: Facility Location:

Device Installed Location: 319 RICHMOND RD OTTAWA K1Z 6X7 ON CA

Fuel Storage Tank Details

Owner Account Name: **AVENUES GARAGE LTD**

47 15 of 15 NNE/164.6 68.2 / -0.64 319, 325 and 327 Richmond Road, 380 Winona

67.5 / -1.28

Ave., and 381 Churchill Ave.

Ottawa ON K1Z 6X7

20200514086 Order No:

Status: С

Report Type: Standard Report Report Date: 20-MAY-20 Date Received: 14-MAY-20

Previous Site Name: Lot/Building Size: Additional Info Ordered:

48

Nearest Intersection:

Municipality:

Client Prov/State: ON Search Radius (km): .25

-75.7535774 X: Y: 45.3927205

20302300371

1 of 1

Order No: Status: С

Report Type: Standard Report Report Date: 28-OCT-20 Date Received: 23-OCT-20

Previous Site Name: Lot/Building Size: Additional Info Ordered:

Ottawa ON K2A 1Y8 Nearest Intersection:

Municipality:

Client Prov/State: ON Search Radius (km): .25

397 and 399 Winston Avenue

-75.7563071 X: Y: 45.3915087

SE/170.0 49 1 of 1 71.8 / 2.95

W/166.9

Mr. Arnold Midgley, The Trustees of Kitchissippi

15-Apr-11

Residential

No CPU

United Church

450 Churchill Avenue North, Ottawa, Ontario,

K1Z 5E2 ON K1Z 5E2

Cert Date:

108923 RSC ID:

RA No:

RSC Type:

Institutional **Curr Property Use: Ministry District: OTTAWA** Filing Date: 16-Jun-11

Intended Prop Use: **Qual Person Name:** Stratified (Y/N):

Cert Prop Use No:

Audit (Y/N):

Entire Leg Prop. (Y/N): Yes

erisinfo.com | Environmental Risk Information Services

Order No: 21011600014

EHS

EHS

RSC

Date Ack:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

11 to 20 meters Date Returned: Accuracy Estimate: Restoration Type: Telephone: 613-7227254 613-7229530 Soil Type: Fax:

Email: Criteria: kitchissippi@bellnet.ca

CPU Issued Sect No

1686:

Asmt Roll No: 0614 084 502 05000 0000

04016-0077 (LT) Prop ID No (PIN):

Property Municipal Address: 450 Churchill Avenue North, Ottawa, Ontario, K1Z 5E2 Mailing Address: 630 Island Park Drive, Ottawa, Ontario, K1Y 0B7

Latitude & Latitude: 45.39000000N 75.75305560W

UTM Coordinates: NAD83 18-441052-5026552 (converted from Latitude & Longitude)

Consultant:

Legal Desc: LTS 10 & 11, PL 204, E EDISON ST; LTS 10 & 11, PL 204, W CHURCHILL AV; OTTAWA/NEPEAN

Measurement Method: Digitized from a satellite image

Background Site Conditions Standard, with Potable Ground Water, Coarse Textured Soil, for Applicable Standards:

Residential/Parkland/Institutional property use

RSC PDF:

1 of 1 ENE/174.3 68.7/-0.06 404 Eden Avenue **50 EHS** Ottawa ON

X:

Y:

Order No: 20160202061 Nearest Intersection: Municipality:

Status:

Standard Report Report Type: Report Date: 05-FEB-16 02-FEB-16 Date Received:

Previous Site Name: Lot/Building Size:

Additional Info Ordered: City Directory

66.8 / -2.00 51 1 of 1 WNW/174.4 Entomological Society of Cda

393 Winston Ave Ottawa ON K2A 1Y8

Client Prov/State:

Search Radius (km):

ON

.25

-75.752484

45.392308

SCT

SCT

GEN

01-DEC-68 Established:

Plant Size (ft2): Employment:

--Details--

52

Professional Organizations Description:

SIC/NAICS Code: 813920

1 of 3 W/174.8 67.6 / -1.20 Simply Wood Furnishings Ltd.

393A Richmond Rd Ottawa ON K2A 0E9

Established: 1987

Plant Size (ft2):

Employment: 5

--Details--

Description: Wood Kitchen Cabinet and Counter Top Manufacturing

SIC/NAICS Code: 337110

W/174.8 67.6 / -1.20 Mike Steinberg **52** 2 of 3

393-401 Richmond Road Ottawa ON K2A 0E9

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m)

Generator No: ON1851952

Status: Approval Years:

02,03,04,05

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:

Detail(s)

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

52 3 of 3 W/174.8 67.6 / -1.20 Simply Wood Furnishings

393A Richmond Rd

SCT

Order No: 21011600014

Ottawa ON K2A 0E9

Established: 1987 Plant Size (ft2): 7000 Employment: 5

--Details--

Wood Kitchen Cabinet and Counter Top Manufacturing Description:

SIC/NAICS Code:

53 1 of 1 SE/180.4 72.4 / 3.55 450 CHURCHILL AVENUE NORTH **WWIS**

Ottawa ON

7154750 Well ID: Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Test Hole Date Received: 11/19/2010 Sec. Water Use: Selected Flag: Yes

Final Well Status: Test Hole Abandonment Rec:

Water Type: Contractor: 6964 Casing Material: Form Version:

Audit No: Z107025 Owner: A094415

450 CHURCHILL AVENUE NORTH Tag: Street Name: Construction Method: County: **OTTAWA**

OTTAWA CITY Municipality: Elevation (m): Elevation Reliability: Site Info: Lot:

Depth to Bedrock: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7154750.pdf PDF URL (Map):

Bore Hole Information

1003411150 78.010704 Bore Hole ID: Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18 East83: 441077 Code OB:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

North83:

Org CS:

Location Method:

5026557

UTM83

wwr

margin of error: 10 - 30 m

Order No: 21011600014

Code OB Desc: Open Hole:

Cluster Kind: UTMRC:
Date Completed: 9/15/2010 UTMRC Desc:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003549137

Layer: 2

Color:

General Color:

Mott.

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 2.67
Formation End Depth: 3.05
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003549136

Layer: 1
Color: 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 84

 Mat3 Desc:
 SILTY

Formation Top Depth: 0
Formation End Depth: 2.67
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003549138

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 26 Mat2 Desc: ROCK

Mat3:

Mat3 Desc:

Formation Top Depth: 3.05
Formation End Depth: 7.95
Formation End Depth UOM: m

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

1003549141 Plug ID:

Layer: Plug From: 0 Plug To: 3.7 Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1003549142

Layer: 2 Plug From: 3.7 7.95 Plug To: Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1003549147

Method Construction Code:

Diamond **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 1003549135

Casing No:

Comment: Alt Name:

Construction Record - Casing

1003549144 Casing ID:

Layer: Material:

Open Hole or Material: **PLASTIC** 0 Depth From: Depth To: 4.25 Casing Diameter: 3.5 Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003549145

Layer: 1 10 Slot: Screen Top Depth: 4.25 Screen End Depth: 7.95 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.1

Water Details

Water ID: 1003549143 Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m)

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole Diameter

Hole ID: 1003549139

Diameter: 7.5 0 Depth From: Depth To: 3.1 Hole Depth UOM: m Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1003549140 Diameter: 5.6 Depth From: 3.1

Depth To: 7.95 Hole Depth UOM: m Hole Diameter UOM: cm

> **54** 1 of 1 N/185.4 67.8 / -0.96 Gold Cast

377 Churchill Ave N Ottawa ON K1Z 5C4 SCT

MNR

Order No: 21011600014

Established: 01-AUG-93

Plant Size (ft2): Employment:

--Details--

Description: Jewellery and Silverware Manufacturing

SIC/NAICS Code: 339910

1 of 2 SSE/185.7 71.9 / 3.07 **SAMPLE 23 55**

ON

Twp Area:

Zone:

Easting:

Northing:

Effective Dt/time:

Date Last Modified:

Geo Update Dt/time:

Dep Class:

NEPEAN

441027.308

5026523.025

13-Jun-2005

18

MDI No: MDI31G05NW00015

OGF ID: 205262561

Deposit Status: **DISCRETIONARY OCCURRENCE**

Claim Map: T-2383

Geological District: SOUTHEASTERN ONTARIO Mining Division: **SOUTHERN ONTARIO**

SAMPLE 23 Name:

P Commod: LIMESTONE (BUILDING STONES)

S Commod:

Class Sub Type No:

Class Sub Type: Discretionary Mineral Occurrence GSC 1917, MAP 168A IN MEMOIR 99 Source Map:

Detail: http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05NW00015.html

All Names: SAMPLE 23

Access Description: N/A**Note: Many records provided by the department have a truncated [Access Description] field.

Status: DISCRETIONARY OCCURRENCE

Deposit Details

Deposit Year: 1993 Map Key Number of Direction/ Elev/Diff Site DB

Records

Deposit Character:

Commodity: LIMESTONE (BUILDING STONES)

Distance (m)

Ranking:

Twp/Area:NEPEANCon/Lot/Sec:LOT: NA Con: NALegal Desc:City of Ottawa

Township Area Ranking: 1

Mndm Township Area No: 1758

Effective Date/Time: 12/7/2005 12:32:36 PM

55 2 of 2 SSE/185.7 71.9 / 3.07 HIGHLAND PARK MNR

ON

Zone:

Easting:

Northing:

Effective Dt/time:

Date Last Modified:

Geo Update Dt/time:

Dep Class:

18 441027.308

5026523.025

13-Jun-2005

Order No: 21011600014

MDI No: MDI31G05NW00016 Twp Area: NEPEAN

(m)

OGF ID: 205264986

Deposit Status: DISCRETIONARY OCCURRENCE

Claim Map: T-2383

Geological District: SOUTHEASTERN ONTARIO
Mining Division: SOUTHERN ONTARIO

Name: HIGHLAND PARK
P Commod: LIMESTONE (BUILDING STONES)

S Commod:

Class Sub Type No: 2496

Class Sub Type: Discretionary Mineral Occurrence Source Map: DEMR 1987, NTS 31G05 OTTAWA

Detail: http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05NW00016.html

All Names: HIGHLAND PARK

Access Description: N/A**Note: Many records provided by the department have a truncated [Access Description] field.

Status: DISCRETIONARY OCCURRENCE

Deposit Details

Deposit Year: 1993

Deposit Character:

Commodity: LIMESTONE (BUILDING STONES)

Ranking:

Twp/Area:NEPEANCon/Lot/Sec:LOT: 34 Con: 1

Legal Desc:
Township Area Ranking: 1

Mndm Township Area No: 1758

Effective Date/Time: 12/7/2005 12:32:36 PM

56 1 of 1 N/190.5 67.8 / -0.96 Forbie Activewear 375 Churchill Ave N

Ottawa ON K1Z 5C4

Established: 01-MAY-93

Plant Size (ft²): Employment:

--Details--

Description: Cut and Sew Clothing Contracting

SIC/NAICS Code: 315210

Description: Other Men's and Boys' Cut and Sew Clothing Manufacturing

SIC/NAICS Code: 315229

Description: All Other Cut and Sew Clothing Manufacturing

SIC/NAICS Code: 315299

Description: Cut and Sew Clothing Contracting

Map Key	Number Records		Elev/Diff n) (m)	Site		DB
SIC/NAICS C	Code:	315210				
Description: SIC/NAICS C		Clothing Accesso 315990	ories and Other Clot	hing Manufacturing		
Description: SIC/NAICS C		Other Women's a 315239	and Girls' Cut and S	ew Clothing Manufacturing		
<u>57</u>	1 of 1	NE/192.9	68.7 / -0.06	Cassone Construction 300 Richmond Rd. Ottawa ON	ı	GEN
Generator No	o:	ON4702399		PO Box No:		
Status: Approval Yea Contam. Fac	cility:	2012		Country: Choice of Contact: Co Admin:		
MHSW Facili SIC Code:	ity:	236220		Phone No Admin:		
SIC Descript	tion:		Institutional Building	g Construction		
58	1 of 4	NNE/193.2	67.8 / -0.96	380 Winona Ave Ottawa ON K1Z 5H7		EHS
Order No: Status: Report Type Report Date: Date Receive	:	20191113108 C Standard Report 18-NOV-19 13-NOV-19		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	ON .25 -75.753442	
Previous Site Lot/Building Additional In	Size:	Fire Insur. Maps	and/or Site Plans	Y:	45.39296	
<u>58</u>	2 of 4	NNE/193.2	67.8 / -0.96	380 Winona Ave Ottawa ON K1Z 5H7		EHS
Order No: Status: Report Type. Report Date: Date Receive Previous Site Lot/Building Additional In	: ed: e Name: Size:	20191113108 C Standard Report 18-NOV-19 13-NOV-19	and/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.753442 45.39296	
Additional III	no Oraerea:	riie ilisui. Maps	and/or Site Flans			
<u>58</u>	3 of 4	NNE/193.2	67.8 / -0.96	380 Winona Ave Ottawa ON K1Z 5H7		EHS
Order No: Status: Report Type. Report Date: Date Receive Previous Site Lot/Building Additional In	: ed: e Name: Size:	20191113108 C Standard Report 18-NOV-19 13-NOV-19	and/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.753442 45.39296	
		i no moun maps	and the field			
58	4 of 4	NNE/193.2	67.8 / -0.96	380 Winona Ave Ottawa ON K1Z 5H7		EHS

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Order No: 20191113108 Nearest Intersection:

Report Type: Standard Report Report Date: 18-NOV-19

Date Received: 13-NOV-19
Previous Site Name:

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

Status: C Municipality:

Client Prov/State: ON Search Radius (km): .25

X: -75.753442 **Y**: 45.39296

59 1 of 2 WSW/195.9 67.9 / -0.93 411 Roosevelt Avenue Ottawa ON K2A 3X9

Order No: 20080407030 Nearest Intersection: Status: C Municipality:

 Report Type:
 Custom Report
 Client Prov/State:
 ON

 Report Date:
 4/16/2008
 Search Radius (km):
 0.25

 Date Received:
 4/7/2008
 X:
 -75.756565

 Previous Site Name:
 Y:
 45.390493

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps And /or Site Plans

59 2 of 2 WSW/195.9 67.9 / -0.93 DISTRICT REALTY
411 ROOSEVELT AVENUE

OTTAWA ON K2A3X9

Generator No: ON9318155 PO Box No:

Status:Country:CanadaApproval Years:2014Choice of Contact:CO_OFFICIAL

 Contam. Facility:
 No
 Co Admin:

 MHSW Facility:
 No
 Phone No Admin:

 SIC Code:
 531111

SIC Description: LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

60 1 of 1 NW/197.5 66.9 / -1.95 PRIVATE RESIDENCE

20101

Order No: 21011600014

HOUSE AT 356 WHITBY AVE FURNACE OIL TANK

OTTAWA CITY ON K2A 0B5

Ref No: 44037 Discharger Report:

Site No: Material Group:
Incident Dt: // Health/Env Conseq:
Year: Client Type:

 Incident Cause:
 UNKNOWN
 Sector Type:

 Incident Event:
 Agency Involved:

 Contaminant Code:
 Nearest Watercourse:

 Contaminant Name:
 Site Address:

 Contaminant Limit 1:
 Site District Office:

 Contam Limit Freq 1:
 Site Postal Code:

Contaminant UN No 1: Site Region:
Environment Impact: POSSIBLE Site Municipality:

 Nature of Impact:
 Soil contamination
 Site Lot:

 Receiving Medium:
 LAND
 Site Conc:

 Receiving Env:
 Northing:

 MOE Response:
 Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu:

Direction/ Elev/Diff Site DΒ Map Key Number of Distance (m) (m)

Records

8/1/1996 MOE Reported Dt: Site Map Datum: **Dt Document Closed:** SAC Action Class: UNKNOWN Incident Reason: Source Type:

Site Name: Site County/District: Site Geo Ref Meth:

Incident Summary: PRIVATE RESIDENCE: UNK QUANTITY OF FURNACE OIL TO GROUND.

Contaminant Qty:

61 1 of 2 W/204.1 66.9 / -1.94 401 Richmond Road **EHS** Ottawa ON K2A 0E9

Order No: 20110520022 Nearest Intersection: Status: Municipality:

Report Type: Standard Report Client Prov/State: ON Report Date: 5/26/2011 Search Radius (km): 0.25 5/20/2011 10:33:36 AM -75.756609 Date Received: X: Previous Site Name: 45.391076

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

401 RICHMOND RD 2 of 2 W/204.1 66.9 / -1.94 61 **WWIS** Ottawa ON

7180984 Well ID: Data Entry Status:

Data Src: Construction Date:

Primary Water Use: Test Hole Date Received: 5/17/2012 Yes

Sec. Water Use: Selected Flag: Final Well Status: **Observation Wells** Abandonment Rec:

Water Type: Contractor: 6964 Casing Material: Form Version: 7

Audit No: Z134670 Owner:

A108243 Street Name: 401 RICHMOND RD Tag: Construction Method: County: **OTTAWA**

Elevation (m): Municipality: **NEPEAN TOWNSHIP** Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7180984.pdf

Bore Hole Information

Bore Hole ID: 1003781307 Elevation: 66.710906

DP2BR: Elevrc:

Spatial Status: Zone: 18 440760 Code OB: East83: Code OB Desc: North83: 5026688 Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

Date Completed: 8/9/2011 UTMRC Desc: margin of error: 30 m - 100 m

Order No: 21011600014

Remarks: Location Method:

Location Source Date:

Improvement Location Source:

Elevrc Desc:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1004309964 Formation ID:

Layer: 4

Color: General Color:

15 Mat1:

LIMESTONE Most Common Material:

Mat2: 26 **ROCK** Mat2 Desc:

Mat3:

Mat3 Desc:

1.04 Formation Top Depth: Formation End Depth: 5.28 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004309963

Layer: 3 Color: 6 **BROWN** General Color: Mat1: 28 Most Common Material: SAND Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 13 BOULDERS Mat3 Desc:

Formation Top Depth: .76

Formation End Depth: 1.04 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004309962

Layer: 2 6 Color:

General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 01

Mat2 Desc: **FILL** Mat3: 35

WOOD FRAGMENTS Mat3 Desc:

Formation Top Depth: .15 Formation End Depth: .76 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004309961

Layer:

Color: General Color: Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Mat1:

Most Common Material:

Mat2: 60

Mat2 Desc: CEMENTED

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: .15
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004309971

 Layer:
 1

 Plug From:
 0

 Plug To:
 2.45

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004309972

 Layer:
 2

 Plug From:
 2.45

 Plug To:
 5.28

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004309970

Method Construction Code: 7

Method Construction: Diamond

Other Method Construction:

Pipe Information

Pipe ID: 1004309960

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004309967

Layer:1Material:5Open Hole or Material:PLASTIC

 Depth From:
 0

 Depth To:
 3.8

 Casing Diameter:
 3.5

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Construction Record - Screen

Screen ID: 1004309968

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 3.8

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff) (m)	Site		DB
Screen End L Screen Mater Screen Depti Screen Diame Screen Diame	rial: h UOM: eter UOM:		5.28 5 m cm 4.1				
Water Details	<u>i</u>						
Water ID: Layer: Kind Code: Kind: Water Found Water Found		л-	1004309966 1 3.5 m				
Hole Diamete Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM:		1004309965 7.5 0 5.28 m cm				
<u>62</u>	1 of 3		NNW/206.4	66.6 / -2.21	Cameron Veterinary I 348 Whitby Ave Ottawa ON K2A 0B5	Professional Corp	GEN
Generator No Status: Approval Yea Contam. Facilit MHSW Facilit SIC Code: SIC Descripti	ars: ility: ty:	ON3065 2016 No No 541940	966 VETERINARY SE	ERVICES	PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada CO_OFFICIAL Dan Cameron 6137225717 Ext.	
<u>Detail(s)</u>							
Waste Class: Waste Class			261 PHARMACEUTIC	CALS			
Waste Class: Waste Class			312 PATHOLOGICAL	WASTES			
<u>62</u>	2 of 3		NNW/206.4	66.6 / -2.21	Cameron Veterinary I 348 Whitby Ave Ottawa ON K2A 0B5	Professional Corp	GEN
Generator No Status: Approval Yea Contam. Facili MHSW Facili SIC Code: SIC Descripti	ars: ility: ty:	ON3065 Register As of De	ed		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
<u>Detail(s)</u>							
Waste Class: Waste Class			122 C Alkaline slutions -	containing other m	netals and non-metals (not cy	anide)	

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) 212 I Waste Class: Waste Class Desc: Aliphatic solvents and residues Waste Class: Waste Class Desc: Aliphatic solvents and residues Waste Class: Waste Class Desc: Waste crankcase oils and lubricants Waste Class: 261 A Waste Class Desc: Pharmaceuticals Waste Class: 264 L Waste Class Desc: Photoprocessing wastes Waste Class: 264 T Waste Class Desc: Photoprocessing wastes Waste Class: 312 P Waste Class Desc: Pathological wastes NNW/206.4 **62** 3 of 3 66.6 / -2.21 Cameron Veterinary Professional Corp **GEN** 348 Whitby Ave Ottawa ON K2A 0B5 Generator No: ON3065966 PO Box No: Status: Registered Country: Canada Approval Years: As of Jul 2020 Choice of Contact: Co Admin: Contam. Facility: MHSW Facility: Phone No Admin: SIC Code: SIC Description: Detail(s) 261 A Waste Class: Waste Class Desc: Pharmaceuticals Waste Class: Waste Class Desc: Aliphatic solvents and residues Waste Class: Photoprocessing wastes Waste Class Desc: Waste Class: Waste Class Desc: Aliphatic solvents and residues Waste Class: 312 P Waste Class Desc: Pathological wastes 63 1 of 17 W/206.7 66.8 / -1.97 **TUBMAN FUNERAL HOMES GEN 403 RICHMOND RD** OTTAWA ON K2A 0E9 ONF017100 Generator No: PO Box No: Country: Status: Choice of Contact:

Co Admin:

Phone No Admin:

Order No: 21011600014

Approval Years: 88,89,90 Contam. Facility:

MHSW Facility:

SIC Code: 9731

SIC Description: FUNERAL HOMES

Detail(s)

Map Key	Numbe Record		Direction/ Distance (m	Elev/Diff) (m)	Site	DB
Waste Class Waste Class	=		312 PATHOLOGICAL	. WASTES		
<u>63</u>	2 of 17		W/206.7	66.8 / -1.97	TUBMAN FUNERAL HOMES 44-171 403 RICHMOND RD OTTAWA ON K2A 0E9	GEN
Generator N	o:	ONF01	7100		PO Box No:	
Status: Approval Ye Contam. Fac MHSW Facil	ility:	92,93,9	4,95,96,97,98,99		Country: Choice of Contact: Co Admin: Phone No Admin:	
SIC Code: SIC Descript	•	9731	FUNERAL HOME	ES		
Detail(s)						
Waste Class Waste Class	-		312 PATHOLOGICAL	. WASTES		
<u>63</u>	3 of 17		W/206.7	66.8 / -1.97	TUBMAN FUNERAL HOMES 403 RICHMOND ROAD OTTAWA ON K2A 0E9	GEN
Generator N	o:	ONF01	7100		PO Box No:	
Status: Approval Ye Contam. Fac		00,01			Country: Choice of Contact: Co Admin:	
MHSW Facili SIC Code: SIC Descript	ity:	9731	FUNERAL HOME	ES	Phone No Admin:	
Detail(s)						
Waste Class Waste Class			312 PATHOLOGICAL	. WASTES		
<u>63</u>	4 of 17		W/206.7	66.8 / -1.97	J.A. TUBMAN FUNERAL HOMES LIMITED 403 RICHMOND ROAD OTTAWA ON K2A 0E9	GEN
Generator N	o:	ONF01	7100		PO Box No:	
Status: Approval Ye Contam. Fac MHSW Facil SIC Code: SIC Descript	cility: ity:	02,03			Country: Choice of Contact: Co Admin: Phone No Admin:	
Detail(s)						
Waste Class Waste Class			261 PHARMACEUTIO	CALS		
<u>63</u>	5 of 17		W/206.7	66.8 / -1.97	TUBMAN FUNERAL HOMES AND CREMATION 403 RICHMOND ROAD OTTAWA ON K2A 0E9	GEN
Generator N	o:	ONF01	7100		PO Box No:	

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m) Country: Status: Approval Years: 04.05.06.07.08 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 812210 **Funeral Homes** SIC Description: Detail(s) Waste Class: **PHARMACEUTICALS** Waste Class Desc: Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES **63** 6 of 17 W/206.7 66.8 / -1.97 **TUBMAN FUNERAL HOMES AND CREMATION GEN 403 RICHMOND ROAD** OTTAWA ON K2A 0E9 ONF017100 Generator No: PO Box No: Country: Status: Approval Years: 2009 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 812210 SIC Description: **Funeral Homes** Detail(s) Waste Class: 261 Waste Class Desc: **PHARMACEUTICALS** Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 63 7 of 17 W/206.7 66.8 / -1.97 **TUBMAN FUNERAL HOMES AND CREMATION GEN 403 RICHMOND ROAD** OTTAWA ON K2A 0E9 Generator No: ONF017100 PO Box No: Status: Country: Approval Years: 2010 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 812210 SIC Code: SIC Description: **Funeral Homes** Detail(s) Waste Class: 261 Waste Class Desc: **PHARMACEUTICALS** Waste Class: Waste Class Desc: PATHOLOGICAL WASTES W/206.7 66.8 / -1.97 **TUBMAN FUNERAL HOMES AND CREMATION** 63 8 of 17 **GEN** 403 RICHMOND ROAD OTTAWA ON K2A 0E9

Order No: 21011600014

Generator No: ONF017100 PO Box No: Status: Country:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 2011 Choice of Contact: Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 812210 SIC Code: SIC Description: **Funeral Homes** Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES Waste Class: **PHARMACEUTICALS** Waste Class Desc: **63** 9 of 17 W/206.7 66.8 / -1.97 TUBMAN FUNERAL HOMES AND CREMATION GEN **403 RICHMOND ROAD** OTTAWA ON K2A 0E9 ONF017100 Generator No: PO Box No: Status: Country: Approval Years: 2012 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 812210 SIC Code: SIC Description: **Funeral Homes** Detail(s) Waste Class: Waste Class Desc: **PHARMACEUTICALS** Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES **63** 10 of 17 W/206.7 66.8 / -1.97 403 Richmond Rd **EHS** Ottawa ON K2A0E9 Order No: 20140416094 Nearest Intersection: Status: Municipality: Ottawa, ON Report Type: Standard Report Client Prov/State: ON 28-APR-14 Report Date: Search Radius (km): .25 Date Received: 16-APR-14 X: -75.756941 45.391034 Y: Previous Site Name: Lot/Building Size: Additional Info Ordered: TUBMAN FUNERAL HOMES AND CREMATION 63 11 of 17 W/206.7 66.8 / -1.97 **GEN 403 RICHMOND ROAD** OTTAWA ON Generator No: ONF017100 PO Box No: Country: Status:

Approval Years: 2013

Contam. Facility:

MHSW Facility:

SIC Code: 812210

SIC Description:

Detail(s)

Choice of Contact: Co Admin: Phone No Admin:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 261 Waste Class: Waste Class Desc: **PHARMACEUTICALS** Waste Class: Waste Class Desc: PATHOLOGICAL WASTES 66.8 / -1.97 12 of 17 TUBMAN FUNERAL HOMES AND CREMATION **63** W/206.7 **GEN 403 RICHMOND ROAD** OTTAWA ON K2A 0E9 Generator No: ONF017100 PO Box No: Status: Country: Canada Approval Years: 2016 Choice of Contact: CO_OFFICIAL Contam. Facility: Co Admin: No MHSW Facility: No Phone No Admin: 812210 SIC Code: SIC Description: 812210 Detail(s) Waste Class: 261 Waste Class Desc: **PHARMACEUTICALS** Waste Class: 312 PATHOLOGICAL WASTES Waste Class Desc: 13 of 17 W/206.7 66.8 / -1.97 TUBMAN FUNERAL HOMES AND CREMATION **63** GEN **403 RICHMOND ROAD** OTTAWA ON K2A 0E9 Generator No: ONF017100 PO Box No: Status: Country: Canada CO_OFFICIAL Approval Years: 2015 Choice of Contact: Contam. Facility: No Co Admin: MHSW Facility: Phone No Admin: Nο 812210 SIC Code: SIC Description: 812210 Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES Waste Class: 261 Waste Class Desc: **PHARMACEUTICALS 63** 14 of 17 W/206.7 66.8 / -1.97 **TUBMAN FUNERAL HOMES AND CREMATION** GEN **403 RICHMOND ROAD** OTTAWA ON K2A 0E9 Generator No: ONF017100 PO Box No: Status: Country: Canada 2014 CO_OFFICIAL Approval Years: Choice of Contact: Contam. Facility: No Co Admin: MHSW Facility: No Phone No Admin: SIC Code: 812210 SIC Description: 812210

Order No: 21011600014

Detail(s)

Waste Class: 261

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Waste Class Desc: **PHARMACEUTICALS** Waste Class: 312 PATHOLOGICAL WASTES Waste Class Desc: 15 of 17 **TUBMAN FUNERAL HOMES AND CREMATION** 63 W/206.7 66.8 / -1.97 **GEN** 403 RICHMOND ROAD OTTAWA ON K2A 0E9 ONF017100 Generator No: PO Box No: Status: Registered Country: Canada As of Dec 2018 Approval Years: Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: SIC Description: Detail(s) Waste Class: 312 P Waste Class Desc: Pathological wastes 63 16 of 17 W/206.7 66.8 / -1.97 **TUBMAN FUNERAL HOMES AND CREMATION GEN 403 RICHMOND ROAD** OTTAWA ON K2A 0E9 ONF017100 PO Box No: Generator No: Registered Status: Country: Canada Approval Years: As of Jul 2020 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: SIC Description: Detail(s) Waste Class: Waste Class Desc: Pathological wastes 17 of 17 W/206.7 66.8 / -1.97 403 Richmond Road 63 **EHS** Ottawa ON K2A 0E9 20281800223 Order No: Nearest Intersection: Status: Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 21-AUG-20 Search Radius (km): .25 -75.7567882 Date Received: 18-AUG-20 X: Previous Site Name: Y: 45.3909513 Lot/Building Size: Additional Info Ordered: 1 of 2 SW/208.1 68.9 / 0.13 Enbridge Gas Distribution Inc. 64 SPL 433 Roosevelt Ave. Ottawa ON

Ref No:8230-BFSLAGDischarger Report:Site No:NAMaterial Group:

 Incident Dt:
 9/7/2019
 Health/Env Conseq:
 2 - Minor Environment

 Year:
 Client Type:
 Corporation

 Incident Cause:
 Sector Type:
 Miscellaneous Industrial

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Agency Involved:

Site District Office:

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

Incident Event: Leak/Break

Contaminant Code:

Nearest Watercourse: NATURAL GAS (METHANE) 433 Roosevelt Ave. Contaminant Name: Site Address:

Contaminant Limit 1:

Contam Limit Freq 1:

Contaminant UN No 1: **Environment Impact:** Nature of Impact: Receiving Medium:

Receiving Env: Air MOE Response: No

Dt MOE Arvl on Scn:

9/7/2019 MOE Reported Dt: Dt Document Closed: 10/24/2019

Incident Reason: Operator/Human Error

Site County/District: Site Geo Ref Meth:

1075

Incident Summary: 0 other - see incident description Contaminant Qty:

Site Name: Residential<UNOFFICIAL>

TSSA FSB: Enbridge: 1/2" plastic IP nat gas line strike to atm.

SW/208.1 2 of 2 68.9 / 0.13 **ENBRIDGE GAS INC** 64

433 ROOSEVELT AVE,,OTTAWA,ON,K2A 1Z4,CA

ON

Incident ID: Incident No:

2679440 Incident Reported Dt: 9/9/2019 Type: FS-Pipeline Incident

Status Code:

Customer Acct Name: **ENBRIDGE GAS INC**

Incident Address: 433 ROOSEVELT AVE,,OTTAWA,ON,K2A

1Z4,CA

Tank Status: Pipeline Damage Reason Est

Task No:

Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc:

Damage Reason:

Notes:

Ottawa

Fastern

Ottawa

Release/Spill

Pipeline/Components

TSSA - Fuel Safety Branch - Hydrocarbon Fuel

PINC

CA

Order No: 21011600014

Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interupt: Enforce Policy: Public Relation:

Pipeline System: Depth:

Pipe Material: PSIG:

Attribute Category: Regulator Location: Method Details:

65 1 of 1 WSW/213.8 68.9 / 0.09 **OTTAWA CITY**

BYRON AVE./ROOSEVELT AVE.

OTTAWA CITY ON

Certificate #: 3-0215-99-Application Year: 99 3/23/1999 Issue Date: Approval Type: Municipal sewage Status: Approved

Application Type: Client Name:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: Emission Control:

> 1 of 13 NNW/214.3 66.8 / -2.01 METROTYPE GRAPHICS LTD. 66 **GEN** 364 CHURCHILL STREET NORTH

> > OTTAWA ON K1Z 5G9

PO Box No:

Co Admin:

PO Box No:

Co Admin:

PO Box No:

Choice of Contact: Co Admin:

Phone No Admin:

Order No: 21011600014

Country:

Choice of Contact:

Phone No Admin:

Country:

Choice of Contact:

Phone No Admin:

Country:

ON0785600 Generator No:

Status:

88,89 Approval Years:

Contam. Facility:

MHSW Facility:

2821 SIC Code:

SIC Description: PLATEMAKING, ETC.

Detail(s)

Waste Class: 264

PHOTOPROCESSING WASTES Waste Class Desc:

66 2 of 13 NNW/214.3 66.8 / -2.01 METROTYPE GRAPHICS LTD. **GEN** 364 CHURCHILL STREET NORTH

OTTAWA ON K1Z 5G9

ON0785600 Generator No:

Status:

Approval Years: 90

Contam. Facility: MHSW Facility:

2821 SIC Code:

PLATEMAKING, ETC. SIC Description:

Detail(s)

Waste Class: 264

PHOTOPROCESSING WASTES Waste Class Desc:

66 3 of 13 NNW/214.3 66.8 / -2.01 **METROTYPE GRAPHICS LTD. 26-238 GEN** 364 CHURCHILL STREET NORTH

OTTAWA ON K1Z 5G9

Generator No: ON0785600

Status:

Approval Years: 92,93,94,95,96

Contam. Facility:

MHSW Facility:

SIC Code: 2821

PLATEMAKING, ETC. SIC Description:

Detail(s)

Waste Class:

PHOTOPROCESSING WASTES Waste Class Desc:

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DE
<u>66</u>	4 of 13		NNW/214.3	66.8 / -2.01	METRO(OUT OF BUS) 26-238 364 CHURCHILL STREET NORTH OTTAWA ON K1Z 5G9	GEN
Generator I	No:	ON0785	5600		PO Box No:	
Status: Approval Y Contam. Fa		97,98			Country: Choice of Contact: Co Admin:	
MHSW Faci		0004			Phone No Admin:	
SIC Code: SIC Descrip	otion:	2821	PLATEMAKING, I	ETC.		
Detail(s)						
Waste Clas Waste Clas			264 PHOTOPROCES	SING WASTES		
<u>66</u>	5 of 13		NNW/214.3	66.8 / -2.01	Cameron Veterinary Professional Corporation 364 Churchill Avenue North Ottawa ON K1Z 5C2	GEN
Generator I	No:	ON2549	9408		PO Box No:	
Status: Approval Y	ears:	07,08			Country: Choice of Contact:	
Contam. Fa WHSW Faci	acility:	•			Co Admin: Phone No Admin:	
SIC Code:	•	541940			Filone No Admin.	
SIC Descrip	otion:		Veterinary Service	es		
Detail(s)						
Waste Clas Waste Clas			261 PHARMACEUTIC	ALS		
Waste Clas Waste Clas			312 PATHOLOGICAL	WASTES		
<u>66</u>	6 of 13		NNW/214.3	66.8 / -2.01	Cameron Veterinary Professional Corporation 364 Churchill Avenue North Ottawa ON K1Z 5C2	GEN
Generator I	No:	ON2549	9408		PO Box No:	
Status: Approval Y	ears:	2009			Country: Choice of Contact:	
Contam. Fa	acility:	2000			Co Admin:	
MHSW Faci SIC Code:	ility:	541940			Phone No Admin:	
SIC Descrip	otion:		Veterinary Service	es		
Detail(s)						
Waste Clas Waste Clas			312 PATHOLOGICAL	WASTES		
Waste Clas Waste Clas			261 PHARMACEUTIC	ALS		
<u>66</u>	7 of 13		NNW/214.3	66.8 / -2.01	Cameron Veterinary Professional Corporation 364 Churchill Avenue North	GEN

Ottawa ON K1Z 5C2

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) ON2549408 Generator No: PO Box No: Status: Country: Approval Years: 2010 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 541940 SIC Code: SIC Description: Veterinary Services Detail(s) 261 Waste Class: **PHARMACEUTICALS** Waste Class Desc: Waste Class: Waste Class Desc: PATHOLOGICAL WASTES 66 8 of 13 NNW/214.3 66.8 / -2.01 Cameron Veterinary Professional Corporation **GEN** 364 Churchill Avenue North Ottawa ON K1Z 5C2 Generator No: ON2549408 PO Box No: Status: Country: Choice of Contact: 2011 Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 541940 SIC Description: **Veterinary Services** Detail(s) Waste Class: Waste Class Desc: **PHARMACEUTICALS** Waste Class: 312 PATHOLOGICAL WASTES Waste Class Desc: 9 of 13 NNW/214.3 66.8 / -2.01 Cameron Veterinary Professional Corporation 66 **GEN** 364 Churchill Avenue North Ottawa ON K1Z 5C2 ON2549408 Generator No: PO Box No: Status: Country: Choice of Contact: Approval Years: 2012 Contam. Facility: Co Admin: Phone No Admin: MHSW Facility: SIC Code: 541940 SIC Description: Veterinary Services Detail(s) Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 261

Waste Class Desc: PHARMACEUTICALS

66 10 of 13 NNW/214.3 66.8 / -2.01 364 Churchill Ave N Ottawa ON K1Z5C2

Nearest Intersection:

Order No: 21011600014

Order No: 20130619029

Status: C Municipality: Ottawa

Number of Direction/ Elev/Diff Site DΒ Map Key

Y:

Standard Report Report Type: Client Prov/State: Search Radius (km): Report Date: 27-JUN-13 19-JUN-13 X:

(m)

Distance (m)

Date Received: Previous Site Name:

Lot/Building Size: 331 square metres

Records

Additional Info Ordered:

11 of 13 NNW/214.3 66.8 / -2.01 Cameron Veterinary Professional Corporation 66

364 Churchill Avenue North

ON

.25 -75.754805

45.39322

Canada

Canada

CO_OFFICIAL

CO_OFFICIAL

GEN

GEN

Order No: 21011600014

Ottawa ON PO Box No:

Choice of Contact:

Phone No Admin:

Country:

Co Admin:

ON2549408 Generator No:

Status:

2013 Approval Years:

Contam. Facility:

MHSW Facility:

541940 SIC Code:

SIC Description: VETERINARY SERVICES

Detail(s)

Waste Class: 312

PATHOLOGICAL WASTES Waste Class Desc:

Waste Class: 261

Waste Class Desc: **PHARMACEUTICALS**

66 12 of 13 NNW/214.3 66.8 / -2.01 Cameron Veterinary Professional Corporation **GEN** 364 Churchill Avenue North

Ottawa ON K1Z 5C2

PO Box No:

Co Admin:

PO Box No:

Choice of Contact:

Country:

Co Admin: Phone No Admin:

Choice of Contact:

Phone No Admin:

Country:

Generator No: ON2549408

Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No

541940 SIC Code:

SIC Description: **VETERINARY SERVICES**

Detail(s)

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 261

PHARMACEUTICALS Waste Class Desc:

13 of 13 NNW/214.3 66.8 / -2.01 Cameron Veterinary Professional Corporation 66

364 Churchill Avenue North Ottawa ON K1Z 5C2

ON2549408 Generator No: Status:

2014 Approval Years: Contam. Facility: No MHSW Facility: No

541940 SIC Code:

SIC Description: **VETERINARY SERVICES**

Detail(s)

Number of Elev/Diff Site DΒ Map Key Direction/

Waste Class: 261

Records

PHARMACEUTICALS Waste Class Desc:

Waste Class:

PATHOLOGICAL WASTES Waste Class Desc:

67 1 of 1 N/216.4 66.7 / -2.10 **CANADIAN WASTE SERVICES**

(m)

Distance (m)

363 CHURCHILL, NORTH OF RICHMOND **MOTOR VEHICLE (OPERATING FLUID)**

20107

SPL

PINC

Order No: 21011600014

Discharger Report:

Health/Env Conseq: Client Type:

Agency Involved:

Site District Office:

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Nearest Watercourse:

Material Group:

Sector Type:

Site Address:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

OTTAWA CITY ON

Ref No: 207678 Site No:

Incident Dt: 8/2/2001

Year:

Incident Cause: VALVE/FITTING LEAK OR FAILURE

Other

Land, Water

8/2/2001

MATERIAL FAILURE

Incident Event: Contaminant Code:

Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:

Contaminant UN No 1:

Environment Impact: Not Anticipated

Nature of Impact: Receiving Medium:

Receiving Env: MOE Response:

Dt MOE Arvl on Scn: **MOE** Reported Dt:

Dt Document Closed:

Incident Reason:

Site Name: Site County/District:

Site Geo Ref Meth:

Incident Summary: CAN WASTE: TRUCK BLEW HYDRAULIC LINE, 140 L TO ROAD, C/B-CLEANING Contaminant Qty:

68 1 of 1 ENE/217.8 69.0 / 0.17

ON

Incident ID:

2833556 Incident No: Incident Reported Dt: 4/22/2020

Type: FS-Pipeline Incident Status Code:

Customer Acct Name: **ENBRIDGE GAS INC** 401 EDEN AVE,,OTTAWA,ON,K1Z 5J1,CA Incident Address:

Tank Status: Pipeline Damage Reason Est

Task No: Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp: Date of Occurrence:

Occurrence Start Dt: Operation Type: Pipeline Type: Regulator Type: Summary: Reported By:

Affiliation: Occurrence Desc: **ENBRIDGE GAS INC**

401 EDEN AVE,,OTTAWA,ON,K1Z 5J1,CA

Fuel Category: Health Impact: Environment Impact: Property Damage:

Service Interupt: Enforce Policy: Public Relation: Pipeline System:

Depth: Pipe Material: PSIG:

Attribute Category: Regulator Location: Method Details:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Damage Reason: Notes: 69 1 of 2 NE/219.8 67.8 / -1.02 P. & T. EQUIPMENT **PES** 311 RICHMOND ROAD, SUITE 308 OTTAWA ON K1Z 6X3 Detail Licence No: Operator Box: Licence No: Operator Class: Status: Operator No: Approval Date: Operator Type: Oper Area Code: Report Source: Licence Type: Operator Oper Phone No: Licence Type Code: Operator Ext: Licence Class: Operator Lot: Licence Control: Oper Concession: Latitude: Operator Region: Longitude: Operator District: Lot: **Operator County:** Concession: Op Municipality: Region: Post Office Box: **MOE District:** District: County: SWP Area Name: Trade Name: PDF Link: 69 2 of 2 NE/219.8 67.8 / -1.02 GEVC Interactive Inc. SCT 311 Richmond Rd Suite 204 Ottawa ON K1Z 6X3 Established: 01-AUG-94 Plant Size (ft2): Employment: --Details--Software Publishers Description: SIC/NAICS Code: 511210 1 of 1 NW/231.7 65.9 / -2.94 PRIVATE RESIDENCE **70 SPL** 359 WHITBY AVENUE FURNACE OIL TANK OTTAWA CITY ON K2A 0B3 Ref No: 173721 Discharger Report: Material Group: Site No: Incident Dt: 10/13/1999 Health/Env Conseq: Year: Client Type: Incident Cause: PIPE/HOSE LEAK Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Site Municipality:

Site Geo Ref Accu:

Site Map Datum:

Site Lot:

Site Conc:

Northing:

Easting:

20101

Order No: 21011600014

POSSIBLE Environment Impact: Nature of Impact: Soil contamination Receiving Medium: LAND

Receiving Env:

Dt MOE Arvl on Scn: MOE Reported Dt:

10/13/1999

MOE Response:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

 Dt Document Closed:
 SAC Action Class:

 Incident Reason:
 CORROSION
 Source Type:

Site Name: Site County/District: Site Geo Ref Meth: Incident Summary:

PRIVATE TANK- FUEL OIL SPILL UNDER PAD WHILE CONDUCTING PRESSURE TEST

Contaminant Qty:

onaninan diy.

71 1 of 1 W/233.6 65.8 / -3.02 389 Roosevelt Ave Ottawa ON K2A1Y9

Order No: 20161201074

Status: C

Report Type: Standard Report Report Date: 08-DEC-16
Date Received: 01-DEC-16
Previous Site Name:

Lot/Building Size: ~0.5 ha

Additional Info Ordered:

Nearest Intersection: Municipality:

Client Prov/State: ON

 Search Radius (km):
 .25

 X:
 -75.757172

 Y:
 45.391455

EHS

Order No: 21011600014

72 1 of 1 NW/238.0 65.8 / -3.03 WWIS

Well ID: 7233985 Data Entry Status: Yes

Construction Date:

Primary Water Use:

Sec. Water Use:

Final Well Status:

Data Src:

Date Received:

Selected Flag:

Yes

Abandonment Rec:

Water Type:Contractor:1844Casing Material:Form Version:8

Audit No:C22617Owner:Tag:A147911Street Name:Construction Method:County:

 Construction Method:
 County:
 OTTAWA

 Elevation (m):
 Municipality:
 NEPEAN TOWNSHIP

 Elevation Reliability:
 Site Info:

 Depth to Bedrock:
 Lot:

 Well Depth:
 Concession:

 Overburden/Bedrock:
 Concession Name:

Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:
Flowing (Y/N): Zone:
Flow Rate: UTM Reliability:

Flow Rate: Clear/Cloudy:

PDF URL (Map):

FUDL (Marx)

Bore Hole Information

Bore Hole ID: 1005262097 **Elevation:** 63.922714

DP2BR: Elevro:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 440863

 Code OB Desc:
 North83:
 5026913

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 8/28/2013 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method:

Elev/Diff Site DΒ Map Key Number of Direction/ Distance (m) (m)

Records

Source Revision Comment: Supplier Comment:

> Enbridge Gas Distribution Inc. **73** 1 of 2 ENE/238.5 68.8 / -0.04

412 Edgewood Avenue

SPL

Order No: 21011600014

Ottawa ON

1132-AYMLE7 Ref No: Discharger Report: Site No: Material Group:

NA Incident Dt: 2018/05/10

Health/Env Conseq: 2 - Minor Environment Client Type: Corporation Year:

Incident Cause: Sector Type:

Miscellaneous Communal Incident Event: Leak/Break Agency Involved:

Contaminant Code: Nearest Watercourse:

NATURAL GAS (METHANE) 412 Edgewood Avenue Contaminant Name: Site Address:

Contaminant Limit 1: Site District Office: Ottawa Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: 1075 Site Region: Fastern **Environment Impact:** Site Municipality: Ottawa Nature of Impact: Site Lot:

Receiving Medium: Site Conc: Receiving Env: Air Northing: MOE Response: No Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 2018/05/10 MOE Reported Dt: Site Map Datum:

Dt Document Closed: 2018/05/18 TSSA - Fuel Safety Branch - Hydrocarbon Fuel SAC Action Class:

Release/Spill Pipeline/Components Source Type:

Incident Reason: Operator/Human Error

Site Name: Residence<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: TSSA FSB: 1/2 inch plastic IP service line strike, made safe.

0 other - see incident description Contaminant Qty:

ENE/238.5 68.8 / -0.04 **73** 2 of 2 PIPELINE HIT 1/2"

PINC 412 EDGEWOOD AVE,,OTTAWA,ON,K1Z 5K5,CA ON

Property Damage:

Service Interupt:

Enforce Policy:

Public Relation:

Pipeline System:

Pipe Material:

Depth:

PSIG:

Incident ID: Fuel Category: 2302974 Health Impact: Incident No: Incident Reported Dt: 5/11/2018 Environment Impact:

Type: FS-Pipeline Incident Status Code: Customer Acct Name: PIPELINE HIT 1/2"

Incident Address: 412 EDGEWOOD AVE,,OTTAWA,ON,K1Z

5K5,CA

Tank Status: Pipeline Damage Reason Est

Task No:

Spills Action Centre: Fuel Type:

Fuel Occurrence Tp: Attribute Category: Date of Occurrence: Regulator Location: Occurrence Start Dt: Method Details: Operation Type: Pipeline Type:

Occurrence Desc:

Regulator Type: Summary: Reported By: Affiliation:

Damage Reason:

Notes:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>74</u>	1 of 2	WSW/242.4	66.9/-1.93	DOUBLE L PRINTERS 416 RICHMOND RD OTTAWA ON K2A 0G2	SCT
Established Plant Size (f Employmen	t²):	1969 2500 6			
Details Description: SIC/NAICS (COMMERCIAL PR 2752	INTING, LITHOG	RAPHIC	
Description: SIC/NAICS (COMMERCIAL PR 2759	INTING, NOT EL	SEWHERE CLASSIFIED	
Description: SIC/NAICS (Quick Printing 323114			
Description: SIC/NAICS (Digital Printing 323115			
Description: SIC/NAICS (Other Printing 323119			
<u>74</u>	2 of 2	WSW/242.4	66.9 / -1.93	Double L Printers - Div. of 595511 Ontario Inc. 416 Richmond Rd Ottawa ON K2A 0G2	SCT
Established Plant Size (f Employmen	t²):	1969 2500 6			
<u>75</u>	1 of 6	WSW/244.1	66.9 / -1.93	J. CLARK PHARMACY CARE LTD O/A SHOPPERS DRUG MART #1396 410 RICHMOND ROAD OTTAWA ON K2A 0G2	PES
Detail Licent Licence No: Status: Approval Da Report Sour Licence Typ Licence Clas Licence Con Latitude: Longitude: Lot: Concession Region:	nte: ce: e: Vendo e Code: ss: ntrol:	r		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box:	
District: County: Trade Name PDF Link:				MOE District: SWP Area Name:	
<u>75</u>	2 of 6	WSW/244.1	66.9 / -1.93	J. CLARK PHARMACY CARE LTD O/A SHOPPERS DRUG MART #1396	PES

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

> 410 RICHMOND ROAD OTTAWA ON K2A4C4

Detail Licence No:

Licence No: 15886

Status:

Approval Date:

Report Source:

Limited Vendor Licence Type:

Licence Type Code: 23 Licence Class: 01

Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County:

Trade Name: PDF Link:

Legacy Licenses (Excluding TS)

Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code:

613 7615575 Oper Phone No:

Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: **Operator County:** Op Municipality: Post Office Box: **MOE District:** SWP Area Name:

PO Box No:

Choice of Contact:

Phone No Admin:

Country:

Co Admin:

75 3 of 6

WSW/244.1

66.9 / -1.93

J. Clark Pharmacy Care Ltd. 410 RICHMOND ROAD OTTAWA ON K2A 4C4

Canada

CO ADMIN

NASTRAN NAJAFI-FARD

4164931120 Ext.3218

GEN

Generator No: ON7312008

Status: Approval Years: 2016 Contam. Facility: No

MHSW Facility: No SIC Code: 446110

SIC Description: 446110

Detail(s)

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class:

Waste Class Desc: **PHARMACEUTICALS**

4 of 6

WSW/244.1

66.9 / -1.93

J. Clark Pharmacy Care Ltd. 410 RICHMOND ROAD OTTAWA ON K2A 4C4

GEN

Order No: 21011600014

ON7312008 Generator No:

Status:

75

Approval Years: 2015 Contam. Facility: No MHSW Facility: No

SIC Code: 446110

SIC Description: 446110

Detail(s)

Waste Class: 312

PATHOLOGICAL WASTES Waste Class Desc:

Waste Class:

Waste Class Desc: **PHARMACEUTICALS** PO Box No:

Country: Canada Choice of Contact: CO_ADMIN

NASTRAN NAJAFI-FARD Co Admin: Phone No Admin: 4164931120 Ext.3218

Мар Кеу	Numbe Record		Elev/Diff (m)	Site		DB
<u>75</u>	5 of 6	WSW/244.1	66.9 / -1.93	J. Clark Pharmacy Card 410 RICHMOND ROAD OTTAWA ON K2A 4C4		GEN
Generator No Status: Approval Yea Contam. Faci MHSW Facili SIC Code: SIC Descript	ars: cility: ity:	ON7312008 Registered As of Dec 2018		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
Detail(s)						
Waste Class Waste Class		261 A Pharmaceuticals				
Waste Class Waste Class		312 P Pathological wastes				
<u>75</u>	6 of 6	WSW/244.1	66.9 / -1.93	J. Clark Pharmacy Care 410 RICHMOND ROAD OTTAWA ON K2A 4C4		GEN
Generator No Status: Approval Yea Contam. Faci MHSW Facili SIC Code: SIC Descript	ars: cility: ity:	ON7312008 Registered As of Jul 2020		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada	
<u>Detail(s)</u>						
Waste Class Waste Class		261 A Pharmaceuticals				
Waste Class Waste Class	=	312 P Pathological wastes				
<u>76</u>	1 of 1	NNW/247.9	65.8 / -3.00	Hydro-Ottawa 341 WHITBY ST <unof Ottawa ON K2A 0B3</unof 	FFICIAL>	SPL
Ref No:		5042-5PG6JE		Discharger Report:	0.11	
Site No: Incident Dt: Year:		7/14/2003		Material Group: Health/Env Conseq: Client Type:	Oil	
Incident Cau Incident Eve		Cooling System Leak		Sector Type: Agency Involved:		
Contaminant Contaminant Contaminant	t Code: t Name: t Limit 1:	15 TRANSFORMER OIL (N.O.S.)		Nearest Watercourse: Site Address: Site District Office:	Ottawa	
Contam Limi Contaminant Environment Nature of Imp Receiving M Receiving En MOE Respon	t UN No 1: t Impact: pact: ledium: nv:	Not Anticipated Soil Contamination Land		Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting:	Eastern Ottawa	
Dt MOE Arvi MOE Reporte	on Scn:	7/14/2003		Site Geo Ref Accu: Site Map Datum:		

Order No: 21011600014

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Dt Document Closed: SAC Action Class: Spills

Incident Reason: Corrosion - All forms of internal/external Source Type:

corrosion

Site Name: 341 WHITBY ST<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Hydro Ottawa- 5 L oil PCB =25 ppm to grd, clnd

Contaminant Qty: 5 L

Unplottable Summary

Total: 33 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Larco Land Corporation	Part of Lot 32, Concession 1, Ottawa Front	Ottawa ON	
CA	CITY	BYRON AVE.	OTTAWA ON	
CA	OTTAWA CITY	RICHMOND ROAD	OTTAWA CITY ON	
CA	OTTAWA CITY	ROOSEVELT AVE.	OTTAWA CITY ON	
CA	OTTAWA CITY	BYRON AVENUE	OTTAWA CITY ON	
CA	COMPUTING DEVICES COMPANY	RICHMOND RD.	NEPEAN CITY ON	
CA	OTTAWA CITY	RICHMOND ROAD	OTTAWA CITY ON	
CA	City of Ottawa	Richmond Road	Ottawa ON	
CA	COMPUTING DEVICES COMPANY	RICHMOND RD.	NEPEAN CITY ON	
CA	NON-PROFIT HOUSING CORPORATION	RICHMOND RD.NON-PROFIT HOUSING	OTTAWA CITY ON	
CA	OTTAWA CITY	CHURCHILL AVE.	OTTAWA CITY ON	
CA	Bourke Family Development Inc.	Byron Ave Reginstered Plan No. 204	Ottawa ON	
CA	City of Ottawa	Richmond Road	Ottawa ON	
CA		Richmond Road	Ottawa ON	
CA	City of Ottawa	Richmond Road	Ottawa ON	
CONV	CANADIAN WASTE SERVICES INC.		ON	
CONV	CANADIAN WASTE SERVICES INC.		ON	
CONV	CANADIAN WASTE SERVICES INC.		ON	

CONV	CANADIAN WASTE SERVICES INC.		ON	
CONV	CANADIAN WASTE SERVICES INC.		ON	
ECA	City of Ottawa	Madison Avenue Madison Avenue (Churchill Avenue to Winston Avenue)	Ottawa ON	K2G 6J8
GEN	Ottawa Greenbelt Construction Company Limited	Churchill Ave Reconstruction - Carling to Byron	Ottawa ON	
PTTW	Price Costco Canada Inc.	Parts 1 and 2, Plan 4R-7269, Lot 30, Concession A NEPEAN	ON	
SPL	TEXACO	RICHMOND RD. SERVICE STATION	OTTAWA CITY ON	
WWIS		lot 32	ON	
WWIS		lot 31	ON	
wwis		lot 31	ON	
WWIS		lot 31	ON	
WWIS		lot 32	ON	
WWIS		lot 32	ON	
wwis		lot 31	ON	
wwis		lot 32	ON	
WWIS		lot 31	ON	

Unplottable Report

Site: Larco Land Corporation

Part of Lot 32, Concession 1, Ottawa Front Ottawa ON

Database: CA

Database:

6996-5F5HDF Certificate #: Application Year: 2002 10/22/2002 Issue Date:

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site:

Database: BYRON AVE. OTTAWA ON

Certificate #: 3-0302-85-006 Application Year: 85

4/22/85 Issue Date:

Municipal sewage Approval Type: Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: **OTTAWA CITY**

RICHMOND ROAD OTTAWA CITY ON

Certificate #: 3-1088-90-Application Year: 90

Issue Date: 6/26/1990 Approval Type: Municipal sewage Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Site: **OTTAWA CITY**

Database: ROOSEVELT AVE. OTTAWA CITY ON

Certificate #: 3-2058-88-Application Year: 88

> Order No: 21011600014 erisinfo.com | Environmental Risk Information Services

Issue Date:10/26/1988Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: OTTAWA CITY

BYRON AVENUE OTTAWA CITY ON

Database:

 Certificate #:
 3-1320-88

 Application Year:
 88

 Issue Date:
 8/5/1988

Approval Type:Municipal sewageStatus:Approved

Status: Application Type:

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: COMPUTING DEVICES COMPANY

RICHMOND RD. NEPEAN CITY ON

Approved

Certificate #:3-1688-87-Application Year:87Issue Date:9/17/1987Approval Type:Municipal sewage

Status: Application Type: Client Name: Client Address: Client City: Client Postal Code:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: OTTAWA CITY

RICHMOND ROAD OTTAWA CITY ON

 Certificate #:
 3-0159-96

 Application Year:
 96

 Issue Date:
 4/1/1996

Approval Type: Municipal sewage

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Database:

Database:

Site: City of Ottawa Database:

Richmond Road Ottawa ON

Certificate #: 7893-5NLQJH

Application Year: 2003 Issue Date: 6/18/2003

Approval Type: Municipal and Private Sewage Works Approved

Status:

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: **Emission Control:**

COMPUTING DEVICES COMPANY Site: RICHMOND RD. NEPEAN CITY ON Database: CA

7-1397-87-Certificate #: Application Year: 87 Issue Date: 9/17/1987

Approval Type: Municipal water Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: **NON-PROFIT HOUSING CORPORATION**

RICHMOND RD.NON-PROFIT HOUSING OTTAWA CITY ON

Database: CA

Certificate #: 7-0925-87-Application Year: 87 Issue Date: 7/7/1987 Municipal water Approval Type: Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants:

Emission Control:

Site: **OTTAWA CITY**

CHURCHILL AVE. OTTAWA CITY ON

Database:

Order No: 21011600014

3-1441-92-Certificate #: Application Year: 92 Issue Date: 10/29/1992 Approval Type: Municipal sewage Approved Status:

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: Bourke Family Development Inc.

Byron Ave Reginstered Plan No. 204 Ottawa ON

 Certificate #:
 3911-7BKMY9

 Application Year:
 2008

 Issue Date:
 2/7/2008

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Richmond Road Ottawa ON

Database: CA

Database:

 Certificate #:
 1424-6CXJGA

 Application Year:
 2005

 Issue Date:
 6/3/2005

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site:

Database: CA

Richmond Road Ottawa ON

Certificate #: 7965-5ERRRZ

 Application Year:
 02

 Issue Date:
 10/11/02

Approval Type: Municipal & Private sewage

Status:ApprovedApplication Type:New Certificate of Approval

Client Name: City of Ottawa

Client Address: 110 Laurier Avenue West

Client City: Ottawa

Client Postal Code: Ottawa
K1P 1J1

Project Description: This application is for the construction of storm and sanitary sewers and appurtenances on Richmond Road

Contaminants: Emission Control:

Site: City of Ottawa

Richmond Road Ottawa ON

Database:

 Certificate #:
 6859-5X8K46

 Application Year:
 2004

 Issue Date:
 3/23/2004

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type:

Client Name: Client Address: Client City: Client Postal Code:

Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> CANADIAN WASTE SERVICES INC.
ON Database:
CONV

File No: Location:

Crown Brief No:99-0188-0235Region:EASTERN REGIONCourt Location:Ministry District:KINGSTON

Publication City: Publication Title:

Act:
Act:
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:

Description: TRANSPORTING LEACHATE WASTE FROM AN APPROVED WASTE DISPOSAL SITE WITHOUT THE

GENERATOR, CARRIER AND/OR RECEIVER COMPLETING A MANIFEST.

Background:

URL:

Additional Details

Publication Date:

 Count:
 1

 Act:
 EPA

 Regulation:
 347

 Section:
 19(1) (A)

Act/Regulation/Section: EPA-347-19(1) (A)

Date of Offence:

Date of Conviction:

Date Charged: 7/19/01

Charge Disposition: SUSPENDED SENTENCE

Fine: \$17,000.00

Synopsis:

Site: CANADIAN WASTE SERVICES INC. Database:
ON CONV

File No: Location:

Crown Brief No:99-0164-0282Region:EASTERN REGIONCourt Location:Ministry District:KINGSTON

Publication City:

Publication Title: Act: Act(s): First Matter: Second Matter: Investigation 1: Investigation 2: Penalty Imposed:

Description: OPERATE A HEAVY DIESEL-FUELLED MOTOR VEHICLE THAT CONTRAVENES THE EMISSION

Order No: 21011600014

STANDARDS.

Background:

URL:

Additional Details

Publication Date:

 Count:
 1

 Act:
 EPA

 Regulation:
 361/98

 Section:
 12(5)

Act/Regulation/Section: EPA-361/98-12(5)

Date of Offence:
Date of Conviction:

Date Charged: 1/27/00

Charge Disposition: SUSPENDED SENTENCE

Fine: \$425.00

Synopsis:

Site: CANADIAN WASTE SERVICES INC. Database: ON CONV

File No: Location:

Crown Brief No: 99-0086-0115 Region: EASTERN REGION

Court Location: Ministry District: KINGSTON

Publication City: Publication Title:

Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:

Description: FAILED TO PROVIDE CERTAIN DOCUMENT WITH EACH VEHICLE CONTRAVENING A PROVISIONAL

CERTIFICATE OF APPROVAL.

Background:

URL:

Additional Details

Publication Date:

 Count:
 1

 Act:
 EPA

Regulation: Section: 186(3)

Act/Regulation/Section: EPA- -186(3)

Date of Offence:

Date of Conviction:

Date Charged: 3/15/00

Charge Disposition: SUSPENDED SENTENCE

Fine: \$305.00

Synopsis:

Site: CANADIAN WASTE SERVICES INC. Database: CONV

File No: Location:

Crown Brief No:99-0136-0187Region:EASTERN REGIONCourt Location:Ministry District:KINGSTON

Publication City: Publication Title:

Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:

Description: OPERATE A HEAVY DIESEL-FUELLED MOTOR VEHICLE THAT CONTRAVENES THE EMISSION

Order No: 21011600014

STANDARDS.

Background:

URL:

Additional Details

Publication Date:

 Count:
 1

 Act:
 EPA

 Regulation:
 361/98

 Section:
 12(5)

Act/Regulation/Section:

EPA-361/98-12(5)

Date of Offence:

Date of Conviction:

Date Charged: 10/18/00

Charge Disposition: SUSPENDED SENTENCE

Fine: \$425.00

Synopsis:

Site: CANADIAN WASTE SERVICES INC.

Database: CONV

File No:

Crown Brief No: 99-0165-0243

Location: Region:

Ministry District:

EASTERN REGION

KINGSTON

Court Location: Publication City:

Publication Title:

Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:

Description: OPERATE A HEAVY DIESEL-FUELLED MOTOR VEHICLE THAT CONTRAVENES THE EMISSION

STANDARDS.

Background:

URL:

Additional Details

Publication Date:

 Count:
 1

 Act:
 EPA

 Regulation:
 361/98

 Section:
 12(5)

Act/Regulation/Section: EPA-361/98-12(5)

Date of Offence:

Date of Conviction:

Date Charged: 4/30/00

Charge Disposition: SUSPENDED SENTENCE

Fine: \$325.00

Synopsis:

Site: City of Ottawa

Madison Avenue Madison Avenue (Churchill Avenue to Winston Avenue) Ottawa ON K2G 6J8

Database: ECA

 Approval No:
 5586-8LWQCS
 MOE District:

 Approval Date:
 2011-09-23
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

SWP Area Name:

Approval Type:

Project Type:

Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Madison Avenue (Churchill Avenue to Winston Avenue)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8203-8KMJER-14.pdf

Ottawa Greenbelt Construction Company Limited

Database:

Order No: 21011600014

erisinfo.com | Environmental Risk Information Services

Site:

Churchill Ave Reconstruction - Carling to Byron Ottawa ON

ON4886021 Generator No: PO Box No: Status: Country:

Approval Years: 2013 Choice of Contact: Contam. Facility: Co Admin: Phone No Admin:

MHSW Facility:

237110 SIC Code:

SIC Description: WATER AND SEWER LINE AND RELATED STRUCTURES CONSTRUCTION

Detail(s)

Waste Class: 251

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Site: Price Costco Canada Inc. Database: **PTTW** Parts 1 and 2, Plan 4R-7269, Lot 30, Concession A NEPEAN ON

EBR Registry No: IA7E0542 Decision Posted: 28181 Ministry Ref No: Exception Posted:

Notice Type: Instrument Decision Section: Notice Stage: Act 1:

Notice Date: September 30, 1997 Act 2:

Proposal Date: April 28, 1997 Site Location Map:

Year: 1997

Instrument Type: (OWRA s. 34) - Permit to Take Water

Off Instrument Name:

Posted By:

Company Name: Price Costco Canada Inc.

Site Address: Location Other: Proponent Name:

15 Lesmill Road, North York Ontario, M3B 2T3 Proponent Address:

Comment Period:

URL:

Site Location Details:

Parts 1 and 2, Plan 4R-7269, Lot 30, Concession A NEPEAN

Site: Database: RICHMOND RD. SERVICE STATION OTTAWA CITY ON

Order No: 21011600014

Ref No: 14431 Discharger Report:

Site No: Material Group: Incident Dt: 2/2/1989 Health/Env Conseq:

Year: Client Type:

Incident Cause: OTHER CAUSE (N.O.S.) Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office:

Contam Limit Freq 1: Site Postal Code: Site Region: Contaminant UN No 1: Environment Impact: **NOT ANTICIPATED** Site Municipality:

20101 Nature of Impact: Site Lot:

Receiving Medium: LAND Site Conc: Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 2/2/1989 Site Map Datum: SAC Action Class: Dt Document Closed:

ERROR Incident Reason: Source Type: Site Name:

Site County/District: Site Geo Ref Meth:

Site:

lot 32 ON

Well ID: 1525294

Construction Date:

Primary Water Use: Cooling And A/C

Sec. Water Use:

Final Well Status: Recharge Well

Water Type: Casing Material:

Audit No: 68536

Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 1/16/1991 Selected Flag: Yes

Abandonment Rec:

Contractor: 3644 Form Version: 1

Owner: Street Name:

County: OTTAWA

Municipality: NEPEAN TOWNSHIP

Site Info: Lot:

ot: 032

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10047034

DP2BR: 63 Spatial Status:

Code OB: r
Code OB Desc: Bedrock

Open Hole:

Cluster Kind:

Date Completed: 11/13/1990

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931060708

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

 Most Common Material:
 LIMESTONE

Mat2: Mat2 Desc: Mat3:

Mat3: Mat3 Desc:

Formation Top Depth: 63
Formation End Depth: 154
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931060707

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: na

Database:

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 14

Most Common Material:HARDPANMat2:12Mat2 Desc:STONES

Mat3: Mat3 Desc:

Formation Top Depth: 50
Formation End Depth: 63
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931060706

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 50
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931060709

 Layer:
 4

Color: 1
General Color: WHITE
Mat1: 18

Most Common Material: SANDSTONE

Mat2: 15

Mat2 Desc:LIMESTONEMat3:74Mat3 Desc:LAYEREDFormation Top Depth:154Formation End Depth:203Formation End Depth UOM:ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961525294

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10595604

Casing No:

Comment: Alt Name:

Construction Record - Casing

 Casing ID:
 930082343

 Layer:
 2

Material:

OPEN HOLE Open Hole or Material:

Depth From: 203 Depth To: Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

930082342 Casing ID:

Layer: 1 Material:

STEEL Open Hole or Material:

Depth From:

66 Depth To: Casing Diameter: 6 Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991525294

Pump Set At:

Static Level: 25 Final Level After Pumping: 80 Recommended Pump Depth: 80 Pumping Rate: 15 Flowing Rate:

Recommended Pump Rate: 12 Levels UOM: ft GPM Rate UOM: Water State After Test Code:

CLOUDY Water State After Test: Pumping Test Method: **Pumping Duration HR:** 1 Pumping Duration MIN: 0 Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934387112

Test Type:

30 Test Duration: Test Level: 80 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934111708

Test Type:

Test Duration: 15 80 Test Level: Test Level UOM: ft

Draw Down & Recovery

934905255 Pump Test Detail ID:

Test Type:

60 Test Duration: Test Level: 80 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934648076

 Test Type:

 Test Duration:
 45

 Test Level:
 80

 Test Level UOM:
 ft

Water Details

Water ID: 933484247

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 198
Water Found Depth UOM: ft

Site:

| lot 31 | ON | Database: WWIS | WWIS |

Well ID: 1526253 Data Entry Status:

Construction Date: Data Src: 1

Primary Water Use:IrrigationDate Received:6/26/1992Sec. Water Use:Selected Flag:Yes

Final Well Status:Abandonment Rec:Water Type:Contractor:2425Casing Material:Form Version:1

Audit No: 64227 Owner:
Tag: Street Name:

Construction Method: County: OTTAWA

Elevation (m):Municipality:NEPEAN TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock: Lot: 031

Well Depth: Concession:

Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

 Bore Hole ID:
 10047971
 Elevation:

 DP2BR:
 15
 Elevrc:

Spatial Status: Zone: 18

Code OB:rEast83:Code OB Desc:BedrockNorth83:Open Hole:Org CS:

 Cluster Kind:
 UTMRC:
 9

 Date Completed:
 6/8/1992
 UTMRC Desc:
 unknown UTM

Remarks: Unikitowin o Tivi

Order No: 21011600014

Elevrc Desc:
Location Source Date:

Overburden and Bedrock

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Formation ID: 931063640

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 26

 Most Common Material:
 ROCK

 Mat2:
 18

Mat2 Desc: SANDSTONE

Mat3: 74

Mat3 Desc:LAYEREDFormation Top Depth:15Formation End Depth:320Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 931063639

Layer: 1 **Color:** 6

General Color: BROWN Mat1: 05
Most Common Material: CLAY Mat2: 13

Mat2 Desc: BOULDERS

Mat3:73Mat3 Desc:HARDFormation Top Depth:0Formation End Depth:15Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 931063641

Layer: 3

Color: 1

General Color: WHITE **Mat1:** 18

Most Common Material: SANDSTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 320
Formation End Depth: 400
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933111589

 Layer:
 1

 Plug From:
 4

 Plug To:
 22

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: 961526253

Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 10596541

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930083966

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 22
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991526253

Pump Set At:

30 Static Level: Final Level After Pumping: 400 Recommended Pump Depth: 380 Pumping Rate: 12 Flowing Rate: Recommended Pump Rate: 12 Levels UOM: ft **GPM** Rate UOM: Water State After Test Code:

Water State After Test: CLOUDY

Pumping Test Method:

Pumping Duration HR:2Pumping Duration MIN:0Flowing:No

Draw Down & Recovery

 Pump Test Detail ID:
 934908595

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 35

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934651397

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 60

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934106822

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 200

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934390456

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 125

 Test Level UOM:
 ft

Water Details

Water ID: 933485490

Layer: Kind Code:

FRESH Kind: Water Found Depth: 320 Water Found Depth UOM: ft

Site: Database: lot 31 ON **WWIS**

1526254 Data Entry Status:

Well ID: Construction Date: Data Src:

Primary Water Use: Irrigation Date Received: 6/26/1992 Sec. Water Use: Yes

Selected Flag: Final Well Status: Water Supply Abandonment Rec:

2425 Water Type: Contractor: Casing Material: Form Version: 1

Audit No: 64228 Owner: Tag: Street Name:

Construction Method: County: **OTTAWA**

NEPEAN TOWNSHIP Elevation (m): Municipality: Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 031

Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: UTM Reliability: Flow Rate:

Bore Hole Information

Clear/Cloudy:

Cluster Kind:

10047972 Bore Hole ID: Elevation: DP2BR: 12 Elevrc:

Spatial Status: Zone: 18

Code OB: East83: Code OB Desc: Bedrock North83: Open Hole: Org CS:

UTMRC: Date Completed: 6/9/1992 UTMRC Desc: unknown UTM

Location Method: Remarks: na

Elevrc Desc: Location Source Date:

Overburden and Bedrock

Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

931063643 Formation ID: Layer: 2

Color: 2 General Color: **GREY** Mat1: 15

LIMESTONE Most Common Material:

Mat2: 18 SANDSTONE

Mat2 Desc: Mat3: 74

LAYERED Mat3 Desc: Formation Top Depth: 12 Formation End Depth: 310 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931063642

Layer: Color: 6 General Color: **BROWN** Mat1: 05 Most Common Material: CLAY Mat2: 13

BOULDERS Mat2 Desc: Mat3: 73 Mat3 Desc: HARD Formation Top Depth: 0 Formation End Depth: 12 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931063644

Layer: 3 Color: WHITE General Color: Mat1: 18

Most Common Material: SANDSTONE

Mat2: 85 Mat2 Desc: SOFT

Mat3: Mat3 Desc:

Formation Top Depth: 310 Formation End Depth:

380 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

933111590 Plug ID:

Layer: 0 Plug From: 22 Plug To: Plug Depth UOM: ft

Method of Construction & Well

Method Construction ID: 961526254

Method Construction Code:

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

10596542 Pipe ID:

Casing No:

Comment: Alt Name:

Construction Record - Casing

930083967 Casing ID:

Layer: Material: Open Hole or Material: STEEL

Depth From:

Depth To: 22 Casing Diameter: 6

Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991526254

Pump Set At:

Static Level:30Final Level After Pumping:380Recommended Pump Depth:300Pumping Rate:40Flowing Rate:40

 Recommended Pump Rate:
 40

 Levels UOM:
 ft

 Rate UOM:
 GPM

 Water State After Test Code:
 2

 Water State After Test:
 CLOUDY

Pumping Test Method:

Pumping Duration HR: 2
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934106823

Test Type:

Test Duration: 15
Test Level: 200
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934390457

Test Type:

 Test Duration:
 30

 Test Level:
 30

 Test Level UOM:
 ft

Water Details

 Water ID:
 933485491

 Layer:
 1

Kind Code: 1
Kind: FRESH
Water Found Depth: 360
Water Found Depth UOM: ft

Site:

lot 31 ON

Database:

WWIS

Site Info:

Order No: 21011600014

Well ID: 1528149 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Not Used Date Received: 8/30/1994
Sec. Water Use: Selected Flag: Yes
Final Well Status: Observation Wells Abandonment Rec:

Water Type: Contractor: 6844
Casing Material: Form Version: 1

Audit No: 149112 Owner:
Tag: Street Name:

Construction Method: County: OTTAWA
Elevation (m): Municipality: OTTAWA CITY

Depth to Bedrock: Lot: 031

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:

Elevation Reliability:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049688

DP2BR: Spatial Status:

Code OB:

Unknown type above a bedrock layer Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 7/27/1994

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:**

Overburden and Bedrock

Materials Interval

Formation ID: 931068739

Layer: 6 Color: General Color: **BROWN**

Mat1: 05 CLAY Most Common Material: Mat2: 11 GRAVEL Mat2 Desc:

Mat3: Mat3 Desc:

Formation Top Depth: 2 Formation End Depth: 3 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

931068737 Formation ID:

Layer: Color: 8 General Color: **BLACK** Mat1: 00

UNKNOWN TYPE Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 2 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931068741

Layer: 5 Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 21011600014

Location Method: na **Mat2:** 74

Mat2 Desc: LAYERED

Mat3: Mat3 Desc:

Formation Top Depth: 4
Formation End Depth: 20
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931068740

 Layer:
 4

 Color:
 6

 General Color:
 BROWN

 Mat1:
 08

Most Common Material: FINE SAND

Mat2: 11

Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 3
Formation End Depth: 4
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931068738

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 21

 Most Common Material:
 GRANITE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 2
Formation End Depth: 2
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933113005

 Layer:
 3

 Plug From:
 9

 Plug To:
 20

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933113004

 Layer:
 2

 Plug From:
 7

 Plug To:
 9

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933113003

 Layer:
 1

 Plug From:
 3

Plug To: Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

961528149 **Method Construction ID: Method Construction Code: Method Construction:** Boring

Other Method Construction:

Pipe Information

10598258 Pipe ID: Casing No:

Comment: Alt Name:

Construction Record - Casing

930086839 Casing ID:

Layer: Material:

PLASTIC Open Hole or Material:

Depth From:

Depth To: 20 Casing Diameter: 2 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933326495 Layer: 010 Slot:

Screen Top Depth: 10 Screen End Depth: 20 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2

Site:

Database: lot 32 ON

Order No: 21011600014

Well ID: 1531568

Data Entry Status: Construction Date: Data Src:

Primary Water Use: 11/17/2000 Date Received: Sec. Water Use: Selected Flag: Yes

Dewatering Final Well Status: Abandonment Rec: Water Type: Contractor:

1414 Casing Material: Form Version: 1 Audit No: 224542 Owner:

Tag: Street Name: **Construction Method: OTTAWA** County:

Elevation (m): Municipality: **OTTAWA CITY** Elevation Reliability: Site Info: Depth to Bedrock: Lot: 032

Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

10053102 Bore Hole ID: DP2BR: 16

Spatial Status: Code OB:

Code OB Desc: Bedrock

Open Hole:

Cluster Kind:

Date Completed: 11/6/2000

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

931078876 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE Mat2:

Mat2 Desc: **FRACTURED**

Mat3:

Mat3 Desc:

16 Formation Top Depth: Formation End Depth: 23 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931078874

Layer: 2 Color: General Color: **BROWN** Mat1: 13

BOULDERS Most Common Material:

Mat2: 11 Mat2 Desc: **GRAVEL** 28 Mat3: Mat3 Desc: SAND Formation Top Depth: 3 Formation End Depth: 12 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931078873

Layer: Color: 6

BROWN General Color: Mat1: 11 Most Common Material: **GRAVEL** Mat2: 28 Mat2 Desc: SAND Mat3: 01 Mat3 Desc: **FILL**

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 21011600014

Location Method: na

Formation Top Depth:

Formation End Depth: 3
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931078875

Layer: 3 **Color:** 6

General Color: **BROWN** 28 Mat1: Most Common Material: SAND Mat2: 11 GRAVEL Mat2 Desc: Mat3: 34 TILL Mat3 Desc: 12 Formation Top Depth:

16

ft

Annular Space/Abandonment

Formation End Depth UOM:

Sealing Record

Formation End Depth:

Plug ID: 933116739

 Layer:
 1

 Plug From:
 0

 Plug To:
 15

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961531568

Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 10601672

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930092999

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930093000

Layer: 2
Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:

Casing Diameter: 10

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930093001

Layer: 3

Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter:8Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991531568

Pump Set At:
Static Level: 10
Final Level After Pumping: 10
Recommended Pump Depth: 20
Pumping Rate: 10
Flowing Rate:

 Recommended Pump Rate:
 10

 Levels UOM:
 ft

 Rate UOM:
 GPM

 Water State After Test Code:
 2

Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

 Pump Test Detail ID:
 934658119

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 10

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934397184

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 10

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934113985

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 10

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934915010

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 10

 Test Level UOM:
 ft

Water Details

Water ID: 933492077

Layer: Kind Code:

FRESH Kind: Water Found Depth: 17 Water Found Depth UOM: ft

Water Details

Water ID: 933492078

Layer: 2 Kind Code:

FRESH Kind: Water Found Depth: 22 Water Found Depth UOM: ft

Site: Database: lot 32 ON

Well ID: 1525295 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Cooling And A/C 1/16/1991 Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec: Water Type: Contractor: 3644

Casing Material: Form Version: 1 68535 Audit No: Owner:

Tag: Street Name:

Construction Method: OTTAWA County:

Elevation (m): Municipality: **NEPEAN TOWNSHIP** Site Info:

Elevation Reliability: Depth to Bedrock: Lot: 032

Well Depth: Concession: Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83: Northing NAD83: Static Water Level: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10047035 Elevation: DP2BR: 62 Elevrc:

18 Spatial Status: Zone: Code OB: East83:

Code OB Desc: Bedrock North83: Open Hole: Org CS:

Cluster Kind: UTMRC: 9 11/12/1990 UTMRC Desc:

Date Completed: unknown UTM Remarks: Location Method:

Order No: 21011600014

Elevrc Desc: Location Source Date:

Overburden and Bedrock

Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

931060713 Formation ID: Layer:

Color: 1
General Color: WHITE
Mat1: 18

Most Common Material: SANDSTONE

Mat2: 15

Mat2 Desc: LIMESTONE

Mat3:74Mat3 Desc:LAYEREDFormation Top Depth:145Formation End Depth:183Formation End Depth UOM:ft

Overburden and Bedrock Materials Interval

Formation ID: 931060711

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 14

 Most Common Material:
 HARDPAN

 Mat2:
 12

 Mat2 Desc:
 STONES

Mat3: Mat3 Desc:

Formation Top Depth: 47
Formation End Depth: 62
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931060710

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 47
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931060712

 Layer:
 3

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 62
Formation End Depth: 145
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961525295

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10595605

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930082344

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To:65Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930082345

Layer: 2

Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:183Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Results of Well Yield Testing

Pump Test ID: 991525295

Pump Set At:

Static Level:25Final Level After Pumping:80Recommended Pump Depth:80Pumping Rate:15Flowing Rate:15

Recommended Pump Rate: 12 Levels UOM: ft

Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY

Pumping Test Method:1Pumping Duration HR:1Pumping Duration MIN:0Flowing:No

Draw Down & Recovery

Pump Test Detail ID: 934648077

Test Type:

 Test Duration:
 45

 Test Level:
 80

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934111709

Test Type: Test Duration: 15 80 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934905256

Test Type: 60 Test Duration: Test Level: 80 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934387113

Test Type:

Test Duration: 30 Test Level: 80 Test Level UOM: ft

Water Details

933484248 Water ID:

Layer: 1

Kind Code: Kind: **FRESH**

Water Found Depth: 177 Water Found Depth UOM: ft

Site: Database: **WWIS** lot 31 ON

1519740 Well ID: Data Entry Status:

Construction Date: Data Src:

6/24/1985 Primary Water Use: Domestic Date Received:

Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec: Water Type: Contractor: 3644

Casing Material: Form Version: 1 Audit No: Owner:

Tag: Street Name: **OTTAWA** Construction Method: County:

NEPEAN TOWNSHIP Municipality: Elevation (m):

Site Info: Elevation Reliability: 031

Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name:

Easting NAD83: Pump Rate: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10041593 Elevation:

DP2BR: Elevrc:

18 Spatial Status: Zone:

Code OB: East83: Code OB Desc: Overburden North83: Open Hole: Org CS:

Cluster Kind: **UTMRC**:

Date Completed: 4/1/1985 UTMRC Desc: unknown UTM

Order No: 21011600014

Remarks: Location Method: na Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931042565

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 14

 Most Common Material:
 HARDPAN

Mat2: 11
Mat2 Desc: GRAVEL

Mat3:

Mat3 Desc:

Formation Top Depth: 70
Formation End Depth: 96
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931042564

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 70
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931042566

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

Most Common Material: GRAVEL

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 96
Formation End Depth: 98
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961519740

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10590163

Casing No: Comment:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930072632

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To: 98
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991519740

Pump Set At:

Static Level: 0
Final Level After Pumping: 20
Recommended Pump Depth: 25
Pumping Rate: 50
Flowing Rate:

Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2

Water State After Test: CLOUDY Pumping Test Method: 1

Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934384358

Test Type:

 Test Duration:
 30

 Test Level:
 20

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934108648

 Test Type:

 Test Duration:
 15

 Test Level:
 20

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934894682

 Test Type:

 Test Duration:
 60

 Test Level:
 20

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934654898

Test Type:

Test Duration: 45 20 Test Level: Test Level UOM: ft

Water Details

Water ID: 933476799

Layer: Kind Code:

FRESH Kind: Water Found Depth: 98

Water Found Depth UOM:

Site: lot 32 ON

Well ID: 1536399

Construction Date: Primary Water Use: Sec. Water Use:

Final Well Status: Abandoned-Other

Water Type:

Casing Material: Z34812 Audit No:

Tag:

Construction Method: Elevation (m): Elevation Reliability:

Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 6/19/2006 Selected Flag: Yes Abandonment Rec: Yes Contractor: 6964 Form Version: 3

Database:

Order No: 21011600014

Owner:

Street Name:

OTTAWA County: Municipality: 15000 Site Info: Lot: 032

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 11550465

DP2BR: Spatial Status: Code OB:

Code OB Desc: Unknown type in the lower layers(s)

Open Hole:

Cluster Kind:

Date Completed: 5/6/2006

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 933057971

Layer:

Color: General Color:

Mat1: Most Common Material:

Mat2: Mat2 Desc: Elevation: Elevrc: Zone: East83: North83:

Org CS: **UTMRC:**

UTMRC Desc: unknown UTM

Location Method:

Mat3: Mat3 Desc:

Formation Top Depth: .77
Formation End Depth: 4.87
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933057970

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 84

 Mat2 Desc:
 SILTY

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: .77
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933293797

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 4.87

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 933293796

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.5

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961536399

Method Construction Code: Method Construction: Other Method Construction:

Pipe Information

 Pipe ID:
 11560072

 Casing No:
 1

Comment: Alt Name:

<u>Site:</u>

| lot 31 | ON | Database: | WWIS | |

Order No: 21011600014

Well ID: 1534734 Data Entry Status:

Construction Date: Data Src.

Primary Water Use: Not Used Date Received: 6/10/2004
Sec. Water Use: Selected Flag: Yes
Final Well Status: Not A Well Abandonment Rec:
Water Type: Contractor: 6907

Casing Material:

265833 Audit No:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Form Version: 2

Owner: Street Name:

OTTAWA County: Municipality: **OTTAWA CITY**

Site Info:

Lot:

031

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 11097509

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole: Cluster Kind:

Date Completed: 5/31/2004

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

932942463 Formation ID:

Layer:

Color:

General Color:

Mat1:

Most Common Material: PREV. DRILLED

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0 Formation End Depth: 40 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961534734

Method Construction Code:

Method Construction: Other Method

Other Method Construction:

Pipe Information

Pipe ID: 11101224

Casing No:

Comment: Alt Name:

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 21011600014

Location Method:

Results of Well Yield Testing

Pump Test ID: 991534734

Pump Set At: Static Level: 8

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: ft Rate UOM: GPM

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing: No

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 21011600014

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jun 30, 2020

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2018

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Jun 30, 2020

Compressed Natural Gas Stations:

Private CNC

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Sep 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

COAL

Order No: 21011600014

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2020

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Nov 30, 2020

<u>Drill Hole Database:</u> Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Jul 31, 2020

Environmental Activity and Sector Registry:

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Dec 31, 2020

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Nov 30, 2020

Environmental Compliance Approval:

Provincial FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Dec 31, 2020

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Oct 31, 2020

Environmental Issues Inventory System:

Federal

EIIS

Order No: 21011600014

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

ECS.

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2020

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

Order No: 21011600014

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2018

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

Order No: 21011600014

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Sep 30, 2020

National Energy Board Wells:

Federal

NEBP

Order No: 21011600014

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2020

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Nov 30, 2020

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 21011600014

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Dec 31, 2020

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 31, 2020

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Nov 30, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jun 30, 2020

Scott's Manufacturing Directory:

Private

SCT

Order No: 21011600014

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Nov 2019; Jul 2020 - Aug 2020

Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the

Provincial

Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Private Anderson's Storage Tanks: **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2019

Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Dec 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial **WDSH**

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 21011600014

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2020

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX 6
Physical Setting Report



Property Information

Order Number: 21011600014p

Date Completed: January 20, 2021

Project Number:

Project Property: 349 Danforth Avenue ESA Phase I

349 Danforth Avenue Ottawa ON K2A 0E1

Coordinates:

Latitude: 45.3913044 Longitude: -75.7541952

UTM Northing: 5026697.48014 Metres UTM Easting: 440963.894314 Metres

UTM Zone: UTM Zone 18T Elevation: 68.81 m NW

Property Information	1
Topographic Information	2
Hydrologic Information	
Geologic Information	
Soil Information	
Wells and Additional Sources.	
Report Summary	
Detail Report	
Radon Information.	
Area of Natural and Scientific Interest	
Appendix	
Liability Notice	62

The ERIS *Physical Setting Report - PSR* provides comprehensive information about the physical setting around a site and includes a complete overview of topography as well as hydrologic, geologic and soil characteristics. The location and detailed attributes of oil and gas wells, water wells, and radon are also included for review.


The compilation of both physical characteristics of a site and additional attribute data is useful in assessing the impact of migration of contaminants and subsequent impact on soils and groundwater.

Disclaimer

This Report does not provide a full environmental evaluation for the site or adjacent properties. Please see the terms and disclaimer at the end of the Report for greater detail.

Order No: 21011600014p

Topographic Information




Topographic Information

The previous topographic map(s) show general topographic information in the surrounding area of the project property, using Toporama data or a provincial source when available. Below are shaded relief map(s), derived from Digital Elevation data to depict terrain in further detail.


Topographic information at project property:


Elevation: 68.81 m Slope Direction: NW



Order No: 21011600014p

Hydrologic Information





Detailed bedrock geology information about each unit within the search radius is provided below.

Unit ID 19242

Unit Name:

Rock Type: Limestone, dolostone, shale, arkose, sandstone


Strata: Ottawa Group; Simcoe Group; Shadow Lake Formation

Super Eon:

Eon: PHANEROZOIC (Present to 542.0 Ma)
Era: PALEOZOIC (251.0 Ma to 542.0 Ma)
Period: ORDOVICIAN (443.7 Ma to 488.3 Ma)

Epoch: MIDDLE ORDOVICIAN (now considered UPPER DEVONIAN)

Province: Tectonic Zone:



Detailed surficial geology information about each unit within the search radius is provided below.

Unit ID 1a

Geological Deposit: Till

Deposit Age: Quaternary Primary Material: diamicton

Secondary Material:

Primary General: glacial

Primary General Modifier:

Veneer:

Episode: Wisconsin
Sub Episode: Michigan
Strata Modifier: Surface
Provenance: N-NE

Carbon Content:

Formation: Undifferentiated silty-sandy till on Paleozoic terrain

Permeability: Low-Medium

Material Description: Sandy and silty compact diamicton, grey at depth but brown where oxidized;

calcareous where derived from sedimentary rocks and not leached; consists dominantly of lodgment till. In areas that lie below marine limit (198 m a.s.l.) it is overlain by a discontinuous lag consisting of gravel, sand and boulders

Unit ID Pa

Geological Deposit:

Deposit Age:

Paleozoic

Primary Material: Paleozoic Bedrock

Secondary Material:

Primary General:

Primary General Modifier:

Veneer: clay, silt, sand, gravel, diamicton

Episode:

Sub Episode:

Strata Modifier: Surface

Provenance:
Carbon Content:

Formation:

Permeability: Variable

Material Description: Limestone, dolomite, sandstone, and locally shale; relatively flat lying; mainly

occuring as bare, tabular outcrops; includes areas thinly veneered by

Order No: 21011600014p

unconsolidated Quaternary sediments up to 1 m (3 ft) thick.

Unit ID 3a

Geological Deposit:


Deposit Age:

Offshore marine deposits

Quaternary (Champlain Sea)

Primary Material: clay, silt Secondary Material: Primary General: glaciomarine Primary General Modifier: foreshore/basinal Veneer: silt, sand Episode: Wisconsin Sub Episode: Michigan Strata Modifier: Surface Provenance: Carbon Content: Formation: Permeability: Low Material Description: Clay and silt underlying erosional terraces; upper part of marine deposits removed to variable depths by fluvial erosion so in places clay is uniform bluegrey; unit includes lenses, bars and channel fills to sand and pockets of nonmarine silt that were formed during terrace (or channel) cutting. **Unit ID 6b** Geological Deposit: Alluvial deposits Deposit Age: Recent Primary Material: sand Secondary Material: silt Primary General: fluvial Primary General Modifier: abandoned floodplain Veneer: Episode: Hudson Sub Episode: Strata Modifier: Surface Provenance: Carbon Content: Formation: Variable Permeability: Material Description: Medium grained stratified sand with some silt; in the form of fluvial terraces and channels cut in marine clay, and bars and spits within abandoned channels.

Soil Information



This map shows soil units around the target property. Please refer to the report for detailed soil descriptions.



Soil Information

Detailed soil information about each unit within the search radius is provided below.

Ontario Detailed Soil Survey (DSS3)

Polygon ID: OND401072947

Component

Component ID: OND40107294701 **Components(%):** 100

Soil Name ID: ONZUN~~~~N Slope Steepness(%): Unknown or Not applicable

Component No: 1 Slope Length(m): -

Surface Stoniness Not Applicable

Class:

Component Rating

Field Crops Capability: First CLI Limitation

Subclass:

Second CLI Limitation

Subclass:

Drainage: Not Applicable

Soil Texture of A

Horizon:

Hydrological Soil

Groups:

Soil Name

Soil Name: UNCLASSIFIED
Kind of Surface Material: Unclassified
Soil Drainage Class: Not applicable
Water Table Unspecified period

Charateristics:

Layer that Restricts Root No root restricting layer

Growth:

Type of Root Restricting n/


Layer:


Parent Material 1, 2, 3: Not Applicable; Not Applicable; Not Applicable; Not Applicable; Not Applicable; Not Applicable

1,2,3:

Parent Material Chemical Not Applicable; Not Applicable; Not Applicable

Property 1,2,3:





Wells and Additional Sources Summary

Federal Sources

National Energy Board Wells

Map Key ID Distance (m) Direction

No records found

Provincial Sources

Ontario Oil and Gas Wells

Map Key ID Distance (m) Direction

No records found

Provincial Groundwater Monitoring Network

Map Key ID Distance (m) Direction

No records found

Water Well Information System

Мар Кеу	Well ID Distance (m)		Direction	
1	7198182	91.14	WSW	
2	7218229	104.63	SE	
3	7305577	105.05	WNW	
4	7218235	105.85	S	
5	7295754	106.55	NE	
6	7171703	121.73	N	
7	7303998	126.21	WSW	
8	7303999	126.25	WSW	
9	7305578	128.49	WSW	
10	7218228	129.14	SE	
11	7218236	141.52	SSW	
12	7292792	157.6	NNE	
13	7154750	180.35	SE	
14	7180984	204.11	W	
15	7233985	237.97	NNW	

Private Sources

Oil and Gas Wells

Map Key ID Distance (m) Direction

Order No: 21011600014p

No records found

Water Well Information System

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
1	WSW	0.09	91.14	68.85	wwis
Well ID: Construction Date:	7198	182	Data Entry Status: Data Src:		
Primary Water Use	: Monit	toring and Test Hole	Data Sic. Date Received:	3/7/2013	
Sec. Water Use: Final Well Status:	Test	Hole	Selected Flag: Abandonment Rec:	Yes	
Water Type:			Contractor:	7241	
Casing Material: Audit No:	Z163	364	Form Version: Owner:	7	
Tag: Construction Method Elevation (m): Elevation Reliability Depth to Bedrock: Well Depth: Overburden/Bedrock Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Map):	A141 od: /: ck:		Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	380 RICHMOND ROAD OTTAWA NEPEAN TOWNSHIP	
Bore Hole ID: DP2BR: Spatial Status:	1004	260983	Elevation: Elevrc: Zone:	67.462875 18	
Code OB:			East83:	440878	
Code OB Desc: Open Hole:			North83: Org CS:	5026667 UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed: Remarks:	1/25/	2013	UTMRC Desc: Location Method:	margin of error : 30 m - 100 wwr) m
Elevrc Desc:			Essation Motified.	****	
Location Source Da Improvement Locat Source: Improvement Locat	ion				
Method: Source Revision Comment: Supplier Comment:					

Formation ID: 1004820108

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND
Mat3: 77

Mat3 Desc: LOOSE
Formation Top Depth: .31
Formation End Depth: .61
Formation End Depth m

UOM:

Formation ID: 1004820110

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

Mat3: 74

Mat3 Desc: LAYERED
Formation Top Depth: 1.22
Formation End Depth: 10.67
Formation End Depth m

UOM:

Formation ID: 1004820107

Layer: 1
Color: 7
General Color: RED

Mat1:

Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: .31
Formation End Depth m

UOM:

Formation ID: 1004820109

Layer: 3 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc:GRAVELMat3:85Mat3 Desc:SOFTFormation Top Depth:.61Formation End Depth:1.22

UOM:

Formation End Depth

Plug ID: 1004820120

m

 Layer:
 2

 Plug From:
 0.31

 Plug To:
 7.01

 Plug Depth UOM:
 m

Plug ID: 1004820119

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.31

 Plug Depth UOM:
 m

Plug ID: 1004820121

 Layer:
 3

 Plug From:
 7.01

 Plug To:
 10.67

 Plug Depth UOM:
 m

Method Construction ID: 1004820118

Method Construction 5

Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe ID: 1004820106

Casing No: 0

Comment:

Alt Name:

Casing ID: 1004820114

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 7.62
Casing Diameter: 4.03
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004820115

Layer: 1 Slot: 10 Screen Top Depth: 7.62 Screen End Depth: 10.67 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.82

Water ID: 1004820113

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004820112

Diameter: 7.62

Depth From: 1.52

Depth To: 10.67

Hole Depth UOM: m

Hole Diameter UOM: cm

 Hole ID:
 1004820111

 Diameter:
 11.43

 Depth From:
 0

 Depth To:
 1.52

 Hole Depth UOM:
 m

Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
2	SE	0.10	104.63	70.70	WWIS
Well ID: Construction Date: Primary Water Use		229	Data Entry Status: Data Src: Date Received:	3/21/2014	
Sec. Water Use: Final Well Status: Water Type: Casing Material:		doned-Other	Selected Flag: Abandonment Rec: Contractor: Form Version:	Yes Yes 1558 7	
Audit No: Tag: Construction Method Elevation (m): Elevation Reliability Depth to Bedrock: Well Depth: Overburden/Bedrood Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	y: ck:		Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	345 RAVENHURS OTTAWA NEPEAN TOWNSH	ΗIP
PDF URL (Map):	https:/	//d2khazk8e83rdv.cloudfro	nt.net/moe_mapping/downlo	pads/2Water/Wells_pdfs/721	\7218229.pdf
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc:	10047	724844	Elevation: Elevrc: Zone: East83: North83:	76.743453 18 441043 5026629	
Open Hole: Cluster Kind: Date Completed:	7/25/2	2013	Org CS: UTMRC: UTMRC Desc:	UTM83 4 margin of error : 30	m - 100 m
Remarks: Elevrc Desc: Location Source Danier Source: Improvement Location Source: Improvement Location Source Revision Comment: Supplier Comment	tion		Location Method:	WWI	

 Plug ID:
 1005101933

 Layer:
 1

 Plug From:
 137.15

 Plug To:
 1.82

 Plug Depth UOM:
 m

Method Construction ID: 1005101932

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1005101926

Casing No: 0

Comment: Alt Name:

Casing ID: 1005101930

Layer: Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter:

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1005101931

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Water ID: 1005101929

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1005101928

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
3	WNW	0.11	105.05	67.99	WWIS

Well ID: 7305577 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Test Hole Date Received: 2/13/2018 Sec. Water Use: Monitoring Selected Flag: Yes

Final Well Status: Abandonment Rec: **Observation Wells**

Water Type: Contractor: 7241 Form Version: Casing Material: 7

Audit No: Z277516 Owner:

Tag: A190061 Street Name: 388 RICHMOND RD

Construction Method: County: **OTTAWA OTTAWA CITY** Elevation (m): Municipality:

Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map):

DP2BR:

Bore Hole ID: 1006985625 Elevation:

Zone: **Spatial Status:**

18 Code OB: East83: 440864 Code OB Desc: North83: 5026730 Open Hole: Org CS: **UTM83**

Cluster Kind: UTMRC:

Date Completed: UTMRC Desc: 1/16/2018 margin of error: 30 m - 100 m

Elevrc:

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:

Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Formation ID: 1007145562

Layer: 1 Color: 6

General Color: **BROWN**

Mat1: 28 Most Common Material: SAND Mat2: 06 Mat2 Desc: SILT Mat3: 77 Mat3 Desc: LOOSE

Formation Top Depth: Formation End Depth: 3.5 Formation End Depth ft

UOM:

Formation ID: 1007145563

2 Layer: Color: 2 General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

Mat3: 73 Mat3 Desc: **HARD** Formation Top Depth: 3.5 Formation End Depth: 5.5 Formation End Depth ft

UOM:

Formation ID: 1007145564

Layer: 3 2 Color: General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

Mat3: 73

Mat3 Desc: HARD

Formation Top Depth: 5.5

Formation End Depth: 11

Formation End Depth ft

UOM:

Plug ID: 1007145575

 Layer:
 3

 Plug From:
 5.5

 Plug To:
 11

 Plug Depth UOM:
 ft

Plug ID: 1007145574

 Layer:
 2

 Plug From:
 1

 Plug To:
 5.5

 Plug Depth UOM:
 ft

Plug ID: 1007145573

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Method Construction ID: 1007145572

Method Construction

Code:

ode:

D

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1007145561

Casing No: 0

Comment: Alt Name:

Casing ID: 1007145568

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0

Depth To: 6
Casing Diameter: 1.38
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1007145569

1 Layer: Slot: 10 6 Screen Top Depth: Screen End Depth: 11 5 Screen Material: ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 1.66

Water ID: 1007145567

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1007145566

Diameter: 2.375

Depth From: 4

Depth To: 11

Hole Depth UOM: ft

Hole Diameter UOM: inch

Hole ID: 1007145565

Diameter: 2.875

Depth From: 0

Depth To: 4

Hole Depth UOM: ft

Hole Diameter UOM: inch

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
4	S	0.11	105.85	70.90	WWIS

Order No: 21011600014p

Well ID: 7218235 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 3/21/2014

Sec. Water Use: Selected Flag: Yes
Final Well Status: Abandoned-Other Abandonment Rec: Yes
Water Type: Contractor: 1558

Casing Material: Form Version: 7

Audit No: Z172518 Owner:

Tag: Street Name: 345 RAVENHURST AVE. WELL #2

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability:

Depth to Bedrock:

Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218235.pdf

Bore Hole ID: 1004724862 Elevation: 75.069595

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 440955

 Code OB Desc:
 North83:
 5026592

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 7/25/2013 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: digit

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Re

Source Revision

Comment:

Supplier Comment:

Plug ID: 1005101999

Layer: 1

Plug From: 137.15
Plug To: 1.82
Plug Depth UOM: m

Method Construction ID: 1005101998

Method Construction Code: Method Construction:	
Other Method Construction:	
Pipe ID:	1005101992
Casing No:	0
Comment:	· ·
Alt Name:	
Casing ID:	1005101996
Layer:	
Material:	
Open Hole or Material:	
Depth From:	
Depth To:	
Casing Diameter:	om
Casing Diameter UOM: Casing Depth UOM:	cm m
caomig Dopur Colvi.	
Screen ID:	1005101997
Layer:	
Slot:	
Screen Top Depth:	
Screen End Depth:	
Screen Material:	
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	
Water ID:	1005101995
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m
Hole ID:	1005101994
Diameter:	
Depth From:	
Depth To:	
Hole Depth UOM:	m

Hole Diameter UOM:

cm

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
5	NE	0.11	106.55	69.78	WWIS
Well ID:	7295	754	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use	: Test	Hole	Date Received:	9/29/2017	
Sec. Water Use:	Monit	toring	Selected Flag:	Yes	
Final Well Status:	Monit	toring and Test Hole	Abandonment Rec:		
Water Type:			Contractor:	7241	
Casing Material:			Form Version:	7	
Audit No:	Z258	542	Owner:		
Tag:	A189	841	Street Name:	324 RICHMOND ROAD	
Construction Metho	od:		County:	OTTAWA	
Elevation (m):			Municipality:	OTTAWA CITY	
Elevation Reliability	<i>r</i> :		Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedroo	ck:		Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:			•		
PDF URL (Map):					
Bore Hole ID:	1006	738446	Elevation:	68.905883	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	18	
Code OB:			East83:	441037	
Code OB Desc:			North83:	5026775	
Open Hole:			Org CS:	UTM83	
Cluster Kind:			UTMRC:	4	
Date Completed:	8/21/	2017	UTMRC Desc:	margin of error : 30 m - 100	m
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Da	ate:				
Improvement Locat Source: Improvement Locat Method: Source Revision					
Comment: Supplier Comment:					

Formation ID: 1006884699

Layer: 2 Color: 6

General Color: BROWN Mat1: 09

Most Common Material: MEDIUM SAND

Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 85

Mat3 Desc: SOFT

Formation Top Depth: 1

Formation End Depth: 3

Formation End Depth ft

UOM:

Formation ID: 1006884700

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 74

Mat2 Desc: LAYERED

Mat3: 73

Mat3 Desc: HARD

Formation Top Depth: 3

Formation End Depth: 4

Formation End Depth ft

UOM:

Formation ID: 1006884698

 Layer:
 1

 Color:
 8

 General Color:
 BLACK

 Mat1:
 11

Most Common Material: GRAVEL

 Mat2:
 73

 Mat2 Desc:
 HARD

 Mat3:
 79

 Mat3 Desc:
 PACKED

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth ft

UOM:

Plug ID: 1006884712

 Layer:
 4

 Plug From:
 19

 Plug To:
 40

 Plug Depth UOM:
 ft

Plug ID: 1006884709

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Plug ID: 1006884711

 Layer:
 3

 Plug From:
 2

 Plug To:
 19

 Plug Depth UOM:
 ft

Plug ID: 1006884710

 Layer:
 2

 Plug From:
 1

 Plug To:
 2

 Plug Depth UOM:
 ft

Method Construction ID: 1006884708

D

Method Construction

Code:

Method Construction: Direct Push
Other Method DIAMOND

Construction:

Pipe ID: 1006884697

Casing No: 0

Comment: Alt Name:

Casing ID: 1006884704

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 20

Casing Diameter: 1.38
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1006884705

Layer: 1 Slot: 10 Screen Top Depth: 20 Screen End Depth: 40 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.66

Water ID: 1006884703

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1006884702

Diameter: 2.375

Depth From: 4

Depth To: 40

Hole Depth UOM: ft

Hole Diameter UOM: inch

Hole ID: 1006884701

Diameter: 2.875

Depth From: 0

Depth To: 4

Hole Depth UOM: ft

Hole Diameter UOM: inch

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
6	N	0.12	121.73	68.56	WWIS

Order No: 21011600014p

Well ID: 7171703 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring and Test Hole Date Received: 11/15/2011
Sec. Water Use: 0 Selected Flag: Yes

Final Well Status: Test Hole Abandonment Rec:

Water Type: Contractor: 7241
Casing Material: Form Version: 7

Audit No: Z134378 Owner:

Tag: A106606 Street Name: 337 RICHMOND RD

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability:

Depth to Bedrock:

Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7171703.pdf

Bore Hole ID: 1003606801 Elevation: 66.915748

DP2BR: Elevro:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 440971

 Code OB Desc:
 North83:
 5026819

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 3

Date Completed: 9/8/2011 UTMRC Desc: margin of error : 10 - 30 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Formation ID: 1004064137

Layer: 1 Color: 6

General Color: BROWN Mat1: 28

Most Common Material: SAND Mat2: 11

Mat2 Desc: GRAVEL

Mat3: 85

Mat3 Desc: SOFT
Formation Top Depth: 0
Formation End Depth: .61
Formation End Depth m

UOM:

Formation ID: 1004064138

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: 68

Mat2 Desc: DRY

Mat3: 73

Mat3 Desc: HARD

Formation Top Depth: .61

Formation End Depth: 9.14

Formation End Depth m

UOM:

Plug ID: 1004064148

 Layer:
 3

 Plug From:
 1.5

 Plug To:
 9.14

 Plug Depth UOM:
 m

Plug ID: 1004064146

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.31

 Plug Depth UOM:
 m

Plug ID: 1004064147

 Layer:
 2

 Plug From:
 0.31

 Plug To:
 1.5

 Plug Depth UOM:
 m

Method Construction ID: 1004064145

Method Construction 5

Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe ID: 1004064136

Casing No: 0

Comment: Alt Name:

Casing ID: 1004064141

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 1.5
Casing Diameter: 4.03
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004064142

Layer: 1 Slot: 10 Screen Top Depth: 1.5 Screen End Depth: 9.14 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.82

Water ID: 1004064140

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1004064139

Diameter: 5.71
Depth From: 0
Depth To: 9.14
Hole Depth UOM: m
Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
7	WSW	0.13	126.21	68.85	WWIS

Well ID: 7303998 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Test Hole Date Received: 1/19/2018
Sec. Water Use: Monitoring Selected Flag: Yes

Final Well Status: Monitoring and Test Hole Abandonment Rec:

Water Type: Contractor: 7241

Casing Material: Form Version: 7

Audit No: Z277536 Owner:

Tag: A182773 Street Name: 388 RICHMOND ROAD

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map):

Bore Hole ID: 1006976690 Elevation:

DP2BR: Elevro:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 440856

 Code OB Desc:
 North83:
 5026632

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC:

Date Completed: 12/15/2017 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 21011600014p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date:
Improvement Location

Source: Improvement Location

Method: Source Revision Comment:

Supplier Comment:

Formation ID: 1007132205

Layer: 2 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 1
Formation End Depth: 3
Formation End Depth ft

UOM:

Formation ID: 1007132204

Layer: 1 Color: 6

General Color: BROWN

Mat1: 10

Most Common Material: COARSE SAND

Mat2: 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth ft

UOM:

Plug ID: 1007132214

Layer: 2
Plug From: 1
Plug To: 2
Plug Depth UOM: ft

Plug ID: 1007132213

Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Plug ID: 1007132215

 Layer:
 3

 Plug From:
 2

 Plug To:
 3

 Plug Depth UOM:
 ft

Method Construction ID: 1007132212

Method Construction

Code:

Method Construction:

Direct Push

D

Other Method Construction:

Pipe ID: 1007132203

Casing No: 0

Comment: Alt Name:

Casing ID: 1007132208

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 2
Casing Diameter: 1.049
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1007132209

Layer: 1 Slot: 10 Screen Top Depth: 2 Screen End Depth: 3 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.315

Water ID: 1007132207

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1007132206

Diameter: 2.375

Depth From: 0
Depth To: 3
Hole Depth UOM: ft
Hole Diameter UOM: inch

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
8	WSW	0.13	126.25	68.85	WWIS

Well ID: 7303999 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Test Hole Date Received: 1/19/2018
Sec. Water Use: Monitoring Selected Flag: Yes

Final Well Status: Monitoring and Test Hole Abandonment Rec:

Water Type: Contractor: 7241
Casing Material: Form Version: 7

Audit No: Z277537 Owner:

Tag: A189804 Street Name: 388 RICHMOND ROAD

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map):

Bore Hole ID: 1006976693 Elevation:

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 440852

 Code OB Desc:
 North83:
 5026639

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 12/15/2017 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

_						
Co	m	m	^	n	٠	
\sim			C	п	L	

Supplier Comment:

Formation ID: 1007132218

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 1
Formation End Depth: 3.5
Formation End Depth ft

UOM:

Formation ID: 1007132217

Layer: 1 Color: 6

General Color: BROWN Mat1: 10

Most Common Material: COARSE SAND

Mat2: 11

Mat2 Desc: GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth ft

UOM:

Plug ID: 1007132227

Layer: 2
Plug From: 1
Plug To: 2
Plug Depth UOM: ft

Plug ID: 1007132228

 Layer:
 3

 Plug From:
 2

 Plug To:
 3.5

 Plug Depth UOM:
 ft

Plug ID: 1007132226

Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Method Construction ID: 1007132225

Method Construction

Code:

Method Construction:

Direct Push

D

Other Method Construction:

Pipe ID: 1007132216

Casing No: 0

Comment: Alt Name:

Casing ID: 1007132221

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 2.5
Casing Diameter: 1.9
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1007132222

Layer: 1 10 Slot: Screen Top Depth: 2.5 Screen End Depth: 3.5 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.61

Water ID: 1007132220

Layer: Kind Code:

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1007132219

Diameter: 3.25

Depth From: 0

Depth To: 3.5

Hole Depth UOM: ft

Hole Diameter UOM: inch

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
9	WSW	0.13	128.49	68.85	WWIS

Well ID: 7305578 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Test Hole Date Received: 2/13/2018
Sec. Water Use: Monitoring Selected Flag: Yes

Final Well Status: Observation Wells Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

Audit No: Z277515 Owner:

Tag: A189839 Street Name: 388 RICHMOND RD

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map):

Bore Hole ID: 1006985628 Elevation:

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 440848

 Code OB Desc:
 North83:
 5026642

 Open Hole:
 Org CS:
 UTM83

Order No: 21011600014p

Cluster Kind: UTMRC: 3

Date Completed: 1/16/2018 UTMRC Desc: margin of error : 10 - 30 m
Remarks: Location Method: gis

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method: Source Revision

Comment: Supplier Comment:

Formation ID: 1007145579

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Mat2 Desc:

Mat3: 73

Mat3 Desc: HARD

Formation Top Depth: 3

Formation End Depth: 5

Formation End Depth ft

UOM:

Formation ID: 1007145577

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 12

Most Common Material: STONES

Mat2:

Mat2 Desc: Mat3:

Mat3 Desc:

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth ft

UOM:

Formation ID: 1007145578

Layer: 2 Color: 6

General Color: BROWN Mat1: 28

Most Common Material: SAND Mat2: 06
Mat2 Desc: SILT

Mat3: Mat3 Desc:

Formation Top Depth: 1
Formation End Depth: 3
Formation End Depth ft

UOM:

Plug ID: 1007145589

Layer: 2
Plug From: 1
Plug To: 2
Plug Depth UOM: ft

Plug ID: 1007145590

Layer: 3
Plug From: 2
Plug To: 5
Plug Depth UOM: ft

Plug ID: 1007145588

Layer: 1
Plug From: 0
Plug To: 1
Plug Depth UOM: ft

Method Construction ID: 1007145587

D

Method Construction

Code:

Method Construction: Direct Push

Other Method Construction:

Pipe ID: 1007145576

Casing No: 0

Comment: Alt Name:

Casing ID: 1007145583

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 2
Casing Diameter: 1.38
Casing Diameter UOM: inch
Casing Depth UOM: ft

Screen ID: 1007145584

1 Layer: Slot: 10 Screen Top Depth: 2 Screen End Depth: 5 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.66

Water ID: 1007145582

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole ID: 1007145581

Diameter: 2.375

Depth From: 4

Depth To: 5

Hole Depth UOM: ft

Hole Diameter UOM: inch

Hole ID: 1007145580

Diameter: 2.875

Depth From: 0

Depth To: 4

Hole Depth UOM: ft

Hole Diameter UOM: inch

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
10	SE	0.13	129.14	71.78	WWIS

Well ID: 7218228 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 3/21/2014

Sec. Water Use: Selected Flag: Yes
Final Well Status: Abandoned-Other Abandonment Rec: Yes

Water Type: Contractor: 1558
Casing Material: Form Version: 7

Audit No: Z172517 Owner:

Tag: Street Name: 345 RAVENHURST AVE. WELL #3

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability: Site Info:

Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218228.pdf

Bore Hole ID: 1004724841 Elevation: 77.372154

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 441053

 Code OB Desc:
 North83:
 5026604

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 7/25/2013 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 21011600014p

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

Supplier Comment:

Plug ID: 1005101925

Layer: 1

Plug From: 137.15
Plug To: 1.82
Plug Depth UOM: m

Method Construction ID: 1005101924 **Method Construction** Code: Method Construction: Other Method Construction: Pipe ID: 1005101918 Casing No: 0 Comment: Alt Name: Casing ID: 1005101922 Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: cm Casing Depth UOM: m Screen ID: 1005101923 Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: Water ID: 1005101921 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: Hole ID: 1005101920 Diameter: Depth From:

Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
11	SSW	0.14	141.52	70.97	wwis

Well ID: 7218236 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 3/21/2014 Sec. Water Use: Selected Flag: Yes Final Well Status: Abandoned-Other Abandonment Rec: Yes 1558

Water Type: Contractor: Form Version: 7 Casing Material:

Z172519 Audit No: Owner:

Tag: Street Name: 345 RAVENHURST AVE. WELL #1

Construction Method: County: **OTTAWA OTTAWA CITY** Elevation (m): Municipality:

Site Info: Elevation Reliability: Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218236.pdf

Bore Hole ID: 1004724871 Elevation: 73.028633

DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 440923 Code OB Desc: North83: 5026562 Open Hole: Org CS: **UTM83** Cluster Kind: UTMRC:

UTMRC Desc: margin of error: 100 m - 300 m Date Completed: 7/25/2013

Order No: 21011600014p

Location Method: Remarks: digit

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision Comment:

erisinfo.com Environmental Risk Information Services

Supplier Comment:

Plug ID: 1005102007

Layer: 1

Plug From: 137.15
Plug To: 1.82
Plug Depth UOM: m

Method Construction ID: 1005102006

Method Construction

Code:

Method Construction:

Other Method Construction:

Pipe ID: 1005102000

Casing No: 0

Comment: Alt Name:

Casing ID: 1005102004

Layer: Material:

Open Hole or Material:

Depth From: Depth To:

Casing Diameter:

Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1005102005

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Water ID: 1005102003

Layer:

Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole ID: 1005102002

Diameter:
Depth From:
Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter UC	OM: cm				
Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
12	NNE	0.16	157.60	68.68	WWIS
Well ID: Construction Date Primary Water Us Sec. Water Use: Final Well Status: Water Type:		792	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	Yes 8/17/2017 Yes 7543	
Casing Material:			Form Version:	8	
Audit No: Tag: Construction Methelevation (m): Elevation Reliabili Depth to Bedrock: Well Depth: Overburden/Bedro Pump Rate: Static Water Leve Flowing (Y/N): Flow Rate:	ty: ock:		Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	OTTAWA NEPEAN TOWNSHIP 031 01 OF	
Clear/Cloudy: PDF URL (Map):					

Elevrc:

Order No: 21011600014p

Bore Hole ID: 1006712700 Elevation: 67.020515

DP2BR:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 441029

 Code OB Desc:
 North83:
 5026841

 Open Hole:
 Org CS:
 UTM83

Cluster Kind: UTMRC: 4

Date Completed: 7/27/2017 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
13	SE	0.18	180.35	72.86	wwis

Well ID: 7154750 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Test Hole Date Received: 11/19/2010

Sec. Water Use: Selected Flag: Yes

Final Well Status: Test Hole Abandonment Rec:

Water Type:Contractor:6964Casing Material:Form Version:7

Audit No: Z107025 Owner:

Tag: A094415 Street Name: 450 CHURCHILL AVENUE

NORTH

Order No: 21011600014p

Construction Method: County: OTTAWA

Elevation (m): Municipality: OTTAWA CITY

Elevation Reliability:

Depth to Bedrock:

Site Info:

Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7154750.pdf

Bore Hole ID: 1003411150 Elevation: 78.010704

DP2BR: Elevrc:

Spatial Status: Zone: 18

 Code OB:
 East83:
 441077

 Code OB Desc:
 North83:
 5026557

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 3

Date Completed: 9/15/2010 UTMRC Desc: margin of error : 10 - 30 m

Location Method: Remarks: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Formation ID: 1003549137 Layer: 2 Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 2.67 Formation End Depth: 3.05 Formation End Depth m UOM: Formation ID: 1003549136 Layer: 1 Color: General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 28 Mat2 Desc: SAND Mat3: 84 Mat3 Desc: SILTY Formation Top Depth: Formation End Depth: 2.67 Formation End Depth m UOM: Formation ID: 1003549138 3 Layer: Color: 2

Order No: 21011600014p

GREY

15

Mat1:

General Color:

Most Common Material:

Mat2: 26 Mat2 Desc: ROCK

Mat3:

Mat3 Desc:

Formation Top Depth: 3.05
Formation End Depth: 7.95
Formation End Depth m

UOM:

Plug ID: 1003549141

 Layer:
 1

 Plug From:
 0

 Plug To:
 3.7

 Plug Depth UOM:
 m

Plug ID: 1003549142

 Layer:
 2

 Plug From:
 3.7

 Plug To:
 7.95

 Plug Depth UOM:
 m

Method Construction ID: 1003549147

7

Method Construction

Code:

Method Construction: Diamond

Other Method Construction:

Pipe ID: 1003549135

Casing No: 0

Comment: Alt Name:

Casing ID: 1003549144

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 4.25
Casing Diameter: 3.5
Casing Diameter UOM: cm
Casing Depth UOM: m

1003549145 Screen ID:

Layer: Slot: 10 Screen Top Depth: 4.25 Screen End Depth: 7.95 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.1

Water ID: 1003549143

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM:

Hole ID: 1003549139

7.5 Diameter: Depth From: 0 3.1 Depth To: Hole Depth UOM: m Hole Diameter UOM: cm

Hole ID: 1003549140

Diameter: 5.6 Depth From: 3.1 Depth To: 7.95 Hole Depth UOM: m Hole Diameter UOM: cm

Мар Кеу	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
14	W	0.20	204.11	66.77	WWIS
Well ID:	7180	984	Data Entry Status:		

Construction Date: Data Src:

Primary Water Use: Test Hole Date Received: 5/17/2012

Sec. Water Use: Selected Flag: Yes

Final Well Status: **Observation Wells** Abandonment Rec:

Water Type: Contractor: 6964 Casing Material: Form Version: 7

Audit No: Z134670 Owner:

A108243 401 RICHMOND RD Tag: Street Name:

OTTAWA Construction Method: County: Elevation (m): Municipality: **NEPEAN TOWNSHIP** Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: Flow Rate: **UTM Reliability:** Clear/Cloudy: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7180984.pdf Bore Hole ID: 1003781307 Elevation: 66.710906 Elevrc: DP2BR: 18 **Spatial Status:** Zone: Code OB: East83: 440760 Code OB Desc: North83: 5026688 UTM83 Open Hole: Org CS: Cluster Kind: UTMRC: 4 **UTMRC Desc:** Date Completed: 8/9/2011 margin of error: 30 m - 100 m Remarks: Location Method: wwr Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:** Formation ID: 1004309964 Layer: 4 Color: General Color: Mat1: 15 LIMESTONE Most Common Material: Mat2: 26 Mat2 Desc: **ROCK** Mat3: Mat3 Desc: Formation Top Depth: 1.04

Order No: 21011600014p

5.28

m

UOM:

Formation End Depth:

Formation End Depth

Formation ID: 1004309963

Layer: 3 Color: 6

General Color: BROWN

Mat1: 28
Most Common Material: SAND
Mat2: 11

Mat2 Desc: GRAVEL Mat3: 13

Mat3 Desc: BOULDERS

Formation Top Depth: .76
Formation End Depth: 1.04
Formation End Depth m

UOM:

Formation ID: 1004309962

Layer: 2 Color: 6

General Color: BROWN

Mat1: 28

Most Common Material: SAND

Mat2: 01

Mat2 Desc: FILL

Mat3: 35

Mat3 Desc: WOOD FRAGMENTS

Formation Top Depth: .15
Formation End Depth: .76
Formation End Depth m

UOM:

Formation ID: 1004309961

Layer: 1

Color:

General Color:

Mat1:

Most Common Material:

Mat2: 60

Mat2 Desc: CEMENTED

Mat3: Mat3 Desc:

Formation Top Depth: 0

Formation End Depth: .15
Formation End Depth m

UOM:

Plug ID: 1004309971

 Layer:
 1

 Plug From:
 0

 Plug To:
 2.45

 Plug Depth UOM:
 m

Plug ID: 1004309972

 Layer:
 2

 Plug From:
 2.45

 Plug To:
 5.28

 Plug Depth UOM:
 m

Method Construction ID: 1004309970

Method Construction 7

Code:

Method Construction: Diamond

Other Method Construction:

Pipe ID: 1004309960

Casing No: 0

Comment: Alt Name:

Casing ID: 1004309967

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 3.8
Casing Diameter: 3.5
Casing Diameter UOM: cm
Casing Depth UOM: m

Screen ID: 1004309968

1 Layer: Slot: 10 Screen Top Depth: 3.8 Screen End Depth: 5.28 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 4.1

Water ID: 1004309966

Layer: 1

Kind Code:

Kind:

Water Found Depth: 3.5
Water Found Depth UOM: m

Hole ID: 1004309965

Diameter: 7.5

Depth From: 0

Depth To: 5.28

Hole Depth UOM: m

Hole Diameter UOM: cm

Map Key	Direction	Distance (km)	Distance (m)	Elevation (m)	DB
15	NNW	0.24	237.97	66.60	WWIS

Data Src:

Well ID: 7233985 Data Entry Status: Yes

Construction Date:

Primary Water Use: Date Received: 12/16/2014

Sec. Water Use: Selected Flag: Yes

Final Well Status: Abandonment Rec:

Water Type:Contractor:1844Casing Material:Form Version:8

Audit No: C22617 Owner:

Tag: A147911 Street Name:

Construction Method: County: OTTAWA

Elevation (m):

Municipality:

NEPEAN TOWNSHIP

Elevation Reliability: Site Info:
Depth to Bedrock: Lot:

Well Depth: Concession:

Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

PDF URL (Map):

Bore Hole ID: 1005262097 Elevation: 63.922714

DP2BR: Elevro:

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 8/28/2013

Remarks: Elevrc Desc:

Location Source Date: Improvement Location

Source:

Improvement Location

Method:

Source Revision

Comment:

Supplier Comment:

Zone: 18
East83: 440863
North83: 5026913
Org CS: UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 21011600014p

Location Method: wwr

Radon Information

Detailed radon information for the project property is provided below.

Radon Zone Information

ID: 144852 **Radon Rank**: LOW

Health Canada Radon Information

Health Region: 3551

Health Region Name: City of Ottawa Health Unit

Province or Territory: ON Number Homes in 64

Survey:

% Below 200 Bq/m3: 93.8 % Above 200 Bq/m3: 6.2 200 to 600 Bq/m3: 6.2 % Above 600 Bq/m3: 0

Area of Natural and Scientific Interest Information

Thora	ic no	ANGI	unit a	vailable	in this	area
There	IS HO	AINOI	umu a	valiable	III IIII	3 2102

Area of Natural and Scientific Interest Information

Detailed	VILOI	informati	an ia 1	~ ~ ~ ~	halaw

No records found for the project property or surrounding properties.

Federal Sources

Bedrock Geology of Canada

BEDROCK GEOLOGY

The Geological Map of Canada is scaled at 1:5,000,000. This map is created by Geological Survey of Canada and published by Natural Resources Canada.

Health Canada Radon Information

RADON

This source is the results from the Cross-Canada Survey of Radon Concentrations in Homes, a two-year study conducted by Health Canada's National Radon Program. The aims of this study were to obtain an estimate of the proportion of the Canadian population living in homes with radon gas levels above the guideline of 200 Bq/m3, to identify previously unknown areas where radon gas exposure may constitute a health risk, and to build, over time, a map of indoor radon gas exposure levels across Canada.

National Energy Board Wells

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date

Soil Landscapes of Canada (SLC)

SLC

Major characteristics of soil and land such as surface form, slope, water table depth, permafrost and lakes.

Surficial Geology of Canada

SURFICIAL GEOLOGY

This map contains information on surficial materials and associated landforms left by the retreat of the last glaciers and non glacial environments. It is based on compilation of existing maps. This data was authored by the Geological Survey of Canada and published by Natural Resources Canada.

<u>Toporama</u>

TOPORAMA

Toporama covers the entire area of Canada's landmass and provides topographic, geo-referenced, and symbolic information in a raster format at 1:50,000 scale. This is a digital topographic reference product made available by Natural Resources Canada (NRCan).

Provincial Sources

Area of Natural and Scientific Interest

ANSI

Areas of Natural and Scientific Interest (ANSIs) are lands and waters with features that are important for natural heritage protection, appreciation, scientific study or education. This dataset is made available by Ontario Ministry of Natural Resources.

Bedrock Geology of Ontario

BEDROCK GEOLOGY

The Bedrock Geology layer shows the distribution of bedrock units underlying Ontario at a 1:250,000 scale. The geology of the province consists of Precambrian rocks of the Canadian Shield and Phanerozoic sedimentary rocks that overlie the Canadian Shield. This layer was compiled by the Precambrian Geoscience Section of Ontario Geological Survey.

Ontario Detailed Soil Survey (DSS3)

SOIL SURVEY

Soil surveys have been published for most of the agricultural areas, and many surrounding areas, across Canada. Data from these surveys comprise the most detailed soil inventory information in the National Soil DataBase. Data is made available by Agriculture and Agri-Food Canada

Ontario Oil and Gas Wells

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Provincial Groundwater Monitoring Network

GROUNDWATER

Appendix

Groundwater level and chemistry data from monitoring wells that are part of the Provincial Groundwater Monitoring Network (PGMN) Program. Precipitation data (rain) is also available for some sites. This data is provided by 'Ontario Ministry of Environment and Climate Change.

Surficial Geology of Ontario

SURFICIAL GEOLOGY

The Surficial Geology dataset contains a layer depicting the distribution and characteristics of surficial deposits across southern Ontario. This data set is authored by the Ontario Geological Survey.

Topographic Map of Ontario

TOPOGRAPHIC MAP

The Ontario Basic Mapping program provides a relationship between topographic information and the provincial geographical referencing grid, thereby forming the foundation for a comprehensive provincial geographical referencing system. This data is made available by the Ontario Ministry of Natural Resources and Forestry. This is ERIS self-designed topographic map template at 1:10,000.

Water Well Information System

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Wetlands of Ontario WETLAND

The Ministry of Natural Resources and Forestry has made available a database of wetlands in Ontario. Certain attributes identify wetlands that have been evaluated with the Ontario Wetland Evaluation System (OWES), and of those which ones have been designated as Provincially Significant Wetlands (PSW).

Private Sources

Oil and Gas Wells OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

RADON RADON

The Radon Potential Map is developed by Radon Environmental Management Corporation. Its objective was to illustrate the relative variation of radon risk across the country, and in 2011 it published its first geologic Radon Potential Map of Canada.

Liability Notice

Reliance on information in Report: The Physical Setting Report (PSR) DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a review of environmental databases and physical characteristics for the site or adjacent properties.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS Information Limited Partnership disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

APPENDIX 7 Geotechnical Investigation Report



Geotechnical Investigation Proposed Residential Development 349 Danforth Avenue, Ottawa, Ontario

Client:

Mr. Fernando Matos 337 Sunnyside Avenue, Suite 101 Ottawa, Ontario K1S OR9 fernando@ottawacarletonconstruction.com

Type of Document:

Final

Project Number:

OTT-00259161-A0

Prepared By:

Athir Nader, M.A.Sc., P.Eng.
Senior Project Manager/Geotechnical Engineer

Reviewed / Approved By:

Ismail M. Taki, M.Eng. P.Eng. Manager, Geotechnical Services

Date Submitted:

September 14, 2020

Table of Contents:

Exec	cutive Summary	1
1	Introduction	3
2	Site Description	4
3	Procedure	5
4	Subsurface Soil and Groundwater Conditions	6
	4.1 Fill	6
	4.2 Bedrock	6
	4.3 Groundwater	7
5	Grade Raise	8
6	Foundation Considerations	9
7	Floor Slab and Drainage Requirements	10
8	Pipe Bedding Requirement	11
9	Lateral Earth Pressure against Basement Walls	12
10	Excavations and De-Watering Requirements	13
11	Seismic Site Classification	14
	11.1 Liquefaction Potential	14
	11.2 Seismic Classification	14
12	Backfilling Requirements and Suitability of on-Site Soils for Backfilling	Purposes15
13	Legal Notification	16
14	General Comments	17
15	Signatures	18

i



 \sim		-	\sim		
 ע			_	•	
$\overline{}$	v		•	•	

Figure 2 – Borehole Location Plan

Figures 3 to 5 – Logs of Boreholes

Figures 6 to 8 – Rock Core Photographs

List of Tables:

Table 1: Results of Unconfined Compression Tes	sts on Rock Core Samples7
--	---------------------------



Executive Summary

A geotechnical investigation was undertaken at the site of the proposed three (3) storey with basement commercial/residential building to be located at 349 Danforth Avenue, City of Ottawa, Ontario. Terms and conditions of the assignment were outlined in EXP's Proposal dated March 12, 2020.

This report was concurrently completed with a Phase I/II Environmental Site Assessment which are presented under separate covers.

The fieldwork for the geotechnical investigation was completed on June 29 to 30, 2020 and comprised the drilling of three (3) boreholes, i.e., Borehole Nos. 1 to 3, to depths ranging between 9.5 m and 10.2 m below the existing ground surface. The boreholes were drilled using truck-mounted drill-rig equipment operated by a drilling specialist subcontracted to EXP and was supervised on a full-time basis by a representative of EXP.

The investigation has revealed that the subsurface conditions comprise of very loose to loose fill underlain by bedrock encountered at depths ranging from 0.6 m and 0.8 m below ground surface. Wash boring and core drilling used to advance all boreholes into bedrock to depths ranging from 9.5 m to 10.2 m below ground surface.

Water level measurements were made in the monitoring wells installed in all boreholes upon and after installation. The measurements revealed that the groundwater table to be at a depth ranging between 5.0 m and 6.0 m below the existing ground surface or elevations 95.4 m to 93.8 m.

A significant grade raise is not expected at the site. However, for design purposes, a maximum grade raise of 1 m is permissible at the site from a geotechnical point of view.

Based on the results of the investigation, the proposed building may be founded on the limestone bedrock below any weathered or fractured zones and designed for a bearing pressure at Ultimate Limit State (ULS) of 1000 kPa.

All the footing beds should be examined by a senior geotechnician to ensure that they are prepared properly, and they are able to support the ULS bearing pressure.

The basement slab of the proposed building may be set on a bed of 300 mm of clear stone set over bedrock or engineered fill. Perimeter drainage systems is recommended for the proposed building with one basement level.

Excavations at the site in the overburden may be undertaken as open-cut provided they are cut back at a slope of 1H to 1V. Excavation of the bedrock would require the use of hoe-ramming and/or line drilling and may be undertaken with near vertical sides. Vibrations should be monitored during construction to prevent damage to adjacent structures and services. A pre-condition survey of all the structures and services situated within proximity of the site will be required prior to commencement of construction and



during the excavation of the bedrock. Care must be undertaken to ensure that the footings of the neighbouring properties are not undermined or damaged during construction.

Seepage of surface water into the excavations should be anticipated. It should be possible to collect the water entering the excavation in perimeter ditches and to remove it by pumping from sumps.

The subject site has been classified as Class C for seismic site response in relation to Section 4.1.8.4 of the 2012 Ontario Building Code (OBC 2012). A higher site class for the site may be obtained if a shear-wave measurement is completed at the site.

The above and other related considerations are discussed in greater detail in the report



1 Introduction

A geotechnical investigation was undertaken at the site of the proposed three (3) storey with basement commercial/residential building at 349 Danforth Avenue, City of Ottawa, Ontario (Figure 1). Terms and conditions of the assignment were outlined in EXP's Proposal dated March 12, 2020.

Design site grades as well design ground floor/basement elevations were not available at the time of preparation of the report. The building currently existing on-site will be demolished to allow the new construction.

This report was concurrently completed with a Phase I/II Environmental Site Assessment which are presented under separate covers.

The geotechnical investigation was undertaken to:

- a) Establish the subsurface soil, bedrock and groundwater conditions at the location of the boreholes drilled at the site;
- b) Comment on grade-raise restrictions for the site;
- Make recommendations on the most suitable type of foundations, founding depth and Serviceability Limit State (SLS) bearing pressures and Ultimate Limit State (ULS) factored geotechnical resistances for the proposed addition as well as anticipated total and differential settlements;
- d) Provide lateral earth pressure parameters for subsurface basement wall design;
- e) Comment on backfilling requirements and suitability of the on-site soils for backfilling purposes;
- f) Discuss excavation conditions and dewatering requirements during construction; and
- g) Provide classification of the site for seismic design in accordance with requirements of the 2012 Ontario Building Code (OBC) and assess the liquefication potential of the on-site soils in a seismic event.

The comments and recommendations given in this report assume that the above-described design concept will proceed into construction. If changes are made either in the design phase or during construction, this office must be retained to review these modifications. The result of this review may be a modification of our recommendations or it may require additional field or laboratory work to check whether the changes are acceptable from a geotechnical viewpoint.



2 Site Description

The subject site is a narrow rectangular parcel of land roughly 10 m wide by 30 m long, occupied by an existing two storey residential building (Figure 2). It is understood that the existing building will be demolished prior to the construction of the proposed building. The site is bounded by Danforth Avenue to the southeast and by industrial buildings and parking lots on all other sides. The site is generally flat.



3 Procedure

The fieldwork for the geotechnical investigation was completed on June 29 and 30, 2020 and comprised the drilling of three (3) boreholes, i.e., Borehole Nos. 1 to 3, to depths ranging between 9.5 m and 10.2 m below the existing ground surface. The boreholes were drilled using truck-mounted drill-rig equipment operated by a drilling specialist subcontracted to EXP and was supervised on a full-time basis by a representative of EXP.

The locations of the boreholes were established in the field by EXP and are shown on Figure 2. Their elevations were established using a temporary benchmark being the top of storm sewer manhole adjacent to front of the property at Danforth Avenue with an assumed elevation of 100.00 m. Therefore, convergence to geodetic elevations will be required once available.

Prior to the fieldwork, the locations of the boreholes were cleared of any public and private underground services. Standard penetration tests were performed in all the boreholes at continuous depth intervals and soil samples retrieved by split-barrel sampler in accordance with ASTM 1586. Wash-boring and coredrilling techniques were used to advance all boreholes beyond the refusal depth.

Long-term groundwater monitoring installations consisting of 32 mm diameter polyvinyl chloride (PVC) monitoring wells were installed in all boreholes in accordance with EXP standard practice. The installation configuration is documented on the respective borehole log.

All the soil samples were visually examined in the field for textural classification, logged, preserved in plastic bags and identified. Similarly, all the rock cores were visually examined, placed in core boxes, identified and logged. On completion of the fieldwork, all the soil and rock samples were transported to the EXP laboratory in the City of Ottawa, Ontario, where they were visually examined by a geotechnical engineer, and borehole logs prepared. The engineer also assigned the laboratory testing which consisted of performing the following tests on soil and rock samples:

Natural Moisture Content

4 tests

Unit Weight and Unconfined Compressive Strength Tests on Rock Cores 3 tests



4 Subsurface Soil and Groundwater Conditions

A detailed description of the geotechnical conditions encountered in the boreholes is given on the borehole logs, Figures 3 to 5 inclusive. The borehole logs and related information depict subsurface conditions only at the specific locations and times indicated. Subsurface conditions and water levels at other locations may differ from conditions at the locations where sampling was conducted. The passage of time may also result in changes in the conditions interpreted to exist at the locations where sampling was conducted.

It should be noted that the soil and rock boundaries indicated on the borehole logs are intended to reflect approximate transition zones for the purpose of geotechnical design and should not be interpreted as exact planes of geological change. The "Notes on Sample Descriptions" preceding borehole logs form an integral part of this report and should be read in conjunction with this report.

A review of the borehole logs indicates the following subsurface soil and groundwater conditions with depth.

4.1 Fill

Fill was encountered from the ground surface in all boreholes and extended to bedrock surface at 0.6 m to 0.8 m below ground surface.

The fill is very loose to loose, heterogeneous in nature and consists of a 100 mm to 150 mm layer of crushed stone type, i.e. sand and gravel, underlain by silty sand with gravel.

4.2 Bedrock

The shallow deposit of fill is underlain by bedrock which was investigated to depths of 9.5 m to 10.2 m below ground surface, i.e Elevation 90.2 m to 89.6 m.

A review of the recovered bedrock cores and published geology maps indicate that the bedrock underlying the site comprises of limestone and shale of the Billings Formation of the Upper Ordovician Period.

A Total Core Recovery (TCR) and Rock Quality Designation (RQD) of 98 to 100 percent and 28 to 95 percent respectively were obtained from the recovered bedrock cores. On this basis, the bedrock quality within the depth investigated may be classified as poor to excellent quality.

A total of three (3) rock core samples were selected for unconfined compressive strength testing and the test results are presented in Table I. A review of the test results indicates a bedrock with compressive strength ranging between 105 MPa and 161 MPa. Based on these values, the rock can be classified with respect to intact strength as "very strong", (Canadian Foundation engineering manual, 4th edition, 2006). The unit weight of the bedrock ranged between 2707 kg/m³ and 2714 kg/m³.



Table 1: Results of Unconfined Compression Tests on Rock Core Samples			
Borehole No. Run No.	Depth (m)	Compressive Strength (MPa)	Unit Weight of Bedrock (Kg/m3)
BH/MW1 – Run 1	1.3 – 1.4	133.2	2673
BH/MW2 – Run 1	0.8 – 0.9	87.1	2651
BH/MW3 – Run 1	0.8 – 0.9	234.4	2386

Photographs of the bedrock core recovered are presented in Figure 6 to 8.

4.3 Groundwater

Water level measurements were made in the monitoring wells installed in all boreholes upon installation, one (1) day after installation, seven (7) days after installation, and eleven (11) days after installation. The measurements revealed that the groundwater table to be at a depth ranging between 5.0 m and 6.0 m below the existing ground surface or elevations 95.4 m to 93.8 m.

Water levels were determined in the boreholes at the times and under the conditions stated in the scope of services. Note that fluctuations in the level of groundwater may occur due to a seasonal variation such as precipitation, snowmelt, rainfall activities, and other factors not evident at the time of measurement and therefore may be at a higher level during wet weather periods.



5 Grade Raise

The investigation has revealed the site to be underlain by a shallow deposit of overburden (less than 1.0 m) overlying limestone with shale partings to shale bedrock.

Based on the geotechnical findings a grade raise of up to 1 m is considered acceptable from a geotechnical point of view. However, significant grade raise is not expected at the site as the results of the proposed building.



6 Foundation Considerations

Floor Plans call for the construction of the proposed three (3) storey with basement residential building. It is understood that the existing building will be demolished prior to the construction of the proposed building.

Based on the results of the investigation, the proposed building may be founded on the limestone bedrock below any weathered or fractured zones and designed for a bearing pressure at Ultimate Limit State (ULS) of 1000 kPa. Since the footings will be founded on sound bedrock, factored geotechnical resistance at ULS will govern the design. Settlement for footings founded on sound bedrock is expected to be minimal.

All footing beds should be examined by a geotechnical engineer to ensure that the founding surfaces can support the design bearing pressure and that the footing beds have been properly prepared as described above. A minimum of 1.2 m of earth cover should be provided to the footings of a heated structure founded on bedrock to protect them from damage due to frost penetration. The frost cover should be increased to 1.5 m for unheated structures.

The recommended bearing pressures have been calculated by EXP from the borehole information for the design stage only. The investigation and comments are necessarily on-going as new information of underground conditions becomes available. For example, more specific information is available with respect to conditions between the boreholes when foundation construction is underway. The interpretation between the boreholes and the recommendations of this report must therefore be checked through field monitoring provided by an experienced geotechnical engineer to validate the information for use during the construction stage.



7 Floor Slab and Drainage Requirements

The lowest basement floor slab of the proposed building may be constructed provided they are set on beds of well-compacted 19 mm clear stone at least 300 mm thick placed on bedrock or on well-compacted engineered fill. The clear stone would prevent the capillary rise of moisture to the floor slab. Adequate saw cuts should be provided in the floor slab to control cracking.

It is anticipated that perimeter drainage system would be required for the proposed building with basement. The perimeter drainage system may consist of 100 mm diameter perforated pipe wrapped with filter cloth (sock) and set on the footings and surrounded with 150 mm of 19 mm clear stone and properly connected to an outflow. The subsurface walls should be adequately damp proofed.

The finished exterior grade should be sloped away from the buildings to prevent surface ponding of water close to the exterior walls.



8 Pipe Bedding Requirement

It is recommended that the bedding for the underground services including material specification, thickness of cover material and compaction requirements conform to the local requirements of the municipality and/or Ontario provincial Standard Specification and Drawings (OPSS and OPSD).

For guidance, the pipe bedding may consist of 150 mm of OPSS 1010 Granular A for services founded on bedrock. The bedding material should be also placed along the sides and on top of the pipes to provide a minimum cover of 300 mm. The bedding, spring line and cover should be compacted to at least 98 percent the Standard Proctor Maximum Dry Density (SPMDD).



9 Lateral Earth Pressure against Basement Walls

The subsurface wall should be backfilled with free draining material, such as OPSS 1010 for Granular B, Type II and equipped with a perimeter drainage system to prevent the buildup of hydrostatic pressure behind the walls. The walls will be subjected to lateral static and dynamic (seismic) earth forces.

For design purposes, the lateral static earth thrust against the subsurface walls may be computed from the following equation:

 $P = K_0 H (q + \frac{1}{2} \gamma H)$

where P = lateral earth thrust acting on the subsurface wall; kN/m

K₀ = lateral earth pressure coefficient for 'at rest' condition for Granular B Type II

backfill material = 0.5

 γ = unit weight of free draining granular backfill; Granular B = 22 kN/m³

H = Height of backfill adjacent to foundation wall, m

q = surcharge load, kPa

The lateral seismic thrust may be computed from the equation given below:

 $\Delta P_F = 0.32 \gamma H^2$

where ΔP_E = resultant thrust due to seismic activity; kN/m

 γ = unit weight of free draining granular backfill; Granular B Type II = 22 kN/m³

H = height of backfill behind wall, (m)

The ΔPE value does not take into account the surcharge load. The resultant load should be assumed to act at 0.6 H from the bottom of the wall.



10 Excavations and De-Watering Requirements

Excavations for the construction of the proposed building and underground services will likely be undertaken through the shallow fill and into bedrock to a maximum depth of 1.0 m below ground surface and are expected to be above the prevailing groundwater table.

Excavations at the site must comply with the latest version of Ontario Occupational Health and Safety Act, Ontario Regulations 213/91 (January 11, 2014).

Excavations at the site in the overburden may be undertaken as open-cut provided they are cut back at a slope of 1H to 1V. Excavation of the bedrock would require the use of hoe-ramming and/or line drilling and may be undertaken with near vertical sides. Vibrations should be monitored during construction to prevent damage to adjacent structures and services. A pre-condition survey of all the structures and services situated within the proximity of the site will be required prior to the commencement of construction and during the excavation of the bedrock. Care must be undertaken to ensure that the footings of the neighbouring properties are not undermined or damaged during construction.

Surface water inflow into the excavation should be expected. However, it should be possible to adequately handle this inflow by collecting the water in perimeter ditches and pumping from properly filtered sumps.



11 Seismic Site Classification

11.1 Liquefaction Potential

The investigation has revealed that the proposed building will be founded on bedrock.

Based on the results of the investigation, there is no liquefaction potential of the subsurface soil during a seismic event.

11.2 Seismic Classification

Based on the subsurface conditions, the site is classified as **Class C for seismic site response** in accordance with Section 4.1.8.4 of the 2012 Ontario Building Code (ONBC 2012).

A higher site class will likely be obtained if a shear-wave velocity testing is completed at the site.



12 Backfilling Requirements and Suitability of on-Site Soils for Backfilling Purposes

The material to be excavated from the site will be comprised of heterogenous fill of limited quantity and bedrock.

It is anticipated that all the material required for backfilling purposes will need to be imported and should preferably conform to OPSS 1010 Granular B Type II.

The on-site fill may be used for grading purposes provided it is free of organics and foreign debris. Excavated bedrock is not suitable for backfilling and should be discarded.



13 Legal Notification

This report was prepared by EXP Services Inc. (EXP) for the account of Mr. Fernando Matos.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. EXP accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this project



14 General Comments

The comments given in this report are intended only for the guidance of the design engineers. The number of boreholes required to determine the localized underground conditions, especially bedrock elevations between boreholes affecting construction costs, techniques, sequencing, equipment, scheduling, etc., would be much greater than has been carried out for design purposes. Contractors bidding on or undertaking the works should in this light, decide on their own investigations, as well as their own interpretation of the factual borehole and test pit results to draw their own conclusions as to how the subsurface conditions may affect them.

The information contained in this report is not intended to reflect on environmental aspects of the soils and groundwater. Should specific information be required, including for example, the presence of pollutants, contaminants or other hazards in the soil, refer to the Phase I and II reports prepared by EXP for this project and presented under separate covers.



15 Signatures

We trust that this information is satisfactory for your purposes. Should you have any questions, please contact this office.

Sincerely



Athir Nader, P.Eng Senior Geotechnical Engineer Earth and Environment Ismail Taki, M.Eng, P.Eng Manager, Geotechnical Division Earth and Environment


Alle.




Figures



DATE






JULY 2020
OTTAWA CARLETON CONSTRUCTION GROUP LTD.
OTT-00259161-A0
SCARWIN BY
M.P.

OTT-00259161-A0
SCARWIN BY
M.P.

OTT-00259161-A0
SCARWIN BY
M.P.

OTT-00259161-A0
SCARWIN BY
M.P.

FIG 1



LEGEND

PROPERTY BOUNDARY



BOREHOLE/MONITORING WELL LOCATION & NUMBER






EXP Services Inc. www.exp.com

t: +1.613.688.1899 | f: +1.613.225.7337 2650 Queensview Drive, Suite 100 Ottawa, ON K2B 8H6, Canada

	- Ollawa, Oly NZB ono, Callada							
DATE AUGUST 2020		CLIENT:	OTTAWA CARLETON CONSTRUCTION GROUP LTD.	project no. OTT-00259161-A0				
DESIGN CHECKED				scale				
A.N.	P.S.	TITLE:	GEOTECHNICAL INVESTIGATION	1:750				
DRAWN BY			GEOTECHNICAL INVESTIGATION					
M.P.			349 DANFORTH AVENUE, OTTAWA, ON	FIG 2				

Notes On Sample Descriptions

1. All sample descriptions included in this report follow the Canadian Foundations Engineering Manual soil classification system. This system follows the standard proposed by the International Society for Soil Mechanics and Foundation Engineering. Laboratory grain size analyses provided by exp Services Inc. also follow the same system. Different classification systems may be used by others; one such system is the Unified Soil Classification. Please note that, with the exception of those samples where a grain size analysis has been made, all samples are classified visually. Visual classification is not sufficiently accurate to provide exact grain sizing or precise differentiation between size classification systems.





UNIFIED SOIL CLASSIFICATION

- 2. Fill: Where fill is designated on the borehole log it is defined as indicated by the sample recovered during the boring process. The reader is cautioned that fills are heterogeneous in nature and variable in density or degree of compaction. The borehole description may therefore not be applicable as a general description of site fill materials. All fills should be expected to contain obstruction such as wood, large concrete pieces or subsurface basements, floors, tanks, etc., none of these may have been encountered in the boreholes. Since boreholes cannot accurately define the contents of the fill, test pits are recommended to provide supplementary information. Despite the use of test pits, the heterogeneous nature of fill will leave some ambiguity as to the exact composition of the fill. Most fills contain pockets, seams, or layers of organically contaminated soil. This organic material can result in the generation of methane gas and/or significant ongoing and future settlements. Fill at this site may have been monitored for the presence of methane gas and, if so, the results are given on the borehole logs. The monitoring process does not indicate the volume of gas that can be potentially generated nor does it pinpoint the source of the gas. These readings are to advise of the presence of gas only, and a detailed study is recommended for sites where any explosive gas/methane is detected. Some fill material may be contaminated by toxic/hazardous waste that renders it unacceptable for deposition in any but designated land fill sites; unless specifically stated the fill on this site has not been tested for contaminants that may be considered toxic or hazardous. This testing and a potential hazard study can be undertaken if requested. In most residential/commercial areas undergoing reconstruction, buried oil tanks are common and are generally not detected in a conventional geotechnical site investigation.
- 3. Till: The term till on the borehole logs indicates that the material originates from a geological process associated with glaciation. Because of this geological process the till must be considered heterogeneous in composition and as such may contain pockets and/or seams of material such as sand, gravel, silt or clay. Till often contains cobbles (60 to 200 mm) or boulders (over 200 mm). Contractors may therefore encounter cobbles and boulders during excavation, even if they are not indicated by the borings. It should be appreciated that normal sampling equipment cannot differentiate the size or type of any obstruction. Because of the horizontal and vertical variability of till, the sample description may be applicable to a very limited zone; caution is therefore essential when dealing with sensitive excavations or dewatering programs in till materials.



Log of Borehole BH/MW1





NOTES:

Я


- Borehole data requires interpretation by EXP before use by others
- 2. A 32 mm monitoring well with flushmount was installed in the borehole upon completion.
- 3. Field work was supervised by an EXP representative.
- 4. See Notes on Sample Descriptions
- 5.Log to be read with EXP Report OTT-00259161-A0

WATER LEVEL RECORDS					
Date	Water Level (m)	Hole Open To (m)			
completion	1.0				
1 day	6.0	-			
7 days	6.0	-			
11 days	5.7	-			

CORE DRILLING RECORD					
Run	Depth	% Rec.	RQD %		
No.	(m)				
1	0.92 - 2.54	100	49		
2	2.54 - 4.04	100	78		
3	4.04 - 5.56	100	94		
4	5.56 - 7.09	99	88		
5	7.09 - 8.66	100	91		
6	8.66 - 10.16	100	95		

og of Borobola BH/MW2

	Log of Bo	orehole <u>BH/N</u>	/W2 [®] ⊖xn
Project No:	OTT-00259161-A0		
Project:	Geotechnical Investigation - Proposed Resi	dential Development	Figure No4 —Page. 1 of 1
Location:	349 Danforth Avenue, Ottawa, Ontario		
Date Drilled:	June 29th, 2020	Split Spoon Sample	
Orill Type:	CME 55 (truck mount)	Auger Sample SPT (N) Value	- · · · · · · · · · · · · · · · · · · ·
Datum:	Assumed	Dynamic Cone Test Shelby Tube	Undrained Triaxial at ⊕ % Strain at Failure ⊕
_ogged by:	MD Checked by: PS/IT	Shear Strength by - Shear Strength Shear Strength Shear Strength Shear S	Shear Strength by Penetrometer Test
S		Standard Penetration Test N V	alue Combustible Vapour Reading (ppm) S



LOGS OF


- Borehole data requires interpretation by EXP before use by others
- 2.A 32 mm monitoring well with flushmount was installed in the borehole upon completion.
- 3. Field work was supervised by an EXP representative.
- 4. See Notes on Sample Descriptions
- 5. Log to be read with EXP Report OTT-00259161-A0

WATER LEVEL RECORDS					
Date	Water	Hole Open			
Date	Level (m)	To (m)			
1 day	1.9	-			
7 days	5.6	-			
11 days	5.0	-			

CORE DRILLING RECORD							
Run	Depth	% Rec.	RQD %				
No.	(m)						
1	0.71 - 1.09	100	28				
2	1.09 - 2.64	100	51				
3	2.64 - 3.97	100	91				
4	3.97 - 5.46	100	92				
5	5.46 - 6.93	100	82				
6	6.93 - 8.54	100	81				
7	851 - 0.17	100	60				

Log of Borehole BH/MW3

Project No:	OTT-00259161-A0		/ IVI V V	<u> </u>	EX
Project:	Geotechnical Investigation - Proposed Residentia		Figure No. 5 Page. 1 of 1		
Location:	349 Danforth Avenue, Ottawa, Ontario			·	_
Date Drilled:	June 30th, 2020	Split Spoon Sample	\boxtimes	Combustible Vapour Reading	
Drill Type:	CME 55 (truck mount)	Auger Sample SPT (N) Value	Ⅲ ○	Natural Moisture Content Atterberg Limits	× ⊢—≎
Datum:	Assumed	Dynamic Cone Test — Shelby Tube	_	Undrained Triaxial at % Strain at Failure	\oplus
Logged by:	MD Checked by: PS/IT	Shear Strength by Vane Test	+ s	Shear Strength by Penetrometer Test	A
				1	, 101



NOTES:

LOGS OF

Borehole data requires interpretation by EXP before use by others

2. A 32 mm monitoring well with flushmount was installed in the borehole upon completion.

3. Field work was supervised by an EXP representative.

4. See Notes on Sample Descriptions

5. Log to be read with EXP Report OTT-00259161-A0

	WATER LEVEL RECORDS							
	Date	Water Level (m)	Hole Open To (m)					
completion 6 days		1.7	-					
		5.5	-					
	10 days	4.6	-					

CORE DRILLING RECORD				
Run No.	Depth (m)	% Rec.	RQD %	
1	0.79 - 1.12	100	77	
2	1.12 - 2.59	98	61	
3	2.59 - 4.17	100	65	
4	4.17 - 5.61	98	58	
5	5.61 - 7.04	100	78	
6	7.04 - 8.48	98	88	
7	8.48 - 10.03	100	77	






t: +1.613.688.1899 | f: +1.613.225.7337 2650 Queensview Drive, Suite 100 Ottawa, ON K2B 8H6 Canada

- BUILDINGS EARTH & ENVIRONMENT ENERGY •
- INDUSTRIAL INFRASTRUCTURE SUSTAINABILITY •

borehole no.	core runs Run 1: 0.9m-2.5m	PROJECT	PIIESA and Geotechnical Investigation	project no. OTT-00259161-A0
	Run 2: 2.5m-4.0m		349 Daniotti Avenue, Ottawa, Ontano	011-00200101-710
	Run 3: 4.0m-5.6m Run 4: 5.6m-7.1m Run 5: 7.1m-8.7m Run 6: 8.7m-10.2m		ROCK CORE PHOTOGRAPHS	FIG. 6







t: +1.613.688.1899 | f: +1.613.225.7337 2650 Queensview Drive, Suite 100 Ottawa, ON K2B 8H6 Canada

- BUILDINGS EARTH & ENVIRONMENT ENERGY •
- INDUSTRIAL INFRASTRUCTURE SUSTAINABILITY •

MW2	core runs Run 1: 0.7m-1.1m Run 2: 1.1m-2.6m	PILESA and Geotechnical Investigation	project no. OTT-00259161-A0
date cored Jun 29, 2020	Run 3: 2.6m-4.0m Run 4: 4.0m-5.5m Run 5: 5.5m-6.9m Run 6: 6.9m-8.5m Run 7: 8.5m-9.5m	ROCK CORE PHOTOGRAPHS	FIG. 7







t: +1.613.688.1899 | f: +1.613.225.7337 2650 Queensview Drive, Suite 100 Ottawa, ON K2B 8H6 Canada

- BUILDINGS EARTH & ENVIRONMENT ENERGY •
- INDUSTRIAL INFRASTRUCTURE SUSTAINABILITY •

borehole no. MW3	core runs Run 1: 0.8m-1.1m Run 2: 1.1m-2.6m	PROJECT	PIIESA and Geotechnical Investigation 349 Danforth Avenue, Ottawa, Ontario	project no. OTT-00259161-A0
date cored Jun 30, 2020	Run 3: 2.6m-4.2m Run 4: 4.2m-5.6m		ROCK CORE PHOTOGRAPHS	FIG. 8A







t: +1.613.688.1899 | f: +1.613.225.7337 2650 Queensview Drive, Suite 100 Ottawa, ON K2B 8H6 Canada

- BUILDINGS EARTH & ENVIRONMENT ENERGY •
- INDUSTRIAL INFRASTRUCTURE SUSTAINABILITY •

borehole no. MW3	core runs Run 4: 4.2m-5.6m Run 5: 5.6m-7.0m	PROJECT	PIIESA and Geotechnical Investigation 349 Danforth Avenue, Ottawa, Ontario	project no. OTT-00259161-A0
date cored Jun 30, 2020	Run 6: 7.0m-8.5m Run 7: 8.5m-10.0m		ROCK CORE PHOTOGRAPHS	FIG. 8B