

PROVIDED:

PROVIDED:

PROVIDED:

BARRIER FREE PARKING

**BLOCK A** 

BLOCK B

SURFACE

SURFACE

RESIDENT

VISITOR

TOTAL

UNDERGROUND

UNDERGROUND

REQUIRED: 1.2 PER UNIT + 0.2 VISITOR PER UNIT

REQUIRED: 116 UNITS = 164 PARKING SPACES

BARRIER-FREE SPACES REQUIRED:

BARRIER-FREE SPACES PROVIDED:

BARRIER-FREE SPACES REQUIRED:

BARRIER-FREE SPACES PROVIDED:

TOTAL SPACES PROVIDED: 2

58 UNITS X 1.2 = 70 PARKING SPACES

58 UNITS X 0.2 = 12 PARKING SPACES

22 SPACES

42 SPACES 64 SPACES

22 SPACES

**42 SPACES** 

64 SPACES

128 SPACES

104 SPACES (0.9 PER UNIT)

24 SPACES (0.2 PER UNIT)

BLOCK B

BICYCLE SPACES REQUIRED:

BICYCLE SPACES PROVIDED:

TOTAL SPACES PROVIDED: 62

04413-0389

04413-0399

7267.07 sq.m

1348.28 sq.m

1348.28 sq.m

2696.56 sq.m

1,400 sq.m

Not Applicable

30%

NOT SPECIFIED

More than 18 m: 7.5 m

3 m

PROVIDED FRONT YARD SETBACK:

PROVIDED INTERIOR SIDE YARD SETBACK:

PROVIDED REAR YARD SETBACK:

PROVIDED BUILDING HEIGHT:

PROPOSED LOT COVERAGE:

PROVIDED LANDSCAPING AREA:

6.066 m

7.959 m

BLOCK A 18.55% BLOCK B 18.55%

TOTAL 37.1%

Up to 18m from the front lot line:

Up to 18m from the front lot line: 4m

More than 18m: 7m

4506.35 sq.m

More than 18m: 5.528m

120.93 m

59.94 m

SITE BOUNDRY INFORMATION DERIVED FROM SURVEY OF PROPERTY.

905. CITY OF OTTAWA. PREPARED BY ANNIS, O'SULLIVAN, VOLLEBEKK

LOT 27 AND PART OF LOTS 28, 29 AND 30. REGISTRAR'S COMPILES PLAN

MINIMUM INTERIOR SIDE YARD SETBACK: Up to 18m from front lot line: 3 m

**PROPERTY** 

PROPERTY AREA:

BLOCK A

BLOCK B

**ZONING:** ZONE R4Z

MINIMUM FRONT YARD SETBACK:

MINIMUM CORNER YARD SETBACK:

MAXIMUM BUILDING HEIGHT:

MINUMUM LANDSCAPING AREA:

MAXIMUM LOT COVERAGE:

MINIMUM REAR YARD SETBACK:

MINIMUM LOT WIDTH:

MINIMUM LOT AREA:

PROPOSED BUILDING FOOT PRINT:

LOT WIDTH:

DEPTH:

NOTES FOR DRAWING A1.0:

DEPRESSED CURB. EXISTING CONCRETE MEDIAN TO REMAIN. NEW MEDIAN. SUBJECT TO RMA.

NEW PAD-MOUNTED TRANSFORMER. RAMP TO UNDERGROUND PARKING. GRADE LEVEL TERRACE. OUTLINE OF ROOF ABOVE. OUTLINE OF EXTERIOR WALL

LINE OF BALCONY ABOVE. BICYCLE PARKING. CONCRETE WALK.

12. METAL GUARDRAIL. DRAIN SPOUT. RESERVED.

16. HYDRO NO BUILD ZONE. 17. TACTILE WALKING SURFACE INDICATOR. 18. EXISTING CONCRETE SIDEWALK TO REMAIN. 19. REINSTATED CONCRETE SIDEWALK CONTINUOUS ACROSS ACCESS. 20. EXISTING ASPHALT ACCESS TO BE REMOVED. INFILL ASPHALT REMOVAL WITH SOD. REINSTATE FULL HEIGHT CURB AND CONCRETE

TWO POST MOUNTED ELECTRIC VEHICLE CHARGING STATIONS. EXISTING FULL HEIGHT CURB TO BE REMOVED AT NEW ACCESS AND NEW DEPRESSED CURB SHALL BE PROVIDED ACROSS ACCESS. ACCESS CURBS SHALL TIE INTO EXISTING CURB ALONG INNES RD.

23. RETAINING WALL. REFER TO CIVIL DRAWINGS. 24. NEW GENERATOR ON CONCRETE PAD. PROVIDE CONCRETE BOLLARD AT EACH CORNER.

LEGENED:

58 UNITS X 6 sq.m = 348 sq.m

COMMUNAL AREA INTERIOR

58 UNITS X 6 sq.m = 348 sq.m TOTAL 348 sq.m

COMMUNAL AREA INTERIOR

BALCONIES

**TERRACES** 

BALCONIES

TERRACES

AMENITY AREA

AMENITY AREA

PROVIDED:

PROVIDED:

BLOCK B REQUIRED: 6 sq.m PER UNIT 58 LINITS X 6 sq.r

348 sq.m

MINIMUM 50%, 174 sq.m, COMMUNAL

MINIMUM 50%, 174 sq.m, COMMUNAL

135.7 sq.m

31.3 sq.m

188.7 sq.m

355.7 sq.m

135.7 sq.m

31.3 sq.m

188.7 sq.m

355.7 sq.m

-PROPERTY- PROPERTY —SETBACK — SETBACK

CONCRETE

AREA SUBJECT TO MINOR VARIANCE

**JOHN SEVIGNY C.E.T.** 

MANAGER (A), DEVELOPMENT REVIEW EAST

**PLANNING, DEVELOPMENT & BUILDING SERVICES** 


**DEPARTMENT, CITY OF OTTAWA** 


By sevignyjo at 3:13 pm, Mar 31, 2025

**APPROVED** 

RIVER STONE

**BUILDING COMMUNITIES** 







3817-3843 Innes Road **Apartments** 

Site Plan

N° DE PROJET DATE

SCALE ECHELLE As Noted CONCEPTION BY CONÇUS PAR SG

DRAWN BY

SG

SI CETTE LIGNE NE MESURE PAS 25mm, AJUSTER VOTRE CHECKED BY VÉRIFIÉ PAR ÉCHELLE D'IMPRESSION.



SCEAU D'ARCHITECTE

**REVISION No** RÉVISION N°

#18285

Ottawa, ON K1C 1T1 TITRE DU DESSIN

814-24 May 2024 PRINTING SCALE/ ÉCHELLE D'IMPRESSION

IF THIS BAR IS NOT 25mm LONG, ADJUST YOUR PRINTING SCALE. DESSINÉ PAR