



FINAL REPORT

Phase One Environmental Site Assessment

The Ottawa Hospital- New Civic Campus

Submitted to:

Parsons Inc.

1223 Michael Street, Suite 100
Ottawa, Ontario
K1J 7T2

Submitted by:


Golder Associates Ltd.

1931 Robertson Road Ottawa, Ontario, K2H 5B7 Canada

+1 613 592 9600

19127064

March 2021



Distribution List

1 e-copy - Parsons Inc.

1 e-copy - Golder

Executive Summary

Golder Associates Ltd. (Golder) was retained by Parsons Inc. (Parsons) on behalf of the Ottawa Hospital to conduct a Phase One Environmental Site Assessment (Phase One ESA) for three parcels of land associated with the new Ottawa Hospital Civic Campus in Ottawa, Ontario (the “Site” and the “Phase One Property”). The location, surroundings, and layout of the Site indicating the three land parcels are shown on Figure 1 – Key Plan and Figure 2 – Site Plan.

The Site is an irregular shaped parcel of land, occupying approximately 20.3 hectares (50.1 acres), located between Carling Avenue and Prince of Wales Drive with the northern section located immediately southwest of intersection between Carling Avenue and Preston Street. Two municipal addresses are associated with the Site; 520 Preston Street for Parcel A and 930 Carling Avenue for Parcels B and C. These three parcels of land are under the management of three different agencies - National Capital Commission (NCC) for Parcel A; Public Services and Procurement Canada (PSPC) for Parcel B; Agriculture and Agri-Food Canada (AAFC) Central Experiment Farm (CEF) for Parcel C as indicated below:

- Parcel A is a stand-alone municipal parcel owned by the NCC and consists of a commercial parking lot associated with Dow’s Pavilion and landscaped area.
- Parcel B, owned by PSPC, is occupied by Queen Juliana Park and is separated from Parcel A by railway tracks associated with O-Train.
- Parcel C occupies the largest portion of the Site and consists of two buildings on the northern portion (a Bell utility station and the Sir John Carling Building West Annex, currently under demolition) and a tennis club house with outdoor courts on the southwest portion.

Generally, exterior areas of the Site include vacant grass covered landscaping areas with trees and shrubs; however, dense tree coverage was observed on the north section of Parcel A, as well as on the north, east and south perimeter of Parcel C. In addition to Parcel A, several asphalt paved parking areas were observed on the northern portion of Parcel C, associated with Sir John Carling Building (SJCB). A roadway, part of Birch Drive, was located on the western portion of the Site. Access to the interior of any buildings or structures located on the Phase One Property was not available at the time of the Site visit. In addition, snow cover on the ground restricted observations of the ground surface at the time of the site visit.

The Phase One ESA was completed in general accordance with O. Reg. 153/04, as amended, and included a review of available current and historical information, a site visit, an interview, evaluation of readily available information, and reporting, subject to the limitations outlined in Section 9.0 of this report. Golder understands that this Phase One ESA was undertaken to assist the Ottawa Hospital in the redevelopment planning of the Site for the new Ottawa Hospital Civic Campus. The Phase One ESA may also be used to support development applications with the City of Ottawa.

Based on the information obtained as part of this Phase One ESA, a total of 26 Potentially Contaminating Activities (PCAs) were identified in the Phase One Study Area which resulted in nine Areas of Potential Environmental Concern (APECs) for the Site based on site characteristics and the locations of these PCAs. As such, a Phase Two ESA would be required to confirm the presence and extent of subsurface impacts to soil and groundwater quality at the Site from the identified APECs.

It is noted that an APEC cannot be eliminated at the Phase One ESA stage using previous Phase Two ESA data under the Regulation 153/04 RSC process. Given the land ownership of the property will remain federal it is uncertain if an Record of Site Condition (RSC) will be required. Outside the RSC process, Phase Two ESA data can be used as rationale to eliminate APECs. Based on the review of previous Phase Two ESA information, the following is true for APECs based on previous work:

- APEC 5, 6 and 7: Testing was completed within the SJCB building and included PHC/BTEX and/or glycol testing and did not identify any impacts associated with the hydraulic elevator, former aboveground storage tanks (ASTs) or glycol spill. No further Phase Two ESA is required for these APECs.
- APEC 8: Several fill samples analysis have been undertaken on the Site, and other than the fill within the former buildings or waste sites (APECs 1, 2, 3), none of the fill was shown to exceed the provincial standards. However, given the size of the Site the risk associated with this APEC is reduced but not eliminated.
- APEC 9: Previous testing in the former agricultural areas of the Site included pesticide testing which did not identify any exceedances for the select pesticides evaluated. As such this APEC does not warrant any further evaluation.

APECs 1, 2, 3 and 4 remain due to the presence of documented or suspected impacts above provincial standards, or where additional investigation is recommended for delineation purposes. If an RSC is required all APECs will require a subsequent Phase Two ESA.

There were no material deviations to the Phase One ESA requirements set out in O.Reg. 153/04 that would cause uncertainty or absence of information that would affect the validity of the Phase One Conceptual Site Model or the findings of this Phase One ESA.

Table of Contents

EXECUTIVE SUMMARY i

1.0 INTRODUCTION 1

 1.1 Background and Objective 1

2.0 SCOPE OF WORK..... 2

3.0 RECORDS REVIEW 3

 3.1 General..... 3

 3.1.1 Phase One Study Area Determination..... 3

 3.1.2 First Developed Use Determination 3

 3.1.3 Fire Insurance Records..... 3

 3.1.4 Chain of Title 4

 3.1.5 City Directories..... 4

 3.1.6 Previous Reports..... 4

 3.2 Environmental Source Information..... 12

 3.2.1 ERIS Report 12

 3.2.2 Ontario Ministry of Environment, Conservation and Parks..... 16

 3.2.3 City of Ottawa..... 16

 3.2.4 Technical Standards & Safety Authority, Fuels Safety Division 16

 3.3 Physical Setting Sources 17

 3.3.1 Aerial Photographs 17

 3.3.2 Topography, Hydrology and Geology 19

 3.3.3 Fill Materials 20

 3.3.4 Water Bodies and Areas of Natural Significance..... 21

 3.3.5 Well Records..... 21

 3.4 Site Operating Records..... 21

4.0 INTERVIEWS 22

5.0 SITE RECONNAISSANCE 22

 5.1 General Requirements 22

5.2 Specific Observations 22

5.2.1 Enhanced Investigation Property 26

5.3 Surrounding Land Use 26

5.4 Written Description of Investigation 27

6.0 REVIEW AND EVALUATION OF INFORMATION 28

6.1 Current and Past Uses of the Site 28

6.2 Potentially Contaminating Activity 29

6.3 Areas of Potential Environmental Concern 34

6.4 Conceptual Site Model 36

6.4.1 Uncertainty and Absence of Information 37

7.0 CONCLUSIONS 38

8.0 REFERENCES 39

9.0 LIMITATIONS AND USE OF REPORT 40

FIGURES

- Figure 1: Key Plan
- Figure 2: Site Plan with Potentially Contaminating Activities
- Figure 3: Topographic Map and Areas of Natural Significance
- Figure 4: Surficial Geology
- Figure 5: Bedrock Geology
- Figure 6: Drift Thickness
- Figure 7: Soil Survey Complex (Ontario Soils)
- Figure 8: Physiography Map

APPENDICES

- APPENDIX A**
ERIS Report
- APPENDIX B**
Regulatory Responses
- APPENDIX C**
Site Aerial Photographs
- APPENDIX D**
Site Photographs

1.0 INTRODUCTION

1.1 Background and Objective

Golder Associates Ltd. (Golder) was retained by Parsons Inc. (Parsons) to conduct a Phase One Environmental Site Assessment (Phase One ESA) for three parcels of land associated with the proposed Ottawa Hospital Civic Campus in Ottawa, Ontario (the “Site” and the “Phase One Property”). The location, surroundings, and layout of the Site indicating the three land parcels are shown on Figure 1 – Key Plan and Figure 2 – Site Plan.

The Site is an irregular shaped parcel of land, occupying approximately 20.3 hectares (50.1 acres), located between Carling Avenue and Prince of Wales Drive with the northern section located immediately southwest of intersection between Carling Avenue and Preston Street. Two municipal addresses are associated with the Site; 520 Preston Street for Parcel A and 930 Carling Avenue for Parcels B and C. These three parcels of land are under the management of three different agencies - National Capital Commission (NCC) for Parcel A; Public Services and Procurement Canada for Parcel B; Agriculture and Agri-Food Canada (AAFC) Central Experiment Farm (CEF) for Parcel C as indicated below:

- Parcel A is a stand alone municipal parcel owned by the NCC, and consists of a commercial parking lot associated with Dow's Pavilion and landscaped area.
- Parcel B, owned by PSPC, is occupied by Queen Juliana Park and is separated from Parcel A by railway tracks associated with O-Train.
- Parcel C occupies the largest portion of the Site and consists of two buildings on the northern portion (a Bell utility station and the Sir John Carling Building West Annex, currently under demolition) and a tennis club house with outdoor tennis courts on the southwest portion.

Generally, exterior areas of the Site include vacant grass covered landscaping areas with trees and shrubs; however, dense tree coverage was observed on the north section of Parcel A, as well as on the north, east and south perimeter of Parcel C. In addition to Parcel A, several asphalt paved parking areas were observed on the northern portion of Parcel C, associated with Sir John Carling Building (SJCB). A roadway, part of Birch Drive, was located on the western portion of the Site. Access to the interior of any buildings or structures located on the Phase One Property was not available at the time of the Site visit. In addition, snow cover on the ground restricted observations of the ground surface at the time of the site visit.

The property information for the Site is as follows:

Municipal Address	520 Preston Street and Part of 930 Carling Avenue in Ottawa, Ontario
Property Identification Number	Part of PIN 04088-0001(LT) and 04088-0002(LT)
Legal Description	Pt Lot 1, Con BRF, Part 1, 5R14003

The contact information for the Site is:

Client	Address	Contact Information
The Ottawa Hospital	1053 Carling Avenue Ottawa, ON, K1Y 4E9	Elena Pascuet, MSc., Business Leader Chief Administrative Planning and Support Services The Ottawa Hospital Phone: 613-798-5555 x17106 Email: epascuet@toh.ca

2.0 SCOPE OF WORK

A Phase One ESA is a preliminary qualitative assessment of the environmental condition of a property, based on a review of current activities and historical information for the Site and a review of relevant and readily available environmental information for the surrounding properties located within a 250 metre (m) radius of the boundary of the Site (collectively referred to as the “Phase One Study Area”). The boundary of the Phase One Study Area is presented on Figure 2.

According to Ontario Regulation (O.Reg.) 153/04 *Records of Site Condition*, as amended, the objectives of a Phase One ESA are to:

- 1) Develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the Site.
- 2) Determine the need for a Phase Two Environment Site Assessment (ESA).
- 3) Provide a basis for carrying out a Phase Two ESA.
- 4) Provide adequate preliminary information about environmental conditions in the land or water on, in or under the Site for the conduct of a risk assessment following completion of a Phase Two ESA.
- 5) Identify and report on evidence of actual and/or potential contamination on the Site from current and historical activities at the Site or from adjacent properties.

Golder understands that this Phase One ESA was undertaken to assist the Ottawa Hospital in the redevelopment planning of the Site for the new Ottawa Hospital Civic Campus. The Phase One ESA may also be used to support development applications with the City of Ottawa.

In preparing this Phase One ESA, Golder has applied professional judgement in considering readily available information and has relied in good faith on information provided by others. This level of effort is a method of risk reduction rather than risk elimination. This assessment included a cursory overview of the neighbouring land uses and does not constitute a complete assessment of neighbouring land uses. Further reductions in risk can be achieved through a program of intrusive testing at the Site, including sample collection and analysis.

3.0 RECORDS REVIEW

3.1 General

3.1.1 Phase One Study Area Determination

For the purpose of this Phase One ESA, the Phase One Study Area is the area within a 250 m radius of the boundary of the Site. Based on Golder's review of the historical and current information compiled as part of this Phase One ESA for the area surrounding the Site and observations of neighbouring properties made during the Site visit, it was concluded that an assessment of information pertaining to properties within 250 m of the boundary of the Site was sufficient to achieve the objectives of the Phase One ESA.

3.1.2 First Developed Use Determination

The date of first developed use of the Phase One Property was determined based on review of the aerial photographs, previous environmental reports, City of Ottawa HLUI (Historical Land Use Inventory) and information provided by the Site representative, Mr. Darragh Kilroy (Environmental Specialist) of PSPC. The earliest available aerial photograph from 1928 indicates that the Phase One Property was primarily undeveloped; however, reportedly Parcel A was used as waste disposal site prior to 1924. The southern portion of the Site appears to have been used for various farming activities associated with the Canadian Experimental Farm, whereas development on the northern portion during 1930s/40s consisted of office buildings, which were demolished in the 1980s. Available information indicates that the Site was primarily used for farming related activities and office buildings except for landfilling on Parcel A.

3.1.3 Fire Insurance Records

Golder is aware that there are no fire insurance plans (FIPs) related to the Site based on its location; however, available FIPs for the Phase One Study Area were reviewed and significant findings discussed below:

- A lumber yard appears between Adeline Street and Pamilla Street (located approximately 225 m north of Parcel A).
- Campbell Steel and Iron Works Ltd was located 40 m north of Parcel A (across Carling Avenue).
- A scattered lumber yard and junk warehouse was located on Hickory Avenue, approximately 175 m north of Parcel A (across Carling Avenue).
- A service garage with two USTs for Bell Canada was present at 350 Loretta Avenue (approximately 70 m northwest of the Site).
- A retail fuel outlet with two USTs was located at 111 Sherwood Drive (approximately 100 m northwest of the Site).
- A show room with auto service garage at 829 Carling Avenue (approximately 50 m north of the Site).
- A dry cleaning operation (Hunter Cleaners) at 787 Carling Avenue (approximately 200 m northeast of the Site).
- A retail fuel outlet with two USTs was located at 531 Preston Street (approximately 50 m north of the Site).
- A fuel oil depot with 8 USTs at 140 Hickory Street (approximately 100 m north of Parcel B).

Review of the available FIPs for lands north of the Site (across Carling Avenue) identified off-Site PCAs including autobody shops, retail fuel outlets and fuel depot, dry-cleaning services, as well as steel and metal works. However, based on the distance between these PCAs and the Site, separation of the PCAs from the Site by at least a roadway with associated underground facilities, and inferred cross- or downgradient location (groundwater flow direction discussed in section 3.1.6) from the Site, these off-Site PCAs are not considered to have resulted in an APEC on the Site.

3.1.4 Chain of Title

From Golder's review of information provided by the Client which included a chain of title ordered as part of a previous investigation, the three parcels of the Site were owned by various individuals until 1880s, when acquired by Her Majesty the Queen. Ownership of Parcel A was transferred to Crown in 1887 followed by NCC (present owner) in 1981. Currently, this parcel is leased to Dow's Lake Pavilion Group Inc. and is operated as a parking lot.

Parcels B and C were acquired by Her Majesty the Queen (listed as current owner) in 1886 with no records of ownership and/or lease since then. However, based on review of aerial photographs and other information available, these parcels were used for farming related activities associated with CEF prior to 1928. Subsequently government office buildings were constructed on Parcel B and north portion of Parcel C which were under management of PSPC without any change of land ownership.

As such, Chain of Title information was not ordered as it was deemed that the other information from the records reviewed would satisfy the objectives of the records search and that the information to be provided in a Chain of Title would not contribute additional environmental information relevant to the Phase One ESA.

3.1.5 City Directories

A significant amount of information for the Site and surrounding properties was obtained from the previous reports reviewed, ERIS report, and aerial photographs discussed in Sections 3.1.6, 3.2.1, and 3.3.1, respectively. As such, city directories for the Site and surrounding properties within Phase One Study Area were not ordered as they would not likely provide any further information.

3.1.6 Previous Reports

The following environmental reports completed for the Site were provided by the City and Golder consulted these reports to develop an understanding of the environmental conditions at the Site and surrounding properties:

- **"Phase I/II ESA for Dow's Lake Landfill"**, *Phase I/II Environmental Site Assessment, Former Dow's Lake Landfill, National Capital Commission Property Asset #784 Ottawa, Ontario*, dated January 2004, prepared by INTERA Engineering Ltd. for NCC.
- **"Screening Level Risk Assessment"**, *Screening Level Risk Assessment, Former Dow's Lake Landfill and Commissioner's Park, NCC Property Assets #96654 and #784 Ottawa, Ontario*, dated October 2005, prepared by INTERA Engineering Ltd. for NCC.
- **"Supplemental Phase II ESA for Dow's Lake Landfill"**, *Supplemental Phase II Environmental Site Assessment, Former Dow's Lake Landfill, National Capital Commission Property Assets #784 Ottawa, Ontario*, dated November 2004, prepared by INTERA Engineering Ltd. for NCC.
- **"2016 Phase II ESA for SJCB"**, *Phase II Environmental Site Assessment, Former Sir John Carling Building, 930 Carling Avenue, Ottawa ON (DFRP# 08625)*, dated March 2016, prepared by Stantec Consulting Ltd. for PSPC.

- **“2016 Stormwater Sampling”**, *Stormwater Effluent Sampling, Sir John Carling Building, November 16 & 23, 2016, 930 Carling Avenue, Ottawa, ON*, dated December 2016, prepared by Stantec Consulting Ltd. for PSPC.
- **“2017 Phase I ESA”**, *Final Phase I Environmental Site Assessment, New Ottawa Hospital Civic Campus, Carling Avenue and Preston Street, Ottawa Ontario*, dated August 2017, prepared by Stantec Consulting Ltd. for PSPC.
- **“2017 Phase II ESA”**, *Phase II Environmental Site Assessment, New Ottawa Hospital Civic Campus, Ottawa ON*, dated September 2017, prepared by Stantec Consulting Ltd. for PSPC.
- **“2017 Phase III ESA”**, *Phase III Environmental Site Assessment, Former Sir John Carling Building, 930 Carling Avenue, Ottawa ON (DFRP# 08625)*, dated March 2017, prepared by Stantec Consulting Ltd. for PSPC.
- **“2017 Preliminary Remedial Option Analysis”**, *Preliminary Remedial Options Analysis Former Sir John Carling Building, 930 Carling Avenue, Ottawa ON (DFRP# 08625)*, dated March 2017, prepared by Stantec Consulting Ltd. for PSPC.
- **“Revised- Remedial Option Analysis”**, *Preliminary Remedial Options Analysis Costing- Revised, New Ottawa Hospital Civic Campus, Ottawa ON (DFRP# 08625)*, dated October 2017, prepared by Stantec Consulting Ltd. for PSPC.
- **“2017 Paterson ESA”**, *Environmental Investigation of Subsurface Conditions, Proposed New Hospital Campus, Former Sir John Carling Building Complex, Central Experimental Farm, Ottawa ON*, dated September 2017, prepared by Paterson Group Inc. for Cleland Jardine Engineering Ltd.

Phase I/II ESA for Dow’s Lake Landfill

This investigation consisted of a Phase I ESA and Phase II ESA for Parcel A. The Phase I ESA was conducted to determine the potential environmental liability with subsequent Phase II ESA completed to evaluate presence of soil and groundwater contamination resulting from former landfill activities. Noteworthy findings from review of this report are discussed below:

- Findings of the Phase I ESA identified that Parcel A was used as a landfill prior to 1924. No other issues of significant environmental concern were identified.
- As part of the Phase II ESA, six boreholes (BH1 through BH6) were completed with three extended into bedrock (approximately 6 mbgs) to install monitoring wells. Overburden soil consisted of predominantly sandy fill material with some wood waste.
- Soil samples were analyzed for one or more of Total Petroleum Hydrocarbon (TPHs), volatile organic compounds (VOCs), polycyclic aromatic hydrocarbons (PAHs) and/or metals. One sample, collected from 0.8-2.1 meter below ground surface (mbgs), collected from BH5 exceeded Canadian Council of Ministers of the Environment (CCME) criteria for benzo[a]anthracene and benzo[b]fluoranthene, and exceeded both CCME and Ministry of Environmental (now Ministry of the Environment, Conservation and Parks (MECP)) criteria at that time for benzo[a]pyrene. No other exceedances in soil samples were identified.

- Groundwater samples were analyzed for TPH, VOCs, PAHs general chemistry and/or metals from two monitoring wells. Samples from both wells exceeded applicable CCME standards for sulphate, manganese and sodium. No MECP exceedances were identified.
- The analytical results for soil and groundwater indicated poor quality fill material in Parcel A as well as salt application to the parking lot on Parcel A.
- Additional boreholes were recommended to conduct soil sampling for investigating extent of PAH impacts and groundwater sampling to identify potential discharge of contaminants into Dow's Lake.

Supplemental Phase II ESA for Dow's Lake Landfill

This investigation was completed for Parcel A of the Site, formerly occupied by the Dow's Lake Landfill, to investigate soil and groundwater quality. Noteworthy findings from review of this report are discussed below:

- A total of six boreholes (not installed with monitoring wells) were advanced to inferred bedrock refusal encountered approximately 3 mbgs. Overburden soil consisted primarily of fill materials including sand and gravel with wood waste and some sandy silt layers. No groundwater wells were installed based on previous groundwater quality results from adjacent property down-gradient of Parcel A.
- Soil samples collected from each borehole were tested for PAHs. A single sample (out of total nine analyzed), collected from a depth of 0.61 to 1.22 mbgs, exceeded CCME criteria for benzo[a]anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, benzo[ghi]perylene, ideno[1,2,3-cd]pyrene, naphthalene, and phenanthrene, as well as exceeded both CCME and MECP criteria for benzo[a]pyrene at that time.
- Existing monitoring wells, completed as part of previous investigations, were used to take water level measurements which indicated that groundwater flow was southwest towards the railway tracks. Given groundwater flow was expected towards Dow's Lake (to the east), it was inferred that rail tracks cut through bedrock may influence shallow groundwater in this area.
- Recommendations made included:
 - Conduct an inspection and sampling of groundwater seeps along the OC Transpo rail line cut to address the issue of potential groundwater migration from the former landfill to the north-northwest.
 - Conduct annual groundwater monitoring at the former landfill and the downgradient Traffic Circle property for two years commencing August 2005, to monitor groundwater quality, and ensure stability of contaminants. Following two years of monitoring, decommissioning of the wells would likely be recommended.
 - Conduct a screening level risk assessment (SLRA) on the property to address the soil exceedances for various PAH parameters.

Screening Level Risk Assessment (SLRA)

This investigation was completed following soil and groundwater impacts identified at Parcel A (former Dow's Lake landfill) and adjacent property east of Preston Street, also known as Commissioners Park. Both these lands were owned by NCC and had known impacts of metal and PAH contamination in soil as well as groundwater. Noteworthy findings from the review of this report are discussed below:

- SLRA consisted of human health and ecological components. Supplementary sampling and testing of surficial soil, groundwater and surface water were undertaken as part of this investigation to augment the database of soil, groundwater and surface water quality for use in this SLRA.
- Subsurface conditions in the area were known, based on previous investigations, to consist of sandy fill, wood waste and other waste materials such as brick, glass, wood, asphalt, slag and ash.
- With regards to health hazards, detected contaminants (PAHs and metals) identified in soil were not inferred to pose unacceptable health risks to park visitors, parks construction workers or park maintenance workers.
- Ecological SLRA did not indicate that contaminants of concern (COC) in soil pose an unacceptable ecological health risk to terrestrial receptors.
- No indication of adverse effect to Dow's Lake water quality from contaminant transport by groundwater was observed, given available groundwater data at that time.
- Given, no unacceptable human health or ecological hazards and risks were identified to be posed by the presence of soil and groundwater contamination, no requirements for active intervention or other risk management was recommended.

2016 Phase II ESA for SJCB

This assessment was completed to determine the baseline subsurface conditions following demolition of the SJCB East Annex as well as estimating volume of impacted soil and groundwater. In addition, the National Classification System for Contaminated Sites (NCSCS) was to be completed with the classification score for the Site; and provide conclusions and recommendations for the Site. Noteworthy findings from the review of this report are discussed below:

- The investigation area consisted of the entire footprint of former SJCB with surrounding landscaped areas on Parcel C to the east and west (up to Birch Drive to the west), and parking lot located southeast of the former SJCB.
- A total of seven boreholes were advanced, with five completed as monitoring wells, to assess four areas of potential environmental concern (APECs) including the sump under the SJCB West Annex; concrete fill within the former SJCB footprint; ramps with potential glycol spill to the east of SJCB; and the former underground storage tank located in subbasement of former SJCB East Annex.
- Soil and groundwater samples collected were analyzed for PHCs F1-F4, VOCs, PAHs, metals and inorganics, phenols, glycols, energetics and pH. In addition, all groundwater samples were analyzed for hardness and one groundwater sample tested for Polychlorinated biphenyl (PCBs).
- Soil samples, located within the fill layer, exceeded CCME guidelines for several PAHs in four borehole location and toluene in one location. Exceedance of the MECP standards (Table 3 Standard for parkland/residential/commercial land uses in a non-potable condition) was not observed in any of the soil samples with the exception of pH (due to the concrete debris) and methyl isobutyl ketone and toluene at one location. Delineation to identify extent of these soil impacts were not completed. Volume of impacted soil was estimated to be 12,300 m³ including 5,120 m³ of crushed concrete from building demolition.

- Two groundwater samples (located within fill layer) from within former building footprint exceeded applicable CCME guidelines for phenols, inferred in the report to be associated with crushed concrete from demolition activities of former SJC. No such exceedances of phenols were observed in groundwater samples collected from the native soil layer underneath the footprint of former SJC. In addition, groundwater samples from all five wells exceeded for several metals (aluminum, chromium, chromium VI, lead and nickel) and general chemistry parameters (chloride, fluoride, nitrite, pH, and phenols). Extent of groundwater impacted area was estimated to be approximately 5,600 m². Only copper in one groundwater sample location exceeded the MECP Table 3 Standards.
- Phenols were measured in soil samples from within the former building footprint, which was backfilled with crushed concrete.
- Phenols were not detected in soil and groundwater samples collected from outside the former building footprint. This suggests that the demolition debris may be the source of the phenols at the Site. There were no exceedances of MECP Standards.
- Further investigation to delineate soil and groundwater impacts as well as to evaluate contaminant migration pathways were recommended.

2016 Stormwater Sampling

This investigation was completed to conduct a wastewater assessment at the former SJC West Annex, located on north portion of Parcel C of the Site. Two grab samples of stormwater effluent were collected from a storm sewer (ST-137) and from the outfall into Dow's Lake (2016-11-16-SJC-Outfall) for analysis of phenol and total suspended solids (TSS).

Results were compared against CCME Canadian Quality Guidelines- Water Quality for the Protection of Aquatic Life- Freshwater and the City of Ottawa Sewer Use By-Law for storm sewer discharge. Concentration of TSS in sample from storm sewer and concentration of phenol in outfall sample exceeded both CCME and City of Ottawa standards.

2017 Phase I ESA

This investigation was completed for the Site (Parcels A, B and C) to assess if evidence of potential and/or actual environmental contamination exists at the Site, which may be present as a result of current and/or past activities at the Site and/or neighbouring properties. Noteworthy findings from this investigation are discussed below:

- Parcel A was originally used for landfilling activities, for an undetermined length of time, until 1921 and consisted of a government office building (Building #5 for National Employment Service Headquarters) sometime between late 1930 and early 1980s. This building was demolished, and Parcel A was redeveloped with current parking lot reportedly in 1983. Former landfill and waste disposal activities on this portion of the Site was considered an APEC.
- Parcel B was occupied by a temporary building (Building No. 8), from the late 1930s/early 1940s to the late 1970s/early 1980s, which reportedly included a coal storage room. Previous subsurface investigations, between 2000 and 2004, indicated evidence of coal and exceedances of PAHs and metals in the soil which are considered an APEC. No groundwater impacts were identified. A SLRA completed in 2005 concluded that no potential ecological receptors and no existing exposure pathways for humans were present at the parcel; however, potential human exposure pathway for construction workers was noted under direct contact and/or ingestion of impacted soils.

- The north portion of Parcel C was first developed in 1880s and constructed with the former SJCB in 1965-67 with 11-storied office tower and three-storied SJCB East Annex, which was demolished in 2014. A hydraulic elevator was reportedly present in SJCB West Annex. Backfill materials imported following demolition were identified to be impacted by PAHs, vanadium, and electrical conductivity. In addition, subsurface investigation identified phenol, PAH and metal contamination in soil and/or groundwater.
- The tennis court and adjacent clubhouse, located on the southwest portion of Parcel C, were developed in 1928 and later 1980s/early 1990s. The building at the north end of Parcel B was occupied by Bell and was constructed in early/mid 1950s. Various other small buildings likely used as farmhouses or for utility related structures were present on the north portion of Parcel.
- A DSS completed at the West Annex of the SJCB confirmed the presence of friable and non-friable asbestos containing materials (ACMs), lead-containing paint, PCB-containing light ballasts, mould growth, and other designated substances and hazardous materials. In addition, the construction date of the building occupied by Bell indicated potential presence of hazardous building materials such as ACMs, lead, and PCBs as part of the building structure and equipment.
- A Phase II ESA was recommended to investigate impact of the identified APECs on soil and groundwater quality at the Site.

2017 Phase II ESA

This investigation was conducted, for due-diligence purposes, following recommendation based on the findings of the 2017 Phase I ESA. Noteworthy findings of this assessment are discussed below:

- Ten boreholes were advanced with all ten being installed with monitoring wells. Six existing monitoring wells at the Site were also sampled for groundwater analysis. The overburden in the areas investigated at the Site generally consisted of topsoil fill/asphalt underlain by silt / silty sand. Bedrock or inferred bedrock was encountered at depths ranging from 0.91 to 5.49 mbgs.
- Exceedances of CCME guidelines for some PAH concentrations were found in three locations and some metal exceedances were found in two locations. This indicated poor quality of imported fill materials, given these were observed in shallow soil samples (within top 1.5 mbgs). The metal concentrations also exceeded applicable provincial regulatory standards. In addition, Electrical conductivity and pH values exceeded the provincial standards in one soil sample. There were additional exceedances of the provincial background standards.
- Groundwater flow in the shallow soil was interpreted to flow north towards Ottawa River, and may have been influenced by steep elevation drop on the northern portion of the Site. Thirteen groundwater samples were analyzed with exceedances of various metals and inorganic parameters above the applicable CCME guidelines with sodium being the only exceedance of the provincial standards.

2017 Phase III ESA

This assessment was conducted to delineate soil and groundwater impacts identified as part of the 2016 Phase II ESA for SJCB with revised volume of estimated impacted soil and groundwater. In addition, an assessment to determine the source of phenol in soil and groundwater was also conducted. Noteworthy findings are included below:

- The fieldwork program included excavation of four test pits and installation of nine monitoring wells. Soil and groundwater samples were analyzed for phenols, inorganics, metals, PAHs, PHCs, VOCs, PCBs and nitroglycerin.
- Soil samples analyzed as part of this field program exceeded MECP Table 3 standards for various PAHs, some VOCs, PCBs, and EC. Groundwater samples had concentrations of copper and lead. Given the CCME guidelines are generally more conservative compared to MECP, there were more exceedances of CCME guidelines based on the analytical results.
- Crushed concrete fill was identified as the source of phenol that have been measured in groundwater, which likely migrated into storm sewer via sump in basement as well as existing uncapped lateral of former SJCB. No chemical evidence indicated that explosives used to demolish the building contributed to this phenol contamination.
- In addition to 44,000 m³ of crushed concrete beneath the former SJCB footprint, approximately 1.5 m of fill outside the former SJCB footprint exceeded applicable federal guidelines. This fill outside the former building footprint, estimated to be between 122,000 m³ 250,000 m³, is estimated to have been imported from unknown sources at the time of original development.
- Groundwater levels were variable based on seasons and would generally flow to the north. Groundwater samples from eight wells exceeded applicable CCME guidelines for phenols and some metals and inorganics parameters. The estimated areal of impacted groundwater was estimated to be approximately 29,100 m³; however, this impacted area was not fully delineated.

2017 Preliminary Remedial Option Analysis

Based on the information available from previous subsurface investigations, various remediation and risk management measures were developed. These options were categorized as short, medium and long term and recommended to be implemented based on future redevelopment plans. The 12 options are discussed below:

- Short term options were designed to mitigate phenols from discharging into Dow's Lake and comply with order from ECCC to halt discharge of phenols into Dow's Lake.
 - Option 1: Phenols Risk Assessment and Snow Removal
 - Option 2: Outflow Interception- Phenols Treatment
 - Option 3: Phenols Risk Assessment, Snow Removal and 0.5 ha Clay Cap
 - Option 4: Phenols Risk Assessment and Temporary 0.5 ha Clay Cap
 - Option 5: Phenols Risk Assessment and Temporary Outflow Total Suspended Solids Removal
- Medium term options were designed to mitigate risk and implementing remediation measures with moderate cost which may be completed within one year.
 - Option 6: 1 ha Clay Cap
 - Option 7: 0.5 ha Clay Cap and Perimeter cut-off wall
 - Option 8: 0.5 ha Clay Cap and Pump & Treat
 - Option 9: In Situ stabilization and/or treatment

- Long term options focused on mass removal at a significant higher cost; however, would facilitate redevelopment of the Site.
 - Option 10: Excavation and On-site containment
 - Option 11: Excavation and Off-site disposal
 - Option 12: In Situ Stabilization and/or treatment
- These options were evaluated for cost, effectiveness, timeframe and sustainability. The result indicated Options 5, 7 and 11 to be implemented for the short, medium- and long-term scenarios.

Revised- Remedial Option Analysis

Stantec completed this assessment to detail cost estimate options for three federal entities based on their land parcels and associated environmental issues. The noteworthy findings of the revised incremental costing are discussed below:

- Three cost options were developed including:
 - Option 1 with excavation of all material within the former building footprint and disposal as construction waste at a licensed landfill. Disposal of all excess soil as non-hazardous soil at a licensed landfill. Groundwater treatment required prior to discharge to municipal sewer.
 - Option 2 which consists of excavation and re-use of 75% of construction fill waste and 75% of excess soil on-site. Excavation of all material within the former building footprint, screening to separate concrete, and disposal of 25% of this material as construction waste at a licensed landfill. Excavation and disposal of 25% of excess soil off-site. Groundwater treatment required prior to discharge to municipal sewer.
 - Option 3 with excavation and re-use of 50% of construction fill waste and 35% of excess soil on-site. Excavation of all material within the former building footprint, screening to separate concrete, and disposal of 50% of this material as construction waste at a licensed landfill. Excavation and disposal of 65% of excess soil off-site. Groundwater treatment required prior to discharge to municipal sewer.
- Recommendation was made to prioritize recycling and re-use of construction concrete fill given high costs associated with removal and disposal of the material. Also, soil management should include a combination of re-use on-site, re-use (of clean soil) offsite, and off-site disposal in proportions to minimize overall disposal and management costs.
- Stantec recommended additional investigation work including test-pitting in the waste concrete, and drilling where there were data gaps and to allow a better cost estimation between Option 2 and Option 3.
- Furthermore, regulatory and permitting requirements for site development should be determined and clarified as additional requirement early as possible. If a RSC is required to support the redevelopment of the Site, the requirements for additional environmental site assessment and risk assessment will impact redevelopment schedule. In addition, the investigations required to support filing of an RSC will be more rigorous and will impact the project budget.

2017 Paterson ESA

This investigation was conducted concurrently with a geotechnical investigation and included Parcel C of the Site. A total of 13 boreholes, nine of which were installed with monitoring wells, were completed to a maximum depth of 11.2 mbgs. Noteworthy findings from review of this report are discussed below.

- Subsurface stratigraphy consisted of asphalt or topsoil overlying fill over glacial till deposit. Auger refusals were encountered at all borehole locations between 2.0 and 11.2 mbgs, indicating variable overburden thickness.
- A total of 12 soil samples were submitted for laboratory analysis of PHCs F1 to F4, BTEX and/or metals. Concentrations of vanadium above MECP Table 3 standards, and concentrations of barium, chromium and cobalt above MECP Table 1 were observed. Vanadium was linked to naturally occurring metals in the clay and was not a contaminant.
- Nine groundwater samples were analyzed for PHCs, BTEX and PAHs with no exceedance of MECP Table 1 or 3 standards for any parameters observed in any of the samples.

Summary of Findings from Review of Previous Environmental Reports

Based on the review of the reports, the Site consists of three parcels of land, under separate ownership by different federal agencies. The various issues of environmental concern associated with the Site include:

- Parcel A, used as landfill site until 1921, is known to have PAH exceedances in soil fill layer as well as metals and inorganics exceedances in groundwater above applicable CCME and MECP guidelines. However, SLRA for this parcel did not indicate any risks to health or ecological receptors based on the identified exceedances.
- Parcel B, developed with office building for transitory government employees (Temporary Building No. 8), consists of PAH and metal exceedances in soil. No groundwater impacts above applicable guidelines were identified. A SLRA indicated only potential human exposure pathway was for construction workers was under direct contact and/or ingestion of impacted soils.
- Parcel C is known to have several PAHs and toluene above applicable exceeded CCME guidelines (only one location contained exceedance of MECP standards) in the fill layers. Groundwater within former building footprint exceeds concentrations of phenols, various metals as well as general chemistry parameters. Stantec attributed presence of phenols in soil and groundwater, both underneath and vicinity of SJCB, to presence of crushed concrete from building demolition activities. Only copper exceeded the provincial standards.
- Demolition of former office buildings on Parcel A and B as well as demolition of SJCB indicate presence of construction debris in the fill material of unknown quality.

3.2 Environmental Source Information

3.2.1 ERIS Report

Golder contracted ERIS to conduct a search of environmental sources, including federal, provincial, and private sector databases, for information on the Phase One Property and Study Area. The ERIS report is provided in Appendix A.

The following is a summary of the findings as identified within the ERIS report for the Site and for the surrounding properties within the Phase One Study Area:

On-Site

The EcoLog ERIS report identified following noteworthy records with respect to the Site:

- Anderson Waste Disposal Sites (ANDR): A single record for closed waste disposal on Parcel A of the Site which was located intersection of Preston Street and Prince of Wales Drive to the south of Carling Avenue. This property reportedly consisted of a temporary government building (Building #5).
- Boreholes (BORE): Two records for boreholes on Parcel A, completed in July and August of 1963, to depths of 19.3 mbgs and 13.6 mbgs, respectively. Stratigraphy consisted of clay with gravel underlain by silty sand followed by gravel and boulders, prior to encountering bedrock.
- Environmental Compliance Approval (ECA): Two records located on Parcel C for air in 2002 to Ministry of Agriculture at 960 Carling Avenue, and for municipal and private sewage works in 2011 issued to City of Ottawa.
- Contaminated Sites on Federal Land (FCS): Following four records were available for:
 - Former Sir John Carling Building (north portion of Parcel C) with remedial action plan completed for excavation of contaminated soil (reported contaminants include PHCs) for the proposed hospital redevelopment.
 - Vacant Land (former temporary building #8) located on Parcel B with confirmatory sampling completed (reported contaminants include metals, pesticides and PAHs) and no further action required.
 - Former Dow's Lake Landfill and Commissioner's Park (located on Parcel A) as closed following completion of detail testing (reported contaminants include PAHs and metals).
 - Located on Parcel A of the Site indicating low priority for action following completion of detail testing. Contaminants of concern identified include PAHs and metals.
- Waste Disposal Sites (WDSH): A single record indicating disposal of urban municipal/domestic waste at the intersection of Prince of Wales Drive and Preston Street, which was closed in 1924. This record is associated with Parcel A of the Site.
- Water Well Information System (WWIS): A single well record completed in 1964, associated with water supply for cooling and air conditioning, was available and was located south of former SJCB on Parcel C of the Site. The details of well construction, surficial geology and other information are provided in the ERIS in Appendix A.

Phase One Study Area

The EcoLog ERIS report identified various records with respect to properties surrounding the Site within the Phase One Study Area. Based on the review of the EcoLog ERIS report, the noteworthy findings are discussed below:

- Anderson Waste Disposal Sites (ANDR): A single record for waste disposal site located approximately 140 m west of the Site (across Carling Avenue). This waste disposal site, known as Carling and Loretta Dump, was reportedly active until 1929.

- Boreholes (BORE): A total of 12 borehole records were found in the Phase One Study Area. The details of dates, depth, geology and other information are provided in the ERIS in Appendix A.
- Certificates of Approval (CA): A total of 12 CAs were issued for municipal sewage, air, industrial air, municipal water between 1992 and 2010; however, the only noteworthy record is associated with approval for air associated with diesel generator 1 Observatory Crescent (Building #7- Energy Mines and Resources) located approximately 80 m west of the Site (across Carling Avenue).
- Dry Cleaning Facilities (CDRY): A single record for Peloso Cleaners at 489 Preston Street (approximately 120 m northeast of the Site); however, no information on wastewater or residue was available. This is considered a PCA; however, based on distance from the Site, separation by two roadways and inferred down-gradient location from the Site, is not considered as APEC for the Site.
- List of TSA Expired Facilities (EXP): A total of 40 records including:
 - Three records for Triangle Pump service Ltd. for retail fuel outlet at 960 Carling Avenue Road located approximately 60 m west of the Site (across Carling Avenue).
 - Four records for Bell Canada Automotive for private fuel outlet at 350 Loretta Avenue South located approximately 70 m northwest of the Site (across Carling Avenue).
 - Twenty-two (22) records for Louis LeBlanc Imperial Oil Limited Gas Bar for bulk fuel depot at 505 Preston Street located approximately 90 m north of the Site (across Carling Avenue).
- Contaminated Sites on Federal Land (FCS): A total of eight records were available including:
 - Seven for Central Experiment Farm with majority sites status 'closed' with no action recommended based on investigation findings. However, a record located adjacent south of Parcel C indicated remediation and risk management has been completed with ongoing confirmatory sampling underway (reported contaminants include PHCs and PAHs).
 - Dow's Lake Armoury Drill Hall (located approximately 100 m northeast of the Site) with initial assessment indicating groundwater contamination by PHCs, BTEX, PAHs, metals. No further action was recommended.
 - Dominion Observatory (located approximately 100 m west of the Site) for which following historical review, no further action was recommended.
- Fuel Storage Tank (FST): A total of seven records were listed with following noteworthy information:
 - Three records (approximately 60 m northwest of the Site) for 960 Carling Avenue (associated with two 9000 L gasoline USTs and a 4500 L diesel UST, all three installed in 1978).
 - Four records for Dow's Lake Pavilion (1001 Queen Elizabeth Drive- approximately 100 m northeast of the Site) associated with two diesel USTs (a 9000-L from 1982 and a 10000-L from 2012) and two gasoline USTs (a 9000-L from 1982 and a 10000-L from 2012).
- Fuel Storage Tank- Historic (FSTH): A single record for retail fuel outlet at 485 Preston Street (approximately 140 m northeast of the Site) with four active single-walled USTs- three from 1990 and one 1975.
- Ontario Regulation 347 Waste Generator Summary (GEN): A total 110 listings for waste generation were available; however, after considering the type of business, waste type, Site geology, and inferred groundwater flow direction, a subset of the waste generators listed for the surrounding properties were considered noteworthy:

Company	Location	Years	Waste Description
Complete Auto Rentals	901 Carling Avenue (approx. 60 m northwest)	1990- 1998	Waste oils & lubricants
Canadian Food Inspection Agency Agriculture and Agri-Food Canada PSPC	960 Carling Avenue (approx. 60 m northwest)	2014 – 2019	Waste oils & lubricants, Photo processing wastes, Petroleum distillates, Waste compressed gases, Aromatic solvents, Halogenated solvents, Halogenated pesticides, Heady Fuels, Acid wastes, Alkaline wastes, Organic and inorganic laboratory chemicals, Light fuels, Heavy fuels, Paint/pigment/coating residues, Other specified inorganics

- Record of Site Condition (RSC): Six records indicating RSC application and approvals were available, primarily associated with residential redevelopment of commercial properties located north and northwest of the Site (across Carling Avenue). No issues of environmental concern were identified based on review of available information for these RSCs.
- Ontario Spills (SPL): A total of 24 records of spills were identified surrounding this site. The following notable spills have the following details:
 - 4L of hydraulic oil leak in 2013 with no anticipated environmental impact, at 960 Carling Avenue (approximately 60 m west of the Site).
 - Unknown volume of PCB-contaminated oil leak in 2014 with confirmed environmental impact, at 960 Carling Avenue (approximately 60 m west of the Site).
 - 10-12 L of hydraulic oil leak due to equipment failure in 2016 with no information on anticipated environmental impact, at 960 Carling Avenue (approximately 60 m west of the Site).
 - 15 L of hydraulic oil leak on interlocking stone area in 2019 with no anticipated environmental impact, at 960 Carling Avenue (approximately 60 m west of the Site).
 - 150 L of hydraulic oil leak on road and sanitary sewer in 2015 due to equipment failure at 865 Carling Avenue (approximately 110 m northwest of the Site); however, no information on environmental impact was available.
 - Less than 450 L of diesel to Dow's Lake due to equipment failure from private craft (approximately 100 m northeast of the Site) with possible environmental impact reported.
 - Waste Disposal Sites- MOE 1991 Historical Approval (WDSH): A single record for urban municipal//domestic waste disposal at intersection of Carling Avenue and Loretta Avenue (approximately 165 northwest of the Site), which was closed in 1929.
- Water Well Information System (WWIS): A total of 28 well records were identified by the ERIS report. The details of well construction, surficial geology and other information are provided in the ERIS in Appendix A.

3.2.2 Ontario Ministry of Environment, Conservation and Parks

The Ottawa district office of the Ontario Ministry of Environment, Conservation and Parks (MECP) was contacted (refer to copy of correspondence in Appendix B) to provide an Index Report with respect to active orders and approvals for the Site as detailed below:

- Active orders under the Environmental Protection Act (EPA), the *Ontario Water Resources Act* (OWRA), and the *Pesticides Act* (PA).
- Approvals under Sections 9 and 39 of the EPA as well as Sections 52 and 53 of the OWRA.

A response from the MECP was not received at the time of completion of this report.

3.2.3 City of Ottawa

Golder completed a review of the City of Ottawa HLUI (Historical Land Use Inventory) for the Site and surrounding area. Based on the review of the City of Ottawa HLUI the following noteworthy were noted:

- The Site was listed as unnamed waste disposal site under four separate HLUI; however, no additional information was available.
- 829 Carling Avenue located approximately 50 m north of the Site (across Carling Avenue) was listed as auto service garage with four underground storage tanks (USTs).
- 505 Preston Street located approximately 90 m north of the Site (across Carling Avenue and Preston Street) was listed as gasoline service station with two USTs.
- 350 Loretta Avenue located approximately 70 m northwest of the Site (across Carling Avenue) was listed to have consisted two gasoline USTs.
- 111 Sherwood Drive located approximately 100 m northwest of the Site (across Carling Avenue) was listed as gasoline service station with two USTs.

The City of Ottawa HLUI indicated on-Site PCA (waste disposal site) which is considered an APEC for Parcel A. In addition, several current and historic activities within the Phase One Study Area that qualify as PCAs include the presence of auto service operations as well as several retail fuel outlets across Carling Avenue. These are further discussed further in Section 6.2.

3.2.4 Technical Standards & Safety Authority, Fuels Safety Division

The Technical Standards & Safety Authority (TSSA) Fuels Safety Division maintains records related to registered fuel storage tanks and other petroleum-related infrastructure. The TSSA was contacted to identify whether any active, decommissioned, or in-service storage tanks were present on the Site, and to search for outstanding instructions, incident reports, spills, or contamination records.

A response from TSSA, received on March 30, 2019, indicated 21 records listed under four addresses indicated below:

- Five records for gasoline station facility (with four expired tanks records) at 485 Preston Street located approximately 140 m northeast of the Site (across Carling Avenue and Preston Street).
- Nine records for gasoline station facility (with eight expired tanks records) at 505 Preston Street located approximately 90 m north of the Site (across Carling Avenue and Preston Street).

- Five records for marina (with two active and two expired tank records) at 1001 Queen Elizabeth Drive located approximately 100 m east of the Site.
- Two records for private fuel outlet (with an expired tank record) at 350 Loretta Avenue located approximately 70 m northwest of the Site (across Carling Avenue).

Current and/or former presence of these fuel storage tanks are considered off-Site PCAs. However, based on the distances and locations (inferred down-gradient from the Site), as well as separation by roadways from the Site, these are not considered to result in any APEC for the Site.

A copy of the TSSA response is available in Appendix B.

3.3 Physical Setting Sources

3.3.1 Aerial Photographs

Aerial photographs of the Site and vicinity were obtained from the National Air Photo Library (Natural Resources Canada) for the years 1938 and 1945 and reviewed by Golder. In addition, the aerial photographs for 1928, 1958, 1965, 1976, 1991, 2002, 2011 and 2017 from the City of Ottawa geo-map (<http://maps.ottawa.ca/geoOttawa/>) were reviewed on-line. Golder selected aerial photographs based on availability and date intervals to help develop an understanding of the history of the development of the Phase One Property and Phase One Study Area.

The information obtained from the aerial photographs was limited by the quality and scale of the available aerial photographs. The aerial photographs from 1938 and 1945 are included in Appendix C.

Information obtained from the review of the aerial photographs is summarized in the following table:

Year	Site	Surrounding Area
1928	Parcel A and B of the Site is primarily undeveloped; however, Parcel C appears to be used for farming and consists of buildings/structures associated with farming activities. A roadway appears in middle of Parcel C connecting Birch Drive with Prince of Wales Drive south of Parcel B.	<p>North: Bounded by Carling Avenue followed by primarily residential homes and some commercial land uses.</p> <p>East: Undeveloped lands followed by Dow's Lake. A roadway appears across Dow's Lake extending Preston Street with Lakeside Avenue.</p> <p>South: Undeveloped lands across Prince of Wales Drive with tree coverage</p> <p>West: Bounded by Carling Avenue followed by undeveloped lands.</p>
1938	Parcel A and B appears similar to 1928 aeriels image. Parcel C appears to have been segregated for different farming activities with additional buildings/structures. Southern portion of the Site have rows of hedges and tennis courts; however, details could not be confirmed due to poor resolution of aerial images.	<p>North: As per 1928 aerial image with additional developments.</p> <p>East: As per 1928 aerial image.</p> <p>South: Large building appears adjacent to the Site, likely associated with CEF.</p> <p>West: As per 1928 aerial image except for two large buildings constructed- Dominion Observatory and AAFC.</p>

Year	Site	Surrounding Area
1945	Two large buildings on Parcels A and B, Building #5 and Building #8 respectively, appear on the northern portion of the Site. Parcel C appears to be primarily unchanged.	<p>North: As per 1938 aerial image with additional developments.</p> <p>East: Two large buildings appear across Queen Elizabeth Driveway.</p> <p>South: No major changes except for structures likely used for greenhouses for the CEF. Additional building structures appear further away from the Site.</p> <p>West: Additional construction of buildings, likely associated with research and office spaces for AAFC.</p>
1958	Parking lots appear in the vicinity of office buildings on Parcels A and B. Parcel C appears to be primarily unchanged from 1945 and consists of vacant lands used for farming activities.	<p>North: Significant development across Carling Avenue with combination of residential and commercial activities.</p> <p>East: Similar to 1945 aerial image with no significant changes.</p> <p>South: As per 1945 aerial image with no significant changes.</p> <p>West: Between Site and Carling avenue consists of office buildings, whereas major residential developments appear across Carling Avenue</p>
1965	Parcel A and B appears to be primarily unchanged compared to aerial image from 1958. North portion of Parcel C is under-construction with SJCB. The roadway in the central area of Parcel C provides access to this parking lot from Birch Drive and Prince of Wales Drive.	<p>North: Similar to 1958 with additional developments across Carling Avenue.</p> <p>East: Similar to 1958 aerial image</p> <p>South: No major changes except for additional buildings for AAFC.</p> <p>West: No major changes except for additional buildings for AAFC.</p>
1976	Parcel A and B are primarily unchanged. Construction of SJCB is completed with two parking lots located adjacent north and south of the building. The roadway in the central area of Parcel C has been replaced by south parking lot for SJCB with driveways connecting to Birch Drive and Prince of Wales Drive.	<p>North: Similar to 1958 with additional developments across Carling Avenue.</p> <p>East: Similar to 1958 aerial image</p> <p>South: No major changes except for additional buildings for AAFC.</p> <p>West: No major changes except for additional buildings for AAFC.</p>
1991	Buildings on Parcels A and B have been demolished and the parcels have been redeveloped as parking lot and parkland, respectively. No significant changes to Parcel C of the Site compared to 1976 aerial image.	<p>North: Similar to 1976.</p> <p>East: Similar to 1976.</p> <p>South: Similar to 1976.</p> <p>West: Similar to 1976.</p>

Year	Site	Surrounding Area
2002	No major changes observed on any parcels of the Site compared to 1991 aerial image.	North: Similar to 1991. East: Similar to 1991. South: Similar to 1991. West: Similar to 1991.
2011	No major changes observed on any parcels of the Site compared to 2002 aerial image.	North: Similar to 2002 except for construction of several residential apartment buildings across Carling Avenue East: Similar to 2002. South: Similar to 2002. West: Similar to 2002.
2017	Majority of SJCB, located on north portion of Parcel C, has been demolished and parking lot south of the SJCB has been covered by vegetation. No roadway/driveway exists connecting Birch Drive to Prince of Wales Drive.	North: Similar to 1991. East: Similar to 1991. South: Similar to 1991. West: Similar to 1991.

3.3.2 Topography, Hydrology and Geology

The following records were reviewed to identify topographic, geologic and hydrogeological conditions at the Site. A topographic map (Ontario Base Map) showing the Site and the Phase One Study Area and the location of any water bodies is provided in Figure 3. Additional information on Site features, as observed at the time of the Site visit, is provided in Section 6.

Topic	Conditions	Comment / Source
Topography of Site and Surrounding Area	The Site is generally flat with slight slope downward to the northeast towards Dow’s Lake. There are some areas on the southern portion of the Site with uneven terrain; however, two steep slopes are located adjacent to the north of the SJCB West Annex building as well as between Parcels B and C.	Site and surrounding area observations and Figure 3 – Topographic Map and Areas of Natural Significance
Surficial Geology (Figure 4)	The Site consists of Till, plain with local relief (<5 m) on the northern portion of the Site (Parcels A and B). The stratigraphy for Parcel C consists of shallow bedrock (limestone and dolostone) on the northern portion whereas southern portion consists of off-shore marine deposits with clay and silt. Based on previous subsurface investigations, stratigraphy primarily consisted of topsoil, fill or asphalt, underlain by sandy silt to silty clay.	Bélanger, J. R. 2008 Urban Geology of the National Capital Area, Geological Survey of Canada, Open File 5311, 1 DVD. 2013 Phase II ESA

Topic	Conditions	Comment / Source
Bedrock Geology (Figure 5)	East portion consists of Lindsay Formation whereas Western portion consists of Bobcaygeon Formation.	Armstrong, D.K. and Dodge, J.E.P. 2007. Paleozoic Geology of Southern Ontario; Ontario Geological Survey, Miscellaneous Release – Data 219; Previous Environmental Reports
Drift Thickness (Figure 6)	The depth to bedrock across the Site is variable and generally decreases from south to north. Typical bedrock depth for Parcel A is between 2 to 5 mbgs whereas Parcel B is between 5 to 10 mbgs. Southeast corner of Parcel C has inferred bedrock depth between 10 to 15 mbgs whereas central portion of the Site (in the vicinity of SJCB) has shallow bedrock at less than 1 mbgs.	2010 Bélanger, J. R., Urban Geology of the National Capital Area, Geological Survey of Canada, Open File D3256
Inferred Near Surface Groundwater Flow	Regional groundwater flow follows the topography of the Site, primarily to the north towards the Ottawa River, which is also confirmed by various groundwater level measurements completed as part of previous investigations. However, the presence of Dow's Lake to the northeast and rail tracks cut through bedrock between Parcel A and B, as well as former on-Site buildings may influence shallow groundwater flow direction in this area.	Site and surrounding area observations
Site Grade Relative to the Adjoining Properties	The Site appears to follow the topography of the area; however, the Parcel C is located at higher elevation compared to Parcels A and B. Adjacent properties to the north and east are also located at a lower elevation compared to Parcel C of the Site.	Site and surrounding area observations and Figure 3 – Topographic Map and Areas of Natural Significance
Depth to Groundwater	Based on 2017 Phase II ESA, groundwater levels at the Site was measured between 1.23 and 5.13 mbgs.	2017 Phase II ESA

Local groundwater flow may be influenced by wells and buried underground services such as services or utility trenches in the vicinity of the Site, specifically the railway cut between Parcels A and B.

3.3.3 Fill Materials

Topic	Conditions	Comment / Source
Fill Materials	Fill materials associated with construction and demolition waste were observed on the northern part of Parcel C of the Site, associated with the former and ongoing demolition of SJCB West Annex, respectively. As well as the waste and demolition debris containing fill in Parcel A and B associated with the former waste site and two demolished office buildings.	Site observations and Site Representative

3.3.4 Water Bodies and Areas of Natural Significance

Topic	Conditions	Comment / Source
Nearest Open Water Body	The nearest permanent watercourse is the Dow's Lake located approximately 50 m east of Parcel A of the Site.	Figure 1– Key Plan
Areas of Natural Significance	No areas of natural and scientific interest (ANSI) are known to be located on the Site or in the Phase One Study Area.	Figure 3 (Topographic Map and Areas of Natural Significance)

3.3.5 Well Records

Topic	Conditions	Comment / Source
Water Wells on Site (location, stratigraphy of the overburden, from ground surface to bedrock, depth to bedrock, depth to water table, drilling date, use)	No wells were observed at the time of the Site visit, based on limited visibility due to heavy snow cover on the ground. ERIS report indicated a single well record completed in 1964 for water supply for cooling and air conditioning purposes, likely located south of former SJCB on Parcel C of the Site. In addition, previous environmental reports reviewed indicated various monitoring wells were installed during environmental investigations completed at the Site.	ERIS report, Site observations, Previous Reports
Water Wells on the Neighbouring Properties (location, stratigraphy of the overburden, from ground surface to bedrock, depth to bedrock, depth to water table, drilling rate, use)	No water wells were observed; however, the ERIS report had records of 28 wells within the Phase One Study Area.	ERIS report

3.4 Site Operating Records

No Site operating records were provided to Golder for review.

4.0 INTERVIEWS

Following the Site visit, Golder was provided various background reports and information by Mr. Darragh Kilroy (Environmental Specialist) for PSPC (the “Site Representative”) that discusses the historical and current activities carried out on the Site. As such, this is considered as a site interview, pursuant to the requirements O.Reg. 153/04. Relevant information obtained during the interview and Site visit is provided in Section 5.0.

5.0 SITE RECONNAISSANCE

5.1 General Requirements

Mr. Shihan Chowdhury, EIT (the “Site Assessor”) visited the Site on March 19, 2020 and walked through and observed accessible areas of the exterior of the Site, observed surrounding properties, and photographed representative Site features (Appendix C). No access to any interior areas of any buildings or structures located on-Site was provide to the Site Assessor. The weather condition was cloudy, and the temperature was approximately -5°C. The Site Assessor was unaccompanied at the time of the Site visit. The following sections summarize the Site Assessor’s observations and information provided by the Site Representative.

Photographs of relevant features noted during the Site visit are provided in Appendix D.

5.2 Specific Observations

The specific observations made during the Site visit are presented in the following sections.

Topic	Observations	Source
<p>Structures Number, Age and General Description of Buildings on the Site</p>	<p>A total of three buildings were present at the Site, including two buildings on the northern portion (a Bell utility station and the Sir John Carling Building West Annex, currently under demolition) and a tennis club house with outdoor courts on the southwest portion, with following details:</p> <p>SJCB West Annex (vacant and under demolition): This building was connected to the former SJCB and is located on the north portion of Parcel C of the Site. It appeared to be a two-storied building reportedly constructed in mid 1960s; however, due to demolition work was fenced off restricting close inspection of buildings materials and finishing.</p> <p>Building 61: A utility building, occupied by Bell Canada and likely constructed in early/mid 1950s, was located north of the former SJCB, along Carling Avenue and at a lower elevation compared to remaining elevation of Parcel C.</p>	<p>Site observations, Previous Reports and Site Representatives</p>

Topic	Observations	Source
	<p>Tennis clubhouse: A clubhouse, associated with DARA Tennis Club and reportedly constructed in late 1980s or early 1990s, was located on south portion of Parcel C. A single-storied wood construction building was associated with use of tennis courts adjacent north of the building.</p>	
<p>Number of Floors (include all levels, whether above or below ground)</p>	<p>SJCB West Annex (vacant and under demolition): 2-storied (reportedly) Building 61: Single-storied and reportedly a basement level Tennis clubhouse: Single-storied</p>	<p>Site observations, Previous Reports and Site Representatives</p>
<p>Number, Age, and Depth of Levels Below Ground Level</p>	<p>Presence of basement levels could not be confirmed at the time of the Site visit as interior areas were not accessible; however, previous reports indicated that Building 61 has a basement.</p>	<p>Site observations, and Site Representatives</p>
<p>Number and Details of all Aboveground Storage Tanks (ASTs)</p>	<p>No evidence (fill/vent pipes extending through slabs/ground surface, no staining (based on limited visibility due to snow cover) or any obvious odours were observed during the Site visit to indicate presence of fuel or chemical aboveground storage tanks (ASTs) on the Site. However, review of previous reports indicated that the following ASTs were present at the Site:</p> <ul style="list-style-type: none"> - Two diesel ASTs (each 910 L) for backup power generator located in former SJCB; - 250 L day tank in the basement generator room of former SJCB; - 4,498 L double-wall main supply tank in former SJCB; and, - 5,300 L double-wall genset tank outside former SJCB. <p>No confirmation on the removal of these fuel storage tanks or any additional information was available.</p> <p>In addition, heating systems for former office buildings on the three parcels may have included coal and/or oil sources.</p>	<p>Site observations, Previous Reports and Site Representatives</p>

Topic	Observations	Source
<p>Number and Details of all Underground Storage Tanks (USTs)</p>	<p>No evidence (fill/vent pipes extending through slabs/ground surface, no staining or any obvious odours) was noted during the Site visit (based on limited visibility due to snow cover on the ground) to indicate the current presence of fuel or chemical USTs on the Site.</p> <p>In addition, reports provided by the Site Representative did not indicate presence of any current or former USTs associated with fuel storage at the Site.</p>	<p>Site observations, Previous Reports and Site Representatives</p>
<p>Polychlorinated Biphenyls (PCB) Containing Materials and Equipment</p>	<p>Three concrete pad mounted transformers were observed at the Site and may include PCBs; however, it could not be confirmed. No evidence of any stains, leaks or spills was observed in the vicinity of these transformers at the time of the site visit based on limited visibility due to snow cover on the ground.</p> <p>Based on the construction (between 1930s and 1970s) of the SJCB West Annex and former buildings present at the Phase One Property, there is potential for PCB-containing electrical caulking and equipment to have been present on-Site.</p>	<p>Site observations, Previous Reports and Site Representatives</p>
<p>Asbestos-Containing Materials (ACMs)</p>	<p>Given no access to any interior areas of the current buildings on-Site were available, no observations could be made with respect to potential presence of ACMs.</p> <p>However, a DSS completed at the SJCB West Annex of the SJCB confirmed the presence of friable and non-friable asbestos containing materials (ACMs), lead-containing paint, PCB-containing light ballasts, mould growth, and other designated substances and hazardous materials.</p> <p>As such, construction date of the buildings on-Site (Building 61 and tennis clubhouse) suggests potential presence of hazardous building materials such as ACMs, lead, and PCBs as part of the building structure and equipment.</p>	<p>Site observations, Previous Reports and Site Representatives</p>
<p>Lead-Based Paints (LBPs)</p>		

Topic	Observations	Source
<u>Underground Utilities</u> Potable and Non-Potable Water Sources	The Site is reportedly serviced by municipal water supply.	Site observations and Site Representative
Utility Lines Present (i.e. Electrical, Natural Gas, other)	Concrete pad-mounted transformers were observed in the vicinity of the SJCB. Also, overhead electrical lines were observed at the tennis clubhouse. Presence of natural gas service could not be confirmed at the time of the Site visit.	Site observations and Site Representative
Sanitary/Process Wastewater Receptor	Sanitary wastewater is discharged to municipal sewer.	Site observations and Site Representative
Sanitary Sewer Connection	The Site is reportedly serviced by municipal sewer connections.	Site observations and Site Representative
Septic Systems	None identified.	Site observations and Site Representative
Storm Water Flow	Storm water either infiltrates through landscaped or unfinished surfaces or is directed toward catch basins located on the paved portion of the Site.	Site observations and Site Representative
Storm Sewer Connection	The Site is connected to the municipal storm sewer.	Site observations and Site Representative
<u>Interior of Structures</u> Entry and Exit Points for Site Buildings	Could not be confirmed for the SJCB West Annex. Building 61 and Tennis clubhouse appears to have one entry/exit point for each building.	Site observations
Existing and Former Heating System(s) (include fuel type / source)	Could not be confirmed during the Site visit, given no access was available for any interior areas of the buildings on-Site.	Site observations and Site Representative
Existing and Former Cooling System(s) (include fuel type / source)	Could not be confirmed during the Site visit, given no access was available for any interior areas of the buildings on-Site.	Site observations and Site Representative
Drains, Pits, and Sumps (include current use, if any, and former use)	Could not be confirmed during the Site visit, given no access was available for any interior areas of the buildings on-Site.	Site observations and Site Representative
Unidentified Substances	None identified.	Site observations
Floor Stains or Corrosion Located near a Potential Discharge Location	Could not be confirmed during the Site visit, given no access was available for any interior areas of the buildings on-Site.	Site observations

Topic	Observations	Source
Miscellaneous Exterior Location of any Current and Former Wells	No evidence of any wells was observed at the time of the Site visit, likely due to heavy snow cover on the ground. However, review of ERIS report and previous investigations confirms presence of monitoring wells across the Site.	Site observations, Site Representative, and ERIS Report
Ground Cover (i.e., grass, gravel, soil, or pavement, etc.)	The exterior areas of Site consisted primarily of landscaped areas and parkland. Other exterior areas consisted of asphalt paved parking lot and roadways.	Site observations
Current or Former Railway Lines or Spurs	None present on-Site; however, railway tracks used by O-Train was observed on the north portion of the Site (between Parcels A and B).	Site observations and Site Representative
Presence of Stained Soil, Vegetation, or Pavement	None observed, based on limited visibility due to heavy snow cover on the ground.	Site observations
Presence of Stressed Vegetation	None observed, based on limited visibility due to heavy snow cover on the ground.	Site observations
Areas Where Fill and/or Debris Materials Appear to Have Been Placed	Fill materials consisting of waste associated with ongoing demolition of the SJCB West Annex building was observed on the north portion of Parcel C.	Site observations and Site Representative
Potentially Contaminating Activity	Based on observation made at the time of the Site visit, several PCAs (discussed in details under Section 6.2) were identified associated with demolition debris of unknown quality, potential presence of fuel storage tanks (ASTs) for various purposes, possible importation of fill materials of unknown quality and origin.	Site observations and Site Representative
Unidentified Substances	None observed, based on limited visibility due to heavy snow cover on the ground and access issues for interior areas of the on-Site buildings.	Site observations

5.2.1 Enhanced Investigation Property

The Site is occupied by two single-storied buildings and a vacant building undergoing demolition; however, none of these buildings have been used as retail fuel outlet, vehicle service and maintenance operations, or operation of dry-cleaning equipment. As such, the Phase One Property is not considered an Enhanced Investigation Property as defined by O. Reg. 153/04.

5.3 Surrounding Land Use

Golder observed the neighbouring properties from publicly accessible areas and from the Site. The properties surrounding the Site includes a combination of residential and commercial land. The Site Assessor made the following observations of neighbouring properties:

West (inferred to be hydraulically cross-gradient of the Site): Government office buildings including Dominion Observatory as well as farming lands associated with AAFC CEF.

North (inferred down-gradient): Bounded by Preston Street and Carling Avenue followed by parkland northeast (across Preston Street) and commercial land uses northwest (across Carling Avenue) of the Site.

South (inferred up-gradient): Combination of government office buildings and farming area associated with AAFC CEF.

East (inferred cross-gradient): Bounded by Prince of Wales Drive followed by either Dow's Lake (east of Parcel A) and a few government office buildings (adjacent to Parcel C).

5.4 Written Description of Investigation

The Site is an irregular shaped parcel of land located between Carling Avenue and Prince of Wales Drive with the northern section located immediately southwest of the intersection between Carling Avenue and Preston Street. Three land parcels form the entire Site and are managed by separate entities. At the time of the Site visit, general features included the parking lot associated with the Dow's Lake Pavilion on Parcel A; parkland (Queen Juliana Park) on Parcel B; and, the vacant West Annex of the former Sir John Carling Building (SJCB) which was under demolition, a building occupied by Bell (Building 61), tennis courts with a clubhouse, and vacant landscaping area on the CEF on Parcel C of the Site. No interior areas of any buildings or structure were accessible at the time of the Site visit. In addition, snow cover on the ground restricted visual observations of majority exterior areas other than asphalt paved roadways and parking area.

Parcel A, located on the northern portion of the Site, is separated from remainder of the Site by railway tracks used by O-Train. This portion of the Site, owned by NCC and leased to Dow's Lake Pavilion Inc., consisted of asphalt paved parking lot with landscaping along the perimeter on all sides. Access to this Site is available from south side of the parcel using driveway off Prince of Wales Drive. No buildings or structures were present on this parcel except for small payment booth structure adjacent to the access route. As such, no current activities representing issue of potential environmental concern were observed on Parcel A at the time of the Site visit.

Parcel B is located southwest of Parcel A (across O-Train tracks) and consisted of parkland, also known as Queen Juliana Park. This portion of the Site, owned and managed by PSPC, consisted of ice at the time of the Site visit, hence a walk through of the entire parcel could not be completed. Based on observations made from the perimeter of this parcel, no current activities representing issues of potential environmental concern were observed.

Parcel C is owned by AAFC and is located at a higher elevation compared to Parcel A and B, except for a small area on the north portion of this parcel which consists of a utility building occupied by Bell (Building 61). This building appears to consist telecommunication infrastructure associated with Bell Canada. Two other buildings are present on Parcel C, the vacant under demolition SJCB West Annex building on the northern portion of this parcel, and a tennis clubhouse located on the southern corner of Parcel C. No access into any of these three buildings were available. Limited observations, due to snow cover on the ground, of exterior areas in the vicinity of these buildings were completed from publicly accessible areas. Remaining area of Parcel C primarily consists of landscaping area located on the south and west section of Parcel C. Asphalt paved roadway (Birch Drive) was located on the central and western sections of Parcel C.

The presence of building demolition materials including crushed concrete and associated wastes were observed in the vicinity of SJCB West Annex building, located on the northern portion of Parcel C. Three concrete pad mounted transformers were also observed on landscaped areas to the north and west of this under demolition building. Large vacant landscaped area on the south section of Parcel C consisted of uneven terrain which may consist of imported fill materials brought to the Site during various building construction and site development activities. As such, observed PCAs from the Site visit include potential presence of various types of fill materials across the Site as well as concrete pad-mounted transformers (further discussed in section 6.2).

Salt application to parking areas, driveways and roadways is known to impact soil and groundwater conditions and generally considered as a PCA. However, recent amendments to Ontario Regulation 153/04 suggests that exceedances resulting from salt application for the safety of vehicular or pedestrian traffic under conditions of snow or ice is not considered an exceedance of applicable site condition standards. Given no evidence of former and current bulk storage of salt was observed, general application of salt for de-icing activities is not considered a PCA and has not been discussed further.

Areas surrounding the Site consisted of Carling Avenue followed by commercial businesses and residential homes to the north and northwest; Preston Street and Prince Wales Drive followed by parkland to the northeast; Dow's Lake Pavilion, HMCS Carleton and the Arboretum to the east; and office buildings and other operations associated with the AAFC CEF to the south and west.

Based on the Site and area reconnaissance, the site visit supports the information previously obtained to identify on-Site and off-site PCAs, discussed further in Section 6.2.

6.0 REVIEW AND EVALUATION OF INFORMATION

6.1 Current and Past Uses of the Site

The following summarizes the current and past uses of the Phase One Property:

Year(s)	Name of Owner(s)	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
Prior to 1880s	Various individual owners	Undeveloped	Agricultural or other use	No aerial image available for this time period.
1880s to prior 1928	Crown	Undeveloped	Agricultural or other use	No aerial image available for this time period; however, review of available information indicated waste disposal activities on Parcel A whereas some buildings/structures associated with agricultural activities of the CEF on Parcels B and C.
1928 to 1945	Crown	Office Buildings (Parcel A and B); Undeveloped (Parcel C)	Agricultural or other use; Commercial	According to the earliest available aerial image from 1928, the Site was primarily undeveloped and used for agricultural activities. Two office buildings constructed on Parcels A and B in late 1930s/early 1940s.

Year(s)	Name of Owner(s)	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1945 to 1991	Parcel A: Crown and NCC from 1981; Parcel B: PSPC; Parcel C: AAFC	Parking Lot (parcel A); Parkland (Parcel B); Office Building and farming for EF (Parcel C)	Agricultural or other use; Commercial	Parcel A and B consisted of office buildings until late 1970s/early 1980s followed by parking lot and parkland respectively. North section of Parcel C was developed with multi-storied office building (SJCB).
1991 to Present	Parcel A: NCC; Parcel B: PSPC; Parcel C: AAFC	Parking Lot (parcel A); Parkland (Parcel B); Office Building and agricultural use for the CEF (Parcel C)	Agricultural or other use; Commercial	Majority of SJCB was demolished in early 2010 with western section under demolition at the time of the Site visit.

6.2 Potentially Contaminating Activity

Any Potentially Contaminating Activity (PCA) on the Phase One Property or in the Phase One Study Area may require the identification of an area of potential environmental concern (“APEC”) and trigger the need for a Phase Two ESA to support the filing of a Record of Site Condition. The following PCAs were identified on the Phase One Property or in the Phase One Study Area, also shown on Figure 2:

PCA ID (see Figure 2)	Location	PCA	Information Source	Rationale for Potential Contribution of the PCA to an APEC
n/a	Various areas across the Site	30. Importation of Fill Material of Unknown Quality – Imported fill materials associated with various building construction and site development activities across the Site (all three parcels).	Site observations, Previous Reports	The PCA is located on-Site and as such is considered an APEC.
A	Entire Parcel A of the Site	58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners – Former Dow’s Lake landfill on Parcel A with documented impacts to soil and groundwater.	Previous Reports	The PCA is located on-Site with known impact to soil and groundwater. As such, this is considered an APEC.

PCA ID (see Figure 2)	Location	PCA	Information Source	Rationale for Potential Contribution of the PCA to an APEC
B	North portion of Parcel C (adjacent north and west of the SJCB West Annex)	55. Electricity Generator, Transformation and Power Station (Hydro Ottawa Sub-Station) – Three concrete pad mounted transformers in the vicinity of the SJCB West Annex building.	Site observations	Given that PCAs are located on-Site, each PCA location is considered APECs for the Site
C	North portion of Parcel C (building footprint of SJCB, East Annex and West Annex)	Building demolition debris in fill layer associated with former SJCB building footprint with documented exceedance of PAHs, metals and/or phenols in soil (fill) and groundwater (compared to federal guidelines with limited exceedances of provincial standards at one location).	Site observations, Previous Reports, Aerials	Given the PCA is located on-Site with documented impacts to soil and groundwater in the vicinity of former SJCB, it is considered an APEC.
D	Parcel B of the Site	Demolition debris from office building on Parcel B with documented PAHs (federal guidelines) and metals (federal guidelines and provincial standards) impacts within fill layer.	Site observations, Previous Reports, Aerials	Given the potential presence of demolition debris across majority of Parcel B, this on-Site PCA is considered an APEC.
E	SJCB West Annex Building (northern portion of Parcel C)	28. Gasoline and Associated Products Storage in Fixed Tanks – Former hydraulic oil elevator located in West Annex of SJCB.	Site observations, Previous Reports	Given the PCA is located on-Site with no additional information (i.e. secondary containment), it is considered an APEC.
F1 and F2	East of former SJCB East Annex Building on Parcel C	Reported glycol leak from parking ramp system of SJCB East Annex	Site observations, Previous Reports	Given the potential for this reported glycol leak from parking ramp system of SJCB to impact soil and groundwater at the Site, it is considered an APEC.

PCA ID (see Figure 2)	Location	PCA	Information Source	Rationale for Potential Contribution of the PCA to an APEC
G1, G2 and G3	Northern portion of Parcel C	28. Gasoline and Associated Products Storage in Fixed Tanks – Three former diesel ASTs reportedly associated with SJCB.	Site observations, Previous Reports	Given the PCAs are located on-Site with potential impact to soil quality at the Site and groundwater in the area, these three PCAs are considered as APECs.
H	Off-Site (approx. 80 m west of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Former diesel generator at 1 Observatory Crescent (Bldg #7).	Site observations, Previous Reports	Given inferred cross-gradient location of this PCA compared to the Site and separation by roadways with associated underground utilities, it is not considered an APEC for the Site.
I	Off-Site (approximately 120 m northeast of the Site)	37. Operation of Dry Cleaning Equipment (where chemicals are used) – Peloso Cleaners at 489 Preston Street	Site observations, ERIS Report	Given distance of this PCA from the Site, inferred down- gradient location compared to the Site, and separation by roadways with associated underground utilities, it is not considered an APEC for the Site.
J	Off-Site (approximately 70 m northwest of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Gasoline and Diesel USTs at 350 Loretta Avenue	Site observations, ERIS Report, HLUI	Given inferred cross-gradient location of this PCA compared to the Site and separation by roadways with associated underground utilities, it is not considered as an APEC for the Site.
K	Off-Site (approximately 50 m north of the Site)	10. Commercial Autobody Shops – Auto Service garage with four USTs at 829 Carling Avenue	Site observations, HLUI	Given inferred down-gradient location of this PCA compared to the Site, separation by a roadway with underground utilities between this PCA and Site, as well as absence of any reported spills associated the USTs, this PCA is not considered an APEC for the Site.

PCA ID (see Figure 2)	Location	PCA	Information Source	Rationale for Potential Contribution of the PCA to an APEC
L	Off-Site (approximately 140 m northeast of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Retail fuel outlet at 485 Preston Street	Site observations, ERIS Report, HLUI	Given inferred cross-gradient location of this PCA compared to the Site, distance as well as separation by roadways with associated underground utilities between this PCA and Site, it is not considered as an APEC for the Site.
M	Off-Site (approximately 60 m west of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Three USTs at 960 Carling Avenue	Site observations, ERIS Report, HLUI	Given inferred cross-gradient location of this PCA compared to the Site and separation by roadways with associated underground utilities, it is not considered as an APEC for the Site.
N	Off-Site (approximately 100 m northeast of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Four USTs at 1001 Queen Elizabeth Drive	Site observations, ERIS Report	Given distance of this PCA from the Site and separation by roadways with associated underground utilities, it is not considered as an APEC for the Site.
O	Off-Site (approximately 90 m north of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Retail fuel outlet with USTs at 505 Preston Street	Site observations, ERIS Report, HLUI	Given inferred down-gradient location of this PCA compared to the Site and separation by roadways with associated underground utilities, it is not considered as an APEC for the Site.
P	Off-Site (approximately 100 m northwest of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Retail fuel outlet with USTs at 111 Sherwood Drive	Site observations, HLUI	Given distance of this PCA from the Site, inferred cross- gradient location compared to the Site and separation by roadways with associated underground utilities, it is not considered as an APEC for the Site.

PCA ID (see Figure 2)	Location	PCA	Information Source	Rationale for Potential Contribution of the PCA to an APEC
Q	Off-Site (approximately 40 m north of parcel A)	33. Metal Treatment, Coating, Plating and Finishing – Campbell Steel and Iron Works Ltd at 855 Carling Avenue	FIPs	Based on the separation of the PCA by roadway with associate underground utilities, and inferred cross-gradient location, this off-Site PCA is not considered an APEC.
R	Off-Site (approximately 200 m northeast of the Site)	37. Operation of Dry Cleaning Equipment (where chemicals are used) – Hunter Cleaners at 787 Carling Avenue	FIPs	Based on the distance from the Site, separation by roadways with associate underground utilities, and inferred down-gradient location, this off-Site PCA is not considered an APEC.
S	Off-Site (approximately 50 m northwest of the Site)	28. Gasoline and Associated Products Storage in Fixed Tanks – Retail fuel outlet with USTs at 531 Preston Street	FIPs	Based on the separation of the PCA by roadway with associate underground utilities, and inferred cross-gradient location, this off-Site PCA is not considered an APEC.
T	Off-Site (approximately 100 m north of Parcel B)	28. Gasoline and Associated Products Storage in Fixed Tanks – Fuel oil Depot with 8 USTs at 140 Hickory Street	FIPs	Based on the distance from the Site, separation by roadways with associate underground utilities, and inferred down-gradient location, this off-Site PCA is not considered an APEC.
U	Off-Site (between Parcel A and B)	46. Rail Yards, Tracks and Spurs – <u>Railway tracks, located between Parcel A and B, currently used by O-Train.</u>	Site observations, Aerials	Given this off-Site PCA is located at a lower elevation compared to the Site, any fill related issues likely has been removed at the time of installation of these railway tracks.

PCA ID (see Figure 2)	Location	PCA	Information Source	Rationale for Potential Contribution of the PCA to an APEC
n/a	On-Site (entire area of Parcel C)	PCA 40: Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications – Pesticide application associated with former farming activities on Parcel C	Aerials	Given this PCA is located on- Site, it is considered an APEC.

6.3 Areas of Potential Environmental Concern

A summary of the Areas of Potential Environmental Concern (APECs) identified at the Phase One Property is provided in the following table. The APEC locations are presented in Figure 2.

Area of Potential Environmental Concern ¹	Location of APEC on Phase One Property	Potentially Contaminating Activity ²	Location of PCA	Contaminants of Potential Concern ³	Media Potentially Impacted
APEC 1: PCA ID # A – Former Dow's Lake landfill	Entire Parcel A of the Site	PCA 58: Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-Site	PHCs, BTEX, VOCs, PAHS, Metals and Inorganics	Soil and Groundwater
APEC 2: PCA ID # D – Demolition debris from former office building on Parcel B.	Former building footprint on Parcel B	Demolition debris from office building on Parcel B	On-Site	PHCs, BTEX, PAHS, Metals and Inorganics	Soil and Groundwater
APEC 3: PCA ID # C – Building demolition debris in fill at the location of the former SJCB building.	Former SJCB building footprint on Parcel C	Building demolition debris in fill layer associated with former SJCB building footprint	On-Site	PHCs, BTEX, VOCs, PAHS, Metals, Inorganics and Phenol	Soil and Groundwater
APEC 4: PCA ID # B – Concrete Pad-mounted transformers	Adjacent north and west of SJCB West Annex	PCA 55: Electricity Generator, Transformation and Power Station (Hydro Ottawa Sub-Station	On-Site	PCBs	Soil and Groundwater

Area of Potential Environmental Concern ¹	Location of APEC on Phase One Property	Potentially Contaminating Activity ²	Location of PCA	Contaminants of Potential Concern ³	Media Potentially Impacted
APEC 5: PCA ID # E – Former hydraulic oil elevator located in West Annex of SJCB.	SJCB West Annex on Parcel C	PCA 28: Gasoline and Associated Products Storage in Fixed Tanks	On-Site	PHCs, BTEX	Soil and Groundwater
APEC 6: PCA ID # F1 and F2 – Reported glycol leak from parking ramp system of SJCB	East portion of former SJCB East Annex	Reported glycol leak from parking ramp system of SJCB	On-Site	Glycol	Soil and Groundwater
APEC 7: PCA ID # G1, G2 and G3 – Three former diesel ASTs reportedly associated with SJCB.	Former SJCB on Parcel C	PCA 28: Gasoline and Associated Products Storage in Fixed Tanks	On-Site	PHCs, BTEX	Soil and Groundwater
APEC 8: PCA ID # not applicable – Imported fill materials associated with various building construction and site development activities across the Site (all three parcels).	Entire Site (Parcels A, B and C)	PCA 30: Importation of Fill Material of Unknown Quality (not indicated on Figure 2)	On-Site	PHCs, BTEX, PAHS, Metals and Inorganics	Soil and Groundwater
APEC 9: PCA ID # 40 – Application of pesticides associated with former farming activities on Parcel C	Entire area of Parcel C	PCA 40: Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	On-Site	Pesticides	Soil

Notes

- 1 Area of potential environmental concern means the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through, •(a) identification of past or present uses on, in or under the phase one property, and •(b) identification of potentially contaminating activity
- 2 Potentially contaminating activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a phase one study area
- 3 Contaminants of potential concern specified using the method groups as identified in the "Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011

6.4 Conceptual Site Model

A Conceptual Site Model of the Phase One Study Area (as required by O.Reg. 153/04) is presented in a series of Figures 1 to 3 (Figure 1: Key Plan, Figure 2: Site Plan, Figure 3: Topographic Map and Areas of Natural Significance).

The combined set of figures shows:

- Existing buildings and structures (if present)
- Water bodies and Areas of Natural Significance (if present) located in the Phase One Study Area
- Roads (including names) within the Phase One Study Area
- Uses of properties adjacent to the Phase One Property

The following describes the Phase One ESA Conceptual Site Model (CSM) for the Site based on the information obtained and reviewed as part of this Phase One ESA:

- The Site, occupying approximately 20.3 hectares (50.1 acres), consists of an irregular shaped parcel of land located between Carling Avenue and Prince of Wales Drive with northern section located immediately southwest of intersection between Carling Avenue and Preston Street. Three land parcels form the entire Site and are managed by separate entities.
- At the time of the Site visit, general features included parking lot associated with the Dow's Lake Pavilion on Parcel A; parkland (Queen Juliana Park) on Parcel B; and, the vacant SJCB West Annex which was under demolition, a building occupied by Bell (Building 61), tennis courts with a clubhouse, and vacant landscaped area under the CEF on Parcel C of the Site. No interior areas of any buildings or structure were accessible at the time of the Site visit. In addition, snow cover on the ground restricted visual observations of majority exterior areas other than asphalt paved roadways and parking area.
- A single well record completed in 1964, associated with water supply for cooling and air conditioning, was available and was located south of former SJCB on Parcel C of the Site. Additional wells for monitoring and testing purposes were installed at the Site according to previous reports reviewed; however, were not observed at the time of the Site visit due to snow cover on the ground.
- The nearest permanent watercourse is the Dow's Lake located approximately 50 m east of Parcel A of the Site. Based on previously completed subsurface investigations that evaluated groundwater flow direction based on water levels measured in groundwater monitoring wells, regional groundwater flows north towards Ottawa River located approximately 2.75 km north of the Site. However, shallow groundwater flow may be influenced by the presence of Dow's Lake to the northeast and O-Train rail tracks which cut through bedrock between Parcel A and B.
- Stratigraphy at the Site consists of Till, plain with local relief (<5 m) on the northern portion of the Site (Parcels A and B). The stratigraphy for Parcel C consists of shallow bedrock (limestone and dolostone) on the northern portion whereas southern portion consists of off-shore marine deposits with clay and silt. The depth to bedrock across the Site is variable and generally decreases from south to north. Typical bedrock depth for Parcel A is between 1 to 2 mbgs whereas Parcel B is between 5 to 10 mbgs.
- Southeast corner of Parcel C has inferred bedrock depth between 10 to 15 mbgs whereas central portion of the Site (in the vicinity of SJCB) has shallow bedrock at less than 1 mbgs.

- Based on previous subsurface investigations, stratigraphy primarily consisted of topsoil, fill or asphalt, underlain by sandy silt to silty clay.
- At the time of the Phase One ESA, the surrounding properties within the Phase One Study Area included:
 - **West:** Government office buildings including Dominion Observatory as well as farming lands associated with AAFC CEF.
 - **North:** Bounded by Preston Street and Carling Avenue followed by parkland northeast (across Preston Street) and commercial land uses northwest (across Carling Avenue) of the Site.
 - **South:** Combination of government office buildings and farming area associated with AAFC CEF.
 - **East:** Bounded by Prince of Wales Drive followed by either Dow's Lake (east of Parcel A) and few government office buildings (adjacent to Parcel C).
- A total of 26 PCAs were identified in the Phase One Study Area, as shown on Figure 2. Based on site characteristics and the locations of these PCAs, a total of nine APECs were identified for the Phase One Property (also shown on Figure 2).
- Based on the data gaps in delineation of soil and groundwater impacts in previous investigations as well as additional APECs identified, a Phase Two ESA is recommended for the Site.

6.4.1 Uncertainty and Absence of Information

There were no material deviations to the Phase One ESA requirements set out in O.Reg. 153/04 that would cause uncertainty or absence of information that would affect the validity of the Phase One Conceptual Site Model or the findings of this Phase One ESA.

7.0 CONCLUSIONS

Based on the information obtained as part of this Phase One ESA, a total of 26 PCAs were identified in the Phase One Study Area which resulted in nine APECs for the Site based on site characteristics and the locations of these PCAs. As such, a Phase Two ESA would be required to confirm the presence and extent of subsurface impacts to soil and groundwater quality at the Site from the identified APECs.

It is noted that an APEC cannot be eliminated at the Phase One ESA stage using previous Phase Two ESA data under the Regulation 153/04 RSC process. Given the land ownership of the property will remain federal it is uncertain if an RSC will be required. Outside the RSC process, Phase Two ESA data can be used as rationale to eliminate APECs. Based on the review of previous Phase Two ESA information, the following APECs can be discounted based on previous work:

- APEC 5, 6 and 7: testing was completed within the SJAC building and included PHC/BTEX and/or glycol testing and did not identify any impacts associated with the hydraulic elevator, former ASTs or glycol spill. No further Phase Two ESA is required for these APECs.
- APEC 8: several fill samples have been undertaken on the Site, and other than the fill within the former buildings or waste sites (APECs 1, 2, 3), none of the fill was shown to exceed the provincial standards. However, given the size of the Site the risk associated with this APEC is reduced but not eliminated.
- APEC 9: previous testing in the former agricultural areas of the Site included pesticide testing which did not identify any exceedances for the select pesticides evaluated. As such this APEC does not warrant any further evaluation.

APECs 1, 2, 3 and 4 remain due to the presence of documented or suspected impacts above provincial standards, or where additional investigation is recommended for delineation purposes. If an RSC is required all APECs will need to be carried into the subsequent Phase Two ESA.

8.0 REFERENCES

The following documents and/or data were cited in this report:

Source	Date
Previous Environmental Reports (refer to Section 3.1.6)	January 2014 to October 2017
Ontario Regulation 153/04 as amended	October 31, 2011
Bélanger, J. R. 2008 Urban Geology of the National Capital Area, Geological Survey of Canada, Open File 5311, 1 DVD.	2008
Armstrong, D.K. and Dodge, J.E.P. 2007. Paleozoic Geology of Southern Ontario; Ontario Geological Survey, Miscellaneous Release—Data 219	2007
2010 Bélanger, J. R., Urban Geology of the National Capital Area, Geological Survey of Canada, Open File D3256, 2001	2010
Aerial Photographs – National Air Photo Library (Natural Resources Canada)	1938, 1946
Aerial Photograph Images – geoOttawa (http://maps.ottawa.ca/geoOttawa/)	1928, 1958, 1965, 1976, 1991, 2002, 2011 and 2017
Ontario Ministry of the Environment, Conservation and Park	pending response
Technical Standards and Safety Authority	March 30, 2020

9.0 LIMITATIONS AND USE OF REPORT

This report (the “Report”) was prepared for the exclusive use of Parsons Inc. and the Ottawa Hospital for the express purpose of providing advice with respect to the environmental condition of the Site. In evaluating the Site, Golder Associates Ltd. (“Golder”) has relied in good faith on information provided by others as noted in the Report. We have assumed that the information provided is factual and accurate. We accept no responsibility for any deficiency, misstatement or inaccuracy contained in this Report as a result of omissions, misinterpretations or fraudulent acts of persons interviewed or contacted, or incomplete or inaccurate historical information from the various agencies. Any use which a third party makes of this Report, or any reliance on or decisions to be made based on it, is the sole responsibility of such third party. If a third party requires reliance on this Report, prior written authorization from Golder is required. Golder disclaims any responsibility of consequential financial effects on transactions or property values, or requirements for follow-up actions and costs.

The scope and the period of Golder’s assessment are described in this Report, and are subject to restrictions, assumptions and limitations. Except as noted herein, the work was conducted in accordance with the scope of work and terms and conditions of Golder’s proposal. Golder did not perform a complete assessment of all possible conditions or circumstances that may exist at the Site referenced in the Report. Conditions may therefore exist which were not detected given the limited nature of the assessment Golder was retained to undertake with respect to the Site and additional environmental studies and actions may be required. In addition, it is recognized that the passage of time affects the information provided in the Report. Golder’s opinions are based upon information that existed at the time of the writing of the Report. It is understood that the services provided for in the scope of work allowed Golder to form no more than an opinion of the actual conditions at the Site at the time the Site was visited, and cannot be used to assess the effect of any subsequent changes in any laws, regulations, the environmental quality of the Site or its surroundings. Asbestos and mould surveys were not performed. If a service is not expressly indicated, do not assume it has been provided.

The results of an assessment of this nature should in no way be construed as a warranty that the Site is free from any and all contamination from past or current practices.

Signature Page

Golder Associates Ltd.



Shihan Chowdhury, EIT
Environmental Consultant




Keith Holmes, P.Ge.
Associate, Project Manager




SAC/KPH/ha

[https://golderassociates.sharepoint.com/sites/112513/project files/6 deliverables/enviro report/final/19127064-r-rev0-toh_phi esa_mar2021.docx](https://golderassociates.sharepoint.com/sites/112513/project%20files/6%20deliverables/enviro%20report/final/19127064-r-rev0-toh_phi esa_mar2021.docx)

Figures



© OpenStreetMap (and) contributors, CC-BY-SA



NOTE(S)
 1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)
 1. PROJECTION: TRANSVERSE MERCATOR DATUM: NAD 83
 COORDINATE SYSTEM: MTM ZONE 9 VERTICAL DATUM: CGVD28

CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
 THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**


TITLE
KEY PLAN

CONSULTANT	YYYY-MM-DD	2020-03-27
	DESIGNED	---
	PREPARED	JEM
	REVIEWED	SAC
	APPROVED	KPH



PROJECT NO. 19127064	CONTROL 0001	REV. 0	FIGURE 1
-------------------------	-----------------	-----------	--------------------

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM 25mm




LEGEND
 PHASE ONE SITE
 PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)

NOTE(S)
 1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)
 1. LAND INFORMATION ONTARIO (LIO) DATA PRODUCED BY GOLDER ASSOCIATES LTD. UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEENS PRINTER 2018
 2. PROJECTION: TRANSVERSE MERCATOR, DATUM: NAD 83, COORDINATE SYSTEM: MTM ZONE 9, VERTICAL DATUM: CGVD28


Path: N:\Active\Spatial_Maps\Hospitals\OttawaHospital_New_Civic_Campus\08_PRC\19127064_Presents_OttawaHospital_40_PRC\0002_PhaseOne_ESA\19127064_002_HS_0003.mxd



CLIENT			
PARSONS INC.			
PROJECT			
PHASE ONE ENVIRONMENTAL SITE ASSESSMENT THE OTTAWA HOSPITAL, OTTAWA, ONTARIO			
TITLE			
TOPOGRAPHIC MAP AND AREAS OF NATURAL SIGNIFICANCE			
CONSULTANT	YYYY-MM-DD 2020-03-27		
DESIGNED	---		
PREPARED	BR/JEM		
REVIEWED	SAC		
APPROVED	KPH		
PROJECT NO.	CONTROL	REV.	FIGURE
19127064	0002	0	3

Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: 29mm




LEGEND

- O-TRAIN RAILWAY TRACK
- ROADWAY
- PHASE ONE SITE
- PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)
- 6b: ALLUVIAL DEPOSITS: MEDIUM GRAINED STRATIFIED SAND WITH SOME SILT
- 3a. OFFSHORE MARINE DEPOSITS: CLAY, SILT UNDERLYING EROSIONAL TERRACES
- 1a. TILL, PLAIN WITH LOCAL RELIEF <5 m
- L. LANDSLIDE AREA
- r2. BEDROCK: LIMESTONE, DOLOMITE, SANDSTONE & LOCAL SHALE
- zz. WATERBODY

NOTE(S)
1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)
1. BÉLANGER, J. R. 2008 URBAN GEOLOGY OF THE NATIONAL CAPITAL AREA, GEOLOGICAL SURVEY OF CANADA, OPEN FILE 5311, 1 DVD.
2. LAND INFORMATION ONTARIO (LIO) DATA PRODUCED BY GOLDER ASSOCIATES LTD. UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEENS PRINTER 2018
3. PROJECTION: TRANSVERSE MERCATOR, DATUM: NAD 83
COORDINATE SYSTEM: MTM ZONE 9, VERTICAL DATUM: CGVD28



CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**

TITLE
SURFICIAL GEOLOGY

CONSULTANT	YYYY-MM-DD	2020-03-27
DESIGNED	---	
PREPARED	BR/JEM	
REVIEWED	SAC	
APPROVED	KPH	


PROJECT NO. 19127064 CONTROL 0002 REV. 0

GOLDER

FIGURE **4**

Path: N:\Users\Spatial_MKG\Drawings\Hospital\OttawaHospital\19127064_PhasOne\PhaseOne_ESA\19127064_002-1AS-2004.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: 297mm




LEGEND

- O-TRAIN RAILWAY TRACK
- ROADWAY
- WATERBODY
- PHASE ONE SITE
- PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)
- 13: BILLINGS FORMATION - SHALE, MINOR LIMESTONE
- 11: LINDSAY FORMATION - LIMESTONE, NODULAR TO BLACK LAMINATED
- 10: VERULAM FORMATION - LIMESTONE AND SHALE
- 9: BOBCAYGEON FORMATION - LIMESTONE, WITH MINOR SHALES IN UPPER PART
- 8: GULL RIVER FORMATION - LIMESTONE, WITH DOLOSTONE BEDS TOWARDS BASE

NOTE(S)
 1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)
 1. ARMSTRONG, D.K. AND DODGE, J.E.P. 2007. PALEOZOIC GEOLOGY OF SOUTHERN ONTARIO; ONTARIO GEOLOGICAL SURVEY, MISCELLANEOUS RELEASE-DATA 219
 2. LAND INFORMATION ONTARIO (LIO) DATA PRODUCED BY GOLDER ASSOCIATES LTD. UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEENS PRINTER 2018
 3. PROJECTION: TRANSVERSE MERCATOR, DATUM: NAD 83, COORDINATE SYSTEM: MTM ZONE 9, VERTICAL DATUM: CGVD28



CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
 THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**


TITLE
BEDROCK GEOLOGY

CONSULTANT	YYYY-MM-DD	2020-03-27
	DESIGNED	---
	PREPARED	BR/JEM
	REVIEWED	SAC
	APPROVED	KPH

PROJECT NO.	CONTROL	REV.	FIGURE
19127064	0002	0	5

Path: N:\Clients\Spatial_Maps\OttawaHospital\New_Civic_Computer\08_FR_19127064_Parsons_OttawaHospital\08_FR_19127064_002_HIS_2020.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: 26mm



LEGEND


- O-TRAIN RAILWAY TRACK
- ROADWAY
- WATERBODY
- PHASE ONE SITE
- PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)

TREND IN DEPTH TO BEDROCK (METRES)

- 0 to 1
- 1 to 2
- 2 to 3
- 3 to 5
- 5 to 10
- 10 to 15
- 15 to 25

NOTE(S)
1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)
1. 2010 BÉLANGER, J. R., URBAN GEOLOGY OF THE NATIONAL CAPITAL AREA, GEOLOGICAL SURVEY OF CANADA, OPEN FILE D3256, 2001
2. LAND INFORMATION ONTARIO (LIO) DATA PRODUCED BY GOLDER ASSOCIATES LTD. UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEENS PRINTER 2018
3. PROJECTION: TRANSVERSE MERCATOR, DATUM: NAD 83, COORDINATE SYSTEM: MTM ZONE 9, VERTICAL DATUM: CGVD28



CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**

TITLE
DRIFT THICKNESS

CONSULTANT	YYYY-MM-DD	2020-03-27
DESIGNED	---	
PREPARED	BR/JEM	
REVIEWED	SAC	
APPROVED	KPH	


PROJECT NO. 19127064 CONTROL 0002 REV. 0

GOLDER

FIGURE **6**

Path: N:\Users\Spatial_MKG\Drawings\Hospitals\OttawaHospital\19127064_PhasOne\PhaseOne_ESA\19127064_002-145-2020.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: 297mm




LEGEND

- O-TRAIN RAILWAY TRACK
- ROADWAY
- WATERBODY
- PHASE ONE SITE
- PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)
- URBAN SOILS

NOTE(S)
 1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)
 1. LAND INFORMATION ONTARIO (LIO) DATA PRODUCED BY GOLDER ASSOCIATES LTD. UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEENS PRINTER 2018
 2. PROJECTION: TRANSVERSE MERCATOR, DATUM: NAD 83, COORDINATE SYSTEM: MTM ZONE 9, VERTICAL DATUM: CGVD28



CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
 THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**


TITLE
SOIL SURVEY COMPLEX (ONTARIO SOILS)

CONSULTANT	YYYY-MM-DD	2020-03-27
	DESIGNED	---
	PREPARED	BR/JEM
	REVIEWED	SAC
	APPROVED	KPH

PROJECT NO. 19127064	CONTROL 0002	REV. 0	FIGURE 7
-------------------------	-----------------	-----------	--------------------

Path: N:\Active\Spatial_Maps\Hospitals\OttawaHospital\New_Civic_Complex\08_FR\19127064_Parsons_OttawaHospital\08_FR\CD\0002_PhaseOne_ESA\19127064_002-HS-0007.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: 29mm




LEGEND

- O-TRAIN RAILWAY TRACK
- ROADWAY
- WATERBODY
- PHASE ONE SITE
- PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)
- 6: TILL PLAINS (DRUMLINIZED)
- 9: LIMESTONE PLAINS
- 11: SAND PLAINS
- 12: CLAY PLAINS

NOTE(S)
1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)
1. CHAPMAN, L.J. AND PUTNAM, D.F. 2007. PHYSIOGRAPHY OF SOUTHERN ONTARIO; ONTARIO GEOLOGICAL SURVEY, MISCELLANEOUS RELEASE-DATA 228
2. LAND INFORMATION ONTARIO (LIO) DATA PRODUCED BY GOLDER ASSOCIATES LTD. UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEENS PRINTER 2018
3. PROJECTION: TRANSVERSE MERCATOR, DATUM: NAD 83, COORDINATE SYSTEM: MTM ZONE 9, VERTICAL DATUM: CGVD28



CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**

TITLE
PHYSIOGRAPHY MAP

CONSULTANT	YYYY-MM-DD	2020-03-27
	DESIGNED	---
	PREPARED	BR/JEM
	REVIEWED	SAC
	APPROVED	KPH

PROJECT NO. 19127064	CONTROL 0002	REV. 0	FIGURE 8
-------------------------	-----------------	-----------	--------------------

Path: N:\Users\Spatial_MK\Documents\Hospitals\OttawaHospital\Map_Civic_Computer\08_FR019127064_Phases_OttawaHospital\08_FR019127064_PhaseOne_ESA\19127064_002-HAS_0008.mxd

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: 29mm

APPENDIX A

ERIS Report



DATABASE REPORT

Project Property: *TOH
TOH
Ottawa ON*

Project No: *191427064*

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *20200310066*

Requested by: *Golder Associates Ltd.*

Date Completed: *March 13, 2020*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Map.....	33
Aerial.....	34
Topographic Map.....	35
Detail Report.....	36
Unplottable Summary.....	303
Unplottable Report.....	309
Appendix: Database Descriptions.....	365
Definitions.....	374

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: TOH
TOH Ottawa ON

Project No: 191427064

Order Information:

Order No: 20200310066
Date Requested: March 10, 2020
Requested by: Golder Associates Ltd.
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	1	2	3
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	2	12	14
CA	<i>Certificates of Approval</i>	Y	0	12	12
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	1	1
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	1	1
ECA	<i>Environmental Compliance Approval</i>	Y	2	17	19
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	18	19
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	40	40
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	4	8	12
FED TANKS	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	7	7
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	1	1
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	110	110
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	2	2

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	2	2
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	1	1
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	3	3
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	4	4
PTTW	<i>Permit to Take Water</i>	Y	0	3	3
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	6	6
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	3	3
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	4	4
SPL	<i>Ontario Spills</i>	Y	0	24	24
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	1	1	2
WWIS	<i>Water Well Information System</i>	Y	1	28	29
Total:			12	311	323

Executive Summary: Site Report Summary - Project Property

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
ANDR	49	Pr of Wales & Preston Dump	Ottawa ON K1S	NE/0.0	-10.73	36
BORE	3		ON	SSW/0.0	2.44	37
BORE	5		ON	WNW/0.0	0.70	39
ECA	6	City of Ottawa	Ottawa ON K2G 6J8	WSW/0.0	7.42	61
ECA	6	City of Ottawa	Ottawa ON K2G 6J8	WSW/0.0	7.42	61
EHS	1		Carling Ave Preston St Ottawa ON	N/0.0	-1.23	66
FCS	2	Former Sir John Carling Building	Ottawa ON	WNW/0.0	1.06	80
FCS	7	Vacant Land (Former temporary Building # 8)	Ottawa ON	N/0.0	-4.61	84

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
FCS	36	Former Dow's Lake Landfill and Commissioner's Park	Ottawa ON	NE/0.0	-9.61	96
FCS	37	Queen Elizabeth Drive N of, W of Preston	Ottawa ON	NE/0.0	-9.61	104
WDSH	42		nr Pr. of Wales Dr. & Preston St. OTTAWA ON	NE/0.0	-10.18	210
WWIS	4		ON	S/0.0	4.39	211

Well ID: 1508073

Executive Summary: Site Report Summary - Surrounding Properties

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
ANDR	10	Carling & Loretta Dump (alt)	Ottawa ON K1Y	WNW/14.0	-4.61	36
ANDR	57	Carling & Loretta Dump (official)	Ottawa ON K1Y	WNW/143.8	-0.61	37
BORE	9		ON	W/35.7	7.44	40
BORE	24		ON	ENE/74.9	-9.09	42
BORE	38		ON	WSW/43.0	8.39	44
BORE	40		ON	W/143.4	8.08	45
BORE	54		ON	SE/10.7	10.08	46
BORE	60		ON	WSW/71.6	8.93	47
BORE	61		ON	ENE/154.5	-12.61	49
BORE	84		ON	NNE/71.9	-10.92	50
BORE	93		ON	WSW/172.1	8.34	51
BORE	107		ON	N/225.7	-8.53	53

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
BORE	113		ON	W/231.5	8.45	54
BORE	122		ON	WSW/243.3	7.39	55
CA	11	OTTAWA CITY	CARLING AVE./SHERWOOD DR. OTTAWA CITY ON	NW/35.4	-5.69	56
CA	33	Merrion Square Inc.	330 Loretta Ave S Ottawa ON K1S 4E8	NW/95.2	-5.93	57
CA	41	ENERGY MINES AND RESOURCES	1 OBSERVATORY CRES./BLGD. 7 OTTAWA CITY ON	W/88.0	8.39	57
CA	45	Dows Lake Court Inc.	875 Carling Ave Ottawa ON K1S 5P1	NNW/114.6	-7.70	57
CA	52	CAMPBELL STEEL AND IRON WORKS	855 CARLING AVENUE (SWM) OTTAWA CITY ON K1S 2E8	N/83.8	-8.61	58
CA	80	R.M. OF OTTAWA-CARLETON	HICKORY ST/BAYSWATER AVE. OTTAWA CITY ON	WNW/247.7	-2.70	58
CA	80	OTTAWA CITY	HICKORY ST/BAYSWATER AVE. OTTAWA CITY ON	WNW/247.7	-2.70	58
CA	95	2110801 Ontario Inc.	490 Preston St Ottawa ON K1S 4N8	NNE/108.2	-10.61	58
CA	97	City of Ottawa	843 Carling Ave Ottawa ON	N/198.7	-8.53	59
CA	127	ARNON CORP. & BAIX DEV. INC.	785 CARLING AVENUE OTTAWA CITY ON K1S 5H4	NE/172.4	-9.92	5
CA	127	Adobe Systems Canada Inc.	560 Rochester Street Ottawa ON K1S 5K2	NE/172.4	-9.92	59

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
CA	127	Her Majesty the Queen in Right of Canada as represented by the Minister of Health	785 Carling Ave Ottawa ON K1S 5H4	NE/172.4	-9.92	60
CDRY	111	Peloso Cleaners	489 Preston St Ottawa ON K1S4N7	NNE/127.6	-10.61	60
EASR	100	CLARIDGE HOMES (PRESTON) LIMITED PARTNERSHIP	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	60
EBR	47	Dows Lake Court Inc.	875 Carling Avenue Ottawa K1S 5P1 CITY OF OTTAWA ON	NNW/116.4	-7.70	61
ECA	21	Her Majesty the Queen in Right of Canada as represented by the Minister of	Agriculture 960 Carling Avenue Ottawa ON K1A 0C6	WNW/58.0	2.03	62
ECA	21	Agriculture and Agri-Food Canada	960 Carling Ave Ottawa ON K1A 0C6	WNW/58.0	2.03	62
ECA	21	Agriculture and Agri-Food Canada	960 Carling Ave Ottawa ON K1A 0C6	WNW/58.0	2.03	62
ECA	21	Agriculture and Agri-Food Canada	960 Carling Ave Ottawa ON K1A 0C6	WNW/58.0	2.03	63
ECA	33	Merrion Square Inc.	330 Loretta Ave. S. Ottawa ON K2A 0E7	NW/95.2	-5.93	63
ECA	47	Dows Lake Court Inc.	875 Carling Ave Ottawa ON	NNW/116.4	-7.70	63
ECA	47	Dows Lake Court Inc.	875 Carling Ave Ottawa ON K1S 5P1	NNW/116.4	-7.70	63
ECA	53	1702564 Ontario Inc.	306 to 318 Breezehill Avenue South Ottawa ON K2A 0E7	NW/148.6	-3.56	64

DB	Map Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
ECA	67	City of Ottawa	West Side of Dow's Lake , Ottawa City, Ottawa ON K1G 0Z8	S/122.5	13.45	64
ECA	73	Claridge Homes (Preston) Inc.	Ottawa ON	NNE/42.8	-11.62	64
ECA	77	1302042 Ontario Inc.	25 John Sidney Street Ottawa ON K2G 1E8	NNE/93.3	-10.61	64
ECA	77	1302042 Ontario Inc.	25 John Sidney Street Ottawa ON K2G 1E8	NNE/93.3	-10.61	65
ECA	92	2110801 Ontario Inc.	490 Preston St Ottawa ON K1Y 4R4	NNE/106.2	-10.61	65
ECA	97	City of Ottawa	843 Carling Ave Ottawa ON K1P 1J1	N/198.7	-8.53	65
ECA	97	City of Ottawa	843 Carling Avenue Ottawa ON K1G 0Z8	N/198.7	-8.53	66
ECA	127	Her Majesty the Queen in Right of Canada as represented by the Minister of	Health 785 Carling Ave Ottawa ON K1A 0K9	NE/172.4	-9.92	66
ECA	127	Adobe Systems Canada Inc.	560 Rochester St Ottawa ON K1Y 2Z4	NE/172.4	-9.92	66
EHS	13		903 Carling Ave. Ottawa ON K1Y 4E3	NW/43.4	-6.33	67
EHS	16		901 Carling Ave Ottawa ON K1Y4E3	NNW/55.7	-6.64	67
EHS	39		111 Sherwood Drive Ottawa ON K1Y 3V1	NW/107.3	-4.61	67
EHS	39		111 Sherwood Dr Ottawa ON K1Y 3V1	NW/107.3	-4.61	67

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
EHS	52		855 Carling Avenue Ottawa ON K1S 2E8	N/83.8	-8.61	67
EHS	55		Carling Ave Ottawa ON	NNE/42.6	-9.64	68
EHS	66		1001 Queen Elizabeth Driveway Ottawa ON	ENE/100.2	-12.61	68
EHS	68		140 Hickory Street Ottawa ON	N/166.0	-8.70	68
EHS	72		829 Carling Ave Ottawa ON K1S2E7	NNE/59.1	-10.61	68
EHS	89		Carling Avenue And Bronson Avenue Ottawa ON	NE/67.2	-11.61	68
EHS	90		505 Preston St Ottawa ON K1S4N7	NNE/70.9	-11.64	69
EHS	100		505 Preston St. Ottawa ON K1S 4N7	NNE/85.9	-10.53	69
EHS	100		505 Preston Street Ottawa ON K1S 4N7	NNE/85.9	-10.53	69
EHS	102		499 Preston Street Ottawa ON K1S 4N7	NNE/94.7	-10.59	69
EHS	116		Preston St Carling Ave Ottawa ON	NNE/145.1	-10.61	70
EHS	119		442 Preston St Ottawa ON K1S 4N6	NNE/183.4	-9.58	70
EHS	123		442 Preston Street Ottawa ON K1S 4N6	NNE/208.7	-9.62	70

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
EHS	125		440 Preston St Ottawa ON K1S4N6	NNE/216.3	-9.62	70
EXP	21	TRIANGLE PUMP SERVICE LTD	960 CARLING AV OTTAWA ON	WNW/58.0	2.03	70
EXP	21	TRIANGLE PUMP SERVICE LTD	960 CARLING AV OTTAWA ON K1A 0C6	WNW/58.0	2.03	71
EXP	21	TRIANGLE PUMP SERVICE LIMITED	960 CARLING AV OTTAWA ON K1A 0C6	WNW/58.0	2.03	71
EXP	48	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL	350 LORETTA AVE S OTTAWA ON	NW/138.1	-4.92	71
EXP	48	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL	350 LORETTA AVE S OTTAWA ON K1S 5N7	NW/138.1	-4.92	71
EXP	48	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL	350 LORETTA AVE S OTTAWA ON	NW/138.1	-4.92	72
EXP	48	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL	350 LORETTA AVE S OTTAWA ON K1S 5N7	NW/138.1	-4.92	72
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	72
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	72
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	73
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	73
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	73

DB	Map Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	73
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	74
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	74
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	74
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON	NNE/85.9	-10.53	74
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON	NNE/85.9	-10.53	75
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON	NNE/85.9	-10.53	75
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON	NNE/85.9	-10.53	75
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON	NNE/85.9	-10.53	75
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	76
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	76
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	76
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	76

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	77
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	77
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	77
EXP	100	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S 4N7	NNE/85.9	-10.53	77
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	78
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	78
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	78
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	78
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	79
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON	NNE/143.2	-10.61	79
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON	NNE/143.2	-10.61	79
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	79
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	80

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	80
EXP	117	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.2	-10.61	80
FCS	28	Central Experimental Farm	Ottawa ON	SSE/1.3	10.41	88
FCS	30	Dow's Lake Armoury and Drill Hall	Ottawa ON	ENE/106.8	-9.31	91
FCS	34	Dominion Observatory	Ottawa ON	W/124.0	8.39	93
FCS	35	Central Experimental Farm	Ottawa ON	E/202.1	-5.56	94
FCS	56	Central Experimental Farm	Ottawa ON	ESE/104.5	9.11	107
FCS	64	Central Experimental Farm	Ottawa ON	SE/61.4	10.18	114
FCS	71	Central Experimental Farm	Ottawa ON	W/136.2	9.32	119
FCS	120	Central Experimental Farm	Ottawa ON	SSW/233.7	10.64	124
FST	21	AGRICULTURE CANADA K W NEATBY BUILDING CEF RM 2113	960 CARLING AV OTTAWA ON K1A 0C6	WNW/58.0	2.03	129
FST	21	AGRICULTURE CANADA K W NEATBY BUILDING CEF RM 2113	960 CARLING AV OTTAWA ON K1A 0C6	WNW/58.0	2.03	129
FST	21	AGRICULTURE CANADA K W NEATBY BUILDING CEF RM 2113	960 CARLING AV OTTAWA ON K1A 0C6	WNW/58.0	2.03	130

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
FST	66	DOWS LAKE PAVILION GROUP INC	1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7	ENE/100.2	-12.61	130
FST	66	DOWS LAKE PAVILION C/O MASK MANAGEMENT CONSULTANTS	1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7	ENE/100.2	-12.61	130
FST	66	DOWS LAKE PAVILION C/O MASK MANAGEMENT CONSULTANTS	1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7	ENE/100.2	-12.61	131
FST	66	DOWS LAKE PAVILION GROUP INC	1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7	ENE/100.2	-12.61	131
FSTH	115	AGGARWAL ENTERPRISES LIMITED	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.0	-10.61	131
GEN	17	COMPLETE AUTO RENTALS O/A AVIS	901 CARLING AVE. OTTAWA C/O 1056 PARISIEN ST. GLOUCESTER ON K1Y 4E3	NW/61.5	-6.64	132
GEN	17	COMPLETE AUTO RENTALS O/A AVIS 08-719	901 CARLING AVE. OTTAWA C/O 1056 PARISIEN ST. GLOUCESTER ON K1Y 4E3	NW/61.5	-6.64	132
GEN	17	COMPLETE AUTO RENTALS	901 CARLING AVENUE OTTAWA ON K1Y 4E3	NW/61.5	-6.64	132
GEN	20	Oxford Properties Group Inc.	865 & 875 Carling Avenue Ottawa ON	N/43.6	-7.70	133
GEN	20	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	N/43.6	-7.70	133
GEN	21	Canadian Food Inspection Agency	960 Carling Avenue, Bldg #22 Ottawa ON	WNW/58.0	2.03	133
GEN	21	Public Works and Government Services Canada	960 Carling Ottawa ON	WNW/58.0	2.03	134

DB	Map Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
GEN	21	AGRICULTURE AND AGRI-FOOD CANADA	960 CARLING AVENUE OTTAWA ON	WNW/58.0	2.03	135
GEN	21	AGRICULTURE AND AGRI-FOOD CANADA	960 CARLING AVENUE OTTAWA ON K1A 0C6	WNW/58.0	2.03	136
GEN	21	Canadian Food Inspection Agency	960 Carling Avenue, Bldg #22 Ottawa ON K1A0C6	WNW/58.0	2.03	137
GEN	21	Public Works and Government Services Canada	960 Carling Ottawa ON K1A 0Z2	WNW/58.0	2.03	138
GEN	21	Canadian Food Inspection Agency	960 Carling Avenue, Bldg #22 Ottawa ON K1A0C6	WNW/58.0	2.03	138
GEN	21	AGRICULTURE AND AGRI-FOOD CANADA	960 CARLING AVENUE OTTAWA ON K1A 0C6	WNW/58.0	2.03	139
GEN	21	Public Works and Government Services Canada	960 Carling Ottawa ON K1A 0Z2	WNW/58.0	2.03	140
GEN	21	Canadian Food Inspection Agency	960 Carling Avenue, Bldg #22 Ottawa ON K1A0C6	WNW/58.0	2.03	141
GEN	21	AGRICULTURE AND AGRI-FOOD CANADA	960 CARLING AVENUE OTTAWA ON K1A 0C6	WNW/58.0	2.03	142
GEN	21	Canadian Food Inspection Agency Ottawa Laboratory Carling	960 Carling Avenue, Bldg #22 Ottawa ON K1A0C6	WNW/58.0	2.03	143
GEN	21	AGRICULTURE AND AGRI-FOOD CANADA Property & Facilities	960 CARLING AVENUE OTTAWA ON K1A 0C6	WNW/58.0	2.03	144
GEN	21	Canadian Food Inspection Agency Ottawa Laboratory Carling	960 Carling Avenue, Bldg #22 Ottawa ON K1A0C6	WNW/58.0	2.03	145
GEN	21	AGRICULTURE AND AGRI-FOOD CANADA Property & Facilities	960 CARLING AVENUE OTTAWA ON K1A 0C6	WNW/58.0	2.03	146

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	26	DOMICILE CONSTRUCTION	331 BREEZEHILL AVENUE SOUTH Ottawa ON K1Y 2J6	NW/92.7	-5.31	148
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2	ENE/110.7	-8.67	148
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON	ENE/110.7	-8.67	149
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON	ENE/110.7	-8.67	150
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON	ENE/110.7	-8.67	151
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2	ENE/110.7	-8.67	152
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON	ENE/110.7	-8.67	153
GEN	29	Department of National Defence	79 Prince of Wales Drive Ottawa ON	ENE/110.7	-8.67	154
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2	ENE/110.7	-8.67	154
GEN	29	Department of National Defence	79 Prince of Wales Drive Ottawa ON K7A 0K4	ENE/110.7	-8.67	155
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2	ENE/110.7	-8.67	155
GEN	29	Department of National Defence	79 Prince of Wales Drive Ottawa ON K7A 0K4	ENE/110.7	-8.67	156

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	29	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2	ENE/110.7	-8.67	156
GEN	29	Department of National Defence RP Ops	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2	ENE/110.7	-8.67	157
GEN	29	Department of National Defence RP Ops	CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2	ENE/110.7	-8.67	158
GEN	31	GVT OF CAN - NATIONAL DEFENCE	CFRB DOWS LAKE HMCS CARLETON OTTAWA ON K1A 0K2	ENE/33.6	-9.72	159
GEN	31	GVT OF CAN - NATIONAL DEFENCE 17-584	CFRB DOWS LAKE HMCS CARLETON OTTAWA ON K1A 0K2	ENE/33.6	-9.72	159
GEN	31	DEPT. OF NATIONAL DEFENCE	CFRB DOWS LAKE HMCS CARLETON OTTAWA ON K1A 0K2	ENE/33.6	-9.72	160
GEN	41	GVT. OF CAN-ENERGY, MINES & RES.	OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4	W/88.0	8.39	161
GEN	41	GVT.OF CAN-ENERGY,MINES& RESOURCES	OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4	W/88.0	8.39	161
GEN	41	GVT.OF CAN-ENERGY,MINES& RESOURCES18-250	OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4	W/88.0	8.39	162
GEN	41	GVT. OF CAN. - ENERGY MINES & RESOURCES	OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4	W/88.0	8.39	162
GEN	41	SNC LAVALIN O & M	1 OBSERVATORY CRESCENT BUILDING 7 OTTAWA ON	W/88.0	8.39	163
GEN	43	SOULARD RENTALS LTD.	233 CHAMPAGNE AVENUE NORTH OTTAWA ON K1R 7R7	N/90.5	-7.61	163

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	44	Ruiter Construction Ltd	135 Prince of Wales Ottawa ON	E/236.4	-6.61	163
GEN	45	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/114.6	-7.70	164
GEN	45	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/114.6	-7.70	164
GEN	45	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/114.6	-7.70	164
GEN	45	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/114.6	-7.70	165
GEN	47	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON	NNW/116.4	-7.70	165
GEN	47	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/116.4	-7.70	165
GEN	47	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/116.4	-7.70	166
GEN	47	Colonnade Management Inc.	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/116.4	-7.70	166
GEN	47	ColonnadeBridgeport Dow's Lake Court	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/116.4	-7.70	167
GEN	47	ColonnadeBridgeport Dow's Lake Court	865 - 875 Carling Ave Ottawa ON K1S 5P1	NNW/116.4	-7.70	167
GEN	48	BELL CANADA	350 LORETTA STREET OTTAWA ON K1S 4P6	NW/138.1	-4.92	168
GEN	48	BELL CANADA	350 LORETTA STREET OTTAWA ON K1S 4P6	NW/138.1	-4.92	168

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	48	BELL CANADA 05-778	350 LORETTA STREET OTTAWA ON K1S 5A5	NW/138.1	-4.92	169
GEN	50	GVT. OF CANADA-PUBLIC WORKS CANADA	CANADIAN MUSEUM OF CIVILIZATION VIMY HOUSE, 221 CHAMPAGNE STREET OTTAWA ON K1A 0M8	N/100.6	-7.61	169
GEN	50	PUBLIC WORKS CANADA	CANADIAN MUSEUM OF CIVILIZATION VIMY HOUSE, 221 CHAMPAGNE STREET OTTAWA ON K1A 0M8	N/100.6	-7.61	170
GEN	50	GVT. OF CANADA-PUBLIC WORKS CANADA18-303	CANADIAN MUSEUM OF CIVILIZATION VIMY HOUSE, 221 CHAMPAGNE STREET OTTAWA ON K1A 0M8	N/100.6	-7.61	170
GEN	50	CANADIAN WAR MUSEUM	221 CHAMPAGNE AVENUE NORTH OTTAWA ON K1R 7R7	N/100.6	-7.61	171
GEN	50	CANADIAN MUSEUM OF CIVILIZATION CORPORATION	221 CHAMPAGNE AVENUE NORTH OTTAWA ON K1R 7R7	N/100.6	-7.61	171
GEN	51	BELL CANADA	202 CHAMPAGNE STREET OTTAWA ON K1S 5A5	N/111.1	-7.61	172
GEN	51	BELL CANADA	202 CHAMPAGNE STREET OTTAWA ON K1S 5A5	N/111.1	-7.61	172
GEN	51	BELL CANADA (OUT OF BUSINESS) 05-832	202 CHAMPAGNE STREET OTTAWA ON K1S 5A5	N/111.1	-7.61	173
GEN	51	BELL CANADA 05-832	202 CHAMPAGNE STREET OTTAWA ON K1S 5A5	N/111.1	-7.61	173
GEN	52	Campbell Steel & Iron Works Limited	855 Carling Avenue Ottawa ON K1S 2E8	N/83.8	-8.61	174
GEN	66	Mask Management Consultants limited	1001 Queen Elizabeth Dr Ottawa ON K1S 5K7	ENE/100.2	-12.61	174

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	66	NATIONAL CAPITAL COMMISSION	1001 QUEEEN ELIZABETH DR OTTAWA ON	ENE/100.2	-12.61	174
GEN	66	1561951 Ontario Limited	1001 Queen Elizabeth Drive Ottawa ON K1S 5K7	ENE/100.2	-12.61	174
GEN	66	OCTranspo	1001 Queen Elizabeth Drive Ottawa ON K2P 1E3	ENE/100.2	-12.61	175
GEN	66	OCTranspo	1001 Queen Elizabeth Drive Ottawa ON K2P 1E3	ENE/100.2	-12.61	175
GEN	66	1561951 Ontario Limited	1001 Queen Elizabeth Drive Ottawa ON K1S 5K7	ENE/100.2	-12.61	175
GEN	66	OCTranspo	1001 Queen Elizabeth Drive Ottawa ON K2P 1E3	ENE/100.2	-12.61	175
GEN	66	OCTranspo	1001 Queen Elizabeth Drive Ottawa ON K2P 1E3	ENE/100.2	-12.61	176
GEN	66	1561951 Ontario Limited	1001 Queen Elizabeth Drive Ottawa ON K1S 5K7	ENE/100.2	-12.61	176
GEN	68	SUNOCO INC.	140 HICKORY STREET OTTAWA ON M5S 2S4	N/166.0	-8.70	176
GEN	68	SUNOCO INC. 36-375	140 HICKORY STREET OTTAWA ON M5S 2S4	N/166.0	-8.70	177
GEN	68	SUNOCO (OUT OF BUS) 36-375	140 HICKORY STREET OTTAWA ON M5S 2S4	N/166.0	-8.70	177
GEN	68	SUNOCO (OUT OF BUS)	140 HICKORY STREET OTTAWA ON M5S 2S4	N/166.0	-8.70	177
GEN	68	Suncor Energy Products Partnership	140 Hickory Street Ottawa ON K1S 2E8	N/166.0	-8.70	177

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	68	Suncor Energy Products Partnership	140 Hickory Street Ottawa ON K1S 2E8	N/166.0	-8.70	178
GEN	68	Suncor Energy Products Partnership	140 Hickory Street Ottawa ON K1S 2E8	N/166.0	-8.70	178
GEN	68	Suncor Energy Products Partnership	140 Hickory Street Ottawa ON K1S 3L9	N/166.0	-8.70	178
GEN	68	Suncor Energy Products Partnership	140 Hickory Street Ottawa ON K1S 3L9	N/166.0	-8.70	179
GEN	78	AGA KHAN FOUNDATION	991 CARLING AVE. OTTAWA ON K1Y 4E6	W/248.7	10.39	179
GEN	88	HUTCHINGS & PATRICK INC.	100 CHAMPAGNE AVE. SOUTH C/O P.O. BOX 8480 OTTAWA ON K1S 4P4	NNW/245.2	-5.54	179
GEN	88	HUTCHINGS & PATRICK INC. 20-341	100 CHAMPAGNE AVE. SOUTH C/O P.O. BOX 8480 OTTAWA ON K1S 4P4	NNW/245.2	-5.54	180
GEN	88	HUTCHINGS & PATRICK INC	100 CHAMPAGNES AVE S. OTTAWA ON K1S 4P4	NNW/245.2	-5.54	180
GEN	99	QUINTERRA INVESTMENTS CORPORATION	125 HICKORY STREET OTTAWA ON K1S 3L8	N/231.3	-7.56	180
GEN	100	Imperial Oil	505 Preston Street Ottawa ON K1S 4N7	NNE/85.9	-10.53	180
GEN	100	Imperial Oil	In right of way, adjacent to 505 Preston Street Ottawa ON	NNE/85.9	-10.53	181
GEN	100	Imperial Oil	505 Preston Street Ottawa ON K1S 4N7	NNE/85.9	-10.53	181
GEN	100	Imperial Oil	505 Preston Street Ottawa ON K1S 4N7	NNE/85.9	-10.53	181

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	100	Imperial Oil	In right of way, adjacent to 505 Preston Street Ottawa ON	NNE/85.9	-10.53	182
GEN	100	Imperial Oil	In right of way, adjacent to 505 Preston Street Ottawa ON	NNE/85.9	-10.53	182
GEN	108	Canadian Food Inspection Agency	960 Carling Avenue, Bld. 22 Ottawa ON	W/213.1	8.34	183
GEN	111	PELOSO CLEANERS	489 Preston Street Ottawa ON K1S 4N7	NNE/127.6	-10.61	183
GEN	112	PELOSO CLEANERS	489 PRESTON DRIVE OTTAWA ON K1S 4N7	NNE/127.6	-10.61	183
GEN	112	PELOSO CLEANERS	489 PRESTON STREET OTTAWA ON K1S 4N7	NNE/127.6	-10.61	183
GEN	112	927903 ONTARIO LTD.	489 PRESTON ST OTTAWA ON K1S 4N7	NNE/127.6	-10.61	184
GEN	112	927903 ONTARIO LTD.	489 PRESTON ST OTTAWA ON K1S 4N7	NNE/127.6	-10.61	184
GEN	112	927903 ONTARIO LTD.	489 PRESTON ST OTTAWA ON K1S 4N7	NNE/127.6	-10.61	184
GEN	112	927903 ONTARIO LTD.	489 PRESTON ST OTTAWA ON K1S 4N7	NNE/127.6	-10.61	185
GEN	112	927903 ONTARIO LTD.	489 PRESTON ST OTTAWA ON K1S 4N7	NNE/127.6	-10.61	185
GEN	115	VIVIAN TRAPANNI	485 PRESTON ST., OTTAWA ON K1S 4N7	NNE/143.0	-10.61	185

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
GEN	124	Arnon Corporation	785 Carling ave. Ottawa ON K1S 5K2	NE/159.8	-10.16	186
GEN	127	Arnon Development Corp.	785 Carling ave. Ottawa ON K1S 5H4	NE/172.4	-9.92	186
GEN	127	Arnon Corporation	785 Carling ave. Ottawa ON K1S 5K2	NE/172.4	-9.92	186
INC	118		INTERSECTION OF PRESTON STREET & ADELINE STREET, OTTAWA ON	NNE/161.3	-10.31	186
INC	128		437 PRESTON STREET, OTTAWA ON K1S 4N3	NNE/249.0	-8.61	187
MNR	23	DH OT-6	ON	W/96.2	8.39	188
MNR	59	EXPERIMENTAL FARM	ON	WSW/76.6	8.93	189
NPCB	41	ENERGY, MINES & RESOURCES	GEOMAGNETIC LAB.; 1 OBSERVATORY CRESENT OTTAWA ON K1Y 4X2	W/88.0	8.39	18
PINC	21		60-960 Carling Avenue, Ottawa ON	WNW/58.0	2.03	189
PINC	21		45-960 Carling Avenue, Ottawa ON	WNW/58.0	2.03	190
PINC	21		34-960 Carling Avenue, Ottawa ON	WNW/58.0	2.03	190
PRT	32	BELL CANADA AUTOMOTIVE MGR	350 LORETTA AV OTTAWA ON K1S 5N7	NNW/91.8	-6.65	19
PRT	66	DOWS LAKE PAVILION GROUP INC	1001 QUEEN ELIZABETH DR OTTAWA ON K1S5K7	ENE/100.2	-12.61	19

DB	Map Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
PRT	82	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR	505 PRESTON ST OTTAWA ON K1S4N7	NNE/55.6	-11.64	19
PRT	115	SUNYS PETROLEUM INC	485 PRESTON ST OTTAWA ON K1S4N7	NNE/143.0	-10.61	19
PTTW	85	Soho Champange (Phase 2) Inc.	115 Champange Avenue South Ottawa, ON K1S 5V5 Canada ON	N/213.4	-7.92	191
PTTW	96	500 Preston Ltd.	500 Preston Street Ottawa, ON K1S 4N7 Canada ON	NNE/103.5	-10.61	192
PTTW	100	Claridge Homes (Preston) Inc.	Property of Claridge Homes (Preston) Inc. 505 Preston Street Lot: 39, Concession: 1, on Ottawa River, Geographic Township of Nepean, City of Ottawa CITY OF OTTAWA ON	NNE/85.9	-10.53	193
RSC	45		875 Carling Ave. Ottawa ON K1S 5P1	NNW/114.6	-7.70	193
RSC	48	Merrion Square Inc.	350 Loretta Avenue South (now 320 and 330 Loretta Ave. S.), Ottawa, Ontario, , K ON	NW/138.1	-4.92	193
RSC	68	Suncor Energy Inc.	140 HICKORY ST, OTTAWA, ON, K1S 3L8 OTTAWA ON K1S 3L8	N/166.0	-8.70	194
RSC	88	1803734 ONTARIO INC.	100 CHAMPAGNE AVE S, OTTAWA, ON, K1S 2E8 ON K1S 4P4	NNW/245.2	-5.54	194
RSC	99		125 HICKORY STREET, OTTAWA, ONTARIO K1S 2E8 Ottawa ON	N/231.3	-7.56	195
RSC	100	Imperial Oil Limited - Compagnie Petroliere Imperiale Ltee	505 PRESTON ST, OTTAWA, ON, K1S 4N7 ON K1S 4N7	NNE/85.9	-10.53	196
RST	66	DOWS LAKE PAVILION	1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7	ENE/100.2	-12.61	197


<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
RST	66	DOWS LAKE PAVILION	1001 QUEEN ELIZABETH DR OTTAWA ON K1S5K7	ENE/100.2	-12.61	197
RST	115	SUNYS PETROLEUM INC	485 PRESTON ST OTTAWA ON K1S 4N7	NNE/143.0	-10.61	197
SCT	88	Hutchings & Patrick Inc.	100 Champagne Ave S Ottawa ON K1S 4P4	NNW/245.2	-5.54	19
SCT	121	DAVID'S SIGNATIONAL SIGNS	453 PRESTON ST OTTAWA ON K1S 4N5	NNE/172.3	-10.61	19
SCT	125	Slan Printing	440 Preston St Ottawa ON K1S 4N6	NNE/216.3	-9.62	198
SCT	127	FULCRUM TECHNOLOGIES INC	785 CARLING AVE OTTAWA ON K1S 5H4	NE/172.4	-9.92	19
SPL	12		Loretta and Carling Ottawa ON	NNW/29.4	-6.31	199
SPL	21	Cascades Recovery Inc.	960 Carling Ave Ottawa ON	WNW/58.0	2.03	199
SPL	21	Public Works and Government Services Canada	960 Carling Ave Ottawa ON K1A 0C6	WNW/58.0	2.03	199
SPL	21	Transport Bourassa Inc<UNOFFICIAL>	960 carling ave, Ottawa Ottawa ON	WNW/58.0	2.03	200
SPL	22	Tomlinson Environmental Services Ltd.	865 Carling Avenue Ottawa ON	N/44.7	-7.70	200
SPL	29	Federal Government of Canada - Public Works and Government Services Canada	79 Prince of Wales Drive Ottawa ON	ENE/110.7	-8.67	201
SPL	45	CONCORDIA PROJECT MANAGEMENT	875 CARLING AVE OTTAWA SITE 875 CARLING AVE.	NNW/114.6	-7.70	20

DB	Map Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			OTTAWA CITY ON K1S 5P1			
SPL	45	Canadian Medical Protective Agency <UNOFFICIAL>	875 Carling Ave. <UNOFFICIAL> Ottawa ON K1S 5P1	NNW/114.6	-7.70	202
SPL	45	Datashred Security<UNOFFICIAL>	875 Carling Avenue Ottawa ON K1S 5P1	NNW/114.6	-7.70	202
SPL	46	R.W. Tomlinson Limited	865 Carling Ave. Ottawa ON	NNW/114.7	-7.70	203
SPL	46		865 Carling Avenue Ottawa ON	NNW/114.7	-7.70	203
SPL	47		875 Carling Ave Ottawa ON	NNW/116.4	-7.70	204
SPL	52	UNKNOWN	855 CARLING AVE OTTAWA CITY ON K1S 2E8	N/83.8	-8.61	20
SPL	52		855 Carling Avenue Ottawa ON	N/83.8	-8.61	205
SPL	66	PRIVATE OWNER	DOW'S LAKE, 1001 QUEEN ELIZABETH THE DRIVEWAY PLEASURE CRAFT OTTAWA CITY ON K1S 5K7	ENE/100.2	-12.61	20
SPL	66	MOTOR VEHICLE	DOW LAKE PAVILLION, 1001 QUEEN ELIZABETH DRIVE, OTTAWA MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K1S 5K7	ENE/100.2	-12.61	206
SPL	69	PRIVATE OWNER	DOW'S LAKE(AT DOW'S LAKE MARINA, DALLAS LAKE PAVILLION, 1001 QUEEN ELIZABETH PLEASURE CRAFT OTTAWA ON	NE/85.8	-12.61	206
SPL	98	ESSO PETROLEUM CANADA	505 CARLING AVE. (CORNER OF PRESTON ST.) SERVICE STATION OTTAWA CITY ON	NE/78.3	-11.61	20

DB	Map Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
SPL	100	Drain-All Ltd.	505 preston street Ottawa ON	NNE/85.9	-10.53	207
SPL	104	TRANSPORT TRUCK	CARLING AVE & FAIRMOUNT (PARKDALE) MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	W/248.3	9.84	20
SPL	114	PRIVATE RESIDENCE	6 NORFOLK AVENUE FURNACE OIL TANK OTTAWA CITY ON K1S 4M4	NNE/130.2	-10.61	20
SPL	115	CP BULK SYSTEMS	485 PRESTON TANK TRUCK (CARGO) OTTAWA CITY ON K1S 4N7	NNE/143.0	-10.61	20
SPL	118	Enbridge Gas Distribution Inc.	intersection of Preston and Adeline Streets Ottawa ON	NNE/161.3	-10.31	209
SPL	127	Unknown<UNOFFICIAL>	across from 785 Carling Ottawa ON	NE/172.4	-9.92	210
WDSH	62		nr Carling & Loretta Ave. OTTAWA ON	WNW/165.0	2.49	211
WWIS	8		ON Well ID: 7301135	W/45.2	4.72	213
WWIS	14		OTTAWA ON Well ID: 7238495	NW/50.1	-6.33	214
WWIS	15		OTTAWA ON Well ID: 7238493	NNW/52.9	-6.61	217
WWIS	18		lot 39 con 1 ON Well ID: 7292794	NNW/55.9	-6.61	219
WWIS	19		OTTAWA ON Well ID: 7238494	NW/70.9	-5.92	220
WWIS	25		ON	WSW/19.5	9.47	223

DB	Map Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<i>Well ID:</i> 7193760			
WWIS	27		OTTAWA ON <i>Well ID:</i> 1534715	E/185.2	-6.17	223
WWIS	58		OTTAWA ON <i>Well ID:</i> 7186182	NNE/55.6	-9.61	225
WWIS	63		Ottawa ON <i>Well ID:</i> 7263519	NNE/40.9	-10.66	228
WWIS	65		Ottawa ON <i>Well ID:</i> 7263520	NNE/54.2	-10.61	231
WWIS	70		Ottawa ON <i>Well ID:</i> 7263521	NNE/68.9	-10.61	233
WWIS	74		Ottawa ON <i>Well ID:</i> 7154726	N/174.6	-8.53	236
WWIS	75		ON <i>Well ID:</i> 7204091	N/180.3	-8.67	239
WWIS	76		ON <i>Well ID:</i> 7230594	N/182.8	-8.67	240
WWIS	79		ON <i>Well ID:</i> 7173480	NNE/57.5	-11.64	241
WWIS	81		Ottawa ON <i>Well ID:</i> 7141266	NNE/56.8	-11.64	241
WWIS	83		ON <i>Well ID:</i> 7204132	NNE/60.5	-11.64	245
WWIS	86		Ottawa ON <i>Well ID:</i> 7204971	N/174.8	-9.61	246
WWIS	87		OTTAWA ON	NNE/69.4	-11.64	248

<i>DB</i>	<i>Map Key</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
			<i>Well ID:</i> 1536049			
WWIS	91		Ottawa ON <i>Well ID:</i> 7123220	NNE/77.5	-11.64	251
WWIS	94		OTTAWA ON <i>Well ID:</i> 7152712	NE/72.5	-11.61	259
WWIS	101		ON <i>Well ID:</i> 7101176	NNE/88.5	-10.53	262
WWIS	103		OTTAWA ON <i>Well ID:</i> 7152715	NE/87.7	-11.61	271
WWIS	105		ON <i>Well ID:</i> 7224486	NNE/148.0	-10.79	280
WWIS	106		Ottawa ON <i>Well ID:</i> 7129172	NE/103.4	-10.53	281
WWIS	109		Ottawa ON <i>Well ID:</i> 7141269	NNE/106.2	-10.53	296
WWIS	110		Ottawa ON <i>Well ID:</i> 7125604	NNE/125.0	-10.61	298
WWIS	126		Ottawa ON <i>Well ID:</i> 7208743	NNE/218.2	-9.62	300




Map : 0.25 Kilometer Radius

Order Number: 20200310066

Address: TOH, Ottawa, ON



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Ferry Route/Ice Road		



Aerial Year: 2019

Address: TOH, Ottawa, ON

Source: ESRI World Imagery

Order Number: 20200310066



© ERIS Information Limited Partnership



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Address: TOH, ON

Source: ESRI World Topographic Map

Order Number: 20200310066



© ERIS Information Limited Partnership

Detail Report

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
ANDR	<u>10</u>	1 of 1	WNW/14.0	67.9 / -4.61	Carling & Loretta Dump (alt) Ottawa ON K1Y

Legal Description: Nepean
Location Description: S side of Carling Ave*, S of Loretta Ave*
Municipality: Ottawa City
Current Municipality: Ottawa City
RM: Ottawa-Carleton Region
Facility: Dump
Date Active: 1929
Date Begun:
Date Complete: 1929
Area (Ha):
Landfill Type:
Group Name:
Operated By:
Serial: MOEE 1111 (alt)
NTS: 31G05
Diameter (m):

Historical Summary:

Carling & Loretta Dump (alt) This datapoint created to express a plausible alternate position for MOEE 1111 (nr Carling & Loretta Ave) whose UTM coordinates seem somewhat approximate. 1965 Military Town Plan ASE 306 Not marked, site is on S side of Carling Ave*, S of Loretta Ave*, on site Temporary Government Building #8 [1965 Military Town Plan Ottawa-Hull ASE 306 Edition 1 (produced 1965)]. 1973 Military Town Plan MCE 306 Not marked [1973 Military Town Plan Ottawa-Hull MCE 306 Edition 2 (information 1972, produced 1973)]. 1982 Military Town Plan MCE 306 Not marked, government building has vanished [1982 Military Town Plan Ottawa-Hull MCE 306 Edition 5 (information 1980, produced 1982)]. *[1992] MapArt Corporation Ontario, Towns and Cities [Street Atlas].

Waste Type:
UTM X Nad 27: 444200
UTM Y Nad 27: 5026890
UTM Zone: 18

ANDR	<u>49</u>	1 of 1	NE/0.0	61.8 / -10.73	Pr of Wales & Preston Dump Ottawa ON K1S
------	-----------	--------	--------	---------------	---

Legal Description: Nepean
Location Description: nr Prince of Wales Dr & Preston St, former site of Temporary Government Building #5 and the National Employment Service HQ, located on N side of Prince of Wales Dr at the NCC Driveway, adjoins Dows Lake
Municipality: Ottawa City
Current Municipality: Ottawa City
RM: Ottawa-Carleton Region
Facility: Dump
Date Active: 1924
Date Begun:
Date Complete: 1924
Area (Ha):
Landfill Type:
Group Name: Dows Lake
Operated By:
Serial: MOEE 1101
NTS: 31G05

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Diameter (m):

Historical Summary:

Prince of Wales & Preston Dump MOEE 1994 nr Prince of Wales Dr & Preston St cited as closed waste disposal site (Ontario Ministry of the Environment [1994] Waste disposal site inventory, [Toronto]: Ontario Environment, 1994., i, 196 pp., maps, ISBN 0772984093). 1965 Military Town Plan ASE 306 Not marked, site is occupied by Temporary Government Building #5 and the National Employment Service HQ, located on N side of Prince of Wales Dr at the NCC Driveway, adjoins Dows Lake [1965 Military Town Plan Ottawa-Hull ASE 306 Edition 1 (produced 1965)]. 1968 NTS Map 31G05 Not marked, building present [1968 NTS Map Ottawa-Hull Sheet 31G05 edition 7 (air photos 1967, publication 1968)]. 1973 Military Town Plan MCE 306 Not marked, building present [1973 Military Town Plan Ottawa-Hull MCE 306 Edition 2 (information 1972, produced 1973)]. 1976 NTS Map 31G05 Not marked, building present [1976 NTS Map Ottawa-Hull Sheet 31G05 edition 8 (air photos 1975, culture check 1975, information 1975, publication 1976)]. 1982 Military Town Plan MCE 306 Not marked, building has gone [1982 Military Town Plan Ottawa-Hull MCE 306 Edition 5 (information 1980, produced 1982)]. 1983 NTS Map 31G05 Not marked, building has gone [1983 NTS Map Ottawa-Hull Sheet 31G05 edition 9 (air photos 1979, culture check 1979, publication 1983)]. 1987 NTS Map 31G05 Not marked, building has gone [1987 NTS Map Ottawa-Hull Sheet 31G05 edition 10 (air photos 1984, culture check 1985, publication 1987)]. *[1992] MapArt Corporation Ontario, Towns and Cities [Street Atlas].

Waste Type:

UTM X Nad 27: 444580
 UTM Y Nad 27: 5027030
 UTM Zone: 18

ANDR	57	1 of 1	WNW/143.8	71.9 / -0.61	Carling & Loretta Dump (official) Ottawa ON K1Y
-------------	-----------	---------------	------------------	---------------------	--

Legal Description:

Nepean wooded, S of Sherwood*, E of Irving*, N of Carling* and W of Bayswater Ave*
Location Description:
Municipality: Ottawa City
Current Municipality: Ottawa City
RM: Ottawa-Carleton Region
Facility: Dump
Date Active: 1929
Date Begun:
Date Complete: 1929
Area (Ha):
Landfill Type:
Group Name:
Operated By:
Serial: MOEE 1111
NTS: 31G05
Diameter (m):

Historical Summary:

Carling & Loretta Dump (official) MOEE 1994 site nr Carling & Loretta Ave cited as closed waste disposal site ([Ontario Ministry of the Environment [1994] Waste disposal site inventory, [Toronto]: Ontario Environment, 1994., i, 196 p. : maps. ISBN 0772984093). 1965 Military Town Plan ASE 306 Not marked, site is wooded, S of Sherwood*, E of Irving*, N of Carling* and W of Bayswater Ave* [1965 Military Town Plan Ottawa-Hull ASE 306 Edition 1 (produced 1965)]. *[1992] MapArt Corporation Ontario, Towns and Cities [Street Atlas].

Waste Type:

UTM X Nad 27: 444020
 UTM Y Nad 27: 5026890
 UTM Zone: 18

BORE	3	1 of 1	SSW/0.0	74.9 / 2.44	ON
-------------	----------	---------------	----------------	--------------------	-----------

Borehole ID: 613009
OGF ID: 215514314
Status:
Type: Borehole
Use:
Completion Date: AUG-1962
Static Water Level:
Inclin FLG: No
SP Status: Initial Entry
Surv Elev: No
Piezometer: No
Primary Name:
Municipality:
Lot:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD: 45.393336	
Total Depth m: -999				Longitude DD: -75.71057	
Depth Ref: Ground Surface				UTM Zone: 18	
Depth Elev:				Easting: 444381	
Drill Method:				Northing: 5026892	
Orig Ground Elev m: 80.1				Location Accuracy:	
Elev Reliabil Note:				Accuracy: Not Applicable	
DEM Ground Elev m: 78.7					
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393346	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	3.1	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Gravel	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	CLAY. PLASTIC.		
Geology Stratum ID:	218393348	Mat Consistency:	
Top Depth:	6.6	Material Moisture:	
Bottom Depth:	13.6	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Gravel	Geologic Formation:	
Material 2:	Boulders	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	GRAVEL.		
Geology Stratum ID:	218393349	Mat Consistency:	Compact
Top Depth:	13.6	Material Moisture:	
Bottom Depth:		Material Texture:	
Material Color:	Brown	Non Geo Mat Type:	
Material 1:	Bedrock	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	BEDROCK. BROWN,COMPACT. 00000060005903900065033BEDROCK. 00000 010 00025 005 00050 **Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:	218393347	Mat Consistency:	Firm
Top Depth:	3.1	Material Moisture:	
Bottom Depth:	6.6	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Sand	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SAND. FIRM.		

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 055170 NTS_Sheet: 31G05G				
Confiden 1:					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

BORE	5	1 of 1	WNW/0.0	73.2 / 0.70	ON
Borehole ID:	613024			Inclin FLG:	No
OGF ID:	215514329			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUL-1962			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.394228
Total Depth m:	-999			Longitude DD:	-75.711859
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	444281
Drill Method:				Northing:	5026992
Orig Ground Elev m:	79.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	77.4				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393399			Mat Consistency:	Soft
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILT. SOFT.				
Geology Stratum ID:	218393401			Mat Consistency:	
Top Depth:	2.4			Material Moisture:	
Bottom Depth:	12.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL.				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Geology Stratum ID:	218393400			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:	Red			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. PLASTIC,FRACTURED.				
Geology Stratum ID:	218393402			Mat Consistency:	
Top Depth:	12.6			Material Moisture:	
Bottom Depth:	19.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL.				
Geology Stratum ID:	218393403			Mat Consistency:	
Top Depth:	19.3			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. BEDROCK. GREY,SOUND. 0000801400028065001551005 005 00050 011 00000012000 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055320 NTS_Sheet: 31G05G		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

BORE	9	1 of 1	W/35.7	79.9 / 7.44	ON
Borehole ID:	613010			Inclin FLG:	No
OGF ID:	215514315			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	OCT-1958			Municipality:	
Static Water Level:				Lot:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.393409
Total Depth m:				Longitude DD:	-75.713254
Depth Ref:				UTM Zone:	18
Depth Elev:				Easting:	444171
Drill Method:				Northing:	5026902
Orig Ground Elev m:				Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:					
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:				Mat Consistency:	
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:					
BOULDERS.					
Geology Stratum ID:				Mat Consistency:	Compact
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:					
GRAVEL. COMPACT.					
Geology Stratum ID:				Mat Consistency:	
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:					
CLAY.					
Geology Stratum ID:				Mat Consistency:	Firm
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:					
CLAY. FIRM.					
Geology Stratum ID:				Mat Consistency:	Loose
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND. LOOSE.				
Geology Stratum ID:	218393354			Mat Consistency:	
Top Depth:	7.2			Material Moisture:	
Bottom Depth:	8.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Pebbles			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND.				
Geology Stratum ID:	218393352			Mat Consistency:	Firm
Top Depth:	4.1			Material Moisture:	
Bottom Depth:	5.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL. FIRM.				
Geology Stratum ID:	218393357			Mat Consistency:	
Top Depth:	11.5			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL. 00000 010 00025 005 00050 011 000000120002500900050019 010 00075 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	H	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055180 NTS_Sheet: 31G05G		
Confiden 1:	Logged by professional. Exact and complete description of material and properties.		

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

BORE	24	1 of 1	ENE/74.9	63.4 / -9.09	ON
Borehole ID:	613035			Inclin FLG:	No
OGF ID:	215514340			SP Status:	Initial Entry

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.39525
Total Depth m:	-999			Longitude DD:	-75.706762
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	444681
Drill Method:				Northing:	5027102
Orig Ground Elev m:	67.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	64.4				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393437			Mat Consistency:	
Top Depth:	2.1			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. LIGHT,BROWN. BEDROCK. GREY,SOUND. 00000011. BEDROCK. 08014000280650015510 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	218393436			Mat Consistency:	Soft
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. SOFT.				

Geology Stratum ID:	218393435			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL.				

Source

Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 055430 NTS_Sheet: 31G05G				
Confiden 1:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

BORE	38	1 of 1	WSW/43.0	80.9 / 8.39	ON
Borehole ID:	613003			Inclin FLG:	No
OGF ID:	215514308			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUL-1966			Municipality:	
Static Water Level:	2.1			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.392952
Total Depth m:	-999			Longitude DD:	-75.71427
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	444091
Drill Method:				Northing:	5026852
Orig Ground Elev m:	83.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	83.3				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393324			Mat Consistency:	Compact
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL. GREY,COMPACT.				
Geology Stratum ID:	218393325			Mat Consistency:	
Top Depth:	2.4			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. GREY, WATER STABLE AT 266.0 FEET.FIED. 00010 021 00050 043 00083 012 00 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218393323			Mat Consistency:	Loose
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:			SAND. BROWN, LOOSE.		

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	H	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055110 NTS_Sheet: 31G05G		
Confiden 1:	Logged by professional. Exact and complete description of material and properties.		

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

BORE	40	1 of 1	W/143.4	80.6 / 8.08	ON
Borehole ID:	613017			Inclin FLG:	No
OGF ID:	215514322			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.393941
Total Depth m:	-999			Longitude DD:	-75.714538
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	444071
Drill Method:				Northing:	5026962
Orig Ground Elev m:	75.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	82				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393378	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	3.5	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Sand	Geologic Formation:	
Material 2:	Gravel	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SAND.		

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Geology Stratum ID:	218393379			Mat Consistency:	Compact
Top Depth:	3.5			Material Moisture:	
Bottom Depth:				Material Texture:	Fine
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:	BEDROCK. GREY. 00110SPECIFIED. SAND. BROWN,COMPACT. SAND-FINE. COMPACT. COMPACT. BEDR				
Stratum Description:	**Note: Many records provided by the department have a truncated [Stratum Description] field.				

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055250 NTS_Sheet: 31G05G		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

BORE	54	1 of 1	SE/10.7	82.6 / 10.08	ON
Borehole ID:	612981			Inclin FLG:	No
OGF ID:	215514286			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	MAY-1960			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.390831
Total Depth m:	-999			Longitude DD:	-75.708112
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	444571
Drill Method:				Northing:	5026612
Orig Ground Elev m:	83.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	85				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393236	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	1.2	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Sand	Geologic Formation:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND.				
Geology Stratum ID:	218393237			Mat Consistency:	
Top Depth:	1.2			Material Moisture:	
Bottom Depth:	18.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND.				
Geology Stratum ID:	218393239			Mat Consistency:	
Top Depth:	19.5			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. STONE. GREY. 00065WEATHERED. BEDROCK. BEDROCK. BEDROCK. 00000 020 00080 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218393238			Mat Consistency:	
Top Depth:	18.3			Material Moisture:	
Bottom Depth:	19.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL.				
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 054890 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

BORE	60	1 of 1	WSW/71.6	81.4 / 8.93	ON
Borehole ID:	613000			Inclin FLG:	No

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
OGF ID:		215514305		SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUL-1966			Municipality:	
Static Water Level:	2.1			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.392587
Total Depth m:	-999			Longitude DD:	-75.715032
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	444031
Drill Method:				Northing:	5026812
Orig Ground Elev m:	83.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	83.7				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393317	Mat Consistency:	
Top Depth:	1.2	Material Moisture:	
Bottom Depth:	2.3	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Sand	Geologic Group:	
Material 3:	Silt	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	TILL. GREY.		
Geology Stratum ID:	218393318	Mat Consistency:	
Top Depth:	2.3	Material Moisture:	
Bottom Depth:		Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Bedrock	Geologic Formation:	
Material 2:	Limestone	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	BEDROCK. GREY, WATER STABLE AT 266.5 FEET.ENSE. UNSPECIFIED. 00010 021 00050 043 000 **Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:	218393316	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	1.2	Material Texture:	
Material Color:	Brown	Non Geo Mat Type:	
Material 1:	Sand	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SAND. BROWN.		

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Ident:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	H	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055080 NTS_Sheet: 31G05G		

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Confiden 1:		Logged by professional. Exact and complete description of material and properties.			
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

BORE	61	1 of 1	ENE/154.5	59.9 / -12.61	ON
Borehole ID:	613037			Inclin FLG:	No
OGF ID:	215514342			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.395348
Total Depth m:	-999			Longitude DD:	-75.705485
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	444781
Drill Method:				Northing:	5027112
Orig Ground Elev m:	65.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	64.4				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393441			Mat Consistency:	Soft
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. SOFT.				
Geology Stratum ID:	218393440			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL.				
Geology Stratum ID:	218393442			Mat Consistency:	
Top Depth:	2.1			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Material 2:			Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:			BEDROCK. LIGHT,BROWN. BEDROCK. GREY,SOUND. 00000011. BEDROCK. 08014000280650015510 **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055450 NTS_Sheet: 31G05G		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

BORE	84	1 of 1	NNE/71.9	61.6 / -10.92	ON
Borehole ID:	613054				Inclin FLG: No
OGF ID:	215514358				SP Status: Initial Entry
Status:					Surv Elev: No
Type:	Borehole				Piezometer: No
Use:					Primary Name:
Completion Date:					Municipality:
Static Water Level:					Lot:
Primary Water Use:					Township:
Sec. Water Use:					Latitude DD: 45.397943
Total Depth m:	-999				Longitude DD: -75.707945
Depth Ref:	Ground Surface				UTM Zone: 18
Depth Elev:					Easting: 444591
Drill Method:					Northing: 5027402
Orig Ground Elev m:	62.6				Location Accuracy:
Elev Reliabil Note:					Accuracy: Not Applicable
DEM Ground Elev m:	62.8				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393502	Mat Consistency:	
Top Depth:	1.1	Material Moisture:	
Bottom Depth:	1.4	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	TILL.		

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Geology Stratum ID:	218393503			Mat Consistency:	Dense
Top Depth:	1.4			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. ARTIFICIAL. ARTIFICIAL. 000040140002001700035004 DENSE. SAND. DENSE. BEDROCK.				
Geology Stratum ID:	218393501			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	fill
Gsc Material Description:					
Stratum Description:	FILL.				
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 055620 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

BORE	93	1 of 1	WSW/172.1	80.8 / 8.34	ON
Borehole ID:	612996			Inclin FLG:	No
OGF ID:	215514301			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.392399
Total Depth m:	-999			Longitude DD:	-75.716307
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	443931
Drill Method:				Northing:	5026792
Orig Ground Elev m:	80.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	83.7				
Concession:					
Location D:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218393300			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SOIL.				
Geology Stratum ID:	218393301			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND.				
Geology Stratum ID:	218393302			Mat Consistency:	Firm
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL. FIRM.				
Geology Stratum ID:	218393305			Mat Consistency:	Dense
Top Depth:	5			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. DENSE. SAND. VERY DENSE. SAND. VERY DENSE. SAND. VERY DENSE. BEDROCK. 00000				
	**Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218393303			Mat Consistency:	Loose
Top Depth:	3			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL. LOOSE.				
Geology Stratum ID:	218393304			Mat Consistency:	Compact
Top Depth:	4.6			Material Moisture:	
Bottom Depth:	5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:			TILL. COMPACT.		
Source					
Source Type:		Data Survey		Source Appl: Spatial/Tabular	
Source Orig:		Geological Survey of Canada		Source Iden: 1	
Source Date:		1956-1972		Scale or Res: Varies	
Confidence:		H		Horizontal: NAD27	
Observatio:				Verticalda: Mean Average Sea Level	
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: OTTAWA2.txt RecordID: 055040 NTS_Sheet: 31G05G			
Confiden 1:		Logged by professional. Exact and complete description of material and properties.			
Source List					
Source Identifier:		1		Horizontal Datum: NAD27	
Source Type:		Data Survey		Vertical Datum: Mean Average Sea Level	
Source Date:		1956-1972		Projection Name: Universal Transverse Mercator	
Scale or Resolution:		Varies			
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			
BORE	107	1 of 1	N/225.7	64.0 / -8.53	ON
Borehole ID:		613066		Inclin FLG: No	
OGF ID:		215514370		SP Status: Initial Entry	
Status:				Surv Elev: No	
Type:		Borehole		Piezometer: No	
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD: 45.398649	
Total Depth m:		-999		Longitude DD: -75.710254	
Depth Ref:		Ground Surface		UTM Zone: 18	
Depth Elev:				Easting: 444411	
Drill Method:				Northing: 5027482	
Orig Ground Elev m:		63.4		Location Accuracy:	
Elev Reliabil Note:				Accuracy: Not Applicable	
DEM Ground Elev m:		57.1			
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID:		218393543		Mat Consistency: Loose	
Top Depth:		4.9		Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Bedrock		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK. . ARTIFICIAL. ARTIFICIAL. 000100180002001400035010 BEDROCK. LOW,LOOSE **Note: Many records provided by the department have a truncated [Stratum Description] field.			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Geology Stratum ID:	218393542			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	4.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL.				

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	M	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055740 NTS_Sheet: 31G05G		
Confiden 1:	Logs are approximately correct. Lack of information. Doubtful terminology.		

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

BORE	113	1 of 1	W/231.5	80.9 / 8.45	ON
Borehole ID:	612999			Inclin FLG:	No
OGF ID:	215514304			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.392574
Total Depth m:	-999			Longitude DD:	-75.717076
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	443871
Drill Method:				Northing:	5026812
Orig Ground Elev m:	80.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	81.9				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218393313	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	.9	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Silt	Geologic Formation:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Material 2:		Boulders		Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILT.			
Geology Stratum ID:	218393314			Mat Consistency:	
Top Depth:	.9			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND.			
Geology Stratum ID:	218393315			Mat Consistency:	Dense
Top Depth:	2.4			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK. LAY. BROWN,GREY,VERY SOFT. BOULDERS. VERY DENSE. UNSPECIFIED. 00010 021 0005			
		**Note: Many records provided by the department have a truncated [Stratum Description] field.			

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	H	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 055070 NTS_Sheet: 31G05G		
Confiden 1:	Logged by professional. Exact and complete description of material and properties.		

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

BORE	122	1 of 1	WSW/243.3	79.9 / 7.39	ON
Borehole ID:	612989			Inclin FLG:	No
OGF ID:	215514294			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUL-1966			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.391854
Total Depth m:	-999			Longitude DD:	-75.717067
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	443871

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Drill Method:					
	Orig Ground Elev m:	81.3		Northing:	5026732
	Elev Reliabil Note:			Location Accuracy:	
	DEM Ground Elev m:	81.8		Accuracy:	Not Applicable
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
	Geology Stratum ID:	218393266		Mat Consistency:	Loose
	Top Depth:	.4		Material Moisture:	
	Bottom Depth:			Material Texture:	
	Material Color:	Grey		Non Geo Mat Type:	
	Material 1:	Bedrock		Geologic Formation:	
	Material 2:	Limestone		Geologic Group:	
	Material 3:			Geologic Period:	
	Material 4:			Depositional Gen:	
	Gsc Material Description:				
	Stratum Description:	BEDROCK. GREY. BEDROCK. GREY,STIFF,FISSURED. CLAY. SOFT,FISSURED. UNSPECIFIED. LOOSE.			
	Geology Stratum ID:	218393265		Mat Consistency:	
	Top Depth:	0		Material Moisture:	
	Bottom Depth:	.4		Material Texture:	
	Material Color:			Non Geo Mat Type:	
	Material 1:	Sand		Geologic Formation:	
	Material 2:	Soil		Geologic Group:	
	Material 3:	Silt		Geologic Period:	
	Material 4:			Depositional Gen:	
	Gsc Material Description:				
	Stratum Description:	SAND.			
<u>Source</u>					
	Source Type:	Data Survey		Source Appl:	Spatial/Tabular
	Source Orig:	Geological Survey of Canada		Source Iden:	1
	Source Date:	1956-1972		Scale or Res:	Varies
	Confidence:	H		Horizontal:	NAD27
	Observatio:			Verticalda:	Mean Average Sea Level
	Source Name:	Urban Geology Automated Information System (UGAIS)			
	Source Details:	File: OTTAWA2.txt RecordID: 054970 NTS_Sheet: 31G05G			
	Confiden 1:	Logged by professional. Exact and complete description of material and properties.			
<u>Source List</u>					
	Source Identifier:	1		Horizontal Datum:	NAD27
	Source Type:	Data Survey		Vertical Datum:	Mean Average Sea Level
	Source Date:	1956-1972		Projection Name:	Universal Transverse Mercator
	Scale or Resolution:	Varies			
	Source Name:	Urban Geology Automated Information System (UGAIS)			
	Source Originators:	Geological Survey of Canada			

CA

[11](#)

1 of 1

NW/35.4

66.8 / -5.69

OTTAWA CITY
CARLING AVE./SHERWOOD DR.
OTTAWA CITY ON

Certificate #: 3-0775-96-
Application Year: 96
Issue Date: 9/4/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

CA

33

1 of 2

NW/95.2

66.6 / -5.93

Merrion Square Inc.
330 Loretta Ave S
Ottawa ON K1S 4E8

Certificate #: 5694-7H8J87
Application Year: 2008
Issue Date: 9/2/2008
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

CA

41

1 of 7

W/88.0

80.9 / 8.39

ENERGY MINES AND
RESOURCES
1 OBSERVATORY CRES./BLGD. 7
OTTAWA CITY ON

Certificate #: 8-4134-91-
Application Year: 91
Issue Date: 2/13/1992
Approval Type: Industrial air
Status: Approved in 1992
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: 100 KW DIESEL GENERATOR
Contaminants: Nitrogen Oxides, Sulphur Dioxide, Stoddard Solvent
Emission Control: Silencer, Muffler

CA

45

4 of 9

NNW/114.6

64.8 / -7.70

Dows Lake Court Inc.
875 Carling Ave
Ottawa ON K1S 5P1

Certificate #: 5732-7EGNM9
Application Year: 2008
Issue Date: 6/26/2008
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Emission Control:					
CA	<u>52</u>	1 of 5	N/83.8	63.9 / -8.61	CAMPBELL STEEL AND IRON WORKS 855 CARLING AVENUE (SWM) OTTAWA CITY ON K1S 2E8
Certificate #:		3-1151-95-			
Application Year:		95			
Issue Date:		9/5/1995			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
CA	<u>80</u>	1 of 2	WNW/247.7	69.8 / -2.70	R.M. OF OTTAWA-CARLETON HICKORY ST/BAYSWATER AVE. OTTAWA CITY ON
Certificate #:		7-0504-96-			
Application Year:		96			
Issue Date:		6/17/1996			
Approval Type:		Municipal water			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
CA	<u>80</u>	2 of 2	WNW/247.7	69.8 / -2.70	OTTAWA CITY HICKORY ST/BAYSWATER AVE. OTTAWA CITY ON
Certificate #:		3-0587-96-			
Application Year:		96			
Issue Date:		6/17/1996			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
CA	<u>95</u>	1 of 1	NNE/108.2	61.9 / -10.61	2110801 Ontario Inc. 490 Preston St

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					Ottawa ON K1S 4N8
		Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:	6124-7G6HLB 2008 7/22/2008 Municipal and Private Sewage Works Approved		

CA	97	1 of 3	N/198.7	64.0 / -8.53	City of Ottawa 843 Carling Ave Ottawa ON
		Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:	2220-83CLQ3 2010 3/12/2010 Air Approved		

CA	127	1 of 9	NE/172.4	62.6 / -9.92	ARNON CORP. & BAIX DEV. INC. 785 CARLING AVENUE OTTAWA CITY ON K1S 5H4
		Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:	8-4165-94- 94 12/7/1994 Industrial air Approved		
		Project Description: Contaminants: Emission Control:	SILENCER/MUFFLER FOR 175 KW GENERATOR Nitrogen Oxides No Controls		

CA	127	4 of 9	NE/172.4	62.6 / -9.92	Adobe Systems Canada Inc. 560 Rochester Street Ottawa ON K1S 5K2
		Certificate #: Application Year: Issue Date: Approval Type: Status:	3433-5HUU6S 2003 1/18/2003 Air Approved		

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
CA	127	5 of 9	NE/172.4	62.6 / -9.92	Her Majesty the Queen in Right of Canada as represented by the Minister of Health 785 Carling Ave Ottawa ON K1S 5H4
Certificate #: 6006-7GKKR6 Application Year: 2008 Issue Date: 7/15/2008 Approval Type: Air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
CDRY	111	2 of 2	NNE/127.6	61.9 / -10.61	Peloso Cleaners 489 Preston St Ottawa ON K1S4N7
Legal Name of Company: Waste Quantity by Year Reporting Year: 2009 Quantity of PERC (kg): 288 Total Waste Water (kg): 0 Total Waste Water (L): - Total Residue (kg): 0 Total Residue (L): - Total Mix (kg): 332 Total Mix (L): - Request for Confidentiality: No Reason for Confidentiality: Reporting Year: 2008 Quantity of PERC (kg): 278 Total Waste Water (kg): 0 Total Waste Water (L): - Total Residue (kg): 0 Total Residue (L): - Total Mix (kg): 328 Total Mix (L): - Request for Confidentiality: No Reason for Confidentiality:					
EASR	100	34 of 34	NNE/85.9	62.0 / -10.53	CLARIDGE HOMES (PRESTON) LIMITED PARTNERSHIP

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					505 PRESTON ST OTTAWA ON K1S 4N7
Approval No:	R-009-5110096389			SWP Area Name:	Rideau Valley
Status:	REGISTERED			MOE District:	Ottawa
Date:	2017-03-20			Municipality:	OTTAWA
Record Type:	EASR			Latitude:	45.39805556
Link Source:	MOFA			Longitude:	-75.70750000000001
Project Type:	Water Taking - Construction Dewatering			Geometry X:	
Full Address:				Geometry Y:	
Approval Type:	EASR-Water Taking - Construction Dewatering				
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2032463				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
EBR	<u>47</u>	1 of 10	NNW/116.4	64.8 / -7.70	Dows Lake Court Inc. 875 Carling Avenue Ottawa K1S 5P1 CITY OF OTTAWA ON
EBR Registry No:	010-1632			Decision Posted:	
Ministry Ref No:	1598-76HLBV			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:	803003478			Act 1:	
Notice Date:	July 03, 2008			Act 2:	
Proposal Date:	September 10, 2007			Site Location Map:	
Year:	2007				
Instrument Type:	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
Off Instrument Name:					
Posted By:					
Company Name:	Dows Lake Court Inc.				
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:	875 Carling Avenue, Ottawa Ontario, Canada K1S 5P1				
Comment Period:					
URL:					
Site Location Details:	875 Carling Avenue Ottawa K1S 5P1 CITY OF OTTAWA				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
ECA	<u>6</u>	1 of 2	WSW/0.0	79.9 / 7.42	City of Ottawa Ottawa ON K2G 6J8
Approval No:	2546-8H6LRE			MOE District:	Ottawa
Approval Date:	2011-05-24			City:	
Status:	Approved			Longitude:	-75.7123
Record Type:	ECA			Latitude:	45.3933
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:					
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/8148-8GQHMC-14.pdf				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
ECA	<u>6</u>	2 of 2	WSW/0.0	79.9 / 7.42	City of Ottawa Ottawa ON K2G 6J8

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Approval No:	9353-82HMYD			MOE District:	Ottawa
Approval Date:	2010-02-12			City:	
Status:	Approved			Longitude:	-75.7123
Record Type:	ECA			Latitude:	45.3933
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:					
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/1450-7ZEMGH-14.pdf				

ECA	<u>21</u>	16 of 31	WNW/58.0	74.5 / 2.03	Her Majesty the Queen in Right of Canada as represented by the Minister of Agriculture 960 Carling Avenue Ottawa ON K1A 0C6
Approval No:	6981-56LLB6			MOE District:	Ottawa
Approval Date:	2002-05-14			City:	
Status:	Approved			Longitude:	-75.706985
Record Type:	ECA			Latitude:	45.37676
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	960 Carling Avenue				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3684-547RRV-14.pdf				

ECA	<u>21</u>	17 of 31	WNW/58.0	74.5 / 2.03	Agriculture and Agri-Food Canada 960 Carling Ave Ottawa ON K1A 0C6
Approval No:	5042-8KCRHD			MOE District:	Ottawa
Approval Date:	2011-08-03			City:	
Status:	Approved			Longitude:	-75.706985
Record Type:	ECA			Latitude:	45.37676
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	960 Carling Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/5532-8EQJH8-14.pdf				

ECA	<u>21</u>	18 of 31	WNW/58.0	74.5 / 2.03	Agriculture and Agri-Food Canada 960 Carling Ave Ottawa ON K1A 0C6
Approval No:	3728-7WTMAZ			MOE District:	Ottawa
Approval Date:	2009-10-20			City:	
Status:	Approved			Longitude:	-75.706985
Record Type:	ECA			Latitude:	45.37676
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	960 Carling Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/2934-7V3PWL-14.pdf				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
ECA	21	19 of 31	WNW/58.0	74.5 / 2.03	Agriculture and Agri-Food Canada 960 Carling Ave Ottawa ON K1A 0C6
Approval No:	9828-74BS2S			MOE District:	Ottawa
Approval Date:	2007-07-04			City:	
Status:	Approved			Longitude:	-75.706985
Record Type:	ECA			Latitude:	45.37676
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	960 Carling Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/2751-6XKQVY-14.pdf				
ECA	33	2 of 2	NW/95.2	66.6 / -5.93	Merrion Square Inc. 330 Loretta Ave. S. Ottawa ON K2A 0E7
Approval No:	5694-7H8J87			MOE District:	Ottawa
Approval Date:	2008-09-02			City:	
Status:	Approved			Longitude:	-75.7155
Record Type:	ECA			Latitude:	45.403
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Address:	330 Loretta Ave. S.				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/2985-7F8MN7-14.pdf				
ECA	47	3 of 10	NNW/116.4	64.8 / -7.70	Dows Lake Court Inc. 875 Carling Ave Ottawa ON
Approval No:	5732-7EGNM9			MOE District:	Ottawa
Approval Date:	2016-04-14			City:	
Status:	Approved			Longitude:	-75.710815
Record Type:	ECA			Latitude:	45.396328
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	875 Carling Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7664-8S7Q47-14.pdf				
ECA	47	4 of 10	NNW/116.4	64.8 / -7.70	Dows Lake Court Inc. 875 Carling Ave Ottawa ON K1S 5P1
Approval No:	5732-7EGNM9			MOE District:	Ottawa
Approval Date:	2008-06-26			City:	
Status:	Amended			Longitude:	-75.710815
Record Type:	ECA			Latitude:	45.396328
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<p>Approval Type: ECA-AIR Project Type: AIR Address: 875 Carling Ave Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1598-76HLBV-13.pdf</p>					
ECA	<u>53</u>	1 of 1	NW/148.6	68.9 / -3.56	1702564 Ontario Inc. 306 to 318 Breezehill Avenue South Ottawa ON K2A 0E7
<p>Approval No: 0280-746QET Approval Date: 2007-06-17 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Address: 306 to 318 Breezehill Avenue South Full Address: Full PDF Link:</p> <p>MOE District: Ottawa City: Longitude: -75.71361499999999 Latitude: 45.3967 Geometry X: Geometry Y:</p>					
ECA	<u>67</u>	1 of 1	S/122.5	85.9 / 13.45	City of Ottawa West Side of Dow's Lake , Ottawa City, Ottawa ON K1G 0Z8
<p>Approval No: 4642-76TGMT Approval Date: 2007-10-02 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Address: West Side of Dow's Lake , Ottawa City, Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0816-727LZ9-14.pdf</p> <p>MOE District: Ottawa City: Longitude: -75.7102 Latitude: 45.3898 Geometry X: Geometry Y:</p>					
ECA	<u>73</u>	1 of 1	NNE/42.8	60.9 / -11.62	Claridge Homes (Preston) Inc. Ottawa ON
<p>Approval No: 7494-A57PSC Approval Date: 2015-12-14 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2393-A4BSR5-14.pdf</p> <p>MOE District: Ottawa City: Longitude: -75.70769 Latitude: 45.39769 Geometry X: Geometry Y:</p>					
ECA	<u>77</u>	1 of 2	NNE/93.3	61.9 / -10.61	1302042 Ontario Inc. 25 John Sidney Street Ottawa ON K2G 1E8

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Approval No: 6215-5U6PDM Approval Date: 2003-12-12 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Address: 25 John Sidney Street Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4083-5S5Q6K-14.pdf					
ECA	<u>77</u>	2 of 2	NNE/93.3	61.9 / -10.61	1302042 Ontario Inc. 25 John Sidney Street Ottawa ON K2G 1E8
Approval No: 8258-5T9L3W Approval Date: 2004-01-06 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 25 John Sidney Street Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8455-5S5PYN-14.pdf					
ECA	<u>92</u>	1 of 1	NNE/106.2	61.9 / -10.61	2110801 Ontario Inc. 490 Preston St Ottawa ON K1Y 4R4
Approval No: 6124-7G6HLB Approval Date: 2008-07-22 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 490 Preston St Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4173-7BETWP-14.pdf					
ECA	<u>97</u>	2 of 3	N/198.7	64.0 / -8.53	City of Ottawa 843 Carling Ave Ottawa ON K1P 1J1
Approval No: 2220-83CLQ3 Approval Date: 2010-03-12 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Address: 843 Carling Ave Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2180-82JLN8-14.pdf					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
ECA	97	3 of 3	N/198.7	64.0 / -8.53	City of Ottawa 843 Carling Avenue Ottawa ON K1G 0Z8
Approval No:	3675-77GKKF			MOE District:	Ottawa
Approval Date:	2007-09-28			City:	
Status:	Approved			Longitude:	-75.7155
Record Type:	ECA			Latitude:	45.403
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	843 Carling Avenue				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3975-727MAU-14.pdf				
ECA	127	7 of 9	NE/172.4	62.6 / -9.92	Her Majesty the Queen in Right of Canada as represented by the Minister of Health 785 Carling Ave Ottawa ON K1A 0K9
Approval No:	6006-7GKKR6			MOE District:	
Approval Date:	2008-07-15			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	785 Carling Ave				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0690-7DDKMW-14.pdf				
ECA	127	8 of 9	NE/172.4	62.6 / -9.92	Adobe Systems Canada Inc. 560 Rochester St Ottawa ON K1Y 2Z4
Approval No:	3433-5HUU6S			MOE District:	
Approval Date:	2003-01-18			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Address:	560 Rochester St				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7048-5FKML6-14.pdf				
EHS	1	1 of 1	N/0.0	71.3 / -1.23	Carling Ave Preston St Ottawa ON
Order No:	20170627004			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	RSC Report - Quote			Client Prov/State:	ON
Report Date:	13-JUL-17			Search Radius (km):	.3
Date Received:	27-JUN-17			X:	-75.710174
Previous Site Name:				Y:	45.394181

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Lot/Building Size: Additional Info Ordered:					
EHS	<u>13</u>	1 of 1	NW/43.4	66.2 / -6.33	903 Carling Ave. Ottawa ON K1Y 4E3
Order No:	20071214009			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	12/27/2007			Search Radius (km):	0.25
Date Received:	12/14/2007			X:	-75.712018
Previous Site Name:				Y:	45.396091
Lot/Building Size:					
Additional Info Ordered:					
Lot/Building Size: Additional Info Ordered:					
EHS	<u>16</u>	1 of 1	NNW/55.7	65.8 / -6.64	901 Carling Ave Ottawa ON K1Y4E3
Order No:	20150119008			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	20-JAN-15			Search Radius (km):	.25
Date Received:	19-JAN-15			X:	-75.711683
Previous Site Name:				Y:	45.396169
Lot/Building Size:					
Additional Info Ordered:					
Lot/Building Size: Additional Info Ordered:					
EHS	<u>39</u>	1 of 2	NW/107.3	67.9 / -4.61	111 Sherwood Drive Ottawa ON K1Y 3V1
Order No:	20100913008			Nearest Intersection:	Sherwood and Carling Ave
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	9/21/2010			Search Radius (km):	0.25
Date Received:	9/13/2010			X:	-75.713319
Previous Site Name:				Y:	45.396004
Lot/Building Size:					
Additional Info Ordered:					
Lot/Building Size: Additional Info Ordered:					
EHS	<u>39</u>	2 of 2	NW/107.3	67.9 / -4.61	111 Sherwood Dr Ottawa ON K1Y 3V1
Order No:	20100913053			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Waste Disposal Site Report			Client Prov/State:	ON
Report Date:	9/21/2010			Search Radius (km):	0.5
Date Received:	9/13/2010			X:	-75.713308
Previous Site Name:				Y:	45.395972
Lot/Building Size:					
Additional Info Ordered:					
Lot/Building Size: Additional Info Ordered:					
EHS	<u>52</u>	3 of 5	N/83.8	63.9 / -8.61	855 Carling Avenue Ottawa ON K1S 2E8
Order No:	20081111042			Nearest Intersection:	Carling Avenue and Champagne Ave S
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Report Date:	11/20/2008			Search Radius (km):	0.25
Date Received:	11/11/2008			X:	-75.709876
Previous Site Name:				Y:	45.396852
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

EHS	<u>55</u>	1 of 1	NNE/42.6	62.8 / -9.64	Carling Ave Ottawa ON
Order No:	20061011008			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	10/19/2006			Search Radius (km):	0.25
Date Received:	10/11/2006			X:	-75.709192
Previous Site Name:				Y:	45.397283
Lot/Building Size:					
Additional Info Ordered:					

EHS	<u>66</u>	6 of 19	ENE/100.2	59.9 / -12.61	1001 Queen Elizabeth Driveway Ottawa ON
Order No:	20080509004			Nearest Intersection:	Queen Elizabeth Driveway and Preston Dr
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	BC
Report Date:	5/12/2008			Search Radius (km):	0.25
Date Received:	5/9/2008			X:	-75.70555
Previous Site Name:				Y:	45.396424
Lot/Building Size:					
Additional Info Ordered:					

EHS	<u>68</u>	5 of 11	N/166.0	63.8 / -8.70	140 Hickory Street Ottawa ON
Order No:	20090107011			Nearest Intersection:	Champagne Street South
Status:	C			Municipality:	
Report Type:	Standard Select Report			Client Prov/State:	ON
Report Date:	1/16/2009			Search Radius (km):	0.25
Date Received:	1/7/2009			X:	-75.710887
Previous Site Name:				Y:	45.39779
Lot/Building Size:					
Additional Info Ordered:					

EHS	<u>72</u>	1 of 1	NNE/59.1	61.9 / -10.61	829 Carling Ave Ottawa ON K1S2E7
Order No:	20160125024			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	28-JAN-16			Search Radius (km):	.25
Date Received:	25-JAN-16			X:	-75.70812
Previous Site Name:				Y:	45.397779
Lot/Building Size:					
Additional Info Ordered:					

EHS	<u>89</u>	1 of 1	NE/67.2	60.9 / -11.61	Carling Avenue And Bronson Avenue Ottawa ON
------------	------------------	---------------	----------------	----------------------	--

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Order No: 20170515059 Status: C Report Type: Custom Report Report Date: 19-MAY-17 Date Received: 15-MAY-17 Previous Site Name: Lot/Building Size: 9.22 Acres Additional Info Ordered: City Directory					
Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.7073 Y: 45.397816					
EHS	<u>90</u>	1 of 1	NNE/70.9	60.8 / -11.64	505 Preston St Ottawa ON K1S4N7
Order No: 20131209019 Status: C Report Type: Standard Report Report Date: 17-DEC-13 Date Received: 09-DEC-13 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.707543 Y: 45.397927					
EHS	<u>100</u>	2 of 34	NNE/85.9	62.0 / -10.53	505 Preston St. Ottawa ON K1S 4N7
Order No: 20050512006 Status: C Report Type: Report Date: 5/20/2005 Date Received: 5/12/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.707635 Y: 45.397969					
EHS	<u>100</u>	4 of 34	NNE/85.9	62.0 / -10.53	505 Preston Street Ottawa ON K1S 4N7
Order No: 20110223025 Status: C Report Type: Custom Report Report Date: 2/25/2011 Date Received: 2/23/2011 2:11:13 PM Previous Site Name: Lot/Building Size: Additional Info Ordered: City Directory					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.707486 Y: 45.397722					
EHS	<u>102</u>	1 of 1	NNE/94.7	61.9 / -10.59	499 Preston Street Ottawa ON K1S 4N7
Order No: 20180507033 Status: C Report Type: Standard Report Report Date: 14-MAY-18 Date Received: 07-MAY-18 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: City of Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.707848 Y: 45.398159					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
EHS	116	1 of 1	NNE/145.1	61.9 / -10.61	Preston St Carling Ave Ottawa ON
Order No:	20130515023			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	17-MAY-13			Search Radius (km):	.25
Date Received:	15-MAY-13			X:	-75.708001
Previous Site Name:				Y:	45.398604
Lot/Building Size:	0.3 acres				
Additional Info Ordered:					
EHS	119	1 of 1	NNE/183.4	62.9 / -9.58	442 Preston St Ottawa ON K1S 4N6
Order No:	20070912008			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	9/14/2007			Search Radius (km):	0.25
Date Received:	9/12/2007			X:	-75.708731
Previous Site Name:				Y:	45.398813
Lot/Building Size:					
Additional Info Ordered:					
EHS	123	1 of 1	NNE/208.7	62.9 / -9.62	442 Preston Street Ottawa ON K1S 4N6
Order No:	20070820030			Nearest Intersection:	Pamilla St.
Status:	C			Municipality:	City of Ottawa
Report Type:	CAN - Waste Disposal Site Report			Client Prov/State:	
Report Date:	8/22/2007			Search Radius (km):	0.5
Date Received:	8/20/2007			X:	
Previous Site Name:				Y:	
Lot/Building Size:	232 m2				
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans; Title Search; City Directory				
EHS	125	2 of 2	NNE/216.3	62.9 / -9.62	440 Preston St Ottawa ON K1S4N6
Order No:	20130621021			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	27-JUN-13			Search Radius (km):	.25
Date Received:	21-JUN-13			X:	-75.708879
Previous Site Name:				Y:	45.399091
Lot/Building Size:					
Additional Info Ordered:					
EXP	21	1 of 31	WNW/58.0	74.5 / 2.03	TRIANGLE PUMP SERVICE LTD 960 CARLING AV OTTAWA ON
Instance No:	10337364				
Instance ID:	16284				
Instance Type:	FS Facility				
Description:	Fuels Safety Private Fuel Outlet - Self Serve				
Status:	EXPIRED				
TSSA Program Area:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
EXP	21	2 of 31	WNW/58.0	74.5 / 2.03	TRIANGLE PUMP SERVICE LTD 960 CARLING AV OTTAWA ON K1A 0C6
Instance No:		11643207			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		8/8/2001			
EXP	21	10 of 31	WNW/58.0	74.5 / 2.03	TRIANGLE PUMP SERVICE LIMITED 960 CARLING AV OTTAWA ON K1A 0C6
Instance No:		11643207			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		Fuels Safety Private Fuel Outlet - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		8/8/2001			
EXP	48	5 of 8	NW/138.1	67.6 / -4.92	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL 350 LORETTA AVE S OTTAWA ON
Instance No:		9380881			
Instance ID:		386040			
Instance Type:		FS Facility			
Description:		Fuels Safety Private Fuel Outlet - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
EXP	48	6 of 8	NW/138.1	67.6 / -4.92	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL 350 LORETTA AVE S OTTAWA ON K1S 5N7
Instance No:		10904165			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		12/20/1990			
EXP	48	7 of 8	NW/138.1	67.6 / -4.92	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL 350 LORETTA AVE S OTTAWA ON
Instance No:		10904178			
Instance ID:		51316			
Instance Type:		FS Piping			
Description:		FS Piping			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
EXP	48	8 of 8	NW/138.1	67.6 / -4.92	BELL CANADA AUTOMOTIVE MGR ATTN : KEN CAMPBELL 350 LORETTA AVE S OTTAWA ON K1S 5N7
Instance No:		10904165			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		Fuels Safety Private Fuel Outlet - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		12/20/1990			
EXP	100	6 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
Instance No:		9581391			
Instance ID:					
Instance Type:		FS Facility			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		10/17/1996			
EXP	100	7 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
Instance No:		11335629			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 10/17/1996					
EXP	<u>100</u>	8 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
Instance No: 10905652 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 10/17/1996					
EXP	<u>100</u>	9 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
Instance No: 10905706 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 10/17/1996					
EXP	<u>100</u>	10 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
Instance No: 10905670 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 10/17/1996					
EXP	<u>100</u>	11 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
Instance No: 10905700 Instance ID: Instance Type: FS Liquid Fuel Tank Description:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		EXPIRED			
		TSSA Program Area:			
		Maximum Hazard Rank:			
		Facility Type:			
		Expired Date:	10/17/1996		
EXP	<u>100</u>	12 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
		Instance No:	10905685		
		Instance ID:			
		Instance Type:	FS Liquid Fuel Tank		
		Description:			
		Status:	EXPIRED		
		TSSA Program Area:			
		Maximum Hazard Rank:			
		Facility Type:			
		Expired Date:	10/17/1996		
EXP	<u>100</u>	13 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
		Instance No:	10905637		
		Instance ID:			
		Instance Type:	FS Liquid Fuel Tank		
		Description:			
		Status:	EXPIRED		
		TSSA Program Area:			
		Maximum Hazard Rank:			
		Facility Type:			
		Expired Date:	10/17/1996		
EXP	<u>100</u>	14 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
		Instance No:	10905712		
		Instance ID:			
		Instance Type:	FS Liquid Fuel Tank		
		Description:			
		Status:	EXPIRED		
		TSSA Program Area:			
		Maximum Hazard Rank:			
		Facility Type:			
		Expired Date:	10/17/1996		
EXP	<u>100</u>	15 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON
		Instance No:	11335640		
		Instance ID:	79385		
		Instance Type:	FS Piping		

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<p>Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
EXP	<u>100</u>	16 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON
<p>Instance No: 10905646 Instance ID: 50857 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
EXP	<u>100</u>	17 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON
<p>Instance No: 10905661 Instance ID: 51296 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
EXP	<u>100</u>	18 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON
<p>Instance No: 10905676 Instance ID: 51462 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
EXP	<u>100</u>	19 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON
<p>Instance No: 10905694 Instance ID: 51913</p>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<p>Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
EXP	<u>100</u>	25 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
<p>Instance No: 10905652 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Self Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 10/17/1996</p>					
EXP	<u>100</u>	26 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
<p>Instance No: 10905706 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Self Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 10/17/1996</p>					
EXP	<u>100</u>	27 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
<p>Instance No: 10905670 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Self Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 10/17/1996</p>					
EXP	<u>100</u>	28 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
<p>Instance No: 10905700</p>					

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<p><i>Instance ID:</i> <i>Instance Type:</i> FS Liquid Fuel Tank <i>Description:</i> FS Gasoline Station - Self Serve <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> FS Liquid Fuel Tank <i>Expired Date:</i> 10/17/1996</p>					
EXP	<u>100</u>	29 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
<p><i>Instance No:</i> 10905685 <i>Instance ID:</i> <i>Instance Type:</i> FS Liquid Fuel Tank <i>Description:</i> FS Gasoline Station - Self Serve <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> FS Liquid Fuel Tank <i>Expired Date:</i> 10/17/1996</p>					
EXP	<u>100</u>	30 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
<p><i>Instance No:</i> 10905637 <i>Instance ID:</i> <i>Instance Type:</i> FS Liquid Fuel Tank <i>Description:</i> FS Gasoline Station - Self Serve <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> FS Liquid Fuel Tank <i>Expired Date:</i> 10/17/1996</p>					
EXP	<u>100</u>	31 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7
<p><i>Instance No:</i> 10905712 <i>Instance ID:</i> <i>Instance Type:</i> FS Liquid Fuel Tank <i>Description:</i> FS Gasoline Station - Self Serve <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> FS Liquid Fuel Tank <i>Expired Date:</i> 10/17/1996</p>					
EXP	<u>100</u>	32 of 34	NNE/85.9	62.0 / -10.53	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S 4N7

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		11335629			
		Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:	 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED FS Liquid Fuel Tank 10/17/1996		
EXP	<u>117</u>	1 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
		Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:	 9745927 FS Facility EXPIRED 4/12/2010 12:04		
EXP	<u>117</u>	2 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
		Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:	 10905589 FS Liquid Fuel Tank EXPIRED 8/17/2010 9:28		
EXP	<u>117</u>	3 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
		Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:	 10905598 FS Liquid Fuel Tank EXPIRED 8/17/2010 9:29		
EXP	<u>117</u>	4 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<p><i>Instance No:</i> 10905613 <i>Instance ID:</i> <i>Instance Type:</i> FS Liquid Fuel Tank <i>Description:</i> <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> <i>Expired Date:</i> 8/17/2010 9:30</p>					
EXP	<u>117</u>	5 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
<p><i>Instance No:</i> 10905604 <i>Instance ID:</i> <i>Instance Type:</i> FS Liquid Fuel Tank <i>Description:</i> <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> <i>Expired Date:</i> 8/17/2010 9:31</p>					
EXP	<u>117</u>	6 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON
<p><i>Instance No:</i> 10905628 <i>Instance ID:</i> 50992 <i>Instance Type:</i> FS Piping <i>Description:</i> FS Piping <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> <i>Expired Date:</i></p>					
EXP	<u>117</u>	7 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON
<p><i>Instance No:</i> 10905622 <i>Instance ID:</i> 51398 <i>Instance Type:</i> FS Piping <i>Description:</i> FS Piping <i>Status:</i> EXPIRED <i>TSSA Program Area:</i> <i>Maximum Hazard Rank:</i> <i>Facility Type:</i> <i>Expired Date:</i></p>					
EXP	<u>117</u>	8 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
OTTAWA ON K1S 4N7					
		10905589			
Instance No:		10905589			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Full Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		8/17/2010 9:28:29 AM			
EXP	<u>117</u>	9 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
		10905598			
Instance No:		10905598			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Full Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		8/17/2010 9:29:02 AM			
EXP	<u>117</u>	10 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
		10905604			
Instance No:		10905604			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Full Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		8/17/2010 9:31:21 AM			
EXP	<u>117</u>	11 of 11	NNE/143.2	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
		10905613			
Instance No:		10905613			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Full Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		8/17/2010 9:30:19 AM			
FCS	<u>2</u>	1 of 1	WNW/0.0	73.5 / 1.06	Former Sir John Carling Building

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Ottawa ON					
SGC:		3506008			
Site ID:		54521001			
Departmental ID:					
Depart Code:		SVC			
Class Type:		2			
Class:		Medium Priority for Action			
Site Name:		Former Sir John Carling Building			
Site Name (FR):		Ancien édifice Sir John Carling			
Site Status:		Active			
Site Status Desc:		Remedial action plan completed. Remediation / risk management underway.			
Site Status (FR):		Active			
Description (FR):		Plan d'action d'assainissement achevé. D'assainissement et de gestion des risques en cours.			
Involv Code:					
Census Division:					
Municipality:		Ottawa			
Census Sub Class:					
Latitude:		45.394120			
Longitude:		-75.710870			
Location:					
Protected Data:					
FED:		075			
Fed Electoral District:		Ottawa Centre			
Fed Electoral District (FR):		Ottawa-Centre			
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:		7			
Site Deleted Flag:					
Created:		2016-05-18T10:18:00			
Modified:		2019-05-24T15:12:00			
Property No.:					
Est m² Contmnted:		44,000			
Est Ha Contmnted:		0.0000			
Est Tons Contamin:		0.0000			
Est Population at 1 Km:		5,426			
Est Population at 5 Km:		237,281			
Est Population at 10 Km:		624,626			
Est Population at 25 Km:		1,227,219			
Est Population at 50 Km:		1,442,850			
Reporting Org:					
Reporting Org (FR):					
Reason for Involv:		Other Canada Lands			
Reason for Involv (FR):		Autres Terres du Canada			
Liabile Third Party:					
Class (FR):		Priorité d'intervention moyenne			
Action Plan:		Excavation of contaminated soil for proposed hospital redevelopment.			
Action Plan (FR):		Excavation de sols contaminés pour le développement proposé d'un nouvel hôpital.			
Site Mgmt Strategy:		Assessment, Remediation			
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=54521001			
Additional Info:					
Additional Info (FR):					
<u>Management</u>					
Management Code:		2			
Management Type (EN):		Remediation			
Management Type (FR):		Restauration			
Management Code:		A			
Management Type (EN):		Assessment			
Management Type (FR):		Évaluation			
<u>Contamination</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contaminant:		PHCs (petroleum hydrocarbons)			
Contamination (FR):		HCP (hydrocarbures pétroliers)			
Medium Code:		5			
Medium:		Soil			
Medium (FR):		Sol			

Annual Data

Fiscal Year: 2016-2017
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 124552.41
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2018-2019
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year: 2015-2016
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 03
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 55743.49
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2017-2018
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Modified:					
NCSCS Year:					
Closed: No					
Actual Cubic Metres Rem: 0.0000					
Actual Hectares Rem: 0.0000					
Actual Tons Remediated: 0.0000					
Total Asmt Expenditure: 117300.79					
Total Remediation Expenditure: 0.00					
Total Care/Maint Expenditur: 0.00					
Total Mntring Expenditure: 0.00					
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure: 0.00					
FCSAP Remed Expenditure: 0.00					
FCSAP Care/Maint Expenditur: 0.00					
FCSAP Mntring Expenditure: 0.00					

FCS	7	1 of 1	N/0.0	67.9 / -4.61	Vacant Land (Former temporary Building # 8) Ottawa ON
------------	----------	---------------	--------------	---------------------	--

SGC:	3506008
Site ID:	24426002
Departmental ID:	National Capital 24426002
Depart Code:	SVC
Class Type:	3
Class:	Low Priority for Action
Site Name:	Vacant Land (Former temporary Building # 8)
Site Name (FR):	Terrain vacant (ancien immeuble temporaire # 8)
Site Status:	Closed
Site Status Desc:	Confirmatory sampling completed. No further action required.
Site Status (FR):	Fermé
Description (FR):	Échantillonnage de confirmation terminé. Aucune autre mesure nécessaire.
Involv Code:	
Census Division:	Ottawa
Municipality:	Ottawa
Census Sub Class:	1
Latitude:	45.395550
Longitude:	-75.709910
Location:	
Protected Data:	0
FED:	075
Fed Electoral District:	Ottawa Centre
Fed Electoral District (FR):	Ottawa-Centre
Metro:	
Nearest Pop. Area:	
Highest Step Cmpltd:	9
Site Deleted Flag:	
Created:	2005-07-28T11:43:00
Modified:	2017-05-26T15:20:00
Property No.:	24426
Est m² Contmnted:	36,100
Est Ha Contmnted:	
Est Tons Contamin:	
Est Population at 1 Km:	6,921
Est Population at 5 Km:	238,043
Est Population at 10 Km:	627,372
Est Population at 25 Km:	1,226,920
Est Population at 50 Km:	1,442,635
Reporting Org:	
Reporting Org (FR):	
Reason for Involv:	Federal Real Property
Reason for Involv (FR):	Biens immobiliers fédéraux
Liabile Third Party:	
Class (FR):	Priorité d'intervention faible
Action Plan:	Record of Site Condition obtained. No further action required. FY2007-08: abandonment of on-site groundwater

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					monitoring wells.
Action Plan (FR):					Dossier sur la condition de l'emplacement compl�t�. Aucune action future n'est requise. Pour l'ann�e financi�re 2007-08: abandon des puits de surveillance du site.
Site Mgmt Strategy:					Other
Minimap URL:					http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=24426002
Additional Info:					
Additional Info (FR):					
<u>Management</u>					
Management Code:		9			
Management Type (EN):			Other		
Management Type (FR):			Autre type de gestion		
<u>Contamination</u>					
Contaminant:			PAHs (polycyclic aromatic hydrocarbon)		
Contamination (FR):			HAP (hydrocarbures aromatiques polycycliques)		
Medium Code:			5		
Medium:			Soil		
Medium (FR):			Sol		
Contaminant:			PHCs (petroleum hydrocarbons)		
Contamination (FR):			HCP (hydrocarbures p�trolliers)		
Medium Code:			5		
Medium:			Soil		
Medium (FR):			Sol		
<u>Annual Data</u>					
Fiscal Year:		2008-2009			
Reporting Organization:		SVC			
Reporting Organization (EN):		Public Services and Procurement Canada			
Reporting Organization (FR):		Services publics et Approvisionnement Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		09			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Annual Data

Fiscal Year: 2005-2006
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2009-2010
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 09
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: Yes
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<i>FCSAP Remed Expenditure:</i>		0.00			
<i>FCSAP Care/Maint Expenditur:</i>		0.00			
<i>FCSAP Mntring Expenditure:</i>		0.00			

Annual Data

Fiscal Year: 2007-2008
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 09
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 5373.48
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2006-2007
Reporting Organization: SVC
Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 09
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 5820.37

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

FCS **28** 1 of 1 **SSE/1.3** **82.9 / 10.41** **Central Experimental Farm**
Ottawa ON

SGC: 3506008
Site ID: 00001700
Departmental ID:
Depart Code: AGR
Class Type: 2
Class: Medium Priority for Action
Site Name: Central Experimental Farm
Site Name (FR): Ferme expérimentale centrale
Site Status: Active
Site Status Desc: Remediation / risk management completed. Confirmatory sampling underway.
Site Status (FR): Active
Description (FR): Assainissement terminé ou mesures de gestion des risques prises. Échantillonnage de confirmation en
Involv Code:
Census Division:
Municipality: Ottawa
Census Sub Class:
Latitude: 45.391030
Longitude: -75.709620
Location:
Protected Data:
FED: 075
Fed Electoral District: Ottawa Centre
Fed Electoral District (FR): Ottawa-Centre
Metro:
Nearest Pop. Area:
Highest Step Cmpltd: 8
Site Deleted Flag:
Created: 2017-05-01T22:07:00
Modified: 2019-05-01T14:43:16.180
Property No.: 08625
Est m³ Contmnted: 0
Est Ha Contmnted:
Est Tons Contamin:
Est Population at 1 Km: 3,180
Est Population at 5 Km: 236,270
Est Population at 10 Km: 615,632
Est Population at 25 Km: 1,227,506
Est Population at 50 Km: 1,443,479
Reporting Org:
Reporting Org (FR):
Reason for Involv: Federal Real Property
Reason for Involv (FR): Biens immobiliers fédéraux
Liable Third Party:
Class (FR): Priorité d'intervention moyenne
Action Plan: Assessment and Risk Management
Action Plan (FR): Évaluation et gestion du risque
Site Mgmt Strategy: Additional assessment, Risk Management
Minimap URL: http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00001700
Additional Info:
Additional Info (FR):

Management

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Management Code:		B			
Management Type (EN):		Risk Management			
Management Type (FR):		Gestion du risque			
Management Code:		5			
Management Type (EN):		Additional assessment			
Management Type (FR):		Évaluation complémentaire			
<u>Contamination</u>					
Contaminant:		Metal, metalloid, and organometallic			
Contamination (FR):		Métaux, métalloïdes, et organométalliques			
Medium Code:		4			
Medium:		Surface soil			
Medium (FR):		Sol de surface			
Contaminant:		Pesticides			
Contamination (FR):		Pesticides			
Medium Code:		4			
Medium:		Surface soil			
Medium (FR):		Sol de surface			
Contaminant:		PAHs (polycyclic aromatic hydrocarbon)			
Contamination (FR):		HAP (hydrocarbures aromatiques polycycliques)			
Medium Code:		4			
Medium:		Surface soil			
Medium (FR):		Sol de surface			
<u>Annual Data</u>					
Fiscal Year:		2017-2018			
Reporting Organization:		AGR			
Reporting Organization (EN):		Agriculture and Agri-Food Canada			
Reporting Organization (FR):		Agriculture et Agroalimentaire Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		08			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:		No			
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		5987.50			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		5987.50			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Annual Data

Fiscal Year: 2018-2019
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2016-2017
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 82627.98
Total Remediation Expenditure: 86825.55
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
FCSAP Remed Expenditure:		86825.55			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

FCS **30** 1 of 1 **ENE/106.8** **63.2 / -9.31** **Dow's Lake Armoury and Drill Hall**
Ottawa ON

SGC: 3506008
Site ID: 00008424
Departmental ID: 0308-C003
Depart Code: DND
Class Type:
Class:
Site Name: Dow's Lake Armoury and Drill Hall
Site Name (FR): Manège militaire du lac Dow's et la salle d'exercices
Site Status: Closed
Site Status Desc: Initial testing completed. No further action required.
Site Status (FR): Fermé
Description (FR): Première analyse terminée. Aucune autre mesure nécessaire.
Involv Code:
Census Division: Ottawa
Municipality: Ottawa
Census Sub Class: 1
Latitude: 45.395000
Longitude: -75.706500
Location:
Protected Data: 0
FED: 075
Fed Electoral District: Ottawa Centre
Fed Electoral District (FR): Ottawa-Centre
Metro:
Nearest Pop. Area:
Highest Step Cmpltd: 3
Site Deleted Flag:
Created: 2009-05-01T14:57:00
Modified: 2016-05-31T11:32:00
Property No.: 08795
Est m³ Contmnted: 0
Est Ha Contmnted: 0.0000
Est Tons Contamin: 0.0000
Est Population at 1 Km: 7,190
Est Population at 5 Km: 240,573
Est Population at 10 Km: 622,423
Est Population at 25 Km: 1,226,635
Est Population at 50 Km: 1,442,863
Reporting Org:
Reporting Org (FR):
Reason for Involv: Federal Real Property
Reason for Involv (FR): Biens immobiliers fédéraux
Liabile Third Party:
Class (FR):
Action Plan:
Action Plan (FR):
Site Mgmt Strategy: Other
Minimap URL: <http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00008424>
Additional Info:
Additional Info (FR):

Management

Management Code: 9
Management Type (EN): Other
Management Type (FR): Autre type de gestion

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<u>Contamination</u>					
Contaminant:			BTEXs (benzene, toluene, ethylbenzene, and xylene)		
Contamination (FR):			BTEX (benzène, toluène, éthylbenzène, xylène)		
Medium Code:			2		
Medium:			Groundwater		
Medium (FR):			Eau souterraine		
Contaminant:			Metal, metalloid, and organometallic		
Contamination (FR):			Métaux, métalloïdes, et organométalliques		
Medium Code:			2		
Medium:			Groundwater		
Medium (FR):			Eau souterraine		
Contaminant:			PAHs (polycyclic aromatic hydrocarbon)		
Contamination (FR):			HAP (hydrocarbures aromatiques polycycliques)		
Medium Code:			2		
Medium:			Groundwater		
Medium (FR):			Eau souterraine		
Contaminant:			PHCs (petroleum hydrocarbons)		
Contamination (FR):			HCP (hydrocarbures pétroliers)		
Medium Code:			2		
Medium:			Groundwater		
Medium (FR):			Eau souterraine		
<u>Annual Data</u>					
Fiscal Year:			2009-2010		
Reporting Organization:			DND		
Reporting Organization (EN):			National Defence		
Reporting Organization (FR):			Défence nationale		
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:			03		
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:			Yes		
Actual Cubic Metres Rem:			0.0000		
Actual Hectares Rem:			0.0000		
Actual Tons Remediated:			0.0000		
Total Asmt Expenditure:			0.00		
Total Remediation Expenditure:			0.00		
Total Care/Maint Expenditur:			0.00		
Total Mntring Expenditure:			0.00		
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:			0.00		
FCSAP Remed Expenditure:			0.00		
FCSAP Care/Maint Expenditur:			0.00		
FCSAP Mntring Expenditure:			0.00		
<u>Annual Data</u>					
Fiscal Year:			2008-2009		

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Reporting Organization:		DND			
Reporting Organization (EN):		National Defence			
Reporting Organization (FR):		Défence nationale			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		03			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		Yes			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		6621.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

FCS **34** **1 of 1** **W/124.0** **80.9 / 8.39** **Dominion Observatory**
Ottawa ON

SGC:	3506008
Site ID:	00027638
Departmental ID:	
Depart Code:	RSN
Class Type:	
Class:	
Site Name:	Dominion Observatory
Site Name (FR):	Observatoire fédéral
Site Status:	Closed
Site Status Desc:	Historical review completed. No further action required.
Site Status (FR):	Fermé
Description (FR):	Examen historique terminé. Aucune autre mesure nécessaire.
Involv Code:	
Census Division:	
Municipality:	Ottawa
Census Sub Class:	
Latitude:	45.393824
Longitude:	-75.714347
Location:	
Protected Data:	
FED:	075
Fed Electoral District:	Ottawa Centre
Fed Electoral District (FR):	Ottawa-Centre
Metro:	
Nearest Pop. Area:	
Highest Step Cmpltd:	2
Site Deleted Flag:	
Created:	2019-05-07T12:53:00
Modified:	2019-06-13T11:28:30.860
Property No.:	08625

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Est m³ Contmnted:					
Est Ha Contmnted:					
Est Tons Contamin:					
Est Population at 1 Km:		6,035			
Est Population at 5 Km:		234,876			
Est Population at 10 Km:		626,754			
Est Population at 25 Km:		1,227,646			
Est Population at 50 Km:		1,442,380			
Reporting Org:					
Reporting Org (FR):					
Reason for Involv:		Federal Real Property			
Reason for Involv (FR):		Biens immobiliers fédéraux			
Liabile Third Party:					
Class (FR):					
Action Plan:					
Action Plan (FR):					
Site Mgmt Strategy:					
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00027638			
Additional Info:					
Additional Info (FR):					
Annual Data					
Fiscal Year:		2018-2019			
Reporting Organization:		RSN			
Reporting Organization (EN):		Natural Resources Canada			
Reporting Organization (FR):		Ressources naturelles Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		02			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		Yes			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		37170.89			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		37170.89			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

FCS

35

1 of 1

E/202.1

66.9 / -5.56

Central Experimental Farm

Ottawa ON

SGC: 3506008
Site ID: 00001541
Departmental ID: Arboretum MWs 56-A03 - Old Waste Pit
Depart Code: AGR
Class Type: N

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Class:			Not a Priority for Action		
Site Name:			Central Experimental Farm		
Site Name (FR):			Ferme expérimentale centrale		
Site Status:			Closed		
Site Status Desc:			Initial testing completed. No further action required.		
Site Status (FR):			Fermé		
Description (FR):			Première analyse terminée. Aucune autre mesure nécessaire.		
Involv Code:					
Census Division:			Ottawa		
Municipality:			Ottawa		
Census Sub Class:			1		
Latitude:			45.393817		
Longitude:			-75.706101		
Location:					
Protected Data:			0		
FED:			075		
Fed Electoral District:			Ottawa Centre		
Fed Electoral District (FR):			Ottawa-Centre		
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:			4		
Site Deleted Flag:					
Created:			2015-04-10T15:28:00		
Modified:			2016-12-12T16:22:00		
Property No.:			08625		
Est m³ Contmnted:					
Est Ha Contmnted:					
Est Tons Contamin:					
Est Population at 1 Km:			6,000		
Est Population at 5 Km:			240,247		
Est Population at 10 Km:			619,208		
Est Population at 25 Km:			1,226,802		
Est Population at 50 Km:			1,443,060		
Reporting Org:					
Reporting Org (FR):					
Reason for Involv:			Federal Real Property		
Reason for Involv (FR):			Biens immobiliers fédéraux		
Liable Third Party:					
Class (FR):			Priorité d'intervention nulle		
Action Plan:			Close site after decommissioning monitoring wells		
Action Plan (FR):			Fermer site après puits de surveillance de déclassement		
Site Mgmt Strategy:					
Minimap URL:			http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00001541		
Additional Info:					
Additional Info (FR):					

Contamination

Contaminant:	Metal, metalloid, and organometallic
Contamination (FR):	Métaux, métalloïdes, et organométalliques
Medium Code:	5
Medium:	Soil
Medium (FR):	Sol

Annual Data

Fiscal Year:	2014-2015
Reporting Organization:	AGR
Reporting Organization (EN):	Agriculture and Agri-Food Canada
Reporting Organization (FR):	Agriculture et Agroalimentaire Canada
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		04			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		4152.05			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		3321.64			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			
 Annual Data					
Fiscal Year:		2015-2016			
Reporting Organization:		AGR			
Reporting Organization (EN):		Agriculture and Agri-Food Canada			
Reporting Organization (FR):		Agriculture et Agroalimentaire Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		04			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		Yes			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		4215.17			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

FCS

36

1 of 1

NE/0.0

62.9 / -9.61

Former Dow's Lake Landfill and
Commissioner's Park

Ottawa ON

SGC:

3506008

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Site ID:		00023304			
Departmental ID:		784			
Depart Code:		NCC			
Class Type:		3			
Class:		Low Priority for Action			
Site Name:		Former Dow's Lake Landfill and Commissioner's Park			
Site Name (FR):		Ancien site d'enfouissement du Lac Dows et parc des Commissaires			
Site Status:		Closed			
Site Status Desc:		Detailed testing completed. No further action required.			
Site Status (FR):		Fermé			
Description (FR):		Analyse détaillée terminée. Aucune autre mesure nécessaire.			
Involv Code:					
Census Division:		Ottawa			
Municipality:		Ottawa			
Census Sub Class:		1			
Latitude:		45.396289			
Longitude:		-75.707975			
Location:					
Protected Data:		0			
FED:		075			
Fed Electoral District:		Ottawa Centre			
Fed Electoral District (FR):		Ottawa-Centre			
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:		8			
Site Deleted Flag:					
Created:		2008-06-19T11:23:00			
Modified:		2019-05-10T08:50:57.277			
Property No.:		23803			
Est m³ Contmnted:					
Est Ha Contmnted:		1.9396			
Est Tons Contamin:					
Est Population at 1 Km:		7,990			
Est Population at 5 Km:		239,825			
Est Population at 10 Km:		627,024			
Est Population at 25 Km:		1,226,571			
Est Population at 50 Km:		1,442,598			
Reporting Org:					
Reporting Org (FR):					
Reason for Involv:		Federal Real Property			
Reason for Involv (FR):		Biens immobiliers fédéraux			
Liabile Third Party:					
Class (FR):		Priorité d'intervention faible			
Action Plan:		RA completed. Change in landuse would require further assessment and possible remediation.			
Action Plan (FR):		Évaluation de risque complétée. Évaluation ou réhabilitation supplémentaire si changement d'utilisation de terrain.			
Site Mgmt Strategy:		Additional assessment, Periodic Monitoring, Remediation			
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023304			
Additional Info:					
Additional Info (FR):					

Management

Management Code:	5
Management Type (EN):	Additional assessment
Management Type (FR):	Évaluation complémentaire
Management Code:	4
Management Type (EN):	Periodic Monitoring
Management Type (FR):	Surveillance périodique
Management Code:	2
Management Type (EN):	Remediation
Management Type (FR):	Restauration

Contamination

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Contaminant: PAHs (polycyclic aromatic hydrocarbon)
Contamination (FR): HAP (hydrocarbures aromatiques polycycliques)
Medium Code: 5
Medium: Soil
Medium (FR): Sol

Contaminant: Metal, metalloid, and organometallic
Contamination (FR): Métaux, métalloïdes, et organométalliques
Medium Code: 5
Medium: Soil
Medium (FR): Sol

Contaminant: Metal, metalloid, and organometallic
Contamination (FR): Métaux, métalloïdes, et organométalliques
Medium Code: 2
Medium: Groundwater
Medium (FR): Eau souterraine

Annual Data

Fiscal Year: 2011-2012
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2014-2015
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2010-2011
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2016-2017
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		07			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year:	2008-2009
Reporting Organization:	NCC
Reporting Organization (EN):	National Capital Commission
Reporting Organization (FR):	Commission de la Capitale nationale
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	
08	
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	
Planned Compl Date Step9:	
Created:	
Modified:	
NCSCS Year:	
Closed:	
No	
Actual Cubic Metres Rem:	
0.0000	
Actual Hectares Rem:	
0.0000	
Actual Tons Remediated:	
0.0000	
Total Asmt Expenditure:	
0.00	
Total Remediation Expenditure:	
0.00	
Total Care/Maint Expenditur:	
0.00	
Total Mntring Expenditure:	
0.00	
Ttl Expenditure Reduc Liabil:	
FCSAP Asmt Expenditure:	
0.00	
FCSAP Remed Expenditure:	
0.00	
FCSAP Care/Maint Expenditur:	
0.00	
FCSAP Mntring Expenditure:	
0.00	

Annual Data

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Fiscal Year: 2018-2019
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: Yes
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2017-2018
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year: 2009-2010
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2012-2013
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year: 2013-2014
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2007-2008
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 08
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: Yes

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		Actual Cubic Metres Rem:	0.0000		
		Actual Hectares Rem:	1.9396		
		Actual Tons Remediated:	0.0000		
		Total Asmt Expenditure:	0.00		
		Total Remediation Expenditure:	0.00		
		Total Care/Maint Expenditur:	0.00		
		Total Mntring Expenditure:	0.00		
		Ttl Expenditure Reduc Liabil:			
		FCSAP Asmt Expenditure:	0.00		
		FCSAP Remed Expenditure:	0.00		
		FCSAP Care/Maint Expenditur:	0.00		
		FCSAP Mntring Expenditure:	0.00		

Annual Data

Fiscal Year:	2015-2016
Reporting Organization:	NCC
Reporting Organization (EN):	National Capital Commission
Reporting Organization (FR):	Commission de la Capitale nationale
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	07
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	
Planned Compl Date Step9:	
Created:	
Modified:	
NCSCS Year:	
Closed:	No
Actual Cubic Metres Rem:	0.0000
Actual Hectares Rem:	0.0000
Actual Tons Remediated:	0.0000
Total Asmt Expenditure:	0.00
Total Remediation Expenditure:	0.00
Total Care/Maint Expenditur:	0.00
Total Mntring Expenditure:	0.00
Ttl Expenditure Reduc Liabil:	
FCSAP Asmt Expenditure:	0.00
FCSAP Remed Expenditure:	0.00
FCSAP Care/Maint Expenditur:	0.00
FCSAP Mntring Expenditure:	0.00

FCS

37

1 of 1

NE/0.0

62.9 / -9.61

Queen Elizabeth Drive N of, W of
Preston

Ottawa ON

SGC:	3506008
Site ID:	00024005
Departmental ID:	
Depart Code:	NCC
Class Type:	3
Class:	Low Priority for Action
Site Name:	Queen Elizabeth Drive N of, W of Preston
Site Name (FR):	Queen Elizabeth Drive N of, W of Preston
Site Status:	Closed
Site Status Desc:	Detailed testing completed. No further action required.
Site Status (FR):	Fermé
Description (FR):	Analyse détaillée terminée. Aucune autre mesure nécessaire.

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Involv Code:					
Census Division:					
Municipality:		Ottawa			
Census Sub Class:					
Latitude:		45.396297			
Longitude:		-75.707848			
Location:					
Protected Data:					
FED:		075			
Fed Electoral District:		Ottawa Centre			
Fed Electoral District (FR):		Ottawa-Centre			
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:		7			
Site Deleted Flag:					
Created:		2017-05-15T14:14:00			
Modified:		2019-05-10T08:50:57.277			
Property No.:		23803			
Est m³ Contmnted:					
Est Ha Contmnted:		1.8920			
Est Tons Contamin:					
Est Population at 1 Km:		8,024			
Est Population at 5 Km:		239,952			
Est Population at 10 Km:		626,927			
Est Population at 25 Km:		1,226,556			
Est Population at 50 Km:		1,442,604			
Reporting Org:					
Reporting Org (FR):		Federal Real Property			
Reason for Involv:		Biens immobiliers fédéraux			
Reason for Involv (FR):					
Liabile Third Party:					
Class (FR):		Priorité d'intervention faible			
Action Plan:		Site has been secured through a risk assessment.			
Action Plan (FR):		Le site a été sécurisé grâce à une évaluation des risques.			
Site Mgmt Strategy:		Risk Management			
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00024005			
Additional Info:					
Additional Info (FR):					
 <u>Management</u>					
Management Code:		B			
Management Type (EN):		Risk Management			
Management Type (FR):		Gestion du risque			
 <u>Contamination</u>					
Contaminant:		PAHs (polycyclic aromatic hydrocarbon)			
Contamination (FR):		HAP (hydrocarbures aromatiques polycycliques)			
Medium Code:		5			
Medium:		Soil			
Medium (FR):		Sol			
Contaminant:		Metal, metalloid, and organometallic			
Contamination (FR):		Métaux, métalloïdes, et organométalliques			
Medium Code:		2			
Medium:		Groundwater			
Medium (FR):		Eau souterraine			
Contaminant:		Metal, metalloid, and organometallic			
Contamination (FR):		Métaux, métalloïdes, et organométalliques			
Medium Code:		5			
Medium:		Soil			
Medium (FR):		Sol			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Annual Data

Fiscal Year: 2018-2019
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: Yes
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2016-2017
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>FCSAP Asmt Expenditure:</i>		0.00			
<i>FCSAP Remed Expenditure:</i>		0.00			
<i>FCSAP Care/Maint Expenditur:</i>		0.00			
<i>FCSAP Mntring Expenditure:</i>		0.00			

Annual Data

Fiscal Year: 2017-2018
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

FCS

56

1 of 1

ESE/104.5

81.6 / 9.11

Central Experimental Farm

Ottawa ON

SGC: 3506008
Site ID: 08625023
Departmental ID: 56-C12
Depart Code: AGR
Class Type: N
Class: Not a Priority for Action
Site Name: Central Experimental Farm
Site Name (FR): Ferme experimentale centrale
Site Status: Closed
Site Status Desc: Detailed testing completed. No further action required.
Site Status (FR): Fermé
Description (FR): Analyse détaillée terminée. Aucune autre mesure nécessaire.
Involv Code:
Census Division: Ottawa
Municipality: Ottawa
Census Sub Class: 1
Latitude: 45.391510
Longitude: -75.706541
Location:
Protected Data: 0
FED: 075

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Fed Electoral District:		Ottawa Centre			
Fed Electoral District (FR):		Ottawa-Centre			
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:		7			
Site Deleted Flag:					
Created:		2005-07-28T11:34:00			
Modified:		2016-12-12T16:45:00			
Property No.:		08625			
Est m² Contmnted:		50			
Est Ha Contmnted:					
Est Tons Contamin:					
Est Population at 1 Km:		3,537			
Est Population at 5 Km:		237,558			
Est Population at 10 Km:		614,381			
Est Population at 25 Km:		1,227,223			
Est Population at 50 Km:		1,443,362			
Reporting Org:					
Reporting Org (FR):					
Reason for Involv:		Federal Real Property			
Reason for Involv (FR):		Biens immobiliers fédéraux			
Liabile Third Party:					
Class (FR):		Priorité d'intervention nulle			
Action Plan:		Excavation and disposal of impacted soil (50 m3)			
Action Plan (FR):		Excavation et disposition du sol impacté (50 m3)			
Site Mgmt Strategy:					
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=08625023			
Additional Info:					
Additional Info (FR):					

Contamination

Contaminant: PAHs (polycyclic aromatic hydrocarbon)
Contamination (FR): HAP (hydrocarbures aromatiques polycycliques)
Medium Code: 5
Medium: Soil
Medium (FR): Sol

Contaminant: PHCs (petroleum hydrocarbons)
Contamination (FR): HCP (hydrocarbures pétroliers)
Medium Code: 5
Medium: Soil
Medium (FR): Sol

Annual Data

Fiscal Year: 2010-2011
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year: 2008-2009
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2015-2016
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: Yes
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2006-2007
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2012-2013
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2013-2014
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2011-2012
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		06			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year:	2009-2010
Reporting Organization:	AGR
Reporting Organization (EN):	Agriculture and Agri-Food Canada
Reporting Organization (FR):	Agriculture et Agroalimentaire Canada
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	
	06
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	
Planned Compl Date Step9:	
Created:	
Modified:	
NCSCS Year:	
Closed:	
	No
Actual Cubic Metres Rem:	
	0.0000
Actual Hectares Rem:	
	0.0000
Actual Tons Remediated:	
	0.0000
Total Asmt Expenditure:	
	0.00
Total Remediation Expenditure:	
	0.00
Total Care/Maint Expenditur:	
	0.00
Total Mntring Expenditure:	
	0.00
Ttl Expenditure Reduc Liabil:	
FCSAP Asmt Expenditure:	
	0.00
FCSAP Remed Expenditure:	
	0.00
FCSAP Care/Maint Expenditur:	
	0.00
FCSAP Mntring Expenditure:	
	0.00

Annual Data

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Fiscal Year: 2014-2015
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2007-2008
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 50.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			
<u>Annual Data</u>					
Fiscal Year:		2005-2006			
Reporting Organization:		AGR			
Reporting Organization (EN):		Agriculture and Agri-Food Canada			
Reporting Organization (FR):		Agriculture et Agroalimentaire Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		07			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		210.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

FCS

64

1 of 1

SE/61.4

82.7 / 10.18

Central Experimental Farm

Ottawa ON

SGC: 3506008
Site ID: 08625018
Departmental ID: 56-C07
Depart Code: AGR
Class Type: N
Class: Not a Priority for Action
Site Name: Central Experimental Farm
Site Name (FR): Ferme experimentale centrale
Site Status: Closed
Site Status Desc: Detailed testing completed. No further action required.
Site Status (FR): Fermé
Description (FR): Analyse détaillée terminée. Aucune autre mesure nécessaire.
Involv Code:
Census Division: Ottawa
Municipality: Ottawa
Census Sub Class: 1
Latitude: 45.390595
Longitude: -75.707163
Location:
Protected Data: 0
FED: 075
Fed Electoral District: Ottawa Centre
Fed Electoral District (FR): Ottawa-Centre

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:		6			
Site Deleted Flag:					
Created:		2005-07-28T11:34:00			
Modified:		2016-12-12T16:43:00			
Property No.:		08625			
Est m³ Contmnted:		2,500			
Est Ha Contmnted:					
Est Tons Contamin:					
Est Population at 1 Km:		2,695			
Est Population at 5 Km:		236,216			
Est Population at 10 Km:		612,654			
Est Population at 25 Km:		1,227,415			
Est Population at 50 Km:		1,443,483			
Reporting Org:					
Reporting Org (FR):					
Reason for Involv:		Federal Real Property			
Reason for Involv (FR):		Biens immobiliers fédéraux			
Liabile Third Party:					
Class (FR):		Priorité d'intervention nulle			
Action Plan:		Groundwater monitoring			
Action Plan (FR):		Surveillance de l'eau souterraine			
Site Mgmt Strategy:					
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=08625018			
Additional Info:					
Additional Info (FR):					
<u>Contamination</u>					
Contaminant:		PAHs (polycyclic aromatic hydrocarbon)			
Contamination (FR):		HAP (hydrocarbures aromatiques polycycliques)			
Medium Code:		5			
Medium:		Soil			
Medium (FR):		Sol			
Contaminant:		PHCs (petroleum hydrocarbons)			
Contamination (FR):		HCP (hydrocarbures pétroliers)			
Medium Code:		5			
Medium:		Soil			
Medium (FR):		Sol			
<u>Annual Data</u>					
Fiscal Year:		2011-2012			
Reporting Organization:		AGR			
Reporting Organization (EN):		Agriculture and Agri-Food Canada			
Reporting Organization (FR):		Agriculture et Agroalimentaire Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		06			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		Yes			
Actual Cubic Metres Rem:		0.0000			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year: 2009-2010
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2006-2007
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 2500.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2010-2011
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2005-2006
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Highest Step Completed:		06			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year:	2008-2009
Reporting Organization:	AGR
Reporting Organization (EN):	Agriculture and Agri-Food Canada
Reporting Organization (FR):	Agriculture et Agroalimentaire Canada
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	06
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	
Planned Compl Date Step9:	
Created:	
Modified:	
NCSCS Year:	
Closed:	
Actual Cubic Metres Rem:	
Actual Hectares Rem:	
Actual Tons Remediated:	
Total Asmt Expenditure:	
Total Remediation Expenditure:	
Total Care/Maint Expenditur:	
Total Mntring Expenditure:	
Ttl Expenditure Reduc Liabil:	
FCSAP Asmt Expenditure:	
FCSAP Remed Expenditure:	
FCSAP Care/Maint Expenditur:	
FCSAP Mntring Expenditure:	

Annual Data

Fiscal Year:	2007-2008
Reporting Organization:	AGR
Reporting Organization (EN):	Agriculture and Agri-Food Canada
Reporting Organization (FR):	Agriculture et Agroalimentaire Canada
Class Type:	
Class (EN):	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR): Highest Step Completed: 06 Highest Step Completed Desc: Planned Compl Date Step7: Planned Compl Date Step8: Planned Compl Date Step9: Created: Modified: NCSCS Year: Closed: No Actual Cubic Metres Rem: 0.0000 Actual Hectares Rem: 0.0000 Actual Tons Remediated: 0.0000 Total Asmt Expenditure: 0.00 Total Remediation Expenditure: 0.00 Total Care/Maint Expenditur: 0.00 Total Mntring Expenditure: 0.00 Ttl Expenditure Reduc Liabil: FCSAP Asmt Expenditure: 0.00 FCSAP Remed Expenditure: 0.00 FCSAP Care/Maint Expenditur: 0.00 FCSAP Mntring Expenditure: 0.00					

[FCS](#) [71](#) 1 of 1 W/136.2 81.8 / 9.32 **Central Experimental Farm**
Ottawa ON

SGC: 3506008
Site ID: 08625019
Departmental ID: 56-C08
Depart Code: AGR
Class Type: 3
Class: Low Priority for Action
Site Name: Central Experimental Farm
Site Name (FR): Ferme experimentale centrale
Site Status: Closed
Site Status Desc: Detailed testing completed. No further action required.
Site Status (FR): Fermé
Description (FR): Analyse détaillée terminée. Aucune autre mesure nécessaire.
Involv Code:
Census Division: Ottawa
Municipality: Ottawa
Census Sub Class: 1
Latitude: 45.392749
Longitude: -75.715835
Location:
Protected Data: 0
FED: 075
Fed Electoral District: Ottawa Centre
Fed Electoral District (FR): Ottawa-Centre
Metro:
Nearest Pop. Area:
Highest Step Cmpltd: 7
Site Deleted Flag:
Created: 2005-07-28T11:34:00
Modified: 2016-12-12T16:37:00
Property No.: 08625
Est m³ Contmnted: 232.12
Est Ha Contmnted:
Est Tons Contamin:
Est Population at 1 Km: 5,611
Est Population at 5 Km: 233,577

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Est Population at 10 Km:		625,388			
Est Population at 25 Km:		1,227,935			
Est Population at 50 Km:		1,442,460			
Reporting Org:					
Reporting Org (FR):					
Reason for Involv:		Federal Real Property			
Reason for Involv (FR):		Biens immobiliers fédéraux			
Liabile Third Party:					
Class (FR):		Priorité d'intervention faible			
Action Plan:		Additional soil and groundwater sampling			
Action Plan (FR):		Analyse du sol et de l'eau souterraine additionnel			
Site Mgmt Strategy:					
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=08625019			
Additional Info:					
Additional Info (FR):					

Contamination

Contaminant:	BTEXs (benzene, toluene, ethylbenzene, and xylene)
Contamination (FR):	BTEX (benzène, toluène, éthylbenzène, xylène)
Medium Code:	2
Medium:	Groundwater
Medium (FR):	Eau souterraine
Contaminant:	PHCs (petroleum hydrocarbons)
Contamination (FR):	HCP (hydrocarbures pétroliers)
Medium Code:	2
Medium:	Groundwater
Medium (FR):	Eau souterraine

Annual Data

Fiscal Year:	2009-2010
Reporting Organization:	AGR
Reporting Organization (EN):	Agriculture and Agri-Food Canada
Reporting Organization (FR):	Agriculture et Agroalimentaire Canada
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	06
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	
Planned Compl Date Step9:	
Created:	
Modified:	
NCSCS Year:	
Closed:	No
Actual Cubic Metres Rem:	0.0000
Actual Hectares Rem:	0.0000
Actual Tons Remediated:	0.0000
Total Asmt Expenditure:	0.00
Total Remediation Expenditure:	0.00
Total Care/Maint Expenditur:	0.00
Total Mntring Expenditure:	0.00
Ttl Expenditure Reduc Liabil:	
FCSAP Asmt Expenditure:	0.00
FCSAP Remed Expenditure:	0.00
FCSAP Care/Maint Expenditur:	0.00
FCSAP Mntring Expenditure:	0.00

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Annual Data

Fiscal Year: 2005-2006
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 23156.66
Total Remediation Expenditure: 32000.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2007-2008
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>FCSAP Asmt Expenditure:</i>		0.00			
<i>FCSAP Remed Expenditure:</i>		0.00			
<i>FCSAP Care/Maint Expenditur:</i>		0.00			
<i>FCSAP Mntring Expenditure:</i>		0.00			

Annual Data

Fiscal Year: 2010-2011
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2012-2013
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: Yes
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

Annual Data

Fiscal Year: 2006-2007
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 232.1200
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2008-2009
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 07
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

NCSCS Year:

Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2011-2012
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 06
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

FCS **120** **1 of 1** **SSW/233.7** **83.1 / 10.64** **Central Experimental Farm**
Ottawa ON

SGC: 3506008
Site ID: 08625021
Departmental ID: 56-C10
Depart Code: AGR
Class Type: N
Class: Not a Priority for Action
Site Name: Central Experimental Farm
Site Name (FR): Ferme experimentale centrale
Site Status: Closed
Site Status Desc: Confirmatory sampling completed. No further action required.
Site Status (FR): Fermé

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Description (FR):		Échantillonnage de confirmation terminé. Aucune autre mesure nécessaire.			
Involv Code:					
Census Division:		Ottawa			
Municipality:		Ottawa			
Census Sub Class:		1			
Latitude:		45.388908			
Longitude:		-75.711907			
Location:					
Protected Data:		0			
FED:		075			
Fed Electoral District:		Ottawa Centre			
Fed Electoral District (FR):		Ottawa-Centre			
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:		9			
Site Deleted Flag:					
Created:		2005-07-28T11:34:00			
Modified:		2016-12-12T16:47:00			
Property No.:		08625			
Est m³ Contmnted:		63			
Est Ha Contmnted:					
Est Tons Contamin:					
Est Population at 1 Km:		2,029			
Est Population at 5 Km:		231,712			
Est Population at 10 Km:		612,842			
Est Population at 25 Km:		1,227,880			
Est Population at 50 Km:		1,443,717			
Reporting Org:					
Reporting Org (FR):		Federal Real Property			
Reason for Involv:		Biens immobiliers fédéraux			
Reason for Involv (FR):		Biens immobiliers fédéraux			
Liabile Third Party:					
Class (FR):		Priorité d'intervention nulle			
Action Plan:					
Action Plan (FR):					
Site Mgmt Strategy:					
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=08625021			
Additional Info:					
Additional Info (FR):					

Contamination

Contaminant:	PHCs (petroleum hydrocarbons)
Contamination (FR):	HCP (hydrocarbures pétroliers)
Medium Code:	5
Medium:	Soil
Medium (FR):	Sol

Annual Data

Fiscal Year:	2005-2006
Reporting Organization:	AGR
Reporting Organization (EN):	Agriculture and Agri-Food Canada
Reporting Organization (FR):	Agriculture et Agroalimentaire Canada
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	09
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Planned Compl Date Step9:

Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 14000.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2009-2010
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 09
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 0.00
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: 0.00
FCSAP Remed Expenditure: 0.00
FCSAP Care/Maint Expenditur: 0.00
FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2008-2009
Reporting Organization: AGR
Reporting Organization (EN): Agriculture and Agri-Food Canada
Reporting Organization (FR): Agriculture et Agroalimentaire Canada
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Step Name (FR):					
Highest Step Completed:		09			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		Yes			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			
 Annual Data					
Fiscal Year:		2010-2011			
Reporting Organization:		AGR			
Reporting Organization (EN):		Agriculture and Agri-Food Canada			
Reporting Organization (FR):		Agriculture et Agroalimentaire Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		09			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			
 Annual Data					
Fiscal Year:		2007-2008			
Reporting Organization:		AGR			
Reporting Organization (EN):		Agriculture and Agri-Food Canada			
Reporting Organization (FR):		Agriculture et Agroalimentaire Canada			
Class Type:					

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed: 09					
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed: No					
Actual Cubic Metres Rem: 0.0000					
Actual Hectares Rem: 0.0000					
Actual Tons Remediated: 0.0000					
Total Asmt Expenditure: 0.00					
Total Remediation Expenditure: 0.00					
Total Care/Maint Expenditur: 0.00					
Total Mntring Expenditure: 0.00					
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure: 0.00					
FCSAP Remed Expenditure: 0.00					
FCSAP Care/Maint Expenditur: 0.00					
FCSAP Mntring Expenditure: 0.00					
 <u>Annual Data</u>					
Fiscal Year: 2011-2012					
Reporting Organization: AGR					
Reporting Organization (EN): Agriculture and Agri-Food Canada					
Reporting Organization (FR): Agriculture et Agroalimentaire Canada					
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed: 09					
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed: Yes					
Actual Cubic Metres Rem: 0.0000					
Actual Hectares Rem: 0.0000					
Actual Tons Remediated: 0.0000					
Total Asmt Expenditure: 0.00					
Total Remediation Expenditure: 0.00					
Total Care/Maint Expenditur: 0.00					
Total Mntring Expenditure: 0.00					
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure: 0.00					
FCSAP Remed Expenditure: 0.00					
FCSAP Care/Maint Expenditur: 0.00					
FCSAP Mntring Expenditure: 0.00					
 <u>Annual Data</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Fiscal Year:		2006-2007			
Reporting Organization:		AGR			
Reporting Organization (EN):		Agriculture and Agri-Food Canada			
Reporting Organization (FR):		Agriculture et Agroalimentaire Canada			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		09			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		63.0000			
Actual Hectares Rem:		0.0000			
Actual Tons Remediated:		0.0000			
Total Asmt Expenditure:		0.00			
Total Remediation Expenditure:		0.00			
Total Care/Maint Expenditur:		0.00			
Total Mntring Expenditure:		0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		0.00			
FCSAP Remed Expenditure:		0.00			
FCSAP Care/Maint Expenditur:		0.00			
FCSAP Mntring Expenditure:		0.00			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
FST	21	4 of 31	WNW/58.0	74.5 / 2.03	AGRICULTURE CANADA K W NEATBY BUILDING CEF RM 2113 960 CARLING AV OTTAWA ON K1A 0C6
Instance No:		10901753			
Cont Name:					
Instance Type:		FS Liquid Fuel Tank			
Fuel Type:		Gasoline			
Status:		Active			
Capacity:		9000			
Tank Material:		Steel			
Corrosion Protection:		Sacrificial anode			
Tank Type:		Single Wall UST			
Install Year:		1978			
Parent Facility Type:		Fuels Safety Private Fuel Outlet - Self Serve			
Facility Type:		FS Liquid Fuel Tank			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
FST	21	5 of 31	WNW/58.0	74.5 / 2.03	AGRICULTURE CANADA K W NEATBY BUILDING CEF RM 2113 960 CARLING AV OTTAWA ON K1A 0C6
Instance No:		10901784			
Cont Name:					
Instance Type:		FS Liquid Fuel Tank			
Fuel Type:		Diesel			
Status:		Active			
Capacity:		4500			
Tank Material:		Steel			
Corrosion Protection:		Sacrificial anode			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
FST	<u>66</u>	10 of 19	ENE/100.2	59.9 / -12.61	DOWS LAKE PAVILION C/O MASK MANAGEMENT CONSULTANTS 1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7

Instance No: 64524632
Cont Name:
Instance Type: FS Liquid Fuel Tank
Fuel Type: Diesel
Status: Active
Capacity: 10000
Tank Material: Fiberglass (FRP)
Corrosion Protection: Fiberglass
Tank Type: Double Wall UST
Install Year: 2012
Parent Facility Type: FS Marina
Facility Type: FS Liquid Fuel Tank

FST	<u>66</u>	11 of 19	ENE/100.2	59.9 / -12.61	DOWS LAKE PAVILION GROUP INC 1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7
------------	------------------	-----------------	------------------	----------------------	---

Instance No: 63161698
Cont Name:
Instance Type: FS Liquid Fuel Tank
Fuel Type: Diesel
Status: Active
Capacity: 9000
Tank Material: Fiberglass (FRP)
Corrosion Protection: Fiberglass
Tank Type: Single Wall UST
Install Year: 1982
Parent Facility Type: FS MARINA
Facility Type:

FSTH	<u>115</u>	4 of 5	NNE/143.0	61.9 / -10.61	AGGARWAL ENTERPRISES LIMITED 485 PRESTON ST OTTAWA ON K1S 4N7
-------------	-------------------	---------------	------------------	----------------------	--

License Issue Date: 8/1/2002
Tank Status: Pending Renewal
Tank Status As Of: August 2007
Operation Type: Retail Fuel Outlet
Facility Type: Gasoline Station - Full Serve

--Details--

Status: Active
Year of Installation: 1990
Corrosion Protection:
Capacity: 13600
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1990
Corrosion Protection:
Capacity: 22700
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1990

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1975			
Corrosion Protection:					
Capacity:		13600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	17	1 of 3	NW/61.5	65.8 / -6.64	COMPLETE AUTO RENTALS O/A AVIS 901 CARLING AVE. OTTAWA C/O 1056 PARISIEN ST. GLOUCESTER ON K1Y 4E3
Generator No:		ON0227208	PO Box No:		
Status:			Country:		
Approval Years:		90	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		9921			
SIC Description:		AUTO./TRUCK RENTAL			
Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	17	2 of 3	NW/61.5	65.8 / -6.64	COMPLETE AUTO RENTALS O/A AVIS 08-719 901 CARLING AVE. OTTAWA C/O 1056 PARISIEN ST. GLOUCESTER ON K1Y 4E3
Generator No:		ON0227208	PO Box No:		
Status:			Country:		
Approval Years:		92,93,94,95,96,97	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		9921			
SIC Description:		AUTO./TRUCK RENTAL			
Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	17	3 of 3	NW/61.5	65.8 / -6.64	COMPLETE AUTO RENTALS 901 CARLING AVENUE OTTAWA ON K1Y 4E3
Generator No:		ON0227208	PO Box No:		
Status:			Country:		
Approval Years:		98	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		9921			
SIC Description:		AUTO./TRUCK RENTAL			
Detail(s)					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
GEN	<u>20</u>	1 of 2	N/43.6	64.8 / -7.70	Oxford Properties Group Inc. 865 & 875 Carling Avenue Ottawa ON
Generator No:	ON1144638			PO Box No:	
Status:				Country:	
Approval Years:	03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
GEN	<u>20</u>	2 of 2	N/43.6	64.8 / -7.70	Colonnade Management Inc. 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:				Country:	
Approval Years:	07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531310				
SIC Description:	Real Estate Property Managers				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
GEN	<u>21</u>	7 of 31	WNW/58.0	74.5 / 2.03	Canadian Food Inspection Agency 960 Carling Avenue, Bldg #22 Ottawa ON
Generator No:	ON6882769			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	911240				
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		269			
Waste Class Desc:		NON-HALOGENATED PESTICIDES			

GEN [21](#) 8 of 31 **WNW/58.0** 74.5 / 2.03 **Public Works and Government Services Canada
960 Carling
Ottawa ON**

Generator No:	ON4532831	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	910911		
SIC Description:			

Detail(s)

Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	243
Waste Class Desc:	PCBS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS
Waste Class:	222
Waste Class Desc:	HEAVY FUELS

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		213			
		Waste Class Desc: PETROLEUM DISTILLATES			

GEN	<u>21</u>	9 of 31	WNW/58.0	74.5 / 2.03	AGRICULTURE AND AGRI-FOOD CANADA 960 CARLING AVENUE OTTAWA ON
------------	------------------	----------------	-----------------	--------------------	--

Generator No:	ON0022806	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	112910, 541990		
SIC Description:	APICULTURE, ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES		

Detail(s)

Waste Class: 132
Waste Class Desc: NEUTRALIZED WASTES - OTHER METALS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 147
Waste Class Desc: CHEMICAL FERTILIZER WASTES

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 331

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class Desc:			WASTE COMPRESSED GASES		
Waste Class:		269			
Waste Class Desc:			NON-HALOGENATED PESTICIDES		
Waste Class:		243			
Waste Class Desc:			PCBS		
Waste Class:		211			
Waste Class Desc:			AROMATIC SOLVENTS		
Waste Class:		221			
Waste Class Desc:			LIGHT FUELS		
Waste Class:		242			
Waste Class Desc:			HALOGENATED PESTICIDES		
Waste Class:		114			
Waste Class Desc:			OTHER INORGANIC ACID WASTES		

GEN	21	20 of 31	WNW/58.0	74.5 / 2.03	AGRICULTURE AND AGRI-FOOD CANADA 960 CARLING AVENUE OTTAWA ON K1A 0C6
Generator No:	ON0022806			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Patrick St-Georges
MHSW Facility:	No			Phone No Admin:	613-759-1303 Ext.
SIC Code:	112910, 541990				
SIC Description:	APICULTURE, ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES				

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	113
Waste Class Desc:	ACID WASTE - OTHER METALS
Waste Class:	211
Waste Class Desc:	AROMATIC SOLVENTS
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS
Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		147			
<i>Waste Class Desc:</i>		CHEMICAL FERTILIZER WASTES			
<i>Waste Class:</i>		264			
<i>Waste Class Desc:</i>		PHOTOPROCESSING WASTES			
<i>Waste Class:</i>		132			
<i>Waste Class Desc:</i>		NEUTRALIZED WASTES - OTHER METALS			
<i>Waste Class:</i>		269			
<i>Waste Class Desc:</i>		NON-HALOGENATED PESTICIDES			
<i>Waste Class:</i>		251			
<i>Waste Class Desc:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Class:</i>		243			
<i>Waste Class Desc:</i>		PCBS			
<i>Waste Class:</i>		242			
<i>Waste Class Desc:</i>		HALOGENATED PESTICIDES			
<i>Waste Class:</i>		114			
<i>Waste Class Desc:</i>		OTHER INORGANIC ACID WASTES			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		221			
<i>Waste Class Desc:</i>		LIGHT FUELS			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			

GEN

21

21 of 31

WNW/58.0

74.5 / 2.03

Canadian Food Inspection Agency
960 Carling Avenue, Bldg #22
Ottawa ON K1A0C6

Generator No: ON6882769
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 911240
SIC Description: 911240

PO Box No:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Daniel Simard
Phone No Admin: 613-759-1249 Ext.

Detail(s)

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Waste Class: 269
Waste Class Desc: NON-HALOGENATED PESTICIDES

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		121			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		147			
Waste Class Desc:		CHEMICAL FERTILIZER WASTES			

GEN	<u>21</u>	22 of 31	WNW/58.0	74.5 / 2.03	Public Works and Government Services Canada 960 Carling Ottawa ON K1A 0Z2
Generator No:	ON4532831			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Brian Stoneman
MHSW Facility:	No			Phone No Admin:	613 993 5639 Ext.
SIC Code:	910911				
SIC Description:	910911				

Detail(s)

Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	243				
Waste Class Desc:	PCBS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	222				
Waste Class Desc:	HEAVY FUELS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				

GEN	<u>21</u>	23 of 31	WNW/58.0	74.5 / 2.03	Canadian Food Inspection Agency
------------	------------------	-----------------	-----------------	--------------------	--

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					960 Carling Avenue, Bldg #22 Ottawa ON K1A0C6
Generator No:	ON6882769			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Daniel Simard
MHSW Facility:	No			Phone No Admin:	613-759-1249 Ext.
SIC Code:	911240				
SIC Description:	911240				
<u>Detail(s)</u>					
Waste Class:	269				
Waste Class Desc:	NON-HALOGENATED PESTICIDES				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	147				
Waste Class Desc:	CHEMICAL FERTILIZER WASTES				
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				

GEN	<u>21</u>	24 of 31	WNW/58.0	74.5 / 2.03	AGRICULTURE AND AGRI-FOOD CANADA 960 CARLING AVENUE OTTAWA ON K1A 0C6
Generator No:	ON0022806			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Patrick St-Georges
MHSW Facility:	No			Phone No Admin:	613-759-1303 Ext.
SIC Code:	112910, 541990				
SIC Description:	APICULTURE, ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES				

<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			
<i>Waste Class:</i>		211			
<i>Waste Class Desc:</i>		AROMATIC SOLVENTS			
<i>Waste Class:</i>		132			
<i>Waste Class Desc:</i>		NEUTRALIZED WASTES - OTHER METALS			
<i>Waste Class:</i>		148			
<i>Waste Class Desc:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		251			
<i>Waste Class Desc:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Class:</i>		147			
<i>Waste Class Desc:</i>		CHEMICAL FERTILIZER WASTES			
<i>Waste Class:</i>		242			
<i>Waste Class Desc:</i>		HALOGENATED PESTICIDES			
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			
<i>Waste Class:</i>		243			
<i>Waste Class Desc:</i>		PCBS			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		114			
<i>Waste Class Desc:</i>		OTHER INORGANIC ACID WASTES			
<i>Waste Class:</i>		269			
<i>Waste Class Desc:</i>		NON-HALOGENATED PESTICIDES			
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		113			
<i>Waste Class Desc:</i>		ACID WASTE - OTHER METALS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		221			
<i>Waste Class Desc:</i>		LIGHT FUELS			

GEN	<u>21</u>	25 of 31	WNW/58.0	74.5 / 2.03	Public Works and Government Services Canada 960 Carling Ottawa ON K1A 0Z2
Generator No:	ON4532831			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Brian Stoneman

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
MHSW Facility:	No			Phone No Admin:	613 993 5639 Ext.
SIC Code:	910911				
SIC Description:		910911			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		222			
Waste Class Desc:		HEAVY FUELS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		243			
Waste Class Desc:		PCBS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

GEN **21** **26 of 31** **WNW/58.0** **74.5 / 2.03** **Canadian Food Inspection Agency
960 Carling Avenue, Bldg #22
Ottawa ON K1A0C6**

Generator No:	ON6882769	PO Box No:	
Status:		Country:	Canada
Approval Years:	2014	Choice of Contact:	CO_ADMIN
Contam. Facility:	No	Co Admin:	Daniel Simard
MHSW Facility:	No	Phone No Admin:	613-759-1249 Ext.
SIC Code:	911240		
SIC Description:	911240		

Detail(s)

Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		147			
<i>Waste Class Desc:</i>		CHEMICAL FERTILIZER WASTES			
<i>Waste Class:</i>		269			
<i>Waste Class Desc:</i>		NON-HALOGENATED PESTICIDES			
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			

GEN	<u>21</u>	27 of 31	WNW/58.0	74.5 / 2.03	AGRICULTURE AND AGRI-FOOD CANADA 960 CARLING AVENUE OTTAWA ON K1A 0C6
<i>Generator No:</i>	ON0022806			<i>PO Box No:</i>	
<i>Status:</i>				<i>Country:</i>	Canada
<i>Approval Years:</i>	2014			<i>Choice of Contact:</i>	CO_ADMIN
<i>Contam. Facility:</i>	No			<i>Co Admin:</i>	Patrick St-Georges
<i>MHSW Facility:</i>	No			<i>Phone No Admin:</i>	613-759-1303 Ext.
<i>SIC Code:</i>	112910, 541990				
<i>SIC Description:</i>	APICULTURE, ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES				

Detail(s)

<i>Waste Class:</i>	211
<i>Waste Class Desc:</i>	AROMATIC SOLVENTS
<i>Waste Class:</i>	221
<i>Waste Class Desc:</i>	LIGHT FUELS
<i>Waste Class:</i>	212
<i>Waste Class Desc:</i>	ALIPHATIC SOLVENTS
<i>Waste Class:</i>	112
<i>Waste Class Desc:</i>	ACID WASTE - HEAVY METALS
<i>Waste Class:</i>	114
<i>Waste Class Desc:</i>	OTHER INORGANIC ACID WASTES
<i>Waste Class:</i>	132
<i>Waste Class Desc:</i>	NEUTRALIZED WASTES - OTHER METALS
<i>Waste Class:</i>	251
<i>Waste Class Desc:</i>	OIL SKIMMINGS & SLUDGES
<i>Waste Class:</i>	148
<i>Waste Class Desc:</i>	INORGANIC LABORATORY CHEMICALS
<i>Waste Class:</i>	242
<i>Waste Class Desc:</i>	HALOGENATED PESTICIDES
<i>Waste Class:</i>	331
<i>Waste Class Desc:</i>	WASTE COMPRESSED GASES
<i>Waste Class:</i>	145

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Waste Class Desc:			PAINT/PIGMENT/COATING RESIDUES		
Waste Class:		241			
Waste Class Desc:			HALOGENATED SOLVENTS		
Waste Class:		264			
Waste Class Desc:			PHOTOPROCESSING WASTES		
Waste Class:		146			
Waste Class Desc:			OTHER SPECIFIED INORGANICS		
Waste Class:		113			
Waste Class Desc:			ACID WASTE - OTHER METALS		
Waste Class:		252			
Waste Class Desc:			WASTE OILS & LUBRICANTS		
Waste Class:		269			
Waste Class Desc:			NON-HALOGENATED PESTICIDES		
Waste Class:		147			
Waste Class Desc:			CHEMICAL FERTILIZER WASTES		
Waste Class:		121			
Waste Class Desc:			ALKALINE WASTES - HEAVY METALS		
Waste Class:		263			
Waste Class Desc:			ORGANIC LABORATORY CHEMICALS		
Waste Class:		243			
Waste Class Desc:			PCBS		
Waste Class:		213			
Waste Class Desc:			PETROLEUM DISTILLATES		

GEN 21 28 of 31 WNW/58.0 74.5 / 2.03 Canadian Food Inspection Agency
Ottawa Laboratory Carling
960 Carling Avenue, Bldg #22
Ottawa ON K1A0C6

Generator No:	ON6882769	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Dec 2018	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class:	112 C
Waste Class Desc:	Acid solutions - containing heavy metals
Waste Class:	121 C
Waste Class Desc:	Alkaline slutions - containing heavy metals
Waste Class:	147 T
Waste Class Desc:	Chemical fertilizer wastes
Waste Class:	148 C
Waste Class Desc:	Misc. wastes and inorganic chemicals
Waste Class:	148 R
Waste Class Desc:	Misc. wastes and inorganic chemicals

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		241 H			
Waste Class Desc:		Halogenated solvents and residues			
Waste Class:		263 B			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 C			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 R			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		269 T			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			

GEN

21

29 of 31

WNW/58.0

74.5 / 2.03

**AGRICULTURE AND AGRI-FOOD
CANADA Property & Facilities
960 CARLING AVENUE
OTTAWA ON K1A 0C6**

Generator No:
Status:
Approval Years:
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

ON0022806
Registered
As of Dec 2018

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Canada

Detail(s)

Waste Class:	112 C
Waste Class Desc:	Acid solutions - containing heavy metals
Waste Class:	113 C
Waste Class Desc:	Acid solutions - containing other metals and non-metals
Waste Class:	121 C
Waste Class Desc:	Alkaline slutions - containing heavy metals
Waste Class:	145 H
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	145 T
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	146 R
Waste Class Desc:	Other specified inorganic sludges, slurries or solids
Waste Class:	146 T
Waste Class Desc:	Other specified inorganic sludges, slurries or solids
Waste Class:	147 I
Waste Class Desc:	Chemical fertilizer wastes

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Waste Class:		148 A			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 B			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 R			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 T			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		213 T			
Waste Class Desc:		Petroleum distillates			
Waste Class:		241 L			
Waste Class Desc:		Halogenated solvents and residues			
Waste Class:		243 D			
Waste Class Desc:		PCB			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		263 B			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 C			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 R			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 T			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		269 T			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		331 C			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			

GEN

21

30 of 31

WNW/58.0

74.5 / 2.03

Canadian Food Inspection Agency
Ottawa Laboratory Carling
960 Carling Avenue, Bldg #22
Ottawa ON K1A0C6

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Generator No:	ON6882769			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	263 R				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	241 H				
Waste Class Desc:	Halogenated solvents and residues				
Waste Class:	263 B				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	112 C				
Waste Class Desc:	Acid solutions - containing heavy metals				
Waste Class:	263 C				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	269 T				
Waste Class Desc:	Organic non-halogenated pesticide and herbicide wastes				
Waste Class:	147 T				
Waste Class Desc:	Chemical fertilizer wastes				
Waste Class:	263 I				
Waste Class Desc:	Misc. waste organic chemicals				
Waste Class:	121 C				
Waste Class Desc:	Alkaline slutions - containing heavy metals				
Waste Class:	212 I				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	148 R				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				

GEN	<u>21</u>	31 of 31	WNW/58.0	74.5 / 2.03	AGRICULTURE AND AGRI-FOOD CANADA Property & Facilities 960 CARLING AVENUE OTTAWA ON K1A 0C6
Generator No:	ON0022806			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Detail(s)

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Waste Class:		263 T			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		147 I			
Waste Class Desc:		Chemical fertilizer wastes			
Waste Class:		213 T			
Waste Class Desc:		Petroleum distillates			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		146 R			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		241 L			
Waste Class Desc:		Halogenated solvents and residues			
Waste Class:		145 H			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		331 C			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		269 T			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		148 T			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 A			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		263 R			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		263 B			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		148 R			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		121 C			
Waste Class Desc:		Alkaline slutions - containing heavy metals			
Waste Class:		243 D			
Waste Class Desc:		PCB			
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		113 C			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class Desc:		Acid solutions - containing other metals and non-metals			
Waste Class:		263 C			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		148 B			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		145 T			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	26	1 of 1	NW/92.7	67.2 / -5.31	DOMICILE CONSTRUCTION 331 BREEZHILL AVENUE SOUTH Ottawa ON K1Y 2J6
Generator No:		ON8299567		PO Box No:	
Status:				Country:	
Approval Years:		07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		236220			
SIC Description:		Commercial and Institutional Building Construction			
Detail(s)					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	29	1 of 15	ENE/110.7	63.8 / -8.67	DEPT. OF NATIONAL DEFENCE CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2
Generator No:		ON0046571		PO Box No:	
Status:				Country:	
Approval Years:		01,02,03,04,05,06,07,08		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		8111			
SIC Description:		DEFENCE SERVICES			
Detail(s)					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		998			
Waste Class Desc:		NONHAZARDOUS WASTE			
Waste Class:		131			
Waste Class Desc:		NEUTRALIZED WASTES - HEAVY METALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		123			
<i>Waste Class Desc:</i>		ALKALINE PHOSPHATES			
<i>Waste Class:</i>		135			
<i>Waste Class Desc:</i>		REACTIVE ANION WASTES			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		148			
<i>Waste Class Desc:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		213			
<i>Waste Class Desc:</i>		PETROLEUM DISTILLATES			
<i>Waste Class:</i>		221			
<i>Waste Class Desc:</i>		LIGHT FUELS			
<i>Waste Class:</i>		232			
<i>Waste Class Desc:</i>		POLYMERIC RESINS			
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			
<i>Waste Class:</i>		242			
<i>Waste Class Desc:</i>		HALOGENATED PESTICIDES			
<i>Waste Class:</i>		243			
<i>Waste Class Desc:</i>		PCB'S			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Class:</i>		262			
<i>Waste Class Desc:</i>		DETERGENTS/SOAPS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		265			
<i>Waste Class Desc:</i>		GRAPHIC ART WASTES			
<i>Waste Class:</i>		269			
<i>Waste Class Desc:</i>		NON-HALOGENATED PESTICIDES			
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			

GEN	29	2 of 15	ENE/110.7	63.8 / -8.67	DEPT. OF NATIONAL DEFENCE CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON
Generator No:	ON0046571			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	911110				
SIC Description:		Defence Services			
<u>Detail(s)</u>					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		131			
Waste Class Desc:		NEUTRALIZED WASTES - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

GEN **29** **3 of 15** **ENE/110.7** **63.8 / -8.67** **DEPT. OF NATIONAL DEFENCE
CFRB DOWS LAKE 79 PRINCE OF
WALES DRIVE
OTTAWA ON**

Generator No:	ON0046571	PO Box No:	
Status:		Country:	
Approval Years:	2010	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	911110		
SIC Description:	Defence Services		

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Waste Class:</i>		213			
<i>Waste Class Desc:</i>		PETROLEUM DISTILLATES			
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		221			
<i>Waste Class Desc:</i>		LIGHT FUELS			
<i>Waste Class:</i>		262			
<i>Waste Class Desc:</i>		DETERGENTS/SOAPS			
<i>Waste Class:</i>		131			
<i>Waste Class Desc:</i>		NEUTRALIZED WASTES - HEAVY METALS			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			

GEN **29** **4 of 15** **ENE/110.7** **63.8 / -8.67** **DEPT. OF NATIONAL DEFENCE
CFRB DOWS LAKE 79 PRINCE OF
WALES DRIVE
OTTAWA ON**

Generator No:	ON0046571	PO Box No:	
Status:		Country:	
Approval Years:	2011	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	911110		
SIC Description:	Defence Services		

Detail(s)

Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	131
Waste Class Desc:	NEUTRALIZED WASTES - HEAVY METALS
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		213			
<i>Waste Class Desc:</i>		PETROLEUM DISTILLATES			
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			
<i>Waste Class:</i>		251			
<i>Waste Class Desc:</i>		OIL SKIMMINGS & SLUDGES			

GEN

29

5 of 15

ENE/110.7

63.8 / -8.67

**DEPT. OF NATIONAL DEFENCE
CFRB DOWS LAKE 79 PRINCE OF
WALES DRIVE
OTTAWA ON K1A 0K2**

Generator No: ON0046571
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 911110
SIC Description: Defence Services

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 131
Waste Class Desc: NEUTRALIZED WASTES - HEAVY METALS

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 213

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

GEN	29	6 of 15	ENE/110.7	63.8 / -8.67	DEPT. OF NATIONAL DEFENCE CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON
------------	-----------	----------------	------------------	---------------------	--

Generator No:	ON0046571	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	911110		
SIC Description:			

Detail(s)

Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	131
Waste Class Desc:	NEUTRALIZED WASTES - HEAVY METALS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	146
Waste Class Desc:	OTHER SPECIFIED INORGANICS
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	121
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
GEN	29	7 of 15	ENE/110.7	63.8 / -8.67	Department of National Defence 79 Prince of Wales Drive Ottawa ON
Generator No:	ON6700368			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	911910				
SIC Description:					
Detail(s)					
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				

GEN	29	8 of 15	ENE/110.7	63.8 / -8.67	DEPT. OF NATIONAL DEFENCE CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2
Generator No:	ON0046571			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Paul Haight
MHSW Facility:	No			Phone No Admin:	(819)775-4506 Ext.
SIC Code:	911110				
SIC Description:	911110				
Detail(s)					
Waste Class:	262				
Waste Class Desc:	DETERGENTS/SOAPS				
Waste Class:	131				
Waste Class Desc:	NEUTRALIZED WASTES - HEAVY METALS				
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	331				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			

GEN	29	9 of 15	ENE/110.7	63.8 / -8.67	Department of National Defence 79 Prince of Wales Drive Ottawa ON K7A 0K4
Generator No:	ON6700368			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Matthew DesRoches
MHSW Facility:	No			Phone No Admin:	613-247-2411 Ext.
SIC Code:	911910				
SIC Description:	911910				
<u>Detail(s)</u>					
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	148				
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				

GEN	29	10 of 15	ENE/110.7	63.8 / -8.67	DEPT. OF NATIONAL DEFENCE CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2
Generator No:	ON0046571			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Karin Frederking
MHSW Facility:	No			Phone No Admin:	(819)775-7413 Ext.
SIC Code:	911110				
SIC Description:	911110				
<u>Detail(s)</u>					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	131				
Waste Class Desc:	NEUTRALIZED WASTES - HEAVY METALS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	331				
Waste Class Desc:	WASTE COMPRESSED GASES				
Waste Class:	262				
Waste Class Desc:	DETERGENTS/SOAPS				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		145			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
		112			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
		121			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
		263			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
		146			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
		213			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
		252			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
		221			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	<u>29</u>	11 of 15	ENE/110.7	63.8 / -8.67	Department of National Defence 79 Prince of Wales Drive Ottawa ON K7A 0K4
Generator No:		ON6700368			
Status:					
Approval Years:		2014			
Contam. Facility:		No			
MHSW Facility:		No			
SIC Code:		911910			
SIC Description:		911910			
Detail(s)					
		148			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
		146			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	<u>29</u>	12 of 15	ENE/110.7	63.8 / -8.67	DEPT. OF NATIONAL DEFENCE CFRB DOWS LAKE 79 PRINCE OF WALES DRIVE OTTAWA ON K1A 0K2
Generator No:		ON0046571			
Status:					
Approval Years:		2014			
Contam. Facility:		No			
MHSW Facility:		No			
SIC Code:		911110			
SIC Description:		911110			
Detail(s)					
		221			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:		131			
Waste Class Desc:		NEUTRALIZED WASTES - HEAVY METALS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			

GEN **29** **13 of 15** **ENE/110.7** **63.8 / -8.67** **Department of National Defence
RP Ops
CFRB DOWS LAKE 79 PRINCE OF
WALES DRIVE
OTTAWA ON K1A 0K2**

Generator No:	ON0046571	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Dec 2018	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class:	112 C
Waste Class Desc:	Acid solutions - containing heavy metals
Waste Class:	121 C
Waste Class Desc:	Alkaline slutions - containing heavy metals
Waste Class:	145 I
Waste Class Desc:	Wastes from the use of pigments, coatings and paints
Waste Class:	146 R
Waste Class Desc:	Other specified inorganic sludges, slurries or solids
Waste Class:	212 L

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		213 I			
Waste Class Desc:		Petroleum distillates			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			

GEN

29

15 of 15

ENE/110.7

63.8 / -8.67

Department of National Defence
RP Ops
CFRB DOWS LAKE 79 PRINCE OF
WALES DRIVE
OTTAWA ON K1A 0K2

Generator No: ON0046571
Status: Registered
Approval Years: As of Oct 2019
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 263 I
Waste Class Desc: Misc. waste organic chemicals

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 213 I
Waste Class Desc: Petroleum distillates

Waste Class: 146 R
Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 221 I
Waste Class Desc: Light fuels

Waste Class: 145 I
Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 221 L
Waste Class Desc: Light fuels

Waste Class: 331 I
Waste Class Desc: Waste compressed gases including cylinders

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		112 C			
		Acid solutions - containing heavy metals			
		212 L			
		Aliphatic solvents and residues			
		121 C			
		Alkaline slutions - containing heavy metals			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	<u>31</u>	1 of 3	ENE/33.6	62.8 / -9.72	GVT OF CAN - NATIONAL DEFENCE CFRB DOWS LAKE HMCS CARLETON OTTAWA ON K1A 0K2
Generator No:	ON0046571			PO Box No:	
Status:				Country:	
Approval Years:	92,93,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8111				
SIC Description:	DEFENCE SERVICES				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	<u>31</u>	2 of 3	ENE/33.6	62.8 / -9.72	GVT OF CAN - NATIONAL DEFENCE 17-584 CFRB DOWS LAKE HMCS CARLETON OTTAWA ON K1A 0K2
Generator No:	ON0046571			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8111				
SIC Description:	DEFENCE SERVICES				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	146				
Waste Class Desc:	OTHER SPECIFIED INORGANICS				

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Waste Class:</i>		265			
<i>Waste Class Desc:</i>		GRAPHIC ART WASTES			
<i>Waste Class:</i>		269			
<i>Waste Class Desc:</i>		NON-HALOGENATED PESTICIDES			
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		123			
<i>Waste Class Desc:</i>		ALKALINE PHOSPHATES			
<i>Waste Class:</i>		135			
<i>Waste Class Desc:</i>		REACTIVE ANION WASTES			

GEN	<u>41</u>	3 of 7	W/88.0	80.9 / 8.39	GVT. OF CAN-ENERGY, MINES & RES. OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4
<i>Generator No:</i>	ON0269509			<i>PO Box No:</i>	
<i>Status:</i>				<i>Country:</i>	
<i>Approval Years:</i>	86,87			<i>Choice of Contact:</i>	
<i>Contam. Facility:</i>				<i>Co Admin:</i>	
<i>MHSW Facility:</i>				<i>Phone No Admin:</i>	
<i>SIC Code:</i>	0000				
<i>SIC Description:</i>	*** NOT DEFINED ***				

GEN	<u>41</u>	4 of 7	W/88.0	80.9 / 8.39	GVT.OF CAN-ENERGY,MINES& RESOURCES OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4
<i>Generator No:</i>	ON0269509			<i>PO Box No:</i>	
<i>Status:</i>				<i>Country:</i>	
<i>Approval Years:</i>	88,89,90,92,93,97			<i>Choice of Contact:</i>	
<i>Contam. Facility:</i>				<i>Co Admin:</i>	
<i>MHSW Facility:</i>				<i>Phone No Admin:</i>	
<i>SIC Code:</i>	8172				
<i>SIC Description:</i>	RES. CONS./IND. DEV.				

Detail(s)

<i>Waste Class:</i>	148				
<i>Waste Class Desc:</i>	INORGANIC LABORATORY CHEMICALS				
<i>Waste Class:</i>	213				
<i>Waste Class Desc:</i>	PETROLEUM DISTILLATES				
<i>Waste Class:</i>	251				
<i>Waste Class Desc:</i>	OIL SKIMMINGS & SLUDGES				
<i>Waste Class:</i>	263				
<i>Waste Class Desc:</i>	ORGANIC LABORATORY CHEMICALS				
<i>Waste Class:</i>	264				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Waste Class Desc: PHOTOPROCESSING WASTES

GEN	<u>41</u>	5 of 7	W/88.0	80.9 / 8.39	GVT.OF CAN-ENERGY,MINES& RESOURCES18-250 OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4
------------	------------------	---------------	---------------	--------------------	---

Generator No:	ON0269509	PO Box No:	
Status:		Country:	
Approval Years:	94,95,96	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	8172		
SIC Description:	RES. CONS./IND. DEV.		

Detail(s)

Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	264
Waste Class Desc:	PHOTOPROCESSING WASTES

GEN	<u>41</u>	6 of 7	W/88.0	80.9 / 8.39	GVT. OF CAN. - ENERGY MINES & RESOURCES OBSERVATORY CAMPUS, GEOPHYSICS DIVISION 1 OBSERVATORY CRESENT OTTAWA ON K1A 0E4
------------	------------------	---------------	---------------	--------------------	--

Generator No:	ON0269509	PO Box No:	
Status:		Country:	
Approval Years:	98,99,00,01	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	8172		
SIC Description:	RES. CONS./IND. DEV.		

Detail(s)

Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			

GEN	<u>41</u>	7 of 7	W/88.0	80.9 / 8.39	SNC LAVALIN O & M 1 OBSERVATORY CRESCENT BUILDING 7 OTTAWA ON
------------	---------------------------	---------------	---------------	--------------------	--

Generator No:	ON8695474	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

Detail(s)

Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS

GEN	<u>43</u>	1 of 1	N/90.5	64.9 / -7.61	SOULARD RENTALS LTD. 233 CHAMPAGNE AVENUE NORTH OTTAWA ON K1R 7R7
------------	---------------------------	---------------	---------------	---------------------	--

Generator No:	ON2389000	PO Box No:	
Status:		Country:	
Approval Years:	98,99,00,01	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	3192		
SIC Description:	CONSTRUCTION EQUIP.		

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

GEN	<u>44</u>	1 of 1	E/236.4	65.9 / -6.61	Ruiter Construction Ltd 135 Prince of Wales Ottawa ON
------------	---------------------------	---------------	----------------	---------------------	--

Generator No:	ON6821727	PO Box No:	
Status:		Country:	
Approval Years:	2013	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	236220		
SIC Description:	COMMERCIAL AND INSTITUTIONAL BUILDING CONSTRUCTION		

Detail(s)

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		145			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			

GEN	45	6 of 9	NNW/114.6	64.8 / -7.70	Colonnade Management Inc. 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531310				
SIC Description:	Real Estate Property Managers				

Detail(s)

Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

GEN	45	7 of 9	NNW/114.6	64.8 / -7.70	Colonnade Management Inc. 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531310				
SIC Description:	Real Estate Property Managers				

Detail(s)

Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

GEN	45	8 of 9	NNW/114.6	64.8 / -7.70	Colonnade Management Inc. 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	531310				
SIC Description:	Real Estate Property Managers				

Detail(s)

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Generator No:	ON2823765			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Chris Anderson
MHSW Facility:	No			Phone No Admin:	613 722 1128 Ext.
SIC Code:	531310				
SIC Description:	REAL ESTATE PROPERTY MANAGERS				
Detail(s)					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				

GEN	47	6 of 10	NNW/116.4	64.8 / -7.70	Colonnade Management Inc. 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Chris Anderson
MHSW Facility:	No			Phone No Admin:	613 722 1128 Ext.
SIC Code:	531310				
SIC Description:	REAL ESTATE PROPERTY MANAGERS				
Detail(s)					
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				

GEN	47	7 of 10	NNW/116.4	64.8 / -7.70	Colonnade Management Inc. 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Chris Anderson
MHSW Facility:	No			Phone No Admin:	613 722 1128 Ext.
SIC Code:	531310				
SIC Description:	REAL ESTATE PROPERTY MANAGERS				
Detail(s)					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

GEN	47	8 of 10	NNW/116.4	64.8 / -7.70	ColonnadeBridgeport Dow's Lake Court 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Detail(s)

Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
Waste Class:	145 I				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				
Waste Class:	221 I				
Waste Class Desc:	Light fuels				

GEN	47	10 of 10	NNW/116.4	64.8 / -7.70	ColonnadeBridgeport Dow's Lake Court 865 - 875 Carling Ave Ottawa ON K1S 5P1
Generator No:	ON2823765			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Detail(s)

Waste Class:	221 I				
Waste Class Desc:	Light fuels				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents and residues				

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Waste Class:		145			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			

GEN	<u>48</u>	1 of 8	NW/138.1	67.6 / -4.92	BELL CANADA 350 LORETTA STREET OTTAWA ON K1S 4P6
Generator No:	ON0473809			PO Box No:	
Status:				Country:	
Approval Years:	86,87			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4821				
SIC Description:	TELECOMMUN. CARRIERS				

Detail(s)

Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	131
Waste Class Desc:	NEUTRALIZED WASTES - HEAVY METALS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

GEN	<u>48</u>	2 of 8	NW/138.1	67.6 / -4.92	BELL CANADA 350 LORETTA STREET OTTAWA ON K1S 4P6
Generator No:	ON0473809			PO Box No:	
Status:				Country:	
Approval Years:	88,89,90,92,93,96,97,98,99,00,01,02,03,04,05,06			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6351				
SIC Description:	GARAGES(GEN. REPAIR)				

Detail(s)

Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	131
Waste Class Desc:	NEUTRALIZED WASTES - HEAVY METALS
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	212
Waste Class Desc:	ALIPHATIC SOLVENTS
Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	263

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		121			
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			

GEN	<u>48</u>	3 of 8	NW/138.1	67.6 / -4.92	BELL CANADA 05-778 350 LORETTA STREET OTTAWA ON K1S 5A5
Generator No:	ON0473809			PO Box No:	
Status:				Country:	
Approval Years:	94,95			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6351				
SIC Description:	GARAGES(GEN. REPAIR)				
<u>Detail(s)</u>					
Waste Class:	112				
Waste Class Desc:	ACID WASTE - HEAVY METALS				
Waste Class:	131				
Waste Class Desc:	NEUTRALIZED WASTES - HEAVY METALS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	213				
Waste Class Desc:	PETROLEUM DISTILLATES				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				

GEN	<u>50</u>	1 of 5	N/100.6	64.9 / -7.61	GVT. OF CANADA-PUBLIC WORKS CANADA CANADIAN MUSEUM OF CIVILIZATION VIMY HOUSE, 221 CHAMPAGNE STREET OTTAWA ON K1A 0M8
Generator No:	ON0129411			PO Box No:	
Status:				Country:	
Approval Years:	88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8551				
SIC Description:	MUSEUMS/ARCHIVES				
<u>Detail(s)</u>					
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			

GEN	50	2 of 5	N/100.6	64.9 / -7.61	PUBLIC WORKS CANADA CANADIAN MUSEUM OF CIVILIZATION VIMY HOUSE, 221 CHAMPAGNE STREET OTTAWA ON K1A 0M8
Generator No:	ON0129411			PO Box No:	
Status:				Country:	
Approval Years:	92,93,97,98,99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8551				
SIC Description:	MUSEUMS/ARCHIVES				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	211				
Waste Class Desc:	AROMATIC SOLVENTS				
Waste Class:	212				
Waste Class Desc:	ALIPHATIC SOLVENTS				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				

GEN	50	3 of 5	N/100.6	64.9 / -7.61	GVT. OF CANADA-PUBLIC WORKS CANADA18-303 CANADIAN MUSEUM OF CIVILIZATION VIMY HOUSE, 221 CHAMPAGNE STREET OTTAWA ON K1A 0M8
Generator No:	ON0129411			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8551				
SIC Description:	MUSEUMS/ARCHIVES				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Detail(s)</u>					
		252			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
		264			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
		241			
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
		145			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
		211			
Waste Class:		211			
Waste Class Desc:		AROMATIC SOLVENTS			
		212			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
		221			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

GEN	<u>50</u>	4 of 5	N/100.6	64.9 / -7.61	CANADIAN WAR MUSEUM 221 CHAMPAGNE AVENUE NORTH OTTAWA ON K1R 7R7
Generator No:	ON2642100			PO Box No:	
Status:				Country:	
Approval Years:	01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	8551				
SIC Description:	MUSEUMS/ARCHIVES				

<u>Detail(s)</u>					
		145			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
		148			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
		263			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
		331			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
		252			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

GEN	<u>50</u>	5 of 5	N/100.6	64.9 / -7.61	CANADIAN MUSEUM OF CIVILIZATION CORPORATION 221 CHAMPAGNE AVENUE NORTH OTTAWA ON K1R 7R7
Generator No:	ON2642100			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
MHSW Facility:			Phone No Admin:		
SIC Code:	712119				
SIC Description:		Museums (exc. Art Museums & Galleries)			
<u>Detail(s)</u>					
Waste Class:	112				
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:	213				
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:	121				
Waste Class Desc:		ALKALINE WASTES - HEAVY METALS			
Waste Class:	145				
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:	148				
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:	263				
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			

GEN	51	1 of 4	N/111.1	64.9 / -7.61	BELL CANADA 202 CHAMPAGNE STREET OTTAWA ON K1S 5A5
Generator No:	ON0473814			PO Box No:	
Status:				Country:	
Approval Years:	86,87			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4821				
SIC Description:		TELECOMMUN. CARRIERS			
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:		WASTE OILS & LUBRICANTS			

GEN	51	2 of 4	N/111.1	64.9 / -7.61	BELL CANADA 202 CHAMPAGNE STREET OTTAWA ON K1S 5A5
Generator No:	ON0473814			PO Box No:	
Status:				Country:	
Approval Years:	88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	6351				
SIC Description:		GARAGES(GEN. REPAIR)			
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:	112				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	51	3 of 4	N/111.1	64.9 / -7.61	BELL CANADA (OUT OF BUSINESS) 05-832 202 CHAMPAGNE STREET OTTAWA ON K1S 5A5
Generator No:		ON0473814		PO Box No:	
Status:				Country:	
Approval Years:		92,93,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		6351			
SIC Description:		GARAGES(GEN. REPAIR)			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	51	4 of 4	N/111.1	64.9 / -7.61	BELL CANADA 05-832 202 CHAMPAGNE STREET OTTAWA ON K1S 5A5
Generator No:		ON0473814		PO Box No:	
Status:				Country:	
Approval Years:		94		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		6351			
SIC Description:		GARAGES(GEN. REPAIR)			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
GEN	<u>52</u>	4 of 5	N/83.8	63.9 / -8.61	Campbell Steel & Iron Works Limited 855 Carling Avenue Ottawa ON K1S 2E8
Generator No:	ON7465921			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	332999, 326210				
SIC Description:					
GEN	<u>66</u>	4 of 19	ENE/100.2	59.9 / -12.61	Mask Management Consultants limited 1001 Queen Elizabeth Dr Ottawa ON K1S 5K7
Generator No:	ON7312853			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04,05			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
GEN	<u>66</u>	7 of 19	ENE/100.2	59.9 / -12.61	NATIONAL CAPITAL COMMISSSION 1001 QUEEN ELIZABETH DR OTTAWA ON
Generator No:	ON7676718			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	713930				
SIC Description:					
GEN	<u>66</u>	13 of 19	ENE/100.2	59.9 / -12.61	1561951 Ontario Limited 1001 Queen Elizabeth Drive Ottawa ON K1S 5K7
Generator No:	ON4231216			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	722110, 713930				
SIC Description:	FULL-SERVICE RESTAURANTS, MARINAS				

Detail(s)

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

GEN	<u>66</u>	14 of 19	ENE/100.2	59.9 / -12.61	OCTranspo 1001 Queen Elizabeth Drive Ottawa ON K2P 1E3
Generator No:	ON8444965			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Paul Nagy
MHSW Facility:	No			Phone No Admin:	613-822-2700 Ext.235
SIC Code:	485110				
SIC Description:	485110				

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

GEN	<u>66</u>	15 of 19	ENE/100.2	59.9 / -12.61	OCTranspo 1001 Queen Elizabeth Drive Ottawa ON K2P 1E3
Generator No:	ON8444965			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Paul Nagy
MHSW Facility:	No			Phone No Admin:	613-822-2700 Ext.235
SIC Code:	485110				
SIC Description:	485110				

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

GEN	<u>66</u>	16 of 19	ENE/100.2	59.9 / -12.61	1561951 Ontario Limited 1001 Queen Elizabeth Drive Ottawa ON K1S 5K7
Generator No:	ON4231216			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

GEN	<u>66</u>	17 of 19	ENE/100.2	59.9 / -12.61	OCTranspo 1001 Queen Elizabeth Drive Ottawa ON K2P 1E3
Generator No:	ON8444965			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2017			Choice of Contact:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contam. Facility: MHSW Facility: SIC Code: SIC Description:				Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			

GEN	<u>66</u>	18 of 19	ENE/100.2	59.9 / -12.61	OCTranspo 1001 Queen Elizabeth Drive Ottawa ON K2P 1E3
Generator No:	ON8444965		PO Box No:		Canada
Status:	Registered		Country:		
Approval Years:	As of Dec 2018		Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			

GEN	<u>66</u>	19 of 19	ENE/100.2	59.9 / -12.61	1561951 Ontario Limited 1001 Queen Elizabeth Drive Ottawa ON K1S 5K7
Generator No:	ON4231216		PO Box No:		Canada
Status:	Registered		Country:		
Approval Years:	As of Oct 2019		Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			

GEN	<u>68</u>	1 of 11	N/166.0	63.8 / -8.70	SUNOCO INC. 140 HICKORY STREET OTTAWA ON M5S 2S4
Generator No:	ON0004913		PO Box No:		
Status:			Country:		
Approval Years:	86,87,88,89,90		Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:	5111				
SIC Description:					
		PETROLEUM PROD., WH.			
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	68	2 of 11	N/166.0	63.8 / -8.70	SUNOCO INC. 36-375 140 HICKORY STREET OTTAWA ON M5S 2S4
Generator No:	ON0004913			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5111				
SIC Description:	PETROLEUM PROD., WH.				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
GEN	68	3 of 11	N/166.0	63.8 / -8.70	SUNOCO (OUT OF BUS) 36-375 140 HICKORY STREET OTTAWA ON M5S 2S4
Generator No:	ON0004913			PO Box No:	
Status:				Country:	
Approval Years:	97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5111				
SIC Description:	PETROLEUM PROD., WH.				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
GEN	68	4 of 11	N/166.0	63.8 / -8.70	SUNOCO (OUT OF BUS) 140 HICKORY STREET OTTAWA ON M5S 2S4
Generator No:	ON0004913			PO Box No:	
Status:				Country:	
Approval Years:	98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	5111				
SIC Description:	PETROLEUM PROD., WH.				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
GEN	68	7 of 11	N/166.0	63.8 / -8.70	Suncor Energy Products Partnership 140 Hickory Street Ottawa ON K1S 2E8
Generator No:	ON2767683			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Craig Beaton
MHSW Facility:	No			Phone No Admin:	613-745-6471 Ext.236

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
SIC Code:	412110				
SIC Description:		PETROLEUM PRODUCT WHOLESALER-DISTRIBUTORS			
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

GEN	<u>68</u>	8 of 11	N/166.0	63.8 / -8.70	Suncor Energy Products Partnership 140 Hickory Street Ottawa ON K1S 2E8
Generator No:	ON2767683			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Craig Beaton
MHSW Facility:	No			Phone No Admin:	613-745-6471 Ext.236
SIC Code:	412110				
SIC Description:		PETROLEUM PRODUCT WHOLESALER-DISTRIBUTORS			
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

GEN	<u>68</u>	9 of 11	N/166.0	63.8 / -8.70	Suncor Energy Products Partnership 140 Hickory Street Ottawa ON K1S 2E8
Generator No:	ON2767683			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Craig Beaton
MHSW Facility:	No			Phone No Admin:	613-745-6471 Ext.236
SIC Code:	412110				
SIC Description:		PETROLEUM PRODUCT WHOLESALER-DISTRIBUTORS			
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

GEN	<u>68</u>	10 of 11	N/166.0	63.8 / -8.70	Suncor Energy Products Partnership 140 Hickory Street Ottawa ON K1S 3L9
Generator No:	ON3235730			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	221 L				
Waste Class Desc:	Light fuels				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
GEN	<u>68</u>	11 of 11	N/166.0	63.8 / -8.70	Suncor Energy Products Partnership 140 Hickory Street Ottawa ON K1S 3L9
Generator No:	ON3235730		PO Box No:		
Status:	Registered		Country:	Canada	
Approval Years:	As of Oct 2019		Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
GEN	<u>78</u>	1 of 1	W/248.7	82.9 / 10.39	AGA KHAN FOUNDATION 991 CARLING AVE. OTTAWA ON K1Y 4E6
Generator No:	ON9772777		PO Box No:		
Status:			Country:		
Approval Years:	02,03,04		Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
GEN	<u>88</u>	2 of 5	NNW/245.2	67.0 / -5.54	HUTCHINGS & PATRICK INC. 100 CHAMPAGNE AVE. SOUTH C/O P.O. BOX 8480 OTTAWA ON K1S 4P4
Generator No:	ON1142800		PO Box No:		
Status:			Country:		
Approval Years:	89		Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:	2821				
SIC Description:	PLATEMAKING, ETC.				
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
GEN	<u>88</u>	3 of 5	NNW/245.2	67.0 / -5.54	HUTCHINGS & PATRICK INC. 20-341 100 CHAMPAGNE AVE. SOUTH C/O P.O. BOX 8480 OTTAWA ON K1S 4P4
Generator No:	ON1142800			PO Box No:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	2821				
SIC Description:	PLATEMAKING, ETC.				
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
GEN	<u>88</u>	4 of 5	NNW/245.2	67.0 / -5.54	HUTCHINGS & PATRICK INC 100 CHAMPAGNES AVE S. OTTAWA ON K1S 4P4
Generator No:	ON8375642			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	414420				
SIC Description:	Book Periodical and Newspaper Wholesaler-Distributors				
GEN	<u>99</u>	1 of 2	N/231.3	64.9 / -7.56	QUINTERRA INVESTMENTS CORPORATION 125 HICKORY STREET OTTAWA ON K1S 3L8
Generator No:	ON1424642			PO Box No:	
Status:				Country:	
Approval Years:	03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
GEN	<u>100</u>	1 of 34	NNE/85.9	62.0 / -10.53	Imperial Oil 505 Preston Street Ottawa ON K1S 4N7
Generator No:	ON2488434			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			

GEN	<u>100</u>	3 of 34	NNE/85.9	62.0 / -10.53	Imperial Oil In right of way, adjacent to 505 Preston Street Ottawa ON
Generator No:	ON2488434			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:					

<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			

GEN	<u>100</u>	20 of 34	NNE/85.9	62.0 / -10.53	Imperial Oil 505 Preston Street Ottawa ON K1S 4N7
Generator No:	ON2488434			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				

<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			

GEN	<u>100</u>	21 of 34	NNE/85.9	62.0 / -10.53	Imperial Oil 505 Preston Street
------------	-------------------	-----------------	-----------------	----------------------	--

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Ottawa ON K1S 4N7					
Generator No:	ON2488434			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

GEN	<u>100</u>	22 of 34	NNE/85.9	62.0 / -10.53	Imperial Oil In right of way, adjacent to 505 Preston Street Ottawa ON
Generator No:	ON2488434			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

GEN	<u>100</u>	23 of 34	NNE/85.9	62.0 / -10.53	Imperial Oil In right of way, adjacent to 505 Preston Street Ottawa ON
Generator No:	ON2488434			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		221			
		Waste Class Desc: LIGHT FUELS			
		251			
		Waste Class Desc: OIL SKIMMINGS & SLUDGES			

GEN	<u>108</u>	1 of 1	W/213.1	80.8 / 8.34	Canadian Food Inspection Agency 960 Carling Avenue, Bld. 22 Ottawa ON
Generator No:	ON8790967			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	911240, 541380				
SIC Description:					

GEN	<u>111</u>	1 of 2	NNE/127.6	61.9 / -10.61	PELOSO CLEANERS 489 Preston Street Ottawa ON K1S 4N7
Generator No:	ON7288790			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	812320				
SIC Description:	DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)				

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

GEN	<u>112</u>	1 of 7	NNE/127.6	61.9 / -10.61	PELOSO CLEANERS 489 PRESTON DRIVE OTTAWA ON K1S 4N7
Generator No:	ON1956600			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	9721				
SIC Description:	POWER LAUND./CLEANER				

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

GEN	<u>112</u>	2 of 7	NNE/127.6	61.9 / -10.61	PELOSO CLEANERS 489 PRESTON STREET OTTAWA ON K1S 4N7
Generator No:	ON1956600			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
SIC Code:	9721				
SIC Description:		POWER LAUND./CLEANERS			
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			

GEN	<u>112</u>	3 of 7	NNE/127.6	61.9 / -10.61	927903 ONTARIO LTD. 489 PRESTON ST OTTAWA ON K1S 4N7
Generator No:	ON1956600			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

<u>Detail(s)</u>					
Waste Class:	262				
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			

GEN	<u>112</u>	4 of 7	NNE/127.6	61.9 / -10.61	927903 ONTARIO LTD. 489 PRESTON ST OTTAWA ON K1S 4N7
Generator No:	ON1956600			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:		Dry Cleaning and Laundry Services (except Coin-Operated)			

<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:		HALOGENATED SOLVENTS			
Waste Class:	262				
Waste Class Desc:		DETERGENTS/SOAPS			

GEN	<u>112</u>	5 of 7	NNE/127.6	61.9 / -10.61	927903 ONTARIO LTD. 489 PRESTON ST OTTAWA ON K1S 4N7
Generator No:	ON1956600			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:		Dry Cleaning and Laundry Services (except Coin-Operated)			

<u>Detail(s)</u>					
-------------------------	--	--	--	--	--

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		262			
		DETERGENTS/SOAPS			
		241			
		HALOGENATED SOLVENTS			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	112	6 of 7	NNE/127.6	61.9 / -10.61	927903 ONTARIO LTD. 489 PRESTON ST OTTAWA ON K1S 4N7
Generator No:	ON1956600			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:	Dry Cleaning and Laundry Services (except Coin-Operated)				
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
Waste Class:	262				
Waste Class Desc:	DETERGENTS/SOAPS				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	112	7 of 7	NNE/127.6	61.9 / -10.61	927903 ONTARIO LTD. 489 PRESTON ST OTTAWA ON K1S 4N7
Generator No:	ON1956600			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:	Dry Cleaning and Laundry Services (except Coin-Operated)				
<u>Detail(s)</u>					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
Waste Class:	262				
Waste Class Desc:	DETERGENTS/SOAPS				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
GEN	115	5 of 5	NNE/143.0	61.9 / -10.61	VIVIAN TRAPANNI 485 PRESTON ST., OTTAWA ON K1S 4N7
Generator No:	ON3178449			PO Box No:	
Status:				Country:	
Approval Years:	07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	221				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Waste Class Desc:		LIGHT FUELS			
GEN	124	1 of 1	NE/159.8	62.3 / -10.16	Arnon Corporation 785 Carling ave. Ottawa ON K1S 5K2
Generator No:	ON1905198			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Oct 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	243 D				
Waste Class Desc:	PCB				
GEN	127	3 of 9	NE/172.4	62.6 / -9.92	Arnon Development Corp. 785 Carling ave. Ottawa ON K1S 5H4
Generator No:	ON1905198			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
GEN	127	9 of 9	NE/172.4	62.6 / -9.92	Arnon Corporation 785 Carling ave. Ottawa ON K1S 5K2
Generator No:	ON1905198			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	243 D				
Waste Class Desc:	PCB				
INC	118	2 of 2	NNE/161.3	62.2 / -10.31	INTERSECTION OF PRESTON STREET & ADELINE STREET, OTTAWA ON
Incident No:	90218				
Incident ID:	2197438				
Attribute Category:	FS-Incident				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Status Code:		Causal Analysis Complete			
Incident Location:		6" PIPELINE HIT - INTERSECTION OF PRESTON STREET & ADELINE STREET, OTTAWA			
Drainage System:					
Sub Surface Contam.:					
Aff. Prop. Use Water:					
Contam. Migrated:					
Contact Natural Env.:					
Near Body of Water:					
Approx. Quant. Rel.:					
Equipment Model:					
Serial No:					
Residential App. Type:					
Commercial App. Type:					
Industrial App. Type:					
Institutional App. Type:					
Venting Type:					
Vent Connector Mater:					
Vent Chimney Mater:					
Pipeline Type:		Service / Riser Distribution Pipeline			
Pipeline Involved:		Transmission pipeline			
Pipe Material:		Steel			
Depth Ground Cover:					
Regulator Location:		Outside			
Regulator Type:					
Operation Pressure:		7 "			
Liquid Prop Make:					
Liquid Prop Model:					
Liquid Prop Serial No:					
Equipment Type:					
Cylinder Capacity:					
Cylinder Capac. Units:					
Cylinder Material Type:					
Tank Capacity:					
Fuels Occurrence Type:					
Fuel Type Involved:					
Date of Occurrence:					
Time of Occurrence:					
Occur Insp Start Date:					
Any Health Impact:					
Any Environmental Impact:					
Was Service Interrupted:					
Was Property Damaged:					
Operation Type Involved:					
Enforcement Policy:					
Prc Escalation Required:					
Task No:					
Notes:					
Occurrence Narrative:					
Tank Material Type:					
Tank Storage Type:					
Tank Location Type:					
Pump Flow Rate Capac:					
Liquid Prop Notes:					

INC	<u>128</u>	1 of 1	NNE/249.0	63.9 / -8.61	437 PRESTON STREET, OTTAWA ON K1S 4N3
Incident No:		218504			
Incident ID:		2369562			
Attribute Category:		FS-Incident			
Status Code:		Causal Analysis Complete			
Incident Location:		437 PRESTON STREET, OTTAWA - 12" PIPELINE HIT			
Drainage System:					
Sub Surface Contam.:					
Aff. Prop. Use Water:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contam. Migrated: Contact Natural Env.: Near Body of Water: Approx. Quant. Rel.: Equipment Model: Serial No.: Residential App. Type: Commercial App. Type: Industrial App. Type: Institutional App. Type: Venting Type: Vent Connector Mater: Vent Chimney Mater: Pipeline Type: Main Distribution Pipeline Pipeline Involved: Pipe Material: Steel Depth Ground Cover: 48 Regulator Location: Regulator Type: Operation Pressure: 58 Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No.: Equipment Type: Cylinder Capacity: Cylinder Capac. Units: Cylinder Material Type: Tank Capacity: Fuels Occurrence Type: Fuel Type Involved: Date of Occurrence: Time of Occurrence: Occur Insp Start Date: Any Health Impact: Any Environmental Impact: Was Service Interrupted: Was Property Damaged: Operation Type Involved: Enforcement Policy: Prc Escalation Required: Task No.: Notes: Occurrence Narrative: 12" main was covered in solid concrete at 3/4" tee valve. Nothing between steel pipe and concrete slab. As soon as slb was moved the tee valve broke. Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Capac: Liquid Prop Notes:					

MNR	<u>23</u>	1 of 1	W/96.2	80.9 / 8.39	DH OT-6
					ON
MDI No:	MDI31G05NE00073			Zone:	18
OGF ID:	205251974			Easting:	444097.301
Deposit Status:	DISCRETIONARY OCCURRENCE			Northing:	5026922.977
Claim Map:	N/A			Effective Dt/time:	6/13/2005
Geological District:	SOUTHEASTERN ONTARIO			Date Last Modified:	12/7/2005 12:32:36 PM
Mining Division:				Geo Update Dt/time:	
Class Sub Type No:	2496				
Class Sub Type:	Discretionary Mineral Occurrence				
Source Map:	DEMR 1987, NTS 31G05 OTTAWA				
Access Description:	N/A **Note: Many records provided by the department have a truncated [Access Description] field.				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Deposit Details</u>					
Deposit Year:		1993			
Deposit Character:					
Commodity:		LIMESTONE (BUILDING STONES)			
Ranking:		1			
Twp/Area:		NEPEAN			
Con/Lot/Sec:		LOT: NA Con: NA			
Legal Desc:					
Township Area Ranking:		1			
Mndm Township Area No:		1758			
Effective Date/Time:		12/7/2005 12:32:36 PM			

MNR	<u>59</u>	1 of 1	WSW/76.6	81.4 / 8.93	EXPERIMENTAL FARM
					ON
MDI No:		MDI31G05NE00067		Zone:	18
OGF ID:		205262560		Easting:	444027.298
Deposit Status:		PAST PRODUCING MINE WITHOUT RESERVES		Northing:	5026822.972
Claim Map:		T-2383		Effective Dt/time:	6/13/2005
Geological District:		SOUTHEASTERN ONTARIO		Date Last Modified:	12/7/2005 12:32:36 PM
Mining Division:		SOUTHERN ONTARIO		Geo Update Dt/time:	
Class Sub Type No:		2499			
Class Sub Type:		Past Producing Mine Without Reserves			
Source Map:		GSC 1917, MAP 168A IN MEMOIR 99			
Access Description:		1.0 km W of Dows Lake.			

<u>Deposit Details</u>					
Deposit Year:		1993			
Deposit Character:					
Commodity:		LIMESTONE (BUILDING STONES)			
Ranking:		1			
Twp/Area:		NEPEAN			
Con/Lot/Sec:		LOT: NA Con: NA			
Legal Desc:		City of Ottawa			
Township Area Ranking:		1			
Mndm Township Area No:		1758			
Effective Date/Time:		12/7/2005 12:32:36 PM			

NPCB	<u>41</u>	2 of 7	W/88.0	80.9 / 8.39	ENERGY, MINES & RESOURCES GEOMAGNETIC LAB.; 1 OBSERVATORY CRESENT OTTAWA ON K1Y 4X2
Company Code:		O3187			
Industry:		Energy, Mines & Resources (EMR)			
Site Status:					
Transaction Date:		9/6/1990			
Inspection Date:		9/21/1988			

PINC	<u>21</u>	11 of 31	WNW/58.0	74.5 / 2.03	60-960 Carling Avenue, Ottawa ON
Incident ID:				Health Impact:	
Incident No:		803768		Environment Impact:	
Type:		FS-Pipeline Incident		Property Damage:	Yes
Status Code:		Pipeline Damage Reason Est		Service Interrupt:	Yes
Fuel Occurrence Tp:				Enforce Policy:	
Fuel Type:				Public Relation:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Tank Status:	RC Established			Pipeline System:	
Task No:	3821398			Depth:	
Spills Action Centre:				Pipe Material:	
Method Details:	E-mail			PSIG:	
Fuel Category:	Natural Gas			Attribute Category:	FS-Perform P-line Inc Invest
Date of Occurrence:				Regulator Location:	
Occurrence Start Date:	2012/05/07				
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:	60-960 Carling Avenue, Ottawa - 1" Pipeline Hit				
Reported By:	ryan.noble@enbridge.com				
Affiliation:					
Occurrence Desc:					
Damage Reason:	No notification made to the one call center				
Notes:					

PINC	21	12 of 31	WNW/58.0	74.5 / 2.03	45-960 Carling Avenue, Ottawa ON
Incident ID:				Health Impact:	
Incident No:	789358			Environment Impact:	
Type:	FS-Pipeline Incident			Property Damage:	Yes
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	
Fuel Occurrence Tp:				Enforce Policy:	Yes
Fuel Type:				Public Relation:	
Tank Status:	RC Established			Pipeline System:	
Task No:	3787372			Depth:	
Spills Action Centre:				Pipe Material:	
Method Details:	E-mail			PSIG:	
Fuel Category:	Natural Gas			Attribute Category:	FS-Perform P-line Inc Invest
Date of Occurrence:				Regulator Location:	
Occurrence Start Date:	2012/04/05				
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:	45-960 Carling Avenue, Ottawa - 1 ¼" Pipeline Hit				
Reported By:	Jeff.Stiles@enbridge.com				
Affiliation:					
Occurrence Desc:					
Damage Reason:	Excavation practices not sufficient				
Notes:					

PINC	21	13 of 31	WNW/58.0	74.5 / 2.03	34-960 Carling Avenue, Ottawa ON
Incident ID:				Health Impact:	
Incident No:	782844			Environment Impact:	
Type:	FS-Pipeline Incident			Property Damage:	Yes
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	
Fuel Occurrence Tp:				Enforce Policy:	Yes
Fuel Type:				Public Relation:	
Tank Status:	RC Established			Pipeline System:	
Task No:	3775033			Depth:	
Spills Action Centre:				Pipe Material:	
Method Details:	E-mail			PSIG:	
Fuel Category:	Natural Gas			Attribute Category:	FS-Perform P-line Inc Invest
Date of Occurrence:				Regulator Location:	
Occurrence Start Date:	2012/04/05				
Operation Type:					

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Pipeline Type: Regulator Type: Summary: 34-960 Carling Avenue, Ottawa - 1 ¼" Pipeline Hit Reported By: Alan.Armstrong@enbridge.com Affiliation: Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes:					
PRT	<u>32</u>	1 of 1	NNW/91.8	65.8 / -6.65	BELL CANADA AUTOMOTIVE MGR 350 LORETTA AV OTTAWA ON K1S 5N7
Location ID:	10988				
Type:	private				
Expiry Date:					
Capacity (L):	22730.00				
Licence #:	0001049012				
PRT	<u>66</u>	2 of 19	ENE/100.2	59.9 / -12.61	DOWS LAKE PAVILION GROUP INC 1001 QUEEN ELIZABETH DR OTTAWA ON K1S5K7
Location ID:	10821				
Type:	retail				
Expiry Date:	1995-09-30				
Capacity (L):	0				
Licence #:	0051266001				
PRT	<u>82</u>	1 of 1	NNE/55.6	60.8 / -11.64	LOUIS LEBLANC IMPERIAL OIL LTD GAS-BAR 505 PRESTON ST OTTAWA ON K1S4N7
Location ID:	11046				
Type:	retail				
Expiry Date:	1995-10-31				
Capacity (L):	19974				
Licence #:	0026189001				
PRT	<u>115</u>	2 of 5	NNE/143.0	61.9 / -10.61	SUNYS PETROLEUM INC 485 PRESTON ST OTTAWA ON K1S4N7
Location ID:	11045				
Type:	retail				
Expiry Date:	1995-12-31				
Capacity (L):	72600				
Licence #:	0052866001				
PTTW	<u>85</u>	1 of 1	N/213.4	64.6 / -7.92	Soho Champagne (Phase 2) Inc. 115 Champagne Avenue South Ottawa, ON K1S 5V5 Canada ON

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
EBR Registry No:	019-1157				
Ministry Ref No:	7156-BKTMD4				
Notice Type:	Instrument				
Notice Stage:	Proposal				
Notice Date:					
Proposal Date:	January 16, 2020				
Year:	2020				
Instrument Type:	Permit to Take Water (OWRA s. 34)				
Off Instrument Name:	Permit to Take Water (OWRA s. 34)				
Posted By:	Ministry of the Environment, Conservation and Parks				
Company Name:					
Site Address:	115 Champagne Avenue South Ottawa, ON K1S 5V5 Canada				
Location Other:					
Proponent Name:	Soho Champagne (Phase 2) Inc.				
Proponent Address:	115 Champagne Avenue South Ottawa, ON K1S 5V5 Canada				
Comment Period:	January 16, 2020 - February 15, 2020 (30 days) Open				
URL:	https://ero.ontario.ca/notice/019-1157				
Site Location Details:					

<i>PTTW</i>	<i>96</i>	<i>1 of 1</i>	<i>NNE/103.5</i>	<i>61.9 / -10.61</i>	<i>500 Preston Ltd. 500 Preston Street Ottawa, ON K1S 4N7 Canada ON</i>
EBR Registry No:	019-0688				
Ministry Ref No:	6032-BGJLK9				
Notice Type:	Instrument				
Notice Stage:	Proposal				
Notice Date:					
Proposal Date:	October 8, 2019				
Year:	2019				
Instrument Type:	Permit to Take Water (OWRA s. 34)				
Off Instrument Name:	Permit to Take Water (OWRA s. 34)				
Posted By:	Ministry of the Environment, Conservation and Parks				
Company Name:					
Site Address:	500 Preston Street Ottawa, ON K1S 4N7 Canada				
Location Other:					
Proponent Name:	500 Preston Ltd.				
Proponent Address:	115 Champagne Avenue South Ottawa, ON K1S 5V5 Canada				
Comment Period:	October 8, 2019 - November 7, 2019 (30 days) Open				
URL:	https://ero.ontario.ca/notice/019-0688				
Site Location Details:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
PTTW	100	24 of 34	NNE/85.9	62.0 / -10.53	Claridge Homes (Preston) Inc. Property of Claridge Homes (Preston) Inc. 505 Preston Street Lot: 39, Concession: 1, on Ottawa River, Geographic Township of Nepean, City of Ottawa CITY OF OTTAWA ON

EBR Registry No: 012-2453
Ministry Ref No: 5485-9MWHWE
Notice Type: Instrument Decision
Notice Stage:
Notice Date: December 18, 2014
Proposal Date: August 21, 2014
Year: 2014
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Claridge Homes (Preston) Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 210 Gladstone avenue , Suite 2001, Ottawa Ontario, Canada K2P 0Y6
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Property of Claridge Homes (Preston) Inc. 505 Preston Street Lot: 39, Concession: 1, on Ottawa River, Geographic Township of Nepean, City of Ottawa
CITY OF OTTAWA

RSC	45	2 of 9	NNW/114.6	64.8 / -7.70	875 Carling Ave. Ottawa ON K1S 5P1
---------------------	--------------------	--------	-----------	--------------	---------------------------------------

RSC ID:
RA No:
RSC Type:
Curr Property Use:
Ministry District: Ottawa
Filing Date: 07/24/01
Date Ack: 07/26/01
Date Returned:
Restoration Type: Generic
Soil Type: Coarse
Criteria: Ind/Comm + Nonpotable
CPU Issued Sect 1686:
Asmt Roll No:
Prop ID No (PIN):
Property Municipal Address:
Mailing Address:
Latitude & Latitude:
UTM Coordinates:
Consultant: Jacques Whitford Environment Ltd
Filing Owner:
Legal Desc:
Measurement Method:
Applicable Standards:
RSC PDF:

Cert Date:
Cert Prop Use No:
Intended Prop Use:
Qual Person Name:
Stratified (Y/N): N
Audit (Y/N): Y
Entire Leg Prop. (Y/N):
Accuracy Estimate:
Telephone:
Fax:
Email:

RSC	48	4 of 8	NW/138.1	67.6 / -4.92	Merrion Square Inc. 350 Loretta Avenue South (now 320 and 330 Loretta Ave. S.),
---------------------	--------------------	--------	----------	--------------	---

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					Ottawa, Ontario, , K ON
RSC ID:	26900			Cert Date:	5-Oct-06
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Commercial			Qual Person Name:	Mr. Rick Morris
Ministry District:	OTTAWA			Stratified (Y/N):	
Filing Date:	24-Jul-07			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	11 to 20 meters
Restoration Type:				Telephone:	613-7280388
Soil Type:				Fax:	613-7280046
Criteria:				Email:	rick@domicile.ca
CPU Issued Sect 1686:	No				
Asmt Roll No:					
Prop ID No (PIN):	04102-0101 LT				
Property Municipal Address:	350 Loretta Avenue South (now 320 and 330 Loretta Ave. S.), Ottawa, Ontario, , K1S 5N7				
Mailing Address:	Suite 1, 371A RICHMOND RD, OTTAWA, ON, K2A 0E7				
Latitude & Longitude:	45.39666670N 75.71250000W				
UTM Coordinates:	NAD83 18-444233-5027263 (converted from Latitude & Longitude)				
Consultant:					
Filing Owner:					
Legal Desc:	Lots 5, 6, 7, 8, 9, 10, 11, 14, 15, 16, 17, 18, 19 and 20, Plan 234184; Ottawa/Nepean				
Measurement Method:	Digitized from a satellite image				
Applicable Standards:	Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use				
RSC PDF:					

RSC	68	6 of 11	N/166.0	63.8 / -8.70	Suncor Energy Inc. 140 HICKORY ST, OTTAWA, ON, K1S 3L8 OTTAWA ON K1S 3L8
RSC ID:	50525			Cert Date:	12-Feb-09
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Commercial
Curr Property Use:	Commercial			Qual Person Name:	Mr. Haydn Northey
Ministry District:	OTTAWA			Stratified (Y/N):	
Filing Date:	8-May-09			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	6 to 10 meters
Restoration Type:				Telephone:	416-7337256
Soil Type:				Fax:	416-7332113
Criteria:				Email:	hnorthey@suncor.com
CPU Issued Sect 1686:	No				
Asmt Roll No:	6.14064E+17				
Prop ID No (PIN):	04102-0133 LT				
Property Municipal Address:	140 HICKORY ST, OTTAWA, ON, K1S 3L8				
Mailing Address:	36 YORK MILLS RD, TORONTO, ON, M2P 2C5				
Latitude & Longitude:	45.39779110N 75.71050740W (converted from UTM)				
UTM Coordinates:	NAD83 18-444390-5027387				
Consultant:					
Filing Owner:					
Legal Desc:	PT LT 1, BLK G, PL 146, PT LT 2, BLK G, PL 146, PT LT 3, BLK G, PL 146, S/S HICKORY ST. E OF CHAMPAGNE AV; PT LT 5, BLK G, PL 146, W/S RAILWAY ST. E OF CHAMPAGNE; PT LT 10, BLK G, PL 146, E/S CHAMPAGNE AV; AS IN CR529894; T/W AS IN CR529894; OTTAWA/NEPEAN				
Measurement Method:	Digitized from a satellite image				
Applicable Standards:	Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Industrial/Commercial/Community property use				
RSC PDF:					

RSC	88	5 of 5	NNW/245.2	67.0 / -5.54	1803734 ONTARIO INC.
------------	-----------	---------------	------------------	---------------------	-----------------------------

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					100 CHAMPAGNE AVE S, OTTAWA, ON, K1S 2E8 ON K1S 4P4
RSC ID:	98719			Cert Date:	20-Dec-10
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Industrial			Qual Person Name:	MR. DAVID CHICK
Ministry District:	OTTAWA			Stratified (Y/N):	
Filing Date:	6-Apr-11			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	11 to 20 meters
Restoration Type:				Telephone:	613-7280388
Soil Type:				Fax:	613-7280046
Criteria:				Email:	DAVE@DOMICILE.CA
CPU Issued Sect 1686:	No				
Asmt Roll No:		0614.063.501.28300.0000			
Prop ID No (PIN):		04102-0091 LT			
Property Municipal Address:		100 CHAMPAGNE AVE S, OTTAWA, ON, K1S 2E8			
Mailing Address:		Suite 1, 371A RICHMOND RD, OTTAWA, ON, K2A 0E7			
Latitude & Longitude:		45.39805560N 75.71166670W			
UTM Coordinates:		NAD83 18-444300-5027417 (converted from Latitude & Longitude)			
Consultant:					
Filing Owner:					
Legal Desc:		LTS 44, 45, 46, 47 & 48, PL 131037, PT LANE, PL 131037, AS CLOSED BY ORDER CR227792, AS IN N412687; OTTAWA/NEPEAN			
Measurement Method:		Digitized from a satellite image			
Applicable Standards:		Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use			
RSC PDF:					

RSC	99	2 of 2	N/231.3	64.9 / -7.56	125 HICKORY STREET, OTTAWA, ONTARIO K1S 2E8 Ottawa ON
RSC ID:	207588			Cert Date:	
RA No:				Cert Prop Use No:	
RSC Type:	Phase 1 and 2 RSC			Intended Prop Use:	Residential
Curr Property Use:	Industrial			Qual Person Name:	Carlos Da Silva
Ministry District:	Ottawa District Office			Stratified (Y/N):	
Filing Date:	2013/03/27			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	
Date Returned:				Accuracy Estimate:	
Restoration Type:				Telephone:	
Soil Type:				Fax:	
Criteria:				Email:	
CPU Issued Sect 1686:					
Asmt Roll No:		04102-0316			
Prop ID No (PIN):					
Property Municipal Address:		125 HICKORY STREET, OTTAWA, ONTARIO K1S 2E8			
Mailing Address:					
Latitude & Longitude:					
UTM Coordinates:					
Consultant:					
Filing Owner:		Soho Champagne Condominiums Inc.			
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18927&fileName=BROWNFIELDS-E-FILE.pdf			

Document(s) Detail

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Document Heading:		Supporting Documents			
Document Name:		Transfer and Parcel Register.pdf			
Document Type:		Copy of any deed(s), transfer(s) or other document(s)			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18929&fileName=Transfer+and+Parcel+Register.pdf			
Document Heading:		Supporting Documents			
Document Name:		Survey Plan Showing Ph I Ph II RSC Property.pdf			
Document Type:		A Current plan of Survey			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18932&fileName=Survey+Plan+Showing+Ph+I+Ph+II+RSC+Property.pdf			
Document Heading:		Supporting Documents			
Document Name:		PE1857-MEMO.06R - Conceptual Site Model.pdf			
Document Type:		Phase 2 Conceptual Site Model			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18923&fileName=PE1857-MEMO.06R+-+Conceptual+Site+Model.pdf			
Document Heading:		Supporting Documents			
Document Name:		PE1857 Table of Areas of Potential Environmental Concern.pdf			
Document Type:		Area(s) of Potential Environmental Concern			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18928&fileName=PE1857+Table+of+Areas+of+Potential+Environmental+Concern.pdf			
Document Heading:		Supporting Documents			
Document Name:		Certificate of Status - Soho Champagne Condominiums Inc.pdf			
Document Type:		Certificate of Status			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18926&fileName=Certificate+of+Status+-+Soho+Champagne+Condominiums+Inc.pdf			
Document Heading:		Supporting Documents			
Document Name:		PE1857 Table of Current and Past Uses of the Phase One Property.pdf			
Document Type:		Table of Current and Past Property Use			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18930&fileName=PE1857+Table+of+Current+and+Past+Uses+of+the+Phase+One+Property.pdf			
Document Heading:		Supporting Documents			
Document Name:		Lawyers Letter.pdf			
Document Type:		Lawyer's letter consisting of a legal description of the property			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=18931&fileName=Lawyers+Letter.pdf			

RSC	100	5 of 34	NNE/85.9	62.0 / -10.53	Imperial Oil Limited - Compagnie Petroliere Imperiale Ltee 505 PRESTON ST, OTTAWA, ON, K1S 4N7 ON K1S 4N7
RSC ID:	102517			Cert Date:	25-Mar-11
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Commercial			Qual Person Name:	Ed Charlton
Ministry District:	OTTAWA			Stratified (Y/N):	
Filing Date:	15-Jun-11			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	0 to 1 meters
Restoration Type:				Telephone:	416-4417389
Soil Type:				Fax:	416-4417400
Criteria:				Email:	ed.m.charlton@esso.ca
CPU Issued Sect 1686:	No				
Asmt Roll No:					
Prop ID No (PIN):	04104-0016 AND 04104-0078				
Property Municipal Address:	505 PRESTON ST, OTTAWA, ON, K1S 4N7				
Mailing Address:	90 WYNFORD DR, TORONTO, ON, M3C 1K5				
Latitude & Longitude:	45.39797180N 75.70750720W (converted from UTM)				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
UTM Coordinates:		NAD83 18-444625-5027405			
Consultant:					
Filing Owner:					
Legal Desc:		FIRSTLY LTS 22, 23 & 24, PL 106980, EXCEPT THE SLY 2 FT OF LT 24, PL 106980; LTS 34, 35, 36 & 37, PL 106980, EXCEPT THE SLY 2 FT OF LT 37, PL 106980; OTTAWA/NEPEAN BEING THE WHOLE OF PIN 04104-0016(LT) SECONDLY PCL 21-1, SEC 106980; LT 21, PL 106980; OTTAWA/NEPEAN BEING THE WHOLE OF PIN 04104-0078(LT)			
Measurement Method:		Digitized from a satellite image			
Applicable Standards:		Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use			
RSC PDF:					

RST	<u>66</u>	5 of 19	ENE/100.2	59.9 / -12.61	DOWS LAKE PAVILION 1001 QUEEN ELIZABETH DR OTTAWA ON K1S 5K7
Headcode:		00824400			
Headcode Desc:		MARINAS			
Phone:					
List Name:					
Description:					

RST	<u>66</u>	12 of 19	ENE/100.2	59.9 / -12.61	DOWS LAKE PAVILION 1001 QUEEN ELIZABETH DR OTTAWA ON K1S5K7
Headcode:		00824400			
Headcode Desc:		MARINAS			
Phone:		6132321001			
List Name:					
Description:					

RST	<u>115</u>	3 of 5	NNE/143.0	61.9 / -10.61	SUNYS PETROLEUM INC 485 PRESTON ST OTTAWA ON K1S 4N7
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
Phone:		6132381411			
List Name:					
Description:					

SCT	<u>88</u>	1 of 5	NNW/245.2	67.0 / -5.54	Hutchings & Patrick Inc. 100 Champagne Ave S Ottawa ON K1S 4P4
Established:		8/1/1927			
Plant Size (ft²):		20000			
Employment:					
--Details--					
Description:		Other Printing			
SIC/NAICS Code:		323119			
Description:		Stationery Product Manufacturing			
SIC/NAICS Code:		322230			
Description:		All Other Plastic Product Manufacturing			
SIC/NAICS Code:		326198			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<hr/>					
					Description: Stationery and Office Supplies Wholesaler-Distributors SIC/NAICS Code: 418210 Description: Support Activities for Printing SIC/NAICS Code: 323120 Description: Other Printing SIC/NAICS Code: 323119
<hr/>					
SCT	<u>121</u>	1 of 1	NNE/172.3	61.9 / -10.61	DAVID'S SIGNALATIONAL SIGNS 453 PRESTON ST OTTAWA ON K1S 4N5
					Established: 1988 Plant Size (ft²): 600 Employment: 1
					--Details--
					Description: FABRICATED TEXTILE PRODUCTS, NOT ELSEWHERE CLASSIFIED SIC/NAICS Code: 2399
					Description: OFFICE AND STORE FIXTURES, PARTITIONS, SHELVING, AND LOCKERS, EXCEPT WOOD SIC/NAICS Code: 2542
					Description: COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED SIC/NAICS Code: 2759
					Description: SIGNS AND ADVERTISING SPECIALTIES SIC/NAICS Code: 3993
<hr/>					
SCT	<u>125</u>	1 of 2	NNE/216.3	62.9 / -9.62	Slan Printing 440 Preston St Ottawa ON K1S 4N6
					Established: Plant Size (ft²): Employment:
					--Details--
					Description: Other Printing SIC/NAICS Code: 323119
					Description: Office Supplies (except Paper) Manufacturing SIC/NAICS Code: 339940
<hr/>					
SCT	<u>127</u>	2 of 9	NE/172.4	62.6 / -9.92	FULCRUM TECHNOLOGIES INC 785 CARLING AVE OTTAWA ON K1S 5H4
					Established: 1983 Plant Size (ft²): 27000 Employment: 300
					--Details--
					Description: MAGNETIC AND OPTICAL RECORDING MEDIA SIC/NAICS Code: 3695
<hr/>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
SPL	12	1 of 1	NNW/29.4	66.2 / -6.31	Loretta and Carling Ottawa ON
Ref No:	1057-APU3QK			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	8/1/2017			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	
Incident Cause:				Sector Type:	Unknown / N/A
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	35			Nearest Watercourse:	
Contaminant Name:	NATURAL GAS (METHANE)			Site Address:	Loretta and Carling
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	1075			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air			Northing:	5027188.56
MOE Response:	No			Easting:	444326.2
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	8/1/2017			Site Map Datum:	
Dt Document Closed:	10/21/2017			SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Incident Reason:	Operator/Human Error			Source Type:	Pipeline/Components
Site Name:	Intersection<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA FSB: 2", plastic, main, IP, made safe				
Contaminant Qty:	0 other - see incident description				

SPL	21	3 of 31	WNW/58.0	74.5 / 2.03	Cascades Recovery Inc. 960 Carling Ave Ottawa ON
Ref No:	3244-97BNB5			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	02-MAY-13			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Leak/Break			Sector Type:	Truck - Transport/Hauling
Incident Event:				Agency Involved:	
Contaminant Code:	15			Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL			Site Address:	960 Carling Ave
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:	Other Impact(s)			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	NA
MOE Response:	No Field Response			Easting:	NA
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	NA
MOE Reported Dt:	02-MAY-13			Site Map Datum:	NA
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Unknown / N/A			Source Type:	
Site Name:	960 Carling Avenue				
Site County/District:					
Site Geo Ref Meth:	NA				
Incident Summary:	Cascades: Hydraulic line break, cars sprayed				
Contaminant Qty:	4 L				

SPL	21	14 of 31	WNW/58.0	74.5 / 2.03	Public Works and Government Services Canada 960 Carling Ave
-----	--------------------	----------	----------	-------------	---

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					Ottawa ON K1A 0C6
Ref No:	7404-9HLSFV			Discharger Report:	
Site No:	7872-6XKQVC			Material Group:	
Incident Dt:	2014/03/27			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Leak/Break			Sector Type:	Structure
Incident Event:				Agency Involved:	
Contaminant Code:	26			Nearest Watercourse:	
Contaminant Name:	PCB-CONTAMINATED OIL (>50PPM PCB)			Site Address:	960 Carling Ave
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	K1A 0C6
Contaminant UN No 1:				Site Region:	
Environment Impact:	Confirmed			Site Municipality:	Ottawa
Nature of Impact:	Other Impact(s)			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	NA
MOE Response:	Referral to others			Easting:	NA
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	NA
MOE Reported Dt:	2014/03/27			Site Map Datum:	NA
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Unknown / N/A			Source Type:	
Site Name:	960 Carling Avenue				
Site County/District:					
Site Geo Ref Meth:	NA				
Incident Summary:	PWGSC: PCB 78.1ppm in concrete vault				
Contaminant Qty:	78.1 ppm				

SPL	<u>21</u>	15 of 31	WNW/58.0	74.5 / 2.03	Transport Bourassa Inc<UNOFFICIAL> 960 carling ave, Ottawa Ottawa ON
Ref No:	8707-A8KK55			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2016/03/31			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	Other
Incident Event:	Process Upset/Malfunction			Agency Involved:	
Contaminant Code:	15			Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL			Site Address:	960 carling ave, Ottawa
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land			Northing:	
MOE Response:	No			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2016/03/31			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Equipment Failure			Source Type:	
Site Name:	Agriculture and Agrifood Canada<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Hydraulic Oil, 10-12 L to Asphalt, Cleaned up				
Contaminant Qty:	3 L				

SPL	<u>22</u>	1 of 1	N/44.7	64.8 / -7.70	Tomlinson Environmental Services Ltd. 865 Carling Avenue Ottawa ON
------------	------------------	---------------	---------------	---------------------	---

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Ref No:	1612-98TLKR			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	19-JUN-13			Health/Env Conseq:	
Year:				Client Type:	Unknown / N/A
Incident Cause:	Leak/Break			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:	15			Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL			Site Address:	865 Carling Avenue
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:	Surface Water Pollution			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	19-JUN-13			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Material Failure & Poor Design/Substandard Material			Source Type:	
Site Name:	Private Property<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Tomlinson Environ.: hydraulic oil to interlocking stone area				
Contaminant Qty:	15 L				

SPL	29	14 of 15	ENE/110.7	63.8 / -8.67	Federal Government of Canada - Public Works and Government Services Canada 79 Prince of Wales Drive Ottawa ON
Ref No:	7862-AZ9MLT			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2018/05/29			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	Federal Government
Incident Cause:				Sector Type:	Miscellaneous Communal
Incident Event:	Overflow/Surcharge			Agency Involved:	
Contaminant Code:	12			Nearest Watercourse:	
Contaminant Name:	GASOLINE			Site Address:	79 Prince of Wales Drive
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	1203			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land; Surface Water			Northing:	5027108
MOE Response:	No			Easting:	444621
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2018/05/30			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Operator/Human Error			Source Type:	Container/Drum/Tote
Site Name:	Federal Navy Base<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Gov of Canada: ~ 20 L gasoline to asphalt, cb				
Contaminant Qty:	20 L				

SPL	45	1 of 9	NNW/114.6	64.8 / -7.70	CONCORDIA PROJECT MANAGEMENT 875 CARLING AVE OTTAWA SITE
------------	-----------	---------------	------------------	---------------------	---

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
					875 CARLING AVE. OTTAWA CITY ON K1S 5P1
Ref No:	100334			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	5/25/1994			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	CONTAINER OVERFLOW			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	20101
Nature of Impact:	Other			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	5/25/1994			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	ERROR			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	CONCORDIA PROJECT- 45 L FURNACE OIL INSIDE BLDNG AND CONCRETE PAVEMENT				
Contaminant Qty:					

SPL	45	3 of 9	NNW/114.6	64.8 / -7.70	Canadian Medical Protective Agency <UNOFFICIAL> 875 Carling Ave. <UNOFFICIAL> Ottawa ON K1S 5P1
Ref No:	0341-69QRTU			Discharger Report:	0
Site No:				Material Group:	Gases/Particulate
Incident Dt:	2/18/2005			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Other Discharges			Sector Type:	Other
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:	FREON (CFC)			Site Address:	
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:	Land			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2/18/2005			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Spill to Air
Incident Reason:	Equipment Failure			Source Type:	
Site Name:	875 Carling Ave. <UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	CMPA,640 lbs R123 to ATM from chiller,EPS				
Contaminant Qty:	50 Kg				

SPL	45	5 of 9	NNW/114.6	64.8 / -7.70	Datashred Security<UNOFFICIAL> 875 Carling Avenue Ottawa ON K1S 5P1
------------	-----------	---------------	------------------	---------------------	--

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Ref No:	6010-8HZM9L			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	6/20/2011			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Pipe Or Hose Leak			Sector Type:	Motor Vehicle
Incident Event:				Agency Involved:	
Contaminant Code:	15			Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL			Site Address:	875 Carling Avenue
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Confirmed			Site Municipality:	Ottawa
Nature of Impact:	Other Impact(s)			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	6/20/2011			Site Map Datum:	
Dt Document Closed:	7/11/2011			SAC Action Class:	Land Spills
Incident Reason:	Other - Reason not otherwise defined			Source Type:	
Site Name:	Interlocking Bricks<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Datashred Security -10L Hydraulic oil to grnd				
Contaminant Qty:	10 L				

SPL	46	1 of 2	NNW/114.7	64.8 / -7.70	R.W. Tomlinson Limited 865 Carling Ave. Ottawa ON
Ref No:	4187-9T9KCB			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	1/30/2015			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Leak/Break			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:	15			Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL			Site Address:	865 Carling Ave.
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:	Land; Source Water Zone			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	5027241
MOE Response:	N			Easting:	444385
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	GPS
MOE Reported Dt:	1/30/2015			Site Map Datum:	
Dt Document Closed:	2/6/2015			SAC Action Class:	Primary Assessment of Incident
Incident Reason:	Equipment Failure			Source Type:	
Site Name:	City street<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Datashred: 150L hyd oil to rd, sani, cleaning				
Contaminant Qty:	150 L				

SPL	46	2 of 2	NNW/114.7	64.8 / -7.70	865 Carling Avenue Ottawa ON
Ref No:	8053-AZGQ4E			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2018/06/06			Health/Env Conseq:	2 - Minor Environment

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Year:				Client Type:	
Incident Cause:				Sector Type:	Miscellaneous Industrial
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	38			Nearest Watercourse:	
Contaminant Name:	REFRIGERANT GAS, N.O.S.			Site Address:	865 Carling Avenue
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	1078			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air			Northing:	
MOE Response:	No			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2018/06/06			Site Map Datum:	
Dt Document Closed:	2018/07/30			SAC Action Class:	Air Spills - Gases and Vapours
Incident Reason:	Equipment Failure			Source Type:	Valve/Fitting/Piping
Site Name:	Building<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	~146 kg of R123 lost to atmosphere				
Contaminant Qty:	146 kg				

SPL	<u>47</u>	9 of 10	NNW/116.4	64.8 / -7.70	875 Carling Ave Ottawa ON
Ref No:	7122-B7FMUX			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2018/12/10			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	
Incident Cause:				Sector Type:	Miscellaneous Communal
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	38			Nearest Watercourse:	
Contaminant Name:	FREON R-124 (CFC)			Site Address:	875 Carling Ave
Contaminant Limit 1:				Site District Office:	Ottawa
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	1021			Site Region:	Eastern
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air			Northing:	5027209
MOE Response:	No			Easting:	444336
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2018/12/14			Site Map Datum:	
Dt Document Closed:	2018/12/28			SAC Action Class:	Main - Numeric Index
Incident Reason:	Material Failure - Poor Design/Substandard Material			Source Type:	Pipeline/Components
Site Name:	Dows Lake Court<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Dows Lake Court 200 lb R-123 to atmosphere				
Contaminant Qty:	200 lb				

SPL	<u>52</u>	2 of 5	N/83.8	63.9 / -8.61	UNKNOWN 855 CARLING AVE OTTAWA CITY ON K1S 2E8
Ref No:	106623			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	10/23/1994			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	UNKNOWN			Sector Type:	
Incident Event:				Agency Involved:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	20101
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	10/24/1994			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	SOURCE UKN-OLD RAILROAD TIES FOUND IN EVCAVATION FOR HOSPITAL PARKING LOT.				
Contaminant Qty:					

SPL	52	5 of 5	N/83.8	63.9 / -8.61	855 Carling Avenue Ottawa ON
Ref No:	7101-ACPS7X			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2016/08/10			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	Unknown / N/A
Incident Event:	Fire/Explosion			Agency Involved:	
Contaminant Code:	46			Nearest Watercourse:	
Contaminant Name:	DOUSE WATER (PARTICULATE CONTAMINANT)			Site Address:	855 Carling Avenue
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air; Land			Northing:	5027307
MOE Response:	No			Easting:	444506
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2016/08/10			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Unknown / N/A			Source Type:	
Site Name:	Construction Site <UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	City of Ottawa: Construction Fire; under control				
Contaminant Qty:	0 other - see incident description				

SPL	66	1 of 19	ENE/100.2	59.9 / -12.61	PRIVATE OWNER DOW'S LAKE, 1001 QUEEN ELIZABETH THE DRIVEWAY PLEASURE CRAFT OTTAWA CITY ON K1S 5K7
Ref No:	35358			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	5/28/1990			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CONTAINER LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	20101
Nature of Impact:	Water course or lake			Site Lot:	
Receiving Medium:	WATER			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	5/28/1990			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	PRIVATE PLEASURE CRAFT - LESS THAN 450 L. DIESEL FUEL TO DOW'S LAKE				
Contaminant Qty:					

SPL	66	3 of 19	ENE/100.2	59.9 / -12.61	MOTOR VEHICLE DOW LAKE PAVILLION, 1001 QUEEN ELIZABETH DRIVE, OTTAWA MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K1S 5K7
Ref No:	201296			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	5/23/2001			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CONTAINER LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	20107
Nature of Impact:	Multi Media Pollution			Site Lot:	
Receiving Medium:	Land, Water			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	5/23/2001			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	UNKNOWN VEHICLE: SPILL OF GAS/DIESEL TO GROUND, DRAIN, DOW LAKE.CLEANED.				
Contaminant Qty:					

SPL	69	1 of 1	NE/85.8	59.9 / -12.61	PRIVATE OWNER DOW'S LAKE(AT DOW'S LAKE MARINA, DALLAS LAKE PAVILLION, 1001 QUEEN ELIZABETH PLEASURE CRAFT OTTAWA ON
Ref No:	183773			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	7/18/2000			Health/Env Conseq:	
Year:				Client Type:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Incident Cause:		WATERCRAFT TANK/BILGE PUMPING			
Incident Event:				Sector Type:	
Contaminant Code:				Agency Involved:	
Contaminant Name:				Nearest Watercourse:	
Contaminant Limit 1:				Site Address:	
Contam Limit Freq 1:				Site District Office:	
Contaminant UN No 1:				Site Postal Code:	
Environment Impact:	CONFIRMED			Site Region:	
Nature of Impact:	Water course or lake			Site Municipality:	20107
Receiving Medium:	WATER			Site Lot:	
Receiving Env:				Site Conc:	
MOE Response:				Northing:	
Dt MOE Arvl on Scn:				Easting:	
MOE Reported Dt:	7/18/2000			Site Geo Ref Accu:	
Dt Document Closed:				Site Map Datum:	
Incident Reason:	EQUIPMENT FAILURE			SAC Action Class:	
Site Name:				Source Type:	
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	PRIVATE PLEASURE CRAFT- 10 L GASOLINE TO DOW'S LAKE. VAC'D UP.				
Contaminant Qty:					

SPL	98	1 of 1	NE/78.3	60.9 / -11.61	ESSO PETROLEUM CANADA 505 CARLING AVE. (CORNER OF PRESTON ST.) SERVICE STATION OTTAWA CITY ON
Ref No:	68256			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	3/21/1992			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	20101
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	MCCR
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	3/21/1992			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	ERROR			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	ESSO - 5L GASOLINE TO PVMT WHEN DRIVER FORGOT TO HOOK-UP HOSE TO ELBOW.				
Contaminant Qty:					

SPL	100	33 of 34	NNE/85.9	62.0 / -10.53	Drain-All Ltd. 505 preston street Ottawa ON
Ref No:	5570-9R9HNY			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2014/11/27			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Start up/Shut down			Sector Type:	Tank - Underground
Incident Event:				Agency Involved:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contaminant Code:	12			Nearest Watercourse:	
Contaminant Name:	GASOLINE			Site Address:	505 preston street
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:	Land			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	N			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2014/11/27			Site Map Datum:	
Dt Document Closed:	2015/01/21			SAC Action Class:	Land Spills
Incident Reason:	Improper Storage			Source Type:	
Site Name:	Historical contamination site<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Drain-all: Historical contamination				
Contaminant Qty:	0 other - see incident description				

SPL	104	1 of 1	W/248.3	82.3 / 9.84	TRANSPORT TRUCK CARLING AVE & FAIRMOUNT (PARKDALE) MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON
Ref No:	94372			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	12/11/1993			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER TRANSPORTATION ACCIDENT			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	20101
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	F.D. OTTAWA WORKS
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	12/11/1993			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	SEALTEST: 100 L DIESEL FUEL TO ROAD FROM SADDLE TANK ON MILK TRUCK.				
Contaminant Qty:					

SPL	114	1 of 1	NNE/130.2	61.9 / -10.61	PRIVATE RESIDENCE 6 NORFOLK AVENUE FURNACE OIL TANK OTTAWA CITY ON K1S 4M4
Ref No:	107390			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	//			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	ABOVE-GROUND TANK LEAK			Sector Type:	
Incident Event:				Agency Involved:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	20101
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	11/15/1994			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	CORROSION			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	PRIVATE RESIDENCE: LEAKING FURNACE OIL TANK LINE DISCOVERED				
Contaminant Qty:					

SPL	115	1 of 5	NNE/143.0	61.9 / -10.61	CP BULK SYSTEMS 485 PRESTON TANK TRUCK (CARGO) OTTAWA CITY ON K1S 4N7
Ref No:	35906			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	6/7/1990			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	20101
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND / AIR			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	6/7/1990			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	C.P.BULK SYSTEMS TANKER TRUCK-2 L GASOLINE TO ASPHALT FROM HOSE.				
Contaminant Qty:					

SPL	118	1 of 2	NNE/161.3	62.2 / -10.31	Enbridge Gas Distribution Inc. intersection of Preston and Adeline Streets Ottawa ON
Ref No:	5787-7TPLL9			Discharger Report:	
Site No:				Material Group:	
Incident Dt:				Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Pipe Or Hose Leak			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		NATURAL GAS (METHANE)			
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	Referral to others			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	7/6/2009			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	TSSA - Fuel Safety Branch
Incident Reason:				Source Type:	
Site Name:	line strike<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA: 6-inch low press. line strike, Preston and Adeline Sts				
Contaminant Qty:	0 other - see incident description				

SPL	<u>127</u>	6 of 9	NE/172.4	62.6 / -9.92	Unknown<UNOFFICIAL> across from 785 Carling Ottawa ON
Ref No:	1853-97KPPL			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	10-MAY-13			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Operator/Human error			Sector Type:	Truck - Only Saddle Tanks
Incident Event:				Agency Involved:	
Contaminant Code:	15			Nearest Watercourse:	
Contaminant Name:	MOTOR OIL			Site Address:	across from 785 Carling
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:	Vegetation Damage			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:	No Field Response			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	10-MAY-13			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Watercourse Spills
Incident Reason:	Road Conditions			Source Type:	
Site Name:	Road<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Motor oil to road CB, cleaning				
Contaminant Qty:	50 L				

WDSH	<u>42</u>	1 of 1	NE/0.0	62.3 / -10.18	nr Pr. of Wales Dr. & Preston St. OTTAWA ON
Site No.:	X1101				
Region:	SOUTHEAST				
County:	OTTAWA CARLETON				
Concession:					
Lot:	nr Pr. of Wales Dr. & Preston St.				
Easting:	444580				
Northing:	5027030				
Zone:	18				
Date Closed:	1924				
Status:	CLOSED				
Classification:	A5 - POTENTIAL HUMAN IMPACT-URBAN MUNICIPAL/DOMESTIC WASTE - CLOSED 10-20 YRS				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
%CommercialWste:		n/a			
%DomesticWste Rec:		n/a			
%LiquidWste Rec:		n/a			
%HazardousWste Rec:		n/a			
%Non-haz.Wste Rec:		n/a			
%Sewage/Sludge Rec:		n/a			
%Other Wste Rec:		n/a			

WDSH	<u>62</u>	1 of 1	WNW/165.0	75.0 / 2.49	nr Carling & Loretta Ave. OTTAWA ON
Site No.:		X1111			
Region:		SOUTHEAST			
County:		OTTAWA CARLETON			
Concession:					
Lot:		nr Carling & Loretta Ave.			
Easting:		444020			
Northing:		5026890			
Zone:		18			
Date Closed:		1929			
Status:		CLOSED			
Classification:		A5 - POTENTIAL HUMAN IMPACT-URBAN MUNICIPAL/DOMESTIC WASTE - CLOSED 10-20 YRS			
%CommercialWste:		n/a			
%DomesticWste Rec:		n/a			
%LiquidWste Rec:		n/a			
%HazardousWste Rec:		n/a			
%Non-haz.Wste Rec:		n/a			
%Sewage/Sludge Rec:		n/a			
%Other Wste Rec:		n/a			

WWIS	<u>4</u>	1 of 1	S/O.0	76.9 / 4.39	ON
Well ID:		1508073			
Construction Date:				Data Entry Status:	
Primary Water Use:		Cooling And A/C		Data Src:	1
Sec. Water Use:		0		Date Received:	9/21/1964
Final Well Status:		Water Supply		Selected Flag:	Yes
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	1802
Audit No:				Form Version:	1
Tag:				Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevation Reliability:				Municipality:	OTTAWA CITY
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	
Overburden/Bedrock:				Concession:	
Pump Rate:				Concession Name:	
Static Water Level:				Easting NAD83:	
Flowing (Y/N):				Northing NAD83:	
Flow Rate:				Zone:	
Clear/Cloudy:				UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:		10030108		Elevation:	78.319816
DP2BR:		19		Elevrc:	
Spatial Status:				Zone:	18
Code OB:		r		East83:	444400.7
Code OB Desc:		Bedrock		North83:	5026842
Open Hole:				Org CS:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Cluster Kind:				UTMRC:	5
Date Completed:	7/9/1964			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID: 931008733
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 19
Formation End Depth: 135
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931008732
Layer: 1
Color:
General Color:
Mat1: 13
Most Common Material: BOULDERS
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 19
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10578678
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930052873
Layer: 1

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Material:					
		1			
Open Hole or Material:					
		STEEL			
Depth From:					
Depth To:					
		22			
Casing Diameter:					
		7			
Casing Diameter UOM:					
		inch			
Casing Depth UOM:					
		ft			
<u>Construction Record - Casing</u>					
Casing ID:					
		930052874			
Layer:					
		2			
Material:					
		4			
Open Hole or Material:					
		OPEN HOLE			
Depth From:					
Depth To:					
		135			
Casing Diameter:					
		7			
Casing Diameter UOM:					
		inch			
Casing Depth UOM:					
		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:					
		991508073			
Pump Set At:					
Static Level:					
		25			
Final Level After Pumping:					
		90			
Recommended Pump Depth:					
		125			
Pumping Rate:					
		60			
Flowing Rate:					
Recommended Pump Rate:					
		60			
Levels UOM:					
		ft			
Rate UOM:					
		GPM			
Water State After Test Code:					
		1			
Water State After Test:					
		CLEAR			
Pumping Test Method:					
		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
		N			
<u>Water Details</u>					
Water ID:					
		933462434			
Layer:					
		1			
Kind Code:					
		1			
Kind:					
		FRESH			
Water Found Depth:					
		134			
Water Found Depth UOM:					
		ft			

WWIS	<u>8</u>	1 of 1	W/45.2	77.2 / 4.72	ON
Well ID:		7301135		Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/11/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7543
Casing Material:				Form Version:	8
Audit No:		C39108		Owner:	
Tag:		A236493		Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006875855			Elevation:	79.363891
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444185
Code OB Desc:				North83:	5026964
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/13/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

WWIS	14	1 of 1	NW/50.1	66.2 / -6.33	OTTAWA ON
Well ID:			Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:			Date Received:		
Sec. Water Use:			Selected Flag:		
Final Well Status:			Abandonment Rec:		
Water Type:			Contractor:		
Casing Material:			Form Version:		
Audit No:			Owner:		
Tag:			Street Name:		
Construction Method:			County:		
Elevation (m):			Municipality:		
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005314095			Elevation:	66.657127
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444284
Code OB Desc:				North83:	5027193
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	2/3/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 1005564492
Layer: 2
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 13
Other Materials: BOULDERS
Mat3: 85
Other Materials: SOFT
Formation Top Depth: 0.31
Formation End Depth: 2.13
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1005564493
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3: 85
Other Materials: SOFT
Formation Top Depth: 2.13
Formation End Depth: 2.13
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1005564491
Layer: 1
Color: 8
General Color: BLACK
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Other Materials:
Mat3: 73
Other Materials: HARD
Formation Top Depth: 0
Formation End Depth: 0.31
Formation End Depth UOM: m

Annular Space/Abandonment
Sealing Record

Plug ID: 1005564501
Layer: 1
Plug From: 0
Plug To: 0.31

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005564502			
Layer:		2			
Plug From:		0.31			
Plug To:		1.5			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005564503			
Layer:		3			
Plug From:		1.5			
Plug To:		3.35			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1005564490			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005564496			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.83			
Casing Diameter:		4.3			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005564497			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.83			
Screen End Depth:		3.35			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Hole ID:		1005564494			
Diameter:		8.25			
Depth From:		0			
Depth To:		3.35			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS	15	1 of 1	NNW/52.9	65.9 / -6.61	OTTAWA ON
Well ID:	7238493				
Construction Date:					
Primary Water Use:	Monitoring and Test Hole				
Sec. Water Use:	0				
Final Well Status:	Observation Wells				
Water Type:					
Casing Material:					
Audit No:	Z195925				
Tag:	A173748				
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received:	3/23/2015				
Selected Flag:	Yes				
Abandonment Rec:					
Contractor:	7241				
Form Version:	7				
Owner:					
Street Name:	901 CARLING AVE				
County:	OTTAWA-CARLETON				
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Bore Hole Information

Bore Hole ID:	1005314089				
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:	2/2/2015				
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation:				66.60746	
Elevrc:					
Zone:				18	
East83:				444299	
North83:				5027206	
Org CS:				UTM83	
UTMRC:				4	
UTMRC Desc:				margin of error : 30 m - 100 m	
Location Method:				wwr	

**Overburden and Bedrock
Materials Interval**

Formation ID:	1005564362
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	85
Other Materials:	SOFT
Formation Top Depth:	0.31
Formation End Depth:	2.74

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005564361			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		73			
Other Materials:		HARD			
Formation Top Depth:		0			
Formation End Depth:		0.31			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005564363			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		2.74			
Formation End Depth:		3.96			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005564373			
Layer:		3			
Plug From:		2.13			
Plug To:		3.96			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005564372			
Layer:		2			
Plug From:		0.31			
Plug To:		2.13			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005564371			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: B
Method Construction: Other Method
Other Method Construction: DIRECT PUSH

Pipe Information

Pipe ID: 1005564360
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005564366
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 2.44
Casing Diameter: 4.03
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005564367
Layer: 1
Slot: 10
Screen Top Depth: 2.44
Screen End Depth: 3.96
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.82

Hole Diameter

Hole ID: 1005564364
Diameter: 8.25
Depth From: 0
Depth To:
Hole Depth UOM: m
Hole Diameter UOM: cm

WWIS	<u>18</u>	1 of 1	NNW/55.9	65.9 / -6.61	lot 39 con 1 ON
Well ID:	7292794				
Construction Date:				Data Entry Status:	Yes
Primary Water Use:				Data Src:	
Sec. Water Use:				Date Received:	8/17/2017
Final Well Status:				Selected Flag:	Yes
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	7543
Audit No:	C36216			Form Version:	8
Tag:	A200750			Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	OTTAWA-CARLETON
				Municipality:	NEPEAN TOWNSHIP

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot: 039		
Well Depth:			Concession: 01		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1006712706	Elevation:		66.250602
DP2BR:			Elevrc:		
Spatial Status:			Zone:		18
Code OB:			East83:		444326
Code OB Desc:			North83:		5027227
Open Hole:			Org CS:		UTM83
Cluster Kind:			UTMRC:		4
Date Completed:			UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

WWIS	19	1 of 1	NW/70.9	66.6 / -5.92	OTTAWA ON
Well ID:		7238494	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:		Monitoring and Test Hole	Date Received:		3/23/2015
Sec. Water Use:		0	Selected Flag:		Yes
Final Well Status:		Observation Wells	Abandonment Rec:		
Water Type:			Contractor:		7241
Casing Material:			Form Version:		7
Audit No:		Z195926	Owner:		
Tag:		A173885	Street Name:		901 CARLING AVE
Construction Method:			County:		OTTAWA-CARLETON
Elevation (m):			Municipality:		OTTAWA CITY
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1005314092	Elevation:		67.812797
DP2BR:			Elevrc:		
Spatial Status:			Zone:		18
Code OB:			East83:		444272
Code OB Desc:			North83:		5027210
Open Hole:			Org CS:		UTM83
Cluster Kind:			UTMRC:		4
Date Completed:		2/2/2015	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		wwr
Elevrc Desc:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005564390			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.31			
Formation End Depth:		2.74			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005564389			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.31			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005564391			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2.74			
Formation End Depth:		3.96			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005564400			
Layer:		2			
Plug From:		0.31			

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Plug To:</i>		2.13			
<i>Plug Depth UOM:</i>		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005564401			
<i>Layer:</i>		3			
<i>Plug From:</i>		2.13			
<i>Plug To:</i>		3.96			
<i>Plug Depth UOM:</i>		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005564399			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.31			
<i>Plug Depth UOM:</i>		m			
 <u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>					
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>		DIRECT PUSH			
 <u>Pipe Information</u>					
<i>Pipe ID:</i>		1005564388			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1005564394			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.44			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
 <u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1005564395			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		2.44			
<i>Screen End Depth:</i>		3.96			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.82			
 <u>Hole Diameter</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Hole ID:		1005564392			
Diameter:		8.25			
Depth From:		0			
Depth To:		3.96			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS	<u>25</u>	1 of 1	WSW/19.5	82.0 / 9.47	ON
Well ID:		7193760		Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/18/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	8
Audit No:		C20565		Owner:	
Tag:		A130133		Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1004222077	Elevation:	82.584442
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444151
Code OB Desc:		North83:	5026769
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	8/10/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

WWIS	<u>27</u>	1 of 1	E/185.2	66.3 / -6.17	OTTAWA ON
Well ID:		1534715		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	6/24/2004
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	3
Audit No:		Z12000		Owner:	
Tag:		A005574		Street Name:	PRESFOM STREET
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11104981	Elevation:	63.448955
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444724
Code OB Desc:	No formation data	North83:	5026963
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	5
Date Completed:	4/26/2004	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	5
Method Construction:	Air Percussion
Other Method Construction:	

Pipe Information

Pipe ID:	11109617
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930837566
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	1.5
Casing Diameter:	38
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	933407772
Layer:	1
Slot:	010
Screen Top Depth:	1.5
Screen End Depth:	4.9
Screen Material:	5

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		50			
<u>Water Details</u>					
Water ID:		934046536			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11109615			
Diameter:		203			
Depth From:		0			
Depth To:		2.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		11109616			
Diameter:		102			
Depth From:		2.5			
Depth To:		4.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS	58	1 of 1	NNE/55.6	62.9 / -9.61	OTTAWA ON
Well ID:	7186182			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	8/29/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7328
Casing Material:				Form Version:	7
Audit No:	Z153966			Owner:	
Tag:	A122950			Street Name:	845 CARLING AVE
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1004143162			Elevation:	62.593509
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444498
Code OB Desc:				North83:	5027336
Open Hole:				Org CS:	UTM83

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Cluster Kind:				UTMRC:	4
Date Completed:				UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1004441720
Layer: 4
Color: 2
General Color: GREY
Mat1: 26
Most Common Material: ROCK
Mat2: 15
Other Materials: LIMESTONE
Mat3:
Other Materials:
Formation Top Depth: 3.4
Formation End Depth: 9.24
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1004441718
Layer: 2
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 28
Other Materials: SAND
Mat3: 11
Other Materials: GRAVEL
Formation Top Depth: 0.05
Formation End Depth: 1.45
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1004441719
Layer: 3
Color: 2
General Color: GREY
Mat1: 34
Most Common Material: TILL
Mat2: 28
Other Materials: SAND
Mat3: 84
Other Materials: SILTY
Formation Top Depth: 1.45
Formation End Depth: 3.4
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Formation ID: 1004441717					
Layer: 1					
Color:					
General Color:					
Mat1: 27					
Most Common Material: OTHER					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth: 0					
Formation End Depth: 0.05					
Formation End Depth UOM: m					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1004441727					
Layer: 1					
Plug From: 3.4					
Plug To: 5.48					
Plug Depth UOM: m					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code: B					
Method Construction: Other Method					
Other Method Construction: HSA					
<u>Pipe Information</u>					
Pipe ID: 1004441716					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1004441723					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0					
Depth To: 6.29					
Casing Diameter: 5.1					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1004441724					
Layer: 1					
Slot: 10					
Screen Top Depth: 6.29					
Screen End Depth: 9.24					
Screen Material: 5					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 5.8					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Hole Diameter</u>					
Hole ID:		1004441721			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS	63	1 of 1	NNE/40.9	61.8 / -10.66	Ottawa ON
Well ID:	7263519				
Construction Date:					
Primary Water Use:	Monitoring and Test Hole				
Sec. Water Use:	0				
Final Well Status:	Monitoring and Test Hole				
Water Type:					
Casing Material:					
Audit No:	Z222250				
Tag:	A162996				
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received:	5/27/2016				
Selected Flag:	Yes				
Abandonment Rec:					
Contractor:	7241				
Form Version:	7				
Owner:					
Street Name:	829 CARLING AVE				
County:	OTTAWA-CARLETON				
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

<u>Bore Hole Information</u>					
Bore Hole ID:	1006012886				
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:	4/15/2016				
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation:				63.453319	
Elevrc:					
Zone:				18	
East83:				444555	
North83:				5027351	
Org CS:				UTM83	
UTMRC:				4	
UTMRC Desc:				margin of error : 30 m - 100 m	
Location Method:				wwr	

<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006118896				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:	85				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Other Materials:		SOFT			
Formation Top Depth:		0.31			
Formation End Depth:		1.22			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006118897			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:		17			
Other Materials:		SHALE			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		1.22			
Formation End Depth:		7.62			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006118895			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0			
Formation End Depth:		0.31			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006118906			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006118908			
Layer:		3			
Plug From:		4.26			
Plug To:		7.62			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006118907			
Layer:		2			
Plug From:		0.31			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Plug To:		4.26			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006118894			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006118901			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.57			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006118902			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.57			
Screen End Depth:		7.62			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					
Hole ID:		1006118899			
Diameter:		7.62			
Depth From:		2.13			
Depth To:		7.62			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1006118898			
Diameter:		11.43			
Depth From:		0			
Depth To:		2.13			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
WWIS	<u>65</u>	1 of 1	NNE/54.2	61.9 / -10.61	Ottawa ON
Well ID:		7263520	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:		Monitoring and Test Hole	Date Received: 5/27/2016		
Sec. Water Use:		0	Selected Flag: Yes		
Final Well Status:		Monitoring and Test Hole	Abandonment Rec:		
Water Type:			Contractor: 7241		
Casing Material:			Form Version: 7		
Audit No:		Z222249	Owner:		
Tag:		A162997	Street Name: 929 CARLING AVE		
Construction Method:			County: OTTAWA-CARLETON		
Elevation (m):			Municipality: NEPEAN TOWNSHIP		
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1006012889	Elevation:	63.280738
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444551
Code OB Desc:		North83:	5027364
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	4/15/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	1006118934
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	
Most Common Material:	
Mat2:	11
Other Materials:	GRAVEL
Mat3:	66
Other Materials:	DENSE
Formation Top Depth:	0
Formation End Depth:	0.31
Formation End Depth UOM:	m

**Overburden and Bedrock
Materials Interval**

Formation ID:	1006118935
Layer:	2

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		6			
		BROWN			
		28			
		SAND			
		11			
		GRAVEL			
		85			
		SOFT			
		0.31			
		1.22			
		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
		1006118936			
		3			
		2			
		GREY			
		15			
		LIMESTONE			
		17			
		SHALE			
		74			
		LAYERED			
		1.22			
		6.1			
		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
		1006118947			
		3			
		2.74			
		6.1			
		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
		1006118945			
		1			
		0			
		0.31			
		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
		1006118946			
		2			
		0.31			
		2.74			
		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
		5			
		Air Percussion			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Pipe Information

Pipe ID: 1006118933
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 1006118940
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 3.1
 Casing Diameter: 4.05
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1006118941
 Layer: 1
 Slot: 10
 Screen Top Depth: 3.1
 Screen End Depth: 6.1
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.82

Hole Diameter

Hole ID: 1006118937
 Diameter: 11.43
 Depth From: 0
 Depth To: 2.13
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1006118938
 Diameter: 7.62
 Depth From: 2.13
 Depth To: 6.1
 Hole Depth UOM: m
 Hole Diameter UOM: cm

WWIS	<u>70</u>	1 of 1	NNE/68.9	61.9 / -10.61	Ottawa ON
Well ID:	7263521				
Construction Date:				Data Entry Status:	
Primary Water Use:	Monitoring and Test Hole			Data Src:	
Sec. Water Use:	0			Date Received:	5/27/2016
Final Well Status:	Monitoring and Test Hole			Selected Flag:	Yes
Water Type:				Abandonment Rec:	7241
Casing Material:				Contractor:	7
Audit No:	Z222251			Owner:	
Tag:	A162988			Street Name:	829 CARLING AVE

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1006012892	Elevation:	63.0405
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444546
Code OB Desc:		North83:	5027378
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	4/15/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006119008
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	85
Other Materials:	SOFT
Formation Top Depth:	0.31
Formation End Depth:	1.52
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006119009
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	17
Other Materials:	SHALE
Mat3:	74
Other Materials:	LAYERED
Formation Top Depth:	1.52
Formation End Depth:	4.57
Formation End Depth UOM:	m

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Overburden and Bedrock Materials Interval</u>					
	Formation ID:	1006119007			
	Layer:	1			
	Color:	8			
	General Color:	BLACK			
	Mat1:				
	Most Common Material:				
	Mat2:	11			
	Other Materials:	GRAVEL			
	Mat3:	66			
	Other Materials:	DENSE			
	Formation Top Depth:	0			
	Formation End Depth:	0.31			
	Formation End Depth UOM:	m			
<u>Annular Space/Abandonment Sealing Record</u>					
	Plug ID:	1006119019			
	Layer:	2			
	Plug From:	0.31			
	Plug To:	2.13			
	Plug Depth UOM:	m			
<u>Annular Space/Abandonment Sealing Record</u>					
	Plug ID:	1006119018			
	Layer:	1			
	Plug From:	0			
	Plug To:	0.31			
	Plug Depth UOM:	m			
<u>Annular Space/Abandonment Sealing Record</u>					
	Plug ID:	1006119020			
	Layer:	3			
	Plug From:	2.13			
	Plug To:	4.57			
	Plug Depth UOM:	m			
<u>Method of Construction & Well Use</u>					
	Method Construction ID:				
	Method Construction Code:	5			
	Method Construction:	Air Percussion			
	Other Method Construction:				
<u>Pipe Information</u>					
	Pipe ID:	1006119006			
	Casing No:	0			
	Comment:				
	Alt Name:				
<u>Construction Record - Casing</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Casing ID: 1006119013					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0					
Depth To: 2.44					
Casing Diameter: 4.05					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1006119014					
Layer: 1					
Slot: 10					
Screen Top Depth: 2.44					
Screen End Depth: 4.57					
Screen Material: 5					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 4.22					
<u>Hole Diameter</u>					
Hole ID: 1006119010					
Diameter: 11.43					
Depth From: 0					
Depth To: 2.13					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Hole Diameter</u>					
Hole ID: 1006119011					
Diameter: 7.62					
Depth From: 2.13					
Depth To: 4.57					
Hole Depth UOM: m					
Hole Diameter UOM: cm					

WWIS	<u>74</u>	1 of 1	N/174.6	64.0 / -8.53	Ottawa ON
Well ID:	7154726			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	11/18/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	6964
Casing Material:				Form Version:	7
Audit No:	Z107023			Owner:	
Tag:	A094418			Street Name:	855 CARLING AVENUE
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Bore Hole Information

Bore Hole ID:	1003410806	Elevation:	60.702064
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444411
Code OB Desc:		North83:	5027423
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	8/29/2010	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1003548911
Layer:	5
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	26
Other Materials:	ROCK
Mat3:	
Other Materials:	
Formation Top Depth:	4.27
Formation End Depth:	5.18
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1003548909
Layer:	3
Color:	
General Color:	
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Other Materials:	SAND
Mat3:	
Other Materials:	
Formation Top Depth:	0.61
Formation End Depth:	1.7
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1003548907
Layer:	1
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.15			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003548908			
Layer:		2			
Color:					
General Color:					
Mat1:		12			
Most Common Material:		STONES			
Mat2:					
Other Materials:					
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0.15			
Formation End Depth:		0.61			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003548910			
Layer:		4			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		1.7			
Formation End Depth:		4.27			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003548915			
Layer:		2			
Plug From:		2.75			
Plug To:		5.18			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003548914			
Layer:		1			
Plug From:		0.3			
Plug To:		2.74			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:		HOLLOW STEM AUGER			
<u>Pipe Information</u>					
Pipe ID:		1003548906			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003548917			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.05			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003548918			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.05			
Screen End Depth:		5.18			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6			
<u>Hole Diameter</u>					
Hole ID:		1003548912			
Diameter:		20.3			
Depth From:		0			
Depth To:		4.27			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1003548913			
Diameter:		9			
Depth From:		4.27			
Depth To:		5.18			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS

75

1 of 1

N/180.3

63.8 / -8.67

ON

Well ID: 7204091
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status:
Water Type:

Data Entry Status: Yes
Data Src:
Date Received: 7/2/2013
Selected Flag: Yes
Abandonment Rec:
Contractor: 1844

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Casing Material:					
Audit No:	C21277			Form Version:	8
Tag:	A140400			Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevation Reliability:				Municipality:	NEPEAN TOWNSHIP
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	
Overburden/Bedrock:				Concession:	
Pump Rate:				Concession Name:	
Static Water Level:				Easting NAD83:	
Flowing (Y/N):				Northing NAD83:	
Flow Rate:				Zone:	
Clear/Cloudy:				UTM Reliability:	

Bore Hole Information

Bore Hole ID:	1004386191			Elevation:	62.586025
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444402
Code OB Desc:				North83:	5027424
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/14/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

WWIS	76	1 of 1	N/182.8	63.8 / -8.67	ON
Well ID:					
Construction Date:	7230594			Data Entry Status:	Yes
Primary Water Use:				Data Src:	
Sec. Water Use:				Date Received:	11/3/2014
Final Well Status:				Selected Flag:	Yes
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	6964
Audit No:	C22348			Form Version:	8
Tag:	A147239			Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevation Reliability:				Municipality:	NEPEAN TOWNSHIP
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	
Overburden/Bedrock:				Concession:	
Pump Rate:				Concession Name:	
Static Water Level:				Easting NAD83:	
Flowing (Y/N):				Northing NAD83:	
Flow Rate:				Zone:	
Clear/Cloudy:				UTM Reliability:	

Bore Hole Information

Bore Hole ID:	1005192995			Elevation:	62.973045
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444399
Code OB Desc:				North83:	5027425

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	9/4/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
WWIS	<u>79</u>	1 of 1	NNE/57.5	60.8 / -11.64	ON
Well ID:		7173480		Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/14/2011
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	5
Audit No:	M08592			Owner:	
Tag:	A083162			Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:		1003619182		Elevation:	62.860721
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444605
Code OB Desc:				North83:	5027389
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/12/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
WWIS	<u>81</u>	1 of 1	NNE/56.8	60.8 / -11.64	Ottawa ON
Well ID:		7141266		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring		Date Received:	3/9/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:		Test Hole		Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	5
Audit No:	M05564			Owner:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Tag:	A090614			Street Name:	ADJACENT TO 505 PRESTON
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1003284370	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:		UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Hole Diameter

Hole ID:	1003284372
Diameter:	
Depth From:	
Depth To:	
Hole Depth UOM:	m
Hole Diameter UOM:	cm

Bore Hole Information

Bore Hole ID:	1003284361	Elevation:	62.651115
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444621
Code OB Desc:		North83:	5027383
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	12/23/2009	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1003284365
Layer:	

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction: HSA					
<u>Pipe Information</u>					
Pipe ID: 1003284366					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1003284368					
Layer:					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 3					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1003284367					
Layer:					
Slot:					
Screen Top Depth: 3					
Screen End Depth: 6.1					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1003284369					
Pump Set At:					
Static Level: 1.37					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: m					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<u>Hole Diameter</u>					
Hole ID:		1003284363			
Diameter:		20			
Depth From:					
Depth To:		6.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002948821			Elevation:	62.784255
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444610
Code OB Desc:				North83:	5027388
Open Hole:	N			Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/1/2009			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003284375			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		13			
Other Materials:		BOULDERS			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		6.1			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003284377			
Layer:		1			
Plug From:		0.9			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		F			
Method Construction:		H.S.A.			
Other Method Construction:					
<u>Pipe Information</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Pipe ID:		1003284374			
Casing No:		0			
Comment:					
Alt Name:					

Construction Record - Casing

Casing ID:	1003284378
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0
Depth To:	3
Casing Diameter:	5.1
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1003284379
Layer:	1
Slot:	10
Screen Top Depth:	
Screen End Depth:	
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	5.8

Hole Diameter

Hole ID:	1003284376
Diameter:	20
Depth From:	0
Depth To:	6.1
Hole Depth UOM:	m
Hole Diameter UOM:	cm

WWIS	<u>83</u>	1 of 1	NNE/60.5	60.8 / -11.64	ON
Well ID:	7204132				Data Entry Status: Yes
Construction Date:					Data Src:
Primary Water Use:					Date Received: 7/3/2013
Sec. Water Use:					Selected Flag: Yes
Final Well Status:					Abandonment Rec:
Water Type:					Contractor: 1844
Casing Material:					Form Version: 8
Audit No:	C21274				Owner:
Tag:					Street Name:
Construction Method:					County: OTTAWA-CARLETON
Elevation (m):					Municipality: NEPEAN TOWNSHIP
Elevation Reliability:					Site Info:
Depth to Bedrock:					Lot:
Well Depth:					Concession:
Overburden/Bedrock:					Concession Name:
Pump Rate:					Easting NAD83:
Static Water Level:					Northing NAD83:
Flowing (Y/N):					Zone:
Flow Rate:					UTM Reliability:
Clear/Cloudy:					

Bore Hole Information

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Bore Hole ID:		1004390328		Elevation:	62.855541
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444604
Code OB Desc:				North83:	5027392
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/27/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

WWIS	<u>86</u>	1 of 1	N/174.8	62.9 / -9.61	Ottawa ON
Well ID:		7204971		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	7/19/2013
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6964
Casing Material:				Form Version:	7
Audit No:	Z163939			Owner:	
Tag:	A137231			Street Name:	END OF ADELIN ST AT RAILWAY
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:		1004440352		Elevation:	59.833034
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444445
Code OB Desc:				North83:	5027443
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/29/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Annular Space/Abandonment Sealing Record

Plug ID:	1004863486
Layer:	2

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<i>Plug From:</i>		1.75			
<i>Plug To:</i>		3.81			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004863488			
<i>Layer:</i>		4			
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004863490			
<i>Layer:</i>		2			
<i>Plug From:</i>		5.6			
<i>Plug To:</i>		9.3			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004863485			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1.75			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004863487			
<i>Layer:</i>		3			
<i>Plug From:</i>		3.81			
<i>Plug To:</i>		9.3			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004863489			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		6.1			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>					
<i>Method Construction Code:</i>		7			
<i>Method Construction:</i>		Diamond			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004863476			
<i>Casing No:</i>		0			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004863481
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 6.1
 Casing Diameter: 3.5
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004863482
 Layer: 1
 Slot: 10
 Screen Top Depth: 6.1
 Screen End Depth: 9.3
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.1

Water Details

Water ID: 1004863480
 Layer: 1
 Kind Code:
 Kind:
 Water Found Depth: 3.3
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004863478
 Diameter: 7
 Depth From: 0
 Depth To: 4.11
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004863479
 Diameter: 5.7
 Depth From: 4.11
 Depth To: 9.3
 Hole Depth UOM: m
 Hole Diameter UOM: cm

WWIS

87

1 of 1

NNE/69.4

60.8 / -11.64

OTTAWA ON

Well ID: 1536049
 Construction Date:
 Primary Water Use:
 Sec. Water Use:
 Final Well Status: Observation Wells

Data Entry Status:
 Data Src:
 Date Received: 11/30/2005
 Selected Flag: Yes
 Abandonment Rec:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Water Type:				Contractor:	1844
Casing Material:				Form Version:	3
Audit No:	Z36581			Owner:	
Tag:	A028485			Street Name:	505 PRESTON ST
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11316588	Elevation:	62.769641
DP2BR:	11	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	444615
Code OB Desc:	Bedrock	North83:	5027400
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10/3/2005	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	932997885
Layer:	3
Color:	2
General Color:	GREY
Mat1:	26
Most Common Material:	ROCK
Mat2:	15
Other Materials:	LIMESTONE
Mat3:	
Other Materials:	
Formation Top Depth:	3.23
Formation End Depth:	5.06
Formation End Depth UOM:	m

**Overburden and Bedrock
Materials Interval**

Formation ID:	932997884
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	11
Other Materials:	GRAVEL

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
		0.6			
		3.23			
		m			
<u>Overburden and Bedrock Materials Interval</u>					
		932997883			
		1			
		6			
		BROWN			
		28			
		SAND			
		01			
		FILL			
		0			
		0.6			
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
		933282072			
		1			
		0			
		3.23			
		m			
<u>Method of Construction & Well Use</u>					
		5			
		Air Percussion			
<u>Pipe Information</u>					
		11331443			
		1			
<u>Construction Record - Casing</u>					
		930856129			
		1			
		5			
		PLASTIC			
		0			
		3.23			
		50			
		cm			
		m			
<u>Construction Record - Screen</u>					
		933415720			
		1			
		10			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Screen Top Depth: 3.23					
Screen End Depth: 5.06					
Screen Material: 5					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 58					
<u>Hole Diameter</u>					
Hole ID: 11534222					
Diameter: 20					
Depth From: 0					
Depth To: 2					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Hole Diameter</u>					
Hole ID: 11534223					
Diameter: 10					
Depth From: 2					
Depth To: 5					
Hole Depth UOM: m					
Hole Diameter UOM: cm					

WWIS	91	1 of 1	NNE/77.5	60.8 / -11.64	Ottawa ON
Well ID:	7123220				
Construction Date:					
Primary Water Use:	Monitoring				
Sec. Water Use:					
Final Well Status:	Test Hole				
Water Type:					
Casing Material:					
Audit No:	M04459				
Tag:	A074568				
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002762691				
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:	This is a record from cluster log sheet				
Date Completed:	3/27/2009				
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Data Entry Status:					
Data Src:					
Date Received:	5/20/2009				
Selected Flag:	Yes				
Abandonment Rec:					
Contractor:	1844				
Form Version:	5				
Owner:					
Street Name:	505 PRESTON STREET				
County:	OTTAWA-CARLETON				
Municipality:	OTTAWA CITY				
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					
Elevation:	62.69672				
Elevrc:					
Zone:	18				
East83:	444615				
North83:	5027383				
Org CS:	UTM83				
UTMRC:	3				
UTMRC Desc:	margin of error : 10 - 30 m				
Location Method:	wwr				

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002762695			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		HSA/DIA			
<u>Pipe Information</u>					
Pipe ID:		1002762696			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002762698			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002762697			
Layer:					
Slot:					
Screen Top Depth:		3			
Screen End Depth:		6.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002762699			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002762693
Diameter: 20
Depth From:
Depth To: 6.2
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002427323	Elevation:	62.853115
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444605
Code OB Desc:		North83:	5027409
Open Hole:	N	Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	2/26/2009	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1002762701
Layer: 1
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 01
Other Materials: FILL
Mat3: 06
Other Materials: SILT
Formation Top Depth: 0
Formation End Depth: 1.2
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1002762704
Layer: 1
Plug From: 0
Plug To: 3.6
Plug Depth UOM: m

Method of Construction & Well

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:		HSA			
 <u>Pipe Information</u>					
Pipe ID:		1002762700			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Screen</u>					
Screen ID:		1002762705			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		5.8			
 <u>Hole Diameter</u>					
Hole ID:		1002762702			
Diameter:		20			
Depth From:		0			
Depth To:		1.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1002762703			
Diameter:		10			
Depth From:		1.2			
Depth To:		5.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:		1002762664	Elevation:		62.94144
DP2BR:			Elevrc:		
Spatial Status:			Zone:		18
Code OB:			East83:		444659
Code OB Desc:			North83:		5027419
Open Hole:			Org CS:		UTM83
Cluster Kind:		This is a record from cluster log sheet	UTMRC:		3
Date Completed:		3/25/2009	UTMRC Desc:		margin of error : 10 - 30 m
Remarks:			Location Method:		wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002762666
Diameter: 20
Depth From:
Depth To: 6.2
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002762673	Elevation:	62.970844
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444666
Code OB Desc:		North83:	5027421
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	3/25/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002762677
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code:
Method Construction:
Other Method Construction: HSA/DIA

Pipe Information

Pipe ID: 1002762678
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002762680
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Depth To: 3
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002762679
Layer:
Slot:
Screen Top Depth: 3
Screen End Depth: 6.2
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002762681
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002762675
Diameter: 20
Depth From:
Depth To: 6.2
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002762682	Elevation:	62.841358
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444601
Code OB Desc:		North83:	5027395
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	3/27/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.2			
Formation End Depth:		0.4			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003424936			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003424938			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		01			
Other Materials:		FILL			
Mat3:					
Other Materials:					
Formation Top Depth:		0.4			
Formation End Depth:		0.6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003424939			
Layer:		4			
Color:		8			
General Color:		BLACK			
Mat1:		04			
Most Common Material:		PEAT			
Mat2:		35			
Other Materials:		WOOD FRAGMENTS			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		0.6			
Formation End Depth:		1.8			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Formation ID:		1003424940			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		1.8			
Formation End Depth:		5.9			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003424943			
Layer:		1			
Plug From:		0			
Plug To:		2.1			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:		HSA			
<u>Pipe Information</u>					
Pipe ID:		1003424935			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003424945			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		2.8			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003424946			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.8			
Screen End Depth:		5.9			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		5.8			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Hole Diameter</u>					
Hole ID:		1003424942			
Diameter:		10			
Depth From:		1.8			
Depth To:		5.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1003424941			
Diameter:		20			
Depth From:		0			
Depth To:		1.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS	101	1 of 1	NNE/88.5	62.0 / -10.53	ON
Well ID:		7101176			
Construction Date:					
Primary Water Use:		Monitoring and Test Hole			
Sec. Water Use:		0			
Final Well Status:		Test Hole			
Water Type:					
Casing Material:					
Audit No:		M00088			
Tag:		A038556			
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received:					10/9/2007
Selected Flag:					Yes
Abandonment Rec:					
Contractor:					1844
Form Version:					5
Owner:					
Street Name:					505 PRESTON ST.
County:					OTTAWA-CARLETON
Municipality:					OTTAWA CITY
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Bore Hole Information

Bore Hole ID:		1002525264			
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:		This is a record from cluster log sheet			
Date Completed:		6/27/2007			
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation:					63.001068
Elevrc:					
Zone:					18
East83:					444644
North83:					5027433
Org CS:					UTM83
UTMRC:					3
UTMRC Desc:					margin of error : 10 - 30 m
Location Method:					wwr

**Annular Space/Abandonment
Sealing Record**

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Plug ID:		1002525268			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002525269			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002525271			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.27			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002525270			
Layer:					
Slot:					
Screen Top Depth:		1.27			
Screen End Depth:		4.25			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002525272			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Hole Diameter

Hole ID: 1002525266
Diameter: 20
Depth From:
Depth To: 4.25
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002525246	Elevation:	62.911006
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444612
Code OB Desc:		North83:	5027434
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	6/28/2007	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002525250
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code:
Method Construction:
Other Method Construction: AUGER

Pipe Information

Pipe ID: 1002525251
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002525253
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 1.27
Casing Diameter:
Casing Diameter UOM:

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002525252			
Layer:					
Slot:					
Screen Top Depth:		1.27			
Screen End Depth:		4.27			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002525254			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002525248			
Diameter:		20			
Depth From:					
Depth To:		4.27			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1001480691		Elevation:	62.849094
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444606
Code OB Desc:				North83:	5027420
Open Hole:		N		Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:		6/28/2007		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Formation ID: 1002525283					
Layer: 1					
Color: 6					
General Color: BROWN					
Mat1: 34					
Most Common Material: TILL					
Mat2: 28					
Other Materials: SAND					
Mat3: 11					
Other Materials: GRAVEL					
Formation Top Depth: 0					
Formation End Depth: 4.27					
Formation End Depth UOM: m					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1002525286					
Layer: 1					
Plug From: 0.5					
Plug To: 1.1					
Plug Depth UOM: m					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code: 5					
Method Construction: Air Percussion					
Other Method Construction: AUGER					
<u>Pipe Information</u>					
Pipe ID: 1002525282					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1002525287					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0					
Depth To: 1.27					
Casing Diameter: 51					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1002525288					
Layer: 1					
Slot: 10					
Screen Top Depth:					
Screen End Depth:					
Screen Material: 5					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 5.8					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Hole Diameter

Hole ID: 1002525285
Diameter: 10
Depth From: 1.52
Depth To: 4.57
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1002525284
Diameter: 20
Depth From: 0
Depth To: 1.52
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002525237	Elevation:	62.84568
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444600
Code OB Desc:		North83:	5027420
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	6/28/2007	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002525241
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code:
Method Construction:
Other Method Construction: AUGER

Pipe Information

Pipe ID: 1002525242
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Casing ID: 1002525244					
Layer:					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 1.27					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1002525243					
Layer:					
Slot:					
Screen Top Depth: 1.27					
Screen End Depth: 4.27					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1002525245					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1002525239					
Diameter: 20					
Depth From:					
Depth To: 4.27					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Bore Hole Information</u>					
Bore Hole ID: 1002525255		Elevation: 62.994632			
DP2BR:		Elevrc:			
Spatial Status:		Zone: 18			
Code OB:		East83: 444635			
Code OB Desc:		North83: 5027433			
Open Hole:		Org CS: UTM83			
Cluster Kind: This is a record from cluster log sheet		UTMRC: 3			
Date Completed: 6/27/2007		UTMRC Desc: margin of error : 10 - 30 m			
Remarks:		Location Method: wwr			
Elevrc Desc:					
Location Source Date:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002525259			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002525260			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002525262			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.27			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002525261			
Layer:					
Slot:					
Screen Top Depth:		1.27			
Screen End Depth:		4.27			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002525263			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002525257
Diameter: 20
Depth From:
Depth To: 4.27
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002525273	Elevation:	63.072383
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444645
Code OB Desc:		North83:	5027440
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	6/27/2007	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002525277
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code:
Method Construction:
Other Method Construction: AUGER

Pipe Information

Pipe ID: 1002525278
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Casing ID: 1002525280					
Layer:					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 1.27					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1002525279					
Layer:					
Slot:					
Screen Top Depth: 1.27					
Screen End Depth: 4.27					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1002525281					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1002525275					
Diameter: 20					
Depth From:					
Depth To: 4.27					
Hole Depth UOM: m					
Hole Diameter UOM: cm					

WWIS

103

1 of 1

NE/87.7

60.9 / -11.61

OTTAWA ON

Well ID: 7152715
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Test Hole
Water Type:
Casing Material:
Audit No: M05597
Tag: A083162

Data Entry Status:
Data Src:
Date Received: 10/8/2010
Selected Flag: Yes
Abandonment Rec:
Contractor: 1844
Form Version: 5
Owner:
Street Name: 505 PRESTON STREET

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1003611534	Elevation:	62.84085
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444630
Code OB Desc:		North83:	5027412
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	4/10/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1003611538
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

**Method of Construction & Well
Use**

Method Construction ID:	
Method Construction Code:	
Method Construction:	
Other Method Construction:	HSA/DI

Pipe Information

Pipe ID:	1003611539
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003611541
Layer:	
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	
Depth To:	4
Casing Diameter:	

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003611540			
Layer:					
Slot:					
Screen Top Depth:		4			
Screen End Depth:		6			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003611542			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003611536			
Diameter:		2			
Depth From:					
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1003611561		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	9
Date Completed:		4/13/2010		UTMRC Desc:	unknown UTM
Remarks:				Location Method:	na
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Hole Diameter</u>					

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Hole ID:		1003611563			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:					
Hole Diameter UOM:					

Bore Hole Information

Bore Hole ID:	1003348119	Elevation:	62.855091
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444645
Code OB Desc:		North83:	5027409
Open Hole:	N	Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	4/12/2010	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1003611566
Layer:	1
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	01
Other Materials:	FILL
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	3
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1003611567
Layer:	2
Color:	8
General Color:	BLACK
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	3
Formation End Depth:	7.5
Formation End Depth UOM:	m

Annular Space/Abandonment

Sealing Record

Plug ID:	1003611570
----------	------------

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Layer:		1			
Plug From:		0			
Plug To:		4			
Plug Depth UOM:		m			

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: B
Method Construction: Other Method
Other Method Construction: HSA

Pipe Information

Pipe ID: 1003611565
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1003611571
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 4.7
Casing Diameter: 5
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003611572
Layer: 1
Slot: 10
Screen Top Depth:
Screen End Depth:
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 5.8

Hole Diameter

Hole ID: 1003611569
Diameter: 10
Depth From: 3
Depth To: 7.5
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1003611568
Diameter: 20
Depth From: 0
Depth To: 3
Hole Depth UOM: m
Hole Diameter UOM: cm

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Bore Hole Information

Bore Hole ID:	1003611552	Elevation:	66.274856
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	446195
Code OB Desc:		North83:	5027399
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	4/13/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1003611556
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

**Method of Construction & Well
Use**

Method Construction ID:	
Method Construction Code:	
Method Construction:	
Other Method Construction:	HSA/DIA

Pipe Information

Pipe ID:	1003611557
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003611559
Layer:	
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	
Depth To:	2.9
Casing Diameter:	
Casing Diameter UOM:	
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1003611558
Layer:	
Slot:	
Screen Top Depth:	2.9
Screen End Depth:	6
Screen Material:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611560
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1003611554
Diameter: 2
Depth From:
Depth To: 6
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003611543	Elevation:	62.829479
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444612
Code OB Desc:		North83:	5027412
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	4/13/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1003611547
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID:

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Method Construction Code:					
Method Construction:					
Other Method Construction:		HSA/DIA			
<u>Pipe Information</u>					
Pipe ID:		1003611548			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003611550			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3.5			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003611549			
Layer:					
Slot:					
Screen Top Depth:		3.5			
Screen End Depth:		6.6			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003611551			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003611545			
Diameter:		2			
Depth From:					
Depth To:		6.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Bore Hole Information

Bore Hole ID:	1003611525	Elevation:	62.936866
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444639
Code OB Desc:		North83:	5027426
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	4/12/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1003611529
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

**Method of Construction & Well
Use**

Method Construction ID:	
Method Construction Code:	
Method Construction:	
Other Method Construction:	HSA/DIA

Pipe Information

Pipe ID:	1003611530
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1003611532
Layer:	
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	
Depth To:	2.8
Casing Diameter:	
Casing Diameter UOM:	
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1003611531
Layer:	
Slot:	
Screen Top Depth:	2.8
Screen End Depth:	5.9
Screen Material:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003611533			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003611527			
Diameter:		2			
Depth From:					
Depth To:		5.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS	105	1 of 1	NNE/148.0	61.7 / -10.79	ON
Well ID:	7224486			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	7/24/2014
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6964
Casing Material:				Form Version:	8
Audit No:	C22340			Owner:	
Tag:	A137269			Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1004964403	Elevation:	62.59444
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444538
Code OB Desc:		North83:	5027464

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	2/20/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

WWIS	106	1 of 1	NE/103.4	62.0 / -10.53	Ottawa ON
Well ID:	7129172			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	9/3/2009
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned Monitoring and Test Hole			Abandonment Rec:	Yes
Water Type:				Contractor:	1844
Casing Material:				Form Version:	5
Audit No:	M04495			Owner:	
Tag:	A074568			Street Name:	505 PRESTON ST.
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1002820014			Elevation:	62.849094
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444606
Code OB Desc:				North83:	5027420
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/22/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1002820018
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Hole Diameter

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Hole ID: 1002820016
Diameter: 20
Depth From:
Depth To: 4.3
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002820039	Elevation:	62.67094
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444629
Code OB Desc:		North83:	5027391
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/10/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002820043
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002820041
Diameter: 20
Depth From:
Depth To: 4.2
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002820049	Elevation:	62.946056
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444660
Code OB Desc:		North83:	5027418
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/10/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<u>Sealing Record</u>					
Plug ID:		1002820053			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002820051			
Diameter:		20			
Depth From:					
Depth To:		5.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002820094		Elevation:	62.69672
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444615
Code OB Desc:				North83:	5027383
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		6/11/2009		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002820098			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002820096			
Diameter:		20			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002819983		Elevation:	62.568305
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444630
Code OB Desc:				North83:	5027368
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		5/22/2009		UTMRC Desc:	margin of error : 10 - 30 m

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Location Method: wwr

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002819987
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002819985
Diameter: 20
Depth From:
Depth To: 3.9
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1002820019
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind: This is a record from cluster log sheet
Date Completed: 5/13/2009
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation: 62.84568
Elevrc:
Zone: 18
East83: 444600
North83: 5027420
Org CS: UTM83
UTMRC: 3
UTMRC Desc: margin of error : 10 - 30 m
Location Method: wwr

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002820023
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002820021
Diameter: 20
Depth From:
Depth To: 4.3
Hole Depth UOM: m
Hole Diameter UOM: cm

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Bore Hole Information</u>					
Bore Hole ID:		1002819943		Elevation:	62.769641
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444615
Code OB Desc:				North83:	5027400
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		5/13/2009		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002819947
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002819945
Diameter: 20
Depth From:
Depth To: 5
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:		1002819978		Elevation:	62.52032
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444655
Code OB Desc:				North83:	5027382
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		5/22/2009		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002819982
Layer:
Plug From:
Plug To:
Plug Depth UOM:

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Hole Diameter

Hole ID: 1002819980
Diameter: 20
Depth From:
Depth To: 4
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002820034	Elevation:	62.800865
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444609
Code OB Desc:		North83:	5027387
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/10/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment

Sealing Record

Plug ID: 1002820038
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002820036
Diameter: 20
Depth From:
Depth To: 4.3
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002820059	Elevation:	62.576625
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444659
Code OB Desc:		North83:	5027388
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/11/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002820063			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002820061			
Diameter:		20			
Depth From:					
Depth To:		6.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002819958			Elevation:	62.897933
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444602
Code OB Desc:				North83:	5027384
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/13/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002819962			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002819960			
Diameter:		20			
Depth From:					
Depth To:		4.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002819988			Elevation:	62.906131
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444650
Code OB Desc:				North83:	5027415
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Date Completed:	5/13/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002819992			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Hole Diameter</u>					
Hole ID:		1002819990			
Diameter:		20			
Depth From:					
Depth To:		4.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:		1002820024		Elevation:	62.911006
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444612
Code OB Desc:				North83:	5027434
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		5/13/2009		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002820028			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Hole Diameter</u>					
Hole ID:		1002820026			
Diameter:		20			
Depth From:					
Depth To:		4.3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Bore Hole Information

Bore Hole ID:	1002820044	Elevation:	62.562171
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444655
Code OB Desc:		North83:	5027386
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/10/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1002820048
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Hole Diameter

Hole ID:	1002820046
Diameter:	20
Depth From:	
Depth To:	6.4
Hole Depth UOM:	m
Hole Diameter UOM:	cm

Bore Hole Information

Bore Hole ID:	1002820084	Elevation:	62.970844
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444666
Code OB Desc:		North83:	5027421
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	6/11/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1002820088
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
<u>Hole Diameter</u>					
		1002820086			
		Diameter:	20		
		Depth From:			
		Depth To:	6.2		
		Hole Depth UOM:	m		
		Hole Diameter UOM:	cm		
<u>Bore Hole Information</u>					
		Bore Hole ID:	1002715546	Elevation:	62.94144
		DP2BR:		Elevrc:	
		Spatial Status:		Zone:	18
		Code OB:		East83:	444659
		Code OB Desc:		North83:	5027419
		Open Hole:	N	Org CS:	UTM83
		Cluster Kind:		UTMRC:	4
		Date Completed:	5/22/2009	UTMRC Desc:	margin of error : 30 m - 100 m
		Remarks:		Location Method:	wwr
		Elevrc Desc:			
		Location Source Date:			
		Improvement Location Source:			
		Improvement Location Method:			
		Source Revision Comment:			
		Supplier Comment:			
<u>Annular Space/Abandonment Sealing Record</u>					
		Plug ID:	1002820104		
		Layer:	1		
		Plug From:	0		
		Plug To:	6.2		
		Plug Depth UOM:	m		
<u>Hole Diameter</u>					
		Hole ID:	1002820102		
		Diameter:	20		
		Depth From:	0		
		Depth To:	1		
		Hole Depth UOM:	m		
		Hole Diameter UOM:	cm		
<u>Hole Diameter</u>					
		Hole ID:	1002820103		
		Diameter:	10		
		Depth From:	1		
		Depth To:	6.2		
		Hole Depth UOM:	m		
		Hole Diameter UOM:	cm		
<u>Bore Hole Information</u>					
		Bore Hole ID:	1002819953	Elevation:	62.835239
		DP2BR:		Elevrc:	
		Spatial Status:		Zone:	18
		Code OB:		East83:	444592
		Code OB Desc:		North83:	5027380
		Open Hole:		Org CS:	UTM83

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/13/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002819957
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002819955
Diameter: 20
Depth From:
Depth To: 4.2
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002819973	Elevation:	62.878448
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444648
Code OB Desc:		North83:	5027411
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/13/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002819977
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002819975
Diameter: 20
Depth From:
Depth To: 4.8
Hole Depth UOM: m
Hole Diameter UOM: cm

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Bore Hole Information

Bore Hole ID:	1002820029	Elevation:	62.853115
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444605
Code OB Desc:		North83:	5027409
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/13/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1002820033
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Hole Diameter

Hole ID:	1002820031
Diameter:	20
Depth From:	
Depth To:	5.9
Hole Depth UOM:	m
Hole Diameter UOM:	cm

Bore Hole Information

Bore Hole ID:	1002820079	Elevation:	62.926902
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444656
Code OB Desc:		North83:	5027419
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	6/11/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1002820083
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Hole Diameter

Hole ID: 1002820081
Diameter: 20
Depth From:
Depth To: 4.6
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002819948	Elevation:	62.879413
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444594
Code OB Desc:		North83:	5027389
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/13/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002819952
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1002819950
Diameter: 20
Depth From:
Depth To: 4.2
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002819963	Elevation:	62.493019
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444651
Code OB Desc:		North83:	5027377
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/13/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002819967			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002819965			
Diameter:		20			
Depth From:					
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002820054			Elevation:	62.562053
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444632
Code OB Desc:				North83:	5027371
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/11/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002820058			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002820056			
Diameter:		20			
Depth From:					
Depth To:		4.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002819968			Elevation:	62.837139
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444608
Code OB Desc:				North83:	5027413

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Open Hole:					
Cluster Kind:		This is a record from cluster log sheet		Org CS:	UTM83
Date Completed:	5/22/2009			UTMRC:	3
Remarks:				UTMRC Desc:	margin of error : 10 - 30 m
Elevrc Desc:				Location Method:	wwr
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002819972			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002819970			
Diameter:		20			
Depth From:					
Depth To:		3.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002820089		Elevation:	62.841358
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444601
Code OB Desc:				North83:	5027395
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:	6/11/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002820093			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Hole Diameter</u>					
Hole ID:		1002820091			
Diameter:		20			
Depth From:					
Depth To:		6.2			
Hole Depth UOM:		m			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
----	---------	-------------------	----------------------------	---------------	------

Hole Diameter UOM: cm

WWIS 109 1 of 1 **NNE/106.2** **62.0 / -10.53** **Ottawa ON**

Well ID:	7141269	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	3/9/2010
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned Monitoring and Test Hole	Abandonment Rec:	Yes
Water Type:		Contractor:	1844
Casing Material:		Form Version:	5
Audit No:	M05558	Owner:	
Tag:	A038556	Street Name:	50 PRESTON ST
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1002948827	Elevation:	62.994632
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444635
Code OB Desc:		North83:	5027433
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/7/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1003284462
Layer:	1
Plug From:	0
Plug To:	4.3
Plug Depth UOM:	m

Hole Diameter

Hole ID:	1003284461
Diameter:	20
Depth From:	0
Depth To:	4.3
Hole Depth UOM:	m
Hole Diameter UOM:	cm

Bore Hole Information

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Bore Hole ID:		1003284456		Elevation:	62.799644
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	444616
Code OB Desc:				North83:	5027405
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	4
Date Completed:	1/7/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1003284460
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

Hole ID: 1003284458
Diameter: 20
Depth From:
Depth To: 4.1
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003284451	Elevation:	63.001068
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444644
Code OB Desc:		North83:	5027433
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	1/7/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1003284455
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Hole Diameter

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Hole ID:		1003284453			
Diameter:		20			
Depth From:					
Depth To:		4.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

WWIS	110	1 of 1	NNE/125.0	61.9 / -10.61	Ottawa ON
Well ID:	7125604				
Construction Date:					
Primary Water Use:	Not Used				
Sec. Water Use:	Monitoring				
Final Well Status:	Abandoned-Other				
Water Type:					
Casing Material:					
Audit No:	Z91934				
Tag:					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received:	7/14/2009				
Selected Flag:	Yes				
Abandonment Rec:	Yes				
Contractor:	4875				
Form Version:	7				
Owner:					
Street Name:	PRESION ST.				
County:	OTTAWA-CARLETON				
Municipality:	OTTAWA CITY				
Site Info:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Bore Hole Information

Bore Hole ID:	1002522329				
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:	5/29/2009				
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation:				63.006546	
Elevrc:					
Zone:				18	
East83:				444585	
North83:				5027455	
Org CS:				UTM83	
UTMRC:				4	
UTMRC Desc:				margin of error : 30 m - 100 m	
Location Method:				wwr	

Overburden and Bedrock

Materials Interval

Formation ID:	1002607243				
Layer:	1				
Color:					
General Color:					
Mat1:	24				
Most Common Material:	PREV. DRILLED				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
<i>Formation End Depth:</i>		4.29			
<i>Formation End Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1002607245			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		4.27			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>					
<i>Method Construction Code:</i>		6			
<i>Method Construction:</i>		Boring			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1002607242			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1002607247			
<i>Layer:</i>		1			
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1002607248			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>					
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1002607244			
<i>Diameter:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
WWIS	<u>126</u>	1 of 1	NNE/218.2	62.9 / -9.62	Ottawa ON
Well ID:		7208743	Data Entry Status:		
Construction Date:			Data Src:		
Primary Water Use:		Monitoring and Test Hole	Date Received: 10/2/2013		
Sec. Water Use:		0	Selected Flag: Yes		
Final Well Status:		Monitoring and Test Hole	Abandonment Rec:		
Water Type:			Contractor: 7241		
Casing Material:			Form Version: 7		
Audit No:		Z173677	Owner:		
Tag:		A149989	Street Name: 440 PRESTON AVE		
Construction Method:			County: OTTAWA-CARLETON		
Elevation (m):			Municipality: NEPEAN TOWNSHIP		
Elevation Reliability:			Site Info:		
Depth to Bedrock:			Lot:		
Well Depth:			Concession:		
Overburden/Bedrock:			Concession Name:		
Pump Rate:			Easting NAD83:		
Static Water Level:			Northing NAD83:		
Flowing (Y/N):			Zone:		
Flow Rate:			UTM Reliability:		
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1004590534	Elevation:	62.818939
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	444518
Code OB Desc:		North83:	5027532
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	8/15/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004622075
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	3.35
Formation End Depth:	5.49
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1004622074
Layer:	2

DB	Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site
Color:		8			
General Color:		BLACK			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		1.83			
Formation End Depth:		3.35			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004622073			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		28			
Other Materials:		SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		1.83			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004622084			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004622085			
Layer:		2			
Plug From:		0.31			
Plug To:		2.13			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004622086			
Layer:		3			
Plug From:		2.13			
Plug To:		5.49			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					

<i>DB</i>	<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>
-----------	----------------	--------------------------	------------------------------------	----------------------	-------------

Pipe Information

Pipe ID: 1004622072
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004622079
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 2.44
Casing Diameter: 3.45
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004622080
Layer: 1
Slot: 10
Screen Top Depth: 2.44
Screen End Depth: 5.49
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.21

Hole Diameter

Hole ID: 1004622076
Diameter: 8.25
Depth From: 0
Depth To: 1.83
Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004622077
Diameter: 5.71
Depth From: 1.83
Depth To: 5.49
Hole Depth UOM: m
Hole Diameter UOM: cm

Unplottable Summary

Total: **119** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Ottawa Central Railway Inc.	Railway	Ottawa ON	
CA	Ottawa Central Railway Inc.	Railway	Ottawa ON	
CA	City of Ottawa	Carling Avenue (Road allowance)	Ottawa ON	
CA	Suncor Energy Products Inc.		Ottawa ON	
CA	City of Ottawa	Maple Lane, Lisgar Road, Belvedere Crescent, et al	Ottawa ON	
CA	City of Ottawa	Preston Street (Albert Street to Carling Avenue)	Ottawa ON	
CA	1702564 Ontario Inc.		Ottawa ON	
CA	City of Ottawa	Preston Street	Ottawa ON	
CA	R.W. Tomlinson Limited	Mobile Facility	Ottawa ON	
CA	1702564 Ontario Inc.		Ottawa ON	
CA	Triangle Pump Service Limited	Mobile Unit	Ottawa ON	
CA	Drain-All Ltd.	Mobile System	Ottawa ON	
CA	OTTAWA CITY	BAYSWATER AVE.	OTTAWA CITY ON	
CA		Breezehill Ave N, George St, Louisa St	Ottawa ON	
CA	Ward 14 - Somerset	Adeline Street (CP Railway to Rochester Street)	Ottawa ON	
CA		Breezehill Ave N, George St, Louisa St	Ottawa ON	
CA	Ward 14 - Somerset	Adeline Street (CP Railway to Rochester Street)	Ottawa ON	
CA		Sherbrooke Avenue and Fairmont Avenue	Ottawa ON	

CA		Sherbrooke Avenue and Fairmont Avenue	Ottawa ON
CA	CITY	BREEZEHILL AVE.	OTTAWA CITY ON
CA	L.SIPOLINS	SOUTH OF CARLING AVE.	OTTAWA CITY ON
CA	R.M. OF OTTAWA-CARLETON	QUEEN ELIZABETH DR./PRETORIA	OTTAWA CITY ON
CA	OTTAWA CITY, DESIGN & CONSTRUCTION DIV.	QUEEN ELIZABETH DRIVE (CSO)	OTTAWA CITY ON
CA	ARNON CORPORATION	WOODLINE CAMPUS, CONC. 2 (SWM)	NEPEAN CITY ON
CA	ARNON CORPORATION	WOODLINE CAMPUS, CONC. 2 (SWM)	NEPEAN CITY ON
CA	NORTHERN TELECOM LTD., CARLING CAMPUS	CARLING AVENUE (SWM)	NEPEAN ON
CA	R.M. OF OTTAWA-CARLETON	PRINCE OF WALES DR.	OTTAWA CITY ON
CA	OTTAWA CITY	BAYSWATER AVE.	OTTAWA CITY ON
CA	R.M. OF OTTAWA-CARLETON	PRINCE OF WALES DR.	OTTAWA CITY ON
CA	OTTAWA CITY	PRINCE OF WALES DR.	OTTAWA CITY ON
CA	OTTAWA CITY	QUEEN ELIZABETH DRIVEWAY	OTTAWA CITY ON
CA	City of Ottawa	Carling Ave	Ottawa ON
CA	WESMAR HOMES LTD.	CARLING AVE.	NEPEAN CITY ON
CONV	DRAIN-ALL LTD.		ON
CONV	DRAIN-ALL DRAIN & SEWER CLEANING SERVICE LTD.		NEPEAN ON
CONV	IMPERIAL OIL LIMITED		NORTH YORK ON
CONV	IMPERIAL OIL LIMITED		DON MILLS ON
CONV	R.W. TOMLINSON LIMITED		ON
EBR	Tomlinson Environmental Services Ltd.	Mobile Facility Ottawa CITY OF OTTAWA	ON
EBR	Triangle Pump Service Limited	Mobile Unit Ottawa CITY OF OTTAWA	ON
EBR	R.W. Tomlinson Limited	Mobile Facility Ottawa CITY OF OTTAWA	ON

EBR	Tomlinson Environmental Services Ltd.	Ottawa K1G 3N4 Lot:26 Concession:5 CITY OF OTTAWA	ON	
EBR	Tomlinson Environmental Services Ltd.	Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA	ON	
EBR	Drain-All, Drain and Sewer Cleaning Serv	Concession 6 (Rideau Front), part of Lot 3, City of Gloucester on land zoned as heavy industrial-transfer site. CITY OF OTTAWA	ON	
ECA	City of Ottawa	Breezehill Ave N, George St, Louisa St	Ottawa ON	K1V 6A6
ECA	Triangle Pump Service Limited	Mobile Unit	Ottawa ON	K1T 3V6
ECA	1702564 Ontario Inc.		Ottawa ON	K2A 0E7
ECA	1702564 Ontario Inc.		Ottawa ON	K2A 0E7
ECA	City of Ottawa	Sherbrooke Avenue and Fairmont Avenue	Ottawa ON	K1N 5A1
ECA	1702564 Ontario Inc.		Ottawa ON	K2A 0E7
ECA	Drain-All Ltd.	Mobile System	Ottawa ON	K1G 3N2
ECA	R.W. Tomlinson Limited	Mobile Facility	Ottawa ON	K1G 3N4
ECA	City of Ottawa	Sherbrooke Avenue and Fairmont Avenue	Ottawa ON	K1N 5A1
ECA	City of Ottawa	Breezehill Ave N, George St, Louisa St	Ottawa ON	K1V 6A6
ECA	Tomlinson Environmental Services Ltd.	Mobile Facility	Ottawa ON	K1G 3N4
EHS		0 Loretta Avenue	n/a ON	
EHS		0 Breezehill Avenue	n/a ON	
EHS		Carling Ave N Of, Grandview Rd	Ottawa ON	
EHS		Carling Ave N of Grandview Dr W	Ottawa ON	
GEN	City of Ottawa	Hickory Street, City Right of Way	Ottawa ON	
GEN	R.W Tomlinson Heavy Civil	Alta Vista Hospital Link Jobsite	Ottawa ON	K1G 3N4
GEN	R.W Tomlinson	Alta Vista Hospital Link Jobsite	Ottawa ON	K1G 3N4
GEN	Tomlinson Environmental Services	All Catch Basins in the City of Ottawa Serviced by TES-Industrial Waste Division	Ottawa ON	K1N 1J1

GEN	R.W Tomlinson	Alta Vista Hospital Link Jobsite	Ottawa ON	K1G 3N4
GEN	RW Tomlinson	St. Laurent Blvd Guideway	Ottawa ON	K1G 3N4
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG.	(SEE SCHEDULE "B") ON	
GEN	RW Tomlinson	St. Laurent Blvd Guideway	Ottawa ON	K1G 3N4
GEN	Dalcon	Central Experimental Farm, Prince of Whales Drive	Ottawa ON	K1M 0M3
GEN	OTTAWA-CARLTON, REGIONAL MUN OF 29-004	REGIONAL ROAD #28 (NAVAN ROAD) C/O 175 LORETTA AVENUE NORTH	OTTAWA ON	K1Y 2Z7
GEN	OTTAWA-CARLTON, REGIONAL MUN OF	REGIONAL ROAD #28 (NAVAN ROAD) C/O 175 LORETTA AVENUE NORTH	OTTAWA ON	K1Y 2Z7
GEN	PUBLIC WORKS CANADA	CHP, Central Experimental Farm, Prince Of Wales Dr	Ottawa ON	K1A 0M3
GEN	GVT. OF CANADA - PUBLIC WORKS 18-277	BLDG.78, CHP, CENTRAL EXPER. FARM, S.W. CORNER CARLING AVE&PRINCE OF WALES DR	OTTAWA ON	K1A 0C6
GEN	GVT OF CAN-HEALTH&WELFARE CAN.MED. 16-303	SER.BR,UNIT#25,RM B-16, CARLING AVE. K.W. NEATBY BLDG., C/O 301 ELGIN ST.	OTTAWA ON	K1A 0L3
LIMO		Lot 37 Concession 1 ON OTTAWA RIVER NEPEAN Ottawa	ON	
NPCB	AGRICUL TURE CANADA	K. W. NEETBY BLDG. ROOM 2111 CENTRAL EXPERIMENTAL FARM	OTTAWA ON	
NPCB	AGRICULTURE CANADA	CENTRAL EXPERIMENTAL FARM; K. W. NEETBY BLDG. ROOM CENTRAL EXPERIMENTAL FARM; K W NEETBY BUILDING	OTTAWA ON	
NPCB	AGRICULTURE CANADA	CENTRAL EXPERIMENTAL FARM; K W NEETBY BUILDING/ROO	OTTAWA ON	
NPCB	AGRICUL TURE CANADA	K W NEETBY BUILDING/ROOM 2111 CENTRAL EXPERIMENTAL FARM	OTTAWA ON	
NPCB	AGRICUL TURE CANADA	MADAWASKA & COW LANE CENTRAL EXPERIMENTAL FARM	OTTAWA ON	K1A 0C6
NPRI	R.W. TOMLINSON LIMITED		Ottawa ON	
PTTW	R.W. Tomlinson Limited		ON	
SPL		Carling Ave, EB and Melrose (centre of intersection)	Ottawa ON	
SPL	Esso Petroleum Canada, A Division of Imperial Oil Limited	Nepean	Ottawa ON	

SPL		Carling Ave W @ Britannia	Ottawa ON
SPL	Ultramar Ltd.	Prince of Wales Drive, near Dow's Lake traffic circle NEAR DOW'S LAKE TRAFFIC CIRCLE<UNOFFICIAL>	Ottawa ON
SPL		Carling Ave near Woodroffe CARLING AVE<UNOFFICIAL>	Ottawa ON
SPL		Graham Creek outfall near Carling Av. <UNOFFICIAL>	Ottawa ON
SPL	City of Ottawa	CARLING AVE., IN FRONT OF WESTGATE SHOPPING CENTRE<UNOFFICIAL>	Ottawa ON
SPL	Industry Canada - Communications Research Centre	Carling Avenue (Between Moody and March Road)	Ottawa ON
SPL	Veolia ES Canada Industrial Services Inc.	East shoulder of Prince of Wales Drive	Ottawa ON
SPL	Tomlinson Environmental Services Ltd.		Ottawa ON
SPL	Bell Canada		Ottawa ON
SPL	Her Majesty the Queen as represented by the Minister of Transportation;	At median of Bearbrook Bridge	Ottawa ON
SPL	R.W. Tomlinson Limited		Ottawa ON
SPL	Triangle Pump Service Limited		Ottawa ON
SPL	Her Majesty the Queen in Right of Canada as represented by the Minister of	Transport	Ottawa ON
SPL	Transport Bourassa Inc<UNOFFICIAL>, Business/Facility Name: Mailing Address:	800 Rue de Dijon, Quebec, , , Ontario, Canada Physical Address: Lot: , Part: , , , Ontario, Canada Telephone: , FAX: Client Type: , NAICS: <UNOFFICIAL>	Ottawa ON
SPL	O.C. TRANSPO	ON CARLING AVE. IN BETWEEN PARKDALE & HOLLAND ST. OTTAWA SITE 1500 ST. LAURENT BOULEVARD	OTTAWA CITY ON
SPL	TRANSPORT TRUCK	RIDEAU CANAL NEAR EXPERIMENTAL FARM MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON
SPL	IMPERIAL OIL	TANK TRUCK (CARGO)	NEPEAN CITY ON
SPL	TOP VALU	PRESTON STREET, SOUTH OF GLADSTONE SERVICE STATION	OTTAWA-CARLETON R. M. ON
SPL	ESSO PETROLEUM CANADA	ESSO DISTRIBUTION STATION BULK STATION	OTTAWA CITY ON
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	OTTAWA CITY ON

SPL	ESSO PETROLEUM CANADA	TRANSPORT TRUCK (CARGO)	OTTAWA CITY ON	
SPL	ESSO PETROLEUM CANADA	SERVICE STATION	NEPEAN CITY ON	
SPL	OC TRANSPOR	CARLING AVE. BETWEEN COLE AVE. & MAITLAND AVE. MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON	
SPL	NATIONAL DEFENCE	SHERLY'S BAY (PROPERTY) OFF CARLING AVE. FUEL STORAGE TANK	OTTAWA CITY ON	
SPL	OTTAWA TRANSIT	CARLING AVENUE BUS	OTTAWA ON	
SPL	ESSO PETROLEUM CANADA	BULK STATION	OTTAWA CITY ON	
SPL	HOTEL/MOTEL	CARLING AVENUE (N.O.S.)	OTTAWA CITY ON	
SRDS	R.W. TOMLINSON LTD.		ON	
WDS	Tomlinson Environmental Services Ltd.	Carp	Ottawa ON	K0A 1L0
WWIS		lot 37	ON	
WWIS		con 1	ON	
WWIS		con 1	ON	
WWIS		lot 38 con 1	OTTAWA ON	
WWIS		con 1	ON	
WWIS		lot 40	ON	
WWIS		con 1	ON	

Database: CA **Site:** Suncor Energy Products Inc.
Ottawa ON

Certificate #: 2751-78XLN5
Application Year: 2007
Issue Date: 11/19/2007
Approval Type: Industrial Sewage Works
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** City of Ottawa
Maple Lane, Lisgar Road, Belvedere Crescent, et al Ottawa ON

Certificate #: 2720-6BNRTE
Application Year: 2005
Issue Date: 4/22/2005
Approval Type: Municipal and Private Sewage Works
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** City of Ottawa
Preston Street (Albert Street to Carling Avenue) Ottawa ON

Certificate #: 0959-7EGRT6
Application Year: 2008
Issue Date: 5/15/2008
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** 1702564 Ontario Inc.
Ottawa ON

Certificate #: 0769-769Q6R
Application Year: 2007
Issue Date: 8/21/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:

Project Description: Replacement of existing 150 mm CI watermain on Breezehill Avenue North, George Street, and Louisa Street with 150 mm PVC DR18 watermain, with the terminal portion being 50 mm type K copper

Contaminants:

Emission Control:

Database: CA **Site:** *Ward 14 - Somerset
Adeline Street (CP Railway to Rochester Street) Ottawa ON*

Certificate #: 4648-5ATKNZ
Application Year: 02
Issue Date: 6/7/02
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: City of Ottawa
Client Address: 1495 Heron Road, Building M
Client City: Ottawa
Client Postal Code: K1V 6A6
Project Description: Approval is sought for the construction of watermain on Adeline Street.
Contaminants:
Emission Control:

Database: CA **Site:** *Breezehill Ave N, George St, Louisa St Ottawa ON*

Certificate #: 2984-5AVRLF
Application Year: 02
Issue Date: 6/7/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: City of Ottawa
Client Address: 1495 Heron Road
Client City: Ottawa
Client Postal Code: K1V 6A6
Project Description: Replacement of existing combined sewers on George Street and Louisa Street with new PVC SDR35 combined sewers, and the separation of the combined sewer on Breezehill Avenue North into separate storm and sanitary sewers
Contaminants:
Emission Control:

Database: CA **Site:** *Ward 14 - Somerset
Adeline Street (CP Railway to Rochester Street) Ottawa ON*

Certificate #: 7553-5ATL6P
Application Year: 02
Issue Date: 6/7/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: City of Ottawa
Client Address: 1495 Heron Road, Building M
Client City: Ottawa
Client Postal Code: K1V 6A6
Project Description: Approval is sought for the construction of combined sewers on Adeline Street.
Contaminants:
Emission Control:

Database: CA **Site:**

Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** R.M. OF OTTAWA-CARLETON
QUEEN ELIZABETH DR./PRETORIA OTTAWA CITY ON

Certificate #: 7-0179-99-
Application Year: 99
Issue Date: 4/9/1999
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** OTTAWA CITY, DESIGN & CONSTRUCTION DIV.
QUEEN ELIZABETH DRIVE (CSO) OTTAWA CITY ON

Certificate #: 3-0299-99-
Application Year: 99
Issue Date: 4/23/1999
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** ARNON CORPORATION
WOODLINE CAMPUS, CONC. 2 (SWM) NEPEAN CITY ON

Certificate #: 3-0805-97-
Application Year: 97
Issue Date: 8/19/1997
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** ARNON CORPORATION
WOODLINE CAMPUS, CONC. 2 (SWM) NEPEAN CITY ON

Certificate #: 3-0805-97-
Application Year: 97
Issue Date: 8/7/1997
Approval Type: Municipal sewage
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** NORTHERN TELECOM LTD., CARLING CAMPUS
CARLING AVENUE (SWM) NEPEAN ON

Certificate #: 3-1624-98-
Application Year: 98
Issue Date: 11/17/1998
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** R.M. OF OTTAWA-CARLETON
PRINCE OF WALES DR. OTTAWA CITY ON

Certificate #: 7-1932-87-
Application Year: 87
Issue Date: 1/14/1988
Approval Type: Municipal water
Status: Approved in 1988
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** OTTAWA CITY
BAYSWATER AVE. OTTAWA CITY ON

Certificate #: 7-0907-89-
Application Year: 89
Issue Date: 6/15/1989
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:

Application Year: 2011
Issue Date: 5/20/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CA **Site:** WESMAR HOMES LTD.
CARLING AVE. NEPEAN CITY ON

Certificate #: 3-1205-88-
Application Year: 88
Issue Date: 7/18/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Database: CONV **Site:** DRAIN-ALL LTD.
ON

File No: **Location:**
Crown Brief No: 98-0000-9004 **Region:** EASTERN REGION
Court Location: **Ministry District:**
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: THIS IS THE EASTERN BRIEF FOR ALL P.O.A. TICKETS
Background:
URL:

Additional Details

Publication Date:
Count: 1
Act: EPA
Regulation:
Section: 186(3)
Act/Regulation/Section: EPA- -186(3)
Date of Offence:
Date of Conviction:
Date Charged: 4/14/99
Charge Disposition: SUSPENDED SENTENCE
Fine: \$305.00
Synopsis:

Database: CONV

Site: DRAIN-ALL DRAIN & SEWER CLEANING SERVICE LTD.
NEPEAN ON

File No:
Crown Brief No:
Court Location:
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: FAILED TO COMPLY WITH CONDITIONS OF A C. OF A.
Background:
URL:

Location:
Region: EASTERN REGION
Ministry District:

Additional Details

Publication Date:
Count: 1
Act: EPA
Regulation:
Section: 186(3)
Act/Regulation/Section: EPA- -186(3)
Date of Offence:
Date of Conviction:
Date Charged: 7/27/93
Charge Disposition:
Fine: \$4,000
Synopsis:

Additional Details

Publication Date:
Count: 1
Act: EPA
Regulation:
Section: 186
Act/Regulation/Section: EPA- -186
Date of Offence:
Date of Conviction:
Date Charged: 7/27/93
Charge Disposition:
Fine: \$4,000
Synopsis:

Database: CONV

Site: IMPERIAL OIL LIMITED
NORTH YORK ON

File No:
Crown Brief No:
Court Location:
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:

Location:
Region: EASTERN REGION
Ministry District:

Penalty Imposed:
Description: FAILED TO INSPECT OIL/WATER SEPARATOR WEEKLY & MAINTAIN LOG BOOK AT SITE
Background:
URL:

Additional Details

Publication Date:
Count: 1
Act: OWRA
Regulation:
Section: 66(3)
Act/Regulation/Section: OWRA- -66(3)
Date of Offence:
Date of Conviction:
Date Charged: 6/4/93
Charge Disposition:
Fine: \$4,000
Synopsis:

Additional Details

Publication Date:
Count: 1
Act: OWRA
Regulation:
Section: 66(3)
Act/Regulation/Section: OWRA- -66(3)
Date of Offence:
Date of Conviction:
Date Charged: 6/4/93
Charge Disposition:
Fine: \$1,000
Synopsis:

Database: CONV

Site: IMPERIAL OIL LIMITED
DON MILLS ON

File No:
Crown Brief No:
Court Location:
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: FAILED TO COMPLY WITH CONDITIONS OF C. OF A.
Background:
URL:

Location:
Region: EASTERN REGION
Ministry District:

Additional Details

Publication Date:
Count: 1
Act: OWRA
Regulation:
Section: 66(3)
Act/Regulation/Section: OWRA- -66(3)
Date of Offence:
Date of Conviction:
Date Charged: 6/4/93

Charge Disposition:
Fine: \$6,000
Synopsis:

Database: CONV **Site:** R.W. TOMLINSON LIMITED
ON

File No:
Crown Brief No: 01-0198-0415 **Location:**
Region: EASTERN REGION
Court Location: **Ministry District:** OTTAWA
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: FAIL TO COMPLY SAFETY TRAINING, FAIL TO SUBMIT REPORTS TO DIRECTOR, COMMIT OFFENCE OF TRANSFERRING WASTE OIL WITHOUT GEN. REG. DOCUMENT
Background:
URL:

Additional Details

Publication Date:
Count: 1
Act: EPA
Regulation: 347
Section: 18 (1)
Act/Regulation/Section: EPA 347 18 (1)
Date of Offence:
Date of Conviction:
Date Charged: 2/25/2003
Charge Disposition: FINED
Fine: \$3500
Synopsis:

Database: EBR **Site:** Tomlinson Environmental Services Ltd.
Mobile Facility Ottawa CITY OF OTTAWA ON

EBR Registry No: 011-5279 **Decision Posted:**
Ministry Ref No: 7519-8P2K34 **Exception Posted:**
Notice Type: Instrument Decision **Section:**
Notice Stage: 803923223 **Act 1:**
Notice Date: February 11, 2016 **Act 2:**
Proposal Date: December 05, 2011 **Site Location Map:**
Year: 2011
Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5597 Power Road, Ottawa Ontario, Canada K1G 3N4
Comment Period:
URL:

Site Location Details:

Mobile Facility Ottawa CITY OF OTTAWA

Database: **EBR** **Site:** **Triangle Pump Service Limited**
Mobile Unit Ottawa CITY OF OTTAWA ON

EBR Registry No: 010-3624 **Decision Posted:**
Ministry Ref No: 0746-7EFKGT **Exception Posted:**
Notice Type: Instrument Decision **Section:**
Notice Stage: **Act 1:**
Notice Date: October 20, 2008 **Act 2:**
Proposal Date: May 21, 2008 **Site Location Map:**
Year: 2008
Instrument Type: (OWRA s. 53(1)) - Approval for sewage works
Off Instrument Name:
Posted By:
Company Name: Triangle Pump Service Limited
Site Address:
Location Other:
Proponent Name:
Proponent Address: 2565 Delzotto Avenue, Gloucester Ontario, Canada K1T 3V6
Comment Period:
URL:

Site Location Details:

Mobile Unit Ottawa CITY OF OTTAWA

Database: **EBR** **Site:** **R.W. Tomlinson Limited**
Mobile Facility Ottawa CITY OF OTTAWA ON

EBR Registry No: 010-4078 **Decision Posted:**
Ministry Ref No: 2891-7FVQ5M **Exception Posted:**
Notice Type: Instrument Decision **Section:**
Notice Stage: **Act 1:**
Notice Date: November 06, 2009 **Act 2:**
Proposal Date: July 03, 2008 **Site Location Map:**
Year: 2008
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: R.W. Tomlinson Limited
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5597 Power Road, Ottawa Ontario, Canada K1G 3N4
Comment Period:
URL:

Site Location Details:

Mobile Facility Ottawa CITY OF OTTAWA

Database: **EBR** **Site:** **Tomlinson Environmental Services Ltd.**
Ottawa K1G 3N4 Lot:26 Concession:5 CITY OF OTTAWA ON

EBR Registry No: 012-3229 **Decision Posted:**
Ministry Ref No: 9982-9PQKWA **Exception Posted:**
Notice Type: Instrument Decision **Section:**
Notice Stage: 822149982 **Act 1:**
Notice Date: December 13, 2016 **Act 2:**
Proposal Date: December 12, 2014 **Site Location Map:**
Year: 2014

Instrument Type: (EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5555 Power Road, Ottawa Ontario, Canada K1G 3N4
Comment Period:
URL:

Site Location Details:

Ottawa K1G 3N4 Lot:26 Concession:5 CITY OF OTTAWA

Database: **EBR** **Site:** **Tomlinson Environmental Services Ltd.**
Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA ON

EBR Registry No: 012-5951 **Decision Posted:**
Ministry Ref No: 5776-A4DKE9 **Exception Posted:**
Notice Type: Instrument Decision **Section:**
Notice Stage: 828900730 **Act 1:**
Notice Date: March 07, 2018 **Act 2:**
Proposal Date: December 03, 2015 **Site Location Map:**
Year: 2015
Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 970 Moodie Drive, Ottawa Ontario, Canada K2R 1H3
Comment Period:
URL:

Site Location Details:

Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA

Database: **EBR** **Site:** **Drain-All, Drain and Sewer Cleaning Serv**
Concession 6 (Rideau Front), part of Lot 3, City of Gloucester on land zoned as heavy industrial-transfer site. CITY OF OTTAWA ON

EBR Registry No: IA5E0275 **Decision Posted:**
Ministry Ref No: 25964 **Exception Posted:**
Notice Type: Instrument Decision **Section:**
Notice Stage: 800470427 **Act 1:**
Notice Date: April 07, 1998 **Act 2:**
Proposal Date: February 15, 1995 **Site Location Map:**
Year: 1995
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Off Instrument Name:
Posted By:
Company Name: Drain-All, Drain and Sewer Cleaning Serv
Site Address:
Location Other:
Proponent Name:
Proponent Address: P.O. Box 5337, Station ""F"", Ottawa Ontario, N/A
Comment Period:
URL:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0550-745RV3-14.pdf>

Database: **ECA** **Site:** **City of Ottawa**
Sherbrooke Avenue and Fairmont Avenue Ottawa ON K1N 5A1

Approval No: 2187-4Y4KLM **MOE District:**
Approval Date: 2001-07-06 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-Municipal and Private Water Works
Project Type: Municipal and Private Water Works
Address: Sherbrooke Avenue and Fairmont Avenue
Full Address:
Full PDF Link:

Database: **ECA** **Site:** **1702564 Ontario Inc.**
Ottawa ON K2A 0E7

Approval No: 0769-769Q6R **MOE District:**
Approval Date: 2007-08-21 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8514-73BPN6-14.pdf>

Database: **ECA** **Site:** **Drain-All Ltd.**
Mobile System Ottawa ON K1G 3N2

Approval No: A860302 **MOE District:** Ottawa
Approval Date: 2006-08-04 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: Rideau Valley **Geometry Y:**
Approval Type: ECA-WASTE MANAGEMENT SYSTEMS
Project Type: WASTE MANAGEMENT SYSTEMS
Address: Mobile System
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8652-6HXRNS-14.pdf>

Database: **ECA** **Site:** **R.W. Tomlinson Limited**
Mobile Facility Ottawa ON K1G 3N4

Approval No: 4667-7VVM63 **MOE District:**
Approval Date: 2009-10-30 **City:**
Status: Revoked and/or Replaced **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**

SWP Area Name: **Geometry Y:**
Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/2891-7FVQ5M-14.pdf>

Database: **ECA** **Site:** **City of Ottawa**
Sherbrooke Avenue and Fairmont Avenue Ottawa ON K1N 5A1

Approval No: 4277-4Y4KHB **MOE District:**
Approval Date: 2001-07-06 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Sherbrooke Avenue and Fairmont Avenue
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/2379-4XXJU6-14.pdf>

Database: **ECA** **Site:** **City of Ottawa**
Breezehill Ave N, George St, Louisa St Ottawa ON K1V 6A6

Approval No: 1592-5AVRXD **MOE District:**
Approval Date: 2002-06-07 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-Municipal and Private Water Works
Project Type: Municipal and Private Water Works
Address: Breezehill Ave N, George St, Louisa St
Full Address:
Full PDF Link:

Database: **ECA** **Site:** **Tomlinson Environmental Services Ltd.**
Mobile Facility Ottawa ON K1G 3N4

Approval No: 1685-A6EJ97 **MOE District:**
Approval Date: 2016-02-03 **City:**
Status: Approved **Longitude:**
Record Type: ECA **Latitude:**
Link Source: IDS **Geometry X:**
SWP Area Name: **Geometry Y:**
Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7519-8P2K34-14.pdf>

Database: **EHS** **Site:** **0 Loretta Avenue n/a ON**

Order No: 20080226021w **Nearest Intersection:**
Status: C **Municipality:**
Report Type: Online Mapless **Client Prov/State:** ON
Report Date: 2/26/2008 **Search Radius (km):** 0.25

Date Received: 2/26/2008 X: 0
Previous Site Name: Y: 0
Lot/Building Size:
Additional Info Ordered:

Database: **EHS** Site: **0 Breezehill Avenue n/a ON**

Order No: 20080226017w Nearest Intersection:
Status: C Municipality:
Report Type: Online Mapless Client Prov/State: ON
Report Date: 2/26/2008 Search Radius (km): 0.25
Date Received: 2/26/2008 X: 0
Previous Site Name: Y: 0
Lot/Building Size:
Additional Info Ordered:

Database: **EHS** Site: **Carling Ave N Of, Grandview Rd Ottawa ON**

Order No: 20051020002 Nearest Intersection:
Status: C Municipality:
Report Type: Site Report Client Prov/State: QC
Report Date: 10/18/2005 Search Radius (km): 0.25
Date Received: 10/17/2005 X:
Previous Site Name: Y:
Lot/Building Size:
Additional Info Ordered:

Database: **EHS** Site: **Carling Ave N of Grandview Dr W Ottawa ON**

Order No: 20051017043 Nearest Intersection:
Status: C Municipality:
Report Type: Site Report Client Prov/State: QC
Report Date: 10/18/2005 Search Radius (km): 0.25
Date Received: 10/17/2005 X:
Previous Site Name: Y:
Lot/Building Size:
Additional Info Ordered:

Database: **GEN** Site: **City of Ottawa
Hickory Street, City Right of Way Ottawa ON**

Generator No: ON7789450 PO Box No:
Status: Country:
Approval Years: 2013 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:
SIC Code: 913910
SIC Description:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Database: GEN **Site:** R.W Tomlinson Heavy Civil
Alta Vista Hospital Link Jobsite Ottawa ON K1G 3N4

Generator No: ON8156580 **PO Box No:**
Status: Registered **Country:** Canada
Approval Years: As of Dec 2017 **Choice of Contact:**
Contam. Facility: **Co Admin:**
MHSW Facility: **Phone No Admin:**
SIC Code:
SIC Description:

Detail(s)

Waste Class: 146 L
Waste Class Desc: Other specified inorganic sludges, slurries or solids

Database: GEN **Site:** R.W Tomlinson
Alta Vista Hospital Link Jobsite Ottawa ON K1G 3N4

Generator No: ON8156580 **PO Box No:**
Status: **Country:** Canada
Approval Years: 2015 **Choice of Contact:** CO_ADMIN
Contam. Facility: No **Co Admin:** nick gianetto
MHSW Facility: No **Phone No Admin:** 6139132412 Ext.
SIC Code: 237310
SIC Description: HIGHWAY, STREET AND BRIDGE CONSTRUCTION

Detail(s)

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Database: GEN **Site:** Tomlinson Environmental Services
All Catch Basins in the City of Ottawa Serviced by TES-Industrial Waste Division
Ottawa ON K1N 1J1

Generator No: ON6691940 **PO Box No:**
Status: **Country:** Canada
Approval Years: 2015 **Choice of Contact:** CO_OFFICIAL
Contam. Facility: No **Co Admin:**
MHSW Facility: No **Phone No Admin:**
SIC Code: 562110, 562990
SIC Description: WASTE COLLECTION, ALL OTHER WASTE MANAGEMENT SERVICES

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Database: GEN **Site:** R.W Tomlinson
Alta Vista Hospital Link Jobsite Ottawa ON K1G 3N4

Generator No: ON8156580 **PO Box No:**
Status: **Country:** Canada
Approval Years: 2016 **Choice of Contact:** CO_ADMIN
Contam. Facility: No **Co Admin:** nick gianetto
MHSW Facility: No **Phone No Admin:** 6139132412 Ext.
SIC Code: 237310
SIC Description: HIGHWAY, STREET AND BRIDGE CONSTRUCTION

Detail(s)

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Database: GEN

Site: RW Tomlinson
St. Laurent Blvd Guideway Ottawa ON K1G 3N4

Generator No: ON6732602
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 237310, 237990
SIC Description: HIGHWAY, STREET AND BRIDGE CONSTRUCTION, OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Database: GEN

Site: Bell Canada
VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG. (SEE SCHEDULE "B") ON

Generator No: ONR000304
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 517110, 517210, 517510
SIC Description: WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE)

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 150
Waste Class Desc: INERT INORGANIC WASTES

Waste Class: 253
Waste Class Desc: EMULSIFIED OILS

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Database: GEN

Site: RW Tomlinson
St. Laurent Blvd Guideway Ottawa ON K1G 3N4

Generator No: ON6732602
Status: Registered
Approval Years: As of Dec 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country: Canada
Choice of Contact:
Co Admin:
Phone No Admin:

Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 222
Waste Class Desc: HEAVY FUELS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Database: **GEN**

Site: **GVT. OF CANADA - PUBLIC WORKS 18-277
BLDG.78, CHP, CENTRAL EXPR. FARM, S.W. CORNER CARLING AVE&PRINCE OF
WALES DR OTTAWA ON K1A 0C6**

Generator No: ON0144725
Status:
Approval Years: 92,93,94,95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 8159
SIC Description: OTHER GEN. ADMIN.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 222
Waste Class Desc: HEAVY FUELS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Database: **GEN** Site: **GVT OF CAN-HEALTH&WELFARE CAN.MED.16-303
SER.BR,UNIT#25,RM B-16, CARLING AVE. K.W. NEATBY BLDG., C/O 301 ELGIN ST.
OTTAWA ON K1A 0L3**

Generator No: ON0095617 PO Box No:
Status: Country:
Approval Years: 92,93,94,95,96,97 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:
SIC Code: 8635
SIC Description: PUB. HEALTH CLINICS

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Database: **LIMO** Site: **Lot 37 Concession 1 ON OTTAWA RIVER NEPEAN Ottawa ON**

ECA/Instrument No: X1111 Natural Attenuation:
Oper Status 2016: Historic Liners:
C of A Issue Date: Cover Material:
C of A Issued to: Leachate Off-Site:
Lndfl Gas Mgmt (P): Leachate On Site:
Lndfl Gas Mgmt (F): Req Coll Lndfl Gas:
Lndfl Gas Mgmt (E): Lndfl Gas Coll:
Lndfl Gas Mgmt Sys: Total Waste Rec:
Landfill Gas Mntr: TWR Methodology:
Leachate Coll Sys: TWR Unit:
ERC Est Vol (m3): Tot Aprv Cap Unit:
ERC Volume Unit: Financial Assurance:
ERC Dt Last Det: Last Report Year:
Landfill Type: MOE Region:
Source File Type: Historic and Closed Landfills MOE District:
Fill Rate: Site County:
Fill Rate Unit: Lot:
Tot Fill Area (ha): Concession:
Tot Site Area (ha): Latitude:
Footprint: Longitude:
Tot Aprv Cap (m3): Easting:
Contam Atten Zone: Northing:
Grndwtr Mntr: UTM Zone:
Surf Wtr Mntr: Data Source:
Air Emis Monitor:
Approved Waste Type:
Client Site Name:
ERC Methodology:
Site Name:
Site Location Details: Lot 37 Concession 1 ON OTTAWA RIVER NEPEAN

Service Area: Ottawa
Page URL:

Database: **NPCB** Site: **AGRICUL TURE CANADA
K. W. NEETBY BLDG. ROOM 2111 CENTRAL EXPERIMENTAL FARM OTTAWA ON**

Company Code: O3215
Industry: AGRICULTURE CANADA

Site Status: DELETED FEDERAL SITES
Transaction Date: 4/15/1998
Inspection Date: 1/12/1987

Database: **NPCB** Site: **AGRICULTURE CANADA**
CENTRAL EXPERIMENTAL FARM; K. W. NEETBY BLDG. ROOM CENTRAL
EXPERIMENTAL FARM; K W NEETBY BUILDING OTTAWA ON

Company Code: O3215
Industry: Agriculture Canada
Site Status:
Transaction Date: 5/13/1994
Inspection Date: 1/12/1987

--Details--

Label:
Serial No.:
PCB Type/Code: Unknown concentration
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 300.00 L

Label:
Serial No.:
PCB Type/Code: Unknown concentration
Location:
Item/State:
No. of Items:
Manufacturer:
Status: Stored for Disposal
Contents: 400.00 L

Database: **NPCB** Site: **AGRICULTURE CANADA**
CENTRAL EXPERIMENTAL FARM; K W NEETBY BUILDING/ROO OTTAWA ON

Company Code: O3002A
Industry: Agriculture Canada
Site Status:
Transaction Date: 7/9/1993
Inspection Date: 11/24/1987

Database: **NPCB** Site: **AGRICULTURE CANADA**
K W NEETBY BUILDING/ROOM 2111 CENTRAL EXPERIMENTAL FARM OTTAWA ON

Company Code: O3002A
Industry: AGRICULTURE CANADA
Site Status: DELETED FEDERAL SITE
Transaction Date: 12/6/1994
Inspection Date: 11/24/1987

Database: **NPCB** Site: **AGRICULTURE CANADA**
MADAWASKA & COW LANE CENTRAL EXPERIMENTAL FARM OTTAWA ON K1A 0C6

Company Code: O3002
Industry: AGRICULTURE CANADA

URL:

Site Location Details:

R.W. Tomlinson Limited Address: Lot: 20, Concession: 7, Ottawa, City District Office: Ottawa GeoReference: Map Datum: NAD83, Zone: 18, Accuracy Estimate: 10-30 metres eg. Medium Quality GPS, Method: Map, UTM Easting: 470954, UTM Northing: 5024837 CITY OF OTTAWA

Database: **SPL** **Site:** **Carling Ave, EB and Melrose (centre of intersection) Ottawa ON**

Ref No: 1662-97RRRA **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 16-MAY-13 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: Leak/Break **Sector Type:** Motor Vehicle
Incident Event: **Agency Involved:**
Contaminant Code: 15 **Nearest Watercourse:**
Contaminant Name: HYDRAULIC OIL **Site Address:** Carling Ave, EB and Melrose (centre of intersection)

Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: Confirmed **Site Municipality:** Ottawa
Nature of Impact: Surface Water Pollution **Site Lot:**
Receiving Medium: **Site Conc:**
Receiving Env: **Northing:**
MOE Response: No Field Response **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 16-MAY-13 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:** Watercourse Spills
Incident Reason: Equipment Failure **Source Type:**
Site Name: Hydraulic spill to road/CB<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC Transpo: 10 L hydraulic oil to rd/CB. Cntd/clng.
Contaminant Qty: 10 L

Database: **SPL** **Site:** **Esso Petroleum Canada, A Division of Imperial Oil Limited Nepean Ottawa ON**

Ref No: 0874-78WNRU **Discharger Report:**
Site No: **Material Group:** Oil
Incident Dt: **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: Pipe Or Hose Leak **Sector Type:** Tank Truck
Incident Event: **Agency Involved:**
Contaminant Code: 13 **Nearest Watercourse:**
Contaminant Name: DIESEL FUEL **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: Confirmed **Site Municipality:** Ottawa
Nature of Impact: soil contamiination **Site Lot:**
Receiving Medium: Land **Site Conc:**
Receiving Env: **Northing:**
MOE Response: No Field Response **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 11/13/2007 **Site Map Datum:**
Dt Document Closed: 11/16/2007 **SAC Action Class:**
Incident Reason: Equipment Failure **Source Type:**
Site Name: 1961 Merivale Rd<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:

Incident Summary: Errentom Tanklines - 8L diesel to grd
Contaminant Qty: 8 L

Database: SPL

Site:

Carling Ave W @ Britannia Ottawa ON

Ref No: 5535-794K7V
Site No:
Incident Dt:
Year:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Contaminant Code: 27
Contaminant Name: COOLANT N.O.S.
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Confirmed
Nature of Impact: Other Impact(s); Surface Water Pollution
Receiving Medium: Water
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/19/2007
Dt Document Closed: 12/13/2007
Incident Reason: Equipment Failure
Site Name: Coolant spill - OC Transpo Bus<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC Transpo - @1L coolant to CB
Contaminant Qty: 1 L

Discharger Report:
Material Group: Chemicals
Health/Env Conseq:
Client Type:
Sector Type: Other Motor Vehicle
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Database: SPL

Site:

Ultramar Ltd.
Prince of Wales Drive, near Dow's Lake traffic circle NEAR DOW'S LAKE TRAFFIC CIRCLE<UNOFFICIAL> Ottawa ON

Ref No: 8446-6RPS94
Site No:
Incident Dt: 7/14/2006
Year:
Incident Cause: Other Transport Accident
Incident Event:
Contaminant Code: 15
Contaminant Name: ENGINE OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Soil Contamination
Receiving Medium: Land
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 7/14/2006
Dt Document Closed:
Incident Reason: Unknown - Reason not determined
Site Name: PRINCE OF WALES DRIVE, NEAR DOW'S LAKE TRAFFIC CIRCLE
Site County/District:
Site Geo Ref Meth:
Incident Summary: engine oil spill from Ultramar truck, Prince of Wales Drive
Contaminant Qty: 50 L

Discharger Report:
Material Group: Oils
Health/Env Conseq:
Client Type:
Sector Type: Tank Truck
Agency Involved:
Nearest Watercourse:
Site Address: PRINCE OF WALES DRIVE, NEAR DOW'S LAKE TRAFFIC CIRCLE
Site District Office: Ottawa
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Database: **SPL** **Site:** **Carling Ave near Woodroffe CARLING AVE<UNOFFICIAL> Ottawa ON**

Ref No: 3016-6UGHU4 **Discharger Report:**
Site No: **Material Group:** Oils
Incident Dt: 10/11/2006 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: **Sector Type:** Other Motor Vehicle
Incident Event: **Agency Involved:**
Contaminant Code: 15 **Nearest Watercourse:**
Contaminant Name: HYDRAULIC OIL **Site Address:** CARLING AVE NEAR WOODROFFE
Contaminant Limit 1: **Site District Office:** Ottawa
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: Not Anticipated **Site Municipality:** Ottawa
Nature of Impact: Soil Contamination **Site Lot:**
Receiving Medium: Land **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 10/11/2006 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: **Source Type:**
Site Name: CARLING AVE NEAR WOODROFFE
Site County/District:
Site Geo Ref Meth:
Incident Summary: Carling Ave: spill 2 gallons hydraulic oil
Contaminant Qty: 9 L

Database: **SPL** **Site:** **Graham Creek outfall near Carling Av.<UNOFFICIAL> Ottawa ON**

Ref No: 7230-6EESVB **Discharger Report:** 0
Site No: **Material Group:** Oil
Incident Dt: 7/18/2005 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: Discharge Or Bypass To A Watercourse **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: OIL (PETROLEUM BASED, NOT SPECIFIED) **Site Address:**
Contaminant Limit 1: **Site District Office:** Ottawa
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: Possible **Site Municipality:** Ottawa
Nature of Impact: Surface Water Pollution **Site Lot:**
Receiving Medium: Water **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 7/18/2005 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:** Spills to Watercourses
Incident Reason: Unknown - Reason not determined **Source Type:**
Site Name: Graham Creek outfall near Carling Av.<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Ukn srce,film on Graham Ck,Works & ERP
Contaminant Qty:

Database: **SPL** **Site:** **City of Ottawa
CARLING AVE., IN FRONT OF WESTGATE SHOPPING CENTRE<UNOFFICIAL> Ottawa
ON**

Ref No: 7707-5XRK48
Site No:
Incident Dt: 4/5/2004
Year:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Contaminant Code: 27
Contaminant Name: COOLANT (N.O.S.)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Possible
Nature of Impact: Soil Contamination
Receiving Medium: Land
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/5/2004
Dt Document Closed:
Incident Reason: Equipment Failure
Site Name: CARLING AVE., IN FRONT OF WESTGATE SHOPPING CENTRE<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC Transpo,7 L antifreeze into storm sewer,works
Contaminant Qty: 7 L

Discharger Report:
Material Group: Chemical
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region: Eastern
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Spills
Source Type:

Database: **SPL** **Site:** **Industry Canada - Communications Research Centre**
Carling Avenue (Between Moody and March Road) Ottawa ON

Ref No: 6336-5TMS96
Site No:
Incident Dt: 11/25/2003
Year:
Incident Cause: Valve / Fitting Leak Or Failure
Incident Event:
Contaminant Code: 44
Contaminant Name: SEWAGE,RAW UNCHLORINATED
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Other Impact(s)
Receiving Medium: Land
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/25/2003
Dt Document Closed:
Incident Reason: Error- Operator error
Site Name: NATIONAL CAPITAL COMMISSION<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: CRC: Sewage forcemain hit, contained to land
Contaminant Qty:

Discharger Report:
Material Group: Waste
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region: Eastern
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Database: **SPL** **Site:** **Veolia ES Canada Industrial Services Inc.**
East shoulder of Prince of Wales Drive Ottawa ON

Ref No: 7471-9DGR68
Site No:
Incident Dt: 2013/11/15
Year:
Incident Cause: Leak/Break
Incident Event:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Motor Vehicle
Agency Involved:

Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL	Site Address:	East shoulder of Prince of Wales Drive
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:	Other Impact(s)	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2013/11/15	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Land Spills
Incident Reason:	Equipment Failure	Source Type:	
Site Name:	East shoulder of Prince of Wales Drive<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Veolia ES: 20 L of hydraulic oil to shoulder		
Contaminant Qty:	20 L		

Database:	SPL	Site:	Tomlinson Environmental Services Ltd. Ottawa ON
Ref No:	0701-9KKJ43	Discharger Report:	
Site No:	NA	Material Group:	
Incident Dt:	2014/05/29	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Unknown / N/A	Sector Type:	Unknown / N/A
Incident Event:		Agency Involved:	
Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	OIL (PETROLEUM BASED, NOT SPECIFIED)	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:	Other Impact(s); Soil Contamination	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	2014/05/29	Site Map Datum:	
Dt Document Closed:	2014/11/07	SAC Action Class:	Land Spills
Incident Reason:	Unknown / N/A	Source Type:	
Site Name:	5555 power Road<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Tomlinson Env: 100L oily water to lot, clnd		
Contaminant Qty:	100 L		

Database:	SPL	Site:	Bell Canada Ottawa ON
Ref No:	8881-9J2J33	Discharger Report:	
Site No:	NA	Material Group:	
Incident Dt:	2014/04/10	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Leak/Break	Sector Type:	Pipeline/Components
Incident Event:		Agency Involved:	
Contaminant Code:	38	Nearest Watercourse:	
Contaminant Name:	FREON R-22 (CFC)	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	Ottawa

Nature of Impact: Air Pollution
Receiving Medium:
Receiving Env:
MOE Response: Referral to others
Dt MOE Arvl on Scn:
MOE Reported Dt: 2014/04/10
Dt Document Closed: 2014/11/04
Incident Reason: Equipment Failure
Site Name: 3212 Richmond Rd<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Bell Canada: possible >100 kg freon to atm.
Contaminant Qty: 0 other - see incident description

Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Air Spills - Gases and Vapours
Source Type:

Database: **SPL** **Site:** **Her Majesty the Queen as represented by the Minister of Transportation;
At median of Bearbrook Bridge Ottawa ON**

Ref No: 2128-9VNQZ3
Site No: NA
Incident Dt: 4/17/2015
Year:
Incident Cause: Overflow/Surcharge
Incident Event:
Contaminant Code: 99
Contaminant Name: SILT
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact: Surface Water
Receiving Medium:
Receiving Env:
MOE Response: Y
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/17/2015
Dt Document Closed:
Incident Reason: Blockage
Site Name: Bearbrook River<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Silt to Bearbrook River
Contaminant Qty: 0 other - see incident description

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse: South Nation River
Site Address: At median of Bearbrook Bridge
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing: 5023240
Easting: 462108
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Watercourse Spills
Source Type:

Database: **SPL** **Site:** **R.W. Tomlinson Limited
Ottawa ON**

Ref No: 5848-9W4RW6
Site No: NA
Incident Dt: 5/1/2015
Year:
Incident Cause: Leak/Break
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact: Land
Receiving Medium:
Receiving Env:
MOE Response: N
Dt MOE Arvl on Scn:
MOE Reported Dt: 5/1/2015

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:

Dt Document Closed: SAC Action Class: Land Spills
Incident Reason: Operator/Human Error **Source Type:**
Site Name: Bearbrook bridge on Hwy 417 east bound<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: R.W. Tomlinson: Sediment release to Bearbrook tributary
Contaminant Qty:

Database: SPL **Site:** Triangle Pump Service Limited
Ottawa ON

Ref No: 0255-9VJS4B **Discharger Report:**
Site No: NA **Material Group:**
Incident Dt: 4/13/2015 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: Leak/Break **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: 13 **Nearest Watercourse:**
Contaminant Name: DIESEL FUEL **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: **Site Municipality:** Ottawa
Nature of Impact: Land **Site Lot:**
Receiving Medium: **Site Conc:**
Receiving Env: **Northing:**
MOE Response: N **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 4/13/2015 **Site Map Datum:**
Dt Document Closed: 5/25/2015 **SAC Action Class:** Land Spills
Incident Reason: Unknown / N/A **Source Type:**
Site Name: 114 Preston Street<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: DUPLICATE REPORT - SEE 0738-9VJPN6
Contaminant Qty: 0 other - see incident description

Database: SPL **Site:** Her Majesty the Queen in Right of Canada as represented by the Minister of
Transport Ottawa ON

Ref No: 5032-9ZXL8V **Discharger Report:**
Site No: NA **Material Group:**
Incident Dt: 8/30/2015 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: **Sector Type:** Other
Incident Event: **Agency Involved:**
Contaminant Code: 24 **Nearest Watercourse:**
Contaminant Name: PROPYLENE GLYCOL **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: **Site Municipality:** Ottawa
Nature of Impact: **Site Lot:**
Receiving Medium: **Site Conc:**
Receiving Env: **Northing:**
MOE Response: No **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 9/1/2015 **Site Map Datum:**
Dt Document Closed: 9/22/2015 **SAC Action Class:** Land Spills
Incident Reason: Maintenance **Source Type:**
Site Name: 20 Airbus Private<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: est 600L propylene glycol to underground from pipe

Contaminant Qty: 600 L

Database: **SPL** **Site:** **Transport Bourassa Inc<UNOFFICIAL>, Business/Facility Name: Mailing Address: 800 Rue de Dijon, Quebec, , , Ontario, Canada Physical Address: Lot: , Part: , , , Ontario, Canada Telephone: , FAX: Client Type: , NAICS: <UNOFFICIAL> Ottawa ON**

Ref No: 7306-A8KT8W **Discharger Report:**
Site No: NA **Material Group:**
Incident Dt: 2016/03/31 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: **Sector Type:** Unknown / N/A
Incident Event: Leak/Break **Agency Involved:**
Contaminant Code: 15 **Nearest Watercourse:**
Contaminant Name: HYDRAULIC OIL **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: **Site Municipality:** Ottawa
Nature of Impact: **Site Lot:**
Receiving Medium: **Site Conc:**
Receiving Env: Surface Water **Northing:** 5026813
MOE Response: No **Easting:** 443867
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 2016/03/31 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:** Watercourse Spills
Incident Reason: Unknown / N/A **Source Type:**
Site Name: 960 Carling Ave<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth: 10 -100 metres eg. Topographic Map
Incident Summary: 3L hydraulic oil to cb's, cleaned
Contaminant Qty: 3 L

Database: **SPL** **Site:** **O.C. TRANSPO
ON CARLING AVE. IN BETWEEN PARKDALE & HOLLAND ST. OTTAWA SITE 1500 ST.
LAURENT BOULEVARD OTTAWA CITY ON**

Ref No: 113894 **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 6/1/1995 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: OTHER CONTAINER LEAK **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: POSSIBLE **Site Municipality:** 20101
Nature of Impact: Water course or lake **Site Lot:**
Receiving Medium: LAND / WATER **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:** WORKS DEPT.
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 6/1/1995 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: EQUIPMENT FAILURE **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: O.C. TRANSPO - UNKNOWN AMOUNT OF MOTOR OIL TO RD. & SEWER FROM BUS.
Contaminant Qty:

Database: SPL **Site:** TRANSPORT TRUCK
RIDEAU CANAL NEAR EXPERIMENTAL FARM MOTOR VEHICLE (OPERATING FLUID)
OTTAWA CITY ON

Ref No: 3913 **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 5/19/1988 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: OTHER TRANSPORTATION ACCIDENT **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: **Site Municipality:** 20101
Nature of Impact: **Site Lot:**
Receiving Medium: WATER **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 5/19/1988 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: UNKNOWN **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: UNKNOWN QTY DIESEL FUEL TO RIDEAU CANAL.
Contaminant Qty:

Database: SPL **Site:** IMPERIAL OIL
TANK TRUCK (CARGO) NEPEAN CITY ON

Ref No: 35439 **Discharger Report:**
Site No: **Material Group:**
Incident Dt: 5/29/1990 **Health/Env Conseq:**
Year: **Client Type:**
Incident Cause: CONTAINER OVERFLOW **Sector Type:**
Incident Event: **Agency Involved:**
Contaminant Code: **Nearest Watercourse:**
Contaminant Name: **Site Address:**
Contaminant Limit 1: **Site District Office:**
Contam Limit Freq 1: **Site Postal Code:**
Contaminant UN No 1: **Site Region:**
Environment Impact: NOT ANTICIPATED **Site Municipality:** 20104
Nature of Impact: **Site Lot:**
Receiving Medium: LAND **Site Conc:**
Receiving Env: **Northing:**
MOE Response: **Easting:**
Dt MOE Arvl on Scn: **Site Geo Ref Accu:**
MOE Reported Dt: 5/29/1990 **Site Map Datum:**
Dt Document Closed: **SAC Action Class:**
Incident Reason: ERROR **Source Type:**
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: IMPERIAL OIL - 10 L GASO- LINE TO CONCRETE. CLEAN UP COMPLETED.
Contaminant Qty:

Database: SPL **Site:** TOP VALU
PRESTON STREET, SOUTH OF GLADSTONE SERVICE STATION OTTAWA-CARLETON
R.M. ON

Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	3/20/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ESSO HOME COMFORT - TANK TRUCK SPILLED APPROX 1 L.HEATING OIL ON GROUND		
Contaminant Qty:			

Database:	SPL	Site:	ESSO PETROLEUM CANADA TRANSPORT TRUCK (CARGO) OTTAWA CITY ON
Ref No:	59519	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	11/7/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	11/7/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ESSO-3 LITRES DIESEL FUELTO GRND UNDER LOADING RACK,COUPLING NOT CLOSED		
Contaminant Qty:			

Database:	SPL	Site:	ESSO PETROLEUM CANADA SERVICE STATION NEPEAN CITY ON
Ref No:	65520	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	12/23/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	CONTAINER OVERFLOW	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20104

Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 12/24/1991
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO/TRW PETROLEUM: 30 L GASOLINE TO GROUND WHEN TANK OVERFILLED
Contaminant Qty:

Site Lot:
Site Conc:
Northing:
Easting: MCCR
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Database: SPL **Site:** OC TRANSPO
 CARLING AVE. BETWEE COLE AVE. & MAITLAND AVE. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Ref No: 238849
Site No:
Incident Dt: 9/9/2002
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Multi Media Pollution
Receiving Medium: LAND, WATER
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/9/2002
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC TRANSIT BUS: 60 L HYDRAULIC OIL TO ROAD & STORM SEWER. CLEANING.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Database: SPL **Site:** NATIONAL DEFENCE
 SHERLY'S BAY (PROPERTY) OFF CARLING AVE. FUEL STORAGE TANK OTTAWA CITY ON

Ref No: 223921
Site No:
Incident Dt: 4/11/2002
Year:
Incident Cause: UNDERGROUND TANK LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:

Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

ESSO-156 L DIESEL TO LOT,LOADING ARM NOT IN TRUCKSCOMPARTMENT,PUMP STARTED.

Database: **SPL**

Site: **HOTEL/MOTEL
CARLING AVENUE (N.O.S.) OTTAWA CITY ON**

Ref No: 84065
Site No:
Incident Dt: 4/14/1993
Year:
Incident Cause: UNDERGROUND TANK LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: CONFIRMED
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scrn:
MOE Reported Dt: 4/14/1993
Dt Document Closed:
Incident Reason: CORROSION
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting: MCCR
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

EMBASSY WEST HOTEL: FUEL-CONTAMINATED SOIL FOUND BY UNDERGROUND TANK

Database: **SRDS**

Site: **R.W. TOMLINSON LTD.
ON**

Company Code:
Works ID:
SIC:
SIC1:
SIC1 Desc:
SIC2:
SIC2 Desc:
SIC3:
SIC3 Desc:
Body of Water:
Terminal Stream:
SIC Desc:
Mailing Address:
Corp Address:

NEPEAN

Sector:
Region:
District:
UTM Zone:
UTM Easting:
UTM Northing:
UTM Precision:
Minor Basin:
Major Basin:
Report Year: 1990-1994

Database: **WDS**

Site: **Tomlinson Environmental Services Ltd.
Carp Ottawa ON K0A 1L0**

Approval No: A461010
Mob Unit Cert No:
EBR Registry No:
Status: Revoked and/or Replaced
Facility Type:
Record Type: ECA
Link Source: IDS
Project Type: WASTE DISPOSAL SITES

Total Area (ha):
Landfill Cap (m³):
Transfer Area (ha):
Transfer Cap (m³):
Transfer Cert No:
Inciner. Area (ha):
Inciner. Cap (t):
Process Area (m³):

Application Status:
Issue Date: 2011-02-02
Input Date:
Date Received:
Est Closure Date:
Mobile Capacity:
Mobile Units:
Mobile Description:
Prop City:
Prop Postal:
Prop Phone:
Serial Link:
Approval Type: ECA-WASTE DISPOSAL SITES
Proponent:
Prop Address:
Proponent County/District:
Full Address: Carp
Site Lot:
Waste Class Code:
Waste Class:
Waste Type:
Waste Type Other:
Waste Description:
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description:
Project Description:
Municipalities Served:
Approval Description:
Other Approvals/Permits:
PDF URL:

Process Cap (m³/d):
Process Vol (m³):
Process Feed (m³):
Site Concession:
Site Region/County:
SWP Area Name: Mississippi Valley
MOE District: Ottawa
District Office:
Latitude:
Longitude:
Geometry X:
Geometry Y:

Database: [WWIS](#) **Site:** **lot 37 ON**

Well ID: 1522817
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 18416
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 10/26/1988
Selected Flag: Yes
Abandonment Rec:
Contractor: 3644
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot: 037
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10044624
DP2BR: 70
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9

Date Completed: 6/21/1988
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931052668
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 30
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931052670
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 70
Formation End Depth: 143
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931052669
Layer: 2
Color: 2
General Color: GREY
Mat1: 14
Most Common Material: HARDPAN
Mat2: 11
Other Materials: GRAVEL
Mat3:
Other Materials:
Formation Top Depth: 30
Formation End Depth: 70
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 5

Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10593194
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930078057
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 143
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930078056
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 73
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991522817
Pump Set At:
Static Level: 10
Final Level After Pumping: 70
Recommended Pump Depth: 70
Pumping Rate: 15
Flowing Rate:
Recommended Pump Rate: 12
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934647963
Test Type:
Test Duration: 45
Test Level: 70
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934905171

Test Type:
Test Duration: 60
Test Level: 70
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934111557
Test Type:
Test Duration: 15
Test Level: 70
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934386980
Test Type:
Test Duration: 30
Test Level: 70
Test Level UOM: ft

Water Details

Water ID: 933480848
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 80
Water Found Depth UOM: ft

Water Details

Water ID: 933480849
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 139
Water Found Depth UOM: ft

Database: **WWIS** Site: con 1 ON

Well ID:	1532635	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/17/2002
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Quality	Abandonment Rec:	
Water Type:		Contractor:	4006
Casing Material:		Form Version:	1
Audit No:	235219	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	OF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID: 10523764
DP2BR:
Spatial Status:
Code OB: _
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 12/5/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: B
Method Construction: Other Method
Other Method Construction:

Pipe Information

Pipe ID: 11072334
Casing No: 1
Comment:
Alt Name:

Database: **WWIS** **Site:** **con 1 ON**

Well ID: 1534064
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 248010
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 9/9/2003
Selected Flag: Yes
Abandonment Rec:
Contractor: 1119
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot:
Concession: 01
Concession Name: RF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10543179
DP2BR:
Spatial Status:
Code OB: _
Code OB Desc: No formation data
Open Hole:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:

Cluster Kind:
Date Completed: 8/12/2003
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 11091749
Casing No: 1
Comment:
Alt Name:

Database: **WWIS** **Site:** lot 38 con 1 OTTAWA ON

Well ID:	1536436	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	7/5/2006
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	6894
Casing Material:		Form Version:	3
Audit No:	Z45513	Owner:	
Tag:		Street Name:	IRVING AVE
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	038
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	11550502	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:	—	East83:	
Code OB Desc:	No formation data	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	6/14/2006	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

Supplier Comment:

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933295275
Layer: 1
Plug From: 0
Plug To: 27
Plug Depth UOM: m

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 11560109
Casing No: 1
Comment:
Alt Name:

Hole Diameter

Hole ID: 11681211
Diameter: 20
Depth From: 0
Depth To: 2.7
Hole Depth UOM: m
Hole Diameter UOM: cm

Database: **WWIS**

Site: con 1 ON

Well ID: 1528855
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 135092
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 2/21/1996
Selected Flag: Yes
Abandonment Rec:
Contractor: 6629
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot:
Concession: 01
Concession Name: RF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10050391
DP2BR: 55
Elevation:
Elevrc:

Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 6/27/1995
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931071019
Layer: 2
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 25
Formation End Depth: 55
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931071018
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 81
Other Materials: SANDY
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 0
Formation End Depth: 25
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931071021
Layer: 4
Color: 2
General Color: GREY
Mat1: 18
Most Common Material: SANDSTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 94
Formation End Depth: 103
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931071020
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 55
Formation End Depth: 94
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 10598961
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930088072
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 58
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991528855
Pump Set At:
Static Level: 30
Final Level After Pumping: 65
Recommended Pump Depth: 90
Pumping Rate: 10
Flowing Rate:
Recommended Pump Rate: 8
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method:
Pumping Duration HR: 1
Pumping Duration MIN: 15
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934105744
Test Type: Draw Down
Test Duration: 15
Test Level: 60
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934389369
Test Type: Draw Down
Test Duration: 30
Test Level: 65
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934907069
Test Type: Draw Down
Test Duration: 60
Test Level: 65
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934658544
Test Type: Draw Down
Test Duration: 45
Test Level: 65
Test Level UOM: ft

Water Details

Water ID: 933488724
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 85
Water Found Depth UOM: ft

Water Details

Water ID: 933488726
Layer: 3
Kind Code: 1
Kind: FRESH
Water Found Depth: 103
Water Found Depth UOM: ft

Water Details

Water ID: 933488725
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 97
Water Found Depth UOM: ft

Database: **WWIS**

Site: **lot 40 ON**

Well ID: 1519736
Construction Date:

Data Entry Status:
Data Src: 1

Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Date Received: 6/24/1985
Selected Flag: Yes
Abandonment Rec:
Contractor: 3644
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot: 040
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10041589
DP2BR:
Spatial Status:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 5/3/1985
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931042552
Layer: 2
Color: 2
General Color: GREY
Mat1: 14
Most Common Material: HARDPAN
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 52
Formation End Depth: 75
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931042551
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Other Materials: SOFT
Mat3:

Other Materials:
Formation Top Depth: 0
Formation End Depth: 52
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931042553
Layer: 3
Color: 2
General Color: GREY
Mat1: 12
Most Common Material: STONES
Mat2: 11
Other Materials: GRAVEL
Mat3:
Other Materials:
Formation Top Depth: 75
Formation End Depth: 82
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10590159
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930072626
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 82
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991519736
Pump Set At:
Static Level:
Final Level After Pumping: 30
Recommended Pump Depth: 30
Pumping Rate: 50
Flowing Rate:
Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1

Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934654894
Test Type:
Test Duration: 45
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934384354
Test Type:
Test Duration: 30
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934108644
Test Type:
Test Duration: 15
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934894678
Test Type:
Test Duration: 60
Test Level: 30
Test Level UOM: ft

Water Details

Water ID: 933476792
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 82
Water Found Depth UOM: ft

Database: **WWIS** Site: **con 1 ON**

Well ID: 1528250
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: 151799
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:

Data Entry Status:
Data Src: 1
Date Received: 10/24/1994
Selected Flag: Yes
Abandonment Rec:
Contractor: 6844
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot:
Concession: 01
Concession Name: RF
Easting NAD83:

Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049789
DP2BR:
Spatial Status:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 10/11/1994
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Overburden and Bedrock
Materials Interval**

Formation ID: 931069085
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 11
Other Materials: GRAVEL
Mat3: 78
Other Materials: MEDIUM-GRAINED
Formation Top Depth: 0
Formation End Depth: 5
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931069086
Layer: 2
Color: 6
General Color: BROWN
Mat1: 08
Most Common Material: FINE SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 5
Formation End Depth: 10
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933113108
Layer: 1
Plug From: 1
Plug To: 4
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933113109
Layer: 2
Plug From: 4
Plug To: 5
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933113110
Layer: 3
Plug From: 5
Plug To: 10
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 10598359
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930087025
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 10
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933326510
Layer: 1
Slot: 100
Screen Top Depth: 5
Screen End Depth: 10
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Water Details

Water ID: 933487871
Layer: 1
Kind Code: 5

Kind: Not stated
Water Found Depth: 7
Water Found Depth UOM: ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Nov 2019

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Jan 31, 2020

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Feb 29, 2020

Environmental Registry:

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Jan 31, 2020

Environmental Compliance Approval:

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Feb 29, 2020

Environmental Effects Monitoring:

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jan 31, 2020

Environmental Issues Inventory System:

Federal [EIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial [EMHE](#)

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial [EPAR](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2018

List of Expired Fuels Safety Facilities:

Provincial EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-Nov 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal FED TANKS

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fisheries & Oceans Fuel Tanks:

Federal FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2018

Fuel Storage Tank:

Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jan 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2019

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2019

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2019

Ontario Oil and Gas Wells:

Provincial

[OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Jan 31, 2020

Canadian Pulp and Paper:

Private

[PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

[PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

[PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Feb 2020

Pipeline Incidents:

Provincial

[PINC](#)

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

[PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

[PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Jan 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental clean-up orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2020

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Aug 2019

Wastewater Discharger Registration Database:

Provincial SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Feb 29, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX B

Regulatory Responses

From: Ashe, Heather
Sent: 31-Mar-20 11:08 AM
To: Ashe, Heather
Subject: FW: TSSA Search Request for Ottawa Hospital Civic Campus Lands - Record Fuels

[NOTE: This email chain appears to contain email from outside Golder](#)

From: Public Information Services <publicinformationservices@tssa.org>
Sent: 30-Mar-20 10:05 AM
To: Chowdhury, Shihan <Shihan_Chowdhury@golder.com>
Subject: RE: TSSA Search Request for Ottawa Hospital Civic Campus Lands - Record Fuels

EXTERNAL EMAIL

Hello,

I have searched the below noted address (addresses) and I have located the following record:

Inst Number	Context	Address	City	Province	Postal Code	Inststatusname	Segment1
9745927	FS Facility	485 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS GASOLINE STATION - FULL SERVE
10905589	FS Liquid Fuel Tank	485 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905598	FS Liquid Fuel Tank	485 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905604	FS Liquid Fuel Tank	485 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905613	FS Liquid Fuel Tank	485 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK

Inst Number	Context	Address	City	Province	Postal Code	Inststatusname	Segment1
9581391	FS Facility	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS GASOLINE STATION - SELF SERVE
10905637	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905652	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905670	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905685	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905700	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905706	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
10905712	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK
11335629	FS Liquid Fuel Tank	505 PRESTON ST	OTTAWA	ON	K1S 4N7	EXPIRED	FS LIQUID FUEL TANK

Inst Number	Context	Address	City	Province	Postal Code	Inststatusname	Segment1
9712003	FS Facility	1001 QUEEN ELIZABETH DR	OTTAWA	ON	K1S 5K7	Active	FS MARINA
63161698	FS Liquid Fuel Tank	1001 QUEEN ELIZABETH DR	OTTAWA	ON	K1S 5K7	Inactive	FS LIQUID FUEL TANK
64524632	FS Liquid Fuel Tank	1001 QUEEN ELIZABETH DR	OTTAWA	ON	K1S 5K7	Active	FS LIQUID FUEL TANK
63161697	FS Liquid Fuel Tank	1001 QUEEN ELIZABETH DR	OTTAWA	ON	K1S 5K7	Inactive	FS LIQUID FUEL TANK
64524631	FS Liquid Fuel Tank	1001 QUEEN ELIZABETH DR	OTTAWA	ON	K1S 5K7	Active	FS LIQUID FUEL TANK

Inst Number	Context	Address	City	Province	Postal Code	Inststatusname	Segment1
-------------	---------	---------	------	----------	-------------	----------------	----------

9380881	FS Facility	350 LORETTA AVE S	OTTAWA	ON	K1S 5N7	EXPIRED	FS PRIVATE FUEL OUTLET - SELF SERVE
10904165	FS Liquid Fuel Tank	350 LORETTA AVE S	OTTAWA	ON	K1S 5N7	EXPIRED	FS LIQUID FUEL TANK

Effective November 1, 2017 TSSA requires that any requests for the release of public information, must complete the release for public information form. The release for public information form can be found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392>. Please complete the form (1 address per form) and email the completed form to publicinformationservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Thank you,

Roxana



Public Information Agent

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.org

www.tssa.org



From: Chowdhury, Shihan <Shihan_Chowdhury@golder.com>
Sent: March 30, 2020 8:52 AM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: TSSA Search Request for Ottawa Hospital Civic Campus Lands

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good morning,

Please perform a TSSA database search for any underground storage tanks, registered fuel tanks, outstanding instructions, incident reports, fuel oil spills or contaminations records for the following properties located at:

- 930 Carling Avenue, Ottawa
- 870 Carling Avenue, Ottawa
- 901 Carling Avenue, Ottawa
- 485 Preston Street, Ottawa
- 489 Preston Street, Ottawa
- 505 Preston Street, Ottawa
- 520 Preston Street, Ottawa
- 1 Observatory Crescent, Ottawa
- 1001 Queen Elizabeth Drive, Ottawa
- 350 Loretta Avenue South, Ottawa

Kindly let me know if you have any queries.

Best Regards,

Shihan Chowdhury (EIT)

Environmental Consultant



GOLDER

Golder Associates Ltd.

1931 Robertson Road, Ottawa, Ontario, Canada, K2H 5B7

T: +1 613 592 9600 | **C:** +1 (613) 406-6892 | golder.com

[LinkedIn](#) | [Instagram](#) | [Facebook](#) | [Twitter](#)

Work Safe, Home Safe

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

From: Chowdhury, Shihan
Sent: 30-Mar-20 8:38 AM
To: jehanne.hurlbut@ontario.ca
Subject: Requesting Info for Proposed Ottawa Hospital- New Civic Campus
Attachments: 19127064-0002-HS-0002.pdf

Good morning Jéhanne,

Hope you are well and safe.

I am working on a Phase I Environmental Site Assessment for part proposed Ottawa Hospital- New Civic Campus. There are three parcels of land included in this assessment- addressed 520 Preston Street and part of 930 Carling Avenue. The site boundary is marked with **red** in attached figure, which also indicates the three parcels.

Appreciate if you kindly check for any approvals and/or orders associated with this property.

Please let me know if you have any queries.

Best regards,
Shihan Chowdhury (EIT)
Environmental Consultant

 Golder Associates Ltd.
1931 Robertson Road, Ottawa, Ontario, Canada, K2H 5B7
T: +1 613 592 9600 | **C:** +1 (613) 406-6892 | golder.com
GOLDER [LinkedIn](#) | [Instagram](#) | [Facebook](#) | [Twitter](#)

Work Safe, Home Safe


This email transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon.

Golder and the G logo are trademarks of Golder Associates Corporation

Please consider the environment before printing this email.

APPENDIX C

Site Aerial Photographs




LEGEND



PHASE ONE SITE



PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)



NOTE(S)

1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)

1. PROJECTION: TRANSVERSE MERCATOR DATUM: NAD 83
 COORDINATE SYSTEM: MTM ZONE 9 VERTICAL DATUM: CGVD28

CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
 THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**

TITLE
1938 AIR PHOTO

CONSULTANT



YYYY-MM-DD 2020-03-27

DESIGNED ---

PREPARED JEM

REVIEWED SAC

APPROVED KPH

PROJECT NO.
 19127064

CONTROL
 0001

REV.
 0

FIGURE
C1




LEGEND



PHASE ONE SITE



PHASE ONE STUDY AREA (250 m FROM THE SITE BOUNDARY)



NOTE(S)

1. ALL LOCATIONS ARE APPROXIMATE

REFERENCE(S)

1. PROJECTION: TRANSVERSE MERCATOR DATUM: NAD 83
COORDINATE SYSTEM: MTM ZONE 9 VERTICAL DATUM: CGVD28

CLIENT
PARSONS INC.

PROJECT
**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
THE OTTAWA HOSPITAL, OTTAWA, ONTARIO**

TITLE
1945 AIR PHOTO

CONSULTANT



YYYY-MM-DD 2020-03-27

DESIGNED ---

PREPARED JEM

REVIEWED SAC

APPROVED KPH

PROJECT NO.
19127064

CONTROL
0001

REV.
0

FIGURE
C2

APPENDIX D

Site Photographs



Photo 1 – View of southern portion of Parcel A occupied by a commercial parking area, looking southwest.



Photo 2 – View of northern portion of Parcel A occupied by a commercial parking area, looking northwest.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D1



Photo 3 – View of Canadian Pacific Railway tracks separating Parcel A and B, looking south.



Photo 4 – View of west section of the Queen Juliana Park (Parcel B), located on the northwest section of the Site (looking east).

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D2



Photo 5 – View of Building 61, occupied by Bell Canada, located on the northern portion of Parcel C.



Photo 6 – View of storage area located south of Building 61.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D3



Photo 7 – View of West Annex (under demolition) on the northern portion of Parcel C, looking east.



Photo 8 – General view of parking located adjacent northwest West Annex Building, looking east.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D4



Photo 9 – View of driveway and parking area located southwest of West Annex Building, looking southwest.



Photo 10 – View of snow-covered vacant field area south of West Annex Building with row of tree coverage in the distance, looking northeast.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D5



Photo 11 – View of a typical concrete pad-mounted transformer located west of West Annex Building; however, snow cover restricted inspection of ground conditions in the vicinity of this PCA.



Photo 12 – View of vacant field area with snow cover located on the southern portion of Parcel C, looking northeast.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D6



Photo 13 – View of tennis clubhouse located on the southern portion of Parcel C, looking northeast.



Photo 14 – View of snow-covered outdoor tennis courts located on the southern part of Parcel C, looking northwest.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D7



Photo 15 – View of walkway on the northern portion Parcel C leading towards Carling Avenue, indicating steep drop in elevation.



Photo 16 – View of commercial land uses northwest of the Site (across Carling Avenue), looking northwest.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D8



Photo 17 – View of office buildings and apartment buildings located north of Parcels A and B of the Site, looking northwest.



Photo 18 – View of Dow's Lake Pavilion located east of Parcel A, looking east.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D9



Photo 19 – View of office building associated with AAFC CEF located south of Parcel C, looking southeast.



Photo 20 – View of office building for Canadian Agri-Food Policy located adjacent southwest of Parcel (south of tennis clubhouse), looking southeast.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

Phase I ESA – 520 Preston Street and Part of 930 Carling Avenue, Ottawa

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D10



Photo 21 – View of greenhouses associated with CEF located west of Parcel C, looking southwest.

CLIENT

Parsons Corporation

CONSULTANT



YYYY-MM-DD 2020-03-19

TAKEN BY SAC

CHECKED BY

PROJECT

**Phase I ESA – 520 Preston Street and Part of
930 Carling Avenue, Ottawa**

TITLE

Photographic Record

PROJECT No. 19127064 (1000)

FIGURE

D11



golder.com