

EXISTING TREE TO REMAIN, SYMBOL SIZE REFLECTS CRZ

EXISTING TREE TO REMOVE, SYMBOL SIZE REFLECTS CRZ

EXISTING TREE GROUP

Implement the following protection measures for retained trees, both on site and on adjacent sites, prior to any work activity, including tree removal. Maintain tree protection fence in place and

1. The Landscape Architect or Certified Arborist is to determine the location of the tree protection fencing and detail it on any associated plans for the site (e.g. tree conservation report,

2. Under the guidance of a Landscape Architect or Certified

3. Refer to the Tree Protection Plan for fence location. City Forestry Staff are to approve both the plan and the installed

 Do not place any material or equipment within 2m of the CRZ of any tree, including outhouses. 5. Do not attach any signs, notices, or posters to any tree. 6. Do not disturb, raise, or lower the existing grade within the

7. Only tunnel or bore when digging within the CRZ of a tree. Hand work only where required within the CRZ; absolutely no

8. Do not damage the root system, trunk, or branches, or any

10. Ensure that exhaust fumes from all equipment are directed

11. When trees marked for removal overlap with the CRZ of trees marked for preservation: cut roots at the edge of the CRZ and grind down stumps after tree removals, do not pull out stumps. Ensure there is not root pulling or disturbance of the

12. Prior to work taking place, notify and consult the Landscape Architect and City Forestry Staff if roots must be cut. Roots 20mm or larger should be cut at right angles with clean, sharp horticultural tools without tearing, crushing, or pulling. Refer to City of Ottawa Specification S.P. F-8011 Tree Protection,

13. If damaged or objectionable branches are observed, consult the Landscape Architect, before any work is conducted. Do not prune leaders. Do not prune more than 1/4 of crown. 14. Set up a water and fertilizing program, if trees are being affected by site works, to the satisfaction of the Landscape

15. The Landscape Architect is to prescribe mitigation measures if the protected fenced area must be reduced to facilitate construction. Measures may include the placement of plywood, wood chips, or steel plating over the roots for

protection. City Forestry Staff are to approve said measures

16. City of Ottawa By-law: Protects municipal trees and municipal natural areas in the City of Ottawa and trees on private property in the urban area of the City of Ottawa (2020-340).

9. Do not extend hard surface or significantly change

Arborist, erect a fence at the critical root zone (CRZ) of trees. Diameter at breast height (DBH) is the trunk diameter measured at 1.3m height on the tree trunk. The CRZ is calculated as DBH x 10. Refer to the Tree Protection Fence

TO BE REMOVED

TREE PROTECTION FENCE

in good condition for the duration of site works:

fence prior to work commencement.

CRZ without approval.

machinery permitted.

away from any tree canopy.

ground within the CRZ.


Excavation of Root Zone.


prior to fence movement.

landscaping.

TREE PROTECTION

tree disclosure report, etc.).





## **EXISTING TREE GROUP INVENTORY:**

Key	Botanical Name	Common Name	% Compos.	DBH	Remarks	Recomm.	
				Min-Max			
Grou	рΑ						
Α	Larix laracina	Tamarack	40%	15-20cm		Conflict	
Α	Picea glauca	White Spruce	20%	5-25cm		Conflict	
Α	Picea pungens var. glauca	Colorado Spruce	20%	15-25cm		Conflict	
Α	Pinus nigra	Austrian Pine	20%	5-15cm		Conflict	
Grou	р В						
В	Fraxinus americanus	White Ash	85%	5-15cm		Conflict	
В	Malus sp.	Crabapple	5%	10cm		Conflict	
В	Salix sp.	Willow	10%	8cm		Conflict	
Grou	p C						
С	Fraxinus americanus	White Ash	30%	5-25cm	Mostly dead standing	PROTECT	
С	Acer negundo	Manitoba Maple	40%	5-25cm		PROTECT	
С	Malus sp.	Crabapple	10%	15-20cm		PROTECT	
С	Rhamnus cathartica	European Buckthorn	20%	3-8cm	Invasive	Remove	
Grou	p D			,			
D	Syringa vulgaris	Common Lilac	100%	5cm		Conflict	

REVISION

## **EXISTING SINGLE TREE INVENTORY:**

No.	Botanical Name	Common Name	DBH (cm)	CRZ (m)	Condition	Remarks	Recomm.
1	Acer x freemanii	Freeman Maple	14	1.40	G	Lean	PROTECT
2	Quercus rubra	Red Oak	38	3.80	G	Spiral seam	PROTECT
3	Amelanchier sp.	Serviceberry	17	1.70	Р	Dieback	Remove
4	Acer ginnala	Amur Maple	18	1.80	G		PROTECT
5	Amelanchier sp.	Serviceberry	18	1.80	Р	Severe dieback / Internal rot	Remove
6	Acer ginnala	Amur Maple	7	0.70	G		PROTECT
7	Amelanchier sp.	Serviceberry	13	1.30	Р	Severe dieback / Internal rot	Remove
8	Amelanchier sp.	Serviceberry	14	1.40	Р	Severe dieback / Internal rot	Remove
9	Acer rubrum	Red Maple	6	0.60	G		PROTECT
10	Gleditsia triacanthos var. inermis	Thomless Honey Locust	5	0.50	G		Conflict
11	Acer x freemanii	Freeman Maple	3	0.30	G		Conflict
12	Picea glauca	White Spruce	4	0.40	F	Low vigour / Double leader	Conflict
13	Pinus strobus	White Pine	6	0.60	G		Conflict
14	Amelanchier sp.	Serviceberry	4	0.40	Р	Severe dieback	Conflict
15	Acer x freemanii	Freeman Maple	4	0.40	G	Mechanical damage at base (String trimmer)	Conflict
16	Pinus strobus	White Pine	4	0.40	G		Conflict
17	Picea glauca	White Spruce	4	0.40	F	Thin canopy / Low vigour	Conflict
18	Picea glauca	White Spruce	5	0.50	G		Conflict
19	Quercus rubra	Red Oak	4	0.40	G		Conflict
20	Quercus rubra	Red Oak	7	0.70	F	Large wound at base / Thin canopy	Conflict
21	Acer rubrum	Red Maple	7	0.70	G	Small wounds healing over	Conflict
22	Picea glauca	White Spruce	8	0.80	G		Conflict

FOR REVIEW ONLY

(613) 254-5867

www.novatech-eng.com

CITY of OTTAWA BROOKSTREET APARTMENTS DRAWING NAME

120202-00 REV # 1

THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR

THE POSITION OF ALL POLE LINES, CONDUITS,

UNDERGROUND AND OVERGROUND UTILITIES AND

STRUCTURES IS NOT NECESSARILY SHOWN ON

WATERMAINS, SEWERS AND OTHER

DAMAGE TO THEM.

Owner: Wesley Clover International c/o Richard Goldstein KRP Propoerties 300-555 Legget Drive, Tower B, Kanata, ON K2K 2X3 Phone: (613)591-0594

**PRELIMINARY** 

SCALE 1:400 RGJ 4 8 12 16 OCT 1/21 ISSUED FOR SITE PLAN APPROVAL DATE

Suite 200, 240 Michael Cowpland Drive Ottawa, Ontario, Canada K2M 1P6


Telephone


Facsimile


Website


TREE CONSERVATION REPORT (613) 254-9643

120202-L3









NOTE:
THE POSITION OF ALL POLE LINES, CONDUITS,
WATERMAINS, SEWERS AND OTHER
UNDERGROUND AND OVERGROUND UTILITIES AND
STRUCTURES IS NOT NECESSARILY SHOWN ON
THE CONTRACT DRAWINGS, AND WHERE SHOWN,
THE ACCURACY OF THE POSITION OF SUCH
UTILITIES AND STRUCTURES IS NOT GUARANTEED.
BEFORE STARTING WORK, DETERMINE THE EXACT
LOCATION OF ALL SUCH UTILITIES AND
STRUCTURES AND ASSUME ALL LIABILITY FOR
DAMAGE TO THEM.

Owner:
Wesley Clover International
c/o Richard Goldstein
KRP Propoerties
300-555 Legget Drive, Tower B,
Kanata, ON K2K 2X3
Phone: (613)591-0594

NOT FOR CONSTRUCTION

							_
				SCALE	DESIGN		
						RGJ	_
					CHECKED		
						RGJ	
					DRAWN		
						MEL	
					CHECKED		
						RGJ	
1.	ISSUED FOR SITE PLAN APPROVAL	OCT 1/21	RGJ		APPROVED		
No.	REVISION	DATE	BY			RGJ	

FOR REVIEW ONLY

INC.

Engineers, F.

Suite 200,
Ottawa,
Telephone
Facsimile
Website

Engineers, Planners & Landscape Architects
Suite 200, 240 Michael Cowpland Drive
Ottawa, Ontario, Canada K2M 1P6

(613) 254-9643

(613) 254-5867

www.novatech-eng.com

CITY of OTTAWA
BROOKSTREET APARTMENTS
DRAWING NAME

LANDSCAPE DETAILS

120202-00
REV
REV # 1
DRAWING No.

120202-L4