



Phase One Environmental Site Assessment 233 Argyle Avenue, Ottawa, Ontario

Client:

Smart Living Properties

Type of Document:

Final

Project Name:

Phase One Environmental Site Assessment

Project Number:

OTT-00262765-A0

Prepared By:

Leah Wells, P.Eng., Environmental Engineer

Reviewed By:

Mark McCalla, P. Geo., Senior Geoscientist

EXP Services Inc.

100-2650 Queensview Drive

Ottawa, Ontario K2B 8H6

t: +1.613.688.1899

f: +1.613.225.7337

Date Submitted:

2021-03-19

Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021

Legal Notification

This report was prepared by EXP Services Inc. for the account of **Smart Living Properties**.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. EXP Services Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this project.

Table of Contents

| | |
|---|------|
| Legal Notification..... | i |
| List of Figures..... | vi |
| List of Appendices | vii |
| Executive Summary | viii |
| 1.0 Introduction..... | 1 |
| 1.1 Objective..... | 1 |
| 1.2 Phase One Property Information..... | 1 |
| 2.0 Scope of Investigation | 2 |
| 3.0 Records Review | 3 |
| 3.1 Phase One ESA Study Area Determination..... | 3 |
| 3.2 First Developed Use Determination | 3 |
| 3.3 Fire Insurance Plans..... | 3 |
| 3.4 Chain of Title..... | 4 |
| 3.5 City Directories | 4 |
| 3.6 Environmental Reports..... | 5 |
| 3.7 Environmental Source Information | 6 |
| 3.7.1 Ontario Ministry of the Environment, Conservation and Parks Records | 6 |
| 3.7.2 Historical Land Use Inventory..... | 6 |
| 3.7.3 Environmental Registry | 6 |
| 3.7.4 Environmental Access..... | 6 |
| 3.7.5 Hazardous Waste Information Network | 7 |
| 3.7.6 Records of Site Condition | 7 |
| 3.7.7 Coal Gasification Plants | 7 |
| 3.7.8 PCB Storage Sites..... | 8 |
| 3.7.9 Waste Disposal Sites..... | 8 |
| 3.7.10 Former Industrial Sites | 8 |
| 3.8 EcoLog ERIS Database Search | 8 |
| 3.9 Physical Setting Sources | 12 |

3.9.1 Aerial Photographs 12

3.9.2 Topography, Hydrology, Geology 12

3.9.3 Fill Materials 13

3.9.4 Water Bodies and Areas of Natural Significance 13

3.9.5 Well Records 13

3.10 Site Operating Records 13

4.0 Interviews 14

5.0 Site Reconnaissance 15

5.1 General Requirements 15

5.2 Specific Observations at the Phase One Property 15

5.2.1 Buildings and Structures 15

5.2.2 Site Utilities and Services 15

5.3 Storage Tanks 15

5.3.1 Underground Storage Tanks 15

5.3.2 Above Ground Storage Tanks 15

5.4 Chemical Storage Handling and Floor Condition 15

5.5 Areas of Stained Soil, Pavement or Stressed Vegetation 16

5.6 Fill and Debris 16

5.7 Air Emissions 16

5.8 Odours 16

5.9 Noise 16

5.10 Other Observations 16

5.11 Special Attention Items, Hazardous Building Materials and Designated Substances 16

5.11.1 Asbestos 16

5.11.2 Ozone Depleting Substances (ODSs) 16

5.11.3 Lead 17

5.11.4 Mercury 17

5.11.5 Polychlorinated Biphenyls (PCB) 17

5.11.6 Urea Formaldehyde Foam Insulation 17

| | | |
|--------|---|----|
| 5.11.7 | Radon..... | 18 |
| 5.11.8 | Mould | 18 |
| 5.12 | Other Substances..... | 18 |
| 5.13 | Processing and Manufacturing Operations | 18 |
| 5.14 | Hazardous Materials Use and Storage..... | 18 |
| 5.15 | Vehicle and Equipment Maintenance Areas | 19 |
| 5.16 | Oil/Water Separators..... | 19 |
| 5.17 | Sewage and Wastewater Disposal..... | 19 |
| 5.18 | Solid Waste Generation, Storage & Disposal..... | 19 |
| 5.19 | Liquid Waste Generation, Storage & Disposal..... | 19 |
| 5.20 | Unidentified Substances | 19 |
| 5.21 | Hydraulic Lift Equipment | 19 |
| 5.22 | Mechanical Equipment..... | 19 |
| 5.23 | Abandoned and Existing Wells | 19 |
| 5.24 | Roads, Parking Facilities and Right of Ways | 19 |
| 5.25 | Adjacent and Surrounding Properties | 19 |
| 5.13 | Enhanced Investigation Property | 20 |
| 5.14 | Summary and Written Description of Investigation..... | 20 |
| 6.0 | Review and Evaluation of Information..... | 21 |
| 6.1 | Current and Past Uses | 21 |
| 6.2 | Potentially Contaminating Activity..... | 21 |
| 6.3 | Areas of Potential Environmental Concern | 22 |
| 6.4 | Phase One Conceptual Site Model | 23 |
| 6.4.1 | Buildings and Structures..... | 23 |
| 6.4.2 | Water Bodies and Groundwater Flow Direction | 23 |
| 6.4.3 | Areas of Natural Significance..... | 23 |
| 6.4.4 | Water Wells..... | 23 |
| 6.4.5 | Potentially Contaminating Activity..... | 23 |
| 6.4.6 | Areas of Potential Environmental Concern | 24 |

6.4.7 Subsurface Stratigraphy 24

6.4.8 Uncertainty Analysis 24

7.0 Conclusions 25

8.0 References 26

9.0 Limitation of Liability, Scope of Report, and Third Party Reliance 27

10.0 Signatures 28

List of Figures

- Figure 1 – Site Location Plan
- Figure 2 – Phase One Conceptual Site Model
- Figure 3 – Site Layout

List of Appendices

Appendix A: Qualifications of Assessors

Appendix B: Survey Plan

Appendix C: Figures

Appendix D: Fire Insurance Plans, Title Search, Municipal Records & Provincial Records

Appendix E: EcoLog ERIS Report

Appendix F: Aerial Photographs

Appendix G: Site Photographs

Executive Summary

EXP Services Inc. (EXP) was retained by Smart Living Properties to complete a Phase One Environmental Site Assessment (ESA) of the property located at 233 Argyle Avenue in Ottawa, Ontario hereinafter referred to as the 'Phase One property'. At the time of the investigation, the Phase One property consisted of a three-storey commercial building.

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with the Phase One ESA standard as defined by Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

EXP understands that the most recent use of the Phase One property is commercial and that the proposed future use is commercial and residential. Consequently, since the proposed future use of the property more sensitive than its previous use a Record of Site Condition (RSC) is required.

The Phase One property is located at 233 Argyle Avenue in Ottawa, Ontario. The subject property is located on the north side of Argyle Avenue, approximately 75 m west of O'Connor Street. The site is rectangular in shape and has an approximate area of 0.05 ha. The Site consists of a three-storey building with a full basement. The building was formerly a residence which has been converted to office space. At the time of this investigation only the first of the three floors were occupied. A parking lot is present on the north side of the property.

The Phase One property is legally described as East Part of Lot 13, Plan 30 Argyle North, City of Ottawa. The Phase One property has the property identification number (PIN) 041230034.

Based on a review of historical aerial photographs, and other records review, it appears the subject site was first developed as a residential property prior to 1912.

There are no water bodies on the subject site. The closest body of water is the Rideau Canal, approximately 600 m to the east. Topographically, the Phase One property is relatively flat. Based on local topography, the groundwater flow at the Phase One property is anticipated to be north towards the Ottawa River.

There are no areas of natural or scientific interest (ANSI) within the Phase One study area.

The APEC and PCA are described below:

Table EX.1: Areas of Potential Environmental Concern

| Area of Potential Environmental Concern (APEC) | Location of APEC on Phase One Property | Potentially Contaminating Activity (PCA) | Location of PCA (On-Site or Off-Site) | Contaminants of Potential Concern | Media Potentially Impacted (Groundwater, Soil and/or Sediment) |
|--|--|---|---------------------------------------|---|--|
| APEC #1 | Area near west property line | PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks | Off-Site | Benzene, Toluene, Ethylbenzene, Xylene (BTEX), petroleum hydrocarbons (PHC) | Groundwater |
| APEC #2 | Area near west property line | PCA#37 – Operation of Dry-Cleaning Equipment) | Off-Site | Volatile Organic Compounds (VOC) | Groundwater |
| APEC #3 | Entire Phase One property | PCA#30 – Imported Fill Material of Unknown Quality | On-Site | BTEX, PHC, VOC, metals | Soil |

| Area of Potential Environmental Concern (APEC) | Location of APEC on Phase One Property | Potentially Contaminating Activity (PCA) | Location of PCA (On-Site or Off-Site) | Contaminants of Potential Concern | Media Potentially Impacted (Groundwater, Soil and/or Sediment) |
|--|--|---|---------------------------------------|-----------------------------------|--|
| APEC #4 | Southwest corner of building interior | PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks | On-Site | BTEX and PHC | Soil and Groundwater |

The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

The Qualified Person who oversaw this work, Mark McCalla, P.Geo., recommends that a Phase Two ESA be conducted to address the PCA that may have adversely affected the APEC on the Phase One property.

This executive summary is a brief synopsis of the report and should not be read in lieu of reading the report in its entirety.

1.0 Introduction

EXP Services Inc. (EXP) was retained by Smart Living Properties to complete a Phase One Environmental Site Assessment (ESA) of the property located at 233 Argyle Avenue, Ottawa, Ontario hereinafter referred to as the 'Phase One property'. At the time of the investigation, the Phase One property consisted of a three-storey commercial building.

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with the Phase One ESA standard as defined by Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices. Subject to this standard of care, EXP makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Section 9 of this report.

Please note that general environmental management and housekeeping practices were reviewed as part of this assessment insofar as they could impact the environmental condition of the property, however, a detailed review of regulatory compliance issues was beyond the scope of our investigation. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions or identify geologic hazards.

1.1 Objective

The purpose of this Phase One ESA is to determine if past or present site activities have resulted in actual or potential contamination at the Phase One property. It is understood that the report will be used to support a site plan application.

EXP understands that the most recent use of the Phase One property is commercial and that the proposed future use is commercial and residential. Consequently, since the proposed future use of the property more sensitive than its previous use a Record of Site Condition (RSC) is required.

EXP personnel who conducted assessment work for this project included Mark McCalla, P.Geo., and Leah Wells, P.Eng. An outline of their qualifications is provided in Appendix A.

1.2 Phase One Property Information

The Phase One property is located at 233 Argyle Avenue in Ottawa, Ontario. The subject property is located on the north side of Argyle Avenue, approximately 75 m west of O'Connor Street. The Phase One property is rectangular in shape and has an approximate area of 0.05 ha. The Phase One property consists of a three-storey building with a full basement. The building was formerly a residence which has been converted to office space. At the time of this investigation only the first of the three floors were occupied. A parking lot is present on the north side of the property.

A site Location Plan is provided as Figure 1 and a Site Plan is provided as Figure 3 in Appendix C.

The Phase One property is legally described as East Part of Lot 13, Plan 30 Argyle North, City of Ottawa. The Phase One property has the property identification number (PIN) 041230034.

The approximate Universal Transverse Mercator (UTM) coordinates for the Phase One property centroid are Zone 18, 446407 m E and 5029111 m N. The UTM coordinates are based on measurements from Google Earth Pro, published by the Google Limited Liability Company (LLC). The accuracy of the centroid is estimated to be less than 10 m.

The Phase One property is owned by Smart Living Properties. Authorization to proceed with this investigation was provided by Mr. Jeremy Silburt. Contact information for Mr. Silburt is 226 Argyle Avenue, Ottawa, Ontario, K2P 1B9.

2.0 Scope of Investigation

The scope of work for the Phase One ESA consisted of the following activities:

- Reviewing the historical occupancy of the Phase One property through the use of available archived and relevant municipal and business directories, fire insurance plans (FIPs), topographical maps, and aerial photographs;
- Reviewing municipal and provincial records to determine whether activities that have occurred within the Phase One study area pose a potential environmental concern to the Phase One property;
- Obtaining an EcoLog Environmental Risk Information Services Ltd. (ERIS) report for the Phase One property and surrounding properties within a 250-metre radius of the Phase One property;
- Reviewing available geological maps, well records and utility maps for the vicinity of the Phase One property;
- Obtaining a search of land title and assessment rolls for the Phase One property;
- Conducting at least one reconnaissance of the Phase One property and surrounding properties within a 250-metre radius of the Phase One property in order to identify the presence of actual and/or potential environmental contaminants or concerns of significance;
- Conducting interviews with designated representative(s) as a resource for current and historical information;
- Reviewing the current use of the Phase One property and any land use practices that may have impacted its environmental condition;
- Reviewing the current use of the surrounding properties and any land use practices that may have impacted the environmental condition of the Phase One property; and,
- Preparing a report to document the findings.

In completing the scope of work, EXP did not conduct any intrusive investigations, including sampling, analyses, or monitoring. EXP has confirmed neither the completeness nor the accuracy of any of the records that were obtained or of any of the statements made by others.

3.0 Records Review

3.1 Phase One ESA Study Area Determination

The Phase One study area comprises the Phase One property and surrounding properties wholly or partly within 250 metres of the property boundaries. The 250-metre radius was used to gain an understanding of the current and past uses of surrounding properties to determine whether such uses may have contributed to subsurface environmental impacts at the Phase One property. At the time of the site reconnaissance, land usage within 250 metres of the Site was mixed residential and commercial.

The Site is zoned for residential use. The surrounding properties in the Phase One study area are primarily traditional mainstreet or residential zoning.

The Phase One study area is shown on Figure 2 in Appendix C.

3.2 First Developed Use Determination

Based on a review of historical aerial photographs, and other records review, it appears the subject site was first developed as a residence prior to 1912.

3.3 Fire Insurance Plans

EXP reviewed the Catalogue of Canadian Fire Insurance Plans 1875 – 1975. No fire insurance plans depicting the Phase One study area were available for review. Fire insurance plans for the years 1922 and 1963 were reviewed.

The 1922 and 1963 FIP shows the same residential building present on the Phase One property. The adjacent properties consist primarily of residential properties.

The following properties of interest are noted:

| Year | Address | Proximity to the Site | Environmental Concern to Site and Rationale | Potentially Contaminating Activity (PCA) |
|--------------|--|-----------------------|---|---|
| 1922 | 255 Argyle Avenue | 50 m west | Ottawa Sanitary Landry Co. (gasoline dry cleaning operation) Four fuel USTs are shown at the northeast corner of the property | PCA 1 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |
| 1963 | | | Government building, USTs are still present | |
| 1922 | Block between Catherine Street and Isabella Street | 150 m south | CN rail line | PCA 2 (PCA #46 – Rail Yards, Tracks and Spurs) |
| 1922 1963 | 431 Bank Street | 180 m northwest | Chinese Laundry | PCA 3 (PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used)) |
| 1963 | 249 Argyle Avenue (now part of 255 Argyle Avenue) | 30 m west | Martins Cleaners & Dyers | PCA 4 (PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used)) |
| 1963 | 455 Bank Street | 100 m northwest | Gasoline service station with three fuel USTs | PCA 5 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |
| 1963 | 210 Catherine Street (now 136 Catherine Street) | 130 m south | Gasoline service station with two fuel USTs and oil warehouse | PCA 6 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |

| Year | Address | Proximity to the Site | Environmental Concern to Site and Rationale | Potentially Contaminating Activity (PCA) |
|------|---|-----------------------|--|--|
| 1963 | 533 Catherine Street (now 200 Catherine Street) | 130 m south | Department of National Defence garage, two fuel USTs on the east exterior side of the building | PCA 7 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) PCA 8 (PCA #10 – Commercial Autobody Shops) |
| 1963 | 448 Bank Street (now 450 Bank Street) | 140 m west | Gasoline service station with four fuel USTs | PCA 9 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |
| 1963 | 41 Flora Street (now 37 Flora Street) | 150 m west | Automotive repair shop | PCA 10 (PCA #10 – Commercial Autobody Shops) |
| 1963 | 510 Banks Street (502 Bank Street) | 160 m southwest | 460-gallon gasoline UST | PCA 11 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |
| 1963 | 380 McLeod Street (now 383 McLeod Street) | 170 m west | 920-gallon gasoline UST | PCA 12 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |
| 1963 | 512 Bank Street | 150 m southwest | Lewis Motors Ltd. automotive garage and used car lot | PCA 13 (PCA #10 – Commercial Autobody Shops) |
| 1963 | 233 Catherine Street (now 28 Arlington) | 230 m southwest | Automotive repair garage | PCA 14 (PCA #10 – Commercial Autobody Shops) |
| 1963 | 234 Catherine Street (now 240 Catherine) | 250 m southwest | Gasoline service station with two fuel USTs, and automotive repair shop | PCA 15 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) PCA 16 (PCA #10 – Commercial Autobody Shops) |

Based on a review of the FIPs, 14 PCAs were identified in the Phase One study area. The following PCAs represent potential environmental concerns to the Site:

- **PCA 1** (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks)
- **PCA 4** (PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used))

The remainder of the PCAs identified in the FIPs are either cross-gradient to the Site or are sufficient distance from the Site that they do not pose an environmental concern to the Phase One property.

3.4 Chain of Title

A chain of title was requested from Read Abstracts Limited for the Phase One property. A chain of title search provides a list of property owners and the dates when they owned them. To date chain of title information has not been received.

3.5 City Directories

On February 26, 2021, records pertaining to the site were requested from the EcoLog Environmental Risk Information Services (or EcoLog ERIS) for the municipal street directories in the Phase One study area. EcoLog ERIS is an environmental database and information service provider.

As a result of the COVID-19 pandemic, the government has closed various institutions which severely limits EXP's ability to access government libraries and archives and prepare a detailed historical search of the Site and surrounding areas, as such only limited city directories were available for review at this time. Properties of interest from the available city directories are summarized below:

| Location | Proximity to the Site | | Years | Environmental Concern to Site and Rationale |
|----------------------|-----------------------|--|--|--|
| 229 Argyle Avenue | East adjacent | Multi-tenant residential | 1970 to 2011 | No |
| 141 Catherine Street | 70 m south | Northern Electric Co. Ltd. Police | 1950 to 1970 2001 to 2011 | No |
| 205 Catherine Street | 100 m southwest | National Drug & Chemical Co Ltd. Public Works Canada Multi-tenant office | 1950 to 1960 1981 1992 to 2011 | No |
| 511 Bank Street | 125 m southwest | Mackenzie Bros Restaurant | 1900 to 1910 1940 to 2011 | No |
| 203 Catherine street | 130 m south | Christ-Roi School Multi-tenant office | 1960 1992 to 2011 | No |
| 214 Catherine Street | 130 m south | Department of National defence Royal Canadian Army Service Corp | 1940 to 1970 1960 | No |
| 529 Bank Street | 135 m southwest | Restaurant | 1940 to 1960 | No |
| 510 Bank Street | 160 m southwest | Tire shop Dentist Restaurant | 1930 to 1950 1981 1992 to 2011 | No |
| 512 Bank Street | 150 m southwest | Automotive service garage Lumo Electric Co Ltd. Gas Station Silver Automotive Ltd. MacEwan Gas Station | 1930 to 1950 1970 to 1981 1970 to 1992 2001 2011 | PCA 13 (PCA #10 – Commercial Autobody Shops) PCA 17 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |
| 525 Bank Street | 190 m southwest | Hair salon Renfrew Aircraft & engineering Co Ltd. Fielding Donald & Co Music Systems Randall's Paints | 1940 to 1950 1960 1970 1992 | No |
| 233 Catherine Street | 230 m southwest | Scotty's Garage | 1960 | PCA 14 (PCA #10 – Commercial Autobody Shops) |
| 235 Catherine Street | 250 m southwest | McKay Motor Service Murphy-Deacon-manor Co School | 1940 1950 to 1960 1981 to 1992 | No |
| 240 Catherine Street | 250 m southwest | Capital Radiator Co Multi-tenant office | 1950 2001 to 2011 | No |

Based on the available city directories only one PCA, the existing gas station at 512 Bank Street (**PCA 17**), was identified on nearby properties that were not identified in the FIPs and during the site visit. Based on the cross-gradient location and distance from the Site, the gas station is not considered an environmental concern to the Site.

3.6 Environmental Reports

The following reports were reviewed for the Phase One property as part of the Phase One ESA:

1. Paterson Group, *Phase I Environmental Site Assessment, 233 Argyle Avenue, Ottawa, Ontario*, November 2019.

The Phase I ESA indicated that the Site was developed as a residential property prior to 1912. The Site remained residential in use until it was converted to commercial office space in the 1970s. The property manager was interviewed during a Phase

I ESA conducted in 2019 by Paterson. The property manager indicated the previous owner had owned the property for the last 30 years. The building has used natural gas fire furnaces and a hydronic heating system since at least this time.

The report identified dry-cleaning operation to the west, and two retail fuel outlets to the northwest. Based on the distance (approximately 150 m) and cross-gradient location of the RFO's from the subject site, these activities were not considered to have impacted the subject site. No additional environmental work was recommended.

3.7 Environmental Source Information

Information pertaining to the Phase One property was obtained by reviewing documents that are available to the public through municipal and provincial sources. EXP did not identify the need to contact any federal agencies.

Written responses from regulatory agencies and copies of documents obtained via searches are provided in Appendix D.

3.7.1 Ontario Ministry of the Environment, Conservation and Parks Records

On November 6, 2020, records pertaining to the Phase One property were requested from the Ministry of the Environment, Conservation and Parks (MECP) through the *Freedom of Information and Protection of Privacy Act* (FOI). To date, no response has been received. If environmentally significant information is obtained from the MECP search, it will be provided as an addendum to this report.

3.7.2 Historical Land Use Inventory

An HLUI request was made to the City of Ottawa March 1, 2021. No response has yet been received. A copy of the request is provided in Appendix C.

3.7.3 Environmental Registry

On March 5, 2021, the MECP Environmental Registry website was searched for postings in the vicinity of the Phase One property, no records were found.

3.7.4 Environmental Access

On March 5, 2021 the MECP Environmental Access website was searched for postings within the Phase One study area, the following records were found:

- 340 McLeod Street (10 m northwest of the Site) – ECA issued to Urban Capital Inc. for stormwater management system for 9 storey residential development. Approved April 30, 2013, certificate number 8866-96MN28 April 30, 2012.
- 464 Bank Street (130 m east) – CA issued to Tommy & Lefebvre Investments Ltd for stormwater management facility. Approved August 6, 2009, certificate number 8716-7UGJ3L.
- Flora Street (130 m west of the Site) – CA issued to the City of Ottawa for the replacement of sanitary and storm sewers along Flora Street. Approved June 2007, certificate number 7817-4JZGND.
- 320 McLeod Street (40 m north of the Site) – CA issued to 1230173 Ontario Inc. for a stormwater management system. Approved August 2004, certificate number 6288-642PV2.
- 203 Catherine Street (70 m south of the Site) – Dewatering permit registered to Dufresne Piling. Registration number R-009-7666209179 issued October 2016. ECA issued to Soba Ottawa Inc. for a stormwater management system. Approved May 2013, certificate number 5409-97KJ2U.

None of the records reviewed pose an environmental concern to the Site.

3.7.5 Hazardous Waste Information Network

On March 9, 2021, the MECP Hazardous Waste Information Network (HWIN) website was searched for registered waste generators within the Phase One study area. The following records were found:

| Location (Generator) | Proximity to the Site | Wastes Generated | Years | Environmental Concern to Site and Rationale |
|--|-----------------------|---|--------------|---|
| Hulse, Playfair & McGarry 315 McLeod Street (ON6945095) | 80 m north | Pathological wastes | 1988 to 2020 | No, the nature of wastes not a concern if disposed of appropriately. |
| OCDSB 28 Arlington Avenue (ON2829633) | 160 m southwest | Acid and alkaline waste, paint/pigment/coating residues, inorganics, laboratory chemicals, petroleum distillates, light fuels, waste compressed gases | 2002 to 2020 | No, its is unlikely that significant quantities of waste are generated at the property. |
| Ben Gunter Pharmacy Inc. 455 Bank Street (ON6380432) | 160 m northwest | Pharmaceuticals, pathological wastes | 2015 to 2020 | No, the nature of wastes not a concern if disposed of appropriately. |
| GumDocs Dental Centre 240 Catherine Street (ON9162153) | 240 m southwest | Pharmaceuticals, pathological wastes | 2020 | No, the nature of wastes not a concern if disposed of appropriately. |

Based on the nature of operations at these properties and intervening distance from these various properties, none of the records are considered potential environmental concerns.

3.7.6 Records of Site Condition

On March 7, 2021, the MECP Brownfields Registry website was searched for postings of Records of Site Condition within the Phase One study area. The following records were found:

- 203 Catherine Street (RSC #224174) – 95 m south of the Site. The property was a former commercial printer, heating oil UST was present on the property. A remedial excavation was conducted on the property, approximately 15,557 metric tonnes of BTEX, PHC, and lead impacted soil was removed from the property.
- 340 McLeod Street (RSC #223466) – 10 m northwest of the Site. PHC and VOC impacted soil and groundwater was overserved on the property, due to the former dry cleaners at 249 and 255 Argyle Avenue. Approximately 4,200 metric tonnes of impacted soil was removed from the property.
- 453 Bank Street (455 Bank Street, RSC #77916) – 140 m west of the Site. The property was a former retail duel outlet. A soil remediation program was conducted at the property, ad 150 m³ of impacted soil was removed. The property is now a residential high rise.
- 37 Flora Street (RSC #44580) – 150 m west of the Site. The property was a former automotive service garage. No remediation was required on the property. The property is now a restaurant and brewery.

3.7.7 Coal Gasification Plants

Documents entitled *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario* prepared by the MECP and *Inventory of Coal Gasification Plant Waste Sites in Ontario* prepared by Intera Technologies Ltd. were reviewed. There were no coal gasification plants identified within the Phase One study area.

3.7.8 PCB Storage Sites

Documents entitled *National Inventory of PCBs in Use and PCB Wastes in Storage in Canada, 2003 Annual Report* prepared by Environment Canada and *Ontario Inventory of PCB Storage Sites* prepared by the MECP were reviewed. No records pertaining to PCB storage sites were identified within the Phase One study area.

3.7.9 Waste Disposal Sites

Documents entitled *Old Landfill Management Strategy, Phase 1, Identification of Sites, City of Ottawa, Ontario* prepared by Golder Associates Ltd. and *Waste Disposal Site Inventory* prepared by the MECP were reviewed. No former landfills or waste disposal sites were identified within the Phase One study area.

3.7.10 Former Industrial Sites

The document entitled *Mapping and Assessment of Former Industrial Sites; City of Ottawa* prepared by Intera Inc. was reviewed. No former industrial sites were identified within the Phase One study area.

3.8 EcoLog ERIS Database Search

A search of provincial and federal databases for records pertaining to the Phase One property and properties within the Phase One study area was conducted by EcoLog ERIS. EXP has confirmed neither the completeness nor the accuracy of the records that were provided. A summary of the more significant findings is provided below. A copy of the EcoLog ERIS report is provided in Appendix E.

Entries from the EcoLog ERIS report were reviewed and summarized below:

| Location | Proximity to the Phase One Property | Description | Database | Environmental Concern to Phase One Property (Yes/No) & Rationale |
|-----------------------------|-------------------------------------|--|----------|--|
| 330 McLeod Street | North adjacent | McLeod Retirement Home registered waste generator of light fuels in 2018 (ON3139052). | GEN | No, waste generation is likely related to maintenance activities, significant quantities of waste are not anticipated. |
| 239 Argyle Street | 10 m west | Argyle Associates registered waste generator of pharmaceuticals and pathological wastes from 2011 to 2014 (ON6674284). | GEN | No, this is a medical facility, the nature of wastes not a concern if disposed of appropriately. |
| 340 McLeod Street | 10 m northwest | Canadian Medical Laboratories registered waste generator of pharmaceuticals and pathological wastes 1982 to 2009 (ON8496209) | GEN | No, this is a medical facility, the nature of wastes not a concern if disposed of appropriately. |
| 440 O'Connor Street | 60 m southeast | Ottawa Curling Club registered waste generator of brines and chlor-alkali wastes from 1986 to 2001 (ON0898500). | GEN | No, it is not anticipated that significant quantities of waste are generated on the property. |
| 141 Catherine Street | 65 m south | Proulx Bothers Inc., registered waste generator of photo processing wastes from 1994 to 2006 (ON1061101). MacLean and Associates Inc., registered waste generator of unlisted wastes in 2011 (ON6006252). | GEN | No, it is not anticipated that significant quantities of waste are generated on the property. |

| Location | Proximity to the Phase One Property | Description | Database | Environmental Concern to Phase One Property (Yes/No) & Rationale |
|----------------------|-------------------------------------|---|------------|--|
| 258 Argyle Avenue | 75 m west | Capital Elevator Inc. registered waste generator of waste crankcase oils and lubricants from 2017 to 2019 (ON7486821). | GEN | No, waste generation is likely related to elevator maintenance, significant quantities of waste are not anticipated. |
| 315 McLeod Street | 80 m north | Hulse and Playfair Ltd., registered waste generator of pathological wastes from 1988 to 2020 (ONF022600, ON6945095). | GEN | No, the nature of wastes not a concern if disposed of appropriately. |
| 485 Bank Street | 80 m west | PBC Development registered generator of PCBs, waste oils and lubricants, and light fuels 2005 to 2008 (ON8948647). | GEN | No, based on the cross-gradient location and the distance from the Site |
| 203 Catherine Street | 80 m south | The Ottawa Sun, registered waste generator of photo processing wastes from 1988 to 1997 (ON0173501). Sunday Herald, registered waste generator of photo processing wastes from 1986 to 1998 (ON0865800). Mediaplus Advertising, registered waste generator of photo processing wastes from 1992 to 2001 (ON1376900). Process Photo Centre, registered waste generator of photo processing wastes from 1992 to 2001 (ON1426200). Daoust Construction 2012 (ON4482771). April 1, 2015, Jean Daoust Construction Inc. reported 300 L of fuel oil released during removal of UST. Soba Ottawa Inc., registered waste generator of alkaline wastes, and oil skimmings and sludges from 2015 to 2016 (ON5190662). | GEN SPL | PCA 18 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) Fuel oil UST was present on the property. |
| 205 Catherine Street | 100 m southwest | Public Works Canada, registered waste generator of undefined wastes from 1986 to 1994 (ON0144709). Ginn Photographic Company, registered waste generator of photo processing wastes from 1995 to 2001 (ON2096400). | GEN | No, based on the distance from the Site. |
| 180 Argyle Avenue | 100 m east | December 1, 2010 one or both unused 4,000-gallon fuel tanks in the basement leaked fuel oil. YMCA, registered waste generator of aliphatic solvents from 2010 to 2011, 2020 (ON3516650, ON7565419). | SPL GEN | PCA 19 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) Fuel oil USTs were present on the property. |
| 340 Gladstone Avenue | 100 m north | May 28, 2005, OC Transpo spilled 40 L of oil to road | SPL | No, based on the small amount of contaminant spilled and the down-gradient location of the property. |

| Location | Proximity to the Phase One Property | Description | Database | Environmental Concern to Phase One Property (Yes/No) & Rationale |
|----------------------|-------------------------------------|---|--------------------|--|
| 499 Bank Street | 110 m west | Boots and Boards registered waste generator of petroleum distillates 1988 to 1998 (ON1128600). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 200 Catherine Street | 130 m south | Schindler Elevator Corporation, registered waste generator of waste oils and lubricants in 2010 (ON8692673). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 488 Bank Street | 130 m west | June 1, 1990 Petro-Canada reported 400 L of fuel spilled to sewers from AST. | SPL | No, based on the cross-gradient location of the property and the distance from the Site. |
| 523 Bank Street | 140 m southwest | Printing House Ltd., registered waste generator of photo processing wastes from 1994 to 1995 (ON1855503). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 529 Bank Street | 140 m southwest | Process Photo Centre, registered waste generator of photo processing wastes from 2001 to 2004 (ON1426201). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 464 Bank Street | 150 m west | Tommy & Lefebvre Inc., registered waste generator of petroleum distillates, emulsified oils, waste oils and lubricants, heavy fuels, and oil skimmings and sludges from 1989 to 2018 (ON1144000) | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 519 Bank Street | 150 m southwest | Ottawa Mountain Masters Ltd., registered waste generator of petroleum distillates from 1993 to 2001 (ON1709100). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 28 Arlington Avenue | 160 m southwest | OCDSB, registered waste generator of PCBs, light fuels, organic laboratory chemicals, acid and alkaline waste, and paint/pigment/coating residues from 2002 to 2020 (ON4363413, ON2829633). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 455 Bank Street | 160 m northwest | Quantum Murray LP, registered waste generator of paint/pigment/coating residues and PBCs in 2009 (ON9450235). Ben Gunter Pharmacy Inc., registered waste generator of pharmaceuticals, and pathological wastes from 2015 to 2020 (ON6380432). Registered pesticide vendor | GEN PES | No, based on the cross-gradient location of the property and the distance from the Site. |
| 450 Bank Street | 160 m northwest | Esso gas station Mac's Convenience Stores Inc., registered waste generator of light fuels from 2016 to 2020 (ON5315721 PO). | DTNK EXP FST | PCA 9 (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks) |

| Location | Proximity to the Phase One Property | Description | Database | Environmental Concern to Phase One Property (Yes/No) & Rationale |
|-----------------------------|-------------------------------------|---|--------------------------------|--|
| 464 Metcalfe Street | 160 m east | Modern Niagara, registered waste generator of aliphatic solvents from 2016 to 2020 (ON6183296). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 512 Bank Street | 170 m southwest | MacEwan Petroleum retail fuel outlet June 17, 1995 30L of gasoline spilled to ground due to UST overflow at gas station. Allsport Rentals, registered waste generator of petroleum distillates from 1993 to 2001 (ON1708300). | DTNK EXP FST PRT, SPL | No, based on the cross-gradient location of the property and the distance from the Site. |
| 434 Bank Street | 175 m northwest | August 7, 2017 OC Transpo spilled 40 L of coolant to catch basin | SPL | No, based on the small amount of contaminant spilled and the distance from the Site. |
| 491 Bank Street | 200 m east | Museum of Natural Sciences, registered waste generator of unlisted wastes from 1989 to 1998 (ON0129413). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 240 McLeod Street | 210 m east | Government of Canada Nation Museums, registered waste generator of halogenated solvents, paint/pigment/coating residues, inorganic laboratory chemicals, PCBs, and waste oils and lubricants from 1992 to 2020 (ON1765000, ON0129410). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |
| 410 Gladstone Avenue | 230 m west | Axle Automotive Inc., registered waste generator of petroleum distillates, light fuels, and oil skimmings and sludges from 2007 to 2018 (ON7153867). | AUWR GEN | PCA 20 (PCA #10 – Commercial Autobody Shops) |
| 240 Catherine Street | 240 m southwest | Alphatext Ronalds Printing, registered waste generator of photo processing wastes from 1986 to 1998 (ON0591400). Printing House Ltd., registered waste generator of photo processing wastes from 1996 to 2004 (ON1855503). Manivest Inc., registered waste generator of oil skimmings and sludges, and waste oils and lubricant from 2002 to 2004 (ON1381032). Cima Canada Inc., registered waste generator of waste oils and lubricants from 2015 (ON2842682). GumDocs Dental Centre, registered waste generator of pharmaceuticals and pathological wastes in 2020 (ON9162153). | GEN | No, based on the cross-gradient location of the property and the distance from the Site. |

- The Certificates of Approval and Environmental Compliance Approval database identified 20 entries in the Phase One study area. All of the entries were for municipal sewer and water works.
- The Environmental Activity and Sector Registry identified two records for the Phase One study area. One of the records was for construction dewatering, the other was for the operation of an automotive refinishing facility at 410 Gladstone Avenue (**PCA 20**).

- The TSSA Historic Incidents database and Pipeline Incidents database identified three records in the study area. All of the records were for natural gas pipeline strikes.
- There were 22 records found in the Water Well Information System (WWIS) database for the Phase One study area. All of the records were for monitoring wells.

Based on the available city directories only one PCA, the existing automotive garage at 410 Gladstone Avenue (**PCA 20**), was identified. Based on the cross-gradient location and distance from the Site, the automotive garage is not considered an environmental concern to the Site. No other additional PCAs have been identified in the Phase One study area in addition to those mentioned in previous sections.

3.9 Physical Setting Sources

3.9.1 Aerial Photographs

Aerial photographs dated 1928, 1958, 1965, 1976, 1991, 2005, 2011, and 2019 were available for review on the City of Ottawa website. Aerial photographs dated prior to 1928 were not available for review. The following table summarizes the development and land use history of the Phase One property and adjacent properties as depicted on the reviewed aerial photographs. Copies of the aerial photographs are provided in Appendix F.

| Aerial Photograph (year) | Details |
|--------------------------|--|
| 1928 | The existing building appears to be present on the property. The Phase I study area has been developed and consists primarily of residential properties. The CN rail line is present approximately 170 m south of the Phase One property. |
| 1958 | The Phase I property and study area appears similar to the 1928 aerial photograph. |
| 1965 | The adjacent properties to the north and south have been redeveloped with multi-storey flat roofed buildings. The CN rail line is no longer present, and construction of the 417 has begun in its place. The Phase I property and the remainder of the study area appears similar to the 1958 aerial photograph. |
| 1976 | The Phase I property and study area appears similar to the 1965 aerial photograph. Construction of the 417 has been completed. |
| 1991 | The Phase I property and study area appears similar to the 1976 aerial photograph. |
| 2005 | The Phase I property and study area appears similar to the 1991 aerial photograph. Property northeast of the Phase I property is being redeveloped with an apartment building. |
| 2011 | The Phase I property and study area appears similar to the 2002 aerial photograph. |
| 2019 | The Phase I property and study area appears similar to the 2011 aerial photograph. Property the northwest of the Phase I property has been redeveloped with residential apartments. |

Based on the review of the aerial photographs, no additional PCAs have been identified in the Phase One study area in addition to those mentioned in previous sections.

3.9.2 Topography, Hydrology, Geology

Bedrock and surficial geology were reviewed via the Google Earth applications published by the Ontario Ministry of Energy, Northern Development and Mines. The bedrock geology application is available via www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearch/bedrock-geology and was last modified on March 19, 2018. The surficial geology application is available via www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearch/surficial-geology and was last modified on May 23, 2017.

Based on the surficial geology map examined, beneath any fill, the surficial geology of the subject site is characterised by fine textured glaciomarine deposits of silt and clay. An examination of the bedrock geology map shows the subject site is underlain by limestone, dolostone and shale of the Ottawa Group.

3.9.3 Fill Materials

It is assumed that some fill material is present beneath the building and parking lot on the Site. This represents **PCA 21** (PCA #30 – Imported Fill Material of Unknown Quality).

3.9.4 Water Bodies and Areas of Natural Significance

There are no water bodies on the subject site. The closest body of water is the Rideau Canal, approximately 600 m to the east. Topographically, the Phase One property is relatively flat. Based on local topography, the groundwater flow at the Phase One property is anticipated to be north towards the Ottawa River.

There are no Areas of Natural Significance (ANSI) within the Phase One study area, according to the Ministry of Natural Resources and Forestry Natural Heritage website (www.gisapplication.lrc.gov.on.ca/mamnh/Index.html).

3.9.5 Well Records

The Ontario well records website (www.ontario.ca/environment-and-energy/map-well-records water wells) was accessed. There were 22 well records for the Phase One study area. All of the records were for monitoring wells.

There are no oil, gas, or salt wells within the Phase One study area, according to the Oil, Gas & Salt Resources Library (maps.ogsrlibrary.com/wells/).

3.10 Site Operating Records

No site operating records were provided to EXP for review.

4.0 Interviews

Interviews were conducted by EXP with the individuals identified to be the most knowledgeable about both the current and historical Phase One property uses. The purpose of interviews is to obtain information to assist in identifying areas of potential environmental concern and identify details of potentially contaminating activities or potential contaminant pathways, in, on or below the Phase One property.

The property manager was interviewed during a Phase I ESA conducted in 2019 by Paterson. The property manager indicated the previous owner had owned the property for the last 30 years. The building has used natural gas fire furnaces and a hydronic heating system since at least this time.

Responses to other questions were made during site reconnaissance and are discussed in section 5.0.

5.0 Site Reconnaissance

5.1 General Requirements

On March 9, 2021 at 1 p.m., Ms. Leah Wells, P.Eng. of EXP conducted the site visit for the Phase One property. The weather was sunny with an approximate temperature of 10 degrees Celsius. The Site visit lasted approximately 45 minutes.

The site visit was conducted in accordance with EXP's internal health and safety protocols and with the Ministry of Labour health and safety regulations. The purpose of the site visit was to assess the current conditions of the Phase One property.

Observations of the Phase One property and surrounding properties within the Phase One study area were conducted. Adjoining properties were observed from within the grounds of the Phase One property and from public roads and sidewalks.

Photographs were taken at the Phase One property on March 9, 2021 and pertinent photographs are included in Appendix F.

5.2 Specific Observations at the Phase One Property

5.2.1 Buildings and Structures

The building is a three-storey, brick clad building, with a full basement. A flat-roofed addition appears to have been added to the first floor on the north side of the building. The date of the addition is unknown. The building currently operates as commercial office space, with one unit per floor. At the time of the site visit, only the first floor was occupied. The tenant on the first floor is Rupert McCarthy, Linsey Sherman, Lawyer. They have occupied the first storey unit since 2008. A paved driveway is present on the west side of the property, and a parking lot on the north part of the property.

5.2.2 Site Utilities and Services

The Site is serviced with municipal sewer and water, overhead hydro and natural gas.

There was no evidence of a railway being present on the Phase One property.

5.3 Storage Tanks

5.3.1 Underground Storage Tanks

EXP did not observe any evidence of USTs, such as vent and fill pipes, during the site reconnaissance. Furthermore, the historical review did not identify any former USTs at the site.

5.3.2 Above Ground Storage Tanks

Based on the age of the residence it is likely that the building was heated with oil prior to the installation of the natural gas services. There are two holes from suspected vent/fill pipes located at the southwest corner of the building. The former location of the furnace oil AST represents **PCA 22** (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks).

5.4 Chemical Storage Handling and Floor Condition

Chemical use on the Phase One property was limited to small quantities of commonly available retail sized containers of cleaners and detergents, as well as common maintenance chemicals such as paint. At the time of the Site visit, the property was not occupied.

5.5 Areas of Stained Soil, Pavement or Stressed Vegetation

The Site was snow covered at the time of the site visit and the ground cover could not be observed.

5.6 Fill and Debris

There is potential for fill material to be present in the building footprint and beneath the asphalt parking lot (**PCA 21**).

5.7 Air Emissions

Regulatory control of air emissions in Ontario is the responsibility of the MECP. According to the Environmental Protection Act (EPA), an ECA (Air) is required for the ongoing operation of any equipment that may discharge a contaminant into the natural environment if the equipment was installed, modified or altered after June 29, 1988.

No air emissions of concerns were identified at the time of the site visit.

5.8 Odours

No strong odours were present during the site visit.

5.9 Noise

No excessive noise was heard during the site visit.

5.10 Other Observations

There were no pits and lagoons, no railways or spurs and no unidentified substances observed on the Phase One property.

5.11 Special Attention Items, Hazardous Building Materials and Designated Substances

5.11.1 Asbestos

Asbestos-containing materials (ACM) are fibrous hydrated silicates and can be found in building materials as either "unbound" or "bound" asbestos. Friable asbestos refers to materials where the asbestos fibres can be separated from the material with which it is associated. Non-Friable asbestos refers to asbestos that is associated with a binding agent (such as tar or cement). Friable asbestos is commonly found in boiler and pipe insulation. Non-Friable asbestos is typically found in roofing tars, floor and ceiling tiles, and asbestos-containing cement.

ACM in the workplace are defined as a Designated Substance under the Ontario Occupational Health and Safety Act (OHSa). Under OHSa, persons in the workplace are required to be notified of the presence of ACMs once they are suspected to be present, and if there is a potential for workers to be exposed. The use of ACM was discontinued in Canada in the late 1970s/early 1980s, although non-friable asbestos can still be found in recently constructed buildings.

Based on the age of the building at the Phase One property ACM may be present.

5.11.2 Ozone Depleting Substances (ODSs)

Chlorofluorocarbons (CFC), often referred to as freons, ceased production in Canada in 1993 as a result of their ozone-depleting characteristics. Importation of CFCs into Canada ceased in 1997 and a total ban on their use is proposed for 2020. The use of these materials is still permitted in existing equipment, but equipment must be serviced by a licensed contractor such that CFCs are contained and not released to the environment during servicing or operation.

Maintenance of refrigerant containing equipment should continue to be completed by a licensed refrigeration contractor. The equipment should only be repaired, removed, or serviced by an appropriately licensed contractor.

5.11.3 Lead

Lead has frequently been used in oil-based paints, roofing materials, cornices, tank linings, electrical conduits and soft solders for tinplate and plumbing. The use of lead-based paints (LBPs) was phased out *circa* 1976. Paint that was produced or used between 1976 and 1980 may contain small amounts of lead. Paint that was produced or used prior to 1950 may contain higher levels of lead. The main concern regarding lead paint is its potential to become lead dust or chips either through deterioration and/or mechanical means (i.e., sanding, abrasion, etc.). Exposure to lead dust or chips occurs by ingestion or inhalation.

Based on the age of the building at the Phase One property LBPs may be present. The painted surfaces observed during EXP's site visit were observed to be in good condition.

5.11.4 Mercury

Mercury could be found in some batteries, light bulbs, old paints, thermostats, old mirrors, etc. Based on an investigation by Consumer and Corporate Affairs Canada, and an assessment of potential health risks by Health and Welfare Canada, in 1991 the decision was made to eliminate the use of mercury compounds in indoor latex paints. The Canadian Paint and Coatings Association (CPCA) supported the withdrawal and all Canadian manufacturers and formulators of the preservative voluntarily agreed to remove "interior uses" from their product labels.

Mercury-containing equipment was not observed during the Site visit. The interior painted surfaces observed during EXP's site visit were in good condition. No mercury-containing thermostats were observed in the building.

5.11.5 Polychlorinated Biphenyls (PCB)

The manufacture of PCB in North America was prohibited under the Toxic Substances Control Act (1977). Their use as a constituent of new products manufactured in or imported into Canada was prohibited by regulations in 1977 and 1980. As such, sites developed or significantly renovated after 1980 are unlikely to have PCB-containing equipment on the Phase One property. Potential equipment, which could contain PCB include fluorescent mercury and sodium vapour light ballasts, oil filled capacitors and transformers. Any electrical equipment containing PCB must be disposed of in accordance with Ontario Regulation 362 when it is removed from service. Ongoing operation of equipment containing PCB is permissible.

There was no evidence of PCB-containing equipment on the Phase One property.

5.11.6 Urea Formaldehyde Foam Insulation

Formaldehyde is a pungent, colourless gas commonly used in water solution as a preservative and disinfectant. It is also a basis for major plastics, including durable adhesives. It occurs naturally in the human body and in the outdoor environment. Formaldehyde is used to bond plywood, particleboard, carpets, and fabrics, and it contributes to "that new house smell."

Formaldehyde is also a by-product of combustion; it is found in tobacco smoke, vehicle exhaust and the fumes from furnaces, fireplaces and wood stoves. While small amounts of formaldehyde are harmless, it is an irritating and toxic gas in significant concentrations. Symptoms of overexposure to formaldehyde include irritation to eyes, nose, and throat; persistent cough and respiratory distress; skin irritation; nausea; headache; and dizziness.

Urea-formaldehyde foam insulation (UFFI) was developed in Europe in the 1950s as an improved means of insulating difficult-to-reach cavities in the walls. It is typically made at a construction site from a mixture of urea-formaldehyde resin, a foaming agent and compressed air. When the mixture is injected into the wall, urea and formaldehyde unite and "cure" into an insulating foam plastic.

During the 1970s, when concerns about energy efficiency led to efforts to improve building insulation in Canada, UFFI became an important insulation product for existing buildings. The further use of UFFI was banned in Canada in 1980.

No evidence of UFFI was observed during the site visit.

5.11.7 Radon

Radon is a colourless, odourless, radioactive gas that occurs naturally in the environment. It comes from the natural breakdown of uranium in soils and rocks. Exposure to high levels of radon increases the risk of developing lung cancer. This relationship has prompted concern that radon levels in some Canadian buildings may pose a health risk. Radon gas can move through small spaces in the soil and rock and seep into a building through cracks in concrete, sumps, joints, and basement drains. Concrete-block walls are particularly porous to radon and radon trapped in water from wells can be released into the air when the water is used.

Due to the potential health concerns associated with radon, Health Canada released a guideline in June 2007 for a maximum acceptable level of radon gas of 200 Becquerels per cubic metre (Bq/m³) where radon gas is present and the annual radon concentration exceeds 200 Bq/m³ in the normal occupancy area.

A radon gas assessment was beyond the scope of this Phase One ESA, and as such, radon gas was not assessed.

5.11.8 Mould

Mould is found in the natural environment and is required for the breakdown of plant debris such as leaves and wood. Mould spores are found in the air in both the indoor and outdoor environments. In order for mould to grow, a food source (i.e. gypsum wallboard, wallpaper, wood, etc.) and moist conditions are required. Mould can have an impact on human health depending on the species and concentration of the airborne mould spores. Health effects can include allergies and mucous membrane irritation.

Currently there are no regulations governing mould; however, there are several guidelines addressing mould assessments and abatement. At the moment, the industry standards include the Canadian Construction Association (CCA) document 82-2004 titled "mould guidelines for the Canadian construction industry" and the Environmental Abatement Council of Ontario (EACO) guidelines titled "EACO Mould Abatement Guidelines, Edition 3 (2015)."

It is important to note that the Ministry of Labour (MOL) has governed protecting workers under the Occupational Health and Safety Act, which states that employers are required to take every precaution reasonable to protect their workers. This includes protecting workers from mould within workplace buildings.

Some water damage was observed on the carpet in the basement during the site visit.

5.12 Other Substances

No other special attention substances (such as acrylonitrile or isocyanates) were suspected to be present at the Phase One property at the time of site reconnaissance.

5.13 Processing and Manufacturing Operations

No processing or manufacturing operations were observed at the Phase One property.

5.14 Hazardous Materials Use and Storage

No hazardous materials are used or stored at the Phase One property.

5.15 Vehicle and Equipment Maintenance Areas

No equipment maintenance has occurred on the Phase One property.

5.16 Oil/Water Separators

No oil/water separators were present at the Phase One property.

5.17 Sewage and Wastewater Disposal

Sewage and wastewater generated at the Phase One property was disposed of via the municipal system.

5.18 Solid Waste Generation, Storage & Disposal

Solid wastes generated at the Phase One property are limited to household wastes.

5.19 Liquid Waste Generation, Storage & Disposal

No liquid waste is generated at the Phase One property.

5.20 Unidentified Substances

No unidentified substances were observed on the Phase One property at the time of the site visit. No dumping or any other deleterious materials were identified.

5.21 Hydraulic Lift Equipment

No hydraulic equipment was observed at the Phase One property.

5.22 Mechanical Equipment

No mechanical equipment was present on the Phase One property.

5.23 Abandoned and Existing Wells

There are no wells present on the Phase One property.

5.24 Roads, Parking Facilities and Right of Ways

Vehicular access to the Phase One property is via is Argyle Avenue.

5.25 Adjacent and Surrounding Properties

A visual inspection of the adjacent properties and properties within 250 m of the Phase One property was conducted from publicly accessible areas to identify the occupants and document the uses and sources of potential environmental concerns that may impact the Phase One property. Refer to Figure 3 in Appendix C for the adjacent land uses.

The following land uses border the Phase One property:

- North: Mixed residential and commercial;
- West: Mixed residential and commercial;

- East: Mixed residential and commercial; and
- South: Mixed residential and commercial.

No other environmental concerns relating to the adjacent properties were observed at the time of the site visit.

5.13 Enhanced Investigation Property

Ontario Regulation 153/04 defines an enhanced investigation property as a “property that is used, or has ever been used, in whole or in part for an industrial use or any of the following commercial uses: a garage; a bulk liquid dispensing facility, including a gasoline outlet; or, for the operation of dry-cleaning equipment.”

Therefore, in accordance with Regulation 153/04, the property is not considered to be an enhanced investigation property.

5.14 Summary and Written Description of Investigation

At the time of the investigation, the Phase One property consisted of a three-storey building used as commercial office space.

Based on the findings of this investigation, 22 PCAs have been identified in the Phase One study area, resulting in four APECs on the Phase I property.

6.0 Review and Evaluation of Information

6.1 Current and Past Uses

Based on a review of historical aerial photographs, and other records review, it appears the subject site was first developed as a residence prior to 1912.

6.2 Potentially Contaminating Activity

Ontario Regulation (O. Reg.) 153/04 defines a Potential Contaminating Activity (PCA) as one of fifty-nine (59) industrial operations set out in Table 2 of Schedule D that occurs or has occurred in the Phase One study area. The following PCA were identified for the Phase One property and the Phase One study area:

The following PCAs were identified:

- **PCA 1** – 255 Argyle Avenue – Former gasoline dry cleaner, four gasoline USTs on the property (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 50 m west of the Site. This is considered APEC 1.
- **PCA 2** – Block between Catherine Street and Isabella Street – Former CN rail line (PCA #46 – Rail Yards, Tracks and Spurs), located 150 m south of the Site. Based on intervening distance this is not considered an APEC.
- **PCA 3** – 431 Bank Street – Former dry cleaner (PCA#37 – Operation of Dry-Cleaning Equipment), located 180 m northwest of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 4** – 249 Argyle Avenue – Former dry cleaner (PCA#37 – Operation of Dry-Cleaning Equipment), located 30 m west of the Phase One property. This is considered APEC 2.
- **PCA 5** – 455 Bank Street – Former retail fuel outlet (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located adjacent to 100 m to the northwest of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 6** – 210 Catherine Street – Former retail fuel outlet (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located adjacent to 130 m to the south of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 7** – 233 Catherine Street – Two former fuel USTs on the east exterior side of the Department of National Defence garage (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 130 m south of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 8** – 233 Catherine Street – Former Department of National Defence garage (PCA#10 – Commercial Autobody Shops), located 130 m south of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 9** – 448 Bank Street – Former retail fuel outlet (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located adjacent to 140 m to the west of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 10** – 41 Flora Street – Former automotive service garage (PCA#10 – Commercial Autobody Shop), located 150 m west of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.

- **PCA 11** – 510 Bank Street – Former 460 -gallon fuel UST (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 160 m southwest of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 12** – 380 McLeod Street – Former 920 -gallon fuel UST (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 170 m west of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 13** – 512 Bank Street – Former automotive service garage (PCA#10 – Commercial Autobody Shop), located 150 m southwest of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 14** – 233 Catherine Street – Former automotive service garage (PCA#10 – Commercial Autobody Shop), located 230 m southwest of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 15** – 340 Catherine Street – Former retail fuel outlet (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 250 m southwest of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 16** – 234 Catherine Street – Former automotive service garage (PCA#10 – Commercial Autobody Shop), located 250 m southwest of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 17** – 512 Bank Street – Former retail fuel outlet (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 150 m southwest of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 18** – 203 Catherine Street – Former fuel UST (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 80 m south of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 19** – 180 Argyle Avenue – Two 4,000-gallon fuel oil ASTs in basement (PCA#28 – Gasoline and Associated Products Stored in Fixed Tanks), located 100 m southwest of the Phase One property. Based on intervening distance this is not considered an APEC.
- **PCA 20** – 410 Gladstone Avenue – Automotive service garage (PCA#10 – Commercial Autobody Shop), located 230 m west of the Phase One property. Based on intervening distance and being cross-gradient in terms of the assumed direction of groundwater flow, this is not considered an APEC.
- **PCA 21** – 233 Argyle Avenue (Subject Site) – Assumed fill beneath building and parking lot (PCA#30 – Imported Fill Material of Unknown Quality). This is considered APEC 3.
- **PCA 22** – 233 Argyle Avenue (Subject Site) – Assumed former furnace oil AST (PCA#28 – Gasoline and associated products storage in fixed tanks). This is considered APEC 4.

No other PCAs that took place within the vicinity of the Phase One property (approximately 250 m radius) were identified.

6.3 Areas of Potential Environmental Concern

Ontario Regulation 153/04 defines an APEC as an area on a property where one or more contaminants are potentially present. Based on this Phase One ESA, the following APEC was identified:

| Area of Potential Environmental Concern (APEC) | Location of APEC on Phase One Property | Potentially Contaminating Activity (PCA) | Location of PCA (On-Site or Off-Site) | Contaminants of Potential Concern | Media Potentially Impacted (Groundwater, Soil and/or Sediment) |
|--|--|---|---------------------------------------|---|--|
| APEC #1 | Area near west property line | PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks | Off-Site | Benzene, Toluene, Ethylbenzene, Xylene (BTEX), petroleum hydrocarbons (PHC) | Groundwater |
| APEC #2 | Area near west property line | PCA#37 – Operation of Dry-Cleaning Equipment) | Off-Site | Volatile Organic Compounds (VOC) | Groundwater |
| APEC #3 | Entire Phase One property | PCA#30 – Imported Fill Material of Unknown Quality | On-Site | BTEX, PHC, VOC, metals | Soil |
| APEC #4 | Southwest corner of building interior | PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks | On-Site | BTEX and PHC | Soil and Groundwater |

6.4 Phase One Conceptual Site Model

To develop a conceptual model for the Phase One property, the following physical characteristics and pathways were considered. A conceptual site model (CSM) showing the topography of the site, inferred groundwater flow, general site features, APEC, and PCA is shown in Figure 2.

6.4.1 Buildings and Structures

The building is a three-storey, brick clad building, with a full basement. A flat-roofed addition appears to have been added to the first floor on the north side of the building. The date of the addition is unknown. The building currently operates as commercial office space, with one unit per floor.

6.4.2 Water Bodies and Groundwater Flow Direction

There are no water bodies on the subject site. The closest body of water is the Rideau Canal, approximately 600 m to the east. Topographically, the Phase One property is relatively flat. Based on local topography, the groundwater flow at the Phase One property is anticipated to be north towards the Ottawa River.

6.4.3 Areas of Natural Significance

There are no ANSI within the Phase One study area.

6.4.4 Water Wells

There are records for 22 monitoring wells within the Phase One study area. All of the records were for monitoring wells.

6.4.5 Potentially Contaminating Activity

The following on-site PCA were identified:

- PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks

- PCA #30 – Imported Fill Material of Unknown Quality

The Following off-site PCA were identified:

- PCA#10 – Commercial Autobody Shops
- PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used)
- PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks
- PCA #46 – Rail Yards, Tracks and Spurs

6.4.6 Areas of Potential Environmental Concern

The following APEC were identified:

- APEC #1 – Area near west property line (PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks (**PCA 1**)).
- APEC #2 – Area near west property line (PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used) (**PCA 4**))
- APEC #3 – Entire Phase One property (PCA #30 – Imported Fill Material of Unknown Quality (**PCA 21**))
- APEC #4 – Southwest corner of building basement ((PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks (**PCA 22**))

6.4.7 Subsurface Stratigraphy

Based on the surficial geology map examined, beneath any fill, the surficial geology of the subject site is characterised by fine textured glaciomarine deposits of silt and clay. An examination of the bedrock geology map shows the subject site is underlain by limestone, dolostone and shale of the Ottawa Group.

6.4.8 Uncertainty Analysis

The CSM is a simplification of reality, which aims to provide a description and assessment of any areas where potentially contaminating activity that occurred within the Phase One study area may have adversely affected the Phase One property. All information collected during this investigation, including records, interviews, and site reconnaissance, has contributed to the formulation of the CSM.

Information was assessed for consistency, however EXP has confirmed neither the completeness nor the accuracy of any of the records that were obtained or of any of the statements made by others. All reasonable inquiries to obtain accessible information were made, as required by Schedule D, Table 1, Mandatory Requirements for Phase One Environmental Site Assessment Reports. The CSM reflects our best interpretation of the information that was available during this investigation.

7.0 Conclusions

EXP understands that the most recent use of the property is defined by Ontario Regulation 153/04 as commercial property use, and that the proposed use is residential.

In summary, the following areas of potential environmental concern (APEC) were identified:

| Area of Potential Environmental Concern (APEC) | Location of APEC on Phase One Property | Potentially Contaminating Activity (PCA) | Location of PCA (On-Site or Off-Site) | Contaminants of Potential Concern | Media Potentially Impacted (Groundwater, Soil and/or Sediment) |
|--|--|---|---------------------------------------|---|--|
| APEC #1 | Area near west property line | PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks | Off-Site | Benzene, Toluene, Ethylbenzene, Xylene (BTEX), petroleum hydrocarbons (PHC) | Groundwater |
| APEC #2 | Area near west property line | PCA#37 – Operation of Dry-Cleaning Equipment) | Off-Site | Volatile Organic Compounds (VOC) | Groundwater |
| APEC #3 | Entire Phase One property | PCA#30 – Imported Fill Material of Unknown Quality | On-Site | BTEX, PHC, VOC, metals | Soil |
| APEC #4 | Southwest corner of building interior | PCA #28 – Gasoline and Associated Products Storage in Fixed Tanks | On-Site | BTEX and PHC | Soil and Groundwater |

The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

The Qualified Person who oversaw this work, Mark McCalla, P.Geo., recommends that a Phase Two ESA be conducted to address the PCA that may have adversely affected the APEC on the Phase One property.

8.0 References

- City of Ottawa, GeoOttawa online mapping tool, (maps.ottawa.ca/geottawa).
- Dubreuil, L. and C. Woods, *Catalogue of Canadian Fire Insurance Plans, 1875 – 1975*, 2002.
- Environment Canada, *National Inventory of PCBs in Use and PCB Wastes in Storage in Canada*, 2003 Annual Report, 2004.
- Golder Associates Ltd., *Old Landfill Management Strategy, Phase 1, Identification of Sites, City of Ottawa, Ontario*, October 2004.
- Intera Technologies Ltd., *Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume II*, April 1987.
- Natural Resources Canada, The Atlas of Canada – Toporama website (atlas.gc.ca/toporama/en/)
- Oil, Gas & Salt Resources Library, website (maps.ogslibrary.com/wells).
- Ontario Ministry of Energy, Northern Development and Mines, Bedrock Geology Application (www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/bedrock-geology), March 19, 2018.
- Ontario Ministry of Energy, Northern Development and Mines, Surficial Geology Application (www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/surficial-geology), May 23, 2017.
- Ontario Ministry of the Environment, Conservation and Parks, *Access Environment website* (www.accessenvironment.ene.gov.on.ca).
- Ontario Ministry of the Environment, Conservation and Parks, *Environmental Registry website* (www.ebr.gov.on.ca/ERS-WEB-External).
- Ontario Ministry of the Environment, Conservation and Parks, *Guide for Completing Phase One Environmental Site Assessments under Ontario Regulation 153/04*, June 2011.
- Ontario Ministry of the Environment, Conservation and Parks *Hazardous Waste Information Network website* (www.hwin.ca).
- Ontario Ministry of the Environment, Conservation and Parks, *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario*, November 1988.
- Ontario Ministry of the Environment, Conservation and Parks, *Ontario Inventory of PCB Storage Sites*, October 1995.
- Ontario Ministry of the Environment, Conservation and Parks, *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act*, July 1, 2011.
- Ontario Ministry of the Environment, Conservation and Parks, *Records of Site Condition website* (www.lrcsde.lrc.gov.on.ca).
- Ontario Ministry of the Environment, Conservation and Parks, *Waste Disposal Site Inventory*, June 1991.
- Ontario Ministry of the Environment, Conservation and Parks, *Water Wells website* (www.ontario.ca/environment-and-energy/map-well-records water wells).
- Ontario Ministry of Labour, *Occupational Health and Safety Act*, R.S.O. 1990.
- Ontario Ministry of Natural Resources and Forestry, *Natural Heritage website* (www.gisapplication.lrc.gov.on.ca/mamnh/Index.html).
- Paterson Group, *Phase I Environmental Site Assessment, 233 Argyle Avenue, Ottawa, Ontario*, November 2019.

9.0 Limitation of Liability, Scope of Report, and Third Party Reliance

Basis of Report

This report ("Report") is based on site conditions known or inferred by the investigation undertaken as of the date of the Report. Should changes occur which potentially impact the condition of the site the recommendations of EXP may require re-evaluation. Where special concerns exist, or Smart Living Properties ("the Client") has special considerations or requirements, these should be disclosed to EXP to allow for additional or special investigations to be undertaken not otherwise within the scope of investigation conducted for the purpose of the Report.

Reliance on Information Provided

The evaluation and conclusions contained in the Report are based on conditions in evidence at the time of site inspections and information provided to EXP by the Client and others. The Report has been prepared for the specific site, development, building, design or building assessment objectives and purpose as communicated by the Client. EXP has relied in good faith upon such representations, information and instructions and accepts no responsibility for any deficiency, misstatement or inaccuracy contained in the Report as a result of any misstatements, omissions, misrepresentation or fraudulent acts of persons providing information. Unless specifically stated otherwise, the applicability and reliability of the findings, recommendations, suggestions or opinions expressed in the Report are only valid to the extent that there has been no material alteration to or variation from any of the information provided to exp. If new information about the environmental conditions at the Site is found, the information should be provided to EXP so that it can be reviewed and revisions to the conclusions and/or recommendations can be made, if warranted.

Standard of Care

The Report has been prepared in a manner consistent with the degree of care and skill exercised by engineering consultants currently practicing under similar circumstances and locale. No other warranty, expressed or implied, is made. Unless specifically stated otherwise, the Report does not contain environmental consulting advice.

Complete Report

All documents, records, data and files, whether electronic or otherwise, generated as part of this assignment form part of the Report. This material includes, but is not limited to, the terms of reference given to EXP by the Client, communications between EXP and the Client, other reports, proposals or documents prepared by EXP for the Client in connection with the site described in the Report. In order to properly understand the suggestions, recommendations and opinions expressed in the Report, reference must be made to the Report in its entirety. EXP is not responsible for use by any party of portions of the Report.

Use of Report

The information and opinions expressed in the Report, or any document forming part of the Report, are for the sole benefit of the Client. No other party may use or rely upon the Report in whole or in part without the written consent of EXP. Any use of the Report, or any portion of the Report, by a third party are the sole responsibility of such third party. EXP is not responsible for damages suffered by any third party resulting from unauthorised use of the Report.


Report Format

Where EXP has submitted both electronic file and a hard copy of the Report, or any document forming part of the Report, only the signed and sealed hard copy shall be the original documents for record and working purposes. In the event of a dispute or discrepancy, the hard copy shall govern. Electronic files transmitted by EXP utilize specific software and hardware systems. EXP makes no representation about the compatibility of these files with the Client's current or future software and hardware systems. Regardless of format, the documents described herein are EXP's instruments of professional service and shall not be altered without the written consent of EXP.


*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*

10.0 Signatures

We trust this report meets your current needs. If you have any questions pertaining to the investigation undertaken by EXP, please do not hesitate to contact the undersigned. The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices. The Qualified Person who oversaw this work, Mark McCalla, M.Sc., P.Geo., recommends that a Phase Two ESA be conducted to address the PCA that may have adversely affected the APEC on the Phase One property.



Leah Wells, P.Eng.
Environmental Engineer
Earth and Environment



Mark McCalla, M.Sc., P.Geo.
Senior Project Manager
Earth and Environment

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*

Appendix A: Qualifications of Assessors



Qualifications of Assessors

EXP provides a full range of environmental services through a full-time Environmental Services Group. EXP's Earth and Environment Group has developed a strong working relationship with clients in both the private and public sectors and has developed a positive relationship with Ontario Ministry of the Environment, Conservation and Parks. Personnel in the numerous branch offices form part of a large network of full-time dedicated environmental professionals in the EXP organization.

Leah Wells, P.Eng., has four years of experience in the environmental consulting field. She has worked on numerous Phase I Environmental Site Assessments (ESA); Phase II ESAs, completing soil and groundwater sampling, soil vapour sampling, assisting in report preparation and data entry and analysis.

Mark McCalla, P.Geo., is a senior Environmental Scientist with EXP who has over 30 years of experience in the environmental consulting field. His technical undertakings have including work in the following fields: Phase I and II Environmental Site Assessments; Site Specific Risk Assessments; Petroleum and chlorinated hydrocarbon contaminated sites; Soil and groundwater remediation technologies; Hydrogeological, Terrain Analysis and Aggregate Assessments; Preparation of Ontario Ministry of Environment Certificate of Approvals and Records of Site Condition. Mr. McCalla is a Qualified Person for completing Phase I and II Environmental Site Assessments as per O.Reg. 153/04.

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*

Appendix B: Survey Plan




EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*


Appendix C: Figures



SITE LOCATION



Filename: E:\OTT\OTT-00262765-A0_60 Execution\65 Drawings\phase 1\262765-A0_ph1.dwg
Last Saved: Mar 15, 2021 9:44 AM Last Plotted: Mar 18, 2021 8:34 AM Plotted by: McKee




EXP Services Inc. www.exp.com
t: +1.613.688.1899 | f: +1.613.225.7337
2650 Queensview Drive, Suite 100
Ottawa, ON K2B 8H6, Canada

| | |
|----------|------------|
| DATE | MARCH 2021 |
| DESIGN | CHECKED |
| L.W. | L.W. |
| DRAWN BY | T.M. |





| | |
|---------|---|
| CLIENT: | SMART LIVING PROPERTIES |
| TITLE: | SITE LOCATION PLAN 233 ARGYLE AVENUE, OTTAWA, ONTARIO |


| | |
|-------------|-----------------|
| project no. | OTT-00262765-A0 |
| scale | ~1:10,000 |
| | FIG 1 |

Filename: E:\OTT\0TT-00262765-A0_60 Execution\65 Drawings\phase 1\262765-A0_ph1.dwg
 Last Saved: Mar 18, 2021 2:41 PM
 Last Plotted: Mar 18, 2021 3:12 PM
 Plotted by: McKeet




LEGEND

-  PROPERTY BOUNDARY
-  STUDY AREA (250m)
-  INFERRED GROUNDWATER FLOW DIRECTION
-  PCA16 ● POTENTIALLY CONTAMINATING ACTIVITY (PCA)




EXP Services Inc. www.exp.com
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada


| | | | |
|--------------------|-----------------|--|--------------------------------|
| DATE MARCH 2021 | | CLIENT: SMART LIVING PROPERTIES | project no. OTT-00262765-A0 |
| DESIGN L.W. | CHECKED L.W. | TITLE: PHASE ONE STUDY AREA (250m RADIUS) 233 ARGYLE AVENUE, OTTAWA, ONTARIO | scale 1:4,000 |
| DRAWN BY T.M. | | | FIG 2 |



LEGEND



- PROPERTY BOUNDARY
- GASOLINE AND ASSOCIATED PRODUCTS STORAGE IN FIXED TANKS
- DRY CLEANING
- IMPORTED FILL MATERIAL OF UNKNOWN QUALITY
- GASOLINE AND ASSOCIATED PRODUCTS STORAGE IN FIXED TANKS



EXP Services Inc. www.exp.com

t: +1.613.688.1899 | f: +1.613.225.7337
2650 Queensview Drive, Suite 100
Ottawa, ON K2B 8H6, Canada

| | | |
|----------|------------|--|
| DATE | MARCH 2021 | |
| DESIGN | CHECKED | |
| L.W. | L.W. | |
| DRAWN BY | T.M. | |


| | |
|------------------------------------|--------------------------------|
| CLIENT: | SMART LIVING PROPERTIES |
| TITLE: | |
| SITE LAYOUT | |
| 233 ARGYLE AVENUE, OTTAWA, ONTARIO | |

| | |
|--------------|-----------------|
| project no. | OTT-00262765-A0 |
| scale | 1:400 |
| FIG 3 | |

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*

Appendix D: Fire Insurance Plans, Title Search, Municipal Records & Provincial Records



enviroscan



An SCM Company

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

T: 905-882-6300
W: www.optaintel.ca

Report Completed By:

Sunita

Site Address:

233 Argyle Avenue Ottawa Ont

Project No:

20310600078

Opta Order ID:

80206

Requested by:
Eleanor Goolab
ERIS

Date Completed:
11/12/2020 5:14:50 AM



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Opta Historical Environmental Services EnviroscanTM Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

Report Index

Project #: 20310600078

Requested by:
Eleanor Goolab
Date Completed: 11/12/2020 05:14:50

OPTA INFORMATION INTELLIGENCE


| Page | Report Title |
|------|---|
| 6 | (1922) Volume: Ottawa Volume 1 Firemap: 54 |
| 8 | (1922) Volume: Ottawa Volume 1 Firemap: 56 |
| 10 | (1922) Volume: Ottawa Volume 1 Firemap: 66 |
| 12 | (1922) Volume: Ottawa Volume 1 Firemap: 67 |
| 14 | (1922) Volume: Ottawa Volume 1 Firemap: 74 |
| 16 | (1963) Volume: Ottawa Volume 1 Firemap: 130 |
| 18 | (1963) Volume: Ottawa Volume 1 Firemap: 131 |
| 20 | (1963) Volume: Ottawa Volume 1 Firemap: 133 |
| 22 | (1963) Volume: Ottawa Volume 1 Firemap: 123-4 |
| 24 | (1963) Volume: Ottawa Volume 1 Firemap: 129-3 |
| 26 | (1963) Volume: Ottawa Volume 1 Firemap: 137-1 |
| 28 | (1963) Volume: Ottawa Volume 1 Firemap: 137-2 |
| 30 | (1963) Volume: Ottawa Volume 1 Firemap: 137-4 |







FIP Locator Map
The detailed FIP is on the following page

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.











FIP Locator Map
The detailed FIP is on the following page

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.









This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.







FIP Locator Map
The detailed FIP is on the following page


This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.









This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.









FIP Locator Map
The detailed FIP is on the following page


This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.








This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.




23-4


This plan is the property of the UNDERWRITERS' SURVEY BUREAU, LIMITED. (unauthorized reproduction prohibited) and is loaned on the following conditions: that the plan is to be kept in good order; that it is to be used only in connection with business of Companies, Members of the Canadian Underwriters' Association and is to be returned on request to the UNDERWRITERS' SURVEY BUREAU, LIMITED, Toronto and Montreal.

- OTTAWA, ONT. VOL. 1 -
- JULY 1956 -

123-4


COPYRIGHT REGISTERED AT OTTAWA
BY THE
UNDERWRITERS' SURVEY BUREAU, LIMITED
TORONTO AND MONTREAL






FIP Locator Map
The detailed FIP is on the following page


This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.






This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.








FIP Locator Map
The detailed FIP is on the following page


This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



37-2

OTTAWA, VOL. I
JULY 1956

137-



This plan is the property of the UNDERWRITERS BUREAU, LIMITED. (Unauthorized reproduction prohibited.)
Copyright Registered at Ottawa by the Underwriters Survey Bureau, Limited Toronto and Montreal.



Scale 100 Feet to 1 Inch

ARGYLE AVE.


SEE SHEET 137-5

SEE SHEET 137 5



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



CITY
DIRECTORY

Project Property: *233 Argyle Avenue, Ottawa, ON*
Report Type: *City Directory*
Order No: *21022600386*
Information Source: *Polk's Ottawa & Area, Ontario City Directory*
Date Completed: *2021/03/12*

Environmental Risk Information Services
A division of Glacier Media Inc.
1.866.517.5204 | info@erisinfo.com | erisinfo.com

****Note addendum regarding documentation results****

| |
|--|
| City Directory Information Source |
| Polk's Ottawa & Area, Ontario City Directory |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 2011 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 110-Federation Canadienne Des Enseignantes Et Des Enseig -Victorian Order Of Nurses Canada National Office -KWC Architects 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 510-Ada's Diner 511-Talay Thai 512-Cedar Island Sales and Services LTd -Arum Restaurant |

| | |
|-----------------------------------|--|
| | <ul style="list-style-type: none"> -Arum Korean Market -MacEwan Petroleum Inc 519-Hair Salon 523-BArness Bridal 525-Galaxy Camera 527-Fishguys Aquarium Maintenance |
| | |
| Catherine Street (105-240) | <ul style="list-style-type: none"> -All Residential or Information Inaccessible 141-Association Canadienne Des Policiers -Proulx Brothers 200-Peace Dividend Trust -Z Mag Inc -Canadian Real Estate Association -Estates & Beneficiary Rights Groups 203-Media Plus Advertising -Rg Enterprise Inc -Crossley Carpet -Cci Impressions Mika -Kagitamikam Area Management 205-Multi Tenant Office 240-Multi Tenant Office |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |

| | |
|-----------------------------------|---|
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible 460-Cbci Telecom -Pretorial Place Restaurant |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|---|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 2006/07 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 110-Victorian Order Of Nurses Canada National Office -KWC Architects 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |

| | |
|-----------------------------------|---|
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 2001/02 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |

| | |
|-----------------------------------|--|
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 510-Ada's Diner 511-Gina's Cafe 512-Silver Automotive Ltd 519-Hair Salon 529-Process Photo Centre Ltd -Art Island |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible 141-Canadian Police Assoc -Proulx Brothers 200-Toastmasters International -St Fort Renes -S C V E Inc 203-Multi Tenant Office 205-Multi Tenant Office 240-Multi Tenant Office |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |

| | |
|-----------------------------------|---|
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible 460-Cbci Telecom -Pretorial Place Restaurant |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1996/97 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |

| | |
|-----------------------------------|---|
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1992 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |

| | |
|-----------------------------------|---|
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 110-Canadian Teachers Federation 116-St. John Financial Services Inc. 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 510-Arly's Restaurant 511-Gallerie Cafe 512-All Sports -MacEwan Gas Bar 518-Alpha Dive Centre 523-Printing House Ltd 525-Randall's Paints Ltd |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible 141-Multi Tenant Office 200-Regional Research Market Studios & Consulting 203-Multi Tenant Office 205-Multi Tenant Office 235-Glasham School 240-Multi Tenant Office |
| | |
| Flora Street (1-95) | -Information Inaccessible |

| | |
|-----------------------------------|--|
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible 460-Entertainment Publications -Energy Mines & Resources Canada -Muscular Dystrophy Assoc of Canada -Pretorial Place Restaurant |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1987 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |

| | |
|-----------------------------------|--|
| | 110-Canadian Teachers Federation 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1981/82 | |

| | |
|-----------------------------------|---|
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 110-Canadian Teachers Federation -National Museum Of Man 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 510-Mann's C D Denture Clinic 511-John's Coffee Shop 512-Lumo Electric Co Ltd -Thalen Torontow Lighting Centre -Full Service Gas Mart 519-Rainbow Glassworks 529-Radio Clinic |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible 137-Medco-Division of Wes'burne Industrial Ltd -Alpha Bearing & Engineering Products Ltd -International Dance Studio 205-Public Works Can |

| | |
|-----------------------------------|---|
| | 235-School Playground 240-Alphatext |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible 460-Royal Life Insurance Limited -Mutual Life Assurance Co of Canada |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1975 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |

| | |
|-----------------------------------|--|
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 110-Canadian Teachers Federation -Bilingual Districts Advisory Bd |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |

| | |
|-----------------------------------|---|
| | |
| Year: 1970/71 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible 110-Royal Canadian Legion Branch No. 16 229-Multi Tenant Residential |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 511-John's Coffee Shop 512-Lumo Electric Co Ltd -Queensway Taxi Gas Sta 523-Canfast Ottawa Limited 525-Fielding Donald & Co Music Systems |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible 141-Northern Electric Co Ltd -Cdn Arctic Producers Ltd 215-Dept of Natl Defence -Cdn Army-Beach Bldg Detachment 231-Habes Lyall D Ltd Furn Refinishing & Upholstering |

| | |
|-----------------------------------|--|
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1965 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |

| | |
|-----------------------------------|---|
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1960/61 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |

| | |
|-----------------------------------|---|
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 511-John's Coffee Shop 519-Consumer's Television Service 525-Renfrew aircraft & Engineering Co Ltd 529-Subway Grill |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible 141-Northern Electric Co Ltd -Klassen J & Associates Ltd 203-Christ-Roi School 205-National Drug & Chemical Co of Can Ltd 214-Royal Candn Army Service Corp 231-Buck Motors 233-Scotty's Garage 234-Seat Cover Centre 235-Murphy-Deacon-Man |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |

| | |
|-----------------------------------|--|
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1955 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |

| | |
|-----------------------------------|---|
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1950/51 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |

| | |
|-----------------------------------|--|
| Bank Street (420-530) | -All Residential or Information Inaccessible 510-Arlington Tire Shop 511-Bill's Coffee Shop 512-525-Lewis Motors Ltd 519-Tannis Trading Co Ltd 525-Hair Salon 529-Subway Grill |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible 141-Northern Electric Co Ltd 205-National Drug & Chemical Co of Can Ltd 210-Sunlight Oil Co 214-Dept National Defence 231-McLeod Bros 234-Myers Motors 235-Murphy-Deacon-Manor Co Ltd 240-Capital Radiator Co |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |

| | |
|----------------------------------|--|
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1945 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |

| | |
|-----------------------------------|---|
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|---|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1940/41 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 510-Arlington Tire Shop 511-Subway Snack Bar 512-Lewis Motors Ltd |

| | |
|-----------------------------------|--|
| | 519-Joseph Eli Ltd 524-Subway Service Stn 525-Hair Salon 529-Subway Grill |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible 214-Dept National Defence 234-Carleton Motor Sales 235-McKay Motor Service |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |

| | |
|-----------------------------------|--|
| Year: 1935 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1930/31 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 510-Dominion Tire Depot 512-Majestic Motors Ltd |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |

| | |
|----------------------------------|--|
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1925 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |

| | |
|-----------------------------------|---|
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1920/21 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible |
| | |

| | |
|-----------------------------------|--|
| Catherine Street (105-240) | -All Residential or Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1915 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |

| | |
|-----------------------------------|---|
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1910 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |

| | |
|-----------------------------------|--|
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 511-Mackenzie Bros |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

| | |
|------------------------------------|-------------------------------|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |

| | |
|-----------------------------------|--|
| | |
| Year: 1905 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -Information Inaccessible |
| | |
| Catherine Street (105-240) | -Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -Information Inaccessible |
| | |

| | |
|---------------|---|
| ON-417 | -No Civic Address Within Requested Radius |
|---------------|---|

| | |
|------------------------------------|--|
| PROJECT NUMBER: 21022600386 | |
| Site Address: | 233 Argyle Avenue, Ottawa, ON |
| | |
| Year: 1900 | |
| | |
| Site Listing: | -Information Inaccessible |
| | |
| Adjacent Properties: | |
| | |
| Argyle Avenue (110-260) | -All Residential or Information Inaccessible |
| | |
| Arlington Avenue (1-30) | -Information Inaccessible |
| | |
| Bank Street (420-530) | -All Residential or Information Inaccessible 511-Mackenzie Bros |
| | |
| Catherine Street (105-240) | -All Residential or Information Inaccessible |
| | |
| Flora Street (1-95) | -Information Inaccessible |
| | |
| Frank Street (320-390) | -Information Inaccessible |
| | |
| Gladstone Avenue (270-390) | -Information Inaccessible |

| | |
|----------------------------------|--|
| | |
| McLeod Street (240-400) | -Information Inaccessible |
| | |
| O'Connor Street (315-460) | -All Residential or Information Inaccessible |
| | |
| ON-417 | -No Civic Address Within Requested Radius |

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory.

*****Due to unforeseen circumstances resulting from the Covid-19 pandemic of 2020, access to information sources has been prohibited. While all additional measures were taken in order to provide accurate information where possible, some project searches yielded no results*****



November 6, 2020

VIA FACSIMILE:
416-314-4285

FOI Manager
Freedom of Information & Protection of Privacy Office
Ministry of the Environment, Conservation and Parks
12th Floor, 40 St. Clair Avenue West
Toronto, Ontario M4V 1M2

Re: **File Review Request**
233 Argyle Avenue, Ottawa, Ontario

Dear Sir or Madam:

I am sending a Freedom of Information Request to you for 233 Argyle Avenue, Ottawa, Ontario. We are conducting an environmental site assessment and require any environmental concerns.

If possible, we would appreciate receiving the documentation by email (kathy.radisch@exp.com) and by mail. If you have any questions, or require any further information, please do not hesitate to contact the undersigned at 613-688-1891, ext. 3296.

Yours truly,
EXP Services Inc.

A handwritten signature in blue ink that reads 'Kathy Radisch'.

Kathy Radisch
Administrative Assistant
Earth & Environment

Enclosures: FOI Form
Credit Card Payment Form

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*

Appendix E: EcoLog ERIS Report





DATABASE REPORT

Project Property: *Phase I ESA
233 Argyle Avenue
Ottawa ON K2P 1B8*

Project No:

Report Type: *Standard Report*

Order No: *20310600078*

Requested by: *exp Services Inc.*

Date Completed: *November 11, 2020*

Table of Contents

| | |
|--|-----|
| Table of Contents..... | 2 |
| Executive Summary..... | 3 |
| Executive Summary: Report Summary..... | 4 |
| Executive Summary: Site Report Summary - Project Property..... | 6 |
| Executive Summary: Site Report Summary - Surrounding Properties..... | 7 |
| Executive Summary: Summary By Data Source..... | 39 |
| Map..... | 78 |
| Aerial..... | 79 |
| Topographic Map..... | 80 |
| Detail Report..... | 81 |
| Unplottable Summary..... | 324 |
| Unplottable Report..... | 328 |
| Appendix: Database Descriptions..... | 351 |
| Definitions..... | 360 |

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Phase I ESA
233 Argyle Avenue Ottawa ON K2P 1B8*

Project No:

Coordinates:

Latitude: *45.4112812*
Longitude: *-75.6913138*
UTM Northing: *5,028,872.60*
UTM Easting: *445,905.12*
UTM Zone: *18T*

Elevation: *242 FT
73.82 M*

Order Information:

Order No: *20310600078*
Date Requested: *November 6, 2020*
Requested by: *exp Services Inc.*
Report Type: *Standard Report*

Historical/Products:

City Directory Search *CD - Subject Site plus 250m Radius*
Insurance Products *Fire Insurance Maps/Inspection Reports/Site Plans*

Executive Summary: Report Summary

| <i>Database</i> | <i>Name</i> | <i>Searched</i> | <i>Project Property</i> | <i>Within 0.25 km</i> | <i>Total</i> |
|-----------------|--|-----------------|-------------------------|-----------------------|--------------|
| AAGR | <i>Abandoned Aggregate Inventory</i> | Y | 0 | 0 | 0 |
| AGR | <i>Aggregate Inventory</i> | Y | 0 | 0 | 0 |
| AMIS | <i>Abandoned Mine Information System</i> | Y | 0 | 0 | 0 |
| ANDR | <i>Anderson's Waste Disposal Sites</i> | Y | 0 | 0 | 0 |
| AST | <i>Aboveground Storage Tanks</i> | Y | 0 | 0 | 0 |
| AUWR | <i>Automobile Wrecking & Supplies</i> | Y | 0 | 2 | 2 |
| BORE | <i>Borehole</i> | Y | 0 | 30 | 30 |
| CA | <i>Certificates of Approval</i> | Y | 0 | 20 | 20 |
| CDRY | <i>Dry Cleaning Facilities</i> | Y | 0 | 0 | 0 |
| CFOT | <i>Commercial Fuel Oil Tanks</i> | Y | 0 | 0 | 0 |
| CHEM | <i>Chemical Manufacturers and Distributors</i> | Y | 0 | 0 | 0 |
| CHM | <i>Chemical Register</i> | Y | 0 | 0 | 0 |
| CNG | <i>Compressed Natural Gas Stations</i> | Y | 0 | 0 | 0 |
| COAL | <i>Inventory of Coal Gasification Plants and Coal Tar Sites</i> | Y | 0 | 0 | 0 |
| CONV | <i>Compliance and Convictions</i> | Y | 0 | 0 | 0 |
| CPU | <i>Certificates of Property Use</i> | Y | 0 | 0 | 0 |
| DRL | <i>Drill Hole Database</i> | Y | 0 | 0 | 0 |
| DTNK | <i>Delisted Fuel Tanks</i> | Y | 0 | 8 | 8 |
| EASR | <i>Environmental Activity and Sector Registry</i> | Y | 0 | 5 | 5 |
| EBR | <i>Environmental Registry</i> | Y | 0 | 1 | 1 |
| ECA | <i>Environmental Compliance Approval</i> | Y | 0 | 24 | 24 |
| EEM | <i>Environmental Effects Monitoring</i> | Y | 0 | 0 | 0 |
| EHS | <i>ERIS Historical Searches</i> | Y | 0 | 39 | 39 |
| EIIS | <i>Environmental Issues Inventory System</i> | Y | 0 | 0 | 0 |
| EMHE | <i>Emergency Management Historical Event</i> | Y | 0 | 0 | 0 |
| EPAR | <i>Environmental Penalty Annual Report</i> | Y | 0 | 0 | 0 |
| EXP | <i>List of Expired Fuels Safety Facilities</i> | Y | 0 | 7 | 7 |
| FCON | <i>Federal Convictions</i> | Y | 0 | 0 | 0 |
| FCS | <i>Contaminated Sites on Federal Land</i> | Y | 0 | 0 | 0 |
| FOFT | <i>Fisheries & Oceans Fuel Tanks</i> | Y | 0 | 0 | 0 |
| FRST | <i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i> | Y | 0 | 0 | 0 |
| FST | <i>Fuel Storage Tank</i> | Y | 0 | 17 | 17 |
| FSTH | <i>Fuel Storage Tank - Historic</i> | Y | 0 | 4 | 4 |
| GEN | <i>Ontario Regulation 347 Waste Generators Summary</i> | Y | 0 | 158 | 158 |
| GHG | <i>Greenhouse Gas Emissions from Large Facilities</i> | Y | 0 | 0 | 0 |
| HINC | <i>TSSA Historic Incidents</i> | Y | 0 | 3 | 3 |

| Database | Name | Searched | Project Property | Within 0.25 km | Total |
|-----------------|--|-----------------|-------------------------|-----------------------|--------------|
| IAFT | <i>Indian & Northern Affairs Fuel Tanks</i> | Y | 0 | 0 | 0 |
| INC | <i>Fuel Oil Spills and Leaks</i> | Y | 0 | 2 | 2 |
| LIMO | <i>Landfill Inventory Management Ontario</i> | Y | 0 | 0 | 0 |
| MINE | <i>Canadian Mine Locations</i> | Y | 0 | 0 | 0 |
| MNR | <i>Mineral Occurrences</i> | Y | 0 | 0 | 0 |
| NATE | <i>National Analysis of Trends in Emergencies System (NATES)</i> | Y | 0 | 0 | 0 |
| NCPL | <i>Non-Compliance Reports</i> | Y | 0 | 0 | 0 |
| NDFT | <i>National Defense & Canadian Forces Fuel Tanks</i> | Y | 0 | 0 | 0 |
| NDSP | <i>National Defense & Canadian Forces Spills</i> | Y | 0 | 0 | 0 |
| NDWD | <i>National Defence & Canadian Forces Waste Disposal Sites</i> | Y | 0 | 0 | 0 |
| NEBI | <i>National Energy Board Pipeline Incidents</i> | Y | 0 | 0 | 0 |
| NEBP | <i>National Energy Board Wells</i> | Y | 0 | 0 | 0 |
| NEES | <i>National Environmental Emergencies System (NEES)</i> | Y | 0 | 0 | 0 |
| NPCB | <i>National PCB Inventory</i> | Y | 0 | 0 | 0 |
| NPRI | <i>National Pollutant Release Inventory</i> | Y | 0 | 0 | 0 |
| OGWE | <i>Oil and Gas Wells</i> | Y | 0 | 0 | 0 |
| OOGW | <i>Ontario Oil and Gas Wells</i> | Y | 0 | 0 | 0 |
| OPCB | <i>Inventory of PCB Storage Sites</i> | Y | 0 | 0 | 0 |
| ORD | <i>Orders</i> | Y | 0 | 0 | 0 |
| PAP | <i>Canadian Pulp and Paper</i> | Y | 0 | 0 | 0 |
| PCFT | <i>Parks Canada Fuel Storage Tanks</i> | Y | 0 | 0 | 0 |
| PES | <i>Pesticide Register</i> | Y | 0 | 4 | 4 |
| PINC | <i>Pipeline Incidents</i> | Y | 0 | 2 | 2 |
| PRT | <i>Private and Retail Fuel Storage Tanks</i> | Y | 0 | 3 | 3 |
| PTTW | <i>Permit to Take Water</i> | Y | 0 | 0 | 0 |
| REC | <i>Ontario Regulation 347 Waste Receivers Summary</i> | Y | 0 | 0 | 0 |
| RSC | <i>Record of Site Condition</i> | Y | 0 | 6 | 6 |
| RST | <i>Retail Fuel Storage Tanks</i> | Y | 0 | 7 | 7 |
| SCT | <i>Scott's Manufacturing Directory</i> | Y | 0 | 21 | 21 |
| SPL | <i>Ontario Spills</i> | Y | 0 | 17 | 17 |
| SRDS | <i>Wastewater Discharger Registration Database</i> | Y | 0 | 0 | 0 |
| TANK | <i>Anderson's Storage Tanks</i> | Y | 0 | 0 | 0 |
| TCFT | <i>Transport Canada Fuel Storage Tanks</i> | Y | 0 | 0 | 0 |
| VAR | <i>Variances for Abandonment of Underground Storage Tanks</i> | Y | 0 | 0 | 0 |
| WDS | <i>Waste Disposal Sites - MOE CA Inventory</i> | Y | 0 | 2 | 2 |
| WDSH | <i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i> | Y | 0 | 0 | 0 |
| WWIS | <i>Water Well Information System</i> | Y | 0 | 22 | 22 |
| | | | Total: | 0 | 404 |
| | | | | 404 | 404 |

Executive Summary: Site Report Summary - Project Property

| <i>Map Key</i> | <i>DB</i> | <i>Company/Site Name</i> | <i>Address</i> | <i>Dir/Dist (m)</i> | <i>Elev diff (m)</i> | <i>Page Number</i> |
|--------------------|-----------|--------------------------|----------------|---------------------|--------------------------|------------------------|
|--------------------|-----------|--------------------------|----------------|---------------------|--------------------------|------------------------|

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

| <i>Map Key</i> | <i>DB</i> | <i>Company/Site Name</i> | <i>Address</i> | <i>Dir/Dist (m)</i> | <i>Elev Diff (m)</i> | <i>Page Number</i> |
|--------------------------|-----------|--------------------------|---|---------------------|----------------------|---------------------------|
| <u>1</u> | SPL | Go Pro Restoration Inc. | 219 and 229 Argyle Ave Ottawa ON K2P 1B8 | E/15.4 | -0.52 | <u>81</u> |
| <u>1</u> | EHS | | 229 Argyle Avenue Ottawa ON K2P | E/15.4 | -0.52 | <u>81</u> |
| <u>2</u> | GEN | Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W/29.0 | -0.03 | <u>81</u> |
| <u>2</u> | GEN | Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W/29.0 | -0.03 | <u>82</u> |
| <u>2</u> | GEN | Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W/29.0 | -0.03 | <u>82</u> |
| <u>2</u> | GEN | Argyle Associates | 239 Argyle Street Ottawa ON | W/29.0 | -0.03 | <u>82</u> |
| <u>2</u> | GEN | Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W/29.0 | -0.03 | <u>83</u> |
| <u>2</u> | GEN | Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W/29.0 | -0.03 | <u>83</u> |
| <u>2</u> | GEN | Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W/29.0 | -0.03 | <u>83</u> |
| <u>3</u> | SCT | CAPITAL PUBLISHERS | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE/57.7 | -0.95 | <u>84</u> |
| <u>3</u> | SCT | WHERE | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE/57.7 | -0.95 | <u>84</u> |
| <u>3</u> | SCT | Where - Ottawa Hull | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE/57.7 | -0.95 | <u>84</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------------|-----------|-------------------------------|---|---------------------|----------------------|---------------------------|
| <u>3</u> | SCT | Capital Publishers - Div. of | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE/57.7 | -0.95 | <u>84</u> |
| <u>3</u> | SCT | St. Joseph Media Ottawa Group | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE/57.7 | -0.95 | <u>85</u> |
| <u>3</u> | SCT | CWLC/LBEC | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE/57.7 | -0.95 | <u>85</u> |
| <u>3</u> | SCT | StorageQuest Inc. | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE/57.7 | -0.95 | <u>85</u> |
| <u>3</u> | EHS | | 226 Argyle Ave Ottawa ON K2P1B9 | ESE/57.7 | -0.95 | <u>85</u> |
| <u>4</u> | GEN | MCLEOD RETIREMENT HOME | 330 McLeod St Ottawa ON K2P 2C5 | NW/73.1 | -0.64 | <u>85</u> |
| <u>5</u> | BORE | | ON | WNW/73.6 | 0.08 | <u>86</u> |
| <u>6</u> | CA | STUDIO ARGYLE INC. | 255 ARGYLE STREET (SWM) OTTAWA CITY ON K2P 2N7 | W/74.0 | 0.75 | <u>88</u> |
| <u>7</u> | EHS | | 252 Argyle Ave Ottawa ON K2P1B9 | S/76.3 | 1.33 | <u>88</u> |
| <u>8</u> | EHS | | 420 O'Connor Street Ottawa ON K2P 1W4 | E/77.5 | -2.10 | <u>88</u> |
| <u>9</u> | EHS | | 254 Argyle Avenue Ottawa ON K2P 1B9 | SSW/85.8 | 2.78 | <u>88</u> |
| <u>9</u> | EHS | | 254 Argyle Avenue Ottawa ON K2P 1B9 | SSW/85.8 | 2.78 | <u>89</u> |
| <u>9</u> | EHS | | 254 Argyle Avenue Ottawa ON K2P 1B9 | SSW/85.8 | 2.78 | <u>89</u> |

| <i>Map Key</i> | <i>DB</i> | <i>Company/Site Name</i> | <i>Address</i> | <i>Dir/Dist (m)</i> | <i>Elev Diff (m)</i> | <i>Page Number</i> |
|--------------------|-----------|--|---|---------------------|----------------------|--------------------|
| 10 | GEN | CANADIAN MEDICAL LABORATORIES | 340 MCLEOD STREET, LOWER LEVEL OTTAWA ON K2D 1A4 | WNW/87.6 | 0.05 | 89 |
| 10 | GEN | KOPP LABORATORIES LIMITED | 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | WNW/87.6 | 0.05 | 89 |
| 10 | GEN | KOPP LABORATORIES LIM (OUT OF BUSINESS) | 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | WNW/87.6 | 0.05 | 90 |
| 10 | GEN | KOPP LABORATORIES LIMITED 23-100 | 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | WNW/87.6 | 0.05 | 90 |
| 10 | GEN | CML HEALTHCARE INC. | 340 MCLEOD STREET, LOWER LEVEL OTTAWA ON | WNW/87.6 | 0.05 | 90 |
| 10 | GEN | Toth Equity Limited | 340 McLeod St. Ottawa ON K2P 1A4 | WNW/87.6 | 0.05 | 90 |
| 10 | GEN | Toth Equity Limited | 340 McLeod St. Ottawa ON K2P 1A4 | WNW/87.6 | 0.05 | 91 |
| 10 | GEN | Demo Plus | 340 McLeod Ottawa ON K2P 1A4 | WNW/87.6 | 0.05 | 91 |
| 10 | RSC | URBAN CAPITAL (CENTRAL 3) INC. | 340 MCLEOD STREET, OTTAWA, ON K2P 1A4 Ottawa ON | WNW/87.6 | 0.05 | 91 |
| 11 | ECA | Urban Capital (Central 3) Inc. | Part 1 Ottawa ON M5V 0G2 | WNW/87.7 | 0.02 | 93 |
| 11 | ECA | Urban Capital (Central 2) Inc. | Part 1 Ottawa ON M5C 1C3 | WNW/87.7 | 0.02 | 93 |
| 12 | GEN | Ashcroft Homes | 320 McLeod Street Ottawa ON K2P 1A3 | N/90.3 | -1.28 | 93 |
| 12 | CA | 1230173 Ontario Inc. | 320 McLeod Street Ottawa ON | N/90.3 | -1.28 | 93 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|--|---------------------|----------------------|--------------------|
| 12 | ECA | 1230173 Ontario Inc. | 320 McLeod Street Ottawa ON K2E 1A9 | N/90.3 | -1.28 | 94 |
| 13 | ECA | The Corporation of the City of Ottawa | Flora Street Ottawa ON K1N 5A1 | SW/97.5 | 1.33 | 94 |
| 13 | ECA | The Regional Municipality of Ottawa-Carleton | Flora Street Ottawa ON K2P 2L7 | SW/97.5 | 1.33 | 94 |
| 14 | GEN | OTTAWA CURLING CLUB LTD. | 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | ESE/103.3 | -0.95 | 94 |
| 14 | GEN | OTTAWA CURLING CLUB LTD. | 440 O'CONNOR STREET OTTAWA ON K2P 1W4 | ESE/103.3 | -0.95 | 95 |
| 14 | GEN | OTTAWA CURLING CLUB LTD. 29-279 | 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | ESE/103.3 | -0.95 | 95 |
| 14 | GEN | OTTAWA CURLING CLUB LIMITED | 440 O'CONNOR STREET OTTAWA ON K2P 1W4 | ESE/103.3 | -0.95 | 95 |
| 15 | GEN | CBM Elevator Ltd | 258 Argyle Avenue Ottawa ON K2P 1B9 | SSW/107.8 | 2.75 | 96 |
| 15 | GEN | Capital Elevator Ltd | 258 ARGYLE AVENUE Ottawa ON K2P 1B9 | SSW/107.8 | 2.75 | 96 |
| 15 | GEN | CAPITAL ELEVATOR LTD | 258 ARGYLE STREET OTTAWA ON K2P1B9 | SSW/107.8 | 2.75 | 96 |
| 16 | WWIS | | 141 CATHERINE ST OTTAWA ON Well ID: 7272142 | SSE/114.1 | 1.80 | 96 |
| 17 | EHS | | 323 Mcleod St Ottawa ON K2P 1A2 | NW/115.6 | -0.52 | 99 |
| 18 | SCT | CWG Footcare Inc. | 485 Bank St Suite 209 Ottawa ON K2P 1Z2 | WSW/115.8 | 1.05 | 99 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|---|---------------------|----------------------|---------------------|
| 18 | GEN | PBC Delvelopment and Construction Management Group | 485 Bank St Ottawa ON K2P 1Z2 | WSW/115.8 | 1.05 | 100 |
| 18 | GEN | PBC Development and Construction Management Group | 485 Bank St, Suite 205 Ottawa ON K2P 1Z2 | WSW/115.8 | 1.05 | 100 |
| 18 | GEN | PBC Development & Construction Management Group In | 485 Bank Street Suit 205 Ottawa ON K2P 1Z2 | WSW/115.8 | 1.05 | 100 |
| 19 | GEN | GVT. OF CANADA-NATIONAL MUSEUM OF | NATURAL SCIENCES, 491 BANK ST. C/O P.W.C. 140 PROMENADE DU PORTAGE OTTAWA ON K2P 1Z2 | WSW/116.0 | 1.37 | 101 |
| 19 | GEN | GVT. OF CANADA-NATIONAL MUSEUM OF 17-236 | NATURAL SCIENCES, 491 BANK ST. C/O P.W.C. 140 PROMENADE DU PORTAGE OTTAWA ON K2P 1Z2 | WSW/116.0 | 1.37 | 101 |
| 19 | GEN | NATIONAL MUSEUMS OF CAN (OUT OF BUSINESS) | NATIONAL MUSEUM OF NATURAL SCIENCES 491 BANK STREET OTTAWA ON K2P 1Z2 | WSW/116.0 | 1.37 | 101 |
| 20 | GEN | BOOTS AND BOARDS | 499 BANK STREET OTTAWA ON K2P 1Z2 | WSW/119.1 | 1.37 | 101 |
| 20 | GEN | BOOTS AND BOARDS 06-357 | 499 BANK STREET OTTAWA ON K2P 1Z2 | WSW/119.1 | 1.37 | 102 |
| 21 | GEN | Quantum Murray LP | 453 Bank Street Ottawa ON K2P 1Y9 | WNW/119.8 | 0.05 | 102 |
| 21 | PES | BEN GUNTER PHARMACY INC | 455 BANK ST #1 OTTAWA ON K2P 1Y9 | WNW/119.8 | 0.05 | 102 |
| 21 | PES | BEN GUNTER PHARMACY INC | 455 BANK ST #1 OTTAWA ON K2P1Y9 | WNW/119.8 | 0.05 | 103 |
| 21 | GEN | Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW/119.8 | 0.05 | 103 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|--|---------------------|----------------------|---------------------|
| 21 | GEN | Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW/119.8 | 0.05 | 103 |
| 21 | GEN | Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW/119.8 | 0.05 | 104 |
| 21 | PES | BEN GUNTER PHARMACY INC O/A SHOPPERS DRUG MART #1248 | 455 BANK ST #1 OTTAWA ON K2P1Y9 | WNW/119.8 | 0.05 | 104 |
| 21 | GEN | Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW/119.8 | 0.05 | 104 |
| 22 | GEN | OTTAWA SUN (THE) | 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 105 |
| 22 | GEN | OTTAWA SUN (THE) (OUT OF BUSINESS) | 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 105 |
| 22 | GEN | OTTAWA SUN (THE) 29-370 | 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 105 |
| 22 | GEN | OTTAWA SUN, THE (OUT OF BUSINESS) | 203 CATHERINE STREET SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 105 |
| 22 | GEN | SUNDAY HERALD | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 106 |
| 22 | GEN | SUNDAY (SEE & USE ON0173500 OTTAWA | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 106 |
| 22 | GEN | SUNDAY (SEE & USE ON0173501 OTTAWA | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 106 |
| 22 | GEN | SUNDAY (SEE & USE ON0173501 OTTAWA36-368 | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 107 |
| 22 | GEN | MEDIAPLUS ADVERTISING | 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 107 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|---|---------------------|----------------------|---------------------|
| 22 | GEN | MEDIAPLUS ADVERTISING 26-459 | 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 107 |
| 22 | GEN | PROCESS PHOTO CENTRE LTD. 30-723 | 203 CATHERINE STREET OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 107 |
| 22 | GEN | MEDIAPLUS ADVERTISING | DARK ROOM 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 108 |
| 22 | GEN | PROCESS PHOTO CENTRE LTD. | 203 CATHERINE STREET OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 108 |
| 22 | GEN | MEDIAPLUS ADVERTISING | DARK ROOM 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 108 |
| 22 | GEN | PROCESS (OUT OF BUSINESS) | 203 CATHERINE STREET OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 109 |
| 22 | EHS | | 203 Catherine Street Ottawa ON K2P 1C3 | S/121.3 | 3.08 | 109 |
| 22 | GEN | Daoust Construction | 203 Catherine St Ottawa ON | S/121.3 | 3.08 | 109 |
| 22 | SPL | Jean Daoust Construction Inc.; Soba Ottawa Inc. | 203 Catherine st Ottawa ON K2P 1C3 | S/121.3 | 3.08 | 109 |
| 22 | INC | | 203 CATHERINE ST, OTTAWA ON | S/121.3 | 3.08 | 110 |
| 22 | EASR | DUFRESNE PILING COMPANY (1967)LIMITED | 203 CATHERINE ST OTTAWA ON K2P 1C3 | S/121.3 | 3.08 | 110 |
| 22 | ECA | Soba Ottawa Inc. | 203 Catherine St Ottawa ON M5V 1N6 | S/121.3 | 3.08 | 111 |
| 22 | GEN | Soba Ottawa Inc. | 203 Catherine Street Ottawa ON K2P 1C3 | S/121.3 | 3.08 | 111 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|--|---------------------|----------------------|---------------------|
| 22 | GEN | Soba Ottawa Inc. | 203 Catherine Street Ottawa ON K2P 1C3 | S/121.3 | 3.08 | 111 |
| 22 | RSC | SOBA OTTAWA INC. | 203 CATHERINE STREET, OTTAWA, ON K2P 1C3 Ottawa ON | S/121.3 | 3.08 | 111 |
| 23 | GEN | LES FRERES PROULX BROTHERS INC. | 141 CATHERINE STREET, SUITE 101 OTTAWA ON K2P 1C3 | SSE/121.6 | 2.05 | 113 |
| 23 | GEN | LES FRERES PROULX BROTHERS INCORPORATED | 141 CATHERINE STREET, SUITE 101 OTTAWA ON K2P 1C3 | SSE/121.6 | 2.05 | 113 |
| 23 | GEN | LES FRERES PROULX BROTHERS INCORPORATED | 141 Catherine suite 101 Ottawa ON K2P 1C3 | SSE/121.6 | 2.05 | 113 |
| 23 | EHS | | 141 Catherine Street n/a ON K2P 1C3 | SSE/121.6 | 2.05 | 114 |
| 23 | EHS | | 141 Catherine Street n/a ON K2P 1C3 | SSE/121.6 | 2.05 | 114 |
| 23 | SPL | | Parking lot beside 141 Catherine Street Ottawa ON K2P 1C3 | SSE/121.6 | 2.05 | 114 |
| 23 | HINC | | 141 CATHERINE STREET OTTAWA ON K2P 1C3 | SSE/121.6 | 2.05 | 114 |
| 23 | GEN | MACLEAN AND ASSOCIATES INC. | 141 CATHERINE STREET OTTAWA ON K2P 1C3 | SSE/121.6 | 2.05 | 115 |
| 23 | WWIS | | 141 CATHERINE ST OTTAWA ON Well ID: 7272141 | SSE/121.6 | 2.05 | 115 |
| 24 | ECA | Urban Capital (Central 2) Inc. | 360 McLeod St Ottawa ON M5C 1C3 | W/121.8 | 0.05 | 118 |
| 25 | EHS | | 129 Catherine St Ottawa ON K2P1C3 | SE/123.0 | 0.24 | 118 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--------------------------------------|---|---------------------|----------------------|---------------------|
| 26 | CA | HULSE PLAYFAIR MCGARRY HOLDINGS LTD. | SWM-315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 118 |
| 26 | GEN | HULSE AND PLAYFAIR LIMITED | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 119 |
| 26 | GEN | HULSE AND PLAYFAIR LIMITED | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 119 |
| 26 | GEN | HULSE AND PLAYFAIR LIMITED 44-226 | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 119 |
| 26 | GEN | HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 120 |
| 26 | GEN | HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON | NNW/125.8 | -0.95 | 120 |
| 26 | GEN | HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 120 |
| 26 | GEN | HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 120 |
| 26 | GEN | HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 121 |
| 26 | GEN | HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW/125.8 | -0.95 | 121 |
| 26 | GEN | Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW/125.8 | -0.95 | 121 |
| 26 | GEN | Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW/125.8 | -0.95 | 122 |
| 26 | GEN | Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW/125.8 | -0.95 | 122 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|---------------------------------------|---|---------------------|----------------------|---------------------|
| 26 | GEN | Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW/125.8 | -0.95 | 122 |
| 26 | GEN | Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW/125.8 | -0.95 | 122 |
| 27 | WWIS | | 141 CATHERINE ST OTTAWA ON <i>Well ID: 7272143</i> | SSE/126.1 | 2.05 | 123 |
| 28 | GEN | GVT. OF CANADIAN NATIONAL MUSEUMS | CORNER OF MCLEOD AND O'CONNOR STREET VICTORIA MUSEUM OTTAWA, ON K1P6P4 | NNE/126.5 | -2.01 | 126 |
| 29 | SPL | | Ottawa ON | ESE/127.2 | -0.95 | 126 |
| 30 | SCT | 2M Laser Supply Inc. | 153 Catherine St Ottawa ON K2P 1C3 | SSE/131.1 | 2.05 | 126 |
| 31 | RSC | Urban Capital (Gladstone) Inc. | 453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontario ON | WNW/136.2 | 0.05 | 127 |
| 32 | EHS | | 180 Argyle Avenue Ottawa ON K2P 1B7 | E/138.0 | -1.92 | 127 |
| 32 | SPL | The National Capital Region YMCA-YWCA | 180 Argyle Ottawa ON K2P 1B7 | E/138.0 | -1.92 | 127 |
| 32 | INC | | 180 Argyle Road, Ottawa ON | E/138.0 | -1.92 | 128 |
| 32 | WWIS | | 180 ARGYLE AVENUE Ottawa ON <i>Well ID: 7179491</i> | E/138.0 | -1.92 | 128 |
| 32 | WWIS | | 180 ARGYLE AVENUE Ottawa ON <i>Well ID: 7179492</i> | E/138.0 | -1.92 | 131 |
| 32 | GEN | YMCA | 180 Argyle street ottawa ON K2P 1B7 | E/138.0 | -1.92 | 134 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|-----------------------------------|--|---------------------|----------------------|---------------------|
| 32 | GEN | YMCA | 180 Argyle street ottawa ON K2P 1B7 | E/138.0 | -1.92 | 135 |
| 32 | GEN | YMCA/YWCA | 180 ARGYLE ST OTTAWA ON K2P1B7 | E/138.0 | -1.92 | 135 |
| 33 | WWIS | | 203 CATHERINE STREET Ottawa ON <i>Well ID: 7149497</i> | SSW/148.8 | 4.17 | 135 |
| 34 | GEN | TOMMY & LEFEBVRE INC. | 464 BANK ST. OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 146 |
| 34 | GEN | TOMMY & LEFEBVRE INC. 37-488 | 464 BANK ST. OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 146 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 146 |
| 34 | CA | Tommy & Lefebvre Investments Ltd. | 464 Bank St Ottawa ON K2P 1Z3 | W/148.9 | 0.05 | 147 |
| 34 | HINC | | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 147 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 147 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 148 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 148 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 149 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON | W/148.9 | 0.05 | 149 |

| <i>Map Key</i> | <i>DB</i> | <i>Company/Site Name</i> | <i>Address</i> | <i>Dir/Dist (m)</i> | <i>Elev Diff (m)</i> | <i>Page Number</i> |
|--------------------|-----------|--|--|---------------------|----------------------|---------------------|
| 34 | ECA | Tommy & Lefebvre Investments Ltd. | 464 Bank St Ottawa ON K2P 1Z3 | W/148.9 | 0.05 | 150 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 150 |
| 34 | GEN | TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W/148.9 | 0.05 | 151 |
| 34 | GEN | Tomlinson Environmental | 464 Bank Str Ottawa ON K2P 1Z3 | W/148.9 | 0.05 | 151 |
| 35 | RST | UPI INC | 140 RUE STE-CATHERINE OTTAWA ON K0C 2B0 | SE/149.0 | 1.75 | 151 |
| 36 | CA | OTTAWA CITY | MCLEOD ST. BANK ST. OTTAWA CITY ON | W/151.3 | 0.05 | 152 |
| 36 | CA | R.M OF OTTAWA-CARLETON | MCLEOD ST.BANK STREET OTTAWA CITY ON | W/151.3 | 0.05 | 152 |
| 36 | CA | OTTAWA CITY, DESIGN & CONSTRUCTION DIV. | MCLEOD ST./BANK ST. COMB.SEWER OTTAWA CITY ON | W/151.3 | 0.05 | 152 |
| 37 | BORE | | ON | NNE/151.8 | -1.64 | 152 |
| 38 | SCT | CUDDLE DOWN PRODUCTS LTD | 340 GLADSTONE AVE OTTAWA ON K2P 0Y8 | NW/152.2 | 0.05 | 154 |
| 38 | SPL | OC Transpo<UNOFFICIAL> | 340 Gladstone Avenue at O'Connor St<UNOFFICIAL> Ottawa ON K2P 0Y8 | NW/152.2 | 0.05 | 154 |
| 39 | GEN | GVT. OF CAN. - PUBLIC WORKS CANADA | WAREHOUSE 205 CATHERINE ST. OTTAWA ON K2P 1C3 | SSW/152.8 | 4.41 | 155 |
| 39 | GEN | GVT. OF CAN. - PUBLIC WORKS CANADA00 000 | WAREHOUSE 205 CATHERINE ST. OTTAWA ON K2P 1C3 | SSW/152.8 | 4.41 | 155 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|-----------------------------|---|---------------------|----------------------|---------------------|
| 39 | GEN | GINN PHOTOGRAPHIC COMPANY | 205 CATHERINE STREET, SUITE 100 OTTAWA ON K2P 1C3 | SSW/152.8 | 4.41 | 155 |
| 39 | GEN | GINN PHOTOGRAPHIC COMPANY | 205 CATHERINE STREET SUITE 100 OTTAWA ON K2P 1C3 | SSW/152.8 | 4.41 | 156 |
| 39 | SCT | RealDecoy Inc. | 205 Catherine St Unit 1 Ottawa ON K2P 1C3 | SSW/152.8 | 4.41 | 156 |
| 39 | EHS | | 205 Catherine St Ottawa ON K2P1C3 | SSW/152.8 | 4.41 | 156 |
| 40 | EHS | | 510 Bank Street Ottawa ON K2P 1Z4 | SW/154.9 | 3.08 | 156 |
| 40 | GEN | LJ RIOPELLE | 510 BANK ST OTTAWA ON K2P 1Z4 | SW/154.9 | 3.08 | 157 |
| 41 | EHS | | 37 Flora Street Ottawa ON | WSW/157.7 | 1.14 | 157 |
| 42 | SPL | PETRO-CANADA | 488 BANK ST. (EUROPEAN GLASS & PAINT) TANK TRUCK (CARGO) OTTAWA CITY ON K2P 1Z4 | WSW/158.8 | 1.89 | 157 |
| 42 | ECA | Taggart (Flora) Corporation | 488 Bank Street Ottawa ON K2P 1P9 | WSW/158.8 | 1.89 | 158 |
| 43 | WWIS | | 37 FLORA ST OTTAWA ON Well ID: 7216273 | W/159.4 | 0.05 | 158 |
| 44 | WWIS | | 37 FLORA ST OTTAWA ON Well ID: 7216269 | WSW/159.7 | 1.14 | 161 |
| 45 | WWIS | | 37 FLORA ST OTTAWA ON Well ID: 7216268 | W/160.1 | 0.05 | 163 |
| 46 | WWIS | | 37 FLORA ST OTTAWA ON | WSW/160.2 | 0.05 | 166 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|--|---------------------|----------------------|---------------------|
| | | | Well ID: 7216272 | | | |
| 47 | WWIS | | 37 FLORA ST OTTAWA ON Well ID: 7216270 | W/161.3 | 0.05 | 169 |
| 48 | RSC | Mr. Milad Ladany | 37 FLORA ST, OTTAWA, ON, K2P 1A7 OTTAWA ON K2P 1A7 | W/162.1 | 0.05 | 172 |
| 48 | WWIS | | 37 FLORA ST OTTAWA ON Well ID: 7216271 | W/162.1 | 0.05 | 172 |
| 49 | WWIS | | 203 CATHERINE ST. OTTAWA ON Well ID: 7151895 | SSE/162.3 | 3.11 | 175 |
| 50 | BORE | | ON | NNE/163.5 | -1.64 | 187 |
| 51 | PINC | | 285 MCLEOD ST, OTTAWA ON | NNE/164.4 | -1.95 | 188 |
| 52 | EHS | | 283-285 Mcleod Ottawa ON | NNE/168.4 | -1.95 | 189 |
| 53 | GEN | OTTAWA MOUNTAIN MASTERS LTD. 29-662 | 519 BANK ST. OTTAWA ON K2P 1Z5 | SSW/172.4 | 4.41 | 189 |
| 53 | GEN | OTTAWA MOUNTAIN MASTERS LTD. | 519 BANK STREET OTTAWA ON K2P 1Z5 | SSW/172.4 | 4.41 | 189 |
| 53 | EHS | | 519 Bank St Ottawa ON K2P1Z5 | SSW/172.4 | 4.41 | 190 |
| 54 | ECA | Urban Capital (Gladstone) Inc. | 343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue Ottawa ON M5C 1C3 | WNW/174.0 | 0.05 | 190 |
| 55 | WWIS | | 510 BANKL ST OTTAWA ON Well ID: 1536050 | WSW/174.6 | 2.36 | 190 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|---------------------------|--|---------------------|----------------------|---------------------|
| 56 | BORE | | ON | SE/176.6 | 2.19 | 193 |
| 57 | EHS | | 383 McLeod Street Ottawa ON K2P 1A5 | W/179.9 | 0.06 | 194 |
| 57 | EHS | | 383 McLeod Street Ottawa ON K2P 1A5 | W/179.9 | 0.06 | 194 |
| 57 | EHS | | 383 McLeod Street Ottawa ON K2P 1A5 | W/179.9 | 0.06 | 195 |
| 58 | BORE | | ON | ESE/180.0 | -0.78 | 195 |
| 59 | SCT | PRINTING HOUSE LTD THE | 523 BANK ST OTTAWA ON K2P 1Z5 | SSW/180.0 | 4.32 | 196 |
| 59 | GEN | PRINTING HOUSE LTD., THE | 523 BANK STREET OTTAWA ON K2P 1Z5 | SSW/180.0 | 4.32 | 197 |
| 60 | WWIS | | GLADSTONE AVENUE Ottawa ON Well ID: 7222343 | WNW/180.1 | 0.05 | 197 |
| 61 | WWIS | | GLADSTONE AVENUE OTTAWA ON Well ID: 7210734 | NNW/180.4 | -1.06 | 199 |
| 62 | BORE | | ON | SSE/182.3 | 2.22 | 201 |
| 63 | GEN | PROCESS PHOTO CENTRE LTD. | 529 BANK STREET OTTAWA ON K2P 1Z5 | SSW/182.5 | 4.32 | 203 |
| 63 | GEN | PROCESS PHOTO CENTRE LTD. | 529 Bank St. Ottawa ON K2P 1Z5 | SSW/182.5 | 4.32 | 203 |
| 64 | BORE | | ON | SE/183.4 | -0.03 | 203 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|--|---------------------|----------------------|---------------------|
| 65 | SPL | | 502 Bank Street Ottawa ON K2P 1Z4 | SW/183.7 | 2.36 | 204 |
| 66 | EHS | | 377 O'Connor Street Ottawa ON K2P 2M2 | N/184.2 | -0.93 | 205 |
| 66 | EHS | | 377 O'Connor Street Ottawa ON K2P 2M2 | N/184.2 | -0.93 | 205 |
| 67 | BORE | | ON | SE/184.5 | 2.19 | 205 |
| 68 | WWIS | | ON <i>Well ID: 7206031</i> | E/190.9 | -2.52 | 206 |
| 69 | BORE | | ON | SSE/191.5 | 3.75 | 207 |
| 70 | SPL | | 17 Arlington St. Ottawa ON K2P 1C1 | WSW/193.0 | 2.05 | 209 |
| 71 | BORE | | ON | SSE/193.5 | 3.75 | 209 |
| 72 | ECA | 1101600 Ontario Inc | 269 / 275 Mcleod St Ottawa ON K2P 2K7 | NNE/193.8 | -1.95 | 210 |
| 73 | GEN | GVT. OF CANADIAN NATIONAL MUSEUMS | VICTORIA MUSEUM, MEDCALFE & MCLEOD STS. C/O BILLINGS BRIDGE PLAZA, SBI BLDG 9F OTTAWA, ON K1H 8L5 | ENE/194.9 | -2.25 | 211 |
| 73 | GEN | GVT. OF CANADIAN NATIONAL MUSEUMS 18-280 | VICTORIA MUSEUM, MEDCALFE & MCLEOD STS. C/O BILLINGS BRIDGE PLAZA, SBI BLDG 9F OTTAWA, ON K1H 8L5 | ENE/194.9 | -2.25 | 211 |
| 73 | GEN | VICTORIA MUSEUM | CORNER OF MCLEOD AND O'CONNOR STREET BOILER ROOM OTTAWA ON K1P6P4 | ENE/194.9 | -2.25 | 211 |
| 73 | GEN | NATIONAL MUSEUMS OF CANADA | VICTORIA MUSEUM - BOILER ROOM 240 MCLEOD STREET OTTAWA ON K1P6P4 | ENE/194.9 | -2.25 | 212 |

| <i>Map Key</i> | <i>DB</i> | <i>Company/Site Name</i> | <i>Address</i> | <i>Dir/Dist (m)</i> | <i>Elev Diff (m)</i> | <i>Page Number</i> |
|--------------------|-----------|---------------------------|--|---------------------|----------------------|---------------------|
| 73 | GEN | CANADIAN MUSEUM OF NATURE | METCALFE & MCLEOD STREETS OTTAWA ON K1P 6P4 | ENE/194.9 | -2.25 | 213 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 213 |
| 73 | SPL | Hydro One Inc. | 240 McLeod St MUSEUM OF NATURE<UNOFFICIAL> Ottawa ON K2P 2R1 | ENE/194.9 | -2.25 | 214 |
| 73 | BORE | | ON | ENE/194.9 | -2.25 | 214 |
| 73 | CA | Canadian Museum of Nature | 240 McLeod Street Ottawa ON K2P 2R1 | ENE/194.9 | -2.25 | 217 |
| 73 | SCT | Canadian Museum of Nature | 240 McLeod St Ottawa ON K2P 2R1 | ENE/194.9 | -2.25 | 217 |
| 73 | SPL | Canadian Museum of Nature | 240 McLeod Street Ottawa ON K2P 2R1 | ENE/194.9 | -2.25 | 217 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 218 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 218 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 219 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 219 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON | ENE/194.9 | -2.25 | 220 |
| 73 | ECA | Canadian Museum of Nature | 240 McLeod Street Ottawa ON K1P 6P4 | ENE/194.9 | -2.25 | 221 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|-------------------------------|---|---------------------|----------------------|---------------------|
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 221 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 222 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 223 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 224 |
| 73 | GEN | Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE/194.9 | -2.25 | 225 |
| 74 | RSC | | 400 McLeod Street Ottawa ON K2P 1A6 | WSW/196.4 | 0.01 | 226 |
| 74 | CA | | 400 McLeod Street Ottawa ON K2P 1A6 | WSW/196.4 | 0.01 | 226 |
| 74 | ECA | Domicile Holdings (2000) Inc. | 400 McLeod Street Ottawa ON K2A 0E7 | WSW/196.4 | 0.01 | 226 |
| 75 | SPL | MACEWEN FUELS | 512 BANK STREET SERVICE STATION OTTAWA CITY ON K2P 1Z6 | SW/198.3 | 4.64 | 227 |
| 75 | PRT | MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 227 |
| 75 | PRT | MACEWEN PETROLEUM INC | 512A BANK ST OTTAWA ON K2P1Z6 | SW/198.3 | 4.64 | 227 |
| 75 | SPL | MACEWEN FUELS | 512 A BANK STREET SERVICE STATION OTTAWA CITY ON K2P 1Z6 | SW/198.3 | 4.64 | 227 |
| 75 | SPL | MACEWEN FUELS | 512 A BANK STREET SERVICE STATION CUMBERLAND TOWNSHIP ON K2P 1Z6 | SW/198.3 | 4.64 | 228 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|------------------------------------|---|---------------------|----------------------|---------------------|
| 75 | RST | MACEWEN PETROLEUM INC | 512A BANK ST OTTAWA ON K2P1Z6 | SW/198.3 | 4.64 | 228 |
| 75 | RST | MACEWEN PETROLIUM | 520 BANK OTTAWA ON K1S 3T3 | SW/198.3 | 4.64 | 229 |
| 75 | GEN | ALLSPORT RENTALS & SALES 02-779 | 512 BANK ST. OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 229 |
| 75 | GEN | ALLSPORT RENTALS & SALES | 512 BANK STREET OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 229 |
| 75 | RST | MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 229 |
| 75 | FSTH | MACEWEN PETROLEUM INC*** | 512 BANK ST OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 230 |
| 75 | EBR | MacEwen Petroleum Inc | 512-A Bank St, Ottawa, ON K2P 1Z6 CITY OF OTTAWA ON | SW/198.3 | 4.64 | 230 |
| 75 | FSTH | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 230 |
| 75 | DTNK | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 231 |
| 75 | DTNK | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW/198.3 | 4.64 | 231 |
| 75 | DTNK | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW/198.3 | 4.64 | 232 |
| 75 | DTNK | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW/198.3 | 4.64 | 232 |
| 75 | DTNK | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW/198.3 | 4.64 | 232 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--------------------------|--|---------------------|----------------------|---------------------|
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 233 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 233 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 234 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 234 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 235 |
| 75 | RST | MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P1Z6 | SW/198.3 | 4.64 | 235 |
| 75 | EXP | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 236 |
| 75 | EXP | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 236 |
| 75 | EXP | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 236 |
| 75 | EXP | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 237 |
| 75 | RST | MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P1Z6 | SW/198.3 | 4.64 | 237 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 237 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|---|---------------------|----------------------|---------------------|
| 75 | FST | | 512A BANK ST OTTAWA ON K2P 1Z6 | SW/198.3 | 4.64 | 238 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 238 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 239 |
| 75 | FST | MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW/198.3 | 4.64 | 239 |
| 76 | EHS | | 433 Bank St Ottawa ON K2P1Y7 | WNW/198.7 | 0.05 | 240 |
| 77 | EHS | | 433 bank street Ottawa ON K2P 1Y7 | WNW/198.8 | 0.05 | 240 |
| 77 | GEN | Canderel Stoneridge Equity Group Inc. | 433 Bank Street Ottawa ON K2P 1Y7 | WNW/198.8 | 0.05 | 240 |
| 78 | CA | 1101600 Ontario Inc | 269 / 275 Mcleod St Ottawa ON | NE/200.5 | -1.95 | 240 |
| 79 | CA | 172965 CANADA LTD., IMPERIAL OIL | 450 BANK STREET (SWM) OTTAWA CITY ON K2P 1Z1 | WNW/201.2 | -0.03 | 241 |
| 79 | PRT | BANK STREET ESSO | 450 BANK ST OTTAWA ON K2P1Z1 | WNW/201.2 | -0.03 | 241 |
| 79 | RST | BANK ST ESSO | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW/201.2 | -0.03 | 241 |
| 79 | EHS | | 450 Bank Street Ottawa ON K2P 1Z1 | WNW/201.2 | -0.03 | 241 |
| 79 | FSTH | BANK STREET ESSO | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW/201.2 | -0.03 | 242 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|---|--|---------------------|----------------------|---------------------|
| 79 | FSTH | BANK STREET ESSO | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW/201.2 | -0.03 | 242 |
| 79 | DTNK | BANK STREET ESSO | 450 BANK ST OTTAWA ON | WNW/201.2 | -0.03 | 242 |
| 79 | DTNK | BANK STREET ESSO | 450 BANK ST OTTAWA ON | WNW/201.2 | -0.03 | 243 |
| 79 | DTNK | BANK STREET ESSO | 450 BANK ST OTTAWA ON | WNW/201.2 | -0.03 | 243 |
| 79 | FST | MAC'S CONVENIENCE STORES INC | 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 243 |
| 79 | FST | MAC'S CONVENIENCE STORES INC | 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 244 |
| 79 | FST | MAC'S CONVENIENCE STORES INC | 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 245 |
| 79 | EXP | BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 245 |
| 79 | EXP | BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 246 |
| 79 | EXP | BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 246 |
| 79 | EHS | | 450 Bank St Ottawa ON | WNW/201.2 | -0.03 | 246 |
| 79 | PES | 827219 ONTARIO LIMITED O/A BYTOWN PEST CONTROL | 450 BANK ST OTTAWA ON K2P1Z1 | WNW/201.2 | -0.03 | 247 |
| 79 | GEN | Mac's Convenience Stores Inc. | 450 Bank Street Ottawa ON K2P1Z1 | WNW/201.2 | -0.03 | 247 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|---|---|---------------------|----------------------|---------------------|
| 79 | FST | | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW/201.2 | -0.03 | 247 |
| 79 | FST | BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 248 |
| 79 | FST | BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 248 |
| 79 | FST | BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW/201.2 | -0.03 | 249 |
| 80 | CA | City of Ottawa | 105 Catherine Street Ottawa ON | E/201.6 | -3.00 | 249 |
| 80 | EASR | CENTRETOWN CITIZENS OTTAWA CORPORATION | 105 CATHERINE STREET OTTAWA ON K2P 1C3 | E/201.6 | -3.00 | 249 |
| 80 | ECA | City of Ottawa | 105 Catherine Street Ottawa ON K2G 6J8 | E/201.6 | -3.00 | 250 |
| 81 | EHS | | 433 Bank St Ottawa ON K2P1Y7 | WNW/201.6 | 0.05 | 250 |
| 82 | EHS | | 383 Mcleod St Ottawa ON | W/203.0 | 0.75 | 250 |
| 83 | BORE | | ON | S/205.1 | 4.06 | 250 |
| 84 | EHS | | 200 Catherine Street Ottawa ON K2P 2K9 | S/206.5 | 5.05 | 252 |
| 84 | SCT | Appraisal Institute of Canada | 200 Catherine St Suite 403 Ottawa ON K2P 2K9 | S/206.5 | 5.05 | 252 |
| 84 | GEN | Schindler Elevator Corporation | 200 Catherine Ottawa ON K2P 2K9 | S/206.5 | 5.05 | 253 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|--------------------|-----------|--|---|---------------------|----------------------|---------------------|
| 84 | GEN | CANADIAN REAL ESTATE AGENCY | 200 CATHERINE STREET OTTAWA ON K2P 2K9 | S/206.5 | 5.05 | 253 |
| 85 | EHS | | 269 Mcleod St Ottawa ON K2P1A1 | NNE/207.6 | -1.95 | 253 |
| 86 | BORE | | ON | SE/208.1 | 0.87 | 253 |
| 87 | BORE | | ON | SSE/208.3 | 2.19 | 254 |
| 88 | SPL | OTTAWA-CARLETON TRANSPORT | BANK ST, NORTHBOUND AT CORNER OF CATHERINE ST OTTAWA CITY ON | SSW/208.7 | 5.80 | 255 |
| 88 | HINC | | INTERSECTION OF BANK STREET & CATHERINE STREET OTTAWA ON | SSW/208.7 | 5.80 | 256 |
| 89 | CA | YING YEE KUNG | 380 FRANK STREET (SWM) OTTAWA CITY ON K2P 0Y1 | NW/210.7 | 0.05 | 256 |
| 90 | BORE | | ON | ESE/212.7 | -0.95 | 256 |
| 91 | EASR | CENTRETOWN CITIZENS OTTAWA CORPORATION | 111 CATHERINE STREET OTTAWA ON K2P 0P4 | E/213.1 | -3.00 | 258 |
| 92 | BORE | | ON | S/214.4 | 4.36 | 258 |
| 93 | WWIS | | GLADSTONE AVENUE OTTAWA ON Well ID: 7210740 | N/214.6 | -0.95 | 259 |
| 94 | EHS | | 424 Metcalfe Street Ottawa ON K2P 2C3 | E/215.3 | -2.95 | 261 |
| 94 | RSC | Centretown Citizens Ottawa Corporation | 424 METCALFE ST, OTTAWA, ON, K2P 2C3 OTTAWA ON K2P 2C3 | E/215.3 | -2.95 | 262 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|---------------------|-----------|---|---|---------------------|----------------------|---------------------|
| 94 | CA | Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON K2P 2C3 | E/215.3 | -2.95 | 262 |
| 94 | CA | Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON K2P 2C3 | E/215.3 | -2.95 | 262 |
| 94 | CA | Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON K2P 2C3 | E/215.3 | -2.95 | 263 |
| 94 | EASR | CENTRETOWN CITIZENS OTTAWA CORPORATION | 424 METCALFE ST OTTAWA ON K2P 1C3 | E/215.3 | -2.95 | 263 |
| 94 | ECA | Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON | E/215.3 | -2.95 | 263 |
| 94 | ECA | Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON | E/215.3 | -2.95 | 264 |
| 94 | ECA | Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON | E/215.3 | -2.95 | 264 |
| 95 | WWIS | | 512 BANK STREET Ottawa ON Well ID: 7122877 | SSW/216.4 | 5.78 | 264 |
| 96 | SPL | City of Ottawa | 434 Bank St Ottawa ON | WNW/217.9 | 0.80 | 270 |
| 97 | BORE | | ON | SSE/218.3 | 4.05 | 270 |
| 98 | BORE | | ON | S/219.6 | 5.08 | 271 |
| 99 | BORE | | ON | ESE/219.8 | -2.10 | 273 |
| 100 | EHS | | 360 Frank St Ottawa On Ottawa ON | NW/220.4 | 0.05 | 275 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|---------------------|-----------|---|---|---------------------|----------------------|---------------------|
| 101 | GEN | Ottawa-Carleton District School Board | Glashan PS 28 Arlington Ave. Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 275 |
| 101 | BORE | | ON | SW/222.2 | 4.64 | 276 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 277 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 278 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 278 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 279 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON | SW/222.2 | 4.64 | 279 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 280 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 280 |
| 101 | GEN | Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 281 |
| 101 | GEN | Ottawa-Carleton District School Board Health & Safety | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 282 |
| 101 | GEN | Ottawa-Carleton District School Board Health & Safety | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW/222.2 | 4.64 | 282 |
| 102 | BORE | | ON | SE/224.0 | 2.08 | 283 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|---------------------|-----------|---|--|---------------------|----------------------|---------------------|
| 103 | CA | OTTAWA CITY, DESIGN & CONSTRUCTION DIV. | FRANK ST./BANK ST./O'CONNOR ST OTTAWA CITY ON | NW/224.0 | 0.05 | 285 |
| 104 | EHS | | 425 Bank Street Ottawa ON | WNW/227.7 | 1.08 | 285 |
| 105 | CA | R.M. OF OTTAWA-CARLETON | ARLINGTON ST./KENT ST./BANK ST OTTAWA CITY ON | SW/229.4 | 1.23 | 285 |
| 106 | BORE | | ON | SE/231.1 | 0.09 | 285 |
| 107 | BORE | | ON | SSE/232.0 | 2.97 | 287 |
| 108 | WWIS | | CATHERINE STREET/METCALFE lot F con C OTTAWA ON Well ID: 7292768 | E/233.2 | -2.64 | 288 |
| 109 | SCT | Canadian Library Association | 328 Frank St Suite 602 Ottawa ON K2P 0X8 | N/233.8 | -0.95 | 290 |
| 109 | SCT | Canadian Library Trustees Assn | 328 Frank St Ottawa ON K2P 0X8 | N/233.8 | -0.95 | 290 |
| 109 | EHS | | 328 Frank St Ottawa ON K2P 0X8 | N/233.8 | -0.95 | 291 |
| 110 | WWIS | | 240 CATHEINE ST OTTAWA ON Well ID: 7048032 | SSW/234.9 | 6.05 | 291 |
| 111 | EHS | | 353-357 Frank St Ottawa ON K2P 0X9 | NNW/236.1 | 0.05 | 294 |
| 112 | BORE | | ON | S/236.6 | 6.14 | 294 |
| 113 | BORE | | ON | ESE/238.2 | -2.40 | 297 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|---------------------|-----------|--------------------------------------|---|---------------------|----------------------|---------------------|
| 114 | BORE | | ON | S/239.6 | 4.97 | 298 |
| 115 | BORE | | ON | ESE/241.7 | -1.83 | 299 |
| 116 | BORE | | ON | S/241.7 | 6.14 | 300 |
| 117 | BORE | | ON | ESE/241.8 | -1.25 | 303 |
| 118 | WWIS | | ON <i>Well ID: 7239266</i> | NW/242.2 | 0.60 | 304 |
| 119 | BORE | | ON | S/246.3 | 4.36 | 305 |
| 120 | EHS | | 370 Metcalfe St Ottawa ON K2P1S9 | NNE/246.7 | -1.95 | 306 |
| 121 | SCT | THE CANADA CHINA NEWS | 240 CATHERINE ST SUITE 201 OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 307 |
| 121 | SCT | THE PRINTING HOUSE LTD | 240 CATHERINE ST SUITE 105 OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 307 |
| 121 | SCT | THE PRINTING HOUSE LTD. | 240 Catherine St Suite 105 Ottawa ON K2P 2G8 | SSW/247.3 | 6.05 | 307 |
| 121 | GEN | ALPHATEXT RONALDS PRINTING | 240 CATHERING ST OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 307 |
| 121 | GEN | ALPHATEXT RONALDS PRINTING 02-115 | 240 CATHERING ST OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 308 |
| 121 | GEN | PRINTING HOUSE LTD. | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 308 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|---------------------|-----------|----------------------------------|--|---------------------|----------------------|---------------------|
| 121 | GEN | PRINTING HOUSE LTD., THE | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 308 |
| 121 | GEN | Maninvest Inc. | 240 Catherine Ottawa ON K2P 2G8 | SSW/247.3 | 6.05 | 309 |
| 121 | GEN | PRINTING HOUSE LTD., THE | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 309 |
| 121 | GEN | PRINTING HOUSE LTD., THE | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW/247.3 | 6.05 | 309 |
| 121 | SCT | Corporate Express Office | 240 rue Catherine Suite 103 Ottawa ON K2P 2G8 | SSW/247.3 | 6.05 | 309 |
| 121 | EHS | | 240 Catherine Street Ottawa ON K2P 2G8 | SSW/247.3 | 6.05 | 310 |
| 121 | CA | Sonnett Realty (1986) Inc. | 534 Bank Street Ottawa ON | SSW/247.3 | 6.05 | 310 |
| 121 | ECA | Sonnett Realty (1986) Inc. | 534 Bank Street Ottawa ON K2P 0A6 | SSW/247.3 | 6.05 | 310 |
| 121 | GEN | Cima Canada Inc | 240 Catherine St Suite 110 Ottawa ON K2P 2G8 | SSW/247.3 | 6.05 | 310 |
| 121 | GEN | 240 Catherine Street Inc. | 240 Catherine Street Ottawa ON K2P 2G8 | SSW/247.3 | 6.05 | 311 |
| 121 | GEN | GumDocs Dental Centre | 240 Catherine Street Fourth Floor Ottawa ON K2P 2G8 | SSW/247.3 | 6.05 | 311 |
| 122 | WDS | LRC Development Team Test Client | 150 ARGYLE Ave Ottaway ON M4W 1A1 | ENE/248.5 | -2.95 | 311 |
| 122 | ECA | LRC Development Team Test Client | 150 ARGYLE Ave Ottaway ON M4W 1A1 | ENE/248.5 | -2.95 | 312 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|---------------------|-----------|-----------------------------------|---|---------------------|----------------------|---------------------|
| 122 | WDS | LRC Development Team Test Client | 150 ARGYLE Ave Ottawa ON M4W 1A1 | ENE/248.5 | -2.95 | 312 |
| 123 | GEN | party world | 420 bank st OTTAWA ON K2P 1Y8 | WNW/249.2 | 1.05 | 313 |
| 124 | PINC | | 417 BANK ST, OTTAWA ON | WNW/249.4 | 1.08 | 313 |
| 124 | SPL | Enbridge Energy Distribution Inc. | 417 Bank Street Ottawa ON | WNW/249.4 | 1.08 | 314 |
| 125 | AUWR | AXLE AUTOMOTIVE INC | 410 GLADSTONE AVE OTTAWA ON K2P 0Z1 | W/249.4 | 1.05 | 314 |
| 125 | SCT | Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 314 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 314 |
| 125 | CA | Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 315 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 315 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 315 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 316 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 316 |
| 125 | ECA | Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 316 |

| <i>Map Key</i> | <i>DB</i> | <i>Company/Site Name</i> | <i>Address</i> | <i>Dir/Dist (m)</i> | <i>Elev Diff (m)</i> | <i>Page Number</i> |
|---------------------|-----------|--------------------------|---|---------------------|----------------------|---------------------|
| 125 | EASR | AXLE AUTOMOTIVE INC | 410 GLADSTONE AVENUE OTTAWA ON K2P 0Z1 | W/249.4 | 1.05 | 317 |
| 125 | AUWR | AXLE AUTOMOTIVE INC | 410 GLADSTONE AVE OTTAWA ON K2P0Z1 | W/249.4 | 1.05 | 317 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON | W/249.4 | 1.05 | 317 |
| 125 | ECA | Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 318 |
| 125 | ECA | Axle Automotive Inc. | 3270 Blais Rd and 410 Gladstone Avenue Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 318 |
| 125 | ECA | Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 318 |
| 125 | ECA | Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 318 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 319 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 319 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 319 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 320 |
| 125 | GEN | Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W/249.4 | 1.05 | 320 |
| 126 | EHS | | 464 Metcalfe Ottawa ON | E/249.5 | -2.95 | 321 |

| <i>Map Key</i> | <i>DB</i> | <i>Company/Site Name</i> | <i>Address</i> | <i>Dir/Dist (m)</i> | <i>Elev Diff (m)</i> | <i>Page Number</i> |
|---------------------|-----------|--|--|---------------------|----------------------|---------------------|
| 126 | GEN | CENTRETOWN CITIZENS OTTAWA CORPORATION | 464 Metcalfe Street Ottawa ON | E/249.5 | -2.95 | 321 |
| 126 | GEN | Modern Niagara Building Services | 464 Metcalfe Street Ottawa ON K2P 1B7 | E/249.5 | -2.95 | 321 |
| 126 | GEN | Modern Niagara Building Services | 464 Metcalfe Street Ottawa ON K2P 1B7 | E/249.5 | -2.95 | 322 |
| 126 | GEN | Modern Niagara Building Services | 464 Metcalfe Street Ottawa ON K2P 1B7 | E/249.5 | -2.95 | 322 |
| 126 | GEN | Taillefer Plumbing & Heating Inc | 464 Metcalfe Ottawa ON K2P 1B7 | E/249.5 | -2.95 | 322 |

Executive Summary: Summary By Data Source

AUWR - Automobile Wrecking & Supplies

A search of the AUWR database, dated 1999-Jun 30, 2020 has found that there are 2 AUWR site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|----------------------------|
| AXLE AUTOMOTIVE INC | 410 GLADSTONE AVE OTTAWA ON K2P0Z1 | W | 249.43 | <u>125</u> |
| AXLE AUTOMOTIVE INC | 410 GLADSTONE AVE OTTAWA ON K2P 0Z1 | W | 249.43 | <u>125</u> |

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 30 BORE site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|-----------------------|-------------------------|----------------------------|---------------------------|
| | ON | WNW | 73.62 | <u>5</u> |
| | ON | SE | 176.57 | <u>56</u> |
| | ON | SSE | 182.30 | <u>62</u> |
| | ON | SE | 184.50 | <u>67</u> |
| | ON | SSE | 191.45 | <u>69</u> |
| | ON | SSE | 193.54 | <u>71</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|----------------|------------------|---------------------|---------------------|
| ON | | S | 205.07 | 83 |
| ON | | SE | 208.05 | 86 |
| ON | | SSE | 208.26 | 87 |
| ON | | S | 214.35 | 92 |
| ON | | SSE | 218.28 | 97 |
| ON | | S | 219.57 | 98 |
| ON | | SW | 222.20 | 101 |
| ON | | SE | 223.98 | 102 |
| ON | | SE | 231.12 | 106 |
| ON | | SSE | 232.04 | 107 |
| ON | | S | 236.63 | 112 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|----------------|------------------|---------------------|---------------------|
| | ON | S | 239.63 | 114 |
| | ON | S | 241.69 | 116 |
| | ON | S | 246.28 | 119 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|------------------------|----------------|------------------|---------------------|---------------------|
| | ON | NNE | 151.81 | 37 |
| | ON | NNE | 163.46 | 50 |
| | ON | ESE | 179.95 | 58 |
| | ON | SE | 183.43 | 64 |
| | ON | ENE | 194.90 | 73 |
| | ON | ESE | 212.69 | 90 |
| | ON | ESE | 219.78 | 99 |
| | ON | ESE | 238.19 | 113 |

| | | | |
|----|-----|--------|---------------------|
| ON | ESE | 241.69 | 115 |
| ON | ESE | 241.84 | 117 |

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 20 CA site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|---|--|-------------------------|----------------------------|-----------------------|
| STUDIO ARGYLE INC. | 255 ARGYLE STREET (SWM) OTTAWA CITY ON K2P 2N7 | W | 73.95 | 6 |
| Tommy & Lefebvre Investments Ltd. | 464 Bank St Ottawa ON K2P 1Z3 | W | 148.89 | 34 |
| OTTAWA CITY | MCLEOD ST. BANK ST. OTTAWA CITY ON | W | 151.31 | 36 |
| R.M OF OTTAWA-CARLETON | MCLEOD ST.BANK STREET OTTAWA CITY ON | W | 151.31 | 36 |
| OTTAWA CITY, DESIGN & CONSTRUCTION DIV. | MCLEOD ST./BANK ST. COMB. SEWER OTTAWA CITY ON | W | 151.31 | 36 |
| | 400 McLeod Street Ottawa ON K2P 1A6 | WSW | 196.42 | 74 |
| YING YEE KUNG | 380 FRANK STREET (SWM) OTTAWA CITY ON K2P 0Y1 | NW | 210.67 | 89 |
| OTTAWA CITY, DESIGN & CONSTRUCTION DIV. | FRANK ST./BANK ST./O'CONNOR ST OTTAWA CITY ON | NW | 223.99 | 103 |
| R.M. OF OTTAWA-CARLETON | ARLINGTON ST./KENT ST./BANK ST OTTAWA CITY ON | SW | 229.43 | 105 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|------------------------------|-------------------------|----------------------------|-----------------------|
| Sonnett Realty (1986) Inc. | 534 Bank Street Ottawa ON | SSW | 247.30 | 121 |

| | | | | |
|----------------------|--|---|--------|---------------------|
| Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W | 249.43 | 125 |
|----------------------|--|---|--------|---------------------|

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|--------------------------------|-------------------------|----------------------------|-----------------------|
| 1230173 Ontario Inc. | 320 McLeod Street Ottawa ON | N | 90.33 | 12 |

| | | | | |
|--------------------------------------|--|-----|--------|--------------------|
| HULSE PLAYFAIR MCGARRY HOLDINGS LTD. | SWM-315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
|--------------------------------------|--|-----|--------|--------------------|

| | | | | |
|---------------------------|--|-----|--------|--------------------|
| Canadian Museum of Nature | 240 McLeod Street Ottawa ON K2P 2R1 | ENE | 194.90 | 73 |
|---------------------------|--|-----|--------|--------------------|

| | | | | |
|---------------------|----------------------------------|----|--------|--------------------|
| 1101600 Ontario Inc | 269 / 275 Mcleod St Ottawa ON | NE | 200.53 | 78 |
|---------------------|----------------------------------|----|--------|--------------------|

| | | | | |
|----------------------------------|---|-----|--------|--------------------|
| 172965 CANADA LTD., IMPERIAL OIL | 450 BANK STREET (SWM) OTTAWA CITY ON K2P 1Z1 | WNW | 201.23 | 79 |
|----------------------------------|---|-----|--------|--------------------|

| | | | | |
|----------------|-----------------------------------|---|--------|--------------------|
| City of Ottawa | 105 Catherine Street Ottawa ON | E | 201.58 | 80 |
|----------------|-----------------------------------|---|--------|--------------------|

| | | | | |
|--|--------------------------------------|---|--------|--------------------|
| Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON K2P 2C3 | E | 215.33 | 94 |
|--|--------------------------------------|---|--------|--------------------|

| | | | | |
|--|--------------------------------------|---|--------|--------------------|
| Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON K2P 2C3 | E | 215.33 | 94 |
|--|--------------------------------------|---|--------|--------------------|

| | | | | |
|--|--------------------------------------|---|--------|--------------------|
| Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON K2P 2C3 | E | 215.33 | 94 |
|--|--------------------------------------|---|--------|--------------------|

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Jul 31, 2020 has found that there are 8 DTNK site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|-----------------------------------|-------------------------|----------------------------|-----------------------|
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON K2P 1Z6 | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON | SW | 198.26 | 75 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|--------------------------|-------------------------|----------------------------|-----------------------|
| BANK STREET ESSO | 450 BANK ST OTTAWA ON | WNW | 201.23 | 79 |
| BANK STREET ESSO | 450 BANK ST OTTAWA ON | WNW | 201.23 | 79 |
| BANK STREET ESSO | 450 BANK ST OTTAWA ON | WNW | 201.23 | 79 |

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Oct 31, 2020 has found that there are 5 EASR site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|---|------------------|---------------------|---------------------|
| DUFRESNE PILING COMPANY (1967)LIMITED | 203 CATHERINE ST OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| AXLE AUTOMOTIVE INC | 410 GLADSTONE AVENUE OTTAWA ON K2P 0Z1 | W | 249.43 | 125 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|---|---|------------------|---------------------|--------------------|
| CENTRETOWN CITIZENS OTTAWA CORPORATION | 105 CATHERINE STREET OTTAWA ON K2P 1C3 | E | 201.58 | 80 |
| CENTRETOWN CITIZENS OTTAWA CORPORATION | 111 CATHERINE STREET OTTAWA ON K2P 0P4 | E | 213.09 | 91 |
| CENTRETOWN CITIZENS OTTAWA CORPORATION | 424 METCALFE ST OTTAWA ON K2P 1C3 | E | 215.33 | 94 |

EBR - Environmental Registry

A search of the EBR database, dated 1994-Sep 30, 2020 has found that there are 1 EBR site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|---|------------------|---------------------|--------------------|
| MacEwen Petroleum Inc | 512-A Bank St, Ottawa, ON K2P 1Z6 CITY OF OTTAWA ON | SW | 198.26 | 75 |

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Oct 31, 2020 has found that there are 24 ECA site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------|-----------------------------|------------------|---------------------|--------------------|
| Urban Capital (Central 3) Inc. | Part 1 Ottawa ON M5V 0G2 | WNW | 87.65 | 11 |
| Urban Capital (Central 2) Inc. | Part 1 Ottawa ON M5C 1C3 | WNW | 87.65 | 11 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|--|-------------------------|----------------------------|----------------------------|
| The Corporation of the City of Ottawa | Flora Street Ottawa ON K1N 5A1 | SW | 97.53 | <u>13</u> |
| The Regional Municipality of Ottawa-Carleton | Flora Street Ottawa ON K2P 2L7 | SW | 97.53 | <u>13</u> |
| Soba Ottawa Inc. | 203 Catherine St Ottawa ON M5V 1N6 | S | 121.29 | <u>22</u> |
| Urban Capital (Central 2) Inc. | 360 McLeod St Ottawa ON M5C 1C3 | W | 121.83 | <u>24</u> |
| Tommy & Lefebvre Investments Ltd. | 464 Bank St Ottawa ON K2P 1Z3 | W | 148.89 | <u>34</u> |
| Taggart (Flora) Corporation | 488 Bank Street Ottawa ON K2P 1P9 | WSW | 158.79 | <u>42</u> |
| Urban Capital (Gladstone) Inc. | 343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue Ottawa ON M5C 1C3 | WNW | 174.00 | <u>54</u> |
| Domicile Holdings (2000) Inc. | 400 McLeod Street Ottawa ON K2A 0E7 | WSW | 196.42 | <u>74</u> |
| Sonnett Realty (1986) Inc. | 534 Bank Street Ottawa ON K2P 0A6 | SSW | 247.30 | <u>121</u> |
| Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W | 249.43 | <u>125</u> |
| Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W | 249.43 | <u>125</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|---|-------------------------|----------------------------|----------------------------|
| Axle Automotive Inc. | 3270 Blais Rd and 410 Gladstone Avenue Ottawa ON K2P 0Z1 | W | 249.43 | <u>125</u> |
| Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W | 249.43 | <u>125</u> |
| Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W | 249.43 | <u>125</u> |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
| 1230173 Ontario Inc. | 320 McLeod Street Ottawa ON K2E 1A9 | N | 90.33 | <u>12</u> |
| 1101600 Ontario Inc | 269 / 275 Mcleod St Ottawa ON K2P 2K7 | NNE | 193.79 | <u>72</u> |
| Canadian Museum of Nature | 240 McLeod Street Ottawa ON K1P 6P4 | ENE | 194.90 | <u>73</u> |
| City of Ottawa | 105 Catherine Street Ottawa ON K2G 6J8 | E | 201.58 | <u>80</u> |
| Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON | E | 215.33 | <u>94</u> |
| Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON | E | 215.33 | <u>94</u> |
| Centretown Citizens Ottawa Corporation | 424 Metcalfe St Ottawa ON | E | 215.33 | <u>94</u> |
| LRC Development Team Test Client | 150 ARGYLE Ave Ottawa ON M4W 1A1 | ENE | 248.51 | <u>122</u> |

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jul 31, 2020 has found that there are 39 EHS site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|---|-------------------------|----------------------------|---------------------------|
| | 252 Argyle Ave Ottawa ON K2P1B9 | S | 76.33 | <u>7</u> |
| | 254 Argyle Avenue Ottawa ON K2P 1B9 | SSW | 85.79 | <u>9</u> |
| | 254 Argyle Avenue Ottawa ON K2P 1B9 | SSW | 85.79 | <u>9</u> |
| | 254 Argyle Avenue Ottawa ON K2P 1B9 | SSW | 85.79 | <u>9</u> |
| | 203 Catherine Street Ottawa ON K2P 1C3 | S | 121.29 | <u>22</u> |
| | 141 Catherine Street n/a ON K2P 1C3 | SSE | 121.59 | <u>23</u> |
| | 141 Catherine Street n/a ON K2P 1C3 | SSE | 121.59 | <u>23</u> |
| | 129 Catherine St Ottawa ON K2P1C3 | SE | 122.96 | <u>25</u> |
| | 205 Catherine St Ottawa ON K2P1C3 | SSW | 152.77 | <u>39</u> |
| | 510 Bank Street Ottawa ON K2P 1Z4 | SW | 154.88 | <u>40</u> |
| | 37 Flora Street Ottawa ON | WSW | 157.75 | <u>41</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|---|------------------|---------------------|----------------------------|
| | 519 Bank St Ottawa ON K2P1Z5 | SSW | 172.37 | <u>53</u> |
| | 383 McLeod Street Ottawa ON K2P 1A5 | W | 179.88 | <u>57</u> |
| | 383 McLeod Street Ottawa ON K2P 1A5 | W | 179.88 | <u>57</u> |
| | 383 McLeod Street Ottawa ON K2P 1A5 | W | 179.88 | <u>57</u> |
| | 433 Bank St Ottawa ON K2P1Y7 | WNW | 198.69 | <u>76</u> |
| | 433 bank street Ottawa ON K2P 1Y7 | WNW | 198.81 | <u>77</u> |
| | 433 Bank St Ottawa ON K2P1Y7 | WNW | 201.65 | <u>81</u> |
| | 383 Mcleod St Ottawa ON | W | 203.05 | <u>82</u> |
| | 200 Catherine Street Ottawa ON K2P 2K9 | S | 206.51 | <u>84</u> |
| | 360 Frank St Ottawa On Ottawa ON | NW | 220.37 | <u>100</u> |
| | 425 Bank Street Ottawa ON | WNW | 227.70 | <u>104</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|---|------------------|---------------------|----------------------------|
| | 353-357 Frank St Ottawa ON K2P 0X9 | NNW | 236.05 | <u>111</u> |
| | 240 Catherine Street Ottawa ON K2P 2G8 | SSW | 247.30 | <u>121</u> |
| | | | | |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
| | 229 Argyle Avenue Ottawa ON K2P | E | 15.36 | <u>1</u> |
| | 226 Argyle Ave Ottawa ON K2P1B9 | ESE | 57.65 | <u>3</u> |
| | 420 O'Connor Street Ottawa ON K2P 1W4 | E | 77.50 | <u>8</u> |
| | 323 Mcleod St Ottawa ON K2P 1A2 | NW | 115.59 | <u>17</u> |
| | 180 Argyle Avenue Ottawa ON K2P 1B7 | E | 138.05 | <u>32</u> |
| | 283-285 Mcleod Ottawa ON | NNE | 168.38 | <u>52</u> |
| | 377 O'Connor Street Ottawa ON K2P 2M2 | N | 184.23 | <u>66</u> |
| | 377 O'Connor Street Ottawa ON K2P 2M2 | N | 184.23 | <u>66</u> |
| | 450 Bank Street Ottawa ON K2P 1Z1 | WNW | 201.23 | <u>79</u> |

| | | | |
|--|-----|--------|---------------------|
| 450 Bank St Ottawa ON | WNW | 201.23 | 79 |
| 269 Mcleod St Ottawa ON K2P1A1 | NNE | 207.61 | 85 |
| 424 Metcalfe Street Ottawa ON K2P 2C3 | E | 215.33 | 94 |
| 328 Frank St Ottawa ON K2P 0X8 | N | 233.76 | 109 |
| 370 Metcalfe St Ottawa ON K2P1S9 | NNE | 246.75 | 120 |
| 464 Metcalfe Ottawa ON | E | 249.49 | 126 |

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Jul 31, 2020 has found that there are 7 EXP site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|-----------------------|
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|------------------------|---|------------------|---------------------|--------------------|
| BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |
| BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |
| BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |

FST - Fuel Storage Tank

A search of the FST database, dated Jul 31, 2020 has found that there are 17 FST site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|---|------------------|---------------------|--------------------|
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|-----------------------|
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| | 512A BANK ST OTTAWA ON K2P 1Z6 | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | SW | 198.26 | 75 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|---------------------------------|---|-------------------------|----------------------------|-----------------------|
| BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |
| BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |
| | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW | 201.23 | 79 |
| BANK STREET ESSO | 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |
| MAC'S CONVENIENCE STORES INC | 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |
| MAC'S CONVENIENCE STORES INC | 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |
| MAC'S CONVENIENCE STORES INC | 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | WNW | 201.23 | 79 |

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 4 FSTH site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|-----------------------------------|-------------------------|----------------------------|---------------------------|
| MACEWEN PETROLEUM INC*** | 512A BANK ST OTTAWA ON K2P 1Z6 | SW | 198.26 | <u>75</u> |

| | | | | |
|--------------------------|----------------------------------|----|--------|---------------------------|
| MACEWEN PETROLEUM INC*** | 512 BANK ST OTTAWA ON K2P 1Z6 | SW | 198.26 | <u>75</u> |
|--------------------------|----------------------------------|----|--------|---------------------------|

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|----------------------------------|-------------------------|----------------------------|---------------------------|
| BANK STREET ESSO | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW | 201.23 | <u>79</u> |

| | | | | |
|------------------|----------------------------------|-----|--------|---------------------------|
| BANK STREET ESSO | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW | 201.23 | <u>79</u> |
|------------------|----------------------------------|-----|--------|---------------------------|

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2020 has found that there are 158 GEN site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|---|-------------------------|----------------------------|---------------------------|
| CANADIAN MEDICAL LABORATORIES | 340 MCLEOD STREET, LOWER LEVEL OTTAWA ON K2D 1A4 | WNW | 87.64 | <u>10</u> |

| | | | | |
|---------------------------|---|-----|-------|---------------------------|
| KOPP LABORATORIES LIMITED | 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | WNW | 87.64 | <u>10</u> |
|---------------------------|---|-----|-------|---------------------------|

| | | | | |
|---|---|-----|-------|---------------------------|
| KOPP LABORATORIES LIM (OUT OF BUSINESS) | 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | WNW | 87.64 | <u>10</u> |
|---|---|-----|-------|---------------------------|

| | | | | |
|----------------------------------|---|-----|-------|---------------------------|
| KOPP LABORATORIES LIMITED 23-100 | 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | WNW | 87.64 | <u>10</u> |
|----------------------------------|---|-----|-------|---------------------------|

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|--|-------------------------|----------------------------|---------------------------|
| CML HEALTHCARE INC. | 340 MCLEOD STREET, LOWER LEVEL OTTAWA ON | WNW | 87.64 | <u>10</u> |
| Toth Equity Limited | 340 McLeod St. Ottawa ON K2P 1A4 | WNW | 87.64 | <u>10</u> |
| Toth Equity Limited | 340 McLeod St. Ottawa ON K2P 1A4 | WNW | 87.64 | <u>10</u> |
| Demo Plus | 340 McLeod Ottawa ON K2P 1A4 | WNW | 87.64 | <u>10</u> |
| CBM Elevator Ltd | 258 Argyle Avenue Ottawa ON K2P 1B9 | SSW | 107.80 | <u>15</u> |
| Capital Elevator Ltd | 258 ARGYLE AVENUE Ottawa ON K2P 1B9 | SSW | 107.80 | <u>15</u> |
| CAPITAL ELEVATOR LTD | 258 ARGYLE STREET OTTAWA ON K2P1B9 | SSW | 107.80 | <u>15</u> |
| PBC Delvelopment and Construction Management Group | 485 Bank St Ottawa ON K2P 1Z2 | WSW | 115.85 | <u>18</u> |
| PBC Development and Construction Management Group | 485 Bank St, Suite 205 Ottawa ON K2P 1Z2 | WSW | 115.85 | <u>18</u> |
| PBC Development & Construction Management Group In | 485 Bank Street Suit 205 Ottawa ON K2P 1Z2 | WSW | 115.85 | <u>18</u> |
| GVT. OF CANADA-NATIONAL MUSEUM OF | NATURAL SCIENCES, 491 BANK ST. C/O P.W.C. 140 PROMENADE DU PORTAGE OTTAWA ON K2P 1Z2 | WSW | 116.00 | <u>19</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|---|--|-------------------------|----------------------------|---------------------------|
| GVT. OF CANADA-NATIONAL MUSEUM OF 17-236 | NATURAL SCIENCES, 491 BANK ST. C/O P.W.C. 140 PROMENADE DU PORTAGE OTTAWA ON K2P 1Z2 | WSW | 116.00 | <u>19</u> |
| NATIONAL MUSEUMS OF CAN (OUT OF BUSINESS) | NATIONAL MUSEUM OF NATURAL SCIENCES 491 BANK STREET OTTAWA ON K2P 1Z2 | WSW | 116.00 | <u>19</u> |
| BOOTS AND BOARDS | 499 BANK STREET OTTAWA ON K2P 1Z2 | WSW | 119.09 | <u>20</u> |
| BOOTS AND BOARDS 06-357 | 499 BANK STREET OTTAWA ON K2P 1Z2 | WSW | 119.09 | <u>20</u> |
| Quantum Murray LP | 453 Bank Street Ottawa ON K2P 1Y9 | WNW | 119.75 | <u>21</u> |
| Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW | 119.75 | <u>21</u> |
| Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW | 119.75 | <u>21</u> |
| Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW | 119.75 | <u>21</u> |
| Ben Gunter Pharmacy Inc. | 455 BANK STREET OTTAWA ON K2P 1Y9 | WNW | 119.75 | <u>21</u> |
| OTTAWA SUN (THE) | 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | <u>22</u> |
| OTTAWA SUN (THE) (OUT OF BUSINESS) | 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | <u>22</u> |
| OTTAWA SUN (THE) 29-370 | 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | <u>22</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|---|------------------|---------------------|--------------------|
| OTTAWA SUN, THE (OUT OF BUSINESS) | 203 CATHERINE STREET SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| SUNDAY HERALD | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| SUNDAY (SEE & USE ON0173500 OTTAWA | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| SUNDAY (SEE & USE ON0173501 OTTAWA | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| SUNDAY (SEE & USE ON0173501 OTTAWA36-368 | 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| MEDIAPLUS ADVERTISING | 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| MEDIAPLUS ADVERTISING 26-459 | 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| PROCESS PHOTO CENTRE LTD. 30-723 | 203 CATHERINE STREET OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| MEDIAPLUS ADVERTISING | DARK ROOM 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| PROCESS PHOTO CENTRE LTD. | 203 CATHERINE STREET OTTAWA ON K2P 1C3 | S | 121.29 | 22 |
| MEDIAPLUS ADVERTISING | DARK ROOM 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | S | 121.29 | 22 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|--|-------------------------|----------------------------|---------------------------|
| PROCESS (OUT OF BUSINESS) | 203 CATHERINE STREET OTTAWA ON K2P 1C3 | S | 121.29 | <u>22</u> |
| Daoust Construction | 203 Catherine St Ottawa ON | S | 121.29 | <u>22</u> |
| Soba Ottawa Inc. | 203 Catherine Street Ottawa ON K2P 1C3 | S | 121.29 | <u>22</u> |
| Soba Ottawa Inc. | 203 Catherine Street Ottawa ON K2P 1C3 | S | 121.29 | <u>22</u> |
| LES FRERES PROULX BROTHERS INC. | 141 CATHERINE STREET, SUITE 101 OTTAWA ON K2P 1C3 | SSE | 121.59 | <u>23</u> |
| LES FRERES PROULX BROTHERS INCORPORATED | 141 CATHERINE STREET, SUITE 101 OTTAWA ON K2P 1C3 | SSE | 121.59 | <u>23</u> |
| LES FRERES PROULX BROTHERS INCORPORATED | 141 Catherine suite 101 Ottawa ON K2P 1C3 | SSE | 121.59 | <u>23</u> |
| MACLEAN AND ASSOCIATES INC. | 141 CATHERINE STREET OTTAWA ON K2P 1C3 | SSE | 121.59 | <u>23</u> |
| TOMMY & LEFEBVRE INC. | 464 BANK ST. OTTAWA ON K2P 1Z3 | W | 148.89 | <u>34</u> |
| TOMMY & LEFEBVRE INC. 37- 488 | 464 BANK ST. OTTAWA ON K2P 1Z3 | W | 148.89 | <u>34</u> |
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | <u>34</u> |
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | <u>34</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|---|--|------------------|---------------------|--------------------|
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | 34 |
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | 34 |
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | 34 |
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON | W | 148.89 | 34 |
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | 34 |
| TOMMY & LEFEBVRE INCORPORATED | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | 34 |
| Tomlinson Environmental | 464 Bank Str Ottawa ON K2P 1Z3 | W | 148.89 | 34 |
| GVT. OF CAN. - PUBLIC WORKS CANADA | WAREHOUSE 205 CATHERINE ST. OTTAWA ON K2P 1C3 | SSW | 152.77 | 39 |
| GVT. OF CAN. - PUBLIC WORKS CANADA00 000 | WAREHOUSE 205 CATHERINE ST. OTTAWA ON K2P 1C3 | SSW | 152.77 | 39 |
| GINN PHOTOGRAPHIC COMPANY | 205 CATHERINE STREET, SUITE 100 OTTAWA ON K2P 1C3 | SSW | 152.77 | 39 |
| GINN PHOTOGRAPHIC COMPANY | 205 CATHERINE STREET SUITE 100 OTTAWA ON K2P 1C3 | SSW | 152.77 | 39 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|---|-------------------------|----------------------------|----------------------------|
| LJ RIOPELLE | 510 BANK ST OTTAWA ON K2P 1Z4 | SW | 154.88 | <u>40</u> |
| OTTAWA MOUNTAIN MASTERS LTD. 29-662 | 519 BANK ST. OTTAWA ON K2P 1Z5 | SSW | 172.37 | <u>53</u> |
| OTTAWA MOUNTAIN MASTERS LTD. | 519 BANK STREET OTTAWA ON K2P 1Z5 | SSW | 172.37 | <u>53</u> |
| PRINTING HOUSE LTD., THE | 523 BANK STREET OTTAWA ON K2P 1Z5 | SSW | 179.99 | <u>59</u> |
| PROCESS PHOTO CENTRE LTD. | 529 BANK STREET OTTAWA ON K2P 1Z5 | SSW | 182.53 | <u>63</u> |
| PROCESS PHOTO CENTRE LTD. | 529 Bank St. Ottawa ON K2P 1Z5 | SSW | 182.53 | <u>63</u> |
| ALLSPORT RENTALS & SALES 02-779 | 512 BANK ST. OTTAWA ON K2P 1Z6 | SW | 198.26 | <u>75</u> |
| ALLSPORT RENTALS & SALES | 512 BANK STREET OTTAWA ON K2P 1Z6 | SW | 198.26 | <u>75</u> |
| Canderel Stoneridge Equity Group Inc. | 433 Bank Street Ottawa ON K2P 1Y7 | WNW | 198.81 | <u>77</u> |
| Schindler Elevator Corporation | 200 Catherine Ottawa ON K2P 2K9 | S | 206.51 | <u>84</u> |
| CANADIAN REAL ESTATE AGENCY | 200 CATHERINE STREET OTTAWA ON K2P 2K9 | S | 206.51 | <u>84</u> |
| Ottawa-Carleton District School Board | Glashan PS 28 Arlington Ave. Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|---|---|-------------------------|----------------------------|----------------------------|
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board Health & Safety | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| Ottawa-Carleton District School Board Health & Safety | 28 Arlington Avenue Ottawa ON K2P 1C2 | SW | 222.20 | <u>101</u> |
| PRINTING HOUSE LTD., THE | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW | 247.30 | <u>121</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|-----------------------|
| Maninvest Inc. | 240 Catherine Ottawa ON K2P 2G8 | SSW | 247.30 | 121 |
| PRINTING HOUSE LTD., THE | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW | 247.30 | 121 |
| PRINTING HOUSE LTD., THE | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW | 247.30 | 121 |
| Cima Canada Inc | 240 Catherine St Suite 110 Ottawa ON K2P 2G8 | SSW | 247.30 | 121 |
| 240 Catherine Street Inc. | 240 Catherine Street Ottawa ON K2P 2G8 | SSW | 247.30 | 121 |
| GumDocs Dental Centre | 240 Catherine Street Fourth Floor Ottawa ON K2P 2G8 | SSW | 247.30 | 121 |
| ALPHATEXT RONALDS PRINTING | 240 CATHERING ST OTTAWA ON K2P 2G8 | SSW | 247.30 | 121 |
| ALPHATEXT RONALDS PRINTING 02-115 | 240 CATHERING ST OTTAWA ON K2P 2G8 | SSW | 247.30 | 121 |
| PRINTING HOUSE LTD. | 240 CATHERINE STREET OTTAWA ON K2P 2G8 | SSW | 247.30 | 121 |
| party world | 420 bank st OTTAWA ON K2P 1Y8 | WNW | 249.22 | 123 |
| Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W | 249.43 | 125 |
| Axle Automotive Inc. | 410 Gladstone Ave. Ottawa ON K2P 0Z1 | W | 249.43 | 125 |

| | | | | |
|------------------------------------|--|-----|--------|-----------|
| Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W | 29.05 | <u>2</u> |
| Argyle Associates | 239 Argyle Street Ottawa ON | W | 29.05 | <u>2</u> |
| Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W | 29.05 | <u>2</u> |
| Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W | 29.05 | <u>2</u> |
| Argyle Associates | 239 Argyle Street Ottawa ON K2P 1B8 | W | 29.05 | <u>2</u> |
| MCLEOD RETIREMENT HOME | 330 McLeod St Ottawa ON K2P 2C5 | NW | 73.09 | <u>4</u> |
| Ashcroft Homes | 320 McLeod Street Ottawa ON K2P 1A3 | N | 90.33 | <u>12</u> |
| OTTAWA CURLING CLUB LTD. | 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | ESE | 103.26 | <u>14</u> |
| OTTAWA CURLING CLUB LTD. | 440 O'CONNOR STREET 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | ESE | 103.26 | <u>14</u> |
| OTTAWA CURLING CLUB LTD. 29-279 | 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | ESE | 103.26 | <u>14</u> |
| OTTAWA CURLING CLUB LIMITED | 440 O'CONNOR STREET OTTAWA ON K2P 1W4 | ESE | 103.26 | <u>14</u> |
| Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW | 125.85 | <u>26</u> |

| | | | | |
|--------------------------------------|--|-----|--------|--------------------|
| Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW | 125.85 | 26 |
| Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW | 125.85 | 26 |
| Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW | 125.85 | 26 |
| Hulse, Playfair & McGarry | 315 McLeod Street Ottawa ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE AND PLAYFAIR LIMITED | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE AND PLAYFAIR LIMITED | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE AND PLAYFAIR LIMITED 44-226 | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON | NNW | 125.85 | 26 |
| HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |
| HULSE, PLAYFAIR & MCGARRY INC. | 315 MCLEOD STREET OTTAWA ON K2P 1A2 | NNW | 125.85 | 26 |

| | | | | |
|--|---|-----|--------|--------------------|
| GVT. OF CANADIAN NATIONAL MUSEUMS | CORNER OF MCLEOD AND O'CONNOR STREET VICTORIA MUSEUM OTTAWA, ON K1P6P4 | NNE | 126.51 | 28 |
| YMCA | 180 Argyle street ottawa ON K2P 1B7 | E | 138.05 | 32 |
| YMCA | 180 Argyle street ottawa ON K2P 1B7 | E | 138.05 | 32 |
| YMCA/YWCA | 180 ARGYLE ST OTTAWA ON K2P1B7 | E | 138.05 | 32 |
| GVT. OF CANADIAN NATIONAL MUSEUMS | VICTORIA MUSEUM, MEDCALFE & MCLEOD STS. C/O BILLINGS BRIDGE PLAZA, SBI BLDG 9F OTTAWA, ON K1H 8L5 | ENE | 194.90 | 73 |
| GVT. OF CANADIAN NATIONAL MUSEUMS 18-280 | VICTORIA MUSEUM, MEDCALFE & MCLEOD STS. C/O BILLINGS BRIDGE PLAZA, SBI BLDG 9F OTTAWA, ON K1H 8L5 | ENE | 194.90 | 73 |
| VICTORIA MUSEUM | CORNER OF MCLEOD AND O'CONNOR STREET BOILER ROOM OTTAWA ON K1P6P4 | ENE | 194.90 | 73 |
| NATIONAL MUSEUMS OF CANADA | VICTORIA MUSEUM - BOILER ROOM 240 MCLEOD STREET OTTAWA ON K1P6P4 | ENE | 194.90 | 73 |
| CANADIAN MUSEUM OF NATURE | METCALFE & MCLEOD STREETS OTTAWA ON K1P 6P4 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |

| | | | | |
|---|--|-----|--------|---------------------|
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Museum of Nature | 240 MCLEOD STREET OTTAWA ON K2P 2R1 | ENE | 194.90 | 73 |
| Mac's Convenience Stores Inc. | 450 Bank Street Ottawa ON K2P1Z1 | WNW | 201.23 | 79 |
| CENTRETOWN CITIZENS OTTAWA CORPORATION | 464 Metcalfe Street Ottawa ON | E | 249.49 | 126 |
| Modern Niagara Building Services | 464 Metcalfe Street Ottawa ON K2P 1B7 | E | 249.49 | 126 |
| Modern Niagara Building Services | 464 Metcalfe Street Ottawa ON K2P 1B7 | E | 249.49 | 126 |

| | | | | |
|----------------------------------|--|---|--------|---------------------|
| Modern Niagara Building Services | 464 Metcalfe Street Ottawa ON K2P 1B7 | E | 249.49 | 126 |
| Taillefer Plumbing & Heating Inc | 464 Metcalfe Ottawa ON K2P 1B7 | E | 249.49 | 126 |

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 3 HINC site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|-----------------------|
| | 141 CATHERINE STREET OTTAWA ON K2P 1C3 | SSE | 121.59 | 23 |
| | 464 BANK STREET OTTAWA ON K2P 1Z3 | W | 148.89 | 34 |
| | INTERSECTION OF BANK STREET & CATHERINE STREET OTTAWA ON | SSW | 208.69 | 88 |

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Jul 31, 2020 has found that there are 2 INC site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--------------------------------|-------------------------|----------------------------|-----------------------|
| | 203 CATHERINE ST, OTTAWA ON | S | 121.29 | 22 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|-------------------------------|-------------------------|----------------------------|-----------------------|
| | 180 Argyle Road, Ottawa ON | E | 138.05 | 32 |

PES - Pesticide Register

A search of the PES database, dated Oct 2011-Oct 31, 2020 has found that there are 4 PES site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|-------------------------------------|------------------|---------------------|--------------------|
| BEN GUNTER PHARMACY INC | 455 BANK ST #1 OTTAWA ON K2P 1Y9 | WNW | 119.75 | 21 |
| BEN GUNTER PHARMACY INC O/A SHOPPERS DRUG MART #1248 | 455 BANK ST #1 OTTAWA ON K2P1Y9 | WNW | 119.75 | 21 |
| BEN GUNTER PHARMACY INC | 455 BANK ST #1 OTTAWA ON K2P1Y9 | WNW | 119.75 | 21 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|---|---------------------------------|------------------|---------------------|--------------------|
| 827219 ONTARIO LIMITED O/A BYTOWN PEST CONTROL | 450 BANK ST OTTAWA ON K2P1Z1 | WNW | 201.23 | 79 |

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|-----------------------------|------------------|---------------------|---------------------|
| | 417 BANK ST, OTTAWA ON | WNW | 249.42 | 124 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
| | 285 MCLEOD ST, OTTAWA ON | NNE | 164.44 | 51 |

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 3 PRT site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|----------------------------------|------------------|---------------------|--------------------|
| MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P 1Z6 | SW | 198.26 | 75 |

| | | | | |
|-----------------------|----------------------------------|----|--------|--------------------|
| MACEWEN PETROLEUM INC | 512A BANK ST OTTAWA ON K2P1Z6 | SW | 198.26 | 75 |
|-----------------------|----------------------------------|----|--------|--------------------|

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|------------------------|---------------------------------|------------------|---------------------|--------------------|
| BANK STREET ESSO | 450 BANK ST OTTAWA ON K2P1Z1 | WNW | 201.23 | 79 |

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Sep 2020 has found that there are 6 RSC site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------|---|------------------|---------------------|--------------------|
| URBAN CAPITAL (CENTRAL 3) INC. | 340 MCLEOD STREET, OTTAWA, ON K2P 1A4 Ottawa ON | WNW | 87.64 | 10 |

| | | | | |
|------------------|--|---|--------|--------------------|
| SOBA OTTAWA INC. | 203 CATHERINE STREET, OTTAWA, ON K2P 1C3 Ottawa ON | S | 121.29 | 22 |
|------------------|--|---|--------|--------------------|

| | | | | |
|--------------------------------|--|-----|--------|--------------------|
| Urban Capital (Gladstone) Inc. | 453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontari ON | WNW | 136.21 | 31 |
|--------------------------------|--|-----|--------|--------------------|

| | | | | |
|------------------|--|---|--------|--------------------|
| Mr. Milad Ladany | 37 FLORA ST, OTTAWA, ON, K2P 1A7 OTTAWA ON K2P 1A7 | W | 162.08 | 48 |
|------------------|--|---|--------|--------------------|

| | | | | |
|--|--|-----|--------|--------------------|
| | 400 McLeod Street Ottawa ON K2P 1A6 | WSW | 196.42 | 74 |
|--|--|-----|--------|--------------------|

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|--|------------------|---------------------|--------------------|
| Centretown Citizens Ottawa Corporation | 424 METCALFE ST, OTTAWA, ON, K2P 2C3 OTTAWA ON K2P 2C3 | E | 215.33 | 94 |

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jun 30, 2020 has found that there are 7 RST site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|---------------------------|
| UPI INC | 140 RUE STE-CATHERINE OTTAWA ON K0C 2B0 | SE | 149.01 | <u>35</u> |
| MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P1Z6 | SW | 198.26 | <u>75</u> |
| MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P1Z6 | SW | 198.26 | <u>75</u> |
| MACEWEN PETROLEUM INC | 512 BANK ST OTTAWA ON K2P 1Z6 | SW | 198.26 | <u>75</u> |
| MACEWEN PETROLIUM | 520 BANK OTTAWA ON K1S 3T3 | SW | 198.26 | <u>75</u> |
| MACEWEN PETROLEUM INC | 512A BANK ST OTTAWA ON K2P1Z6 | SW | 198.26 | <u>75</u> |
| | | | | |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
| BANK ST ESSO | 450 BANK ST OTTAWA ON K2P 1Z1 | WNW | 201.23 | <u>79</u> |

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 21 SCT site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|---------------------------|
| CWG Footcare Inc. | 485 Bank St Suite 209 Ottawa ON K2P 1Z2 | WSW | 115.85 | <u>18</u> |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|--|-------------------------|----------------------------|----------------------------|
| 2M Laser Supply Inc. | 153 Catherine St Ottawa ON K2P 1C3 | SSE | 131.05 | <u>30</u> |
| CUDDLE DOWN PRODUCTS LTD | 340 GLADSTONE AVE OTTAWA ON K2P 0Y8 | NW | 152.20 | <u>38</u> |
| RealDecoy Inc. | 205 Catherine St Unit 1 Ottawa ON K2P 1C3 | SSW | 152.77 | <u>39</u> |
| PRINTING HOUSE LTD THE | 523 BANK ST OTTAWA ON K2P 1Z5 | SSW | 179.99 | <u>59</u> |
| Appraisal Institute of Canada | 200 Catherine St Suite 403 Ottawa ON K2P 2K9 | S | 206.51 | <u>84</u> |
| Corporate Express Office | 240 rue Catherine Suite 103 Ottawa ON K2P 2G8 | SSW | 247.30 | <u>121</u> |
| THE PRINTING HOUSE LTD. | 240 Catherine St Suite 105 Ottawa ON K2P 2G8 | SSW | 247.30 | <u>121</u> |
| THE PRINTING HOUSE LTD | 240 CATHERINE ST SUITE 105 OTTAWA ON K2P 2G8 | SSW | 247.30 | <u>121</u> |
| THE CANADA CHINA NEWS | 240 CATHERINE ST SUITE 201 OTTAWA ON K2P 2G8 | SSW | 247.30 | <u>121</u> |
| Axle Automotive Inc. | 410 Gladstone Ave Ottawa ON K2P 0Z1 | W | 249.43 | <u>125</u> |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
| WHERE | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE | 57.65 | <u>3</u> |

| | | | | |
|--------------------------------|---|-----|--------|---------------------|
| StorageQuest Inc. | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE | 57.65 | 3 |
| CAPITAL PUBLISHERS | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE | 57.65 | 3 |
| Where - Ottawa Hull | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE | 57.65 | 3 |
| Capital Publishers - Div. of | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE | 57.65 | 3 |
| St. Joseph Media Ottawa Group | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE | 57.65 | 3 |
| CWLC/LBEC | 226 Argyle Ave Ottawa ON K2P 1B9 | ESE | 57.65 | 3 |
| Canadian Museum of Nature | 240 McLeod St Ottawa ON K2P 2R1 | ENE | 194.90 | 73 |
| Canadian Library Trustees Assn | 328 Frank St Ottawa ON K2P 0X8 | N | 233.76 | 109 |
| Canadian Library Association | 328 Frank St Suite 602 Ottawa ON K2P 0X8 | N | 233.76 | 109 |

SPL - Ontario Spills

A search of the SPL database, dated 1988-Nov 2019 has found that there are 17 SPL site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|---------------------------------------|-------------------------|----------------------------|-----------------------|
| Jean Daoust Construction Inc.; Soba Ottawa Inc. | 203 Catherine st Ottawa ON K2P 1C3 | S | 121.29 | 22 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--------------------------------------|---|-------------------------|----------------------------|----------------------------|
| | Parking lot beside 141 Catherine Street Ottawa ON K2P 1C3 | SSE | 121.59 | <u>23</u> |
| OC Transpo<UNOFFICIAL> | 340 Gladstone Avenue at O'Connor St<UNOFFICIAL> Ottawa ON K2P 0Y8 | NW | 152.20 | <u>38</u> |
| PETRO-CANADA | 488 BANK ST. (EUROPEAN GLASS & PAINT) TANK TRUCK (CARGO) OTTAWA CITY ON K2P 1Z4 | WSW | 158.79 | <u>42</u> |
| | 502 Bank Street Ottawa ON K2P 1Z4 | SW | 183.67 | <u>65</u> |
| | 17 Arlington St. Ottawa ON K2P 1C1 | WSW | 193.00 | <u>70</u> |
| MACEWEN FUELS | 512 BANK STREET SERVICE STATION OTTAWA CITY ON K2P 1Z6 | SW | 198.26 | <u>75</u> |
| MACEWEN FUELS | 512 A BANK STREET SERVICE STATION OTTAWA CITY ON K2P 1Z6 | SW | 198.26 | <u>75</u> |
| MACEWEN FUELS | 512 A BANK STREET SERVICE STATION CUMBERLAND TOWNSHIP ON K2P 1Z6 | SW | 198.26 | <u>75</u> |
| OTTAWA-CARLETON TRANSPORT | BANK ST, NORTHBOUND AT CORNER OF CATHERINE ST OTTAWA CITY ON | SSW | 208.69 | <u>88</u> |
| City of Ottawa | 434 Bank St Ottawa ON | WNW | 217.87 | <u>96</u> |
| Enbridge Energy Distribution Inc. | 417 Bank Street Ottawa ON | WNW | 249.42 | <u>124</u> |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|--|--|------------------|---------------------|--------------------|
| Go Pro Restoration Inc. | 219 and 229 Argyle Ave Ottawa ON K2P 1B8 | E | 15.36 | 1 |
| | Ottawa ON | ESE | 127.20 | 29 |
| The National Capital Region YMCA-YWCA | 180 Argyle Ottawa ON K2P 1B7 | E | 138.05 | 32 |
| Canadian Museum of Nature | 240 McLeod Street Ottawa ON K2P 2R1 | ENE | 194.90 | 73 |
| Hydro One Inc. | 240 McLeod St MUSEUM OF NATURE<UNOFFICIAL> Ottawa ON K2P 2R1 | ENE | 194.90 | 73 |

WDS - Waste Disposal Sites - MOE CA Inventory

A search of the WDS database, dated Oct 2011-Oct 31, 2020 has found that there are 2 WDS site(s) within approximately 0.25 kilometers of the project property.

| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------------|--------------------------------------|------------------|---------------------|---------------------|
| LRC Development Team Test Client | 150 ARGYLE Ave Ottaway ON M4W 1A1 | ENE | 248.51 | 122 |
| LRC Development Team Test Client | 150 ARGYLE Ave Ottaway ON M4W 1A1 | ENE | 248.51 | 122 |


WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2020 has found that there are 22 WWIS site(s) within approximately 0.25 kilometers of the project property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|--|------------------|---------------------|--------------------|
| | 141 CATHERINE ST OTTAWA ON <i>Well ID: 7272142</i> | SSE | 114.06 | 16 |
| | 141 CATHERINE ST OTTAWA ON | SSE | 121.59 | 23 |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|-----------------------------------|------------------|---------------------|--------------------|
| | <i>Well ID:</i> 7272141 | | | |
| | 141 CATHERINE ST OTTAWA ON | SSE | 126.11 | 27 |
| | <i>Well ID:</i> 7272143 | | | |
| | 203 CATHERINE STREET Ottawa ON | SSW | 148.85 | 33 |
| | <i>Well ID:</i> 7149497 | | | |
| | 37 FLORA ST OTTAWA ON | W | 159.36 | 43 |
| | <i>Well ID:</i> 7216273 | | | |
| | 37 FLORA ST OTTAWA ON | WSW | 159.70 | 44 |
| | <i>Well ID:</i> 7216269 | | | |
| | 37 FLORA ST OTTAWA ON | W | 160.10 | 45 |
| | <i>Well ID:</i> 7216268 | | | |
| | 37 FLORA ST OTTAWA ON | WSW | 160.17 | 46 |
| | <i>Well ID:</i> 7216272 | | | |
| | 37 FLORA ST OTTAWA ON | W | 161.33 | 47 |
| | <i>Well ID:</i> 7216270 | | | |
| | 37 FLORA ST OTTAWA ON | W | 162.08 | 48 |
| | <i>Well ID:</i> 7216271 | | | |
| | 203 CATHERINE ST. OTTAWA ON | SSE | 162.32 | 49 |
| | <i>Well ID:</i> 7151895 | | | |
| | 510 BANKL ST OTTAWA ON | WSW | 174.65 | 55 |
| | <i>Well ID:</i> 1536050 | | | |
| | GLADSTONE AVENUE Ottawa ON | WNW | 180.12 | 60 |
| | <i>Well ID:</i> 7222343 | | | |

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------------------------|--|------------------|---------------------|---------------------|
| | 512 BANK STREET Ottawa ON <i>Well ID: 7122877</i> | SSW | 216.36 | 95 |
| | 240 CATHEINE ST OTTAWA ON <i>Well ID: 7048032</i> | SSW | 234.93 | 110 |
| | ON <i>Well ID: 7239266</i> | NW | 242.22 | 118 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Direction</u> | <u>Distance (m)</u> | <u>Map Key</u> |
| | 180 ARGYLE AVENUE Ottawa ON <i>Well ID: 7179491</i> | E | 138.05 | 32 |
| | 180 ARGYLE AVENUE Ottawa ON <i>Well ID: 7179492</i> | E | 138.05 | 32 |
| | GLADSTONE AVENUE OTTAWA ON <i>Well ID: 7210734</i> | NNW | 180.40 | 61 |
| | ON <i>Well ID: 7206031</i> | E | 190.88 | 68 |
| | GLADSTONE AVENUE OTTAWA ON <i>Well ID: 7210740</i> | N | 214.58 | 93 |
| | CATHERINE STREET/METCALFE lot F con C OTTAWA ON <i>Well ID: 7292768</i> | E | 233.18 | 108 |




Map : 0.25 Kilometer Radius

Order Number: 20310600078

Address: 233 Argyle Avenue, Ottawa, ON



| | | | | | | | |
|--|-----------------------------------|--|----------------------|--|-----------------------------------|--|--------------------------------|
| | Project Property | | Expressway | | Industrial and Resource - Regions | | National Park |
| | Buffer Outline | | Principal Highway | | Main Line | | Provincial or Territorial Park |
| | Eris Sites with Higher Elevation | | Secondary Highway | | Sidetrack | | Other Park |
| | Eris Sites with Same Elevation | | Major Road | | Transit Line | | Golf Course or Driving Range |
| | Eris Sites with Lower Elevation | | Local road | | Abandoned Line | | Park or Sports Field |
| | Eris Sites with Unknown Elevation | | Trail | | Proposed Road | | Other Recreation Area |
| | | | Ferry Route/Ice Road | | | | |



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

1:10000

Aerial Year: 2019


Address: 233 Argyle Avenue, Ottawa, ON

Source: ESRI World Imagery

Order Number: 2031060078



© ERIS Information Limited Partnership



Topographic Map

Address: 233 Argyle Avenue, ON

Source: ESRI World Topographic Map

Order Number: 2031060078



© ERIS Information Limited Partnership

Detail Report

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|---|----------------------------|------------------|--|------------------------|
| 1 | 1 of 2 | E/15.4 | 73.3 / -0.52 | Go Pro Restoration Inc. 219 and 229 Argyle Ave Ottawa ON K2P 1B8 | SPL |
| Ref No: | 3505-9YM2LZ | | | Discharger Report: | |
| Site No: | 4630-9ZPMWV | | | Material Group: | |
| Incident Dt: | 7/20/2015 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | | | | Sector Type: | Unknown / N/A |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | 27 | | | Nearest Watercourse: | |
| Contaminant Name: | PAINT OR PAINT RELATED N.O.S. | | | Site Address: | 219 and 229 Argyle Ave |
| Contaminant Limit 1: | | | | Site District Office: | |
| Contam Limit Freq 1: | | | | Site Postal Code: | K2P 1B8 |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | | | | Site Municipality: | Ottawa |
| Nature of Impact: | | | | Site Lot: | |
| Receiving Medium: | | | | Site Conc: | |
| Receiving Env: | | | | Northing: | NA |
| MOE Response: | No | | | Easting: | NA |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | NA |
| MOE Reported Dt: | 7/20/2015 | | | Site Map Datum: | NA |
| Dt Document Closed: | | | | SAC Action Class: | Watercourse Spills |
| Incident Reason: | Unknown / N/A | | | Source Type: | |
| Site Name: | 219 and 229 Argyle Avenue | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | NA | | | | |
| Incident Summary: | paint residue in cb, cleaned | | | | |
| Contaminant Qty: | 0 other - see incident description | | | | |
| 1 | 2 of 2 | E/15.4 | 73.3 / -0.52 | 229 Argyle Avenue Ottawa ON K2P | EHS |
| Order No: | 20180808236 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | CA |
| Report Date: | 15-AUG-18 | | | Search Radius (km): | .25 |
| Date Received: | 08-AUG-18 | | | X: | -75.69112 |
| Previous Site Name: | | | | Y: | 45.411303 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos | | | | |
| 2 | 1 of 7 | W/29.0 | 73.8 / -0.03 | Argyle Associates 239 Argyle Street Ottawa ON K2P 1B8 | GEN |
| Generator No: | ON6674284 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2010 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 621110 | | | | |
| SIC Description: | Offices of Physicians | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|----------------------------|------------------|---|-----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| Waste Class: | | 261 | | | |
| Waste Class Desc: | | PHARMACEUTICALS | | | |
| <u>2</u> | 2 of 7 | W/29.0 | 73.8 / -0.03 | Argyle Associates 239 Argyle Street Ottawa ON K2P 1B8 | GEN |
| Generator No: | | ON6674284 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 2011 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 621110 | | | |
| SIC Description: | | Offices of Physicians | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 261 | | | |
| Waste Class Desc: | | PHARMACEUTICALS | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| <u>2</u> | 3 of 7 | W/29.0 | 73.8 / -0.03 | Argyle Associates 239 Argyle Street Ottawa ON K2P 1B8 | GEN |
| Generator No: | | ON6674284 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 2012 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 621110 | | | |
| SIC Description: | | Offices of Physicians | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 261 | | | |
| Waste Class Desc: | | PHARMACEUTICALS | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| <u>2</u> | 4 of 7 | W/29.0 | 73.8 / -0.03 | Argyle Associates 239 Argyle Street Ottawa ON | GEN |
| Generator No: | | ON6674284 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 2013 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 621110 | | | |
| SIC Description: | | OFFICES OF PHYSICIANS | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-----------------------|----------------------------|------------------|---|-------------|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 261 | | | |
| Waste Class Desc: | | PHARMACEUTICALS | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 2 | 5 of 7 | W/29.0 | 73.8 / -0.03 | Argyle Associates 239 Argyle Street Ottawa ON K2P 1B8 | GEN |
| Generator No: | ON6674284 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2015 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | |
| MHSW Facility: | No | | | Phone No Admin: | |
| SIC Code: | 621110 | | | | |
| SIC Description: | OFFICES OF PHYSICIANS | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 261 | | | |
| Waste Class Desc: | | PHARMACEUTICALS | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 2 | 6 of 7 | W/29.0 | 73.8 / -0.03 | Argyle Associates 239 Argyle Street Ottawa ON K2P 1B8 | GEN |
| Generator No: | ON6674284 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2016 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | |
| MHSW Facility: | No | | | Phone No Admin: | |
| SIC Code: | 621110 | | | | |
| SIC Description: | OFFICES OF PHYSICIANS | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| Waste Class: | | 261 | | | |
| Waste Class Desc: | | PHARMACEUTICALS | | | |
| 2 | 7 of 7 | W/29.0 | 73.8 / -0.03 | Argyle Associates 239 Argyle Street Ottawa ON K2P 1B8 | GEN |
| Generator No: | ON6674284 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2014 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | |
| MHSW Facility: | No | | | Phone No Admin: | |
| SIC Code: | 621110 | | | | |
| SIC Description: | OFFICES OF PHYSICIANS | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|-----------------------------------|---------------------|--|-----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 261 | | | |
| Waste Class Desc: | | PHARMACEUTICALS | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| <u>3</u> | 1 of 8 | ESE/57.7 | 72.9 / -0.95 | CAPITAL PUBLISHERS 226 Argyle Ave Ottawa ON K2P 1B9 | SCT |
| Established: | | 1958 | | | |
| Plant Size (ft²): | | 3000 | | | |
| Employment: | | 18 | | | |
| --Details-- | | | | | |
| Description: | | Periodical Publishers | | | |
| SIC/NAICS Code: | | 511120 | | | |
| Description: | | Database and Directory Publishers | | | |
| SIC/NAICS Code: | | 511140 | | | |
| <u>3</u> | 2 of 8 | ESE/57.7 | 72.9 / -0.95 | WHERE 226 Argyle Ave Ottawa ON K2P 1B9 | SCT |
| Established: | | 1959 | | | |
| Plant Size (ft²): | | 0 | | | |
| Employment: | | 18 | | | |
| --Details-- | | | | | |
| Description: | | Periodical Publishers | | | |
| SIC/NAICS Code: | | 511120 | | | |
| <u>3</u> | 3 of 8 | ESE/57.7 | 72.9 / -0.95 | Where - Ottawa Hull 226 Argyle Ave Ottawa ON K2P 1B9 | SCT |
| Established: | | 1959 | | | |
| Plant Size (ft²): | | | | | |
| Employment: | | 18 | | | |
| <u>3</u> | 4 of 8 | ESE/57.7 | 72.9 / -0.95 | Capital Publishers - Div. of 226 Argyle Ave Ottawa ON K2P 1B9 | SCT |
| Established: | | 1958 | | | |
| Plant Size (ft²): | | 5000 | | | |
| Employment: | | 18 | | | |
| --Details-- | | | | | |
| Description: | | Periodical Publishers | | | |
| SIC/NAICS Code: | | 511120 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|-------------------|---|---------------|--|------------|
| <u>3</u> | 5 of 8 | ESE/57.7 | 72.9 / -0.95 | St. Joseph Media Ottawa Group 226 Argyle Ave Ottawa ON K2P 1B9 | SCT |
| Established: | | 1958 | | | |
| Plant Size (ft²): | | 5000 | | | |
| Employment: | | 18 | | | |
| --Details-- | | | | | |
| Description: | | Periodical Publishers | | | |
| SIC/NAICS Code: | | 511120 | | | |
| <u>3</u> | 6 of 8 | ESE/57.7 | 72.9 / -0.95 | CWLC/LBEC 226 Argyle Ave Ottawa ON K2P 1B9 | SCT |
| Established: | | 01-DEC-94 | | | |
| Plant Size (ft²): | | | | | |
| Employment: | | | | | |
| --Details-- | | | | | |
| Description: | | Civic and Social Organizations | | | |
| SIC/NAICS Code: | | 813410 | | | |
| <u>3</u> | 7 of 8 | ESE/57.7 | 72.9 / -0.95 | StorageQuest Inc. 226 Argyle Ave Ottawa ON K2P 1B9 | SCT |
| Established: | | 01-MAR-88 | | | |
| Plant Size (ft²): | | | | | |
| Employment: | | | | | |
| --Details-- | | | | | |
| Description: | | Software Publishers | | | |
| SIC/NAICS Code: | | 511210 | | | |
| Description: | | Computer and Peripheral Equipment Manufacturing | | | |
| SIC/NAICS Code: | | 334110 | | | |
| Description: | | Computer Systems Design and Related Services | | | |
| SIC/NAICS Code: | | 541510 | | | |
| <u>3</u> | 8 of 8 | ESE/57.7 | 72.9 / -0.95 | 226 Argyle Ave Ottawa ON K2P1B9 | EHS |
| Order No: | | 20171101041 | | Nearest Intersection: | |
| Status: | | C | | Municipality: | |
| Report Type: | | Standard Report | | Client Prov/State: | ON |
| Report Date: | | 06-NOV-17 | | Search Radius (km): | .25 |
| Date Received: | | 01-NOV-17 | | X: | -75.690774 |
| Previous Site Name: | | | | Y: | 45.410928 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | Fire Insur. Maps and/or Site Plans | | | |
| <u>4</u> | 1 of 1 | NW/73.1 | 73.2 / -0.64 | MCLEOD RETIREMENT HOME 330 McLeod St | GEN |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|-------------------------|---------------|---------------------------|--------|
| Ottawa ON K2P 2C5 | | | | | |
| Generator No: | ON3139052 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Dec 2018 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 221 L | | | | |
| Waste Class Desc: | Light fuels | | | | |

| <u>5</u> | 1 of 1 | WNW/73.6 | 73.9 / 0.08 | ON | BORE |
|----------------------------|----------------|----------|-------------|---------------------------|----------------|
| Borehole ID: | 613223 | | | Inclin FLG: | No |
| OGF ID: | 215514526 | | | SP Status: | Initial Entry |
| Status: | | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | | | | Primary Name: | |
| Completion Date: | JUN-1964 | | | Municipality: | |
| Static Water Level: | | | | Lot: | |
| Primary Water Use: | | | | Township: | |
| Sec. Water Use: | | | | Latitude DD: | 45.411723 |
| Total Depth m: | 20.6 | | | Longitude DD: | -75.692015 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445851 |
| Drill Method: | | | | Northing: | 5028922 |
| Orig Ground Elev m: | 70.2 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Not Applicable |
| DEM Ground Elev m: | 70.8 | | | | |
| Concession: | | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

Borehole Geology Stratum

| | | | | | |
|----------------------------------|---|--|--|----------------------------|------|
| Geology Stratum ID: | 218394206 | | | Mat Consistency: | Soft |
| Top Depth: | 2.3 | | | Material Moisture: | |
| Bottom Depth: | 3 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY. GREY,STIFF,SOFT,FISSURED. | | | | |
| Geology Stratum ID: | 218394210 | | | Mat Consistency: | |
| Top Depth: | 18.9 | | | Material Moisture: | |
| Bottom Depth: | 20.6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Unknown | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | UNSPECIFIED. 00000 018 00060 039 00075 075 00100 070 0000000900212076 040 0 **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|--|---------------------------------|------------------|----------------------------|------------------------|
| Geology Stratum ID: | 218394204 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | 1.8 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Gravel | | | Geologic Period: | |
| Material 4: | Silt | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | ARTIFICIAL. | | | |
| Geology Stratum ID: | 218394207 | | | Mat Consistency: | Soft |
| Top Depth: | 3 | | | Material Moisture: | |
| Bottom Depth: | 10.4 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | CLAY. GREY,STIFF,SOFT. | | | |
| Geology Stratum ID: | 218394205 | | | Mat Consistency: | Hard |
| Top Depth: | 1.8 | | | Material Moisture: | |
| Bottom Depth: | 2.3 | | | Material Texture: | |
| Material Color: | Brown | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | CLAY. BROWN,GREY,HARD,FISSURED. | | | |
| Geology Stratum ID: | 218394208 | | | Mat Consistency: | |
| Top Depth: | 10.4 | | | Material Moisture: | |
| Bottom Depth: | 18.3 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Unknown | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | UNSPECIFIED. | | | |
| Geology Stratum ID: | 218394209 | | | Mat Consistency: | |
| Top Depth: | 18.3 | | | Material Moisture: | |
| Bottom Depth: | 18.9 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Unknown | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | UNSPECIFIED. | | | |
| Source | | | | | |
| Source Type: | Data Survey | | | Source Appl: | Spatial/Tabular |
| Source Orig: | Geological Survey of Canada | | | Source Iden: | 1 |
| Source Date: | 1956-1972 | | | Scale or Res: | Varies |
| Confidence: | H | | | Horizontal: | NAD27 |
| Observatio: | | | | Verticalda: | Mean Average Sea Level |
| Source Name: | Urban Geology Automated Information System (UGAIS) | | | | |
| Source Details: | File: OTTAWA2.txt RecordID: 057310 NTS_Sheet: 31G05G | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|--|--|------------------|---|-------------------------------|
| Confiden 1: | | Logged by professional. Exact and complete description of material and properties. | | | |
| Source List | | | | | |
| Source Identifier: | 1 | | | Horizontal Datum: | NAD27 |
| Source Type: | Data Survey | | | Vertical Datum: | Mean Average Sea Level |
| Source Date: | 1956-1972 | | | Projection Name: | Universal Transverse Mercator |
| Scale or Resolution: | Varies | | | | |
| Source Name: | Urban Geology Automated Information System (UGAIS) | | | | |
| Source Originators: | Geological Survey of Canada | | | | |
| <u>6</u> | 1 of 1 | W/74.0 | 74.6 / 0.75 | STUDIO ARGYLE INC. 255 ARGYLE STREET (SWM) OTTAWA CITY ON K2P 2N7 | CA |
| Certificate #: | 3-0493-99- | | | | |
| Application Year: | 99 | | | | |
| Issue Date: | 6/16/1999 | | | | |
| Approval Type: | Municipal sewage | | | | |
| Status: | Approved | | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| <u>7</u> | 1 of 1 | S/76.3 | 75.2 / 1.33 | 252 Argyle Ave Ottawa ON K2P1B9 | EHS |
| Order No: | 20151006033 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 09-OCT-15 | | | Search Radius (km): | .25 |
| Date Received: | 06-OCT-15 | | | X: | -75.691402 |
| Previous Site Name: | | | | Y: | 45.410597 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| <u>8</u> | 1 of 1 | E/77.5 | 71.7 / -2.10 | 420 O'Connor Street Ottawa ON K2P 1W4 | EHS |
| Order No: | 20100317001 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 3/23/2010 | | | Search Radius (km): | 0.25 |
| Date Received: | 3/17/2010 | | | X: | -75.690338 |
| Previous Site Name: | | | | Y: | 45.411162 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| <u>9</u> | 1 of 3 | SSW/85.8 | 76.6 / 2.78 | 254 Argyle Avenue Ottawa ON K2P 1B9 | EHS |
| Order No: | 20200127100 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | ON |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|--|-----|
| Report Date: 30-JAN-20 Search Radius (km): .25 Date Received: 27-JAN-20 X: -75.6916274 Previous Site Name: Y: 45.4105413 Lot/Building Size: Additional Info Ordered: | | | | | |
| 9 | 2 of 3 | SSW/85.8 | 76.6 / 2.78 | 254 Argyle Avenue Ottawa ON K2P 1B9 | EHS |
| Order No: 20200127100 Nearest Intersection: Status: C Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 30-JAN-20 Search Radius (km): .25 Date Received: 27-JAN-20 X: -75.6916274 Previous Site Name: Y: 45.4105413 Lot/Building Size: Additional Info Ordered: | | | | | |
| 9 | 3 of 3 | SSW/85.8 | 76.6 / 2.78 | 254 Argyle Avenue Ottawa ON K2P 1B9 | EHS |
| Order No: 20200127100 Nearest Intersection: Status: C Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 30-JAN-20 Search Radius (km): .25 Date Received: 27-JAN-20 X: -75.6916274 Previous Site Name: Y: 45.4105413 Lot/Building Size: Additional Info Ordered: | | | | | |
| 10 | 1 of 9 | WNW/87.6 | 73.9 / 0.05 | CANADIAN MEDICAL LABORATORIES 340 MCLEOD STREET, LOWER LEVEL OTTAWA ON K2D 1A4 | GEN |
| Generator No: ON0245155 PO Box No: Status: Country: Approval Years: 99,00,01,02 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 8681 SIC Description: MEDICAL LABORATORIES | | | | | |
| Detail(s) | | | | | |
| Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES | | | | | |
| 10 | 2 of 9 | WNW/87.6 | 73.9 / 0.05 | KOPP LABORATORIES LIMITED 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | GEN |
| Generator No: ON0390105 PO Box No: Status: Country: Approval Years: 86,87,88,89,90 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 8681 SIC Description: MEDICAL LABORATORIES | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------|-----------------------------------|----------------------------|------------------|---|-----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| <u>10</u> | 3 of 9 | WNW/87.6 | 73.9 / 0.05 | KOPP LABORATORIES LIMI (OUT OF BUSINESS) 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | GEN |
| Generator No: | ON0390105 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,96,97,98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 8681 | | | | |
| SIC Description: | MEDICAL LABORATORIES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| <u>10</u> | 4 of 9 | WNW/87.6 | 73.9 / 0.05 | KOPP LABORATORIES LIMITED 23-100 340 MCLEOD, SUITE B2 OTTAWA ON K2P 1A4 | GEN |
| Generator No: | ON0390105 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 94,95 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 8681 | | | | |
| SIC Description: | MEDICAL LABORATORIES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| <u>10</u> | 5 of 9 | WNW/87.6 | 73.9 / 0.05 | CML HEALTHCARE INC. 340 MCLEOD STREET, LOWER LEVEL OTTAWA ON | GEN |
| Generator No: | ON0245155 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 03,04,05 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 621510 | | | | |
| SIC Description: | Medical & Diagnostic Laboratories | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| <u>10</u> | 6 of 9 | WNW/87.6 | 73.9 / 0.05 | Toth Equity Limited 340 McLeod St. | GEN |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------|---|----------------------------|--------------------|---|-----------------|
| Ottawa ON K2P 1A4 | | | | | |
| Generator No: | ON8496209 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 03,04,05,06,07,08 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 531120 | | | | |
| SIC Description: | Lessors - Non-Res. Buildings (exc. Mini-Ware) | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 261 | | | | |
| Waste Class Desc: | PHARMACEUTICALS | | | | |
| Waste Class: | 312 | | | | |
| Waste Class Desc: | PATHOLOGICAL WASTES | | | | |
| <u>10</u> | 7 of 9 | WNW/87.6 | 73.9 / 0.05 | Toth Equity Limited 340 McLeod St. Ottawa ON K2P 1A4 | GEN |
| Generator No: | ON8496209 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2009 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 531120 | | | | |
| SIC Description: | Lessors of Non-Residential Buildings (except Mini-Warehouses) | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 261 | | | | |
| Waste Class Desc: | PHARMACEUTICALS | | | | |
| Waste Class: | 312 | | | | |
| Waste Class Desc: | PATHOLOGICAL WASTES | | | | |
| <u>10</u> | 8 of 9 | WNW/87.6 | 73.9 / 0.05 | Demo Plus 340 McLeod Ottawa ON K2P 1A4 | GEN |
| Generator No: | ON9831948 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2011 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 238299 | | | | |
| SIC Description: | | | | | |
| <u>10</u> | 9 of 9 | WNW/87.6 | 73.9 / 0.05 | URBAN CAPITAL (CENTRAL 3) INC. 340 MCLEOD STREET, OTTAWA, ON K2P 1A4 Ottawa ON | RSC |
| RSC ID: | 223466 | | | Cert Date: | |
| RA No: | | | | Cert Prop Use No: | |
| RSC Type: | Phase 1 and 2 RSC | | | Intended Prop Use: | Residential |
| Curr Property Use: | Commercial | | | Qual Person Name: | CARLOS DA SILVA |
| Ministry District: | Ottawa District Office | | | Stratified (Y/N): | |
| Filing Date: | 2017/07/13 | | | Audit (Y/N): | |
| Date Ack: | | | | Entire Leg Prop. (Y/N): | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|---|--------------------------|---|----------------------|---|-----------|
| Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No: Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Longitude: UTM Coordinates: Consultant: Legal Desc: Measurement Method: Applicable Standards: RSC PDF: | | | | Accuracy Estimate: Telephone: Fax: Email: | |
| | | | | 0614042201160100000 04123-0149 (LT) 340 MCLEOD STREET, OTTAWA, ON K2P 1A4 | |
| Document(s) Detail | | | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | APEC Table.pdf | | | |
| Document Type: | | Area(s) of Potential Environmental Concern | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81521&fileName=APEC+Table.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Legal Letter.pdf | | | |
| Document Type: | | Lawyer's letter consisting of a legal description of the property | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81510&fileName=Legal+Letter.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Land transfer.pdf | | | |
| Document Type: | | Copy of any deed(s), transfer(s) or other document(s) | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81517&fileName=Land+transfer.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Owner Authorization.pdf | | | |
| Document Type: | | Proof of the owner's authorization | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81516&fileName=Owner+Authorization.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Current and Past Uses.pdf | | | |
| Document Type: | | Table of Current and Past Property Use | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81511&fileName=Current+and+Past+Uses.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Certificate of Status.pdf | | | |
| Document Type: | | Certificate of Status | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81512&fileName=Certificate+of+Status.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Survey Plan.pdf | | | |
| Document Type: | | A Current plan of Survey | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81514&fileName=Survey+Plan.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Phase II CSM.pdf | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|---|---|------------------|---|-----|
| Document Type: | | Phase 2 Conceptual Site Model | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=81518&fileName=Phase+II+CSM.pdf | | | |
| 11 | 1 of 2 | WNW/87.7 | 73.8 / 0.02 | Urban Capital (Central 3) Inc. Part 1 Ottawa ON M5V 0G2 | ECA |
| Approval No: | 8866-96MN28 | | | MOE District: Ottawa | |
| Approval Date: | 2013-04-30 | | | City: | |
| Status: | Approved | | | Longitude: -75.69239 | |
| Record Type: | ECA | | | Latitude: 45.411500000000004 | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | Part 1 | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/7080-8Z7QW6-14.pdf | | | | |
| 11 | 2 of 2 | WNW/87.7 | 73.8 / 0.02 | Urban Capital (Central 2) Inc. Part 1 Ottawa ON M5C 1C3 | ECA |
| Approval No: | 8060-8TJPJ7 | | | MOE District: Ottawa | |
| Approval Date: | 2012-04-30 | | | City: | |
| Status: | Revoked and/or Replaced | | | Longitude: -75.69239 | |
| Record Type: | ECA | | | Latitude: 45.411500000000004 | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | Part 1 | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/3349-8MMSL2-14.pdf | | | | |
| 12 | 1 of 3 | N/90.3 | 72.5 / -1.28 | Ashcroft Homes 320 McLeod Street Ottawa ON K2P 1A3 | GEN |
| Generator No: | ON7657748 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 04 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| 12 | 2 of 3 | N/90.3 | 72.5 / -1.28 | 1230173 Ontario Inc. 320 McLeod Street Ottawa ON | CA |
| Certificate #: | 6288-642PV2 | | | | |
| Application Year: | 2004 | | | | |
| Issue Date: | 8/31/2004 | | | | |
| Approval Type: | Municipal and Private Sewage Works | | | | |
| Status: | Approved | | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|---|----------------------------|------------------|---|--------------------|
| Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 12 | 3 of 3 | N/90.3 | 72.5 / -1.28 | 1230173 Ontario Inc. 320 McLeod Street Ottawa ON K2E 1A9 | ECA |
| Approval No: | 6288-642PV2 | | | MOE District: | Ottawa |
| Approval Date: | 2004-08-31 | | | City: | |
| Status: | Approved | | | Longitude: | -75.69210000000001 |
| Record Type: | ECA | | | Latitude: | 45.4106 |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | 320 McLeod Street | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/0174-62QH6W-14.pdf | | | | |
| 13 | 1 of 2 | SW/97.5 | 75.2 / 1.33 | The Corporation of the City of Ottawa Flora Street Ottawa ON K1N 5A1 | ECA |
| Approval No: | 7817-4JZGND | | | MOE District: | Ottawa |
| Approval Date: | 2000-06-07 | | | City: | |
| Status: | Approved | | | Longitude: | -75.69210000000001 |
| Record Type: | ECA | | | Latitude: | 45.4106 |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | Flora Street | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/6107-4JWSKR-14.pdf | | | | |
| 13 | 2 of 2 | SW/97.5 | 75.2 / 1.33 | The Regional Municipality of Ottawa-Carleton Flora Street Ottawa ON K2P 2L7 | ECA |
| Approval No: | 6314-4K5KPG | | | MOE District: | Ottawa |
| Approval Date: | 2000-05-09 | | | City: | |
| Status: | Approved | | | Longitude: | -75.69210000000001 |
| Record Type: | ECA | | | Latitude: | 45.4106 |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-Municipal and Private Water Works | | | | |
| Project Type: | Municipal and Private Water Works | | | | |
| Address: | Flora Street | | | | |
| Full Address: | | | | | |
| Full PDF Link: | | | | | |
| 14 | 1 of 4 | ESE/103.3 | 72.9 / -0.95 | OTTAWA CURLING CLUB LTD. 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | GEN |
| Generator No: | ON0898500 | | | PO Box No: | |
| Status: | | | | Country: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|----------------------------|------------------|---|-----|
| Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | 86,87,88,89,90 9652 | CURLING CLUBS | | Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: Waste Class Desc: | 133 BRINES, CHLOR-ALKALI WASTES | | | | |
| 14 | 2 of 4 | ESE/103.3 | 72.9 / -0.95 | OTTAWA CURLING CLUB LTD. 440 O'CONNOR STREET 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | ON0898500 92,93,97,98 9652 | CURLING CLUBS | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: Waste Class Desc: | 133 BRINES, CHLOR-ALKALI WASTES | | | | |
| 14 | 3 of 4 | ESE/103.3 | 72.9 / -0.95 | OTTAWA CURLING CLUB LTD. 29-279 440 O'CONNOR ST. OTTAWA ON K2P 1W4 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | ON0898500 94,95,96 9652 | CURLING CLUBS | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: Waste Class Desc: | 133 BRINES, CHLOR-ALKALI WASTES | | | | |
| 14 | 4 of 4 | ESE/103.3 | 72.9 / -0.95 | OTTAWA CURLING CLUB LIMITED 440 O'CONNOR STREET OTTAWA ON K2P 1W4 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | ON0898500 99,00,01 9652 | CURLING CLUBS | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 133 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------------|-------------------------------------|-----------------------------|------------------|--|------------------|
| Waste Class Desc: | | BRINES, CHLOR-ALKALI WASTES | | | |
| 15 | 1 of 3 | SSW/107.8 | 76.6 / 2.75 | CBM Elevator Ltd 258 Argyle Avenue Ottawa ON K2P 1B9 | GEN |
| Generator No: | ON7231419 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 03,04 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| 15 | 2 of 3 | SSW/107.8 | 76.6 / 2.75 | Capital Elevator Ltd 258 ARGYLE AVENUE Ottawa ON K2P 1B9 | GEN |
| Generator No: | ON3956051 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Dec 2017 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 252 L | | | | |
| Waste Class Desc: | Waste crankcase oils and lubricants | | | | |
| 15 | 3 of 3 | SSW/107.8 | 76.6 / 2.75 | CAPITAL ELEVATOR LTD 258 ARGYLE STREET OTTAWA ON K2P1B9 | GEN |
| Generator No: | ON7486821 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Oct 2019 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 252 L | | | | |
| Waste Class Desc: | Waste crankcase oils and lubricants | | | | |
| 16 | 1 of 1 | SSE/114.1 | 75.6 / 1.80 | 141 CATHERINE ST OTTAWA ON | WWIS |
| Well ID: | 7272142 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 9/22/2016 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Monitoring and Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z233013 | | | Owner: | |
| Tag: | A191072 | | | Street Name: | 141 CATHERINE ST |
| Construction Method: | | | | County: | OTTAWA |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|---|-----------------|
| Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Map): | | | | Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: | NEPEAN TOWNSHIP |

Bore Hole Information

| | | | |
|-------------------------------------|------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1006253065 | Elevation: | 69.287178 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445933 |
| Code OB Desc: | | North83: | 5028762 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 8/24/2016 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

Overburden and Bedrock

Materials Interval

| | |
|---------------------------------|------------|
| Formation ID: | 1006471997 |
| Layer: | 3 |
| Color: | 2 |
| General Color: | GREY |
| Mat1: | 05 |
| Most Common Material: | CLAY |
| Mat2: | |
| Mat2 Desc: | |
| Mat3: | |
| Mat3 Desc: | |
| Formation Top Depth: | 3.1 |
| Formation End Depth: | 3.5 |
| Formation End Depth UOM: | m |

Overburden and Bedrock

Materials Interval

| | |
|------------------------------|------------|
| Formation ID: | 1006471995 |
| Layer: | 1 |
| Color: | 8 |
| General Color: | BLACK |
| Mat1: | 11 |
| Most Common Material: | GRAVEL |
| Mat2: | |
| Mat2 Desc: | |
| Mat3: | |
| Mat3 Desc: | |
| Formation Top Depth: | 0 |
| Formation End Depth: | .61 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1006471996 | | | |
| Layer: | | 2 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | 81 | | | |
| Mat2 Desc: | | SANDY | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | .61 | | | |
| Formation End Depth: | | 3.1 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006472005 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 3.1 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006472006 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 0.31 | | | |
| Plug To: | | 1.67 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006472007 | | | |
| Layer: | | 3 | | | |
| Plug From: | | 1.67 | | | |
| Plug To: | | 3.5 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1006472004 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1006471994 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|------|----|
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1006472000 | | | |
| Layer: | | 1 | | | |
| Material: | | 7 | | | |
| Open Hole or Material: | | OTHER | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 1.98 | | | |
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1006472001 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 1.98 | | | |
| Screen End Depth: | | 3.5 | | | |
| Screen Material: | | 7 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 4.82 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | 1006471999 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1006471998 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 3.5 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| | | | | | |
|--------------------------|---------------|----------|--------------|------------------------------------|------------|
| 17 | 1 of 1 | NW/115.6 | 73.3 / -0.52 | 323 Mcleod St Ottawa ON K2P 1A2 | EHS |
| Order No: | 20130116008 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 23-JAN-13 | | | Search Radius (km): | .25 |
| Date Received: | 16-JAN-13 | | | X: | -75.692239 |
| Previous Site Name: | | | | Y: | 45.412159 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |

| | | | | | |
|--------------------|--------|-----------|-------------|---|-----|
| 18 | 1 of 4 | WSW/115.8 | 74.9 / 1.05 | CWG Footcare Inc. 485 Bank St Suite 209 Ottawa ON K2P 1Z2 | SCT |
| Established: | 1988 | | | | |
| Plant Size (ft²): | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|---|--|---------------|--|------------|
| Employment: | | 7 | | | |
| --Details-- | | | | | |
| Description: | | Medical Equipment and Supplies Manufacturing | | | |
| SIC/NAICS Code: | | 339110 | | | |
| 18 | 2 of 4 | WSW/115.8 | 74.9 / 1.05 | PBC Delvelopment and Construction Management Group 485 Bank St Ottawa ON K2P 1Z2 | GEN |
| Generator No: | ON2756411 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 05 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 236220 | | | | |
| SIC Description: | Commercial and Institutional Building Construction | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| 18 | 3 of 4 | WSW/115.8 | 74.9 / 1.05 | PBC Development and Construction Management Group 485 Bank St, Suite 205 Ottawa ON K2P 1Z2 | GEN |
| Generator No: | ON6639069 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 05 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 243 | | | | |
| Waste Class Desc: | PCB'S | | | | |
| 18 | 4 of 4 | WSW/115.8 | 74.9 / 1.05 | PBC Development & Construction Management Group In 485 Bank Street Suit 205 Ottawa ON K2P 1Z2 | GEN |
| Generator No: | ON8948647 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 07,08 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 236110 236210 236220 | | | | |
| SIC Description: | Residential Building Construction, Industrial Building and Structure Construction, Commercial and Institutional Building Construction | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 221 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-----------------------|----------------------------|------------------|---|-----|
| Waste Class Desc: | | LIGHT FUELS | | | |
| 19 | 1 of 3 | WSW/116.0 | 75.2 / 1.37 | GVT. OF CANADA-NATIONAL MUSEUM OF NATURAL SCIENCES, 491 BANK ST. C/O P.W.C. 140 PROMENADE DU PORTAGE OTTAWA ON K2P 1Z2 | GEN |
| Generator No: | ON0129413 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 89,90 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 8551 | | | | |
| SIC Description: | MUSEUMS/ARCHIVES | | | | |
| 19 | 2 of 3 | WSW/116.0 | 75.2 / 1.37 | GVT. OF CANADA-NATIONAL MUSEUM OF 17-236 NATURAL SCIENCES, 491 BANK ST. C/O P.W.C. 140 PROMENADE DU PORTAGE OTTAWA ON K2P 1Z2 | GEN |
| Generator No: | ON0129413 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,94,95,96,97 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 8551 | | | | |
| SIC Description: | MUSEUMS/ARCHIVES | | | | |
| 19 | 3 of 3 | WSW/116.0 | 75.2 / 1.37 | NATIONAL MUSEUMS OF CAN(OOT OF BUSINESS) NATIONAL MUSEUM OF NATURAL SCIENCES 491 BANK STREET OTTAWA ON K2P 1Z2 | GEN |
| Generator No: | ON0129413 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 8551 | | | | |
| SIC Description: | MUSEUMS/ARCHIVES | | | | |
| 20 | 1 of 2 | WSW/119.1 | 75.2 / 1.37 | BOOTS AND BOARDS 499 BANK STREET OTTAWA ON K2P 1Z2 | GEN |
| Generator No: | ON1128600 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 88,89 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 0000 | | | | |
| SIC Description: | *** NOT DEFINED *** | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | PETROLEUM DISTILLATES | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------|-------------------------|--------------------------------|---------------|---|-----|
| 20 | 2 of 2 | WSW/119.1 | 75.2 / 1.37 | BOOTS AND BOARDS 06-357 499 BANK STREET OTTAWA ON K2P 1Z2 | GEN |
| Generator No: | ON1128600 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,94,95,96,97,98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 6541 | | | | |
| SIC Description: | SPORTING GOODS STORE | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| 21 | 1 of 8 | WNW/119.8 | 73.9 / 0.05 | Quantum Murray LP 453 Bank Street Ottawa ON K2P 1Y9 | GEN |
| Generator No: | ON9450235 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2009 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 813110 | | | | |
| SIC Description: | Religious Organizations | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 243 | | | |
| Waste Class Desc: | | PCBS | | | |
| 21 | 2 of 8 | WNW/119.8 | 73.9 / 0.05 | BEN GUNTER PHARMACY INC 455 BANK ST #1 OTTAWA ON K2P 1Y9 | PES |
| Detail Licence No: | | | | Operator Box: | |
| Licence No: | | | | Operator Class: | |
| Status: | | | | Operator No: | |
| Approval Date: | | | | Operator Type: | |
| Report Source: | | | | Oper Area Code: | |
| Licence Type: | Vendor | | | Oper Phone No: | |
| Licence Type Code: | | | | Operator Ext: | |
| Licence Class: | | | | Operator Lot: | |
| Licence Control: | | | | Oper Concession: | |
| Latitude: | | | | Operator Region: | |
| Longitude: | | | | Operator District: | |
| Lot: | | | | Operator County: | |
| Concession: | | | | Op Municipality: | |
| Region: | | | | Post Office Box: | |
| District: | | | | MOE District: | |
| County: | | | | SWP Area Name: | |
| Trade Name: | | | | | |
| PDF Link: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|--|---------------|---|-----|
| 21 | 3 of 8 | WNW/119.8 | 73.9 / 0.05 | BEN GUNTER PHARMACY INC 455 BANK ST #1 OTTAWA ON K2P1Y9 | PES |
| Detail Licence No: Licence No: 16018 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: | | Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 2389041 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: | | | |

| | | | | | |
|---|--------|---|-------------|--|-----|
| 21 | 4 of 8 | WNW/119.8 | 73.9 / 0.05 | Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9 | GEN |
| Generator No: ON6380432 Status: Approval Years: 2015 Contam. Facility: No MHSW Facility: No SIC Code: 446110 SIC Description: 446110 | | PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: NASTRAN NAJAFI-FARD Phone No Admin: 4164931120 Ext.3218 | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 261 | | | | | |
| Waste Class Desc: PHARMACEUTICALS | | | | | |
| Waste Class: 312 | | | | | |
| Waste Class Desc: PATHOLOGICAL WASTES | | | | | |

| | | | | | |
|---|--------|---|-------------|--|-----|
| 21 | 5 of 8 | WNW/119.8 | 73.9 / 0.05 | Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9 | GEN |
| Generator No: ON6380432 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 446110 SIC Description: 446110 | | PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: NASTRAN NAJAFI-FARD Phone No Admin: 4164931120 Ext.3218 | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 312 | | | | | |
| Waste Class Desc: PATHOLOGICAL WASTES | | | | | |
| Waste Class: 261 | | | | | |
| Waste Class Desc: PHARMACEUTICALS | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------|--------------------------------|-------------------------|---------------|---|---------|
| 21 | 6 of 8 | WNW/119.8 | 73.9 / 0.05 | Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9 | GEN |
| Generator No: | ON6380432 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Dec 2018 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 261 A | | | | |
| Waste Class Desc: | Pharmaceuticals | | | | |
| Waste Class: | 312 P | | | | |
| Waste Class Desc: | Pathological wastes | | | | |
| 21 | 7 of 8 | WNW/119.8 | 73.9 / 0.05 | BEN GUNTER PHARMACY INC O/A SHOPPERS DRUG MART #1248 455 BANK ST #1 OTTAWA ON K2P1Y9 | PES |
| Detail Licence No: | | | | Operator Box: | |
| Licence No: | 18325 | | | Operator Class: | |
| Status: | | | | Operator No: | |
| Approval Date: | | | | Operator Type: | |
| Report Source: | Legacy Licenses (Excluding TS) | | | Oper Area Code: | 613 |
| Licence Type: | Limited Vendor | | | Oper Phone No: | 2389041 |
| Licence Type Code: | 23 | | | Operator Ext: | |
| Licence Class: | 01 | | | Operator Lot: | |
| Licence Control: | | | | Oper Concession: | |
| Latitude: | | | | Operator Region: | |
| Longitude: | | | | Operator District: | |
| Lot: | | | | Operator County: | |
| Concession: | | | | Op Municipality: | |
| Region: | | | | Post Office Box: | |
| District: | | | | MOE District: | |
| County: | | | | SWP Area Name: | |
| Trade Name: | | | | | |
| PDF Link: | | | | | |
| 21 | 8 of 8 | WNW/119.8 | 73.9 / 0.05 | Ben Gunter Pharmacy Inc. 455 BANK STREET OTTAWA ON K2P 1Y9 | GEN |
| Generator No: | ON6380432 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Jul 2020 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 261 A | | | | |
| Waste Class Desc: | Pharmaceuticals | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|----------------------|----------------------------|------------------|---|-----|
| Waste Class: | | 312 P | | | |
| Waste Class Desc: | | Pathological wastes | | | |
| 22 | 1 of 24 | S/121.3 | 76.9 / 3.08 | OTTAWA SUN (THE) 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON0173501 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 88,89,90 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2839 | | | | |
| SIC Description: | OTHER PUBLISHING IND | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 2 of 24 | S/121.3 | 76.9 / 3.08 | OTTAWA SUN (THE) (OUT OF BUSINESS) 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON0173501 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,96,97 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2839 | | | | |
| SIC Description: | OTHER PUBLISHING IND | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 3 of 24 | S/121.3 | 76.9 / 3.08 | OTTAWA SUN (THE) 29-370 203 CATHERINE ST. SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON0173501 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 94,95 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2839 | | | | |
| SIC Description: | OTHER PUBLISHING IND | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 4 of 24 | S/121.3 | 76.9 / 3.08 | OTTAWA SUN, THE (OUT OF BUSINESS) 203 CATHERINE STREET SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON0173501 | | | PO Box No: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|-------------------------------|------------------|---|-----|
| Status: Approval Years: 98 Contam. Facility: MHSW Facility: SIC Code: 2839 SIC Description: OTHER PUBLISHING IND. | | | | Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: Waste Class Desc: | | 264 PHOTOPROCESSING WASTES | | | |
| 22 | 5 of 24 | S/121.3 | 76.9 / 3.08 | SUNDAY HERALD 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: ON0865800 Status: Approval Years: 86,87 Contam. Facility: MHSW Facility: SIC Code: 2839 SIC Description: OTHER PUBLISHING IND. | | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: Waste Class Desc: | | 264 PHOTOPROCESSING WASTES | | | |
| 22 | 6 of 24 | S/121.3 | 76.9 / 3.08 | SUNDAY (SEE & USE ON0173500 OTTAWA 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: ON0865800 Status: Approval Years: 88,89 Contam. Facility: MHSW Facility: SIC Code: 2839 SIC Description: OTHER PUBLISHING IND | | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: Waste Class Desc: | | 264 PHOTOPROCESSING WASTES | | | |
| 22 | 7 of 24 | S/121.3 | 76.9 / 3.08 | SUNDAY (SEE & USE ON0173501 OTTAWA 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: ON0865800 Status: Approval Years: 90 Contam. Facility: MHSW Facility: SIC Code: 2839 SIC Description: OTHER PUBLISHING IND | | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|----------------------|----------------------------|------------------|--|-----|
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 8 of 24 | S/121.3 | 76.9 / 3.08 | SUNDAY (SEE & USE ON0173501 OTTAWA36-368 203 CATHERINE ST., SUITE 2000 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON0865800 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,94,95,96,97,98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2839 | | | | |
| SIC Description: | OTHER PUBLISHING IND | | | | |
| 22 | 9 of 24 | S/121.3 | 76.9 / 3.08 | MEDIAPLUS ADVERTISING 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1376900 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 90 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 7741 | | | | |
| SIC Description: | ADVERTISING AGENCIES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 10 of 24 | S/121.3 | 76.9 / 3.08 | MEDIAPLUS ADVERTISING 26-459 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1376900 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,94,95,96,97,98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 7741 | | | | |
| SIC Description: | ADVERTISING AGENCIES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 11 of 24 | S/121.3 | 76.9 / 3.08 | PROCESS PHOTO CENTRE LTD. 30-723 203 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1426200 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,94,95,96,97,98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 6571 | | | | |
| SIC Description: | CAMERA/PHOTO. SUPPLY | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|----------------------|----------------------------|------------------|---|-----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 12 of 24 | S/121.3 | 76.9 / 3.08 | MEDIAPLUS ADVERTISING DARK ROOM 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1376900 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 99 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 7741 | | | | |
| SIC Description: | ADVERTISING AGENCIES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 13 of 24 | S/121.3 | 76.9 / 3.08 | PROCESS PHOTO CENTRE LTD. 203 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1426200 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 99,00 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 6571 | | | | |
| SIC Description: | CAMERA/PHOTO. SUPPLY | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 22 | 14 of 24 | S/121.3 | 76.9 / 3.08 | MEDIAPLUS ADVERTISING DARK ROOM 200-203 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1376900 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 00,01 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 7741 | | | | |
| SIC Description: | ADVERTISING AGENCIES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|------------------------------|----------------------------|------------------|--|------------------|
| 22 | 15 of 24 | S/121.3 | 76.9 / 3.08 | PROCESS (OUT OF BUSINESS) 203 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1426200 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 01 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 6571 | | | | |
| SIC Description: | CAMERA/PHOTO. SUPPLY | | | | |
| Detail(s) | | | | | |
| Waste Class: | 264 | | | | |
| Waste Class Desc: | PHOTOPROCESSING WASTES | | | | |
| 22 | 16 of 24 | S/121.3 | 76.9 / 3.08 | 203 Catherine Street Ottawa ON K2P 1C3 | EHS |
| Order No: | 20100527001 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 6/2/2010 | | | Search Radius (km): | 0.25 |
| Date Received: | 5/27/2010 | | | X: | -75.691062 |
| Previous Site Name: | | | | Y: | 45.410088 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| 22 | 17 of 24 | S/121.3 | 76.9 / 3.08 | Daoust Construction 203 Catherine St Ottawa ON | GEN |
| Generator No: | ON4482771 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2012 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 238910 | | | | |
| SIC Description: | Site Preparation Contractors | | | | |
| 22 | 18 of 24 | S/121.3 | 76.9 / 3.08 | Jean Daoust Construction Inc.; Soba Ottawa Inc. 203 Catherine st Ottawa ON K2P 1C3 | SPL |
| Ref No: | 0377-9V6NGF | | | Discharger Report: | |
| Site No: | NA | | | Material Group: | |
| Incident Dt: | 4/1/2015 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | Leak/Break | | | Sector Type: | |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | 13 | | | Nearest Watercourse: | |
| Contaminant Name: | FUEL OIL | | | Site Address: | 203 Catherine st |
| Contaminant Limit 1: | | | | Site District Office: | |
| Contam Limit Freq 1: | | | | Site Postal Code: | K2P 1C3 |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | | | | Site Municipality: | Ottawa |
| Nature of Impact: | Land | | | Site Lot: | |
| Receiving Medium: | | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | N | | | Easting: | |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|--|------|
| MOE Reported Dt: 4/1/2015 Dt Document Closed: 5/7/2015 Incident Reason: Operator/Human Error Site Name: Commercial<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: 203 Catherine St, Ottawa- Fuel tank leak Contaminant Qty: 300 L Site Map Datum: SAC Action Class: Land Spills Source Type: | | | | | |
| 22 | 19 of 24 | S/121.3 | 76.9 / 3.08 | 203 CATHERINE ST, OTTAWA ON | INC |
| Incident No: 1609404 Incident ID: Instance No: Status Code: Attribute Category: FS-Perform L1 Incident Insp Context: Date of Occurrence: 2015/04/01 00:00:00 Time of Occurrence: 13:27:00 Incident Created On: Instance Creation Dt: Instance Install Dt: Occur Insp Start Date: 2015/04/01 00:00:00 Approx Quant Rel: Tank Capacity: Fuels Occur Type: Liquid Petroleum Spill Fuel Type Involved: Fuel Oil Enforcement Policy: NULL Prc Escalation Req: NULL Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap: Task No: 5429348 Notes: Drainage System: Sub Surface Contam.: Aff Prop Use Water: Contam. Migrated: Contact Natural Env: Incident Location: 203 CATHERINE ST, OTTAWA - SPILL Occurrence Narrative: Contractor excavating and removing old buried fuel oil storage tank, fuel leaking from tank to ground. Operation Type Involved: Commercial (e.g. restaurant, business unit, etc) Item: Item Description: Device Installed Location: | | | | | |
| 22 | 20 of 24 | S/121.3 | 76.9 / 3.08 | DUFRESNE PILING COMPANY (1967)LIMITED 203 CATHERINE ST OTTAWA ON K2P 1C3 | EASR |
| Approval No: R-009-7666209179 Status: REGISTERED Date: 2016-10-06 Record Type: EASR Link Source: MOFA Project Type: Water Taking - Construction Dewatering Full Address: Approval Type: EASR-Water Taking - Construction Dewatering Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2025941 SWP Area Name: Rideau Valley MOE District: Ottawa Municipality: OTTAWA Latitude: 45.410000000000004 Longitude: -75.69111111 Geometry X: Geometry Y: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|---|----------------------------|------------------|--|-------------|
| 22 | 21 of 24 | S/121.3 | 76.9 / 3.08 | Soba Ottawa Inc. 203 Catherine St Ottawa ON M5V 1N6 | ECA |
| Approval No: | 5409-97KJ2U | | | MOE District: | |
| Approval Date: | 2013-05-31 | | | City: | |
| Status: | Approved | | | Longitude: | |
| Record Type: | ECA | | | Latitude: | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | 203 Catherine St | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/0282-94ULHA-14.pdf | | | | |
| 22 | 22 of 24 | S/121.3 | 76.9 / 3.08 | Soba Ottawa Inc. 203 Catherine Street Ottawa ON K2P 1C3 | GEN |
| Generator No: | ON5190662 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2016 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | |
| MHSW Facility: | No | | | Phone No Admin: | |
| SIC Code: | 236220 | | | | |
| SIC Description: | COMMERCIAL AND INSTITUTIONAL BUILDING CONSTRUCTION | | | | |
| Detail(s) | | | | | |
| Waste Class: | 122 | | | | |
| Waste Class Desc: | ALKALINE WASTES - OTHER METALS | | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES | | | | |
| 22 | 23 of 24 | S/121.3 | 76.9 / 3.08 | Soba Ottawa Inc. 203 Catherine Street Ottawa ON K2P 1C3 | GEN |
| Generator No: | ON5190662 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2015 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | |
| MHSW Facility: | No | | | Phone No Admin: | |
| SIC Code: | 236220 | | | | |
| SIC Description: | COMMERCIAL AND INSTITUTIONAL BUILDING CONSTRUCTION | | | | |
| Detail(s) | | | | | |
| Waste Class: | 122 | | | | |
| Waste Class Desc: | ALKALINE WASTES - OTHER METALS | | | | |
| 22 | 24 of 24 | S/121.3 | 76.9 / 3.08 | SOBA OTTAWA INC. 203 CATHERINE STREET, OTTAWA, ON K2P 1C3 Ottawa ON | RSC |
| RSC ID: | 224174 | | | Cert Date: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------------|---|--------------------------------|----------------------|---|-----------------|
| RA No: | | | | Cert Prop Use No: | |
| RSC Type: | Phase 1 and 2 RSC | | | Intended Prop Use: | Residential |
| Curr Property Use: | Commercial | | | Qual Person Name: | ADRIAN MENYHART |
| Ministry District: | Ottawa District Office | | | Stratified (Y/N): | |
| Filing Date: | 2018/01/19 | | | Audit (Y/N): | |
| Date Ack: | | | | Entire Leg Prop. (Y/N): | |
| Date Returned: | | | | Accuracy Estimate: | |
| Restoration Type: | | | | Telephone: | |
| Soil Type: | | | | Fax: | |
| Criteria: | | | | Email: | |
| CPU Issued Sect 1686: | | | | | |
| Asmt Roll No: | 0614042201355000000 | | | | |
| Prop ID No (PIN): | 04123-0157 (LT) | | | | |
| Property Municipal Address: | 203 CATHERINE STREET, OTTAWA, ON K2P 1C3 | | | | |
| Mailing Address: | | | | | |
| Latitude & Latitude: | | | | | |
| UTM Coordinates: | | | | | |
| Consultant: | | | | | |
| Legal Desc: | | | | | |
| Measurement Method: | | | | | |
| Applicable Standards: | | | | | |
| RSC PDF: | | | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91134&fileName=BROWNFIELDS-E.pdf | |
| <u>Document(s) Detail</u> | | | | | |
| Document Heading: | Supporting Documents | | | | |
| Document Name: | Table of APECs .pdf | | | | |
| Document Type: | Area(s) of Potential Environmental Concern | | | | |
| Document Link: | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91137&fileName=Table+of+APECs+.pdf | | | | |
| Document Heading: | Supporting Documents | | | | |
| Document Name: | PhaseTwo.pdf | | | | |
| Document Type: | Phase 2 Conceptual Site Model | | | | |
| Document Link: | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=92865&fileName=PhaseTwo.pdf | | | | |
| Document Heading: | Supporting Documents | | | | |
| Document Name: | City of Ottawa No Objection.pdf | | | | |
| Document Type: | A copy of No Objection Statement from municipality | | | | |
| Document Link: | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91139&fileName=City+of+Ottawa++No+Objection.pdf | | | | |
| Document Heading: | Supporting Documents | | | | |
| Document Name: | Table Current and Past Use.pdf | | | | |
| Document Type: | Table of Current and Past Property Use | | | | |
| Document Link: | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91143&fileName=Table+Current+and+Past+Use.pdf | | | | |
| Document Heading: | Supporting Documents | | | | |
| Document Name: | Parcel Register PIN.pdf | | | | |
| Document Type: | Copy of any deed(s), transfer(s) or other document(s) | | | | |
| Document Link: | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91142&fileName=Parcel+Register+PIN.pdf | | | | |
| Document Heading: | Supporting Documents | | | | |
| Document Name: | Lawyers Letter.pdf | | | | |
| Document Type: | Lawyer's letter consisting of a legal description of the property | | | | |
| Document Link: | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91141&fileName=Lawyers+Letter.pdf | | | | |
| Document Heading: | Supporting Documents | | | | |
| Document Name: | Survey Plan.pdf | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|------------------------|--|------------------|--|-----|
| Document Type: | | A Current plan of Survey | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91144&fileName=Survey+Plan.pdf | | | |
| Document Heading: | | Supporting Documents | | | |
| Document Name: | | Certificate Status DEC 2017.pdf | | | |
| Document Type: | | Certificate of Status | | | |
| Document Link: | | https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=91135&fileName=Certificate+Status+DEC+2017.pdf | | | |
| 23 | 1 of 9 | SSE/121.6 | 75.9 / 2.05 | LES FRERES PROULX BROTHERS INC. 141 CATHERINE STREET, SUITE 101 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1061101 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 94,95,96,97,98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2819 | | | | |
| SIC Description: | OTHER COMM. PRINTING | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 264 | | | | |
| Waste Class Desc: | PHOTOPROCESSING WASTES | | | | |
| 23 | 2 of 9 | SSE/121.6 | 75.9 / 2.05 | LES FRERES PROULX BROTHERS INCORPORATED 141 CATHERINE STREET, SUITE 101 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON1061101 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 99,00,01 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2819 | | | | |
| SIC Description: | OTHER COMM. PRINTING | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 264 | | | | |
| Waste Class Desc: | PHOTOPROCESSING WASTES | | | | |
| 23 | 3 of 9 | SSE/121.6 | 75.9 / 2.05 | LES FRERES PROULX BROTHERS INCORPORATED 141 Catherine suite 101 Ottawa ON K2P 1C3 | GEN |
| Generator No: | ON1061101 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 02,03,04,05,06 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 264 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|--|----------------------------|------------------|--|---------------------------|
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 23 | 4 of 9 | SSE/121.6 | 75.9 / 2.05 | 141 Catherine Street n/a ON K2P 1C3 | EHS |
| Order No: | 20070514027w | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | CAN - Online Mapless | | | Client Prov/State: | |
| Report Date: | 5/14/2007 | | | Search Radius (km): | 0.25 |
| Date Received: | 5/14/2007 | | | X: | |
| Previous Site Name: | | | | Y: | |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| 23 | 5 of 9 | SSE/121.6 | 75.9 / 2.05 | 141 Catherine Street n/a ON K2P 1C3 | EHS |
| Order No: | 20070525047w | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | CAN - Online Mapless | | | Client Prov/State: | |
| Report Date: | 5/25/2007 | | | Search Radius (km): | 0.25 |
| Date Received: | 5/25/2007 | | | X: | |
| Previous Site Name: | | | | Y: | |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| 23 | 6 of 9 | SSE/121.6 | 75.9 / 2.05 | Parking lot beside 141 Catherine Street Ottawa ON K2P 1C3 | SPL |
| Ref No: | 3558-7H2RB7 | | | Discharger Report: | |
| Site No: | | | | Material Group: | |
| Incident Dt: | | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | Discharge or Emission to Air | | | Sector Type: | Pipeline |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | 35 | | | Nearest Watercourse: | |
| Contaminant Name: | NATURAL GAS, COMPRESSED (METHANE) | | | Site Address: | |
| Contaminant Limit 1: | | | | Site District Office: | Ottawa |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | Confirmed | | | Site Municipality: | Ottawa |
| Nature of Impact: | Air Pollution; Human Health/Safety | | | Site Lot: | |
| Receiving Medium: | | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | Referral to others | | | Easting: | |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 7/30/2008 | | | Site Map Datum: | |
| Dt Document Closed: | 8/6/2008 | | | SAC Action Class: | TSSA - Fuel Safety Branch |
| Incident Reason: | | | | Source Type: | |
| Site Name: | Parking lot beside 141 Catherine Street<UNOFFICIAL> | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | TSSA FSB: 1" plastic line strike w/ evacs, made safe | | | | |
| Contaminant Qty: | other - see incident description | | | | |
| 23 | 7 of 9 | SSE/121.6 | 75.9 / 2.05 | 141 CATHERINE STREET OTTAWA ON K2P 1C3 | HINC |
| External File Num: | FS INC 0808-04436 | | | | |
| Fuel Occurrence Type: | Pipeline Strike | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|-------------------|---|------------------|------|----|
| Date of Occurrence: | | 7/30/2008 | | | |
| Fuel Type Involved: | | Natural Gas | | | |
| Status Desc: | | Completed - Causal Analysis(End) | | | |
| Job Type Desc: | | Incident/Near-Miss Occurrence (FS) | | | |
| Oper. Type Involved: | | Construction Site (pipeline strike) | | | |
| Service Interruptions: | | Yes | | | |
| Property Damage: | | No | | | |
| Fuel Life Cycle Stage: | | Transmission, Distribution and Transportation | | | |
| Root Cause: | | Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:Yes Training: No Management:No Human Factors:No | | | |
| Reported Details: | | | | | |
| Fuel Category: | | Gaseous Fuel | | | |
| Occurrence Type: | | Incident | | | |
| Affiliation: | | Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) | | | |
| County Name: | | Ottawa | | | |
| Approx. Quant. Rel: | | | | | |
| Nearby body of water: | | | | | |
| Enter Drainage Syst.: | | | | | |
| Approx. Quant. Unit: | | | | | |
| Environmental Impact: | | | | | |

| | | | | | |
|--------------------------|--------|-----------|-------------|--|-----|
| 23 | 8 of 9 | SSE/121.6 | 75.9 / 2.05 | MACLEAN AND ASSOCIATES INC. 141 CATHERINE STREET OTTAWA ON K2P 1C3 | GEN |
| Generator No: | | ON6006252 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 2011 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 323115 | | | |
| SIC Description: | | | | | |

| | | | | | |
|-------------------------------|--------|--------------------------|-------------|--------------------------------------|------|
| 23 | 9 of 9 | SSE/121.6 | 75.9 / 2.05 | 141 CATHERINE ST OTTAWA ON | WWIS |
| Well ID: | | 7272141 | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | Monitoring and Test Hole | | Date Received: 9/22/2016 | |
| Sec. Water Use: | | 0 | | Selected Flag: Yes | |
| Final Well Status: | | Monitoring and Test Hole | | Abandonment Rec: | |
| Water Type: | | | | Contractor: 7241 | |
| Casing Material: | | | | Form Version: 7 | |
| Audit No: | | Z233015 | | Owner: | |
| Tag: | | A191070 | | Street Name: 141 CATHERINE ST | |
| Construction Method: | | | | County: OTTAWA | |
| Elevation (m): | | | | Municipality: NEPEAN TOWNSHIP | |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | | | | | |
| Bore Hole Information | | | | | |
| Bore Hole ID: | | 1006253062 | | Elevation: 69.207756 | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------------|-------------------|----------------------------|------------------|-------------------------|--------------------------------|
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445951 |
| Code OB Desc: | | | | North83: | 5028760 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 8/24/2016 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

Overburden and Bedrock

Materials Interval

Formation ID: 1006471943
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 81
Mat2 Desc: SANDY
Mat3: 11
Mat3 Desc: GRAVEL
Formation Top Depth: .61
Formation End Depth: 3.1
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006471944
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 3.1
Formation End Depth: 3.5
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006471942
Layer: 1
Color: 8
General Color: BLACK
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Formation End Depth: | | .61 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006471953 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 0.31 | | | |
| Plug To: | | 1.67 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006471954 | | | |
| Layer: | | 3 | | | |
| Plug From: | | 1.67 | | | |
| Plug To: | | 3.5 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006471952 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 0.31 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1006471951 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1006471941 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1006471947 | | | |
| Layer: | | 1 | | | |
| Material: | | 7 | | | |
| Open Hole or Material: | | OTHER | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 1.98 | | | |
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1006471948 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|---|---|--|-----|
| Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter: | | 1 10 1.98 3.5 7 m cm 4.82 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: | | 1006471946 m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: | | 1006471945 8.25 0 3.5 m cm | | | |
| 24 | 1 of 1 | W/121.8 | 73.9 / 0.05 | Urban Capital (Central 2) Inc. 360 McLeod St Ottawa ON M5C 1C3 | ECA |
| Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link: | | 2196-8ZVL4N 2012-11-16 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS 360 McLeod St https://www.accessenvironment.ene.gov.on.ca/instruments/5703-8YYHUM-14.pdf | MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: | | |
| 25 | 1 of 1 | SE/123.0 | 74.1 / 0.24 | 129 Catherine St Ottawa ON K2P1C3 | EHS |
| Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered: | | 20140611090 C Standard Report 17-JUN-14 11-JUN-14 | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Ottawa ON .25 -75.690198 45.410502 | |
| 26 | 1 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE PLAYFAIR MCGARRY HOLDINGS LTD. SWM-315 MCLEOD STREET OTTAWA ON K2P 1A2 | CA |
| Certificate #: | | 3-1696-98- | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------------|-------------------|----------------------------|------------------|---|-----|
| Application Year: | | 98 | | | |
| Issue Date: | | 11/23/1998 | | | |
| Approval Type: | | Municipal sewage | | | |
| Status: | | Approved | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 26 | 2 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE AND PLAYFAIR LIMITED 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: | | ONF022600 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 88,89,90 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 9731 | | | |
| SIC Description: | | FUNERAL HOMES | | | |
| Detail(s) | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 3 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE AND PLAYFAIR LIMITED 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: | | ONF022600 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 92,93,97,98,99,00,01 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 9731 | | | |
| SIC Description: | | FUNERAL HOMES | | | |
| Detail(s) | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 4 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE AND PLAYFAIR LIMITED 44-226 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: | | ONF022600 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 94,95,96 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 9731 | | | |
| SIC Description: | | FUNERAL HOMES | | | |
| Detail(s) | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|----------------------|-------------------------|---------------|--|-----|
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 5 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: | ONF022600 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 02,03,04,05,06,07,08 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 6 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON | GEN |
| Generator No: | ONF022600 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2013 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 812210 | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 7 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: | ONF022600 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2009 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 812210 | | | | |
| SIC Description: | Funeral Homes | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 8 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: | ONF022600 | | | PO Box No: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|--|-----|
| Status: Approval Years: 2010 Contam. Facility: MHSW Facility: SIC Code: 812210 SIC Description: Funeral Homes | | | | | |
| Country: Choice of Contact: Co Admin: Phone No Admin: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES | | | | | |
| 26 | 9 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: ONF022600 Status: Approval Years: 2011 Contam. Facility: MHSW Facility: SIC Code: 812210 SIC Description: Funeral Homes | | | | | |
| PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES | | | | | |
| 26 | 10 of 15 | NNW/125.8 | 72.9 / -0.95 | HULSE, PLAYFAIR & MCGARRY INC. 315 MCLEOD STREET OTTAWA ON K2P 1A2 | GEN |
| Generator No: ONF022600 Status: Approval Years: 2012 Contam. Facility: MHSW Facility: SIC Code: 812210 SIC Description: Funeral Homes | | | | | |
| PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES | | | | | |
| 26 | 11 of 15 | NNW/125.8 | 72.9 / -0.95 | Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2 | GEN |
| Generator No: ON6945095 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 812210 SIC Description: 812210 | | | | | |
| PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Carissa Craig Phone No Admin: 6132331143 Ext.250 | | | | | |
| <u>Detail(s)</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|----------------------------|------------------|---|--------------------|
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 12 of 15 | NNW/125.8 | 72.9 / -0.95 | Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2 | GEN |
| Generator No: | ON6945095 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2015 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | Carissa Craig |
| MHSW Facility: | No | | | Phone No Admin: | 6132331143 Ext.250 |
| SIC Code: | 812210 | | | | |
| SIC Description: | 812210 | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 13 of 15 | NNW/125.8 | 72.9 / -0.95 | Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2 | GEN |
| Generator No: | ON6945095 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2014 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | Carissa Craig |
| MHSW Facility: | No | | | Phone No Admin: | 6132331143 Ext.250 |
| SIC Code: | 812210 | | | | |
| SIC Description: | 812210 | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 | | | |
| Waste Class Desc: | | PATHOLOGICAL WASTES | | | |
| 26 | 14 of 15 | NNW/125.8 | 72.9 / -0.95 | Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2 | GEN |
| Generator No: | ON6945095 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Dec 2018 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 312 P | | | |
| Waste Class Desc: | | Pathological wastes | | | |
| 26 | 15 of 15 | NNW/125.8 | 72.9 / -0.95 | Hulse, Playfair & McGarry 315 McLeod Street Ottawa ON K2P 1A2 | GEN |
| Generator No: | ON6945095 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|------------------------------|----------------------------|------------------|--|----|
| Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | As of Jul 2020 | | | Choice of Contact: Co Admin: Phone No Admin: | |
| Detail(s) | | | | | |
| Waste Class: Waste Class Desc: | 312 P Pathological wastes | | | | |

| | | | | | |
|------------------------|--------------------------|-----------|-------------|-------------------------------|------------------|
| 27 | 1 of 1 | SSE/126.1 | 75.9 / 2.05 | 141 CATHERINE ST OTTAWA ON | WWIS |
| Well ID: | 7272143 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 9/22/2016 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Monitoring and Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z233014 | | | Owner: | |
| Tag: | A191070 | | | Street Name: | 141 CATHERINE ST |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | | | | | |

Bore Hole Information

| | | | |
|------------------------------|------------|------------------|--------------------------------|
| Bore Hole ID: | 1006253068 | Elevation: | 69.117172 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445942 |
| Code OB Desc: | | North83: | 5028752 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 8/24/2016 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

Overburden and Bedrock

Materials Interval

| | |
|----------------|------------|
| Formation ID: | 1006472011 |
| Layer: | 3 |
| Color: | 2 |
| General Color: | GREY |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | 3.1 | | | |
| Formation End Depth: | | 3.5 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1006472010 | | | |
| Layer: | | 2 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | 81 | | | |
| Mat2 Desc: | | SANDY | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | .61 | | | |
| Formation End Depth: | | 3.1 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1006472009 | | | |
| Layer: | | 1 | | | |
| Color: | | 8 | | | |
| General Color: | | BLACK | | | |
| Mat1: | | 11 | | | |
| Most Common Material: | | GRAVEL | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | .61 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006472021 | | | |
| Layer: | | 3 | | | |
| Plug From: | | 1.67 | | | |
| Plug To: | | 3.5 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006472019 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 0.31 | | | |
| Plug Depth UOM: | | m | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1006472020 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 0.31 | | | |
| Plug To: | | 1.67 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1006472018 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1006472008 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1006472014 | | | |
| Layer: | | 1 | | | |
| Material: | | 7 | | | |
| Open Hole or Material: | | OTHER | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 1.98 | | | |
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1006472015 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 1.98 | | | |
| Screen End Depth: | | 3.5 | | | |
| Screen Material: | | 7 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 4.82 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | 1006472013 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1006472012 | | | |
| Diameter: | | 8.25 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------|---|----------------------------|------------------|---|------------------------|
| Depth From: | | 0 | | | |
| Depth To: | | 3.5 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |
| 28 | 1 of 1 | NNE/126.5 | 71.8 / -2.01 | GVT. OF CANADIAN NATIONAL MUSEUMS CORNER OF MCLEOD AND O'CONNOR STREET VICTORIA MUSEUM OTTAWA, ON K1P6P4 | GEN |
| Generator No: | ON0129410 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 9959 | | | | |
| SIC Description: | OTHER SERV. TO BLDG. | | | | |
| Detail(s) | | | | | |
| Waste Class: | 241 | | | | |
| Waste Class Desc: | HALOGENATED SOLVENTS | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| 29 | 1 of 1 | ESE/127.2 | 72.9 / -0.95 | Ottawa ON | SPL |
| Ref No: | 3864-BEDSHP | | | Discharger Report: | |
| Site No: | NA | | | Material Group: | |
| Incident Dt: | 7/24/2019 | | | Health/Env Conseq: | 0 - No Impact |
| Year: | | | | Client Type: | |
| Incident Cause: | | | | Sector Type: | Miscellaneous Communal |
| Incident Event: | Leak/Break | | | Agency Involved: | |
| Contaminant Code: | 27 | | | Nearest Watercourse: | |
| Contaminant Name: | COOLANT N.O.S. | | | Site Address: | |
| Contaminant Limit 1: | | | | Site District Office: | Ottawa |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | n/a | | | Site Region: | Eastern |
| Environment Impact: | | | | Site Municipality: | Ottawa |
| Nature of Impact: | | | | Site Lot: | |
| Receiving Medium: | | | | Site Conc: | |
| Receiving Env: | Land; Surface Water | | | Northing: | 5028831.51 |
| MOE Response: | No | | | Easting: | 446025.5 |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 7/24/2019 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | Watercourse Spills |
| Incident Reason: | Equipment Failure | | | Source Type: | Motor Vehicle |
| Site Name: | Westbound O'Connor Street between Argyle Ave and Catherine Street<UNOFFICIAL> | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | OC Transpo: 2L engine coolant to road and cb; cleaning | | | | |
| Contaminant Qty: | 2 L | | | | |
| 30 | 1 of 1 | SSE/131.1 | 75.9 / 2.05 | 2M Laser Supply Inc. 153 Catherine St Ottawa ON K2P 1C3 | SCT |
| Established: | 1987 | | | | |
| Plant Size (ft²): | | | | | |
| Employment: | 3 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------------|------------------------------|--|------------------|---|---------------------|
| --Details-- | | | | | |
| Description: | | All Other Miscellaneous Chemical Product Manufacturing | | | |
| SIC/NAICS Code: | | 325999 | | | |
| 31 | 1 of 1 | WNW/136.2 | 73.9 / 0.05 | Urban Capital (Gladstone) Inc. 453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontario ON | RSC |
| RSC ID: | 77916 | | | Cert Date: | 5-Apr-10 |
| RA No: | | | | Cert Prop Use No: | No CPU |
| RSC Type: | | | | Intended Prop Use: | Residential |
| Curr Property Use: | Community | | | Qual Person Name: | David Wex |
| Ministry District: | OTTAWA | | | Stratified (Y/N): | |
| Filing Date: | 20-May-10 | | | Audit (Y/N): | |
| Date Ack: | | | | Entire Leg Prop. (Y/N): | Yes |
| Date Returned: | | | | Accuracy Estimate: | 11 to 20 meters |
| Restoration Type: | | | | Telephone: | 416-3040289 |
| Soil Type: | | | | Fax: | |
| Criteria: | | | | Email: | wex@urbancapital.ca |
| CPU Issued Sect 1686: | No | | | | |
| Asmt Roll No: | | 0614042-20102500 (453 Bank Street) and 0614042-20111400 (343 Mc Leod Street) | | | |
| Prop ID No (PIN): | | 04119-0230 LT and 04119-0235 LT | | | |
| Property Municipal Address: | | 453 Bank Street, Ottawa, Ontario, K2P 1Y9, and 343 McLeod Street, Ottawa, Ontario, K2P 1A2 | | | |
| Mailing Address: | | Suite 810, 10 KING ST E, TORONTO, ON, M5C 1C3 | | | |
| Latitude & Longitude: | | 45.41194440N 75.69277780W | | | |
| UTM Coordinates: | | NAD83 18-445791-5028947 (converted from Latitude & Longitude) | | | |
| Consultant: | | | | | |
| Legal Desc: | | PT LT 1, PL 30; LTS 2&3, PL 30, E/S BANK ST; LT 15, PL 30, S/S GLADSTONE AV; PT LT 15, PL 30, N/S MCLEOD ST; AS IN NS116211, CR210079, CR337634, CR500676; OTTAWA/NEPEAN. PT LT 15, PL 30, N/S MCLEOD, AS IN N397605; FORMERLY NEPEAN, NOW CITY OF OTTAWA. | | | |
| Measurement Method: | | Digitized from a satellite image | | | |
| Applicable Standards: | | Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use | | | |
| RSC PDF: | | | | | |
| 32 | 1 of 8 | E/138.0 | 71.9 / -1.92 | 180 Argyle Avenue Ottawa ON K2P 1B7 | EHS |
| Order No: | 20050907008 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Complete Report | | | Client Prov/State: | ON |
| Report Date: | 9/16/2005 | | | Search Radius (km): | 0.25 |
| Date Received: | 9/7/2005 | | | X: | -75.689292 |
| Previous Site Name: | | | | Y: | 45.411228 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| 32 | 2 of 8 | E/138.0 | 71.9 / -1.92 | The National Capital Region YMCA-YWCA 180 Argyle Ottawa ON K2P 1B7 | SPL |
| Ref No: | 6315-8BAM32 | | | Discharger Report: | |
| Site No: | | | | Material Group: | |
| Incident Dt: | | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | Discharge or Emission to Air | | | Sector Type: | Other |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | 38 | | | Nearest Watercourse: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|--------------------------|----------------------------|------------------|-------------------------|-------------------|
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 4/17/2012 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Observation Wells | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z134452 | | | Owner: | |
| Tag: | A087398 | | | Street Name: | 180 ARGYLE AVENUE |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | NEPEAN TOWNSHIP |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7179491.pdf

Bore Hole Information

| | | | |
|-------------------------------------|------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1003711259 | Elevation: | 69.686981 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 446041 |
| Code OB Desc: | | North83: | 5028897 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 1/17/2012 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

Overburden and Bedrock

Materials Interval

| | |
|---------------------------------|------------|
| Formation ID: | 1004248297 |
| Layer: | 2 |
| Color: | 6 |
| General Color: | BROWN |
| Mat1: | 06 |
| Most Common Material: | SILT |
| Mat2: | 05 |
| Mat2 Desc: | CLAY |
| Mat3: | |
| Mat3 Desc: | |
| Formation Top Depth: | .61 |
| Formation End Depth: | 2.44 |
| Formation End Depth UOM: | m |

Overburden and Bedrock

Materials Interval

| | |
|----------------------|------------|
| Formation ID: | 1004248296 |
| Layer: | 1 |
| Color: | 6 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| General Color: | | BROWN | | | |
| Mat1: | | 02 | | | |
| Most Common Material: | | TOPSOIL | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | .61 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1004248298 | | | |
| Layer: | | 3 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | 2.44 | | | |
| Formation End Depth: | | 6.71 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1004248306 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 0.31 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1004248308 | | | |
| Layer: | | 3 | | | |
| Plug From: | | 3.35 | | | |
| Plug To: | | 6.71 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1004248307 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 0.31 | | | |
| Plug To: | | 3.35 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well</u> | | | | | |
| <u>Use</u> | | | | | |
| Method Construction ID: | | 1004248305 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

Pipe Information

Pipe ID: 1004248295
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 1004248301
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 3.66
 Casing Diameter: 4.03
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004248302
 Layer: 1
 Slot: 10
 Screen Top Depth: 3.66
 Screen End Depth: 6.71
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.82

Water Details

Water ID: 1004248300
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004248299
 Diameter: 8.25
 Depth From: 0
 Depth To: 6.71
 Hole Depth UOM: m
 Hole Diameter UOM: cm

| | | | | | |
|--------------------|--------------------------|---------|--------------|--------------------------------|-----------|
| 32 | 5 of 8 | E/138.0 | 71.9 / -1.92 | 180 ARGYLE AVENUE Ottawa ON | WWIS |
| Well ID: | 7179492 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 4/17/2012 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Monitoring and Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z134451 | | | Owner: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB | |
|---|-------------------|----------------------------|------------------|--|--|--|
| Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: | A087399 | | | Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: | 180 ARGYLE AVENUE OTTAWA NEPEAN TOWNSHIP | |

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7179492.pdf

Bore Hole Information

| | | | |
|--|------------|--|---|
| Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: | 1003711262 | Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method: | 69.686981 18 446041 5028897 UTM83 4 margin of error : 30 m - 100 m wwr |
|--|------------|--|---|

Overburden and Bedrock

Materials Interval

| | |
|--|---|
| Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM: | 1004248310 1 6 BROWN 02 TOPSOIL 0 .61 m |
|--|---|

Overburden and Bedrock

Materials Interval

| | |
|---|--|
| Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: | 1004248312 3 2 GREY 05 CLAY |
|---|--|

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Formation Top Depth: | | 2.44 | | | |
| Formation End Depth: | | 6.71 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1004248311 | | | |
| Layer: | | 2 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 06 | | | |
| Most Common Material: | | SILT | | | |
| Mat2: | | 05 | | | |
| Mat2 Desc: | | CLAY | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | .61 | | | |
| Formation End Depth: | | 2.44 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1004248320 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 0.31 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1004248321 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 0.31 | | | |
| Plug To: | | 3.35 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1004248322 | | | |
| Layer: | | 3 | | | |
| Plug From: | | 3.35 | | | |
| Plug To: | | 6.71 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1004248319 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1004248309 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

Alt Name:

Construction Record - Casing

Casing ID: 1004248315
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 3.66
 Casing Diameter: 4.03
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004248316
 Layer: 1
 Slot: 10
 Screen Top Depth: 3.66
 Screen End Depth: 6.71
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.82

Water Details

Water ID: 1004248314
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004248313
 Diameter: 8.25
 Depth From: 0
 Depth To: 6.71
 Hole Depth UOM: m
 Hole Diameter UOM: cm

| | | | | | |
|--------------------|--------|---------|--------------|--|-----|
| 32 | 6 of 8 | E/138.0 | 71.9 / -1.92 | YMCA 180 Argyle street ottawa ON K2P 1B7 | GEN |
|--------------------|--------|---------|--------------|--|-----|

| | | |
|-------------------|---|--------------------|
| Generator No: | ON3516650 | PO Box No: |
| Status: | | Country: |
| Approval Years: | 2010 | Choice of Contact: |
| Contam. Facility: | | Co Admin: |
| MHSW Facility: | | Phone No Admin: |
| SIC Code: | 713990 | |
| SIC Description: | All Other Amusement and Recreation Industries | |

Detail(s)

Waste Class: 212
 Waste Class Desc: ALIPHATIC SOLVENTS

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|---|----------------------------|------------------|--|----------------------|
| 32 | 7 of 8 | E/138.0 | 71.9 / -1.92 | YMCA 180 Argyle street ottawa ON K2P 1B7 | GEN |
| Generator No: | ON3516650 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2011 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 713990 | | | | |
| SIC Description: | All Other Amusement and Recreation Industries | | | | |
| Detail(s) | | | | | |
| Waste Class: | 212 | | | | |
| Waste Class Desc: | ALIPHATIC SOLVENTS | | | | |
| 32 | 8 of 8 | E/138.0 | 71.9 / -1.92 | YMCA/YWCA 180 ARGYLE ST OTTAWA ON K2P1B7 | GEN |
| Generator No: | ON7565419 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Jul 2020 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| Detail(s) | | | | | |
| Waste Class: | 145 I | | | | |
| Waste Class Desc: | Wastes from the use of pigments, coatings and paints | | | | |
| Waste Class: | 263 L | | | | |
| Waste Class Desc: | Misc. waste organic chemicals | | | | |
| 33 | 1 of 1 | SSW/148.8 | 78.0 / 4.17 | 203 CATHERINE STREET Ottawa ON | WWIS |
| Well ID: | 7149497 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 8/5/2010 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 5 |
| Audit No: | M05285 | | | Owner: | |
| Tag: | A097206 | | | Street Name: | 203 CATHERINE STREET |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7147149497.pdf | | | | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|--|---|--------------------------------|----------------------|-------------------------|-------------|
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 1004566695 | | | Elevation: | |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 44586 |
| Code OB Desc: | | | | North83: | 5028783 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | | | UTMRC: | 9 |
| Date Completed: | 7/19/2012 | | | UTMRC Desc: | unknown UTM |
| Remarks: | | | | Location Method: | WWR |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | 1004566699 | | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | 1004566698 | | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | 1004566700 | | | | |
| Casing No: | 0 | | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | 1004566702 | | | | |
| Layer: | 1 | | | | |
| Material: | 5 | | | | |
| Open Hole or Material: | PLASTIC | | | | |
| Depth From: | | | | | |
| Depth To: | 1.5 | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | cm | | | | |
| Casing Depth UOM: | m | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | 1004566701 | | | | |
| Layer: | 1 | | | | |
| Slot: | | | | | |
| Screen Top Depth: | 1.5 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|---|--------------------------|-------------------------|--------------------------------|
| Screen End Depth: | | 6.1 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: | | 1004566703 | | | |
| Pump Set At: | | | | | |
| Static Level: | | | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | m | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |
| Flowing: | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1004566697 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | | | | |
| Depth To: | | 6.1 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | | 1004566713 | | Elevation: | |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445846 |
| Code OB Desc: | | | | North83: | 5028736 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | This is a record from cluster log sheet | | UTMRC: | 4 |
| Date Completed: | | 7/19/2012 | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | WWR |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1004566717 | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| <u>Use</u> | | | | | |
| Method Construction ID: | | 1004566716 | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1004566718 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1004566720 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | | | | |
| Depth To: | | 1.5 | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1004566719 | | | |
| Layer: | | 1 | | | |
| Slot: | | | | | |
| Screen Top Depth: | | 1.5 | | | |
| Screen End Depth: | | 6.1 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: | | 1004566721 | | | |
| Pump Set At: | | | | | |
| Static Level: | | | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | m | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |
| Flowing: | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1004566715 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|------------------------------------|--------------------------|-------------------------|--------------------------------|
| Depth To: | | 6.1 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 1004566686 | | | Elevation: | |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445873 |
| Code OB Desc: | | | | North83: | 5028794 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | | | UTMRC: | 4 |
| Date Completed: | 7/19/2012 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | WWR |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | 1004566690 | | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | 1004566689 | | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | 1004566691 | | | | |
| Casing No: | 0 | | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | 1004566693 | | | | |
| Layer: | 1 | | | | |
| Material: | 5 | | | | |
| Open Hole or Material: | PLASTIC | | | | |
| Depth From: | | | | | |
| Depth To: | 1.5 | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | cm | | | | |
| Casing Depth UOM: | m | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | 1004566692 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------|-------------------|----------------------------|------------------|------|----|
| Layer: | | 1 | | | |
| Slot: | | | | | |
| Screen Top Depth: | | 1.5 | | | |
| Screen End Depth: | | 6.1 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | | | | |

Results of Well Yield Testing

Pump Test ID: 1004566694
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1004566688
Diameter: 8.25
Depth From:
Depth To: 6.1
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

| | | | |
|-------------------------------------|---|-------------------------|--------------------------------|
| Bore Hole ID: | 1004566704 | Elevation: | |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445853 |
| Code OB Desc: | | North83: | 5028785 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | UTMRC: | 4 |
| Date Completed: | 7/19/2012 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | WWR |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1004566708
Layer:
Plug From:
Plug To:

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1004566707 | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1004566709 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1004566711 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | | | | |
| Depth To: | | 1.5 | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1004566710 | | | |
| Layer: | | 1 | | | |
| Slot: | | | | | |
| Screen Top Depth: | | 1.5 | | | |
| Screen End Depth: | | 6.1 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: | | 1004566712 | | | |
| Pump Set At: | | | | | |
| Static Level: | | | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | m | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |
| Flowing: | | | | | |
| <u>Hole Diameter</u> | | | | | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|--|---|--------------------------------|----------------------|-------------------------|-------------|
| <i>Hole ID:</i> | | 1004566706 | | | |
| <i>Diameter:</i> | | 8.25 | | | |
| <i>Depth From:</i> | | | | | |
| <i>Depth To:</i> | | 6.1 | | | |
| <i>Hole Depth UOM:</i> | | m | | | |
| <i>Hole Diameter UOM:</i> | | cm | | | |
| <u>Bore Hole Information</u> | | | | | |
| <i>Bore Hole ID:</i> | 1004566722 | | | <i>Elevation:</i> | |
| <i>DP2BR:</i> | | | | <i>Elevrc:</i> | |
| <i>Spatial Status:</i> | | | | <i>Zone:</i> | 18 |
| <i>Code OB:</i> | | | | <i>East83:</i> | 4458415 |
| <i>Code OB Desc:</i> | | | | <i>North83:</i> | 5028756 |
| <i>Open Hole:</i> | | | | <i>Org CS:</i> | UTM83 |
| <i>Cluster Kind:</i> | This is a record from cluster log sheet | | | <i>UTMRC:</i> | 9 |
| <i>Date Completed:</i> | 7/19/2012 | | | <i>UTMRC Desc:</i> | unknown UTM |
| <i>Remarks:</i> | | | | <i>Location Method:</i> | WWR |
| <i>Elevrc Desc:</i> | | | | | |
| <i>Location Source Date:</i> | | | | | |
| <i>Improvement Location Source:</i> | | | | | |
| <i>Improvement Location Method:</i> | | | | | |
| <i>Source Revision Comment:</i> | | | | | |
| <i>Supplier Comment:</i> | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| <i>Plug ID:</i> | | 1004566726 | | | |
| <i>Layer:</i> | | | | | |
| <i>Plug From:</i> | | | | | |
| <i>Plug To:</i> | | | | | |
| <i>Plug Depth UOM:</i> | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| <i>Method Construction ID:</i> | | 1004566725 | | | |
| <i>Method Construction Code:</i> | | | | | |
| <i>Method Construction:</i> | | | | | |
| <i>Other Method Construction:</i> | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| <i>Pipe ID:</i> | | 1004566727 | | | |
| <i>Casing No:</i> | | 0 | | | |
| <i>Comment:</i> | | | | | |
| <i>Alt Name:</i> | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| <i>Casing ID:</i> | | 1004566729 | | | |
| <i>Layer:</i> | | 1 | | | |
| <i>Material:</i> | | 5 | | | |
| <i>Open Hole or Material:</i> | | PLASTIC | | | |
| <i>Depth From:</i> | | | | | |
| <i>Depth To:</i> | | 1.5 | | | |
| <i>Casing Diameter:</i> | | | | | |
| <i>Casing Diameter UOM:</i> | | cm | | | |
| <i>Casing Depth UOM:</i> | | m | | | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|----------------|--------------------------|--------------------------------|----------------------|-------------|-----------|
|----------------|--------------------------|--------------------------------|----------------------|-------------|-----------|

Construction Record - Screen

Screen ID: 1004566728
Layer: 1
Slot:
Screen Top Depth: 1.5
Screen End Depth: 6.1
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1004566730
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1004566724
Diameter: 8.25
Depth From:
Depth To: 6.1
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

| | |
|-------------------------------------|---|
| Bore Hole ID: 1003269413 | Elevation: 69.487701 |
| DP2BR: | Elevrc: |
| Spatial Status: | Zone: 18 |
| Code OB: | East83: 445876 |
| Code OB Desc: | North83: 5028803 |
| Open Hole: | Org CS: UTM83 |
| Cluster Kind: | UTMRC: 4 |
| Date Completed: 7/11/2010 | UTMRC Desc: margin of error : 30 m - 100 m |
| Remarks: | Location Method: wwr |
| Elevrc Desc: | |
| Location Source Date: | |
| Improvement Location Source: | |
| Improvement Location Method: | |
| Source Revision Comment: | |
| Supplier Comment: | |

Overburden and Bedrock

Materials Interval

Formation ID: 1004566733

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Layer: | | 2 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 1.22 | | | |
| Formation End Depth: | | 3.66 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1004566732 | | | |
| Layer: | | 1 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 11 | | | |
| Most Common Material: | | GRAVEL | | | |
| Mat2: | | 28 | | | |
| Mat2 Desc: | | SAND | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | 1.22 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1004566734 | | | |
| Layer: | | 3 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 3.66 | | | |
| Formation End Depth: | | 6.1 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1004566737 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 0.31 | | | |
| Plug To: | | 1.22 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1004566736 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Plug To: | | 0.31 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1004566738 | | | |
| Layer: | | 3 | | | |
| Plug From: | | 1.22 | | | |
| Plug To: | | 6.1 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1004566744 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1004566731 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1004566739 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 1.5 | | | |
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1004566740 | | | |
| Layer: | | 2 | | | |
| Material: | | | | | |
| Open Hole or Material: | | | | | |
| Depth From: | | 1.5 | | | |
| Depth To: | | 6.1 | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1004566741 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | | | | |
| Screen End Depth: | | | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------|-------------------|-------------------------------|------------------|---|-----|
| Screen Diameter: | | 4.82 | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1004566735 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 6.1 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |
| 34 | 1 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INC. 464 BANK ST. OTTAWA ON K2P 1Z3 | GEN |
| Generator No: | | ON1144000 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 89 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 6541 | | | |
| SIC Description: | | SPORTING GOODS STORE | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| 34 | 2 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INC. 37-488 464 BANK ST. OTTAWA ON K2P 1Z3 | GEN |
| Generator No: | | ON1144000 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 92,93,94,95,96,97,98 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 6541 | | | |
| SIC Description: | | SPORTING GOODS STORE | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| 34 | 3 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3 | GEN |
| Generator No: | | ON1144000 | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | | 99,00,01,02,03,04,05,06,07,08 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | 6541 | | | |
| SIC Description: | | SPORTING GOODS STORE | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 253 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|-------------------|--|------------------|---|------|
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 222 | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| 34 | 4 of 14 | W/148.9 | 73.9 / 0.05 | Tommy & Lefebvre Investments Ltd. 464 Bank St Ottawa ON K2P 1Z3 | CA |
| Certificate #: | | 8716-7UGJ3L | | | |
| Application Year: | | 2009 | | | |
| Issue Date: | | 8/6/2009 | | | |
| Approval Type: | | Municipal and Private Sewage Works | | | |
| Status: | | Approved | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 34 | 5 of 14 | W/148.9 | 73.9 / 0.05 | 464 BANK STREET OTTAWA ON K2P 1Z3 | HINC |
| External File Num: | | FS INC 0903-01665 | | | |
| Fuel Occurrence Type: | | | | | |
| Date of Occurrence: | | | | | |
| Fuel Type Involved: | | | | | |
| Status Desc: | | Completed - No Action Required | | | |
| Job Type Desc: | | Incident/Near-Miss Occurrence (FS) | | | |
| Oper. Type Involved: | | | | | |
| Service Interruptions: | | | | | |
| Property Damage: | | | | | |
| Fuel Life Cycle Stage: | | | | | |
| Root Cause: | | | | | |
| Reported Details: | | Sporting Goods Store. Non-mandated, Enbridge reports that the fire is not attributed to any hydrocar | | | |
| Fuel Category: | | Unknown | | | |
| Occurrence Type: | | Incident | | | |
| Affiliation: | | Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) | | | |
| County Name: | | Ottawa | | | |
| Approx. Quant. Rel: | | | | | |
| Nearby body of water: | | | | | |
| Enter Drainage Syst.: | | | | | |
| Approx. Quant. Unit: | | | | | |
| Environmental Impact: | | | | | |
| 34 | 6 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3 | GEN |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-----------------------|----------------------------|------------------|--|-----|
| Generator No: | ON1144000 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2009 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 451110 | | | | |
| SIC Description: | Sporting Goods Stores | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 253 | | | |
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | | 222 | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| 34 | 7 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3 | GEN |
| Generator No: | ON1144000 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2010 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 451110 | | | | |
| SIC Description: | Sporting Goods Stores | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 253 | | | |
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 222 | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| 34 | 8 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3 | GEN |
| Generator No: | ON1144000 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2011 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|----------------------------|------------------|------|----|
| SIC Code: | 451110 | | | | |
| SIC Description: | | Sporting Goods Stores | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | 222 | | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | 253 | | | | |
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |

| | | | | | |
|--------------------------|-----------|-------------------------|-------------|--|-----|
| 34 | 9 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3 | GEN |
| Generator No: | ON1144000 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2012 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 451110 | | | | |
| SIC Description: | | Sporting Goods Stores | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 222 | | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | 253 | | | | |
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |

| | | | | | |
|--------------------------|-----------|-----------------------|-------------|--|-----|
| 34 | 10 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON | GEN |
| Generator No: | ON1144000 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2013 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 451110 | | | | |
| SIC Description: | | SPORTING GOODS STORES | | | |
| <u>Detail(s)</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|----------------------------|------------------|------|----|
| Waste Class: | | 222 | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| Waste Class: | | 253 | | | |
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |

[34](#) 11 of 14 W/148.9 73.9 / 0.05 **Tommy & Lefebvre Investments Ltd.**
464 Bank St
Ottawa ON K2P 1Z3 **ECA**

Approval No: 8716-7UGJ3L **MOE District:** Ottawa
Approval Date: 2009-08-06 **City:**
Status: Approved **Longitude:** -75.693146
Record Type: ECA **Latitude:** 45.411179999999995
Link Source: IDS **Geometry X:**
SWP Area Name: Rideau Valley **Geometry Y:**
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: 464 Bank St
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4557-7T9NQT-14.pdf>

[34](#) 12 of 14 W/148.9 73.9 / 0.05 **TOMMY & LEFEBVRE INCORPORATED**
464 BANK STREET
OTTAWA ON K2P 1Z3 **GEN**

Generator No: ON1144000 **PO Box No:**
Status: **Country:** Canada
Approval Years: 2015 **Choice of Contact:** CO_ADMIN
Contam. Facility: No **Co Admin:** Freddi Rodier
MHSW Facility: No **Phone No Admin:** 613-236-9731 Ext.109
SIC Code: 451110
SIC Description: SPORTING GOODS STORES

Detail(s)

Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 253

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-----------------------------|--------------------------------------|------------------|--|----------------------|
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | | 222 | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| 34 | 13 of 14 | W/148.9 | 73.9 / 0.05 | TOMMY & LEFEBVRE INCORPORATED 464 BANK STREET OTTAWA ON K2P 1Z3 | GEN |
| Generator No: | ON1144000 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2014 | | | Choice of Contact: | CO_ADMIN |
| Contam. Facility: | No | | | Co Admin: | Freddi Rodier |
| MHSW Facility: | No | | | Phone No Admin: | 613-236-9731 Ext.109 |
| SIC Code: | 451110 | | | | |
| SIC Description: | SPORTING GOODS STORES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 222 | | | |
| Waste Class Desc: | | HEAVY FUELS | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| Waste Class: | | 253 | | | |
| Waste Class Desc: | | EMULSIFIED OILS | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| 34 | 14 of 14 | W/148.9 | 73.9 / 0.05 | Tomlinson Environmental 464 Bank Str Ottawa ON K2P 1Z3 | GEN |
| Generator No: | ON6350879 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Dec 2018 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 251 L | | | |
| Waste Class Desc: | | Waste oils/sludges (petroleum based) | | | |
| 35 | 1 of 1 | SE/149.0 | 75.6 / 1.75 | UPI INC 140 RUE STE-CATHERINE OTTAWA ON K0C 2B0 | RST |
| Headcode: | 1070510 | | | | |
| Headcode Desc: | Propane Gas-Sales & Service | | | | |
| Phone: | 6135243113 | | | | |
| List Name: | | | | | |
| Description: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------------|-------------------|----------------------------|------------------|---|------|
| 36 | 1 of 3 | W/151.3 | 73.9 / 0.05 | OTTAWA CITY MCLEOD ST. BANK ST. OTTAWA CITY ON | CA |
| Certificate #: | | 3-1480-88- | | | |
| Application Year: | | 88 | | | |
| Issue Date: | | 8/16/1988 | | | |
| Approval Type: | | Municipal sewage | | | |
| Status: | | Approved | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 36 | 2 of 3 | W/151.3 | 73.9 / 0.05 | R.M OF OTTAWA-CARLETON MCLEOD ST.BANK STREET OTTAWA CITY ON | CA |
| Certificate #: | | 7-1123-88- | | | |
| Application Year: | | 88 | | | |
| Issue Date: | | 8/8/1988 | | | |
| Approval Type: | | Municipal water | | | |
| Status: | | Approved | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 36 | 3 of 3 | W/151.3 | 73.9 / 0.05 | OTTAWA CITY, DESIGN & CONSTRUCTION DIV. MCLEOD ST./BANK ST. COMB.SEWER OTTAWA CITY ON | CA |
| Certificate #: | | 3-0365-99- | | | |
| Application Year: | | 99 | | | |
| Issue Date: | | 5/17/1999 | | | |
| Approval Type: | | Municipal sewage | | | |
| Status: | | Approved | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 37 | 1 of 1 | NNE/151.8 | 72.2 / -1.64 | ON | BORE |
| Borehole ID: | | 613237 | | Inclin FLG: No | |
| OGF ID: | | 215514539 | | SP Status: Initial Entry | |
| Status: | | | | Surv Elev: No | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|---------------------|----------------|
| Type: | Borehole | | | Piezometer: | No |
| Use: | | | | Primary Name: | |
| Completion Date: | MAY-1959 | | | Municipality: | |
| Static Water Level: | | | | Lot: | |
| Primary Water Use: | | | | Township: | |
| Sec. Water Use: | | | | Latitude DD: | 45.41263 |
| Total Depth m: | 5.3 | | | Longitude DD: | -75.691003 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445931 |
| Drill Method: | | | | Northing: | 5029022 |
| Orig Ground Elev m: | 71 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Not Applicable |
| DEM Ground Elev m: | 70.7 | | | | |
| Concession: | | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 218394272 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .9 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | ARTIFICIAL. | | | | |
| Geology Stratum ID: | 218394274 | | | Mat Consistency: | Hard |
| Top Depth: | 1.7 | | | Material Moisture: | |
| Bottom Depth: | 2.1 | | | Material Texture: | |
| Material Color: | Brown | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY. BROWN,GREY,HARD,FISSURED. | | | | |
| Geology Stratum ID: | 218394277 | | | Mat Consistency: | Dense |
| Top Depth: | 3.8 | | | Material Moisture: | |
| Bottom Depth: | 5.3 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY. GREY,STIFF,FISSURED. 00030006049000300735016SE. SILT. GREY,DENSE TO VERY DENSE. 0016 **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 218394276 | | | Mat Consistency: | Soft |
| Top Depth: | 2.9 | | | Material Moisture: | |
| Bottom Depth: | 3.8 | | | Material Texture: | |
| Material Color: | Brown | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY. BROWN,GREY,VERY SOFT,FISSURED. | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|--|----------------------------|--------------------|---|-------------------------------|
| Geology Stratum ID: | 218394273 | | | Mat Consistency: | |
| Top Depth: | .9 | | | Material Moisture: | |
| Bottom Depth: | 1.7 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SAND. | | | | |
| Geology Stratum ID: | 218394275 | | | Mat Consistency: | Soft |
| Top Depth: | 2.1 | | | Material Moisture: | |
| Bottom Depth: | 2.9 | | | Material Texture: | |
| Material Color: | Brown | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY. BROWN,GREY,VERY SOFT. | | | | |
| Source | | | | | |
| Source Type: | Data Survey | | | Source Appl: | Spatial/Tabular |
| Source Orig: | Geological Survey of Canada | | | Source Iden: | 1 |
| Source Date: | 1956-1972 | | | Scale or Res: | Varies |
| Confidence: | H | | | Horizontal: | NAD27 |
| Observatio: | | | | Verticalda: | Mean Average Sea Level |
| Source Name: | Urban Geology Automated Information System (UGAIS) | | | | |
| Source Details: | File: OTTAWA2.txt RecordID: 057450 NTS_Sheet: 31G05G | | | | |
| Confiden 1: | Logged by professional. Exact and complete description of material and properties. | | | | |
| Source List | | | | | |
| Source Identifier: | 1 | | | Horizontal Datum: | NAD27 |
| Source Type: | Data Survey | | | Vertical Datum: | Mean Average Sea Level |
| Source Date: | 1956-1972 | | | Projection Name: | Universal Transverse Mercator |
| Scale or Resolution: | Varies | | | | |
| Source Name: | Urban Geology Automated Information System (UGAIS) | | | | |
| Source Originators: | Geological Survey of Canada | | | | |
| 38 | 1 of 2 | NW/152.2 | 73.9 / 0.05 | CUDDLE DOWN PRODUCTS LTD 340 GLADSTONE AVE OTTAWA ON K2P 0Y8 | SCT |
| Established: | 1982 | | | | |
| Plant Size (ft²): | 0 | | | | |
| Employment: | 10 | | | | |
| --Details-- | | | | | |
| Description: | HOUSEFURNISHINGS, EXCEPT CURTAINS AND DRAPERIES | | | | |
| SIC/NAICS Code: | 2392 | | | | |
| 38 | 2 of 2 | NW/152.2 | 73.9 / 0.05 | OC Transpo<UNOFFICIAL> 340 Gladstone Avenue at O'Connor St<UNOFFICIAL> Ottawa ON K2P 0Y8 | SPL |
| Ref No: | 5012-6CTRUT | | | Discharger Report: | 0 |
| Site No: | | | | Material Group: | Oil |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|---|-------------------------|---------------|------------------------------|---------------------|
| Incident Dt: | 5/28/2005 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | Pipe Or Hose Leak | | | Sector Type: | Other Motor Vehicle |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | | | | Nearest Watercourse: | |
| Contaminant Name: | ENGINE OIL | | | Site Address: | |
| Contaminant Limit 1: | | | | Site District Office: | Ottawa |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | Not Anticipated | | | Site Municipality: | Ottawa |
| Nature of Impact: | Surface Water Pollution | | | Site Lot: | |
| Receiving Medium: | Water | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | | | | Easting: | |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 5/28/2005 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | Spills to Land |
| Incident Reason: | Unknown - Reason not determined | | | Source Type: | |
| Site Name: | 340 Gladstone Avenue at O'Connor St<UNOFFICIAL> | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | OC Transpo - 40L oil to road/catch basin | | | | |
| Contaminant Qty: | | | | | |

| | | | | | |
|--------------------------|---------------------|-----------|-------------|--|-----|
| 39 | 1 of 6 | SSW/152.8 | 78.2 / 4.41 | GVT. OF CAN. - PUBLIC WORKS CANADA WAREHOUSE 205 CATHERINE ST. OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON0144709 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 86,87,88,89,90 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 0000 | | | | |
| SIC Description: | *** NOT DEFINED *** | | | | |

| | | | | | |
|--------------------------|---------------------|-----------|-------------|--|-----|
| 39 | 2 of 6 | SSW/152.8 | 78.2 / 4.41 | GVT. OF CAN. - PUBLIC WORKS CANADA00 000 WAREHOUSE 205 CATHERINE ST. OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON0144709 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 92,93,94 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 0000 | | | | |
| SIC Description: | *** NOT DEFINED *** | | | | |

| | | | | | |
|--------------------------|-------------------|-----------|-------------|---|-----|
| 39 | 3 of 6 | SSW/152.8 | 78.2 / 4.41 | GINN PHOTOGRAPHIC COMPANY 205 CATHERINE STREET, SUITE 100 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON2096400 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 95,96,97,98 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2821 | | | | |
| SIC Description: | PLATEMAKING, ETC. | | | | |

Detail(s)

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|--|----------------------------|------------------|--|----------------------------------|
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 39 | 4 of 6 | SSW/152.8 | 78.2 / 4.41 | GINN PHOTOGRAPHIC COMPANY 205 CATHERINE STREET SUITE 100 OTTAWA ON K2P 1C3 | GEN |
| Generator No: | ON2096400 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 99,00,01 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2821 | | | | |
| SIC Description: | PLATEMAKING, ETC. | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 39 | 5 of 6 | SSW/152.8 | 78.2 / 4.41 | RealDecoy Inc. 205 Catherine St Unit 1 Ottawa ON K2P 1C3 | SCT |
| Established: | 01-AUG-00 | | | | |
| Plant Size (ft²): | 6700 | | | | |
| Employment: | | | | | |
| --Details-- | | | | | |
| Description: | Computer Systems Design and Related Services | | | | |
| SIC/NAICS Code: | 541510 | | | | |
| Description: | Computer Systems Design and Related Services | | | | |
| SIC/NAICS Code: | 541510 | | | | |
| Description: | Software Publishers | | | | |
| SIC/NAICS Code: | 511210 | | | | |
| 39 | 6 of 6 | SSW/152.8 | 78.2 / 4.41 | 205 Catherine St Ottawa ON K2P1C3 | EHS |
| Order No: | 20140321015 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | ON |
| Report Date: | 31-MAR-14 | | | Search Radius (km): | .25 |
| Date Received: | 21-MAR-14 | | | X: | -75.691725 |
| Previous Site Name: | | | | Y: | 45.409937 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps and/or Site Plans | | | | |
| 40 | 1 of 2 | SW/154.9 | 76.9 / 3.08 | 510 Bank Street Ottawa ON K2P 1Z4 | EHS |
| Order No: | 20050524014 | | | Nearest Intersection: | Bank Street and Arlington Avenue |
| Status: | C | | | Municipality: | |
| Report Type: | | | | Client Prov/State: | ON |
| Report Date: | 6/1/2005 | | | Search Radius (km): | 0.25 |
| Date Received: | 5/24/2005 | | | X: | -75.692659 |
| Previous Site Name: | | | | Y: | 45.410288 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|----------------------------|------------------|---|-----------|
| Lot/Building Size: Additional Info Ordered: | | | | | |
| 40 | 2 of 2 | SW/154.9 | 76.9 / 3.08 | LJ RIOPELLE 510 BANK ST OTTAWA ON K2P 1Z4 | GEN |
| Generator No: | ON4841105 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 05 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 551113 | | | | |
| SIC Description: | Holding Companies | | | | |
| Detail(s) | | | | | |
| Waste Class: | 221 | | | | |
| Waste Class Desc: | LIGHT FUELS | | | | |
| 41 | 1 of 1 | WSW/157.7 | 75.0 / 1.14 | 37 Flora Street Ottawa ON | EHS |
| Order No: | 20131119015 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | ON |
| Report Date: | 27-NOV-13 | | | Search Radius (km): | .25 |
| Date Received: | 19-NOV-13 | | | X: | -75.69316 |
| Previous Site Name: | | | | Y: | 45.410711 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps and/or Site Plans | | | | |
| 42 | 1 of 2 | WSW/158.8 | 75.7 / 1.89 | PETRO-CANADA 488 BANK ST. (EUROPEAN GLASS & PAINT) TANK TRUCK (CARGO) OTTAWA CITY ON K2P 1Z4 | SPL |
| Ref No: | 31672 | | | Discharger Report: | |
| Site No: | | | | Material Group: | |
| Incident Dt: | 1/6/1990 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | ABOVE-GROUND TANK LEAK | | | Sector Type: | |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | | | | Nearest Watercourse: | |
| Contaminant Name: | | | | Site Address: | |
| Contaminant Limit 1: | | | | Site District Office: | |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | NOT ANTICIPATED | | | Site Municipality: | 20101 |
| Nature of Impact: | | | | Site Lot: | |
| Receiving Medium: | LAND / WATER | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | | | | Easting: | OTTAWA |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 1/8/1990 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | |
| Incident Reason: | WELD/SEAM FAILURE | | | Source Type: | |
| Site Name: | | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | PETRO CANADA-400 L FUEL OIL TO SEWERS (90/01/06) | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------------|-------------------|---|------------------|---|------|
| Contaminant Qty: | | | | | |
| 42 | 2 of 2 | WSW/158.8 | 75.7 / 1.89 | Taggart (Flora) Corporation 488 Bank Street Ottawa ON K2P 1P9 | ECA |
| Approval No: | | 5324-BJ2P5C | | MOE District: | |
| Approval Date: | | 2019-11-25 | | City: | |
| Status: | | Approved | | Longitude: | |
| Record Type: | | ECA | | Latitude: | |
| Link Source: | | IDS | | Geometry X: | |
| SWP Area Name: | | Geometry Y: | | | |
| Approval Type: | | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | |
| Project Type: | | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | |
| Address: | | 488 Bank Street | | | |
| Full Address: | | | | | |
| Full PDF Link: | | https://www.accessenvironment.ene.gov.on.ca/instruments/5504-BC6JEV-14.pdf | | | |
| 43 | 1 of 1 | W/159.4 | 73.9 / 0.05 | 37 FLORA ST OTTAWA ON | WWIS |
| Well ID: | | 7216273 | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | Monitoring and Test Hole | | Date Received: 2/10/2014 | |
| Sec. Water Use: | | 0 | | Selected Flag: Yes | |
| Final Well Status: | | Monitoring and Test Hole | | Abandonment Rec: | |
| Water Type: | | | | Contractor: 7241 | |
| Casing Material: | | | | Form Version: 7 | |
| Audit No: | | Z173804 | | Owner: | |
| Tag: | | A154151 | | Street Name: 37 FLORA ST | |
| Construction Method: | | | | County: OTTAWA | |
| Elevation (m): | | | | Municipality: NEPEAN TOWNSHIP | |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | | | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | | 1004708050 | | Elevation: 70.442016 | |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: 18 | |
| Code OB: | | | | East83: 445748 | |
| Code OB Desc: | | | | North83: 5028846 | |
| Open Hole: | | | | Org CS: UTM83 | |
| Cluster Kind: | | | | UTMRC: 4 | |
| Date Completed: | | 12/4/2013 | | UTMRC Desc: margin of error : 30 m - 100 m | |
| Remarks: | | | | Location Method: wwr | |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080080
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 3.27
Formation End Depth: 4.57
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080078
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 85
Mat2 Desc: SOFT
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0
Formation End Depth: 1.83
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1005080079
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:
Formation Top Depth: 1.83
Formation End Depth: 3.27
Formation End Depth UOM: m

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1005080089
Layer: 2
Plug From: 1.22
Plug To: 4.57
Plug Depth UOM: m

Annular Space/Abandonment

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1005080088 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 1.22 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1005080087 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1005080077 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1005080083 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 1.5 | | | |
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1005080084 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 1.5 | | | |
| Screen End Depth: | | 4.57 | | | |
| Screen Material: | | 5 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 4.82 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | 1005080082 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1005080081 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | 0 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------|-------------------|----------------------------|------------------|------|----|
| Depth To: | | 4.57 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| | | | | | |
|-------------------------------|--------|--------------------------|-------------|----------------------------------|------|
| 44 | 1 of 1 | WSW/159.7 | 75.0 / 1.14 | 37 FLORA ST OTTAWA ON | WWIS |
| Well ID: | | 7216269 | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | Monitoring and Test Hole | | Date Received: 2/10/2014 | |
| Sec. Water Use: | | 0 | | Selected Flag: Yes | |
| Final Well Status: | | Monitoring and Test Hole | | Abandonment Rec: | |
| Water Type: | | | | Contractor: 7241 | |
| Casing Material: | | | | Form Version: 7 | |
| Audit No: | | Z180052 | | Owner: | |
| Tag: | | A152631 | | Street Name: 37 FLORA ST | |
| Construction Method: | | | | County: OTTAWA | |
| Elevation (m): | | | | Municipality: OTTAWA CITY | |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |

PDF URL (Map):

Bore Hole Information

| | | | |
|-------------------------------------|------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1004708038 | Elevation: | 70.324569 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445753 |
| Code OB Desc: | | North83: | 5028824 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 12/4/2013 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

Overburden and Bedrock Materials Interval

| | |
|------------------------------|------------|
| Formation ID: | 1005080026 |
| Layer: | 2 |
| Color: | 2 |
| General Color: | GREY |
| Mat1: | 05 |
| Most Common Material: | CLAY |
| Mat2: | 85 |
| Mat2 Desc: | SOFT |
| Mat3: | |
| Mat3 Desc: | |
| Formation Top Depth: | 2.74 |
| Formation End Depth: | 4.57 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1005080025 | | | |
| Layer: | | 1 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 01 | | | |
| Most Common Material: | | FILL | | | |
| Mat2: | | 85 | | | |
| Mat2 Desc: | | SOFT | | | |
| Mat3: | | 68 | | | |
| Mat3 Desc: | | DRY | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | 2.74 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1005080027 | | | |
| Layer: | | 3 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | 85 | | | |
| Mat2 Desc: | | SOFT | | | |
| Mat3: | | 91 | | | |
| Mat3 Desc: | | WATER-BEARING | | | |
| Formation Top Depth: | | 4.57 | | | |
| Formation End Depth: | | 7.62 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080036 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 4.27 | | | |
| Plug To: | | 7.62 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080035 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 4.27 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1005080034 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|-------------------------|---------------|------|----|
|---------|-------------------|-------------------------|---------------|------|----|

Pipe Information

Pipe ID: 1005080024
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 1005080030
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 4.57
 Casing Diameter: 4.03
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005080031
 Layer: 1
 Slot: 10
 Screen Top Depth: 4.57
 Screen End Depth: 7.62
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 4.82

Water Details

Water ID: 1005080029
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: m

Hole Diameter

Hole ID: 1005080028
 Diameter: 8.25
 Depth From: 0
 Depth To: 7.62
 Hole Depth UOM: m
 Hole Diameter UOM: cm

| | | | | | |
|--------------------|--------------------------|---------|-------------|--------------------------|-------------|
| 45 | 1 of 1 | W/160.1 | 73.9 / 0.05 | 37 FLORA ST OTTAWA ON | WWIS |
| Well ID: | 7216268 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 2/10/2014 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Monitoring and Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z180051 | | | Owner: | |
| Tag: | A154274 | | | Street Name: | 37 FLORA ST |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|-------------------|----------------------------|------------------|-------------------------|-----------------|
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | NEPEAN TOWNSHIP |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |

PDF URL (Map):

Bore Hole Information

| | | | |
|-------------------------------------|------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1004708035 | Elevation: | 70.427734 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445750 |
| Code OB Desc: | | North83: | 5028833 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 12/4/2013 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

**Overburden and Bedrock
Materials Interval**

| | |
|---------------------------------|------------|
| Formation ID: | 1005080013 |
| Layer: | 2 |
| Color: | 2 |
| General Color: | GREY |
| Mat1: | 05 |
| Most Common Material: | CLAY |
| Mat2: | 85 |
| Mat2 Desc: | SOFT |
| Mat3: | |
| Mat3 Desc: | |
| Formation Top Depth: | 1.83 |
| Formation End Depth: | 4.57 |
| Formation End Depth UOM: | m |

**Overburden and Bedrock
Materials Interval**

| | |
|------------------------------|---------------|
| Formation ID: | 1005080014 |
| Layer: | 3 |
| Color: | 2 |
| General Color: | GREY |
| Mat1: | 05 |
| Most Common Material: | CLAY |
| Mat2: | 85 |
| Mat2 Desc: | SOFT |
| Mat3: | 91 |
| Mat3 Desc: | WATER-BEARING |
| Formation Top Depth: | 4.57 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| Formation End Depth: | | 7.62 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1005080012 | | | |
| Layer: | | 1 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 01 | | | |
| Most Common Material: | | FILL | | | |
| Mat2: | | 85 | | | |
| Mat2 Desc: | | SOFT | | | |
| Mat3: | | 68 | | | |
| Mat3 Desc: | | DRY | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | 1.83 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080022 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 4.27 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080023 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 4.27 | | | |
| Plug To: | | 7.62 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1005080021 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1005080011 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1005080017 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 4.57 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|------|----|
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1005080018 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 4.57 | | | |
| Screen End Depth: | | 7.62 | | | |
| Screen Material: | | 5 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 4.82 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | 1005080016 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1005080015 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 7.62 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| | | | | | |
|-------------------------------|--------|--------------------------|-------------|----------------------------------|------|
| 46 | 1 of 1 | WSW/160.2 | 73.9 / 0.05 | 37 FLORA ST OTTAWA ON | WWIS |
| Well ID: | | 7216272 | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | Monitoring and Test Hole | | Date Received: 2/10/2014 | |
| Sec. Water Use: | | 0 | | Selected Flag: Yes | |
| Final Well Status: | | Monitoring and Test Hole | | Abandonment Rec: | |
| Water Type: | | | | Contractor: 7241 | |
| Casing Material: | | | | Form Version: 7 | |
| Audit No: | | Z180055 | | Owner: | |
| Tag: | | A154271 | | Street Name: 37 FLORA ST | |
| Construction Method: | | | | County: OTTAWA | |
| Elevation (m): | | | | Municipality: OTTAWA CITY | |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |

PDF URL (Map):

Bore Hole Information

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------------|-------------------|----------------------------|------------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1004708047 | | | Elevation: | 70.399375 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445751 |
| Code OB Desc: | | | | North83: | 5028829 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 12/4/2013 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

Overburden and Bedrock

Materials Interval

Formation ID: 1005080066
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:
Formation Top Depth: 1.83
Formation End Depth: 3.1
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005080067
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 3.1
Formation End Depth: 4.57
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005080065
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 85
Mat2 Desc: SOFT
Mat3: 68
Mat3 Desc: DRY

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | 1.83 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080076 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 1.22 | | | |
| Plug To: | | 4.57 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080075 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 1.22 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1005080074 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1005080064 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1005080070 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 1.5 | | | |
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1005080071 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 1.5 | | | |
| Screen End Depth: | | 4.57 | | | |
| Screen Material: | | 5 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 4.82 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------------|-------------------|----------------------------|------------------|------|----|
| <u>Water Details</u> | | | | | |
| Water ID: | | 1005080069 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1005080068 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 4.57 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| | | | | | |
|------------------------|--------------------------|---------|-------------|---------------------------|-------------|
| 47 | 1 of 1 | W/161.3 | 73.9 / 0.05 | 37 FLORA ST OTTAWA ON | WWIS |
| Well ID: | 7216270 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 2/10/2014 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Monitoring and Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z180053 | | | Owner: | |
| Tag: | A154273 | | | Street Name: | 37 FLORA ST |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |

PDF URL (Map):

Bore Hole Information

| | | | | | |
|------------------------------|------------|--|--|-------------------------|--------------------------------|
| Bore Hole ID: | 1004708041 | | | Elevation: | 70.431015 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445748 |
| Code OB Desc: | | | | North83: | 5028836 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 12/4/2013 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | | 1005080039 | | |
| Layer: | | | 2 | | |
| Color: | | | 2 | | |
| General Color: | | | GREY | | |
| Mat1: | | | 05 | | |
| Most Common Material: | | | CLAY | | |
| Mat2: | | | 85 | | |
| Mat2 Desc: | | | SOFT | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | | 2.14 | | |
| Formation End Depth: | | | 4.57 | | |
| Formation End Depth UOM: | | | m | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | | 1005080038 | | |
| Layer: | | | 1 | | |
| Color: | | | 6 | | |
| General Color: | | | BROWN | | |
| Mat1: | | | 01 | | |
| Most Common Material: | | | FILL | | |
| Mat2: | | | 85 | | |
| Mat2 Desc: | | | SOFT | | |
| Mat3: | | | 68 | | |
| Mat3 Desc: | | | DRY | | |
| Formation Top Depth: | | | 0 | | |
| Formation End Depth: | | | 2.14 | | |
| Formation End Depth UOM: | | | m | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | | 1005080040 | | |
| Layer: | | | 3 | | |
| Color: | | | 2 | | |
| General Color: | | | GREY | | |
| Mat1: | | | 05 | | |
| Most Common Material: | | | CLAY | | |
| Mat2: | | | 85 | | |
| Mat2 Desc: | | | SOFT | | |
| Mat3: | | | 91 | | |
| Mat3 Desc: | | | WATER-BEARING | | |
| Formation Top Depth: | | | 4.57 | | |
| Formation End Depth: | | | 6.1 | | |
| Formation End Depth UOM: | | | m | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | | 1005080048 | | |
| Layer: | | | 1 | | |
| Plug From: | | | 0 | | |
| Plug To: | | | 2.74 | | |
| Plug Depth UOM: | | | m | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Plug ID: | | 1005080049 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 2.74 | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1005080047 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1005080037 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1005080043 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 3.1 | | | |
| Casing Diameter: | | 4.02 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1005080044 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 3.1 | | | |
| Screen End Depth: | | 6.1 | | | |
| Screen Material: | | 5 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 4.82 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | 1005080042 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1005080041 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 6.1 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------------|-------------------|--|------------------|--|-------------------|
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |
| 48 | 1 of 2 | W/162.1 | 73.9 / 0.05 | Mr. Milad Ladany 37 FLORA ST, OTTAWA, ON, K2P 1A7 OTTAWA ON K2P 1A7 | RSC |
| RSC ID: | 44580 | | | Cert Date: | 19-Feb-08 |
| RA No: | | | | Cert Prop Use No: | No CPU |
| RSC Type: | | | | Intended Prop Use: | Residential |
| Curr Property Use: | Commercial | | | Qual Person Name: | |
| Ministry District: | OTTAWA | | | Stratified (Y/N): | |
| Filing Date: | 25-Jun-08 | | | Audit (Y/N): | |
| Date Ack: | | | | Entire Leg Prop. (Y/N): | Yes |
| Date Returned: | | | | Accuracy Estimate: | 6 to 10 meters |
| Restoration Type: | | | | Telephone: | 613-7974921 |
| Soil Type: | | | | Fax: | |
| Criteria: | | | | Email: | mladany@gmail.com |
| CPU Issued Sect 1686: | No | | | | |
| Asmt Roll No: | | 06 14 042 201 25000 | | | |
| Prop ID No (PIN): | | 04122-0066 | | | |
| Property Municipal Address: | | 37 FLORA ST, OTTAWA, ON, K2P 1A7 | | | |
| Mailing Address: | | 37 FLORA ST, OTTAWA, ON, K2P 1A7 | | | |
| Latitude & Longitude: | | 45.41055560N 75.69361110W | | | |
| UTM Coordinates: | | NAD83 18-445725-5028794 (converted from Latitude & Longitude) | | | |
| Consultant: | | | | | |
| Legal Desc: | | Parcel 6-1, Section 30, Part of Lot 6 on Registered Plan number 30 on the West side of Bank Street, Part Lot 17 on Registered Plan number 30, on the North side of Flora Street designated as Part 1 on Plan 4R-6684 City of Ottawa, Regional Municipality of Ottawa-Carleton, Land Titles Division of Ottawa-Carleton (No. 4) | | | |
| Measurement Method: | | Global Positioning System | | | |
| Applicable Standards: | | Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use | | | |
| RSC PDF: | | | | | |

| | | | | | |
|-------------------------------|--------------------------|---------|-------------|---------------------------------|-------------|
| 48 | 2 of 2 | W/162.1 | 73.9 / 0.05 | 37 FLORA ST OTTAWA ON | WWIS |
| Well ID: | 7216271 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 2/10/2014 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Monitoring and Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z180054 | | | Owner: | |
| Tag: | A154272 | | | Street Name: | 37 FLORA ST |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | | | | | |

Bore Hole Information

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------------|-------------------|----------------------------|------------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1004708044 | | | Elevation: | 70.425262 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445747 |
| Code OB Desc: | | | | North83: | 5028837 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 12/4/2013 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

Overburden and Bedrock

Materials Interval

Formation ID: 1005080053
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 2.74
Formation End Depth: 6.1
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005080051
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 85
Mat2 Desc: SOFT
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0
Formation End Depth: 1.83
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005080052
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Mat2 Desc: SOFT
Mat3:
Mat3 Desc:

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| Formation Top Depth: | | 1.83 | | | |
| Formation End Depth: | | 2.74 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1005080054 | | | |
| Layer: | | 4 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | 85 | | | |
| Mat2 Desc: | | SOFT | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | 6.1 | | | |
| Formation End Depth: | | 14.3 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080063 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 12.1 | | | |
| Plug To: | | 14.3 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1005080062 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 12.1 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1005080061 | | | |
| Method Construction Code: | | D | | | |
| Method Construction: | | Direct Push | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1005080050 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1005080057 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | 0 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|------|----|
| Depth To: | | 12 | | | |
| Casing Diameter: | | 4.03 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1005080058 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 12 | | | |
| Screen End Depth: | | 14.3 | | | |
| Screen Material: | | 5 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 4.82 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | 1005080056 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | m | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1005080055 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 14.3 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| | | | | | |
|-------------------------------|--------|---|-------------|---------------------------------------|------|
| 49 | 1 of 1 | SSE/162.3 | 76.9 / 3.11 | 203 CATHERINE ST. OTTAWA ON | WWIS |
| Well ID: | | 7151895 | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | Monitoring and Test Hole | | Date Received: 9/24/2010 | |
| Sec. Water Use: | | 0 | | Selected Flag: Yes | |
| Final Well Status: | | Test Hole | | Abandonment Rec: | |
| Water Type: | | | | Contractor: 7241 | |
| Casing Material: | | | | Form Version: 5 | |
| Audit No: | | M03211 | | Owner: | |
| Tag: | | A092457 | | Street Name: 203 CATHERINE ST. | |
| Construction Method: | | | | County: OTTAWA | |
| Elevation (m): | | | | Municipality: OTTAWA CITY | |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | | https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715/7151895.pdf | | | |

Bore Hole Information

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|--|---|--------------------------------|----------------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1003602300 | | | Elevation: | 69.368888 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445919 |
| Code OB Desc: | | | | North83: | 5028762 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | | | UTMRC: | 4 |
| Date Completed: | 8/26/2010 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | 1003602304 | | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | 1003602303 | | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | DIRECT PUSH | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | 1003602305 | | | | |
| Casing No: | 0 | | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | 1003602307 | | | | |
| Layer: | | | | | |
| Material: | 5 | | | | |
| Open Hole or Material: | PLASTIC | | | | |
| Depth From: | | | | | |
| Depth To: | 3.05 | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | m | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | 1003602306 | | | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | 3.05 | | | | |
| Screen End Depth: | 6.1 | | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | m | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--------------------------|--------------------------------|----------------------|-------------|-----------|
| Screen Diameter UOM: | | | | | |
| Screen Diameter: | | | | | |
| | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: 1003602308 | | | | | |
| Pump Set At: | | | | | |
| Static Level: | | | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |
| Flowing: | | | | | |
| | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: 1003602302 | | | | | |
| Diameter: 8.25 | | | | | |
| Depth From: | | | | | |
| Depth To: 6.1 | | | | | |
| Hole Depth UOM: m | | | | | |
| Hole Diameter UOM: cm | | | | | |
| | | | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: 1003602336 | | | | | |
| DP2BR: | | | | | |
| Spatial Status: | | | | | |
| Code OB: | | | | | |
| Code OB Desc: | | | | | |
| Open Hole: | | | | | |
| Cluster Kind: This is a record from cluster log sheet | | | | | |
| Date Completed: 8/26/2010 | | | | | |
| Remarks: | | | | | |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: 1003602340 | | | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | | | | |
| | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: 1003602339 | | | | | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1003602341 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1003602343 | | | |
| Layer: | | | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | | | | |
| Depth To: | | 1.22 | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1003602342 | | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | | 1.22 | | | |
| Screen End Depth: | | 2.74 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | | | | |
| Screen Diameter: | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: | | 1003602344 | | | |
| Pump Set At: | | | | | |
| Static Level: | | | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |
| Flowing: | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1003602338 | | | |
| Diameter: | | 5.71 | | | |
| Depth From: | | | | | |
| Depth To: | | 2.74 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|--|---|--------------------------------|----------------------|-------------------------|--------------------------------|
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 1003602291 | | | Elevation: | 69.035064 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445949 |
| Code OB Desc: | | | | North83: | 5028739 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | | | UTMRC: | 4 |
| Date Completed: | 8/26/2010 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | 1003602295 | | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | 1003602294 | | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | DIRECT PUSH | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | 1003602296 | | | | |
| Casing No: | 0 | | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | 1003602298 | | | | |
| Layer: | | | | | |
| Material: | 5 | | | | |
| Open Hole or Material: | PLASTIC | | | | |
| Depth From: | | | | | |
| Depth To: | 3.05 | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | m | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | 1003602297 | | | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | 3.05 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|--------------------------------|----------------------|-------------------------|--------------------------------|
| Screen End Depth: | | 6.1 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | | | | |
| Screen Diameter: | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: | | 1003602299 | | | |
| Pump Set At: | | | | | |
| Static Level: | | | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |
| Flowing: | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1003602293 | | | |
| Diameter: | | 8.25 | | | |
| Depth From: | | | | | |
| Depth To: | | 6.1 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 1003339570 | | | Elevation: | 69.461738 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445928 |
| Code OB Desc: | | | | North83: | 5028711 |
| Open Hole: | No | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 8/26/2010 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1003602348 | | | |
| Layer: | | 3 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Mat2 Desc: | | | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 3.35 | | | |
| Formation End Depth: | | 6.1 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1003602347 | | | |
| Layer: | | 2 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 1.83 | | | |
| Formation End Depth: | | 3.35 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1003602346 | | | |
| Layer: | | 1 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 28 | | | |
| Most Common Material: | | SAND | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | 1.83 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1003602351 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 2.74 | | | |
| Plug To: | | 6.1 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1003602350 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 2.74 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well</u> | | | | | |
| <u>Use</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| Method Construction ID: 1003602357 | | | | | |
| Method Construction Code: B | | | | | |
| Method Construction: Other Method | | | | | |
| Other Method Construction: DIRECT PUSH | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: 1003602345 | | | | | |
| Casing No: 0 | | | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: 1003602352 | | | | | |
| Layer: 1 | | | | | |
| Material: 5 | | | | | |
| Open Hole or Material: PLASTIC | | | | | |
| Depth From: 0 | | | | | |
| Depth To: 3.05 | | | | | |
| Casing Diameter: 4.03 | | | | | |
| Casing Diameter UOM: cm | | | | | |
| Casing Depth UOM: m | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: 1003602353 | | | | | |
| Layer: 2 | | | | | |
| Material: 5 | | | | | |
| Open Hole or Material: PLASTIC | | | | | |
| Depth From: 3.05 | | | | | |
| Depth To: 6.1 | | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: cm | | | | | |
| Casing Depth UOM: m | | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: 1003602354 | | | | | |
| Layer: 1 | | | | | |
| Slot: 10 | | | | | |
| Screen Top Depth: | | | | | |
| Screen End Depth: | | | | | |
| Screen Material: 5 | | | | | |
| Screen Depth UOM: m | | | | | |
| Screen Diameter UOM: cm | | | | | |
| Screen Diameter: 4.82 | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: 1003602349 | | | | | |
| Diameter: 8.25 | | | | | |
| Depth From: 0 | | | | | |
| Depth To: 6.1 | | | | | |
| Hole Depth UOM: m | | | | | |
| Hole Diameter UOM: cm | | | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | | 1003602309 | Elevation: | | 68.692367 |
| DP2BR: | | | Elevrc: | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--------------------------|--------------------------------|----------------------|-------------------------|--------------------------------|
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445911 |
| Code OB Desc: | | | | North83: | 5028728 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: This is a record from cluster log sheet | | | | UTMRC: | 4 |
| Date Completed: 8/26/2010 | | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1003602313 | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | | | | |
| | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1003602312 | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1003602314 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1003602316 | | | |
| Layer: | | | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | | | | |
| Depth To: | | 3.05 | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | | m | | | |
| | | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1003602315 | | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | | 3.05 | | | |
| Screen End Depth: | | 6.1 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | | | | |
| Screen Diameter: | | | | | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|--|---|--------------------------------|----------------------|-------------------------|-------------|
| <u>Results of Well Yield Testing</u> | | | | | |
| <i>Pump Test ID:</i> | | 1003602317 | | | |
| <i>Pump Set At:</i> | | | | | |
| <i>Static Level:</i> | | | | | |
| <i>Final Level After Pumping:</i> | | | | | |
| <i>Recommended Pump Depth:</i> | | | | | |
| <i>Pumping Rate:</i> | | | | | |
| <i>Flowing Rate:</i> | | | | | |
| <i>Recommended Pump Rate:</i> | | | | | |
| <i>Levels UOM:</i> | | | | | |
| <i>Rate UOM:</i> | | | | | |
| <i>Water State After Test Code:</i> | | | | | |
| <i>Water State After Test:</i> | | | | | |
| <i>Pumping Test Method:</i> | | | | | |
| <i>Pumping Duration HR:</i> | | | | | |
| <i>Pumping Duration MIN:</i> | | | | | |
| <i>Flowing:</i> | | | | | |
| <u>Hole Diameter</u> | | | | | |
| <i>Hole ID:</i> | | 1003602311 | | | |
| <i>Diameter:</i> | | 8.25 | | | |
| <i>Depth From:</i> | | | | | |
| <i>Depth To:</i> | | 6.1 | | | |
| <i>Hole Depth UOM:</i> | | m | | | |
| <i>Hole Diameter UOM:</i> | | cm | | | |
| <u>Bore Hole Information</u> | | | | | |
| <i>Bore Hole ID:</i> | 1003602318 | | | <i>Elevation:</i> | |
| <i>DP2BR:</i> | | | | <i>Elevrc:</i> | |
| <i>Spatial Status:</i> | | | | <i>Zone:</i> | 18 |
| <i>Code OB:</i> | | | | <i>East83:</i> | 44594 |
| <i>Code OB Desc:</i> | | | | <i>North83:</i> | 5028740 |
| <i>Open Hole:</i> | | | | <i>Org CS:</i> | UTM83 |
| <i>Cluster Kind:</i> | This is a record from cluster log sheet | | | <i>UTMRC:</i> | 9 |
| <i>Date Completed:</i> | 8/26/2010 | | | <i>UTMRC Desc:</i> | unknown UTM |
| <i>Remarks:</i> | | | | <i>Location Method:</i> | wwr |
| <i>Elevrc Desc:</i> | | | | | |
| <i>Location Source Date:</i> | | | | | |
| <i>Improvement Location Source:</i> | | | | | |
| <i>Improvement Location Method:</i> | | | | | |
| <i>Source Revision Comment:</i> | | | | | |
| <i>Supplier Comment:</i> | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| <i>Plug ID:</i> | | 1003602322 | | | |
| <i>Layer:</i> | | | | | |
| <i>Plug From:</i> | | | | | |
| <i>Plug To:</i> | | | | | |
| <i>Plug Depth UOM:</i> | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| <i>Method Construction ID:</i> | | 1003602321 | | | |
| <i>Method Construction Code:</i> | | | | | |
| <i>Method Construction:</i> | | | | | |
| <i>Other Method Construction:</i> | | DIRECT PUSH | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | | 1003602323 | | |
| Casing No: | | | 0 | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | | 1003602325 | | |
| Layer: | | | | | |
| Material: | | | 5 | | |
| Open Hole or Material: | | | PLASTIC | | |
| Depth From: | | | | | |
| Depth To: | | | 3.05 | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | | | m | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | | 1003602324 | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | | | 3.05 | | |
| Screen End Depth: | | | 6.1 | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | | m | | |
| Screen Diameter UOM: | | | | | |
| Screen Diameter: | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: | | | 1003602326 | | |
| Pump Set At: | | | | | |
| Static Level: | | | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |
| Flowing: | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | | 1003602320 | | |
| Diameter: | | | 8.25 | | |
| Depth From: | | | | | |
| Depth To: | | | 6.1 | | |
| Hole Depth UOM: | | | m | | |
| Hole Diameter UOM: | | | cm | | |
| <u>Bore Hole Information</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1003602327 | | | Elevation: | 69.156852 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445941 |
| Code OB Desc: | | | | North83: | 5028724 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | | | UTMRC: | 4 |
| Date Completed: | 8/26/2010 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | 1003602331 | | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | 1003602330 | | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | DIRECT PUSH | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | 1003602332 | | | | |
| Casing No: | 0 | | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | 1003602334 | | | | |
| Layer: | | | | | |
| Material: | 5 | | | | |
| Open Hole or Material: | PLASTIC | | | | |
| Depth From: | | | | | |
| Depth To: | 1.22 | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | m | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | 1003602333 | | | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | 1.22 | | | | |
| Screen End Depth: | 2.74 | | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | m | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|-------------------------|---------------|------|----|
|---------|-------------------|-------------------------|---------------|------|----|

Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003602335
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM:
 Rate UOM:
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1003602329
 Diameter: 5.71
 Depth From:
 Depth To: 2.74
 Hole Depth UOM: m
 Hole Diameter UOM: cm

| | | | | | |
|-----------|--------|-----------|--------------|----|------|
| <u>50</u> | 1 of 1 | NNE/163.5 | 72.2 / -1.64 | ON | BORE |
|-----------|--------|-----------|--------------|----|------|

| | |
|----------------------------------|---------------------------------|
| Borehole ID: 613239 | Inclin FLG: No |
| OGF ID: 215514541 | SP Status: Initial Entry |
| Status: | Surv Elev: No |
| Type: Borehole | Piezometer: No |
| Use: | Primary Name: |
| Completion Date: | Municipality: |
| Static Water Level: | Lot: |
| Primary Water Use: | Township: |
| Sec. Water Use: | Latitude DD: 45.41272 |
| Total Depth m: -999 | Longitude DD: -75.690877 |
| Depth Ref: Ground Surface | UTM Zone: 18 |
| Depth Elev: | Easting: 445941 |
| Drill Method: | Northing: 5029032 |
| Orig Ground Elev m: 70.1 | Location Accuracy: |
| Elev Reliabil Note: | Accuracy: Not Applicable |
| DEM Ground Elev m: 70.9 | |
| Concession: | |
| Location D: | |
| Survey D: | |
| Comments: | |

Borehole Geology Stratum

| | |
|--------------------------------------|----------------------------|
| Geology Stratum ID: 218394283 | Mat Consistency: |
| Top Depth: 1.5 | Material Moisture: |
| Bottom Depth: 3.7 | Material Texture: |
| Material Color: Brown | Non Geo Mat Type: |
| Material 1: Clay | Geologic Formation: |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|--|------------------|--|---|
| Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | | CLAY. BROWN,FRACTURED. | | Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394282 0 1.5 Brown Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394284 3.7 Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| | | CLAY. GREY,FRACTURED. D. CLAY. GREY,STIFF,FISSURED. | | | 00000 013 00050 018 00085 060 **Note: Many records provided by the department have a truncated [Stratum Description] field. |
| Source | | | | | |
| Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1: | Data Survey Geological Survey of Canada 1956-1972 M | | | Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: | Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level |
| | | Urban Geology Automated Information System (UGAIS) File: OTTAWA2.txt RecordID: 057470 NTS_Sheet: 31G05G Reliable information but incomplete. | | | |
| Source List | | | | | |
| Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators: | 1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada | | | Horizontal Datum: Vertical Datum: Projection Name: | NAD27 Mean Average Sea Level Universal Transverse Mercator |
| 51 | 1 of 1 | NNE/164.4 | 71.9 / -1.95 | 285 MCLEOD ST, OTTAWA ON | PINC |
| Incident ID: Incident No: Type: Status Code: Fuel Occurrence Tp: Fuel Type: Tank Status: Task No: Spills Action Centre: Method Details: Fuel Category: | 1534556 FS-Pipeline Incident Pipeline Damage Reason Est RC Established 5280946 E-mail Natural Gas | | | Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: Depth: Pipe Material: PSIG: Attribute Category: | Yes Yes FS-Perform P-line Inc Invest |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|---|------------------------------|------------------|--|-----|
| Date of Occurrence: | | Regulator Location: | | | |
| Occurrence Start Date: | 2014/12/03 | | | | |
| Operation Type: | | | | | |
| Pipeline Type: | | | | | |
| Regulator Type: | | | | | |
| Summary: | 285 MCLEOD ST, OTTAWA - PIPELINE HIT - 1 1/4" | | | | |
| Reported By: | Ryan Noble - Enbridge Gas | | | | |
| Affiliation: | | | | | |
| Occurrence Desc: | | | | | |
| Damage Reason: | Facility was not located or marked | | | | |
| Notes: | | | | | |
| 52 | 1 of 1 | NNE/168.4 | 71.9 / -1.95 | 283-285 Mcleod Ottawa ON | EHS |
| Order No: | 20171208064 | Nearest Intersection: | | | |
| Status: | C | Municipality: | | | |
| Report Type: | Standard Report | Client Prov/State: | | ON | |
| Report Date: | 14-DEC-17 | Search Radius (km): | | .25 | |
| Date Received: | 08-DEC-17 | X: | | -75.690655 | |
| Previous Site Name: | | Y: | | 45.412724 | |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | City Directory | | | | |
| 53 | 1 of 3 | SSW/172.4 | 78.2 / 4.41 | OTTAWA MOUNTAIN MASTERS LTD. 29-662 519 BANK ST. OTTAWA ON K2P 1Z5 | GEN |
| Generator No: | ON1709100 | PO Box No: | | | |
| Status: | | Country: | | | |
| Approval Years: | 93,94,95,96,97,98 | Choice of Contact: | | | |
| Contam. Facility: | | Co Admin: | | | |
| MHSW Facility: | | Phone No Admin: | | | |
| SIC Code: | 6541 | | | | |
| SIC Description: | SPORTING GOODS STORE | | | | |
| Detail(s) | | | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | PETROLEUM DISTILLATES | | | | |
| 53 | 2 of 3 | SSW/172.4 | 78.2 / 4.41 | OTTAWA MOUNTAIN MASTERS LTD. 519 BANK STREET OTTAWA ON K2P 1Z5 | GEN |
| Generator No: | ON1709100 | PO Box No: | | | |
| Status: | | Country: | | | |
| Approval Years: | 99,00,01 | Choice of Contact: | | | |
| Contam. Facility: | | Co Admin: | | | |
| MHSW Facility: | | Phone No Admin: | | | |
| SIC Code: | 6541 | | | | |
| SIC Description: | SPORTING GOODS STORE | | | | |
| Detail(s) | | | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | PETROLEUM DISTILLATES | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|-------------------|-------------------------|---------------|---------------------------------|------------|
| 53 | 3 of 3 | SSW/172.4 | 78.2 / 4.41 | 519 Bank St Ottawa ON K2P1Z5 | EHS |
| Order No: | 20140806086 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 12-AUG-14 | | | Search Radius (km): | .25 |
| Date Received: | 06-AUG-14 | | | X: | -75.691902 |
| Previous Site Name: | | | | Y: | 45.409786 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |

| | | | | | |
|-----------------------|---|-----------|-------------|---|-----|
| 54 | 1 of 1 | WNW/174.0 | 73.9 / 0.05 | Urban Capital (Gladstone) Inc. 343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue Ottawa ON M5C 1C3 | ECA |
| Approval No: | 1501-82LQJG | | | MOE District: | |
| Approval Date: | 2010-03-17 | | | City: | |
| Status: | Approved | | | Longitude: | |
| Record Type: | ECA | | | Latitude: | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | 343 McLeod St and 453 Bank Street, Adjacent to Bank Street on the east side between McLeod Street and Gladstone avenue | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/8632-7Y4RUA-14.pdf | | | | |

| | | | | | |
|-------------------------------------|---|-----------|-------------|---------------------------|--------------|
| 55 | 1 of 1 | WSW/174.6 | 76.2 / 2.36 | 510 BANKL ST OTTAWA ON | WWIS |
| Well ID: | 1536050 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | | | Date Received: | 11/30/2005 |
| Sec. Water Use: | | | | Selected Flag: | Yes |
| Final Well Status: | Observation Wells | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 1844 |
| Casing Material: | | | | Form Version: | 3 |
| Audit No: | Z31608 | | | Owner: | |
| Tag: | A029529 | | | Street Name: | 510 BANKL ST |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536050.pdf | | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 11316589 | | | Elevation: | 68.810165 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|-------------------|----------------------------|------------------|------------------|--------------------------------|
| Code OB: | 0 | | | East83: | 445776 |
| Code OB Desc: | Overburden | | | North83: | 5028755 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 6/28/2005 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

Overburden and Bedrock
Materials Interval

Formation ID: 932997886
 Layer: 1
 Color:
 General Color:
 Mat1:
 Most Common Material:
 Mat2:
 Mat2 Desc:
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 0
 Formation End Depth: .2
 Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 932997889
 Layer: 4
 Color: 2
 General Color: GREY
 Mat1: 05
 Most Common Material: CLAY
 Mat2:
 Mat2 Desc:
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 2.4
 Formation End Depth: 4.57
 Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 932997888
 Layer: 3
 Color: 6
 General Color: BROWN
 Mat1: 09
 Most Common Material: MEDIUM SAND
 Mat2: 08
 Mat2 Desc: FINE SAND
 Mat3:
 Mat3 Desc:
 Formation Top Depth: 1.5
 Formation End Depth: 2.4
 Formation End Depth UOM: m

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 932997887 | | | |
| Layer: | | 2 | | | |
| Color: | | 8 | | | |
| General Color: | | BLACK | | | |
| Mat1: | | 10 | | | |
| Most Common Material: | | COARSE SAND | | | |
| Mat2: | | 11 | | | |
| Mat2 Desc: | | GRAVEL | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | .2 | | | |
| Formation End Depth: | | 1.5 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 933282076 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0.7 | | | |
| Plug To: | | 1 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 961536050 | | | |
| Method Construction Code: | | B | | | |
| Method Construction: | | Other Method | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 11331444 | | | |
| Casing No: | | 1 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 930856130 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | .7 | | | |
| Depth To: | | 1 | | | |
| Casing Diameter: | | 50 | | | |
| Casing Diameter UOM: | | cm | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 933415723 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 1 | | | |
| Screen End Depth: | | 4.57 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------|-------------------|----------------------------|------------------|------|----|
| Screen Material: | | 5 | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | cm | | | |
| Screen Diameter: | | 58 | | | |
| Hole Diameter | | | | | |
| Hole ID: | | 11534224 | | | |
| Diameter: | | 20 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 4.57 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| <u>56</u> | 1 of 1 | SE/176.6 | 76.0 / 2.19 | ON | BORE |
|----------------------------|---------------------------------------|----------------|-------------|---------------------------|------------------|
| Borehole ID: | 847547 | | | Inclin FLG: | No |
| OGF ID: | 215589204 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 24-JAN-1962 | | | Municipality: | |
| Static Water Level: | 4.6 | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.409915 |
| Total Depth m: | 8.8 | | | Longitude DD: | -75.690161 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445994 |
| Drill Method: | Diamond Drill | | | Northing: | 5028720 |
| Orig Ground Elev m: | 69.1 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 70.3 | | | | |
| Concession: | | BROKEN FRONT C | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

Borehole Geology Stratum

| | | | | | |
|----------------------------------|------------|--|--|----------------------------|-------|
| Geology Stratum ID: | 6557916 | | | Mat Consistency: | Stiff |
| Top Depth: | 3 | | | Material Moisture: | |
| Bottom Depth: | 4.3 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Pebbles | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | CLAY BROWNISH GREY STIFF TO VERY STIFF WITH SOME PEBBLES HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |

| | | | | | |
|----------------------------------|------------|---|--|----------------------------|--------|
| Geology Stratum ID: | 6557917 | | | Mat Consistency: | Stiff |
| Top Depth: | 4.3 | | | Material Moisture: | |
| Bottom Depth: | 6.1 | | | Material Texture: | Medium |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | CLAY BROWNISH GREY STIFF TO MEDIUM SOFT HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|---|----------------------------|------------------|----------------------------|-------|
| Geology Stratum ID: | 6557914 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | 1.5 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | Brick |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | organic material | | | Geologic Group: | |
| Material 3: | Coal fragments | | | Geologic Period: | |
| Material 4: | Stones | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL ORGANIC MATERIAL COAL ASHES BRICK STONE AND SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557918 | | | Mat Consistency: | Stiff |
| Top Depth: | 6.1 | | | Material Moisture: | |
| Bottom Depth: | 8.8 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY STIFF WITH SOME SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557915 | | | Mat Consistency: | Hard |
| Top Depth: | 1.5 | | | Material Moisture: | |
| Bottom Depth: | 3 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY BROWNISH GREY HARD **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|---------------------------------|------------------------------------|---------|-------------|--|-------------|
| 57 | 1 of 3 | W/179.9 | 73.9 / 0.06 | 383 McLeod Street Ottawa ON K2P 1A5 | EHS |
| Order No: | 20200203260 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | ON |
| Report Date: | 06-FEB-20 | | | Search Radius (km): | .25 |
| Date Received: | 03-FEB-20 | | | X: | -75.6936123 |
| Previous Site Name: | | | | Y: | 45.4113036 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps and/or Site Plans | | | | |

| | | | | | |
|---------------------------------|------------------------------------|---------|-------------|--|-------------|
| 57 | 2 of 3 | W/179.9 | 73.9 / 0.06 | 383 McLeod Street Ottawa ON K2P 1A5 | EHS |
| Order No: | 20200203260 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | ON |
| Report Date: | 06-FEB-20 | | | Search Radius (km): | .25 |
| Date Received: | 03-FEB-20 | | | X: | -75.6936123 |
| Previous Site Name: | | | | Y: | 45.4113036 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps and/or Site Plans | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|------------------------------------|----------------------------|------------------|--|-------------|
| 57 | 3 of 3 | W/179.9 | 73.9 / 0.06 | 383 McLeod Street Ottawa ON K2P 1A5 | EHS |
| Order No: | 20200203260 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | ON |
| Report Date: | 06-FEB-20 | | | Search Radius (km): | .25 |
| Date Received: | 03-FEB-20 | | | X: | -75.6936123 |
| Previous Site Name: | | | | Y: | 45.4113036 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps and/or Site Plans | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------|-------------------|----------------------------|------------------|---------------------------|----------------|
| 58 | 1 of 1 | ESE/180.0 | 73.0 / -0.78 | ON | BORE |
| Borehole ID: | 613210 | | | Inclin FLG: | No |
| OGF ID: | 215514513 | | | SP Status: | Initial Entry |
| Status: | | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | | | | Primary Name: | |
| Completion Date: | | | | Municipality: | |
| Static Water Level: | 16.5 | | | Lot: | |
| Primary Water Use: | | | | Township: | |
| Sec. Water Use: | | | | Latitude DD: | 45.410479 |
| Total Depth m: | -999 | | | Longitude DD: | -75.689316 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 446061 |
| Drill Method: | | | | Northing: | 5028782 |
| Orig Ground Elev m: | 68.9 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Not Applicable |
| DEM Ground Elev m: | 68.7 | | | | |
| Concession: | | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

Borehole Geology Stratum

| | | | | | |
|----------------------------------|---|--|--|----------------------------|-------|
| Geology Stratum ID: | 218394150 | | | Mat Consistency: | Loose |
| Top Depth: | 18.3 | | | Material Moisture: | |
| Bottom Depth: | | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Gravel | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | SAND. LOOSE, WATER STABLE AT 172.1 FEET.0000800050005GREY,STIFF,FISSURED. 00000 015 000 | | | | |
| Stratum Description: | **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------------|-----------|--|--|----------------------------|------|
| Geology Stratum ID: | 218394146 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .9 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | fill |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL. | | | | |

| | | | | | |
|----------------------------|-----------|--|--|---------------------------|---------|
| Geology Stratum ID: | 218394147 | | | Mat Consistency: | Compact |
| Top Depth: | .9 | | | Material Moisture: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|--|------------------|---|---|
| Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 8.2 Clay | CLAY. COMPACT. | | Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394148 8.2 11.6 Blue Clay | CLAY. BLUE,SOFT. | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Soft |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394149 11.6 18.3 Sand Silt | SAND,SILT. LOOSE. | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Loose |
| Source | | | | | |
| Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1: | Data Survey Geological Survey of Canada 1956-1972 H | Urban Geology Automated Information System (UGAIS) File: OTTAWA2.txt RecordID: 057180 NTS_Sheet: 31G05G Logged by professional. Exact and complete description of material and properties. | | Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: | Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level |
| Source List | | | | | |
| Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators: | 1 Data Survey 1956-1972 Varies | Urban Geology Automated Information System (UGAIS) Geological Survey of Canada | | Horizontal Datum: Vertical Datum: Projection Name: | NAD27 Mean Average Sea Level Universal Transverse Mercator |

59

1 of 2

SSW/180.0

78.1 / 4.32

PRINTING HOUSE LTD THE
523 BANK ST
OTTAWA ON K2P 1Z5

SCT

Established: 1963
Plant Size (ft²):
Employment: 6

--Details--

Description: COMMERCIAL PRINTING, N.E.C.
SIC/NAICS Code: 2759

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|------------------------|----------------------------|------------------|--|-----|
| 59 | 2 of 2 | SSW/180.0 | 78.1 / 4.32 | PRINTING HOUSE LTD., THE 523 BANK STREET OTTAWA ON K2P 1Z5 | GEN |
| Generator No: | ON1855503 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 94,95 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 2811 | | | | |
| SIC Description: | BUSINESS FORMS PRINT | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 264 | | | | |
| Waste Class Desc: | PHOTOPROCESSING WASTES | | | | |

| | | | | | |
|-------------------------------|---|-----------|-------------|-------------------------------|------------------|
| 60 | 1 of 1 | WNW/180.1 | 73.9 / 0.05 | GLADSTONE AVENUE Ottawa ON | WWIS |
| Well ID: | 7222343 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | | | Date Received: | 6/24/2014 |
| Sec. Water Use: | | | | Selected Flag: | Yes |
| Final Well Status: | Abandoned-Other | | | Abandonment Rec: | Yes |
| Water Type: | | | | Contractor: | 1119 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z166933 | | | Owner: | |
| Tag: | | | | Street Name: | GLADSTONE AVENUE |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | NEPEAN TOWNSHIP |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/722\7222343.pdf | | | | |

Bore Hole Information

| | | | |
|-------------------------------------|------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1004860766 | Elevation: | 71.384513 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445766 |
| Code OB Desc: | | North83: | 5028987 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 5/20/2014 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

| <i>Map Key</i> | <i>Number of Records</i> | <i>Direction/ Distance (m)</i> | <i>Elev/Diff (m)</i> | <i>Site</i> | <i>DB</i> |
|--|--------------------------|--------------------------------|----------------------|-------------|-----------|
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| <i>Plug ID:</i> | | 1005186821 | | | |
| <i>Layer:</i> | | 2 | | | |
| <i>Plug From:</i> | | 2 | | | |
| <i>Plug To:</i> | | 0 | | | |
| <i>Plug Depth UOM:</i> | | ft | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| <i>Plug ID:</i> | | 1005186820 | | | |
| <i>Layer:</i> | | 1 | | | |
| <i>Plug From:</i> | | 20 | | | |
| <i>Plug To:</i> | | 2 | | | |
| <i>Plug Depth UOM:</i> | | ft | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| <i>Plug ID:</i> | | 1005186819 | | | |
| <i>Layer:</i> | | 1 | | | |
| <i>Plug From:</i> | | 0 | | | |
| <i>Plug To:</i> | | 20 | | | |
| <i>Plug Depth UOM:</i> | | ft | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| <i>Method Construction ID:</i> | | 1005186818 | | | |
| <i>Method Construction Code:</i> | | | | | |
| <i>Method Construction:</i> | | | | | |
| <i>Other Method Construction:</i> | | | | | |
| <u>Pipe Information</u> | | | | | |
| <i>Pipe ID:</i> | | 1005186812 | | | |
| <i>Casing No:</i> | | 0 | | | |
| <i>Comment:</i> | | | | | |
| <i>Alt Name:</i> | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| <i>Casing ID:</i> | | 1005186816 | | | |
| <i>Layer:</i> | | | | | |
| <i>Material:</i> | | | | | |
| <i>Open Hole or Material:</i> | | | | | |
| <i>Depth From:</i> | | | | | |
| <i>Depth To:</i> | | | | | |
| <i>Casing Diameter:</i> | | | | | |
| <i>Casing Diameter UOM:</i> | | inch | | | |
| <i>Casing Depth UOM:</i> | | ft | | | |
| <u>Construction Record - Screen</u> | | | | | |
| <i>Screen ID:</i> | | 1005186817 | | | |
| <i>Layer:</i> | | | | | |
| <i>Slot:</i> | | | | | |
| <i>Screen Top Depth:</i> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|-------------------|----------------------------|------------------|------|----|
| Screen End Depth: | | | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: ft | | | | | |
| Screen Diameter UOM: inch | | | | | |
| Screen Diameter: | | | | | |
| <u>Water Details</u> | | | | | |
| Water ID: 1005186815 | | | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: ft | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: 1005186814 | | | | | |
| Diameter: | | | | | |
| Depth From: | | | | | |
| Depth To: | | | | | |
| Hole Depth UOM: ft | | | | | |
| Hole Diameter UOM: inch | | | | | |

| | | | | | |
|--------------------|--------|-----------|--------------|-------------------------------|------|
| 61 | 1 of 1 | NNW/180.4 | 72.8 / -1.06 | GLADSTONE AVENUE OTTAWA ON | WWIS |
|--------------------|--------|-----------|--------------|-------------------------------|------|

| | | | |
|-------------------------------|-----------------|---------------------------|------------------|
| Well ID: | 7210734 | Data Entry Status: | |
| Construction Date: | | Data Src: | |
| Primary Water Use: | | Date Received: | 11/12/2013 |
| Sec. Water Use: | | Selected Flag: | Yes |
| Final Well Status: | Abandoned-Other | Abandonment Rec: | Yes |
| Water Type: | | Contractor: | 1119 |
| Casing Material: | | Form Version: | 7 |
| Audit No: | Z155230 | Owner: | |
| Tag: | | Street Name: | GLADSTONE AVENUE |
| Construction Method: | | County: | OTTAWA |
| Elevation (m): | | Municipality: | NEPEAN TOWNSHIP |
| Elevation Reliability: | | Site Info: | |
| Depth to Bedrock: | | Lot: | |
| Well Depth: | | Concession: | |
| Overburden/Bedrock: | | Concession Name: | |
| Pump Rate: | | Easting NAD83: | |
| Static Water Level: | | Northing NAD83: | |
| Flowing (Y/N): | | Zone: | |
| Flow Rate: | | UTM Reliability: | |
| Clear/Cloudy: | | | |

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7210734.pdf

Bore Hole Information

| | | | |
|------------------------|------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1004625550 | Elevation: | 71.405677 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445852 |
| Code OB Desc: | | North83: | 5029045 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 9/25/2013 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1004875056 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 20 | | | |
| Plug Depth UOM: | | ft | | | |
| | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1004875058 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 2 | | | |
| Plug To: | | 0 | | | |
| Plug Depth UOM: | | ft | | | |
| | | | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1004875057 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 20 | | | |
| Plug To: | | 2 | | | |
| Plug Depth UOM: | | ft | | | |
| | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1004875055 | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | | | | |
| | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1004875049 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1004875053 | | | |
| Layer: | | | | | |
| Material: | | | | | |
| Open Hole or Material: | | | | | |
| Depth From: | | | | | |
| Depth To: | | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | inch | | | |
| Casing Depth UOM: | | ft | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|------|----|
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | | 1004875054 | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | | | | | |
| Screen End Depth: | | | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | | ft | | |
| Screen Diameter UOM: | | | inch | | |
| Screen Diameter: | | | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | | 1004875052 | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | | ft | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | | 1004875051 | | |
| Diameter: | | | | | |
| Depth From: | | | | | |
| Depth To: | | | | | |
| Hole Depth UOM: | | | ft | | |
| Hole Diameter UOM: | | | inch | | |

62 1 of 1 **SSE/182.3** **76.0 / 2.22** **ON** **BORE**

| | | | |
|----------------------------|---------------------------------------|---------------------------|------------------|
| Borehole ID: | 847546 | Inclin FLG: | No |
| OGF ID: | 215589203 | SP Status: | Initial Entry |
| Status: | Decommissioned | Surv Elev: | No |
| Type: | Borehole | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | Primary Name: | |
| Completion Date: | 21-JAN-1962 | Municipality: | |
| Static Water Level: | 3.8 | Lot: | LOT F |
| Primary Water Use: | | Township: | NEPEAN |
| Sec. Water Use: | | Latitude DD: | 45.409787 |
| Total Depth m: | 8.8 | Longitude DD: | -75.690351 |
| Depth Ref: | Ground Surface | UTM Zone: | 18 |
| Depth Elev: | | Easting: | 445979 |
| Drill Method: | Diamond Drill | Northing: | 5028706 |
| Orig Ground Elev m: | 68.8 | Location Accuracy: | |
| Elev Reliabil Note: | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 70.5 | | |
| Concession: | BROKEN FRONT C | | |
| Location D: | | | |
| Survey D: | | | |
| Comments: | | | |

Borehole Geology Stratum

| | | | |
|----------------------------|---------|----------------------------|-------|
| Geology Stratum ID: | 6557911 | Mat Consistency: | Stiff |
| Top Depth: | 4.3 | Material Moisture: | |
| Bottom Depth: | 6.1 | Material Texture: | |
| Material Color: | Grey | Non Geo Mat Type: | |
| Material 1: | Clay | Geologic Formation: | |
| Material 2: | | Geologic Group: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|---|----------------|
| Material 3: Material 4: Gsc Material Description: Stratum Description: | | | | Geologic Period: Depositional Gen: | |
| | | | | CLAY GREY SLIGHTLY FISSURED STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557913 7.6 8.8 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Soft Medium |
| | | | | CLAY GREY SILTY MEDIUM SOFT TO STIFF WITH A TRACE OF SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557908 0 1.5 Fill Sand Silt Gravel | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | | | FILL SAND SILT GRAVEL COAL AND ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557909 1.5 3 Brown-Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Hard |
| | | | | CLAY BROWNISH GREY FISSURED HARD HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557910 3 4.3 Brown-Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| | | | | CLAY BROWNISH GREY FISSURED STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557912 6.1 7.6 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Soft Medium |
| | | | | CLAY GREY MEDIUM SOFT TO STIFF WITH SOME SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|---------------------------------------|-------------------------|---------------|---|------------------|
| 63 | 1 of 2 | SSW/182.5 | 78.1 / 4.32 | PROCESS PHOTO CENTRE LTD. 529 BANK STREET OTTAWA ON K2P 1Z5 | GEN |
| Generator No: | ON1426201 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 01 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 6571 | | | | |
| SIC Description: | CAMERA/PHOTO. SUPPLY | | | | |
| Detail(s) | | | | | |
| Waste Class: | 264 | | | | |
| Waste Class Desc: | PHOTOPROCESSING WASTES | | | | |
| 63 | 2 of 2 | SSW/182.5 | 78.1 / 4.32 | PROCESS PHOTO CENTRE LTD. 529 Bank St. Ottawa ON K2P 1Z5 | GEN |
| Generator No: | ON1426201 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 02,03,04 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| Detail(s) | | | | | |
| Waste Class: | 264 | | | | |
| Waste Class Desc: | PHOTOPROCESSING WASTES | | | | |
| 64 | 1 of 1 | SE/183.4 | 73.8 / -0.03 | ON | BORE |
| Borehole ID: | 847441 | | | Inclin FLG: | No |
| OGF ID: | 215589099 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 30-MAY-1961 | | | Municipality: | |
| Static Water Level: | | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.410116 |
| Total Depth m: | 1.5 | | | Longitude DD: | -75.689653 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 446034 |
| Drill Method: | Not known | | | Northing: | 5028742 |
| Orig Ground Elev m: | 68.6 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 70.8 | | | | |
| Concession: | BROKEN FRONT C | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| Borehole Geology Stratum | | | | | |
| Geology Stratum ID: | 6557540 | | | Mat Consistency: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|---|-------------------------|---------------|----------------------------|----|
| Top Depth: | .6 | | | Material Moisture: | |
| Bottom Depth: | .9 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | organic material | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557541 | | | Mat Consistency: | |
| Top Depth: | .9 | | | Material Moisture: | |
| Bottom Depth: | 1.2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SANDY SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557539 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Cinders | | | Geologic Group: | |
| Material 3: | Sand | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL CINDERS AND SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557542 | | | Mat Consistency: | |
| Top Depth: | 1.2 | | | Material Moisture: | |
| Bottom Depth: | 1.5 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | BROWNISH GREY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|-----------------------------|-----------------|----------|-------------|--------------------------------------|---------|
| 65 | 1 of 1 | SW/183.7 | 76.2 / 2.36 | 502 Bank Street Ottawa ON K2P 1Z4 | SPL |
| Ref No: | 8746-5UCSQ7 | | | Discharger Report: | |
| Site No: | | | | Material Group: | Oil |
| Incident Dt: | 12/18/2003 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | | | | Sector Type: | Other |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | 13 | | | Nearest Watercourse: | |
| Contaminant Name: | FURNACE OIL | | | Site Address: | |
| Contaminant Limit 1: | | | | Site District Office: | Ottawa |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | Eastern |
| Environment Impact: | Not Anticipated | | | Site Municipality: | Ottawa |
| Nature of Impact: | | | | Site Lot: | |
| Receiving Medium: | Not Applicable | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | | | | Easting: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|----------------------------|------------------|--|------|
| Dt MOE Arvl on Scn: MOE Reported Dt: 12/18/2003 Dt Document Closed: Incident Reason: Site Name: RESIDENTIAL BUILDING. M.C.R. SIGNS<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Residence: old leaking tank in basement Contaminant Qty: 2 L Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: | | | | | |
| 66 | 1 of 2 | N/184.2 | 72.9 / -0.93 | 377 O'Connor Street Ottawa ON K2P 2M2 | EHS |
| Order No: 20051117018 Status: C Report Type: Custom Report Report Date: 11/28/2005 Date Received: 11/17/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.690913 Y: 45.413029 | | | | | |
| 66 | 2 of 2 | N/184.2 | 72.9 / -0.93 | 377 O'Connor Street Ottawa ON K2P 2M2 | EHS |
| Order No: 20200616045 Status: C Report Type: Standard Report Report Date: 19-JUN-20 Date Received: 16-JUN-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6908987 Y: 45.4130545 | | | | | |
| 67 | 1 of 1 | SE/184.5 | 76.0 / 2.19 | ON | BORE |
| Borehole ID: 847445 OGF ID: 215589103 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: MAY-1961 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 1.7 Depth Ref: Ground Surface Depth Elev: Drill Method: Hand auger Orig Ground Elev m: 68.8 Elev Reliabil Note: DEM Ground Elev m: 71.2 Concession: BROKEN FRONT C Location D: Survey D: Comments: Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT F Township: NEPEAN Latitude DD: 45.40987 Longitude DD: -75.690071 UTM Zone: 18 Easting: 446001 Northing: 5028715 Location Accuracy: Accuracy: Within 10 metres | | | | | |

Borehole Geology Stratum

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|---|----------------------------|------------------|----------------------------|------|
| Geology Stratum ID: | 6557559 | | | Mat Consistency: | |
| Top Depth: | 1.4 | | | Material Moisture: | |
| Bottom Depth: | 1.4 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Stones | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FINE SAND WITH A FEW STONES **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557558 | | | Mat Consistency: | |
| Top Depth: | 1.1 | | | Material Moisture: | |
| Bottom Depth: | 1.4 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557557 | | | Mat Consistency: | |
| Top Depth: | .6 | | | Material Moisture: | |
| Bottom Depth: | 1.1 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557560 | | | Mat Consistency: | |
| Top Depth: | 1.4 | | | Material Moisture: | |
| Bottom Depth: | 1.7 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | BROWNISH GREY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557556 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Gravel | | | Geologic Group: | |
| Material 3: | Sand | | | Geologic Period: | |
| Material 4: | Silt | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL GRAVEL, SAND, SILT TOPSOIL AND CINDERS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

68

1 of 1

E/190.9

71.3 / -2.52

ON

WWIS

Well ID: 7206031
Construction Date:
Primary Water Use:
Sec. Water Use:

Data Entry Status: Yes
Data Src:
Date Received: 8/7/2013
Selected Flag: Yes

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---------------------------------------|----------------------------|--------------------|---------------------------|---------------------------------|
| Final Well Status: | | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7328 |
| Casing Material: | | | | Form Version: | 8 |
| Audit No: | C19504 | | | Owner: | |
| Tag: | A122816 | | | Street Name: | |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | | | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 1004496339 | | | Elevation: | 68.952087 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 446096 |
| Code OB Desc: | | | | North83: | 5028873 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 5 |
| Date Completed: | 2/2/2012 | | | UTMRC Desc: | margin of error : 100 m - 300 m |
| Remarks: | | | | Location Method: | gcode |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| 69 | 1 of 1 | SSE/191.5 | 77.6 / 3.75 | ON | BORE |
| Borehole ID: | 847545 | | | Inclin FLG: | No |
| OGF ID: | 215589202 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 21-JAN-1962 | | | Municipality: | |
| Static Water Level: | 2.2 | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.409624 |
| Total Depth m: | 8.8 | | | Longitude DD: | -75.690643 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445956 |
| Drill Method: | Diamond Drill | | | Northing: | 5028688 |
| Orig Ground Elev m: | 68.9 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 71 | | | | |
| Concession: | BROKEN FRONT C | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|--|------------------------------------|--------------------------|----------------------------|-----------|
| Geology Stratum ID: | 6557903 | | | Mat Consistency: | Hard |
| Top Depth: | 1.2 | | | Material Moisture: | |
| Bottom Depth: | 3 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY BROWNISH GREY FISSURED HARD HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557905 | | | Mat Consistency: | Stiff |
| Top Depth: | 4.3 | | | Material Moisture: | |
| Bottom Depth: | 6.1 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557902 | | | Mat Consistency: | Dense |
| Top Depth: | .8 | | | Material Moisture: | |
| Bottom Depth: | 1.2 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silty | | | Geologic Group: | |
| Material 3: | Gravel | | | Geologic Period: | |
| Material 4: | organic material | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | MEDIUM DENSE SILTY FINE SAND WITH A LITTLE GRAVEL AND ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557906 | | | Mat Consistency: | Stiff |
| Top Depth: | 6.1 | | | Material Moisture: | |
| Bottom Depth: | 7.6 | | | Material Texture: | |
| Material Color: | Green | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY STIFF WITH A LITTLE SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557907 | | | Mat Consistency: | Soft |
| Top Depth: | 7.6 | | | Material Moisture: | |
| Bottom Depth: | 8.8 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY MEDIUM SOFT TO STIFF WITH SOME SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557901 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .8 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Asphalt | | | Geologic Group: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|---|---|------------------|--|--|
| Material 3: Material 4: Gsc Material Description: Stratum Description: | Coal fragments Sand | | | Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557904 3 4.3 Brown-Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| | | FILL ASPHALT COAL SAND AND STONES **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| | | CLAY BROWNISH GREY FISSURED STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| 70 | 1 of 1 | WSW/193.0 | 75.9 / 2.05 | 17 Arlington St. Ottawa ON K2P 1C1 | SPL |
| Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty: | 6756-8N8MGW 11/2/2011 Tank (Above Ground) Leak 13 FURNACE OIL Not Anticipated Other Impact(s) Referral to others 11/2/2011 11/19/2011 Spill First Estate Realty Owned Property, Contact 613-878-2786<UNOFFICIAL> | | | Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: | Other 17 Arlington St. Ottawa TSSA - Fuel Safety Branch |
| 71 | 1 of 1 | SSE/193.5 | 77.6 / 3.75 | ON | BORE |
| Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: | 847442 215589100 Decommissioned Borehole Geotechnical/Geological Investigation 30-MAY-1961 1.2 Ground Surface Hand auger | | | Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: | No Initial Entry No No LOT F NEPEAN 45.409615 -75.690592 18 445960 5028687 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|---|---|---|------------------|
| Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments: | 68.9 71.1 | BROKEN FRONT C | | Location Accuracy: Accuracy: | Within 10 metres |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557544 .6 .9 Silt Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | SANDY SILT | **Note: Many records provided by the department have a truncated [Stratum Description] field. | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557545 .9 1.2 Brown-Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | BROWNISH GREY CLAY | **Note: Many records provided by the department have a truncated [Stratum Description] field. | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557543 0 .6 Fill Cinders Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | FILL CINDERS AND SAND | **Note: Many records provided by the department have a truncated [Stratum Description] field. | | |
| 72 | 1 of 1 | NNE/193.8 | 71.9 / -1.95 | 1101600 Ontario Inc 269 / 275 Mcleod St Ottawa ON K2P 2K7 | ECA |
| Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link: | 9205-7EZKBK 2008-05-27 Approved ECA IDS | | | MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: | |
| | | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS 269 / 275 Mcleod St | https://www.accessenvironment.ene.gov.on.ca/instruments/0196-7ABPKE-14.pdf | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|--------------------------------|----------------------------|------------------|--|-----|
| 73 | 1 of 22 | ENE/194.9 | 71.6 / -2.25 | GVT. OF CANADIAN NATIONAL MUSEUMS VICTORIA MUSEUM, MEDCALFE & MCLEOD STS. C/O BILLINGS BRIDGE PLAZA, SBI BLDG 9F OTTAWA, ON K1H 8L5 | GEN |
| Generator No: | ON0129410 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 86,87,88,89,90 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 0000 | | | | |
| SIC Description: | *** NOT DEFINED *** | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| 73 | 2 of 22 | ENE/194.9 | 71.6 / -2.25 | GVT. OF CANADIAN NATIONAL MUSEUMS 18- 280 VICTORIA MUSEUM, MEDCALFE & MCLEOD STS. C/O BILLINGS BRIDGE PLAZA, SBI BLDG 9F OTTAWA, ON K1H 8L5 | GEN |
| Generator No: | ON0129410 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 94,95,96 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 9959 | | | | |
| SIC Description: | OTHER SERV. TO BLDG. | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 241 | | | | |
| Waste Class Desc: | HALOGENATED SOLVENTS | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| 73 | 3 of 22 | ENE/194.9 | 71.6 / -2.25 | VICTORIA MUSEUM CORNER OF MCLEOD AND O'CONNER STREET BOILER ROOM OTTAWA ON K1P6P4 | GEN |
| Generator No: | ON0129410 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 97 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 9959 | | | | |
| SIC Description: | OTHER SERV. TO BLDG. | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 145 | | | | |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES | | | | |
| Waste Class: | 148 | | | | |
| Waste Class Desc: | INORGANIC LABORATORY CHEMICALS | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|------------------------------|------------------|------|----|
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 241 | | | |
| Waste Class Desc: | | HALOGENATED SOLVENTS | | | |
| Waste Class: | | 243 | | | |
| Waste Class Desc: | | PCB'S | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |

| | | | | | |
|--------------------------|-------------------------|-----------|--------------|--|-----|
| 73 | 4 of 22 | ENE/194.9 | 71.6 / -2.25 | NATIONAL MUSEUMS OF CANADA VICTORIA MUSEUM - BOILER ROOM 240 MCLEOD STREET OTTAWA ON K1P6P4 | GEN |
| Generator No: | ON0129410 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 98,99,00,01,03,04,05,06 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 9959 | | | | |
| SIC Description: | OTHER SERV. TO BLDG. | | | | |

Detail(s)

| | |
|--------------------------|--------------------------------|
| Waste Class: | 112 |
| Waste Class Desc: | ACID WASTE - HEAVY METALS |
| Waste Class: | 145 |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES |
| Waste Class: | 148 |
| Waste Class Desc: | INORGANIC LABORATORY CHEMICALS |
| Waste Class: | 212 |
| Waste Class Desc: | ALIPHATIC SOLVENTS |
| Waste Class: | 241 |
| Waste Class Desc: | HALOGENATED SOLVENTS |
| Waste Class: | 243 |
| Waste Class Desc: | PCB'S |
| Waste Class: | 121 |
| Waste Class Desc: | ALKALINE WASTES - HEAVY METALS |
| Waste Class: | 146 |
| Waste Class Desc: | OTHER SPECIFIED INORGANICS |
| Waste Class: | 251 |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES |
| Waste Class: | 252 |
| Waste Class Desc: | WASTE OILS & LUBRICANTS |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|------------------------------|------------------|------|----|
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |

| | | | | | |
|--------------------|---------|------------------|---------------------|--|------------|
| 73 | 5 of 22 | ENE/194.9 | 71.6 / -2.25 | CANADIAN MUSEUM OF NATURE METCALFE & MCLEOD STREETS OTTAWA ON K1P 6P4 | GEN |
|--------------------|---------|------------------|---------------------|--|------------|

| | | | |
|--------------------------|----------------------------|---------------------------|--|
| Generator No: | ON1765000 | PO Box No: | |
| Status: | | Country: | |
| Approval Years: | 93,94,95,96,97,98,99,00,01 | Choice of Contact: | |
| Contam. Facility: | | Co Admin: | |
| MHSW Facility: | | Phone No Admin: | |
| SIC Code: | 8551 | | |
| SIC Description: | MUSEUMS/ARCHIVES | | |

Detail(s)

| | |
|--------------------------|--------------------------------|
| Waste Class: | 114 |
| Waste Class Desc: | OTHER INORGANIC ACID WASTES |
| Waste Class: | 145 |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES |
| Waste Class: | 148 |
| Waste Class Desc: | INORGANIC LABORATORY CHEMICALS |
| Waste Class: | 242 |
| Waste Class Desc: | HALOGENATED PESTICIDES |
| Waste Class: | 243 |
| Waste Class Desc: | PCB'S |
| Waste Class: | 263 |
| Waste Class Desc: | ORGANIC LABORATORY CHEMICALS |
| Waste Class: | 269 |
| Waste Class Desc: | NON-HALOGENATED PESTICIDES |

| | | | | | |
|--------------------|---------|------------------|---------------------|--|------------|
| 73 | 6 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON K2P 2R1 | GEN |
|--------------------|---------|------------------|---------------------|--|------------|

| | | | |
|--------------------------|--|---------------------------|--|
| Generator No: | ON6032145 | PO Box No: | |
| Status: | | Country: | |
| Approval Years: | 04,05,06,07,08 | Choice of Contact: | |
| Contam. Facility: | | Co Admin: | |
| MHSW Facility: | | Phone No Admin: | |
| SIC Code: | 712119 | | |
| SIC Description: | Museums (except Art Museums and Galleries) | | |

Detail(s)

| | |
|--------------------------|-------------------------|
| Waste Class: | 212 |
| Waste Class Desc: | ALIPHATIC SOLVENTS |
| Waste Class: | 252 |
| Waste Class Desc: | WASTE OILS & LUBRICANTS |
| Waste Class: | 212 |
| Waste Class Desc: | ALIPHATIC SOLVENTS |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|--------------------------------|------------------|------|----|
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 243 | | | |
| Waste Class Desc: | | PCB'S | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |

| | | | | | |
|------------------------------|--|-----------|--------------|--|---|
| 73 | 7 of 22 | ENE/194.9 | 71.6 / -2.25 | Hydro One Inc. 240 McLeod St MUSEUM OF NATURE<UNOFFICIAL> Ottawa ON K2P 2R1 | SPL |
| Ref No: | 7135-6WUSSB | | | Discharger Report: | |
| Site No: | | | | Material Group: | Oils |
| Incident Dt: | 6/13/2006 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | Other Transport Accident | | | Sector Type: | Other |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | 13 | | | Nearest Watercourse: | |
| Contaminant Name: | DIESEL FUEL | | | Site Address: | NORTH HALF OF LOT 8, CONCESSION 4, DYMOND TOWNSHIP |
| Contaminant Limit 1: | | | | Site District Office: | North Bay |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | Possible | | | Site Municipality: | Temiskaming Shores |
| Nature of Impact: | Soil Contamination | | | Site Lot: | |
| Receiving Medium: | Land | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | | | | Easting: | |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 6/13/2006 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | |
| Incident Reason: | Equipment/Vehicles | | | Source Type: | |
| Site Name: | NORTH HALF OF LOT 8, CONCESSION 4, DYMOND TOWNSHIP | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | Museum of Nature: diesel to parking lot, cleaning | | | | |
| Contaminant Qty: | not specified | | | | |

| | | | | | |
|-------------------------|-----------|-----------|--------------|----------------------|---------------|
| 73 | 8 of 22 | ENE/194.9 | 71.6 / -2.25 | ON | BORE |
| Borehole ID: | 613234 | | | Inclin FLG: | No |
| OGF ID: | 215514536 | | | SP Status: | Initial Entry |
| Status: | | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | | | | Primary Name: | |
| Completion Date: | 1900 | | | Municipality: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|---|----|
| Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments: | 13.7 -999 Ground Surface 71.6 71.4 | | | Lot: Township: Latitude DD: 45.412459 Longitude DD: -75.689468 UTM Zone: 18 Easting: 446051 Northing: 5029002 Location Accuracy: Accuracy: Not Applicable | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394260 7.6 12.2 Grey Clay CLAY. GREY,PLASTIC. | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394257 0 1.2 Fill FILL. | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: fill | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394261 12.2 15.2 Clay Silt CLAY. | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394263 19.8 37.2 Grey Clay Silt CLAY. GREY. | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: | 218394264 37.2 40.2 | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|----------------------------|------------------|---|---|
| Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | Till | | | Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394258 1.2 2.1 Gravel Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394259 2.1 7.6 Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394265 40.2 Grey Bedrock | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Dense |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394262 15.2 19.8 Clay Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1: | Data Survey Geological Survey of Canada 1956-1972 H Urban Geology Automated Information System (UGAIS) File: OTTAWA2.txt RecordID: 057420 NTS_Sheet: 31G05G Logged by professional. Exact and complete description of material and properties. | | | Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: | Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level |

Source

Source List

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|----------------------------|------------------|---|-----|
| Source Identifier: 1 Source Type: Data Survey Source Date: 1956-1972 Scale or Resolution: Varies Source Name: Urban Geology Automated Information System (UGAIS) Source Originators: Geological Survey of Canada Horizontal Datum: NAD27 Vertical Datum: Mean Average Sea Level Projection Name: Universal Transverse Mercator | | | | | |
| 73 | 9 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 McLeod Street Ottawa ON K2P 2R1 | CA |
| Certificate #: 6032-5ZENJB Application Year: 2004 Issue Date: 5/31/2004 Approval Type: Municipal and Private Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 73 | 10 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 McLeod St Ottawa ON K2P 2R1 | SCT |
| Established: 01-AUG-90 Plant Size (ft²): Employment: --Details-- Description: Book Publishers SIC/NAICS Code: 511130 Description: History and Science Museums SIC/NAICS Code: 712115 | | | | | |
| 73 | 11 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 McLeod Street Ottawa ON K2P 2R1 | SPL |
| Ref No: 2833-8GJP2C Site No: Incident Dt: 4/15/2011 Year: Incident Cause: Discharge or Emission to Air Incident Event: Contaminant Code: 38 Contaminant Name: REFRIGERANT GAS, N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Referral to others Dt MOE Arvl on Scn: Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: 240 McLeod Street Site District Office: Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|---------------------------------------|----------------------------|------------------|--------------------------|--------------------------------|
| MOE Reported Dt: | 5/4/2011 | | | Site Map Datum: | |
| Dt Document Closed: | 5/5/2011 | | | SAC Action Class: | Air Spills - Gases and Vapours |
| Incident Reason: | Other - Reason not otherwise defined | | | Source Type: | |
| Site Name: | Canadian Museum of Nature<UNOFFICIAL> | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | CMON-Halocarbon release to air | | | | |
| Contaminant Qty: | 11.3 kg | | | | |

| | | | | | |
|--------------------------|--|------------------|---------------------|--|------------|
| 73 | 12 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON K2P 2R1 | GEN |
| Generator No: | ON6032145 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2009 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 712119 | | | | |
| SIC Description: | Museums (except Art Museums and Galleries) | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 112 | | | | |
| Waste Class Desc: | ACID WASTE - HEAVY METALS | | | | |
| Waste Class: | 121 | | | | |
| Waste Class Desc: | ALKALINE WASTES - HEAVY METALS | | | | |
| Waste Class: | 145 | | | | |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES | | | | |
| Waste Class: | 146 | | | | |
| Waste Class Desc: | OTHER SPECIFIED INORGANICS | | | | |
| Waste Class: | 212 | | | | |
| Waste Class Desc: | ALIPHATIC SOLVENTS | | | | |
| Waste Class: | 243 | | | | |
| Waste Class Desc: | PCBS | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| Waste Class: | 331 | | | | |
| Waste Class Desc: | WASTE COMPRESSED GASES | | | | |

| | | | | | |
|--------------------------|--|------------------|---------------------|--|------------|
| 73 | 13 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON K2P 2R1 | GEN |
| Generator No: | ON6032145 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2010 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 712119 | | | | |
| SIC Description: | Museums (except Art Museums and Galleries) | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 252 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|--|--------------------------------|---------------------|--|------------|
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 243 | | | |
| Waste Class Desc: | | PCBS | | | |
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| 73 | 14 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON K2P 2R1 | GEN |
| Generator No: | ON6032145 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2011 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 712119 | | | | |
| SIC Description: | Museums (except Art Museums and Galleries) | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 243 | | | |
| Waste Class Desc: | | PCBS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |
| 73 | 15 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET | GEN |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|--|--------------------------------|----------------------|---------------------------|-----------|
| OTTAWA ON K2P 2R1 | | | | | |
| Generator No: | ON6032145 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2012 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 712119 | | | | |
| SIC Description: | Museums (except Art Museums and Galleries) | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 146 | | | | |
| Waste Class Desc: | OTHER SPECIFIED INORGANICS | | | | |
| Waste Class: | 243 | | | | |
| Waste Class Desc: | PCBS | | | | |
| Waste Class: | 331 | | | | |
| Waste Class Desc: | WASTE COMPRESSED GASES | | | | |
| Waste Class: | 112 | | | | |
| Waste Class Desc: | ACID WASTE - HEAVY METALS | | | | |
| Waste Class: | 121 | | | | |
| Waste Class Desc: | ALKALINE WASTES - HEAVY METALS | | | | |
| Waste Class: | 145 | | | | |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| Waste Class: | 212 | | | | |
| Waste Class Desc: | ALIPHATIC SOLVENTS | | | | |

| | | | | | |
|--------------------------|--|------------------|---------------------|--|------------|
| <u>73</u> | 16 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON | GEN |
| Generator No: | ON6032145 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2013 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 712119 | | | | |
| SIC Description: | MUSEUMS (EXCEPT ART MUSEUMS AND GALLERIES) | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 331 | | | | |
| Waste Class Desc: | WASTE COMPRESSED GASES | | | | |
| Waste Class: | 145 | | | | |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES | | | | |
| Waste Class: | 146 | | | | |
| Waste Class Desc: | OTHER SPECIFIED INORGANICS | | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES | | | | |
| Waste Class: | 263 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|--------------------------------|------------------|------|----|
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 148 | | | |
| Waste Class Desc: | | INORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 122 | | | |
| Waste Class Desc: | | ALKALINE WASTES - OTHER METALS | | | |
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 243 | | | |
| Waste Class Desc: | | PCBS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |

[73](#) 17 of 22 ENE/194.9 71.6 / -2.25 Canadian Museum of Nature 240 McLeod Street Ottawa ON K1P 6P4 ECA

Approval No: 6032-5ZENJB
Approval Date: 2004-05-31
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name: Rideau Valley
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: 240 McLeod Street
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9082-5YUM6J-14.pdf>

MOE District: Ottawa
City:
Longitude: -75.68894
Latitude: 45.41263
Geometry X:
Geometry Y:

[73](#) 18 of 22 ENE/194.9 71.6 / -2.25 Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON K2P 2R1 GEN

Generator No: ON6032145
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 712119
SIC Description: MUSEUMS (EXCEPT ART MUSEUMS AND GALLERIES)

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Waste Class: | | 243 | | | |
| Waste Class Desc: | | PCBS | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 148 | | | |
| Waste Class Desc: | | INORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |

73 19 of 22 **ENE/194.9** **71.6 / -2.25** **Canadian Museum of Nature
240 MCLEOD STREET
OTTAWA ON K2P 2R1** **GEN**

| | | | |
|--------------------------|--|---------------------------|-------------|
| Generator No: | ON6032145 | PO Box No: | |
| Status: | | Country: | Canada |
| Approval Years: | 2016 | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | Co Admin: | |
| MHSW Facility: | No | Phone No Admin: | |
| SIC Code: | 712119 | | |
| SIC Description: | MUSEUMS (EXCEPT ART MUSEUMS AND GALLERIES) | | |

Detail(s)

| | |
|--------------------------|--------------------------------|
| Waste Class: | 243 |
| Waste Class Desc: | PCBS |
| Waste Class: | 112 |
| Waste Class Desc: | ACID WASTE - HEAVY METALS |
| Waste Class: | 122 |
| Waste Class Desc: | ALKALINE WASTES - OTHER METALS |
| Waste Class: | 148 |
| Waste Class Desc: | INORGANIC LABORATORY CHEMICALS |
| Waste Class: | 146 |
| Waste Class Desc: | OTHER SPECIFIED INORGANICS |
| Waste Class: | 145 |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|--------------------------------|------------------|------|----|
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |

| | | | | | |
|--------------------------|--|------------------|---------------------|--|-------------|
| 73 | 20 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON K2P 2R1 | GEN |
| Generator No: | ON6032145 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2014 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | |
| MHSW Facility: | No | | | Phone No Admin: | |
| SIC Code: | 712119 | | | | |
| SIC Description: | MUSEUMS (EXCEPT ART MUSEUMS AND GALLERIES) | | | | |

Detail(s)

| | |
|--------------------------|--------------------------------|
| Waste Class: | 112 |
| Waste Class Desc: | ACID WASTE - HEAVY METALS |
| Waste Class: | 221 |
| Waste Class Desc: | LIGHT FUELS |
| Waste Class: | 331 |
| Waste Class Desc: | WASTE COMPRESSED GASES |
| Waste Class: | 243 |
| Waste Class Desc: | PCBS |
| Waste Class: | 146 |
| Waste Class Desc: | OTHER SPECIFIED INORGANICS |
| Waste Class: | 121 |
| Waste Class Desc: | ALKALINE WASTES - HEAVY METALS |
| Waste Class: | 251 |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES |
| Waste Class: | 145 |
| Waste Class Desc: | PAINT/PIGMENT/COATING RESIDUES |
| Waste Class: | 252 |
| Waste Class Desc: | WASTE OILS & LUBRICANTS |
| Waste Class: | 122 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Waste Class Desc: | | ALKALINE WASTES - OTHER METALS | | | |
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| Waste Class: | | 148 | | | |
| Waste Class Desc: | | INORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |

73 21 of 22 **ENE/194.9** **71.6 / -2.25** **Canadian Museum of Nature
240 MCLEOD STREET
OTTAWA ON K2P 2R1** **GEN**

| | | | |
|--------------------------|----------------|---------------------------|--------|
| Generator No: | ON6032145 | PO Box No: | |
| Status: | Registered | Country: | Canada |
| Approval Years: | As of Dec 2018 | Choice of Contact: | |
| Contam. Facility: | | Co Admin: | |
| MHSW Facility: | | Phone No Admin: | |
| SIC Code: | | | |
| SIC Description: | | | |

Detail(s)

| | |
|--------------------------|--|
| Waste Class: | 112 C |
| Waste Class Desc: | Acid solutions - containing heavy metals |
| Waste Class: | 121 C |
| Waste Class Desc: | Alkaline slutions - containing heavy metals |
| Waste Class: | 122 C |
| Waste Class Desc: | Alkaline slutions - containing other metals and non-metals (not cyanide) |
| Waste Class: | 145 T |
| Waste Class Desc: | Wastes from the use of pigments, coatings and paints |
| Waste Class: | 146 C |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids |
| Waste Class: | 146 L |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids |
| Waste Class: | 146 R |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids |
| Waste Class: | 148 C |
| Waste Class Desc: | Misc. wastes and inorganic chemicals |
| Waste Class: | 212 I |
| Waste Class Desc: | Aliphatic solvents and residues |
| Waste Class: | 212 L |
| Waste Class Desc: | Aliphatic solvents and residues |
| Waste Class: | 221 I |
| Waste Class Desc: | Light fuels |
| Waste Class: | 251 L |
| Waste Class Desc: | Waste oils/sludges (petroleum based) |
| Waste Class: | 252 L |
| Waste Class Desc: | Waste crankcase oils and lubricants |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|--------------------------|--|--------------------------|-------------|-----------|
| Waste Class: | | 263 I | | | |
| Waste Class Desc: | | Misc. waste organic chemicals | | | |
| Waste Class: | | 263 L | | | |
| Waste Class Desc: | | Misc. waste organic chemicals | | | |
| Waste Class: | | 331 L | | | |
| Waste Class Desc: | | Waste compressed gases including cylinders | | | |

| | | | | | |
|--------------------------|----------------|------------------|---------------------|--|------------|
| 73 | 22 of 22 | ENE/194.9 | 71.6 / -2.25 | Canadian Museum of Nature 240 MCLEOD STREET OTTAWA ON K2P 2R1 | GEN |
| Generator No: | ON6032145 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Jul 2020 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |

Detail(s)

| | |
|--------------------------|--|
| Waste Class: | 146 C |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids |
| Waste Class: | 145 T |
| Waste Class Desc: | Wastes from the use of pigments, coatings and paints |
| Waste Class: | 112 C |
| Waste Class Desc: | Acid solutions - containing heavy metals |
| Waste Class: | 251 L |
| Waste Class Desc: | Waste oils/sludges (petroleum based) |
| Waste Class: | 252 L |
| Waste Class Desc: | Waste crankcase oils and lubricants |
| Waste Class: | 212 L |
| Waste Class Desc: | Aliphatic solvents and residues |
| Waste Class: | 146 R |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids |
| Waste Class: | 121 C |
| Waste Class Desc: | Alkaline slutions - containing heavy metals |
| Waste Class: | 122 C |
| Waste Class Desc: | Alkaline slutions - containing other metals and non-metals (not cyanide) |
| Waste Class: | 148 C |
| Waste Class Desc: | Misc. wastes and inorganic chemicals |
| Waste Class: | 146 L |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids |
| Waste Class: | 263 L |
| Waste Class Desc: | Misc. waste organic chemicals |
| Waste Class: | 263 I |
| Waste Class Desc: | Misc. waste organic chemicals |
| Waste Class: | 331 L |
| Waste Class Desc: | Waste compressed gases including cylinders |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------------|-------------------|---|------------------|---|--------------------|
| Waste Class: | | 221 I | | | |
| Waste Class Desc: | | Light fuels | | | |
| Waste Class: | | 212 I | | | |
| Waste Class Desc: | | Aliphatic solvents and residues | | | |
| 74 | 1 of 3 | WSW/196.4 | 73.8 / 0.01 | 400 McLeod Street Ottawa ON K2P 1A6 | RSC |
| RSC ID: | | | | Cert Date: | |
| RA No: | | | | Cert Prop Use No: | |
| RSC Type: | | | | Intended Prop Use: | |
| Curr Property Use: | | | | Qual Person Name: | |
| Ministry District: | | Ottawa | | Stratified (Y/N): | N |
| Filing Date: | | 07/27/01 | | Audit (Y/N): | |
| Date Ack: | | 08/03/01 | | Entire Leg Prop. (Y/N): | |
| Date Returned: | | | | Accuracy Estimate: | |
| Restoration Type: | | Generic | | Telephone: | |
| Soil Type: | | Coarse | | Fax: | |
| Criteria: | | Ind/Comm + Nonpotable | | Email: | |
| CPU Issued Sect 1686: | | | | | |
| Asmt Roll No: | | | | | |
| Prop ID No (PIN): | | | | | |
| Property Municipal Address: | | | | | |
| Mailing Address: | | | | | |
| Latitude & Longitude: | | | | | |
| UTM Coordinates: | | | | | |
| Consultant: | | J.D. Paterson & Associates Ltd. | | | |
| Legal Desc: | | | | | |
| Measurement Method: | | | | | |
| Applicable Standards: | | | | | |
| RSC PDF: | | | | | |
| 74 | 2 of 3 | WSW/196.4 | 73.8 / 0.01 | 400 McLeod Street Ottawa ON K2P 1A6 | CA |
| Certificate #: | | 3761-4UMTZX | | | |
| Application Year: | | 01 | | | |
| Issue Date: | | 4/20/01 | | | |
| Approval Type: | | Municipal & Private sewage | | | |
| Status: | | Approved | | | |
| Application Type: | | New Certificate of Approval | | | |
| Client Name: | | Domicile Holdings (2000) Inc. | | | |
| Client Address: | | 371A Richmond Road | | | |
| Client City: | | Ottawa | | | |
| Client Postal Code: | | K2A 0E7 | | | |
| Project Description: | | This application is for the construction of a stormwater management facility to serve the Flora/McLeod development project. | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 74 | 3 of 3 | WSW/196.4 | 73.8 / 0.01 | Domicile Holdings (2000) Inc. 400 McLeod Street Ottawa ON K2A 0E7 | ECA |
| Approval No: | | 3761-4UMTZX | | MOE District: | Ottawa |
| Approval Date: | | 2001-04-20 | | City: | |
| Status: | | Approved | | Longitude: | -75.69377 |
| Record Type: | | ECA | | Latitude: | 45.410849999999996 |
| Link Source: | | IDS | | Geometry X: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|----------------------------|------------------|--|-----|
| SWP Area Name: Rideau Valley Geometry Y: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 400 McLeod Street Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8003-4TZL66-14.pdf | | | | | |
| 75 | 1 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN FUELS 512 BANK STREET SERVICE STATION OTTAWA CITY ON K2P 1Z6 | SPL |
| Ref No: 114568 Discharger Report: Site No: Material Group: Incident Dt: 6/17/1995 Health/Env Conseq: Year: Client Type: Incident Cause: CONTAINER OVERFLOW Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Environment Impact: NOT ANTICIPATED Site Municipality: 20101 Nature of Impact: Site Lot: Receiving Medium: LAND Site Conc: Receiving Env: Northing: MOE Response: Easting: Dt MOE Arvl on Scrn: Site Geo Ref Accu: MOE Reported Dt: 6/17/1995 Site Map Datum: Dt Document Closed: SAC Action Class: Incident Reason: EQUIPMENT FAILURE Source Type: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: MACEWEN FUELS-30 LITERS GASOLINE TO GROUND,U/G TANK OVERFILLED. Contaminant Qty: | | | | | |
| 75 | 2 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC 512 BANK ST OTTAWA ON K2P 1Z6 | PRT |
| Location ID: 10833 Type: retail Expiry Date: 1995-07-31 Capacity (L): 77280 Licence #: 0076366590 | | | | | |
| 75 | 3 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC 512A BANK ST OTTAWA ON K2P1Z6 | PRT |
| Location ID: 11142 Type: retail Expiry Date: 1995-05-31 Capacity (L): 2000 Licence #: 0076420843 | | | | | |
| 75 | 4 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN FUELS 512 A BANK STREET SERVICE STATION | SPL |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|--|----------------------------|------------------|---|------------|
| OTTAWA CITY ON K2P 1Z6 | | | | | |
| Ref No: | 132331 | | | Discharger Report: | |
| Site No: | | | | Material Group: | |
| Incident Dt: | 9/25/1996 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | PIPE/HOSE LEAK | | | Sector Type: | |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | | | | Nearest Watercourse: | |
| Contaminant Name: | | | | Site Address: | |
| Contaminant Limit 1: | | | | Site District Office: | |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | POSSIBLE | | | Site Municipality: | 20101 |
| Nature of Impact: | Soil contamination | | | Site Lot: | |
| Receiving Medium: | LAND | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | | | | Easting: | MCCR |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 9/25/1996 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | |
| Incident Reason: | UNKNOWN | | | Source Type: | |
| Site Name: | | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | MACEWEN FUELS-UKN QTY GASOLINE TO GRND,LINE LEAK AT DISPENSER. | | | | |
| Contaminant Qty: | | | | | |
| 75 | 5 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN FUELS 512 A BANK STREET SERVICE STATION CUMBERLAND TOWNSHIP ON K2P 1Z6 | SPL |
| Ref No: | 132622 | | | Discharger Report: | |
| Site No: | | | | Material Group: | |
| Incident Dt: | 10/2/1996 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | CONTAINER OVERFLOW | | | Sector Type: | |
| Incident Event: | | | | Agency Involved: | |
| Contaminant Code: | | | | Nearest Watercourse: | |
| Contaminant Name: | | | | Site Address: | |
| Contaminant Limit 1: | | | | Site District Office: | |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | NOT ANTICIPATED | | | Site Municipality: | 20601 |
| Nature of Impact: | Soil contamination | | | Site Lot: | |
| Receiving Medium: | LAND | | | Site Conc: | |
| Receiving Env: | | | | Northing: | |
| MOE Response: | | | | Easting: | |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 10/2/1996 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | |
| Incident Reason: | ERROR | | | Source Type: | |
| Site Name: | | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | MACEWEN FUELS-30L OF DIESEL FUEL TO ASPHALT DRIVE OFF | | | | |
| Contaminant Qty: | | | | | |
| 75 | 6 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC 512A BANK ST OTTAWA ON K2P1Z6 | RST |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|---|---|--|-----|
| Headcode: Headcode Desc: Phone: List Name: Description: | | 1186800 Service Stations-Gasoline, Oil & Natural Gas 6132324420 | | | |
| 75 | 7 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLIUM 520 BANK OTTAWA ON K1S 3T3 | RST |
| Headcode: Headcode Desc: Phone: List Name: Description: | | 1186800 Service Stations-Gasoline, Oil & Natural Gas 6132356102 | | | |
| 75 | 8 of 34 | SW/198.3 | 78.5 / 4.64 | ALLSPORT RENTALS & SALES 02-779 512 BANK ST. OTTAWA ON K2P 1Z6 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | | ON1708300 93,94,95,96,97,98 6541 SPORTING GOODS STORE | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | | |
| Detail(s) | | | | | |
| Waste Class: Waste Class Desc: | | 213 PETROLEUM DISTILLATES | | | |
| 75 | 9 of 34 | SW/198.3 | 78.5 / 4.64 | ALLSPORT RENTALS & SALES 512 BANK STREET OTTAWA ON K2P 1Z6 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | | ON1708300 99,00,01 6541 SPORTING GOODS STORE | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | | |
| Detail(s) | | | | | |
| Waste Class: Waste Class Desc: | | 213 PETROLEUM DISTILLATES | | | |
| 75 | 10 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC 512 BANK ST OTTAWA ON K2P 1Z6 | RST |
| Headcode: Headcode Desc: Phone: List Name: Description: | | 01186800 SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|--|------------------|--|------|
| 75 | 11 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512 BANK ST OTTAWA ON K2P 1Z6 | FSTH |
| License Issue Date: | | 1/25/2002 | | | |
| Tank Status: | | Licensed | | | |
| Tank Status As Of: | | August 2007 | | | |
| Operation Type: | | Retail Fuel Outlet | | | |
| Facility Type: | | Gasoline Station - Self Serve | | | |
| --Details-- | | | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1989 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 31820 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1988 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 22730 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1988 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 22730 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| 75 | 12 of 34 | SW/198.3 | 78.5 / 4.64 | MacEwen Petroleum Inc 512-A Bank St, Ottawa, ON K2P 1Z6 CITY OF OTTAWA ON | EBR |
| EBR Registry No: | | 010-4785 | | | |
| Ministry Ref No: | | VAR 2008-000556 | | | |
| Notice Type: | | Instrument Decision | | | |
| Notice Stage: | | | | | |
| Notice Date: | | October 28, 2008 | | | |
| Proposal Date: | | September 26, 2008 | | | |
| Year: | | 2008 | | | |
| Instrument Type: | | (Liquid Fuels Handling Code) - Liquid Fuels Handling Code Section | | | |
| Off Instrument Name: | | | | | |
| Posted By: | | | | | |
| Company Name: | | MacEwen Petroleum Inc | | | |
| Site Address: | | | | | |
| Location Other: | | | | | |
| Proponent Name: | | | | | |
| Proponent Address: | | 18 Adelaide Street, Post Office Box Delivery 100, Maxville Ontario, Canada K0C 1T0 | | | |
| Comment Period: | | | | | |
| URL: | | | | | |
| Site Location Details: | | | | | |
| 512-A Bank St, Ottawa, ON K2P 1Z6 CITY OF OTTAWA | | | | | |
| 75 | 13 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** | FSTH |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|-------------------|--|------------------|-----------------------------------|----|
| | | | | 512A BANK ST OTTAWA ON K2P 1Z6 | |
| License Issue Date: | | 1/25/2002 | | | |
| Tank Status: | | Pending Renewal | | | |
| Tank Status As Of: | | December 2008 | | | |
| Operation Type: | | Retail Fuel Outlet | | | |
| Facility Type: | | Gasoline Station - Self Serve | | | |
| --Details-- | | | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1989 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 31820 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1988 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 22730 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1988 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 22730 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |

| | | | | | |
|--------------------|----------|----------|-------------|---|------|
| 75 | 14 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA ON K2P 1Z6 | DTNK |
|--------------------|----------|----------|-------------|---|------|

Delisted Expired Fuel Safety Facilities

Instance No: 10298983
Status: EXPIRED
Instance ID:
Instance Type: FS Facility
Description:
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 7/4/1992
Original Source: EXP
Record Date: Up to May 2013

| | | | | | |
|--------------------|----------|----------|-------------|---|------|
| 75 | 15 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA ON | DTNK |
|--------------------|----------|----------|-------------|---|------|

Delisted Expired Fuel Safety Facilities

Instance No: 9656543
Status: EXPIRED
Instance ID: 392329
Instance Type: FS Facility
Description: FS Propane Refill Cntr - Cylr Fill

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|---|------|
| TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012 | | | | | |
| 75 | 16 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA ON | DTNK |
| <u>Delisted Expired Fuel Safety Facilities</u> Instance No: 11607839 Status: EXPIRED Instance ID: 93854 Instance Type: FS Piping Description: FS Piping TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012 | | | | | |
| 75 | 17 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA ON | DTNK |
| <u>Delisted Expired Fuel Safety Facilities</u> Instance No: 11607884 Status: EXPIRED Instance ID: 94252 Instance Type: FS Piping Description: FS Piping TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012 | | | | | |
| 75 | 18 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA ON | DTNK |
| <u>Delisted Expired Fuel Safety Facilities</u> Instance No: 10907867 Status: EXPIRED Instance ID: 52813 Instance Type: FS Propane Tank Description: FS Propane Tank TSSA Program Area: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------------|-------------------|-------------------------|---------------|------|----|
| Maximum Hazard Rank: | | | | | |
| Facility Type: | | | | | |
| Expired Date: | | | | | |
| Original Source: EXP | | | | | |
| Record Date: Up to Mar 2012 | | | | | |

| | | | | | |
|---|----------|----------|-------------|--|-----|
| 75 | 19 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
| Instance No: 64492021 | | | | | |
| Status: Active | | | | | |
| Cont Name: | | | | | |
| Instance Type: FS Liquid Fuel Tank | | | | | |
| Item: FS LIQUID FUEL TANK | | | | | |
| Item Description: FS Liquid Fuel Tank | | | | | |
| Tank Type: Single Wall UST | | | | | |
| Install Date: 2/19/2010 2:19:38 PM | | | | | |
| Install Year: 1999 | | | | | |
| Years in Service: 1.1 | | | | | |
| Model: NULL | | | | | |
| Description: | | | | | |
| Capacity: 35000 | | | | | |
| Tank Material: Fiberglass (FRP) | | | | | |
| Corrosion Protect: Fiberglass | | | | | |
| Overfill Protect: | | | | | |
| Facility Type: FS Liquid Fuel Tank | | | | | |
| Parent Facility Type: FS Gasoline Station - Self Serve | | | | | |
| Facility Location: 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | | | |
| Device Installed Location: 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | | | |

Fuel Storage Tank Details

Owner Account Name: MACEWEN PETROLEUM INC***

Liquid Fuel Tank Details

Overfill Protection: NULL
Owner Account Name: MACEWEN PETROLEUM INC***

| | | | | | |
|--|----------|----------|-------------|--|-----|
| 75 | 20 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
| Instance No: 62460487 | | | | | |
| Status: Active | | | | | |
| Cont Name: | | | | | |
| Instance Type: FS Liquid Fuel Tank | | | | | |
| Item: FS LIQUID FUEL TANK | | | | | |
| Item Description: FS Liquid Fuel Tank | | | | | |
| Tank Type: Double Wall UST | | | | | |
| Install Date: 4/7/2009 | | | | | |
| Install Year: 2008 | | | | | |
| Years in Service: 2 | | | | | |
| Model: NULL | | | | | |
| Description: | | | | | |
| Capacity: 15000 | | | | | |
| Tank Material: Fiberglass (FRP) | | | | | |
| Corrosion Protect: Fiberglass | | | | | |
| Overfill Protect: | | | | | |
| Facility Type: FS Liquid Fuel Tank | | | | | |
| Manufacturer: NULL | | | | | |
| Serial No: NULL | | | | | |
| Ulc Standard: NULL | | | | | |
| Quantity: 1 | | | | | |
| Unit of Measure: EA | | | | | |
| Fuel Type: Gasoline | | | | | |
| Fuel Type2: NULL | | | | | |
| Fuel Type3: NULL | | | | | |
| Piping Steel: | | | | | |
| Piping Galvanized: | | | | | |
| Tanks Single Wall St: | | | | | |
| Piping Underground: | | | | | |
| Num Underground: | | | | | |
| Panam Related: NULL | | | | | |
| Panam Venue: NULL | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|-----------------------------------|------------------|------|----|
| Parent Facility Type: | | FS Gasoline Station - Self Serve | | | |
| Facility Location: | | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | |
| Device Installed Location: | | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | |
| <u>Fuel Storage Tank Details</u> | | | | | |
| Owner Account Name: | | MACEWEN PETROLEUM INC*** | | | |
| <u>Liquid Fuel Tank Details</u> | | | | | |
| Overfill Protection: | | NULL | | | |
| Owner Account Name: | | MACEWEN PETROLEUM INC*** | | | |

| | | | | | |
|---|----------|-----------------------------------|-------------|--|-----|
| 75 | 21 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
| Instance No: | | 62460486 | | Manufacturer: NULL | |
| Status: | | Active | | Serial No: NULL | |
| Cont Name: | | | | Ulc Standard: NULL | |
| Instance Type: | | FS Liquid Fuel Tank | | Quantity: 1 | |
| Item: | | FS LIQUID FUEL TANK | | Unit of Measure: EA | |
| Item Description: | | FS Liquid Fuel Tank | | Fuel Type: Gasoline | |
| Tank Type: | | Double Wall UST | | Fuel Type2: NULL | |
| Install Date: | | 4/7/2009 | | Fuel Type3: NULL | |
| Install Year: | | 2008 | | Piping Steel: | |
| Years in Service: | | 2 | | Piping Galvanized: | |
| Model: | | NULL | | Tanks Single Wall St: | |
| Description: | | | | Piping Underground: | |
| Capacity: | | 15000 | | Num Underground: | |
| Tank Material: | | Fiberglass (FRP) | | Panam Related: NULL | |
| Corrosion Protect: | | Fiberglass | | Panam Venue: NULL | |
| Overfill Protect: | | | | | |
| Facility Type: | | FS Liquid Fuel Tank | | | |
| Parent Facility Type: | | FS Gasoline Station - Self Serve | | | |
| Facility Location: | | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | |
| Device Installed Location: | | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | |
| <u>Fuel Storage Tank Details</u> | | | | | |
| Owner Account Name: | | MACEWEN PETROLEUM INC*** | | | |
| <u>Liquid Fuel Tank Details</u> | | | | | |
| Overfill Protection: | | NULL | | | |
| Owner Account Name: | | MACEWEN PETROLEUM INC*** | | | |

| | | | | | |
|--------------------------|----------|---------------------|-------------|--|-----|
| 75 | 22 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
| Instance No: | | 11607851 | | Manufacturer: NULL | |
| Status: | | Active | | Serial No: NULL | |
| Cont Name: | | | | Ulc Standard: NULL | |
| Instance Type: | | FS Liquid Fuel Tank | | Quantity: 1 | |
| Item: | | FS LIQUID FUEL TANK | | Unit of Measure: EA | |
| Item Description: | | FS Liquid Fuel Tank | | Fuel Type: Gasoline | |
| Tank Type: | | Single Wall UST | | Fuel Type2: NULL | |
| Install Date: | | 5/25/2009 | | Fuel Type3: NULL | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|-------------------------|---------------|------|----|
|---------|-------------------|-------------------------|---------------|------|----|

Install Year: 1989
Years in Service: 1.9
Model: NULL
Description:
Capacity: 31800
Tank Material: Fiberglass (FRP)
Corrosion Protect: Fiberglass
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type: FS Gasoline Station - Self Serve
Facility Location: 512A BANK ST OTTAWA K2P 1Z6 ON CA
Device Installed Location: 512A BANK ST OTTAWA K2P 1Z6 ON CA

Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related: NULL
Panam Venue: NULL

Fuel Storage Tank Details

Owner Account Name: MACEWEN PETROLEUM INC***

Liquid Fuel Tank Details

Overfill Protection: NULL
Owner Account Name: MACEWEN PETROLEUM INC***

| | | | | | |
|--------------------|----------|----------|-------------|--|-----|
| 75 | 23 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
|--------------------|----------|----------|-------------|--|-----|

Instance No: 11607863
Status: Active
Cont Name:
Instance Type: FS Liquid Fuel Tank
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Single Wall UST
Install Date: 5/25/2009
Install Year: 1989
Years in Service: 1.9
Model: NULL
Description:
Capacity: 22700
Tank Material: Fiberglass (FRP)
Corrosion Protect: Fiberglass
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type: FS Gasoline Station - Self Serve
Facility Location: 512A BANK ST OTTAWA K2P 1Z6 ON CA
Device Installed Location: 512A BANK ST OTTAWA K2P 1Z6 ON CA

Manufacturer: NULL
Serial No: NULL
Ulc Standard: NULL
Quantity: 1
Unit of Measure: EA
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related: NULL
Panam Venue: NULL

Fuel Storage Tank Details

Owner Account Name: MACEWEN PETROLEUM INC***

Liquid Fuel Tank Details

Overfill Protection: NULL
Owner Account Name: MACEWEN PETROLEUM INC***

| | | | | | |
|--------------------|----------|----------|-------------|--|-----|
| 75 | 24 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC 512 BANK ST OTTAWA ON K2P1Z6 | RST |
|--------------------|----------|----------|-------------|--|-----|

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|-----------------------------------|---|------------------|---|------|
| Headcode: | | 01186800 | | | |
| Headcode Desc: | | SERVICE STATIONS GASOLINE OIL & NATURAL | | | |
| Phone: | | 6132356102 | | | |
| List Name: | | | | | |
| Description: | | | | | |
| 75 | 25 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | EXP |
| Instance No: | 11607809 | | | Model: | NULL |
| Status: | EXPIRED | | | Quantity: | 1 |
| Instance ID: | | | | Unit of Measure: | EA |
| Instance Type: | | | | Fuel Type2: | NULL |
| Instance Creation Dt: | 4/13/1992 | | | Fuel Type3: | NULL |
| Instance Install Dt: | 4/13/1992 | | | Piping Steel: | |
| Item: | | | | Piping Galvanized: | |
| Item Description: | FS Liquid Fuel Tank | | | Tank Single Wall St: | |
| Facility Type: | FS LIQUID FUEL TANK | | | Piping Underground: | |
| Overfill Prot Type: | NULL | | | Tank Underground: | |
| Creation Date: | 7/5/2009 1:26:19 AM | | | Panam Related: | NULL |
| Expired Date: | | | | Panam Venue Nm: | NULL |
| Manufacturer: | NULL | | | | |
| Source: | FS Liquid Fuel Tank | | | | |
| Description: | UNDERGROUND TANK | | | | |
| Serial No: | NULL | | | | |
| Ulc Standard: | NULL | | | | |
| Facility Location: | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | | |
| 75 | 26 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | EXP |
| Instance No: | 11607826 | | | Model: | NULL |
| Status: | EXPIRED | | | Quantity: | 1 |
| Instance ID: | | | | Unit of Measure: | EA |
| Instance Type: | | | | Fuel Type2: | NULL |
| Instance Creation Dt: | 4/13/1992 | | | Fuel Type3: | NULL |
| Instance Install Dt: | 4/13/1992 | | | Piping Steel: | |
| Item: | | | | Piping Galvanized: | |
| Item Description: | FS Liquid Fuel Tank | | | Tank Single Wall St: | |
| Facility Type: | FS LIQUID FUEL TANK | | | Piping Underground: | |
| Overfill Prot Type: | NULL | | | Tank Underground: | |
| Creation Date: | 7/5/2009 1:26:16 AM | | | Panam Related: | NULL |
| Expired Date: | | | | Panam Venue Nm: | NULL |
| Manufacturer: | NULL | | | | |
| Source: | FS Liquid Fuel Tank | | | | |
| Description: | UNDERGROUND TANK | | | | |
| Serial No: | NULL | | | | |
| Ulc Standard: | NULL | | | | |
| Facility Location: | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | | |
| 75 | 27 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | EXP |
| Instance No: | 11607796 | | | Model: | NULL |
| Status: | EXPIRED | | | Quantity: | 1 |
| Instance ID: | | | | Unit of Measure: | EA |
| Instance Type: | | | | Fuel Type2: | NULL |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|-----------------------------------|-------------------------|---------------|-----------------------------|------|
| Instance Creation Dt: | 4/13/1992 | | | Fuel Type3: | NULL |
| Instance Install Dt: | 4/13/1992 | | | Piping Steel: | |
| Item: | | | | Piping Galvanized: | |
| Item Description: | FS Liquid Fuel Tank | | | Tank Single Wall St: | |
| Facility Type: | FS LIQUID FUEL TANK | | | Piping Underground: | |
| Overfill Prot Type: | NULL | | | Tank Underground: | |
| Creation Date: | 7/5/2009 1:26:17 AM | | | Panam Related: | NULL |
| Expired Date: | | | | Panam Venue Nm: | NULL |
| Manufacturer: | NULL | | | | |
| Source: | FS Liquid Fuel Tank | | | | |
| Description: | UNDERGROUND TANK | | | | |
| Serial No: | NULL | | | | |
| Ulc Standard: | NULL | | | | |
| Facility Location: | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | | |

[75](#) 28 of 34 SW/198.3 78.5 / 4.64 MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON EXP

| | | | | | |
|------------------------------|-----------------------------------|--|--|-----------------------------|------|
| Instance No: | 11607877 | | | Model: | NULL |
| Status: | EXPIRED | | | Quantity: | 1 |
| Instance ID: | | | | Unit of Measure: | EA |
| Instance Type: | | | | Fuel Type2: | NULL |
| Instance Creation Dt: | 7/19/2000 8:15:15 PM | | | Fuel Type3: | NULL |
| Instance Install Dt: | 5/25/2009 | | | Piping Steel: | |
| Item: | | | | Piping Galvanized: | |
| Item Description: | FS Liquid Fuel Tank | | | Tank Single Wall St: | |
| Facility Type: | FS LIQUID FUEL TANK | | | Piping Underground: | |
| Overfill Prot Type: | NULL | | | Tank Underground: | |
| Creation Date: | 7/5/2009 1:26:18 AM | | | Panam Related: | NULL |
| Expired Date: | | | | Panam Venue Nm: | NULL |
| Manufacturer: | NULL | | | | |
| Source: | FS Liquid Fuel Tank | | | | |
| Description: | Removed; 2009VBS | | | | |
| Serial No: | NULL | | | | |
| Ulc Standard: | NULL | | | | |
| Facility Location: | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | | |

[75](#) 29 of 34 SW/198.3 78.5 / 4.64 MACEWEN PETROLEUM INC 512 BANK ST OTTAWA ON K2P1Z6 RST

| | |
|-----------------------|---|
| Headcode: | 01186800 |
| Headcode Desc: | SERVICE STATIONS GASOLINE OIL & NATURAL GAS |
| Phone: | 6132356102 |
| List Name: | INFO-DIRECT(TM) BUSINESS FILE |
| Description: | |

[75](#) 30 of 34 SW/198.3 78.5 / 4.64 MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON FST

| | | | | | |
|--------------------------|-----------------------------|--|--|-------------------------|----------|
| Instance No: | 11607796 | | | Manufacturer: | |
| Status: | | | | Serial No: | |
| Cont Name: | | | | Ulc Standard: | |
| Instance Type: | | | | Quantity: | |
| Item: | FS LIQUID FUEL TANK | | | Unit of Measure: | |
| Item Description: | FS Liquid Fuel Tank | | | Fuel Type: | Gasoline |
| Tank Type: | Liquid Fuel Single Wall UST | | | Fuel Type2: | NULL |
| Install Date: | 4/13/1992 | | | Fuel Type3: | NULL |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------------------|-------------------|-----------------------------------|---------------|------------------------------|----|
| Install Year: | 1989 | | | Piping Steel: | |
| Years in Service: | | | | Piping Galvanized: | |
| Model: | NULL | | | Tanks Single Wall St: | |
| Description: | | | | Piping Underground: | |
| Capacity: | 31820 | | | Num Underground: | |
| Tank Material: | Fiberglass (FRP) | | | Panam Related: | |
| Corrosion Protect: | | | | Panam Venue: | |
| Overfill Protect: | | | | | |
| Facility Type: | | FS Liquid Fuel Tank | | | |
| Parent Facility Type: | | | | | |
| Facility Location: | | | | | |
| Device Installed Location: | | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | |

Fuel Storage Tank Details

Owner Account Name: MACEWEN PETROLEUM INC***

| 75 | 31 of 34 | SW/198.3 | 78.5 / 4.64 | 512A BANK ST OTTAWA ON K2P 1Z6 | FST |
|-----------------------------------|----------------------------------|----------|-------------|-----------------------------------|-----|
| Instance No: | 10299035 | | | Manufacturer: | |
| Status: | Active | | | Serial No: | |
| Cont Name: | | | | Ulc Standard: | |
| Instance Type: | | | | Quantity: | |
| Item: | FS GASOLINE STATION - SELF SERVE | | | Unit of Measure: | |
| Item Description: | | | | Fuel Type: | |
| Tank Type: | | | | Fuel Type2: | |
| Install Date: | | | | Fuel Type3: | |
| Install Year: | | | | Piping Steel: | 0 |
| Years in Service: | | | | Piping Galvanized: | 0 |
| Model: | | | | Tanks Single Wall St: | 0 |
| Description: | | | | Piping Underground: | 5 |
| Capacity: | | | | Num Underground: | 5 |
| Tank Material: | | | | Panam Related: | |
| Corrosion Protect: | | | | Panam Venue: | |
| Overfill Protect: | | | | | |
| Facility Type: | | | | | |
| Parent Facility Type: | | | | | |
| Facility Location: | | | | | |
| Device Installed Location: | | | | | |

| 75 | 32 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
|------------------------------|-----------------------------|---------------------|-------------|---|----------|
| Instance No: | 11607826 | | | Manufacturer: | |
| Status: | | | | Serial No: | |
| Cont Name: | | | | Ulc Standard: | |
| Instance Type: | | | | Quantity: | |
| Item: | FS LIQUID FUEL TANK | | | Unit of Measure: | |
| Item Description: | FS Liquid Fuel Tank | | | Fuel Type: | Gasoline |
| Tank Type: | Liquid Fuel Single Wall UST | | | Fuel Type2: | NULL |
| Install Date: | 4/13/1992 | | | Fuel Type3: | NULL |
| Install Year: | 1988 | | | Piping Steel: | |
| Years in Service: | | | | Piping Galvanized: | |
| Model: | NULL | | | Tanks Single Wall St: | |
| Description: | | | | Piping Underground: | |
| Capacity: | 22730 | | | Num Underground: | |
| Tank Material: | Fiberglass (FRP) | | | Panam Related: | |
| Corrosion Protect: | | | | Panam Venue: | |
| Overfill Protect: | | | | | |
| Facility Type: | | FS Liquid Fuel Tank | | | |
| Parent Facility Type: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------------------|-------------------|-----------------------------------|------------------|------|----|
| Facility Location: | | | | | |
| Device Installed Location: | | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | | |

Fuel Storage Tank Details

Owner Account Name: MACEWEN PETROLEUM INC***

| | | | | | |
|--------------------|----------|----------|-------------|---|-----|
| 75 | 33 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
|--------------------|----------|----------|-------------|---|-----|

| | | | |
|-----------------------------------|-----------------------------------|------------------------------|----------|
| Instance No: | 11607809 | Manufacturer: | |
| Status: | | Serial No: | |
| Cont Name: | | Ulc Standard: | |
| Instance Type: | | Quantity: | |
| Item: | FS LIQUID FUEL TANK | Unit of Measure: | |
| Item Description: | FS Liquid Fuel Tank | Fuel Type: | Gasoline |
| Tank Type: | Liquid Fuel Single Wall UST | Fuel Type2: | NULL |
| Install Date: | 4/13/1992 | Fuel Type3: | NULL |
| Install Year: | 1988 | Piping Steel: | |
| Years in Service: | | Piping Galvanized: | |
| Model: | NULL | Tanks Single Wall St: | |
| Description: | | Piping Underground: | |
| Capacity: | 22730 | Num Underground: | |
| Tank Material: | Fiberglass (FRP) | Panam Related: | |
| Corrosion Protect: | | Panam Venue: | |
| Overfill Protect: | | | |
| Facility Type: | FS Liquid Fuel Tank | | |
| Parent Facility Type: | | | |
| Facility Location: | | | |
| Device Installed Location: | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | |

Fuel Storage Tank Details

Owner Account Name: MACEWEN PETROLEUM INC***

| | | | | | |
|--------------------|----------|----------|-------------|---|-----|
| 75 | 34 of 34 | SW/198.3 | 78.5 / 4.64 | MACEWEN PETROLEUM INC*** 512A BANK ST OTTAWA K2P 1Z6 ON CA ON | FST |
|--------------------|----------|----------|-------------|---|-----|

| | | | |
|-----------------------------------|-----------------------------------|------------------------------|----------|
| Instance No: | 11607877 | Manufacturer: | |
| Status: | | Serial No: | |
| Cont Name: | | Ulc Standard: | |
| Instance Type: | | Quantity: | |
| Item: | FS LIQUID FUEL TANK | Unit of Measure: | |
| Item Description: | FS Liquid Fuel Tank | Fuel Type: | Gasoline |
| Tank Type: | Double Wall Horizontal AST | Fuel Type2: | NULL |
| Install Date: | 5/25/2009 | Fuel Type3: | NULL |
| Install Year: | 1988 | Piping Steel: | |
| Years in Service: | | Piping Galvanized: | |
| Model: | NULL | Tanks Single Wall St: | |
| Description: | | Piping Underground: | |
| Capacity: | 22730 | Num Underground: | |
| Tank Material: | Fiberglass (FRP) | Panam Related: | |
| Corrosion Protect: | | Panam Venue: | |
| Overfill Protect: | | | |
| Facility Type: | FS Liquid Fuel Tank | | |
| Parent Facility Type: | | | |
| Facility Location: | | | |
| Device Installed Location: | 512A BANK ST OTTAWA K2P 1Z6 ON CA | | |

Fuel Storage Tank Details

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|---|----------------------------|------------------|---|------------|
| Owner Account Name: | | MACEWEN PETROLEUM INC*** | | | |
| 76 | 1 of 1 | WNW/198.7 | 73.9 / 0.05 | 433 Bank St Ottawa ON K2P1Y7 | EHS |
| Order No: | 20131112007 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 18-NOV-13 | | | Search Radius (km): | .25 |
| Date Received: | 12-NOV-13 | | | X: | -75.693255 |
| Previous Site Name: | | | | Y: | 45.412434 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| 77 | 1 of 2 | WNW/198.8 | 73.9 / 0.05 | 433 bank street Ottawa ON K2P 1Y7 | EHS |
| Order No: | 20080610034 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Complete Report | | | Client Prov/State: | ON |
| Report Date: | 6/19/2008 | | | Search Radius (km): | 0.25 |
| Date Received: | 6/10/2008 | | | X: | -75.69346 |
| Previous Site Name: | | | | Y: | 45.412361 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps And /or Site Plans; Title Search | | | | |
| 77 | 2 of 2 | WNW/198.8 | 73.9 / 0.05 | Canderel Stoneridge Equity Group Inc. 433 Bank Street Ottawa ON K2P 1Y7 | GEN |
| Generator No: | ON3467452 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2009 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 531310 | | | | |
| SIC Description: | Real Estate Property Managers | | | | |
| Detail(s) | | | | | |
| Waste Class: | 146 | | | | |
| Waste Class Desc: | OTHER SPECIFIED INORGANICS | | | | |
| Waste Class: | 150 | | | | |
| Waste Class Desc: | INERT INORGANIC WASTES | | | | |
| 78 | 1 of 1 | NE/200.5 | 71.9 / -1.95 | 1101600 Ontario Inc 269 / 275 Mcleod St Ottawa ON | CA |
| Certificate #: | 9205-7EZKBK | | | | |
| Application Year: | 2008 | | | | |
| Issue Date: | 5/27/2008 | | | | |
| Approval Type: | Municipal and Private Sewage Works | | | | |
| Status: | Approved | | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|---|-----|
| Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 79 | 1 of 22 | WNW/201.2 | 73.8 / -0.03 | 172965 CANADA LTD., IMPERIAL OIL 450 BANK STREET (SWM) OTTAWA CITY ON K2P 1Z1 | CA |
| Certificate #: 3-1194-95- Application Year: 95 Issue Date: 9/19/1995 Approval Type: Municipal sewage Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 79 | 2 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA ON K2P1Z1 | PRT |
| Location ID: 10832 Type: retail Expiry Date: 1995-11-30 Capacity (L): 125000 Licence #: 0076376078 | | | | | |
| 79 | 3 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK ST ESSO 450 BANK ST OTTAWA ON K2P 1Z1 | RST |
| Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 6132360350 List Name: Description: | | | | | |
| 79 | 4 of 22 | WNW/201.2 | 73.8 / -0.03 | 450 Bank Street Ottawa ON K2P 1Z1 | EHS |
| Order No: 20060202022 Status: C Report Type: Complete Report Report Date: 2/13/2006 Date Received: 2/2/2006 Previous Site Name: Lot/Building Size: 2280 sq m Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection: Gladstone Avenue (to the north) & McLeod Street (to the south) Municipality: Ottawa Carleton Client Prov/State: ON Search Radius (km): 0.25 X: -75.693588 Y: 45.411732 | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|-------------------|--|------------------|--|------|
| 79 | 5 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA ON K2P 1Z1 | FSTH |
| License Issue Date: | | 9/27/2002 | | | |
| Tank Status: | | Licensed | | | |
| Tank Status As Of: | | August 2007 | | | |
| Operation Type: | | Retail Fuel Outlet | | | |
| Facility Type: | | Gasoline Station - Self Serve | | | |
| --Details-- | | | | | |
| Status: | | Removed | | | |
| Year of Installation: | | 1972 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 50000 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| Status: | | Removed | | | |
| Year of Installation: | | 1972 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 50000 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| Status: | | Removed | | | |
| Year of Installation: | | 1972 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 25000 | | | |
| Tank Fuel Type: | | Liquid Fuel Single Wall UST - Gasoline | | | |
| 79 | 6 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA ON K2P 1Z1 | FSTH |
| License Issue Date: | | 9/27/2002 | | | |
| Tank Status: | | Licensed | | | |
| Tank Status As Of: | | December 2008 | | | |
| Operation Type: | | Retail Fuel Outlet | | | |
| Facility Type: | | Gasoline Station - Self Serve | | | |
| --Details-- | | | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1995 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 45400 | | | |
| Tank Fuel Type: | | Liquid Fuel Double Wall UST - Gasoline | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1995 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 31800 | | | |
| Tank Fuel Type: | | Liquid Fuel Double Wall UST - Gasoline | | | |
| Status: | | Active | | | |
| Year of Installation: | | 1995 | | | |
| Corrosion Protection: | | | | | |
| Capacity: | | 31800 | | | |
| Tank Fuel Type: | | Liquid Fuel Double Wall UST - Gasoline | | | |
| 79 | 7 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA ON | DTNK |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|---|------|
| <u>Delisted Expired Fuel Safety Facilities</u> | | | | | |
| | | | | Instance No: 10899624 Status: EXPIRED Instance ID: 50361 Instance Type: FS Piping Description: FS Piping TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012 | |
| 79 | 8 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA ON | DTNK |
| <u>Delisted Expired Fuel Safety Facilities</u> | | | | | |
| | | | | Instance No: 10899608 Status: EXPIRED Instance ID: 50568 Instance Type: FS Piping Description: FS Piping TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012 | |
| 79 | 9 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA ON | DTNK |
| <u>Delisted Expired Fuel Safety Facilities</u> | | | | | |
| | | | | Instance No: 10899595 Status: EXPIRED Instance ID: 51204 Instance Type: FS Piping Description: FS Piping TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012 | |
| 79 | 10 of 22 | WNW/201.2 | 73.8 / -0.03 | MAC'S CONVENIENCE STORES INC 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | FST |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|----------------------------------|-------------------------|---------------|------------------------------|----------|
| Instance No: | 11345161 | | | Manufacturer: | NULL |
| Status: | Active | | | Serial No: | NULL |
| Cont Name: | | | | Ulc Standard: | NULL |
| Instance Type: | FS Liquid Fuel Tank | | | Quantity: | 1 |
| Item: | FS LIQUID FUEL TANK | | | Unit of Measure: | EA |
| Item Description: | FS Liquid Fuel Tank | | | Fuel Type: | Gasoline |
| Tank Type: | Double Wall UST | | | Fuel Type2: | NULL |
| Install Date: | 5/22/2009 | | | Fuel Type3: | NULL |
| Install Year: | 1995 | | | Piping Steel: | |
| Years in Service: | 1.9 | | | Piping Galvanized: | |
| Model: | NULL | | | Tanks Single Wall St: | |
| Description: | | | | Piping Underground: | |
| Capacity: | 45400 | | | Num Underground: | |
| Tank Material: | Fiberglass (FRP) | | | Panam Related: | NULL |
| Corrosion Protect: | Fiberglass | | | Panam Venue: | NULL |
| Overfill Protect: | | | | | |
| Facility Type: | FS Liquid Fuel Tank | | | | |
| Parent Facility Type: | FS Gasoline Station - Self Serve | | | | |
| Facility Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | | |
| Device Installed Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | | |
| <u>Fuel Storage Tank Details</u> | | | | | |
| Owner Account Name: | MAC'S CONVENIENCE STORES INC | | | | |
| <u>Liquid Fuel Tank Details</u> | | | | | |
| Overfill Protection: | NULL | | | | |
| Owner Account Name: | MAC'S CONVENIENCE STORES INC | | | | |

| | | | | | |
|---|----------------------------------|-----------|--------------|--|----------|
| 79 | 11 of 22 | WNW/201.2 | 73.8 / -0.03 | MAC'S CONVENIENCE STORES INC 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | FST |
| Instance No: | 11345182 | | | Manufacturer: | NULL |
| Status: | Active | | | Serial No: | NULL |
| Cont Name: | | | | Ulc Standard: | NULL |
| Instance Type: | FS Liquid Fuel Tank | | | Quantity: | 1 |
| Item: | FS LIQUID FUEL TANK | | | Unit of Measure: | EA |
| Item Description: | FS Liquid Fuel Tank | | | Fuel Type: | Gasoline |
| Tank Type: | Double Wall UST | | | Fuel Type2: | NULL |
| Install Date: | 5/22/2009 | | | Fuel Type3: | NULL |
| Install Year: | 1995 | | | Piping Steel: | |
| Years in Service: | 1.9 | | | Piping Galvanized: | |
| Model: | NULL | | | Tanks Single Wall St: | |
| Description: | | | | Piping Underground: | |
| Capacity: | 31800 | | | Num Underground: | |
| Tank Material: | Fiberglass (FRP) | | | Panam Related: | NULL |
| Corrosion Protect: | Fiberglass | | | Panam Venue: | NULL |
| Overfill Protect: | | | | | |
| Facility Type: | FS Liquid Fuel Tank | | | | |
| Parent Facility Type: | FS Gasoline Station - Self Serve | | | | |
| Facility Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | | |
| Device Installed Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | | |
| <u>Fuel Storage Tank Details</u> | | | | | |
| Owner Account Name: | MAC'S CONVENIENCE STORES INC | | | | |
| <u>Liquid Fuel Tank Details</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|-------------------|------------------------------|---------------|------|----|
| Overfill Protection: NULL | | | | | |
| Owner Account Name: | | MAC'S CONVENIENCE STORES INC | | | |

| | | | | | |
|--------------------|----------|-----------|--------------|--|-----|
| 79 | 12 of 22 | WNW/201.2 | 73.8 / -0.03 | MAC'S CONVENIENCE STORES INC 450 BANK ST OTTAWA K2P 1Z1 ON CA 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | FST |
|--------------------|----------|-----------|--------------|--|-----|

| | | | |
|-----------------------------------|----------------------------------|------------------------------|----------|
| Instance No: | 11345177 | Manufacturer: | NULL |
| Status: | Active | Serial No: | NULL |
| Cont Name: | | Ulc Standard: | NULL |
| Instance Type: | FS Liquid Fuel Tank | Quantity: | 1 |
| Item: | FS LIQUID FUEL TANK | Unit of Measure: | EA |
| Item Description: | FS Liquid Fuel Tank | Fuel Type: | Gasoline |
| Tank Type: | Double Wall UST | Fuel Type2: | NULL |
| Install Date: | 5/22/2009 | Fuel Type3: | NULL |
| Install Year: | 1995 | Piping Steel: | |
| Years in Service: | 1.9 | Piping Galvanized: | |
| Model: | NULL | Tanks Single Wall St: | |
| Description: | | Piping Underground: | |
| Capacity: | 31800 | Num Underground: | |
| Tank Material: | Fiberglass (FRP) | Panam Related: | NULL |
| Corrosion Protect: | Fiberglass | Panam Venue: | NULL |
| Overfill Protect: | | | |
| Facility Type: | FS Liquid Fuel Tank | | |
| Parent Facility Type: | FS Gasoline Station - Self Serve | | |
| Facility Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | |
| Device Installed Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | |

Fuel Storage Tank Details

Owner Account Name: MAC'S CONVENIENCE STORES INC

Liquid Fuel Tank Details

Overfill Protection: NULL
Owner Account Name: MAC'S CONVENIENCE STORES INC

| | | | | | |
|--------------------|----------|-----------|--------------|--|-----|
| 79 | 13 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | EXP |
|--------------------|----------|-----------|--------------|--|-----|

| | | | |
|------------------------------|----------------------------------|-----------------------------|------|
| Instance No: | 10899599 | Model: | NULL |
| Status: | EXPIRED | Quantity: | 1 |
| Instance ID: | | Unit of Measure: | EA |
| Instance Type: | | Fuel Type2: | NULL |
| Instance Creation Dt: | 7/19/2000 8:15:15 PM | Fuel Type3: | NULL |
| Instance Install Dt: | 5/22/2009 | Piping Steel: | |
| Item: | | Piping Galvanized: | |
| Item Description: | FS Liquid Fuel Tank | Tank Single Wall St: | |
| Facility Type: | FS LIQUID FUEL TANK | Piping Underground: | |
| Overfill Prot Type: | NULL | Tank Underground: | |
| Creation Date: | 7/5/2009 1:22:03 AM | Panam Related: | NULL |
| Expired Date: | | Panam Venue Nm: | NULL |
| Manufacturer: | NULL | | |
| Source: | FS Liquid Fuel Tank | | |
| Description: | 2009VBS UNDERGROUND TANK | | |
| Serial No: | NULL | | |
| Ulc Standard: | NULL | | |
| Facility Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|----------------------------------|----------------------------|------------------|--|------------|
| 79 | 14 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | EXP |
| Instance No: | 10899587 | | | Model: | NULL |
| Status: | EXPIRED | | | Quantity: | 1 |
| Instance ID: | | | | Unit of Measure: | EA |
| Instance Type: | | | | Fuel Type2: | NULL |
| Instance Creation Dt: | 7/19/2000 8:15:15 PM | | | Fuel Type3: | NULL |
| Instance Install Dt: | 5/22/2009 | | | Piping Steel: | |
| Item: | | | | Piping Galvanized: | |
| Item Description: | FS Liquid Fuel Tank | | | Tank Single Wall St: | |
| Facility Type: | FS LIQUID FUEL TANK | | | Piping Underground: | |
| Overfill Prot Type: | NULL | | | Tank Underground: | |
| Creation Date: | 7/5/2009 1:22:05 AM | | | Panam Related: | NULL |
| Expired Date: | | | | Panam Venue Nm: | NULL |
| Manufacturer: | NULL | | | | |
| Source: | FS Liquid Fuel Tank | | | | |
| Description: | 2009VBS UNDERGROUND TANK | | | | |
| Serial No: | NULL | | | | |
| Ulc Standard: | NULL | | | | |
| Facility Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | | |
| 79 | 15 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | EXP |
| Instance No: | 10899617 | | | Model: | NULL |
| Status: | EXPIRED | | | Quantity: | 1 |
| Instance ID: | | | | Unit of Measure: | EA |
| Instance Type: | | | | Fuel Type2: | NULL |
| Instance Creation Dt: | 7/19/2000 8:15:15 PM | | | Fuel Type3: | NULL |
| Instance Install Dt: | 5/22/2009 | | | Piping Steel: | |
| Item: | | | | Piping Galvanized: | |
| Item Description: | FS Liquid Fuel Tank | | | Tank Single Wall St: | |
| Facility Type: | FS LIQUID FUEL TANK | | | Piping Underground: | |
| Overfill Prot Type: | NULL | | | Tank Underground: | |
| Creation Date: | 7/5/2009 1:22:10 AM | | | Panam Related: | NULL |
| Expired Date: | | | | Panam Venue Nm: | NULL |
| Manufacturer: | NULL | | | | |
| Source: | FS Liquid Fuel Tank | | | | |
| Description: | 2009VBS UNDERGROUND TANK | | | | |
| Serial No: | NULL | | | | |
| Ulc Standard: | NULL | | | | |
| Facility Location: | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | | |
| 79 | 16 of 22 | WNW/201.2 | 73.8 / -0.03 | 450 Bank St Ottawa ON | EHS |
| Order No: | 20150508125 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Standard Report | | | Client Prov/State: | ON |
| Report Date: | 14-MAY-15 | | | Search Radius (km): | .25 |
| Date Received: | 08-MAY-15 | | | X: | -75.693654 |
| Previous Site Name: | | | | Y: | 45.411785 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|--|------------------|---|-----|
| 79 | 17 of 22 | WNW/201.2 | 73.8 / -0.03 | 827219 ONTARIO LIMITED O/A BYTOWN PEST CONTROL 450 BANK ST OTTAWA ON K2P1Z1 | PES |
| Detail Licence No: Licence No: 08802 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Operator Licence Type Code: 02 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: | | Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 613 Oper Phone No: 8513363 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: | | | |
| 79 | 18 of 22 | WNW/201.2 | 73.8 / -0.03 | Mac's Convenience Stores Inc. 450 Bank Street Ottawa ON K2P1Z1 | GEN |
| Generator No: ON5315721 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 447110 SIC Description: 447110 | | PO Box No: Country: Canada Choice of Contact: CO_ADMIN Co Admin: Kathryn Maton Phone No Admin: 613-617-9237 Ext. | | | |
| Detail(s) | | | | | |
| Waste Class: 221 | | | | | |
| Waste Class Desc: LIGHT FUELS | | | | | |
| 79 | 19 of 22 | WNW/201.2 | 73.8 / -0.03 | 450 BANK ST OTTAWA ON K2P 1Z1 | FST |
| Instance No: 9851282 Status: Active Cont Name: Instance Type: Item: FS GASOLINE STATION - SELF SERVE Item Description: Tank Type: Install Date: Install Year: Years in Service: Model: Description: Capacity: Tank Material: Corrosion Protect: Overfill Protect: Facility Type: | | Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Fuel Type2: Fuel Type3: Piping Steel: 0 Piping Galvanized: 0 Tanks Single Wall St: 0 Piping Underground: 3 Num Underground: 3 Panam Related: Panam Venue: | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|-------------------------|---------------|------|----|
|---------|-------------------|-------------------------|---------------|------|----|

Parent Facility Type:
 Facility Location:
 Device Installed Location:

| | | | | | |
|-----------------------------------|----------|----------------------------------|--------------|--|-----|
| 79 | 20 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | FST |
| Instance No: | | 10899587 | | Manufacturer: | |
| Status: | | | | Serial No: | |
| Cont Name: | | | | Ulc Standard: | |
| Instance Type: | | | | Quantity: | |
| Item: | | FS LIQUID FUEL TANK | | Unit of Measure: | |
| Item Description: | | FS Liquid Fuel Tank | | Fuel Type: Gasoline | |
| Tank Type: | | Liquid Fuel Single Wall UST | | Fuel Type2: NULL | |
| Install Date: | | 5/22/2009 | | Fuel Type3: NULL | |
| Install Year: | | 1972 | | Piping Steel: | |
| Years in Service: | | | | Piping Galvanized: | |
| Model: | | NULL | | Tanks Single Wall St: | |
| Description: | | | | Piping Underground: | |
| Capacity: | | 50000 | | Num Underground: | |
| Tank Material: | | Steel | | Panam Related: | |
| Corrosion Protect: | | | | Panam Venue: | |
| Overfill Protect: | | | | | |
| Facility Type: | | FS Liquid Fuel Tank | | | |
| Parent Facility Type: | | | | | |
| Facility Location: | | | | | |
| Device Installed Location: | | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | |

Fuel Storage Tank Details

Owner Account Name: BANK STREET ESSO

| | | | | | |
|-----------------------------------|----------|----------------------------------|--------------|--|-----|
| 79 | 21 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | FST |
| Instance No: | | 10899617 | | Manufacturer: | |
| Status: | | | | Serial No: | |
| Cont Name: | | | | Ulc Standard: | |
| Instance Type: | | | | Quantity: | |
| Item: | | FS LIQUID FUEL TANK | | Unit of Measure: | |
| Item Description: | | FS Liquid Fuel Tank | | Fuel Type: Gasoline | |
| Tank Type: | | Liquid Fuel Single Wall UST | | Fuel Type2: NULL | |
| Install Date: | | 5/22/2009 | | Fuel Type3: NULL | |
| Install Year: | | 1972 | | Piping Steel: | |
| Years in Service: | | | | Piping Galvanized: | |
| Model: | | NULL | | Tanks Single Wall St: | |
| Description: | | | | Piping Underground: | |
| Capacity: | | 25000 | | Num Underground: | |
| Tank Material: | | Steel | | Panam Related: | |
| Corrosion Protect: | | | | Panam Venue: | |
| Overfill Protect: | | | | | |
| Facility Type: | | FS Liquid Fuel Tank | | | |
| Parent Facility Type: | | | | | |
| Facility Location: | | | | | |
| Device Installed Location: | | 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | |

Fuel Storage Tank Details

Owner Account Name: BANK STREET ESSO

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|-------------------------|---------------|--|------|
| 79 | 22 of 22 | WNW/201.2 | 73.8 / -0.03 | BANK STREET ESSO 450 BANK ST OTTAWA K2P 1Z1 ON CA ON | FST |
| Instance No: 10899599 Status: Cont Name: Instance Type: Item: FS LIQUID FUEL TANK Item Description: FS Liquid Fuel Tank Tank Type: Liquid Fuel Single Wall UST Install Date: 5/22/2009 Install Year: 1972 Years in Service: Model: NULL Description: Capacity: 50000 Tank Material: Steel Corrosion Protect: Overfill Protect: Facility Type: FS Liquid Fuel Tank Parent Facility Type: Facility Location: Device Installed Location: 450 BANK ST OTTAWA K2P 1Z1 ON CA | | | | | |
| Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Gasoline Fuel Type2: NULL Fuel Type3: NULL Piping Steel: Piping Galvanized: Tanks Single Wall St: Piping Underground: Num Underground: Panam Related: Panam Venue: | | | | | |
| <u>Fuel Storage Tank Details</u> | | | | | |
| Owner Account Name: BANK STREET ESSO | | | | | |
| 80 | 1 of 3 | E/201.6 | 70.8 / -3.00 | City of Ottawa 105 Catherine Street Ottawa ON | CA |
| Certificate #: 0761-5WHMAE Application Year: 2004 Issue Date: 3/8/2004 Approval Type: Industrial Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 80 | 2 of 3 | E/201.6 | 70.8 / -3.00 | CENTRETOWN CITIZENS OTTAWA CORPORATION 105 CATHERINE STREET OTTAWA ON K2P 1C3 | EASR |
| Approval No: R-002-1000000425 Status: REGISTERED Date: 2012-01-25 Record Type: EASR Link Source: MOFA Project Type: Standby Power System Full Address: Approval Type: EASR-Standby Power System Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=635 | | | | | |
| SWP Area Name: MOE District: Municipality: OTTAWA Latitude: 0 Longitude: 0 Geometry X: Geometry Y: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|-------------------|--|--------------------------------------|---|------|
| 80 | 3 of 3 | E/201.6 | 70.8 / -3.00 | City of Ottawa 105 Catherine Street Ottawa ON K2G 6J8 | ECA |
| Approval No: | | 0761-5WHMAE | MOE District: Ottawa | | |
| Approval Date: | | 2004-03-08 | City: | | |
| Status: | | Approved | Longitude: -75.68845999999999 | | |
| Record Type: | | ECA | Latitude: 45.411519999999996 | | |
| Link Source: | | IDS | Geometry X: | | |
| SWP Area Name: | | Rideau Valley | Geometry Y: | | |
| Approval Type: | | ECA-INDUSTRIAL SEWAGE WORKS | | | |
| Project Type: | | INDUSTRIAL SEWAGE WORKS | | | |
| Address: | | 105 Catherine Street | | | |
| Full Address: | | | | | |
| Full PDF Link: | | https://www.accessenvironment.ene.gov.on.ca/instruments/1421-5V5KXB-14.pdf | | | |
| 81 | 1 of 1 | WNW/201.6 | 73.9 / 0.05 | 433 Bank St Ottawa ON K2P1Y7 | EHS |
| Order No: | | 20170620116 | Nearest Intersection: | | |
| Status: | | C | Municipality: Ottawa | | |
| Report Type: | | Standard Report | Client Prov/State: ON | | |
| Report Date: | | 27-JUN-17 | Search Radius (km): .25 | | |
| Date Received: | | 20-JUN-17 | X: -75.69331 | | |
| Previous Site Name: | | | Y: 45.412429 | | |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| 82 | 1 of 1 | W/203.0 | 74.6 / 0.75 | 383 Mcleod St Ottawa ON | EHS |
| Order No: | | 20130403015 | Nearest Intersection: | | |
| Status: | | C | Municipality: | | |
| Report Type: | | Standard Report | Client Prov/State: ON | | |
| Report Date: | | 12-APR-13 | Search Radius (km): .25 | | |
| Date Received: | | 03-APR-13 | X: 0 | | |
| Previous Site Name: | | | Y: 0 | | |
| Lot/Building Size: | | 7320 square feet | | | |
| Additional Info Ordered: | | | | | |
| 83 | 1 of 1 | S/205.1 | 77.9 / 4.06 | ON | BORE |
| Borehole ID: | | 847544 | Inclin FLG: No | | |
| OGF ID: | | 215589201 | SP Status: Initial Entry | | |
| Status: | | Decommissioned | Surv Elev: No | | |
| Type: | | Borehole | Piezometer: No | | |
| Use: | | Geotechnical/Geological Investigation | Primary Name: | | |
| Completion Date: | | 19-JAN-1962 | Municipality: | | |
| Static Water Level: | | 3.2 | Lot: LOT F | | |
| Primary Water Use: | | | Township: NEPEAN | | |
| Sec. Water Use: | | | Latitude DD: 45.409451 | | |
| Total Depth m: | | 8.8 | Longitude DD: -75.690974 | | |
| Depth Ref: | | Ground Surface | UTM Zone: 18 | | |
| Depth Elev: | | | Easting: 445930 | | |
| Drill Method: | | Diamond Drill | Northing: 5028669 | | |
| Orig Ground Elev m: | | 69 | Location Accuracy: | | |
| Elev Reliabil Note: | | | Accuracy: Within 10 metres | | |
| DEM Ground Elev m: | | 71.3 | | | |
| Concession: | | BROKEN FRONT C | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|----------------------------|--------|
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557893 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | 1.1 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | Brick |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Asphalt | | | Geologic Group: | |
| Material 3: | Stones | | | Geologic Period: | |
| Material 4: | Cinders | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL ASPHALT CRUSHED STONE CINDERS BRICK ASHES AND SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557897 | | | Mat Consistency: | Stiff |
| Top Depth: | 3 | | | Material Moisture: | |
| Bottom Depth: | 3.5 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY BROWNISH GREY STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557900 | | | Mat Consistency: | Stiff |
| Top Depth: | 7.6 | | | Material Moisture: | |
| Bottom Depth: | 8.8 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY STIFF WITH SOME SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557898 | | | Mat Consistency: | Soft |
| Top Depth: | 3.5 | | | Material Moisture: | |
| Bottom Depth: | 6.1 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY MEDIUM SOFT TO STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557894 | | | Mat Consistency: | Loose |
| Top Depth: | 1.1 | | | Material Moisture: | |
| Bottom Depth: | 1.5 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | LOOSE SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|---|---|
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557896 2.1 3 Brown-Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Very Stiff |
| CLAY BROWNISH GREY SLIGHTLY FISSURED VERY STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557899 6.1 7.6 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| CLAY GREY SLIGHTLY FISSURED STIFF WITH A LITTLE SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557895 1.5 2.1 Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Dense Fine |
| MEDIUM DENSE FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | | |
| 84 | 1 of 4 | S/206.5 | 78.9 / 5.05 | 200 Catherine Street Ottawa ON K2P 2K9 | EHS |
| Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered: | 20060419002 C Complete Report 4/20/2006 4/19/2006 | | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Bank Street and Catherine Street ON 0.25 -75.691063 45.409613 |
| Fire Insur. Maps and/or Site Plans; City Directory | | | | | |
| 84 | 2 of 4 | S/206.5 | 78.9 / 5.05 | Appraisal Institute of Canada 200 Catherine St Suite 403 Ottawa ON K2P 2K9 | SCT |
| Established: Plant Size (ft²): Employment: | 01-JAN-38 | | | | |
| --Details-- Description: SIC/NAICS Code: | Professional Organizations 813920 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|---|----------------------------|------------------|--|---------------|
| 84 | 3 of 4 | S/206.5 | 78.9 / 5.05 | Schindler Elevator Corporation 200 Catherine Ottawa ON K2P 2K9 | GEN |
| Generator No: | ON8692673 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2010 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 238291 | | | | |
| SIC Description: | Elevator and Escalator Installation Contractors | | | | |
| Detail(s) | | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| 84 | 4 of 4 | S/206.5 | 78.9 / 5.05 | CANADIAN REAL ESTATE AGENCY 200 CATHERINE STREET OTTAWA ON K2P 2K9 | GEN |
| Generator No: | ON3605771 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2010 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 531210 | | | | |
| SIC Description: | Offices of Real Estate Agents and Brokers | | | | |
| Detail(s) | | | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| 85 | 1 of 1 | NNE/207.6 | 71.9 / -1.95 | 269 Mcleod St Ottawa ON K2P1A1 | EHS |
| Order No: | 20151020017 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 23-OCT-15 | | | Search Radius (km): | .25 |
| Date Received: | 20-OCT-15 | | | X: | -75.690224 |
| Previous Site Name: | | | | Y: | 45.412985 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |
| 86 | 1 of 1 | SE/208.1 | 74.7 / 0.87 | ON | BORE |
| Borehole ID: | 847450 | | | Inclin FLG: | No |
| OGF ID: | 215589108 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 15-AUG-1961 | | | Municipality: | |
| Static Water Level: | | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.4098 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------|-------------------|----------------------------|------------------|---------------------------|------------------|
| Total Depth m: | 2.1 | | | Longitude DD: | -75.689687 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 446031 |
| Drill Method: | Power auger | | | Northing: | 5028707 |
| Orig Ground Elev m: | 68.6 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 72.4 | | | | |
| Concession: | | BROKEN FRONT C | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

Borehole Geology Stratum

| | | | | | |
|----------------------------------|---|--|--|----------------------------|--|
| Geology Stratum ID: | 6557574 | | | Mat Consistency: | |
| Top Depth: | 1.1 | | | Material Moisture: | |
| Bottom Depth: | 2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SAND AND SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------------|--|--|--|----------------------------|--|
| Geology Stratum ID: | 6557575 | | | Mat Consistency: | |
| Top Depth: | 2 | | | Material Moisture: | |
| Bottom Depth: | 2.1 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------------|---|--|--|----------------------------|--|
| Geology Stratum ID: | 6557573 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | 1.1 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Gravel | | | Geologic Period: | |
| Material 4: | Cinders | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL SAND GRAVEL LAYERS CINDER FEW BOULDERS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

87 1 of 1 SSE/208.3 76.0 / 2.19 ON BORE

| | | | | | |
|----------------------------|---------------------------------------|--|--|----------------------|---------------|
| Borehole ID: | 847449 | | | Inclin FLG: | No |
| OGF ID: | 215589107 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 15-AUG-1961 | | | Municipality: | |
| Static Water Level: | | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.409572 |
| Total Depth m: | 1.7 | | | Longitude DD: | -75.690221 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445989 |
| Drill Method: | Power auger | | | Northing: | 5028682 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|---|------------------|---|----|
| Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments: | 68.9 71.7 | BROKEN FRONT C | | Location Accuracy: Accuracy: Within 10 metres | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557572 1.4 1.7 Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557571 0 1.4 Fill Sand Gravel Cinders | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | FILL SAND WITH GRAVEL AND A FEW CINDER LAYERS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |

| | | | | | |
|--|--|--|-------------|--|-----|
| 88 | 1 of 2 | SSW/208.7 | 79.6 / 5.80 | OTTAWA-CARLETON TRANSPORT BANK ST, NORTHBOUND AT CORNER OF CATHERINE ST OTTAWA CITY ON | SPL |
| Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty: | 222666 3/6/2002 PIPE/HOSE LEAK POSSIBLE Soil contamination LAND 3/6/2002 MATERIAL FAILURE | | | Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20107 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: | |
| | | OC TRANSP: BUS LEAKED TRANSMISSION OIL TO ASPH-ALT. CLEANED. | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|-------------------|---|------------------|---|------|
| 88 | 2 of 2 | SSW/208.7 | 79.6 / 5.80 | INTERSECTION OF BANK STREET & CATHERINE STREET OTTAWA ON | HINC |
| External File Num: | | FS INC 0612-04500 | | | |
| Fuel Occurrence Type: | | Discovery of a Petroleum Product | | | |
| Date of Occurrence: | | 12/12/2006 | | | |
| Fuel Type Involved: | | Gasoline | | | |
| Status Desc: | | Completed - No Action Required | | | |
| Job Type Desc: | | Incident/Near-Miss Occurrence (FS) | | | |
| Oper. Type Involved: | | Other-Specify | | | |
| Service Interruptions: | | No | | | |
| Property Damage: | | No | | | |
| Fuel Life Cycle Stage: | | Other-specify | | | |
| Root Cause: | | | | | |
| Reported Details: | | Bell Canada technician reports evidence of a hydrocarbon odour emanating from a Bell manhole. | | | |
| Fuel Category: | | Unknown | | | |
| Occurrence Type: | | Incident | | | |
| Affiliation: | | Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) | | | |
| County Name: | | Ottawa | | | |
| Approx. Quant. Rel: | | | | | |
| Nearby body of water: | | | | | |
| Enter Drainage Syst.: | | | | | |
| Approx. Quant. Unit: | | | | | |
| Environmental Impact: | | | | | |
| 89 | 1 of 1 | NW/210.7 | 73.9 / 0.05 | YING YEE KUNG 380 FRANK STREET (SWM) OTTAWA CITY ON K2P 0Y1 | CA |
| Certificate #: | | 3-1193-95-006 | | | |
| Application Year: | | 95 | | | |
| Issue Date: | | 11/9/95 | | | |
| Approval Type: | | Municipal sewage | | | |
| Status: | | Approved | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 90 | 1 of 1 | ESE/212.7 | 72.9 / -0.95 | ON | BORE |
| Borehole ID: | | 847402 | | Inclin FLG: No | |
| OGF ID: | | 215589065 | | SP Status: Initial Entry | |
| Status: | | Decommissioned | | Surv Elev: No | |
| Type: | | Borehole | | Piezometer: No | |
| Use: | | Geotechnical/Geological Investigation | | Primary Name: | |
| Completion Date: | | 27-MAR-1961 | | Municipality: | |
| Static Water Level: | | 1.7 | | Lot: LOT F | |
| Primary Water Use: | | | | Township: NEPEAN | |
| Sec. Water Use: | | | | Latitude DD: 45.410119 | |
| Total Depth m: | | 12.6 | | Longitude DD: -75.689154 | |
| Depth Ref: | | Ground Surface | | UTM Zone: 18 | |
| Depth Elev: | | | | Easting: 446073 | |
| Drill Method: | | Boring | | Northing: 5028742 | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|--|------------------|---|---------------------|
| Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments: | 68.5 71.7 | BROKEN FRONT C | | Location Accuracy: Accuracy: | Within 10 metres |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557332 0 1.5 Fill | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | FILL (SAND, ASHES, CINDERS, ETC) | | **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557335 4.6 6.1 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff Medium |
| | | CLAY, GREY, SLIGHTLY FISSURED WITH SOME SILT, HIGH PLASTICITY, STIFF TO MEDIUM SOFT (CH) | | **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557337 7.6 10.7 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff Medium |
| | | CLAY GREY WITH SOME SILT MEDIUM PLASTICITY, STIFF (CL) | | **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557333 1.5 3 Brown-Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Hard |
| | | CLAY, BROWNISH GREY FISSURED WITH A LITTLE SILT, HIGH PLASTICITY, HARD (CH) | | **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: | 6557336 6.1 7.6 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: | Stiff |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|---|--|------------------|---|------------------|
| Material 4: Gsc Material Description: Stratum Description: | | Depositional Gen: CLAY GREY WITH A LITTLE SILT AND SAND HIGH PLASTICITY, STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557334 | | | Mat Consistency: | Very Stiff |
| Top Depth: | 3 | | | Material Moisture: | |
| Bottom Depth: | 4.6 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: Stratum Description: | | CLAY, BROWNISH GREY FISSURED WITH A LITTLE SILT, HIGH PLASTICITY, VERY STIFF (CH) **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557338 | | | Mat Consistency: | Soft |
| Top Depth: | 10.7 | | | Material Moisture: | |
| Bottom Depth: | 12.6 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: Stratum Description: | | SILT GREY LOW PLASTICITY MEDIUM SOFT (ML) **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| 91 | 1 of 1 | E/213.1 | 70.8 / -3.00 | CENTRETOWN CITIZENS OTTAWA CORPORATION 111 CATHERINE STREET OTTAWA ON K2P 0P4 | EASR |
| Approval No: | R-002-1000000433 | | | SWP Area Name: | |
| Status: | REGISTERED | | | MOE District: | |
| Date: | 2012-01-26 | | | Municipality: | OTTAWA |
| Record Type: | EASR | | | Latitude: | |
| Link Source: | MOFA | | | Longitude: | |
| Project Type: | Standby Power System | | | Geometry X: | |
| Full Address: | | | | Geometry Y: | |
| Approval Type: | EASR-Standby Power System | | | | |
| Full PDF Link: | http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=643 | | | | |
| 92 | 1 of 1 | S/214.4 | 78.2 / 4.36 | ON | BORE |
| Borehole ID: | 847446 | | | Inclin FLG: | No |
| OGF ID: | 215589104 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 02-JUN-1961 | | | Municipality: | |
| Static Water Level: | | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.40936 |
| Total Depth m: | 2 | | | Longitude DD: | -75.691062 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445923 |
| Drill Method: | Hand auger | | | Northing: | 5028659 |
| Orig Ground Elev m: | 69.1 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 71.6 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|----------------------------|------|
| Concession: | | BROKEN FRONT C | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557563 | | | Mat Consistency: | |
| Top Depth: | 1.7 | | | Material Moisture: | |
| Bottom Depth: | 1.8 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | Stones | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY FINE SAND WITH SOME STONES **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557564 | | | Mat Consistency: | |
| Top Depth: | 1.8 | | | Material Moisture: | |
| Bottom Depth: | 2 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | BROWNISH GREY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557561 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | 1.1 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Cinders | | | Geologic Group: | |
| Material 3: | Concrete | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL, CINDERS, GLASS, CONCRETE PIECES SAND AND SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557562 | | | Mat Consistency: | |
| Top Depth: | 1.1 | | | Material Moisture: | |
| Bottom Depth: | 1.7 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|---------------------------|-----------------|---------|--------------|-------------------------------|------------|
| 93 | 1 of 1 | N/214.6 | 72.9 / -0.95 | GLADSTONE AVENUE OTTAWA ON | WWIS |
| Well ID: | 7210740 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | | | Date Received: | 11/12/2013 |
| Sec. Water Use: | | | | Selected Flag: | Yes |
| Final Well Status: | Abandoned-Other | | | Abandonment Rec: | Yes |
| Water Type: | | | | Contractor: | 1119 |
| Casing Material: | | | | Form Version: | 7 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|---|----------------------------|------------------|-------------------------|------------------|
| Audit No: | Z155043 | | | Owner: | |
| Tag: | | | | Street Name: | GLADSTONE AVENUE |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | NEPEAN TOWNSHIP |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7210740.pdf | | | | |

Bore Hole Information

| | | | |
|-------------------------------------|------------|-------------------------|--------------------------------|
| Bore Hole ID: | 1004625767 | Elevation: | 71.357742 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445914 |
| Code OB Desc: | | North83: | 5029087 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 4 |
| Date Completed: | 9/25/2013 | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

**Annular Space/Abandonment
Sealing Record**

| | |
|------------------------|------------|
| Plug ID: | 1004875132 |
| Layer: | 2 |
| Plug From: | 2 |
| Plug To: | 0 |
| Plug Depth UOM: | ft |

**Annular Space/Abandonment
Sealing Record**

| | |
|------------------------|------------|
| Plug ID: | 1004875130 |
| Layer: | 1 |
| Plug From: | 0 |
| Plug To: | 20 |
| Plug Depth UOM: | ft |

**Annular Space/Abandonment
Sealing Record**

| | |
|------------------------|------------|
| Plug ID: | 1004875131 |
| Layer: | 1 |
| Plug From: | 20 |
| Plug To: | 2 |
| Plug Depth UOM: | ft |

Method of Construction & Well

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|----------------------------|------------------|--|-----|
| <u>Use</u> | | | | | |
| | Method Construction ID: Method Construction Code: Method Construction: Other Method Construction: | 1004875129 | | | |
| <u>Pipe Information</u> | | | | | |
| | Pipe ID: Casing No: Comment: Alt Name: | 1004875123 0 | | | |
| <u>Construction Record - Casing</u> | | | | | |
| | Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: | 1004875127 | | inch ft | |
| <u>Construction Record - Screen</u> | | | | | |
| | Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter: | 1004875128 | | ft inch | |
| <u>Water Details</u> | | | | | |
| | Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: | 1004875126 | | ft | |
| <u>Hole Diameter</u> | | | | | |
| | Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: | 1004875125 | | ft inch | |
| 94 | 1 of 9 | E/215.3 | 70.9 / -2.95 | 424 Metcalfe Street Ottawa ON K2P 2C3 | EHS |
| Order No: Status: | 20050317007 C | | | Nearest Intersection: Municipality: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|--|------------------|--|-----|
| Report Type: Report Date: 3/25/2005 Date Received: 3/17/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered: | | | | Client Prov/State: ON Search Radius (km): 0.25 X: -75.687895 Y: 45.411874 | |
| 94 | 2 of 9 | E/215.3 | 70.9 / -2.95 | Centretown Citizens Ottawa Corporation 424 METCALFE ST, OTTAWA, ON, K2P 2C3 OTTAWA ON K2P 2C3 | RSC |
| RSC ID: 56515 RA No: RSC Type: Curr Property Use: Commercial Ministry District: OTTAWA Filing Date: 28-Oct-09 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: No Asmt Roll No: 0614042 - 201420000000 Prop ID No (PIN): 04123-0054 LT Property Municipal Address: 424 METCALFE ST, OTTAWA, ON, K2P 2C3 Mailing Address: P.O. Box 2787, Stn. D, Ottawa, Ontario , K1P 5W8 Latitude & Longitude: 45.41166670N 75.68777780W UTM Coordinates: NAD83 18-446182-5028913 (converted from Latitude & Longitude) Consultant: Legal Desc: Lots 6, 7 and 8, South Argyle Avenue, Plan 30, Part of Lots 6, 7 and 8, North Catherine Street, Plan 30 and Part of Lots 11 and 12, West Metcalfe Street, Plan 30, Designated as Part 1 on 4R-19596, City of Ottawa and Part of Lots 6, 7 and 8, North Catherine Street, Plan 30, Designated as Part 4 on 4R-19596, City of Ottawa Measurement Method: Digitized from a satellite image Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use RSC PDF: | | Cert Date: 10-Jun-09 Cert Prop Use No: No CPU Intended Prop Use: Residential Qual Person Name: Ms. Kim Menard Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Yes Accuracy Estimate: 11 to 20 meters Telephone: 613-2344065x242 Fax: Email: projects@cchohousing.org | | | |
| 94 | 3 of 9 | E/215.3 | 70.9 / -2.95 | Centretown Citizens Ottawa Corporation 424 Metcalfe St Ottawa ON K2P 2C3 | CA |
| Certificate #: 0326-84NMNL Application Year: 2010 Issue Date: 4/22/2010 Approval Type: Air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 94 | 4 of 9 | E/215.3 | 70.9 / -2.95 | Centretown Citizens Ottawa Corporation 424 Metcalfe St Ottawa ON K2P 2C3 | CA |
| Certificate #: 1655-7QUQFR | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|----------------------------|------------------|---|------|
| Application Year: 2009 Issue Date: 8/4/2009 Approval Type: Municipal and Private Sewage Works Status: Revoked and/or Replaced Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 94 | 5 of 9 | E/215.3 | 70.9 / -2.95 | Centretown Citizens Ottawa Corporation 424 Metcalfe St Ottawa ON K2P 2C3 | CA |
| Certificate #: 7741-7VHJ3F Application Year: 2009 Issue Date: 10/8/2009 Approval Type: Municipal and Private Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 94 | 6 of 9 | E/215.3 | 70.9 / -2.95 | CENTRETOWN CITIZENS OTTAWA CORPORATION 424 METCALFE ST OTTAWA ON K2P 1C3 | EASR |
| Approval No: R-002-1000000228 Status: REGISTERED Date: 2011-12-16 Record Type: EASR Link Source: MOFA Project Type: Standby Power System Full Address: Approval Type: EASR-Standby Power System Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=466 | | | | SWP Area Name: MOE District: Municipality: OTTAWA Latitude: Longitude: Geometry X: Geometry Y: | |
| 94 | 7 of 9 | E/215.3 | 70.9 / -2.95 | Centretown Citizens Ottawa Corporation 424 Metcalfe St Ottawa ON | ECA |
| Approval No: 0326-84NMNL Approval Date: 2010-04-22 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-AIR Project Type: AIR Address: 424 Metcalfe St Full Address: | | | | MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|---|---|------------------|--|-----------------|
| Full PDF Link: | | https://www.accessenvironment.ene.gov.on.ca/instruments/1309-7XFMM5-14.pdf | | | |
| 94 | 8 of 9 | E/215.3 | 70.9 / -2.95 | Centretown Citizens Ottawa Corporation 424 Metcalfe St Ottawa ON | ECA |
| Approval No: | 7741-7VHJ3F | | | MOE District: | |
| Approval Date: | 2009-10-08 | | | City: | |
| Status: | Approved | | | Longitude: | |
| Record Type: | ECA | | | Latitude: | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | 424 Metcalfe St | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/6007-7V2QWE-14.pdf | | | | |
| 94 | 9 of 9 | E/215.3 | 70.9 / -2.95 | Centretown Citizens Ottawa Corporation 424 Metcalfe St Ottawa ON | ECA |
| Approval No: | 1655-7QUQFR | | | MOE District: | |
| Approval Date: | 2009-08-04 | | | City: | |
| Status: | Revoked and/or Replaced | | | Longitude: | |
| Record Type: | ECA | | | Latitude: | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | 424 Metcalfe St | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/4112-7PNR67-14.pdf | | | | |
| 95 | 1 of 1 | SSW/216.4 | 79.6 / 5.78 | 512 BANK STREET Ottawa ON | WWIS |
| Well ID: | 7122877 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | Monitoring and Test Hole | | | Date Received: | 5/11/2009 |
| Sec. Water Use: | 0 | | | Selected Flag: | Yes |
| Final Well Status: | Test Hole | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 1844 |
| Casing Material: | | | | Form Version: | 5 |
| Audit No: | M04549 | | | Owner: | |
| Tag: | A074609 | | | Street Name: | 512 BANK STREET |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7122877.pdf | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|---|------------------------------------|--------------------------|-------------------------|-----------------------------|
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 1002762256 | | | Elevation: | 67.148155 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445819 |
| Code OB Desc: | | | | North83: | 5028687 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | | | UTMRC: | 3 |
| Date Completed: | 2/18/2009 | | | UTMRC Desc: | margin of error : 10 - 30 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | 1002762260 | | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | 1002762259 | | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | DIRECT PUSH | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | 1002762261 | | | | |
| Casing No: | 0 | | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | 1002762263 | | | | |
| Layer: | | | | | |
| Material: | 1 | | | | |
| Open Hole or Material: | STEEL | | | | |
| Depth From: | | | | | |
| Depth To: | 1.2 | | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | m | | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | 1002762262 | | | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | 1.2 | | | | |
| Screen End Depth: | 4.5 | | | | |
| Screen Material: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|--------------------------------|---|---|---|
| Screen Depth UOM: Screen Diameter UOM: Screen Diameter: | | m | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: | | 1002762264 | 3.9 | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: | | 1002762258 | 20 4.8 m cm | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: | 1002422695 | | | Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method: | 67.069374 18 445825 5028690 UTM83 4 margin of error : 30 m - 100 m wwr |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: | | 1002762278 | 3 6 BROWN 05 CLAY 85 SOFT 68 | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| Mat3 Desc: | | | DRY | | |
| Formation Top Depth: | | | .6 | | |
| Formation End Depth: | | | 4.8 | | |
| Formation End Depth UOM: | | | m | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1002762277 | | | |
| Layer: | | 2 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 11 | | | |
| Most Common Material: | | GRAVEL | | | |
| Mat2: | | 01 | | | |
| Mat2 Desc: | | FILL | | | |
| Mat3: | | 09 | | | |
| Mat3 Desc: | | MEDIUM SAND | | | |
| Formation Top Depth: | | .1 | | | |
| Formation End Depth: | | .6 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 1002762276 | | | |
| Layer: | | 1 | | | |
| Color: | | | | | |
| General Color: | | | | | |
| Mat1: | | 27 | | | |
| Most Common Material: | | OTHER | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | .1 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 1002762280 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 0.8 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1002762284 | | | |
| Method Construction Code: | | 9 | | | |
| Method Construction: | | Driving | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1002762274 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

Construction Record - Screen

Screen ID: 1002762281
 Layer: 1
 Slot: 10
 Screen Top Depth:
 Screen End Depth:
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 3.8

Results of Well Yield Testing

Pump Test ID: 1002762275
 Pump Set At:
 Static Level: 3.7
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: m
 Rate UOM:
 Water State After Test Code: 0
 Water State After Test:
 Pumping Test Method: 0
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1002762279
 Diameter: 20
 Depth From: 0
 Depth To: 4.8
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Bore Hole Information

| | | | |
|------------------------------|---|------------------|-----------------------------|
| Bore Hole ID: | 1002762265 | Elevation: | 66.972 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445817 |
| Code OB Desc: | | North83: | 5028675 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | This is a record from cluster log sheet | UTMRC: | 3 |
| Date Completed: | 2/18/2009 | UTMRC Desc: | margin of error : 10 - 30 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

**Annular Space/Abandonment
Sealing Record**

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Plug ID: | | 1002762269 | | | |
| Layer: | | | | | |
| Plug From: | | | | | |
| Plug To: | | | | | |
| Plug Depth UOM: | | | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 1002762268 | | | |
| Method Construction Code: | | | | | |
| Method Construction: | | | | | |
| Other Method Construction: | | DIRECT PUSH | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1002762270 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1002762272 | | | |
| Layer: | | | | | |
| Material: | | 1 | | | |
| Open Hole or Material: | | STEEL | | | |
| Depth From: | | | | | |
| Depth To: | | 1.2 | | | |
| Casing Diameter: | | | | | |
| Casing Diameter UOM: | | | | | |
| Casing Depth UOM: | | m | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1002762271 | | | |
| Layer: | | | | | |
| Slot: | | | | | |
| Screen Top Depth: | | 1.2 | | | |
| Screen End Depth: | | 4.5 | | | |
| Screen Material: | | | | | |
| Screen Depth UOM: | | m | | | |
| Screen Diameter UOM: | | | | | |
| Screen Diameter: | | | | | |
| <u>Results of Well Yield Testing</u> | | | | | |
| Pump Test ID: | | 1002762273 | | | |
| Pump Set At: | | | | | |
| Static Level: | | 3.6 | | | |
| Final Level After Pumping: | | | | | |
| Recommended Pump Depth: | | | | | |
| Pumping Rate: | | | | | |
| Flowing Rate: | | | | | |
| Recommended Pump Rate: | | | | | |
| Levels UOM: | | m | | | |
| Rate UOM: | | | | | |
| Water State After Test Code: | | | | | |
| Water State After Test: | | | | | |
| Pumping Test Method: | | | | | |
| Pumping Duration HR: | | | | | |
| Pumping Duration MIN: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------|-------------------|----------------------------|------------------|------|----|
| <i>Flowing:</i> | | | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1002762267 | | | |
| Diameter: | | 20 | | | |
| Depth From: | | | | | |
| Depth To: | | 4.8 | | | |
| Hole Depth UOM: | | m | | | |
| Hole Diameter UOM: | | cm | | | |

| | | | | | |
|------------------------------|---|-----------|-------------|--|--------------------------|
| 96 | 1 of 1 | WNW/217.9 | 74.6 / 0.80 | City of Ottawa 434 Bank St Ottawa ON | SPL |
| Ref No: | 2574-AQ2668 | | | Discharger Report: | |
| Site No: | NA | | | Material Group: | |
| Incident Dt: | 8/7/2017 | | | Health/Env Conseq: | 2 - Minor Environment |
| Year: | | | | Client Type: | Municipal Government |
| Incident Cause: | | | | Sector Type: | Miscellaneous Industrial |
| Incident Event: | Leak/Break | | | Agency Involved: | |
| Contaminant Code: | 27 | | | Nearest Watercourse: | |
| Contaminant Name: | COOLANT N.O.S. | | | Site Address: | 434 Bank St |
| Contaminant Limit 1: | | | | Site District Office: | Ottawa |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | n/a | | | Site Region: | Eastern |
| Environment Impact: | | | | Site Municipality: | Ottawa |
| Nature of Impact: | | | | Site Lot: | |
| Receiving Medium: | | | | Site Conc: | |
| Receiving Env: | Land; Surface Water | | | Northing: | 5028971.42 |
| MOE Response: | No | | | Easting: | 445719.08 |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 8/7/2017 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | Watercourse Spills |
| Incident Reason: | Equipment Failure | | | Source Type: | Motor Vehicle |
| Site Name: | Asphalt and storm drain<UNOFFICIAL> | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | OC Transpo: est. 40L to grnd & CB; cntnd & clning | | | | |
| Contaminant Qty: | 40 L | | | | |

| | | | | | |
|----------------------------|---------------------------------------|-----------|-------------|---------------------------|------------------|
| 97 | 1 of 1 | SSE/218.3 | 77.9 / 4.05 | ON | BORE |
| Borehole ID: | 847448 | | | Inclin FLG: | No |
| OGF ID: | 215589106 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 15-AUG-1961 | | | Municipality: | |
| Static Water Level: | | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.409362 |
| Total Depth m: | 2 | | | Longitude DD: | -75.690717 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445950 |
| Drill Method: | Power auger | | | Northing: | 5028659 |
| Orig Ground Elev m: | 69.2 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 71.6 | | | | |
| Concession: | BROKEN FRONT C | | | | |
| Location D: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|----------------------------|------------------|----------------------------|----|
| Survey D: Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557569 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | 1.7 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Gravel | | | Geologic Period: | |
| Material 4: | Till | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL SAND WITH SOME GRAVEL A SANDY TILL POCKET A FEW LAYERS OF CINDERS AND ONE SMALL ORGANIC LAYER **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557570 | | | Mat Consistency: | |
| Top Depth: | 1.7 | | | Material Moisture: | |
| Bottom Depth: | 2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|--|---------------------------------------|---------|-------------|----------------------------|------------------|
| 98 | 1 of 1 | S/219.6 | 78.9 / 5.08 | ON | BORE |
| Borehole ID: | 847543 | | | Inclin FLG: | No |
| OGF ID: | 215589200 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 19-JAN-1962 | | | Municipality: | |
| Static Water Level: | 2.7 | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.409305 |
| Total Depth m: | 8.8 | | | Longitude DD: | -75.691278 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445906 |
| Drill Method: | Diamond Drill | | | Northing: | 5028653 |
| Orig Ground Elev m: | 69.2 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 71.4 | | | | |
| Concession: | BROKEN FRONT C | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557888 | | | Mat Consistency: | Hard |
| Top Depth: | 1.5 | | | Material Moisture: | |
| Bottom Depth: | 3 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|-------------------|--|------------------|----------------------------|-------|
| Stratum Description: | | CLAY BROWNISH GREY FISSURED HARD HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557887 | | | Mat Consistency: | Loose |
| Top Depth: | .8 | | | Material Moisture: | |
| Bottom Depth: | 1.5 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | LOOSE TO MEDIUM DENSE SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Stratum Description: | | | | | |
| Geology Stratum ID: | 6557892 | | | Mat Consistency: | Stiff |
| Top Depth: | 7.6 | | | Material Moisture: | |
| Bottom Depth: | 8.8 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | CLAY GREY STIFF WITH A TRACE OF SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Stratum Description: | | | | | |
| Geology Stratum ID: | 6557886 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .8 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Asphalt | | | Geologic Group: | |
| Material 3: | Stones | | | Geologic Period: | |
| Material 4: | Sand | | | Depositional Gen: | |
| Gsc Material Description: | | FILL ASPHALT CRUSHED STONES AND SAND SILT AND CINDERS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Stratum Description: | | | | | |
| Geology Stratum ID: | 6557889 | | | Mat Consistency: | Stiff |
| Top Depth: | 3 | | | Material Moisture: | |
| Bottom Depth: | 4.1 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | CLAY BROWNISH GREY SLIGHTLY FISSURED STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Stratum Description: | | | | | |
| Geology Stratum ID: | 6557890 | | | Mat Consistency: | Stiff |
| Top Depth: | 4.1 | | | Material Moisture: | |
| Bottom Depth: | 6.1 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | CLAY GREY SLIGHTLY FISSURED STIFF HIGH PLASTICITY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Stratum Description: | | | | | |
| Geology Stratum ID: | 6557891 | | | Mat Consistency: | Stiff |
| Top Depth: | 6.1 | | | Material Moisture: | |
| Bottom Depth: | 7.6 | | | Material Texture: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|---|-------------------------|---------------|----------------------------|----|
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY SITFF WITH SOME SILT AND A FEW FISSURES **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------|---------------------------------------|-----------|--------------|---------------------------|------------------|
| 99 | 1 of 1 | ESE/219.8 | 71.7 / -2.10 | ON | BORE |
| Borehole ID: | 847401 | | | Inclin FLG: | No |
| OGF ID: | 215589064 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 05-JAN-1960 | | | Municipality: | |
| Static Water Level: | 3.1 | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.4103 |
| Total Depth m: | 32.7 | | | Longitude DD: | -75.688875 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 446095 |
| Drill Method: | Boring | | | Northing: | 5028762 |
| Orig Ground Elev m: | 68.5 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 72.9 | | | | |
| Concession: | BROKEN FRONT C | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

Borehole Geology Stratum

| | | | | | |
|----------------------------------|--|--|--|----------------------------|--------|
| Geology Stratum ID: | 6557324 | | | Mat Consistency: | Stiff |
| Top Depth: | 9.1 | | | Material Moisture: | |
| Bottom Depth: | 15.2 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |
| Material 2: | Clay | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAYEY SILT, GREY MEDIUM TO LOW PLASTICITY STIFF TO MEDIUM SOFT (ML) **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------------|--|--|--|----------------------------|-------|
| Geology Stratum ID: | 6557326 | | | Mat Consistency: | Loose |
| Top Depth: | 17.8 | | | Material Moisture: | |
| Bottom Depth: | 21.3 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Till | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | LOOSE TILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------|---------|--|--|----------------------------|--|
| Geology Stratum ID: | 6557321 | | | Mat Consistency: | |
| Top Depth: | 1.5 | | | Material Moisture: | |
| Bottom Depth: | 1.8 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Organic | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|------------------------------------|--------------------------|---|-----------------|
| Material 3: Material 4: Gsc Material Description: Stratum Description: | | | | Geologic Period: Depositional Gen: | |
| | | | | ORGANIC **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557322 1.8 3.5 Brown-Grey Clay Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | | | CLAY BROWNISH GREY WITH A LITTLE SAND HIGH PLASTICITY (CH) **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557320 0 1.5 Fill | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | | | FILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557327 21.3 21.6 Till Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Dense Medium |
| | | | | MEDIUM DENSE SANDY TILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557329 26.5 29.7 Till Sand | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Dense |
| | | | | MEDIUM DENSE SANDY TILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557331 31.1 32.7 Shale | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | | | SHALE, CORE RECOVERY 98% **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: | 6557325 15.2 | | | Mat Consistency: Material Moisture: | Soft |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---------------------------------------|----------------------------|------------------|---|-----------------|
| Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 17.8 Silt Clay | | | Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Medium |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557330 29.7 31.1 Shale | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557323 3.5 9.1 Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff Medium |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557328 21.6 26.5 Till | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Dense |

[100](#) 1 of 1 NW/220.4 73.9 / 0.05 360 Frank St Ottawa On Ottawa ON EHS

| | | | |
|---------------------------------|---------------|------------------------------|------------|
| Order No: | 20160112020 | Nearest Intersection: | |
| Status: | C | Municipality: | |
| Report Type: | Custom Report | Client Prov/State: | ON |
| Report Date: | 15-JAN-16 | Search Radius (km): | .25 |
| Date Received: | 12-JAN-16 | X: | -75.692605 |
| Previous Site Name: | | Y: | 45.413044 |
| Lot/Building Size: | | | |
| Additional Info Ordered: | | | |

[101](#) 1 of 12 SW/222.2 78.5 / 4.64 Ottawa-Carleton District School Board Glashan PS 28 Arlington Ave. Ottawa ON K2P 1C2 GEN

| | | | |
|----------------------|-----------|-------------------|--|
| Generator No: | ON4363413 | PO Box No: | |
| Status: | | Country: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|----------------------------|------------------|--|----|
| Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | 02,03,04 | | | Choice of Contact: Co Admin: Phone No Admin: | |
| Detail(s) | | | | | |
| Waste Class: Waste Class Desc: | 243 PCB'S | | | | |

| 101 | 2 of 12 | SW/222.2 | 78.5 / 4.64 | ON | BORE |
|---------------------|----------------|----------|-------------|--------------------|----------------|
| Borehole ID: | 613203 | | | Inclin FLG: | No |
| OGF ID: | 215514506 | | | SP Status: | Initial Entry |
| Status: | | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | | | | Primary Name: | |
| Completion Date: | APR-1971 | | | Municipality: | |
| Static Water Level: | | | | Lot: | |
| Primary Water Use: | | | | Township: | |
| Sec. Water Use: | | | | Latitude DD: | 45.409558 |
| Total Depth m: | 7.3 | | | Longitude DD: | -75.692755 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445791 |
| Drill Method: | | | | Northing: | 5028682 |
| Orig Ground Elev m: | 69.1 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Not Applicable |
| DEM Ground Elev m: | 67.8 | | | | |
| Concession: | | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

Borehole Geology Stratum

| | | | | | |
|---------------------------|----------------------------------|--|--|---------------------|-------|
| Geology Stratum ID: | 218394122 | | | Mat Consistency: | Stiff |
| Top Depth: | 2.2 | | | Material Moisture: | |
| Bottom Depth: | 2.7 | | | Material Texture: | |
| Material Color: | Brown | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY. BROWN,GREY,STIFF,FISSURED. | | | | |
| Geology Stratum ID: | 218394121 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | 2.2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Silt | | | Geologic Period: | |
| Material 4: | Gravel | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | ARTIFICIAL. | | | | |
| Geology Stratum ID: | 218394125 | | | Mat Consistency: | Stiff |
| Top Depth: | 5.3 | | | Material Moisture: | |
| Bottom Depth: | 7.3 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|--|--------------------|---|---|
| Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | Clay Silt | | | Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | CLAY. GREY,STIFF,FISSURED. 00000 015 00073 075 00090 065 00125 050 00175 065 **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394123 2.7 3.8 Brown Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| | | CLAY. BROWN,GREY,STIFF,FISSURED. | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 218394124 3.8 5.3 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Soft |
| | | CLAY. GREY,SOFT,STIFF,FISSURED. | | | |
| Source | | | | | |
| Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1: | Data Survey Geological Survey of Canada 1956-1972 H | | | Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: | Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level |
| | | Urban Geology Automated Information System (UGAIS) File: OTTAWA2.txt RecordID: 057110 NTS_Sheet: 31G05G Logged by professional. Exact and complete description of material and properties. | | | |
| Source List | | | | | |
| Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators: | 1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada | | | Horizontal Datum: Vertical Datum: Projection Name: | NAD27 Mean Average Sea Level Universal Transverse Mercator |
| 101 | 3 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | ON2829633 2009 611110 | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| | | Elementary and Secondary Schools | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|--------------------------------|------------------|------|----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |

| | | | | | |
|----------------------------|----------------------------------|----------|-------------|---|-----|
| <u>101</u> | 4 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
| Generator No: | ON2829633 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2010 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 611110 | | | | |
| SIC Description: | Elementary and Secondary Schools | | | | |

| | | | | | |
|--------------------------|--|--------------------------------|--|--|--|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |

| | | | | | |
|----------------------------|----------------------------------|----------|-------------|---|-----|
| <u>101</u> | 5 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
| Generator No: | ON2829633 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2011 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 611110 | | | | |
| SIC Description: | Elementary and Secondary Schools | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|--------------------------------|------------------|------|----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |

| | | | | | |
|--------------------------|----------------------------------|----------|-------------|---|-----|
| 101 | 6 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
| Generator No: | ON2829633 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2012 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 611110 | | | | |
| SIC Description: | Elementary and Secondary Schools | | | | |

| | | | | | |
|--------------------------|--|--------------------------------|--|--|--|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |

| | | | | | |
|--------------------------|-----------|----------|-------------|---|-----|
| 101 | 7 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue Ottawa ON | GEN |
| Generator No: | ON2829633 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2013 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 611110 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|----------------------------------|------------------|------|----|
| SIC Description: | | ELEMENTARY AND SECONDARY SCHOOLS | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |

| | | | | | |
|--------------------------|----------------------------------|--------------------------------|-------------|---|-----------------------|
| 101 | 8 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
| Generator No: | ON2829633 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2015 | | | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | | | Co Admin: | Greg Benson |
| MHSW Facility: | No | | | Phone No Admin: | 613-596-8211 Ext.8549 |
| SIC Code: | 611110 | | | | |
| SIC Description: | ELEMENTARY AND SECONDARY SCHOOLS | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 331 | | | |
| Waste Class Desc: | | WASTE COMPRESSED GASES | | | |
| Waste Class: | | 121 | | | |
| Waste Class Desc: | | ALKALINE WASTES - HEAVY METALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 146 | | | |
| Waste Class Desc: | | OTHER SPECIFIED INORGANICS | | | |
| Waste Class: | | 112 | | | |
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |

| | | | | | |
|---------------------|---------|----------|-------------|--|-----|
| 101 | 9 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue | GEN |
|---------------------|---------|----------|-------------|--|-----|

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

Ottawa ON K2P 1C2

Generator No: ON2829633
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 611110
SIC Description: ELEMENTARY AND SECONDARY SCHOOLS
PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Greg Benson
Phone No Admin: 613-596-8211 Ext.8549

Detail(s)

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES
Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES
Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES
Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS
Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS
Waste Class: 221
Waste Class Desc: LIGHT FUELS
Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS
Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS
Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

| | | | | | |
|---------------------|----------|----------|-------------|---|-----|
| 101 | 10 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
|---------------------|----------|----------|-------------|---|-----|

Generator No: ON2829633
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 611110
SIC Description: ELEMENTARY AND SECONDARY SCHOOLS
PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Greg Benson
Phone No Admin: 613-596-8211 Ext.8549

Detail(s)

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS
Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS
Waste Class: 221
Waste Class Desc: LIGHT FUELS
Waste Class: 112

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|---|------------------|---|-----|
| Waste Class Desc: | | ACID WASTE - HEAVY METALS | | | |
| Waste Class: | | 145 | | | |
| Waste Class Desc: | | PAINT/PIGMENT/COATING RESIDUES | | | |
| Waste Class: | | 263 | | | |
| Waste Class Desc: | | ORGANIC LABORATORY CHEMICALS | | | |
| 101 | 11 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board Health & Safety 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
| Generator No: | | ON2829633 | | PO Box No: | |
| Status: | | Registered | | Country: Canada | |
| Approval Years: | | As of Dec 2018 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| Detail(s) | | | | | |
| Waste Class: | | 112 C | | | |
| Waste Class Desc: | | Acid solutions - containing heavy metals | | | |
| Waste Class: | | 121 C | | | |
| Waste Class Desc: | | Alkaline slutions - containing heavy metals | | | |
| Waste Class: | | 145 I | | | |
| Waste Class Desc: | | Wastes from the use of pigments, coatings and paints | | | |
| Waste Class: | | 146 C | | | |
| Waste Class Desc: | | Other specified inorganic sludges, slurries or solids | | | |
| Waste Class: | | 146 R | | | |
| Waste Class Desc: | | Other specified inorganic sludges, slurries or solids | | | |
| Waste Class: | | 146 T | | | |
| Waste Class Desc: | | Other specified inorganic sludges, slurries or solids | | | |
| Waste Class: | | 148 C | | | |
| Waste Class Desc: | | Misc. wastes and inorganic chemicals | | | |
| Waste Class: | | 213 I | | | |
| Waste Class Desc: | | Petroleum distillates | | | |
| Waste Class: | | 221 I | | | |
| Waste Class Desc: | | Light fuels | | | |
| Waste Class: | | 263 B | | | |
| Waste Class Desc: | | Misc. waste organic chemicals | | | |
| Waste Class: | | 263 I | | | |
| Waste Class Desc: | | Misc. waste organic chemicals | | | |
| Waste Class: | | 331 I | | | |
| Waste Class Desc: | | Waste compressed gases including cylinders | | | |

| | | | | | |
|---------------------|----------|----------|-------------|---|-----|
| 101 | 12 of 12 | SW/222.2 | 78.5 / 4.64 | Ottawa-Carleton District School Board Health & Safety 28 Arlington Avenue Ottawa ON K2P 1C2 | GEN |
|---------------------|----------|----------|-------------|---|-----|

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|---|----------------------------|------------------|---------------------------|--------|
| Generator No: | ON2829633 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Jul 2020 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 263 I | | | | |
| Waste Class Desc: | Misc. waste organic chemicals | | | | |
| Waste Class: | 121 C | | | | |
| Waste Class Desc: | Alkaline slutions - containing heavy metals | | | | |
| Waste Class: | 263 B | | | | |
| Waste Class Desc: | Misc. waste organic chemicals | | | | |
| Waste Class: | 148 C | | | | |
| Waste Class Desc: | Misc. wastes and inorganic chemicals | | | | |
| Waste Class: | 221 I | | | | |
| Waste Class Desc: | Light fuels | | | | |
| Waste Class: | 112 C | | | | |
| Waste Class Desc: | Acid solutions - containing heavy metals | | | | |
| Waste Class: | 146 R | | | | |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids | | | | |
| Waste Class: | 331 I | | | | |
| Waste Class Desc: | Waste compressed gases including cylinders | | | | |
| Waste Class: | 213 I | | | | |
| Waste Class Desc: | Petroleum distillates | | | | |
| Waste Class: | 146 T | | | | |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids | | | | |
| Waste Class: | 145 I | | | | |
| Waste Class Desc: | Wastes from the use of pigments, coatings and paints | | | | |
| Waste Class: | 146 C | | | | |
| Waste Class Desc: | Other specified inorganic sludges, slurries or solids | | | | |

[102](#) 1 of 1 SE/224.0 75.9 / 2.08 ON [BORE](#)

| | | | |
|----------------------------|---------------------------------------|---------------------------|---------------|
| Borehole ID: | 847444 | Inclin FLG: | No |
| OGF ID: | 215589102 | SP Status: | Initial Entry |
| Status: | Decommissioned | Surv Elev: | No |
| Type: | Borehole | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | Primary Name: | |
| Completion Date: | 08-JUN-1961 | Municipality: | |
| Static Water Level: | | Lot: | LOT F |
| Primary Water Use: | | Township: | NEPEAN |
| Sec. Water Use: | | Latitude DD: | 45.409538 |
| Total Depth m: | 2.7 | Longitude DD: | -75.689876 |
| Depth Ref: | Ground Surface | UTM Zone: | 18 |
| Depth Elev: | | Easting: | 446016 |
| Drill Method: | Hand auger | Northing: | 5028678 |
| Orig Ground Elev m: | 67.6 | Location Accuracy: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|---|------------------|----------------------------|------------------|
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 70.7 | | | | |
| Concession: | | BROKEN FRONT C | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557553 | | | Mat Consistency: | |
| Top Depth: | 1.2 | | | Material Moisture: | |
| Bottom Depth: | 2.1 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | organic material | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557552 | | | Mat Consistency: | |
| Top Depth: | .3 | | | Material Moisture: | |
| Bottom Depth: | 1.2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | SANDY FILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557551 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .3 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Cinders | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | FILL SAND AND CINDERS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557554 | | | Mat Consistency: | |
| Top Depth: | 2.1 | | | Material Moisture: | |
| Bottom Depth: | 2.6 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557555 | | | Mat Consistency: | |
| Top Depth: | 2.6 | | | Material Moisture: | |
| Bottom Depth: | 2.7 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|----------------------------|------------------|---|------|
| 103 | 1 of 1 | NW/224.0 | 73.9 / 0.05 | OTTAWA CITY, DESIGN & CONSTRUCTION DIV. FRANK ST./BANK ST./O'CONNOR ST OTTAWA CITY ON | CA |
| <p> Certificate #: 3-0476-97- Application Year: 97 Issue Date: 6/26/1997 Approval Type: Municipal sewage Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: </p> | | | | | |
| 104 | 1 of 1 | WNW/227.7 | 74.9 / 1.08 | 425 Bank Street Ottawa ON | EHS |
| <p> Order No: 20150604086 Status: C Report Type: Standard Report Report Date: 11-JUN-15 Date Received: 04-JUN-15 Previous Site Name: Lot/Building Size: Additional Info Ordered: </p> <p> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.693632 Y: 45.41252 </p> | | | | | |
| 105 | 1 of 1 | SW/229.4 | 75.1 / 1.23 | R.M. OF OTTAWA-CARLETON ARLINGTON ST./KENT ST./BANK ST OTTAWA CITY ON | CA |
| <p> Certificate #: 7-0052-99- Application Year: 99 Issue Date: 3/2/1999 Approval Type: Municipal water Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: </p> | | | | | |
| 106 | 1 of 1 | SE/231.1 | 73.9 / 0.09 | ON | BORE |
| <p> Borehole ID: 847440 OGF ID: 215589098 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 09-JUN-1961 Static Water Level: Primary Water Use: </p> <p> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT F Township: NEPEAN </p> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|--|------------------|----------------------------|------------------|
| Sec. Water Use: | | | | Latitude DD: | 45.409749 |
| Total Depth m: | 1.8 | | | Longitude DD: | -75.689316 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 446060 |
| Drill Method: | Hand auger | | | Northing: | 5028701 |
| Orig Ground Elev m: | 67.4 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 70.1 | | | | |
| Concession: | | BROKEN FRONT C | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557536 | | | Mat Consistency: | |
| Top Depth: | .9 | | | Material Moisture: | |
| Bottom Depth: | 1.3 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |
| Material 2: | Fine Sand | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | SILT AND FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557534 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .3 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Cinders | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | FILL SAND AND CINDERS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557535 | | | Mat Consistency: | |
| Top Depth: | .3 | | | Material Moisture: | |
| Bottom Depth: | .9 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Till | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | SANDY TILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557537 | | | Mat Consistency: | |
| Top Depth: | 1.3 | | | Material Moisture: | |
| Bottom Depth: | 1.6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Gravel | | | Geologic Group: | |
| Material 3: | Cobbles | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | SAND AND GRAVEL WITH A FEW COBBLES **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |
| Geology Stratum ID: | 6557538 | | | Mat Consistency: | |
| Top Depth: | 1.6 | | | Material Moisture: | |
| Bottom Depth: | 1.8 | | | Material Texture: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|-------------------|--|---------------|----------------------------|----|
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | |

| | | | | | |
|----------------------------|---------------------------------------|-----------|-------------|---------------------------|------------------|
| 107 | 1 of 1 | SSE/232.0 | 76.8 / 2.97 | ON | BORE |
| Borehole ID: | 847439 | | | Inclin FLG: | No |
| OGF ID: | 215589097 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | MAY-1961 | | | Municipality: | |
| Static Water Level: | | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.409301 |
| Total Depth m: | 1.8 | | | Longitude DD: | -75.690371 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445977 |
| Drill Method: | Hand auger | | | Northing: | 5028652 |
| Orig Ground Elev m: | 67.4 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 69.6 | | | | |
| Concession: | BROKEN FRONT C | | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

Borehole Geology Stratum

| | | | | | |
|----------------------------------|--|--|--|----------------------------|--|
| Geology Stratum ID: | 6557531 | | | Mat Consistency: | |
| Top Depth: | .5 | | | Material Moisture: | |
| Bottom Depth: | .8 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | organic material | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------------|--|--|--|----------------------------|--|
| Geology Stratum ID: | 6557530 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .5 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Cinders | | | Geologic Group: | |
| Material 3: | Fine Sand | | | Geologic Period: | |
| Material 4: | Silt | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL CINDERS, FINE SAND AND SILT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|----------------------------|---------|--|--|----------------------------|------|
| Geology Stratum ID: | 6557532 | | | Mat Consistency: | |
| Top Depth: | .8 | | | Material Moisture: | |
| Bottom Depth: | 1.7 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Clay | | | Geologic Group: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|---|-------------------------|---------------|----------------------------|----|
| Material 3: | Silt | | | Geologic Period: | |
| Material 4: | Stones | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAYEY FINE SAND WITH SOME SILTS AND A FEW STONES **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557533 | | | Mat Consistency: | |
| Top Depth: | 1.7 | | | Material Moisture: | |
| Bottom Depth: | 1.8 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | BROWNISH GREY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

| | | | | | |
|-------------------------------------|-------------------|---------|--------------|--|--------------------------------|
| 108 | 1 of 1 | E/233.2 | 71.2 / -2.64 | CATHERINE STREET/METCALFE lot F con C OTTAWA ON | WWIS |
| Well ID: | 7292768 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | | | Date Received: | 8/17/2017 |
| Sec. Water Use: | | | | Selected Flag: | Yes |
| Final Well Status: | Observation Wells | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7543 |
| Casing Material: | | | | Form Version: | 7 |
| Audit No: | Z217814 | | | Owner: | |
| Tag: | A203626 | | | Street Name: | CATHERINE STREET/METCALFE |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | NEPEAN TOWNSHIP |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | F |
| Well Depth: | | | | Concession: | C |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |
| PDF URL (Map): | | | | | |
| <u>Bore Hole Information</u> | | | | | |
| Bore Hole ID: | 1006712580 | | | Elevation: | 69.846755 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 446134 |
| Code OB Desc: | | | | North83: | 5028828 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 6/28/2017 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

Overburden and Bedrock

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1006836680 | | | |
| Layer: | | 1 | | | |
| Color: | | | | | |
| General Color: | | | | | |
| Mat1: | | 02 | | | |
| Most Common Material: | | TOPSOIL | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | | | | |
| Mat3 Desc: | | | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | 2 | | | |
| Formation End Depth UOM: | | ft | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 1006836681 | | | |
| Layer: | | 2 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | | | | |
| Mat2 Desc: | | | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 2 | | | |
| Formation End Depth: | | 18 | | | |
| Formation End Depth UOM: | | ft | | | |
| <u>Annular Space/Abandonment</u> | | | | | |
| <u>Sealing Record</u> | | | | | |
| Plug ID: | | 1006836687 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 12 | | | |
| Plug Depth UOM: | | ft | | | |
| <u>Method of Construction & Well</u> | | | | | |
| <u>Use</u> | | | | | |
| Method Construction ID: | | 1006836686 | | | |
| Method Construction Code: | | B | | | |
| Method Construction: | | Other Method | | | |
| Other Method Construction: | | AUGERING | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 1006836679 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |
| Casing ID: | | 1006836684 | | | |
| Layer: | | 1 | | | |
| Material: | | 5 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|---|-----|
| Open Hole or Material: | | PLASTIC | | | |
| Depth From: | | -3 | | | |
| Depth To: | | 13 | | | |
| Casing Diameter: | | 2 | | | |
| Casing Diameter UOM: | | inch | | | |
| Casing Depth UOM: | | ft | | | |
| <u>Construction Record - Screen</u> | | | | | |
| Screen ID: | | 1006836685 | | | |
| Layer: | | 1 | | | |
| Slot: | | 10 | | | |
| Screen Top Depth: | | 13 | | | |
| Screen End Depth: | | 18 | | | |
| Screen Material: | | 5 | | | |
| Screen Depth UOM: | | ft | | | |
| Screen Diameter UOM: | | inch | | | |
| Screen Diameter: | | 2.5 | | | |
| <u>Water Details</u> | | | | | |
| Water ID: | | 1006836683 | | | |
| Layer: | | | | | |
| Kind Code: | | | | | |
| Kind: | | | | | |
| Water Found Depth: | | | | | |
| Water Found Depth UOM: | | ft | | | |
| <u>Hole Diameter</u> | | | | | |
| Hole ID: | | 1006836682 | | | |
| Diameter: | | 10 | | | |
| Depth From: | | 0 | | | |
| Depth To: | | 18 | | | |
| Hole Depth UOM: | | ft | | | |
| Hole Diameter UOM: | | inch | | | |
| 109 | 1 of 3 | N/233.8 | 72.9 / -0.95 | Canadian Library Association 328 Frank St Suite 602 Ottawa ON K2P 0X8 | SCT |
| Established: | | 1946 | | | |
| Plant Size (ft²): | | 1200 | | | |
| Employment: | | 12 | | | |
| 109 | 2 of 3 | N/233.8 | 72.9 / -0.95 | Canadian Library Trustees Assn 328 Frank St Ottawa ON K2P 0X8 | SCT |
| Established: | | 1946 | | | |
| Plant Size (ft²): | | | | | |
| Employment: | | 8 | | | |
| <u>--Details--</u> | | | | | |
| Description: | | Book Publishers | | | |
| SIC/NAICS Code: | | 511130 | | | |
| Description: | | Libraries | | | |
| SIC/NAICS Code: | | 519121 | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|-------------------|----------------------------|------------------|-----------------------------------|------------|
| 109 | 3 of 3 | N/233.8 | 72.9 / -0.95 | 328 Frank St Ottawa ON K2P 0X8 | EHS |
| Order No: | 20121025036 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | Custom Report | | | Client Prov/State: | ON |
| Report Date: | 01-NOV-12 | | | Search Radius (km): | .25 |
| Date Received: | 25-OCT-12 | | | X: | -75.691365 |
| Previous Site Name: | | | | Y: | 45.413345 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | | | | | |

| | | | | | |
|-------------------------------|-------------------|-----------|-------------|------------------------------|-----------------|
| 110 | 1 of 1 | SSW/234.9 | 79.9 / 6.05 | 240 CATHEINE ST OTTAWA ON | WWIS |
| Well ID: | 7048032 | | | Data Entry Status: | |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | | | Date Received: | 8/10/2007 |
| Sec. Water Use: | | | | Selected Flag: | Yes |
| Final Well Status: | Observation Wells | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7241 |
| Casing Material: | | | | Form Version: | 3 |
| Audit No: | Z74030 | | | Owner: | |
| Tag: | A061570 | | | Street Name: | 240 CATHEINE ST |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | OTTAWA CITY |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7048032.pdf

Bore Hole Information

| | | | |
|-------------------------------------|----------|-------------------------|-----------------------------|
| Bore Hole ID: | 23048032 | Elevation: | 67.756393 |
| DP2BR: | | Elevrc: | |
| Spatial Status: | | Zone: | 18 |
| Code OB: | | East83: | 445830 |
| Code OB Desc: | | North83: | 5028650 |
| Open Hole: | | Org CS: | UTM83 |
| Cluster Kind: | | UTMRC: | 3 |
| Date Completed: | 7/3/2007 | UTMRC Desc: | margin of error : 10 - 30 m |
| Remarks: | | Location Method: | wwr |
| Elevrc Desc: | | | |
| Location Source Date: | | | |
| Improvement Location Source: | | | |
| Improvement Location Method: | | | |
| Source Revision Comment: | | | |
| Supplier Comment: | | | |

**Overburden and Bedrock
Materials Interval**

| | |
|----------------------|----------|
| Formation ID: | 30148032 |
| Layer: | 1 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------------------|--------------------------|------------------------------------|--------------------------|-------------|-----------|
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 11 | | | |
| Most Common Material: | | GRAVEL | | | |
| Mat2: | | 28 | | | |
| Mat2 Desc: | | SAND | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 0 | | | |
| Formation End Depth: | | .61 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 30248032 | | | |
| Layer: | | 2 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 28 | | | |
| Most Common Material: | | SAND | | | |
| Mat2: | | 85 | | | |
| Mat2 Desc: | | SOFT | | | |
| Mat3: | | 68 | | | |
| Mat3 Desc: | | DRY | | | |
| Formation Top Depth: | | .61 | | | |
| Formation End Depth: | | 1.83 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 30548032 | | | |
| Layer: | | 5 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | 06 | | | |
| Mat2 Desc: | | SILT | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 4.27 | | | |
| Formation End Depth: | | 6.1 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Overburden and Bedrock</u> | | | | | |
| <u>Materials Interval</u> | | | | | |
| Formation ID: | | 30348032 | | | |
| Layer: | | 3 | | | |
| Color: | | 6 | | | |
| General Color: | | BROWN | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | 06 | | | |
| Mat2 Desc: | | SILT | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 1.83 | | | |
| Formation End Depth: | | 3.35 | | | |
| Formation End Depth UOM: | | m | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|--------------------------|--------------------------------|----------------------|-------------|-----------|
| <u>Overburden and Bedrock Materials Interval</u> | | | | | |
| Formation ID: | | 30448032 | | | |
| Layer: | | 4 | | | |
| Color: | | 2 | | | |
| General Color: | | GREY | | | |
| Mat1: | | 05 | | | |
| Most Common Material: | | CLAY | | | |
| Mat2: | | 06 | | | |
| Mat2 Desc: | | SILT | | | |
| Mat3: | | 85 | | | |
| Mat3 Desc: | | SOFT | | | |
| Formation Top Depth: | | 3.35 | | | |
| Formation End Depth: | | 4.27 | | | |
| Formation End Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 44003340 | | | |
| Layer: | | 3 | | | |
| Plug From: | | 2.74 | | | |
| Plug To: | | 6.1 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 44003341 | | | |
| Layer: | | 2 | | | |
| Plug From: | | 0.31 | | | |
| Plug To: | | 2.74 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Annular Space/Abandonment Sealing Record</u> | | | | | |
| Plug ID: | | 44003339 | | | |
| Layer: | | 1 | | | |
| Plug From: | | 0 | | | |
| Plug To: | | 0.31 | | | |
| Plug Depth UOM: | | m | | | |
| <u>Method of Construction & Well Use</u> | | | | | |
| Method Construction ID: | | 25948032 | | | |
| Method Construction Code: | | B | | | |
| Method Construction: | | Other Method | | | |
| Other Method Construction: | | | | | |
| <u>Pipe Information</u> | | | | | |
| Pipe ID: | | 29048032 | | | |
| Casing No: | | 0 | | | |
| Comment: | | | | | |
| Alt Name: | | | | | |
| <u>Construction Record - Casing</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

Casing ID: 42148032
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 3.1
Casing Diameter: 3.81
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 43148032
Layer: 1
Slot: 10
Screen Top Depth: 3.1
Screen End Depth: 6.1
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

Hole Diameter

Hole ID: 46002324
Diameter: 8.89
Depth From: 0
Depth To: 6.1
Hole Depth UOM: m
Hole Diameter UOM: cm

[111](#) 1 of 1 **NNW/236.1** **73.9 / 0.05** **353-357 Frank St**
Ottawa ON K2P 0X9 **EHS**

| | |
|---|---|
| Order No: 20101124026 | Nearest Intersection: Frank St. and Bank St. |
| Status: C | Municipality: |
| Report Type: Standard Report | Client Prov/State: ON |
| Report Date: 12/3/2010 | Search Radius (km): 0.25 |
| Date Received: 11/24/2010 2:16:10 PM | X: -75.692535 |
| Previous Site Name: | Y: 45.413224 |
| Lot/Building Size: | |
| Additional Info Ordered: | |

[112](#) 1 of 1 **S/236.6** **80.0 / 6.14** **ON** **BORE**

| | |
|---|-----------------------------------|
| Borehole ID: 847541 | Inclin FLG: No |
| OGF ID: 215589198 | SP Status: Initial Entry |
| Status: Decommissioned | Surv Elev: No |
| Type: Borehole | Piezometer: No |
| Use: Geotechnical/Geological Investigation | Primary Name: |
| Completion Date: 13-APR-1960 | Municipality: |
| Static Water Level: 4.2 | Lot: LOT F |
| Primary Water Use: | Township: NEPEAN |
| Sec. Water Use: | Latitude DD: 45.409159 |
| Total Depth m: 21.6 | Longitude DD: -75.691571 |
| Depth Ref: Ground Surface | UTM Zone: 18 |
| Depth Elev: | Easting: 445883 |
| Drill Method: Diamond Drill | Northing: 5028637 |
| Orig Ground Elev m: 69.5 | Location Accuracy: |
| Elev Reliabil Note: | Accuracy: Within 10 metres |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|----------------------------|--------|
| DEM Ground Elev m: Concession: Location D: Survey D: Comments: | 70.6 | | | BROKEN FRONT C | |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557870 | | | Mat Consistency: | |
| Top Depth: | 14.6 | | | Material Moisture: | |
| Bottom Depth: | 15 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557863 | | | Mat Consistency: | Stiff |
| Top Depth: | 2.6 | | | Material Moisture: | |
| Bottom Depth: | 3.5 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Brown-Grey Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY BROWNISH GREY HIGH PLASTICITY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557872 | | | Mat Consistency: | Dense |
| Top Depth: | 16.2 | | | Material Moisture: | |
| Bottom Depth: | 18 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Gravel | | | Geologic Group: | |
| Material 3: | Boulders | | | Geologic Period: | |
| Material 4: | Silt | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | BOULDERS IN GRAVELLY SAND WITH SOME SILT AND A TRACE OF CLAY (TILL) DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557864 | | | Mat Consistency: | Stiff |
| Top Depth: | 3.5 | | | Material Moisture: | |
| Bottom Depth: | 6.9 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY FISSURED GREY HIGH PLASTICITY STIFF TO VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557865 | | | Mat Consistency: | |
| Top Depth: | 6.9 | | | Material Moisture: | |
| Bottom Depth: | 10.7 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY CLAY, GREY MEDIUM PLASTICITY **Note: Many records provided by the department have a truncated | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|---|----------------------------|------------------|----------------------------|------------|
| [Stratum Description] field. | | | | | |
| Geology Stratum ID: | 6557869 | | | Mat Consistency: | Soft |
| Top Depth: | 14 | | | Material Moisture: | |
| Bottom Depth: | 14.6 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |
| Material 2: | Clay | | | Geologic Group: | |
| Material 3: | Pebbles | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILT AND CLAY IN LAYERS WITH A FEW PEBBLES GREY MEDIUM SOFT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557874 | | | Mat Consistency: | |
| Top Depth: | 18.3 | | | Material Moisture: | |
| Bottom Depth: | 20.1 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Limestone | | | Geologic Formation: | |
| Material 2: | Shale | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SHALEY LIMESTONE **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557861 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557867 | | | Mat Consistency: | Stiff |
| Top Depth: | 12.2 | | | Material Moisture: | |
| Bottom Depth: | 12.6 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY CLAY GREY LOW PLASTICITY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557868 | | | Mat Consistency: | Stiff |
| Top Depth: | 12.6 | | | Material Moisture: | |
| Bottom Depth: | 14 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY GREY MEDIUM PLASTICITY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557871 | | | Mat Consistency: | Very Loose |
| Top Depth: | 15 | | | Material Moisture: | |
| Bottom Depth: | 16.2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------------|--|----------------------------|------------------|----------------------------|-------|
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | Sand | | | Geologic Period: | |
| Material 4: | Gravel | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY CLAY WITH A LITTLE SAND AND GRAVEL LOW PLASTICITY VERY LOOSE **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557862 | | | Mat Consistency: | Dense |
| Top Depth: | .6 | | | Material Moisture: | |
| Bottom Depth: | 2.6 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FINE SAND MEDIUM DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557866 | | | Mat Consistency: | Stiff |
| Top Depth: | 10.7 | | | Material Moisture: | |
| Bottom Depth: | 12.2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |
| Material 2: | Clay | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAYEY SILT GREY LOW PLASTICITY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557873 | | | Mat Consistency: | |
| Top Depth: | 18 | | | Material Moisture: | |
| Bottom Depth: | 18.3 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Shale | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | WEATHERED SHALE **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

113

1 of 1

ESE/238.2

71.4 / -2.40

ON

BORE

| | | | |
|----------------------------|---------------------------------------|---------------------------|------------------|
| Borehole ID: | 847454 | Inclin FLG: | No |
| OGF ID: | 215589112 | SP Status: | Initial Entry |
| Status: | Decommissioned | Surv Elev: | No |
| Type: | Borehole | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | Primary Name: | |
| Completion Date: | 07-JUL-1961 | Municipality: | |
| Static Water Level: | | Lot: | LOT F |
| Primary Water Use: | | Township: | NEPEAN |
| Sec. Water Use: | | Latitude DD: | 45.410591 |
| Total Depth m: | 1.4 | Longitude DD: | -75.688432 |
| Depth Ref: | Ground Surface | UTM Zone: | 18 |
| Depth Elev: | | Easting: | 446130 |
| Drill Method: | Hand auger | Northing: | 5028794 |
| Orig Ground Elev m: | 68.3 | Location Accuracy: | |
| Elev Reliabil Note: | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 73.9 | | |
| Concession: | BROKEN FRONT C | | |
| Location D: | | | |
| Survey D: | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|-------------------------|---------------|------|----|
|---------|-------------------|-------------------------|---------------|------|----|

Comments:

Borehole Geology Stratum

Geology Stratum ID: 6557593 **Mat Consistency:**
Top Depth: .5 **Material Moisture:**
Bottom Depth: .9 **Material Texture:**
Material Color: **Non Geo Mat Type:**
Material 1: Fill **Geologic Formation:**
Material 2: Sand **Geologic Group:**
Material 3: Topsoil **Geologic Period:**
Material 4: organic material **Depositional Gen:**
Gsc Material Description:
Stratum Description: FILL (MOSTLY SAND, FEW TOPSOIL BANDS AND ORGANIC MATERIAL) **Note: Many records provided by the department have a truncated [Stratum Description] field.

Geology Stratum ID: 6557594 **Mat Consistency:**
Top Depth: .9 **Material Moisture:**
Bottom Depth: 1.4 **Material Texture:**
Material Color: **Non Geo Mat Type:**
Material 1: Clay **Geologic Formation:**
Material 2: **Geologic Group:**
Material 3: **Geologic Period:**
Material 4: **Depositional Gen:**
Gsc Material Description:
Stratum Description: CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.

Geology Stratum ID: 6557592 **Mat Consistency:**
Top Depth: 0 **Material Moisture:**
Bottom Depth: .5 **Material Texture:**
Material Color: **Non Geo Mat Type:**
Material 1: Fill **Geologic Formation:**
Material 2: Sand **Geologic Group:**
Material 3: Gravel **Geologic Period:**
Material 4: Cinders **Depositional Gen:**
Gsc Material Description:
Stratum Description: FILL SAND GRAVEL AND CINDERS **Note: Many records provided by the department have a truncated [Stratum Description] field.

[114](#) 1 of 1 S/239.6 78.8 / 4.97 ON BORE

Borehole ID: 847447 **Inclin FLG:** No
OGF ID: 215589105 **SP Status:** Initial Entry
Status: Decommissioned **Surv Elev:** No
Type: Borehole **Piezometer:** No
Use: Geotechnical/Geological Investigation **Primary Name:**
Completion Date: 15-AUG-1961 **Municipality:**
Static Water Level: **Lot:** LOT F
Primary Water Use: **Township:** NEPEAN
Sec. Water Use: **Latitude DD:** 45.409125
Total Depth m: 2.9 **Longitude DD:** -75.691238
Depth Ref: Ground Surface **UTM Zone:** 18
Depth Elev: **Easting:** 445909
Drill Method: Power auger **Northing:** 5028633
Orig Ground Elev m: 69.6 **Location Accuracy:**
Elev Reliabil Note: **Accuracy:** Within 10 metres
DEM Ground Elev m: 71.8
Concession: BROKEN FRONT C
Location D:
Survey D:
Comments:

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|----------------------------|------------------|----------------------------|----|
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557565 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Cinders | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL SAND AND CINDERS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557566 | | | Mat Consistency: | |
| Top Depth: | .6 | | | Material Moisture: | |
| Bottom Depth: | 1.2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Gravel | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL SAND WITH SOME GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557568 | | | Mat Consistency: | |
| Top Depth: | 2.7 | | | Material Moisture: | |
| Bottom Depth: | 2.9 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557567 | | | Mat Consistency: | |
| Top Depth: | 1.2 | | | Material Moisture: | |
| Bottom Depth: | 2.7 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Sand | | | Geologic Group: | |
| Material 3: | Silt | | | Geologic Period: | |
| Material 4: | Clay | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL SAND WITH SOME SILT, A LITTLE CLAY, A FEW BOULDERS AND A FEW SMALL CINDER POCKETS **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |

115

1 of 1

ESE/241.7

72.0 / -1.83

ON

BORE

| | | | |
|----------------------------|---------------------------------------|----------------------|---------------|
| Borehole ID: | 847465 | Inclin FLG: | No |
| OGF ID: | 215589123 | SP Status: | Initial Entry |
| Status: | Decommissioned | Surv Elev: | No |
| Type: | Borehole | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | Primary Name: | |
| Completion Date: | 15-AUG-1961 | Municipality: | |
| Static Water Level: | | Lot: | LOT F |
| Primary Water Use: | | Township: | NEPEAN |
| Sec. Water Use: | | Latitude DD: | 45.41032 |
| Total Depth m: | 1.7 | Longitude DD: | -75.688543 |
| Depth Ref: | Ground Surface | UTM Zone: | 18 |
| Depth Elev: | | Easting: | 446121 |
| Drill Method: | Power auger | Northing: | 5028764 |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|---|------------------|---|------------------|
| Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments: | 68.2 73.6 | BROKEN FRONT C | | Location Accuracy: Accuracy: | Within 10 metres |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557635 0 1.4 Fill Sand Gravel Cinders | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | FILL, SAND WITH SOME GRAVEL A FEW LAYERS AND POCKETS OF CINDERS | | **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557636 1.4 1.7 Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | CLAY | | **Note: Many records provided by the department have a truncated [Stratum Description] field. | |

| | | | | | |
|---|---|----------------|-------------|--|--|
| <u>116</u> | 1 of 1 | S/241.7 | 80.0 / 6.14 | ON | BORE |
| Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments: | 847403 215589066 Decommissioned Borehole Geotechnical/Geological Investigation 13-APR-1960 4.2 21.6 Ground Surface Diamond Drill 69.5 | BROKEN FRONT C | | Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy: | No Initial Entry No No LOT F NEPEAN 45.409114 -75.691583 18 445882 5028632 Within 10 metres |
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: | 6557340 .6 2.6 | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: | Dense Fine |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|--------------------------------|----------------------|---|-----------------|
| Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | Sand | | | Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557345 12.2 12.6 Grey Clay Silt | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| | | | | FINE SAND MEDIUM DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557342 3.5 6.9 Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff |
| | | | | CLAY FISSURED GREY HIGH PLASTICITY STIFF TO VERY STIFF (CH) **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557346 12.6 14 Grey Clay | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | Stiff Medium |
| | | | | CLAY GREY, MEDIUM PLASTICITY, STIFF (CL) **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557353 20.1 21.6 Limestone Shale | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | | | SHALEY LIMESTONE, CORE RECOVERY 76% **Note: Many records provided by the department have a truncated [Stratum Description] field. | |
| Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | 6557352 18.3 20.1 Limestone Shale | | | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: | |
| | | | | SHALEY LIMESTONE, CORE RECOVERY 88% **Note: Many records provided by the department have a truncated [Stratum Description] field. | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|---|----------------------------|------------------|----------------------------|------------|
| truncated [Stratum Description] field. | | | | | |
| Geology Stratum ID: | 6557347 | | | Mat Consistency: | Soft |
| Top Depth: | 14 | | | Material Moisture: | |
| Bottom Depth: | 14.6 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |
| Material 2: | Clay | | | Geologic Group: | |
| Material 3: | Pebbles | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILT AND CLAY IN LAYERS WITH A FEW PEBBLES, GREY MEDIUM SOFT **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557349 | | | Mat Consistency: | Very Loose |
| Top Depth: | 15 | | | Material Moisture: | |
| Bottom Depth: | 16.2 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | Sand | | | Geologic Period: | |
| Material 4: | Gravel | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY CLAY WITH A LITTLE SAND AND GRAVEL LOW PLASTICITY, VERY LOOSE (CL - ML) **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557341 | | | Mat Consistency: | Stiff |
| Top Depth: | 2.6 | | | Material Moisture: | |
| Bottom Depth: | 3.5 | | | Material Texture: | |
| Material Color: | Brown-Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | CLAY, BROWNISH GREY HIGH PLASTICITY, STIFF (CH) **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557339 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | FILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557343 | | | Mat Consistency: | Stiff |
| Top Depth: | 6.9 | | | Material Moisture: | |
| Bottom Depth: | 10.7 | | | Material Texture: | Medium |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | | | | | |
| Stratum Description: | SILTY CLAY, GREY MEDIUM PLASTICITY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557344 | | | Mat Consistency: | Stiff |
| Top Depth: | 10.7 | | | Material Moisture: | |
| Bottom Depth: | 12.2 | | | Material Texture: | |
| Material Color: | Grey | | | Non Geo Mat Type: | |
| Material 1: | Silt | | | Geologic Formation: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

Borehole Geology Stratum

| | | |
|--|---|---|
| Geology Stratum ID: 6557580 Top Depth: 1.2 Bottom Depth: 1.4 Material Color: Material 1: Clay Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: |
| Geology Stratum ID: 6557577 Top Depth: .5 Bottom Depth: .8 Material Color: Material 1: Fill Material 2: Gravel Material 3: Material 4: Gsc Material Description: Stratum Description: | GRAVELLY FILL **Note: Many records provided by the department have a truncated [Stratum Description] field. | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: |
| Geology Stratum ID: 6557578 Top Depth: .8 Bottom Depth: .9 Material Color: Material 1: organic material Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: | ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: |
| Geology Stratum ID: 6557576 Top Depth: 0 Bottom Depth: .5 Material Color: Material 1: Fill Material 2: Cinders Material 3: Wood Fragments Material 4: Sand Gsc Material Description: Stratum Description: | FILL CINDERS WOOD SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field. | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: |
| Geology Stratum ID: 6557579 Top Depth: .9 Bottom Depth: 1.2 Material Color: Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Pebbles Gsc Material Description: Stratum Description: | SILTY SANDY CLAY WITH FEW PEBBLES **Note: Many records provided by the department have a truncated [Stratum Description] field. | Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: |

| | | | | | |
|---------------------|--------|----------|-------------|----|------|
| 118 | 1 of 1 | NW/242.2 | 74.4 / 0.60 | ON | WWIS |
|---------------------|--------|----------|-------------|----|------|

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-------------------------------|-------------------|----------------------------|------------------|---------------------------|-----------------|
| Well ID: | 7239266 | | | Data Entry Status: | Yes |
| Construction Date: | | | | Data Src: | |
| Primary Water Use: | | | | Date Received: | 4/2/2015 |
| Sec. Water Use: | | | | Selected Flag: | Yes |
| Final Well Status: | | | | Abandonment Rec: | |
| Water Type: | | | | Contractor: | 7328 |
| Casing Material: | | | | Form Version: | 8 |
| Audit No: | C19500 | | | Owner: | |
| Tag: | A122871 | | | Street Name: | |
| Construction Method: | | | | County: | OTTAWA |
| Elevation (m): | | | | Municipality: | NEPEAN TOWNSHIP |
| Elevation Reliability: | | | | Site Info: | |
| Depth to Bedrock: | | | | Lot: | |
| Well Depth: | | | | Concession: | |
| Overburden/Bedrock: | | | | Concession Name: | |
| Pump Rate: | | | | Easting NAD83: | |
| Static Water Level: | | | | Northing NAD83: | |
| Flowing (Y/N): | | | | Zone: | |
| Flow Rate: | | | | UTM Reliability: | |
| Clear/Cloudy: | | | | | |

PDF URL (Map):

Bore Hole Information

| | | | | | |
|-------------------------------------|------------|--|--|-------------------------|--------------------------------|
| Bore Hole ID: | 1005319048 | | | Elevation: | 70.965545 |
| DP2BR: | | | | Elevrc: | |
| Spatial Status: | | | | Zone: | 18 |
| Code OB: | | | | East83: | 445732 |
| Code OB Desc: | | | | North83: | 5029042 |
| Open Hole: | | | | Org CS: | UTM83 |
| Cluster Kind: | | | | UTMRC: | 4 |
| Date Completed: | 3/8/2012 | | | UTMRC Desc: | margin of error : 30 m - 100 m |
| Remarks: | | | | Location Method: | wwr |
| Elevrc Desc: | | | | | |
| Location Source Date: | | | | | |
| Improvement Location Source: | | | | | |
| Improvement Location Method: | | | | | |
| Source Revision Comment: | | | | | |
| Supplier Comment: | | | | | |

| 119 | 1 of 1 | S/246.3 | 78.2 / 4.36 | ON | BORE |
|----------------------------|---------------------------------------|----------------|-------------|---------------------------|------------------|
| Borehole ID: | 847443 | | | Inclin FLG: | No |
| OGF ID: | 215589101 | | | SP Status: | Initial Entry |
| Status: | Decommissioned | | | Surv Elev: | No |
| Type: | Borehole | | | Piezometer: | No |
| Use: | Geotechnical/Geological Investigation | | | Primary Name: | |
| Completion Date: | 08-JUN-1961 | | | Municipality: | |
| Static Water Level: | | | | Lot: | LOT F |
| Primary Water Use: | | | | Township: | NEPEAN |
| Sec. Water Use: | | | | Latitude DD: | 45.409082 |
| Total Depth m: | 1.5 | | | Longitude DD: | -75.690918 |
| Depth Ref: | Ground Surface | | | UTM Zone: | 18 |
| Depth Elev: | | | | Easting: | 445934 |
| Drill Method: | Hand auger | | | Northing: | 5028628 |
| Orig Ground Elev m: | 67.5 | | | Location Accuracy: | |
| Elev Reliabil Note: | | | | Accuracy: | Within 10 metres |
| DEM Ground Elev m: | 70.1 | | | | |
| Concession: | | BROKEN FRONT C | | | |
| Location D: | | | | | |
| Survey D: | | | | | |
| Comments: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|--|----------------------------|------------------|-------------------------------------|------|
| <u>Borehole Geology Stratum</u> | | | | | |
| Geology Stratum ID: | 6557546 | | | Mat Consistency: | |
| Top Depth: | 0 | | | Material Moisture: | |
| Bottom Depth: | .5 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Fill | | | Geologic Formation: | |
| Material 2: | Cinders | | | Geologic Group: | |
| Material 3: | Silt | | | Geologic Period: | |
| Material 4: | Sand | | | Depositional Gen: | |
| Gsc Material Description: | FILL CINDERS, SILT, SAND, CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Stratum Description: | FILL CINDERS, SILT, SAND, CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557549 | | | Mat Consistency: | |
| Top Depth: | 1 | | | Material Moisture: | |
| Bottom Depth: | 1.4 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | Cobbles | | | Geologic Period: | |
| Material 4: | Clay | | | Depositional Gen: | |
| Gsc Material Description: | SILTY FINE SAND AND COBBLES WITH SOME CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Stratum Description: | SILTY FINE SAND AND COBBLES WITH SOME CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557548 | | | Mat Consistency: | |
| Top Depth: | .6 | | | Material Moisture: | |
| Bottom Depth: | 1 | | | Material Texture: | Fine |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Sand | | | Geologic Formation: | |
| Material 2: | Silt | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Stratum Description: | SILTY FINE SAND **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557547 | | | Mat Consistency: | |
| Top Depth: | .5 | | | Material Moisture: | |
| Bottom Depth: | .6 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | organic material | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Stratum Description: | ORGANIC MATERIAL **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Geology Stratum ID: | 6557550 | | | Mat Consistency: | |
| Top Depth: | 1.4 | | | Material Moisture: | |
| Bottom Depth: | 1.5 | | | Material Texture: | |
| Material Color: | | | | Non Geo Mat Type: | |
| Material 1: | Clay | | | Geologic Formation: | |
| Material 2: | | | | Geologic Group: | |
| Material 3: | | | | Geologic Period: | |
| Material 4: | | | | Depositional Gen: | |
| Gsc Material Description: | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| Stratum Description: | CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field. | | | | |
| 120 | 1 of 1 | NNE/246.7 | 71.9 / -1.95 | 370 Metcalfe St Ottawa ON K2P1S9 | EHS |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|-------------------------|---------------|------|----|
|---------|-------------------|-------------------------|---------------|------|----|

| | | | |
|---------------------------------|------------------------------------|------------------------------|------------|
| Order No: | 20170912018 | Nearest Intersection: | |
| Status: | C | Municipality: | |
| Report Type: | Standard Report | Client Prov/State: | ON |
| Report Date: | 15-SEP-17 | Search Radius (km): | .25 |
| Date Received: | 12-SEP-17 | X: | -75.690138 |
| Previous Site Name: | | Y: | 45.413342 |
| Lot/Building Size: | | | |
| Additional Info Ordered: | Fire Insur. Maps and/or Site Plans | | |

| | | | | | |
|---------------------|---------|-----------|-------------|---|------------|
| 121 | 1 of 17 | SSW/247.3 | 79.9 / 6.05 | THE CANADA CHINA NEWS 240 CATHERINE ST SUITE 201 OTTAWA ON K2P 2G8 | SCT |
|---------------------|---------|-----------|-------------|---|------------|

Established: 1995
Plant Size (ft²): 0
Employment: 6

--Details--
Description: Newspaper Publishers
SIC/NAICS Code: 511110

| | | | | | |
|---------------------|---------|-----------|-------------|--|------------|
| 121 | 2 of 17 | SSW/247.3 | 79.9 / 6.05 | THE PRINTING HOUSE LTD 240 CATHERINE ST SUITE 105 OTTAWA ON K2P 2G8 | SCT |
|---------------------|---------|-----------|-------------|--|------------|

Established: 1963
Plant Size (ft²): 1000
Employment: 6

--Details--
Description: MISCELLANEOUS PUBLISHING
SIC/NAICS Code: 2741

Description: COMMERCIAL PRINTING, LITHOGRAPHIC
SIC/NAICS Code: 2752

Description: COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED
SIC/NAICS Code: 2759

| | | | | | |
|---------------------|---------|-----------|-------------|---|------------|
| 121 | 3 of 17 | SSW/247.3 | 79.9 / 6.05 | THE PRINTING HOUSE LTD. 240 Catherine St Suite 105 Ottawa ON K2P 2G8 | SCT |
|---------------------|---------|-----------|-------------|---|------------|

Established: 1963
Plant Size (ft²): 1000
Employment: 5

--Details--
Description: Other Printing
SIC/NAICS Code: 323119

| | | | | | |
|---------------------|---------|-----------|-------------|---|------------|
| 121 | 4 of 17 | SSW/247.3 | 79.9 / 6.05 | ALPHATEX RONALDS PRINTING 240 CATHERINE ST OTTAWA ON K2P 2G8 | GEN |
|---------------------|---------|-----------|-------------|---|------------|

Generator No: ON0591400 **PO Box No:**

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|---|-----|
| Status: Approval Years: 86,87,88,89,90 Contam. Facility: MHSW Facility: SIC Code: 2821 SIC Description: PLATEMAKING, ETC. | | | | Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES | | | | | |
| 121 | 5 of 17 | SSW/247.3 | 79.9 / 6.05 | ALPHATEX RONALDS PRINTING 02-115 240 CATHERING ST OTTAWA ON K2P 2G8 | GEN |
| Generator No: ON0591400 Status: Approval Years: 92,93,94,95,96,97,98 Contam. Facility: MHSW Facility: SIC Code: 2821 SIC Description: PLATEMAKING, ETC. | | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES | | | | | |
| 121 | 6 of 17 | SSW/247.3 | 79.9 / 6.05 | PRINTING HOUSE LTD. 240 CATHERINE STREET OTTAWA ON K2P 2G8 | GEN |
| Generator No: ON1855503 Status: Approval Years: 96,97,98 Contam. Facility: MHSW Facility: SIC Code: 2811 SIC Description: BUSINESS FORMS PRINT. | | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES | | | | | |
| 121 | 7 of 17 | SSW/247.3 | 79.9 / 6.05 | PRINTING HOUSE LTD., THE 240 CATHERINE STREET OTTAWA ON K2P 2G8 | GEN |
| Generator No: ON1855503 Status: Approval Years: 99,00,01,03 Contam. Facility: MHSW Facility: SIC Code: 2811 SIC Description: BUSINESS FORMS PRINT. | | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------|--|----------------------------|------------------|---|-----|
| Waste Class: | | 264 | | | |
| Waste Class Desc: | | PHOTOPROCESSING WASTES | | | |
| 121 | 8 of 17 | SSW/247.3 | 79.9 / 6.05 | Maninvest Inc. 240 Catherine Ottawa ON K2P 2G8 | GEN |
| Generator No: | ON1381032 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 02,03,04 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| 121 | 9 of 17 | SSW/247.3 | 79.9 / 6.05 | PRINTING HOUSE LTD., THE 240 CATHERINE STREET OTTAWA ON K2P 2G8 | GEN |
| Generator No: | ON1855503 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 02 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| 121 | 10 of 17 | SSW/247.3 | 79.9 / 6.05 | PRINTING HOUSE LTD., THE 240 CATHERINE STREET OTTAWA ON K2P 2G8 | GEN |
| Generator No: | ON1855503 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 04 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| 121 | 11 of 17 | SSW/247.3 | 79.9 / 6.05 | Corporate Express Office 240 rue Catherine Suite 103 Ottawa ON K2P 2G8 | SCT |
| Established: | 1990 | | | | |
| Plant Size (ft²): | | | | | |
| Employment: | 13 | | | | |
| <u>--Details--</u> | | | | | |
| Description: | Office and Store Machinery and Equipment Wholesaler-Distributors | | | | |
| SIC/NAICS Code: | 417910 | | | | |
| Description: | Stationery and Office Supplies Wholesaler-Distributors | | | | |
| SIC/NAICS Code: | 418210 | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|---|----------------------------|------------------|--|---------------------|
| 121 | 12 of 17 | SSW/247.3 | 79.9 / 6.05 | 240 Catherine Street Ottawa ON K2P 2G8 | EHS |
| Order No: | 20070515018 | | | Nearest Intersection: | |
| Status: | C | | | Municipality: | |
| Report Type: | CAN - Custom Report | | | Client Prov/State: | |
| Report Date: | 5/25/2007 | | | Search Radius (km): | 0.25 |
| Date Received: | 5/15/2007 | | | X: | -75.692598 |
| Previous Site Name: | | | | Y: | 45.408926 |
| Lot/Building Size: | | | | | |
| Additional Info Ordered: | Fire Insur. Maps And /or Site Plans | | | | |
| 121 | 13 of 17 | SSW/247.3 | 79.9 / 6.05 | Sonnett Realty (1986) Inc. 534 Bank Street Ottawa ON | CA |
| Certificate #: | 7993-6GEPE3 | | | | |
| Application Year: | 2005 | | | | |
| Issue Date: | 10/7/2005 | | | | |
| Approval Type: | Municipal and Private Sewage Works | | | | |
| Status: | Approved | | | | |
| Application Type: | | | | | |
| Client Name: | | | | | |
| Client Address: | | | | | |
| Client City: | | | | | |
| Client Postal Code: | | | | | |
| Project Description: | | | | | |
| Contaminants: | | | | | |
| Emission Control: | | | | | |
| 121 | 14 of 17 | SSW/247.3 | 79.9 / 6.05 | Sonnett Realty (1986) Inc. 534 Bank Street Ottawa ON K2P 0A6 | ECA |
| Approval No: | 7993-6GEPE3 | | | MOE District: | Ottawa |
| Approval Date: | 2005-10-07 | | | City: | |
| Status: | Approved | | | Longitude: | -75.69221 |
| Record Type: | ECA | | | Latitude: | 45.409126 |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Project Type: | MUNICIPAL AND PRIVATE SEWAGE WORKS | | | | |
| Address: | 534 Bank Street | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/3235-6EPQZ4-14.pdf | | | | |
| 121 | 15 of 17 | SSW/247.3 | 79.9 / 6.05 | Cima Canada Inc 240 Catherine St Suite 110 Ottawa ON K2P 2G8 | GEN |
| Generator No: | ON2842682 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2015 | | | Choice of Contact: | CO_ADMIN |
| Contam. Facility: | No | | | Co Admin: | Jason Lavallee |
| MHSW Facility: | No | | | Phone No Admin: | 6138602462 Ext.6629 |
| SIC Code: | 541330 | | | | |
| SIC Description: | ENGINEERING SERVICES | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|----------------------------|-------------------|---|------------------|---|-----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 252 | | | |
| Waste Class Desc: | | WASTE OILS & LUBRICANTS | | | |
| 121 | 16 of 17 | SSW/247.3 | 79.9 / 6.05 | 240 Catherine Street Inc. 240 Catherine Street Ottawa ON K2P 2G8 | GEN |
| Generator No: | | ON3237061 | | PO Box No: | |
| Status: | | | | Country: Canada | |
| Approval Years: | | 2014 | | Choice of Contact: CO_ADMIN | |
| Contam. Facility: | | No | | Co Admin: Dwight M Cheff | |
| MHSW Facility: | | No | | Phone No Admin: 613-234-1211 Ext. | |
| SIC Code: | | 531120 | | | |
| SIC Description: | | LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES) | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| 121 | 17 of 17 | SSW/247.3 | 79.9 / 6.05 | GumDocs Dental Centre 240 Catherine Street Fourth Floor Ottawa ON K2P 2G8 | GEN |
| Generator No: | | ON9162153 | | PO Box No: | |
| Status: | | Registered | | Country: Canada | |
| Approval Years: | | As of Jul 2020 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 261 A | | | |
| Waste Class Desc: | | Pharmaceuticals | | | |
| Waste Class: | | 312 P | | | |
| Waste Class Desc: | | Pathological wastes | | | |
| 122 | 1 of 3 | ENE/248.5 | 70.9 / -2.95 | LRC Development Team Test Client 150 ARGYLE Ave Ottaway ON M4W 1A1 | WDS |
| Approval No: | | 1407-9UCU52 | | Total Area (ha): | |
| Mob Unit Cert No: | | | | Landfill Cap (m³): | |
| EBR Registry No: | | | | Transfer Area (ha): | |
| Status: | | Approved | | Transfer Cap (m³): | |
| Facility Type: | | | | Transfer Cert No: | |
| Record Type: | | ECA | | Inciner. Area (ha): | |
| Link Source: | | IDS | | Inciner. Cap (t): | |
| Project Type: | | WASTE DISPOSAL SITES | | Process Area (m³): | |
| Application Status: | | | | Process Cap (m³/d): | |
| Issue Date: | | 2015-03-06 | | Process Vol (m³): | |
| Input Date: | | | | Process Feed (m³): | |
| Date Received: | | | | Site Concession: | |
| Est Closure Date: | | | | Site Region/County: | |
| Mobile Capacity: | | | | SWP Area Name: Rideau Valley | |
| Mobile Units: | | | | MOE District: Ottawa | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|----------------------------|------------------|--|-----|
| Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: 150 ARGYLE Ave Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: | | | | | |
| 122 | 2 of 3 | ENE/248.5 | 70.9 / -2.95 | LRC Development Team Test Client 150 ARGYLE Ave Ottaway ON M4W 1A1 | ECA |
| Approval No: 4724-9UCTW6 Approval Date: 2015-03-06 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Address: 150 ARGYLE Ave Full Address: Full PDF Link: | | | | | |
| 122 | 3 of 3 | ENE/248.5 | 70.9 / -2.95 | LRC Development Team Test Client 150 ARGYLE Ave Ottaway ON M4W 1A1 | WDS |
| Approval No: 1407-9UCU52 Mob Unit Cert No: EBR Registry No: Status: Approved Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2015-03-06 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: | | | | | |
| Total Area (ha): Landfill Cap (m³): Transfer Area (ha): Transfer Cap (m³): Transfer Cert No: Inciner. Area (ha): Inciner. Cap (t): Process Area (m³): Process Cap (m³/d): Process Vol (m³): Process Feed (m³): Site Concession: Site Region/County: SWP Area Name: Rideau Valley MOE District: Ottawa District Office: Latitude: 45.411823 | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--|-------------------|----------------------------|------------------|---|----|
| Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: 150 ARGYLE Ave Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: | | | | Longitude: -75.68911 Geometry X: -75.68911 Geometry Y: 45.411823 | |

| | | | | | |
|--|--------|---|-------------|---|-----|
| 123 | 1 of 1 | WNW/249.2 | 74.9 / 1.05 | party world 420 bank st OTTAWA ON K2P 1Y8 | GEN |
| Generator No: ON8790621 Status: Approval Years: 03,04 Contam. Facility: MHSW Facility: SIC Code: SIC Description: | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | | | |

| | | | | | |
|--|--------|--|-------------|---------------------------|------|
| 124 | 1 of 2 | WNW/249.4 | 74.9 / 1.08 | 417 BANK ST, OTTAWA ON | PINC |
| Incident ID: Incident No: 1926122 Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Fuel Occurrence Tp: Fuel Type: Tank Status: RC Established Task No: 6293996 Spills Action Centre: Method Details: E-mail Fuel Category: Natural Gas Date of Occurrence: Occurrence Start Date: 2016/10/14 Operation Type: Pipeline Type: Regulator Type: Summary: 417 BANK ST, OTTAWA - PIPELINE HIT - 1" Reported By: Bernie Monette - ENBRIDGE Affiliation: Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes: | | Health Impact: Environment Impact: Property Damage: Yes Service Interrupt: Enforce Policy: Yes Public Relation: Pipeline System: Depth: Pipe Material: PSIG: Attribute Category: FS-Perform P-line Inc Invest Regulator Location: | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|------------------------------|---|----------------------------|------------------|---|--|
| 124 | 2 of 2 | WNW/249.4 | 74.9 / 1.08 | Enbridge Energy Distribution Inc. 417 Bank Street Ottawa ON | SPL |
| Ref No: | 1866-ACXS76 | | | Discharger Report: | |
| Site No: | NA | | | Material Group: | |
| Incident Dt: | 8/18/2016 | | | Health/Env Conseq: | |
| Year: | | | | Client Type: | |
| Incident Cause: | | | | Sector Type: | Unknown / N/A |
| Incident Event: | Leak/Break | | | Agency Involved: | |
| Contaminant Code: | 35 | | | Nearest Watercourse: | |
| Contaminant Name: | NATURAL GAS (METHANE) | | | Site Address: | 417 Bank Street |
| Contaminant Limit 1: | | | | Site District Office: | |
| Contam Limit Freq 1: | | | | Site Postal Code: | |
| Contaminant UN No 1: | | | | Site Region: | |
| Environment Impact: | | | | Site Municipality: | Ottawa |
| Nature of Impact: | | | | Site Lot: | |
| Receiving Medium: | | | | Site Conc: | |
| Receiving Env: | Air | | | Northing: | |
| MOE Response: | | | | Easting: | |
| Dt MOE Arvl on Scn: | | | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 8/18/2016 | | | Site Map Datum: | |
| Dt Document Closed: | | | | SAC Action Class: | TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill |
| Incident Reason: | Operator/Human Error | | | Source Type: | |
| Site Name: | Residential <UNOFFICIAL> | | | | |
| Site County/District: | | | | | |
| Site Geo Ref Meth: | | | | | |
| Incident Summary: | TSSA FSB: 1" pl IP service line strike, made safe | | | | |
| Contaminant Qty: | 0 L | | | | |
| 125 | 1 of 21 | W/249.4 | 74.9 / 1.05 | AXLE AUTOMOTIVE INC 410 GLADSTONE AVE OTTAWA ON K2P 0Z1 | AUWR |
| Headcode: | 00096400 | | | | |
| Headcode Desc: | AUTOMOBILE PARTS & SUPPLIES-USED & REBUILT | | | | |
| Phone: | | | | | |
| List Name: | | | | | |
| Description: | | | | | |
| 125 | 2 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1 | SCT |
| Established: | 01-JUL-95 | | | | |
| Plant Size (ft²): | 6000 | | | | |
| Employment: | | | | | |
| --Details-- | | | | | |
| Description: | Machine Shops | | | | |
| SIC/NAICS Code: | 332710 | | | | |
| Description: | Machine Shops | | | | |
| SIC/NAICS Code: | 332710 | | | | |
| 125 | 3 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1 | GEN |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|-------------------|-------------------------|---------------|---|-----|
| Generator No: ON7153867 PO Box No: Status: Country: Approval Years: 07,08 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 441310 SIC Description: Automotive Parts and Accessories Stores | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES | | | | | |
| 125 | 4 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1 | CA |
| Certificate #: 3390-8FLPJC Application Year: 2011 Issue Date: 4/7/2011 Approval Type: Waste Management Systems Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | | | | |
| 125 | 5 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1 | GEN |
| Generator No: ON7153867 PO Box No: Status: Country: Approval Years: 2009 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 441310 SIC Description: Automotive Parts and Accessories Stores | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES | | | | | |
| 125 | 6 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1 | GEN |
| Generator No: ON7153867 PO Box No: Status: Country: Approval Years: 2010 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 441310 SIC Description: Automotive Parts and Accessories Stores | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|---|----------------------------|------------------|---|-----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| 125 | 7 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1 | GEN |
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2011 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 441310 | | | | |
| SIC Description: | Automotive Parts and Accessories Stores | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| 125 | 8 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P 0Z1 | GEN |
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2012 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 441310 | | | | |
| SIC Description: | Automotive Parts and Accessories Stores | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 251 | | | |
| Waste Class Desc: | | OIL SKIMMINGS & SLUDGES | | | |
| Waste Class: | | 213 | | | |
| Waste Class Desc: | | PETROLEUM DISTILLATES | | | |
| Waste Class: | | 221 | | | |
| Waste Class Desc: | | LIGHT FUELS | | | |
| 125 | 9 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1 | ECA |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|-----------------------|--|-------------------------|---------------|--------------------------------------|----|
| Approval No: | 3390-8FLPJC | | | MOE District: Ottawa | |
| Approval Date: | 2013-10-31 | | | City: | |
| Status: | Revoked and/or Replaced | | | Longitude: -75.69463999999999 | |
| Record Type: | ECA | | | Latitude: 45.411667 | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-WASTE MANAGEMENT SYSTEMS | | | | |
| Project Type: | WASTE MANAGEMENT SYSTEMS | | | | |
| Address: | 410 Gladstone Ave | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/4842-9B9KTV-14.pdf | | | | |

| | | | | | |
|-----------------------|--|---------|-------------|---|-------------|
| 125 | 10 of 21 | W/249.4 | 74.9 / 1.05 | AXLE AUTOMOTIVE INC 410 GLADSTONE AVENUE OTTAWA ON K2P 0Z1 | EASR |
| Approval No: | R-001-5440470946 | | | SWP Area Name: | |
| Status: | REGISTERED | | | MOE District: | |
| Date: | 2014-08-15 | | | Municipality: OTTAWA | |
| Record Type: | EASR | | | Latitude: | |
| Link Source: | MOFA | | | Longitude: | |
| Project Type: | Automotive Refinishing Facility | | | Geometry X: | |
| Full Address: | | | | Geometry Y: | |
| Approval Type: | EASR-Automotive Refinishing Facility | | | | |
| Full PDF Link: | http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=9816 | | | | |

| | | | | | |
|-----------------------|---|---------|-------------|---|-------------|
| 125 | 11 of 21 | W/249.4 | 74.9 / 1.05 | AXLE AUTOMOTIVE INC 410 GLADSTONE AVE OTTAWA ON K2P0Z1 | AUWR |
| Headcode: | 00096400 | | | | |
| Headcode Desc: | AUTOMOBILE PARTS & SUPPLIES USED & REBU | | | | |
| Phone: | 6136880490 | | | | |
| List Name: | | | | | |
| Description: | | | | | |

| | | | | | |
|--------------------------|---|---------|-------------|--|------------|
| 125 | 12 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON | GEN |
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | | | | Country: | |
| Approval Years: | 2013 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | 441310 | | | | |
| SIC Description: | AUTOMOTIVE PARTS AND ACCESSORIES STORES | | | | |

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 221

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|---|----------------------------|------------------|---|-----|
| Waste Class Desc: | | LIGHT FUELS | | | |
| 125 | 13 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1 | ECA |
| Approval No: | 3390-8FLPJC | | | MOE District: Ottawa | |
| Approval Date: | 2015-04-24 | | | City: | |
| Status: | Revoked and/or Replaced | | | Longitude: -75.69463999999999 | |
| Record Type: | ECA | | | Latitude: 45.411667 | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-WASTE MANAGEMENT SYSTEMS | | | | |
| Project Type: | WASTE MANAGEMENT SYSTEMS | | | | |
| Address: | 410 Gladstone Ave | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/5012-999Q4Z-14.pdf | | | | |
| 125 | 14 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 3270 Blais Rd and 410 Gladstone Avenue Ottawa ON K2P 0Z1 | ECA |
| Approval No: | 3390-8FLPJC | | | MOE District: | |
| Approval Date: | 2015-08-18 | | | City: | |
| Status: | Approved | | | Longitude: | |
| Record Type: | ECA | | | Latitude: | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | | | | Geometry Y: | |
| Approval Type: | ECA-WASTE MANAGEMENT SYSTEMS | | | | |
| Project Type: | WASTE MANAGEMENT SYSTEMS | | | | |
| Address: | 3270 Blais Rd and 410 Gladstone Avenue | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/8148-9USKCU-14.pdf | | | | |
| 125 | 15 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1 | ECA |
| Approval No: | 3390-8FLPJC | | | MOE District: Ottawa | |
| Approval Date: | 2011-04-07 | | | City: | |
| Status: | Revoked and/or Replaced | | | Longitude: -75.69463999999999 | |
| Record Type: | ECA | | | Latitude: 45.411667 | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |
| Approval Type: | ECA-WASTE MANAGEMENT SYSTEMS | | | | |
| Project Type: | WASTE MANAGEMENT SYSTEMS | | | | |
| Address: | 410 Gladstone Ave | | | | |
| Full Address: | | | | | |
| Full PDF Link: | https://www.accessenvironment.ene.gov.on.ca/instruments/3740-8ELS96-14.pdf | | | | |
| 125 | 16 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave Ottawa ON K2P 0Z1 | ECA |
| Approval No: | 3390-8FLPJC | | | MOE District: Ottawa | |
| Approval Date: | 2012-05-30 | | | City: | |
| Status: | Revoked and/or Replaced | | | Longitude: -75.69463999999999 | |
| Record Type: | ECA | | | Latitude: 45.411667 | |
| Link Source: | IDS | | | Geometry X: | |
| SWP Area Name: | Rideau Valley | | | Geometry Y: | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---|---|---|------------------|---|-------------------|
| Approval Type: Project Type: Address: Full Address: Full PDF Link: | | ECA-WASTE MANAGEMENT SYSTEMS WASTE MANAGEMENT SYSTEMS 410 Gladstone Ave https://www.accessenvironment.ene.gov.on.ca/instruments/7261-8TVPNJ-14.pdf | | | |
| 125 | 17 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1 | GEN |
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2016 | | | Choice of Contact: | CO_ADMIN |
| Contam. Facility: | No | | | Co Admin: | James J Bajada |
| MHSW Facility: | No | | | Phone No Admin: | 613-688-0490 Ext. |
| SIC Code: | 441310 | | | | |
| SIC Description: | AUTOMOTIVE PARTS AND ACCESSORIES STORES | | | | |
| Detail(s) | | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | PETROLEUM DISTILLATES | | | | |
| Waste Class: | 221 | | | | |
| Waste Class Desc: | LIGHT FUELS | | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES | | | | |
| 125 | 18 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1 | GEN |
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2015 | | | Choice of Contact: | CO_ADMIN |
| Contam. Facility: | No | | | Co Admin: | James J Bajada |
| MHSW Facility: | No | | | Phone No Admin: | 613-688-0490 Ext. |
| SIC Code: | 441310 | | | | |
| SIC Description: | AUTOMOTIVE PARTS AND ACCESSORIES STORES | | | | |
| Detail(s) | | | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | PETROLEUM DISTILLATES | | | | |
| Waste Class: | 221 | | | | |
| Waste Class Desc: | LIGHT FUELS | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES | | | | |
| 125 | 19 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1 | GEN |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|---|----------------------------|------------------|---------------------------|-------------------|
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | | | | Country: | Canada |
| Approval Years: | 2014 | | | Choice of Contact: | CO_ADMIN |
| Contam. Facility: | No | | | Co Admin: | James J Bajada |
| MHSW Facility: | No | | | Phone No Admin: | 613-688-0490 Ext. |
| SIC Code: | 441310 | | | | |
| SIC Description: | AUTOMOTIVE PARTS AND ACCESSORIES STORES | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 221 | | | | |
| Waste Class Desc: | LIGHT FUELS | | | | |
| Waste Class: | 252 | | | | |
| Waste Class Desc: | WASTE OILS & LUBRICANTS | | | | |
| Waste Class: | 213 | | | | |
| Waste Class Desc: | PETROLEUM DISTILLATES | | | | |
| Waste Class: | 251 | | | | |
| Waste Class Desc: | OIL SKIMMINGS & SLUDGES | | | | |

| | | | | | |
|--------------------------|--------------------------------------|---------|-------------|--|--------|
| 125 | 20 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1 | GEN |
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Dec 2018 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | 213 I | | | | |
| Waste Class Desc: | Petroleum distillates | | | | |
| Waste Class: | 213 T | | | | |
| Waste Class Desc: | Petroleum distillates | | | | |
| Waste Class: | 221 I | | | | |
| Waste Class Desc: | Light fuels | | | | |
| Waste Class: | 251 L | | | | |
| Waste Class Desc: | Waste oils/sludges (petroleum based) | | | | |
| Waste Class: | 252 L | | | | |
| Waste Class Desc: | Waste crankcase oils and lubricants | | | | |

| | | | | | |
|--------------------------|----------------|---------|-------------|--|--------|
| 125 | 21 of 21 | W/249.4 | 74.9 / 1.05 | Axle Automotive Inc. 410 Gladstone Ave. Ottawa ON K2P OZ1 | GEN |
| Generator No: | ON7153867 | | | PO Box No: | |
| Status: | Registered | | | Country: | Canada |
| Approval Years: | As of Jul 2020 | | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------|-------------------|----------------------------|------------------|------|----|
|---------|-------------------|----------------------------|------------------|------|----|

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 221 I
Waste Class Desc: Light fuels

Waste Class: 213 I
Waste Class Desc: Petroleum distillates

Waste Class: 213 T
Waste Class Desc: Petroleum distillates

[126](#) 1 of 6 **E/249.5** **70.9 / -2.95** **464 Metcalfe
Ottawa ON** **EHS**

| | | | |
|---------------------------------|----------------------|------------------------------|------------|
| Order No: | 20120227056 | Nearest Intersection: | |
| Status: | C | Municipality: | |
| Report Type: | Site Report | Client Prov/State: | CO |
| Report Date: | 2/28/2012 7:55:30 PM | Search Radius (km): | 0.25 |
| Date Received: | 2/27/2012 7:52:55 PM | X: | -75.687801 |
| Previous Site Name: | | Y: | 45.41163 |
| Lot/Building Size: | | | |
| Additional Info Ordered: | | | |

[126](#) 2 of 6 **E/249.5** **70.9 / -2.95** **CENTRETOWN CITIZENS OTTAWA
CORPORATION
464 Metcalfe Street
Ottawa ON** **GEN**

| | | | |
|--------------------------|-------------------------------|---------------------------|--|
| Generator No: | ON4321223 | PO Box No: | |
| Status: | | Country: | |
| Approval Years: | 2010 | Choice of Contact: | |
| Contam. Facility: | | Co Admin: | |
| MHSW Facility: | | Phone No Admin: | |
| SIC Code: | 531310 | | |
| SIC Description: | Real Estate Property Managers | | |

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

[126](#) 3 of 6 **E/249.5** **70.9 / -2.95** **Modern Niagara Building Services
464 Metcalfe Street
Ottawa ON K2P 1B7** **GEN**

| | | | |
|--------------------------|-------------------------------|---------------------------|-------------|
| Generator No: | ON6183296 | PO Box No: | |
| Status: | | Country: | Canada |
| Approval Years: | 2016 | Choice of Contact: | CO_OFFICIAL |
| Contam. Facility: | No | Co Admin: | |
| MHSW Facility: | No | Phone No Admin: | |
| SIC Code: | 531310 | | |
| SIC Description: | REAL ESTATE PROPERTY MANAGERS | | |

| Map Key | Number of Records | Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|--------------------------|-------------------|---------------------------------|------------------|---|-----|
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 212 | | | |
| Waste Class Desc: | | ALIPHATIC SOLVENTS | | | |
| 126 | 4 of 6 | E/249.5 | 70.9 / -2.95 | Modern Niagara Building Services 464 Metcalfe Street Ottawa ON K2P 1B7 | GEN |
| Generator No: | | ON6183296 | | PO Box No: | |
| Status: | | Registered | | Country: Canada | |
| Approval Years: | | As of Dec 2018 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 212 L | | | |
| Waste Class Desc: | | Aliphatic solvents and residues | | | |
| 126 | 5 of 6 | E/249.5 | 70.9 / -2.95 | Modern Niagara Building Services 464 Metcalfe Street Ottawa ON K2P 1B7 | GEN |
| Generator No: | | ON6183296 | | PO Box No: | |
| Status: | | Registered | | Country: Canada | |
| Approval Years: | | As of Jul 2020 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 212 L | | | |
| Waste Class Desc: | | Aliphatic solvents and residues | | | |
| 126 | 6 of 6 | E/249.5 | 70.9 / -2.95 | Taillefer Plumbing & Heating Inc 464 Metcalfe Ottawa ON K2P 1B7 | GEN |
| Generator No: | | ON6484178 | | PO Box No: | |
| Status: | | Registered | | Country: Canada | |
| Approval Years: | | As of Oct 2019 | | Choice of Contact: | |
| Contam. Facility: | | | | Co Admin: | |
| MHSW Facility: | | | | Phone No Admin: | |
| SIC Code: | | | | | |
| SIC Description: | | | | | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: | | 212 L | | | |
| Waste Class Desc: | | Aliphatic solvents and residues | | | |

Unplottable Summary

Total: **67** Unplottable sites

| DB | Company Name/Site Name | Address | City | Postal |
|----|----------------------------------|--|----------------|--------|
| CA | City of Ottawa | Gladstone Avenue | Ottawa ON | |
| CA | Urban Capital (Gladstone) Inc. | Adjacent to Bank Street on the east side between McLeod Street and Gladstone Ave | Ottawa ON | |
| CA | OSSORY CANADA INC. | PRIVATE BLDG. BANK ST. | OTTAWA CITY ON | |
| CA | Petro-Canada | | Ottawa ON | |
| CA | R.M. OF OTTAWA-CARLETON | ARLINGTON STREET | OTTAWA CITY ON | |
| CA | THE DOUGLAS MACDONALD DEV. CORP. | COMMERCIAL PLAZA BANK STREET | OTTAWA CITY ON | |
| CA | MACDONALD DEVELOPMENT CORP. | BANK ST. | OTTAWA CITY ON | |
| CA | R.M. OF OTTAWA-CARLETON | ARLINGTON AVE. | OTTAWA CITY ON | |
| CA | | Gladstone Avenue | Ottawa ON | |
| CA | | Flora Street, City of Ottawa | Ottawa ON | |
| CA | | Argyle Avenue | Ottawa ON | |
| CA | | McLeod Street | Ottawa ON | |
| CA | | Gladstone Avenue | Ottawa ON | |
| CA | | Flora Street, City of Ottawa | Ottawa ON | |
| CA | | Argyle Avenue | Ottawa ON | |
| CA | REG.MUN.OF OTTAWA-CARLETON | QUEENSWAY N. | OTTAWA ON | |
| CA | City of Ottawa | Gladstone Avenue | Ottawa ON | |
| CA | Quantum Murray GP Inc. | Mobile Facility | Ottawa ON | |

| | | | | |
|------|---|--|--------------------|---------|
| CA | Ashcroft Homes - Eastboro Inc. | Ward 2 | Ottawa ON | |
| CA | Ashcroft Homes - Eastboro Inc. | | Ottawa ON | |
| CA | City of Ottawa | Gladstone Avenue | Ottawa ON | |
| CA | MACDONALD DEVELOPMENT CORP.-PLAZA | EASEMENT-BANK STREET | OTTAWA CITY ON | |
| CONV | Taggart Construction Limited | Bank Street | South Ottawa ON | |
| EBR | Petro-Canada Products, Central Region Business Centre | Part of Lot 26, Concession 'A', Merivale Road, City of Nepean NEPEAN | ON | |
| EBR | Tomlinson Environmental Services Ltd. | Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA | ON | |
| EBR | Quantum Murray GP Inc. | Mobile Facility Ottawa CITY OF OTTAWA | ON | |
| EBR | Tomlinson Environmental Services Inc. | Lot 31, Concession 6 Osgoode Ontario Ottawa | ON | |
| EBR | Tomlinson Environmental Services Inc. | Lot 31, Concession 6 Osgoode Ontario Ottawa | ON | |
| EBR | Tomlinson Environmental Services Ltd. | Mobile Facility Ottawa CITY OF OTTAWA | ON | |
| EBR | Tomlinson Environmental Services Ltd. | Ottawa K1G 3N4 Lot:26 Concession:5 CITY OF OTTAWA | ON | |
| ECA | Tomlinson Environmental Services Ltd. | Mobile Facility | Ottawa ON | K1G 3N4 |
| ECA | Ashcroft Homes - Eastboro Inc. | | Ottawa ON | K4B 1H9 |
| ECA | Quantum Murray GP Inc. | Mobile Facility | Ottawa ON | K2C 0P9 |
| ECA | Petro-Canada Inc. | | Ottawa ON | L6L 6N5 |
| ECA | The Corporation of the Town of Iroquois Falls | Argyle Ave | Ottawa ON | P0K 1G0 |
| ECA | City of Ottawa | McLeod Street | Ottawa ON | K2G 5K7 |
| EHS | | Bank St | Ottawa ON | |
| EHS | | Highway 417, CN Rail | Ottawa ON | |
| EHS | | Bank St | Ottawa ON | |
| EHS | | Hwy 417 | Ottawa ON | |
| GEN | PITTS ENGINEERING | BANISTER CONT. LTD. C/O BOX 8008 | OTTAWA-CARLETON ON | K1G 3H6 |

| | | | | |
|------|---------------------------------------|--|--------------------|---------|
| | CONSTRUCTION 31-354 | OTTAWA TERMINAL HURDMAN BRIDGE AT HWY. 417 | | |
| GEN | PITTS ENGINEERING CONSTRUCTION | BANISTER CONT. LTD. C/O BOX 8008 OTTAWA TERMINAL HURDMAN BRIDGE AT HWY. 417 | OTTAWA-CARLETON ON | K1G 3H6 |
| GEN | PITTS (OUT OF BUS) 31-354 | BANISTER CONT. LTD. C/O BOX 8008 OTTAWA TERMINAL HURDMAN BRIDGE AT HWY. 417 | OTTAWA-CARLETON ON | K1G 3H6 |
| GEN | Hydro Ottawa Ltd. | Bank St | Ottawa ON | |
| GEN | Tomlinson Environmental Services | All Catch Basins in the City of Ottawa Serviced by TES-Industrial Waste Division | Ottawa ON | K1N 1J1 |
| OOGW | Ottawa Y.M.C.A. Well | | Nepean ON | |
| SPL | PIONEER PETROLEUMS LTD. | BANK STREET SOUTH PIONEER GAS STATION. SERVICE STATION | OTTAWA CITY ON | |
| SPL | ESSO PETROLEUM CANADA | BANK STREET SERVICE STATION | OTTAWA CITY ON | |
| SPL | | QUEENSWAY EASTBOUND AT METCALFE \ | OTTAWA CITY ON | |
| SPL | OTTAWA POLICE SERVICE | CORNER OF CATHERINE AND ARGLE ST EAST SIDE BY VISITORS PARKING STORAGE TANK 474 ELGIN STREET | OTTAWA CITY ON | |
| SPL | City of Ottawa | Highway 417 | Ottawa ON | |
| SPL | Waste Management Inc. | HWY 417 EASTBOUND, ST. LAURENT EXIT (115)<UNOFFICIAL> | Ottawa ON | |
| SPL | | HIGHWAY 417 EASTBOUND, EAST OF ROCKDALE EXIT<UNOFFICIAL> | Ottawa ON | |
| SPL | Ferguson Fuels<UNOFFICIAL> | HWY 417 EASTBOUND AT THE EAGLESON OFF RAMP<UNOFFICIAL> | Ottawa ON | |
| SPL | | HWY 417 ONRAMP AT TERRY FOX EXIT<UNOFFICIAL> | Ottawa ON | |
| SPL | Tomlinson Environmental Services Ltd. | | Ottawa ON | |
| SPL | PETRO-CANADA | TANK TRUCK (CARGO) | NEPEAN CITY ON | |
| SPL | PETRO-CANADA | SERVICE STATION | OTTAWA CITY ON | |
| SPL | OC TRANSP | BANK ST. SOUTH MOTOR VEHICLE (OPERATING FLUID) | OTTAWA CITY ON | |
| SPL | TRANSPORT TRUCK | HWY. 417 MOTOR VEHICLE (OPERATING FLUID) | OTTAWA ON | |
| SPL | OTTAWA STRUCTURAL CONCRETE SER | GRAHAM CREEK AT QUEENSWAY FROM BAYSHORE SHOPP'G CTRE. | NEPEAN CITY ON | |

| | | | | |
|-----|---------------------------------------|---|----------------|---------|
| SPL | MacEwen Petroleum Inc. | | Ottawa ON | |
| SPL | TANK TRUCK | QUEENSWAY (EASTBOUND) BETWEEN EAGLESON AND MOODY TANK TRUCK (CARGO) | NEPEAN CITY ON | |
| SPL | UNKNOWN | BLAIR STATION AND QUEENSWAY | OTTAWA CITY ON | |
| SPL | TRANSPORT TRUCK | QUEENSWAY MOTOR VEHICLE (OPERATING FLUID) | OTTAWA CITY ON | |
| SPL | TRANSPORT TRUCK | BANK ST. BRIDGE MOTOR VEHICLE (OPERATING FLUID) | OTTAWA CITY ON | |
| WDS | Tomlinson Environmental Services Ltd. | Carp | Ottawa ON | K0A 1L0 |

Unplottable Report

Site: *City of Ottawa
Gladstone Avenue Ottawa ON*

Database:
CA

Certificate #: 3692-6PGP9X
Application Year: 2006
Issue Date: 5/6/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Urban Capital (Gladstone) Inc.
Adjacent to Bank Street on the east side between McLeod Street and Gladstone Ave Ottawa ON*

Database:
CA

Certificate #: 1501-82LQJG
Application Year: 2010
Issue Date: 3/17/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *OSSORY CANADA INC.
PRIVATE BLDG. BANK ST. OTTAWA CITY ON*

Database:
CA

Certificate #: 3-0515-87-
Application Year: 87
Issue Date: 4/23/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Petro-Canada
Ottawa ON*

Database:
CA

Certificate #: 5607-79YMZ8
Application Year: 2008

Issue Date: 2/12/2008
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
ARLINGTON STREET OTTAWA CITY ON

Database:
CA

Certificate #: 7-1365-88-
Application Year: 88
Issue Date: 8/30/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: THE DOUGLAS MACDONALD DEV. CORP.
COMMERCIAL PLAZA BANK STREET OTTAWA CITY ON

Database:
CA

Certificate #: 7-1304-86-
Application Year: 86
Issue Date: 10/28/1986
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: MACDONALD DEVELOPMENT CORP.
BANK ST. OTTAWA CITY ON

Database:
CA

Certificate #: 3-1072-88-
Application Year: 88
Issue Date: 9/28/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
ARLINGTON AVE. OTTAWA CITY ON

Database:
CA

Certificate #: 3-1593-88-
Application Year: 88
Issue Date: 8/30/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Gladstone Avenue Ottawa ON

Database:
CA

Certificate #: 4558-4LXLWW
Application Year: 00
Issue Date: 7/5/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Watermains to be constructed on Gladstone Ave. and Percy St. in the City of Ottawa
Contaminants:
Emission Control:

Site: Flora Street, City of Ottawa Ottawa ON

Database:
CA

Certificate #: 6314-4K5KPG
Application Year: 00
Issue Date: 5/9/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Construction of Watermain and Appurtenances on Flora St. from Bronson Avenue to Bank St.
Contaminants:
Emission Control:

Site: Argyle Avenue Ottawa ON

Database:
CA

Certificate #: 0155-4L5MNP
Application Year: 00
Issue Date: 6/12/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Construction of a Watermain on Argyle Avenue

Contaminants:
Emission Control:

Site:
McLeod Street Ottawa ON

Database:
CA

Certificate #: 0461-54ATD3
Application Year: 01
Issue Date: 11/9/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: The Corporation of the City of Ottawa
Client Address: 101 Centrepointe Drive
Client City: Ottawa
Client Postal Code: K2G 5K7
Project Description: Watermain construction
Contaminants:
Emission Control:

Site:
Gladstone Avenue Ottawa ON

Database:
CA

Certificate #: 2461-4LXMEM
Application Year: 00
Issue Date: 7/5/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: Construction of Storm and Sanitary sewers on Gladstone Avenue from Bronson Avenue to Bay Street
Contaminants:
Emission Control:

Site:
Flora Street, City of Ottawa Ottawa ON

Database:
CA

Certificate #: 7817-4JZGND
Application Year: 00
Issue Date: 6/7/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: Installation of a Combined Sewer in the City of Ottawa.
Contaminants:
Emission Control:

Site:
Argyle Avenue Ottawa ON

Database:
CA

Certificate #: 2785-4LNQUF
Application Year: 00
Issue Date: 7/6/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval

Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: Combined Sewers
Contaminants:
Emission Control:

Site: REG.MUN.OF OTTAWA-CARLETON
QUEENSWAY N. OTTAWA ON

Database:
CA

Certificate #: 3-0468-85-006
Application Year: 85
Issue Date: 6/4/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Gladstone Avenue Ottawa ON

Database:
CA

Certificate #: 7239-738KJA
Application Year: 2007
Issue Date: 6/18/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Quantum Murray GP Inc.
Mobile Facility Ottawa ON

Database:
CA

Certificate #: 7469-7TBQZK
Application Year: 2009
Issue Date: 7/14/2009
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Ashcroft Homes - Eastboro Inc.
Ward 2 Ottawa ON

Database:
CA

Certificate #: 7692-85VRBV

Application Year: 2010
Issue Date: 6/1/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Ashcroft Homes - Eastboro Inc.**
Ottawa ON

Database:
CA

Certificate #: 8786-8BATXA
Application Year: 2010
Issue Date: 11/18/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **City of Ottawa**
Gladstone Avenue Ottawa ON

Database:
CA

Certificate #: 6651-73WP47
Application Year: 2007
Issue Date: 6/6/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **MACDONALD DEVELOPMENT CORP.-PLAZA**
EASEMENT-BANK STREET OTTAWA CITY ON

Database:
CA

Certificate #: 3-1864-86-
Application Year: 86
Issue Date: 12/19/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Taggart Construction Limited
Bank Street South Ottawa ON

Database:
CONV

File No: 010503

Location:

Crown Brief No:

Region:

Court Location:

Ministry District:

Publication City:

Publication Title:

Act:

Act(s):

First Matter:

Second Matter:

Investigation 1:

Investigation 2:

Penalty Imposed:

Description:

On December 3, 2009, Taggart Construction Limited pleaded guilty to one violation under the Ontario Water Resources Act for failing to comply with a Provincial Officer Order to submit weekly water taking records showing daily water taking volumes. The company was contracted to install municipal services for the Findlay Creek Subdivision located on Bank Street in South Ottawa. A ministry inspection of the construction site in the fall of 2007 revealed concerns with water taking activities and a Provincial Officer Order was issued. One of the requirements of the Order, related to keeping accurate water taking records and submitting them to the ministry, was not complied with. The company was charged following an investigation by the ministry's Investigations and Enforcement Branch and was fined \$5,000 plus victim fine surcharge. The company was given 30 days to pay the fine.

Background:

URL:

Additional Details

Publication Date:

Count: 1

Act: Provincial Officer Order

Regulation:

Section:

Act/Regulation/Section: Provincial Officer Order

Date of Offence:

Date of Conviction:

Date Charged: December 3, 2009

Charge Disposition: fine, victim fine surcharge

Fine: \$5,000

Synopsis:

Site: Petro-Canada Products, Central Region Business Centre
Part of Lot 26, Concession 'A', Merivale Road, City of Nepean NEPEAN ON

Database:
EBR

EBR Registry No: IA8E0916

Decision Posted:

Ministry Ref No: 4005998

Exception Posted:

Notice Type: Instrument Decision

Section:

Notice Stage: 800471710

Act 1:

Notice Date: July 28, 1998

Act 2:

Proposal Date: June 26, 1998

Site Location Map:

Year: 1998

Instrument Type: (OWRA s. 53(1)) - Approval for sewage works

Off Instrument Name:

Posted By:

Company Name: Petro-Canada Products, Central Region Business Centre

Site Address:

Location Other:

Proponent Name:

Proponent Address: 3275 Rebecca Street, Oakville Ontario, L6L 6N5

Comment Period:

URL:

Site Location Details:

Part of Lot 26, Concession 'A', Merivale Road, City of Nepean NEPEAN

Site: Tomlinson Environmental Services Ltd.
Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA ON

Database:
[EBR](#)

EBR Registry No: 012-5951
Ministry Ref No: 5776-A4DKE9
Notice Type: Instrument Decision
Notice Stage: 828900730
Notice Date: March 07, 2018
Proposal Date: December 03, 2015
Year: 2015
Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 970 Moodie Drive, Ottawa Ontario, Canada K2R 1H3
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Ottawa Part:5 & 6 Plan:5R-6582 CITY OF OTTAWA

Site: Quantum Murray GP Inc.
Mobile Facility Ottawa CITY OF OTTAWA ON

Database:
[EBR](#)

EBR Registry No: 010-4342
Ministry Ref No: 9537-7FRRHX
Notice Type: Instrument Decision
Notice Stage:
Notice Date: July 20, 2009
Proposal Date: August 12, 2008
Year: 2008
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Quantum Murray GP Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 1749 Woodward Drive , 200, Ottawa Ontario, Canada K2C 0P9
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Mobile Facility Ottawa CITY OF OTTAWA

Site: Tomlinson Environmental Services Inc.
Lot 31, Concession 6 Osgoode Ontario Ottawa ON

Database:
[EBR](#)

EBR Registry No: IA04E1756
Ministry Ref No: 2614-67JRUL
Notice Type: Instrument Decision
Notice Stage: 803008352
Notice Date: October 23, 2006
Proposal Date: December 21, 2004
Year: 2004
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Off Instrument Name:
Posted By:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Company Name: Tomlinson Environmental Services Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5597 Power Road, Ottawa Ontario, K1G 3N4
Comment Period:
URL:

Site Location Details:

Lot 31, Concession 6 Osgoode Ontario Ottawa

Site: **Tomlinson Environmental Services Inc.**
Lot 31, Concession 6 Osgoode Ontario Ottawa ON

Database:
EBR

EBR Registry No: IA06E0694
Ministry Ref No: 2704-6PEMEW
Notice Type: Instrument Decision
Notice Stage: 803008353
Notice Date: August 01, 2007
Proposal Date: May 31, 2006
Year: 2006
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5597 Power Road, Ottawa Ontario, K1G 3N4
Comment Period:
URL:

Site Location Details:

Lot 31, Concession 6 Osgoode Ontario Ottawa

Site: **Tomlinson Environmental Services Ltd.**
Mobile Facility Ottawa CITY OF OTTAWA ON

Database:
EBR

EBR Registry No: 011-5279
Ministry Ref No: 7519-8P2K34
Notice Type: Instrument Decision
Notice Stage: 803923223
Notice Date: February 11, 2016
Proposal Date: December 05, 2011
Year: 2011
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5597 Power Road, Ottawa Ontario, Canada K1G 3N4
Comment Period:
URL:

Site Location Details:

Mobile Facility Ottawa CITY OF OTTAWA

Site: Tomlinson Environmental Services Ltd.
Ottawa K1G 3N4 Lot:26 Concession:5 CITY OF OTTAWA ON

Database:
EBR

EBR Registry No: 012-3229
Ministry Ref No: 9982-9PQKWA
Notice Type: Instrument Decision
Notice Stage: 822149982
Notice Date: December 13, 2016
Proposal Date: December 12, 2014
Year: 2014
Instrument Type: (EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste)
Off Instrument Name:
Posted By:
Company Name: Tomlinson Environmental Services Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 5555 Power Road, Ottawa Ontario, Canada K1G 3N4
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Ottawa K1G 3N4 Lot:26 Concession:5 CITY OF OTTAWA

Site: Tomlinson Environmental Services Ltd.
Mobile Facility Ottawa ON K1G 3N4

Database:
ECA

Approval No: 1685-A6EJ97
Approval Date: 2016-02-03
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7519-8P2K34-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Ashcroft Homes - Eastboro Inc.
Ottawa ON K4B 1H9

Database:
ECA

Approval No: 2215-BBTP2H
Approval Date: 2019-05-12
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9531-BBJRNK-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Quantum Murray GP Inc.
Mobile Facility Ottawa ON K2C 0P9

Database:
ECA

Approval No: 7469-7TBQZK
Approval Date: 2009-07-14
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Approval Type: ECA-AIR
Project Type: AIR
Address: Mobile Facility
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9537-7FRRHX-14.pdf>

Site: **Petro-Canada Inc.**
Ottawa ON L6L 6N5

Database:
ECA

Approval No: 4810-4UMJP8
Approval Date: 2001-03-12
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7825-4UCP9D-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **The Corporation of the Town of Iroquois Falls**
Argyle Ave Ottawa ON P0K 1G0

Database:
ECA

Approval No: 0691-7JLP EE
Approval Date: 2008-09-19
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Address: Argyle Ave
Full Address:
Full PDF Link:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **City of Ottawa**
McLeod Street Ottawa ON K2G 5K7

Database:
ECA

Approval No: 0461-54ATD3
Approval Date: 2001-11-09
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-Municipal and Private Water Works
Project Type: Municipal and Private Water Works
Address: McLeod Street
Full Address:
Full PDF Link:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Bank St Ottawa ON**

Database:
EHS

Order No: 20031121005
Status: C
Report Type: Basic Report
Report Date: 11/25/03
Date Received: 11/21/03
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection: See Faxed Map
Municipality:
Client Prov/State: ON
Search Radius (km): 0.50
X: -75.654252
Y: 45.363635

Site:
Highway 417, CN Rail Ottawa ON

Database:
EHS

Order No: 20051017044
Status: C
Report Type: Site Report
Report Date: 10/18/2005
Date Received: 10/17/2005
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection:
Municipality:
Client Prov/State: QC
Search Radius (km): 0.25
X:
Y:

Site:
Bank St Ottawa ON

Database:
EHS

Order No: 20060427021
Status: C
Report Type: Custom Report
Report Date: 5/5/2006
Date Received: 4/26/2006
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
X: -75.670288
Y: 45.364953

Site:
Hwy 417 Ottawa ON

Database:
EHS

Order No: 20120509053
Status: C
Report Type: Custom Report
Report Date: 5/16/2012
Date Received: 5/9/2012
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
X: -75.670099
Y: 1

Site: PITTS ENGINEERING CONSTRUCTION 31-354
BANISTER CONT. LTD. C/O BOX 8008 OTTAWA TERMINAL HURDMAN BRIDGE AT HWY. 417 OTTAWA-
CARLETON ON K1G 3H6

Database:
GEN

Generator No: ON0760802
Status:
Approval Years: 92,93,94,95,96
Contam. Facility:
MHSW Facility:
SIC Code: 4121
SIC Description: HIGHWAYS, STR., ETC.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: PITTS ENGINEERING CONSTRUCTION
BANISTER CONT. LTD. C/O BOX 8008 OTTAWA TERMINAL HURDMAN BRIDGE AT HWY. 417 OTTAWA-
CARLETON ON K1G 3H6

Database:
GEN

Generator No: ON0760802
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 4121

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

SIC Description: HIGHWAYS, STR., ETC.

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **PITTS (OUT OF BUS) 31-354
BANISTER CONT. LTD. C/O BOX 8008 OTTAWA TERMINAL HURDMAN BRIDGE AT HWY. 417 OTTAWA-
CARLETON ON K1G 3H6**

Database:
GEN

Generator No: ON0760802
Status:
Approval Years: 97,98
Contam. Facility:
MHSW Facility:
SIC Code: 4121
SIC Description: HIGHWAYS, STR., ETC.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Site: **Hydro Ottawa Ltd.
Bank St Ottawa ON**

Database:
GEN

Generator No: ON8798860
Status:
Approval Years: 03,04
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Site: **Tomlinson Environmental Services
All Catch Basins in the City of Ottawa Serviced by TES-Industrial Waste Division Ottawa ON K1N 1J1**

Database:
GEN

Generator No: ON6691940
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 562110, 562990
SIC Description: WASTE COLLECTION, ALL OTHER WASTE MANAGEMENT SERVICES

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: **Ottawa Y.M.C.A. Well
Nepean ON**

Database:
OOGW

Licence No: N000086
Well ID: 21286
Well Compl ID: 21018
W Class ID: NULL
UWI Code: N000086
Permit Date: NULL
Depth(m): 362.41
Well Pool: NULL
Completion Date: NULL
Depth Reached: 1910-01-01 00:00:00
Capped Date: NULL

Well Compl: 21018
County: Ottawa/Carleton
Block: NULL
Lot: NULL
Conc: NULL
Surface Lat NAD83: NULL
Surface Long NAD83: NULL
Bottom Lat NAD83: NULL
Bottom Long NAD83: NULL
Lot Sides (m): NULL X
E/W (m): NULL X

Class ID:
DB Source:
Status as of: June 2020
Start Date: 1910-01-01 00:00:00
SPUD Date: 1910-01-01 00:00:00
Class: NULL
Grnd Elev: NULL
KB Elev: NULL
TVD: 362.41
PBSD: NULL
TD Form: Trenton Group
Workover D: NULL
Operator: Unknown
Township: Nepean
Well Name: Ottawa Y.M.C.A. Well
Target: ORD
Target Desc: ORDOVICIAN
Well Status Type: Location
Status Type Desc: A LOCATION FOR WHICH MINISTRY RECORDS INDICATE A WELL HAS BEEN DRILLED BUT FOR WHICH NO STATUS INFORMATION IS AVAILABLE
Well Status Mode: Unknown
Status Mode Desc:
Classification:
Classification Desc:
Cement Rec: NULL
Comments: Accuracy is approximate and not verified.

Latitude Nad27:
Longitude Nad27:
bottom lat27:
bottom long27:
Lateral: No
Accuracy: 200
Method: Well Records (pre 1921)
Parent: NULL
Prod Top: NULL
Prod Bot: NULL
PROPD Depth: NULL
Location Method: Well Records (pre 1921)
Location Accuracy: Within 200 metres
Dt Obtained: NULL

Site: PIONEER PETROLEUMS LTD.
 BANK STREET SOUTH PIONEER GAS STATION. SERVICE STATION OTTAWA CITY ON

Database:
 SPL

Ref No: 137358
Site No:
Incident Dt: 2/20/1997
Year:
Incident Cause: CONTAINER OVERFLOW
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/20/1997
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: PIONEER PETROLEUMS-4L GASOLINE TO GROUND,UNSAFESPILL RESPONSE BY STAFF.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: ESSO PETROLEUM CANADA
 BANK STREET SERVICE STATION OTTAWA CITY ON

Database:
 SPL

Ref No: 147934
Site No:
Incident Dt: 10/16/1997
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:

| | | | |
|------------------------------|---|---------------------------|-------|
| Contam Limit Freq 1: | | Site Postal Code: | |
| Contaminant UN No 1: | | Site Region: | |
| Environment Impact: | NOT ANTICIPATED | Site Municipality: | 20101 |
| Nature of Impact: | | Site Lot: | |
| Receiving Medium: | LAND | Site Conc: | |
| Receiving Env: | | Northing: | |
| MOE Response: | | Easting: | |
| Dt MOE Arvl on Scn: | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 10/16/1997 | Site Map Datum: | |
| Dt Document Closed: | | SAC Action Class: | |
| Incident Reason: | DAMAGE BY MOVING EQUIPMENT | Source Type: | |
| Site Name: | | | |
| Site County/District: | | | |
| Site Geo Ref Meth: | | | |
| Incident Summary: | ESSO SERVICE STATION: 40 L GASOLINE TO GROUND | | |
| Contaminant Qty: | | | |

Site: QUEENSWAY EASTBOUND AT METCALFE \ OTTAWA CITY ON **Database:** SPL

| | | | |
|------------------------------|--------------|------------------------------|-------|
| Ref No: | 162583 | Discharger Report: | |
| Site No: | | Material Group: | |
| Incident Dt: | 12/2/1998 | Health/Env Conseq: | |
| Year: | | Client Type: | |
| Incident Cause: | | Sector Type: | |
| Incident Event: | | Agency Involved: | |
| Contaminant Code: | | Nearest Watercourse: | |
| Contaminant Name: | | Site Address: | |
| Contaminant Limit 1: | | Site District Office: | |
| Contam Limit Freq 1: | | Site Postal Code: | |
| Contaminant UN No 1: | | Site Region: | |
| Environment Impact: | | Site Municipality: | 20101 |
| Nature of Impact: | | Site Lot: | |
| Receiving Medium: | LAND / WATER | Site Conc: | |
| Receiving Env: | | Northing: | |
| MOE Response: | | Easting: | |
| Dt MOE Arvl on Scn: | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 12/2/1998 | Site Map Datum: | |
| Dt Document Closed: | | SAC Action Class: | |
| Incident Reason: | | Source Type: | |
| Site Name: | | | |
| Site County/District: | | | |
| Site Geo Ref Meth: | | | |
| Incident Summary: | | | |
| Contaminant Qty: | | | |

Site: OTTAWA POLICE SERVICE **Database:** SPL
 CORNER OF CATHERINE AND ARGLE ST EAST SIDE BY VISITORS PARKING STORAGE TANK 474 ELGIN STREET
 OTTAWA CITY ON

| | | | |
|-----------------------------|--------------------|------------------------------|-------|
| Ref No: | 226654 | Discharger Report: | |
| Site No: | | Material Group: | |
| Incident Dt: | 5/29/2002 | Health/Env Conseq: | |
| Year: | | Client Type: | |
| Incident Cause: | CONTAINER OVERFLOW | Sector Type: | |
| Incident Event: | | Agency Involved: | |
| Contaminant Code: | | Nearest Watercourse: | |
| Contaminant Name: | | Site Address: | |
| Contaminant Limit 1: | | Site District Office: | |
| Contam Limit Freq 1: | | Site Postal Code: | |
| Contaminant UN No 1: | | Site Region: | |
| Environment Impact: | POSSIBLE | Site Municipality: | 20107 |
| Nature of Impact: | Soil contamination | Site Lot: | |
| Receiving Medium: | LAND | Site Conc: | |
| Receiving Env: | | Northing: | |
| MOE Response: | | Easting: | |
| Dt MOE Arvl on Scn: | | Site Geo Ref Accu: | |

MOE Reported Dt: 5/29/2002
Dt Document Closed:
Incident Reason: CARELESS APPLICATION
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Site Map Datum:
SAC Action Class:
Source Type:

OTTAWA POLICE SURVICE:200L WASTE OIL TO GRD, CONT-AINED AND CLEANING

Site: City of Ottawa
Highway 417 Ottawa ON

Database:
SPL

Ref No: 3043-7QMTYH
Site No:
Incident Dt:
Year:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Contaminant Code:
Contaminant Name: ENGINE OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Other Impact(s)
Receiving Medium:
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 3/30/2009
Dt Document Closed:
Incident Reason: Unknown - Reason not determined
Site Name: EB Merge Lane Hwy 417 & Eagleson Road
Site County/District:
Site Geo Ref Meth:
Incident Summary: OC Transpo: 10L engine oil to grnd on Hwy 417
Contaminant Qty: 10 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing: NA
Easting: NA
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Primary Assessment of Incident
Source Type:

Site: Waste Management Inc.
HWY 417 EASTBOUND, ST. LAURENT EXIT (115)<UNOFFICIAL> Ottawa ON

Database:
SPL

Ref No: 8781-6L7M7T
Site No:
Incident Dt: 1/19/2006
Year:
Incident Cause:
Incident Event:
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Soil Contamination
Receiving Medium: Land
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 1/19/2006
Dt Document Closed:
Incident Reason:
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: HWY 417: garbage truck fire, 45 gal hyd. oil to road
Contaminant Qty: 200 L

Discharger Report:
Material Group: Oils
Health/Env Conseq:
Client Type:
Sector Type: Other Motor Vehicle
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: HIGHWAY 417 EASTBOUND, EAST OF ROCKDALE EXIT<UNOFFICIAL> Ottawa ON **Database:** SPL

Ref No: 2415-6M4SUB **Discharger Report:**

Site No: **Material Group:** Oils

Incident Dt: 2/17/2006 **Health/Env Conseq:**

Year: **Client Type:** Other Motor Vehicle

Incident Cause: Other Transport Accident **Sector Type:** Other Motor Vehicle

Incident Event: **Agency Involved:**

Contaminant Code: 12 **Nearest Watercourse:**

Contaminant Name: GASOLINE **Site Address:**

Contaminant Limit 1: **Site District Office:** Ottawa

Contam Limit Freq 1: **Site Postal Code:**

Contaminant UN No 1: **Site Region:**

Environment Impact: Not Anticipated **Site Municipality:** Ottawa

Nature of Impact: Human Health/Safety; Other Impact(s); Soil Contamination **Site Lot:**

Receiving Medium: Land **Site Conc:**

Receiving Env: **Northing:**

MOE Response: **Easting:**

Dt MOE Arvl on Scn: **Site Geo Ref Accu:**

MOE Reported Dt: 2/17/2006 **Site Map Datum:**

Dt Document Closed: **SAC Action Class:**

Incident Reason: Equipment Failure **Source Type:**

Site Name:

Site County/District:

Site Geo Ref Meth:

Incident Summary: Hwy 417 eastbound, 36 vehicle MVA - operating fluid to grnd

Contaminant Qty: Not specified 12

Site: Ferguson Fuels<UNOFFICIAL> **Database:** SPL
HWY 417 EASTBOUND AT THE EAGLESON OFF RAMP<UNOFFICIAL> Ottawa ON

Ref No: 2342-6QAQYF **Discharger Report:**

Site No: **Material Group:** Oils

Incident Dt: 5/30/2006 **Health/Env Conseq:**

Year: **Client Type:** Other Motor Vehicle

Incident Cause: Other Transport Accident **Sector Type:** Other Motor Vehicle

Incident Event: **Agency Involved:**

Contaminant Code: 13 **Nearest Watercourse:**

Contaminant Name: DIESEL FUEL **Site Address:**

Contaminant Limit 1: **Site District Office:** Ottawa

Contam Limit Freq 1: **Site Postal Code:**

Contaminant UN No 1: **Site Region:**

Environment Impact: Confirmed **Site Municipality:** Ottawa

Nature of Impact: Soil Contamination; Surface Water Pollution **Site Lot:**

Receiving Medium: Land & Water **Site Conc:**

Receiving Env: **Northing:**

MOE Response: **Easting:**

Dt MOE Arvl on Scn: **Site Geo Ref Accu:**

MOE Reported Dt: 5/30/2006 **Site Map Datum:**

Dt Document Closed: **SAC Action Class:**

Incident Reason: **Source Type:**

Site Name:

Site County/District:

Site Geo Ref Meth:

Incident Summary: Ferguson Fuels ~60 L diesel spill, Hwy 417, Eagleson exit

Contaminant Qty: 60 L

Site: HWY 417 ONRAMP AT TERRY FOX EXIT<UNOFFICIAL> Ottawa ON **Database:** SPL

Ref No: 5448-5KXU3S **Discharger Report:**

Site No: **Material Group:** Oil

Incident Dt: 3/24/2003 **Health/Env Conseq:**

Year:
Incident Cause:
Incident Event:
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Possible
Nature of Impact: Soil Contamination
Receiving Medium: Land
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 3/24/2003
Dt Document Closed:
Incident Reason:
Site Name: HWY 417 ONRAMP AT TERRY FOX EXIT<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Dundas Drilling- 68 L hydr.oil to ditch, cleaning
Contaminant Qty: 68 L

Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region: Eastern
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Spill to Land
Source Type:

Site: Tomlinson Environmental Services Ltd.
 Ottawa ON

Database:
 SPL

Ref No: 0701-9KKJ43
Site No: NA
Incident Dt: 2014/05/29
Year:
Incident Cause: Unknown / N/A
Incident Event:
Contaminant Code: 15
Contaminant Name: OIL (PETROLEUM BASED, NOT SPECIFIED)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Other Impact(s); Soil Contamination
Receiving Medium:
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 2014/05/29
Dt Document Closed: 2014/11/07
Incident Reason: Unknown / N/A
Site Name: 5555 power Road<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Tomlinson Env: 100L oily water to lot, clnd
Contaminant Qty: 100 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Unknown / N/A
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Land Spills
Source Type:

Site: PETRO-CANADA
 TANK TRUCK (CARGO) NEPEAN CITY ON

Database:
 SPL

Ref No: 120683
Site No:
Incident Dt: 11/11/1995
Year:
Incident Cause: UNKNOWN
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20104

Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/11/1995
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

PETRO-CANADA TANK TRUCK- 50L GAS TO CONCRETE.DRIVRERROR.CLEANED.NO ENV IMP.

Site: **PETRO-CANADA**
SERVICE STATION OTTAWA CITY ON

Database:
SPL

Ref No: 30833
Site No:
Incident Dt: 2/12/1990
Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/12/1990
Dt Document Closed:
Incident Reason: CORROSION
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: PETRO CANADA SERVICE STN.FURANCE OIL LEAK.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: **OC TRANSP**
BANK ST. SOUTH MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Database:
SPL

Ref No: 223917
Site No:
Incident Dt: 4/11/2002
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/11/2002
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

SPILL OF DIESEL FUEL TO GRND, CLEAN UP CREW ON THE WAY

Site: TRANSPORT TRUCK
HWY. 417 MOTOR VEHICLE (OPERATING FLUID) OTTAWA ON

Database:
SPL

Ref No: 191523
Site No:
Incident Dt: 12/4/2000
Year:
Incident Cause: TRUCK/TRAILER OVERTURN
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 12/4/2000
Dt Document Closed:
Incident Reason: OTHER
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: RSR ENVIRONMENTAL:SPILL OF 50-100 L DIESEL DUE TO ROLLOVER. CONTAINED.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: OTTAWA STRUCTURAL CONCRETE SER
GRAHAM CREEK AT QUEENSWAY FROM BAYSHORE SHOPP'G CTRE. NEPEAN CITY ON

Database:
SPL

Ref No: 74243
Site No:
Incident Dt: 7/27/1992
Year:
Incident Cause: OTHER CAUSE (N.O.S.)
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: CONFIRMED
Nature of Impact: Water course or lake
Receiving Medium: WATER
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 7/27/1992
Dt Document Closed:
Incident Reason: NEGLIGENCE (APPARENT)
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: OTTAWA STRUCT'L CONCRETE - WASHED OUT CONTAINERS IN STORM DRAIN.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20104
Site Lot:
Site Conc:
Northing:
Easting: REGION OF OTTAWA-CARLTON
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: MacEwen Petroleum Inc.
Ottawa ON

Database:
SPL

Ref No: 8700-8QT5DV
Site No:
Incident Dt: 23-JAN-12
Year:
Incident Cause: Overturn - Truck Or Trailer
Incident Event:
Contaminant Code: 13
Contaminant Name: FUEL (N.O.S.)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Confirmed
Nature of Impact: Soil Contamination
Receiving Medium: Sewage - Municipal/Private and Commercial
Receiving Env:
MOE Response: Priority Field Response (ERP Callout)
Dt MOE Arvl on Scn: 23-JAN-12
MOE Reported Dt: 23-JAN-12
Dt Document Closed:
Incident Reason: Unknown - Reason not determined
Site Name: Leitram and Hawthorne <UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: MacEwen Fuels <54000L on board tanker in ditch, spill cont.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Tank Truck
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Primary Assessment of Incident
Source Type:

Site: TANK TRUCK
 QUEENSWAY (EASTBOUND) BETWEEN EAGLESON AND MOODY TANK TRUCK (CARGO) NEPEAN CITY ON
Database: SPL

Ref No: 95884
Site No:
Incident Dt: 1/30/1994
Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 1/30/1994
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: TANK TRUCK: 15 L FURNACE OIL TO ROAD
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20104
Site Lot:
Site Conc:
Northing:
Easting: FIRE DEPARTMENT, OPP
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: UNKNOWN
 BLAIR STATION AND QUEENSWAY OTTAWA CITY ON
Database: SPL

Ref No: 239018
Site No:
Incident Dt: 9/11/2002
Year:
Incident Cause: UNKNOWN
Incident Event:
Contaminant Code:
Contaminant Name:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:

| | | | |
|------------------------------|--|------------------------------|-------|
| Contaminant Limit 1: | | Site District Office: | |
| Contam Limit Freq 1: | | Site Postal Code: | |
| Contaminant UN No 1: | | Site Region: | |
| Environment Impact: | POSSIBLE | Site Municipality: | 20107 |
| Nature of Impact: | Water course or lake | Site Lot: | |
| Receiving Medium: | LAND, WATER | Site Conc: | |
| Receiving Env: | | Northing: | |
| MOE Response: | | Easting: | |
| Dt MOE Arvl on Scn: | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 9/11/2002 | Site Map Datum: | |
| Dt Document Closed: | | SAC Action Class: | |
| Incident Reason: | UNKNOWN | Source Type: | |
| Site Name: | | | |
| Site County/District: | | | |
| Site Geo Ref Meth: | | | |
| Incident Summary: | SOURCE UNK: UNK VOLUME OF ANTIFREEZE IN THE STORMSEWER, CLEANING | | |
| Contaminant Qty: | | | |

Site: TRANSPORT TRUCK **Database:**
SPL
QUEENSWAY MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

| | | | |
|------------------------------|--|------------------------------|-----------------|
| Ref No: | 224201 | Discharger Report: | |
| Site No: | | Material Group: | |
| Incident Dt: | 4/19/2002 | Health/Env Conseq: | |
| Year: | | Client Type: | |
| Incident Cause: | OTHER TRANSPORTATION ACCIDENT | Sector Type: | |
| Incident Event: | | Agency Involved: | OPP-KANATA; MTO |
| Contaminant Code: | | Nearest Watercourse: | |
| Contaminant Name: | | Site Address: | |
| Contaminant Limit 1: | | Site District Office: | |
| Contam Limit Freq 1: | | Site Postal Code: | |
| Contaminant UN No 1: | | Site Region: | |
| Environment Impact: | CONFIRMED | Site Municipality: | 20107 |
| Nature of Impact: | Soil contamination | Site Lot: | |
| Receiving Medium: | LAND | Site Conc: | |
| Receiving Env: | | Northing: | |
| MOE Response: | | Easting: | |
| Dt MOE Arvl on Scn: | | Site Geo Ref Accu: | |
| MOE Reported Dt: | 4/19/2002 | Site Map Datum: | |
| Dt Document Closed: | | SAC Action Class: | |
| Incident Reason: | ERROR | Source Type: | |
| Site Name: | | | |
| Site County/District: | | | |
| Site Geo Ref Meth: | | | |
| Incident Summary: | LOBLAWS: 450L DIESEL FROMTRUCK TO ROAD ONLY; OPP; MTO. | | |
| Contaminant Qty: | | | |

Site: TRANSPORT TRUCK **Database:**
SPL
BANK ST. BRIDGE MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

| | | | |
|-----------------------------|--------------------|------------------------------|-----------|
| Ref No: | 88427 | Discharger Report: | |
| Site No: | | Material Group: | |
| Incident Dt: | 7/13/1993 | Health/Env Conseq: | |
| Year: | | Client Type: | |
| Incident Cause: | PIPE/HOSE LEAK | Sector Type: | |
| Incident Event: | | Agency Involved: | |
| Contaminant Code: | | Nearest Watercourse: | |
| Contaminant Name: | | Site Address: | |
| Contaminant Limit 1: | | Site District Office: | |
| Contam Limit Freq 1: | | Site Postal Code: | |
| Contaminant UN No 1: | | Site Region: | |
| Environment Impact: | POSSIBLE | Site Municipality: | 20101 |
| Nature of Impact: | Soil contamination | Site Lot: | |
| Receiving Medium: | LAND | Site Conc: | |
| Receiving Env: | | Northing: | |
| MOE Response: | | Easting: | FIRE DEPT |
| Dt MOE Arvl on Scn: | | Site Geo Ref Accu: | |

MOE Reported Dt: 7/13/1993
Dt Document Closed:
Incident Reason: CORROSION
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

Site Map Datum:
SAC Action Class:
Source Type:

HYDRAULIC OIL LEAK FROM UNIDENTIFIED TRANSPORT TRUCK TO BANK ST. BRIDGE

Site: Tomlinson Environmental Services Ltd.
Carp Ottawa ON K0A 1L0

Database:
WDS

Approval No: A461010
Mob Unit Cert No:
EBR Registry No:
Status: Revoked and/or Replaced
Facility Type:
Record Type: ECA
Link Source: IDS
Project Type: WASTE DISPOSAL SITES
Application Status:
Issue Date: 2011-02-02
Input Date:
Date Received:
Est Closure Date:
Mobile Capacity:
Mobile Units:
Mobile Description:
Prop City:
Prop Postal:
Prop Phone:
Serial Link:
Approval Type: ECA-WASTE DISPOSAL SITES
Proponent:
Prop Address:
Proponent County/District:
Full Address: Carp
Site Lot:
Waste Class Code:
Waste Class:
Waste Type:
Waste Type Other:
Waste Description:
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description:
Project Description:
Municipalities Served:
Approval Description:
Other Approvals/Permits:
PDF URL:

Total Area (ha):
Landfill Cap (m³):
Transfer Area (ha):
Transfer Cap (m³):
Transfer Cert No:
Inciner. Area (ha):
Inciner. Cap (t):
Process Area (m³):
Process Cap (m³/d):
Process Vol (m³):
Process Feed (m³):
Site Concession:
Site Region/County:
SWP Area Name: Mississippi Valley
MOE District: Ottawa
District Office:
Latitude:
Longitude:
Geometry X:
Geometry Y:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jun 30, 2020

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Environment and Climate Change Canada cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Jun 30, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Sep 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Dec 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Sep 30, 2020

Drill Hole Database:Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019**Delisted Fuel Tanks:**Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Jul 31, 2020**Environmental Activity and Sector Registry:**Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Oct 31, 2020**Environmental Registry:**Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Sep 30, 2020**Environmental Compliance Approval:**Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Oct 31, 2020**Environmental Effects Monitoring:**Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jul 31, 2020**Environmental Issues Inventory System:**Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2020

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2018

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2020

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2020

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Sep 30, 2020

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Oct 31, 2020

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Sep 30, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Sep 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jun 30, 2020

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Nov 2019

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variations for Abandonment of Underground Storage Tanks:

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Waste Disposal Sites - MOE CA Inventory:

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Oct 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2020

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*



Appendix F: Aerial Photographs




Filename: E:\OTT\OTT-00262765-A0\60 Execution\65 Drawings\phase 1\262765-A0_ph1_Appendix F.dwg
 Last Saved: Mar 19, 2021 6:27 AM Last Plotted: Mar 19, 2021 6:41 AM Plotted by: McKeet



LEGEND

-  PROPERTY BOUNDARY
-  STUDY AREA (250m)



EXP Services Inc. www.exp.com



t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada


| | | | |
|--------------------|-----------------|--|--------------------------------|
| DATE MARCH 2021 | | CLIENT: SMART LIVING PROPERTIES | project no. OTT-00262765-A0 |
| DESIGN L.W. | CHECKED L.W. | TITLE: 1928 AERIAL PHOTOGRAPH 233 ARGYLE AVENUE, OTTAWA, ONTARIO | scale 1:4,000 |
| DRAWN BY T.M. | | | FIG F1 |

Filename: E:\OTT\OTT-00262765-A0_60 Execution\65 Drawings\phase 1\262765-A0_ph1 Appendix F.dwg
 Last Saved: Mar 19, 2021 6:27 AM Last Plotted: Mar 19, 2021 6:41 AM Plotted by: McKeet




LEGEND

-  PROPERTY BOUNDARY
-  STUDY AREA (250m)



EXP Services Inc. www.exp.com
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada

| | | | |
|--------------------|-----------------|---|--------------------------------|
| DATE MARCH 2021 | | CLIENT: SMART LIVING PROPERTIES | project no. OTT-00262765-A0 |
| DESIGN L.W. | CHECKED L.W. | TITLE: 1958 AERIAL PHOTOGRAPH | scale 1:4,000 |
| DRAWN BY T.M. | | 233 ARGYLE AVENUE, OTTAWA, ONTARIO | FIG F2 |




LEGEND



PROPERTY BOUNDARY



STUDY AREA (250m)



EXP Services Inc. www.exp.com

t: +1.613.688.1899 | f: +1.613.225.7337
2650 Queensview Drive, Suite 100
Ottawa, ON K2B 8H6, Canada

| | | |
|----------|------------|--|
| DATE | MARCH 2021 | |
| DESIGN | CHECKED | |
| L.W. | L.W. | |
| DRAWN BY | T.M. | |

| | |
|--|--------------------------------|
| CLIENT: | SMART LIVING PROPERTIES |
| TITLE: | |
| 1965 AERIAL PHOTOGRAPH 233 ARGYLE AVENUE, OTTAWA, ONTARIO | |


| | |
|---------------|-----------------|
| project no. | OTT-00262765-A0 |
| scale | 1:4,000 |
| FIG F3 | |

Filename: E:\OTT\OTT-00262765-A0\60 Execution\65 Drawings\phase 1\262765-A0_ph1_Appendix F.dwg
 Last Saved: Mar 19, 2021 6:48 AM Last Plotted: Apr 22, 2021 12:50 PM Plotted by: McKeeT



LEGEND

- PROPERTY BOUNDARY
- STUDY AREA (250m)





EXP Services Inc. www.exp.com
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada


| | | | |
|-----------------------------------|--------------------------------|---|---|
| <small>DATE</small> MARCH 2021 | <small>CLIENT:</small> | <h2>SMART LIVING PROPERTIES</h2> | <small>project no.</small> OTT-00262765-A0 |
| <small>DESIGN</small> L.W. | <small>CHECKED</small> L.W. | <small>TITLE:</small> 1976 AERIAL PHOTOGRAPH 233 ARGYLE AVENUE, OTTAWA, ONTARIO | <small>scale</small> 1:4,000 |
| <small>DRAWN BY</small> T.M. | | | FIG F4 |

Filename: E:\OTT\OTT-00262765-A0_60 Execution\65 Drawings\phase 1\262765-A0_ph1 Appendix F.dwg
 Last Saved: Mar 19, 2021 6:27 AM
 Last Plotted: Mar 19, 2021 6:44 AM
 Plotted by: McKeeT



LEGEND


-  PROPERTY BOUNDARY
-  STUDY AREA (250m)





EXP Services Inc. www.exp.com
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada


| | | | | |
|--------------------|-----------------|--|--|--------------------------------|
| DATE MARCH 2021 | | CLIENT: SMART LIVING PROPERTIES | | project no. OTT-00262765-A0 |
| DESIGN L.W. | CHECKED L.W. | TITLE: 1991 AERIAL PHOTOGRAPH 233 ARGYLE AVENUE, OTTAWA, ONTARIO | | scale 1:4,000 |
| DRAWN BY T.M. | | | | FIG F5 |

Filename: E:\OTT\00262765-A0_60 Execution\65 Drawings\phase 1\262765-A0_ph1 Appendix F.dwg
 Last Saved: Mar 19, 2021 6:27 AM
 Last Plotted: Mar 19, 2021 6:44 AM
 Plotted by: McKee




LEGEND

-  PROPERTY BOUNDARY
-  STUDY AREA (250m)



EXP Services Inc. www.exp.com
 t: +1.613.688.1899 | f: +1.613.225.7337
 2650 Queensview Drive, Suite 100
 Ottawa, ON K2B 8H6, Canada

| | | | | |
|--------------------|-----------------|--|--|--------------------------------|
| DATE MARCH 2021 | | CLIENT: SMART LIVING PROPERTIES | | project no. OTT-00262765-A0 |
| DESIGN L.W. | CHECKED L.W. | TITLE: 2005 AERIAL PHOTOGRAPH 233 ARGYLE AVENUE, OTTAWA, ONTARIO | | scale 1:4,000 |
| DRAWN BY T.M. | | | | FIG F6 |



PHASE I
PROPERTY
BOUNDARY

PHASE ONE
STUDY AREA


LEGEND



PROPERTY BOUNDARY



STUDY AREA (250m)



EXP Services Inc. www.exp.com

t: +1.613.688.1899 | f: +1.613.225.7337
2650 Queensview Drive, Suite 100
Ottawa, ON K2B 8H6, Canada

| | | |
|----------|------------|--|
| DATE | MARCH 2021 | |
| DESIGN | CHECKED | |
| L.W. | L.W. | |
| DRAWN BY | T.M. | |

| | |
|------------------------------------|--------------------------------|
| CLIENT: | SMART LIVING PROPERTIES |
| TITLE: | |
| 2019 AERIAL PHOTOGRAPH | |
| 233 ARGYLE AVENUE, OTTAWA, ONTARIO | |

| | |
|---------------|-----------------|
| project no. | OTT-00262765-A0 |
| scale | 1:4,000 |
| FIG F7 | |

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*

Appendix G: Site Photographs



Photograph No. 1

View of the front of the residence looking north.



Photograph No. 2

View of suspected former vent/fill pipe location.

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*



Photograph No. 3

View location of natural gas fired furnace.



Photograph No. 4

View location of natural gas fired furnace in building addition.

EXP Services Inc.

Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021



Photograph No. 5

View of typical interior finishes.



Photograph No. 6

View of cast iron radiator

EXP Services Inc.

*Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021*



Photograph No. 9

View of adjacent property to the east



Photograph No. 10

View of adjacent property to the west

EXP Services Inc.

Smart Living Properties
Phase One Environmental Site Assessment
233 Argyle Avenue, Ottawa, Ontario
OTT-00262765-A0
March 19, 2021



Photograph No. 11

View of former furnace oil tank location in southwest corner of basement