



ZONING MECHANISM	REQUIRED (M15 H(8))	REQUIRED (M162) H(8.5)	PROVIDED	COMPLIANCE
MIN. LOT AREA	NO MIN.	2.4ha	4.15ha	YES
MIN. LOT WIDTH	NO MIN.	NO MIN.	16.8m	YES
MINIMUM SETBACKS	FRONT YARD: 3m CORNER SIDE: 3m	FRONT YARD: 20m INTERIOR SIDE: 9m REAR YARD: 9m	DRIVE-THRU'S: FRONT YARD: 13.62m SIDE/REAR: 14m FOOD STORE: FRONT: 3m CORNER: 3m	NO YES YES YES
MAX. BUILDING HEIGHT	8m	10.5m	5.6m (FOOD STORE) 5.5m (DRIVE-THRU)	YES YES
MAX. FLOOR SPACE INDEX	2	2	0.2	YES
GROSS LEASABLE FLOOR AREA	N/A	MIN: 3,000 sq.m. MAX: 10,000 sq.m.		YES
MINIMUM WIDTH OF LANDSCAPE AREA	3m	3m	>3m	YES
LANDSCAPE AREA %	15%	15%	NEW SITE AREA: 16,744 sq.m. NEW LANDSCAPE AREA: 3,243 sq.m. (19.6%)	YES
MINIMUM PARKING AREA (C ON SCHEDULE 1A 3x MULTIPLE OF GROSS LEASABLE FLOOR AREA)	330 SPACES		420 SPACES (REFER TO TABLE BELOW)	YES
PARKING SPACE DIMENSIONS	WIDTH: 2.6m MIN TO 3.1 MAX LENGTH: 5.2m MIN.		2.75m X 5.75m	YES
AISE AND DRIVEWAY PROVISIONS	MINIMUM DRIVEWAY WIDTH: 6m MINIMUM AISLE WIDTH: 6.7m		>6.7m	YES
BARRIER-FREE PARKING	400-499 PROVIDED SPACES: 5 SPACES		18 SPACES	YES
MINIMUM BICYCLE PARKING	14		24 SPACES	YES
LOADING SPACES	RETAIL FOOD STORE: 1 SPACE RESTAURANT: NONE REQUIRED		2 SPACES	YES
OUTDOOR REFUSE COLLECTION	MIN. 4m FROM LOT LINE ABUTTING A PUBLIC STREET MIN. 3m FROM ANY OTHER LOT LINE SCREENED WITH A 2m HIGH OPAQUE SCREEN		SATISFIES ALL REQUIREMENTS	YES
PROVISIONS FOR DRIVE-THROUGH OPERATIONS	RESTAURANT WITH ORDER BOARD: LEADING TO AN LEAVING USE: 7 QUEING SPACES BEFORE/AT ORDER BOARD AND A MINIMUM TOTAL OF 11 SPACES QUEING SPACES MUST BE 3m WIDE BY 5.7m LONG		LEADING TO: 4 SPACES LEAVING: 7 SPACES 3m X 5.7m	YES YES
	NO PART OF THE DRIVE-THROUGH MAY BE LOCATED WITHIN 3m OF A LONG LINE ABUTTING A RESIDENTIAL ZONE		N/A	YES

NEW AREA SUMMARY:		
	ZONING GFA	LEASE AREA
FOOD STORE:	2334 sq.m. (25123 sq.ft.)	3,017 sq.m. (32,475 sq.ft.)
DRIVE THRU:	305 sq.m. (3,283 sq.ft.)	430 sq.m. (4,625 sq.ft.)
TOTAL:	2639 sq.m. (28,406 sq.ft.)	3,447 sq.m. (37,100 sq.ft.)

NEW PARKING SUMMARY:		
	CITY REQ'	LEASE REQ'
REQUIRED PARKING	3.6/100 sq.m. =124 spots	4.0/1000 sq.ft. =148 spots
PROVIDED PARKING	4.5/100 sq.m. =156 spots	4.2/1000 sq.ft. =156 spots
ADDITIONAL	32 spots	8 spots

LEGEND:

B.F. PARKING STALL C/W B.F. SIGNAGE	
DEPRESSED CURB C/W TWSI	
150mm DIA., 6mm THK. GALV. STEEL BOLLARD (MIN. 1.5m HIGH & 1.5m BELOW GRADE) REFER TO Sobey Dwg '1-08 & 2-18'	
300mm DIA., 6mm THK. GALV. STEEL BOLLARD (MIN. 1.5m HIGH & 1.5m BELOW GRADE)	
PRECAST CONCRETE PAVING	
CAST IN PLACE CONCRETE SIDEWALK/ REFER TO GEO TECH. REPORT	
PAINTED LINE STOP BAR	
ROLLED CONCRETE CURB	
SITE SIGNAGE	
PAINTED LINES	
BIKE RACK (4/RACK)	
EXTERIOR LIGHTING/ REFER TO ELEC. DWGS. FOR TYPES	
HEAVY DUTY ASPHALT	
CONCRETE CURB	

07 Feb. 04, 2022	RE-SUBMISSION FOR SPA
06 Jan. 20, 2022	ISSUED FOR TENANT REVIEW
05 Dec. 20, 2021	MINOR VARIANCE COMMENTS
04 Dec. 17, 2021	ISSUED FOR 90% DRAWINGS
03 Nov. 18, 2021	ISSUED FOR 60% DRAWINGS
02 Nov. 16, 2021	ISSUED FOR TENANT REVIEW
01 Oct. 29, 2021	ISSUED FOR SPA
no. date	revision

It is the responsibility of the appropriate contractor to check and verify all dimensions on site and report all errors and/or omissions to the architect.

All contractors must comply with all pertinent codes and by-laws.

Do not scale drawings.

This drawing may not be used for construction until signed.

Copyright reserved.



Hobin Architecture Incorporated
 63 Pamela Street
 Ottawa, Ontario
 Canada K1S 3K7
 T: 613-238-7200
 F: 613-235-2005
 E: mail@hobinarc.com
 hobinarc.com

PROJECT LOCATION:
CROWN POINT
RETAIL

DRAWING TITLE:
NEW WORK SITE PLAN

DRAWN BY: DATE: 18/10/09
SCALE: 1:500

PROJECT: 1613
DRAWING NO.: A0.1
REVISION NO.: #18633

