

Derrick Clark PEng
EAU Structural & Environmental Svs
tel., 613 869 0523, derrick.r.clark@rogers.com

Consultants
PTabet architecte
2232 rue Saint-Louis,
Gatineau, QC J8T 5L6
t.: 819.568.3994
c.: 613.797.9375
pierretabetarchitecte.com

No	DATE	REVISION	App.
1			
2			
3			
4			
5			

No	DATE	ISSUED FOR	App.
1	2022/09/14	SITE PLAN CONTROL	D.K.
2	2022/12/31	REV PER CITY	D.R.C.
3			
4			
5			

NOTES & LEGEND:

- PROPERTY LINE
- ~~~~ SILT FENCE PER OPSD 219.130
- [Hatched Box] PROPOSED BUILDING ENVELOP
- [Circle with X] EXISTING FIRE HYDRANT


1. MUD MAT IS NOT REQUIRED AT SITE ENTRANCE
2. CB#1, #2 & #3 INLET TO BE PROTECTED WITH GEO-FABRIC.
3. CONCRETE BARRIER CURB PER OPSD 600.110
4. SEWER/STORM LATERAL CONNECTIONS PER OPSD 1006.020
5. THE CONTRACTOR IS REQUIRED TO GET WRITTEN PERMISSION FROM ADJACENT PROPERTY OWNERS FOR WORK OUTSIDE THE PROPERTY LINE.
6. HEAVY DUTY SILT FENCE PER OPSD 219.136.
7. THE FOLLOWING DOCUMENTS HAVE BEEN REVIEWED
 - CITY OF OTTAWA STANDARD TENDER DOCUMENTS FOR UNIT PRICE (DO-006F-1004&F1005)
 - GUIDELINES ON EROSION & SEDIMENT CONTROL FOR URBAN SITES, MAY 1987.
 - ENVIRONMENTAL GUIDELINES FOR ACCESS ROADS & WATER CROSSINGS BY O.M.N.R.




C2

Project
ORLEANS RESIDENTIAL & MEDICAL FACILITY
3 996 Innes Road, Ottawa, ON.


Title: EROSION & SEDIMENT CONTROL PLAN	Drawn / A.F.	Scale: 1:200
Date: 2022/09/14	Revision: 0	Drawing #: ES




SEE NOTE 2



SEE NOTE 6



SEE NOTE 3



SEE NOTE 4

