




Stantec Consulting Ltd. 400 - 1331 Clyde Avenue Ottawa ON Tel. 613.722.4420 www.stantec.com

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay. The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.



— POPULATION COUNT

——— SANITARY DRAINAGE AREA ha.

------ SANITARY DRAINAGE AREA ID# — INFILTRATION RATE OF 0.33 L/s/Ha APPLIED

———— SANITARY DRAINAGE AREA ha.

Sanitary drainage area

EXISTING SANITARY MH AND SEWER

Notes

SANITARY STATS

BUILDING A

60 - 1 BEDROOM UNITS @ 1.4 PPU = 84 PEOPLE 143 - 2 BEDROOM UNITS @ 2.1 PPU = 300 PEOPLE 5 - 3 BEDROOM UNITS @ 3.1 PPU = 16 PEOPLE

BUILDING B

2 - STUDIO UNITS @ 1.4 PPU = 3 PEOPLE 53 - 1 BEDROOM UNITS @ 1.4 PPU = 74 PEOPLE

85 - 2 BEDROOM UNITS @ 2.1 PPU = 179 PEOPLE

5 - 2 BEDROOM + DEN UNITS @ 3.1 PPU = 19 PEOPLE

TOTAL POPULATION = <u>675</u>

0 ISSUED FOR SPA		MJS	DT	21.11.22
Revision		Ву	Appd.	YY.MM.DD
File Name: 160401672 DB		DT		21.09.22
The Nume. Tooloro, 200	Dwn.	Chkd.	Dsgn.	YY.MM.DD
Permit-Seal			-	

Permit-Seal

Client/Project WESTRICH PACIFIC CORP.

MULTI-FAMILY RESIDENTIAL DEVELOPMENT 1125-1149 CYRVILLE ROAD OTTAWA, ON, CANADA

Title SANITARY DRAINAGE AREA PLAN

Project No. 160401672	Scale 0 2.5 1:250	7.5 12.5m
Drawing No.	Sheet	Revision
SA-1	7 of 7	0