

PROPOSED CONTROLLED SURFACE RUNOFF DISTRIBUTION				
LOCATION	TOTAL AREA (m <sup>2</sup> )	A X C C <sub>YEAR</sub>	A X C C <sub>100YEAR</sub>	DRAINAGE AREAS
EXISTING 525mm STORM SEWER (SOUTH OF SITE BOUNDARY)	4120	3032	3543	A2 A4 A5 A6 A7 A8 A9 A10

PROPOSED UNCONTROLLED SURFACE RUNOFF DISTRIBUTION				
LOCATION	TOTAL AREA (m <sup>2</sup> )	A X C C <sub>YEAR</sub>	% TOTAL A X C C <sub>YEAR</sub>	DRAINAGE AREAS
EXISTING 250mm STORM SEWER (NORTHEAST OF SITE BOUNDARY)	100	75	29%	A1
EXISTING 375mm STORM SEWER (EAST OF SITE BOUNDARY)	304	180	71%	A1 & A3 A12 & A13
TOTAL SITE	404	255	100%	-

NOTE: AREA DRAIN A11 PREVIOUSLY DEVELOPED AND NOT CONSIDERED IN CALCULATIONS

### LEGEND

- EXISTING MANHOLE
- ▣ EXISTING CATCH BASIN
- EXISTING ELEVATION
- EXISTING CURB
- PROPERTY EXTENTS
- ▨ EXISTING ASPHALT
- ▨ EXISTING CONCRETE SIDEWALK
- ▨ EXISTING VEGETATED AREA
- ▨ EXISTING RIVER STONE
- ▨ EXISTING CONCRETE RETAINING WALL
- PROPOSED ROOF DRAIN
- PROPOSED STORM MANHOLE
- PROPOSED STORM CATCH BASIN MANHOLE
- PROPOSED CATCH BASIN
- PROPOSED DITCH INLET
- PROPOSED SANITARY MANHOLE

CATCHMENT ID: A1 (0.327 | 0.300)

DRAINAGE AREA | RUNOFF COEFFICIENT


--- CATCHMENT EXTENTS

--- PROPERTY EXTENTS

→ DIRECTION OF SURFACE RUNOFF

PROPOSED UNCONTROLLED DRAINAGE AREA			
AREA I.D.	TOTAL AREA (m <sup>2</sup> )	RUNOFF COEFFICIENT C <sub>YEAR</sub>	COMMENTS
1	230	0.61	15% ASPHALT AREA 74% VEGETATED AREA 11% GRAVEL AND CONCRETE AREA
3	100	0.34	5% CONCRETE AREA 95% VEGETATED AREA
11	390	0.90	100% ASPHALT AREA
12	19	0.90	100% ASPHALT AREA
13	55	0.90	100% ASPHALT AREA

PROPOSED CONTROLLED DRAINAGE AREA			
AREA I.D.	TOTAL AREA (m <sup>2</sup> )	RUNOFF COEFFICIENT C <sub>YEAR</sub>	COMMENTS
2	940	0.80	81% ASPHALT AREA 17% VEGETATED AREA 2% CONCRETE AREA
4	380	0.90	95% ASPHALT AREA 5% CONCRETE AREA
5	130	0.40	17% CONCRETE AREA 83% VEGETATED AREA
6	300	0.50	35% CONCRETE AREA 65% VEGETATED AREA
7	660	0.90	61% ASPHALT AREA 39% CONCRETE AREA
8	450	0.43	78% VEGETATED AREA 22% CONCRETE AREA
9	850	0.90	100% BUILDING AREA
10	405	0.43	15% ASPHALT AREA 74% VEGETATED AREA 11% GRAVEL AND CONCRETE AREA



03	2022-09-06	ISSUED FOR SITE PLAN APPROVAL
02	2022-06-16	ISSUED FOR SITE PLAN APPROVAL
01	2022-01-19	ISSUED FOR SITE PLAN APPROVAL
00	2021-10-21	ISSUED FOR CLIENT REVIEW
No.	YYYYMMDD	ISSUED

DISCLAIMER:  
THIS DRAWING IS PROTECTED BY COPYRIGHT LAW AND SHOULD NOT BE REPRODUCED IN ANY MANNER, OR FOR ANY PURPOSE, EXCEPT BY WRITTEN PERMISSION OF MORRISON HERSCHELFIELD LIMITED. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO MORRISON HERSCHELFIELD LIMITED.

STAMP: PERMIT TO PRACTICE (Professional Engineer Seal)

PROJECT: 301 PALLADIUM DRIVE

DRAWING: PROPOSED DRAINAGE AREA PLAN

DESIGN DD	DATE 2022-09-06	SCALE 1:800
DRAWN DD	PROJECT NO. 210390900	
CHECKED AA	DRAWING NO.	VERSION
APPROVED AA	C005	