



Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.  
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend

- C100A** SANITARY DRAINAGE AREA ID#
- 0.31 COM** COMMERCIAL FLOW RATE OF 28000L/day/Ha APPLIED
- SANITARY DRAINAGE AREA ha.
- G100A** SANITARY DRAINAGE AREA ID#
- 0.11 INFL** INFILTRATION RATE OF 0.28 L/s/Ha APPLIED
- SANITARY DRAINAGE AREA ha.
- SANITARY DRAINAGE AREA
- PROPOSED SANITARY SEWER
- EXISTING SANITARY SEWER

Notes

2	REVISED AS PER CITY COMMENTS	MJS	EB	23.05.09
1	REVISED AS PER CITY COMMENTS	MJS	EB	23.03.03
0	ISSUED TO CITY FOR SPA	MJS	KK	22.02.11

Revision By Appd. YY.MM.DD

File Name:	160401647.DB	MJS	KK	MJS	21.01.20
		Dwn.	Chkd.	Dagn.	YY.MM.DD

Permit-Seal

Client/Project  
STAR MOTORS

STAR MOTORS BODY SHOP  
36-40 JAMIE AVENUE INFILL ADDITION  
OTTAWA, ON, CANADA

Title  
SANITARY DRAINAGE AREA PLAN

Project No.	160401647	Scale	1:200
Drawing No.	SA-1	Sheet	6 of 6
		Revision	2

