

- - (5) DEPRESSED CURB
    - ( 6 ) FIRE DEPARTMENT CONNECTION

4 INTERLOCKING STONE PAVERS


( 3 ) RETAINING WALL

(7) STEEL GUARD MOUNTED TO TOP OF RETAINING WALL

(2) EXISTING STRUCTURE TO BE DEMOLISHED

- 8 OUTDOOR BICYCLE PARKING SPACES
- 9 NEW CONCRETE SIDEWALK
- SOFT LANDSCAPING, REFER TO LANDSCAPE DRAWINGS
- (11) RIVERSTONE
- (12) LIGHT STANDARD





3 LOCATION PLAN SP-01 SCALE: N.T.S.

Site Statistics

Zoning Designation:	R4Z				
Lot Width:	45.78m				
Total Lot Area:	2,775.8m2				
Proposed Development - 43 U	Jnit Low-Rise Apartment				
Zoning Mechanism	Required	Provided			
Minimum Lot Width	18m	45.78m			
Minimum Lot Area	450m2	2,775.6m2 4.78m			
Min. Front Yard Setback	3m				
Min. Interior Side Yard Setback	6m	6m			
in Rear Yard Setback  1m (Where the rear lot line abuts the interior side lot line of an abutting lot, the minimum required rear yard setback is equal to the minimum required interior side yard setback of the abutting lot along each point of the shared lot line.)		8.438m (1m at corner of parking structure)			
Maximum Building height	15m	12.41m			
Parking Space Rates Table 101	52 Spaces (1.2spaces/unit Row R11 - Area "C")	52 Spaces 50 Underground Spaces 2 Surface Parking Spaces			
Minimum Visitor Parking Rates Table 102	9 Spaces (0.2spaces/unit - Area "C")	9 Spaces (9 provided at grade)			
Bicycle Parking Rates Table 111A(b)(i)	22 Spaces (43 units x 0.5)	25 Spaces (11 provided at grade)			
Soft Landscaping	833m2 (30% of Lot Area)	866m2 (31.2%)			
<b>Total Amenity Area</b> <i>Table 137 (11)</i>	330m2 (15m2/unit @ 8 units + 6m2/unit @ 35 units)	372m2			
Communal Amenity Area Table 137 (11)	120m2 (100% of Amenity Area @ 8 units)	135m2			

2 ZONING SP-01 SCALE: N.T.S.

OTAL AMENITY AREA CALCULATION	
AT-GRADE AMENITY AREA	135m <sup>2</sup>
EVEL 01 PATIOS	80m <sup>2</sup>
EVEL 02 BALCONIES	49m <sup>2</sup>
EVEL 03 BALCONIES	56m <sup>2</sup>
EVEL 04 BALCONIES	52m <sup>2</sup>
OTAL	372m <sup>2</sup>
COMMUNAL AMENITY AREA CALCULATION	
AT-GRADE AMENITY AREA	135m <sup>2</sup>

REISSUED FOR SITE PLAN CONTROL REISSUED FOR SITE PLAN CONTROL ISSUED FOR SITE PLAN CONTROL

23-02-09

22-11-14

22-03-07

ISSUE RECORD

GENERAL ARCHITECTURAL NOTES:

Electrical Drawings.

This drawing is the property of the Architect and may not be reproduced or used without the expressed consent of the Architect.

Drawings are not to be scaled. The Contractor is responsible for checking and

verifying all levels and dimensions and shall report all discrepancies to the Architect and obtain clarification prior to commencing work.

supplementary information regarding the intent of the Contract Documents.

The Architectural drawings are to be read in conjuction with all other Contract
 Documents including Project Manuals and the Structural, Mechanical and

5. Positions of exposed or finished Mechanical or Electrical devices, fittings and


fixtures are indicated on the Architectural Drawings. Locations shown on the

Architectural Drawings shall govern over Mechanical and Electrical Drawings.

Mechanical and Electrical items not clearly located will be located as directed by

5. These documents are not to be used for construction unless specifically noted for

B. Upon notice in writing, the Architect will provide written/graphic clarification or





Project1 Studio Incorporated |613.884.3939 |mail@project1studio.ca

3040 INNES ROAD


3040 Innes Road Ottawa, ON


PROJ SCALE DRAWN
2110 NOTED BH

SITE PLAN

	PIN 04403-0			
	91.17Meas. (91.21 P4)	46249 (60.96 D2) 	LINE OF PROPERTY LIMIT—	N 23° 47' 20" W(P7) &Meas. (N23°47'30"W P4)
INVES ROAD  YELLOW PAINTED LINE (CENTERLINE OF ROAD CONSTRUCT  WHITE PAINTED LINE  APPROXIMATE LOCATION OF WHITE LOCATION OF WHITE PAINTED LINE  APPROXIMATE LOCATION OF WHITE PAINTED LINE  APPROXIMA	91.17Meas. (91.21 P.4)  ATIO  PATIO  PATIO	(60.96 D2) 60.92 Meas. PIN 04403-0438  PIN 04403-0438  LINE OF CANOPY ABOVE	PATIO EXTENT OF UNDERGROUND PARKING F  PATIO PATIO 9 8 4  1100 9 8 4  2600 2600 2600 1500  DN 0 4.37% SLOPE	4000 22.86 C2)  22.86 Meas.  22.86 C2)  22.86 Meas.  22.86 C2)  23.86 Meas.  24.86 Meas.  25.90 Meas.  26.90 Meas.  27.90 Meas.  2
	(P2)&Set N60°42'50"W 0.09 60.96(D1)&Meas. (26.82 P1,P2) 26.72 Meas. PIN 04403-0572  PIN 0440		(N22°45'10"W P1) (N23°47'30"W P4) N23°47'10"W (P2)&Meas.	PIN 04403-0440
1 SITE PLAN	PART 5 PLAN 4R-27717	 	j	1
SP-01 SCALE: 1: 150				

REVIEWED **RMK** 





GENERAL ARCHITECTURAL NOTES:

. This drawing is the property of the Architect and may not be reproduced or used without the expressed consent of the Architect.

Drawings are not to be scaled. The Contractor is responsible for checking and verifying all levels and dimensions and shall report all discrepancies to the Architect and obtain clarification prior to commencing work.

Upon notice in writing, the Architect will provide written/graphic clarification or

supplementary information regarding the intent of the Contract Documents.

4. The Architectural drawings are to be read in conjuction with all other Contract Documents including Project Manuals and the Structural, Mechanical and

 Positions of exposed or finished Mechanical or Electrical devices, fittings and fixtures are indicated on the Architectural Drawings. Locations shown on the Architectural Drawings shall govern over Mechanical and Electrical Drawings. Mechanical and Electrical items not clearly located will be located as directed by the Architect.

These documents are not to be used for construction unless specifically noted for such purpose.


REISSUED FOR SITE PLAN CONTROL REISSUED FOR SITE PLAN CONTROL

22-11-14

22-03-07



Project1 Studio Incorporated |613.884.3939 |mail@project1studio.ca



GENERAL ARCHITECTURAL NOTES:

. This drawing is the property of the Architect and may not be reproduced or used without the expressed consent of the Architect.

Drawings are not to be scaled. The Contractor is responsible for checking and verifying all levels and dimensions and shall report all discrepancies to the Architect and obtain clarification prior to commencing work.

Upon notice in writing, the Architect will provide written/graphic clarification or

supplementary information regarding the intent of the Contract Documents.

4. The Architectural drawings are to be read in conjuction with all other Contract Documents including Project Manuals and the Structural, Mechanical and

 Positions of exposed or finished Mechanical or Electrical devices, fittings and fixtures are indicated on the Architectural Drawings. Locations shown on the Architectural Drawings shall govern over Mechanical and Electrical Drawings. Mechanical and Electrical items not clearly located will be located as directed by the Architect.

These documents are not to be used for construction unless specifically noted for such purpose.

REISSUED FOR SITE PLAN CONTROL REISSUED FOR SITE PLAN CONTROL

22-11-14


22-03-07

FYAN M. KOOLWINE

Project1 Studio Incorporated |613.884.3939 |mail@project1studio.ca

3040 INNES ROAD

LEVEL 03 - FLOOR PLAN



GENERAL ARCHITECTURAL NOTES:

- . This drawing is the property of the Architect and may not be reproduced or used without the expressed consent of the Architect.

  Drawings are not to be scaled. The Contractor is responsible for checking and verifying all levels and dimensions and shall report all discrepancies to the Architect and obtain clarification prior to commencing work.

  Upon notice in writing, the Architect will provide written/graphic clarification or
- supplementary information regarding the intent of the Contract Documents.

  4. The Architectural drawings are to be read in conjuction with all other Contract Documents including Project Manuals and the Structural, Mechanical and
- Positions of exposed or finished Mechanical or Electrical devices, fittings and fixtures are indicated on the Architectural Drawings. Locations shown on the Architectural Drawings shall govern over Mechanical and Electrical Drawings. Mechanical and Electrical items not clearly located will be located as directed by the Architect.
- These documents are not to be used for construction unless specifically noted for such purpose.

REISSUED FOR SITE PLAN CONTROL REISSUED FOR SITE PLAN CONTROL ISSUED FOR SITE PLAN CONTROL

22-11-14

22-03-07

FYAN M. KOOLWINE

Project1 Studio Incorporated |613.884.3939 |mail@project1studio.ca

3040 INNES ROAD

LEVEL 04 - FLOOR PLAN


GENERAL ARCHITECTURAL NOTES: (1) SCUPPER Positions of exposed or finished Mechanical or Electrical devices, fittings and fixtures are indicated on the Architectural Drawings. Locations shown on the Architectural Drawings shall govern over Mechanical and Electrical Drawings. Mechanical and Electrical items not clearly located will be located as directed by 6. These documents are not to be used for construction unless specifically noted for 2 KEYNOTE LEGEND 4510 4510 4510 4510 4 4 REISSUED FOR SITE PLAN CONTROL REISSUED FOR SITE PLAN CONTROL ISSUED FOR SITE PLAN CONTROL **ISSUE RECORD** 5 2656 Project1 Studio Incorporated |613.884.3939 |mail@project1studio.ca 3040 INNES ROAD 3040 Innes Road Ottawa, ON PROJ SCALE DRAWN REVIEWED
2110 1:100 BH RMK ROOF PLAN 1 ROOF PLAN A105 SCALE: 1:100

. This drawing is the property of the Architect and may not be reproduced or used

This drawing is the property of the Architect and may not be reproduced or used without the expressed consent of the Architect.
 Drawings are not to be scaled. The Contractor is responsible for checking and verifying all levels and dimensions and shall report all discrepancies to the Architect and obtain clarification prior to commencing work.
 Upon notice in writing, the Architect will provide written/graphic clarification or supplementary information regarding the intent of the Contract Documents.
 The Architectural drawings are to be read in conjuction with all other Contract Documents including Project Manuals and the Structural, Mechanical and Electrical Drawings.

22-11-14

22-03-07



A

**CLADDING LEGEND:** 

A ALUMINUM COMPOSITE PANEL COLOUR: COLOUR: DARK GREY

C CEDAR CLADDING COLOUR: CEDAR WOODGRAIN

D STONE CLADDING COLOUR: WHITE

E ALUMINUM AND GLASS GUARD SYSTEM

ALUMINUM LOUVRE SYSTEM COLOUR: DARK GREY

G STEEL GUARDRAIL

H ALUMINUM AND GLASS GUARD (BIRD-SAFE FRIT)

CLADDING LEGEND SCALE: 1:100

> REISSUED FOR SITE PLAN CONTROL REISSUED FOR SITE PLAN CONTROL ISSUED FOR SITE PLAN CONTROL

22-11-14

22-03-07

GENERAL ARCHITECTURAL NOTES:

Electrical Drawings.

without the expressed consent of the Architect.

. This drawing is the property of the Architect and may not be reproduced or used

Drawings are not to be scaled. The Contractor is responsible for checking and

. Upon notice in writing, the Architect will provide written/graphic clarification or supplementary information regarding the intent of the Contract Documents.

The Architectural drawings are to be read in conjuction with all other Contract Documents including Project Manuals and the Structural, Mechanical and

Positions of exposed or finished Mechanical or Electrical devices, fittings and

fixtures are indicated on the Architectural Drawings. Locations shown on the Architectural Drawings shall govern over Mechanical and Electrical Drawings.

Mechanical and Electrical items not clearly located will be located as directed by

6. These documents are not to be used for construction unless specifically noted for

verifying all levels and dimensions and shall report all discrepancies to the

Architect and obtain clarification prior to commencing work.

PAN M. KOOLWINE

Project1 Studio Incorporated |613.884.3939 | mail@project1studio.ca

3040 INNES ROAD

3040 Innes Road Ottawa, ON

PROJ SCALE DRAWN
2110 NOTED BH DRAWN REVIEWED

NORTH & WEST ELEVATION


2 WEST ELEVATION A201 SCALE: 1 : 75

95.800m LEVEL 04 B

89.800m LEVEL 02 B

A

92.800m LEVEL 03



**\_\_\_\_** ద 8716