



ANDREW MCCREIGHT

MANAGER, DEVELOPMENT REVIEW CENTRAL


PLANNING, DEVELOPMENT & BUILDING SERVICES DEVELOPMENT DEPARTMENT, CITY OF OTTAWA


By Andrew McCreight at 2:38 pm, Jul 05, 2024


APPROVED


MATERIAL: 38mm COPPER ASTM B88 TYPE "K" SOFT

STATION	DESCRIPTION	GRADE ELEVATION	TOP OF PIPE	DEPTH OF COVER	NOTES
0+00.0	TVS CONNECTION TO 150mm MUNICIPAL WATERMAIN TO CITY OF OTTAWA STANDARDS	±72.17	±70.37	±1.80	START OF INSULATION IN SHALLOW TRENCH: 75mm THICK
0+04.7		±72.22	70.12	±2.10	38 WS U/S 70.08 225 SAN TOP 69.93
0+07.1		±72.19	69.73	±2.46	525 ST U/S 69.88 38 WS TOP 69.73
0+08.3	-	±72.17	69.77	2.40	EDGE OF ROAD
0+13.5	38mm CURB STOP & SERVICE POST TO CITY OF OTTAWA STANDARDS	72.44	70.04	2.40	ON PROPERTY LINE
0+15.0	_	72.46	70.06	2.40	START OF INSULATION AT OPEN STRUCTURE: 75mm THICK
0+19.3	_	72.64	70.10	2.54	ENTRY INTO BUILDING END OF INSULATION AT OPEN STRUCTURE: 75mm THICK









4 MAY 21-24 RE-ISSUED FOR APPROVA			
	5	JUL 3-24	RE-ISSUED FOR APPROVAL
3 APR 3-23 RE-ISSUED FOR APPROVA	4	MAY 21-24	RE-ISSUED FOR APPROVAL
- - - - - - - - - - 	3	APR 3-23	RE-ISSUED FOR APPROVAL
2 MAY 16-22 ISSUED FOR APPROVAL	2	MAY 16-22	ISSUED FOR APPROVAL
	1	MAY 5-22	ISSUED FOR COORDINATION

D. B. GRAY ENGINEERING INC.

Stormwater Management - Grading & Drainage - Storm & Sanitary Sewers - Watermains

700 Long Point Circle 613-425-8044


Ottawa, Ontario d.gray@dbgrayengineering.com


PROPOSED 3.5—STOREY
APARTMENT BUILDING
436 ATHLONE AVENUE


OTTAWA, ONTARIO

Drawing Title

SITE SERVICING PLAN







#18769