



Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Studies

Phase I - Environmental Site Assessment

1649 Montreal Road & 741 Blair Road
Ottawa, Ontario

Prepared For

10869279 Canada Inc.

Paterson Group Inc.

Consulting Engineers
154 Colonnade Road South
Ottawa (Nepean), Ontario
Canada K2E 7J5

Tel: (613) 226-7381
Fax: (613) 226-6344
www.patersongroup.ca

October 9, 2020

Report: PE5061-1

TABLE OF CONTENTS

EXECUTIVE SUMMARY.....ii

1.0 INTRODUCTION..... 1

2.0 SUBJECT PROPERTY INFORMATION 2

 2.1 Property Owner Information..... 2

3.0 SCOPE OF INVESTIGATION 3

4.0 RECORDS REVIEW 4

 4.1 General..... 4

 4.2 Environmental Source Information 5

 4.3 Physical Setting Sources 8

5.0 PERSONAL INTERVIEWS..... 13

6.0 SITE RECONNAISSANCE..... 13

 6.1 General Requirements..... 13

 6.2 Site Inspection Observations 13

 6.3 Enhanced Investigation Area..... 19

7.0 REVIEW AND EVALUATION OF INFORMATION 22

 7.1 Land Use History 22

 7.2 Conceptual Site Model..... 24

8.0 CONCLUSION 27

 8.1 Assessment..... 27

 8.2 Recommendations..... 28

9.0 STATEMENT OF LIMITATIONS 29

10.0 REFERENCES 30

List of Figures

- Figure 1 - Key Plan
- Figure 2 - Topographic Map
- Drawing PE5061-1 - Site Plan
- Drawing PE5061-2 - Surrounding Land Use Plan

List of Appendices

- Appendix 1 Aerial Photographs
 Site Photographs
- Appendix 2 MECP Freedom of Information Request Form
 MECP Water Well Records
 City of Ottawa HLUI Request Form
 ERIS Database Report
 TSSA Correspondence
- Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Assessment

Paterson Group was retained by 10869279 Canada Inc. to conduct a Phase I – Environmental Site Assessment (Phase I ESA) for the properties addressed 1649 Montreal Road and 741 Blair Road, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the subject site and study area as well as to identify any environmental concerns with the potential to have impacted the subject site.

According to the historical research, the subject site was initially developed with a residential dwelling (741 Blair Road), sometime prior to 1928. An auto service garage and retail fuel outlet were later constructed on the subject site (1649 Montreal Road) sometime in the early 1960's. The retail fuel outlet was eventually decommissioned sometime in the later 1990's, at which time the former underground fuel tanks (APEC #1), and former fuel pump island (APEC #2) were removed from the property. An addition, containing two (2) service bays, was later constructed onto the west side of the auto service garage sometime in the early 2000's.

According to previous environmental reports conducted for the subject site, two (2) underground waste oil storage tanks (APECs #3 and #4) were formerly present on the subject site and two (2) in-ground hydraulic hoists (APEC #5) were formerly present within the eastern service bay of the auto service garage. These were reportedly decommissioned and removed sometime in the late 1990's/early 2000's. The former subsurface investigations also identified fill material (APEC #6) beneath the asphaltic concrete ground surface throughout the property addressed 1649 Montreal Road.

A former retail fuel outlet was historically present on the property addressed 1648 Montreal Road, located approximately 35 m south of the subject site opposite Montreal Road. Based on its separation distance and significant down-gradient orientation, the former use of this property is not considered to pose an environmental concern to the subject site.

Following the historical review, a site inspection was conducted to assess the present-day environmental conditions of the subject site. The subject site is currently occupied with an auto service garage (APEC #7) (1649 Montreal Road) and a residential dwelling (741 Blair Road).

During the inspection of the auto service garage, one (1) aboveground motor oil storage tank (APEC #8) and two (2) aboveground waste oil tanks (APEC #9) were observed on-site. These tanks were noted to be in good condition, with no signs of leaks or staining in their vicinity. These oil tanks are considered to represent APECs with respect to the subject site.

The floor drains within the maintenance bays of the auto service garage reportedly feed into two (2) oil/water separators (APECs #10 and #11) before ultimately draining into the City of Ottawa sanitary sewer system. The presence of these oil/water separators is considered to represent APECs with respect to the subject site.

The neighbouring lands within the vicinity of the subject site were generally observed to be used for residential and commercial purposes. No environmental concerns were identified regarding the use of the surrounding properties.

Recommendations

Based on the findings of this assessment, it is our opinion that **a Phase II - Environmental Site Assessment will be required for the subject site.**

Hazardous Building Materials

Based on the age of the auto service garage (c.1960's), asbestos containing building materials may be potentially present within the structure. The potential ACMs identified at time of the site inspection include the drywall joint compound throughout the building. These building materials were generally observed to be in good condition at the time of the site inspection and do not pose an immediate concern to the occupants of the building. Access to the interior of the residence at 741 Blair Road was not available at the time of the site inspection, thus a detailed inspection for potential ACMs could not be conducted.

An asbestos survey of the buildings should be conducted in accordance with O.Reg. 278/05, under the Occupational Health and Safety Act, prior to any renovation or demolition activities, if one has not already been conducted.

Based on the age of the auto service garage (c.1960's), lead-based paints may be present on any original or older painted surfaces. The painted surfaces within the garage were generally observed to be in good condition, and do not pose an immediate concern to the occupants of the building. Major work involving lead-based paint or other lead containing products must be done in accordance with O.Reg. 843, under the Occupational Health and Safety Act.

1.0 INTRODUCTION

At the request of 10869279 Canada Inc., Paterson Group (Paterson) conducted a Phase I – Environmental Site Assessment (Phase I ESA) for the properties addressed 1649 Montreal Road and 741 Blair Road, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the subject site and study area as well as to identify any environmental concerns with the potential to have impacted the subject site.

Paterson was engaged to conduct this Phase I ESA by Mr. Martin Chénier of 10869279 Canada Inc. Mr. Chénier can be reached by telephone at 819-664-4195.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all our findings and results of the environmental conditions at this site.

This Phase I ESA report has been prepared in general accordance with Ontario Regulation 153/04, as amended under the Environmental Protection Act, and also complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I ESA are based on a review of readily available geological, historical, and regulatory information, as well as a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial, and federal agencies, and was limited within the scope-of-work, time, and budget of the project herein.

2.0 SUBJECT PROPERTY INFORMATION

Addresses:	1649 Montreal Road, Ottawa, Ontario; 741 Blair Road, Ottawa, Ontario.
Legal Description:	Part of Lot 20, Concession 1 (Ottawa Front), Formerly the Township of Gloucester, in the City of Ottawa.
Location:	The subject site is located on the north side of Montreal Road, east of Blair Road, in the City of Ottawa, Ontario. Refer to Figure 1 – Key Plan for the site location.
Latitude and Longitude:	45° 26' 49" N, 75° 36' 53" W

Site Description:

Configuration:	Irregular
Site Area:	4,850 m ² (approximate)
Zoning:	R3 – Residential Third Density Zone
Current Uses:	The subject site is current occupied with a one (1) storey auto service garage (1649 Montreal Road), as well as a two (2) storey residential dwelling with one (1) basement level (741 Blair Road).
Services:	The subject site is located within a municipally serviced area.

2.1 Property Owner Information

The subject properties are currently owned by Mr. John Goveat. Paterson was retained to complete this Phase I ESA by Mr. Martin Chénier of 10869279 Canada Inc. Mr. Chénier can be reached by telephone at 819-664-4195.

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases, and regulatory agencies;
- Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
- Conduct interviews with persons knowledgeable of current and historic operations on the subject property and, if warranted, neighbouring properties;
- Present the results of our findings in a comprehensive report in general accordance with the requirements of Ontario Regulation 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
- Provide a preliminary environmental site evaluation based on our findings;
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I ESA study area for this assignment. Properties located outside this 250 m radius are not considered to have had the potential to impact the subject site, based on their significant distance away from the property.

First Developed Use Determination

Based on a review of available historical information, the subject site was first developed for residential purposes sometime prior to 1928, as well as with an auto service garage and retail fuel outlet sometime in the early 1960's.

Fire Insurance Plans

Fire insurance plans (FIPs) are not available for the area of the subject site.

City of Ottawa Street Directories

As part of this assessment, the City of Ottawa street directories for the general area of the subject site were reviewed in approximate ten (10) year intervals, from 1961 to 2011. The directories indicate that the subject site and surrounding properties have been used primarily for residential and/or commercial purposes during the time period reviewed.

A summary of potentially contaminating activities identified within the Phase I study area is provided below in Table 1:

Table 1: City Directories – PCAs Identified Within Phase I Study Area			
Address	Listed Activity (years listed)	Distance / Orientation from Site	Area of Potential Environmental Concern (Y / N)
Montreal Road			
1648	Imperial Esso Service Station (1962-1984)	35 m South	No
1649	Shell Canada Service Station (1962-1984) Marier Auto Garage (2006-2011)	On-Site	Yes
1696	Wheelsport (1996) Koleman's, Fred Wheelsport Motorcycle Sales and Service (1967-1984)	170 m East	No

The historical presence of an on-site retail fuel outlet and auto service garage are considered to represent areas of potential environmental concern with respect to the subject site.

A retail fuel outlet was historically listed for the property addressed 1648 Montreal Road, located approximately 35 m south of the subject site, opposite Montreal Road. Based on its significant down-gradient orientation, the former use of this property is not considered to pose an environmental concern to the subject site.

4.2 Environmental Source Information

National Pollutant Release Inventory

A search of the National Pollutant Release Inventory (NPRI) was conducted as part of this assessment. The search did not identify any records of pollutant releases for the subject site.

The property addressed 1200 Montreal Road, part of the National Research Council office campus and located approximately 20 m west of the subject site, contains records for several airborne pollutant releases. According to the NPRI data, the pollutant releases originated from the National Research Council buildings M6 and M11, which in reality are situated outside of the Phase I study area. Based on their separation distance, as well as having been discharged into the air, the pollutant releases on this property are not considered to pose an environmental concern to the subject site.

PCB Waste Storage Site Inventory

A search of the national PCB waste storage site inventory was conducted as part of this assessment. One (1) former PCB waste storage site was identified at the property addressed 1500 Montreal Road, part of the National Research Council office campus and located approximately 45 m southwest of the subject site. According to the available information, the former PCB waste storage site on this property is located at National Research Council building M51, which in reality is situated outside of the Phase I study area. As a result, this former PCB waste storage site is not considered to pose an environmental concern to the subject site.

Ontario Ministry of Environment (MECP) Instruments

A request was submitted to the MECP Freedom of Information office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the site. A response had not been received prior to the issuance of this report.

MECP Incident Reports

A request was submitted to the MECP Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP for the subject site or adjacent properties. A response had not been received prior to the issuance of this report.

MECP Waste Management Records

A request was submitted to the MECP Freedom of Information office for information with respect to waste management records for the subject site. A response had not been received prior to the issuance of this report.

MECP Submissions

A request was submitted to the MECP Freedom of Information office for information with respect to reports related to environmental conditions for the subject site. A response had not been received prior to the issuance of this report.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, "*Municipal Coal Gasification Plant Site Inventory, 1991*" was reviewed as part of this assessment. This document provides a reference to the locations of former plants with respect to the subject site. A review of this document did not identify any former coal gasification plants located on the subject site or within the Phase I study area.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, "*Waste Disposal Site Inventory in Ontario, 1991*" was reviewed as part of this assessment. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants, and coal tar distillation plants situated in the Province of Ontario. A review of this document did not identify any relevant records pertaining to the subject site or for properties located within the Phase I study area.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry was conducted as part of this assessment. No Records of Site Condition (RSCs) were filed for the subject site or for any properties situated within the Phase I study area.

Technical Standards and Safety Authority (TSSA)

The TSSA Fuels Safety Branch in Toronto was contacted electronically, as part of this assessment, to inquire about current and former underground fuel storage tanks, spills, and historical incidents for the subject site and neighbouring properties. The response from the TSSA indicated that the subject site contains records for one (1) expired retail fuel outlet and three (3) expired fuel storage tanks. The historical presence of an on-site retail fuel outlet is considered to represent an APEC with respect to the subject site.

The property located at 1648 Montreal Road, located approximately 35 m south of the subject site, contains records for one (1) expired retail fuel outlet and one (1) expired fuel storage tank. Based on this property's significant down-gradient orientation, the former retail fuel outlet at this location is not considered to pose an environmental concern to the subject site.

A copy of the correspondence with the TSSA is included in Appendix 2.

OMNRF Areas of Natural Significance

A search for areas of natural and scientific interest situated within the Phase I study area was conducted electronically via the Ontario Ministry of Natural Resources and Forestry (OMNRF) website. The search did not identify any natural features or areas of natural significance within the Phase I study area.

City of Ottawa Old Landfill Sites

The document prepared by Golder Associates entitled, "*Old Landfill Management Strategy, Phase I - Identification of Sites, City of Ottawa*", was reviewed as part of this assessment. No former landfill sites were identified on the subject site or within the Phase I study area.

City of Ottawa Historical Land Use Inventory (HLUI) Database

As part of this assessment, a requisition form was submitted to the City of Ottawa to request information from the City's Historical Land Use Inventory (HLUI 2005) database for any environmental records pertaining to the subject site as well as any properties situated within the Phase I study area.

A response from the City had not been received prior to the issuance of this report. A copy of the response will be forwarded to the client should it contain any pertinent information. A copy of the submission request has been included in Appendix 2.

ERIS Database Report

A database report, prepared by ERIS (Environmental Risk Information Services) Ltd., dated October 7, 2020, was acquired and reviewed as part of this assessment. The complete ERIS report has been included in the appendix.

On-Site Records:

The ERIS report identified twelve (12) environmental records pertaining to the subject site (1649 Montreal Road). The records include descriptions regarding four (4) delisted fuel tanks, three (3) expired fuel safety systems, three (3) fuel storage tanks, one (1) private and retail fuel storage tank, and one (1) minor spill event.

These records appear to be associated with the former retail fuel outlet historically present on the subject site (1649 Montreal Road). The historical presence of an on-site retail fuel outlet is considered to represent an APEC with respect to the subject site.

Off-Site Records:

The ERIS report identified seventy-three (73) records pertaining to properties located within a 250 m radius of the subject site. These off-site records are listed for properties which are situated at a significant distance away or are situated in a down-gradient or cross-gradient orientation, and thus are not considered to pose an environmental concern to the subject site.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals, commencing with the earliest available photograph. Based on the review, the following observations have been made:

- 1945 (*Poor Scale*) The property addressed 741 Blair Road appears to be developed with a residential dwelling at this time, whereas the surrounding properties appear to be used for residential and/or agricultural purposes.
- 1958 (*City of Ottawa Website*) No significant changes are apparent with respect to the subject site. A retail fuel outlet can be seen to the south of the subject site, opposite Montreal Road. The National Research Council office campus can also be seen to the west of the subject site.

- 1965 *(City of Ottawa Website)* The property addressed 1649 Montreal Road appears to be developed with a retail fuel outlet and auto service garage at this time. No significant changes are apparent with respect to the neighbouring properties.
- 1976 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject site. The property immediately to the east of the subject site appears to have been redeveloped with a commercial building. Additional residential dwellings can also be seen immediately to the north of the subject site at this time.
- 1991 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject site or the neighbouring properties.
- 2002 *(City of Ottawa Website)* The former on-site fuel pump island can no longer be seen in this photograph. The retail fuel outlet to the south appears to have been demolished and redeveloped with a commercial building.
- 2011 *(City of Ottawa Website)* An addition appears to have been constructed on the west side of the auto service garage at 1649 Montreal Road. No other significant changes are apparent with respect to the subject site or the neighbouring properties.
- 2017 *(City of Ottawa Website)* No significant changes are apparent with respect to the subject site or neighbouring properties. The subject site appears as it does today.

Copies of selected aerial photographs reviewed are included in Appendix 1.

Water Bodies

No water bodies are present on the subject site or within the Phase I study area. The nearest named water body with respect to the subject site is the Ottawa River, located approximately 1.90 km to the north.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was reviewed as part of this assessment. Based on the available information, the bedrock in the area of the subject site consists of interbedded limestone and dolomite of the Gull River Formation, whereas the surficial geology consists of Paleozoic bedrock with a overburden ranging from approximately 0 m to 1 m in thickness.

Topographic Maps

A topographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website as part of this assessment. The topographic map indicates that the general elevation of the subject site is approximately 100 m above sea level. The regional topography in the general area of the subject site slopes down towards the south. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Physiographic Maps

A physiographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website, as a part of this assessment. According to the publication and mapping information, the subject site is situated within the St. Lawrence Lowlands. According to the description provided: *“The lowlands are plain-like areas that were affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets.”* The subject site is specifically located within the Central St. Lawrence Lowland area, which is rarely more than 150 m above sea level.

MECP Water Well Records

A search of the MECPs website for all drilled well records within a 250 m radius of the subject site was conducted as part of this assessment. The search identified twenty-four (24) well records within the Phase I study area. These records pertain to wells installed between 1952 and 2009 and used for domestic household or groundwater observation purposes. Based on the availability of municipal services, drinking water wells are not expected to be in use within the Phase I study area.

According to the well records, the overburden stratigraphy in the area of the subject site generally consists of a thin to negligible layer of sandy/silty loam over top of bedrock. The bedrock, consisting primarily of limestone, was typically encountered at an average depth of approximately 0 m to 5 m below ground surface.

Copies of the aforementioned well records have been included in Appendix 2.

Previous Engineering Reports

The following report was reviewed prior to conducting this assessment:

- *“Phase II – Environmental Site Assessment, Former Retail Fuel Outlet, 1649 Montreal Road, Gloucester, Ontario”*, prepared by Paterson Group and dated December 18, 2000.

Paterson was retained to conduct a Phase II ESA for the subject site to identify any potential environmental impact resulting from the former on-site use of underground fuel storage tanks, pump islands, and associated piping.

As part of the subsurface investigation, three (3) exterior boreholes (BH1-BH3) and three (3) interior coreholes (CH4-CH6) were advanced on the subject site on December 6 and 7, 2000. The boreholes were drilled to depths ranging from approximately 1.9 m to 3.8 m below the existing ground surface and terminated on practical refusal on inferred bedrock. Groundwater was generally encountered at depths ranging from approximately 0.8 to 2.0 m below the existing ground surface.

Three (3) soil samples were submitted for laboratory analysis of Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX) as well as Total Petroleum Hydrocarbons (TPH). According to the analytical test results, the concentration of TPH (gasoline/diesel range) in CH4, located in the vicinity of the interior oil/water separator and vehicle hoists in the eastern maintenance bay, exceeded the then applicable MOE commercial soil remediation criteria. These results also exceed the contemporary MECP Table 7 commercial and residential standards. It should be noted that this soil was later remediated and removed from the subject site in April 2001.

No groundwater samples were submitted for laboratory analysis as part of the investigation. At the time of the field program, the eastern portion of the subject site (in the area of a former underground waste oil storage tank) was undergoing a remedial operation, overseen by a separate consulting firm. It was not considered practical to conduct any water sampling until after completion of the remediation activities.

The Phase II ESA concluded that an interior remediation program would be required to address the contaminated soil found beneath the floor slab in the vicinity of the oil/water separator. The report further recommended that the oil/water separator and in-ground hoists be decommissioned and removed at the time of the remediation program.

Due to the absence of any groundwater testing, as well as the continued use of the property as an auto service garage, an updated subsurface investigation will be required to address the present-day soil and groundwater conditions on the subject site, specifically within the vicinity of the former underground tank nests, former fuel pump island, and the interior of the auto service garage.

- “*Environmental Site Remediation Summary, Former Retail Fuel Outlet, 1649 Montreal Road, Ottawa (Gloucester), Ontario*”, prepared by Paterson Group and dated May 16, 2001.

Based on the results and recommendations of our 2000 Phase II ESA, Jacques Whitford Environmental Limited (JWEL) was commissioned to supervise the removal of the two (2) in-ground hydraulic hoists, oil/water separator, and any associated impacted soil. Paterson conducted periodic visits to the subject site during the remediation operations to document the decommissioning process and clean-up procedures.

The in-ground hoists and the oil/water separator (located in the eastern maintenance bay) were removed from the subject site on April 9, 2001. An inspection of the hoists did not indicate any apparent signs of oil leakage from the units, although some staining in the sandy fill around the former oil/water separator did indicate some leakage from the unit.

Suspected contaminated soil was stockpiled on polyethylene sheeting to the north of the garage building pending testing to determine the appropriate means of disposal. This soil was later found to have contaminant concentrations in excess of the then applicable MOE guidelines, and was disposed of at a licensed landfill.

According to the remediation report provided by JWEL, approximately 50 tonnes of impacted soil and 3,000 litres of impacted groundwater was removed from the subject site. Confirmatory soil and groundwater sampling, conducted by Paterson, did not identify any contaminant concentrations exceeding the applicable MOE guidelines. The results are also in compliance with the contemporary MECP Table 7 commercial and residential standards.

Based on Paterson’s observations, as well as the test results and information contained in JWEL’s report, it was our opinion that the interior site remediation activities were effective in removing the previously identified contaminated soil from within the vicinity of the former in-ground hoists and oil/water separator.

5.0 PERSONAL INTERVIEWS

Mr. John Goveat, the current property owner, was available at the time of the site inspection to respond to questioning. According to Mr. Goveat, the subject site (1649 Montreal Road) was formerly occupied with a retail fuel outlet, until decommissioned in the late 1990's. Mr. Goveat stated that an addition was later constructed onto the existing auto service garage sometime in the early 2000's. According to Mr. Goveat, all in-ground hoists were decommissioned and removed from the maintenance bays sometime in the early 2000's. Mr. Goveat also stated that two (2) oil/water separators are present within the auto service garage, and that no leaks or issues have ever been reported regarding their use. Mr. Goveat further stated that two (2) waste oil storage tanks are present on the exterior of the building, and that no leaks or issues have ever been reported regarding their use.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

A site inspection was conducted for the subject site on October 7, 2020, between 2:00 PM and 3:00 PM. Weather conditions were cloudy, with a temperature of approximately 15°C. Mr. Nick Sullivan, from the Environmental Department of Paterson Group, conducted the inspection. In addition to the subject site, the uses of neighbouring properties within the Phase I study area were also assessed at the time of the site inspection.

6.2 Site Inspection Observations

Existing Buildings and Structures

The property addressed 1649 Montreal Road is currently occupied with a one (1) storey, slab-on-grade style auto service garage. Built sometime in the early 1960's, with the western maintenance bay later added in the early 2000's, the garage is constructed with a poured concrete foundation and is finished on the exterior with metal siding and a flat tar-and-gravel style roof. The building is currently heated via a natural gas-fired heating unit, suspended from the interior ceiling.

The property addressed 741 Blair Road is currently occupied with a two (2) storey residential dwelling, with one (1) basement level. Built sometime in the 1920's, the residence is constructed with a wood frame, stone foundation, and is finished on the exterior with wood siding and a sloped shingled roof. The residence is currently abandoned (c.2010) and no longer being heated.

Site Description

The property addressed 1649 Montreal Road is currently occupied with an auto service garage, located in the eastern portion of the property. The remainder of the property is paved with asphaltic concrete to the north, west, and south of the garage building. The western portion of the property is used for vehicle parking, whereas the northern portion of the property, at the rear of the garage building, is used for general storage.

The property addressed 741 Blair Road is currently occupied with a vacant residential dwelling, located in the northwestern portion of the property. The remainder of the property consists of grassy landscaped areas and mature trees.

The site topography appears to slope down to the south, towards Montreal Road, whereas the regional topography also appears to slope down to the south. Water drainage on the subject site occurs primarily via infiltration in the landscaped areas, as well as via surface run-off towards a catch basin located on Montreal Road. No ponded water, stressed vegetation, surficial staining, or any other indications of potential sub-surface contamination were observed at time of the site inspection.

A depiction of the subject site is illustrated on Drawing PE5061-1 – Site Plan, in the Figures section of this report.

Underground Utilities

Underground service locates were completed as part of a Phase II ESA investigation conducted for the subject site in tandem with this assessment. According to the locates, underground natural gas lines, electrical lines, as well as water and sewer pipes are present on the subject site.

Potential Environmental Concerns

Hazardous Materials and Unidentified Substances

No hazardous materials, unidentified substances, spills, surficial staining, abnormal odours, or indications of potential sub-surface contamination were observed on the exterior of the subject site at the time of the site inspection.

Railway Lines

No active or former railway lines were identified within the Phase I study area.

Fill Material

According to the previous subsurface investigations and remediations conducted for the subject site, fill material is present beneath the asphaltic concrete ground surface of 1649 Montreal Road. Due to its unknown quality, this fill material is considered to represent an APEC with respect to the subject site.

Transformer Oil and Polychlorinated Biphenyls (PCBs)

One (1) off-site pole-mounted transformer was observed adjacent to the southwestern property boundary. The transformer was noted to be in good condition, with no signs of leaks or staining observed at the time of the site inspection.

Fuels and Chemical Storage

Two (2) aboveground waste oil storage tanks were identified at the rear of the garage building at 1649 Montreal Road. Both tanks, manufactured in 2000, were noted to be constructed with a single 2 mm thick steel wall and contain a capacity for 910 L of waste oil. The tanks were noted to be in good condition, with no signs of leaks or staining observed at the time of the site inspection. The underlying ground surface, consisting of poured concrete, was also noted to be in good condition at the time of the site inspection, with no signs of cracks visible. The presence of these waste oil tanks is considered to represent APECs with respect to the subject site.

No vent and fill pipes, aboveground fuel storage tanks, or signs of underground fuel storage tanks were observed on the property addressed 741 Blair Road at the time of the site inspection.

Waste Management

Solid, non-hazardous domestic waste and recyclable products are stored in plastic and metal bins on the exterior of the subject site and are collected by a licensed contractor on a regular basis. No environmental concerns were identified with respect to waste management practices on the subject site.

Interior Assessment

The interior of the residential dwelling situated at 741 Blair Road was not accessible at the time of the site inspection, due to its derelict nature, and as a result, a detailed description of its interior could not be ascertained for the purpose of this assessment.

A general description of the interior of the auto service garage (1649 Montreal Road) is as follows:

- The floors consist of poured concrete and ceramic tiles;
- The walls consist of drywall and concrete blocks;
- The ceilings consist of drywall;
- Lighting throughout the building is provided by incandescent and fluorescent light fixtures.

Potentially Hazardous Building Products

Asbestos-Containing Materials (ACMs)

Based on the age of the auto service garage (c.1960's), asbestos containing building materials may be potentially present within the structure. The potential ACMs identified at time of the site inspection include the drywall joint compound throughout the building. These building materials were generally observed to be in good condition at the time of the site inspection and do not pose an immediate concern to the occupants of the building.

The interior of the residential dwelling situated at 741 Blair Road was not accessible at the time of the site inspection, and thus an inspection for potential ACMs could not be conducted.

Lead-Based Paints

Based on the age of the auto service garage (c.1960's), lead-based paints may be present on any original or older painted surfaces. The painted surfaces within the garage were generally observed to be in good condition, and do not pose an immediate concern to the occupants of the building.

The interior of the residential dwelling situated at 741 Blair Road was not accessible at the time of the site inspection, and thus an inspection on the condition of painted surfaces could not be conducted

Polychlorinated Biphenyls (PCBs) and Transformer Oil

No sources of PCBs were identified within the interior of the auto service garage at the time of the site inspection.

Urea Formaldehyde Foam Insulation (UFFI)

UFFI was not observed at the time of the site inspection, however, wall cavities were not inspected for insulation type.

Other Potential Environmental Concerns

Interior Fuel and Chemical Storage

One (1) aboveground oil storage tank was identified within maintenance bay of the auto service garage (1649 Montreal Road). The tank was noted to be constructed with a single 2 mm thick steel wall and contained a capacity for 1,000 L of motor oil. The tank was noted to be in good condition, with no signs of leaks or stains observed at the time of the site inspection. The underlying floor was observed to consist of poured concrete, which was also noted to be in good condition at the time of the site inspection, with no signs of cracks visible. The presence of this oil tank is considered to represent an APEC with respect to the subject site.

Chemical products stored within the subject building were observed to be limited to domestically available cleaning products, motor oils, greases, and lubricants, stored in their original containers. No environmental concerns were identified with respect to chemical storage practices on the subject site.

Wastewater Discharges

Several floor drains were observed within the auto service garage maintenance bays. According to conversations with the property owner, these drains flow into two (2) underground oil/water separators, also located within the maintenance bays, before draining out into the City of Ottawa sanitary sewer system. An inspection of the oil/water separators did not identify any leaks or issues regarding their use. According to the property owner, a licensed contractor performs routine inspections and draining of the oil/water separators on a regular basis. The presence of these oil/water separators is considered to represent APECs with respect to the subject site.

Wastewater from the subject building (wash water and sewage) is discharged into the City of Ottawa sanitary sewer system. Roof drainage is discharged into the landscaped areas on the subject site or to the City of Ottawa storm water system via surface runoff. No concerns were noted with respect to wastewater discharge on the subject site.

Sump Pits and Floor Drains

One (1) sump pit was observed within the mechanical room of the auto service garage. The water inside the sump pit was observed to be clear and odourless at the time of the site inspection.

Ozone Depleting Substances (ODSs)

Potential sources of ODSs observed on-site include fire extinguishers, a refrigerator, and a window-mounted air conditioner unit. These appliances appeared to be in good condition at the time of the site inspection and should be regularly serviced by a licensed contractor.

Neighbouring Properties

Land use adjacent to the subject site was observed as follows:

North: Residential dwellings;

South: Montreal Road, followed by a bank branch, a motel, and residential dwellings;

East: A fitness center and a church, followed by a chiropractor's office, a doctor's office, and a restaurant;

West: Blair Road, followed by government offices.

No environmental concerns were identified with respect to the current use of the neighbouring properties. Current land use adjacent to the subject site is illustrated on Drawing PE5061-2 – Surrounding Land Use Plan, appended to this report.

6.3 Enhanced Investigation Area

On-Site Operations

The property addressed 1649 Montreal Road, with occupies the southern half of the subject site, has been operated as an automotive service garage since the 1960's. Historically, the site also operated as a retail fuel outlet from the 1960's until the late 1990's. According to the current property owner, Mr. John Goveat, current automotive repair services performed on-site include engine, transmission, suspension, undercarriage, and brake repairs; oil and tire changes; as well as engine and transmission fluid flushes.

Hazardous Materials Used or Stored

As previously noted, a 1,000 L motor oil storage tank was observed within the eastern maintenance bay of the auto service garage at 1649 Montreal Road, in addition to multiple containers (less than 10 L in volume) of various motor oils, washer fluid, brake fluid, transmission fluid, greases, and lubricants. Minor areas of surficial staining were noted on the concrete floor throughout the garage maintenance bays at the time of the site inspection. The concrete floor was noted to be in good condition, with no cracks visible at the time of the site inspection.

Two (2) 900 L waste oil storage tanks were also observed on the exterior of the auto service garage at 1649 Montreal Road. The tanks were noted to be in good condition, with no obvious signs of leaks or staining observed within their vicinity. According to the current property owner, Mr. John Goveat, the waste oil is reportedly collected and disposed of off-site by a licensed contractor as needed.

Manufactured Products

No products are manufactured on the subject site.

By-Products and Waste

As previously discussed, two (2) 900 L waste oil storage tanks were observed on the exterior of the auto service garage at 1649 Montreal Road. The tanks were noted to be in good condition, with no obvious signs of leaks or staining observed within their vicinity. According to the current property owner, Mr. John Goveat, the waste oil is reportedly collected and disposed of off-site by a licensed contractor as needed.

Raw Materials Handling and Storage

No raw materials are handled or stored on the Phase I Property.

Drums, Totes, and Bins

As previously noted, one (1) 1,000 L motor oil storage tank is present within the interior of the auto service garage at 1649 Montreal Road. Additionally, two (2) 900 L waste oil storage tanks are present on the exterior of the garage. A 150 L plastic bin, containing used oil filters, was also observed on the exterior of the garage. No other drums, bins, or totes were observed on-site at the time of the site inspection.

Oil/Water Separators

The floor drains within the maintenance bays of the auto service garage at 1649 Montreal Road were reported to feed into two (2) oil/water separators before ultimately draining into the City of Ottawa sanitary sewer system. According to the property owner, Mr. John Goveat, the oil/water separators are cleaned out by a licensed contractor on an as-needed basis.

The locations of the oil/water separators are shown on Drawing PE5061-1 Site Plan, appended to this report.

Vehicle and Equipment Maintenance Areas

The auto service garage at 1649 Montreal Road consists of four (4) maintenance bays, each equipped with an electric hoist. The locations of the vehicle and equipment maintenance areas, including the locations of maintenance, fluid storage, and waste storage areas, are shown on Drawing PE5061-1 Site Plan, appended to this report.

Spill Events

Based on the historical review, personal interviews, as well as the site inspection, no records or evidence of spills were identified.

Liquid Discharge Points

Several catch basins were observed on the neighbouring roads adjacent to the subject site. No concerns were identified during a visual inspection of these catch basins.

Several large floor drains were observed within the vehicle maintenance bays of the auto service garage at 1649 Montreal Road. These drains reportedly feed into two (2) oil/water separators before draining into the City of Ottawa sanitary sewer system. No concerns were identified during a visual inspection of these floor drains.

Hydraulic Lift Equipment

The four (4) maintenance bays within the auto service garage at 1649 Montreal Road each contain an aboveground electric hoist. No in-ground hydraulic hoists were observed in the maintenance bays at the time of the site inspection. According to the current property owner, as well as information contained in our files, two (2) in-ground hydraulic hoists were formerly present within the maintenance bays on the east side of the auto service garage. These hoists were reportedly decommissioned and removed sometime in the early 2000's.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

Based on a review of available historical information, the subject site was first developed with a residential dwelling sometime prior to 1928, as well as with an auto service garage and retail fuel outlet sometime in the early 1960's.

Potentially Contaminating Activities (PCAs)

Based on the findings of this Phase I ESA, eleven (11) PCAs, resulting in APECs, were identified as pertaining to the subject site. These APECs include:

- A former underground fuel storage tank nest, located in the southwestern portion of the subject site;
- A former fuel pump island, located in the southern portion of the subject site;
- A former underground waste oil tank nest, located to the south of the auto service garage;
- A former underground waste oil tank nest, located beneath the western portion of the auto service garage;
- Two (2) former in-ground hydraulic hoists, located in the eastern portion of the auto service garage;
- Fill material of unknown quality, located throughout the southern portion of the subject site;
- An existing auto service garage, located in the southern portion of the subject site;
- An existing aboveground motor oil storage tank, located in the eastern portion of the auto service garage;
- Two (2) existing aboveground waste oil storage tanks, located on the exterior of the east side of the auto service garage;
- An oil/water separator, located in the eastern portion of the auto service garage;
- An oil/water separator, located in the western portion of the auto service garage;

Several other off-site PCAs were identified within the Phase I study area, however, based on their separation distance as well as their down-gradient orientation, these sites are not considered to pose an environmental concern to the subject site.

Areas of Potential Environmental Concern (APECs)

The areas of potential environmental concern identified in this Phase I ESA are summarized below in Table 2:

Table 2					
Areas of Potential Environmental Concern					
APEC	Location of APEC	PCA (O. Reg. 153/04 – Table 2)	Location of PCA	Contaminants of Potential Concern	Media Potentially Impacted
APEC #1 Former Underground Fuel Storage Tank Nest	Southwestern portion of subject site	<i>"Item 28: Gasoline and Associated Products Storage in Fixed Tanks"</i>	On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #2 Former Fuel Pump Island	Southern portion of subject site		On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #3 Former Underground Waste Oil Storage Tank Nest	Southeastern portion of subject site		On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #4 Former Underground Waste Oil Storage Tank Nest	Southeastern portion of subject site		On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #5 Former In-Ground Hydraulic Hoists	Southeastern portion of subject site	<i>"Item 52: Storage, Maintenance, Fuelling and Repair of Equipment, Vehicles, and Material Used to Maintain Transportation Systems"</i>	On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #6 Fill Material of Unknown Quality	Southern portion of subject site	<i>"Item 30: Importation of Fill Material of Unknown Quality"</i>	On-Site	BTEX PHCs (F ₁ -F ₄) Metals	Soil/Fill
APEC #7 Existing Auto Service Garage	Southern portion of subject site	<i>"Item 52: Storage, Maintenance, Fuelling and Repair of Equipment, Vehicles, and Material Used to Maintain Transportation Systems"</i>	On-Site	VOCs PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #8 Existing Aboveground Motor Oil Storage Tank	Southeastern portion of subject site	<i>"Item 28: Gasoline and Associated Products Storage in Fixed Tanks"</i>	On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #9 Existing Aboveground Waste Oil Storage Tanks (x2)	Southeastern portion of subject site		On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #10 Oil/Water Separator	Southeastern portion of subject site		On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater
APEC #11 Oil/Water Separator	Southeastern portion of subject site		On-Site	BTEX PHCs (F ₁ -F ₄)	Soil and/or Groundwater

Contaminants of Potential Concern (CPCs)

The contaminants of potential concern (CPCs) associated with the aforementioned APECs are considered to be:

- Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX);
- Petroleum Hydrocarbons, Fractions 1 through 4 (PHCs F₁-F₄);
- Volatile Organic Compounds (VOCs);
- Metals (including mercury and hexavalent chromium).

The BTEX, VOC, and PHC contaminants have the potential to be present in the fill/soil matrix and/or the groundwater situated beneath the subject site, whereas the metal contaminants are anticipated to be present only within the fill/soil matrix.

7.2 Conceptual Site Model

Geological and Hydrogeological Setting

Based on the available information, the bedrock in the area of the subject site consists of interbedded limestone and dolomite of the Gull River Formation, whereas the surficial geology consists of Paleozoic bedrock with a overburden ranging from approximately 0 m to 1 m in thickness.

Groundwater is anticipated to be encountered within the bedrock and flow in a southerly direction.

Water Bodies and Areas of Natural and Scientific Interest

No water bodies or areas of natural and scientific interest are present on the subject site or within the Phase I study area. The nearest named water body with respect to the subject site is the Ottawa River, located approximately 1.90 km to the north.

Existing Buildings and Structures

The subject site is currently occupied with a one (1) storey auto service garage (1649 Montreal Road) as well as a two (2) storey residential dwelling (741 Blair Road).

Drinking Water Wells

Based on the availability of municipal services, no drinking water wells are expected to be present within the Phase I study area.

Neighbouring Land Use

Neighbouring land use within the Phase I study area consists mainly of residential and commercial properties. Current land use is illustrated on Drawing PE5061-2 Surrounding Land Use Plan, appended to this report.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 6.1 of this report, eleven (11) PCAs, resulting in APECs, were identified on the subject site. These APECs include:

- A former underground fuel storage tank nest, located in the southwestern portion of the subject site;
- A former fuel pump island, located in the southern portion of the subject site;
- A former underground waste oil tank nest, located to the south of the auto service garage;
- A former underground waste oil tank nest, located beneath the western portion of the auto service garage;
- Two (2) former in-ground hydraulic hoists, located in the eastern portion of the auto service garage;
- Fill material of unknown quality, located throughout the southern portion of the subject site;
- An existing auto service garage, located in the southern portion of the subject site;
- An existing aboveground motor oil storage tank, located in the eastern portion of the auto service garage;
- Two (2) existing aboveground waste oil storage tanks, located on the exterior of the east side of the auto service garage;
- An oil/water separator, located in the eastern portion of the auto service garage;
- An oil/water separator, located in the western portion of the auto service garage;

Several other off-site PCAs were identified within the Phase I study area, however, based on their separation distance as well as their down-gradient orientation, these sites are not considered to pose an environmental concern to the subject site.

Contaminants of Potential Concern

The contaminants of potential concern associated with the aforementioned APECs are considered to be:

- Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX);
- Petroleum Hydrocarbons, Fractions 1 through 4 (PHCs F₁-F₄);
- Volatile Organic Compounds (VOCs);
- Metals (including mercury and hexavalent chromium).

The BTEX, VOC, and PHC contaminants have the potential to be present in the fill/soil matrix and/or the groundwater situated beneath the subject site, whereas the metal contaminants are anticipated to be present only within the fill/soil matrix.

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I ESA is considered to be sufficient to conclude that there are PCAs and APECs associated with the subject site. The presence of these PCAs were confirmed by a variety of independent sources, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 CONCLUSION

8.1 Assessment

Paterson Group was retained by 10869279 Canada Inc. to conduct a Phase I – Environmental Site Assessment (Phase I ESA) for the properties addressed 1649 Montreal Road and 741 Blair Road, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the subject site and study area as well as to identify any environmental concerns with the potential to have impacted the subject site.

According to the historical research, the subject site was initially developed with a residential dwelling (741 Blair Road), sometime prior to 1928. An auto service garage and retail fuel outlet were later constructed on the subject site (1649 Montreal Road) sometime in the early 1960's. The retail fuel outlet was eventually decommissioned sometime in the later 1990's, at which time the former underground fuel tanks (APEC #1), and former fuel pump island (APEC #2) were removed from the property. An addition, containing two (2) service bays, was later constructed onto the west side of the auto service garage sometime in the early 2000's.

According to previous environmental reports conducted for the subject site, two (2) underground waste oil storage tanks (APECs #3 and #4) were formerly present on the subject site and two (2) in-ground hydraulic hoists (APEC #5) were formerly present within the eastern service bay of the auto service garage. These were reportedly decommissioned and removed sometime in the late 1990's/early 2000's. The former subsurface investigations also identified fill material (APEC #6) beneath the asphaltic concrete ground surface throughout the property addressed 1649 Montreal Road.

A former retail fuel outlet was historically present on the property addressed 1648 Montreal Road, located approximately 35 m south of the subject site opposite Montreal Road. Based on its separation distance and significant down-gradient orientation, the former use of this property is not considered to pose an environmental concern to the subject site.

Following the historical review, a site inspection was conducted to assess the present-day environmental conditions of the subject site. The subject site is currently occupied with an auto service garage (APEC #7) (1649 Montreal Road) and a residential dwelling (741 Blair Road).

During the inspection of the auto service garage, one (1) aboveground motor oil storage tank (APEC #8) and two (2) aboveground waste oil tanks (APEC #9) were observed on-site. These tanks were noted to be in good condition, with no signs of leaks or staining in their vicinity. These oil tanks are considered to represent APECs with respect to the subject site.

The floor drains within the maintenance bays of the auto service garage reportedly feed into two (2) oil/water separators (APECs #10 and #11) before ultimately draining into the City of Ottawa sanitary sewer system. The presence of these oil/water separators is considered to represent APECs with respect to the subject site.

The neighbouring lands within the vicinity of the subject site were generally observed to be used for residential and commercial purposes. No environmental concerns were identified regarding the use of the surrounding properties.

8.2 Recommendations

Based on the findings of this assessment, it is our opinion that **a Phase II - Environmental Site Assessment will be required for the subject site.**

Hazardous Building Materials

Based on the age of the auto service garage (c.1960's), asbestos containing building materials may be potentially present within the structure. The potential ACMs identified at time of the site inspection include the drywall joint compound throughout the building. These building materials were generally observed to be in good condition at the time of the site inspection and do not pose an immediate concern to the occupants of the building. Access to the interior of the residence at 741 Blair Road was not available at the time of the site inspection, thus a detailed inspection for potential ACMs could not be conducted.

An asbestos survey of the buildings should be conducted in accordance with O.Reg. 278/05, under the Occupational Health and Safety Act, prior to any renovation or demolition activities, if one has not already been conducted.

Based on the age of the auto service garage (c.1960's), lead-based paints may be present on any original or older painted surfaces. The painted surfaces within the garage were generally observed to be in good condition, and do not pose an immediate concern to the occupants of the building. Major work involving lead-based paint or other lead containing products must be done in accordance with O.Reg. 843, under the Occupational Health and Safety Act.

9.0 STATEMENT OF LIMITATIONS

This Phase I – Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04, as amended, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I ESA are based on a review of readily available geological, historical, and regulatory information as well as a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial, and federal agencies and was limited within the scope-of-work, time, and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of 10869279 Canada Inc. Permission and notification from 10869279 Canada Inc. and Paterson Group will be required prior to the release of this report to any other party.

Paterson Group Inc.



Nick Sullivan, B.Sc.



Mark S. D'Arcy, P.Eng., QP_{ESA}



Report Distribution:

- 10869279 Canada Inc.
- Paterson Group Inc.

10.0 REFERENCES

Federal Records

- Natural Resources Canada: Air Photo Library.
- Natural Resources Canada: The Atlas of Canada.
- Geological Survey of Canada: Surficial and Subsurface Mapping.
- Environment Canada: National Pollutant Release Inventory.
- National PCB Waste Storage Site Inventory.
- National Archives of Canada.

Provincial Records

- MECP: Freedom of Information and Privacy Office.
- MECP: Municipal Coal Gasification Plant Site Inventory, 1991.
- MECP: Waste Disposal Site Inventory, 1991.
- MECP: Brownfields Environmental Site Registry.
- MECP: Water Well Inventory.
- Office of Technical Standards and Safety Authority, Fuels Safety Branch.
- Ministry of Natural Resources and Forestry Areas of Natural Significance.
- Chapman, L.J., and Putnam, D.F., 1984: 'The Physiography of Southern Ontario, Third Edition', Ontario Geological Survey Special Volume 2.

Municipal Records

- City of Ottawa: eMap website.
- City of Ottawa: Historical Land Use Inventory Database
- City of Ottawa: document entitled, "Old Landfill Management Strategy, Phase I – Identification of Sites", prepared by Golder Associates, 2004.

Local Information Sources

- Personal Interviews.

Public Information Sources

- ERIS Database Report.
- Google Earth.
- Google Maps/Street View.

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE5061-1 – SITE PLAN

DRAWING PE5061-2 – SURROUNDING LAND USE PLAN




FIGURE 1
KEY PLAN





FIGURE 2
TOPOGRAPHIC MAP

**ENLARGEMENT
N.T.S.**



AREAS OF POTENTIAL ENVIRONMENTAL CONCERN:

- 1) FORMER UNDERGROUND FUEL STORAGE TANK NEST (ON-SITE)
- 2) FORMER FUEL PUMP ISLAND (ON-SITE)
- 3) FORMER UNDERGROUND WASTE OIL TANK NEST (ON-SITE)
- 4) FORMER UNDERGROUND WASTE OIL TANK NEST (ON-SITE)
- 5) 2 FORMER IN-GROUND HYDRAULIC HOISTS (ON-SITE)
- 6) FILL MATERIAL OF UNKNOWN QUALITY (ON-SITE)
- 7) EXISTING AUTO SERVICE GARAGE (ON-SITE)
- 8) EXISTING ABOVEGROUND MOTOR OIL STORAGE TANK (ON-SITE)
- 9) 2 EXISTING ABOVEGROUND WASTE OIL STORAGE TANKS (ON-SITE)
- 10) EXISTING OIL / WATER SEPARATOR (ON-SITE)
- 11) EXISTING OIL / WATER SEPARATOR (ON-SITE)

patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL

10869279 CANADA INC.


PHASE I - ENVIRONMENTAL SITE ASSESSMENT
1649 MONTREAL ROAD AND 741 BLAIR ROAD

OTTAWA, ONTARIO

Title: **SITE PLAN**

Scale:	1:400	Date:	10/2020
Drawn by:	YA	Report No.:	PE5061-1
Checked by:	NS	Dwg. No.:	PE5061-1
Approved by:	MSD	Revision No.:	

p:\autocad\drawings\environmental\pe5061\pe5061-1-site plan.dwg



PHASE I - ENVIRONMENTAL SITE ASSESSMENT STUDY AREA

- POTENTIALLY CONTAMINATING ACTIVITIES:**
- 1) FORMER UNDERGROUND FUEL STORAGE TANK NEST (ON-SITE)
 - 2) FORMER FUEL PUMP ISLAND (ON-SITE)
 - 3) FORMER UNDERGROUND WASTE OIL TANK NEST (ON-SITE)
 - 4) FORMER UNDERGROUND WASTE OIL TANK NEST (ON-SITE)
 - 5) 2 FORMER IN-GROUND HYDRAULIC HOISTS (ON-SITE)
 - 6) FILL MATERIAL OF UNKNOWN QUALITY (ON-SITE)
 - 7) EXISTING AUTO SERVICE GARAGE (ON-SITE)
 - 8) EXISTING ABOVEGROUND MOTOR OIL STORAGE TANK (ON-SITE)
 - 9) 2 EXISTING ABOVEGROUND WASTE OIL STORAGE TANKS (ON-SITE)
 - 10) EXISTING OIL / WATER SEPARATOR (ON-SITE)
 - 11) EXISTING OIL / WATER SEPARATOR (ON-SITE)
 - 12) FORMER RETAIL FUEL OUTLET (1648 MONTREAL ROAD)
 - 13) FORMER PCB WASTE STORAGE SITE (1500 MONTREAL ROAD)
 - 14) FORMER MOTORCYCLE DEALERSHIP AND SERVICE CENTRE (1696 MONTREAL ROAD)

patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL

10869279 CANADA INC.
PHASE I - ENVIRONMENTAL SITE ASSESSMENT
1649 MONTREAL ROAD AND 741 BLAIR ROAD
OTTAWA, ONTARIO
Title: **SURROUNDING LAND USE PLAN**

Scale:	1:3000	Date:	10/2020
Drawn by:	YA	Report No.:	PE5061-1
Checked by:	NS	Dwg. No.:	PE5061-2
Approved by:	MSD	Revision No.:	

p:\autocad\drawings\environmental\pe5061\pe5061-2-surrounding land use plan.dwg

APPENDIX 1

AERIAL PHOTOGRAPHS


SITE PHOTOGRAPHS



AERIAL PHOTOGRAPH
1945




AERIAL PHOTOGRAPH
1958



AERIAL PHOTOGRAPH
1965




AERIAL PHOTOGRAPH
1976



AERIAL PHOTOGRAPH
1991



AERIAL PHOTOGRAPH
2002



AERIAL PHOTOGRAPH
2011



AERIAL PHOTOGRAPH
2017

Site Photographs

PE5061

1649 Montreal Road & 741 Blair Road
Ottawa, Ontario

October 7, 2020



Photograph 1: View of the auto service garage located at 1649 Montreal Road, facing north from Montreal Road.



Photograph 2: View of the auto service garage located at 1649 Montreal Road, facing east from Blair Road.

Site Photographs


PE5061

1649 Montreal Road & 741 Blair Road
Ottawa, Ontario

October 7, 2020



Photograph 3: View of the abandoned residential dwelling situated at 741 Blair Road, facing west.




Photograph 4: View of the interior of the western portion of auto service garage, facing north.

Site Photographs

PE5061

1649 Montreal Road & 741 Blair Road
Ottawa, Ontario

October 7, 2020



Photograph 5: View of the interior of the eastern portion of the auto service garage and an aboveground motor oil storage tank, facing north.



Photograph 6: View of two (2) aboveground waste oil storage tanks, located on the rear exterior of the auto service garage, facing south.

APPENDIX 2

MECP FREEDOM OF INFORMATION REQUEST FORM

MECP WATER WELL RECORDS

CITY OF OTTAWA HLUI REQUEST FORM

ERIS DATABASE REPORT

TSSA CORRESPONDENCE



Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on completion and use of this form. Our fax no. is (416) 314-4285.

Requester Data			For Ministry Use Only	
Name, Company Name, Mailing Address and Email Address of Requester Nick Sullivan Paterson Group Inc. 154 Colonnade Road Ottawa, ON K2E 7J5 Email address: nsullivan@patersongroup.ca			FOI Request No.	Date Request Received
Telephone/Fax Nos. Tel. 613-226-7381 Fax 613-226-6344			Fee Paid <input type="checkbox"/> ACCT <input type="checkbox"/> CHQ <input type="checkbox"/> VISA/MC <input type="checkbox"/> CASH	
Your Project/Reference No. PE5061	Signature/Print /Name of Requester Nick Sullivan		<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> SAC <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SWA	

Request Parameters

Municipal Address / Lot, Concession, Geographic Township (**Municipal address essential for cities, towns or regions**)
1649 Montreal Road; Part of Lot 20, Concession 1 (Ottawa Front), Formerly the Township of Gloucester, in the City of Ottawa, ON

Present Property Owner(s) and Date(s) of Ownership

Previous Property Owner(s) and Date(s) of Ownership

Present/Previous Tenant(s), (if applicable)

Search Parameters	Specify Year(s) Requested
<i>Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.</i>	
Environmental concerns (General correspondence, occurrence reports, abatement)	all
Orders	all
Spills	all
Investigations/prosecutions ➤ Owner AND tenant information must be provided	all
Waste Generator number/classes	all

Certificates of Approval ➤ Proponent information must be provided

1985 and prior records are searched manually. **Search fees in excess of \$300.00** could be incurred, depending on the types and years to be searched. Specify Certificates of Approval number(s) (if known). **If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc.**

	SD	Specify Year(s) Requested
air - emissions		1986-present
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)		1986-present
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations		1986-present
waste water - industrial discharges		1986-present
waste sites - disposal, landfill sites, transfer stations, processing sites, incineratorsites		1986-present
waste systems - PCB destruction, mobile waste processing units, haulers: sewage, non-hazardous & hazardous waste		1986-present
pesticides - licenses		1986-present

A \$5.00 non-refundable application fee, payable to the Minister of Finance, is mandatory. The cost of locating on-site and/or preparing any record is \$30.00/hour and 20 cents/page for photocopying and you will be contacted for approval for fees in excess of \$30.00.

316/56. "A"

UTM 18Z 451835E

9R 5032645N

Elev 9R 03430

Basin 215

Lot-20.




ONTARIO

The Well Drillers Act

Department of Mines, Province of Ontario

15 No 977



Water Well Record

County or District

Gloucester Tp, O.F.
OTTAWA CITY Con. 1 Lot 20 Pt. Lot

Acres
Including pump)

Pipe and Casing Record

Pumping Test

Casing diameter(s)	Date <i>Oct 27</i>
Length(s) of casing(s)	Developed Capacity
Length of screen	Duration of Test
Type of screen	Pumping Rate <i>200 gpm</i>
Type of pump	Drawdown <i>4 feet</i>
Capacity of pump	Static level of completed well <i>38 feet</i>
Depth of pump setting	Is well a gravel-wall type?

Water Record

Kind (fresh or mineral)	<i>fresh</i>	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
Quality (hard, soft, contains iron, sulphur etc.)	<i>hard</i>	<i>108</i>	<i>fresh</i>	<i>7.0 feet</i>
Appearance (clear, cloudy, coloured)	<i>clear</i>			
For what purpose(s) is the water to be used?	<i>domestic</i>			
How far is well from possible source of contamination?	<i>100 feet</i>			
What is source of contamination?	<i>sulphur rock</i>			
Enclose a copy of any mineral analysis that has been made of water				

Well Log

Drift and Bedrock Record

From To


0 ft.ft.

from 1 to 118 feet limestone rock

CITY LIMITS

Location of Well

In diagram below show distances of well from road and lot line



Situation: Is well on upland, in valley, or on hillside?

Drilling Firm *Mark S. Mulligan*

Address *Wexford*

Recorded by *[Signature]*

Address *Alymer east*

Date *Oct 24 / 50*

Licence Number


MONTREAL

316/56 "A"



ONTARIO

15 No. 7 985



The Well Drillers Act
Department of Mines, Province of Ontario

Water Well Record

Locality: [redacted] Village, Town or City: Gloucester
[redacted] Town or City: [redacted]
Sheep Road

Date Completed: 17 (day) 10 (month) 1951 (year) Cost of Well (excluding pump):

Pipe and Casing Record

Pumping Test

Casing diameter(s)..... <u>5 in</u>	Date.....
Length(s) of casing(s)..... <u>21 ft</u>	Static level.. <u>23</u>
Type of screen.....	Pumping level.. <u>33</u>
Length of screen.....	Pumping rate.....
Distance from top of screen to ground level.....	Duration of test.....
Is well a gravel-wall type?.....	Distance from cylinder or bowls to ground level.....

Water Record

Kind (fresh or mineral).....	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
<u>fresh</u>			
Quality (hard, soft, contains iron, sulphur, etc.).....			
Appearance (clear, cloudy, coloured)..... <u>clear</u>			
For what purpose(s) is the water to be used?..... <u>house</u>	<u>160</u>	<u>hard</u>	<u>77</u>
How far is well from possible source of contamination?.....			
What is the source of contamination?.....			
Enclose a copy of any mineral analysis that has been made of water.....			

Well Log

Overburden and Bedrock Record


From	To
0 ft.ft.
<u>1</u>	<u>8</u>
<u>8</u>	<u>12</u>
<u>12</u>	<u>122'</u>

Blue clay

Gravel

White limestone

Location of Well



Situation: Is well on upland, in valley, or on hillside?.....
 Drilling Firm..... Gordon S. Mulligan
 Address..... 488 MacLarned St
 Name of Driller..... Eddy Caron Address..... Becks St Kelt
 Date..... Licence Number.....

Gordon S. Mulligan
Signature of Licensee

319/56. "A"

UTM 18Z 451950

5R 5032325N

Elev. 4R 0292

Basin 25



The Well Drillers Act

Department of Mines, Province of Ontario

1952

RECEIVED

NOV 21 1952

GEOLOGICAL BRANCH

DEPARTMENT OF MINES

No. 993

Ottawa Front
CON I
Lot 20

Water Well Record

County or Territorial District Carleton Township, Village, Town or City Blouwater

Con. 15-17 of Lot 20 Street and Number (if in Village, Town or City).....

Owner John Hall & Son Contractors, Co. Address Sheep Road

Date Completed August 9, 1952 Cost of Well (excluding pump).....

Pipe and Casing Record

Pumping Test

Casing diameter(s) 4 inch Date August 9, 1952

Length(s) of casing(s) 13 1/2 feet Static level 71

Type of screen --- Pumping level 71

Length of screen --- Pumping rate 160 gal. 1 hr.

Distance from top of screen to ground level --- Duration of test 1 hr.

Is well a gravel-wall type? --- Distance from cylinder or bowls to ground level.....

Water Record

Kind (fresh or mineral)	Quality (hard, soft, contains iron, sulphur, etc.)	Appearance (clear, cloudy, coloured)	For what purpose(s) is the water to be used?	How far is well from possible source of contamination?	What is the source of contamination?	Enclose a copy of any mineral analysis that has been made of water.	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
							<u>7 1/2 feet</u>	<u>fresh</u>	<u>91</u>

Kind (fresh or mineral) fresh

Quality (hard, soft, contains iron, sulphur, etc.) Soft hard

Appearance (clear, cloudy, coloured) Clear

For what purpose(s) is the water to be used? house hold use only

How far is well from possible source of contamination? 50 feet


What is the source of contamination? water runway of hill

Well Log

Overburden and Bedrock Record

	From	To
	0 ft.	...ft.
<u>Soils + earth</u>	<u>0</u>	<u>8</u>
<u>bed rock</u>	<u>8</u>	<u>71</u>

Location of Well



Situation: Is well on upland, in valley, or on hillside? hill side

Drilling Firm Gordon & Son Mulligan

Address 478 McLean Street Ottawa

Name of Driller James Kelle Address Ramsayville

Date July 30, 1952 Licence Number 537

James Kelle
Signature of Licensee


319/5h "A"

UTM: 18 45 2000 E

50 3 2 4 5 5 N



ONTARIO



Elev. ~~500~~ 3 Feet

Basin ~~Co. R. B. 29~~

The Well Drillers Act

Department of Mines, Province of Ontario

10 to 20 feet

Carlton

Water Well Record

Gloucester
p. Village, Town or City
Town or City) Carlton Heights
s. Carlton Heights Montreal Rd

Date Completed Oct 23 / 52 (day) (month) (year) Cost of Well (excluding pump).....

Pipe and Casing Record

Pumping Test

Casing diameter(s) 6 inches
Length(s) of casing(s) 20 feet
Type of screen x
Length of screen x
Distance from top of screen to ground level x
Is well a gravel-wall type? wall type

Date
Static level 1.0 feet
Pumping level 3.0 feet
Pumping rate 3.00 per hour
Duration of test 2
Distance from cylinder or bowls to ground level

Water Record

Kind (fresh or mineral) Fresh water
Quality (hard, soft, contains iron, sulphur, etc.) hard Drinking water
Appearance (clear, cloudy, coloured) clear
For what purpose(s) is the water to be used? Drinking water
How far is well from possible source of contamination? x
What is the source of contamination? x
Enclose a copy of any mineral analysis that has been made of water x

Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
10 feet	Hard	5'


Well Log

Overburden and Bedrock Record

	From	To
4 feet to bedrock, gravel and sand	0 ft.	4 ft.
89 feet hard white limestone	4	85

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Situation: Is well on upland, in valley, or on hillside? On hill

Drilling Firm: Gordon Mulligan

Address: 470 MacLaren Ottawa Ont

Name of Driller: Emmett Doherty Address: 80 MacLaren

Date: Licence Number: 507

Emmett Doherty
Signature of Licensee

319/56 "A"

UTM 118 451945 E


5 R 5032350 N

Elev. 4 R 0295

Basin 25



ONTARIO



The Well Drillers Act
Department of Mines, Province of Ontario

Ottawa Front
Co. H I
Lot 20

Water Well Record

Carleton Place

Village, Town or City... Carleton Place
Town or City... Carleton Place

Date Completed... Oct 31 / 82 Cost of Well (excluding pump).....

Pipe and Casing Record

Pumping Test

Casing diameter(s) ... <u>6 inches</u>	Date... <u>Oct 31</u>
Length(s) of casing(s) ... <u>14 feet</u>	Static level... <u>2.0 feet</u>
Type of screen... <u>X</u>	Pumping level... <u>4.0</u>
Length of screen... <u>X</u>	Pumping rate... <u>1.00 per hour</u>
Distance from top of screen to ground level... <u>X</u>	Duration of test... <u>1/2</u>
Is well a gravel-wall type? <u>wall type</u>	Distance from cylinder or bowls to ground level.....

Water Record

Kind (fresh or mineral) ... <u>Fresh</u>	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
Quality (hard, soft, contains iron, sulphur, etc.) ... <u>Hard</u>	<u>30 ft</u>	<u>Hard</u>	<u>80</u>
Appearance (clear, cloudy, coloured) ... <u>clear</u>	<u>50 -</u>		<u>30</u>
For what purpose(s) is the water to be used? ... <u>drinking water</u>	<u>50 -</u>		<u>60</u>
How far is well from possible source of contamination? ... <u>50 feet</u>			
What is the source of contamination? ... <u>septic tanks</u>			
Enclose a copy of any mineral analysis that has been made of water ... <u>X</u>			

Well Log


Overburden and Bedrock Record

From To

<u>6 ft Bedrock Gravel and sand</u>	<u>0 ft.</u>	<u>6 ft.</u>
<u>Depth of well 87 ft</u>		
<u>White Limestone</u>	<u>6</u>	<u>87</u>

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



(see pad)
Carleton H.S. Subdiv.

Situation: Is well on upland, in valley, or on hillside? ... on hill

Drilling Firm... Borden Mulligan

Address... 470 MacLaren Ottawa Ont

Name of Driller... Emmett Loherty Address... 40 MacLaren

Date... November 16 1982 Licence Number... 597

[Signature]
Signature of Licensee

316/5th "A" 1954

UTM 18Z 452025E
5R 5032450N
Elev. 4R 039151
Basin 225 530 LOT 20



RECEIVED
15 JUN 1954
GEOLOGICAL SURVEY
DEPARTMENT OF MINES

1008

The Well Drillers Act
Department of Mines, Province of Ontario

Water Well Record

ip, Village, Town or City Glouceston
Town or City
ss. Cardinal Heights

Date Completed June 18 1954 Cost of Well (excluding pump)
(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 4
Length(s) of casing(s) 15 feet
Type of screen
Length of screen
Distance from top of screen to ground level
Is well a gravel-wall type?

Date June 18
Static level 33 feet
Pumping level 92 feet
Pumping rate 72 gal H
Duration of test 20 minutes
Distance from cylinder or bowls to ground level

Water Record


Kind (fresh or mineral) fresh
Quality (hard, soft, contains iron, sulphur, etc.) hard
Appearance (clear, cloudy, coloured) clear
For what purpose(s) is the water to be used? house hold use only
How far is well from possible source of contamination? none
What is the source of contamination?
Enclose a copy of any mineral analysis that has been made of water

Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
<u>147 feet</u>	<u>fresh</u>	<u>200</u>

Well Log

Overburden and Bedrock Record	From	To
	0 ft.	...ft.
<u>Shaley Ground</u>	<u>0</u>	<u>5 1/2</u>
<u>hard Black lim Stone</u>	<u>5 1/2</u>	<u>192</u>
<u>white lime Stone very soft</u>	<u>192</u>	<u>203</u>
<u>light grey lime Stone soft</u>	<u>203</u>	<u>237</u>

Location of Well



Situation: Is well on upland, in valley, or on hillside? hill side
Drilling Firm James Kettles
Address R. Am. sayville Ont.
Name of Driller
Date
Licence Number 537
James Kettles
Signature of Licensee

314/5h. "A"

UTM 18 4571920 E

5R 5032475N



ONTARIO

15 No 1009

RECEIVED JUL 16 1954 GEOLOGICAL BRANCH DEPARTMENT OF MINES

Elev. 480814 Ottawa From

Basis 25

Lot-20

The Well Drillers Act Department of Mines, Province of Ontario

Water Well Record

County or Territorial District CARLETON Township, Village, Town or City CLOUCESTER Con. 109 Lot 20 Street and Number (if in Village, Town or City) Owner IMPERIAL OIL LTD. Address RR No 1 OTTAWA Date Completed 19 6 54 Cost of Well (excluding pump) 2556.50

Pipe and Casing Record

Pumping Test

Casing diameter(s) 6" Length(s) of casing(s) 15' Type of screen Length of screen Distance from top of screen to ground level Is well a gravel-wall type? No Date JUNE 19 1954 Static level 5' Pumping level 20' Pumping rate 2 GPM Duration of test 1 HOUR Distance from cylinder or bowls to ground level

Water Record

Kind (fresh or mineral) FRESH Quality (hard, soft, contains iron, sulphur, etc.) HARD Appearance (clear, cloudy, coloured) CLEAR For what purpose(s) is the water to be used? IMPERIAL OIL GASOLINE STATION How far is well from possible source of contamination? 60' What is the source of contamination? SEPTIC TANK Enclose a copy of any mineral analysis that has been made of water

Table with 3 columns: Depth(s) to Water Horizon(s), Kind of Water, No. of Feet Water Rises. Row 1: 159, FRESH, 154

Well Log

Overburden and Bedrock Record

From To

DARK SANDY SOIL 0 ft. 3 ft. TILL 3 15 GREY LIMESTONE 15 159

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.

Situation: Is well on upland, in valley, or on hillside? HILLSIDE Drilling Firm T.H. ADAMS Address HURD MANS BRIDGE ONT Name of Driller T.H.A. Address SAME Date JUNE 15 1954 Licence Number 42 Signature of Licensee Thos H Adams

310/54. "A"

UTM 18 45 19 15
5R 503 2530



RECEIVED/ND 1015
SEP 20 1954
GEOLOGICAL BRANCH
DEPARTMENT OF MINES

Elev. 4R 0348
Basin 25
CONC-I

The Well Drillers Act
Department of Mines, Province of Ontario

Lot - 20

Water Well Record

Village, Town or City Gloucester
Town or City
Mount Pleasant Rd.

Date Completed Sep 8 1954 (day month year) Cost of Well (excluding pump)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 6
Length(s) of casing(s) 18
Type of screen
Length of screen
Distance from top of screen to ground level
Is well a gravel-wall type?

Date Sep 8
Static level 23
Pumping level 25
Pumping rate 350 hr
Duration of test 1 hr
Distance from cylinder or bowls to ground level

Water Record


Kind (fresh or mineral) fresh
Quality (hard, soft, contains iron, sulphur, etc.) hard
Appearance (clear, cloudy, coloured) clear
For what purpose(s) is the water to be used? house
How far is well from possible source of contamination? 50 ft
What is the source of contamination? septic tank
Enclose a copy of any mineral analysis that has been made of water

Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
25	fresh	100
123		

Well Log

Overburden and Bedrock Record	From	To
	0 ft.	...ft.
Shail Rock	0	17
Gray lime stone	17	123


Location of Well



Situation: Is well on upland, in valley, or on hillside?
Drilling Firm Vally Drilling Co.
Address 397 Cambridge St
Name of Driller B. Klute
Date Sep 8 / 54
Address 2000 Ont
Licence Number H. S. 7
Signature of Licensee B. Klute

319/57. "A"

PLEASE SEND 070 E
FOR MS AND 32495



10/6

Ele. OTTAWA FRONT

The Water-well Drillers Act, 1954
Department of Mines

Basin CONST

Lot 20 LOF

Water-Well Record

County or Territorial District PARLETON Township, Village, Town or City GLOUCESTER
Village, Town or City
Address EASTVIEW

(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 5
Length(s) 32
Type of screen
Length of screen

Static level 20"
Pumping rate 300 G P.H
Pumping level 20"
Duration of test 15 MINS

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
<u>OVERBERDEN CLAY</u>	<u>0</u>	<u>30</u>			
<u>SHALE</u>	<u>30</u>	<u>138</u>	<u>138</u>	<u>118</u>	<u>FRESH</u>

For what purpose(s) is the water to be used? HOUSE
Is water clear or cloudy? CLOUDY
Is well on upland, in valley, or on hillside? HILLSIDE

Drilling firm VALLEY DRILLING - CO
Address OTTAWA

Name of Driller MINOR CHEURIER
Address 82 ARLINGTON AVE
OTTAWA


Licence Number K

I certify that the foregoing statements of fact are true.

Date Dec 7 Minor Cheurier
Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Plan 562
Lot-7

314/56 "A"

451975

5032460

Elev. 0315

Basin 25



RECEIVED

15 No 1017

GEOLOGICAL BRANCH DEPARTMENT OF MINES

The Well Drillers Act

OTTAWA FROM Department of Mines, Province of Ontario

Water Well Record

Lot 20

Carleton

Village, Town or City... G. Lousester

Date Completed 13 Jan 55 Cost of Well (excluding pump)...

Pipe and Casing Record

Pumping Test

Casing diameter(s) 19' 6" 5" Date Jan 13 1955
Length(s) of casing(s) 19' 6" Static level 4.2
Type of screen Pumping level 147'
Length of screen Pumping rate 75 gph
Distance from top of screen to ground level Duration of test 1 hr
Is well a gravel-wall type? Distance from cylinder or bowls to ground level...

Water Record

Table with 4 columns: Kind (fresh or mineral), Quality (hard, soft, contains iron, sulphur, etc.), Appearance (clear, cloudy, coloured), For what purpose(s) is the water to be used?, How far is well from possible source of contamination?, What is the source of contamination?, Enclose a copy of any mineral analysis that has been made of water. Includes rows for Depth(s) to Water Horizon(s), Kind of Water, and No. of Feet Water Rises.

Well Log


Overburden and Bedrock Record

From To

Table with 3 columns: Description, From, To. Rows include: loam (0 ft. to 5 ft.), blue lime with seams (5 ft. to 16 ft.), blue lime (16 ft. to 180 ft.), black shale (180 ft. to 210 ft.).

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Situation: Is well on upland, in valley, or on hillside? upland

Drilling Firm... F. A. McLean & Son

Address... 1. F. S. James St

Name of Driller... Walter Kavanagh

Date... Apr 10 55

Address... 88 S. wetland

Licence Number... 130

Signature of Licensee: Walter Kavanagh

310/56. 7A



RECEIVED

15 No 1019

UTM 18Z 4519615E

5R 5032525N

Elev. 4R 0321

Basin 25

ONTARIO GEOLOGICAL BRANCH DEPARTMENT OF MINES
The Water-well Drillers DEPARTMENT OF MINES
Department of Mines

OTTAWA FRONT Water-Well Record

County or Territorial District Gloucester Township, Village, Town or City Gloucester

Village, Town or City

Address Box 26 Cardinal Heights Rd Ottawa

(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 5"
Length(s) 20'
Type of screen
Length of screen

Static level 24'
Pumping rate 300 gpd
Pumping level 24' off
Duration of test 1 hr

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
<u>gravel sand and few boulders</u>	<u>0</u>	<u>7</u>	<u>50</u> <u>90</u>	<u>30</u> <u>66</u> <u>66</u>	<u>fresh</u>
<u>black shale</u>					
<u>interbed with lime</u>	<u>7</u>	<u>80</u>			
<u>grey lime</u>	<u>80</u>	<u>95</u>			

For what purpose(s) is the water to be used?
household

Is water clear or cloudy?

Is well on upland, in valley, or on hillside?
upland

Drilling firm F.A.M. Leavelle
Address

Name of Driller W. Kawanagh
Address


Licence Number 130

I certify that the foregoing statements of fact are true.

Date W. Kawanagh
Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



319/56. "A"

UTM 18Z 451920E

9R 5032545N

Elev. 19 WA 5R 31210

Basin 215


lot 20



ONTARIO

The Water-well Drillers Act, 1954

Department of Mines



15 No 1030

Water-Well Record

Carleton

County or Territorial District ~~Carleton~~ Township, Village, Town or City Gloucester

Village, Town or City Cardinal Heights

Address Cardinal Heights

(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 4 in. ches.
Length(s) 21 Feet
Type of screen
Length of screen

Static level 12 feet
Pumping rate 8 gpm
Pumping level 45 Feet
Duration of test 1 hour

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
LOam	0	2	102	90	Fresh
Lose rock	2	20			
Gray limestone	20	102			


For what purpose(s) is the water to be used?
..... Domestic
Is water clear or cloudy?..... clear
Is well on upland, in valley, or on hillside?..... hillside
Drilling firm T. H. Adams
Address Hurdman's Bridge, Ottawa, Ontario
Name of Driller T. H. Adams
Address Hurdman's Bridge, Ottawa, Ontario
Licence Number..... 42

I certify that the foregoing statements of fact are true.

Date Mar 12. T. H. Adams
Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



182 451940
5R 5032550N



15 No 1031

RECEIVED
APR - 9 1956
GEOLOGICAL BRANCH
DEPARTMENT OF MINES

Elev. TEANA OF FRONT
3 2 5

The Water-well Drillers Act, 1954

Department of Mines

Basin 25

Lot 20

Water-Well Record

County or Territorial District Carleton Township, Village, Town or City Gloucester

Village, Town or City

Address OTAWA

(day) 1 (month) 1 (year) 1956

Pipe and Casing Record

Pumping Test

Casing diameter(s) <u>4"</u>	Static level <u>30'</u>
Length(s) <u>20 ft.</u>	Pumping rate <u>300 G.P.H.</u>
Type of screen	Pumping level <u>12.5'</u> <u>comes back feet</u>
Length of screen	Duration of test <u>3/4 hr.</u>

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
<u>Limestone rock</u>	<u>0</u>	<u>180</u>	<u>140-170</u>	<u>to 30'</u>	<u>fresh</u>

For what purpose(s) is the water to be used?
House hold

Is water clear or cloudy? clear

Is well on upland, in valley or on hillside?
hillside


Drilling firm Ben Sparks

Address

Name of Driller Ben Sparks

Address

Licence Number 420



I certify that the foregoing statements of fact are true.

Date Jan 30 Ben Sparks
Signature of Licensee

316/54. "A"

UTM: | 1 | 8 | 2 | | 4 | 5 | 1 | 6 | 7 | 5 | E

| 5 | R | | 5 | 0 | 3 | 2 | 8 | 2 | 0 | N

Elev. | 4 | R | | 0 | 3 | 3 | 5 |


Basin ~~ATZANDI~~ FRONT



ONTARIO

The Water-well Drillers Act, 1954

Department of Mines



Water-Well Record

County or Territorial District Carleton Township, Village, Town or City Deseronto
Address

(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 2 1/2"
Length(s) 20'
Type of screen NONE
Length of screen

Static level
Pumping rate
Pumping level
Duration of test 1/2 hr

Well Log

Water Record

Overburden and Bedrock Record

From ft.

To ft.

Depth(s) at which water(s) found

No. of feet water rises

Kind of water (fresh, salty, or sulphur)

Limestone Grey

0

474

none

For what purpose(s) is the water to be used?

HOUSE

Is water clear or cloudy?

Is well on upland, in valley, or on hillside?

Drilling firm J.B. Sweeney & Co. Ltd.

Address 1014 Deseronto Ave

Name of Driller W. Roy

Address 232 Blvd St Joseph

Licence Number 394

I certify that the foregoing statements of fact are true.


Date Oct 17/57 W Roy

Signature of Licensee

Per J.B. Sweeney

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



310/56. "A"

W.M.

UTM: 18Z 451835E

5N 5032465N

Elev. 4R 0313

Basin 25



ONTARIO

15 No 1041

GROUND WATER BRANCH
MAY 20 1958
ONTARIO WATER RESOURCES COMMISSION

The Water-well Drillers Act, 1954
Department of Mines

Water-Well Record

County or Territorial District... CARLETON ... Township, Village, Town or City... GLOUCESTER ...
in Village, Town or City).....
Address

(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) <u>5"</u>	Static level <u>25'</u>
Length(s) <u>40'</u>	Pumping rate <u>350 G.P.H.</u>
Type of screen <u>N.A.A.</u>	Pumping level <u>35'</u>
Length of screen	Duration of test <u>2 HOURS</u>

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth (s) at which water (s) found	No. of feet water rises	Kind of water (fresh, salty, or sulphur)
<u>SILT</u>	<u>0</u>	<u>16</u>	<u>90</u>	<u>70</u>	<u>FRESH</u>
<u>LOOSE LIMESTONE</u>	<u>16</u>	<u>40</u>	<u>130</u>	<u>105</u>	<u>"</u>
<u>LIMESTONE</u>	<u>40</u>	<u>130</u>			

For what purpose(s) is the water to be used? MOTEL

Is water clear or cloudy? CLEAR

Is well on upland, in valley, or on hillside? UPLAND

Drilling firm MOLONGHNEY

Address

Name of Driller F. FLEURY

Address

Licence Number.....


I certify that the foregoing statements of fact are true.

Date April 30 58


Signature of Licensee [Signature]

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



319/57. "A"



UTM 118Z 451780E

5R 5032535N

Elev. 4R 9318

Basin 2520

The Ontario Water Resources Commission Act, 1957

WATER WELL RECORD

County or District Carleton Township, Village, Town or City GLOUCESTER
 Con. 1 OF Lot 20 Date completed 10 Sept 1959
 (day month year)
 Owner * GLEN-AIVA CONST. LTD. Address 21 BRAEMAR ST. OTTAWA 2
 (print in block letters)

Casing and Screen Record

Pumping Test

Inside diameter of casing 6 1/4"
 Total length of casing 22 1/2'
 Type of screen NONE
 Length of screen.....
 Depth to top of screen.....
 Diameter of finished hole 6 1/4"

Static level 25'
 Test-pumping rate 8 G.P.M.
 Pumping level 30'
 Duration of test pumping 1 HR.
 Water clear or cloudy at end of test CLOUDY
 Recommended pumping rate 8 G.P.M.
 with pumping level of 60'

Well Log


Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	No. of feet water rises	Kind of water (fresh, salty, sulphur)
<u>loam</u>	<u>0</u>	<u>6</u>			
<u>limestone</u>	<u>6</u>	<u>250</u>	<u>250</u>	<u>225</u>	<u>Fresh</u>

For what purpose(s) is the water to be used?
Service station SHELV
 Is well on upland, in valley, or on hillside?
upland
 Drilling Firm McLEAN WATER SUPPLY LTD.
 1532 RAVEN AVE.
 Address PA 2-7915 OTTAWA.
 Licence Number 359
 Name of Driller H. Sally
 Address.....
 Date Oct 2, 1959
[Signature]
 (Signature of Licensed Drilling Contractor)


Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



OTTAWA

310/56 "A"



UTM 18Z 452090E

OTISMAN 50324519N

The Ontario Water Resources Commission Act

Elev. Con. 4 R 0 3 2 5

WATER WELL RECORD

Basin 2 5 County or District Carleton

Township, Village, Town or City Gloucester

Con. I o P Lot 20

Date completed 2 June 1964 (day month year)

Address Montreal Rd., Ottawa, Ont.

Casing and Screen Record

Inside diameter of casing 7"

Total length of casing 30'

Type of screen nil

Length of screen nil

Depth to top of screen nil

Diameter of finished hole 7"

Pumping Test

Static level 35'

Test-pumping rate 30 G.P.M.

Pumping level 35'

Duration of test pumping 24

Water clear or cloudy at end of test clear

Recommended pumping rate 7 G.P.M.

with pump setting of 125' feet below ground surface

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
Clay & Boulders	0'	35'		
Broken Limestone Throughout	35'	135'	135'	fresh

For what purpose(s) is the water to be used?

Hot el

Is well on upland, in valley, or on hillside? Upland

Drilling or Boring Firm

Blair Phillips Drilling Co. Ltd.

Address Ottawa

Licence Number 1079

Name of Driller or Borer Ren. Phillips


Address Ottawa

Date 2 June 1964.

(Signature of Licensed Drilling or Boring Contractor)

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



31G/56. "A"

UTM 18Z 451830 E

5R 5032480 N

Elev. 4R 0310 ②

Basin 25



REC 15 No 1109
JAN 25 1950
GEOLOGICAL BRANCH
DEPARTMENT OF MINES

The Well Drillers Act
Department of Mines, Province of Ontario

Water Well Record

OTTAWA

ESTER Con. Lot 22 Pt. Lot
VIEW ONT. Acres

Date Completed: Cost of Well (including pump)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 6"	Date OCT. 18 1949
Length(s) of casing(s) . . . 11'	Developed Capacity . . . 250 G.P.H.
Length of screen	Duration of Test . . . 30 MIN.
Type of screen	Pumping Rate . . . 300 G.P.H.
Type of pump	Drawdown . . . 50'
Capacity of pump	Static level of completed well . . . 55'
Depth of pump setting	Is well a gravel-wall type? . . No.

Water Record


Kind (fresh or mineral)	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
FRESH	152'	GOOD	97
Quality (hard, soft, contains iron, sulphur etc.)			
SOFT			
Appearance (clear, cloudy, coloured)			
CLEAR			
For what purpose(s) is the water to be used?			
HOUSEHOLD			
How far is well from possible source of contamination?			
NO CONTAMINATION			
What is source of contamination?			
Enclose a copy of any mineral analysis that has been made of water			

Well Log

Drift and Bedrock Record	From	To
GRAVEL	0 ft.	3 ft.
LIMESTONE	3	152

Location of Well

In diagram below show distances of well from road and lot line



Situation: Is well on upland, in valley, or on hillside? . . . UPLAND

Drilling Firm . . . F.A. McLEAN & SON

Address . . . 185 JAMES ST OTTAWA . . . ONTARIO

Recorded by . . . JOHN LARKIN . . . Address . . . 276 BELL ST

Date . . . OCT. 18 1949 . . . Licence Number . . .



The Ontario Water Resources Commission Act

WATER WELL RECORD

316/5R

Water management in Ontario

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK CORRECT BOX WHERE APPLICABLE

11

1510776

MUNICIP.

CON.

15000

DF

0101

COUNTY OR DISTRICT
Carleton

TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE
Gloucester

CON., BLOCK, TRACT, SURVEY, ETC.
I of

LOT
030

St. Laurent Blvd., Ottawa, Ont.

DATE COMPLETED
DAY **11** MO. **Sept.** YR. **70**

RC. **032580**

RC. **4**

ELEVATION **0330**

RC. **5**

BASEIN CODE **25**

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH - FEET	
				FROM	TO
	fill			0	2
	shale			2	100

31	0004	01	0100	17														
32																		


41 WATER RECORD			
WATER FOUND AT - FEET	KIND OF WATER		
10-13	1 <input checked="" type="checkbox"/> FRESH 2 <input type="checkbox"/> SALTY	3 <input type="checkbox"/> SULPHUR 4 <input type="checkbox"/> MINERAL	14
15-18	1 <input type="checkbox"/> FRESH 2 <input type="checkbox"/> SALTY	3 <input type="checkbox"/> SULPHUR 4 <input type="checkbox"/> MINERAL	19
20-23	1 <input type="checkbox"/> FRESH 2 <input type="checkbox"/> SALTY	3 <input type="checkbox"/> SULPHUR 4 <input type="checkbox"/> MINERAL	24
25-28	1 <input type="checkbox"/> FRESH 2 <input type="checkbox"/> SALTY	3 <input type="checkbox"/> SULPHUR 4 <input type="checkbox"/> MINERAL	29
30-33	1 <input type="checkbox"/> FRESH 2 <input type="checkbox"/> SALTY	3 <input type="checkbox"/> SULPHUR 4 <input type="checkbox"/> MINERAL	34-80

51 CASING & OPEN HOLE RECORD			
INSIDE DIAM. INCHES	MATERIAL	WALL THICKNESS INCHES	DEPTH - FEET
10-11	1 <input checked="" type="checkbox"/> STEEL 2 <input type="checkbox"/> GALVANIZED 3 <input type="checkbox"/> CONCRETE 4 <input type="checkbox"/> OPEN HOLE	3/16	FROM 0 TO 20.10 0021
17-18	1 <input type="checkbox"/> STEEL 2 <input type="checkbox"/> GALVANIZED 3 <input type="checkbox"/> CONCRETE 4 <input checked="" type="checkbox"/> OPEN HOLE		20-23 0100
24-25	1 <input type="checkbox"/> STEEL 2 <input type="checkbox"/> GALVANIZED 3 <input type="checkbox"/> CONCRETE 4 <input type="checkbox"/> OPEN HOLE		27-30

60 SCREEN			
SIZE(S) OF OPENING (SLOT NO.)	DIAMETER	LENGTH	DEPTH TO TOP OF SCREEN
			INCHES
			FEET
MATERIAL AND TYPE		FEET	

61 PLUGGING & SEALING RECORD			
DEPTH SET AT - FEET	MATERIAL AND TYPE (CEMENT GROUT, LEAD PACKER, ETC.)		
FROM TO			
10-13 14-17			
18-21 22-25			
26-29 30-33 80			

71 PUMPING TEST METHOD	10 PUMPING RATE	11-14 DURATION OF PUMPING
1 <input checked="" type="checkbox"/> PUMP 2 <input type="checkbox"/> BAILER	0012	15-16 17-18 GPM. 01 HOURS 00 MINS.
STATIC LEVEL	WATER LEVEL END OF PUMPING	WATER LEVELS DURING
020	024	15 MINUTES 020 30 MINUTES 020 45 MINUTES 020 60 MINUTES 020
IF FLOWING, GIVE RATE	PUMP INTAKE SET AT	WATER AT END OF TEST
	24	1 <input checked="" type="checkbox"/> CLEAR 2 <input type="checkbox"/> CLOUDY
RECOMMENDED PUMP TYPE	RECOMMENDED PUMP SETTING	RECOMMENDED PUMPING RATE
<input type="checkbox"/> SHALLOW <input checked="" type="checkbox"/> DEEP	090	0005



54 FINAL STATUS OF WELL	55-56 WATER USE	57 METHOD OF DRILLING
1 <input checked="" type="checkbox"/> WATER SUPPLY 2 <input type="checkbox"/> OBSERVATION WELL 3 <input type="checkbox"/> TEST HOLE 4 <input type="checkbox"/> RECHARGE WELL 5 <input type="checkbox"/> ABANDONED, INSUFFICIENT SUPPLY 6 <input type="checkbox"/> ABANDONED, POOR QUALITY 7 <input type="checkbox"/> UNFINISHED	1 <input checked="" type="checkbox"/> DOMESTIC 2 <input type="checkbox"/> STOCK 3 <input type="checkbox"/> IRRIGATION 4 <input type="checkbox"/> INDUSTRIAL <input type="checkbox"/> OTHER	1 <input type="checkbox"/> CABLE TOOL 2 <input type="checkbox"/> ROTARY (CONVENTIONAL) 3 <input type="checkbox"/> ROTARY (REVERSE) 4 <input checked="" type="checkbox"/> ROTARY (AIR) 5 <input type="checkbox"/> AIR PERCUSSION 6 <input type="checkbox"/> BORING 7 <input type="checkbox"/> DIAMOND 8 <input type="checkbox"/> JETTING 9 <input type="checkbox"/> DRIVING

CONTRACTOR	LICENCE NUMBER
J.B. DUFRESNE & CO. LIMITED	1802
ADDRESS 1014 Maitland Ave., Ottawa 5, Ont.	
CONTRACTOR	LICENCE NUMBER
R. Laniel	
SIGNATURE OF CONTRACTOR	SUBMISSION DATE
	DAY 11 MO. 9 YR. 70

OFFICE USE ONLY	58 CONTRACTOR	59-62 DATE RECEIVED	63-68
	1802	210970	
DATA SOURCE	1	INSPECTOR	
DATE OF INSPECTION			
REMARKS:	P WI		

OWRC COPY



Master Well Owner and Well Owner Information

First Name, Last Name, E-mail Address, Mailing Address (101 Exchange Avenue), Municipality (Vaughan), Province (ON), Postal Code (L4K 5R6), Telephone No. (416 664 5291)

Location and Construction of the Master Well in the Cluster

Address of Well Location (1687 Montreal Road), Township, Lot, Concession (WKQ-001419), City/Town/Village (Ottawa), Province (Ontario), Postal Code

UTM Coordinates, Zone, Easting, Northing, GPS Unit Make (Garmin), Model (Etrex), Mode of Operation (Averaged)

Overburden and Bedrock Materials (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (Metres) From, To

Hole Details

Table with columns: Depth (Metres) From, To, Diameter (Centimetres)

Water Use

Public, Industrial, Not used, Other, Domestic, Commercial, Dewatering, Livestock, Municipal, Monitoring, Irrigation, Test Hole, Cooling & Air Conditioning

Method of Construction

Cable Tool, Air Percussion, Digging, Rotary (Conventional), Diamond, Boring, Rotary (Reverse), Jetting, Other, Rotary (Air), Driving

Status of Well

Test Hole, Abandoned, Insufficient Supply, Replacement Well, Abandoned, Poor Water Quality, Dewatering Well, Other, Alteration (Construction), Abandoned, other, specify Not Used

No Casing and Screen Used / Static Water Level Test

Open Hole Yes/No, Metres

Screen

Galvanized, Steel, Fibreglass, Concrete, Plastic, Outside Diameter, Slot No.

Water Details

Water found at Depth, Kind of Water (Gas, Fresh, Salty, Sulphur, Minerals)

Disinfected Yes/No, Date Master Well Completed (Jun 28, 2009)

Cluster Information (Please also fill out the additional Cluster Well Information for Well Construction for each parcel of land and cluster.)

Total Wells in Cluster (5), Total Wells on this Property (5), Information Log Sheets Submitted (3)

Location of Well Cluster

Detailed Map must be provided as an attachment no larger than legal size (8.5" x 14").

Consent to release additional information concerning the cluster to the Director upon request

Signature of Technician/Contractor, Date (yyyy/mm/dd)

Construction Details

Inside Diameter (1.25"), Material (Plastic), Wall Thickness, Depth (Metres)

Annular Space/Abandonment Sealing Record

Depth Set at (Metres) From, To, Type of Sealant Used (Benbrite), Volume Used (Cubic Metres)

General contractor: Premier Environmental

Well Contractor and Well Technician Information

Business Name of Well Contractor (Strata Soil Sampling Inc.), Well Contractor's Licence No. (7241), Business Address (147-2 West Beaver Creek Road), Municipality (Richmond Hill), Province (Ontario), Postal Code (L4B 1C6), Business Contact (records@stratasoil.com), Business Telephone (905-764-9304), Name of Well Technician (Maurice Mike), Date Submitted (Jul 1, 2009), Well Technician's Licence No. (3448), Signature of Technician, Date Submitted (2009/07/05)

Date Received (M 03410), Date of Inspection (JUL 29 2009)

Imperial

Well Tag No. for Master Well (Print Well Tag No.)

N/R

Cluster Well Information for Cluster Well Construction

Regulation 903 Ontario Water Resources Act

6463 Page _____ of _____

Property Owner's Information

First Name: _____ Last Name: **Yum Restaurants International (Can)**
 Mailing Address (Street No./Name, RR): **101 Exchange Avenue** Municipality: **Vaughan**
 Province: **ON** Postal Code: **L4K 5R6** E-mail Address: _____ Telephone No. (inc. area code): **416 664 5291**

Cluster Well Information

Address of Well Location (Street Number/Name, RR): **1687 Montreal Road** Lot: _____ Concession: _____ Township: _____ County/District/Municipality: **WKQ-001419**
 City/Town/Village: **Ottawa** Province: **Ontario** Postal Code: _____ GPS Unit Make: **Garmin** Model: **ETrex** Unit Mode of Operation: Undifferentiated Averaged
 Differentiated, specify: _____

Consent

Property: _____
 Signature: _____
 Consent upon: _____
 Signature of Technician/Contractor: _____ Date (yyyy/mm/dd): _____

Well # on Sketch	UTM Coordinates		Full Depth of Hole (metres)	Hole Diameter (cm)	Method of Construction	Casing Material	Casing Length (metres)	Screen Interval (metres)		Annular Space Sealant Used	Static Water Level (metres)	Abandonment Sealant Used	Comments	Date of Completion (yyyy/mm/dd)
	Zone	Easting						Northing	From					
W 6-5	18452108	5032764	10'			Plastic						Bentonite	Abandoned	2009/06/25
W 6-3	18452092	5032768	10'			Plastic						Bentonite	"	2009/06/25
W 6-1	18452066	5032799	10'			Plastic						Bentonite	"	2009/06/25
W 6-2	18452066	5032723	10'			Plastic						Bentonite	"	2009/06/25
General contractor: Premier Environmental														

Well Contractor and Well Technician Information


Business Name of Well Contractor: **Strata Soil Sampling Inc.** Business Address (Street Number/Name, RR): **147-2 West Beaver Creek Road** Municipality: **Richmond Hill** Province: **Ontario**
 Postal Code: **L4B 1C6** Business Telephone No. (inc. area code): **905-764-9304** Well Contractor's Licence No.: **7 2 4 1** Business E-mail Address: **wrecords@stratasoil.com**
 Name of Well Technician (First Name, Last Name): **Mike Mait** Well Technician's Licence No.: **3 4 4 8** Date Submitted (yyyy/mm/dd): _____ Signature of Technician: _____

Date 1st Well in Cluster Constructed (yyyy/mm/dd): **2009/06/25** Date Last Well in Cluster Constructed (yyyy/mm/dd): **2009/06/25**

Ministry Use Only

Date Received (yyyy/mm/dd): **JUL 29 2009** Date Inspected (yyyy/mm/dd): _____
 Audit No.: **C06004** Remarks: **M05410**

0463



LEGEND:

 BOREHOLE



TITLE
**BOREHOLE LOCATION PLAN
 1687 MONTREAL ROAD
 OTTAWA, ONTARIO**

FIGURE
1

JUL 29 2009

C-7241 m05410
C06004,

Office Use Only

Application Number: _____	Ward Number: _____	Application Received: (dd/mm/yyyy): _____
Client Service Centre Staff: _____	Fee Received: \$	_____



Historic Land Use Inventory

Application Form

Notice of Public Record

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

Municipal Freedom of Information and Protection Act

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning Infrastructure and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

Background Information

*Site Address or Location:

* Mandatory Field

Applicant/Agent Information:

Name:

Mailing Address:

Telephone: Email Address:

Registered Property Owner Information: Same as above

Name:

Mailing Address:

Telephone: Email Address:

Site Details

Legal Description and PIN:

Part of Lot 20, Concession 1 (Ottawa Front), formerly the Township of Gloucester, in the City of Ottawa.

What is the land currently used for?

Site is currently occupied with an automotive service garage (Marier Auto Garage)

Lot frontage: m Lot depth: m Lot area: _____ m²

OR Lot area: (irregular lot) m²

Does the site have Full Municipal Services: Yes No

Required Fees

Please don't hesitate to visit [the Historic Land Use Inventory website](#) more information. Fees must be paid in full at the time of application submission.

Planning Fee

\$125.00

~~\$100.00~~

Submittal Requirements

The following are required to be submitted with this application:

- 1. Consent to Disclose Information:** Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, **the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner.** This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. Disclaimer:** Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Infrastructure and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3.** A site plan or key plan of the property, its location and particular features.
- 4.** Any significant dates or time frames that you would like researched.

Disclaimer
For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to Paterson Group Inc. _____ ("the Requester") does so only under the following conditions and understanding:

1. The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.
2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
4. Copyright is reserved to the City.
5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed:  _____

Dated (dd/mm/yyyy): 07/10/2020 _____

Per: Nick Sullivan

(Please print name)

Title: Environmental Scientist _____

Company: Paterson Group Inc. _____

patersongroup

Consulting Engineers

154 Colonnade Road South
Ottawa, Ontario
Canada, K2E 7J5

Tel: (613) 226-7381

Fax: (613) 226-6344

October 7, 2020
File: PE5061-HLUI

City of Ottawa
110 Laurier Avenue West
Ottawa, Ontario
K1P 1J1

Geotechnical Engineering
Environmental Engineering
Hydrogeology
Geological Engineering
Materials Testing
Building Science
Archaeological Services

www.patersongroup.ca

Subject: **Authorization Letter: HLUI Search
Phase I - Environmental Site Assessment
1649 Montreal Road & 741 Blair Road
Ottawa, Ontario**

Dear Sir or Madam,

Please consider this letter as confirmation that Paterson Group has been retained to conduct a Phase I - Environmental Site Assessment at the aforementioned property.

With this letter, the property owner authorizes the City of Ottawa and other regulatory bodies to release, to Paterson Group, information requested for the purpose of completing an environmental assessment of the property.

Name of Company/Property Owner:

JOHN GOVEAS / 1230008

Name of Representative

JOHN GOVEAS

Authorization of Representative

John

Date

13/10/2020

J M Y



DATABASE REPORT

Project Property: *Phase I ESA
1649 Montreal Road
Ottawa ON K1J 6N6*

Project No: *PE5061*

Report Type: *Standard Report*

Order No: *20300200327*

Requested by: *Paterson Group Inc.*

Date Completed: *October 7, 2020*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	14
Map.....	25
Aerial.....	26
Topographic Map.....	27
Detail Report.....	28
Unplottable Summary.....	122
Unplottable Report.....	126
Appendix: Database Descriptions.....	161
Definitions.....	170

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Phase I ESA
1649 Montreal Road Ottawa ON K1J 6N6*

Project No: *PE5061*

Coordinates:

Latitude: *45.4467343*
Longitude: *-75.6147151*
UTM Northing: *5,032,762.63*
UTM Easting: *451,929.03*
UTM Zone: *18T*

Elevation: *327 FT
99.52 M*

Order Information:

Order No: *20300200327*
Date Requested: *October 2, 2020*
Requested by: *Paterson Group Inc.*
Report Type: *Standard Report*

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	7	7
CA	<i>Certificates of Approval</i>	Y	0	2	2
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM MAN	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DELISTED TANK	<i>Delisted Fuel Tanks</i>	Y	4	1	5
DRL	<i>Drill Hole Database</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	0	0
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	6	6
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	3	1	4
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	3	1	4
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	6	6
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	11	11
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	1	1
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	1	1
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	6	6
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	1	1
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	1	1	2
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	0	0
SPL	<i>Ontario Spills</i>	Y	1	4	5
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	1	1
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	22	22
Total:			12	73	85

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	PRT	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON K1J 6N6	-/0.0	1.04	28
1	SPL		Catchbasin at 1649 Montreal Road Ottawa ON	-/0.0	1.04	28
1	DTNK	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON K1J 6N6	-/0.0	1.04	28
1	DTNK	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON	-/0.0	1.04	29
1	DTNK	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON	-/0.0	1.04	29
1	DTNK	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON	-/0.0	1.04	29
1	EXP	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-/0.0	1.04	30
1	EXP	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-/0.0	1.04	30
1	EXP	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-/0.0	1.04	30

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	FST	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-/0.0	1.04	31
1	FST	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-/0.0	1.04	31
1	FST	785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-/0.0	1.04	32

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
2	WWIS		lot 20 con 1 ON Well ID: 1501015	ESE/19.8	0.01	32
3	WWIS		lot 20 con 1 ON Well ID: 1501030	E/22.1	1.60	35
4	WWIS		lot 20 con 1 ON Well ID: 1501031	E/42.7	1.60	37
5	WWIS		lot 20 con 1 ON Well ID: 1501019	E/68.5	3.00	39
6	WWIS		lot 20 con 1 ON Well ID: 1501009	SSE/69.1	0.08	42
7	PRT	ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER ON K1J 6N5	SSE/81.4	-1.33	45
7	DTNK	ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER ON K1J 6N5	SSE/81.4	-1.33	45
7	EXP	ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA ON	SSE/81.4	-1.33	45
7	FST	ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA ON	SSE/81.4	-1.33	46
8	WWIS		lot 22 con 1 ON Well ID: 1501108	WSW/91.3	-2.64	46
9	BORE		ON	SSW/94.7	-4.00	48
10	WWIS		lot 20 con 1 ON	SW/98.6	-4.00	49

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1501041			
11	NPCB	NATIONAL RESEARCH COUNCIL	ASPM; MONTREAL ROAD LABS NRC MONTREAL RD. - IN USE OTTAWA ON K1A 0R6	WSW/98.7	-2.34	52
11	NPCB	NATIONAL RESEARCH COUNCIL	MONTREAL ROAD; BUILDING -19/ASPM PCB STORAGE M-26 AT M.R.L. OTTAWA ON K1A 0R6	WSW/98.7	-2.34	52
11	NPCB	NATIONAL RESEARCH COUNCIL CANADA	PLANT ENG. SERVICES BRANCH; BLDG. M19, MONTREAL RD. OTTAWA ON K1A 0R6	WSW/98.7	-2.34	53
11	NPCB	NATIONAL RESEARCH COUNCIL	A.S.P.M.; BLDG.M19, MONTREAL RD. LABS. NRC MONTREAL RD - PCB STORAGE; M-26 OTTAWA ON K1A 0R6	WSW/98.7	-2.34	53
11	SPL	NATIONAL RESEARCH COUNCIL	NRC, FLIGHT RESEARCH CENTRE UPLANDS AIRFORCE BASE OTTAWA FACILITY MONTREAL RD AT BLAIR RD OTTAWA CITY ON	WSW/98.7	-2.34	59
11	GEN	IRIDIAN SPECTRAL TECHNOLOGIES	1500 MONTREAL ROAD, M-50 BUILDING OTTAWA ON K1K 4P7	WSW/98.7	-2.34	60
11	NPCB	NATIONAL RESEARCH COUNCIL	Bldg. M19 Montreal Rd. Labs A. S. P. M. Montreal Rd Ottawa ON	WSW/98.7	-2.34	60
11	NPCB	NATIONAL RESEARCH COUNCIL	Montreal Road Labs A. S. P. M. Montreal Road Ottawa ON	WSW/98.7	-2.34	61
11	FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M9-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW/98.7	-2.34	62
11	FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M19-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW/98.7	-2.34	63
11	FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M14-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW/98.7	-2.34	63
11	SPL		1500 Montreal Road, Building M10 Ottawa ON K1K 4P7	WSW/98.7	-2.34	63

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
11	FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M9-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW/98.7	-2.34	64
11	FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M19-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW/98.7	-2.34	64
11	FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M14-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW/98.7	-2.34	65
11	HINC		1500 MONTREAL ROAD OTTAWA ON K1K 4P7	WSW/98.7	-2.34	65
12	WWIS		lot 20 con 1 ON Well ID: 1501017	SE/111.3	0.51	65
13	BORE		ON	SSE/112.5	-3.36	68
14	WWIS		lot 20 con 1 ON Well ID: 1501048	W/118.5	0.30	69
15	WWIS		lot 20 con 1 ON Well ID: 1500977	NW/122.1	3.95	72
16	PINC		779 BLAIR RD, OTTAWA ON	SSE/128.7	-3.36	74
17	WWIS		lot 20 con 1 ON Well ID: 1500998	ESE/132.9	1.77	74
18	WWIS		1687 MONTREAL ROAD Ottawa ON Well ID: 7126519	E/142.6	3.66	77
19	WWIS		lot 20 con 1 ON Well ID: 1500985	NW/146.3	5.36	84
20	BORE		ON	NW/146.5	5.36	87

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
21	BORE		ON	WNW/154.7	4.15	88
22	WWIS		lot 20 con 1 ON Well ID: 1501008	ESE/155.8	1.97	89
23	EHS		1687 Montreal Rd Ottawa ON K1J 6N6	E/156.4	6.76	92
23	VAR	ROBERT WILSON	1687 MONTREAL RD.,OTTAWA,ON,K1J 6N6,CA ON	E/156.4	6.76	92
23	GEN	YUM! Restaurants International (Canada) LP	1687 Montreal Road Ottawa ON	E/156.4	6.76	92
23	EHS		1687 Montreal Rd Ottawa ON	E/156.4	6.76	93
23	GEN	YUM! Restaurants International (Canada) LP	1687 Montreal Road Ottawa ON	E/156.4	6.76	93
23	EHS		1687 Montreal Rd Ottawa ON K1J6N6	E/156.4	6.76	93
24	CA	NOOR-ASEAN INC.	1690 MONTREAL ROAD GLOUCESTER CITY ON K1J 6N5	ESE/185.8	3.77	93
24	SPL	City of Ottawa	1690 Montreal Rd Ottawa ON	ESE/185.8	3.77	94
25	BORE		ON	SSE/196.0	-4.97	94
26	WWIS		lot 20 con 1 ON Well ID: 1501000	SSE/196.3	-4.97	95
27	WWIS		lot 20 con 1 ON	ESE/196.5	3.77	98

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1501016			
28	WWIS		lot 20 con 1 ON Well ID: 1510776	E/205.5	8.36	100
29	BORE		ON	E/205.5	8.36	103
30	BORE		ON	ESE/211.9	3.97	104
31	WWIS		lot 20 con 1 ON Well ID: 1501090	ESE/212.0	3.97	105
32	EHS		n/a Gloucester ON	W/221.1	0.90	108
33	WWIS		lot 20 con 1 ON Well ID: 1500993	SSE/221.7	-6.89	108
34	WWIS		lot 20 con 1 ON Well ID: 1501039	NW/226.9	5.56	110
35	EHS		1700 Montreal Road Ottawa ON K1J 6N5	ESE/238.3	5.17	112
35	GEN	660655 Canada Inc.	1700 Montreal Rd Ottawa ON	ESE/238.3	5.17	112
35	GEN	660655 Canada Inc.	1700 Montreal Rd Ottawa ON	ESE/238.3	5.17	112
35	GEN	6606552 Canada Inc.	1700 Montreal Rd Ottawa ON K1J6N5	ESE/238.3	5.17	112
35	GEN	6606552 Canada Inc.	1700 Montreal Rd Ottawa ON K1J6N5	ESE/238.3	5.17	113
35	GEN	6606552 Canada Inc.	1700 Montreal Rd Ottawa ON K1J6N5	ESE/238.3	5.17	113

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
35	GEN	Montreal Road Animal Hospital Professional Corp.	1700 Montreal Rd Ottawa ON K1J6N5	ESE/238.3	5.17	113
35	GEN	Montreal Road Animal Hospital Professional Corp.	1700 Montreal Road Ottawa ON K1J 6N5	ESE/238.3	5.17	114
36	EHS		1715 Montreal Raod East Gloucester ON	E/242.7	6.75	114
36	GEN	Extendicare Laurier Manor	1715 Montreal Road Ottawa ON K1J 6N4	E/242.7	6.75	114
36	EASR	EXTENDICARE (CANADA) INC.	1715 MONTREAL RD GLOUCESTER ON K1J 6N4	E/242.7	6.75	114
37	SPL		17 Taunton Place Ottawa ON	NE/243.3	12.36	115
37	INC		17 Taunton Place, Ottawa ON	NE/243.3	12.36	115
38	WWIS		lot 20 con 1 ON Well ID: 1501064	NE/247.5	12.11	116
39	CA	NICKY'S PIZZA	1704 MONTREAL ROAD GLOUCESTER CITY ON K1J 6N5	ESE/249.7	5.17	118
40	WWIS		lot 20 con 1 ON Well ID: 1500999	NNE/249.8	11.39	118

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 7 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	NW	146.48	<u>20</u>
	ON	WNW	154.70	<u>21</u>
	ON	E	205.55	<u>29</u>
	ON	ESE	211.94	<u>30</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SSW	94.69	<u>9</u>
	ON	SSE	112.52	<u>13</u>
	ON	SSE	196.01	<u>25</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 2 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
NOOR-ASEAN INC.	1690 MONTREAL ROAD GLOUCESTER CITY ON K1J 6N5	ESE	185.77	24
NICKY'S PIZZA	1704 MONTREAL ROAD GLOUCESTER CITY ON K1J 6N5	ESE	249.71	39

DELISTED TANK - Delisted Fuel Tanks

A search of the DELISTED TANK database, dated Jul 31, 2020 has found that there are 5 DELISTED TANK site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON K1J 6N6	-	0.00	1
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON	-	0.00	1
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON	-	0.00	1
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON	-	0.00	1

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER ON K1J 6N5	SSE	81.45	7

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Aug 31, 2020 has found that there are 1 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
EXTENDICARE (CANADA) INC.	1715 MONTREAL RD GLOUCESTER ON K1J 6N4	E	242.67	36

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	----------------	------------------	---------------------	----------------

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jul 31, 2020 has found that there are 6 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1687 Montreal Rd Ottawa ON	E	156.39	23
	1687 Montreal Rd Ottawa ON K1J6N6	E	156.39	23
	1687 Montreal Rd Ottawa ON K1J 6N6	E	156.39	23
	n/a Gloucester ON	W	221.14	32
	1700 Montreal Road Ottawa ON K1J 6N5	ESE	238.34	35
	1715 Montreal Raod East Gloucester ON	E	242.67	36

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Jul 31, 2020 has found that there are 4 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-	0.00	1
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-	0.00	1

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-	0.00	1

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA ON	SSE	81.45	7

FST - Fuel Storage Tank

A search of the FST database, dated Jul 31, 2020 has found that there are 4 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-	0.00	1

785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-	0.00	1
-------------------------------	--	---	------	-------------------

785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	-	0.00	1
-------------------------------	--	---	------	-------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA ON	SSE	81.45	7

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 6 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M19-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW	98.72	11

NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M9-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW	98.72	11
NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M14-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW	98.72	11
NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M19-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW	98.72	11
NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M14-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW	98.72	11
NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	M9-1500 MONTREAL RD OTTAWA ON K1K 4P7	WSW	98.72	11

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2020 has found that there are 11 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
YUM! Restaurants International (Canada) LP	1687 Montreal Road Ottawa ON	E	156.39	23
YUM! Restaurants International (Canada) LP	1687 Montreal Road Ottawa ON	E	156.39	23
660655 Canada Inc.	1700 Montreal Rd Ottawa ON	ESE	238.34	35
660655 Canada Inc.	1700 Montreal Rd Ottawa ON	ESE	238.34	35
6606552 Canada Inc.	1700 Montreal Rd Ottawa ON K1J6N5	ESE	238.34	35
6606552 Canada Inc.	1700 Montreal Rd Ottawa ON K1J6N5	ESE	238.34	35

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Montreal Road Animal Hospital Professional Corp.	1700 Montreal Rd Ottawa ON K1J6N5	ESE	238.34	35
Montreal Road Animal Hospital Professional Corp.	1700 Montreal Road Ottawa ON K1J 6N5	ESE	238.34	35
6606552 Canada Inc.	1700 Montreal Rd Ottawa ON K1J6N5	ESE	238.34	35
Extendicare Laurier Manor	1715 Montreal Road Ottawa ON K1J 6N4	E	242.67	36

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
IRIDIAN SPECTRAL TECHNOLOGIES	1500 MONTREAL ROAD, M-50 BUILDING OTTAWA ON K1K 4P7	WSW	98.72	11

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 1 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1500 MONTREAL ROAD OTTAWA ON K1K 4P7	WSW	98.72	11

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Jul 31, 2020 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	17 Taunton Place, Ottawa ON	NE	243.27	37

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 6 NPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
NATIONAL RESEARCH COUNCIL	ASPM; MONTREAL ROAD LABS NRC MONTREAL RD. - IN USE OTTAWA ON K1A 0R6	WSW	98.72	11
NATIONAL RESEARCH COUNCIL	MONTREAL ROAD; BUILDING -19 /ASPM PCB STORAGE M-26 AT M.R. L. OTTAWA ON K1A 0R6	WSW	98.72	11
NATIONAL RESEARCH COUNCIL	Montreal Road Labs A. S. P. M. Montreal Road Ottawa ON	WSW	98.72	11
NATIONAL RESEARCH COUNCIL	A.S.P.M.; BLDG.M19, MONTREAL RD. LABS. NRC MONTREAL RD - PCB STORAGE; M-26 OTTAWA ON K1A 0R6	WSW	98.72	11
NATIONAL RESEARCH COUNCIL	Bldg. M19 Montreal Rd. Labs A. S. P. M. Montreal Rd Ottawa ON	WSW	98.72	11
NATIONAL RESEARCH COUNCIL CANADA	PLANT ENG. SERVICES BRANCH; BLDG.M19, MONTREAL RD. OTTAWA ON K1A 0R6	WSW	98.72	11

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	779 BLAIR RD, OTTAWA ON	SSE	128.72	16

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 2 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
785787 ONT 785787 ONTARIO LTD	1649 MONTREAL RD GLOUCESTER ON K1J 6N6	-	0.00	1

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ROBERT JONES ESSO	1648 MONTREAL RD GLOUCESTER ON K1J 6N5	SSE	81.45	7

SPL - Ontario Spills

A search of the SPL database, dated 1988-Nov 2019 has found that there are 5 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Catchbasin at 1649 Montreal Road Ottawa ON	-	0.00	1
City of Ottawa	1690 Montreal Rd Ottawa ON	ESE	185.77	24
	17 Taunton Place Ottawa ON	NE	243.27	37

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
NATIONAL RESEARCH COUNCIL	NRC, FLIGHT RESEARCH CENTRE UPLANDS AIRFORCE BASE OTTAWA FACILITY MONTREAL RD AT BLAIR RD OTTAWA CITY ON	WSW	98.72	11
	1500 Montreal Road, Building M10 Ottawa ON K1K 4P7	WSW	98.72	11

VAR - Variances for Abandonment of Underground Storage Tanks

A search of the VAR database, dated Jul 31, 2020 has found that there are 1 VAR site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ROBERT WILSON	1687 MONTREAL RD.,OTTAWA,ON, K1J 6N6,CA ON	E	156.39	23

WWIS - Water Well Information System


A search of the WWIS database, dated Apr 30, 2020 has found that there are 22 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 20 con 1 ON <i>Well ID:</i> 1501015	ESE	19.77	2
	lot 20 con 1 ON <i>Well ID:</i> 1501030	E	22.11	3
	lot 20 con 1 ON <i>Well ID:</i> 1501031	E	42.71	4
	lot 20 con 1 ON <i>Well ID:</i> 1501019	E	68.48	5
	lot 20 con 1 ON <i>Well ID:</i> 1501009	SSE	69.12	6
	lot 20 con 1 ON <i>Well ID:</i> 1501017	SE	111.27	12
	lot 20 con 1 ON <i>Well ID:</i> 1501048	W	118.46	14
	lot 20 con 1 ON <i>Well ID:</i> 1500977	NW	122.08	15
	lot 20 con 1 ON <i>Well ID:</i> 1500998	ESE	132.93	17

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1687 MONTREAL ROAD Ottawa ON <i>Well ID:</i> 7126519	E	142.59	18
	lot 20 con 1 ON <i>Well ID:</i> 1500985	NW	146.30	19
	lot 20 con 1 ON <i>Well ID:</i> 1501008	ESE	155.76	22
	lot 20 con 1 ON <i>Well ID:</i> 1501016	ESE	196.51	27
	lot 20 con 1 ON <i>Well ID:</i> 1510776	E	205.48	28
	lot 20 con 1 ON <i>Well ID:</i> 1501090	ESE	212.02	31
	lot 20 con 1 ON <i>Well ID:</i> 1501039	NW	226.90	34
	lot 20 con 1 ON <i>Well ID:</i> 1501064	NE	247.51	38
	lot 20 con 1 ON <i>Well ID:</i> 1500999	NNE	249.77	40

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 22 con 1 ON <i>Well ID:</i> 1501108	WSW	91.35	8
	lot 20 con 1 ON <i>Well ID:</i> 1501041	SW	98.64	10

lot 20 con 1 ON	SSE	196.26	26
Well ID: 1501000			
lot 20 con 1 ON	SSE	221.74	33
Well ID: 1500993			



Map : 0.25 Kilometer Radius

Order Number: 20300200327

Address: 1649 Montreal Road, Ottawa, ON




Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Ferry Route/Ice Road		

75°37'30"W

45°27'N

45°27'N



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

1:10000

Aerial Year: 2019


Address: 1649 Montreal Road, Ottawa, ON

Source: ESRI World Imagery

Order Number: 20300200327



© ERIS Information Limited Partnership



Topographic Map

Address: 1649 Montreal Road, ON

Source: ESRI World Topographic Map

Order Number: 20300200327



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 12	-/0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER ON K1J 6N6	PRT
Location ID: 5304 Type: retail Expiry Date: 1992-10-31 Capacity (L): 77250 Licence #: 0055469001					
1	2 of 12	-/0.0	100.6 / 1.04	Catchbasin at 1649 Montreal Road Ottawa ON	SPL
Ref No: 4268-7TWLN4 Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: OIL (PETROLEUM BASED, NOT SPECIFIED) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Not Anticipated Nature of Impact: Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 7/13/2009 Dt Document Closed:		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Other Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Pollution Incident Reports (PIRs) and ¿Other¿ calls Source Type:			
Incident Reason: Site Name: Catchbasin at 1649 Montreal Road<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Montreal Road: Oil being dumped into sewer Contaminant Qty:					
1	3 of 12	-/0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER ON K1J 6N6	DTNK

Delisted Expired Fuel Safety Facilities

Instance No: 9813711
Status: EXPIRED

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance ID: Instance Type: FS Facility Description: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 4/16/1992 Original Source: EXP Record Date: Up to May 2013					
1	4 of 12	-/0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u> Instance No: 10762806 Status: EXPIRED Instance ID: 36927 Instance Type: FS Piping Description: FS Piping TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012					
1	5 of 12	-/0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u> Instance No: 10762824 Status: EXPIRED Instance ID: 37725 Instance Type: FS Piping Description: FS Piping TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: EXP Record Date: Up to Mar 2012					
1	6 of 12	-/0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER ON	DTNK
<u>Delisted Expired Fuel Safety Facilities</u> Instance No: 10762842 Status: EXPIRED Instance ID: 38013					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance Type: Description: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: Record Date:		FS Piping FS Piping EXP Up to Mar 2012			
<u>1</u>	7 of 12	-0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	EXP
Instance No: Status: Instance ID: Instance Type: Instance Creation Dt: Instance Install Dt: Item: Item Description: Facility Type: Overfill Prot Type: Creation Date: Expired Date: Manufacturer: Source: Description: Serial No: Ulc Standard: Facility Location:		10762815 EXPIRED 4/15/1992 4/15/1992 FS Liquid Fuel Tank FS LIQUID FUEL TANK NULL 7/5/2009 1:20:37 AM NULL NULL FS Liquid Fuel Tank UNDERGROUND TANK NULL NULL 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA		Model: Quantity: Unit of Measure: Fuel Type2: Fuel Type3: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Panam Related: Panam Venue Nm:	NULL 1 EA NULL NULL NULL NULL
<u>1</u>	8 of 12	-0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	EXP
Instance No: Status: Instance ID: Instance Type: Instance Creation Dt: Instance Install Dt: Item: Item Description: Facility Type: Overfill Prot Type: Creation Date: Expired Date: Manufacturer: Source: Description: Serial No: Ulc Standard: Facility Location:		10762833 EXPIRED 4/15/1992 4/15/1992 FS Liquid Fuel Tank FS LIQUID FUEL TANK NULL 7/5/2009 1:20:47 AM NULL NULL FS Liquid Fuel Tank UNDERGROUND TANK NULL NULL 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA		Model: Quantity: Unit of Measure: Fuel Type2: Fuel Type3: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Panam Related: Panam Venue Nm:	NULL 1 EA NULL NULL NULL NULL
<u>1</u>	9 of 12	-0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance No:	10762795			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	4/15/1992			Fuel Type3:	NULL
Instance Install Dt:	4/15/1992			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:20:51 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	UNDERGROUND TANK				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA				

1 10 of 12 -/0.0 100.6 / 1.04 785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON FST

Instance No:	10762795			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	Gasoline
Item Description:	FS Liquid Fuel Tank			Fuel Type:	NULL
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	4/15/1992			Fuel Type3:	NULL
Install Year:	1986			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	31850			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA				

Fuel Storage Tank Details

Owner Account Name: 785787 ONT 785787 ONTARIO LTD

1 11 of 12 -/0.0 100.6 / 1.04 785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON FST

Instance No:	10762815			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	Gasoline
Item Description:	FS Liquid Fuel Tank			Fuel Type:	NULL
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Install Date:	4/15/1992			Fuel Type3: NULL	
Install Year:	1986			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA			

Fuel Storage Tank Details

Owner Account Name: 785787 ONT 785787 ONTARIO LTD

1	12 of 12	-/0.0	100.6 / 1.04	785787 ONT 785787 ONTARIO LTD 1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA ON	FST
Instance No:	10762833			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	4/15/1992			Fuel Type3:	NULL
Install Year:	1986			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		1649 MONTREAL RD GLOUCESTER K1J 6N6 ON CA			

Fuel Storage Tank Details

Owner Account Name: 785787 ONT 785787 ONTARIO LTD

2	1 of 1	ESE/19.8	99.5 / 0.01	lot 20 con 1 ON	WWIS
Well ID:	1501015			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/20/1954
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	5205
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501015.pdf

Bore Hole Information

Bore Hole ID:	10023058	Elevation:	98.742271
DP2BR:	0	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451945.7
Code OB Desc:	Bedrock	North83:	5032752
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	9/8/1954	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	930990796
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	17
Formation End Depth:	123
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	930990795
Layer:	1
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	17
Formation End Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Method of Construction & Well Use

Method Construction ID: 961501015
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10571628
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930039020
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 18
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930039021
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 123
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991501015
Pump Set At:
Static Level: 23
Final Level After Pumping: 25
Recommended Pump Depth:
Pumping Rate: 6
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Water Details

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		933453657			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		123			
Water Found Depth UOM:		ft			

3	1 of 1	E/22.1	101.1 / 1.60	lot 20 con 1 ON	WWIS
Well ID:	1501030			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	3/15/1956
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501030.pdf

Bore Hole Information

Bore Hole ID:	10023073	Elevation:	99.493743
DP2BR:	2	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451950.7
Code OB Desc:	Bedrock	North83:	5032767
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	1/23/1956	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	930990831
Layer:	1
Color:	
General Color:	
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930990833			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20			
Formation End Depth:		102			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930990832			
Layer:		2			
Color:					
General Color:					
Mat1:		26			
Most Common Material:		ROCK			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961501030			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571643			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039051			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039052			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		102			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501030			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		45			
Recommended Pump Depth:					
Pumping Rate:		8			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933453684			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		102			
Water Found Depth UOM:		ft			

<u>4</u>	1 of 1	E/42.7	101.1 / 1.60	lot 20 con 1 ON	WWIS
Well ID:		1501031		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	4/9/1956
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	4825
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501031.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10023074			Elevation:	99.621238
DP2BR:	0			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	451970.7
Code OB Desc:	Bedrock			North83:	5032772
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	1/30/1956			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930990834				
Layer:	1				
Color:					
General Color:					
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	180				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	961501031				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10571644				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930039054				
Layer:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:					
Open Hole or Material:		4			
Depth From:		OPEN HOLE			
Depth To:		180			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039053			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501031			
Pump Set At:					
Static Level:		30			
Final Level After Pumping:		125			
Recommended Pump Depth:					
Pumping Rate:		5			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		45			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933453685			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		140			
Water Found Depth UOM:		ft			

5

1 of 1

E/68.5

102.5 / 3.00

lot 20 con 1
ON

WWIS

Well ID:	1501019	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	7/5/1955
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3566
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	GLOUCESTER TOWNSHIP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501019.pdf

Bore Hole Information

Bore Hole ID:	10023062	Elevation:	98.837821
DP2BR:	7	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451995.7
Code OB Desc:	Bedrock	North83:	5032747
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	4/26/1955	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	930990805
Layer:	1
Color:	
General Color:	
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	09
Mat2 Desc:	MEDIUM SAND
Mat3:	13
Mat3 Desc:	BOULDERS
Formation Top Depth:	0
Formation End Depth:	7
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	930990807
Layer:	3
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	80
Formation End Depth:	95
Formation End Depth UOM:	ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Overburden and Bedrock
Materials Interval**

Formation ID: 930990806
Layer: 2
Color: 8
General Color: BLACK
Mat1: 17
Most Common Material: SHALE
Mat2: 15
Mat2 Desc: LIMESTONE
Mat3:
Mat3 Desc:
Formation Top Depth: 7
Formation End Depth: 80
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961501019
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10571632
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930039028
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 20
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930039029
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 95
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991501019
Pump Set At:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:		24			
Final Level After Pumping:		24			
Recommended Pump Depth:					
Pumping Rate:		5			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			

Water Details

Water ID: 933453665
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 50
 Water Found Depth UOM: ft

Water Details

Water ID: 933453666
 Layer: 2
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 90
 Water Found Depth UOM: ft

6	1 of 1	SSE/69.1	99.6 / 0.08	lot 20 con 1 ON	WWIS
-------------------	--------	----------	-------------	--------------------	------

<p>Well ID: 1501009 Construction Date: Primary Water Use: Commerical Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:</p>	<p>Data Entry Status: Data Src: 1 Date Received: 7/16/1954 Selected Flag: Yes Abandonment Rec: Contractor: 1107 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 020 Concession: 01 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:</p>
---	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501009.pdf

Bore Hole Information

Bore Hole ID: 10023052 Elevation: 96.684165

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:	15			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	451950.7
Code OB Desc:	Bedrock			North83:	5032697
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	6/19/1954			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 930990780
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 15
Formation End Depth: 159
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 930990778
Layer: 1
Color: 8
General Color: BLACK
Mat1: 02
Most Common Material: TOPSOIL
Mat2: 09
Mat2 Desc: MEDIUM SAND
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth: 3
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 930990779
Layer: 2
Color: 8
General Color: BLACK
Mat1: 09
Most Common Material: MEDIUM SAND
Mat2: 12
Mat2 Desc: STONES
Mat3:
Mat3 Desc:
Formation Top Depth: 3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961501009			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571622			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039009			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		159			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039008			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		15			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501009			
Pump Set At:					
Static Level:		5			
Final Level After Pumping:		20			
Recommended Pump Depth:					
Pumping Rate:		8			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933453646			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		159			
Water Found Depth UOM:		ft			
<u>7</u>	1 of 4	SSE/81.4	98.2 / -1.33	ROBERT JONES ESSO 1648 MONTREAL RD GLOUCESTER ON K1J 6N5	PRT
Location ID:		5303			
Type:		retail			
Expiry Date:		1991-06-30			
Capacity (L):		17400			
Licence #:		0056046001			
<u>7</u>	2 of 4	SSE/81.4	98.2 / -1.33	ROBERT JONES ESSO 1648 MONTREAL RD GLOUCESTER ON K1J 6N5	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:		9826947			
Status:		EXPIRED			
Instance ID:					
Instance Type:		FS Facility			
Description:					
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		7/1/1990			
Original Source:		EXP			
Record Date:		Up to May 2013			
<u>7</u>	3 of 4	SSE/81.4	98.2 / -1.33	ROBERT JONES ESSO 1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA ON	EXP
Instance No:		10762783			
Status:		EXPIRED			
Instance ID:					
Instance Type:					
Instance Creation Dt:		10/2/1989			
Instance Install Dt:		10/2/1989			
Item:					
Item Description:		FS Liquid Fuel Tank			
Facility Type:		FS LIQUID FUEL TANK			
Overfill Prot Type:		NULL			
Creation Date:		7/5/2009 1:20:40 AM			
Expired Date:					
Manufacturer:		NULL			
Source:		FS Liquid Fuel Tank			
Description:		CONVERSION RECORDS FOR LICENCED ACCOUNTS			
Serial No:		NULL			
Ulc Standard:		NULL			
Facility Location:		1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA			
Model:				NULL	
Quantity:				1	
Unit of Measure:				EA	
Fuel Type2:				NULL	
Fuel Type3:				NULL	
Piping Steel:					
Piping Galvanized:					
Tank Single Wall St:					
Piping Underground:					
Tank Underground:					
Panam Related:				NULL	
Panam Venue Nm:				NULL	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

7	4 of 4	SSE/81.4	98.2 / -1.33	ROBERT JONES ESSO 1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA ON	FST
Instance No:		10762783		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:		FS LIQUID FUEL TANK		Unit of Measure:	
Item Description:		FS Liquid Fuel Tank		Fuel Type: Gasoline	
Tank Type:		Liquid Fuel Single Wall UST		Fuel Type2: NULL	
Install Date:		10/2/1989		Fuel Type3: NULL	
Install Year:		NULL		Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:		0		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		1648 MONTREAL RD GLOUCESTER K1J 6N5 ON CA			

Fuel Storage Tank Details

Owner Account Name: ROBERT JONES ESSO

8	1 of 1	WSW/91.3	96.9 / -2.64	lot 22 con 1 ON	WWIS
Well ID:		1501108		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 1/25/1950	
Sec. Water Use:		0		Selected Flag: Yes	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 3504	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: GLOUCESTER TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 022	
Well Depth:				Concession: 01	
Overburden/Bedrock:				Concession Name: OF	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501108.pdf

Bore Hole Information

Bore Hole ID:		10023151		Elevation: 95.908508	
DP2BR:		3		Elevrc:	
Spatial Status:				Zone: 18	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:	r			East83:	451860.7
Code OB Desc:	Bedrock			North83:	5032702
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/18/1949			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID: 930990995
Layer: 2
Color:
General Color:
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 3
Formation End Depth: 152
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 930990994
Layer: 1
Color:
General Color:
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth: 3
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961501108
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10571721
Casing No: 1
Comment:
Alt Name:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 930039207
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 11
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930039208
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 152
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991501108
Pump Set At:
Static Level: 55
Final Level After Pumping: 105
Recommended Pump Depth:
Pumping Rate: 4
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 0
Pumping Duration MIN: 30
Flowing: No

Water Details

Water ID: 933453788
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 152
Water Found Depth UOM: ft

<u>9</u>	1 of 1	SSW/94.7	95.5 / -4.00	ON	BORE
----------	--------	----------	--------------	----	------

Borehole ID:	615209	Inclin FLG:	No
OGF ID:	215516151	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:		Municipality:	
Static Water Level:	12.8	Lot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use: Sec. Water Use: Total Depth m: -999 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 94 Elev Reliabil Note: DEM Ground Elev m: 94.4 Concession: Location D: Survey D: Comments:				Township: Latitude DD: 45.445919 Longitude DD: -75.615068 UTM Zone: 18 Easting: 451901 Northing: 5032672 Location Accuracy: Accuracy: Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218400831 Top Depth: .3 Bottom Depth: Material Color: Material 1: Bedrock Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	BEDROCK. SHALE. LIMESTONE. 00200E. BEDROCK. 10DROCK. BEDROCK. BEDROCK. WAT **Note: Many records provided by the department have a truncated [Stratum Description] field.
Geology Stratum ID: 218400830 Top Depth: 0 Bottom Depth: .3 Material Color: Material 1: Silt Material 2: Sand Material 3: Material 4: Gsc Material Description: Stratum Description:				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	SILT.
<u>Source</u>					
Source Type: Data Survey Source Orig: Geological Survey of Canada Source Date: 1956-1972 Confidence: Observatio: Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: OTTAWA2.txt RecordID: 077170 NTS_Sheet: 31G05H Confiden 1:		Source Appl: Spatial/Tabular Source Iden: 1 Scale or Res: Varies Horizontal: NAD27 Verticalda: Mean Average Sea Level			
<u>Source List</u>					
Source Identifier: 1 Source Type: Data Survey Source Date: 1956-1972 Scale or Resolution: Varies Source Name: Urban Geology Automated Information System (UGAIS) Source Originators: Geological Survey of Canada		Horizontal Datum: NAD27 Vertical Datum: Mean Average Sea Level Projection Name: Universal Transverse Mercator			
10	1 of 1	SW/98.6	95.5 / -4.00	lot 20 con 1 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	1501041			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	5/20/1958
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3701
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501041.pdf

Bore Hole Information

Bore Hole ID:	10023084	Elevation:	95.039581
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451865.7
Code OB Desc:	Bedrock	North83:	5032687
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	4/30/1958	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	930990853
Layer:	2
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	16
Formation End Depth:	130
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	930990852
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961501041			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571654			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039074			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		130			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039073			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		45			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501041			
Pump Set At:					
Static Level:		25			
Final Level After Pumping:		35			
Recommended Pump Depth:					
Pumping Rate:		6			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933453700			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		130			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933453699			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		90			
Water Found Depth UOM:		ft			
11	1 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL ASPM; MONTREAL ROAD LABS NRC MONTREAL RD. - IN USE OTTAWA ON K1A 0R6	NPCB
Company Code:		O3138A			
Industry:		National Research Council			
Site Status:					
Transaction Date:		2/16/1993			
Inspection Date:					
<u>--Details--</u>					
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		In-Use			
Contents:		4.50 L			
Label:					
Serial No.:					
PCB Type/Code:		Inerteen			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		In-Use			
Contents:		803.00 L			
11	2 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL MONTREAL ROAD; BUILDING -19/ASPM PCB STORAGE M-26 AT M.R.L.	NPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON K1A 0R6					
Company Code: Industry: Site Status: Transaction Date: Inspection Date:		O3164 National Research Council 2/16/1993			
11	3 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL CANADA PLANT ENG. SERVICES BRANCH; BLDG.M19, MONTREAL RD. OTTAWA ON K1A 0R6	NPCB
Company Code: Industry: Site Status: Transaction Date: Inspection Date:		O3138 National Research Council 5/30/1990			
11	4 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL A.S.P.M.; BLDG.M19, MONTREAL RD. LABS. NRC MONTREAL RD - PCB STORAGE; M-26 OTTAWA ON K1A 0R6	NPCB
Company Code: Industry: Site Status: Transaction Date: Inspection Date:		O3138 National Research Council 12/29/1994 5/5/1993			
--Details--					
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for future use			
Contents:		40.00 L			
Label:					
Serial No.:					
PCB Type/Code:		Unknown concentration			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		50.00 L			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		53.00 L			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i> <i>Manufacturer:</i> <i>Status:</i> <i>Contents:</i>		Askarel			
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i> <i>Manufacturer:</i> <i>Status:</i> <i>Contents:</i>		Askarel		Stored for Disposal 60.00 L	
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i> <i>Manufacturer:</i> <i>Status:</i> <i>Contents:</i>		Askarel		Stored for Disposal 65.00 L	
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i> <i>Manufacturer:</i> <i>Status:</i> <i>Contents:</i>		Askarel		Stored for future use 75.00 L	
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i> <i>Manufacturer:</i> <i>Status:</i> <i>Contents:</i>		Askarel		Stored for Disposal 108.60 L	
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i> <i>Manufacturer:</i> <i>Status:</i> <i>Contents:</i>		Askarel		Stored for Disposal 120.00 KG	
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i> <i>Manufacturer:</i> <i>Status:</i> <i>Contents:</i>		Askarel		Stored for Disposal 132.00 KG	
<i>Label:</i> <i>Serial No.:</i> <i>PCB Type/Code:</i> <i>Location:</i> <i>Item/State:</i> <i>No. of Items:</i>		Askarel			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Manufacturer:					
Status:			Stored for Disposal		
Contents:			145.00 L		
Label:					
Serial No.:					
PCB Type/Code:		Low	50 - 10,000 ppm		
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:			Stored for Disposal		
Contents:			200.00 L		
Label:					
Serial No.:					
PCB Type/Code:		Low	50 - 10,000 ppm		
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:			Stored for Disposal		
Contents:			205.00 L		
Label:					
Serial No.:					
PCB Type/Code:			Unknown concentration		
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:			Stored for Disposal		
Contents:			205.00 L		
Label:					
Serial No.:					
PCB Type/Code:			Askarel		
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:			Stored for future use		
Contents:			236.08 L		
Label:					
Serial No.:					
PCB Type/Code:			Unknown concentration		
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:			Stored for Disposal		
Contents:			250.00 KG		
Label:					
Serial No.:					
PCB Type/Code:			Askarel		
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:			Stored for Disposal		
Contents:			252.00 KG		
Label:					
Serial No.:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PCB Type/Code:		Unknown concentration			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		256.25 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		282.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		Unknown concentration			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for future use			
Contents:		300.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		448.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for future use			
Contents:		505.00 L			
Label:					
Serial No.:					
PCB Type/Code:		Unknown concentration			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for future use			
Contents:		512.50 KG			
Label:					
Serial No.:					
PCB Type/Code:		Unknown concentration			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for future use			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contents:		1200.00 L			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		0.00 L			
Label:					
Serial No.:					
PCB Type/Code:		Inerteen			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		0.00 L			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		1.50 L			
Label:					
Serial No.:					
PCB Type/Code:		Unknown concentration			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		1.88 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		2.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		2.00 L			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Item/State: No. of Items: Manufacturer: Status: Contents:				Stored for Disposal 4.50 L	
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:				Askarel Stored for future use 4.50 L	
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:				Askarel Stored for Disposal 5.00 L	
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:				Askarel In-Use 6.60 L	
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:				Askarel Stored for Disposal 6.60 L	
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:				Askarel Stored for future use 6.60 L	
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:				Askarel Stored for Disposal 7.89 L	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Label: Serial No.: PCB Type/Code: Askarel Location: Item/State: No. of Items: Manufacturer: Status: Stored for Disposal Contents: 10.00 L					
Label: Serial No.: PCB Type/Code: Askarel Location: Item/State: No. of Items: Manufacturer: Status: Stored for Disposal Contents: 18.00 L					
Label: Serial No.: PCB Type/Code: Askarel Location: Item/State: No. of Items: Manufacturer: Status: Stored for Disposal Contents: 18.10 L					
Label: Serial No.: PCB Type/Code: Askarel Location: Item/State: No. of Items: Manufacturer: Status: Stored for Disposal Contents: 20.00 L					
Label: Serial No.: PCB Type/Code: Askarel Location: Item/State: No. of Items: Manufacturer: Status: Stored for Disposal Contents: 40.00 L					

[11](#)

5 of 16

WSW/98.7

97.2 / -2.34

NATIONAL RESEARCH COUNCIL
NRC, FLIGHT RESEARCH CENTRE UPLANDS
AIRFORCE BASE OTTAWA FACILITY
MONTREAL RD AT BLAIR RD
OTTAWA CITY ON

SPL

Ref No: 217541
Site No:
Incident Dt: 12/4/2001
Year:
Incident Cause: UNKNOWN
Incident Event:
Contaminant Code:
Contaminant Name:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved: CITY WORKS
Nearest Watercourse:
Site Address:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Possible
Nature of Impact: Water course or lake
Receiving Medium: Water
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 12/4/2001
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: NRC: UNKNOWN VOLUME OF WHITE PAINT TO DEMIERVILLE CREEK.
Contaminant Qty:

Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

11	6 of 16	WSW/98.7	97.2 / -2.34	IRIDIAN SPECTRAL TECHNOLOGIES 1500 MONTREAL ROAD, M-50 BUILDING OTTAWA ON K1K 4P7	GEN
--------------------	---------	----------	--------------	---	-----

Generator No: ON2671900
Status:
Approval Years: 01
Contam. Facility:
MHSW Facility:
SIC Code: 3351
SIC Description: TELECOMMUNICATIONS

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

11	7 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL Bldg. M19 Montreal Rd. Labs A. S. P. M. Montreal Rd Ottawa ON	NPCB
--------------------	---------	----------	--------------	--	------

Company Code: O3138
Industry: National Research Council
Site Status: Stored for Future Use
Transaction Date: 5/5/1993
Inspection Date: 5/5/1993

--Details--

Label:
Serial No.:
PCB Type/Code: Askarel/Askarel

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Building M- 51			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		In-Use			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Askarel/Askarel BLDG. M- 51			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Stored for future use			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Askarel/Askarel			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Stored for future use			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Askarel/Askarel QUONSET HUT M- 19			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Stored for future use			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Askarel/Askarel IN STORAGE BLDG. MRL - 26C			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		Stored for disposal			

[11](#)

8 of 16

WSW/98.7

97.2 / -2.34

NATIONAL RESEARCH COUNCIL
Montreal Road Labs A. S. P. M. Montreal Road
Ottawa ON

NPCB

Company Code: O3138A
Industry: National Research Council
Site Status: In- Use
Transaction Date: 12/18/1991
Inspection Date:

--Details--

Label:
Serial No.:
PCB Type/Code: Askarel/Askarel
Location: BLDG. M- 19
Item/State:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
No. of Items: Manufacturer: Status: In-Use Contents: Label: Serial No.: PCB Type/Code: Askarel/Inerteen Location: BLDG. M- 35 Item/State: No. of Items: Manufacturer: Status: In-Use Contents: Label: Serial No.: PCB Type/Code: Askarel/Inerteen Location: BLDG. M- 36 Item/State: No. of Items: Manufacturer: Status: In-Use Contents: Label: Serial No.: PCB Type/Code: Askarel/Inerteen Location: BLDG. M- 55 Item/State: No. of Items: Manufacturer: Status: In-Use Contents:					
11	9 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19 M9-1500 MONTREAL RD OTTAWA ON K1K 4P7	FSTH
License Issue Date: 5/6/1991 Tank Status: Licensed Tank Status As Of: August 2007 Operation Type: Private Fuel Outlet Facility Type: Gasoline Station - Self Serve --Details-- Status: Active Year of Installation: 1990 Corrosion Protection: Capacity: 2273 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline Status: Active Year of Installation: 1990 Corrosion Protection: Capacity: 13638 Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel Status: Active Year of Installation: 1990 Corrosion Protection: Capacity: 13638					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
Status:		Active			
Year of Installation:		1990			
Corrosion Protection:					
Capacity:		13638			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
11	10 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19 M19-1500 MONTREAL RD OTTAWA ON K1K 4P7	FSTH
License Issue Date:		12/10/1990			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		1990			
Corrosion Protection:					
Capacity:		9092			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
11	11 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19 M14-1500 MONTREAL RD OTTAWA ON K1K 4P7	FSTH
License Issue Date:		12/23/1991			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		4546			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
11	12 of 16	WSW/98.7	97.2 / -2.34	1500 Montreal Road, Building M10 Ottawa ON K1K 4P7	SPL
Ref No:		7068-7DNRSF		Discharger Report:	
Site No:				Material Group:	
Incident Dt:				Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		Discharge or Emission to Air		Sector Type: Other	
Incident Event:				Agency Involved:	
Contaminant Code:		35		Nearest Watercourse:	
Contaminant Name:		NATURAL GAS, COMPRESSED (METHANE)		Site Address:	
Contaminant Limit 1:				Site District Office: Ottawa	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:		Confirmed		Site Municipality: Ottawa	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nature of Impact: Air Pollution Receiving Medium: Receiving Env: MOE Response: No Field Response Dt MOE Arvl on Scn: MOE Reported Dt: 4/13/2008 Dt Document Closed: 5/13/2008 Incident Reason: Spill Site Name: National Research Council of Canada<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: NRCC: Natural Gas to Atm 200 psi, 2 hrs Contaminant Qty: 120 min (duration)					
Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours Source Type:					

11	13 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19 M9-1500 MONTREAL RD OTTAWA ON K1K 4P7	FSTH
License Issue Date: 5/6/1991 Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Private Fuel Outlet Facility Type: Gasoline Station - Self Serve					
--Details--					
Status: Active Year of Installation: 1990 Corrosion Protection: Capacity: 13638 Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel					
Status: Active Year of Installation: 1990 Corrosion Protection: Capacity: 13638 Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel					
Status: Active Year of Installation: 1990 Corrosion Protection: Capacity: 13638 Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel					
Status: Active Year of Installation: 1990 Corrosion Protection: Capacity: 2273 Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline					

11	14 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19 M19-1500 MONTREAL RD OTTAWA ON K1K 4P7	FSTH
License Issue Date: 12/10/1990 Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Private Fuel Outlet Facility Type: Gasoline Station - Self Serve					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Status:		Active			
Year of Installation:		1990			
Corrosion Protection:					
Capacity:		9092			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
<hr/>					
11	15 of 16	WSW/98.7	97.2 / -2.34	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19 M14-1500 MONTREAL RD OTTAWA ON K1K 4P7	FSTH
License Issue Date:		12/23/1991			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
--Details--					
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		4546			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
<hr/>					
11	16 of 16	WSW/98.7	97.2 / -2.34	1500 MONTREAL ROAD OTTAWA ON K1K 4P7	HINC
External File Num:		FS INC 0804-01549			
Fuel Occurrence Type:					
Date of Occurrence:					
Fuel Type Involved:					
Status Desc:		Completed - No Action Required			
Job Type Desc:		Incident/Near-Miss Occurrence (FS)			
Oper. Type Involved:					
Service Interruptions:					
Property Damage:					
Fuel Life Cycle Stage:					
Root Cause:					
Reported Details:		National Research Council of Canada. Confirmed with FS Inspector Wayne Pilon that this is under fede			
Fuel Category:		Gaseous Fuel			
Occurrence Type:		Incident			
Affiliation:		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
County Name:		Ottawa			
Approx. Quant. Rel:					
Nearby body of water:					
Enter Drainage Syst.:					
Approx. Quant. Unit:					
Environmental Impact:					
<hr/>					
12	1 of 1	SE/111.3	100.0 / 0.51	lot 20 con 1 ON	WWIS
Well ID:		1501017		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	7/5/1955
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	3566
Casing Material:				Form Version:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501017.pdf			

Bore Hole Information

Bore Hole ID:	10023060	Elevation:	98.360054
DP2BR:	5	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	452005.7
Code OB Desc:	Bedrock	North83:	5032682
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	1/13/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	930990801
Layer:	3
Color:	8
General Color:	BLACK
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	180
Formation End Depth:	210
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	930990800
Layer:	2
Color:	3
General Color:	BLUE
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		5			
Formation End Depth:		180			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930990799			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961501017			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571630			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039024			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039025			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		210			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501017			
Pump Set At:					
Static Level:		42			
Final Level After Pumping:		147			
Recommended Pump Depth:					
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933453660			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		150			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933453659			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		100			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933453661			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		200			
Water Found Depth UOM:		ft			
13	1 of 1	SSE/112.5	96.2 / -3.36	ON	BORE
Borehole ID:	615207			Inclin FLG:	No
OGF ID:	215516149			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.445742
Total Depth m:	-999			Longitude DD:	-75.614427
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	451951
Drill Method:				Northing:	5032652

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	91.4 94.8			Location Accuracy: Accuracy:	Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218400825 10.4 Bedrock Limestone BEDROCK. 00070Y. 00050FEET.LOOSE. BEDROCK. 10DROCK. BEDROCK. BEDROCK. WAT **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Loose
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218400824 0 10.4 Clay CLAY.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
<u>Source</u>					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 M Urban Geology Automated Information System (UGAIS) File: OTTAWA2.txt RecordID: 077150 NTS_Sheet: 31G05H Reliable information but incomplete.			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<u>Source List</u>					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator
14	1 of 1	W/118.5	99.8 / 0.30	lot 20 con 1 ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type:	1501048 Commerical 0 Water Supply			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	1 12/10/1959 Yes 3504

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501048.pdf

Bore Hole Information

Bore Hole ID:	10023091	Elevation:	98.297126
DP2BR:	6	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451810.7
Code OB Desc:	Bedrock	North83:	5032757
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	9/10/1959	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	930990865
Layer:	2
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	6
Formation End Depth:	250
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	930990864
Layer:	1
Color:	
General Color:	
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	
Mat2 Desc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961501048			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571661			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039088			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039089			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		250			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501048			
Pump Set At:					
Static Level:		25			
Final Level After Pumping:		30			
Recommended Pump Depth:		60			
Pumping Rate:		8			
Flowing Rate:					
Recommended Pump Rate:		8			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Water Details</u>					
Water ID:	933453707				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	250				
Water Found Depth UOM:	ft				

15	1 of 1	NW/122.1	103.5 / 3.95	lot 20 con 1 ON	WWIS
Well ID:	1500977			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	10/25/1950
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3725
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1500977.pdf				

Bore Hole Information

Bore Hole ID:	10023020	Elevation:	100.991516
DP2BR:	0	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451865.7
Code OB Desc:	Bedrock	North83:	5032867
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	10/21/1950	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	930990706
Layer:	1
Color:	
General Color:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		118			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961500977			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571590			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930038943			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930038944			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		118			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991500977			
Pump Set At:					
Static Level:		38			
Final Level After Pumping:		42			
Recommended Pump Depth:					
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
Water Details					
Water ID:		933453584			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		108			
Water Found Depth UOM:		ft			

16	1 of 1	SSE/128.7	96.2 / -3.36	779 BLAIR RD, OTTAWA ON	PINC
Incident ID:					
Incident No:		1454152			
Type:		FS-Pipeline Incident			
Status Code:		Pipeline Damage Reason Est			
Fuel Occurrence Tp:					
Fuel Type:					
Tank Status:		RC Established			
Task No:		5130856			
Spills Action Centre:					
Method Details:		E-mail			
Fuel Category:		Natural Gas			
Date of Occurrence:					
Occurrence Start Date:		2014/10/07			
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:		779 BLAIR RD, OTTAWA - PIPELINE HIT - 1/2"			
Reported By:		Ryan Noble - Enbridge Gas			
Affiliation:					
Occurrence Desc:					
Damage Reason:		Excavation practices not sufficient			
Notes:					
Health Impact:					
Environment Impact:					
Property Damage:		Yes			
Service Interrupt:					
Enforce Policy:		Yes			
Public Relation:					
Pipeline System:					
Depth:					
Pipe Material:					
PSIG:					
Attribute Category:		FS-Perform P-line Inc Invest			
Regulator Location:					

17	1 of 1	ESE/132.9	101.3 / 1.77	lot 20 con 1 ON	WWIS
Well ID:		1500998			
Construction Date:					
Primary Water Use:		Domestic			
Sec. Water Use:		0			
Final Well Status:		Water Supply			
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Data Entry Status:					
Data Src:		1			
Date Received:		11/26/1952			
Selected Flag:		Yes			
Abandonment Rec:					
Contractor:		3725			
Form Version:		1			
Owner:					
Street Name:					
County:		OTTAWA			
Municipality:		GLOUCESTER TOWNSHIP			
Site Info:					
Lot:		020			
Concession:		01			
Concession Name:		OF			
Easting NAD83:					
Northing NAD83:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1500998.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10023041			Elevation:	99.080947
DP2BR:	0			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	452030.7
Code OB Desc:	Bedrock			North83:	5032677
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/23/1952			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930990752				
Layer:	2				
Color:	1				
General Color:	WHITE				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	4				
Formation End Depth:	85				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930990751				
Layer:	1				
Color:					
General Color:					
Mat1:	26				
Most Common Material:	ROCK				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	09				
Mat3 Desc:	MEDIUM SAND				
Formation Top Depth:	0				
Formation End Depth:	4				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	961500998				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Method Construction Code:</i>	1				
<i>Method Construction:</i>	Cable Tool				
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>	10571611				
<i>Casing No:</i>	1				
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930038986				
<i>Layer:</i>	1				
<i>Material:</i>	1				
<i>Open Hole or Material:</i>	STEEL				
<i>Depth From:</i>					
<i>Depth To:</i>	20				
<i>Casing Diameter:</i>	6				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930038987				
<i>Layer:</i>	2				
<i>Material:</i>	4				
<i>Open Hole or Material:</i>	OPEN HOLE				
<i>Depth From:</i>					
<i>Depth To:</i>	85				
<i>Casing Diameter:</i>	6				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>	991500998				
<i>Pump Set At:</i>					
<i>Static Level:</i>	10				
<i>Final Level After Pumping:</i>	30				
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>	5				
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>	ft				
<i>Rate UOM:</i>	GPM				
<i>Water State After Test Code:</i>	1				
<i>Water State After Test:</i>	CLEAR				
<i>Pumping Test Method:</i>	1				
<i>Pumping Duration HR:</i>	2				
<i>Pumping Duration MIN:</i>	0				
<i>Flowing:</i>	No				
<u>Water Details</u>					
<i>Water ID:</i>	933453622				
<i>Layer:</i>	1				
<i>Kind Code:</i>	1				
<i>Kind:</i>	FRESH				
<i>Water Found Depth:</i>	15				
<i>Water Found Depth UOM:</i>	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB																																																																																
18	1 of 1	E/142.6	103.2 / 3.66	1687 MONTREAL ROAD Ottawa ON	WWIS																																																																																
<table border="0"> <tr> <td>Well ID:</td> <td>7126519</td> <td>Data Entry Status:</td> <td></td> </tr> <tr> <td>Construction Date:</td> <td></td> <td>Data Src:</td> <td></td> </tr> <tr> <td>Primary Water Use:</td> <td>Monitoring</td> <td>Date Received:</td> <td>7/29/2009</td> </tr> <tr> <td>Sec. Water Use:</td> <td></td> <td>Selected Flag:</td> <td>Yes</td> </tr> <tr> <td>Final Well Status:</td> <td>Abandoned-Other</td> <td>Abandonment Rec:</td> <td>Yes</td> </tr> <tr> <td>Water Type:</td> <td></td> <td>Contractor:</td> <td>7241</td> </tr> <tr> <td>Casing Material:</td> <td></td> <td>Form Version:</td> <td>5</td> </tr> <tr> <td>Audit No:</td> <td>M05410</td> <td>Owner:</td> <td></td> </tr> <tr> <td>Tag:</td> <td></td> <td>Street Name:</td> <td>1687 MONTREAL ROAD</td> </tr> <tr> <td>Construction Method:</td> <td></td> <td>County:</td> <td>OTTAWA</td> </tr> <tr> <td>Elevation (m):</td> <td></td> <td>Municipality:</td> <td>OTTAWA CITY</td> </tr> <tr> <td>Elevation Reliability:</td> <td></td> <td>Site Info:</td> <td></td> </tr> <tr> <td>Depth to Bedrock:</td> <td></td> <td>Lot:</td> <td></td> </tr> <tr> <td>Well Depth:</td> <td></td> <td>Concession:</td> <td></td> </tr> <tr> <td>Overburden/Bedrock:</td> <td></td> <td>Concession Name:</td> <td></td> </tr> <tr> <td>Pump Rate:</td> <td></td> <td>Easting NAD83:</td> <td></td> </tr> <tr> <td>Static Water Level:</td> <td></td> <td>Northing NAD83:</td> <td></td> </tr> <tr> <td>Flowing (Y/N):</td> <td></td> <td>Zone:</td> <td></td> </tr> <tr> <td>Flow Rate:</td> <td></td> <td>UTM Reliability:</td> <td></td> </tr> <tr> <td>Clear/Cloudy:</td> <td></td> <td></td> <td></td> </tr> </table>						Well ID:	7126519	Data Entry Status:		Construction Date:		Data Src:		Primary Water Use:	Monitoring	Date Received:	7/29/2009	Sec. Water Use:		Selected Flag:	Yes	Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes	Water Type:		Contractor:	7241	Casing Material:		Form Version:	5	Audit No:	M05410	Owner:		Tag:		Street Name:	1687 MONTREAL ROAD	Construction Method:		County:	OTTAWA	Elevation (m):		Municipality:	OTTAWA CITY	Elevation Reliability:		Site Info:		Depth to Bedrock:		Lot:		Well Depth:		Concession:		Overburden/Bedrock:		Concession Name:		Pump Rate:		Easting NAD83:		Static Water Level:		Northing NAD83:		Flowing (Y/N):		Zone:		Flow Rate:		UTM Reliability:		Clear/Cloudy:			
Well ID:	7126519	Data Entry Status:																																																																																			
Construction Date:		Data Src:																																																																																			
Primary Water Use:	Monitoring	Date Received:	7/29/2009																																																																																		
Sec. Water Use:		Selected Flag:	Yes																																																																																		
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes																																																																																		
Water Type:		Contractor:	7241																																																																																		
Casing Material:		Form Version:	5																																																																																		
Audit No:	M05410	Owner:																																																																																			
Tag:		Street Name:	1687 MONTREAL ROAD																																																																																		
Construction Method:		County:	OTTAWA																																																																																		
Elevation (m):		Municipality:	OTTAWA CITY																																																																																		
Elevation Reliability:		Site Info:																																																																																			
Depth to Bedrock:		Lot:																																																																																			
Well Depth:		Concession:																																																																																			
Overburden/Bedrock:		Concession Name:																																																																																			
Pump Rate:		Easting NAD83:																																																																																			
Static Water Level:		Northing NAD83:																																																																																			
Flowing (Y/N):		Zone:																																																																																			
Flow Rate:		UTM Reliability:																																																																																			
Clear/Cloudy:																																																																																					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7126519.pdf																																																																																			
<u>Bore Hole Information</u>																																																																																					
<table border="0"> <tr> <td>Bore Hole ID:</td> <td>1002809904</td> <td>Elevation:</td> <td>102.218032</td> </tr> <tr> <td>DP2BR:</td> <td></td> <td>Elevrc:</td> <td></td> </tr> <tr> <td>Spatial Status:</td> <td></td> <td>Zone:</td> <td>18</td> </tr> <tr> <td>Code OB:</td> <td></td> <td>East83:</td> <td>452092</td> </tr> <tr> <td>Code OB Desc:</td> <td></td> <td>North83:</td> <td>5032768</td> </tr> <tr> <td>Open Hole:</td> <td></td> <td>Org CS:</td> <td>UTM83</td> </tr> <tr> <td>Cluster Kind:</td> <td>This is a record from cluster log sheet</td> <td>UTMRC:</td> <td>3</td> </tr> <tr> <td>Date Completed:</td> <td>6/25/2009</td> <td>UTMRC Desc:</td> <td>margin of error : 10 - 30 m</td> </tr> <tr> <td>Remarks:</td> <td></td> <td>Location Method:</td> <td>wwr</td> </tr> <tr> <td>Elevrc Desc:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Location Source Date:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Improvement Location Source:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Improvement Location Method:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Source Revision Comment:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Supplier Comment:</td> <td></td> <td></td> <td></td> </tr> </table>						Bore Hole ID:	1002809904	Elevation:	102.218032	DP2BR:		Elevrc:		Spatial Status:		Zone:	18	Code OB:		East83:	452092	Code OB Desc:		North83:	5032768	Open Hole:		Org CS:	UTM83	Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3	Date Completed:	6/25/2009	UTMRC Desc:	margin of error : 10 - 30 m	Remarks:		Location Method:	wwr	Elevrc Desc:				Location Source Date:				Improvement Location Source:				Improvement Location Method:				Source Revision Comment:				Supplier Comment:																							
Bore Hole ID:	1002809904	Elevation:	102.218032																																																																																		
DP2BR:		Elevrc:																																																																																			
Spatial Status:		Zone:	18																																																																																		
Code OB:		East83:	452092																																																																																		
Code OB Desc:		North83:	5032768																																																																																		
Open Hole:		Org CS:	UTM83																																																																																		
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3																																																																																		
Date Completed:	6/25/2009	UTMRC Desc:	margin of error : 10 - 30 m																																																																																		
Remarks:		Location Method:	wwr																																																																																		
Elevrc Desc:																																																																																					
Location Source Date:																																																																																					
Improvement Location Source:																																																																																					
Improvement Location Method:																																																																																					
Source Revision Comment:																																																																																					
Supplier Comment:																																																																																					
<u>Annular Space/Abandonment Sealing Record</u>																																																																																					
<table border="0"> <tr> <td>Plug ID:</td> <td>1002809908</td> </tr> <tr> <td>Layer:</td> <td></td> </tr> <tr> <td>Plug From:</td> <td></td> </tr> <tr> <td>Plug To:</td> <td></td> </tr> <tr> <td>Plug Depth UOM:</td> <td></td> </tr> </table>						Plug ID:	1002809908	Layer:		Plug From:		Plug To:		Plug Depth UOM:																																																																							
Plug ID:	1002809908																																																																																				
Layer:																																																																																					
Plug From:																																																																																					
Plug To:																																																																																					
Plug Depth UOM:																																																																																					
<u>Method of Construction & Well Use</u>																																																																																					
<table border="0"> <tr> <td>Method Construction ID:</td> <td>1002809907</td> </tr> <tr> <td>Method Construction Code:</td> <td></td> </tr> <tr> <td>Method Construction:</td> <td></td> </tr> <tr> <td>Other Method Construction:</td> <td></td> </tr> </table>						Method Construction ID:	1002809907	Method Construction Code:		Method Construction:		Other Method Construction:																																																																									
Method Construction ID:	1002809907																																																																																				
Method Construction Code:																																																																																					
Method Construction:																																																																																					
Other Method Construction:																																																																																					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1002809909			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002809911			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
<u>Construction Record - Screen</u>					
Screen ID:		1002809910			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002809912			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002809906			
Diameter:					
Depth From:					
Depth To:		10			
Hole Depth UOM:		ft			
Hole Diameter UOM:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002809913			Elevation:	102.211166

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	452066
Code OB Desc:				North83:	5032799
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		6/25/2009		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002809917			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002809916			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002809918			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002809920			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
<u>Construction Record - Screen</u>					
Screen ID:		1002809919			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Results of Well Yield Testing

Pump Test ID: 1002809921
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002809915
Diameter:
Depth From:
Depth To: 10
Hole Depth UOM: ft
Hole Diameter UOM:

Bore Hole Information

Bore Hole ID: 1002809895	Elevation: 102.779853
DP2BR:	Elevrc:
Spatial Status:	Zone: 18
Code OB:	East83: 452108
Code OB Desc:	North83: 5032764
Open Hole:	Org CS: UTM83
Cluster Kind: This is a record from cluster log sheet	UTMRC: 3
Date Completed: 6/25/2009	UTMRC Desc: margin of error : 10 - 30 m
Remarks:	Location Method: wwr
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Annular Space/Abandonment Sealing Record

Plug ID: 1002809899
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID: 1002809898
Method Construction Code:
Method Construction:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			1002809900		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1002809902		
Layer:					
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
<u>Construction Record - Screen</u>					
Screen ID:			1002809901		
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:			1002809903		
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:			1002809897		
Diameter:					
Depth From:					
Depth To:			10		
Hole Depth UOM:			ft		
Hole Diameter UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1002809922			Elevation:	100.01165
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	452066
Code OB Desc:				North83:	5032723
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	6/25/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1002809926				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1002809925				
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1002809927				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002809929				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
<u>Construction Record - Screen</u>					
Screen ID:	1002809928				
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Screen Depth UOM:
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002809930
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002809924
Diameter:
Depth From:
Depth To: 10
Hole Depth UOM: ft
Hole Diameter UOM:

Bore Hole Information

Bore Hole ID:	1002580767	Elevation:	100.87281
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	452065
Code OB Desc:		North83:	5032762
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	6/28/2009	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1002809932
Layer: 1
Plug From: 0
Plug To: 10
Plug Depth UOM: ft

Method of Construction & Well Use

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1002809935			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002809931			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002809933			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

19	1 of 1	NW/146.3	104.9 / 5.36	lot 20 con 1 ON	WWIS
--------------------	--------	----------	--------------	--------------------	------

Well ID:	1500985	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	4/1/1952
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3725
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	020
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	OF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1500985.pdf

Bore Hole Information

Bore Hole ID:	10023028	Elevation:	101.721054
DP2BR:	12	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451860.7
Code OB Desc:	Bedrock	North83:	5032892
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	11/19/1951	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930990721			
Layer:		1			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930990722			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8			
Formation End Depth:		12			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930990723			
Layer:		3			
Color:		1			
General Color:		WHITE			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12			
Formation End Depth:		122			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961500985			
Method Construction Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571598			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930038960			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		122			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930038959			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991500985			
Pump Set At:					
Static Level:		23			
Final Level After Pumping:		33			
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933453598			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		100			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	1 of 1	NW/146.5	104.9 / 5.36	ON	BORE
Borehole ID:	615240			Inclin FLG:	No
OGF ID:	215516182			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	NOV-1951			Municipality:	
Static Water Level:	18.5			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.447896
Total Depth m:	37.2			Longitude DD:	-75.615601
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	451861
Drill Method:				Northing:	5032892
Orig Ground Elev m:	99.7			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	101				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218400901			Mat Consistency:	
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	37.2			Material Texture:	
Material Color:	White			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. WHITE. 00100EY,SOUND,STRATIFIED. 00000037ROCK. BEDROCK. WATER STABLE AT 266 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218400899			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:	Blue			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. BLUE.				
Geology Stratum ID:	218400900			Mat Consistency:	
Top Depth:	2.4			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 07748 NTS_Sheet:				
Confiden 1:					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

<u>21</u>	1 of 1	WNW/154.7	103.7 / 4.15	ON	BORE
Borehole ID:	615234			Inclin FLG:	No
OGF ID:	215516176			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:	18.3			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.447623
Total Depth m:	-999			Longitude DD:	-75.616238
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	451811
Drill Method:				Northing:	5032862
Orig Ground Elev m:	99.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	100				
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID:	218400885			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. FIRM.				
Geology Stratum ID:	218400886			Mat Consistency:	
Top Depth:	1.4			Material Moisture:	
Bottom Depth:	1.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		GRAVEL.			
Geology Stratum ID:	218400887			Mat Consistency:	
Top Depth:	1.7			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. 0179T.00060 BEDROCK. 10DROCK. BEDROCK. BEDROCK. WATER STABLE AT 266 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Iden:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:	H	Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 077420 NTS_Sheet: 31G05H		
Confiden 1:	Logged by professional. Exact and complete description of material and properties.		

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

22	1 of 1	ESE/155.8	101.5 / 1.97	lot 20 con 1 ON	WWIS
Well ID:	1501008	Data Entry Status:			
Construction Date:		Data Src:	1		
Primary Water Use:	Domestic	Date Received:	12/9/1954		
Sec. Water Use:	0	Selected Flag:	Yes		
Final Well Status:	Water Supply	Abandonment Rec:			
Water Type:		Contractor:	3113		
Casing Material:		Form Version:	1		
Audit No:		Owner:			
Tag:		Street Name:			
Construction Method:		County:	OTTAWA		
Elevation (m):		Municipality:	GLOUCESTER TOWNSHIP		
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:	020		
Well Depth:		Concession:	01		
Overburden/Bedrock:		Concession Name:	OF		
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			
Flowing (Y/N):		Zone:			
Flow Rate:		UTM Reliability:			
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501008.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10023051			Elevation:	100.011619
DP2BR:	0			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	h			East83:	452055.7
Code OB Desc:	Mixed in a Layer			North83:	5032672
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	6/18/1954			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 930990776
Layer: 3
Color: 1
General Color: WHITE
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 192
Formation End Depth: 203
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 930990777
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 203
Formation End Depth: 233
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 930990775
Layer: 2
Color: 8
General Color: BLACK
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>			6		
<i>Formation End Depth:</i>			192		
<i>Formation End Depth UOM:</i>			ft		
<u>Overburden and Bedrock Materials Interval</u>					
<i>Formation ID:</i>			930990774		
<i>Layer:</i>			1		
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>			02		
<i>Most Common Material:</i>			TOPSOIL		
<i>Mat2:</i>			17		
<i>Mat2 Desc:</i>			SHALE		
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>			0		
<i>Formation End Depth:</i>			6		
<i>Formation End Depth UOM:</i>			ft		
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>			961501008		
<i>Method Construction Code:</i>			1		
<i>Method Construction:</i>			Cable Tool		
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>			10571621		
<i>Casing No:</i>			1		
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>			930039006		
<i>Layer:</i>			1		
<i>Material:</i>			1		
<i>Open Hole or Material:</i>			STEEL		
<i>Depth From:</i>					
<i>Depth To:</i>			15		
<i>Casing Diameter:</i>			4		
<i>Casing Diameter UOM:</i>			inch		
<i>Casing Depth UOM:</i>			ft		
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>			930039007		
<i>Layer:</i>			2		
<i>Material:</i>			4		
<i>Open Hole or Material:</i>			OPEN HOLE		
<i>Depth From:</i>					
<i>Depth To:</i>			233		
<i>Casing Diameter:</i>			4		
<i>Casing Diameter UOM:</i>			inch		
<i>Casing Depth UOM:</i>			ft		
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID: 991501008 Pump Set At: Static Level: 33 Final Level After Pumping: 92 Recommended Pump Depth: Pumping Rate: 1 Flowing Rate: Recommended Pump Rate: Levels UOM: ft Rate UOM: GPM Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration HR: 0 Pumping Duration MIN: 20 Flowing: No					
Water Details					
Water ID: 933453645 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 147 Water Found Depth UOM: ft					
23	1 of 6	E/156.4	106.3 / 6.76	1687 Montreal Rd Ottawa ON K1J 6N6	EHS
Order No: 20030207014 Status: C Report Type: Site Report Report Date: 2/14/03 Date Received: 2/7/03 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans and/or Inspection Reports Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.612673 Y: 45.446384					
23	2 of 6	E/156.4	106.3 / 6.76	ROBERT WILSON 1687 MONTREAL RD,,OTTAWA,ON,K1J 6N6,CA ON	VAR
Incident No: 061240174-001 Status: Variance Approved Incident Reported Dt: 2/5/2009 Incident Created On: 7/8/2009 Item Instance: NULL Incident Type: FS-Variance Aband USTs: Abandon UST					
23	3 of 6	E/156.4	106.3 / 6.76	YUM! Restaurants International (Canada) LP 1687 Montreal Road Ottawa ON	GEN
Generator No: ON6893525 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 722210 SIC Description: Limited-Service Eating Places PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
23	4 of 6	E/156.4	106.3 / 6.76	1687 Montreal Rd Ottawa ON	EHS
Order No:	20120720007			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	30-JUL-12			Search Radius (km):	.25
Date Received:	20-JUL-12			X:	-75.612677
Previous Site Name:				Y:	45.446585
Lot/Building Size:					
Additional Info Ordered:					
23	5 of 6	E/156.4	106.3 / 6.76	YUM! Restaurants International (Canada) LP 1687 Montreal Road Ottawa ON	GEN
Generator No:	ON6893525			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	722210				
SIC Description:	Limited-Service Eating Places				
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
23	6 of 6	E/156.4	106.3 / 6.76	1687 Montreal Rd Ottawa ON K1J6N6	EHS
Order No:	20160324031			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	30-MAR-16			Search Radius (km):	.25
Date Received:	24-MAR-16			X:	-75.612677
Previous Site Name:				Y:	45.446843
Lot/Building Size:					
Additional Info Ordered:					
24	1 of 2	ESE/185.8	103.3 / 3.77	NOOR-ASEAN INC. 1690 MONTREAL ROAD GLOUCESTER CITY ON K1J 6N5	CA
Certificate #:	8-4143-97-				
Application Year:	97				
Issue Date:	9/18/1997				
Approval Type:	Industrial air				
Status:	Approved				
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Project Description:		COMMERCIAL KITCHEN EXHAUST HOOD			
Contaminants:					
Emission Control:					
24	2 of 2	ESE/185.8	103.3 / 3.77	City of Ottawa 1690 Montreal Rd Ottawa ON	SPL
Ref No:	7143-9U6STV			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	2/28/2015			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Leak/Break			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL			Site Address:	1690 Montreal Rd
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:	Land; Source Water Zone			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	5032684
MOE Response:	N			Easting:	452093
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2/28/2015			Site Map Datum:	
Dt Document Closed:	3/3/2015			SAC Action Class:	Watercourse Spills
Incident Reason:	Operator/Human Error			Source Type:	
Site Name:	spill<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	OC Transpo: 20 L diesel to CB, cleaning				
Contaminant Qty:	20 L				
25	1 of 1	SSE/196.0	94.6 / -4.97	ON	BORE
Borehole ID:	615200			Inclin FLG:	No
OGF ID:	215516142			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	OCT-1952			Municipality:	
Static Water Level:	8.7			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.445024
Total Depth m:	26.5			Longitude DD:	-75.6141
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	451976
Drill Method:				Northing:	5032572
Orig Ground Elev m:	89.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	90.4				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218400811			Mat Consistency:	Loose

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	1.8			Material Moisture:	
Bottom Depth:	26.5			Material Texture:	
Material Color:	White			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. WHITE. 00050 00313LOOSE. BEDROCK. 10DROCK. BEDROCK. BEDROCK. WATER **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218400810			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK.				
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 07708 NTS_Sheet:				
Confiden 1:					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
26	1 of 1	SSE/196.3	94.6 / -4.97	lot 20 con 1 ON	WWIS
Well ID:	1501000			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/26/1952
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3725
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501000.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10023043			Elevation:	90.417999
DP2BR:	0			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	451975.7
Code OB Desc:	Bedrock			North83:	5032572
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/31/1952			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930990756				
Layer:	2				
Color:	1				
General Color:	WHITE				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	6				
Formation End Depth:	87				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930990755				
Layer:	1				
Color:					
General Color:					
Mat1:	26				
Most Common Material:	ROCK				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:	09				
Mat3 Desc:	MEDIUM SAND				
Formation Top Depth:	0				
Formation End Depth:	6				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	961501000				
Method Construction Code:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571613			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930038990			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		16			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930038991			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		87			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501000			
Pump Set At:					
Static Level:		20			
Final Level After Pumping:		40			
Recommended Pump Depth:					
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933453627			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 933453625
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 30
Water Found Depth UOM: ft

Water Details

Water ID: 933453626
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 50
Water Found Depth UOM: ft

27	1 of 1	ESE/196.5	103.3 / 3.77	lot 20 con 1 ON	WWIS
--------------------	--------	-----------	--------------	--------------------	------

Well ID: 1501016 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 12/9/1954 Selected Flag: Yes Abandonment Rec: Contractor: 5205 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 020 Concession: 01 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501016.pdf

Bore Hole Information

Bore Hole ID: 10023059 DP2BR: 30 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 11/25/1954 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	Elevation: 101.739135 Elevrc: Zone: 18 East83: 452100.7 North83: 5032667 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			930990798		
Layer:			2		
Color:					
General Color:					
Mat1:			17		
Most Common Material:			SHALE		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			30		
Formation End Depth:			138		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			930990797		
Layer:			1		
Color:					
General Color:					
Mat1:			25		
Most Common Material:			OVERBURDEN		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0		
Formation End Depth:			30		
Formation End Depth UOM:			ft		
<u>Method of Construction & Well Use</u>					
Method Construction ID:			961501016		
Method Construction Code:			1		
Method Construction:			Cable Tool		
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			10571629		
Casing No:			1		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			930039022		
Layer:			1		
Material:			1		
Open Hole or Material:			STEEL		
Depth From:					
Depth To:			32		
Casing Diameter:			5		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing ID: 930039023
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 138
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991501016
Pump Set At:
Static Level: 20
Final Level After Pumping: 20
Recommended Pump Depth:
Pumping Rate: 5
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 0
Pumping Duration MIN: 15
Flowing: No

Water Details

Water ID: 933453658
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 138
Water Found Depth UOM: ft

28	1 of 1	E/205.5	107.9 / 8.36	lot 20 con 1 ON	WWIS
--------------------	--------	---------	--------------	--------------------	------

Well ID: 1510776 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 9/21/1970 Selected Flag: Yes Abandonment Rec: Contractor: 1802 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 020 Concession: 01 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510776.pdf			

Bore Hole Information

Bore Hole ID:	10032793	Elevation:	104.95372
DP2BR:	2	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	452130.7
Code OB Desc:	Bedrock	North83:	5032802
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	9/11/1970	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931015810
Layer:	1
Color:	
General Color:	
Mat1:	01
Most Common Material:	FILL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	2
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931015811
Layer:	2
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	2
Formation End Depth:	100
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	961510776
Method Construction Code:	4
Method Construction:	Rotary (Air)
Other Method Construction:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		10581363			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930058143			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930058144			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		100			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991510776			
Pump Set At:					
Static Level:		20			
Final Level After Pumping:		24			
Recommended Pump Depth:		90			
Pumping Rate:		12			
Flowing Rate:					
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934097357			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		20			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934898036			
Test Type:		Recovery			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		60			
Test Level:		20			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934380092			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		20			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934641668			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		20			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933465814			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		96			
Water Found Depth UOM:		ft			

29	1 of 1	E/205.5	107.9 / 8.36	ON	BORE
Borehole ID:		615225		Inclin FLG:	No
OGF ID:		215516167		SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:		Borehole		Piezometer:	No
Use:				Primary Name:	
Completion Date:		SEP-1970		Municipality:	
Static Water Level:		19.4		Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.447105
Total Depth m:		30.5		Longitude DD:	-75.61214
Depth Ref:		Ground Surface		UTM Zone:	18
Depth Elev:				Easting:	452131
Drill Method:				Northing:	5032802
Orig Ground Elev m:		100		Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:		105			
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218400866		Mat Consistency:	
Top Depth:		0		Material Moisture:	
Bottom Depth:		.6		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Fill		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Material 4:
Gsc Material Description:
Stratum Description: FILL.

Geology Stratum ID: 218400867
Top Depth: .6
Bottom Depth: 30.5
Material Color: White
Material 1: Shale
Material 2:
Material 3:
Material 4:
Gsc Material Description:
Stratum Description: SHALE. EL. BEDROCK. WHITE. 00060 BEDROCK. 10DROCK. BEDROCK. BEDROCK. WAT **Note: Many records provided by the department have a truncated [Stratum Description] field.

Depositional Gen: fill

Mat Consistency:
Material Moisture:
Material Texture:
Non Geo Mat Type:
Geologic Formation:
Geologic Group:
Geologic Period:
Depositional Gen:

Source

Source Type: Data Survey
Source Orig: Geological Survey of Canada
Source Date: 1956-1972
Confidence:
Observatio:
Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA2.txt RecordID: 07733 NTS_Sheet:
Confiden 1:

Source Appl: Spatial/Tabular
Source Iden: 1
Scale or Res: Varies
Horizontal: NAD27
Verticalda: Mean Average Sea Level

Source List

Source Identifier: 1
Source Type: Data Survey
Source Date: 1956-1972
Scale or Resolution: Varies
Source Name: Urban Geology Automated Information System (UGAIS)
Source Originators: Geological Survey of Canada

Horizontal Datum: NAD27
Vertical Datum: Mean Average Sea Level
Projection Name: Universal Transverse Mercator

<u>30</u>	1 of 1	ESE/211.9	103.5 / 3.97	ON	BORE
Borehole ID:	615211			Inclin FLG:	No
OGF ID:	215516153			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUN-1964			Municipality:	
Static Water Level:	17.9			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.445934
Total Depth m:	41.1			Longitude DD:	-75.612255
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	452121
Drill Method:				Northing:	5032672
Orig Ground Elev m:	99.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	102				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	218400833			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	10.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY.			
Geology Stratum ID:	218400834			Mat Consistency:	
Top Depth:	10.7			Material Moisture:	
Bottom Depth:	41.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE. 00135. LIMESTONE. 00200E. BEDROCK. 10DROCK. BEDROCK. BEDROCK. WAT		**Note: Many records provided by the department have a truncated [Stratum Description] field.	

Source

Source Type:	Data Survey	Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada	Source Ident:	1
Source Date:	1956-1972	Scale or Res:	Varies
Confidence:		Horizontal:	NAD27
Observatio:		Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 07719 NTS_Sheet:		
Confiden 1:			

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

31	1 of 1	ESE/212.0	103.5 / 3.97	lot 20 con 1 ON	WWIS
Well ID:	1501090	Data Entry Status:			
Construction Date:		Data Src:	1		
Primary Water Use:	Commerical	Date Received:	6/4/1964		
Sec. Water Use:	0	Selected Flag:	Yes		
Final Well Status:	Water Supply	Abandonment Rec:			
Water Type:		Contractor:	4216		
Casing Material:		Form Version:	1		
Audit No:		Owner:			
Tag:		Street Name:			
Construction Method:		County:	OTTAWA		
Elevation (m):		Municipality:	GLOUCESTER TOWNSHIP		
Elevation Reliability:		Site Info:			
Depth to Bedrock:		Lot:	020		
Well Depth:		Concession:	01		
Overburden/Bedrock:		Concession Name:	OF		
Pump Rate:		Easting NAD83:			
Static Water Level:		Northing NAD83:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501090.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10023133			Elevation:	102.420204
DP2BR:	35			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	452120.7
Code OB Desc:	Bedrock			North83:	5032672
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	6/2/1964			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930990948				
Layer:	1				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	13				
Mat2 Desc:	BOULDERS				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	35				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930990949				
Layer:	2				
Color:					
General Color:					
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	35				
Formation End Depth:	135				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	961501090				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Method Construction Code:</i>	1				
<i>Method Construction:</i>	Cable Tool				
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>	10571703				
<i>Casing No:</i>	1				
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930039171				
<i>Layer:</i>	1				
<i>Material:</i>	1				
<i>Open Hole or Material:</i>	STEEL				
<i>Depth From:</i>					
<i>Depth To:</i>	38				
<i>Casing Diameter:</i>	7				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930039172				
<i>Layer:</i>	2				
<i>Material:</i>	4				
<i>Open Hole or Material:</i>	OPEN HOLE				
<i>Depth From:</i>					
<i>Depth To:</i>	135				
<i>Casing Diameter:</i>	7				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>	991501090				
<i>Pump Set At:</i>					
<i>Static Level:</i>	35				
<i>Final Level After Pumping:</i>	35				
<i>Recommended Pump Depth:</i>	125				
<i>Pumping Rate:</i>	30				
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>	7				
<i>Levels UOM:</i>	ft				
<i>Rate UOM:</i>	GPM				
<i>Water State After Test Code:</i>	1				
<i>Water State After Test:</i>	CLEAR				
<i>Pumping Test Method:</i>	1				
<i>Pumping Duration HR:</i>	24				
<i>Pumping Duration MIN:</i>	0				
<i>Flowing:</i>	No				
<u>Water Details</u>					
<i>Water ID:</i>	933453761				
<i>Layer:</i>	1				
<i>Kind Code:</i>	1				
<i>Kind:</i>	FRESH				
<i>Water Found Depth:</i>	135				
<i>Water Found Depth UOM:</i>	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
32	1 of 1	W/221.1	100.4 / 0.90	n/a Gloucester ON	EHS
Order No:	20190128236			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	01-MAY-19			Search Radius (km):	.25
Date Received:	28-JAN-19			X:	-75.61754
Previous Site Name:				Y:	45.446645
Lot/Building Size:					
Additional Info Ordered:					

33	1 of 1	SSE/221.7	92.6 / -6.89	lot 20 con 1 ON	WWIS
Well ID:	1500993			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/21/1952
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3725
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	020
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1500993.pdf

Bore Hole Information

Bore Hole ID:	10023036	Elevation:	90.612289
DP2BR:	0	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	451980.7
Code OB Desc:	Bedrock	North83:	5032547
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	8/9/1952	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	930990740
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		26			
Most Common Material:		ROCK			
Mat2:		02			
Mat2 Desc:		TOPSOIL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930990741			
Layer:		2			
Color:					
General Color:					
Mat1:		26			
Most Common Material:		ROCK			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8			
Formation End Depth:		71			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961500993			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571606			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930038977			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		71			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930038976			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		14			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		991500993			
Pump Set At:					
Static Level:		0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933453613			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		71			
Water Found Depth UOM:		ft			

34	1 of 1	NW/226.9	105.1 / 5.56	lot 20 con 1 ON	WWIS
Well ID:		1501039		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:				Date Received: 10/22/1957	
Sec. Water Use:				Selected Flag: Yes	
Final Well Status:		Abandoned-Supply		Abandonment Rec:	
Water Type:				Contractor: 1802	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: OTTAWA	
Elevation (m):				Municipality: GLOUCESTER TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 020	
Well Depth:				Concession: 01	
Overburden/Bedrock:				Concession Name: OF	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501039.pdf			

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10023082			Elevation:	102.260414
DP2BR:	0			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	451820.7
Code OB Desc:	Bedrock			North83:	5032962
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	9/30/1957			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock Materials Interval

Formation ID:	930990849
Layer:	1
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	474
Formation End Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	961501039
Method Construction Code:	7
Method Construction:	Diamond
Other Method Construction:	

Pipe Information

Pipe ID:	10571652
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930039070
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	474
Casing Diameter:	2
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:		930039069 1 1 STEEL 20 2 inch ft			
35	1 of 8	ESE/238.3	104.7 / 5.17	1700 Montreal Road Ottawa ON K1J 6N5	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20060914009 C Complete Report 9/25/2006 9/14/2006 Pt Lot 1, Plan 580, being the W 1/2 and Block C, Plan 591		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	 ON 0.25 -75.611868 45.445905
35	2 of 8	ESE/238.3	104.7 / 5.17	660655 Canada Inc. 1700 Montreal Rd Ottawa ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON5122229 2012 541940 Veterinary Services		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
35	3 of 8	ESE/238.3	104.7 / 5.17	660655 Canada Inc. 1700 Montreal Rd Ottawa ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON5122229 2013 541940 VETERINARY SERVICES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
35	4 of 8	ESE/238.3	104.7 / 5.17	6606552 Canada Inc. 1700 Montreal Rd Ottawa ON K1J6N5	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility:		ON5122229 2015 No No		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	 Canada CO_OFFICIAL Ivonne Briones 613-842-9441 Ext.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code:	541940				
SIC Description:		VETERINARY SERVICES			
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:		PATHOLOGICAL WASTES			
35	5 of 8	ESE/238.3	104.7 / 5.17	6606552 Canada Inc. 1700 Montreal Rd Ottawa ON K1J6N5	GEN
Generator No:	ON5122229			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Ivonne Briones
MHSW Facility:	No			Phone No Admin:	613-842-9441 Ext.
SIC Code:	541940				
SIC Description:		VETERINARY SERVICES			
<u>Detail(s)</u>					
Waste Class:	261				
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:	312				
Waste Class Desc:		PATHOLOGICAL WASTES			
35	6 of 8	ESE/238.3	104.7 / 5.17	6606552 Canada Inc. 1700 Montreal Rd Ottawa ON K1J6N5	GEN
Generator No:	ON5122229			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	Ivonne Briones
MHSW Facility:	No			Phone No Admin:	613-842-9441 Ext.
SIC Code:	541940				
SIC Description:		VETERINARY SERVICES			
<u>Detail(s)</u>					
Waste Class:	312				
Waste Class Desc:		PATHOLOGICAL WASTES			
35	7 of 8	ESE/238.3	104.7 / 5.17	Montreal Road Animal Hospital Professional Corp. 1700 Montreal Rd Ottawa ON K1J6N5	GEN
Generator No:	ON5122229			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
35	8 of 8	ESE/238.3	104.7 / 5.17	Montreal Road Animal Hospital Professional Corp. 1700 Montreal Road Ottawa ON K1J 6N5	GEN
Generator No:	ON5749356			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
36	1 of 3	E/242.7	106.3 / 6.75	1715 Montreal Road East Gloucester ON	EHS
Order No:	20060329078			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	MD
Report Date:	4/4/2006			Search Radius (km):	0.25
Date Received:	3/29/2006			X:	-75.610777
Previous Site Name:				Y:	45.446337
Lot/Building Size:					
Additional Info Ordered:					
36	2 of 3	E/242.7	106.3 / 6.75	Extendicare Laurier Manor 1715 Montreal Road Ottawa ON K1J 6N4	GEN
Generator No:	ON3926787			PO Box No:	
Status:				Country:	
Approval Years:	05			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	623999				
SIC Description:	All Other Residential Care Facilities				
<u>Detail(s)</u>					
Waste Class:	243				
Waste Class Desc:	PCB'S				
36	3 of 3	E/242.7	106.3 / 6.75	EXTENDICARE (CANADA) INC. 1715 MONTREAL RD GLOUCESTER ON K1J 6N4	EASR
Approval No:	R-002-6465218238			SWP Area Name:	Rideau Valley
Status:	REGISTERED			MOE District:	Ottawa
Date:	2014-11-18			Municipality:	GLOUCESTER

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Record Type:	EASR			Latitude:	45.44611111
Link Source:	MOFA			Longitude:	-75.60972222
Project Type:	Standby Power System			Geometry X:	
Full Address:				Geometry Y:	
Approval Type:	EASR-Standby Power System				
Full PDF Link:	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=10774				

37	1 of 2	NE/243.3	111.9 / 12.36	17 Taunton Place Ottawa ON	SPL
Ref No:	0172-8PK6E4			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	12/14/2011			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	Other
Incident Event:				Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	FURNACE OIL			Site Address:	17 Taunton Place
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Not Anticipated			Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:	Sewage - Municipal/Private and Commercial			Site Conc:	
Receiving Env:				Northing:	
MOE Response:	Referral to others			Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	12/14/2011			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	TSSA - Fuel Safety Branch
Incident Reason:				Source Type:	
Site Name:	Residence<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TSSA: Furnace Oil Leak from Line to Furnace				
Contaminant Qty:	0 other - see incident description				

37	2 of 2	NE/243.3	111.9 / 12.36	17 Taunton Place, Ottawa ON	INC
Incident No:	704976			Any Health Impact:	No
Incident ID:	2861918			Any Enviro Impact:	No
Instance No:				Service Interrupted:	Yes
Status Code:	Causal Analysis Complete			Was Prop Damaged:	No
Attribute Category:	FS-Perform L1 Incident Insp			Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:	2011/12/14 00:00:00			Indus App. Type:	
Time of Occurrence:	12:00:00			Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:	2011/12/15 00:00:00			Pipeline Type:	
Approx Quant Rel:	2 litres			Pipeline Involved:	
Tank Capacity:				Pipe Material:	
Fuels Occur Type:	Leak			Depth Ground Cover:	
Fuel Type Involved:	Fuel Oil			Regulator Location:	
Enforcement Policy:	NULL			Regulator Type:	
Prc Escalation Req:	NULL			Operation Pressure:	
Tank Material Type:				Liquid Prop Make:	
Tank Storage Type:				Liquid Prop Model:	
Tank Location Type:				Liquid Prop Serial No:	
Pump Flow Rate Cap:				Liquid Prop Notes:	
Task No:	3653928			Equipment Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Notes: Drainage System: No Sub Surface Contam.: No Aff Prop Use Water: No Contam. Migrated: No Contact Natural Env: No				Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water: No	
Incident Location: Occurrence Narrative: Operation Type Involved: Item: Item Description: Device Installed Location:		17 Taunton Place, Ottawa - Leak Fuel oil leak resulting from bad flare joint Private Dwelling			

38	1 of 1	NE/247.5	111.6 / 12.11	lot 20 con 1 ON	WWIS
Well ID: 1501064 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: 1 Date Received: 11/1/1960 Selected Flag: Yes Abandonment Rec: Contractor: 4216 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 020 Concession: 01 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1501064.pdf

Bore Hole Information

Bore Hole ID: 10023107 DP2BR: 0 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 9/28/1960 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 110.856613 Elevrc: Zone: 18 East83: 452075.7 North83: 5032962 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5	
---	--	--	--

Overburden and Bedrock
Materials Interval

Formation ID:	930990896
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		2			
General Color:		GREY			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		207			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961501064			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571677			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039119			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		44			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039120			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		207			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501064			
Pump Set At:					
Static Level:		100			
Final Level After Pumping:		100			
Recommended Pump Depth:		125			
Pumping Rate:		30			
Flowing Rate:					
Recommended Pump Rate:		30			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933453725
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 205
Water Found Depth UOM: ft

<u>39</u>	1 of 1	ESE/249.7	104.7 / 5.17	NICKY'S PIZZA 1704 MONTREAL ROAD GLOUCESTER CITY ON K1J 6N5	CA
---------------------------	--------	------------------	---------------------	--	-----------

Certificate #: 8-4020-95-
Application Year: 95
Issue Date: 4/7/1995
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: COMMERCIAL KITCHEN EXHAUST SYSTEM
Contaminants:
Emission Control:

<u>40</u>	1 of 1	NNE/249.8	110.9 / 11.39	lot 20 con 1 ON	WWIS
---------------------------	--------	------------------	----------------------	----------------------------	-------------

Well ID: 1500999 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 11/17/1952 Selected Flag: Yes Abandonment Rec: Contractor: 3566 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 020 Concession: 01 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	--

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1500999.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10023042			Elevation:	108.671203
DP2BR:	0			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	451980.7
Code OB Desc:	Bedrock			North83:	5033007
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/24/1952			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930990754				
Layer:	2				
Color:	3				
General Color:	BLUE				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	8				
Formation End Depth:	160				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930990753				
Layer:	1				
Color:					
General Color:					
Mat1:	26				
Most Common Material:	ROCK				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	8				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	961500999				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10571612				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Casing No:</i>	1				
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930038989				
<i>Layer:</i>	2				
<i>Material:</i>	4				
<i>Open Hole or Material:</i>	OPEN HOLE				
<i>Depth From:</i>					
<i>Depth To:</i>	160				
<i>Casing Diameter:</i>	5				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930038988				
<i>Layer:</i>	1				
<i>Material:</i>	1				
<i>Open Hole or Material:</i>	STEEL				
<i>Depth From:</i>					
<i>Depth To:</i>	12				
<i>Casing Diameter:</i>	5				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>	991500999				
<i>Pump Set At:</i>					
<i>Static Level:</i>	54				
<i>Final Level After Pumping:</i>	120				
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>	3				
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>	ft				
<i>Rate UOM:</i>	GPM				
<i>Water State After Test Code:</i>	2				
<i>Water State After Test:</i>	CLOUDY				
<i>Pumping Test Method:</i>	1				
<i>Pumping Duration HR:</i>	1				
<i>Pumping Duration MIN:</i>	0				
<i>Flowing:</i>	No				
<u>Water Details</u>					
<i>Water ID:</i>	933453623				
<i>Layer:</i>	1				
<i>Kind Code:</i>	1				
<i>Kind:</i>	FRESH				
<i>Water Found Depth:</i>	120				
<i>Water Found Depth UOM:</i>	ft				
<u>Water Details</u>					
<i>Water ID:</i>	933453624				
<i>Layer:</i>	2				
<i>Kind Code:</i>	1				
<i>Kind:</i>	FRESH				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Water Found Depth:</i>			155		
<i>Water Found Depth UOM:</i>			ft		

Unplottable Summary

Total: **65** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	R.M. OF OTTAWA-CARLETON	BLAIR RD.	GLOUCESTER CITY ON	
CA	GERALD SAVOIE C/O MONTFORT HOSPITAL	MONTREAL ROAD	OTTAWA CITY ON	
CA	MALHOTRA DEVELOPMENTS INC.-PT.LOT 23/C-1	MONTREAL RD./STM-WATER MGT.	OTTAWA CITY ON	
CA	GERALD SAVOIE C/O MONFORT HOSPITAL	MONTREAL ROAD	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON	MONTREAL RD.	GLOUCESTER CITY ON	
CA	R.M. OF OTTAWA-CARLETON- ORLEANS RESERVOI	FOREST RIDGE PS REGIONAL RD.34	GLOUCESTER CITY ON	
CA	R.M. OF OTTAWA-CARLETON	LOTS 20-23, CONCESSION 1	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON	BLAIR RD.	GLOUCESTER CITY ON	
CA	TDL GROUP LTD., TIM HORTON'S	MONTREAL RD., BLK.57, RP 4M916	GLOUCESTER ON	
CA	CARA OPERATIONS LIMITED	MONTREAL RD. (HARVEY'S)	GLOUCESTER CITY ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
CA	Urbandale Corporation	Part of Lot 20, Concession 1	Ottawa ON	
CA	Urbandale Corporation	Part of Lot 20, Concession 1	Ottawa ON	
CA	GLOUCESTER CITY	DAVIDSON CRESCENT	GLOUCESTER CITY ON	
CA	TACO BELL OF CANADA	MONTREAL RD., BLKS. 43 & 45	GLOUCESTER CITY ON	

CONV	IMPERIAL OIL LIMITED		DON MILLS ON	
CONV	IMPERIAL OIL LIMITED		NORTH YORK ON	
DTNK	DIRECTOR ST LAURENT REGION	NRC MONTREAL RD BLOCK M39	OTTAWA ON	
DTNK	DIRECTOR ST LAURENT REGION	NRC MONTREAL RD BLOCK M39	OTTAWA ON	
ECA	City of Ottawa	Montreal Rd North River Road	Ottawa ON	K2G 6J8
EHS		Montreal Rd	Ottawa ON	
EXP	DIRECTOR ST LAURENT REGION	NRC MONTREAL RD BLOCK M39 OTTAWA ON CA	ON	
FRST	W.O. Stinson & Son Ltd	Blair Road	Ottawa ON	
FST	DIRECTOR ST LAURENT REGION	NRC MONTREAL RD BLOCK M39 OTTAWA ON CA	ON	
FST	NATIONAL RESEARCH COUNCIL OF CANADA	MONTREAL RD BUILDING V-61 OTTAWA ON CA MONTREAL RD BUILDING V-61 OTTAWA ON CA	ON	
FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	MONTREAL RD BUILDING V-61	OTTAWA ON	
FSTH	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	MONTREAL RD BUILDING V-61	OTTAWA ON	
GEN	PUBLIC WORKS CANADA - NATIONAL DEFENCE	CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23	OTTAWA ON	
GEN	City of Ottawa	Montreal Road from Hwy 174 to Ogilvie (including R	Ottawa ON	
GEN	PUBLIC WORKS CANADA - NATIONAL DEFENCE	CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23	OTTAWA ON	K1A 0K2
GEN	PUBLIC WORKS CANADA - NATIONAL DEFENCE	CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23	OTTAWA ON	
GEN	PUBLIC WORKS CANADA - NATIONAL DEFENCE	CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23	OTTAWA ON	
GEN	PUBLIC WORKS CANADA - NATIONAL DEFENCE	CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23	OTTAWA ON	
GEN	PRATT & WHITNEY CANADA INC.	M11, NRC CAMPUS MONTREAL ROAD	OTTAWA ON	
GEN	NATIONAL RESEARCH COUNCIL	BUILDING U-61	OTTAWA ON	K1A 0R6
GEN	NATIONAL RESEARCH COUNCIL	MONTREAL ROAD CAMPUS MONTREAL ROAD	OTTAWA ON	K1A 0R6

GEN	GVT. OF CAN. - NATIONAL RESEARCH	COUNCIL, MONTREAL ROAD COMPLEX BUILDING M-54	OTTAWA ON	K1A 0R6
GEN	GVT. OF CAN. - NATIONAL DEFENCE	LETE MONTREAL ROAD	OTTAWA ON	K1A 0M3
GEN	SPIC & SPAN-VALETOR-CASH CLEANERS	MONTERAL SQUARE, MONTREAL ROAD C/O 1764 WOODWARD DRIVE	OTTAWA ON	K2C 0P8
GEN	PUBLIC WORKS CANADA - NATIONAL DEFENCE	CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23	OTTAWA ON	K1A 0K2
GEN	GVT. OF CAN. - PUBLIC WORKS CANADA18-182	MONTREAL RD,BLDG M-23 NRC,CF PHOTO UNIT LAND ENGINEERING TEST ESTABLISHMENT	OTTAWA ON	
GEN	NATIONAL DEFENSE	NRC MONTREAL ROAD, CAMPUS BLDG. M23 CF PHOTO UNIT	OTTAWA ON	K1A 0M3
GEN	GVT. OF CAN. - PUBLIC WORKS CANADA	BLDG. SERVICES-NAT'L DEFENCE, LAND ENG. TEST ESTAB'MT,BLDG.M-23,NRC, MONTR'L RD	OTTAWA ON	K1A 0K5
GEN	PRATT & WHITNEY CANADA INC.	M10-B, NRC CAMPUS MONTREAL ROAD	OTTAWA ON	K1A 0R6
GEN	SPIC & SPAN-VALETOR-CASH CLEANERS 35-136	MONTERAL SQUARE, MONTREAL ROAD C/O 1764 WOODWARD DRIVE	OTTAWA ON	K2C 0P8
NPCB	NATIONAL RESEARCH COUNCIL	BUILDING-19/ASPM MONTREAL ROAD	OTTAWA ON	K1A 0R6
NPCB	NATIONAL RESEARCH COUNCIL	BLDG.M19. MONTREAL RD. LABS A.S.P.M. MONTREAL RD	OTTAWA ON	K1A 0R6
NPCB	NATIONAL RESEARCH COUNCIL	MONTREAL ROAD LABS AS. P. M. MONTREAL ROAD	OTTAWA ON	K1A 0R6
OPCB	NATIONAL RESEARCH COUNCIL CANADA	BUILDING M-51 MONTREAL ROAD	OTTAWA ON	
PRT	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	BUILDING M-14	OTTAWA ON	
PRT	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	MONTREAL RD BUILDING V-61	OTTAWA ON	
PRT	DIRECTOR ST LAURENT REGION	NRC MONTREAL RD BLOCK M39	OTTAWA ON	
PRT	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	U-62 BUILDING MONTREAL	OTTAWA ON	
PRT	NATIONAL RESEARCH COUNCIL CANADA BUILD M 19	U-62 BUILDING MONTREAL	OTTAWA ON	
REC	NATIONAL RESEARCH COUNCIL	STORAGE BUILDING M-26 A,B,C,D	OTTAWA ON	

SPL	PUC	FLORETTE STREET TO BLAIR ROAD MOTOR VEHICLE (OPERATING FLUID)	GLOUCESTER CITY ON
SPL	City of Ottawa	Blair Rd southbound	Ottawa ON
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	ESSO PETROLEUM CANADA	TRANSPORT TRUCK (CARGO)	OTTAWA CITY ON
SPL	ESSO PETROLEUM CANADA	BULK STATION	OTTAWA CITY ON
SPL	ESSO PETROLEUM CANADA	ESSO DISTRIBUTION STATION BULK STATION	OTTAWA CITY ON
WWIS		lot 21 con 1	ON

Unplottable Report

Site: R.M. OF OTTAWA-CARLETON
BLAIR RD. GLOUCESTER CITY ON

Database:
CA

Certificate #: 7-1868-88-
Application Year: 88
Issue Date: 11/15/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: GERALD SAVOIE C/O MONTFORT HOSPITAL
MONTREAL ROAD OTTAWA CITY ON

Database:
CA

Certificate #: 7-1184-88-
Application Year: 88
Issue Date: 8/8/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: MALHOTRA DEVELOPMENTS INC.-PT.LOT 23/C-1
MONTREAL RD./STM-WATER MGT. OTTAWA CITY ON

Database:
CA

Certificate #: 3-1791-91-
Application Year: 91
Issue Date: 4/6/1992
Approval Type: Municipal sewage
Status: Approved in 1992
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: GERALD SAVOIE C/O MONFORT HOSPITAL
MONTREAL ROAD OTTAWA CITY ON

Database:
CA

Certificate #: 3-1382-88-
Application Year: 88

Issue Date: 8/8/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
MONTREAL RD. GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1130-86-
Application Year: 86
Issue Date: 8/1/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON-ORLEANS RESERVOI
FOREST RIDGE PS REGIONAL RD.34 GLOUCESTER CITY ON

Database:
CA

Certificate #: 7-1490-87-
Application Year: 87
Issue Date: 7/6/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
LOTS 20-23, CONCESSION 1 OTTAWA CITY ON

Database:
CA

Certificate #: 3-1503-94-
Application Year: 94
Issue Date: 12/23/1994
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
BLAIR RD. GLOUCESTER CITY ON

Database:
CA

Certificate #: 7-1921-87-
Application Year: 87
Issue Date: 1/12/1988
Approval Type: Municipal water
Status: Approved in 1988
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: TDL GROUP LTD., TIM HORTON'S
MONTREAL RD., BLK.57, RP 4M916 GLOUCESTER ON

Database:
CA

Certificate #: 8-4055-98-
Application Year: 98
Issue Date: 4/9/1998
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: COMMERCIAL KITCHEN EXHAUST EQUIPMENT
Contaminants:
Emission Control:

Site: CARA OPERATIONS LIMITED
MONTREAL RD. (HARVEY'S) GLOUCESTER CITY ON

Database:
CA

Certificate #: 8-4190-96-
Application Year: 96
Issue Date: 10/24/1996
Approval Type: Industrial air
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: COMMERCIAL KITCHEN EXHAUST HOODS
Contaminants:
Emission Control:

Site: Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

Database:
CA

Certificate #: 5220-4L9R6L
Application Year: 00
Issue Date: 6/15/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Urbandale Corporation
Client Address: 2193 Arch Street
Client City: OTTAWA
Client Postal Code: K1G 2H5
Project Description: Construction of Watermain on Cirrus Way from Sandy Forest Place to Giant Cedars Crescent.

Contaminants:
Emission Control:

Site: Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

Database:
CA

Certificate #: 1056-4NANMY
Application Year: 00
Issue Date: 8/17/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: Amended CofA
Client Name: Urbandale Corporation
Client Address: 2193 Arch Street
Client City: OTTAWA
Client Postal Code: K1G 2H5
Project Description: Construction of watermains on River Road, Shoeline Drive, Wildshore Crescent, Walkway Easement, Commercial Block, and Puffin Court.

Contaminants:
Emission Control:

Site: Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

Database:
CA

Certificate #: 8618-4NANFM
Application Year: 00
Issue Date: 8/17/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: Amended CofA
Client Name: Urbandale Corporation
Client Address: 2193 Arch Street
Client City: Ottawa
Client Postal Code: K1G 2H5
Project Description: Construction of sanitary sewer on River Road from pumping station (approx. 1800 m north of Armstrong Road) to temporary entrance to Riverside South Community (approx. 750 m north of Armstrong Road), temporary Entrance Easement. Construction of storm and sanitary sewers on Shoreline Drive, Wildshore Crescent, Walkway Easement, Commercial Block, and Puffin Court

Contaminants:
Emission Control:

Site: Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

Database:
CA

Certificate #: 2227-4L9R22
Application Year: 00
Issue Date: 6/15/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Urbandale Corporation
Client Address: 2193 Arch Street
Client City: Ottawa
Client Postal Code: K1G 2H5
Project Description: Storm and Sanitary sewers to be constructed on Cirrus Way from Sandy Forest Place to Giant Cedars Crescent.
Contaminants:
Emission Control:

Site: Urbandale Corporation
Part of Lot 20, Concession 1 Ottawa ON

Database:
CA

Certificate #: 5155-667MFQ
Application Year: 2004
Issue Date: 11/1/2004

Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Urbandale Corporation**
Part of Lot 20, Concession 1 Ottawa ON

Database:
CA

Certificate #: 6191-5PPQ63
Application Year: 2003
Issue Date: 7/25/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **GLOUCESTER CITY**
DAVIDSON CRESCENT GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1730-87-
Application Year: 87
Issue Date: 9/30/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **TACO BELL OF CANADA**
MONTREAL RD., BLKS. 43 & 45 GLOUCESTER CITY ON

Database:
CA

Certificate #: 8-4102-94-
Application Year: 94
Issue Date: 8/5/1994
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: CONDENSATE & FRYER EXHAUST HOOD
Contaminants: Methane (Incl. Hydrocarbons Expr. As Ch4
Emission Control: No Controls

Site: **IMPERIAL OIL LIMITED**

Database:
CONV

DON MILLS ON

File No:
Crown Brief No:
Court Location:
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: FAILED TO COMPLY WITH CONDITIONS OF C. OF A.
Background:
URL:

Location:
Region: EASTERN REGION
Ministry District:

Additional Details

Publication Date:
Count: 1
Act: OWRA
Regulation:
Section: 66(3)
Act/Regulation/Section: OWRA- -66(3)
Date of Offence:
Date of Conviction:
Date Charged: 6/4/93
Charge Disposition:
Fine: \$6,000
Synopsis:

Site: **IMPERIAL OIL LIMITED**
NORTH YORK ON

Database:
CONV

File No:
Crown Brief No:
Court Location:
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: FAILED TO INSPECT OIL/WATER SEPARATOR WEEKLY & MAINTAIN LOG BOOK AT SITE
Background:
URL:

Location:
Region: EASTERN REGION
Ministry District:

Additional Details

Publication Date:
Count: 1
Act: OWRA
Regulation:
Section: 66(3)
Act/Regulation/Section: OWRA- -66(3)
Date of Offence:
Date of Conviction:
Date Charged: 6/4/93
Charge Disposition:
Fine: \$4,000
Synopsis:

Additional Details

Publication Date:
Count: 1
Act: OWRA
Regulation:
Section: 66(3)
Act/Regulation/Section: OWRA- -66(3)
Date of Offence:
Date of Conviction:
Date Charged: 6/4/93
Charge Disposition:
Fine: \$1,000
Synopsis:

Site: DIRECTOR ST LAURENT REGION
NRC MONTREAL RD BLOCK M39 OTTAWA ON

Database:
DTNK

Delisted Expired Fuel Safety Facilities

Instance No: 9380021
Status: EXPIRED
Instance ID: 385731
Instance Type: FS Facility
Description: Fuels Safety Private Fuel Outlet - Self Serve
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Original Source: EXP
Record Date: Up to Mar 2012

Site: DIRECTOR ST LAURENT REGION
NRC MONTREAL RD BLOCK M39 OTTAWA ON

Database:
DTNK

Delisted Expired Fuel Safety Facilities

Instance No: 10905055
Status: EXPIRED
Instance ID: 50624
Instance Type: FS Piping
Description: FS Piping
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Original Source: EXP
Record Date: Up to Mar 2012

Site: City of Ottawa
Montreal Rd North River Road Ottawa ON K2G 6J8

Database:
ECA

Approval No: 9833-B8NQKU
Approval Date: 2019-02-02
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Montreal Rd North River Road
Full Address:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Montreal Rd Ottawa ON **Database:**
EHS

Order No: 20080508039 **Nearest Intersection:**

Status: C **Municipality:**

Report Type: Custom Report **Client Prov/State:** ON

Report Date: 5/26/2008 **Search Radius (km):** 0.25

Date Received: 5/8/2008 **X:** -75.619524

Previous Site Name: **Y:** 1

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps And /or Site Plans; Title Search; Aerials Photos

Site: DIRECTOR ST LAURENT REGION **Database:**
EXP
NRC MONTREAL RD BLOCK M39 OTTAWA ON CA ON

Instance No: 10905039 **Model:** NULL

Status: EXPIRED **Quantity:** 1

Instance ID: **Unit of Measure:** EA

Instance Type: **Fuel Type2:** NULL

Instance Creation Dt: 12/13/1990 **Fuel Type3:** NULL

Instance Install Dt: 12/13/1990 **Piping Steel:**

Item: **Piping Galvanized:**

Item Description: FS Liquid Fuel Tank **Tank Single Wall St:**

Facility Type: FS LIQUID FUEL TANK **Piping Underground:**

Overfill Prot Type: NULL **Tank Underground:**

Creation Date: 7/5/2009 1:22:03 AM **Panam Related:** NULL

Expired Date: **Panam Venue Nm:** NULL

Manufacturer: NULL

Source: FS Liquid Fuel Tank

Description: UNDERGROUND TANK

Serial No: NULL

Ulc Standard: NULL

Facility Location: NRC MONTREAL RD BLOCK M39 OTTAWA ON CA

Site: W.O. Stinson & Son Ltd **Database:**
FRST
Blair Road Ottawa ON

Tank System ID: 28231 **Tank Sys Prov F:** Ontario

EC No: 00028231 **Tank Sys PO BOX:**

Internal No: **Tank Sys Postal Cd:**

Is Perm Withdrwl: False **Sys Record City:**

Removed Date: **Sys Record Prov E:**

Withdrawn Date: **Sys Record Prov F:**

Temp Withdrawn Dt: **Sys Record PO BOX:**

Tank Use E: **Sys Rec Postal Cd:**

Tank Use F: **System Rec Same as:** True

Year of Manufact: **Location Latitude:**

Emerg Plan Same as: True **Creation Date:** 41408

Operator Contact: S.19(1) **Creation By:** S.19(1)

Owner Contact: S.19(1) **Modified Date:** 41408

Tank System City: Ottawa **Modified By:** S.19(1)

Tank Sys Prov E: Ontario

Tank Use:

Tank Manufacturer:

Tank System Address: Blair Road

Sys Record Address:

System Descr:

Certification System Installer:

Certification System Remover:

Group Name: W.O. Stinson & Son Ltd

Master Group Name: W.O. Stinson & Son Ltd

Owner Email: S.19(1)

Operator Email: S.19(1)

Land Owner E: Third party on federal land
Land Owner F: Tiers sur terre fédérale

Service Months

Service Months E: March
Service Months F: Mars

Service Months E: September
Service Months F: Septembre

Service Months E: June
Service Months F: Juin

Service Months E: May
Service Months F: Mai

Service Months E: October
Service Months F: Octobre

Service Months E: January
Service Months F: Janvier

Service Months E: July
Service Months F: Juillet

Service Months E: April
Service Months F: Avril

Service Months E: December
Service Months F: Décembre

Service Months E: August
Service Months F: Août

Service Months E: February
Service Months F: Février

Service Months E: November
Service Months F: Novembre

Tanks Details

Tank ID:	47093	Dt Withdrwn Piping:	
Tank Capacity:	450	Date Remvd Piping:	
Tank Type E:	Aboveground	Tk Type of Pump E:	No pump
Tank Type F:	Hors sol	Tk Type of Pump F:	Aucune pompe
Date of Install:	2013	Piping Type E:	None
Date Withdrawn Tk:		Piping Type F:	Aucun
Date Removed Tank:		Piping Diam Unit:	inch
Tank Desc:			
Tank Stdd No E:	ULC-S643 (withdrawn and superseded by S601)		
Tank Std No F:	ULC-S643 (retiré et remplacé par S601)		
Tank Std No Other:			
Tank Constr Material E:	Steel		
Tank Constr Material F:	Acier		
Tank Constr Material Other:			
Internal No:			
Tank Content E:	Diesel		
Tank Content F:	Diesel		
Tank Content Other:			
Piping Diameter:	none		
Spill Containment E:	Devices for Aboveground Tanks (ORD-C142.19)		
Spill Containment F:	Réservoir hors sol (ORD-C142.19)		
Spill Containment Other:			
Product Transfer Area:	spill containment box		
Date Withdrwn Other Component:			

Date Removed Other
Component:

Tank Corrosion Protection

Component E: Painted
Component F: Peinturé

Tank Leak Detection

Component E: Interstitial monitoring - double walled tank
Component F: Surveillance interstitielle- réservoir à double paroi

Sump Leak Detection

Component E: None
Component F: Aucun

Tank Secondary Containment

Component E: Double Walled
Component F: Double paroi

Site: DIRECTOR ST LAURENT REGION
NRC MONTREAL RD BLOCK M39 OTTAWA ON CA ON

Database:
FST

Instance No: 10905039
Status:
Cont Name:
Instance Type:
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Liquid Fuel Single Wall UST
Install Date: 12/13/1990
Install Year: 1983
Years in Service:
Model: NULL
Description:
Capacity: 4500
Tank Material: Steel
Corrosion Protect:
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: NRC MONTREAL RD BLOCK M39 OTTAWA ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related:
Panam Venue:

Fuel Storage Tank Details

Owner Account Name: DIRECTOR ST LAURENT REGION

Site: NATIONAL RESEARCH COUNCIL OF CANADA
MONTREAL RD BUILDING V-61 OTTAWA ON CA MONTREAL RD BUILDING V-61 OTTAWA ON CA ON

Database:
FST

Instance No: 10901702
Status: Active
Cont Name:
Instance Type: FS Liquid Fuel Tank
Item: FS LIQUID FUEL TANK
Item Description: FS Liquid Fuel Tank
Tank Type: Single Wall UST
Install Date: 11/13/1990
Install Year: 1990
Years in Service: 20.4

Manufacturer: NULL
Serial No: NULL
Ulc Standard: NULL
Quantity: 1
Unit of Measure: EA
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:

Model: NULL
Description:
Capacity: 13638
Tank Material: Fiberglass (FRP)
Corrosion Protect: Fiberglass
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type: Fuels Safety Private Fuel Outlet - Self Serve
Facility Location: MONTREAL RD BUILDING V-61 OTTAWA ON CA
Device Installed Location: MONTREAL RD BUILDING V-61 OTTAWA ON CA

Tanks Single Wall St:
Piping Underground:
Num Underground:
Panam Related: NULL
Panam Venue: NULL

Fuel Storage Tank Details

Owner Account Name: NATIONAL RESEARCH COUNCIL OF CANADA

Liquid Fuel Tank Details

Overfill Protection: NULL
Owner Account Name: NATIONAL RESEARCH COUNCIL OF CANADA

Site: NATIONAL RESEARCH COUNCIL CANADA BUILD M 19
MONTREAL RD BUILDING V-61 OTTAWA ON

Database:
FSTH

License Issue Date: 5/17/1991
Tank Status: Licensed
Tank Status As Of: August 2007
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--

Status: Active
Year of Installation: 1990
Corrosion Protection:
Capacity: 13638
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Site: NATIONAL RESEARCH COUNCIL CANADA BUILD M 19
MONTREAL RD BUILDING V-61 OTTAWA ON

Database:
FSTH

License Issue Date: 5/17/1991
Tank Status: Licensed
Tank Status As Of: December 2008
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--

Status: Active
Year of Installation: 1990
Corrosion Protection:
Capacity: 13638
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Site: PUBLIC WORKS CANADA - NATIONAL DEFENCE
CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23 OTTAWA ON

Database:
GEN

Generator No: ON0144713
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 911110
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 243
Waste Class Desc: PCBS

Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Site: *City of Ottawa*
Montreal Road from Hwy 174 to Ogilvie (including R Ottawa ON

Database:
GEN

Generator No: ON7209780
Status:
Approval Years: 2013
Contam. Facility:
MHSW Facility:
SIC Code: 237110
SIC Description: WATER AND SEWER LINE AND RELATED STRUCTURES CONSTRUCTION

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: *PUBLIC WORKS CANADA - NATIONAL DEFENCE*
CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23 OTTAWA ON K1A 0K2

Database:
GEN

Generator No: ON0144713
Status:
Approval Years: 2012
Contam. Facility:

PO Box No:
Country:
Choice of Contact:
Co Admin:

MHSW Facility: **Phone No Admin:**
SIC Code: 911110
SIC Description: Defence Services

Detail(s)

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 243
Waste Class Desc: PCBS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Site: PUBLIC WORKS CANADA - NATIONAL DEFENCE
CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23 OTTAWA ON

Database:
GEN

Generator No: ON0144713
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 911110
SIC Description: Defence Services

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 243
Waste Class Desc: PCBS

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS
Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES
Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES
Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES
Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS
Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS
Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES
Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS
Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES
Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS
Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS
Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Site: PUBLIC WORKS CANADA - NATIONAL DEFENCE
 CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23 OTTAWA ON

Database:
 GEN

Generator No:	ON0144713	PO Box No:	
Status:		Country:	
Approval Years:	2010	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	911110		
SIC Description:	Defence Services		

Detail(s)

Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS
Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES
Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES
Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES
Waste Class: 243
Waste Class Desc: PCBS
Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS
Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Site: PUBLIC WORKS CANADA - NATIONAL DEFENCE
 CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23 OTTAWA ON

Database:
 GEN

Generator No:	ON0144713	PO Box No:	
Status:		Country:	
Approval Years:	2009	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	911110		
SIC Description:	Defence Services		

Detail(s)

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 243
Waste Class Desc: PCBS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Site: PRATT & WHITNEY CANADA INC.
M11, NRC CAMPUS MONTREAL ROAD OTTAWA ON

Database:
GEN

Generator No: ON0142801
Status:
Approval Years: 06,07,08
Contam. Facility:
MHSW Facility:
SIC Code: 336410
SIC Description: Aerospace Product and Parts Manufacturing

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 253
Waste Class Desc: EMULSIFIED OILS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Site: NATIONAL RESEARCH COUNCIL
BUILDING U-61 OTTAWA ON K1A 0R6

Database:
GEN

Generator No: ON5272025
Status:
Approval Years: 02,03,04
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: NATIONAL RESEARCH COUNCIL
MONTREAL ROAD CAMPUS MONTREAL ROAD OTTAWA ON K1A 0R6

Database:
GEN

Generator No: ON0195801
Status:
Approval Years: 98
Contam. Facility:
MHSW Facility:
SIC Code: 8176
SIC Description: RESEARCH ADMIN.

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 114
Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Waste Class: 242
Waste Class Desc: HALOGENATED PESTICIDES

Waste Class: 243
Waste Class Desc: PCB'S

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 253
Waste Class Desc: EMULSIFIED OILS

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 268
Waste Class Desc: AMINES

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES

Site: GVT. OF CAN. - NATIONAL RESEARCH
COUNCIL, MONTREAL ROAD COMPLEX BUILDING M-54 OTTAWA ON K1A 0R6

Database:
GEN

Generator No: ON0195801
Status:
Approval Years: 86,87
Contam. Facility:
MHSW Facility:
SIC Code: 8176
SIC Description: RESEARCH ADMIN.
PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 114
Waste Class Desc: OTHER INORGANIC ACID WASTES
Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS
Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS
Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS
Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES
Waste Class: 221
Waste Class Desc: LIGHT FUELS
Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS
Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS
Waste Class: 253
Waste Class Desc: EMULSIFIED OILS
Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES
Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Site: GVT. OF CAN. - NATIONAL DEFENCE
LETE MONTREAL ROAD OTTAWA ON K1A 0M3

Database:
GEN

Generator No: ON0046519
Status:
Approval Years: 86,87,88,89,90,92,93,94
Contam. Facility:
MHSW Facility:
SIC Code: 0000
SIC Description: *** NOT DEFINED ***
PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Site: SPIC & SPAN-VALETOR-CASH CLEANERS
MONTERAL SQUARE, MONTREAL ROAD C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8

Database:
GEN

Generator No: ON0573407
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
PO Box No:
Country:
Choice of Contact:
Co Admin:

MHSW Facility:
SIC Code: 9721
SIC Description: POWER LAUND./CLEANERS

Phone No Admin:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Site: PUBLIC WORKS CANADA - NATIONAL DEFENCE
CF PHOTO UNIT NRC MONTREAL ROAD, CAMPUS BLDG. M23 OTTAWA ON K1A 0K2

Database:
[GEN](#)

Generator No: ON0144713
Status:
Approval Years: 98,99,00,01,02,03,04,05,06,07,08
Contam. Facility:
MHSW Facility:
SIC Code: 8111
SIC Description: DEFENCE SERVICES

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 146
Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 111
Waste Class Desc: SPENT PICKLE LIQUOR

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 114
Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 123
Waste Class Desc: ALKALINE PHOSPHATES

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 211
Waste Class Desc: AROMATIC SOLVENTS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 232
Waste Class Desc: POLYMERIC RESINS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Waste Class: 242

Waste Class Desc: HALOGENATED PESTICIDES
Waste Class: 243
Waste Class Desc: PCB'S
Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS
Waste Class: 253
Waste Class Desc: EMULSIFIED OILS
Waste Class: 262
Waste Class Desc: DETERGENTS/SOAPS
Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS
Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES
Waste Class: 265
Waste Class Desc: GRAPHIC ART WASTES
Waste Class: 267
Waste Class Desc: ORGANIC ACIDS
Waste Class: 331
Waste Class Desc: WASTE COMPRESSED GASES
Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Site: GVT. OF CAN. - PUBLIC WORKS CANADA 18-182
 MONTREAL RD,BLDG M-23 NRC,CF PHOTO UNIT LAND ENGINEERING TEST ESTABLISHMENT OTTAWA ON

Database:
 GEN

Generator No:	ON0144713	PO Box No:	
Status:		Country:	
Approval Years:	94	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	8111		
SIC Description:	DEFENCE SERVICES		

Detail(s)

Waste Class: 111
Waste Class Desc: SPENT PICKLE LIQUOR
Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS
Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES
Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS
Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS
Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS
Waste Class: 253
Waste Class Desc: EMULSIFIED OILS
Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 267
Waste Class Desc: ORGANIC ACIDS

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 123
Waste Class Desc: ALKALINE PHOSPHATES

Site: NATIONAL DEFENSE
 NRC MONTREAL ROAD, CAMPUS BLDG. M23 CF PHOTO UNIT OTTAWA ON K1A 0M3

Database:
 GEN

Generator No:	ON0144713	PO Box No:	
Status:		Country:	
Approval Years:	92,93,95,96,97	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:	8111		
SIC Description:	DEFENCE SERVICES		

Detail(s)

Waste Class: 111
Waste Class Desc: SPENT PICKLE LIQUOR

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 114
Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 123
Waste Class Desc: ALKALINE PHOSPHATES

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 253
Waste Class Desc: EMULSIFIED OILS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 267
Waste Class Desc: ORGANIC ACIDS

Site: **GVT. OF CAN. - PUBLIC WORKS CANADA**
BLDG. SERVICES-NAT'L DEFENCE, LAND ENG. TEST ESTAB'MT,BLDG.M-23,NRC,MONTR'L RD OTTAWA ON K1A 0K5

Database:
GEN

Generator No: ON0144713
Status:
Approval Years: 86,87,88,89,90
Contam. Facility:
MHSW Facility:
SIC Code: 8111
SIC Description: DEFENCE SERVICES

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 111
Waste Class Desc: SPENT PICKLE LIQUOR

Waste Class: 253
Waste Class Desc: EMULSIFIED OILS

Waste Class: 267
Waste Class Desc: ORGANIC ACIDS

Waste Class: 112
Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 113
Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 122
Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 123
Waste Class Desc: ALKALINE PHOSPHATES

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Site: **PRATT & WHITNEY CANADA INC.**
M10-B, NRC CAMPUS MONTREAL ROAD OTTAWA ON K1A 0R6

Database:
GEN

Generator No: ON0142801
Status:
Approval Years: 95,96,97,98,99,00,01,02,03,04,05

PO Box No:
Country:
Choice of Contact:

Contam. Facility:
MHSW Facility:
SIC Code: 3211
SIC Description: AIRCRAFT & PARTS IND.

Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

Waste Class: 148
Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Site: SPIC & SPAN-VALETOR-CASH CLEANERS 35-136
MONTERAL SQUARE, MONTREAL ROAD C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8

Database:
GEN

Generator No: ON0573407
Status:
Approval Years: 92,93,94,95,96,97,98
Contam. Facility:
MHSW Facility:
SIC Code: 9721
SIC Description: POWER LAUND./CLEANER

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Site: NATIONAL RESEARCH COUNCIL
BUILDING-19/ASPM MONTREAL ROAD OTTAWA ON K1A 0R6

Database:
NPCB

Company Code: O3164
Industry: NATIONAL RESEARCH COUNCIL
Site Status: ITEMS SENT TO SWAN HILLS
Transaction Date: 11/10/1996
Inspection Date:

Site: NATIONAL RESEARCH COUNCIL
BLDG.M19. MONTREAL RD. LABS A.S.P.M. MONTREAL RD OTTAWA ON K1A 0R6

Database:
NPCB

Company Code: O3138
Industry: NATIONAL RESEARCH COUNCIL
Site Status: ITEMS SENT TO SWAN HILLS
Transaction Date: 6/15/1999
Inspection Date: 5/5/1993

--Details--

Label: OR14394
Serial No.:
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: STORED FOR FUTURE USE

Contents: 6.6 L
Label: OR14352
Serial No.: OR14352
PCB Type/Code: ASKAREL/ASKAREL
Location: ASKAREL/ASKAREL
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer: CAPACITOR/FULL
Status: IN-USE
Contents: 6.6 L

Label: OR14356
Serial No.: OR14356
PCB Type/Code: ASKAREL/ASKAREL
Location: ASKAREL/ASKAREL
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer: CAPACITOR/FULL
Status: IN-USE
Contents: 6.6 L

Label: OR14396
Serial No.: OR14396
PCB Type/Code: ASKAREL/ASKAREL
Location: ASKAREL/ASKAREL
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer: CAPACITOR/FULL
Status: STORED FOR FUTURE USE
Contents: 6.6 L

Label: OR14397
Serial No.: OR14397
PCB Type/Code: ASKAREL/ASKAREL
Location: ASKAREL/ASKAREL
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer: CAPACITOR/FULL
Status: STORED FOR FUTURE USE
Contents: 6.6 L

Label: OR14398
Serial No.: OR14398
PCB Type/Code: ASKAREL/ASKAREL
Location: ASKAREL/ASKAREL
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer: CAPACITOR/FULL
Status: STORED FOR FUTURE USE
Contents: 4.5 L

Label: OR14399
Serial No.: OR14399
PCB Type/Code: ASKAREL/ASKAREL
Location: ASKAREL/ASKAREL
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer: CAPACITOR/FULL
Status: STORED FOR FUTURE USE
Contents: 4.5 L

Label: OR14401
Serial No.: OR14401
PCB Type/Code: ASKAREL/ASKAREL
Location: ASKAREL/ASKAREL
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer: CAPACITOR/FULL
Status: STORED FOR FUTURE USE

Contents: 4.5 L
Label: OR14353
Serial No.: OR14353
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 6.6 L

Label: OR14354
Serial No.: OR14354
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 6.6 L

Label: OR14351
Serial No.: Pallet 1
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: STORED FOR DISPOSAL
Contents: 4.5 L

Site: NATIONAL RESEARCH COUNCIL
MONTREAL ROAD LABS AS. P. M. MONTREAL ROAD OTTAWA ON K1A 0R6

Database:
NPCB

Company Code: O3138A
Industry: NATIONAL RESEARCH COUNCIL
Site Status: FEDERAL FACILITIES (IN USE)
Transaction Date: 2/16/1993
Inspection Date:

--Details--

Label: OR24169
Serial No.: OR24169
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-36
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR44331
Serial No.: OR44331
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 4.5 L

Label: OR44332
Serial No.: OR44332
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL

No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 4.5 L

Label: OR44333
Serial No.:
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 4.5 L

Label: OR44334
Serial No.:
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 4.5 L

Label: OR44335
Serial No.:
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 4.5 L

Label: OR44336
Serial No.:
PCB Type/Code: ASKAREL/ASKAREL
Location:
Item/State: CAPACITOR/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 4.5 L

Label: OR24162
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-55
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR24163
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-55
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR24164
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-35
Item/State: TRANSFORMER/FULL

No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR24165
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-35
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR24166
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-36
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR24172
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location:
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer:
Status: IN-USE
Contents: 803 L

Label: OR24170
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-36
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR24167
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-36
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Label: OR24168
Serial No.:
PCB Type/Code: ASKAREL/INERTEEN
Location: BLDG. M-36
Item/State: TRANSFORMER/FULL
No. of Items: 1
Manufacturer: WESTINGHOUSE
Status: IN-USE
Contents: 803 L

Site: NATIONAL RESEARCH COUNCIL CANADA
 BUILDING M-51 MONTREAL ROAD OTTAWA ON

Database:
 OPCB

Year: 1992
Site Number: 40288A242
Name Owner:
Additional Site Information:

Site: NATIONAL RESEARCH COUNCIL CANADA BUILD M 19
BUILDING M-14 OTTAWA ON

Database:
[PRT](#)

Location ID: 10891
Type: private
Expiry Date:
Capacity (L): 4546.00
Licence #: 0001063384

Site: NATIONAL RESEARCH COUNCIL CANADA BUILD M 19
MONTREAL RD BUILDING V-61 OTTAWA ON

Database:
[PRT](#)

Location ID: 10892
Type: private
Expiry Date:
Capacity (L): 13638.00
Licence #: 0001041623

Site: DIRECTOR ST LAURENT REGION
NRC MONTREAL RD BLOCK M39 OTTAWA ON

Database:
[PRT](#)

Location ID: 11025
Type: private
Expiry Date:
Capacity (L): 4500.00
Licence #: 0001048775

Site: NATIONAL RESEARCH COUNCIL CANADA BUILD M 19
U-62 BUILDING MONTREAL OTTAWA ON

Database:
[PRT](#)

Location ID: 204
Type: retail
Expiry Date:
Capacity (L): 2273
Licence #: 0001041664

Site: NATIONAL RESEARCH COUNCIL CANADA BUILD M 19
U-62 BUILDING MONTREAL OTTAWA ON

Database:
[PRT](#)

Location ID: 204
Type: private
Expiry Date:
Capacity (L): 4546.00
Licence #: 0001041633

Site: NATIONAL RESEARCH COUNCIL
STORAGE BUILDING M-26 A,B,C,D OTTAWA ON

Database:
[REC](#)

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name:
Choice of Contact:
Site Bldg:

Site PO Box:
Receiver #: RRPCB1200
Facility Type: TRANSFER STATION
Approval Yrs: 95,96,97,98,99,00,01,02,06,07,08

--Details--

Waste Code: 243
Waste Description: PCB'S

Site: PUC
FLORETTE STREET TO BLAIR ROAD MOTOR VEHICLE (OPERATING FLUID) GLOUCESTER CITY ON

Database:
SPL

Ref No: 76630
Site No:
Incident Dt: 9/22/1992
Year:
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Water course or lake
Receiving Medium: LAND / WATER
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/22/1992
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: GLOUCESTER WORKS VEHICILE 4L HYDRAULIC FLUID TO ROAD AND STORM.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20105
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: City of Ottawa
Blair Rd southbound Ottawa ON

Database:
SPL

Ref No: 2255-7BMRXG
Site No:
Incident Dt:
Year:
Incident Cause: Cooling System Leak
Incident Event:
Contaminant Code: 24
Contaminant Name: ETHYLENE GLYCOL (ANTIFREEZE)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact:
Receiving Medium:
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/8/2008
Dt Document Closed: 2/22/2008
Incident Reason: Equipment Failure - Malfunction of system components
Site Name: Blair Rd @ bus stop 32 10<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Ethylene Glycol Spill Blair Rd to drain

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Tank Truck
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office: Ottawa
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Watercourse Spills
Source Type:

Contaminant Qty: 30 L

Site: ESSO PETROLEUM CANADA
TANK TRUCK (CARGO) OTTAWA CITY ON

Database:
SPL

Ref No:	47843	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	3/19/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	3/20/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ESSO HOME COMFORT - TANK TRUCK SPILLED APPROX 1 L.HEATING OIL ON GROUND		
Contaminant Qty:			

Site: ESSO PETROLEUM CANADA
TRANSPORT TRUCK (CARGO) OTTAWA CITY ON

Database:
SPL

Ref No:	59519	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	11/7/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	11/7/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ESSO-3 LITRES DIESEL FUELTO GRND UNDER LOADING RACK,COUPLING NOT CLOSED		
Contaminant Qty:			

Site: ESSO PETROLEUM CANADA
BULK STATION OTTAWA CITY ON

Database:
SPL

Ref No:	155190	Discharger Report:	
Site No:		Material Group:	

Incident Dt: 5/1/1998
Year:
Incident Cause: OTHER CAUSE (N.O.S.)
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 5/1/1998
Dt Document Closed:
Incident Reason: NEGLIGENCE (APPARENT)
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO-156 L DIESEL TO LOT,LOADING ARM NOT IN TRUCKSCOMPARTMENT,PUMP STARTED.
Contaminant Qty:

Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: ESSO PETROLEUM CANADA
 ESSO DISTRIBUTION STATION BULK STATION OTTAWA CITY ON

Database:
 SPL

Ref No: 46877
Site No:
Incident Dt: 2/21/1991
Year:
Incident Cause: CONTAINER OVERFLOW
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 2/21/1991
Dt Document Closed:
Incident Reason: ERROR
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: ESSO DISTRIB. STATION - 50 L FURNACE OIL SPILLED TO LOADING DOCK. OV/FILL.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: lot 21 con 1 ON

Database:
 WWIS

Well ID: 1531407
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 220943
Tag:
Construction Method:
Elevation (m):

Data Entry Status:
Data Src: 1
Date Received: 10/18/2000
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA
Municipality: GLOUCESTER TOWNSHIP

Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Site Info:
Lot: 021
Concession: 01
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10052941
DP2BR: 0
Spatial Status:
Code OB: v
Code OB Desc: Overburden below Bedrock
Open Hole:
Cluster Kind:
Date Completed: 9/27/2000
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931078402
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 81
Mat2 Desc: SANDY
Mat3:
Mat3 Desc:
Formation Top Depth: 12
Formation End Depth: 32
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931078401
Layer: 1
Color: 6
General Color: BROWN
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth: 12
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931078403

Layer: 3
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 12
Mat2 Desc: STONES
Mat3:
Mat3 Desc:
Formation Top Depth: 32
Formation End Depth: 58
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931078404
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 73
Mat2 Desc: HARD
Mat3:
Mat3 Desc:
Formation Top Depth: 58
Formation End Depth: 150
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933116576
Layer: 1
Plug From: 40
Plug To: 0
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961531407
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 10601511
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930092628
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930092629
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991531407
Pump Set At:
Static Level: 32
Final Level After Pumping: 75
Recommended Pump Depth: 125
Pumping Rate: 6
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN:
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934113555
Test Type: Draw Down
Test Duration: 15
Test Level: 75
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934914441
Test Type: Draw Down
Test Duration: 60
Test Level: 145
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934396059
Test Type: Draw Down
Test Duration: 30
Test Level: 100
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934657550
Test Type: Draw Down
Test Duration: 45
Test Level: 125
Test Level UOM: ft

Water Details

Water ID: 933491848
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 69
Water Found Depth UOM: ft

Water Details

Water ID: 933491849
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 142
Water Found Depth UOM: ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jun 30, 2020

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Environment and Climate Change Canada cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Chemical Manufacturers and Distributors:

Private CHEM MAN

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Jun 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Dec 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Aug 31, 2020

Delisted Fuel Tanks:

Provincial DELISTED TANK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Jul 31, 2020

Drill Hole Database:

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Aug 31, 2020

Environmental Registry:

Provincial

EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Aug 31, 2020

Environmental Compliance Approval:

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Aug 31, 2020

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jul 31, 2020

Environmental Issues Inventory System:

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial [EPAR](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial [EXP](#)

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions:

Federal [FCON](#)

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal [FCS](#)

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2020

Fisheries & Oceans Fuel Tanks:

Federal [FOFT](#)

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal [FRST](#)

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial [FST](#)

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial [FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Landfill Inventory Management Ontario:

Provincial LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2020

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2020

Ontario Oil and Gas Wells:

Provincial

[OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

Inventory of PCB Storage Sites:

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Aug 31, 2020

Canadian Pulp and Paper:

Private

[PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

[PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

[PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Aug 31, 2020

Pipeline Incidents:

Provincial

[PINC](#)

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness. The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial [PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial [PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Aug 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial [REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial [RSC](#)

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jul 2020

Retail Fuel Storage Tanks:

Private [RST](#)

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jun 30, 2020

Scott's Manufacturing Directory:

Private [SCT](#)

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial [SPL](#)

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Nov 2019

Wastewater Discharger Registration Database:

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variiances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variiances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Aug 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2020

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Nick Sullivan

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: October 5, 2020 11:11 AM
To: Nick Sullivan
Subject: RE: Records Search Request (PE5061)

Hello,

Thank you for your request for confirmation of public information.

- We confirm the following **fuel storage tanks records** in our database at the subject address(es).

Inst Number	Segment1	Address	City	Province	Postal Code	Status
9813711	FS GASOLINE STATION - FULL SERVE	1649 MONTREAL RD	GLOUCESTER	ON	K1J 6N6	EXPIRED
9826947	FS GASOLINE STATION - SELF SERVE	1648 MONTREAL RD	GLOUCESTER	ON	K1J 6N5	EXPIRED
10762783	FS LIQUID FUEL TANK	1648 MONTREAL RD	GLOUCESTER	ON	K1J 6N5	EXPIRED
10762795	FS LIQUID FUEL TANK	1649 MONTREAL RD	GLOUCESTER	ON	K1J 6N6	EXPIRED
10762815	FS LIQUID FUEL TANK	1649 MONTREAL RD	GLOUCESTER	ON	K1J 6N6	EXPIRED
10762833	FS LIQUID FUEL TANK	1649 MONTREAL RD	GLOUCESTER	ON	K1J 6N6	EXPIRED

For a further search in our archives please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to publicinformationsservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

Kind regards,

Roxana



Public Information Agent

Facilities and Business Services
345 Carlingview Drive
Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationsservices@tssa.org

www.tssa.org



From: Nick Sullivan <nsullivan@Patersongroup.ca>
Sent: October 5, 2020 9:51 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: Records Search Request (PE5061)

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good morning,

Could you please complete a search of your records for **underground/aboveground storage tanks, historical spills, or other incidents/infractions** for the following addresses in Ottawa, Ontario:

Montreal Road: 1648, 1649, 1651, 1661, 1687, 1696;
Blair Road: 741.

Thank you very much!

Nick Sullivan, B.Sc.

patersongroup
solution oriented engineering
over 60 years serving our clients

154 Colonnade Road South
Ottawa, Ontario, K2E 7J5
Tel: (613) 226-7381 Ext. 208
Cell: (613) 913-3608

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Nick Sullivan, B.Sc.

patersongroup

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

POSITION

Environmental Scientist

EDUCATION

McMaster University, B.Sc. 2016
Earth & Environmental Science

Niagara College, Cert. 2017
Environmental Management & Assessment

EXPERIENCE

2018 – Present

Paterson Group Inc.

Consulting Engineers
Geotechnical and Environmental Division
Environmental Scientist

SELECT LIST OF PROJECTS

Phase I & II Environmental Site Assessments
Contaminated Soil and Groundwater Field Sampling
Subsurface Investigations of Soil and Rock Stratigraphy
Supervision of Environmental Remediation Programs
Designated Substance Surveys

Geotechnical
Engineering

Environmental
Engineering

Hydrogeology

Geological
Engineering

Materials Testing

Building Science

Archaeological
Services

POSITION

Associate and Supervisor of the Environmental Division
Senior Environmental/Geotechnical Engineer

EDUCATION

Queen's University, B.A.Sc.Eng, 1991
Geotechnical / Geological Engineering

MEMBERSHIPS

Ottawa Geotechnical Group
Professional Engineers of Ontario

EXPERIENCE

1991 to Present

Paterson Group Inc.

Associate and Senior Environmental/Geotechnical Engineer
Environmental and Geotechnical Division
Supervisor of the Environmental Division

SELECT LIST OF PROJECTS

Mary River Exploration Mine Site - Northern Baffin Island
Agricultural Supply Facilities - Eastern Ontario
Laboratory Facility - Edmonton (Alberta)
Ottawa International Airport - Contaminant Migration Study - Ottawa
Richmond Road Reconstruction - Ottawa
Billings Hurdman Interconnect - Ottawa
Bank Street Reconstruction - Ottawa
Environmental Review - Various Laboratories across Canada - CFIA
Dwyer Hill Training Centre - Ottawa
Nortel Networks Environmental Monitoring - Carling Campus - Ottawa
Remediation Program - Block D Lands - Kingston
Investigation of former landfill sites - City of Ottawa
Record of Site Condition for Railway Lands - North Bay
Commercial Properties - Guelph and Brampton
Brownfields Remediation - Alcan Site - Kingston
Montreal Road Reconstruction - Ottawa
Appleford Street Residential Development - Ottawa
Remediation Program - Ottawa Train Yards
Remediation Program - Bayshore and Heron Gate
Gladstone Avenue Reconstruction - Ottawa
Somerset Avenue West Reconstruction - Ottawa