patersongroup

Consulting Engineers

154 Colonnade Road South Ottawa, Ontario Canada, K2E 7J5 Tel: (613) 226-7381 Fax: (613) 226-6344

Geotechnical Engineering Environmental Engineering Hydrogeology Geological Engineering

Geological Engineering Materials Testing Building Science

April 26, 2022 File: PE4905-LET.01

Urbandale Corporation 2193 Arch Street, Ottawa, Ontario K1G 2H5

www.patersongroup.ca

Subject: Phase I - Environmental Site Assessment Update 1515 Earl Armstrong Road Ottawa, Ontario

Mr. Marcel Denomme

Dear Sir,

Attention:

Further to your request, Paterson Group (Paterson) conducted a Phase I - Environmental Site Assessment (ESA) Update for the aforementioned property. This report updates a Phase I ESA entitled "Phase I Environmental Site Assessment, 1515 Earl Armstrong Road, Ottawa, Ontario," prepared by Paterson Group (Paterson), dated April 16, 2020.

This report is intended to meet the requirements for an updated Phase I ESA, as per the MECP O.Reg 153/04, as amended. This report is to be read in conjunction with the 2020 report.

Site Information

The Phase I Property is located on the north side of Earl Armstrong Road, at the intersection of Earl Armstrong Road and Limebank Road, in the City of Ottawa, Ontario. The Phase I property is currently undeveloped vacant land, with a small gravel access road entering the property from Limebank Road. The subject property is located within a municipally serviced area. The surrounding land is used for residential purposes and or is vacant.

Records Review

Phase I ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I ESA study area for this assignment. Properties outside the 250 m radius are not considered to have the potential to impact the Phase I property, based on their separation distance.

First Developed Use Determination

Based on a review of available historical information, the Phase I property has never been formally developed.

Previous Engineering Reports

The following report was reviewed as part of this Phase I-ESA Update.

 "Phase I Environmental Site Assessment, 1515 Earl Armstrong Road, Ottawa, Ontario," prepared by Paterson Group, dated April 16, 2020.

Based on the 2020 Phase I ESA, no historical or current use of the Phase I property identified any potential environmental concerns.

Surrounding land use to the south and east consist of vacant/agricultural lands, whereas the lands to the north and west are used for residential purposes. No potential environmental concerns were identified with the use of the Phase I study area. A Phase II ESA was not recommended at that time.

Environment Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on April 20, 2022. The Phase I property was not listed in the NPRI database. No records of pollutant release were listed in the database for properties within the Phase I study area.

PCB Inventory

A search of the provincial PCB waste storage sites was conducted. No PCB waste storage sites are located within the Phase I study area.

Ministry of the Environment, Conservation and Parks (MECP) Submissions

An ERIS report, dated March 20, 2020, was requested in lieu of a MECP Freedom of Information (FOI) request pertaining to all environmental conditions, permits, certificates of approval, compliance reports, fuel oil storage tanks, spills and waste generators Mr. Marcel Denomme Page 3 File: PE4905-LET.01

regarding the subject site and neighbouring lands. A copy of the ERIS report is appended in Appendix 2.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. No active or closed waste disposal sites or former industrial sites were identified in the vicinity of the Phase I property.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry (ESR) was conducted as part of this assessment for the Phase I Property and lands within the study area. No Records of Site Conditions (RSCs) were filed for the Phase I property or any properties within the Phase I study area.

OMNRF Areas of Natural and Scientific Interest (ANSI)

A search for areas of natural and scientific interest (ANSI) situated within the Phase I study area was conducted electronically through the Ontario Ministry of Natural Resources and Forestry (OMNRF) website. No ANSI sites were identified on the subject Phase I property or within the Phase I study area.

Technical Standards and Safety Authority (TSSA)

The TSSA, Fuels Safety Branch in Toronto, was contacted on April 25, 2022, to inquire about current and former underground/aboveground storage tanks, spills and incidents for the Phase I property and neighbouring properties. No records were found for the Phase I property or neighbouring properties.

City of Ottawa Landfill Document

The document entitled "Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa", was reviewed. No former landfills were identified within the Phase I study area.

City of Ottawa Historical Land Use Inventory (HLUI)

A request for information from the City's Historical Land Use Inventory (HLUI) database for the Phase I property was requested as part of this assessment. A response from the Mr. Marcel Denomme Page 4 File: PE4905-LET.01

City of Ottawa's HLUI database (HLUI) indicated that there were no activities associated with the Phase I property.

Based on the HLUI database, activities were identified on properties within the immediate area of the Phase I property. The activities were sufficiently far enough away however, that they are not considered to pose a risk to the Phase I property.

Environmental Risk Information Services (ERIS) Database Report

An ERIS (Environmental Risk Information Service) Report was obtained for the Phase I Property and properties within a 250 m search radius. ERIS provides information from all federal and provincial databases, as well as private databases. No records were considered to represent PCAs within the Phase I study area. A copy of the ERIS report is appended in Appendix 2.

Aerial Photographs

The latest aerial photograph taken in 2019 was reviewed as part of this assessment. No significant changes are apparent on the Phase I property and surrounding lands within the Phase I study area.

Water Bodies

No natural water bodies are present within the Phase I study area. A stormwater management pond is located in the northern portion of the Phase I study area. There is also a creek situated north of the pond that runs to the northwest towards the Rideau River, located approximately 2 km west of the Phase I property.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic maps indicate that the general elevation of the Phase I property is approximately 90 m above sea level. The regional topography in the general area of the Phase I property slopes down in a northwesterly direction towards to the Rideau River. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Physiographic Maps

A physiographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website, as prat of this assessment. According to the publication and mapping information, the subject site is situated within the St. Lawrence Lowlands. According to the description provided: *"The lowlands are plain-like areas that were affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features*

Mr. Marcel Denomme Page 5 File: PE4905-LET.01

associated with the ice sheets." The Phase I property is specifically located within the Central St. Lawrence Lowland area, which is rarely more than 150 m above sea level.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on the available mapping information, the bedrock within the area of the Phase I property consists of sandstone and dolomite of the March Formation, whereas the surficial geology generally consists of offshore marine sediments consisting of clay and silt, with an overburden thickness ranging from 10 m to 15 m.

Water Well Records

A search of the MECP's website for all drilled well records within 250 m of the Phase I property was conducted on April 20, 2022. The search identified five (5) well records within the Phase I study area. The records pertain to wells used for domestic and groundwater monitoring purposes, drilled in the area in between 1956 and 2014.

Based on the well record, the stratigraphy in the general area of the Phase I property consists of loam, underlain by silty clay, over limestone bedrock. The water table was encountered at an average depth of 24 to 27 m. Selected well records are appended in Appendix 2.

Site Reconnaissance

Our site reconnaissance visit was conducted on April 22, 2022. Weather conditions were sunny, with a temperature of approximately 11° C. Mr. Joshua Dempsey from the Environmental Department of Paterson Group conducted the site inspection. In addition to the site, the uses of neighbouring properties within the Phase I study area were also assessed at the time of the site visit.

The Phase I property is currently undeveloped vacant land. Groundcover on-site is primarily long grasses with sparse treed areas primarily along the southern property limits. The remnants of an old access lane were observed on the southwest portion of the Phase I property.

The site is generally flat, although some areas are of lower elevation along the southern portion of the property. The regional topography generally slopes to the northeast, towards the stormwater management pond. Site drainage occurs primarily through infiltration. There was no ponded water observed on the ground surface at the time of the site visit.

Mr. Marcel Denomme Page 6 File: PE4905-LET.01

No unidentified substances were observed on the Phase I Property during the site visit. No new potential environmental concerns were identified during the site visit. The surrounding properties were also observed during the site visit and are shown on Drawing PE4905-2 - Surrounding Land Use Plan.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the subject site was as follows:

- □ North: Residential development and a stormwater management pond;
- East: Limebank Road, followed by vacant land;
- □ West: Residential development;
- South: Earl Armstrong Road, followed by vacant land.

No PCAs were identified at the time of the site visit and as such, there are no APECs. Current land use in the Phase I Study area is illustrated on Drawing PE4905-2 -Surrounding Land Use Plan in the Figures section of this report.

Review and Evaluation of Information

Land Use History

Based on a review of available historical information, the Phase I property has never been formally developed.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

Based on Paterson's previous assessment, there are no new PCAs on-site or within the Phase I study area.

Contaminants of Potential Concern (CPC)

There are no APECs on the Phase I Property and as such, no Contaminants of Potential Concern (CPCs) are present on the Phase I Property.

Conceptual Site Model

Geological and Hydrogeological Setting

According to the Geological Survey of Canada website, the bedrock in the area of the Phase I Property is reported to consist of sandstone and dolomite of the March Formation.

Mr. Marcel Denomme Page 7 File: PE4905-LET.01

The overburden is reported to consist of offshore marine sediments consisting of clay and silt, with an overburden thickness of depths ranging from 10 to 15 m over the entire site.

The regional topography slopes down towards the northwest. Groundwater in the northern portion of the Phase I property and study area is inferred to flow towards the stormwater management pond. Groundwater in the southern portion of the Phase I property and study area is inferred to flow towards the storm management system along Earl Armstrong Road.

Existing Buildings and Structures

There are no buildings on the Phase I property. A catch basin is present at the southern boundary of the Phase I property, along Earl Armstrong Road.

Water Bodies and Areas of Natural Significance

No natural water bodies are present within the Phase I study area. A stormwater management pond is present approximately 30 m north of the Phase I property. No other water bodies are present on the Phase I property or within the Phase I study area. The Rideau River is present approximately 2 km west of the Phase I property. No areas of natural significance were identified on-site or within the Phase I study area.

Drinking Water Wells

The Phase I property is located within a municipally serviced area; however several MECP potable water well records were identified within the Phase I study area, to the northeast and east of the site, dating back to 1956 and 1984.

Neighbouring Land Use

Neighbouring land use in the Phase I Study Area primarily consists of residential, community/parkland, and vacant land.

Potentially Contaminating Activities and Areas of Potential Environmental Concerns

No new Potentially Contaminating Activities (PCAs) were identified on the Phase I Property or on lands within the Phase I Study Area that would result in Areas of Potential Environmental Concerns (APECs).

Contaminants of Potential Concern

No contaminants of potential concern were identified in the Phase I ESA Update.

Mr. Marcel Denomme Page 8 File: PE4905-LET.01

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I ESA is considered to be sufficient to conclude that there are no new potentially contaminating activities (PCAs) on the Phase I Property or neighbouring lands that would generate areas of potential environmental concern (APECs).

The absence of PCAs generating APECs was confirmed by a variety of independent sources. As such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

Conclusions

As a result of the additional historical research and follow-up site visit undertaken as part of this assessment in order to meet the requirements of O.Reg. 153/04, as amended, it is our opinion that a Phase II ESA is not required for the subject site.

Statement of Limitations

This Phase I - Environmental Site Assessment Update report has been prepared in general accordance with Ontario Regulation 153/04, as amended, under the Environmental Protection Act. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA Update are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Urbandale Corporation. Permission and notification from Urbandale Corporation and Paterson will be required to release this report to any other party.

We trust that this submission satisfies your current requirements. Should you have any questions please contact the undersigned.

Mr. Marcel Denomme Page 9 File: PE4905-LET.01

Paterson Group Inc.

Joshua Dempsey, B.Sc.





Mark S. D'Arcy, P.Eng., QPESA

Report Distribution:

- Urbandale Corporation
- Paterson Group

Figures:

- □ Figure 1 Key Plan
- □ Figure 2 Topographic Map
- Drawing PE4905-1 Site Plan
- Drawing PE4905-2 Surrounding Land Use Plan

Appendix:

- MECP Well Records
- TSSA Response
- HLUI Response
- ERIS Report






FIGURE 1 KEY PLAN

patersongroup -






FIGURE 2 TOPOGRAPHIC MAP

patersongroup -



itocad drawings\environmental\pe49xx\pe4905\pe4905-1-site



	the second se	I - ENV	IRONMEN STUDY A	ITAL SITE REA
	ch tan A	Instrantine		
	Scale:	1:4000	Date:	04/2020
	Drawn by:	YA	Report No.:	PE4905-1
ONTARIO	Checked by:	KAM	Dwg. No.: PE4	905-2
	Approved by:	MSD	Revision No.:	

	31G/5b.		<u> </u>		Gw
	/			15 N	Nº 1711
UTM 118 2 414171611			2 5	2 10 1	
5 R 5011433	O N	ONTA	ARIO		X
Elev. R 14 R 10 301	The Wat	er-well Dr	illers Act, 1954		
Basin-12151		epartment		RECEIV	
Lot 20	17 - 1	117		JUL 2 4 195	6
		· w e	ll Reco	GEOLOGICAL BRA	нсн
County or Territorial District	Poileton	Town	ship, Village, Town o	DEPARTMENT	teest .
Councy of Territorias Distriction			n Village, Town or	City)	bank
			Address	w bank	•••••
(day)	(month)	(year)			
	· · · · · · · · · · · · · · · · · · ·			Pumping Test	<u></u>
Pipe and Casin					
Casing diameter(s)			Static level	310-402	
Length(s)					
Type of screen				21	
Length of screen	•••••••••••••••••••••••••••••••••••••••		Duration of test	2. K	
	•		<u> </u>	Water Record	
	j				
Overburden and Bedrock Record	From	То	Depth(s) at which	No. of feet	Kind of water (fresh, salty,
· · · · · · · · · · · · · · · · · · ·	ft.	ft.	water (s) found	water rises	or sulphur)
<i>Op</i>		42	Ep:	61'	- feet
Elay					- min
PU					
Ine ston fair	42	80			
			· · · · · · · · · · · · · · · · · · ·		
	_				
				<u> </u>	
			······································		
For what purpose(s) is the water	to be used?	ł		T. (* 6 TT.))	γ_{zz}
Lome				Location of Well ow show distances of	of well from
Is water clear or cloudy?	lea		—	ine. Indicate north	
Is well on upland, in vâlley, or or	*		بې مېر	N	,d'
Drilling firm	1 9 h ~		,0	A.A.	1 JUSAK
Address 639	mwood	a	ٽم	110 20	
, Ol	Lawe.	<i>p</i>	130	- JANN	4 *
Name of Driller	neg			2	
Address			8 I		
Licence Number	••••		ŀ	1 1 1	
I certify that the					
statements of fact				V Y	
Date May 17 Mg	Donal.		<u> </u>		
Dave	lignature d License	• I	Bdyl	29,7 fla,	,
V	r		+ 1. (đ - U	
Form 5		man	tuck &	CSS	.53
		3	mi	5	
				/ .	

(??) of	nistry the	WAT	The Ontario Water Resources Ac	
Ontario Er		SPACES PROVIDED	1519066	F
COUNTY OR DISTRIC	CT	TOWNSHIP, BOROUGH, CITY TOWN, VILLAGE	CON BLOCK TRACT SURVEY ETC	FI 10020
1 Offawa	-Carloton	Gloucester	DATE CO	
		# 1; Manotic 14/99	K. Ontario. KOA 2NO DAY_1 CONTACTOR CONTACTOR	<u>2_мо_06_ук_84</u>
	k		5 26 30 31	
GENERAL COLOU	R MOST R COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH - FEET FROM TO
Brown	Clay		Packed	0 16
Blue	Clay	· · · · · · · · · · · · · · · · · · ·	Soft	16 41
Blue	Clay	Gravel & Boulders	Packed	41 50
Gray	Limestone		Medium	50 90
•				
			VF-18)	
(31) 00	16Gast79 004	1305131 00503051113	0902L578	<u> </u>
41 W	ATER RECORD	CASING & OPEN HOLE	RECORD	ETER 34-38 LENGTH 39-40
AT - FEET 10-13 1	KIND OF WATER	DIAN MATERIAL THICKNESS FR	TO CONTRACT AND TYPE	INCHES FEET DEPTH TO TOP 41-44 30 OF SCREEN
15-18 1	SALTY 4 D MINERAL FRESH 3 D SULPHUR	CG 2 GALVANIZED CALVANIZED SAVANIZED 188	0 0053 61 PLUGGING & SEA	
	□ SALTY ⁴ □ MINERAL □ FRESH ³ □ SULPHUR ²⁴	4 OPEN HOLE 17-18 1 STEEL 19 2 GALVANIZED	20-23 DEPTH SET AT FEET MATERIAL AN	CEMENT CROWT
2	□ SALTY ⁴ □ MINERAL □ FRESH ³ □ SULPHUR ²⁹	3 CONCRETE 4 COPEN HOLE	53 00 90	
2	SALTY 4 MINERAL SALTY 4 MINERAL SULPHUR 34 80	24-25 1 🗗 STEEL 26 2 🗌 GALVANIZED 3 🗍 CONCRETE	27-30 26-29 30-33 80	
2 PUMPING TEST M	SALTY 4 MINERAL	4 🗍 OPEN HOLE		· · · · · · · · · · · · · · · · · · ·
71	2 D BAILER	11-14 DURATION OF PUMPING 15-16 17-18 15-16 17-18 Ноцяя Миня	3072 LOCATION OF WEL	
STATIC LEVEL	PUMPING	VELS DURING 1 PUMPING 2 2 RECOVERY 30 NINUTES 45 NINUTES 60 MINUTES	IN DIAGRAM BELOW SHOW DISTANCES OF WELL LOT LINE INDICATE NORTH BY ARROW.	FROM ROAD AND
	26-28	29-31 32-34 35-37	Measurements taken from pickets	
U IF FLOWING, GIVE RATE E RECOMMENDED P	38-41 PUMP INTÄKE S	ET AT WATER AT END OF TEST 42	for basement.	R
	PUMP	43-45 RECOMMENDED 46-49 PUMPING	- + 30'7"	6
50-53		260 FEET RATE 0005 GPM		ko,
FINAL STATUS	1 WATER SUPPLY 2 DOBSERVATION WELL	 ABANDONED, INSUFFICIENT SUPPLY ABANDONED POOR QUALITY 	17'10	124
OF WELL	3 🗋 TEST HOLE 4 🗍 RECHARGE WELL	7 🗍 UNFINISHED		2
WATER	SS-S6 1 DOMESTIC 2 STOCK 3 IRRIGATION	5 🗆 COMMERCIAL 6 🛄 MUNICIPAL 7 🔲 PUBLIC SUPPLY	4AL	R
USE		COOLING OR AIR CONDITIONING SOULING OR AIR CONDITIONING SOULING OR AIR CONDITIONING		
METHOD	57 ' CABLE TOOL	f [] BORING	Limebank Rd.	
OF	5 CROTARY (REVERSE) CONTARY (AIR)			
	S AIR PERCUSSION		DRILLERS REMARKS	
	al "Water Supply	Licence HUMBER	DATA SOURCE CONTRACTOR S3-62 ONE DECEIV	vð 84 "" "
151	90: Stittsville.		DATE OF INSPECTION INSPECTOR	
	LER OR BORER	LICENCE NUNBER		
U SIGNATURE OF	CONTRACTOR	SUBNISSION DATE	OFFICE	
MIN	IISTRY OF THE ENVI	RONMENT COPY	L	FORM NO. 0506-4-77 FORM 7

---- ---

• 5.4



Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records).

Go Back to Map

Well ID

Well ID Number: 7224068 Well Audit Number: Z187783 Well Tag Number: A164482 This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	1920 EARL ARMSTRONG
Township	GLOUCESTER TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 447856.00 Northing: 5014332.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BLCK	LOAM		SOFT	0 m	.31 m
BRWN	SAND	CLAY	SOFT	.31 m	1.5 m
BRWN	SILT	CLAY	SOFT	1.5 m	3.1 m
BRWN	SILT	CLAY	SOFT	3.1 m	4.57 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	1.22 m	BENTONITE	
1.22 m	4.57 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use

Direct Push	
	Test Hole

Status of Well

Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	1.5 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	1.5 m	4.57 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	

Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

1	
2	
3	
4	
5	
10	
15	
20	
25	
30	
40	
	4 5 10 15 20 25 30

45	45	
50	50	
60	60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 m		

Audit Number: Z187783

Date Well Completed: June 04, 2014

Date Well Record Received by MOE: July 21, 2014

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministryenvironment-map#wells) Technical documentation: Metadata record (https://data.ontario.ca/dataset/wellrecords/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

> Updated: October 18, 2021 Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)



Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records).

Go Back to Map

Well ID

Well ID Number: 7224165 Well Audit Number: Z187781 Well Tag Number: A164481 This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	1420 EARL ARMSTONG
Township	GLOUCESTER TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 447849.00 Northing: 5014363.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	LOAM		SOFT	0 m	.31 m
BRWN	SAND	CLAY	SOFT	.31 m	1.5 m
BRWN	SILT	CLAY	SOFT	1.5 m	3.66 m
GREY	SILT	CLAY	SOFT	3.66 m	4.57 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	1.22 m	BENTONITE	
1.22 m	4.57 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
------------------------	----------

Direct Push	
	Monitoring and Test Hole

Status of Well

Observation Wells

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
5.2 cm	PLASTIC	0 m	1.5 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
6.03 cm	PLASTIC	1.5 m	4.57 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	

Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	

45	45	
50	50	
60	60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 m	4.57 m	

Audit Number: Z187781

Date Well Completed: June 04, 2014

Date Well Record Received by MOE: July 21, 2014

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministryenvironment-map#wells) Technical documentation: Metadata record (https://data.ontario.ca/dataset/wellrecords/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

> Updated: October 18, 2021 Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)



Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records).

Go Back to Map

Well ID

Well ID Number: 7224166 Well Audit Number: Z187782 Well Tag Number: A164483 This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	1420 EARL ARMSTONG
Township	GLOUCESTER TOWNSHIP
Lot	021
Concession	RF 02
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 447849.00 Northing: 5014326.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BLCK	LOAM		SOFT	0 m	.31 m
BRWN	SAND	CLAY	SOFT	.31 m	1.5 m
BRWN	SILT	CLAY	SOFT	1.5 m	3.66 m
GREY	SILT	CLAY	SOFT	3.66 m	4.57 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	1.22 m	BENTONITE	
1.22 m	4.57 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
------------------------	----------

Direct Push	
	Monitoring and Test Hole

Status of Well

Observation Wells

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.08 cm	PLASTIC	0 m	1.5 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	1.5 m	4.57 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	

Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	

45	45	
50	50	
60	60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 m	4.57 m	8.25 cm

Audit Number: Z187782

Date Well Completed: June 04, 2014

Date Well Record Received by MOE: July 21, 2014

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministryenvironment-map#wells) Technical documentation: Metadata record (https://data.ontario.ca/dataset/wellrecords/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

> Updated: October 18, 2021 Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Joshua Dempsey

From:	Public Information Services <publicinformationservices@tssa.org></publicinformationservices@tssa.org>
Sent:	April 25, 2022 4:19 PM
То:	Joshua Dempsey
Subject:	RE: Search Records Request (PE4905)

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

NO RECORD FOUND

Hello,

Thank you for your request for confirmation of public information.

• We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at <u>https://www.tssa.org/en/about-tssa/release-of-public-information.aspx? mid =392</u> and email the completed form to <u>publicinformationservices@tssa.org</u> along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Mariah



 Public Information Agent

 Facilities and Business Services

 345 Carlingview Drive

 Toronto, Ontario M9W 6N9

 Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.org

 www.tssa.org

From: Joshua Dempsey

<JDempsey@patersongroup.ca>
Sent: April 25, 2022 2:21 PM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: Search Records Request (PE4905)

[CAUTION]: This email originated outside the organisation. Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

Could you please complete a search of your records for **underground/aboveground storage tanks**, **historical spills**, **or other incidents/infractions** for the following addresses in <u>Ottawa</u>, <u>Ontario</u>:

Earl Armstrong Road: 980, 1423, 1424, 1475, 1515 Limebank Road: 4496 Eye Bright Crescent: 97, 228 Dusty Miller Crescent: 566, 578

Cheers,

Joshua Dempsey, B.Sc.

patersongroup

solution oriented engineering over 60 years serving our clients

154 Colonnade Road South Ottawa, Ontario, K2E 7J5 Cell: (343) 996 - 3150

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



File Number: D06-03-20-0057

May 25,2020

Kelly Martinell Paterson Group 154 Colonnade Road South Ottawa, ON K2E 7J5

Sent via email kmartinell@patersongroup.ca

Dear Ms. Martinell

Re: Information Request 1515 Earl Armstrong Road, Ottawa, Ontario ("Subject Property")

Internal Department Circulation

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

• No information was returned on the Subject Property from Departmental circulation.

Search of Historical Land Use Inventory

This acknowledges receipt of the signed Disclaimer regarding your request for information from the City's Historical Land Use Inventory (HLUI 2005) database for the Subject Property.

A search of the HLUI database revealed the following information:

• There are no activities associated with the Subject Property.

The HLUI database was also searched for activity associated with properties located within 250m of the Subject Property. The search revealed the following:

• There are 2 activities associated with properties located within 250m of the Subject Property: Activity Numbers 10081 and 8631.

Shaping our future together Ensemble, formons notre avenir City of Ottawa Planning, Infrastructure and Economic Development Department

110 Laurier Avenue West, 4th Floor Ottawa, ON K1P 1J1 Tel: (613) 580-2424 ext. 21690 Fax: (613) 560-6006 www.ottawa.ca Ville d'Ottawa Services de la planification, de l'infrastructure et du développement économique

110, avenue Laurier Ouest, 4e étage Ottawa (Ontario) K1P 1J1 Tél.: (613) 580-2424 ext. 21690 Téléc: (613) 560-6006 www.ottawa.ca Please note that certain activities have been identified to have a PIN Certainty of "2". This identifier acknowledges that there is some uncertainty about the exact location of the land use activity and that the activity may or may not have been located on the property. All database entries with a PIN Certainty of "2" require independent verification as to their precise location.

A **site map** and **table** have been included to show the location of the Subject Property as well as the location of all the activities noted above, including the HLUI database's location of the Activity Numbers with a PIN Certainty of "2".

Additional information may be obtained by contacting:

Ontario's Environmental Registry

The Environmental Registry found at <u>http://www.ebr.gov.on.ca/ERS-WEB-External/</u> contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using keys words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House 161 Elgin Street 4th Floor Ottawa ON K2P 2K1 Tel: (613) 239-1230 Fax: (613) 239-1422

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact Seana Turkington at 613-580-2424 ext. 27790 or HLUI@ottawa.ca

Sincerely,

Seare Turkington

Seana Turkington


Per:

Michael Boughton, MCIP, RPP Senior Planner Development Review East Planning Services Planning, Infrastructure and Economic Development Department

MB/ ST

Enclosures.

cc: File no. D06-03-20-0057



Area	Associated HLUI Activities	HLUI Activities with a PIN Certainty of "2" *
Subject Property	There are no HLUI activities associate	ed with the subject property.
1	10081	
2	8631	8631

*This identifier acknowledges that there is some uncertainty about the exact location of the land use activity and that the activity may or may not have been located on the property. All database entries with a PIN Certainty of "2" require independent verification as to their precise location.



Historical Land Use Inventory Area 1 Activity Numbers

Shaping our future together Ensemble, formons notre avenir City of Ottawa Planning, Infrastructure and Economic Development Department Ville d'Ottawa Services de la planification, de l'infrastructure et du développement économique



Report:

Run On:

22 May 2020 at: 11:14:29

RPTC_OT_DEV0122

Study Year 1998	PIN 043310313	I	Multi-NAIC Y	Multiple Activities N
Activity ID:	10081	Multiple PINS:	Y	
PIN Certainty:	1	Previous Activity ID(s) :	6424	
Related PINS:	040550156			
Name: Address:	OTTAWA INTERNATION , OTTAWA	AL AIRPORT/CFB OTTAWA	۱.	
Facility Type:	Aircraft and Aircraft Parts	Industry		
Comments 1:			nd the size of the area was smaller TM = 450000E, 5017000N (1967).	
Comments 2:	(see file for additional co	()		
Generator Number:				
Storage Tanks:	4 Vertical Tanks (1967, 1985	5 - not water), 2 Horizontal Tanks	s (1985 - not water).	
HL References 1:	1922-DMD-TM-Ottawa, She 1985-EMR-SMB-NTS-31G/5	,	G/5, 1967-EMR-SMB-NTS-31G/5-7th	ed.,
HL References 2:		,		
HL References 3:				

NAICS	SIC
488119	452
336410	321
911110	811
238910	412
336320	321
412110	511
454310	511
488190	452
561722	452
212323	82
419120	511
488111	452
532410	452

Company Name	Year of Operation	
Kenting Earth Sciences Intl. Corp.	c. 1994	
Ottawa International Airport/CFB Ottawa	c. 1919-1999	
Aviall Canada Ltd.	c. 1998	



Historical Land Use Inventory Area 2 Activity Numbers

Shaping our future together Ensemble, formons notre avenir City of Ottawa Planning, Infrastructure and Economic Development Department Ville d'Ottawa Services de la planification, de l'infrastructure et du développement économique



CITY OF OTTAWA

Report:

Run On: 22 May 2020 at: 11:15:26

RPTC_OT_DEV0122

HLUI ID: __670HY3

AREA (Square Metres): 3606650.439

Study Year 1998	PIN 043290001		Multi-NAIC Y	Multiple Activities N
Activity ID:	8631	Multiple PINS:	Y	
PIN Certainty:	2	· Previous Activity ID(s) :	6489	
Related PINS:	043290001			
Name: Address:	MODERN FARM SUPPL	IES LIMITED		
Facility Type:	Motor Vehicles, Wholesal	e		
Comments 1:	Conn. 2, part lot 23			
Comments 2:				
Generator Number:				
Storage Tanks:				
HL References 1:	Assessment Role 1953 (p. #	unknown)		
HL References 2:				
HL References 3:				
NAICS S	IC			
415190 5	51			
415120 5	51			
417110 5	71			
	51			
	51			
415110 5	51			

Company Name

Modern Farm Supplies Ltd.

Year of Operation

c. 1953



Project Property:

Project No: Report Type: Order No: Requested by: Date Completed: Phase I ESA 1515 Earl Armstrong Road Gloucester ON K1X PE4905 Standard Report 20200317199 Paterson Group Inc. March 20, 2020

Environmental Risk Information Services A division of Glacier Media Inc. 1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	4
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	8
Map	
Aerial	11
Topographic Map	12
Detail Report	
Unplottable Summary	18
Unplottable Report	20
Appendix: Database Descriptions	44
Definitions	53

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property:

Phase I ESA 1515 Earl Armstrong Road Gloucester ON K1X

Project No:

PE4905

Coordinates:

	Latitude:	45.2809019
	Longitude:	-75.669753
	UTM Northing:	5,014,373.97
	UTM Easting:	447,471.79
	UTM Zone:	18T
Elevation:		298 FT
		90.88 M

Order Information:

Order No: Date Requested: Requested by: Report Type: 20200317199 March 17, 2020 Paterson Group Inc. Standard Report

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	0	0
CA	Certificates of Approval	Y	0	2	2
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	4	4
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	0	0
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FED TANKS	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	0	0
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	2	2
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	0	0
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage	Y	0	0	0
WDS	Tanks Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval	Y	0	0	0
WWIS	Inventory Water Well Information System	Y	0	1	1
		Total:	0	9	9

Executive Summary: Site Report Summary - Project Property

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>1</u>	HINC		250 CROISSANT EYE BRIGHT GLOUCESTER ON K1V 2K7	W/196.4	0.00	<u>13</u>
<u>2</u>	HINC		573 DUSTY MILLER CRESCENT GLOUCESTER ON K1V 2K2	WNW/207.9	0.00	<u>13</u>
<u>3</u>	CA	City of Ottawa	Limebank Road and Earl Armstrong Rd Ottawa ON	E/210.4	1.05	<u>14</u>
<u>3</u>	СА	City of Ottawa	Limebank Road and Earl Armstrong Rd Ottawa ON	E/210.4	1.05	<u>14</u>
<u>3</u>	ECA	City of Ottawa	Limebank Road and Earl Armstrong Ottawa ON K1P 1J1	E/210.4	1.05	<u>14</u>
<u>3</u>	ECA	City of Ottawa	Limebank Road and Earl Armstrong Ottawa ON K2G 6J8	E/210.4	1.05	<u>14</u>
<u>4</u>	ECA	Riverside South Development Corp.	980 Earl Armstrong Rd Part of and 1420 Earl Armstrong Road Ottawa ON K1G 2H5	SE/241.2	1.00	<u>15</u>
<u>5</u>	ECA	City of Ottawa	4496 Limebank Rd Ottawa ON K1J 8G8	NNW/242.6	-0.84	<u>15</u>
<u>6</u>	WWIS		lot 20 con 2 ON <i>Well ID:</i> 1501711	NE/245.5	-1.44	<u>15</u>

Executive Summary: Summary By Data Source

<u>CA</u> - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 2 CA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	Limebank Road and Earl Armstrong Rd Ottawa ON	E	210.45	<u>3</u>
City of Ottawa	Limebank Road and Earl Armstrong Rd Ottawa ON	E	210.45	<u>3</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Feb 29, 2020 has found that there are 4 ECA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	Limebank Road and Earl Armstrong Ottawa ON K1P 1J1	E	210.45	<u>3</u>
City of Ottawa	Limebank Road and Earl Armstrong Ottawa ON K2G 6J8	E	210.45	<u>3</u>
Riverside South Development Corp.	980 Earl Armstrong Rd Part of and 1420 Earl Armstrong Road Ottawa ON K1G 2H5	SE	241.24	<u>4</u>
Lower Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	4496 Limebank Rd	NNW	242.61	<u>5</u>

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 2 HINC site(s) within approximately 0.25 kilometers of the project property.

erisinfo.com	Environmental Risk Information Services	
--------------	---	--


Ottawa ON K1J 8G8


Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
	250 CROISSANT EYE BRIGHT GLOUCESTER ON K1V 2K7	W	196.43	1
	573 DUSTY MILLER CRESCENT GLOUCESTER ON K1V 2K2	WNW	207.87	<u>2</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 1 WWIS site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
	lot 20 con 2 ON	NE	245.48	<u>6</u>
	Well ID: 1501711			






Source: © 2015 DMTI Spatial Inc.

45°17'N





Aerial Year: 2019


Address: 1515 Earl Armstrong Road, Gloucester, ON

Source: ESRI World Imagery

Order Number: 20200317199



© ERIS Information Limited Partnership



Topographic Map

Address: 1515 Earl Armstrong Road, ON

Source: ESRI World Topographic Map

Order Number: 20200317199



© ERIS Information Limited Partnership

Detail Report

	Number of Records	<i>Direction/ Distance (m)</i>	Elev/Diff (m)	Site			DB
<u>1</u>	1 of 1	W/196.4	90.9 / 0.00	250 CROISSANT EYE B GLOUCESTER ON K1V			HINC
External File Fuel Occurre Date of Occu Fuel Type In Status Desc Job Type De Oper. Type I Property Dat Fuel Life Cyc Root Cause: Reported De Fuel Catego Occurrence Affiliation: County Nam Approx. Qua Approx. Qua	ence Type: urrence: volved: : esc: nvolved: rruptions: mage: cle Stage: cle Stage: etails: ry: Type: etails: ry: of water: ant. Rel: y of water: ant. Unit:	FS INC 0809-05114 Pipeline Strike 8/29/2008 Natural Gas Completed - Causa Incident/Near-Miss Construction Site (p Yes No Transmission, Distr Root Cause: Equip Management:No Gaseous Fuel Incident Industry Stakeholde Ottawa	I Analysis(End) Occurrence (FS) ipeline strike) ibution and Trans nent/Material/Cor Human Factors:N	mponent:No Procedures:No	Maintenance:No ity Owner, etc.)	Design:Yes	Training:No
Environmen	tai impact:						
<u>2</u>	1 of 1	WNW/207.9	90.9 / 0.00	573 DUSTY MILLER CRI GLOUCESTER ON K1V			HINC
2 External File Fuel Occurro Date of Occu	1 of 1 Num: ence Type: urrence:	FS INC 0805-0201 Pipeline Strike 4/24/2008		573 DUSTY MILLER CR GLOUCESTER ON K1V			HINC
2 External File Fuel Occurre Date of Occu Fuel Type In Status Desc Job Type De Oper. Type I Service Intel Property Dat	1 of 1 e Num: ence Type: urrence: vvolved: : ssc: involved: rruptions: mage:	FS INC 0805-02013 Pipeline Strike 4/24/2008 Natural Gas Completed - Causa Incident/Near-Miss Construction Site (p Yes Yes	7 I Analysis(End) Occurrence (FS) ipeline strike)	GLOUCESTER ON K1V			HINC
2 External File Fuel Occurre Date of Occu Fuel Type In Status Desc Job Type De Oper. Type I Service Intel	1 of 1 e Num: ence Type: urrence: vvolved: : ssc: nvolved: rruptions: mage: cle Stage:	FS INC 0805-02013 Pipeline Strike 4/24/2008 Natural Gas Completed - Causa Incident/Near-Miss Construction Site (p Yes	7 I Analysis(End) Occurrence (FS) ipeline strike) ibution and Trans nent/Material/Cor	GLOUCESTER ON K1V portation nponent:No Procedures:No		Design:No	HINC Training:No

	Record	er of Direction/ ds Distance (m	Elev/Diff) (m)	Site		DI
<u>3</u>	1 of 4	E/210.4	91.9 / 1.05	City of Ottawa Limebank Road a Ottawa ON	nd Earl Armstrong Rd	СА
Certificate #	t:	0357-882LG7				
Application	Year:	2010				
ssue Date:		8/20/2010				
Approval Ty Status:	/pe:	Approved	ivate Sewage Works			
Application	Type:	Approved				
Client Name	•••					
Client Addre	ess:					
Client City:						
Client Posta Project Des						
Contaminan	•					
Emission Co	ontrol:					
<u>3</u>	2 of 4	E/210.4	91.9 / 1.05	City of Ottawa Limebank Road a Ottawa ON	nd Earl Armstrong Rd	СА
Certificate #	t:	2134-83GL8H				
Application	-	2010				
ssue Date:		3/15/2010				
Approval Ty	/pe:		ivate Sewage Works			
Status: Application	Type	Approved				
Client Name						
Client Addre	ess:					
Client City: Client Posta						
Contaminan	its:					
Contaminan	its:	E/210.4	91.9 / 1.05	City of Ottawa Limebank Road a Ottawa ON K1P 1.	nd Earl Armstrong J1	ECA
Contaminan Emission Co <u>3</u>	nts: ontrol: 3 of 4		91.9 / 1.05	Limebank Road a Ottawa ON K1P 1	J1	ECA
Contaminan Emission Co <u>3</u> Approval No	nts: ontrol: 3 of 4 o:	0357-882LG7	91.9 / 1.05	Limebank Road a Ottawa ON K1P 1. MOE District:		ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da	nts: ontrol: 3 of 4 o:	0357-882LG7 2010-08-20	91.9 / 1.05	Limebank Road a Ottawa ON K1P 1 MOE District: City:	J1	ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type	nts: ontrol: 3 of 4 o: ate: e:	0357-882LG7	91.9 / 1.05	Limebank Road au Ottawa ON K1P 1 MOE District: City: Longitude: Latitude:	J1 Ottawa	ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source	ats: ontrol: 3 of 4 o: ate: e: e:	0357-882LG7 2010-08-20 Approved ECA IDS	91.9 / 1.05	Limebank Road au Ottawa ON K1P 1 MOE District: City: Longitude: Latitude: Geometry X:	J1 Ottawa -75.6776	ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Typo Link Source SWP Area N	nts: ontrol: 3 of 4 o: ate: e: e: s: lame:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley		Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	J1 Ottawa -75.6776	ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Ty	ats: ontrol: 3 of 4 o: ate: e: e: lame: /pe:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL	- AND PRIVATE SEV	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS	J1 Ottawa -75.6776	ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Type Project Type	ats: ontrol: 3 of 4 o: ate: e: e: lame: /pe:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE		Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS	J1 Ottawa -75.6776	ECA
Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Ty Project Type Address: Full Address	ats: ontrol: 3 of 4 o: ate: e: lame: ype: e: s:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a	- AND PRIVATE SEV D PRIVATE SEWAGE and Earl Armstrong	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VAGE WORKS WORKS	J1 Ottawa -75.6776 45.275000000000006	ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Type Address:	ats: ontrol: 3 of 4 o: ate: e: lame: ype: e: s:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a	- AND PRIVATE SEV D PRIVATE SEWAGE and Earl Armstrong	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS	J1 Ottawa -75.6776 45.275000000000006	ECA
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Type Address: Full Address Full PDF Lin	ats: ontrol: 3 of 4 o: ate: e: lame: ype: e: s:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a	- AND PRIVATE SEV D PRIVATE SEWAGE and Earl Armstrong	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS WORKS	J1 Ottawa -75.6776 45.275000000000006	
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Type Address: Full Address	ats: ontrol: 3 of 4 o: ate: e: e: lame: ype: e: s: s: nk:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a https://www.acce	- AND PRIVATE SEV O PRIVATE SEWAGE and Earl Armstrong ssenvironment.ene.g	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS WORKS DV.on.ca/instruments/86	J1 Ottawa -75.6776 45.275000000000006 659-874HRR-14.pdf nd Earl Armstrong	ECA
Contaminant Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Ty Project Type Address: Full Address Full Address Full PDF Lin	ats: ontrol: 3 of 4 o: ate: e: lame: /pe: e: s: hk: 4 of 4	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a https://www.acce	- AND PRIVATE SEV O PRIVATE SEWAGE and Earl Armstrong ssenvironment.ene.g	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS WORKS DV.on.ca/instruments/86 City of Ottawa Limebank Road au	J1 Ottawa -75.6776 45.275000000000006 659-874HRR-14.pdf nd Earl Armstrong	
Contaminant Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Type Address: Full Address: Full Address Full PDF Lin <u>3</u> Approval No	ats: ontrol: 3 of 4 o: ate: e: lame: /pe: e: s: s: s: s: s: k: 4 of 4	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a https://www.acce	- AND PRIVATE SEV O PRIVATE SEWAGE and Earl Armstrong ssenvironment.ene.g	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS WORKS WORKS DV.on.ca/instruments/86 City of Ottawa Limebank Road au Ottawa ON K2G 6.	J1 Ottawa -75.6776 45.275000000000006 659-874HRR-14.pdf nd Earl Armstrong J8	
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Type Address: Full Address: Full Address: Full PDF Lin <u>3</u> Approval No Approval Da Status:	ats: ontrol: 3 of 4 c: ate: e: lame: /pe: e: s: s: s: hk: 4 of 4	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a https://www.acce	- AND PRIVATE SEV O PRIVATE SEWAGE and Earl Armstrong ssenvironment.ene.g	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS WORKS wORKS two.on.ca/instruments/86 City of Ottawa Limebank Road au Ottawa ON K2G 6. MOE District: City: Longitude:	J1 Ottawa -75.6776 45.27500000000000 659-874HRR-14.pdf Dttawa -75.6776	
Contaminan Emission Co <u>3</u> Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Type Address: Full Address Full PDF Lin	ats: ontrol: 3 of 4 3 of 4 c: e: lame: /pe: e: s: s: s: s: s: s: s: s: s: e: e: e: e: e: e: e: e: e: e: e: e: e:	0357-882LG7 2010-08-20 Approved ECA IDS Rideau Valley ECA-MUNICIPAL MUNICIPAL ANE Limebank Road a https://www.acce	- AND PRIVATE SEV O PRIVATE SEWAGE and Earl Armstrong ssenvironment.ene.g	Limebank Road au Ottawa ON K1P 1. MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: /AGE WORKS WORKS wORKS Dov.on.ca/instruments/80 City of Ottawa Limebank Road au Ottawa ON K2G 6. MOE District: City:	J1 Ottawa -75.6776 45.275000000000006 659-874HRR-14.pdf nd Earl Armstrong J8 Ottawa	

Мар Кеу	Number Record		Direction/ Distance (m	Elev/Diff) (m)	Site		DB
SWP Area N Approval Ty Project Type Address: Full Address	pe: e:	Rideau V	ECA-MUNICIPAL MUNICIPAL AND	AND PRIVATE SE PRIVATE SEWAG nd Earl Armstrong			
Full PDF Lin			https://www.acces	ssenvironment.ene.	.gov.on.ca/instruments/6567	1-83ESF5-14.pdf	
4	1 of 1		SE/241.2	91.9 / 1.00	Riverside South Dev 980 Earl Armstrong Armstrong Road Ottawa ON K1G 2H5	Rd Part of and 1420 Earl	ECA
Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Ty Project Type Address: Full Address Full PDF Lin	nte: e: lame: pe: e: s:	0965-A7f 2016-03- Approved ECA IDS	13 ECA-MUNICIPAL MUNICIPAL AND 980 Earl Armstror	0		6-A79RGP-14.pdf	
<u>5</u>	1 of 1		NNW/242.6	90.0 / -0.84	City of Ottawa 4496 Limebank Rd Ottawa ON K1J 8G8		ECA
Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Typ Project Type Address: Full Address Full PDF Lin	nte: e: lame: pe: e: s:	9645-BG 2019-10- Approved ECA IDS	24 ECA-MUNICIPAL MUNICIPAL AND 4496 Limebank R			7-BFWRXG-14.pdf	
<u>6</u>	1 of 1		NE/245.5	89.4 / -1.44	lot 20 con 2 ON		WWIS
Well ID: Construction Primary Wat Sec. Water U Final Well SC Water Type: Casing Mate Audit No: Tag: Construction Elevation (m Elevation Re Depth to Bea Well Depth: Overburden, Pump Rate: Static Water	ter Use: Use: tatus: erial: n Method: n): eliability: drock: /Bedrock:	1501711 Domestic 0 Water Su			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:	1 7/24/1956 Yes 3601 1 OTTAWA-CARLETON GLOUCESTER TOWNSHIP 020 02 RF	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Flowing (Y/N):				Zone:		
Flow Rate:				UTM Reliability:		
Clear/Cloudy:						
Bore Hole Info	ormation					
Bore Hole ID:	100237	54		Elevation:	92.061653	
DP2BR:	42			Elevrc:		
Spatial Status	:			Zone:	18	
Code OB:	r			East83:	447640.8	
Code OB Dese	: Bedrocl	k		North83:	5014552	
Open Hole:				Org CS:		
Cluster Kind:				UTMRC:	5	
Date Complete	ed: 5/17/19	56		UTMRC Desc:	margin of error : 100 m - 300 m	
Remarks:	54. 0/11/10	00		Location Method:	p5	
Elevrc Desc:				Eccation method.	po	
Location Sour	rco Dato:					
	Location Source:					
	Location Source:					
Source Revisi						
Supplier Com						
Supplier Com						
Overburden a Materials Inter						
Formation ID:		930992597				
Layer:		2				
Color:		2				
General Color	:	GREY				
Mat1:		15				
Most Common	n Material:	LIMESTONE				
Mat2:	matonan					
Other Material	le.					
Mat3:	5.					
Other Material						
Formation Top		42				
Formation En		80				
	d Depth UOM:	ft				
<u>Overburden a</u> Materials Inter						
Formation ID:		930992596				
Layer:		1				
Color:						
General Color	-					
Mat1:	•	05				
Most Common	Matorial:	CLAY				
Mat2:	i maleriai.	OLAT				
Other Material	10.					
Mat3:	3.					
Mats: Other Material	le ·					
Formation Top		0				
Formation Top		0 42				
	d Depth UOM:	ft				
<u>Method of Col Use</u>	nstruction & Well					
	in the second					
	ruction ID:					
Method Const	muchter C- I-	4				
	ruction Code:	1 Cable Tool				

Other Method Construction:

Pipe Information

Pipe ID:	10572324
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID: Layer: Material: Open Hole or Material: Depth From:	930040345 1 1 STEEL
Depth To:	45
Casing Diameter:	4
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID:	930040346
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	80
Casing Diameter:	4
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991501711
Pump Set At: Static Level:	19
Final Level After Pumping:	21
Recommended Pump Depth: Pumping Rate:	5
Flowing Rate:	5
Recommended Pump Rate:	
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	2
Pumping Duration MIN:	0
Flowing:	Ν

Water Details

Water ID:	933454437
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	80
Water Found Depth UOM:	ft

Unplottable Summary

Total: 33 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
СА	Rideau Carleton Raceway Holdings Limited	Earl Armstrong Road, High Road, and Canyon Walk Drive	Ottawa ON	
СА	City of Ottawa	Limebank Road from Leitrim Road to Spratt Rd	Ottawa ON	
CA	City of Ottawa	River Road to Limebank Rd	Ottawa ON	
CA	Appleton Subdivision	Part of Lot 21, Concession 2	Ottawa ON	
CA	R.M. OF OTTAWA-CARLETON	LOTS 20-23, CONCESSION 1	OTTAWA CITY ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
CA		Lot 20, Conc. 1 (Rideau Front), City of Gloucester	Ottawa ON	
СА	Appleton Subdivision	Part of Lot 21, Concession 2	Ottawa ON	
СА	Riverside South Development Corp.		Ottawa ON	
CA	Riverside South Development Corp.	Geographic Township of Gloucester	Ottawa ON	
CA	Urbandale Corporation	Part of Lot 20, Concession 1	Ottawa ON	
СА	Riverside South Development Corp.	Geographic Township of Gloucester	Ottawa ON	
CA	Urbandale Corporation	Part of Lot 20, Concession 1	Ottawa ON	
CA	Riverside South Development Corp.		Ottawa ON	
CA	Riverside South Development Corp.	Geographic Township of Gloucester	Ottawa ON	
СА	City of Ottawa	River Road to Limebank Rd	Ottawa ON	

CA	Riverside South Development Corp.		Ottawa ON	
EBR	Riverside South Development Corporation (RSDC)		ON	
ECA	City of Ottawa	Earl Armstrong Rd River Road to Limebank Road	Ottawa ON	K1P 1J1
ECA	City of Ottawa	Earl Armstrong Rd (Earl Armstrong Road to River Road)	Ottawa ON	K1P 1J1
ECA	City of Ottawa	Earl Armstrong Rd	Ottawa ON	K1P 1J1
ECA	City of Ottawa	Limebank Road from Leitrim Road to Spratt Rd	Ottawa ON	K2G 6J8
ECA	Riverside South Development Corp.		Ottawa ON	K1G 2H5
GEN	ROBADAIR LTD.	BAY 6, 9 LIMEBANK ROAD - GLOUCESTER C/O BOX 5071, STATION "F"	OTTAWA ON	K2C 3H3
SPL		Limebank near Lietrim Rd	Ottawa ON	
WWIS		lot 21 con 1	ON	
WWIS		lot 20	ON	
WWIS		lot 20	ON	
WWIS		lot 20	ON	
WWIS		lot 20	ON	
WWIS		lot 20	ON	

Unplottable Report

<u>Site:</u> Rideau Carleton Raceway Holdings Limited Earl Armstrong Road, High Road, and Canyon Walk Drive Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 8720-6HXK59 2005 11/10/2005 Municipal and Private Sewage Works Approved

<u>Site:</u> City of Ottawa Limebank Road from Leitrim Road to Spratt Rd Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

2009 12/18/2009 Municipal and Private Sewage Works Approved

8399-7YKTTC

<u>Site:</u> City of Ottawa River Road to Limebank Rd Ottawa ON

2826-7UPNU6 Certificate #: Application Year: 2009 Issue Date: 8/10/2009 Approval Type: Municipal and Private Sewage Works Approved Status: Application Type: Client Name: **Client Address:** Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

<u>Site:</u>	Appleton Subdivisior Part of Lot 21, Conce		Database: CA
Certific Applica	ate #: ation Year:	9776-55UJ3V 02	
			· · · · · · · · · · · · · · · · · · ·

erisinfo.com | Environmental Risk Information Services



Database:



Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 1/2/02 Municipal & Private water Approved New Certificate of Approval Richcraft Homes Ltd. 201-2280 St. Laurent Blvd. Ottawa K1G 4K1 Construction of a Watermain

<u>Site:</u> R.M. OF OTTAWA-CARLETON LOTS 20-23, CONCESSION 1 OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-1503-94-94 12/23/1994 Municipal sewage Approved

Site:

Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 5220-4L9R6L 00 6/15/00 Municipal & Private water Approved New Certificate of Approval Urbandale Corporation 2193 Arch Street OTTAWA K1G 2H5 Construction of Watermain on Cirrus Way from Sandy Forest Place to Giant Cedars Crescent.

Site:

Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

2227-4L9R22 Certificate #: Application Year: 00 6/15/00 Issue Date: Municipal & Private sewage Approval Type: Status: Approved Application Type: New Certificate of Approval Client Name: **Urbandale** Corporation 2193 Arch Street Client Address: Client City: Ottawa **Client Postal Code:** K1G 2H5 Project Description: Storm and Sanitary sewers to be constructed on Cirrus Way from Sandy Forest Place to Giant Cedars Crescent. Contaminants: **Emission Control:**

Database: CA

Database: CA

Site:

Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

Certificate #:	8618-4NANFM
Application Year:	00
Issue Date:	8/17/00
Approval Type:	Municipal & Private sewage
Status:	Approved
Application Type:	Amended CofA
Client Name:	Urbandale Corporation
Client Address:	2193 Arch Street
Client City:	Ottawa
Client Postal Code:	K1G 2H5
Project Description:	Construction of sanitary sewer on River Road from pumping station (approx. 1800 m north of Armstrong Road) to temporary entrance to Riverside South Community (approx. 750 m north of Armstrong Road), temporary Entrance Easement. Construction of storm and sanitary sewers on Shoreline Drive, Wildshore Crescent, Walkway Easement, Commercial Block, and Puffin Court
-	

Construction of watermains on River Road, Shoeline Drive, Wildshore Crescent, Walkway Easement, Commercial

Contaminants: Emission Control:

Site:

Lot 20, Conc. 1 (Rideau Front), City of Gloucester Ottawa ON

Approved

OTTAWA

K1G 2H5

00 8/17/00

1056-4NANMY

Amended CofA

2193 Arch Street

Municipal & Private water

Urbandale Corporation

Block, and Puffin Court.

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client Address: Client City: Client Postal Code: Project Description:

Contaminants: Emission Control:

<u>Site:</u> Appleton Subdivision Part of Lot 21, Concession 2 Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7361-55UJ9V 02 1/2/02 Municipal & Private sewage Approved New Certificate of Approval Richcraft Homes Ltd. 201-2280 St. Laurent Blvd. Ottawa K1G 4K1 Construction of Storm and Sanitary Sewers

<u>Site:</u> Riverside South Development Corp. Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: 7653-8EJM3S 2011 3/7/2011 Municipal and Private Sewage Works Approved

22





Database:

Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 9979-7PCKHF 2009 3/18/2009 Municipal and Private Sewage Works Approved

<u>Site:</u> Urbandale Corporation Part of Lot 20, Concession 1 Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 5155-667MFQ 2004 11/1/2004 Municipal and Private Sewage Works Approved

<u>Site:</u> Riverside South Development Corp. Geographic Township of Gloucester Ottawa ON

Certificate #: Application Year: 2008 6/11/2008 Issue Date: Approval Type: Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

5641-7FHJMY 2008 6/11/2008 Municipal and Private Sewage Works Approved

<u>Site:</u> Urbandale Corporation Part of Lot 20, Concession 1 Ottawa ON

Certificate #: Application Year: 6191-5PPQ63 2003 Database: CA

Database: CA

Database: CA

Database: CA Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7/25/2003 Municipal and Private Sewage Works Approved

<u>Site:</u> Riverside South Development Corp. Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7037-6MXLUE 2006 3/18/2006 Municipal and Private Sewage Works Approved

<u>Site:</u> Riverside South Development Corp. Geographic Township of Gloucester Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 8040-7NVLD3 2009 2/11/2009 Municipal and Private Sewage Works Revoked and/or Replaced

<u>Site:</u> City of Ottawa River Road to Limebank Rd Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 9430-7V8P7B 2009 9/9/2009 Municipal and Private Sewage Works Approved Database: CA

Database: CA

Database: CA <u>Site:</u> Riverside South Development Corp. Ottawa ON

8169-8G5KMV Certificate #: 2011 Application Year: Issue Date: 5/5/2011 Approval Type: Municipal and Private Sewage Works Status: Approved Application Type: Client Name: **Client Address:** Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

<u>Site:</u> Riverside South Development Corporation (RSDC) ON

EBR Registry No: 012-7921 **Decision Posted:** Exception Posted: Ministry Ref No: MNRF INST 49/16 Notice Type: Instrument Decision Section: Notice Stage: 848864526 Act 1: April 13, 2017 Notice Date: Act 2: Proposal Date: June 14, 2016 Site Location Map: Year: 2016 Instrument Type: (ESA s.17(2) (c)) - Permit for activities with conditions to achieve overall benefit to the species Off Instrument Name: Posted By: Riverside South Development Corporation (RSDC) Company Name: Site Address: Location Other: Proponent Name: Proponent Address: 2193 Arch Street, Ottawa Ontario, Canada K1G 3H5 **Comment Period:** URL:

Site Location Details:

Part of Lots 21 - 23, Concession 1 (Rideau Front) of the Geographic Township of Gloucester. RSDC Phase 13 includes approximately 49 hectares located east of Spratt Road and south of Earl Armstrong Road in southeastern Ottawa, Ontario. CITY OF OTTAWA

<u>Site:</u> City of Ot Earl Arms	ttawa strong Rd River Road to Limebank :	Road Ottawa ON K1P 1J1	Database. ECA
Approval No:	9430-7V8P7B	MOE District:	
 Approval Date:	2009-09-09	City:	
Status:	Approved	Longitude:	
ecord Type:	ECA	Latitude:	
ink Source:	IDS	Geometry X:	
WP Area Name:		Geometry Y:	
pproval Type:	ECA-MUNICIPAL A	ND PRIVATE SEWAGE WORKS	
roject Type:	MUNICIPAL AND F	PRIVATE SEWAGE WORKS	
ddress:	Earl Armstrong Rd	River Road to Limebank Road	
ull Address:	5		
Full PDF Link:	https://www.access	environment.ene.gov.on.ca/instruments/3848-7SNPI	R4-14.pdf
<u>ite:</u> City of Ot Earl Arms	ttawa strong Rd (Earl Armstrong Road to	River Road) Ottawa ON K1P 1J1	Database ECA
pproval No:	5036-7SQR3Z	MOE District:	
pproval Date:	2009-06-08	City:	
tatus:	Approved	Longitude:	
	nfo.com Environmental Risk Info		Order No: 202003171



Database: EBR Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link: ECA IDS

Geometry X: Geometry Y: ECA-Municipal Drinking Water Systems Municipal Drinking Water Systems Earl Armstrong Rd (Earl Armstrong Road to River Road)

Latitude:

<u>Site:</u> City of Ottawa Earl Armstrong Rd Ottawa ON K1P 1J1

2826-7UPNU6 MOE District: Approval No: Approval Date: 2009-08-10 City: Approved Longitude: Status: Record Type: ECA Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: Address: Earl Armstrong Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5476-7UMQKX-14.pdf

Site: City of Ottawa

Limebank Road from Leitrim Road to Spratt Rd Ottawa ON K2G 6J8

Approval No:	8399-7YKTTC	MOE District:
Approval Date:	2009-12-18	City:
Status:	Approved	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-MUNICIPAL AND	PRIVATE SEWAGE WORKS
Project Type:	MUNICIPAL AND PRIV	ATE SEWAGE WORKS
Address:	Limebank Road from Le	eitrim Road to Spratt Rd
Full Address:		
Full PDF Link:	https://www.accessenvi	ronment.ene.gov.on.ca/instruments/0867-7WSQ87-14.pdf

<u>Site:</u> Riverside South Development Corp. Ottawa ON K1G 2H5

Approval No: Approval Date:	0166-ACPSEZ 2016-08-23	MOE District: Citv:	
Status:	Revoked and/or Replaced	Longitude:	
Record Type:	ECA	Latitude:	
Link Source:	IDS	Geometry X:	
SWP Area Name:		Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIV		
Project Type:	MUNICIPAL AND PRIVATE S	SEWAGE WORKS	
Address:			
Full Address:			
Full PDF Link:	https://www.accessenvironme	ent.ene.gov.on.ca/instruments/3244-A6CPHG-14.pdf	

Site: ROBADAIR LTD. BAY 6, 9 LIMEBANK ROAD - GLOUCESTER C/O BOX 5071, STATION "F" OTTAWA ON K2C 3H3

Generator No:ON0528100PO Box No:Status:Country:Approval Years:86,87,88Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:SIC Code:0007

Database: GEN

Database:

ECA

Database: ECA

Database:

ECA

26

Site:

Limebank near Lietrim Rd Ottawa ON

4507-744JQR

Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: **Receiving Medium:** Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

Discharge Or Bypass To A Watercourse 13 DIESEL FUEL Not Anticipated Surface Water Pollution Water No Field Response 6/12/2007 6/15/2007 Spill MVA<UNOFFICIAL>

MVA, 3 L diesel to wet ditch, contained

Discharger Report: Material Group: Oil Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:

Data Entry Status: Data Src:

Abandonment Rec:

Date Received:

Selected Flag:

Form Version:

Street Name: County:

Municipality:

Concession:

Concession Name:

Easting NAD83: Northing NAD83:

UTM Reliability:

Site Info:

Lot:

Zone:

Contractor:

Owner:

1

Yes

1558

1

021

01

CON

10/18/2000

OTTAWA-CARLETON

GLOUCESTER TOWNSHIP

Other Motor Vehicle

Database: **WWIS**

<u>Site:</u>	
lot 21 con 1 O	N N
Well ID:	1531407
Construction Date:	
Primary Water Use:	Domestic
Sec. Water Use:	
Final Well Status:	Water Supply
Water Type:	
Casing Material:	
Audit No:	220943
Tag:	
Construction Method:	
Elevation (m): Elevation Reliability:	
Depth to Bedrock:	
Well Depth:	
Overburden/Bedrock:	
Pump Rate:	
Static Water Level:	

3 L

Bore Hole Information

Flowing (Y/N):

Clear/Cloudy:

Flow Rate:

Bore Hole ID:	10052941	Elevation:	
DP2BR:	0	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	V	East83:	
Code OB Desc:	Overburden below Bedrock	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	9/27/2000	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			

27

erisinfo.com | Environmental Risk Information Services

Order No: 20200317199

Database: SPL

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	931078403
Layer:	3
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	12
Other Materials:	STONES
Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	32 58 ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	931078401
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	12
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931078402 2 6 BROWN 05 CLAY 81 SANDY
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	12 32 ft

Overburden and Bedrock Materials Interval

Formation ID:	931078404
Layer:	4
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE

Mat2: Other Materials: Mat3: Other Materials:	73 HARD
Formation Top Depth:	58
Formation End Depth:	150
Formation End Depth UOM:	ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

 ocan	ng nee	
Dlug		

Plug ID: Laver:	933116576 1
Plug From:	40
Plug To:	0
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID: Method Construction Code:	4
Method Construction:	Rotary (Air)
Other Method Construction:	

Pipe Information

Pipe ID:	10601511
Casing No:	1
Comment: Alt Name:	

Construction Record - Casing

Casing ID:	930092628
Layer:	1
Material:	1
<i>Open Hole or Material: Depth From: Depth To:</i>	STEEL
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID: Layer: Material: Open Hole or Material: Depth From:	930092629 2 4 OPEN HOLE
Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	6 inch ft

Results of Well Yield Testing

Pump Test ID:	991531407
Pump Set At:	
Static Level:	32
Final Level After Pumping:	75
Recommended Pump Depth:	125
Pumping Rate:	6
Flowing Rate:	

0	0
/	м

Recommended Pump Rate:	5
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	
Flowing:	N

Draw Down & Recovery

Pump Test Detail ID:	934113555
Test Type:	Draw Down
Test Duration:	15
Test Level:	75
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934396059
Test Type:	Draw Down
Test Duration:	30
Test Level:	100
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934914441
Test Type:	Draw Down
Test Duration:	60
Test Level:	145
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934657550
Test Type:	Draw Down
Test Duration:	45
Test Level:	125
Test Level UOM:	ft

Water Details

Water ID:	933491848
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	69
Water Found Depth UOM:	ft

Water Details

Water ID:	933491849	
Layer: Kind Code:	2 5	
Kind: Water Found Depth:	Not stated 142	
Water Found Depth UOM:	ft	

<u>Site:</u>

lot 20	ON
--------	----

```
Database:
WWIS
                  Ν
Well ID:
                        1524118
                                                                     Data Entry Status:
            erisinfo.com | Environmental Risk Information Services
                                                                                                            Order No: 20200317199
```

Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): **Elevation Reliability:** Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Domestic

56437

Recharge Well

Bore Hole Information

Bore Hole ID: 10045890 DP2BR: 26 Spatial Status: Code OB: Code OB Desc: Bedrock **Open Hole: Cluster Kind:** Date Completed: 10/4/1989 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials:	931056919 1 2 GREY 05 CLAY
<i>Mat3:</i> Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	0 26 ft

Overburden and Bedrock Materials Interval

Formation ID:	931056920
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Other Materials:	
Mat3:	

31

Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: **Concession Name:** Easting NAD83: Northing NAD83: Zone: UTM Reliability:

1 1/26/1990 Yes

3644 1

> OTTAWA-CARLETON GLOUCESTER TOWNSHIP

020

Elevation:Elevrc:Zone:18East83:North83:Org CS:UTMRC:9UTMRC Desc:unknown UTMLocation Method:na

Other Materials:Formation Top Depth:26Formation End Depth:63Formation End Depth UOM:ft	
Method of Construction & Well Use	
Method Construction ID:Method Construction Code:5Method Construction:AirOther Method Construction:	r Percussion
Pipe Information	
Pipe ID:10Casing No:1Comment:Alt Name:	0594460
Construction Record - Casing	
Layer: 1 Material: 1	
Results of Well Yield Testing	
Pump Test ID:99Pump Set At:8Static Level:8Final Level After Pumping:40Recommended Pump Depth:40Pumping Rate:20Flowing Rate:20)
Recommended Pump Rate:15Levels UOM:ftRate UOM:GfWater State After Test Code:2	; PM LOUDY
Draw Down & Recovery	
Pump Test Detail ID:93Test Type:60Test Duration:60Test Level:40Test Level:40Test Level UOM:ft	
Draw Down & Recovery	
Pump Test Detail ID:93Test Type:93Test Duration:15Test Level:40	

Test Level UOM:

ft

Draw Down & Recovery

Pump Test Detail ID:	934652478
Test Type: Test Duration:	45
Test Level:	40
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934391928
Test Type:	
Test Duration:	30
Test Level:	40
Test Level UOM:	ft

Water Details

Water ID:	933482660
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	56
Water Found Depth UOM:	ft

Site:

lot 20 ON

Database: WWIS

Well ID:	1522704	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	10/31/1988
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1517
Casing Material:		Form Version:	1
Audit No:	44190	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	GLOUCESTER TOWNSHI
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	020
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc:	10044514 58 r Bedrock	Elevation: Elevrc: Zone: East83: North83:	18
Open Hole: Cluster Kind: Date Completed: Remarks:	9/23/1988	Org CS: UTMRC: UTMRC Desc: Location Method:	9 unknown UTM na
Elevrc Desc: Location Source Date Improvement Location Improvement Location	n Source:		

Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931052338 2 GREY 05 CLAY
Formation End Depth:	10
Formation End Depth:	40
Formation End Depth:	ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931052339 3 2 GREY 11 GRAVEL 28 SAND
Nats: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	40 58 ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931052340 4 2 GREY 15 LIMESTONE
Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	58 59 ft

Overburden and Bedrock Materials Interval

931052337
1
6
BROWN
28
SAND

Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	0 10 ft
<u>Annular Space/Abandonment</u> <u>Sealing Record</u>	
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	933110013 1 0 20 ft
<u>Method of Construction & Well</u> <u>Use</u>	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	1 Cable Tool
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	10593084 1
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	930077847 1 STEEL 58 6 inch ft
Results of Well Yield Testing	it.
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:	991522704 10 40 30 10 ft GPM 2 CLOUDY 2 1 0 N
Flowing:	

Draw Down & Recovery

Pump Test	Detail ID: 934905070	
Test Type: Test Duratio	n: 60	
35	erisinfo.com Environmental Risk Information Services	Order No: 20200317199

Test Level:	40
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934111033
Test Type:	
Test Duration:	15
Test Level:	20
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934656253
Test Type:	
Test Duration:	45
Test Level:	40
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934386877
Test Type:	
Test Duration:	30
Test Level:	30
Test Level UOM:	ft

Water Details

Water ID:	933480697	
Layer:	1	
Kind Code:	1	
Kind:	FRESH	
Water Found Depth:	58	
Water Found Depth UOM:	ft	

Site:

WWIS lot 20 ON Well ID: 1525335 Data Entry Status: Construction Date: Data Src: 1 1/28/1991 Primary Water Use: Domestic Date Received: Selected Flag: Sec. Water Use: Yes Final Well Status: Water Supply Abandonment Rec: Water Type: Contractor: 2348 Casing Material: Form Version: 1 79910 Audit No: Owner: Street Name: Tag: Construction Method: County: OTTAWA-CARLETON GLOUCESTER TOWNSHIP Municipality: Elevation (m): Elevation Reliability: Site Info: 020 Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

	evation: evrc: ne: 18
--	-----------------------------

36

Database:

Code OB: Code OB Desc: Bedrock **Open Hole:** Cluster Kind: Date Completed: 12/6/1990 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Overburden and Bedrock Materials Interval 931060813 Formation ID: Layer: 3 Color: General Color: Mat1: 11 GRAVEL Most Common Material: Mat2: 28 SAND Other Materials: Mat3: Other Materials: Formation Top Depth: 30 Formation End Depth: 48 Formation End Depth UOM: ft **Overburden and Bedrock** Materials Interval 931060812 Formation ID: Layer: 2 Color: General Color: Mat1: 14 HARDPAN Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 14 Formation End Depth: 30 Formation End Depth UOM: ft **Overburden and Bedrock** Materials Interval Formation ID: 931060811 Layer: 1 Color: General Color: 05 Mat1: Most Common Material: CLAY Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 0 Formation End Depth: 14 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

37

East83: North83: Org CS: UTMRC: 9 UTMRC Desc: unkno Location Method: na

9 unknown UTM na

Formation ID:	931060814
Layer:	4
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	EIMEOTONE
Other Materials:	
Mat3:	
Other Materials:	40
Formation Top Depth:	48
Formation End Depth:	55
Formation End Depth UOM:	ft
Method of Construction & Well	
<u>Use</u>	
Method Construction ID:	
Method Construction Code:	4
Method Construction:	Rotary (Air)
Other Method Construction:	
Pipe Information	
<u>ripe information</u>	
Pipe ID:	10595643
Casing No:	1
ousing no.	
Comment:	
Comment:	
Comment: Alt Name:	
Alt Name: Construction Record - Casing	
Alt Name: <u>Construction Record - Casing</u> Casing ID:	930082418
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer:	1
Alt Name: <u>Construction Record - Casing</u> Casing ID:	1 1
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer:	1
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material:	1 1
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	1 1
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From:	1 1 STEEL
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	1 1 STEEL 48
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter:	1 1 STEEL 48 6
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM:	1 1 STEEL 48 6 inch
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	1 1 STEEL 48 6 inch
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM:	1 1 STEEL 48 6 inch
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u>	1 STEEL 48 6 inch ft
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> Pump Test ID:	1 1 STEEL 48 6 inch
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> Pump Test ID: Pump Set At:	1 1 STEEL 48 6 inch ft 991525335
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter: Casing Depth UOM: <u>Results of Well Yield Testing</u> <u>Pump Test ID:</u> Pump Set At: Static Level:	1 1 STEEL 48 6 inch ft 991525335 20
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> <u>Pump Test ID:</u> Pump Set At: Static Level: Final Level After Pumping:	1 1 STEEL 48 6 inch ft 991525335 20 50
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth From: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> <u>Pump Test ID:</u> Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth:	1 1 STEEL 48 6 inch ft 991525335 20 50 43
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> <u>Pump Test ID:</u> Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate:	1 1 STEEL 48 6 inch ft 991525335 20 50
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> <u>Pump Test ID:</u> Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate:	1 1 STEEL 48 6 inch ft 991525335 20 50 43 10
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> <u>Pump Test ID:</u> Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate:	1 1 STEEL 48 6 inch ft 991525335 20 50 43 10 8
Alt Name: Construction Record - Casing Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter: Casing Diameter: Casing Depth UOM: Results of Well Yield Testing Pump Test ID: Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM:	1 1 STEEL 48 6 inch ft 991525335 20 50 43 10 8 ft
Alt Name: <u>Construction Record - Casing</u> Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Results of Well Yield Testing</u> <u>Pump Test ID:</u> Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate:	1 1 STEEL 48 6 inch ft 991525335 20 50 43 10 8

Flowing Rate:		
Recommended Pump Rate:	8	
Levels UOM:	ft	
Rate UOM:	GPM	
Water State After Test Code:	1	
Water State After Test:	CLEAR	
Pumping Test Method:	1	
Pumping Duration HR:	1	
Pumping Duration MIN:		
Flowing:	N	
Draw Down & Recovery		
Dian Donn a Necovery		

<u>Draw</u>

Test Type: Test Duration: 30	

Test Level:	50
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934648114
Test Type:	
Test Duration:	45
Test Level:	50
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934905293
Test Type:	
Test Duration:	60
Test Level:	50
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934111746
Test Type:	
Test Duration:	15
Test Level:	50
Test Level UOM:	ft

Water Details

Water ID: Layer: Kind Code:	933484296 1 1
Kind:	FRESH
Water Found Depth:	50
Water Found Depth UOM:	ft

Site:

WWIS lot 20 ON Well ID: 1534331 Data Entry Status: Construction Date: Data Src: 1 11/5/2003 Primary Water Use: Domestic Date Received: Selected Flag: Sec. Water Use: Yes Final Well Status: Abandoned-Other Abandonment Rec: Water Type: Contractor: 1414 Casing Material: Form Version: 2 257423 Audit No: Owner: Street Name: Tag: Construction Method: County: OTTAWA-CARLETON GLOUCESTER TOWNSHIP Municipality: Elevation (m): Elevation Reliability: Site Info: 020 Depth to Bedrock: Lot: Well Depth: Concession: OF Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone: UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 11097381 DP2BR: Spatial Status:	Elevation: Elevrc: Zone: 18	
---	-----------------------------------	--

39

Database:

Code OB: Code OB Desc:	_ No formation data	East83: North83: Over 65:		
Open Hole: Cluster Kind:		Org CS: UTMRC:	9	
Date Completed:	9/25/2003	UTMRC Desc:	unknown UTM	
Remarks:		Location Method:	na	
Elevrc Desc:				
Location Source Date:				
Improvement Location				
Improvement Location				
Source Revision Comm	nent:			
Supplier Comment:				
Method of Construction	n & Well			
036				
Method Construction I	D:			
Method Construction C				
Method Construction:	Not Known			
Other Method Construe	ction:			
Pipe Information				
<u>Pipe Information</u>				
Pipe ID:	11101096			
Casing No:	1			
Comment:				
Alt Name:				
Site:				Database:
lot 20 ON				WWIS
Well ID:	1524120	Data Entry Status:	4	
Construction Date: Primary Water Use:	Domestic	Data Src: Date Received:	1 1/26/1990	
Sec. Water Use:	Domestic	Selected Flag:	Yes	
Final Well Status:	Water Supply	Abandonment Rec:	100	
Water Type:		Contractor:	3644	
Casing Material:		Form Version:	1	
Audit No:	56440	Owner:		
Tag:		Street Name:		
Construction Method:		County:	OTTAWA-CARLETON	
Elevation (m):		Municipality:	GLOUCESTER TOWNSHIP	
Elevation Reliability:		Site Info:	000	
Depth to Bedrock:		Lot:	020	
Well Depth:		Concession:		
Overburden/Bedrock: Pump Rate:		Concession Name: Easting NAD83:		
Static Water Level:		Northing NAD83:		
Flowing (Y/N):		Zone:		
Flow Rate:		UTM Reliability:		
Clear/Cloudy:				

Bore Hole Information

Clear/Cloudy:

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:	10045892 27 r Bedrock	Elevation: Elevrc: Zone: East83: North83: Org CS:	18
Cluster Kind:	40/4/4000	UTMRC:	9
Date Completed: Remarks:	10/4/1989	UTMRC Desc: Location Method:	unknown UTM na
Elevrc Desc: Location Source Date: Improvement Locatior Improvement Locatior	n Source:		

Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials:	931056923 1 2 GREY 05 CLAY
Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	0 27 ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3:	931056924 2 GREY 15 LIMESTONE
Other Materials:	
Formation Top Depth:	27
Formation End Depth:	63
Formation End Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	
Method Construction Code:	5
Method Construction:	Air Percussion
Other Method Construction:	

Pipe Information

Pipe ID:	10594462
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930080337
Laver:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	30
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID:	930080338
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	63
Casing Diameter:	6
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	991524120
Pump Set At:	
Static Level:	8
Final Level After Pumping:	40
Recommended Pump Depth:	40
Pumping Rate:	20
Flowing Rate:	
Recommended Pump Rate:	15
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	Ν

Draw Down & Recovery

Pump Test Detail ID:	934107701
Test Type:	
Test Duration:	15
Test Level:	40
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934910100
Test Type:	
Test Duration:	60
Test Level:	40
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934391930
Test Type:	
Test Duration:	30
Test Level:	40
Test Level UOM:	ft

Draw Down & Recovery

934652480
45
40
ft

Water Details

Water ID:	933482662	
42	erisinfo.com Environmental Risk Information Services	Order No: 20200317199

Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	

1 FRESH 55 ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Provincial AAGR The MAAP Program maintains a database of abandoned pits and guarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.* Government Publication Date: Sept 2002*

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation. Government Publication Date: 1800-Oct 2018

Private Anderson's Waste Disposal Sites: ANDR The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated. Government Publication Date: May 31, 2014

Private AUWR This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole: A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW. Government Publication Date: 1875-Jul 2018

Abandoned Aggregate Inventory:

Provincial Aggregate Inventory:

AGR

Government Publication Date: Up to Sep 2019 Provincial Abandoned Mine Information System: AMIS

Automobile Wrecking & Supplies:

Provincial

Provincial

BORE

AST

erisinfo.com | Environmental Risk Information Services

erisinfo.com | Environmental Risk Information Services

Certificates of Approval:

Dry Cleaning Facilities: List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's

Chemical Register:

Commercial Fuel Oil Tanks:

Government Publication Date: 1985-Oct 30, 2011*

Government Publication Date: Jan 2004-Dec 2017

Please refer to those individual databases for any information after Oct.31, 2011.

tetrachloroethylene to the environment from dry cleaning facilities.

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information. Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2017

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.). Government Publication Date: 1999-Jan 31, 2020

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA).

Compressed Natural Gas Stations: Private Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Nov 2019

Inventory of Coal Gasification Plants and Coal Tar Sites:

or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.* Government Publication Date: Apr 1987 and Nov 1988* **Compliance and Convictions:** CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law. Government Publication Date: 1989-Nov 2019

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) -Certificate of Property Use. Government Publication Date: 1994-Jan 31, 2020

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Certificates of Property Use:

Drill Hole Database:

45

Provincial

Provincial

Provincial

Provincial

CA

CDRY

CFOT

Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of

Federal

Provincial

Private

CHEM

CNG

COAL

CPU

DRI

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing

Provincial

Order No: 20200317199

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and

activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Environmental Compliance Approval: **FCA** On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Feb 29, 2020

Environmental Effects Monitoring:

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

ERIS Historical Searches:

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed. Government Publication Date: 1992-2001*

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017. Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report: **EPAR** This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1. 2011 - Dec 31. 2018

Environmental Activity and Sector Registry:

Government Publication Date: Oct 2011-Feb 29, 2020

Environmental Registry:

EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases. Government Publication Date: 1994-Jan 31, 2020

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose

Government Publication Date: 1992-2007* Private

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jan 31, 2020

Environmental Issues Inventory System:

Emergency Management Historical Event:

Provincial

Provincial

EASR

EBR

EEM

EHS

FIIS

EMHE

Provincial

Provincial

Federal

Federal

Provincial

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have

been removed from the ground. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty. Government Publication Date: 1988-Jun 2007

Contaminated Sites on Federal Land:

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Government Publication Date: Jun 2000-Nov 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS): Federal A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fisheries & Oceans Fuel Tanks:

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation. Government Publication Date: 1964-Sep 2018

Fuel Storage Tank: Provincial **FST** List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

collected by the Technical Standards and Safety Authority. Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jan 31, 2020

List of Expired Fuels Safety Facilities:

Provincial

Provincial

EXP

FCON

FCS

FED TANKS

FOFT

FSTH

GEN

Provincial

Federal

Federal

Federal

Order No: 20200317199

Greenhouse Gas Emissions from Large Facilities: GHG List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here. Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks: IAFT The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status. Government Publication Date: Feb 28, 2019

Private Canadian Mine Locations: MINF This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

INC

Provincial

Federal

HINC

Provincial

Federal

Federal

Provincial

Provincial

LIMO

MNR

NATE

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval,

Non-Compliance Reports:

National Defense & Canadian Forces Fuel Tanks:

National Defence & Canadian Forces Waste Disposal Sites:

Government Publication Date: Up to May 2001* National Defense & Canadian Forces Spills:

prohibited any release of this database.

Sectoral Regulation or specific regulation/act. Government Publication Date: Dec 31, 2018

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered. Government Publication Date: Mar 1999-Apr 2018

DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status. Government Publication Date: 2001-Apr 2007*

Federal National Energy Board Pipeline Incidents: **NEBI** Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 2008-Dec 31, 2019

National Energy Board Wells:

date.

National Environmental Emergencies System (NEES):

Government Publication Date: 1920-Feb 2003*

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National Pollutant Release Inventory:

National PCB Inventory:

49

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored. Government Publication Date: 1988-2008*

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. Government Publication Date: 1993-May 2017

Provincial

Federal The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on

Federal

Federal

Federal

NDWD

NCPL

NDFT

NDSP

NEBP

NEES

NPCB

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by

Federal

Federal

Federal

NPRI

Order No: 20200317199

OGWE

OOGW

OPCB

ORD

PAP

PINC

PRT

PTTW

Provincial

Provincial

Provincial

Private

Provincial

Provincial

Provincial The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage

Provincial

Oil and Gas Wells:

is updated on a monthly basis. More information is available at www.nickles.com. Government Publication Date: 1988-Aug 31, 2019

Government Publication Date: 1800-Jun 2019

Ontario Oil and Gas Wells:

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well

Inventory of PCB Storage Sites:

Canadian Pulp and Paper:

Orders:

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All

geology/stratigraphy table information, plus all water table information is also provide for each well record.

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures. Government Publication Date: 1994-Jan 31, 2020

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce. Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks: Federal PCFT Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Pesticide Register: PES The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides. Government Publication Date: 1988-Feb 2020

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2017

tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety

Private and Retail Fuel Storage Tanks:

Government Publication Date: 1920-Jan 2005*

Authority (TSSA). Government Publication Date: 1989-1996*

Permit to Take Water:

Pipeline Incidents:

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Jan 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data. Government Publication Date: 1986-2016

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval.

Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2020

Retail Fuel Storage Tanks:

or propane storage tanks.

Ontario Spills:

Record of Site Condition:

Scott's Manufacturing Directory:

Government Publication Date: 1999-Jan 31, 2020

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database. Government Publication Date: 1992-Mar 2011*

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. Government Publication Date: 1988-Aug 2019

Wastewater Discharger Registration Database: SRDS Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Anderson's Storage Tanks:

Government Publication Date: 1990-Dec 31, 2017

Transport Canada Fuel Storage Tanks:

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

51

RFC

RST

SCT

SPL

TANK

TCFT

Provincial RSC

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and /

Private

Provincial

Private

Provincial

Provincial

Private

Federal

erisinfo.com | Environmental Risk Information Services

Waste Disposal Sites - MOE CA Inventory:

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Feb 29, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Variances for Abandonment of Underground Storage Tanks:

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Provincial

Provincial

Provincial

WDSH

VAR

WDS

Provincial **WWIS**

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.