

Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario

Client: Smart Living Properties

Type of Document: FINAL

Project Name: Phase One Environmental Site Assessment

Project Number: OTT-22010865-A0

Prepared By: Carl Hentschel, P.Eng., PMP, Environmental Engineer

Reviewed By: Mark McCalla, P. Geo., Senior Geoscientist

EXP Services Inc. 100-2650 Queensview Drive Ottawa, Ontario K2B 8H6 t: +1.613.688.1899 f: +1.613.225.7337

Date Submitted: 2022-07-13

100-2650 Queensview Drive | Ottawa, Ontario K2B 8H6 | Canada t: +1.613.688.1899 | f: +1.613.225.7337 | exp.com

i

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Legal Notification

This report was prepared by EXP Services Inc. for the account of Smart Living Properties.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. EXP Services Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this project.



ii

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Table of Contents

Le	egal Notificationi				
Lis	st of Fig	juresvi			
Lis	st of Ap	pendices vii			
Ex	ecutive	e Summary viii			
1.(0 Intro	oduction1			
	1.1	Objective	1		
	1.2	Phase One Property Information	1		
2.0	0 Scop	pe of Investigation2			
3.() Reco	ords Review3			
	3.1	Phase One ESA Study Area Determination	3		
	3.2	First Developed Use Determination	3		
	3.3	Fire Insurance Plans	3		
	3.4	Chain of Title	5		
	3.5	City Directories	5		
	3.6	Environmental Reports	7		
	3.7	Environmental Source Information	7		
	3.7.1	Ontario Ministry of the Environment, Conservation and Parks Records	7		
	3.7.2	Historical Land Use Inventory	7		
	3.7.3	Environmental Registry	7		
	3.7.4	Environmental Access	7		
	3.7.5	Hazardous Waste Information Network	8		
	3.7.6	Records of Site Condition	8		
	3.7.7	Coal Gasification Plants	8		
	3.7.8	PCB Storage Sites	8		
	3.7.9	Waste Disposal Sites	8		
	3.7.10	Former Industrial Sites	8		
	3.8	EcoLog ERIS Database Search	8		
	3.9	Physical Setting Sources	9		



iii

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

3.9.1	Aerial Photographs	9
3.9.2	Topography, Hydrology, Geology	10
3.9.3	Fill Materials	
3.9.4	Water Bodies and Areas of Natural Significance	
3.9.5	Well Records	
3.10	Site Operating Records	10
4.0 Int	erviews	11
5.0 Site	e Reconnaissance	12
5.1	General Requirements	
5.2	Specific Observations at the Phase One Property	
5.2.1	Buildings and Structures	12
5.2.2	Site Utilities and Services	12
5.3	Storage Tanks	12
5.3.1	Underground Storage Tanks	
5.3.2	Above Ground Storage Tanks	
5.4	Chemical Storage Handling and Floor Condition	12
5.5	Areas of Stained Soil, Pavement or Stressed Vegetation	13
5.6	Fill and Debris	13
5.7	Air Emissions	13
5.8	Odours	13
5.9	Noise	13
5.10	Other Observations	13
5.11	Special Attention Items, Hazardous Building Materials and Designated Substances	13
5.11.	1 Asbestos	13
5.11.	2 Ozone Depleting Substances (ODSs)	13
5.11.	3 Lead	14
5.11.	4 Mercury	14
5.11.	5 Polychlorinated Biphenyls (PCB)	14
5.11.	6 Urea Formaldehyde Foam Insulation	14



iv

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

	5.11.7	Radon	15
	5.11.8	Mould	15
	5.12	Other Substances	15
	5.13	Processing and Manufacturing Operations	15
	5.14	Hazardous Materials Use and Storage	15
	5.15	Vehicle and Equipment Maintenance Areas	16
	5.16	Oil/Water Separators	16
	5.17	Sewage and Wastewater Disposal	16
	5.18	Solid Waste Generation, Storage & Disposal	16
	5.19	Liquid Waste Generation, Storage & Disposal	16
	5.20	Unidentified Substances	16
	5.21	Hydraulic Lift Equipment	16
	5.22	Mechanical Equipment	16
	5.23	Abandoned and Existing Wells	16
	5.24	Roads, Parking Facilities and Right of Ways	16
	5.25	Adjacent and Surrounding Properties	16
	5.26	Enhanced Investigation Property	17
	5.27	Summary and Written Description of Investigation	17
6	.0 Revi	ew and Evaluation of Information1	8
	6.1	Current and Past Uses	18
	6.2	Potentially Contaminating Activity	18
	6.3	Areas of Potential Environmental Concern	19
	6.4	Phase One Conceptual Site Model	20
	6.4.1	Buildings and Structures	20
	6.4.2	Water Bodies and Groundwater Flow Direction	20
	6.4.3	Areas of Natural Significance	20
	6.4.4	Water Wells	20
	6.4.5	Potentially Contaminating Activity	20
	6.4.6	Areas of Potential Environmental Concern	20



v

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

6.4.7	7 Subsurface Stratigraphy	21		
6.4.8	3 Uncertainty Analysis	21		
7.0 Cc	nclusions	22		
8.0 Re	ferences	23		
9.0 Lir) Limitation of Liability, Scope of Report, and Third Party Reliance			
10.0 Sig	gnatures	25		



vi

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

List of Figures

- Figure 1 Site Location Plan
- Figure 2 Phase One Conceptual Site Model
- Figure 3 Site Layout



vii

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

List of Appendices

Appendix A: Qualifications of Assessors Appendix B: Figures Appendix C: Fire Insurance Plans, Title Search, Municipal Records & Provincial Records Appendix D: EcoLog ERIS Report Appendix E: Aerial Photographs Appendix F: Site Photographs



Executive Summary

EXP Services Inc. (EXP) was retained by Smart Living Properties to complete a Phase One Environmental Site Assessment (ESA) of the property located at 223-231 Bank Street, Ottawa, Ontario hereinafter referred to as the 'Phase One property'. At the time of the investigation, the Phase One property consisted of a three-storey, brick and pebble dash clad building, with a full basement. The top two floors contain residential apartment units, while the main floor contains a commercial unit (tenanted by an Art Supply Store and Gallery).

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with the Phase One ESA standard as defined by Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

The purpose of this Phase One ESA is to determine if past or present site activities have resulted in actual or potential contamination at the Phase One property. It is understood that the report will be used to support a site plan application. EXP understands that the most recent use of the Phase One property is residential and that the proposed future use is also residential.

The Phase One property is located at 223-231 Bank Street in Ottawa, Ontario. The Phase One property is located within a residential/commercial area on the northeast corner of the intersection of Bank and Streets and has an area of approximately 0.09 hectares.

Based on a review of historical aerial photographs, and other records review, it appears the subject site was first developed as a residential property prior 1895. The present-day site building was built between 1895 and 1922.

There are no water bodies on the subject site. The closest bodies of water are the Rideau Canal, approximately 840 m to the northeast and the Ottawa River, approximately 870 m to the north northwest. Topographically, the Phase One property is relatively flat with a slight slope down to the south in the general area. The groundwater flow at the Phase One property is anticipated to be northerly due to the influence of the water bodies.

There are no areas of natural or scientific interest (ANSI) within the Phase One study area.

Multiple dry cleaners, gas stations, printing operations, and repair garages have operated in the Phase One study area since the Phase One property was developed. Based on the down/cross-gradient location of these operations, and/or the separation distance from the Phase One property, none of these potentially contaminating activities (PCA) (**PCA 1** through **22**) resulted in areas of potential environmental concern (APEC).

An AST was present in the basement of 219 Bank Street (**PCA 24**). Although no ASTs were observed in the basement of the site building (**PCA 23**) or 178 Nepean Street, anecdotal evidence suggests a former fuel oil tanks in the basements (**PCA 25**). No staining was observed in the vicinity of the AST at 219 Bank Street or on the basement floor of the site building or the building at 178 Nepean Street. Therefore, these PCAs do not result in APECs.

The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

The Qualified Person who oversaw this work, Mark McCalla, P.Geo., recommends that no further environmental work is needed at the Phase One property.

This executive summary is a brief synopsis of the report and should not be read in lieu of reading the report in its entirety.



1

1.0 Introduction

EXP Services Inc. (EXP) was retained by Smart Living Properties to complete a Phase One Environmental Site Assessment (ESA) of the property located at 223-231 Bank Street, Ottawa, Ontario hereinafter referred to as the 'Phase One property'. At the time of the investigation, the Phase One property consisted of a three-storey building with commercial on the main floor and residential apartments on the upper two floors.

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with the Phase One ESA standard as defined by Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices. Subject to this standard of care, EXP makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Section 9 of this report.

Please note that general environmental management and housekeeping practices were reviewed as part of this assessment insofar as they could impact the environmental condition of the property, however, a detailed review of regulatory compliance issues was beyond the scope of our investigation. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions or identify geologic hazards.

1.1 Objective

The purpose of this Phase One ESA is to determine if past or present site activities have resulted in actual or potential contamination at the Phase One property. It is understood that the report will be used to support a site plan application.

EXP understands that the most recent use of the Phase One property is residential and that the proposed future use is residential and commercial. Consequently, since the proposed future use of the property is the same as its previous use a Record of Site Condition (RSC) is not required.

EXP personnel who conducted assessment work for this project included Mark McCalla, P.Geo., and Carl Hentschel, P.Eng., PMP. An outline of their qualifications is provided in Appendix A.

1.2 Phase One Property Information

The Phase One property is located at 223-231 Bank Street in Ottawa, Ontario. The Phase One property is located within a residential/commercial area on the northeast corner of the intersection of Bank and Streets and has an area of approximately 0.09 hectares. The Site is improved with a three-storey residential dwelling with a full basement. The main floor and basement are tenanted by an art store and gallery. A paved alley is present on the east side of the property.

A Site Location Plan is provided as Figure 1 and a Site Plan is provided as Figure 2 in Appendix B.

The approximate Universal Transverse Mercator (UTM) coordinates for the Phase One property centroid are Zone 18, 445407 m E and 5029545 m N. The UTM coordinates are based on measurements from Google Earth Pro, published by the Google Limited Liability Company (LLC). The accuracy of the centroid is estimated to be less than 10 m.

The Phase One property is owned by Potechin Investments limited Estate of Theodore Wolfe. Authorization to proceed with this investigation was provided by Mr. Ryan Denyer of Smart Living Properties.



2.0 Scope of Investigation

The scope of work for the Phase One ESA consisted of the following activities:

- Reviewing the historical occupancy of the Phase One property through the use of available archived and relevant municipal and business directories, fire insurance plans (FIPs), topographical maps, and aerial photographs;
- Reviewing municipal and provincial records to determine whether activities that have occurred within the Phase One study area pose a potential environmental concern to the Phase One property;
- Obtaining an EcoLog Environmental Risk Information Services Ltd. (ERIS) report for the Phase One property and surrounding properties within a 250-metre radius of the Phase One property;
- Reviewing available geological maps, well records and utility maps for the vicinity of the Phase One property;
- Obtaining a search of land title and assessment rolls for the Phase One property;
- Conducting at least one reconnaissance of the Phase One property and surrounding properties within a 250-metre radius of the Phase One property in order to identify the presence of actual and/or potential environmental contaminants or concerns of significance;
- Conducting interviews with designated representative(s) as a resource for current and historical information;
- Reviewing the current use of the Phase One property and any land use practices that may have impacted its environmental condition;
- Reviewing the current use of the surrounding properties and any land use practices that may have impacted the environmental condition of the Phase One property; and,
- Preparing a report to document the findings.

In completing the scope of work, EXP did not conduct any intrusive investigations, including sampling, analyses, or monitoring. EXP has confirmed neither the completeness nor the accuracy of any of the records that were obtained or of any of the statements made by others.



3.0 Records Review

3.1 Phase One ESA Study Area Determination

The Phase One study area comprises the Phase One property and surrounding properties wholly or partly within 250 metres of the property boundaries. The 250-metre radius was used to gain an understanding of the current and past uses of surrounding properties to determine whether such uses may have contributed to subsurface environmental impacts at the Phase One property. At the time of the site reconnaissance, land usage within 250 metres of the Site was residential and commercial to the north, south, east, and west.

The property is zoned TM H(19) - traditional main street. The surrounding properties in the Phase One study area are also zoned primarily traditional main street.

The Phase One study area is shown on Figure 3 in Appendix B.

3.2 First Developed Use Determination

Based on a review of historical aerial photographs, and other records review, it appears the subject site was first developed as a residential property prior 1895. The present-day site building was built between 1895 and 1922.

3.3 Fire Insurance Plans

EXP reviewed the Catalogue of Canadian Fire Insurance Plans 1875 – 1975. No fire insurance plans depicting the Phase One study area were available for review. Fire insurance plans for the years 1895, 1922, and 1956 were reviewed. The following was noted:

- The 1895 FIP shows two residential buildings present on the Phase One property, which are labeled as 229, 231, and 233 Bank Street. The surrounding area consists of residential and commercial properties.
- The 1922 FIP shows a single residential building on the Site, labelled the Lisgar Apartments. This building appears similar to the present-day configuration. The surrounding properties consist of primarily residential and commercial properties.
- The 1956 FIP shows the same residential building on the Site. The surrounding properties consist of primarily residential and commercial properties.

Based on a review of the FIPs, the following PCAs were identified:

Location	Proximity to the Site		Years	Environmental Concern to Site and Rationale
171-175 Nepean Street	15 m northeast	Lowe-Martin Printing plant	1963	PCA 1
177 Nepean Street	30 m north	Chinese Laundry	1922	PCA 2
146 Nepean Street	50 m east	Dry cleaner	1963	PCA 3
318 Lisgar Street	50 m southeast	Dry cleaner	1963	PCA 4
344-346 Lisgar Street	60 m southwest	Lillico Garage, three USTs	1922 1963	PCA 5



Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Location	Proximity to the Site		Years	Environmental Concern to Site and Rationale
344 Lisgar Street	60 m southwest	Unnamed print shop	1963	PCA 5
393 Cooper Street	130 m south	Chinese Laundry	1922	PCA 6
375 Lisgar Street	130 m southwest	Undertakers with garage and UST	1963	PCA 7
262-263 Laurier Avenue	150 m northeast	Campbell Motors Company, auto garage and UST	1963	PCA 8
154 O'Connor Street	160 m northeast	Service station, three USTs	1963	PCA 9
442 Cooper Street	170 m southwest	Borden's Dairy Garage with UST	1922 1963	PCA 10
241-243 Kent Street	170 m southwest	Service station, four USTs	1963	PCA 11
324 Laurier Avenue	175 m northwest	Dry cleaner	1922	PCA 12
233 Kent Street	200 m west	Chinese Laundry	1922	PCA 13
448 Cooper Street	200 m southwest	Dry cleaner	1963	PCA 14
379 Somerset Avenue	200 m south	Chinese Laundry	1963	PCA 15

The following PCA were identified:

- PCA 1 173-175 Nepean Street (15 m northeast) Lowe-Martin printing plant 1955 and 1965 (PCA #31 Ink manufacturing, Processing and Bulk Storage);
- PCA 2 177 Nepean Street (30 m north) Former Chinese Laundry shown in the 1922 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 3 146 Nepean Street (70 m east northeast) Former dry cleaner observed in 1956 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 4 318 Lisgar Street (50 m southeast) Former dry cleaner observed in 1956 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 5 344-346 Lisgar Street (60 m southwest) Lillico Garage with the USTs shown in the 1922 and 1963 FIPs (PCA #10 – Commercial Autobody Shops). Small print shop shown in the northeast corner of the garage in the 1963 FIP (PCA #31 – Ink manufacturing, Processing and Bulk Storage);
- PCA 6 393 Cooper Street (130 m south) Former dry cleaner observed in 1922 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 7 375 Lisgar Street (170 m southwest) Former undertakers with fuel UST shown in the 1963 FIP (PCA #28 Gasoline and associated products storage in fixed tanks);



4

5

- PCA 8 262-263 Laurier Avenue (150 m northeast) Campbell Motors Company garage with UST (PCA #10 Commercial Autobody Shops, PCA #28 – Gasoline and associated products storage in fixed tanks);
- PCA 9 154 O'Connor Street (160 m northeast) Service station with three USTs shown in the 1963 FIP (PCA#28 Gasoline and associated products storage in fixed tanks);
- PCA 10 442 Cooper Street (170 m southwest) Borden's Dairy garage with USTs shown in the 1922 and 1963 FIP (PCA #10 Commercial Autobody Shops, PCA#28 Gasoline and associated products storage in fixed tanks);
- PCA 11 241-243 Kent Street (170 m southwest) Service station with four USTs shown in the 1963 FIP (PCA#28 Gasoline and associated products storage in fixed tanks);
- PCA 12 324 Laurier Avenue (175 m northwest) Former dry cleaner observed in 1963 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 13 233 Kent Street (200 m west) Former dry cleaner observed in 1922 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 14 448 Cooper Street (200 m southwest) Former dry cleaner observed in 1963 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used); and,
- PCA 15 379 Somerset Avenue (200 m south) Former dry cleaner observed in 1963 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used).

3.4 Chain of Title

A chain of title was requested from Read Abstracts Limited for the Phase One property. The chain of title has not yet been received.

3.5 City Directories

On April 22, 2022, records pertaining to the site were requested from the EcoLog Environmental Risk Information Services (or EcoLog ERIS) for the municipal street directories in the Phase One study area. EcoLog ERIS is an environmental database and information service provider.

None of the streets in the Phase One study area were listed prior to 1875.

The following properties of interest were noted:

Location	Proximity to the Site		Years	Environmental Concern to Site and Rationale
223 Bank Street	Phase One property	Carruthers J.A., Dry Goods Dominion House Furniture Co. Byshe & Roe, Sporting Goods	1905 1910 1914 to 1981	No
	property	Carley's Fashion Igo Cyber House	1987 to 2001 2006 to 2011	
225 Bank Street	Phase One property	McGregor Ltd. Abramson & Co. Cumming Electrical Sales Ltd. Brass Bed Sleep Centre	1914 to 1920 1926 to 1931 1941 to 1976 1981 to 1997	No
229 Bank Street	Phase One property	Wilson H W Co., Dry Goods Montreal Supply Co. American Supply Co.	1910 1914 1931 to 1956	No



6

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Location	Proximity to the Site		Years	Environmental Concern to Site and Rationale
231-233 Bank Street	Phase One property	Hanrahan Meat Co. Mullhall Robert Hardware Wilson & Co. McGregor Ltd. Dominion Stores Ltd. Taylor Bros Ltd. Wallack's	1890 1910 1914 to 1920 1926 1936 to 1956 1961 to 1971 1982 to 2011	No
177 Nepean Street	30 m north	Chinese Laundry	1914 to 1946	PCA 2
238 Bank Street	60 m south	Chinese Laundry	1910 to 1914	PCA 16
346-348 Lisgar Street	60 m southwest	Lillico Garage	1920 to 1961	PCA 5
194 Bank Street	80 m north	Chinese Laundry	1910	PCA 17
146 Nepean Street	85 m northeast	Monson's Cleaners & Dyers	1946 to 1961	PCA 3
244 Bank Street	90 m south	Paris Cleaners & Dyers	1936 to 1941	PCA 18
393 Cooper Street	130 m south	Laundry	1920 to 1946	PCA 6
154 O'Connor Street	160 m northeast	Service Station Garage	1941 to 1966 1987 to 1997	PCA 9
241-243 Kent Street	170 m southwest	Service Station	1936 to 1961	PCA 11
442 Cooper Street	170 m southwest	Borden's Dairy garage	1951 to 1966	PCA 10
283 Bank Street	170 m southeast	Imperial Cleaners & Tailors	1936 to 1946	PCA 19
287 Bank Street	170 m southeast	Parkers Cleaners & Dyers United Cleaners & Tailors Brown's Cleaner's	1936 to 1946 1951 to 1961 1976	PCA 20
233 Kent Street	200 m west	Laundry	1920 to 1936	PCA 13
448 Cooper Street	200 m southwest	Laundry	1956 to 1961	PCA 14
379 Somerset	200 m south	Laundry	1941 to 1951	PCA 15
160 Bank Street	220 m northwest	Chinese Laundry Superior Cleaners & Dyers	1910 to 1914 1941 to 1951	PCA 21
324 Laurier	175 m northwest	Laundry	1920 to 1971	PCA 12

In addition to those previously identified, the following PCAs were identified:



Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

- PCA 16 238 Bank Street (60 m south) Former Chinese Laundry listed in the city directories between 1910 and 1914 (PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 17 194 Bank Street (80 m north) Former Chinese Laundry listed in the city directories in 1910 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 18 244 Bank Street (90 m south) Former dry cleaner listed in the city directories between 1936 and 1941 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 19 283 Bank Street (170 m southeast) Former dry cleaner listed in the city directories between 1936 and 1946 (PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 20 287 Bank Street (170 m southeast) Former dry cleaner listed in the city directories between 1910 and 1951 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used); and,
- **PCA 21** 160 Bank Street (220 m northwest) Former dry cleaner listed in the city directories between 1936 and 1976 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used).

3.6 Environmental Reports

No environmental reports were provided to EXP for as part of this Phase One ESA.

3.7 Environmental Source Information

Information pertaining to the Phase One property was obtained by reviewing documents that are available to the public through municipal and provincial sources. EXP did not identify the need to contact any federal agencies.

Written responses from regulatory agencies and copies of documents obtained via searches are provided in Appendix C.

3.7.1 Ontario Ministry of the Environment, Conservation and Parks Records

On April 22, 2022, records pertaining to the Phase One property were requested from the Ministry of the Environment, Conservation and Parks (MECP) through the *Freedom of Information and Protection of Privacy Act* (FOI). To date, no response has been received. If environmentally significant information is obtained from the MECP search, it will be provided as an addendum to this report.

3.7.2 Historical Land Use Inventory

An HLUI request was made to the City of Ottawa May 16, 2022. To date, no response has been received. If environmentally significant information is obtained from the MECP search, it will be provided as an addendum to this report.

3.7.3 Environmental Registry

On May 3, 2022, the MECP Environmental Registry website was searched for postings in the vicinity of the Phase One property. Five (5) Permits to Take Water were listed for the immediate area. These do not pose an environmental concern to the Phase One Property. No other records were found.

3.7.4 Environmental Access

On May 3, 2022, the MECP Environmental Access website was searched for postings within the Phase One study area. Six (6 postings (not including one posting marked at the wrong location) were found. These included four Certificates of Approval -Air for HVAC systems, one Certificate of Approval for a private sewage works, and one Permit to Take Water. None of these postings pose an environmental concern to the Phase One Property.



3.7.5 Hazardous Waste Information Network

On May 3, 2022, the MECP Hazardous Waste Information Network (HWIN) website was searched for registered waste generators who are tenants at the subject site address. No matches were found.

3.7.6 Records of Site Condition

On May 3, 2022, the MECP Brownfields Registry website was searched for postings of Records of Site Condition within the Phase One study area. Records were found for:

- 300 Lisgar Street (40 m east): posting for a remediation of 35 m³ of petroleum hydrocarbon impacted soil, with some remaining impacted soil on the property that meets MECP soil quality criteria.
- 366 Lisgar street (50 m west): posting for a remediation of 22 m³ of petroleum hydrocarbon impacted soil, and the changing of land use from commercial to residential.

Neither of these postings pose an environmental concern to the Phase One property.

3.7.7 Coal Gasification Plants

Documents entitled *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario* prepared by the MECP and *Inventory of Coal Gasification Plant Waste Sites in Ontario* prepared by Intera Technologies Ltd. were reviewed. There were no coal gasification plants identified within the Phase One study area.

3.7.8 PCB Storage Sites

Documents entitled National Inventory of PCBs in Use and PCB Wastes in Storage in Canada, 2003 Annual Report prepared by Environment Canada and Ontario Inventory of PCB Storage Sites prepared by the MECP were reviewed. No records pertaining to PCB storage sites were identified within the Phase One study area.

3.7.9 Waste Disposal Sites

Documents entitled Old Landfill Management Strategy, Phase 1, Identification of Sites, City of Ottawa, Ontario prepared by Golder Associates Ltd. and Waste Disposal Site Inventory prepared by the MECP were reviewed. No former landfills or waste disposal sites were identified within the Phase One study area.

3.7.10 Former Industrial Sites

The document entitled *Mapping and Assessment of Former Industrial Sites; City of Ottawa* prepared by Intera Inc. was reviewed. Two historic industrial sites were identified within the Phase One study area.

- 175 Nepean Street (50 m to the north): Lowe-Martin Printing [1928-1950] Commercial printing and plate-making (PCA 1); and,
- 300 Laurier Avenue West (200 m to the north): Ottawa Photo Engraving [1925-1950] Commercial printing and platemaking (**PCA 22**).

3.8 EcoLog ERIS Database Search

A search of provincial and federal databases for records pertaining to the Phase One property and properties within the Phase One study area was conducted by EcoLog ERIS. EXP has confirmed neither the completeness nor the accuracy of the records that were provided. A copy of the EcoLog ERIS report is provided in Appendix D.



8

A total of 403 entries from the EcoLog ERIS report were reviewed and the most pertinent entries are summarized below:

Location	Proximity to the Site	Description	Environmental Concern to Site (Yes/No) & Rationale
231 Bank Street	Site	Wallack's Art and Drafting listed in the Scott Manufacturing Database	No, the present Art Supply and Gallery store is not considered an environmental risk.
315 Lisgar Street	Adjacent to the east	Canadian Bible Society listed in the Scott Manufacturing Database	No, based on nature of the operation.
212 Bank Street	20 m west	Discovery of abandoned underground storage tank (UST) in 2010	No, as entry gave no indication of soil/groundwater impact.
224 Bank Street	20 m west	Bicycle Revival., registered waste generator of petroleum distillates from 1989 to 2001 (ON1177400).	No, nature of wastes not a concern if disposed of appropriately.
171 Nepean Street	50 m north	EAS Illustrators, registered waste generator of petroleum distillates in 1989 to 1998 (ON1203100). Armco Printing, registered waste generator of photo processing waste in 1992 to 1998 (ON1550000).	No, nature of wastes not a concern if disposed of appropriately.
232 Bank Street	20 m west	Oil tank leak (5L) in 2000	No, based on small volume.
287 Lisgar Street	70 m east	Diesel spill (3L) in 2020	No, based on small volume
154 O'Connor Avenue	110 m east	Seventeen (17) entries related to operation of a retail gasoline sales outlet including underground tank records and spill reports.	Yes, this is considered a PCA (PCA 9)

All other entries were not considered an environmental risk to the Phase One property based on intervening distance and/or nature of the listing.

3.9 Physical Setting Sources

3.9.1 Aerial Photographs

Aerial photographs dated 1928, 1958, 1965, 1976, 1991, 1999, 2005, 2015, and 2019 were available for review on the City of Ottawa website. Aerial photographs dated prior to 1928 were not available for review. The following table summarizes the development and land use history of the Phase One property and adjacent properties as depicted on the reviewed aerial photographs. Copies of the aerial photographs are provided in Appendix E.

Aerial Photograph (year)	Details		
1928	1928 The Phase One property appears to have been developed with a number of buildings, but the photo qua poor. Bank and Lisgar Streets are visible and the surrounding area has been developed.		
1958 The Phase One property appears similarly developed to the 1928 aerial photograph.			
1965	The Phase One property and study area are similarly developed to the 1958 aerial photograph.		
1976	The Phase One property and study area are similarly developed to the 1965 aerial photograph but the photo quality is poor.		



9

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Aerial Photograph (year)	Details			
1991	The Phase One property and study area are similarly developed to the 1965 and 1976 aerial photographs.			
2005	The Phase One property and study area are similarly developed to the 1991 aerial photograph.			
2015	The Phase One property and study area are similarly developed to the 2005 aerial photograph. Of note is the adjacent property to the south appears to have been demolished.			
2019	The Phase One property and study area are similarly developed to the 2015 aerial photograph.			

Based on the review of the aerial photographs, no additional PCAs have been identified in the Phase One study area in addition to those mentioned in previous sections.

3.9.2 Topography, Hydrology, Geology

The following information sources were reviewed to determine the nature of the subsurface materials at the site:

- Map 1506A, Surficial Geology, Ottawa- Hull. Scale 1:50,000. 1982;
- Map 1508A, Generalized Bedrock Geology, Ottawa- Hull. Scale 1:125,000. 1980; and,
- MECP Water Well Records.

Beneath any fill, the surficial geology of the subject site is characterised by Champlain Sea deposits of plain till. The bedrock geology underlying the site consists of limestone with some shaley partings of the Ottawa Formation. The depth to rock in the area is typically 5 m below surface grade or less.

Topographically, the land is relatively flat with a slight local slope down to the south.

3.9.3 Fill Materials

No evidence of fill material was identified. The site property is level with adjacent land and no significant amounts of fill material are suspected.

3.9.4 Water Bodies and Areas of Natural Significance

There are no water bodies on the subject site. The closest bodies of water are the Rideau Canal, approximately 840 m to the northeast and the Ottawa River, approximately 870 m to the north northwest. Topographically, the Phase One property is relatively flat with a slight slope down to the south in the general area. The groundwater flow at the Phase One property is anticipated to be northerly due to the influence of the water bodies.

There are no Area of Natural Significance (ANSI) within the Phase One study area, according to the Ministry of Natural Resources and Forestry Natural Heritage website (www.gisapplication.lrc.gov.on.ca/mamnh/Index.html).

3.9.5 Well Records

The Ontario well records website (www.ontario.ca/environment-and-energy/map-well-records water wells) was accessed. There were 23 well records for the Phase One study area. All of the records were for monitoring wells.

There are no oil, gas, or salt wells within the Phase One study area, according to the Oil, Gas & Salt Resources Library (maps.ogsrlibrary.com/wells/).

3.10 Site Operating Records

No site operating records were provided to EXP for review.



Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

4.0 Interviews

Interviews were conducted by EXP with the individuals identified to be the most knowledgeable about both the current and historical Phase One property uses. The purpose of interviews is to obtain information to assist in identifying areas of potential environmental concern and identify details of potentially contaminating activities or potential contaminant pathways, in, on or below the Phase One property.

The property owner's representatives (real estate agent and property manager) were interviewed during the site visit of April 20, 2022. Any pertinent information is discussed in section 5.0 below.

The property owner was contacted indirectly, through the client, on May 10, 2022 in regards to any information on underground fuel oil storage tanks. They were unaware of any tanks on the property.



5.0 Site Reconnaissance

5.1 General Requirements

On April 20, 2022 at 13:00h, Mr. Carl Hentschel of EXP conducted the site visit for the Phase One property. The weather was sunny with an approximate temperature of 10 degrees Celsius. The Site visit lasted approximately 60 minutes.

The site visit was conducted in accordance with EXP's internal health and safety protocols and with the Ministry of Labour health and safety regulations. The purpose of the site visit was to assess the current conditions of the Phase One property.

Observations of the Phase One property and surrounding properties within the Phase One study area were conducted. Adjoining properties were observed from within the grounds of the Phase One property and from public roads and sidewalks.

Photographs were taken at the Phase One property on April 20, 2022 and pertinent photographs are included in Appendix F.

5.2 Specific Observations at the Phase One Property

5.2.1 Buildings and Structures

The building is three-storey, brick and pebble dash clad, with a full basement. The top two floors contain residential apartment units, while the main floor contains a commercial unit (tenanted by an Art Supply Store and Gallery). A paved laneway is present on the east side of the property leading to a small parking area.

5.2.2 Site Utilities and Services

The Site is serviced with municipal sewer and water, hydro and natural gas.

There was no evidence of a railway being present on the Phase One property.

5.3 Storage Tanks

5.3.1 Underground Storage Tanks

EXP did not observe any evidence of underground storage tanks (USTs), such as vent and fill pipes, during the site reconnaissance. Furthermore, the historical review did not identify any former USTs at the site.

5.3.2 Above Ground Storage Tanks

EXP did not observe any evidence of underground storage tanks (USTs), such as vent and fill pipes, during the site reconnaissance. However, anecdotal evidence suggests a former fuel oil tank in the basement (**PCA 23**). Based on site observations, there was no evidence of a former AST. The floor surfaces were in good condition with no staining, therefore the possible former AST is not considered to be an AEPC.

5.4 Chemical Storage Handling and Floor Condition

Chemical use on the Phase One property was limited to small quantities of commonly available retail sized containers of cleaners and detergents, as well as paints, varnishes, and glues. No staining on the floor in vicinity of these materials was observed.



5.5 Areas of Stained Soil, Pavement or Stressed Vegetation

No staining or stressed vegetation was observed on the limited area outside the building footprint.

5.6 Fill and Debris

No fill material was observed on the Phase One Property or is anticipated.

5.7 Air Emissions

Regulatory control of air emissions in Ontario is the responsibility of the MECP. According to the Environmental Protection Act (EPA), an ECA (Air) is required for the ongoing operation of any equipment that may discharge a contaminant into the natural environment if the equipment was installed, modified or altered after June 29, 1988.

No air emissions of concerns were identified at the time of the site visit.

5.8 Odours

No strong odours were present during the site visit.

5.9 Noise

No excessive noise was heard during the site visit.

5.10 Other Observations

There were no pits and lagoons, no railways or spurs and no unidentified substances observed on the Phase One property.

5.11 Special Attention Items, Hazardous Building Materials and Designated Substances

5.11.1 Asbestos

Asbestos-containing materials (ACM) are fibrous hydrated silicates and can be found in building materials as either "unbound" or "bound" asbestos. Friable asbestos refers to materials where the asbestos fibres can be separated from the material with which it is associated. Non-Friable asbestos refers to asbestos that is associated with a binding agent (such as tar or cement). Friable asbestos is commonly found in boiler and pipe insulation. Non-Friable asbestos is typically found in roofing tars, floor and ceiling tiles, and asbestos-containing cement.

ACM in the workplace are defined as a Designated Substance under the Ontario Occupational Health and Safety Act (OHSA). Under OHSA, persons in the workplace are required to be notified of the presence of ACMs once they are suspected to be present, and if there is a potential for workers to be exposed. The use of ACM was discontinued in Canada in the late 1970s/early 1980s, although non-friable asbestos can still be found in recently constructed buildings.

Based on the age of the building at the Phase One property ACM may be present.

5.11.2 Ozone Depleting Substances (ODSs)

Chlorofluorocarbons (CFC), often referred to as freons, ceased production in Canada in 1993 as a result of their ozonedepleting characteristics. Importation of CFCs into Canada ceased in 1997 and a total ban on their use is proposed for 2020. The use of these materials is still permitted in existing equipment, but equipment must be serviced by a licensed contractor such that CFCs are contained and not released to the environment during servicing or operation.



Maintenance of refrigerant containing equipment should continue to be completed by a licensed refrigeration contractor. The equipment should only be repaired, removed, or serviced by an appropriately licensed contractor.

5.11.3 Lead

Lead has frequently been used in oil-based paints, roofing materials, cornices, tank linings, electrical conduits and soft solders for tinplate and plumbing. The use of lead-based paints (LBPs) was phased out *circa* 1976. Paint that was produced or used between 1976 and 1980 may contain small amounts of lead. Paint that was produced or used prior to 1950 may contain higher levels of lead. The main concern regarding lead paint is its potential to become lead dust or chips either through deterioration and/or mechanical means (i.e., sanding, abrasion, etc.). Exposure to lead dust or chips occurs by ingestion or inhalation.

Based on the age of the building at the Phase One property LBPs may be present. The painted surfaces observed during EXP's site visit were observed to be in good condition.

5.11.4 Mercury

Mercury could be found in some batteries, light bulbs, old paints, thermostats, old mirrors, etc. Based on an investigation by Consumer and Corporate Affairs Canada, and an assessment of potential health risks by Health and Welfare Canada, in 1991 the decision was made to eliminate the use of mercury compounds in indoor latex paints. The Canadian Paint and Coatings Association (CPCA) supported the withdrawal and all Canadian manufacturers and formulators of the preservative voluntarily agreed to remove "interior uses" from their product labels.

Mercury-containing equipment was not observed during the Site visit. The interior painted surfaces observed during EXP's site visit were in good condition. No mercury-containing thermostats were observed in the building.

5.11.5 Polychlorinated Biphenyls (PCB)

The manufacture of PCB in North America was prohibited under the Toxic Substances Control Act (1977). Their use as a constituent of new products manufactured in or imported into Canada was prohibited by regulations in 1977 and 1980. As such, sites developed or significantly renovated after 1980 are unlikely to have PCB-containing equipment on the Phase One property. Potential equipment, which could contain PCB include fluorescent mercury and sodium vapour light ballasts, oil filled capacitors and transformers. Any electrical equipment containing PCB must be disposed of in accordance with Ontario Regulation 362 when it is removed from service. Ongoing operation of equipment containing PCB is permissible.

There was no evidence of PCB-containing equipment on the Phase One property.

5.11.6 Urea Formaldehyde Foam Insulation

Formaldehyde is a pungent, colourless gas commonly used in water solution as a preservative and disinfectant. It is also a basis for major plastics, including durable adhesives. It occurs naturally in the human body and in the outdoor environment. Formaldehyde is used to bond plywood, particleboard, carpets, and fabrics, and it contributes to "that new house smell."

Formaldehyde is also a by-product of combustion; it is found in tobacco smoke, vehicle exhaust and the fumes from furnaces, fireplaces and wood stoves. While small amounts of formaldehyde are harmless, it is an irritating and toxic gas in significant concentrations. Symptoms of overexposure to formaldehyde include irritation to eyes, nose, and throat; persistent cough and respiratory distress; skin irritation; nausea; headache; and dizziness.

Urea-formaldehyde foam insulation (UFFI) was developed in Europe in the 1950s as an improved means of insulating difficultto-reach cavities in the walls. It is typically made at a construction site from a mixture of urea-formaldehyde resin, a foaming agent and compressed air. When the mixture is injected into the wall, urea and formaldehyde unite and "cure" into an insulating foam plastic.



During the 1970s, when concerns about energy efficiency led to efforts to improve building insulation in Canada, UFFI became an important insulation product for existing buildings. The further use of UFFI was banned in Canada in 1980.

No evidence of UFFI was observed during the site visit.

5.11.7 Radon

Radon is a colourless, odourless, radioactive gas that occurs naturally in the environment. It comes from the natural breakdown of uranium in soils and rocks. Exposure to high levels of radon increases the risk of developing lung cancer. This relationship has prompted concern that radon levels in some Canadian buildings may pose a health risk. Radon gas can move through small spaces in the soil and rock and seep into a building through cracks in concrete, sumps, joints, and basement drains. Concrete-block walls are particularly porous to radon and radon trapped in water from wells can be released into the air when the water is used.

Due to the potential health concerns associated with radon, Health Canada released a guideline in June 2007 for a maximum acceptable level of radon gas of 200 Becquerels per cubic metre (Bq/m³) where radon gas is present and the annual radon concentration exceeds 200 Bq/m³ in the normal occupancy area.

A radon gas assessment was beyond the scope of this Phase One ESA, and as such, radon gas was not assessed. Based on the presence of limestone bedrock at the site, radon gas would not be generated.

5.11.8 Mould

Mould is found in the natural environment and is required for the breakdown of plant debris such as leaves and wood. Mould spores are found in the air in both the indoor and outdoor environments. In order for mould to grow, a food source (i.e. gypsum wallboard, wallpaper, wood, etc.) and moist conditions are required. Mould can have an impact on human health depending on the species and concentration of the airborne mould spores. Health effects can include allergies and mucous membrane irritation.

Currently there are no regulations governing mould; however, there are several guidelines addressing mould assessments and abatement. At the moment, the industry standards include the Canadian Construction Association (CCA) document 82-2004 titled "mould guidelines for the Canadian construction industry" and the Environmental Abatement Council of Ontario (EACO) guidelines titled "EACO Mould Abatement Guidelines, Edition 3 (2015)."

It is important to note that the Ministry of Labour (MOL) has governed protecting workers under the Occupational Health and Safety Act, which states that employers are required to take every precaution reasonable to protect their workers. This includes protecting workers from mould within workplace buildings.

No indication of mould or water damage were observed during the site visit.

5.12 Other Substances

No other special attention substances (such as acrylonitrile or isocyanates) were suspected to be present at the Phase One property at the time of site reconnaissance.

5.13 Processing and Manufacturing Operations

No processing or manufacturing operations were observed at the Phase One property.

5.14 Hazardous Materials Use and Storage

No hazardous materials are used or stored at the Phase One property.



5.15 Vehicle and Equipment Maintenance Areas

No equipment maintenance has occurred on the Phase One property.

5.16 Oil/Water Separators

No oil/water separators were present at the Phase One property.

5.17 Sewage and Wastewater Disposal

Sewage and wastewater generated at the Phase One property was disposed of via the municipal system. There is no wastewater currently generated at the Phase One property.

5.18 Solid Waste Generation, Storage & Disposal

No solid wastes are currently generated at the Phase One property.

5.19 Liquid Waste Generation, Storage & Disposal

No liquid waste is generated at the Phase One property.

5.20 Unidentified Substances

No unidentified substances were observed on the Phase One property at the time of the site visit. No dumping or any other deleterious materials were identified.

5.21 Hydraulic Lift Equipment

No hydraulic equipment was observed at the Phase One property.

5.22 Mechanical Equipment

No mechanical equipment of concern was present on the Phase One property.

5.23 Abandoned and Existing Wells

There are no wells present on the Phase One property.

5.24 Roads, Parking Facilities and Right of Ways

Vehicular access to the Phase One property is via is Main Street.

5.25 Adjacent and Surrounding Properties

A visual inspection of the adjacent properties and properties within 250 m of the Phase One property was conducted from publicly accessible areas to identify the occupants and document the uses and sources of potential environmental concerns that may impact the Phase One property. Refer to Figure 3 in Appendix B for the adjacent land uses.

The following land uses border the Phase One property:

• North: Commercial/residential;



- West: Commercial;
- East: Commercial; and
- South: Under construction.

No environmental concerns relating to the adjacent properties were observed at the time of the site visit.

Vent/fill pipes were observed at the front of the building at 219 Bank Street (**PCA 24**). It is assumed that the building at 178 Nepean Street was also historically heated with oil (**PCA 25**).

5.26 Enhanced Investigation Property

Ontario Regulation 153/04 defines an enhanced investigation property as a "property that is used, or has ever been used, in whole or in part for an industrial use or any of the following commercial uses: a garage; a bulk liquid dispensing facility, including a gasoline outlet; or, for the operation of dry-cleaning equipment."

Therefore, in accordance with Regulation 153/04, the property is not considered to be an enhanced investigation property.

5.27 Summary and Written Description of Investigation

At the time of the investigation, the Phase One property consisted of vacant residential properties.

Based on the findings of this investigation the following PCA have been identified in the Phase One study area:

- PCA #10 Commercial Autobody Shops
- PCA #28 Gasoline and Associated Products Storage in Fixed Tanks
- PCA #31 Ink manufacturing, Processing and Bulk Storage
- PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used)

No areas of potential environmental concern (APEC) were identified.



6.0 Review and Evaluation of Information

6.1 Current and Past Uses

Based on a review of historical aerial photographs, and other records review, it appears the subject site was first developed as a residential property prior 1895. The present-day site building was built between 1895 and 1922.

6.2 Potentially Contaminating Activity

Ontario Regulation (O. Reg.) 153/04 defines a Potential Contaminating Activity (PCA) as one of fifty-nine (59) industrial operations set out in Table 2 of Schedule D that occurs or has occurred in the Phase One study area. The following PCA were identified for the Phase One property and the Phase One study area:

The following PCAs were identified:

- PCA 1 173-175 Nepean Street (15 m northeast) Lowe-Martin printing plant 1955 and 1965 (PCA #31 Ink manufacturing, Processing and Bulk Storage);
- PCA 2 177 Nepean Street (30 m north) Former Chinese Laundry listed in the city directories between 1914 and 1946 and in the 1922 FIP (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 3 146 Nepean Street (70 m east northeast) Former dry cleaner observed in 1956 FIP and listed in the city directories between 1946 and 1961 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 4 318 Lisgar Street (50 m southeast) Former dry cleaner observed in 1956 FIP and listed in the city directories between 1946 and 1961 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 5 344-346 Lisgar Street (60 m southwest) Lillico Garage with the USTs listed in the city directories between 1920 and 1961, shown in the 1922 and 1963 FIPs (PCA #10 – Commercial Autobody Shops). Small print shop shown in the northeast corner of the garage in the 1963 FIP (PCA #31 – Ink manufacturing, Processing and Bulk Storage);
- PCA 6 393 Cooper Street (130 m south) Former dry cleaner observed in 1922 FIP and listed in the city directories between 1920 and 1946 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 7 375 Lisgar Street (170 m southwest) Forer undertakers with fuel UST (PCA #28 Gasoline and associated products storage in fixed tanks);
- PCA 8 262-263 Laurier Avenue (150 m northeast) Campbell Motors Company garage with UST (PCA #10 Commercial Autobody Shops, PCA #28 – Gasoline and associated products storage in fixed tanks);
- PCA 9 156 O'Connor Avenue (160 m northeast) Service station with three USTs listed in the city directories between 1941 and 1966 and shown in the 1963 FIP (PCA#28 Gasoline and associated products storage in fixed tanks). Listed in the city directories as a repair garage between 1987 and 1997 (PCA #10 Commercial Autobody Shops);
- PCA 10 442 Cooper Street (170 m southwest) Borden's Dairy garage with USTs shown in the 1922 and 1963 FIP and listed in the city directories between 1956 and 1966 (PCA #10 Commercial Autobody Shops, PCA#28 Gasoline and associated products storage in fixed tanks);
- PCA 11 241-243 Kent Street (170 m southwest) Service station with four USTs listed in the city directories between 1936 and 1961 and shown in the 1963 FIP (PCA#28 – Gasoline and associated products storage in fixed tanks);
- PCA 12 324 Laurier Avenue (175 m northwest) Former dry cleaner observed in 1963 FIP, and listed in the city directories between 1920 and 1971 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);



- PCA 13 233 Kent Street (200 m west) Former dry cleaner observed in 1922 FIP, and listed in the city directories between 1920 and 1936 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 14 448 Cooper Street (200 m southwest) Former dry cleaner observed in 1963 FIP, and listed in the city directories between 1956 and 1961 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 15 379 Somerset Avenue (200 m south) Former dry cleaner observed in 1963 FIP, and listed in the city directories between 1941 and 1951 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 16 238 Bank Street (60 m south) Former Chinese Laundry listed in the city directories between 1910 and 1914 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 17 194 Bank Street (80 m north) Former Chinese Laundry listed in the city directories in 1910 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- **PCA 18** 244 Bank Street (90 m south) Former dry cleaner listed in the city directories between 1936 and 1941 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- **PCA 19** 283 Bank Street (170 m southeast) Former dry cleaner listed in the city directories between 1936 and 1946 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 20 287 Bank Street (170 m southeast) Former dry cleaner listed in the city directories between 1910 and 1951 (PCA #37 – Operation of Dry Cleaning Equipment (where chemicals are used);
- **PCA 21** 160 Bank Street (220 m northwest) Former dry cleaner listed in the city directories between 1936 and 1976 (PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used);
- PCA 22 300 Laurier Avenue West (200 m north) Ottawa Photo Engraving listed in the former industrial sites database, operated between 1925 and 1950 (PCA #31 Ink manufacturing, Processing and Bulk Storage);
- **PCA 23** 231 Bank Street (Phase One property) former fuel oil tank in the basement (PCA#28 Gasoline and associated products storage in fixed tanks);
- PCA 24 219 Bank Street (north adjacent) fuel oil tank in the basement (PCA#28 Gasoline and associated products storage in fixed tanks; and,
- PCA 25 178 Nepean Street (25 m north) former fuel oil tank in the basement (PCA#28 Gasoline and associated products storage in fixed tanks.

No other PCAs that took place within the vicinity of the Phase One property (approximately 250 m radius) were identified.

6.3 Areas of Potential Environmental Concern

Ontario Regulation 153/04 defines an APEC as an area on a property where one or more contaminants are potentially present. Based on this Phase One ESA, no APEC were identified.

Multiple dry cleaners, gas stations, printing operations, and repair garages have operated in the Phase One study area since the Phase One property was developed. Based on the down/cross-gradient location of these operations, and/or the separation distance from the Phase One property, none of these PCAs (**PCA 1** through **22**) resulted in APECs.

An AST was present in the basement of 219 Bank Street (**PCA 24**). Although no ASTs were observed in the basement of the site building (**PCA 23**) or 178 Nepean Street, anecdotal evidence suggests a former fuel oil tanks in the basements (**PCA 25**). No staining was observed in the vicinity of the AST at 219 Bank Street or on the basement floor of the site building or the building at 178 Nepean Street.



6.4 Phase One Conceptual Site Model

To develop a conceptual model for the Phase One property, the following physical characteristics and pathways were considered. A conceptual site model (CSM) showing the topography of the site, inferred groundwater flow, general site features, APEC, and PCA is shown in Figure 2.

6.4.1 Buildings and Structures

The building is three-storey, brick and pebble dash clad, with a full basement. The top two floors contain residential apartment units, while the main floor contains a commercial unit (tenanted by an Art Supply Store and Gallery). A paved laneway is present on the east side of the property leading to a small parking area.

6.4.2 Water Bodies and Groundwater Flow Direction

There are no water bodies on the subject site. The closest bodies of water are the Rideau Canal, approximately 840 m to the northeast and the Ottawa River, approximately 870 m to the north northwest. Topographically, the Phase One property is relatively flat with a slight slope down to the south in the general area. The groundwater flow at the Phase One property is anticipated to be northerly due to the influence of the water bodies.

6.4.3 Areas of Natural Significance

There are no ANSI within the Phase One study area.

6.4.4 Water Wells

There were 23 well records for the Phase One study area. All of the records were for monitoring wells.

6.4.5 Potentially Contaminating Activity

Based on the findings of this investigation the following PCA have been identified in the Phase One study area:

- PCA #10 Commercial Autobody Shops
- PCA #28 Gasoline and Associated Products Storage in Fixed Tanks
- PCA #31 Ink manufacturing, Processing and Bulk Storage
- PCA #37 Operation of Dry Cleaning Equipment (where chemicals are used)

6.4.6 Areas of Potential Environmental Concern

No APEC were identified. Multiple dry cleaners, gas stations, printing operations, and repair garages have operated in the Phase One study area since the Phase One property was developed. Based on the down/cross-gradient location of these operations, and/or the separation distance from the Phase One property, none of these PCAs (**PCA 1** through **22**) resulted in APECs.

An AST was present in the basement of 219 Bank Street (**PCA 24**). Although no ASTs were observed in the basement of the site building (**PCA 23**) or 178 Nepean Street, anecdotal evidence suggests a former fuel oil tanks in the basements (**PCA 25**). No staining was observed in the vicinity of the AST at 219 Bank Street or on the basement floor of the site building or the building at 178 Nepean Street.



Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

6.4.7 Subsurface Stratigraphy

Beneath any fill, the surficial geology of the subject site is characterised by Champlain Sea deposits of plain till. The bedrock geology underlying the site consists of limestone with some shaley partings of the Ottawa Formation. The depth to rock in the area is typically 5 m below surface grade or less.

6.4.8 Uncertainty Analysis

The CSM is a simplification of reality, which aims to provide a description and assessment of any areas where potentially contaminating activity that occurred within the Phase One study area may have adversely affected the Phase One property. All information collected during this investigation, including records, interviews, and site reconnaissance, has contributed to the formulation of the CSM.

Information was assessed for consistency, however EXP has confirmed neither the completeness nor the accuracy of any of the records that were obtained or of any of the statements made by others. All reasonable inquiries to obtain accessible information were made, as required by Schedule D, Table 1, Mandatory Requirements for Phase One Environmental Site Assessment Reports. The CSM reflects our best interpretation of the information that was available during this investigation.



7.0 Conclusions

Based on a review of historical aerial photographs, and other records review, it appears the subject site was first developed as a residential property prior 1895. The present-day site building was built between 1895 and 1922.

There are no water bodies on the subject site. The closest bodies of water are the Rideau Canal, approximately 840 m to the northeast and the Ottawa River, approximately 870 m to the north northwest. Topographically, the Phase One property is relatively flat with a slight slope down to the south in the general area. The groundwater flow at the Phase One property is anticipated to be northerly due to the influence of the water bodies.

Multiple dry cleaners, gas stations, printing operations, and repair garages have operated in the Phase One study area since the Phase One property was developed. Based on the down/cross-gradient location of these operations, and/or the separation distance from the Phase One property, none of these PCAs (**PCA 1** through **22**) resulted in APECs.

An AST was present in the basement of 219 Bank Street (**PCA 24**). Although no ASTs were observed in the basement of the site building (**PCA 23**) or 178 Nepean Street, anecdotal evidence suggests a former fuel oil tanks in the basements (**PCA 25**). No staining was observed in the vicinity of the AST at 219 Bank Street or on the basement floor of the site building or the building at 178 Nepean Street. Therefore, these PCAs do not result in APECs.

The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

The Qualified Person who oversaw this work, Mark McCalla, P.Geo., recommends that no further environmental work is needed at the Phase One property.



8.0 References

- City of Ottawa, GeoOttawa online mapping tool, (maps.ottawa.ca/geoottawa).
- Dubreuil, L. and C. Woods, *Catalogue of Canadian Fire Insurance Plans, 1875 1975, 2002.*
- Environment Canada, National Inventory of PCBs in Use and PCB Wastes in Storage in Canada, 2003 Annual Report, 2004.
- Golder Associates Ltd., Old Landfill Management Strategy, Phase 1, Identification of Sites, City of Ottawa, Ontario, October 2004.
- Intera Technologies Ltd., Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume II, April 1987.
- Natural Resources Canada, The Atlas of Canada Toporama website (atlas.gc.ca/toporama/en/)
- Oil, Gas & Salt Resources Library, website (maps.ogsrlibrary.com/wells).
- Ontario Ministry of Energy, Northern Development and Mines, Bedrock Geology Application (<u>www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/bedrock-geology</u>), March 19, 2018.
- Ontario Ministry of Energy, Northern Development and Mines, Surficial Geology Application (<u>www.mndm.gov.on.ca/en/mines-and-minerals/applications/ogsearth/surficial-geology</u>), May 23, 2017.
- Ontario Ministry of the Environment, Conservation and Parks, Access Environment website (<u>www.accessenvironment.ene.gov.on.ca</u>).
- Ontario Ministry of the Environment, Conservation and Parks, *Environmental Registry website* (www.ebr.gov.on.ca/ERS-WEB-External).
- Ontario Ministry of the Environment, Conservation and Parks, *Guide for Completing Phase One Environmental Site* Assessments under Ontario Regulation 153/04, June 2011.
- Ontario Ministry of the Environment, Conservation and Parks *Hazardous Waste Information Network website* (www.hwin.ca).
- Ontario Ministry of the Environment, Conservation and Parks, *Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario*, November 1988.
- Ontario Ministry of the Environment, Conservation and Parks, *Ontario Inventory of PCB Storage Sites*, October 1995.
- Ontario Ministry of the Environment, Conservation and Parks, *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act*, July 1, 2011.
- Ontario Ministry of the Environment, Conservation and Parks, Records of Site Condition website (www.lrcsde.lrc.gov.on.ca).
- Ontario Ministry of the Environment, Conservation and Parks, Waste Disposal Site Inventory, June 1991.
- Ontario Ministry of the Environment, Conservation and Parks, Water Wells website (www.ontario.ca/environmentand-energy/map-well-records water wells).
- Ontario Ministry of Labour, Occupational Health and Safety Act, R.S.O. 1990.
- Ontario Ministry of Natural Resources and Forestry, Natural Heritage website (www.gisapplication.lrc.gov.on.ca/mamnh/Index.html).



9.0 Limitation of Liability, Scope of Report, and Third Party Reliance

Basis of Report

This report ("Report") is based on site conditions known or inferred by the investigation undertaken as of the date of the Report. Should changes occur which potentially impact the condition of the site the recommendations of EXP may require reevaluation. Where special concerns exist, or Smart Living Properties ("the Client") has special considerations or requirements, these should be disclosed to EXP to allow for additional or special investigations to be undertaken not otherwise within the scope of investigation conducted for the purpose of the Report.

Reliance on Information Provided

The evaluation and conclusions contained in the Report are based on conditions in evidence at the time of site inspections and information provided to EXP by the Client and others. The Report has been prepared for the specific site, development, building, design or building assessment objectives and purpose as communicated by the Client. EXP has relied in good faith upon such representations, information and instructions and accepts no responsibility for any deficiency, misstatement or inaccuracy contained in the Report as a result of any misstatements, omissions, misrepresentation or fraudulent acts of persons providing information. Unless specifically stated otherwise, the applicability and reliability of the findings, recommendations, suggestions or opinions expressed in the Report are only valid to the extent that there has been no material alteration to or variation from any of the information provided to EXP so that it can be reviewed and revisions to the conclusions and/or recommendations can be made, if warranted.

Standard of Care

The Report has been prepared in a manner consistent with the degree of care and skill exercised by engineering consultants currently practicing under similar circumstances and locale. No other warranty, expressed or implied, is made. Unless specifically stated otherwise, the Report does not contain environmental consulting advice.

Complete Report

All documents, records, data and files, whether electronic or otherwise, generated as part of this assignment form part of the Report. This material includes, but is not limited to, the terms of reference given to EXP by the Client, communications between EXP and the Client, other reports, proposals or documents prepared by EXP for the Client in connection with the site described in the Report. In order to properly understand the suggestions, recommendations and opinions expressed in the Report, reference must be made to the Report in its entirety. EXP is not responsible for use by any party of portions of the Report.

Use of Report

The information and opinions expressed in the Report, or any document forming part of the Report, are for the sole benefit of the Client. No other party may use or rely upon the Report in whole or in part without the written consent of EXP. Any use of the Report, or any portion of the Report, by a third party are the sole responsibility of such third party. EXP is not responsible for damages suffered by any third party resulting from unauthorised use of the Report.

Report Format

Where EXP has submitted both electronic file and a hard copy of the Report, or any document forming part of the Report, only the signed and sealed hard copy shall be the original documents for record and working purposes. In the event of a dispute or discrepancy, the hard copy shall govern. Electronic files transmitted by EXP utilize specific software and hardware systems. EXP makes no representation about the compatibility of these files with the Client's current or future software and hardware systems. Regardless of format, the documents described herein are EXP's instruments of professional service and shall not be altered without the written consent of EXP.



Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

10.0 Signatures

We trust this report meets your current needs. If you have any questions pertaining to the investigation undertaken by EXP, please do not hesitate to contact the undersigned. The Qualified Person can confirm that the Phase One Environmental Site Assessment was conducted per the requirements of Ontario Regulation 153/04, as amended, and in accordance with generally accepted professional practices.

Carl Hentschel, P.Eng., PMP Environmental Engineer Earth and Environment

Widdl-

Mark McCalla, P.Geo. Senior Project Manager Earth and Environment



Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Appendix A: Qualifications of Assessors



Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Qualifications of Assessors

EXP provides a full range of environmental services through a full-time Environmental Services Group. EXP's Earth and Environment Group has developed a strong working relationship with clients in both the private and public sectors and has developed a positive relationship with Ontario Ministry of the Environment, Conservation and Parks. Personnel in the numerous branch offices form part of a large network of full-time dedicated environmental professionals in the EXP organization.

Carl Hentschel, P.Eng., PMP, has 20 years of experience in the environmental consulting field working primarily in Ontario, Quebec and the northern territories. He has managed and/or completed numerous Phase I Environmental Site Assessments (ESA); Phase II ESAs, soil and groundwater remediation projects, designated substance surveys, building demolition management, environmental effects evaluations (EEE), air quality assessments, bid specification preparation, and is an experienced technical report writer and reviewer.

Mark McCalla, P.Geo., is a senior Environmental Scientist with EXP who has over 30 years of experience in the environmental consulting field. His technical undertakings have including work in the following fields: Phase I and II Environmental Site Assessments; Site Specific Risk Assessments; Petroleum and chlorinated hydrocarbon contaminated sites; Soil and groundwater remediation technologies; Hydrogeological, Terrain Analysis and Aggregate Assessments; Preparation of Ontario Ministry of Environment Certificate of Approvals and Records of Site Condition. Mr. McCalla is a Qualified Person for completing Phase I and II Environmental Site Assessments as per O.Reg. 153/04.



EXP Services Inc.


Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Appendix B: Figures





Filename: E:\OTT\OTT-22010865-A0\60 Execution\65 Drawings\22010865-A0_ph1.dwg Last Saved: May 11, 2022 3:54 PM Last Plotted: May 11, 2022 3:54 PM Plotted by:Seve





223 BANK STREET, OTTAWA, ON

AS

EXP Services Inc.

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Appendix C: Fire Insurance Plans, Title Search, Municipal Records & Provincial Records





April 22, 2022

Via Mail

FOI Manager Freedom of Information & Protection of Privacy Office Ministry of the Environment, Conservation and Parks 12th Floor, 40 St. Clair Avenue West Toronto, Ontario M4V 1M2

Re: OTT-22010865-A0 File Review Request 231 Bank Street, Ottawa, Ontario

Dear Sir or Madam:

I am sending a Freedom of Information Request to you for 231 Bank Street, Ottawa, Ontario. We are conducting an environmental site assessment and require any environmental concerns.

If possible, we would appreciate receiving the documentation by email (<u>kathy.radisch@exp.com</u>) and by mail. If you have any questions, or require any further information, please do not hesitate to contact the undersigned at 613-688-1891, ext. 63296.

Yours truly, **EXP Services Inc.**

Kathy Radisch Administrative Assistant Earth & Environment

Enclosures: FOI Form Credit Card Payment Form (\$35)

EXP Services Inc.

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Appendix D: EcoLog ERIS Report





DATABASE REPORT

Project Property:

Project No: Report Type: Order No: Requested by: Date Completed: Phase One ESA 178 Nepean, 219 & 223 Bank Ottawa ON K2P 1W9 OTT-22007367-A0_100_M.McCalla Standard Report 22042800477 exp Services Inc. May 3, 2022

Table of Contents

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	
Мар	
Aerial	79
Topographic Map	80
Detail Report	81
Unplottable Summary	315
Unplottable Report	
Appendix: Database Descriptions	
Definitions	

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property:	Phase One ESA 178 Nepean, 219 & 223 Bank Ottawa ON K2P 1W9
Project No:	OTT-22007367-A0_100_M.McCalla

Coordinates:

	Latitude:	45.4172349
	Longitude:	-75.6975686
	UTM Northing:	5,029,538.25
	UTM Easting:	445,421.43
	UTM Zone:	18T
Elevation:		252 FT
		76.88 M

Order Information:

Order No: Date Requested:	22042800477 April 28, 2022
Requested by:	exp Services Inc.
Report Type:	Standard Report

Historical/Products:

City Directory Search	CD - Subject Site plus 250m Radius
ERIS Xplorer	ERIS Xplorer
Insurance Products	Fire Insurance Maps/Inspection Reports/Site Plans

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	8	8
CA	Certificates of Approval	Y	0	11	11
CDRY	Dry Cleaning Facilities	Y	0	2	2
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
СНМ	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	7	7
EASR	Environmental Activity and Sector Registry	Y	0	3	3
EBR	Environmental Registry	Y	0	2	2
ECA	Environmental Compliance Approval	Y	0	11	11
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	70	70
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems	Y	0	0	0
FST	(FIRSTS) Fuel Storage Tank	Y	0	3	3
FSTH	Fuel Storage Tank - Historic	Y	0	2	2
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	190	190
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0

erisinfo.com | Environmental Risk Information Services

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	Fuel Oil Spills and Leaks	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	5	5
NPRI	National Pollutant Release Inventory	Y	0	1	1
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	1	1
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	1	1
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	5	5
PINC	Pipeline Incidents	Y	0	2	2
PRT	Private and Retail Fuel Storage Tanks	Y	0	2	2
PTTW	Permit to Take Water	Y	0	1	1
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	5	5
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	27	27
SPL	Ontario Spills	Y	0	20	20
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	23	23
		Total:	0	403	403

Executive Summary: Site Report Summary - Project Property

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>1</u>	SCT	WALLACK'S ART & DRAFTING	231 BANK ST OTTAWA ON K2P 1W9	S/29.7	0.00	<u>81</u>
<u>2</u>	SCT	Canadian Bible Society	315 Lisgar St Ottawa ON K2P 0E1	ESE/33.9	0.00	<u>81</u>
<u>3</u>	INC		212 Bank Street , Ottawa ON	WSW/34.9	-0.18	<u>81</u>
<u>4</u>	EHS		177 Nepean St Ottawa ON K2P 1W7	NNW/37.7	-0.03	<u>82</u>
<u>5</u>	SCT	COOKWARE CENTRE (THE)	220 BANK ST OTTAWA ON K2P 1X1	SW/38.2	-0.18	<u>82</u>
<u>6</u>	SPL	Enbridge Gas Distribution Inc.	Bank St and Nepean St Ottawa ON	W/39.5	1.00	<u>82</u>
<u>7</u>	wwis		ON <i>Well ID:</i> 7296899	NE/39.9	0.00	<u>83</u>
<u>8</u>	GEN	BICYCLE REVIVAL LTD.	224 BANK STREET OTTAWA ON K2P 1X1	SW/41.2	0.69	<u>84</u>
<u>8</u>	GEN	BICYCLE REVIVAL LTD. 04-341	224 BANK STREET OTTAWA ON K2P 1X1	SW/41.2	0.69	<u>84</u>
<u>8</u>	GEN	BICYCLE REVIVAL LIMITED	224 BANK STREET OTTAWA ON K2P 1X1	SW/41.2	0.69	<u>84</u>
<u>9</u>	EHS		203 Bank St Ottawa ON K2P1W7	NW/44.6	0.69	<u>84</u>
<u>10</u>	SCT	CAPITAL XTRA INC.	177 NEPEAN ST SUITE 500 OTTAWA ON K2P 0B4	NW/45.6	0.69	<u>85</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>10</u>	GEN	District Realty Corporation	177 Nepean Street Ottawa ON K2P 0B4	NW/45.6	0.69	<u>85</u>
<u>10</u>	CA	Mel Cohen Realty Ltd.	177 Nepean Street Ottawa ON	NW/45.6	0.69	<u>85</u>
<u>10</u>	ECA	Mel Cohen Realty Ltd.	177 Nepean Street Ottawa ON K1Y 2E9	NW/45.6	0.69	<u>85</u>
<u>11</u>	GEN	E.A.S. ILLUSTRATORS & PRINTERS LTD	171 NEPEAN ST. OTTAWA ON K2P 0B4	NNE/46.3	0.00	<u>86</u>
<u>11</u>	GEN	E.A.S. ILLUSTRATORS & PRINTERS LTD14-740	171 NEPEAN ST. OTTAWA ON K2P 0B4	NNE/46.3	0.00	<u>86</u>
<u>11</u>	GEN	E.A.S. (OUT OF BUS) 14-740	171 NEPEAN ST. OTTAWA ON K2P 0B4	NNE/46.3	0.00	<u>86</u>
<u>11</u>	GEN	ARMCO PRINT 02-638	171 NEPEAN STREET OTTAWA ON K2P 0B4	NNE/46.3	0.00	<u>87</u>
<u>11</u>	GEN	ARMCO PRINT 02-638	171 NEPEAN STREET OTTAWA ON K2P 0B4	NNE/46.3	0.00	<u>87</u>
<u>12</u>	EHS		205 Bank Street Ottawa ON K2P 1W7	WNW/50.4	1.00	<u>87</u>
<u>13</u>	EHS		PE3651 - 293 Lisgar Street & 176 Nepean Street Ottawa ON K2P 0B6	ENE/53.4	0.00	<u>87</u>
<u>14</u>	SCT	JacintalInk	207 Bank St Suite 242 Ottawa ON K2P 2N2	NNW/53.9	-0.03	<u>87</u>
<u>14</u>	SCT	To Be Publications Inc.	207 Bank St Ottawa ON K2P 2N2	NNW/53.9	-0.03	<u>88</u>
<u>15</u>	SPL	PRIVATE BUSINESS	232 BANK ST STORAGE TANK OTTAWA ON K2P 1X1	SSW/56.2	-0.03	<u>88</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>15</u>	GEN	J Levinston Holding	212 - 232 Bank st. Ottawa ON K2P 1X1	SSW/56.2	-0.03	<u>88</u>
<u>16</u>	EHS		309 Lisgar Avenue Ottawa ON	E/59.3	0.00	<u>89</u>
<u>17</u>	GEN	BAYVIEW PROPERTY MANAGEMENT	210 BANK STREET OTTAWA ON K2P 1W8	W/67.8	1.00	<u>89</u>
<u>18</u>	EHS		153 Nepean Street Ottawa ON K2P 0B5	NE/75.4	0.00	<u>89</u>
<u>19</u>	GEN	DEPARTMENT OF NATIONAL DEFENCE	VANIER BUILDING 222 NEPEAN STREET OTTAWA ON K2B 0B8	WSW/85.0	1.00	<u>89</u>
<u>19</u>	GEN	DEPT OF NATIONAL DEFENCE, CDN. FORCES	VANIER BUILDING 222 NEPEAN STREET OTTAWA ON K2B 0B8	WSW/85.0	1.00	<u>90</u>
<u>19</u>	GEN	DEPT. OF NATIONAL DEFENCE	VANIER BUILDING 222 NEPEAN STREET OTTAWA ON K2B 0B8	WSW/85.0	1.00	<u>90</u>
<u>19</u>	EHS		222 Nepean Street Ottawa ON K2P 0B8	WSW/85.0	1.00	<u>90</u>
<u>19</u>	SPL		222 Nepean Street, Ottawa Ottawa ON	WSW/85.0	1.00	<u>90</u>
<u>19</u>	GEN	Bona Building Management	222 Nepean St Ottawa ON K1R5G2	WSW/85.0	1.00	<u>91</u>
<u>20</u>	EHS		170 Gloucester Street Ottawa ON K2P 0A6	NNW/85.2	0.69	<u>91</u>
<u>21</u>	GEN	Al's Care Pharmacy	240 Bank Street Ottawa ON K2P1X4	SSW/87.1	0.68	<u>91</u>
<u>21</u>	EHS		240 Bank Street Ottawa ON K2P 1X4	SSW/87.1	0.68	<u>92</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>22</u>	EHS		240 Bank Street Ottawa ON K2P 1X4	S/88.4	-0.05	<u>92</u>
<u>22</u>	EHS		240 Bank Street Ottawa ON K2P 1X4	S/88.4	-0.05	<u>92</u>
<u>22</u>	EHS		240 Bank Street Ottawa ON K2P 1X4	S/88.4	-0.05	<u>92</u>
<u>23</u>	SCT	Canus Plastics Inc.	300 Lisgar St Ottawa ON K2P 0E2	ESE/92.1	0.00	<u>93</u>
<u>23</u>	SCT	Canus Signs Plastics Ltd.	300 Lisgar St Ottawa ON K2P 0E2	ESE/92.1	0.00	<u>93</u>
<u>23</u>	EHS		300 Lisgar Street Ottawa ON K2P 0E2	ESE/92.1	0.00	<u>94</u>
<u>23</u>	RSC	Soho Lisgar Inc.	300 Lisgar Street, Ottawa, Ontario, K2P 1T6, ON K2P 0E2	ESE/92.1	0.00	<u>94</u>
<u>23</u>	GEN	Canus Plastics Inc.	300 Lisgar St. Ottawa ON	ESE/92.1	0.00	<u>94</u>
<u>23</u>	GEN	Bassi Construction	300 lisgar st ottawa ON K2P 0E2	ESE/92.1	0.00	<u>95</u>
<u>24</u>	SCT	O'Brien Publishing Inc.	176 Gloucester St Suite 400 Ottawa ON K2P 0A6	NW/95.1	1.00	<u>95</u>
<u>24</u>	EHS		176 Gloucester St Ottawa ON K2P0A6	NW/95.1	1.00	<u>95</u>
<u>25</u>	WWIS		ON <i>Well ID:</i> 1503876	WNW/96.8	1.00	<u>95</u>
<u>26</u>	BORE		ON	WNW/96.9	1.00	<u>98</u>
		L Environmental Diak Information		<u> </u>		

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	EHS		Nepean Street Ottawa ON K2P 0B6	ENE/98.2	0.00	<u>99</u>
<u>28</u>	GEN	OTTAWA MAGAZINE INC.	192 BANK STREET OTTAWA ON K2P 1W8	WNW/99.0	1.00	<u>99</u>
<u>28</u>	GEN	OTTAWA MAGAZINE INC.	192 BANK STREET OTTAWA ON K2P 1W8	WNW/99.0	1.00	<u>99</u>
<u>28</u>	GEN	OTTAWA MAGAZINE INC. 29- 278	192 BANK STREET OTTAWA ON K2P 1W8	WNW/99.0	1.00	<u>99</u>
<u>28</u>	GEN	OTTAWA MAGAZINE INCORPORATED	192 BANK STREET OTTAWA ON K2P 1W8	WNW/99.0	1.00	<u>100</u>
<u>28</u>	GEN	OTTAWA(SEE&USE ON0897800 OTTAWA)	192 BANK STREET OTTAWA ON K2P 1W8	WNW/99.0	1.00	<u>100</u>
<u>28</u>	GEN	OTTAWA(SEE&USE ON0897800 OTTAWA) 29-290	192 BANK STREET OTTAWA ON K2P 1W8	WNW/99.0	1.00	<u>100</u>
<u>28</u>	SCT	Cdn Council Tobacco Control	192 Bank St Ottawa ON K2P 1W8	WNW/99.0	1.00	<u>100</u>
<u>29</u>	SCT	KOFFMAN SIGNS	146 NEPEAN ST OTTAWA ON K2P 0B6	ENE/99.6	0.00	<u>101</u>
<u>29</u>	SCT	Koffman Signs Ltd.	146 Nepean St Ottawa ON K2P 0B6	ENE/99.6	0.00	<u>101</u>
<u>29</u>	GEN	Marilena Guerra	146 Nepean Street Ottawa ON	ENE/99.6	0.00	<u>101</u>
<u>30</u>	EHS		215 Nepean St Ottawa ON K2P2K5	W/104.8	1.00	<u>101</u>
<u>31</u>	EHS		287 Lisgar Street Ottawa ON	E/106.9	-0.21	<u>102</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>32</u>	GEN	Claridge Homes Corporation	287 Lisgar Ottawa ON	E/106.9	-0.21	<u>102</u>
<u>32</u>	GEN	CLARIDGE HOMES (CENTRETOWN) INC.	287 LISGAR STREET OTTAWA ON	E/106.9	-0.21	<u>102</u>
<u>32</u>	PTTW	Claridge Homes (287 Lisgar) Inc.	287 Lisgar Street City of Ottawa, Ontario CITY OF OTTAWA ON	E/106.9	-0.21	<u>102</u>
<u>32</u>	GEN	Claridge Homes Limited Partnership	287 Lisgar Street Ottawa ON K2P 0E1	E/106.9	-0.21	<u>103</u>
<u>32</u>	GEN	Claridge Homes	287 Lisgar Street Ottawa ON K2P 0E1	E/106.9	-0.21	<u>103</u>
<u>32</u>	RSC	CLARIDGE HOMES (287 LISGAR) INC.	287 LISGAR STREET, OTTAWA, ON K2P 0E1 Ottawa ON	E/106.9	-0.21	<u>103</u>
<u>32</u>	SPL	Claridge Homes (Carson) Inc.	287 Lisgar Avenue Ottawa ON K2P 1K8	E/106.9	-0.21	<u>104</u>
<u>33</u>	WWIS		355 COOPER ST OTTAWA ON <i>Well ID:</i> 7305580	E/108.1	0.04	<u>105</u>
<u>34</u>	GEN	Regional Group	152 Gloucester St Ottawa ON K2P 0A6	N/111.1	-0.03	<u>108</u>
<u>35</u>	PINC	ENBRIDGE GAS INC	142 NEPEAN ST,,OTTAWA,ON,K2P 2N2, CA ON	ENE/113.5	-0.28	<u>108</u>
<u>36</u>	RSC	Youth Services Bureau of Ottawa	433 COOPER ST/366 LISGAR STREET, OTTAWA, ON	SW/113.5	1.00	<u>109</u>
<u>37</u>	WWIS		355 COOPER ST OTTAWA ON <i>Well ID:</i> 7305582	E/116.1	0.04	<u>109</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>38</u>	ECA	City of Ottawa	Ottawa ON K2G 6J8	E/116.4	-0.93	<u>112</u>
<u>38</u>	ECA	City of Ottawa	Laurier Avenue at the Rideau Canal Ottawa ON K1P 1J1	E/116.4	-0.93	<u>113</u>
<u>39</u>	GEN	City of Ottawa Parks, Bldg & Grounds Services Branch	210 Gloucester Ottawa ON K2P 2K4	W/117.0	1.00	<u>113</u>
<u>40</u>	EHS		300 Lisgar St and 375 Cooper St Ottawa ON	ESE/117.3	0.03	<u>113</u>
<u>41</u>	WWIS		355 COOPER ST OTTAWA ON <i>Well ID:</i> 7305579	ESE/120.5	-0.70	<u>113</u>
<u>42</u>	EHS		251-259 Bank Street (395-397 Cooper St) Ottawa ON	SE/121.6	0.00	<u>116</u>
<u>42</u>	SCT	Capital Xtra - Div. of Pink	251 Bank St Unit 503 Ottawa ON K2P 1X3	SE/121.6	0.00	<u>117</u>
<u>42</u>	SCT	McKenzie Publishing Inc.	251A Bank St Suite 500 Ottawa ON K2P 1X3	SE/121.6	0.00	<u>117</u>
<u>42</u>	SCT	Akiva Publishing Inc.	251 Bank St Suite 206 Ottawa ON K2P 1X3	SE/121.6	0.00	<u>117</u>
<u>42</u>	EHS		251 Bank Street Ottawa ON	SE/121.6	0.00	<u>117</u>
<u>42</u>	EHS		251 Bank St Ottawa ON K2P1X3	SE/121.6	0.00	<u>118</u>
<u>43</u>	GEN	REVENUE CANADA TAXATION	CUSTOMS & EXCISE 360 LISGAR STREET OTTAWA ON K2P 2E4	SSW/122.4	1.00	<u>118</u>
<u>43</u>	GEN	REVENUE CANADA TAXATION	360 LISGAR STREET OTTAWA ON K1A 0L9	SSW/122.4	1.00	<u>118</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>43</u>	GEN	URBANDALE CORPORATION	360 Lisgar Street Ottawa ON	SSW/122.4	1.00	<u>118</u>
<u>43</u>	GEN	Bell Canada	360 Lisgar st Ottawa ON K2P 2E4	SSW/122.4	1.00	<u>119</u>
<u>43</u>	GEN	Bell Canada	360 Lisgar st Ottawa ON K2P 2E4	SSW/122.4	1.00	<u>119</u>
<u>43</u>	GEN	BELLCANADA	360 LISGAR STREET OTTAWA ON K2P 2E4	SSW/122.4	1.00	<u>120</u>
<u>43</u>	GEN	Bell Canada	360 Lisgar st Ottawa ON K2P 2E4	SSW/122.4	1.00	<u>120</u>
<u>44</u>	GEN	GVT. OF CAN NATIONAL DEFENCE	CRAD/DSIS-NATIONAL DEFENCE HEADQUARTERS 190 O'CONNOR ST. OTTAWA ON K1A 1G8	ENE/124.5	-0.28	<u>120</u>
<u>44</u>	GEN	GVT. OF CAN NATIONAL DEFENCE	190 O'CONNOR STREET DIRECTORATE, SCIENTIFIC INFORMAT.SERVICE OTTAWA ON K1A 1G8	ENE/124.5	-0.28	<u>121</u>
<u>44</u>	GEN	GVT. OF CAN NATIONAL DEFENCE 18-192	CRAD/DSIS-NATIONAL DEFENCE HEADQUARTERS 190 O'CONNOR ST. OTTAWA ON K1A 1G8	ENE/124.5	-0.28	<u>121</u>
<u>44</u>	GEN	DEPT. OF NATIONAL DEFENCE	DEFENCE RESEARCH DEVELOPMENT BRANCH 190 O'CONNOR STREET OTTAWA ON K1A 0K2	ENE/124.5	-0.28	<u>121</u>
<u>44</u>	SCT	Canadian Council on Social	190 O'Connor St Suite 100 Ottawa ON K2P 2R3	ENE/124.5	-0.28	<u>122</u>
<u>44</u>	EHS		190 O'connor St Ottawa ON K2P2R3	ENE/124.5	-0.28	<u>122</u>
<u>45</u>	EHS		379 Cooper Street Ottawa ON K2P 0G8	ESE/126.6	0.03	<u>122</u>
<u>45</u>	EHS		379 Cooper Street Ottawa ON K2P 0G8	ESE/126.6	0.03	<u>122</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>46</u>	BORE		ON	SE/131.1	0.00	<u>123</u>
<u>47</u>	GEN	FOCUS CENTRE, THE	254 BANK STREET OTTAWA ON K2P 1X4	SSE/133.2	0.00	<u>125</u>
<u>47</u>	GEN	Easy Drain Plumbing	254 Bank Str Ottawa ON	SSE/133.2	0.00	<u>125</u>
<u>48</u>	EHS		186 Bank St Ottawa ON K2P1W6	WNW/133.6	1.00	<u>125</u>
<u>49</u>	WWIS		355 COOPER ST OTTAWA ON <i>Well ID:</i> 7305581	E/135.9	-0.69	<u>125</u>
<u>50</u>	EHS		226 Nepean St Ottawa ON K2P0B8	WSW/136.1	1.00	<u>128</u>
<u>51</u>	SPL	SHELL CANADA PRODUCTS LTD.	154 O'CONNER STREET SERVICE STATION OTTAWA CITY ON	NNE/143.9	0.00	<u>129</u>
<u>51</u>	SPL	SHELL CANADA PRODUCTS LTD.	154 O'CONNOR ST. SHELL CANADA GAS STATION SERVICE STATION OTTAWA CITY ON K2P 1T5	NNE/143.9	0.00	<u>129</u>
<u>51</u>	PRT	BYTOWN TOWING & AUTOCARE LTD	154 O CONNOR ST AT GLOUCESTER OTTAWA ON	NNE/143.9	0.00	<u>130</u>
<u>51</u>	FSTH	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	NNE/143.9	0.00	<u>130</u>
<u>51</u>	FSTH	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	NNE/143.9	0.00	<u>130</u>
<u>51</u>	EHS		154 O'Connor Street Ottawa ON K2P 1T5	NNE/143.9	0.00	<u>131</u>
<u>51</u>	DTNK	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON	NNE/143.9	0.00	<u>131</u>
15	erisinfo.com	n Environmental Risk Information	a Services	Order No	o: 220428004	77

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>51</u>	DTNK	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON	NNE/143.9	0.00	<u>132</u>
<u>51</u>	GEN	Shell Canada Products	154 O+Connor Street Ottawa ON K2P 1T5	NNE/143.9	0.00	<u>132</u>
<u>51</u>	GEN	Shell Canada Products	154 O+Connor Street Ottawa ON K2P 1T5	NNE/143.9	0.00	<u>132</u>
<u>51</u>	DTNK	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	NNE/143.9	0.00	<u>133</u>
<u>51</u>	DTNK	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NNE/143.9	0.00	<u>133</u>
<u>51</u>	DTNK	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NNE/143.9	0.00	<u>134</u>
<u>51</u>	DTNK	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NNE/143.9	0.00	<u>135</u>
<u>52</u>	CA	OTTAWA CITY	COOPER ST./BANK ST. OTTAWA CITY ON	SSE/144.0	0.00	<u>135</u>
<u>52</u>	CA	R.M. OF OTTAWA-CARLETON	COOPER ST./BANK ST. OTTAWA CITY ON	SSE/144.0	0.00	<u>136</u>
<u>53</u>	GEN	City of Ottawa	210 Gloucester Ottawa ON K2P 2K4	W/144.9	0.68	<u>136</u>
<u>53</u>	GEN	City of Ottawa	210 Gloucester Ottawa ON K2P 2K4	W/144.9	0.68	<u>136</u>
<u>53</u>	GEN	City of Ottawa	210 Gloucester Ottawa ON K2P 2K4	W/144.9	0.68	<u>136</u>
<u>53</u>	GEN	City of Ottawa Parks, Bldg & Grounds Services Branch	210 Gloucester Ottawa ON K2P 2K4	W/144.9	0.68	<u>137</u>
16	erisinfo.com	Environmental Risk Information	Services	Order No	220428004	77

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>53</u>	GEN	City of Ottawa Parks, Bldg & Grounds Services Branch	210 Gloucester Ottawa ON K2P 2K4	W/144.9	0.68	<u>137</u>
<u>54</u>	SPL	OTTAWA HYDRO	375 COOPER STREET TRANSFORMER OTTAWA CITY ON K2P 0G8	ESE/145.1	-0.70	<u>137</u>
<u>54</u>	EHS		375 Cooper Street Ottawa ON K2P 0G8	ESE/145.1	-0.70	<u>138</u>
<u>55</u>	EHS		172 O'Connor Ottawa ON K2P 1T5	NE/147.3	-0.85	<u>138</u>
<u>56</u>	WWIS		315 COOPER ST Ottawa ON <i>Well ID:</i> 7312996	ESE/148.1	-1.00	<u>138</u>
<u>57</u>	EHS		355 Cooper St Ottawa ON K2P0G8	E/151.3	-1.00	<u>141</u>
<u>58</u>	FST	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NE/153.3	0.00	<u>141</u>
<u>58</u>	FST	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NE/153.3	0.00	<u>142</u>
<u>58</u>	FST	BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NE/153.3	0.00	<u>143</u>
<u>59</u>	WWIS		355 COOPER ST Ottawa ON <i>Well ID:</i> 7312995	E/155.1	-1.00	<u>143</u>
<u>60</u>	CA	OTTAWA CITY - SOMERSET ST.	O'CONNOR ST./NEPEAN ST. OTTAWA CITY ON	ENE/157.6	-1.01	<u>146</u>
<u>61</u>	GEN	HEALTH AND WELFARE CANADA	HEALTH UNIT#28, 10TH FL., WEST TOWER 300 LAURIER AVE. WEST (TBC) OTTAWA ON K1A 0R5	N/158.2	1.07	<u>146</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>61</u>	GEN	GVT OF CAN- HEALTH&WELFARE CAN.MED. 16-304	SER.BR,UNIT#28,10TH FL. W. TOWER 300 LAURIER AVE. WEST,C/O 301 ELGIN ST OTTAWA ON K1A 0L3	N/158.2	1.07	<u>147</u>
<u>61</u>	GEN	HEALTH AND WELFARE CANADA	300 LAURIER AVE. WEST (T.B.C) HEALTH UNIT #28, 10TH FLOOR WEST TOWER OTTAWA ON K1A 0R5	N/158.2	1.07	<u>147</u>
<u>61</u>	GEN	GVT. OF CANSUPPLY AND SERVICES	OLYMPIA PRINTING PLANT,LEVEL P1,W. TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	N/158.2	1.07	<u>147</u>
<u>61</u>	GEN	GVT. OF CAN.(OUT OF BUS) 18-208	OLYMPIA PRINTING PLANT,LEVEL P1,W. TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	N/158.2	1.07	<u>148</u>
<u>61</u>	GEN	GVT. OF CAN.(OUT OF BUSINESS)	OLYMPIA PRINTING PLANT,LEVEL P1,W. TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	N/158.2	1.07	<u>148</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A 0S5	N/158.2	1.07	<u>148</u>
<u>61</u>	SPL		in front of 300 Laurier Avenue <unofficial> Ottawa ON</unofficial>	N/158.2	1.07	<u>149</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	N/158.2	1.07	<u>149</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	N/158.2	1.07	<u>150</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	N/158.2	1.07	<u>151</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A 0S5	N/158.2	1.07	<u>152</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	N/158.2	1.07	<u>152</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A0S5	N/158.2	1.07	<u>153</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A0S5	N/158.2	1.07	<u>154</u>
<u>61</u>	GEN	Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A0S5	N/158.2	1.07	<u>155</u>
<u>61</u>	GEN	Public Services & Procurement Canada RPB	300 Laurier Ave Ottawa ON K0A 0S5	N/158.2	1.07	<u>155</u>
<u>61</u>	GEN	Public Services & Procurement Canada RPB	300 Laurier Ave Ottawa ON K0A 0S5	N/158.2	1.07	<u>156</u>
<u>61</u>	GEN	Public Services & Procurement Canada RPB	300 Laurier Ave Ottawa ON K0A 0S5	N/158.2	1.07	<u>157</u>
<u>62</u>	WWIS		154 O'CONNOR STREET Ottawa ON	NE/161.6	0.00	<u>158</u>
<u>63</u>	SCT	The Ottawa Xpress	<i>Well ID</i> : 7130914 396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE/161.7	0.00	<u>172</u>
<u>63</u>	SCT	The Ottawa X Press - Div. of Communications Voir Inc.	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE/161.7	0.00	<u>172</u>
<u>63</u>	SCT	Communications Voir Inc.	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE/161.7	0.00	<u>172</u>
<u>63</u>	SCT	Communications Voir Inc.	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE/161.7	0.00	<u>173</u>
<u>63</u>	SCT	Ottawa X Press	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE/161.7	0.00	<u>173</u>
<u>63</u>	SCT	Imagnan Corp.	396 Cooper St Suite 203 Ottawa ON K2P 2H7	SE/161.7	0.00	<u>173</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>64</u>	RSC	Ambassador-Mondrian Inc.	324 LAURIER AVE W, OTTAWA, ON, K1P 0A4 ON	WNW/162.1	0.69	<u>173</u>
<u>65</u>	WWIS		154 O'CONNOR ST Ottawa ON <i>Well ID:</i> 7139448	NNE/162.3	0.00	<u>174</u>
<u>66</u>	WWIS		154 O'CONNOR STREET Ottawa ON Well ID: 7137421	NE/166.2	0.00	<u>186</u>
<u>67</u>	GEN	GVT. OF CAN R.C.M.P.	OTTAWA A DIVISION, DRUG SECTION 400 COOPER STREET OTTAWA ON K1A 0R4	S/167.3	0.00	<u>188</u>
<u>67</u>	GEN	GVT. OF CAN R.C.M.P. 18- 132	OTTAWA A DIVISION, DRUG SECTION 400 COOPER STREET OTTAWA ON K1A 0R4	S/167.3	0.00	<u>189</u>
<u>67</u>	EHS		400 Cooper Street Ottawa ON K2P 2H8	S/167.3	0.00	<u>189</u>
<u>67</u>	EHS		400 Cooper Street, Ottawa ON K2P 2H8	S/167.3	0.00	<u>189</u>
<u>68</u>	EHS		400 Cooper Street Ottawa ON K2P 2N1	S/167.4	0.00	<u>189</u>
<u>69</u>	GEN	DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE/167.6	0.00	<u>190</u>
<u>69</u>	GEN	DRAICCHIO'S TAILORING & CLEANING 12-549	272 BANK STREET OTTAWA ON K2P 1X6	SSE/167.6	0.00	<u>190</u>
<u>69</u>	GEN	DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE/167.6	0.00	<u>190</u>
<u>69</u>	GEN	DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE/167.6	0.00	<u>190</u>
<u>69</u>	GEN	DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE/167.6	0.00	<u>191</u>
20	erisinfo.com	n Environmental Risk Informatior	n Services	Order N	o: 220428004	77

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>69</u>	GEN	DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE/167.6	0.00	<u>191</u>
<u>69</u>	GEN	7695713 canada inc.	272 BANK ST OTTAWA ON	SSE/167.6	0.00	<u>191</u>
<u>69</u>	GEN	7695713 canada inc.	272 BANK ST OTTAWA ON	SSE/167.6	0.00	<u>191</u>
<u>69</u>	GEN	7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE/167.6	0.00	<u>192</u>
<u>69</u>	GEN	7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE/167.6	0.00	<u>192</u>
<u>69</u>	GEN	7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE/167.6	0.00	<u>192</u>
<u>69</u>	GEN	7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE/167.6	0.00	<u>193</u>
<u>69</u>	CDRY	Draicchio's Tailoring&Cleaning	272 Bank St Ottawa ON K2P1X6	SSE/167.6	0.00	<u>193</u>
<u>69</u>	CDRY	Draicchio's Tailoring & Cleaning	272 Bank St Ottawa ON K2P1X6	SSE/167.6	0.00	<u>193</u>
<u>69</u>	GEN	7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE/167.6	0.00	<u>194</u>
<u>69</u>	GEN	DOWNTOWN COBBLER DOWNTOWN COBBLER	272 BANK ST OTTAWA ON k2p1x6	SSE/167.6	0.00	<u>194</u>
<u>70</u>	PES	SHOPPERS DRUG MART #988	174 BANK ST OTTAWA ON K2P1W6	WNW/168.5	0.69	<u>194</u>
<u>70</u>	GEN	B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW/168.5	0.69	<u>194</u>

Order No: 22042800477

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>70</u>	GEN	B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW/168.5	0.69	<u>195</u>
<u>70</u>	GEN	B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW/168.5	0.69	<u>195</u>
<u>70</u>	PES	SHOPPERS DRUG MART #988	174 BANK ST OTTAWA ON K2P1W6	WNW/168.5	0.69	<u>195</u>
<u>70</u>	GEN	B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW/168.5	0.69	<u>196</u>
<u>70</u>	GEN	B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW/168.5	0.69	<u>196</u>
<u>71</u>	NPCB	OLYMPIA & YORK DEVELOPMENTS LTD.	L'ESPLANADE LAURIER; 171 BANK STREET LEVEL II OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>196</u>
<u>71</u>	NPCB	ROSTRUST INVESTMENTS INC.	171 BANK STREET LEVEL II BANK STREET LEVEL II OTTAWA ON	NNW/169.1	1.00	<u>197</u>
<u>71</u>	EHS		171 Bank St Ottawa ON K2P 1W5	NNW/169.1	1.00	<u>197</u>
<u>71</u>	GEN	CAMPBELL AND KENNEDY ELECTRIC LTD.	M2-171 BANK ST. OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>197</u>
<u>71</u>	GEN	O & Y PROPERTIES INC.	171 BANK STREET L'ESPLANADE LAURIER OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>198</u>
<u>71</u>	GEN	O & Y PROPERTIES INC.	L'ESPLANADE LAURIER 171 BANK STREET OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>198</u>
<u>71</u>	GEN	ROSTRUST INVESTMENTS INC.	171 BANK STREET (L'ESPLANADE LAURIER) OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>198</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>71</u>	GEN	BLACK PHOTO(OUT OF BUS.)	181 BANK STREET, UNITS 121-122 L'ESPLANADE OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>199</u>
<u>71</u>	GEN	BLACK PHOTO CORPORATION	171-181 BANK STREET, UNITS 121-122 OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>199</u>
<u>71</u>	NPCB	ROSTRUST INVESTMENTS INC.	171 BANK STREET LEVEL 2 L'Esplanade Laurier Ottawa ON K2P 1W5	NNW/169.1	1.00	<u>199</u>
<u>71</u>	NPCB	ROSTRUST INVESTMENTS INC.	L'ESPLANADE LAURIER 171 BANK STREET LEVEL II OTTAWA ON K2P 1W5	NNW/169.1	1.00	<u>200</u>
<u>72</u>	GEN	GLASER PHARMACY LTD.	267 BANK STREET OTTAWA ON K2P 1X3	SE/170.1	0.00	<u>201</u>
<u>73</u>	GEN	COOPER PHARMACY INC SWIFT COMPOUNDING PHARMACY	276 BANK ST OTTAWA ON K2P 1X6	SSE/176.6	0.00	<u>202</u>
<u>73</u>	GEN	COOPER PHARMACY INC SWIFT COMPOUNDING PHARMACY	276 BANK ST OTTAWA ON K2P 1X6	SSE/176.6	0.00	<u>202</u>
<u>74</u>	GEN	MCEVOY-SHIELDS FUNERAL HOMES LTD.	235 KENT STREET OTTAWA ON K2P 1Z9	WSW/180.5	1.00	<u>202</u>
<u>74</u>	GEN	MCEVOY-SHIELDS FUNERAL HOMES LTD. 44-472	235 KENT STREET OTTAWA ON K2P 1Z9	WSW/180.5	1.00	<u>203</u>
<u>74</u>	GEN	Service Corporation International Canada	235 Kent Street Ottawa ON K2P 1Z9	WSW/180.5	1.00	<u>203</u>
<u>74</u>	RSC	Charlesfort Development Corporation	235 and 245 Kent Street, Ottawa, Ontario, K2P 1Z9, ON	WSW/180.5	1.00	<u>203</u>
<u>74</u>	GEN	Charlesfort Development Corporation	235 Kent Street Ottawa ON K2P 1Z9	WSW/180.5	1.00	<u>204</u>
<u>75</u>	EHS		275 Bank St Ottawa ON K2P2L6	SE/185.2	0.02	204

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>76</u>	SPL	Waste Management of Canada Corporation	Bank St and Laurier Ave West Ottawa ON	NW/185.3	1.00	<u>204</u>
<u>77</u>	BORE		ON	ENE/187.8	-1.00	<u>205</u>
<u>78</u>	BORE		ON	WSW/188.9	1.00	<u>206</u>
<u>79</u>	EHS		230 Gloucester St Ottawa ON K2P0A9	W/190.7	0.00	<u>208</u>
<u>80</u>	BORE		ON	NNW/190.8	1.00	<u>208</u>
<u>81</u>	GEN	GVT. OF CAN FINANCE CANADA	PROPERTY & MATERIAL MANAGEMENT 140 O'CONNOR STREET OTTAWA ON K1A 0G5	NNE/195.3	0.00	<u>210</u>
<u>81</u>	GEN	FINANCE AND TREASURY BOARD OF CAN. DEPT.	140 O'CONNOR STREET PROPERTY & MATERIAL MANAGEMENT OTTAWA ON K1A 0G5	NNE/195.3	0.00	<u>210</u>
<u>81</u>	GEN	GVT. OF CAN FINANCE CANADA 18-149	PROPERTY & MATERIAL MANAGEMENT 140 O'CONNOR STREET OTTAWA ON K1A 0G5	NNE/195.3	0.00	<u>211</u>
<u>81</u>	GEN	DEPT. OF FINANCE/TREASURY BOARD OF CANADA	140 O'CONNOR STREET FACILITIES MANAGEMENT OTTAWA ON K1A 0G5	NNE/195.3	0.00	<u>211</u>
<u>81</u>	GEN	DEPT. OF FINANCE/TREASURY BOARD OF CANADA	140 O'CONNOR STREET FACILITIES MANAGEMENT OTTAWA ON K2P 2H6	NNE/195.3	0.00	<u>211</u>
<u>81</u>	GEN	Gannon Blackburn Electric Inc.	140 O'Connor Ottawa ON K1A 0R5	NNE/195.3	0.00	<u>212</u>
<u>82</u>	CA	QUADRELLE MANAGEMENT LTD.	340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	WNW/197.9	0.00	<u>212</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>82</u>	SPL	PRIVATE BUSINESS	340 LAURIER AVE (N.O.S.) OTTAWA CITY ON	WNW/197.9	0.00	<u>212</u>
<u>82</u>	GEN	JER OTTAWA ULC	340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	WNW/197.9	0.00	<u>213</u>
<u>82</u>	GEN	JER OTTAWA ULC	340 LAURIER AVENUE WEST SIR WILFRID LAURIER BUILDING OTTAWA ON K1A 0P9	WNW/197.9	0.00	<u>214</u>
<u>82</u>	GEN	OTTAWA 340 LAURIER AVENUE WEST INC.	340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	WNW/197.9	0.00	<u>214</u>
<u>82</u>	GEN	Public Works and Government Services Canada	340 Laurier Street Ottawa ON K1P 5K3	WNW/197.9	0.00	<u>215</u>
<u>82</u>	EHS		340 Laurier Avenue West Ottawa ON K1A 0P9	WNW/197.9	0.00	<u>215</u>
<u>82</u>	EHS		340 Laurier Avenue Ottawa ON	WNW/197.9	0.00	<u>215</u>
<u>82</u>	GEN	Public Works and Government Services Canada	340 Laurier Street Ottawa ON	WNW/197.9	0.00	<u>216</u>
<u>82</u>	EASR	OTTAWA - 340 LAURIER WEST INC	340 LAURIER AVENUE WEST OTTAWA ON K1N 0P9	WNW/197.9	0.00	<u>216</u>
<u>82</u>	NPRI	O&Y ENTERPRISE	340 LAURIER Avenue West OTTAWA ON K1A0P8	WNW/197.9	0.00	<u>216</u>
<u>82</u>	EASR	OTTAWA - 340 LAURIER WEST INC	340 LAURIER AVENUE WEST OTTAWA ON K1N 0P9	WNW/197.9	0.00	<u>217</u>
<u>82</u>	GEN	Starlight Investments	340 Laurier Ave West Ottawa ON K1A 0P9	WNW/197.9	0.00	<u>218</u>
<u>82</u>	GEN	TNC 340 Laurier Ltd.	340 Laurier Ave West ottawa ON K1A 0P8	WNW/197.9	0.00	<u>218</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>82</u>	GEN	TNC 340 Laurier Ltd	340 Laurier Ottawa ON K1A 0P9	WNW/197.9	0.00	<u>218</u>
<u>82</u>	GEN	Epic Realty Partners	340 Laurier Ave. Ottawa ON K1P 5K3	WNW/197.9	0.00	<u>219</u>
<u>82</u>	GEN	Demo Core	340 Laurier Ave. Ottawa ON K1A 0P9	WNW/197.9	0.00	<u>219</u>
<u>82</u>	GEN	340 TNC Laurier Ltd.	340 Laurier Avenue Ottawa ON K1A 0P9	WNW/197.9	0.00	<u>219</u>
<u>83</u>	EHS		275 Bank Street Ottawa ON K2P 2L6	SE/198.7	0.00	<u>220</u>
<u>84</u>	EHS		340 Laurier Ave W Ottawa ON K1P 5K3	WNW/200.3	0.00	<u>220</u>
<u>85</u>	SCT	Grantium Inc.	279 Laurier Ave W Suite 200 Ottawa ON K1P 5J9	NW/200.6	1.00	220
<u>86</u>	EHS		PE5197 - 108 Nepean Street Ottawa ON K2P	ENE/204.3	-0.94	<u>220</u>
<u>87</u>	EHS		164 Bank St Ottawa ON K1P5N8	NW/204.4	0.69	221
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>221</u>
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>221</u>
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	222
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON	S/205.0	1.10	222

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>222</u>
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>222</u>
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>223</u>
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>223</u>
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>223</u>
<u>88</u>	GEN	Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S/205.0	1.10	<u>224</u>
<u>89</u>	EHS		162/164 BANK ST & 301 LAURIER AVE W OTTAWA ON	NW/205.3	0.79	<u>224</u>
<u>90</u>	GEN	SHOPPERS DRUG MART	161 BANK STREET OTTAWA ON K1P 5N7	NW/206.3	1.00	<u>224</u>
<u>90</u>	PES	SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA)	161 BANK ST OTTAWA ON K1P 5N7	NW/206.3	1.00	<u>225</u>
<u>90</u>	PES	SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA)	161 BANK ST OTTAWA ON K1P 5N7	NW/206.3	1.00	<u>225</u>
<u>90</u>	PES	SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA)	161 BANK ST OTTAWA ON K1P 5N7	NW/206.3	1.00	<u>225</u>
<u>91</u>	SCT	Biz Point Inc.	273 Bank St Ottawa ON K2P 1X5	SE/206.8	0.02	<u>226</u>
<u>92</u>	EHS		301 Laurier Ave. W Ottawa ON	NW/207.7	0.69	<u>226</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>92</u>	GEN	R. E. Hein Construction	301 LAURIER AVENUE WEST OTTAWA ON	NW/207.7	0.69	<u>226</u>
<u>92</u>	PAP	Communications, Energy & Paperworkers Union of Canada	301 Laurier Ave W Ottawa ON K1P 6M6	NW/207.7	0.69	<u>226</u>
<u>92</u>	EHS		301 Laurier Avenue West Ottawa ON K1P 6M6	NW/207.7	0.69	<u>227</u>
<u>93</u>	GEN	Taggart Corporation Ltd.	257 Lisgar Street Otawa ON K2P 0C7	ENE/208.1	-1.16	<u>227</u>
<u>93</u>	GEN	Taggart Group Ltd	257 Lisgar St Ottawa ON K2P1P0	ENE/208.1	-1.16	<u>227</u>
<u>94</u>	GEN	HUDSON PARK CONDOS	245 KENT STREET OTTAWA ON K2P 0A5	WSW/210.4	1.00	<u>228</u>
<u>95</u>	EHS		343 Somerset Street West Ottawa ON	SE/210.8	-1.00	228
<u>96</u>	GEN	OTTAWA COMMUNITY HOUSING CORPORATION	395 SOMERSET STREET OTTAWA ON	S/212.7	1.10	228
<u>96</u>	GEN	Black & McDonald Ltd.	395 Somerset Ottawa ON K2L 4X8	S/212.7	1.10	228
<u>97</u>	EHS		110 Gloucester St Ottawa ON K2P 0A2	NE/213.5	-1.00	<u>229</u>
<u>98</u>	BORE		ON	NE/213.9	-1.00	<u>229</u>
<u>99</u>	CA	ALLAN KWAI	331 SOMERSET ST. W., SWM OTTAWA CITY ON K2P 0J8	ESE/217.3	-1.00	<u>230</u>
<u>100</u>	EHS		257 Lisgar Street Ottawa ON K2P 0C7	ENE/217.4	-1.16	<u>230</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>101</u>	GEN	Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P 0K1	S/217.4	0.00	<u>230</u>
<u>101</u>	GEN	Dedicated National Pharmacy (In Receivership)	401 Somerset St West Ottawa ON K2P 0K1	S/217.4	0.00	<u>231</u>
<u>101</u>	GEN	Dedicated National Pharmacy (In Receivership)	401 Somerset St West Ottawa ON K2P 0K1	S/217.4	0.00	<u>231</u>
<u>101</u>	GEN	Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P 0K1	S/217.4	0.00	<u>231</u>
<u>101</u>	GEN	Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P 0K1	S/217.4	0.00	<u>232</u>
<u>101</u>	GEN	Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON	S/217.4	0.00	<u>232</u>
<u>101</u>	GEN	Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P0K1	S/217.4	0.00	232
<u>101</u>	GEN	Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P0K1	S/217.4	0.00	<u>232</u>
<u>101</u>	GEN	Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P0K1	S/217.4	0.00	<u>233</u>
<u>101</u>	GEN	Canadian Addiction Treatment Clinics LP	401 Somerset Street, West Ottawa ON K2P0K1	S/217.4	0.00	<u>233</u>
<u>101</u>	GEN	Canadian Addiction Treatment Clinics LP	401 Somerset Street, West Ottawa ON K2P0K1	S/217.4	0.00	<u>233</u>
<u>101</u>	GEN	Canadian Addiction Treatment Clinics LP	401 Somerset Street, West Ottawa ON K2P0K1	S/217.4	0.00	<u>233</u>
<u>102</u>	GEN	DEPARTMENT OF(OUT OF BUSINESS) 17-714	DENTAL CLINIC LAB. 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	NE/218.7	-1.00	<u>234</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>102</u>	GEN	DEPARTMENT OF NATIONAL DEFENCE 17-714	DENTAL CLINIC LAB. 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	NE/218.7	-1.00	<u>234</u>
<u>102</u>	GEN	DEPT. OF NATIONAL DEFENCE (OUT OF BUS.)	DENTAL CLINIC LAB 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	NE/218.7	-1.00	<u>235</u>
<u>102</u>	EHS		100 Gloucester Street Ottawa ON K2P 0A4	NE/218.7	-1.00	<u>236</u>
<u>102</u>	EHS		100 Gloucester Street Ottawa ON K2P 0A2	NE/218.7	-1.00	<u>236</u>
<u>103</u>	EHS		335 Cooper Street Ottawa ON K2P 0G5	E/220.0	-1.00	<u>236</u>
<u>104</u>	WWIS		SOMERSET ROADWAY OTTAWA ON <i>Well ID:</i> 1535586	SE/220.8	-1.00	<u>236</u>
<u>105</u>	NPCB	SEALTEST	DIVISION OF AULT FOODS; 453 COOPER STREET OTTAWA ON K2P 0H1	SW/220.9	1.00	<u>239</u>
<u>105</u>	SPL	AULT FOODS	453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1	SW/220.9	1.00	<u>239</u>
<u>105</u>	SPL	AULT FOODS	453 COOPER ST.AT KENT ST. OTTAWA OTTAWA DAIRY OTTAWA CITY ON K2P 0H1	SW/220.9	1.00	<u>240</u>
<u>105</u>	GEN	AULT FOODS LIMITED	453 COOPER STREET OTTAWA ON K2P 0H1	SW/220.9	1.00	<u>240</u>
<u>105</u>	GEN	AULT FOODS LIMITED	453 COOPER STREET OTTAWA ON K2P 0H1	SW/220.9	1.00	<u>241</u>
<u>105</u>	GEN	AULT FOODS LIMITE(OUT OF BUSINESS)03-320	453 COOPER STREET OTTAWA ON K2P 0H1	SW/220.9	1.00	<u>241</u>
<u>106</u>	WWIS		KENT ST Ottawa ON	SW/222.5	1.00	<u>241</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7344656			
<u>107</u>	EHS		327 Somerset St W Ottawa ON K2P0J8	ESE/222.6	-1.00	<u>243</u>
<u>108</u>	EHS		269 Laurier Avenue West Ottawa ON K1A 0P8	NNW/224.9	1.00	<u>244</u>
<u>109</u>	OOGW	Ottawa Dairy Well	Nepean ON <i>Licence No:</i> F019784	SSE/227.5	0.00	<u>244</u>
<u>110</u>	PINC	PIPELINE HIT 1"	331 COOPER ST,,OTTAWA,ON,K2P 0G5, CA ON	E/228.5	-2.12	<u>246</u>
<u>111</u>	CA	Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	E/228.9	-1.55	<u>246</u>
<u>111</u>	CA	Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	E/228.9	-1.55	<u>246</u>
<u>111</u>	CA	Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	E/228.9	-1.55	247
<u>111</u>	ECA	South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON K1R 7Y2	E/228.9	-1.55	<u>247</u>
<u>111</u>	ECA	South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	E/228.9	-1.55	<u>247</u>
<u>111</u>	ECA	South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	E/228.9	-1.55	<u>248</u>
<u>111</u>	SPL	Enbridge Gas Distribution Inc.	331 Cooper St. Ottawa ON	E/228.9	-1.55	<u>248</u>
<u>112</u>	BORE		ON	E/229.3	-2.12	<u>248</u>
<u>113</u>	wwis		331 Cooper St Ottawa ON	E/229.6	-2.12	251

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7334763			
<u>114</u>	EHS		360 Laurier Ave West Ottawa ON K1P 1C8	W/230.8	0.08	<u>254</u>
<u>114</u>	GEN	HEALTH AND WELFARE CANADA	HEALTH UNIT#31, 2ND FL., NORONO BLDG. 360 LAURIER AVE. WEST (HWC) OTTAWA ON K1P 1C8	W/230.8	0.08	<u>254</u>
<u>114</u>	GEN	GVT OF CAN- HEALTH&WELFARE CAN.MED. 16-305	SER.BR,UNIT#31,2ND FL.,NORONO BLDG. 360 LAURIER AVE. WEST,C/O 301 ELGIN ST OTTAWA ON K1P 1C8	W/230.8	0.08	<u>254</u>
<u>114</u>	GEN	HEALTH AND WELFARE CANADA	360 LAURIER AVE. WEST (HWC) HEALTH UNIT #31, 2ND FLOOR, NORONO BLDG. OTTAWA ON K1P 5K3	W/230.8	0.08	<u>255</u>
<u>114</u>	EHS		360 Laurier Avenue West Ottawa ON K1P 1C8	W/230.8	0.08	<u>255</u>
<u>114</u>	EBR	360 Laurier Avenue West Limited	360 Laurier Avenue West Ottawa K1P 6E2 CITY OF OTTAWA ON	W/230.8	0.08	<u>255</u>
<u>114</u>	CA	360 Laurier Avenue West Limited	360 Laurier Ave W Ottawa ON	W/230.8	0.08	<u>256</u>
<u>114</u>	ECA	360 Laurier Avenue West Limited	360 Laurier Ave W Ottawa ON K1P 6E2	W/230.8	0.08	<u>256</u>
<u>114</u>	EHS		360 Laurier Avenue West Ottawa ON K1P 1C8	W/230.8	0.08	<u>256</u>
<u>114</u>	EHS		360 Laurier Ave W Ottawa ON K1P1C8	W/230.8	0.08	<u>256</u>
<u>115</u>	WWIS		269 LAURIER AVE Ottawa ON <i>Well ID</i> : 7230965	NNW/231.7	1.00	<u>257</u>
<u>116</u>	BORE		ON	SSW/234.3	1.00	<u>260</u>

Map DB Key	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>117</u> ECA	Gillin Engineering and Construction Limited	234 Laurier Ave W Ottawa ON	NNE/235.0	-1.00	<u>261</u>
117 ECA	Gillin Engineering and Construction Limited	234 Laurier Ave W Ottawa ON K1P 5M8	NNE/235.0	-1.00	<u>261</u>
<u>118</u> PRT	I C ASSALY CONSTRUCTION	199 KENT ST OTTAWA ON K2P2K8	W/235.1	-0.70	<u>262</u>
<u>118</u> DTNK	I C ASSALY CONSTRUCTION	199 KENT ST OTTAWA ON	W/235.1	-0.70	<u>262</u>
<u>118</u> SPL	Kent Towers <unofficial></unofficial>	199 Kent st Ottawa ON	W/235.1	-0.70	<u>262</u>
<u>119</u> EHS		96 Nepean St Ottawa ON	ENE/235.4	-2.00	<u>263</u>
<u>119</u> GEN	Claridge Homes Corporation	96 Nepean Street Ottawa ON	ENE/235.4	-2.00	<u>263</u>
<u>119</u> EHS		96 Nepean St Ottawa ON K2P0B3	ENE/235.4	-2.00	<u>263</u>
<u>120</u> WWIS		151 BANK ST Ottawa ON <i>Well ID:</i> 7313000	NW/236.1	1.04	<u>263</u>
<u>121</u> SCT	E.L. LITTLEJOHN & ASSOCIATES	151 BANK ST FLOOR 2 OTTAWA ON K1P 5N7	NW/236.1	1.00	<u>267</u>
<u>122</u> EHS		269 Laurier Ave W Ottawa ON	NNW/236.3	1.00	267
<u>123</u> EHS		149 Bank St Ottawa ON K1P5N7	NW/236.6	1.00	<u>267</u>
<u>124</u> WWIS		151 BANK ST Ottawa ON <i>Well ID:</i> 7312999	NW/236.6	1.04	<u>267</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>125</u>	SCT	FOX PRINT & COPY LTD.	124 O'CONNOR ST OTTAWA ON K1P 5M9	N/237.2	0.30	<u>271</u>
<u>125</u>	SCT	QUADRAPRINT (1996)	124 O'CONNOR ST OTTAWA ON K1P 5M9	N/237.2	0.30	<u>272</u>
<u>125</u>	GEN	ARTEXT ELECTRONIC PUBLISHING INC.	124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	N/237.2	0.30	<u>272</u>
125	GEN	ARTEXT ELECTRONICOUT OF BUSINESS	124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	N/237.2	0.30	<u>272</u>
<u>125</u>	GEN	ARTEXT ELECTRONIC (OUT OF BUS.) 03-293	124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	N/237.2	0.30	<u>272</u>
125	GEN	ARTEXT ELECTRONIC PUBLISHING INC.	124 O'CONNOR ST. SUITE 200 OTTAWA ON K1P 5M9	N/237.2	0.30	<u>272</u>
<u>125</u>	GEN	ARTEXT ELE(OUT OF BUSINESS)G INC. 03-388	124 O'CONNOR ST. SUITE 200 OTTAWA ON K1P 5M9	N/237.2	0.30	<u>273</u>
<u>125</u>	GEN	HUNT CLUB PRESS LTD (OUT OF BUSINESS)	263 LAURIER AVE. W. OTTAWA ON K1P 5J9	N/237.2	0.30	<u>273</u>
<u>125</u>	GEN	HUNT CLUB PRESS LTD. 19- 736	263 LAURIER AVE. W. OTTAWA ON K1P 5J9	N/237.2	0.30	<u>273</u>
<u>125</u>	GEN	QUADRAPRESS INC.	263 LAURIER AVENUE WEST OTTAWA ON K1P 5J9	N/237.2	0.30	<u>274</u>
<u>125</u>	EHS		124 O'Connor Street Ottawa ON K1P 5M9	N/237.2	0.30	<u>274</u>
<u>126</u>	GEN	Danosh construction	325 Cooper St ottawa ON K2P 0G5	E/238.2	-2.12	<u>274</u>
<u>126</u>	GEN	Danosh construction	325 Cooper St ottawa ON K2P 0G5	E/238.2	-2.12	<u>274</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>127</u>	WWIS		150 SLATER STREET Ottawa ON <i>Well ID:</i> 7121702	N/238.3	0.00	<u>275</u>
<u>128</u>	ECA	Financial Transactions and Reports Analysis Centre of Canada	Ottawa ON K1P 1H7	NNE/239.4	-1.00	<u>287</u>
<u>129</u>	GEN	The Great West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>287</u>
<u>129</u>	CA	GWL Realty Advisors Inc.	269 Laurier Avenue Wes Ottawa ON	NNW/240.6	1.00	<u>287</u>
<u>129</u>	EHS		269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>287</u>
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>288</u>
<u>129</u>	EHS		269 Laurier Ave W Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>288</u>
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>288</u>
<u>129</u>	EBR	GWL Realty Advisors Inc.	269 Laurier Avenue Ottawa K1P 5J9 CITY OF OTTAWA ON	NNW/240.6	1.00	<u>288</u>
<u>129</u>	ECA	GWL Realty Advisors Inc.	269 Laurier Avenue Wes Ottawa ON M5E 1G4	NNW/240.6	1.00	<u>289</u>
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>289</u>
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>289</u>
<u>129</u>	GEN	PUBLIC SAFETY CANADA	269 LAURIER WEST OTTAWA ON K1A0S5	NNW/240.6	1.00	<u>290</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>290</u>
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>290</u>
<u>129</u>	GEN	PUBLIC SAFETY CANADA	269 LAURIER WEST OTTAWA ON K1A0S5	NNW/240.6	1.00	<u>291</u>
<u>129</u>	GEN	Public Services & Procurement Canada RPB	269 Laurier W. OTTAWA ON K1A 0P8	NNW/240.6	1.00	<u>291</u>
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>291</u>
<u>129</u>	GEN	Public Services & Procurement Canada RPB	269 Laurier W. OTTAWA ON K1A 0P8	NNW/240.6	1.00	<u>292</u>
<u>129</u>	SPL		269 Laurier Avenue West Ottawa ON	NNW/240.6	1.00	292
<u>129</u>	EASR	THE CANADA LIFE ASSURANCE COMPANY	269 Laurier AV Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>293</u>
<u>129</u>	GEN	The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW/240.6	1.00	<u>293</u>
<u>130</u>	WWIS		KENT ST Ottawa ON Well ID: 7344659	W/241.1	0.03	<u>293</u>
<u>131</u>	WWIS		170 METCALFE ST lot D con C Ottawa ON	NE/241.4	-1.55	<u>295</u>
<u>132</u>	GEN	Prime Mechanical	<i>Well ID:</i> 7318398 151 O'Connor Ottawa ON K2P 2M5	NNE/241.4	-1.00	<u>298</u>
<u>133</u>	EHS		352/348/346 Somerset & 349 MacLaren Ottawa ON	SE/241.6	0.00	<u>298</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>133</u>	EHS		PE4776 - 352 Somerset Street West Ottawa ON K2P 0J9	SE/241.6	0.00	<u>299</u>
<u>134</u>	SPL	Parson Refrigeration (1985) Ltd.	296 Bank St. Ottawa ON K2P 1X8	SSE/241.8	0.00	<u>299</u>
<u>134</u>	SPL	Parson Refrigeration (1985) Ltd.	296 Bank St Ottawa ON	SSE/241.8	0.00	<u>299</u>
<u>134</u>	GEN	Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	SSE/241.8	0.00	<u>300</u>
<u>134</u>	GEN	Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	SSE/241.8	0.00	<u>300</u>
<u>134</u>	GEN	LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	SSE/241.8	0.00	<u>300</u>
<u>134</u>	GEN	LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	SSE/241.8	0.00	<u>301</u>
<u>135</u>	EHS		234 O'connor St Ottawa ON K2P1T9	ESE/242.7	-1.00	<u>301</u>
<u>136</u>	GEN	Canada Revenue Agency	333 Laurier Avenue Ottawa ON	WNW/245.1	0.03	<u>301</u>
<u>136</u>	GEN	Public Works and Government Services Canada	333 Laurier Ave Ottawa ON	WNW/245.1	0.03	<u>302</u>
<u>136</u>	SPL	Telus Communication Company	1900- 333 Laurier Avenue Ottawa ON K1P 1C1	WNW/245.1	0.03	<u>302</u>
<u>136</u>	GEN	Public Services & Procurement Canada ESD	333 Laurier Ave Ottawa ON K1P 1C1	WNW/245.1	0.03	<u>302</u>
<u>137</u>	EHS		311 Somerset Street West Ottawa ON K2P 0J8	ESE/245.6	-1.00	<u>303</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>138</u>	EHS		132, 134, 136, 138, 148 Bank Street Ottawa ON K1P 5N8	NW/247.1	0.31	<u>303</u>
<u>139</u>	WWIS		281 kent st Ottawa ON	SSW/247.2	1.00	<u>303</u>
			Well ID: 7354243			
<u>140</u>	WWIS		338 SOMERSET STREET WEST OTTAWA ON	ESE/247.5	-1.00	<u>306</u>
			Well ID: 7046637			
<u>141</u>	EHS		325 Cooper Street Ottawa ON K2P 0G5	E/247.6	-2.00	<u>310</u>
<u>142</u>	WWIS		170 METCALFE ST lot D con C Ottawa ON	NE/248.4	-1.55	<u>310</u>
			Well ID: 7318397			
<u>143</u>	SPL	PRIVATE OWNER	280 GLOUCESTER ST(ST. PATRICK CHURCH) STORAGE TANK/BARREL OTTAWA CITY ON K1R 5E4	WSW/249.0	0.00	<u>313</u>
<u>143</u>	SPL	PRIVATE OWNER	220 KENT ST MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	WSW/249.0	0.00	<u>313</u>

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 8 BORE site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address ON	Direction WNW	<u>Distance (m)</u> 96.87	<u>Map Key</u> <u>26</u>
	ON	SE	131.08	<u>46</u>
	ON	WSW	188.87	<u>78</u>
	ON	NNW	190.77	<u>80</u>
	ON	SSW	234.35	<u>116</u>
Lower Elevation	Address	Direction	Distance (m)	<u>Map Key</u>
	ON	ENE	187.75	<u>77</u>
	ON	NE	213.93	<u>98</u>
	ON	E	229.30	<u>112</u>

<u>CA</u> - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 11 CA site(s) within approximately 0.25 kilometers of

the project property.

Equal/Higher Elevation Mel Cohen Realty Ltd.	<u>Address</u> 177 Nepean Street Ottawa ON	Direction NW	<u>Distance (m)</u> 45.57	<u>Map Key</u> <u>10</u>
OTTAWA CITY	COOPER ST./BANK ST. OTTAWA CITY ON	SSE	144.00	<u>52</u>
R.M. OF OTTAWA-CARLETON	COOPER ST./BANK ST. OTTAWA CITY ON	SSE	144.00	<u>52</u>
QUADRELLE MANAGEMENT LTD.	340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	WNW	197.92	<u>82</u>
360 Laurier Avenue West Limited	360 Laurier Ave W Ottawa ON	W	230.79	<u>114</u>
GWL Realty Advisors Inc.	269 Laurier Avenue Wes Ottawa ON	NNW	240.57	<u>129</u>

Lower Elevation OTTAWA CITY - SOMERSET ST.	<u>Address</u> O'CONNOR ST./NEPEAN ST. OTTAWA CITY ON	Direction ENE	<u>Distance (m)</u> 157.63	<u>Map Key</u> <u>60</u>
ALLAN KWAI	331 SOMERSET ST. W., SWM OTTAWA CITY ON K2P 0J8	ESE	217.33	<u>99</u>
Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	E	228.86	<u>111</u>
Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	E	228.86	<u>111</u>
Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	E	228.86	<u>111</u>

CDRY - Dry Cleaning Facilities

A search of the CDRY database, dated Jan 2004-Dec 2019 has found that there are 2 CDRY site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Draicchio's Tailoring & Cleaning	272 Bank St Ottawa ON K2P1X6	SSE	167.60	<u>69</u>
Draicchio's Tailoring&Cleaning	272 Bank St Ottawa ON K2P1X6	SSE	167.60	<u>69</u>

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Feb 28, 2022 has found that there are 7 DTNK site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation BYTOWN TOWING & AUTOCARE LTD	Address 154 O'CONNOR ST AT GLOUCESTER OTTAWA ON	Direction NNE	<u>Distance (m)</u> 143.94	<u>Map Key</u> <u>51</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON	NNE	143.94	<u>51</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NNE	143.94	<u>51</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NNE	143.94	<u>51</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NNE	143.94	<u>51</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	NNE	143.94	<u>51</u>

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
I C ASSALY CONSTRUCTION	199 KENT ST OTTAWA ON	W	235.11	<u>118</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Mar 31, 2022 has found that there are 3 EASR site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation OTTAWA - 340 LAURIER WEST INC	Address 340 LAURIER AVENUE WEST OTTAWA ON K1N 0P9	Direction WNW	<u>Distance (m)</u> 197.92	<u>Map Key</u> <u>82</u>
OTTAWA - 340 LAURIER WEST INC	340 LAURIER AVENUE WEST OTTAWA ON K1N 0P9	WNW	197.92	<u>82</u>
THE CANADA LIFE ASSURANCE COMPANY	269 Laurier AV Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994 - Mar 31, 2022 has found that there are 2 EBR site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
360 Laurier Avenue West Limited	360 Laurier Avenue West Ottawa K1P 6E2 CITY OF OTTAWA ON	W	230.79	<u>114</u>
GWL Realty Advisors Inc.	269 Laurier Avenue Ottawa K1P 5J9 CITY OF OTTAWA ON	NNW	240.57	<u>129</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Mar 31, 2022 has found that there are 11 ECA site(s) within approximately 0.25 kilometers of the project property.

erisinfo.com	Environmental Risk Information Services
--------------	---

Equal/Higher Elevation Mel Cohen Realty Ltd.	<u>Address</u> 177 Nepean Street Ottawa ON K1Y 2E9	Direction NW	<u>Distance (m)</u> 45.57	<u>Map Key</u> <u>10</u>
360 Laurier Avenue West Limited	360 Laurier Ave W Ottawa ON K1P 6E2	W	230.79	<u>114</u>
GWL Realty Advisors Inc.	269 Laurier Avenue Wes Ottawa ON M5E 1G4	NNW	240.57	<u>129</u>

Lower Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	Ottawa ON K2G 6J8	E	116.36	<u>38</u>
City of Ottawa	Laurier Avenue at the Rideau Canal Ottawa ON K1P 1J1	E	116.36	<u>38</u>
South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	E	228.86	<u>111</u>
South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	E	228.86	<u>111</u>
South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON K1R 7Y2	E	228.86	<u>111</u>
Gillin Engineering and Construction Limited	234 Laurier Ave W Ottawa ON	NNE	235.02	<u>117</u>
Gillin Engineering and Construction Limited	234 Laurier Ave W Ottawa ON K1P 5M8	NNE	235.02	<u>117</u>
Financial Transactions and Reports Analysis Centre of Canada	Ottawa ON K1P 1H7	NNE	239.37	<u>128</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 70 EHS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address 203 Bank St Ottawa ON K2P1W7	<u>Direction</u> NW	<u>Distance (m)</u> 44.65	<u>Map Key</u> <u>9</u>
	205 Bank Street Ottawa ON K2P 1W7	WNW	50.40	<u>12</u>
	PE3651 - 293 Lisgar Street & 176 Nepean Street Ottawa ON K2P 0B6	ENE	53.40	<u>13</u>
	309 Lisgar Avenue Ottawa ON	E	59.30	<u>16</u>
	153 Nepean Street Ottawa ON K2P 0B5	NE	75.41	<u>18</u>
	222 Nepean Street Ottawa ON K2P 0B8	WSW	85.01	<u>19</u>
	170 Gloucester Street Ottawa ON K2P 0A6	NNW	85.16	<u>20</u>
	240 Bank Street Ottawa ON K2P 1X4	SSW	87.09	<u>21</u>
	300 Lisgar Street Ottawa ON K2P 0E2	ESE	92.14	<u>23</u>
	176 Gloucester St Ottawa ON K2P0A6	NW	95.09	<u>24</u>
	Nepean Street Ottawa ON K2P 0B6	ENE	98.17	<u>27</u>

Equal/Higher Elevation	Address	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	215 Nepean St Ottawa ON K2P2K5	W	104.83	<u>30</u>
	300 Lisgar St and 375 Cooper St Ottawa ON	ESE	117.30	<u>40</u>
	251-259 Bank Street (395-397 Cooper St) Ottawa ON	SE	121.58	<u>42</u>
	251 Bank Street Ottawa ON	SE	121.58	<u>42</u>
	251 Bank St Ottawa ON K2P1X3	SE	121.58	<u>42</u>
	379 Cooper Street Ottawa ON K2P 0G8	ESE	126.58	<u>45</u>
	379 Cooper Street Ottawa ON K2P 0G8	ESE	126.58	<u>45</u>
	186 Bank St Ottawa ON K2P1W6	WNW	133.61	<u>48</u>
	226 Nepean St Ottawa ON K2P0B8	WSW	136.12	<u>50</u>
	154 O'Connor Street Ottawa ON K2P 1T5	NNE	143.94	<u>51</u>
	400 Cooper Street Ottawa ON K2P 2H8	S	167.32	<u>67</u>

Address 400 Cooper Street, Ottawa ON K2P 2H8	<u>Direction</u> S	<u>Distance (m)</u> 167.32	<u>Map Key</u> <u>67</u>
400 Cooper Street Ottawa ON K2P 2N1	S	167.36	<u>68</u>
171 Bank St Ottawa ON K2P 1W5	NNW	169.14	<u>71</u>
275 Bank St Ottawa ON K2P2L6	SE	185.17	<u>75</u>
230 Gloucester St Ottawa ON K2P0A9	W	190.71	<u>79</u>
340 Laurier Avenue West Ottawa ON K1A 0P9	WNW	197.92	<u>82</u>
340 Laurier Avenue Ottawa ON	WNW	197.92	<u>82</u>
275 Bank Street Ottawa ON K2P 2L6	SE	198.67	<u>83</u>
340 Laurier Ave W Ottawa ON K1P 5K3	WNW	200.32	<u>84</u>
164 Bank St Ottawa ON K1P5N8	NW	204.40	<u>87</u>
162/164 BANK ST & 301 LAURIER AVE W OTTAWA ON	NW	205.31	<u>89</u>
301 Laurier Ave. W Ottawa ON	NW	207.66	<u>92</u>

Equal/Higher Elevation

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
	301 Laurier Avenue West Ottawa ON K1P 6M6	NW	207.66	<u>92</u>
	269 Laurier Avenue West Ottawa ON K1A 0P8	NNW	224.95	<u>108</u>
	360 Laurier Ave West Ottawa ON K1P 1C8	W	230.79	<u>114</u>
	360 Laurier Avenue West Ottawa ON K1P 1C8	W	230.79	<u>114</u>
	360 Laurier Avenue West Ottawa ON K1P 1C8	W	230.79	<u>114</u>
	360 Laurier Ave W Ottawa ON K1P1C8	W	230.79	<u>114</u>
	269 Laurier Ave W Ottawa ON	NNW	236.25	<u>122</u>
	149 Bank St Ottawa ON K1P5N7	NW	236.56	<u>123</u>
	124 O'Connor Street Ottawa ON K1P 5M9	Ν	237.24	<u>125</u>
	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
	269 Laurier Ave W Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>

Equal/Higher Elevation	<u>Address</u> 352/348/346 Somerset & 349 MacLaren Ottawa ON	<u>Direction</u> SE	<u>Distance (m)</u> 241.63	<u>Map Key</u> <u>133</u>
	PE4776 - 352 Somerset Street West Ottawa ON K2P 0J9	SE	241.63	<u>133</u>
	132, 134, 136, 138, 148 Bank Street Ottawa ON K1P 5N8	NW	247.13	<u>138</u>

Lower Elevation	<u>Address</u> 177 Nepean St Ottawa ON K2P 1W7	Direction NNW	<u>Distance (m)</u> 37.70	<u>Map Key</u> <u>4</u>
	240 Bank Street Ottawa ON K2P 1X4	S	88.43	<u>22</u>
	240 Bank Street Ottawa ON K2P 1X4	S	88.43	<u>22</u>
	240 Bank Street Ottawa ON K2P 1X4	S	88.43	<u>22</u>
	287 Lisgar Street Ottawa ON	E	106.86	<u>31</u>
	190 O'connor St Ottawa ON K2P2R3	ENE	124.50	<u>44</u>
	375 Cooper Street Ottawa ON K2P 0G8	ESE	145.05	<u>54</u>
	172 O'Connor Ottawa ON K2P 1T5	NE	147.31	<u>55</u>

355 Cooper St Ottawa ON K2P0G8	E	151.28	<u>57</u>
PE5197 - 108 Nepean Street Ottawa ON K2P	ENE	204.29	<u>86</u>
343 Somerset Street West Ottawa ON	SE	210.78	<u>95</u>
110 Gloucester St Ottawa ON K2P 0A2	NE	213.49	<u>97</u>
257 Lisgar Street Ottawa ON K2P 0C7	ENE	217.35	<u>100</u>
100 Gloucester Street Ottawa ON K2P 0A4	NE	218.72	<u>102</u>
100 Gloucester Street Ottawa ON K2P 0A2	NE	218.72	<u>102</u>
335 Cooper Street Ottawa ON K2P 0G5	E	220.01	<u>103</u>
327 Somerset St W Ottawa ON K2P0J8	ESE	222.56	<u>107</u>
96 Nepean St Ottawa ON	ENE	235.40	<u>119</u>
96 Nepean St Ottawa ON K2P0B3	ENE	235.40	<u>119</u>
234 O'connor St Ottawa ON K2P1T9	ESE	242.67	<u>135</u>
311 Somerset Street West Ottawa ON K2P 0J8	ESE	245.61	<u>137</u>

325 Cooper Street	E	247.59	141
Ottawa ON K2P 0G5			

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2022 has found that there are 3 FST site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NE	153.29	<u>58</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NE	153.29	<u>58</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA ON	NE	153.29	<u>58</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	NNE	143.94	<u>51</u>
BYTOWN TOWING & AUTOCARE LTD	154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	NNE	143.94	<u>51</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 190 GEN site(s) within approximately 0.25 kilometers of the project property.

50

Equal/Higher Elevation BICYCLE REVIVAL LTD.	<u>Address</u> 224 BANK STREET OTTAWA ON K2P 1X1	Direction SW	<u>Distance (m)</u> 41.17	<u>Map Key</u> <u>8</u>
BICYCLE REVIVAL LTD. 04-341	224 BANK STREET OTTAWA ON K2P 1X1	SW	41.17	<u>8</u>
BICYCLE REVIVAL LIMITED	224 BANK STREET OTTAWA ON K2P 1X1	SW	41.17	<u>8</u>
District Realty Corporation	177 Nepean Street Ottawa ON K2P 0B4	NW	45.57	<u>10</u>
E.A.S. ILLUSTRATORS & PRINTERS LTD	171 NEPEAN ST. OTTAWA ON K2P 0B4	NNE	46.27	<u>11</u>
E.A.S. ILLUSTRATORS & PRINTERS LTD14-740	171 NEPEAN ST. OTTAWA ON K2P 0B4	NNE	46.27	<u>11</u>
E.A.S. (OUT OF BUS) 14-740	171 NEPEAN ST. OTTAWA ON K2P 0B4	NNE	46.27	<u>11</u>
ARMCO PRINT 02-638	171 NEPEAN STREET OTTAWA ON K2P 0B4	NNE	46.27	<u>11</u>
ARMCO PRINT 02-638	171 NEPEAN STREET OTTAWA ON K2P 0B4	NNE	46.27	<u>11</u>
BAYVIEW PROPERTY MANAGEMENT	210 BANK STREET OTTAWA ON K2P 1W8	W	67.83	<u>17</u>
DEPARTMENT OF NATIONAL DEFENCE	VANIER BUILDING 222 NEPEAN STREET OTTAWA ON K2B 0B8	WSW	85.01	<u>19</u>
DEPT OF NATIONAL DEFENCE, CDN. FORCES	VANIER BUILDING 222 NEPEAN STREET OTTAWA ON K2B 0B8	WSW	85.01	<u>19</u>

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
DEPT. OF NATIONAL DEFENCE	VANIER BUILDING 222 NEPEAN STREET OTTAWA ON K2B 0B8	WSW	85.01	<u>19</u>
Bona Building Management	222 Nepean St Ottawa ON K1R5G2	WSW	85.01	<u>19</u>
Al's Care Pharmacy	240 Bank Street Ottawa ON K2P1X4	SSW	87.09	<u>21</u>
Canus Plastics Inc.	300 Lisgar St. Ottawa ON	ESE	92.14	<u>23</u>
Bassi Construction	300 lisgar st ottawa ON K2P 0E2	ESE	92.14	<u>23</u>
OTTAWA MAGAZINE INC.	192 BANK STREET OTTAWA ON K2P 1W8	WNW	98.96	<u>28</u>
OTTAWA MAGAZINE INC.	192 BANK STREET OTTAWA ON K2P 1W8	WNW	98.96	<u>28</u>
OTTAWA MAGAZINE INC. 29-278	192 BANK STREET OTTAWA ON K2P 1W8	WNW	98.96	<u>28</u>
OTTAWA MAGAZINE INCORPORATED	192 BANK STREET OTTAWA ON K2P 1W8	WNW	98.96	<u>28</u>
OTTAWA(SEE&USE ON0897800 OTTAWA)	192 BANK STREET OTTAWA ON K2P 1W8	WNW	98.96	<u>28</u>
OTTAWA(SEE&USE ON0897800 OTTAWA) 29-290	192 BANK STREET OTTAWA ON K2P 1W8	WNW	98.96	<u>28</u>

Equal/Higher Elevation Marilena Guerra	<u>Address</u> 146 Nepean Street Ottawa ON	Direction ENE	<u>Distance (m)</u> 99.57	<u>Map Key</u> <u>29</u>
City of Ottawa Parks, Bldg & Grounds Services Branch	210 Gloucester Ottawa ON K2P 2K4	W	117.03	<u>39</u>
REVENUE CANADA TAXATION	CUSTOMS & EXCISE 360 LISGAR STREET OTTAWA ON K2P 2E4	SSW	122.44	<u>43</u>
REVENUE CANADA TAXATION	360 LISGAR STREET OTTAWA ON K1A 0L9	SSW	122.44	<u>43</u>
URBANDALE CORPORATION	360 Lisgar Street Ottawa ON	SSW	122.44	<u>43</u>
Bell Canada	360 Lisgar st Ottawa ON K2P 2E4	SSW	122.44	<u>43</u>
Bell Canada	360 Lisgar st Ottawa ON K2P 2E4	SSW	122.44	<u>43</u>
BELLCANADA	360 LISGAR STREET OTTAWA ON K2P 2E4	SSW	122.44	<u>43</u>
Bell Canada	360 Lisgar st Ottawa ON K2P 2E4	SSW	122.44	<u>43</u>
FOCUS CENTRE, THE	254 BANK STREET OTTAWA ON K2P 1X4	SSE	133.17	<u>47</u>
Easy Drain Plumbing	254 Bank Str Ottawa ON	SSE	133.17	<u>47</u>
Shell Canada Products	154 O+Connor Street Ottawa ON K2P 1T5	NNE	143.94	<u>51</u>

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Shell Canada Products	154 O+Connor Street Ottawa ON K2P 1T5	NNE	143.94	<u>51</u>
City of Ottawa	210 Gloucester Ottawa ON K2P 2K4	W	144.87	<u>53</u>
City of Ottawa	210 Gloucester Ottawa ON K2P 2K4	W	144.87	<u>53</u>
City of Ottawa	210 Gloucester Ottawa ON K2P 2K4	W	144.87	<u>53</u>
City of Ottawa Parks, Bldg & Grounds Services Branch	210 Gloucester Ottawa ON K2P 2K4	W	144.87	<u>53</u>
City of Ottawa Parks, Bldg & Grounds Services Branch	210 Gloucester Ottawa ON K2P 2K4	W	144.87	<u>53</u>
HEALTH AND WELFARE CANADA	HEALTH UNIT#28, 10TH FL., WEST TOWER 300 LAURIER AVE. WEST (TBC) OTTAWA ON K1A 0R5	Ν	158.17	<u>61</u>
GVT OF CAN- HEALTH&WELFARE CAN.MED. 16-304	SER.BR,UNIT#28,10TH FL. W. TOWER 300 LAURIER AVE. WEST, C/O 301 ELGIN ST OTTAWA ON K1A 0L3	Ν	158.17	<u>61</u>
HEALTH AND WELFARE CANADA	300 LAURIER AVE. WEST (T.B.C) HEALTH UNIT #28, 10TH FLOOR WEST TOWER OTTAWA ON K1A 0R5	Ν	158.17	<u>61</u>
GVT. OF CANSUPPLY AND SERVICES	OLYMPIA PRINTING PLANT,LEVEL P1,W.TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	Ν	158.17	<u>61</u>
GVT. OF CAN.(OUT OF BUS) 18- 208	OLYMPIA PRINTING PLANT,LEVEL P1,W.TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	Ν	158.17	<u>61</u>
54 erisinfo.com Envir	onmental Risk Information Services		0	rder No: 22042800477

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
GVT. OF CAN.(OUT OF BUSINESS)	OLYMPIA PRINTING PLANT,LEVEL P1,W.TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A 0S5	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A 0S5	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A0S5	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A0S5	Ν	158.17	<u>61</u>
Public Works and Government Services Canada	300 Laurier Ave Ottawa ON K0A0S5	Ν	158.17	<u>61</u>
Public Services & Procurement Canada RPB	300 Laurier Ave Ottawa ON K0A 0S5	Ν	158.17	<u>61</u>

Equal/Higher Elevation Public Services & Procurement Canada RPB	Address 300 Laurier Ave Ottawa ON K0A 0S5	<u>Direction</u> N	<u>Distance (m)</u> 158.17	<u>Map Key</u> <u>61</u>
Public Services & Procurement Canada RPB	300 Laurier Ave Ottawa ON K0A 0S5	Ν	158.17	<u>61</u>
GVT. OF CAN R.C.M.P.	OTTAWA A DIVISION, DRUG SECTION 400 COOPER STREET OTTAWA ON K1A 0R4	S	167.32	<u>67</u>
GVT. OF CAN R.C.M.P. 18-132	OTTAWA A DIVISION, DRUG SECTION 400 COOPER STREET OTTAWA ON K1A 0R4	S	167.32	<u>67</u>
DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE	167.60	<u>69</u>
DRAICCHIO'S TAILORING & CLEANING 12-549	272 BANK STREET OTTAWA ON K2P 1X6	SSE	167.60	<u>69</u>
DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE	167.60	<u>69</u>
DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE	167.60	<u>69</u>
DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE	167.60	<u>69</u>
DRAICCHIO'S TAILORING & CLEANING	272 BANK STREET OTTAWA ON K2P 1X6	SSE	167.60	<u>69</u>
7695713 canada inc.	272 BANK ST OTTAWA ON	SSE	167.60	<u>69</u>
7695713 canada inc.	272 BANK ST OTTAWA ON	SSE	167.60	<u>69</u>

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE	167.60	<u>69</u>
7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE	167.60	<u>69</u>
7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE	167.60	<u>69</u>
7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE	167.60	<u>69</u>
7695713 canada inc.	272 BANK ST OTTAWA ON K2P1X6	SSE	167.60	<u>69</u>
DOWNTOWN COBBLER DOWNTOWN COBBLER	272 BANK ST OTTAWA ON k2p1x6	SSE	167.60	<u>69</u>
B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW	168.54	<u>70</u>
B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW	168.54	<u>70</u>
B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW	168.54	<u>70</u>
B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW	168.54	<u>70</u>
B. Surani Drugs Ltd. (910)	174 BANK ST OTTAWA ON K1P 5N7	WNW	168.54	<u>70</u>

Equal/Higher Elevation CAMPBELL AND KENNEDY ELECTRIC LTD.	<u>Address</u> M2-171 BANK ST. OTTAWA ON K2P 1W5	Direction NNW	<u>Distance (m)</u> 169.14	<u>Map Key</u> <u>71</u>
O & Y PROPERTIES INC.	171 BANK STREET L'ESPLANADE LAURIER OTTAWA ON K2P 1W5	NNW	169.14	<u>71</u>
O & Y PROPERTIES INC.	L'ESPLANADE LAURIER 171 BANK STREET OTTAWA ON K2P 1W5	NNW	169.14	<u>71</u>
ROSTRUST INVESTMENTS INC.	171 BANK STREET (L'ESPLANADE LAURIER) OTTAWA ON K2P 1W5	NNW	169.14	<u>71</u>
BLACK PHOTO(OUT OF BUS.)	181 BANK STREET, UNITS 121-122 L'ESPLANADE OTTAWA ON K2P 1W5	NNW	169.14	<u>71</u>
BLACK PHOTO CORPORATION	171-181 BANK STREET, UNITS 121- 122 OTTAWA ON K2P 1W5	NNW	169.14	<u>71</u>
GLASER PHARMACY LTD.	267 BANK STREET OTTAWA ON K2P 1X3	SE	170.13	<u>72</u>
COOPER PHARMACY INC SWIFT COMPOUNDING PHARMACY	276 BANK ST OTTAWA ON K2P 1X6	SSE	176.58	<u>73</u>
COOPER PHARMACY INC SWIFT COMPOUNDING PHARMACY	276 BANK ST OTTAWA ON K2P 1X6	SSE	176.58	<u>73</u>
MCEVOY-SHIELDS FUNERAL HOMES LTD.	235 KENT STREET OTTAWA ON K2P 1Z9	WSW	180.48	<u>74</u>
MCEVOY-SHIELDS FUNERAL HOMES LTD. 44-472	235 KENT STREET OTTAWA ON K2P 1Z9	wsw	180.48	<u>74</u>
Service Corporation International Canada	235 Kent Street Ottawa ON K2P 1Z9	WSW	180.48	<u>74</u>

Equal/Higher Elevation	Address	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Charlesfort Development Corporation	235 Kent Street Ottawa ON K2P 1Z9	WSW	180.48	<u>74</u>
GVT. OF CAN FINANCE CANADA	PROPERTY & MATERIAL MANAGEMENT 140 O'CONNOR STREET OTTAWA ON K1A 0G5	NNE	195.31	<u>81</u>
FINANCE AND TREASURY BOARD OF CAN. DEPT.	140 O'CONNOR STREET PROPERTY & MATERIAL MANAGEMENT OTTAWA ON K1A 0G5	NNE	195.31	<u>81</u>
GVT. OF CAN FINANCE CANADA 18-149	PROPERTY & MATERIAL MANAGEMENT 140 O'CONNOR STREET OTTAWA ON K1A 0G5	NNE	195.31	<u>81</u>
DEPT. OF FINANCE/TREASURY BOARD OF CANADA	140 O'CONNOR STREET FACILITIES MANAGEMENT OTTAWA ON K1A 0G5	NNE	195.31	<u>81</u>
DEPT. OF FINANCE/TREASURY BOARD OF CANADA	140 O'CONNOR STREET FACILITIES MANAGEMENT OTTAWA ON K2P 2H6	NNE	195.31	<u>81</u>
Gannon Blackburn Electric Inc.	140 O'Connor Ottawa ON K1A 0R5	NNE	195.31	<u>81</u>
TNC 340 Laurier Ltd.	340 Laurier Ave West ottawa ON K1A 0P8	WNW	197.92	<u>82</u>
TNC 340 Laurier Ltd	340 Laurier Ottawa ON K1A 0P9	WNW	197.92	<u>82</u>
Epic Realty Partners	340 Laurier Ave. Ottawa ON K1P 5K3	WNW	197.92	<u>82</u>
Demo Core	340 Laurier Ave. Ottawa ON K1A 0P9	WNW	197.92	<u>82</u>

Equal/Higher Elevation 340 TNC Laurier Ltd.	Address 340 Laurier Avenue Ottawa ON K1A 0P9	<u>Direction</u> WNW	<u>Distance (m)</u> 197.92	<u>Map Key</u> <u>82</u>
Starlight Investments	340 Laurier Ave West Ottawa ON K1A 0P9	WNW	197.92	<u>82</u>
JER OTTAWA ULC	340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	WNW	197.92	<u>82</u>
JER OTTAWA ULC	340 LAURIER AVENUE WEST SIR WILFRID LAURIER BUILDING OTTAWA ON K1A 0P9	WNW	197.92	<u>82</u>
OTTAWA 340 LAURIER AVENUE WEST INC.	340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	WNW	197.92	<u>82</u>
Public Works and Government Services Canada	340 Laurier Street Ottawa ON K1P 5K3	WNW	197.92	<u>82</u>
Public Works and Government Services Canada	340 Laurier Street Ottawa ON	WNW	197.92	<u>82</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
Centretown Community Health Centre Inc.	420 Cooper Street Ottawa ON K2P 2N6	S	204.97	<u>88</u>
SHOPPERS DRUG MART	161 BANK STREET OTTAWA ON K1P 5N7	NW	206.26	<u>90</u>
R. E. Hein Construction	301 LAURIER AVENUE WEST OTTAWA ON	NW	207.66	<u>92</u>
HUDSON PARK CONDOS	245 KENT STREET OTTAWA ON K2P 0A5	WSW	210.40	<u>94</u>
OTTAWA COMMUNITY HOUSING CORPORATION	395 SOMERSET STREET OTTAWA ON	S	212.68	<u>96</u>
Black & McDonald Ltd.	395 Somerset Ottawa ON K2L 4X8	S	212.68	<u>96</u>
Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P 0K1	S	217.39	<u>101</u>

Equal/Higher Elevation Dedicated National Pharmacy (In Receivership)	Address 401 Somerset St West Ottawa ON K2P 0K1	<u>Direction</u> S	<u>Distance (m)</u> 217.39	<u>Map Key</u> <u>101</u>
Dedicated National Pharmacy (In Receivership)	401 Somerset St West Ottawa ON K2P 0K1	S	217.39	<u>101</u>
Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P 0K1	S	217.39	<u>101</u>
Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P 0K1	S	217.39	<u>101</u>
Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON	S	217.39	<u>101</u>
Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P0K1	S	217.39	<u>101</u>
Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P0K1	S	217.39	<u>101</u>
Ontario Addiction Treatment Centres	401 Somerset Street, West Ottawa ON K2P0K1	S	217.39	<u>101</u>
Canadian Addiction Treatment Clinics LP	401 Somerset Street, West Ottawa ON K2P0K1	S	217.39	<u>101</u>
Canadian Addiction Treatment Clinics LP	401 Somerset Street, West Ottawa ON K2P0K1	S	217.39	<u>101</u>
Canadian Addiction Treatment Clinics LP	401 Somerset Street, West Ottawa ON K2P0K1	S	217.39	<u>101</u>
AULT FOODS LIMITED	453 COOPER STREET OTTAWA ON K2P 0H1	SW	220.85	<u>105</u>

Equal/Higher Elevation	Address	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
AULT FOODS LIMITED	453 COOPER STREET OTTAWA ON K2P 0H1	SW	220.85	<u>105</u>
AULT FOODS LIMITE(OUT OF BUSINESS)03-320	453 COOPER STREET OTTAWA ON K2P 0H1	SW	220.85	<u>105</u>
HEALTH AND WELFARE CANADA	HEALTH UNIT#31, 2ND FL., NORONO BLDG. 360 LAURIER AVE. WEST (HWC) OTTAWA ON K1P 1C8	W	230.79	<u>114</u>
GVT OF CAN- HEALTH&WELFARE CAN.MED. 16-305	SER.BR,UNIT#31,2ND FL.,NORONO BLDG. 360 LAURIER AVE. WEST,C/O 301 ELGIN ST OTTAWA ON K1P 1C8	W	230.79	<u>114</u>
HEALTH AND WELFARE CANADA	360 LAURIER AVE. WEST (HWC) HEALTH UNIT #31, 2ND FLOOR, NORONO BLDG. OTTAWA ON K1P 5K3	W	230.79	<u>114</u>
ARTEXT ELECTRONIC PUBLISHING INC.	124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	Ν	237.24	<u>125</u>
ARTEXT ELECTRONICOUT OF BUSINESS	124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	Ν	237.24	<u>125</u>
ARTEXT ELECTRONIC (OUT OF BUS.) 03-293	124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	Ν	237.24	<u>125</u>
ARTEXT ELECTRONIC PUBLISHING INC.	124 O'CONNOR ST. SUITE 200 OTTAWA ON K1P 5M9	Ν	237.24	<u>125</u>
ARTEXT ELE(OUT OF BUSINESS)G INC. 03-388	124 O'CONNOR ST. SUITE 200 OTTAWA ON K1P 5M9	Ν	237.24	<u>125</u>
HUNT CLUB PRESS LTD (OUT OF BUSINESS)	263 LAURIER AVE. W. OTTAWA ON K1P 5J9	Ν	237.24	<u>125</u>

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
HUNT CLUB PRESS LTD. 19-736	263 LAURIER AVE. W. OTTAWA ON K1P 5J9	Ν	237.24	<u>125</u>
QUADRAPRESS INC.	263 LAURIER AVENUE WEST OTTAWA ON K1P 5J9	Ν	237.24	<u>125</u>
The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
PUBLIC SAFETY CANADA	269 LAURIER WEST OTTAWA ON K1A0S5	NNW	240.57	<u>129</u>
The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
PUBLIC SAFETY CANADA	269 LAURIER WEST OTTAWA ON K1A0S5	NNW	240.57	<u>129</u>
Public Services & Procurement Canada RPB	269 Laurier W. OTTAWA ON K1A 0P8	NNW	240.57	<u>129</u>
The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
Public Services & Procurement Canada RPB	269 Laurier W. OTTAWA ON K1A 0P8	NNW	240.57	<u>129</u>

Equal/Higher Elevation The Great-West Life Assurance Company	Address 269 Laurier Avenue West Ottawa ON K1P 5J9	Direction NNW	<u>Distance (m)</u> 240.57	<u>Map Key</u> <u>129</u>
The Great West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
The Great-West Life Assurance Company	269 Laurier Avenue West Ottawa ON K1P 5J9	NNW	240.57	<u>129</u>
Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	SSE	241.77	<u>134</u>
Loblaw Companies Limited	296 Bank St. Ottawa ON K2P 1X8	SSE	241.77	<u>134</u>
LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	SSE	241.77	<u>134</u>
LOBLAWS INC.	296 Bank St. Ottawa ON K2P 1X8	SSE	241.77	<u>134</u>
Canada Revenue Agency	333 Laurier Avenue Ottawa ON	WNW	245.09	<u>136</u>
Public Works and Government Services Canada	333 Laurier Ave Ottawa ON	WNW	245.09	<u>136</u>
Public Services & Procurement Canada ESD	333 Laurier Ave Ottawa ON K1P 1C1	WNW	245.09	<u>136</u>

Lower Elev	vation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
65	erisinfo.com	<u>n</u> Environmental Risk Informatio	on Services		Order No: 22042800477

J Levinston Holding	212 - 232 Bank st. Ottawa ON K2P 1X1	SSW	56.17	<u>15</u>
Claridge Homes Corporation	287 Lisgar Ottawa ON	E	106.87	<u>32</u>
CLARIDGE HOMES (CENTRETOWN) INC.	287 LISGAR STREET OTTAWA ON	E	106.87	<u>32</u>
Claridge Homes Limited Partnership	287 Lisgar Street Ottawa ON K2P 0E1	E	106.87	<u>32</u>
Claridge Homes	287 Lisgar Street Ottawa ON K2P 0E1	E	106.87	<u>32</u>
Regional Group	152 Gloucester St Ottawa ON K2P 0A6	Ν	111.14	<u>34</u>
GVT. OF CAN NATIONAL DEFENCE	CRAD/DSIS-NATIONAL DEFENCE HEADQUARTERS 190 O'CONNOR ST. OTTAWA ON K1A 1G8	ENE	124.50	<u>44</u>
GVT. OF CAN NATIONAL DEFENCE	190 O'CONNOR STREET DIRECTORATE, SCIENTIFIC INFORMAT.SERVICE OTTAWA ON K1A 1G8	ENE	124.50	<u>44</u>
GVT. OF CAN NATIONAL DEFENCE 18-192	CRAD/DSIS-NATIONAL DEFENCE HEADQUARTERS 190 O'CONNOR ST. OTTAWA ON K1A 1G8	ENE	124.50	<u>44</u>
DEPT. OF NATIONAL DEFENCE	DEFENCE RESEARCH DEVELOPMENT BRANCH 190 O'CONNOR STREET OTTAWA ON K1A 0K2	ENE	124.50	<u>44</u>
Taggart Corporation Ltd.	257 Lisgar Street Otawa ON K2P 0C7	ENE	208.06	<u>93</u>
Taggart Group Ltd	257 Lisgar St Ottawa ON K2P1P0	ENE	208.06	<u>93</u>

DEPARTMENT OF(OUT OF BUSINESS) 17-714	DENTAL CLINIC LAB. 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	NE	218.72	<u>102</u>
DEPARTMENT OF NATIONAL DEFENCE 17-714	DENTAL CLINIC LAB. 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	NE	218.72	<u>102</u>
DEPT. OF NATIONAL DEFENCE (OUT OF BUS.)	DENTAL CLINIC LAB 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	NE	218.72	<u>102</u>
Claridge Homes Corporation	96 Nepean Street Ottawa ON	ENE	235.40	<u>119</u>
Danosh construction	325 Cooper St ottawa ON K2P 0G5	E	238.19	<u>126</u>
Danosh construction	325 Cooper St ottawa ON K2P 0G5	E	238.19	<u>126</u>
Prime Mechanical	151 O'Connor Ottawa ON K2P 2M5	NNE	241.43	<u>132</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Feb 28, 2022 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
	212 Bank Street , Ottawa ON	WSW	34.88	<u>3</u>

<u>NPCB</u> - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 5 NPCB site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
OLYMPIA & YORK DEVELOPMENTS LTD.	L'ESPLANADE LAURIER; 171 BANK STREET LEVEL II OTTAWA ON K2P 1W5	NNW	169.14	<u>71</u>

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
ROSTRUST INVESTMENTS INC.	171 BANK STREET LEVEL II BANK STREET LEVEL II OTTAWA ON	NNW	169.14	<u>71</u>
ROSTRUST INVESTMENTS INC.	171 BANK STREET LEVEL 2 L'Esplanade Laurier Ottawa ON K2P 1W5	NNW	169.14	<u>71</u>
ROSTRUST INVESTMENTS INC.	L'ESPLANADE LAURIER 171 BANK STREET LEVEL II OTTAWA ON K2P 1W5	NNW	169.14	<u>71</u>
SEALTEST	DIVISION OF AULT FOODS; 453 COOPER STREET OTTAWA ON K2P 0H1	SW	220.85	<u>105</u>

NPRI - National Pollutant Release Inventory

A search of the NPRI database, dated 1993-May 2017 has found that there are 1 NPRI site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
O&Y ENTERPRISE	340 LAURIER Avenue West OTTAWA ON K1A0P8	WNW	197.92	<u>82</u>

OOGW - Ontario Oil and Gas Wells

A search of the OOGW database, dated 1800-Jan 2021 has found that there are 1 OOGW site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Ottawa Dairy Well	Nepean ON	SSE	227.46	<u>109</u>
	Licence No: F019784			

PAP - Canadian Pulp and Paper

A search of the PAP database, dated 1999, 2002, 2004, 2005, 2009-2014 has found that there are 1 PAP site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Communications, Energy & Paperworkers Union of Canada	301 Laurier Ave W Ottawa ON K1P 6M6	NW	207.66	<u>92</u>

PES - Pesticide Register

A search of the PES database, dated Oct 2011- Mar 31, 2022 has found that there are 5 PES site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation SHOPPERS DRUG MART #988	<u>Address</u> 174 BANK ST OTTAWA ON K2P1W6	Direction WNW	<u>Distance (m)</u> 168.54	<u>Map Key</u> <u>70</u>
SHOPPERS DRUG MART #988	174 BANK ST OTTAWA ON K2P1W6	WNW	168.54	<u>70</u>
SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA)	161 BANK ST OTTAWA ON K1P 5N7	NW	206.26	<u>90</u>
SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA)	161 BANK ST OTTAWA ON K1P 5N7	NW	206.26	<u>90</u>
SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA)	161 BANK ST OTTAWA ON K1P 5N7	NW	206.26	<u>90</u>

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
ENBRIDGE GAS INC	142 NEPEAN ST,,OTTAWA,ON,K2P 2N2,CA ON	ENE	113.49	<u>35</u>
PIPELINE HIT 1"	331 COOPER ST,,OTTAWA,ON,K2P 0G5,CA ON	E	228.45	<u>110</u>

PRT - Private and Retail Fuel Storage Tanks

erisinfo.com | Environmental Risk Information Services

A search of the PRT database, dated 1989-1996* has found that there are 2 PRT site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation BYTOWN TOWING & AUTOCARE LTD	Address 154 O CONNOR ST AT GLOUCESTER OTTAWA ON	Direction NNE	<u>Distance (m)</u> 143.94	<u>Map Key</u> <u>51</u>
Lower Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
I C ASSALY CONSTRUCTION	199 KENT ST OTTAWA ON K2P2K8	W	235.11	<u>118</u>

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994 - Mar 31, 2022 has found that there are 1 PTTW site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Claridge Homes (287 Lisgar) Inc.	287 Lisgar Street City of Ottawa, Ontario CITY OF OTTAWA ON	E	106.87	<u>32</u>

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Mar 2022 has found that there are 5 RSC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
Soho Lisgar Inc.	300 Lisgar Street, Ottawa, Ontario, K2P 1T6, ON K2P 0E2	ESE	92.14	<u>23</u>
Youth Services Bureau of Ottawa	433 COOPER ST/366 LISGAR STREET, OTTAWA, ON	SW	113.53	<u>36</u>
Ambassador-Mondrian Inc.	324 LAURIER AVE W, OTTAWA, ON, K1P 0A4 ON	WNW	162.10	<u>64</u>
Charlesfort Development Corporation	235 and 245 Kent Street, Ottawa, Ontario, K2P 1Z9, ON	WSW	180.48	<u>74</u>

Lower Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
CLARIDGE HOMES (287 LISGAR) INC.	287 LISGAR STREET, OTTAWA, ON K2P 0E1 Ottawa ON	E	106.87	<u>32</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 27 SCT site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation WALLACK'S ART & DRAFTING	<u>Address</u> 231 BANK ST OTTAWA ON K2P 1W9	<u>Direction</u> S	<u>Distance (m)</u> 29.67	<u>Map Key</u> <u>1</u>
Canadian Bible Society	315 Lisgar St Ottawa ON K2P 0E1	ESE	33.90	<u>2</u>
CAPITAL XTRA INC.	177 NEPEAN ST SUITE 500 OTTAWA ON K2P 0B4	NW	45.57	<u>10</u>
Canus Signs Plastics Ltd.	300 Lisgar St Ottawa ON K2P 0E2	ESE	92.14	<u>23</u>
Canus Plastics Inc.	300 Lisgar St Ottawa ON K2P 0E2	ESE	92.14	<u>23</u>
O'Brien Publishing Inc.	176 Gloucester St Suite 400 Ottawa ON K2P 0A6	NW	95.09	<u>24</u>
Cdn Council Tobacco Control	192 Bank St Ottawa ON K2P 1W8	WNW	98.96	<u>28</u>
Koffman Signs Ltd.	146 Nepean St Ottawa ON K2P 0B6	ENE	99.57	<u>29</u>
KOFFMAN SIGNS	146 NEPEAN ST OTTAWA ON K2P 0B6	ENE	99.57	<u>29</u>

Equal/Higher Elevation Akiva Publishing Inc.	Address 251 Bank St Suite 206 Ottawa ON K2P 1X3	Direction SE	<u>Distance (m)</u> 121.58	<u>Map Key</u> <u>42</u>
McKenzie Publishing Inc.	251A Bank St Suite 500 Ottawa ON K2P 1X3	SE	121.58	<u>42</u>
Capital Xtra - Div. of Pink	251 Bank St Unit 503 Ottawa ON K2P 1X3	SE	121.58	<u>42</u>
Imagnan Corp.	396 Cooper St Suite 203 Ottawa ON K2P 2H7	SE	161.67	<u>63</u>
Ottawa X Press	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE	161.67	<u>63</u>
Communications Voir Inc.	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE	161.67	<u>63</u>
Communications Voir Inc.	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE	161.67	<u>63</u>
The Ottawa X Press - Div. of Communications Voir Inc.	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE	161.67	<u>63</u>
The Ottawa Xpress	396 Cooper St Suite 204 Ottawa ON K2P 2H7	SE	161.67	<u>63</u>
Grantium Inc.	279 Laurier Ave W Suite 200 Ottawa ON K1P 5J9	NW	200.63	<u>85</u>
Biz Point Inc.	273 Bank St Ottawa ON K2P 1X5	SE	206.84	<u>91</u>
E.L. LITTLEJOHN & ASSOCIATES	151 BANK ST FLOOR 2 OTTAWA ON K1P 5N7	NW	236.12	<u>121</u>

Equal/Higher Elevation	Address	Direction	<u>Distance (m)</u>	<u>Map Key</u>
FOX PRINT & COPY LTD.	124 O'CONNOR ST OTTAWA ON K1P 5M9	Ν	237.24	<u>125</u>
QUADRAPRINT (1996)	124 O'CONNOR ST OTTAWA ON K1P 5M9	Ν	237.24	<u>125</u>

Lower Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
COOKWARE CENTRE (THE)	220 BANK ST OTTAWA ON K2P 1X1	SW	38.17	<u>5</u>
To Be Publications Inc.	207 Bank St Ottawa ON K2P 2N2	NNW	53.87	<u>14</u>
JacintalInk	207 Bank St Suite 242 Ottawa ON K2P 2N2	NNW	53.87	<u>14</u>
Canadian Council on Social	190 O'Connor St Suite 100 Ottawa ON K2P 2R3	ENE	124.50	<u>44</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 20 SPL site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation Enbridge Gas Distribution Inc.	<u>Address</u> Bank St and Nepean St Ottawa ON	<u>Direction</u> W	<u>Distance (m)</u> 39.47	<u>Map Key</u> <u>6</u>
	222 Nepean Street, Ottawa Ottawa ON	WSW	85.01	<u>19</u>
SHELL CANADA PRODUCTS LTD.	154 O'CONNOR ST. SHELL CANADA GAS STATION SERVICE STATION OTTAWA CITY ON K2P 1T5	NNE	143.94	<u>51</u>

Equal/Higher Elevation SHELL CANADA PRODUCTS LTD.	<u>Address</u> 154 O'CONNER STREET SERVICE STATION OTTAWA CITY ON	<u>Direction</u> NNE	<u>Distance (m)</u> 143.94	<u>Map Key</u> <u>51</u>
	in front of 300 Laurier Avenue <unofficial> Ottawa ON</unofficial>	Ν	158.17	<u>61</u>
Waste Management of Canada Corporation	Bank St and Laurier Ave West Ottawa ON	NW	185.34	<u>76</u>
PRIVATE BUSINESS	340 LAURIER AVE (N.O.S.) OTTAWA CITY ON	WNW	197.92	<u>82</u>
AULT FOODS	453 COOPER ST.AT KENT ST. OTTAWA OTTAWA DAIRY OTTAWA CITY ON K2P 0H1	SW	220.85	<u>105</u>
AULT FOODS	453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1	SW	220.85	<u>105</u>
	269 Laurier Avenue West Ottawa ON	NNW	240.57	<u>129</u>
Parson Refrigeration (1985) Ltd.	296 Bank St Ottawa ON	SSE	241.77	<u>134</u>
Parson Refrigeration (1985) Ltd.	296 Bank St. Ottawa ON K2P 1X8	SSE	241.77	<u>134</u>
Telus Communication Company	1900- 333 Laurier Avenue Ottawa ON K1P 1C1	WNW	245.09	<u>136</u>
PRIVATE OWNER	220 KENT ST MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	WSW	248.95	<u>143</u>
PRIVATE OWNER	280 GLOUCESTER ST(ST. PATRICK CHURCH) STORAGE TANK/BARREL OTTAWA CITY ON K1R 5E4	WSW	248.95	<u>143</u>

Equal/Higher Elevation	Address	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Lower Elevation	Address	Direction	Distance (m)	<u>Map Key</u>
PRIVATE BUSINESS	232 BANK ST STORAGE TANK OTTAWA ON K2P 1X1	SSW	56.17	<u>15</u>
Claridge Homes (Carson) Inc.	287 Lisgar Avenue Ottawa ON K2P 1K8	E	106.87	<u>32</u>
OTTAWA HYDRO	375 COOPER STREET TRANSFORMER OTTAWA CITY ON K2P 0G8	ESE	145.05	<u>54</u>
Enbridge Gas Distribution Inc.	331 Cooper St. Ottawa ON	E	228.86	<u>111</u>
Kent Towers <unofficial></unofficial>	199 Kent st Ottawa ON	W	235.11	<u>118</u>

WWIS - Water Well Information System


A search of the WWIS database, dated Sep 30, 2021 has found that there are 23 WWIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	<u>Distance (m)</u>	<u>Map Key</u>
	ON	NE	39.89	<u>7</u>
	Well ID: 7296899			
	ON	WNW	96.80	<u>25</u>
	Well ID: 1503876			
	355 COOPER ST OTTAWA ON	E	108.07	<u>33</u>
	Well ID: 7305580			
	355 COOPER ST OTTAWA ON	E	116.07	<u>37</u>
	Well ID: 7305582			

Equal/Higher Elevation	<u>Address</u> 154 O'CONNOR STREET Ottawa ON <i>Well ID:</i> 7130914	<u>Direction</u> NE	<u>Distance (m)</u> 161.64	<u>Map Key</u> <u>62</u>
	154 O'CONNOR ST Ottawa ON Well ID: 7139448	NNE	162.30	<u>65</u>
	154 O'CONNOR STREET Ottawa ON	NE	166.24	<u>66</u>
	<i>Well ID:</i> 7137421 KENT ST Ottawa ON	SW	222.55	<u>106</u>
	<i>Well ID:</i> 7344656 269 LAURIER AVE Ottawa ON	NNW	231.72	<u>115</u>
	<i>Well ID:</i> 7230965 151 BANK ST Ottawa ON	NW	236.07	<u>120</u>
	<i>Well ID:</i> 7313000 151 BANK ST Ottawa ON	NW	236.64	<u>124</u>
	<i>Well ID:</i> 7312999 150 SLATER STREET Ottawa ON	Ν	238.27	<u>127</u>
	<i>Well ID:</i> 7121702 KENT ST Ottawa ON	W	241.09	<u>130</u>
	<i>Well ID:</i> 7344659 281 kent st Ottawa ON	SSW	247.18	<u>139</u>
	Well ID: 7354243			
Lower Elevation	Address 355 COOPER ST OTTAWA ON Well ID: 7305579	Direction ESE	<u>Distance (m)</u> 120.54	<u>Map Key</u> <u>41</u>


355 COOPER ST OTTAWA ON	E	135.94	<u>49</u>
Well ID: 7305581			
315 COOPER ST Ottawa ON	ESE	148.09	<u>56</u>
Well ID: 7312996			
355 COOPER ST Ottawa ON	E	155.10	<u>59</u>
Well ID: 7312995			
SOMERSET ROADWAY OTTAWA ON	SE	220.78	<u>104</u>
Well ID: 1535586			
331 Cooper St Ottawa ON	E	229.59	<u>113</u>
Well ID: 7334763			
170 METCALFE ST lot D con C Ottawa ON	NE	241.37	<u>131</u>
Well ID: 7318398			
338 SOMERSET STREET WEST OTTAWA ON	ESE	247.49	<u>140</u>
Well ID: 7046637			
170 METCALFE ST lot D con C Ottawa ON	NE	248.44	<u>142</u>
Wall ID: 7218207			

Well ID: 7318397



Source: © 2021 ESRI StreetMap Premium.

© ERIS Information Limited Partnership



Aerial Year: 2021

Address: 178 Nepean, 219 & 223 Bank, Ottawa, ON


Source: ESRI World Imagery

Order Number: 22042800477

© ERIS Information Limited Partnership



45°25'30"N



Alerter Brohton Broht Park Ri deau Gardens

75°40'30"W

Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GERCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnanc1:24000_sri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community Ottawa South

The Gleb

Topographic Map

0

Address: 178 Nepean, 219 & 223 Bank, ON

m 610

Source: ESRI World Topographic Map

305

610

Order Number: 22042800477



© ERIS Information Limited Partnership

45°24'N

45°25'30"N

Detail Report

Мар Кеу	Number Record		Elev/Diff (m)	Site	DB
1	1 of 1	S/29.7	76.9 / 0.00	WALLACK'S ART & DRAFTING 231 BANK ST OTTAWA ON K2P 1W9	SCT
Established: Plant Size (fi Employment	t²):	0 20			
<u>Details</u> Description: SIC/NAICS C		MEASURING & COI 3829	NTROLLING DE	VICES, N.E.C.	
Description: SIC/NAICS C		LEAD PENCILS, CR 3952	AYONS, & ART	'ISTS' MATERIALS	
Description: SIC/NAICS C		MARKING DEVICES 3953	3		
2_	1 of 1	ESE/33.9	76.9 / 0.00	Canadian Bible Society 315 Lisgar St Ottawa ON K2P 0E1	SCT
Established: Plant Size (fi Employment	t²):	01-DEC-05 3000			
<u>Details</u> Description: SIC/NAICS C		Professional Organiz 813920	zations		
3	1 of 1	WSW/34.9	76.7/-0.18	212 Bank Street , Ottawa ON	INC
Incident No: Incident ID: Instance No. Status Code Attribute Ca Context: Date of Occu Incident Cre Instance Cre Instance Ins Occur Insp S Approx Qua Tank Capaci Fuels Occur Fuel Type In Enforcemen Prc Escalati	tegory: tegory: urrence: ated On: eation Dt: tall Dt: Start Date: nt Rel: ity: Type: volved: t Policy:	388460 2540090 Causal Analysis Complete FS-Perform L1 Near Miss Insp 2010/05/21 00:00:00 12:00:00 2010/05/21 00:00:00 Unknown Other Fuel Oil NULL NULL		Any Health Impact:NoAny Enviro Impact:UnknownService Interrupted:NoWas Prop Damaged:UnknownReside App. Type:Commer App. Type:Indus App. Type:Institut App. Type:Institut App. Type:Venting Type:Vent Conn Mater:Vent Chimney Mater:Pipeline Type:Pipeline Involved:Pipeline Involved:Pipe Material:Depth Ground Cover:Regulator Location:Regulator Type:Operation Pressure:	

Мар Кеу	Numbel Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Tank Materii Tank Storag Tank Locatii Pump Flow Task No: Notes: Drainage Sy Sub Surface Aff Prop Us Contact Nat Incident Loc Occurence I Operation T Item: Item Descrij Device Insta	e Type: on Type: Rate Cap: e Contam.: e Water: grated: ural Env: sation: Narrative: ype Involved otion:	d: (212 Bank Street , Ot Discovery of abandc Commercial (e.g. res	ned UST.	Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water: unit, etc)	No	
<u>4</u>	1 of 1		NNW/37.7	76.8/-0.03	177 Nepean St Ottawa ON K2P 1W7		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sin Lot/Building Additional In	: ed: te Name: ı Size:	201911010 C Standard F 06-NOV-19 01-NOV-19	Report 9		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.69774 45.417552	
<u>5</u>	1 of 1		SW/38.2	76.7 / -0.18	COOKWARE CENTRE 220 BANK ST OTTAWA ON K2P 1X1		SCT
Established Plant Size (f Employmen	t²):	(1959))				
<u>Details</u> Description SIC/NAICS (Service Establishme 117920	nt Machinery, Equ	ipment and Supplies Whole	esaler-Distributors	
<u>6</u>	1 of 1		W/39.5	77.9 / 1.00	Enbridge Gas Distribu Bank St and Nepean S Ottawa ON		SPL
Ref No: Site No: Incident Dt: Year: Incident Cau Incident Eve Contaminan Contaminan Contaminan Contaminan Environmen Nature of Im Receiving M	ent: t Code: t Name: t Limit 1: it Freq 1: t UN No 1: t Impact: pact:	8824-9TL9 NA 2/10/2015 Collision/A 35 NATURAL Air		ED (METHANE)	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc:	Bank St and Nepean St Ottawa	

Order No: 22042800477

	ction/ ance (m)	Elev/Diff (m)	Site	DB
N 2/10/2015			Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fue
Gas Me TSSA: (ter <unoff gas meter st</unoff 	ruck by snowplow	Source Type:	Release/Spill
NE/39	.9	76.9/0.00	ON	wwis
			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	Yes 10/6/2017 TRUE 7328 8 OTTAWA NEPEAN TOWNSHIP
2017 45.4175	047288114			
1006764387	0:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	18 445448.00 5029568.00 UTM83 4 margin of error : 30 m - 100 m
	s Dist N 2/10/2015 Operator/Human I Gas Me TSSA: 6 0 other 7296899 NE/39 7296899 C30157 A203689 C30157 A203689 2017/08 2017 2017/08 2017 2017/08 2017 2017/08 2017 2017/08 2017	s Distance (m) N 2/10/2015 Operator/Human Error Gas Meter <unoff< td=""> TSSA: gas meter st 0 other - see incider NE/39.9 7296899 C30157 A203689 Quint/08/24 2017 2017/08/24 2017 45.4175047288114 -75.697232269949</unoff<>	s Distance (m) (m) N 2/10/2015 Operator/Human Error Gas Meter <unofficial> TSSA: gas meter struck by snowplow 0 other - see incident description NE/39.9 76.9 / 0.00 7296899 72.96899 C30157 A203689 2017/08/24 2017 2017/08/24 2017 45.4175047288114 -75.697232269949</unofficial>	s Distance (m) (m) N 2/10/2015 N 2/10/2015 N Coperator/Human Error Gas Meter-CUNOFFICIAL> TSSA: gas meter struck by snowplow 0 other - see incident description NE/39.9 NE/39.9 NE/39.9 NE/39.9 NE/39.9 NE/39.9 NE/39.9 NE/39.9 NON 7296899 Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rece: Contractor: Date Received: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession: Concession: Concession: Concession: Concession: Concession: NAD83: Northing NAD83: Zone: UTM Reliability: 1006764387 Elevation: Elevrc: Zone: East83: North33: Org CS:

Мар Кеу	Numbe Record		<i>Direction/</i> Distance (m)	Elev/Diff (m)	Site		DE
Improvemen Source Revi Supplier Col	ision Comr						
<u>8</u>	1 of 3		SW/41.2	77.6 / 0.69	BICYCLE REVIVAL LI 224 BANK STREET OTTAWA ON K2P 1X1		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON117740 9949 OTHER RE 89) PAIR SERV.		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class Waste Class			13 ETROLEUM DIST	TILLATES			
<u>8</u>	2 of 3		SW/41.2	77.6 / 0.69	BICYCLE REVIVAL LI 224 BANK STREET OTTAWA ON K2P 1X1		GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON117740 9949 OTHER RE 92,93,94,95	PAIR SERV.		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class Waste Class			13 ETROLEUM DIST	TILLATES			
<u>8</u>	3 of 3		SW/41.2	77.6 / 0.69	BICYCLE REVIVAL LI 224 BANK STREET OTTAWA ON K2P 1X1		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON117740 9949 OTHER RE 99,00,01) PAIR SERV.		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class Waste Class			13 ETROLEUM DIST	TILLATES			
<u>9</u>	1 of 1		NW/44.6	77.6 / 0.69	203 Bank St Ottawa ON K2P1W7		EHS
Order No: Status: Report Type Report Date Date Receive	:	201508041 C Custom Re 10-AUG-15 04-AUG-15	port		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	ON .25 -75.697868	

Order No: 22042800477

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Previous Sit Lot/Building Additional Ir	Size:			Y:	45.417577	
<u>10</u>	1 of 4	NW/45.6	77.6 / 0.69	CAPITAL XTRA INC. 177 NEPEAN ST SUITE OTTAWA ON K2P 0B4		sc
Established: Plant Size (fi Employment	t²):	1994 1800 7				
- <u>-Details</u> Description: SIC/NAICS C		Newspaper Publish 511110	ners			
<u>10</u>	2 of 4	NW/45.6	77.6 / 0.69	District Realty Corpora 177 Nepean Street Ottawa ON K2P 0B4	ation	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON3439760 531310 Real Estate Property Manage 05	ers	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u> Waste Class		243				
Waste Class		PCB'S				
<u>10</u>	3 of 4	NW/45.6	77.6 / 0.69	Mel Cohen Realty Ltd. 177 Nepean Street Ottawa ON		CA
Certificate # Application Issue Date: Approval Ty Status: Application Client Name Client Name Client Addre Client City: Client Posta Project Deso Contaminan Emission Co	Year: pe: Type: : : ess: l Code: cription: ts:	4169-6X5R3J 2007 1/18/2007 Air Approved				
	4 of 4	NW/45.6	77.6 / 0.69	Mel Cohen Realty Ltd. 177 Nepean Street		ECA
<u>10</u>				Ottawa ON K1Y 2E9		

Order No: 22042800477

Map Key	Numbe Record		Elev/Diff (m)	Site	DB
Link Source: SWP Area Na Approval Typ Project Type: Business Nar Address: Full Address: Full Address:	ne: 	IDS Rideau Valley ECA-AIR AIR Mel Cohen Realty I 177 Nepean Street https://www.access		Geometry X: Geometry Y: 9.gov.on.ca/instruments/7918-6JULYV-14.pdf	
PDF Site Loca	ation:				
<u>11</u>	1 of 5	NNE/46.3	76.9 / 0.00	E.A.S. ILLUSTRATORS & PRINTERS LTD 171 NEPEAN ST. OTTAWA ON K2P 0B4	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON1203100 2811 BUSINESS FORMS PRINT 89		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		213 PETROLEUM DIST	TILLATES		
<u>11</u>	2 of 5	NNE/46.3	76.9 / 0.00	E.A.S. ILLUSTRATORS & PRINTERS LTD14-740 171 NEPEAN ST. OTTAWA ON K2P 0B4	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON1203100 2811 BUSINESS FORMS PRINT 92,93,94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		213 PETROLEUM DIST	TILLATES		
<u>11</u>	3 of 5	NNE/46.3	76.9 / 0.00	E.A.S. (OUT OF BUS) 14-740 171 NEPEAN ST. OTTAWA ON K2P 0B4	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON1203100 2811 BUSINESS FORMS PRINT. 97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		213 PETROLEUM DIS	TILLATES		

Map Key	Number Records		Elev/Diff (m)	Site		D
<u>11</u>	4 of 5	NNE/46.3	76.9 / 0.00	ARMCO PRINT 02-638 171 NEPEAN STREET OTTAWA ON K2P 0B4		GEI
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON1550000 2819 OTHER COMM. PRINTING 92,93,96,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		264 PHOTOPROCESS	SING WASTES			
<u>11</u>	5 of 5	NNE/46.3	76.9 / 0.00	ARMCO PRINT 02-638 171 NEPEAN STREET OTTAWA ON K2P 0B4		GEI
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON1550000 2819 OTHER COMM. PRINTING 94,95		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class Waste Class		264 PHOTOPROCESS	SING WASTES			
<u>12</u>	1 of 1	WNW/50.4	77.9 / 1.00	205 Bank Street Ottawa ON K2P 1W7		EHS
Order No: Status: Report Type Report Date. Date Receiv Previous Sit Lot/Building Additional Ir	: ed: e Name: v Size:	20120329004 C Custom Report 4/4/2012 9:17:04 AM 3/29/2012 9:15:30 AM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.698073 45.417517	
<u>13</u>	1 of 1	ENE/53.4	76.9 / 0.00	PE3651 - 293 Lisgar St Ottawa ON K2P 0B6	reet & 176 Nepean Street	EHS
Order No: Status: Report Type Report Date. Date Receiv. Previous Sit Lot/Building Additional Ir	: ed: e Name: Size:	20292400956 C Standard Report 29-SEP-20 24-SEP-20		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.6969478 45.4174346	
<u>14</u>	1 of 2	NNW/53.9	76.8 / -0.03	Jacintallnk 207 Bank St Suite 242 Ottawa ON K2P 2N2		SC

Map Key	Number Records		Elev/Diff m) (m)	Site		E
Established:		2002				
Plant Size (ft²):		2				
Employment:		Z				
Details						
Description: SIC/NAICS Cod		Other Publishe 511190	rs			
310/14/103 001	<i>le.</i>	311130				
<u>14</u> 2	2 of 2	NNW/53.9	76.8 / -0.03	To Be Publications In 207 Bank St Ottawa ON K2P 2N2	с.	SC
Established: Plant Size (ft²): Employment:		01-JUN-02				
<u>Details</u> Description: SIC/NAICS Coc	de:	Periodical Publ 511120	ishers			
<u>15</u> 1	1 of 2	SSW/56.2	76.8 / -0.03	PRIVATE BUSINESS 232 BANK ST STORA OTTAWA ON K2P 1X1	-	SP
Ref No:		186320		Discharger Report:		
Site No: Incident Dt:		9/7/2000		Material Group: Health/Env Conseq:		
Year: Incident Cause		OTHER CONTAINER LE	AK	Client Type: Sector Type:		
Incident Event:				Agency Involved:		
Contaminant C Contaminant N				Nearest Watercourse: Site Address:		
Contaminant L				Site District Office:		
Contam Limit F				Site Postal Code:		
Contaminant U Environment Ir		NOT ANTICIPATED		Site Region: Site Municipality:	20107	
Nature of Impa	ct:			Site Lot:		
Receiving Med Receiving Env:		LAND		Site Conc: Northing:		
MOE Response	e:			Easting:		
Dt MOE Arvl or MOE Reported		9/8/2000		Site Geo Ref Accu: Site Map Datum:		
Dt Document C		9/0/2000		SAC Action Class:		
ncident Reaso Site Name:	on:	DAMAGE BY MOVING E	QUIPMENT	Source Type:		
Site County/Dis Site Geo Ref M						
Incident Summ Contaminant G	nary:	COM/LEV/VIN:	LEAK FROM OIL TA	NK 5L TO GND. CLEAN-ED.		
<u>15</u> 2	2 of 2	SSW/56.2	76.8 / -0.03	J Levinston Holding 212 - 232 Bank st. Ottawa ON K2P 1X1		GE
Generator No:		ON3771486		Status:		
SIC Code:		236110	- (Co Admin:		
SIC Description		Residential Building Cons 2010	struction	Choice of Contact: Phone No Admin:		

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
PO Box No: Country:				Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class. Waste Class		221 LIGHT FUELS				
Waste Class. Waste Class		211 AROMATIC SOLV	/ENTS			
<u>16</u>	1 of 1	E/59.3	76.9 / 0.00	309 Lisgar Avenue Ottawa ON		EHS
Order No: Status: Report Type: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20110307024 C Standard Report 3/9/2011 3/7/2011 12:24:30 PM Fire Insur. Maps a	nd/or Site Plans; (Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory	ON 0.25 -75.696832 45.417327	
<u>17</u>	1 of 1	W/67.8	77.9 / 1.00	BAYVIEW PROPERTY 210 BANK STREET OTTAWA ON K2P 1W	-	GEN
Generator No SIC Code: SIC Descript Approval Yes PO Box No: Country:	ion:	ON7938408 531310 Real Estate Property Manag 07,08	jers	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class. Waste Class	-	221 LIGHT FUELS				
<u>18</u>	1 of 1	NE/75.4	76.9 / 0.00	153 Nepean Street Ottawa ON K2P 0B5		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20090909031 C Custom Report 9/10/2009 9/9/2009		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.69705 45.417807	
<u>19</u>	1 of 6	WSW/85.0	77.9 / 1.00	DEPARTMENT OF NA VANIER BUILDING 22 OTTAWA ON K2B 0B	2 NEPEAN STREET	GEN
Generator No SIC Code: SIC Descript Approval Yea	ion:	ON0046594 8111 DEFENCE SERVICES 95		Status: Co Admin: Choice of Contact: Phone No Admin:		

Order No: 22042800477

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
PO Box No: Country:				Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class		121 ALKALINE WAST	ES - HEAVY MET	ALS		
<u>19</u>	2 of 6	WSW/85.0	77.9 / 1.00	DEPT OF NATIONAL VANIER BUILDING 22 OTTAWA ON K2B 0B		GEN
Generator No): 	ON0046594		Status:		
SIC Code: SIC Descripti Approval Yea		8111 DEFENCE SERVICES 96,97		Co Admin: Choice of Contact: Phone No Admin:		
PO Box No: Country:				Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class		121 ALKALINE WAST	ES - HEAVY MET	ALS		
<u>19</u>	3 of 6	WSW/85.0	77.9 / 1.00	DEPT. OF NATIONAL VANIER BUILDING 22 OTTAWA ON K2B 0B	2 NEPEAN STREET	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON0046594 8111 DEFENCE SERVICES 98,99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class		121 ALKALINE WAST	ES - HEAVY MET	ALS		
<u>19</u>	4 of 6	WSW/85.0	77.9 / 1.00	222 Nepean Street Ottawa ON K2P 0B8		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional Int	ed: e Name: Size:	20111208034 C Standard Report 12/19/2011 4:17:41 PM 12/8/2011 4:17:41 PM Unknown 2428 Square meters		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Ottawa ON 0.25 -75.698633 45.41695	
<u>19</u>	5 of 6	WSW/85.0	77.9 / 1.00	222 Nepean Street, Ot Ottawa ON	ttawa	SPL
Ref No: Site No: Incident Dt: Year:		3052-A9WKJ9 NA 2016/05/13		Discharger Report: Material Group: Health/Env Conseq: Client Type:		

	Number Records			Site		DE
Incident Cau	se:			Sector Type:	Unknown / N/A	
Incident Ever	nt:	Leak/Break		Agency Involved:		
Contaminant	Code:	38		Nearest Watercourse:		
Contaminant		REFRIGERANT GAS	, N.O.S.	Site Address:	222 Nepean Street, Ottawa	
Contaminant				Site District Office:		
Contam Limit Contaminant				Site Postal Code:		
Environment				Site Region: Site Municipality:	Ottawa	
Nature of Imp				Site Lot:	Ollawa	
Receiving Me				Site Conc:		
Receiving En		Air		Northing:		
MOE Respon		No		Easting:		
Dt MOE Arvl	on Scn:			Site Geo Ref Accu:		
MOE Reporte	ed Dt:	2016/05/13		Site Map Datum:		
Dt Document				SAC Action Class:	Notifications	
Incident Reas	son:	Unknown / N/A		Source Type:		
Site Name:		Vanier Build	ling <unofficial></unofficial>			
Site County/L						
Site Geo Ref Incident Sum Contaminant	nmary:	Refrigerant 240 lb	leak from 2 stages of un	it, 240+ pounds of R22 to atm		
<u>19</u>	6 of 6	WSW/85.0	0 77.9 / 1.00	Bona Building Manage 222 Nepean St Ottawa ON K1R5G2	ement	GEN
				_		
Generator No	D:	ON3438000		Status:	Registered	
SIC Code:	•			Co Admin:		
SIC Descripti		As of Nov 2021		Choice of Contact: Phone No Admin:		
Approval Yea PO Box No:	ars:	AS 01 NOV 2021		Contam. Facility:		
Country:		Canada		MHSW Facility:		
,						
<u>Detail(s)</u>						
Waste Class: Waste Class		212 L Aliphatic so	lvents and residues			
	1 of 1	NNW/85.2	77.6 / 0.69			
<u>20</u>		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	77.070.09	170 Gloucester Street Ottawa ON K2P 0A6		EHS
—			77.070.09	Ottawa ON K2P 0A6		EHS
Order No:		20181210018	77.070.09	Ottawa ON K2P 0A6 Nearest Intersection:		EHS
— Order No: Status:		20181210018 C	77.070.09	Ottawa ON K2P 0A6	ON	EHS
		20181210018	77.070.09	Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State:	ON .25	EHS
— Order No: Status:		20181210018 C Standard Report	77.070.09	Ottawa ON K2P 0A6 Nearest Intersection: Municipality:		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site	ed: e Name:	20181210018 C Standard Report 14-DEC-18	77.070.09	Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	.25	EHS
Order No: Status: Report Type: Report Date: Date Receive	ed: e Name: Size:	20181210018 C Standard Report 14-DEC-18 10-DEC-18	Aaps and/or Site Plans; 0	Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	.25 -75.697857	EHS
Order No: Status: Report Type: Date Receive Previous Site Lot/Building Additional Int	ed: e Name: Size: fo Ordered:	20181210018 C Standard Report 14-DEC-18 10-DEC-18	/laps and/or Site Plans; (Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	.25 -75.697857	EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building	ed: e Name: Size:	20181210018 C Standard Report 14-DEC-18 10-DEC-18	/laps and/or Site Plans; (Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	.25 -75.697857	EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional Int	ed: e Name: Size: fo Ordered: 1 of 2	20181210018 C Standard Report 14-DEC-18 10-DEC-18 Fire Insur. N	/laps and/or Site Plans; (Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory Al's Care Pharmacy 240 Bank Street Ottawa ON K2P1X4	.25 -75.697857	
Order No: Status: Report Type: Date Receive Previous Site Lot/Building Additional Int	ed: e Name: Size: fo Ordered: 1 of 2	20181210018 C Standard Report 14-DEC-18 10-DEC-18 Fire Insur. N	/laps and/or Site Plans; (Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory Al's Care Pharmacy 240 Bank Street	.25 -75.697857	
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional Int 21 Generator No	ed: > Name: Size: fo Ordered: 1 of 2	20181210018 C Standard Report 14-DEC-18 10-DEC-18 Fire Insur. N SSW/87.1	/laps and/or Site Plans; (Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory Al's Care Pharmacy 240 Bank Street Ottawa ON K2P1X4 Status:	.25 -75.697857 45.417974	
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional Int 21 Generator No SIC Code:	ed: Name: Size: fo Ordered: 1 of 2 5: ion:	20181210018 C Standard Report 14-DEC-18 10-DEC-18 Fire Insur. N SSW/87.1 ON2848712 446110	/laps and/or Site Plans; (Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory Al's Care Pharmacy 240 Bank Street Ottawa ON K2P1X4 Status: Co Admin:	.25 -75.697857 45.417974 Julia Moussa	
Order No: Status: Report Type: Date Receive Previous Site Lot/Building Additional Int 21 Generator No SIC Code: SIC Descripti	ed: Name: Size: fo Ordered: 1 of 2 5: ion:	20181210018 C Standard Report 14-DEC-18 10-DEC-18 Fire Insur. N SSW/87.1 ON2848712 446110 446110	/laps and/or Site Plans; (Ottawa ON K2P 0A6 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory Al's Care Pharmacy 240 Bank Street Ottawa ON K2P1X4 Status: Co Admin: Choice of Contact:	.25 -75.697857 45.417974 Julia Moussa CO_ADMIN	

Map Key Number of Records			Elev/Diff (m)	Site		DB
<u>Detail(s)</u>						
Waste Class Waste Class		261 PHARMACEUTIC	ALS			
Waste Class Waste Class		312 PATHOLOGICAL	WASTES			
<u>21</u>	2 of 2	SSW/87.1	77.6 / 0.68	240 Bank Street Ottawa ON K2P 1X4		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sin Lot/Building Additional In	: ed: te Name: i Size:	20181010039 C Standard Report 15-OCT-18 10-OCT-18		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.697626 45.41644	
22	1 of 3	S/88.4	76.8/-0.05	240 Bank Street Ottawa ON K2P 1X4		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional I	: ed: te Name: i Size:	20050923002 C Basic Report 10/3/2005 9/23/2005		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.697626 45.416523	
22	2 of 3	S/88.4	76.8/-0.05	240 Bank Street Ottawa ON K2P 1X4		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional I	: ed: te Name: ı Size:	20120207002 C Custom Report 2/13/2012 9:30:56 AM 2/7/2012 9:28:54 AM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.697546 45.416509	
22	3 of 3	S/88.4	76.8/-0.05	240 Bank Street Ottawa ON K2P 1X4		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sin Lot/Building Additional In	: ed: te Name: ı Size:	20200224086 C Standard Report 27-FEB-20 24-FEB-20		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.6976257 45.41644	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB			
<u>23</u>	1 of 6	ESE/92.1	76.9/0.00	Canus Plastics Inc. 300 Lisgar St Ottawa ON K2P 0E2	SCT			
Established: Plant Size (ft Employment:		8/1/1949 22000						
<u>Details</u> Description: SIC/NAICS C	ode:	Plastic Film and Sh 326114	eet Manufacturing					
Description: SIC/NAICS C	ode:	Chemical (except A 418410	gricultural) and Al	ied Product Wholesaler-Distributors				
Description: SIC/NAICS C	ode:	Other Paper and Di 418220	sposable Plastic F	Product Wholesaler-Distributors				
Description: SIC/NAICS C	ode:	Showcase, Partitior 337215	n, Shelving and Lo	cker Manufacturing				
Description: SIC/NAICS C	ode:	All Other Miscellane 332999	eous Fabricated M	etal Product Manufacturing				
Description: SIC/NAICS C	ode:	Supplies Wholesaler-Distributors						
Description: SIC/NAICS C	ode:	Office and Store Ma 417910	Office and Store Machinery and Equipment Wholesaler-Distributors 417910					
Description: SIC/NAICS C	ode:	Plumbing, Heating and Air-Conditioning Equipment and Supplies Wholesaler-Distributors 416120						
Description:Unlaminated Plastic Profile ShSIC/NAICS Code:326121				anufacturing				
Description: SIC/NAICS C	ode:	Sign Manufacturing 339950						
Description: SIC/NAICS C	ode:	All Other Plastic Pro 326198	oduct Manufacturii	ng				
Description: SIC/NAICS C	ode:	Other Specialty-Line 416390	e Building Supplie	s Wholesaler-Distributors				
<u>23</u>	2 of 6	ESE/92.1	76.9 / 0.00	Canus Signs Plastics Ltd. 300 Lisgar St Ottawa ON K2P 0E2	SCT			
Established: Plant Size (ft ^a	²);	1955						
Employment		25						
<u>Details</u> Description: SIC/NAICS C	ode:	All Other Plastic Pro 326198	oduct Manufacturii	ng				
Description:Sign ManufacturingSIC/NAICS Code:339950								
Description: SIC/NAICS C	ode:	Plastic Bottle Manu 326160	facturing					

Map Key	Number Records		Direction/ Distance (n	Elev/Diff n) (m)	Site		DB
<u>23</u>	3 of 6		ESE/92.1	76.9 / 0.00	300 Lisgar Street Ottawa ON K2P 0E2		EHS
Order No:		20090807	7045		Nearest Intersection:	Lisgar Street and Bank Street (Site I	ocated ea
Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	C Standard 8/18/2009 8/7/2009	9	and/or Sire Plans	Municipality: Client Prov/State: Search Radius (km): X: Y:	of intersection) ON 0.25 -75.696446 45.416825	
<u>23</u>	4 of 6		ESE/92.1	76.9 / 0.00	Soho Lisgar Inc. 300 Lisgar Street, Otta ON K2P 0E2	awa, Ontario, K2P 1T6,	RSC
RSC ID: RA No: RSC Type: Curr Propert Ministry Dist Filing Date: Date Ack: Date Returne Restoration Soil Type: Criteria: CPU Issued S 1686: Asmt Roll No Prop ID No (I Property Mui Mailing Addr Latitude & L UTM Coordir Consultant: Legal Desc: Measuremen Applicable S RSC PDF:	rict: ed: Type: Sect Sect PIN): nicipal Addr ess: atitude: nates: nates:	113750 Industrial OTTAWA 23-Jun-1 No ess:	0614041 - 90102 04115-0309 LT 300 Lisgar Stree 188 Eglinton Ave 45.41694440N 7 NAD83 18-4454 LOT 37 AND PA Digitized from a Full Depth Site C	t, Ottawa, Ontario, k enue East, Suite 800 '5.69666670W 92-5029505 (conver RT OF LOT 38 SOL satellite image	, Toronto, Ontario, M4P 2X7 ted from Latitude & Longitude ITH LISGAR STREET, PLAN with Nonpotable Ground Wa	10-Jun-11 No CPU Residential Mr. Bruce Greenberg Yes 11 to 20 meters 416-4824822	AWA
<u>23</u>	5 of 6		ESE/92.1	76.9 / 0.00	Canus Plastics Inc. 300 Lisgar St. Ottawa ON		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON34747 326198 All Other 2009	706 Plastic Product N	lanufacturing	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class. Waste Class			221 LIGHT FUELS				

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
<u>23</u>	6 of 6	ESE/92.1	76.9 / 0.00	Bassi Construction 300 lisgar st ottawa ON K2P 0E2		GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No:	tion: ears:	ON5537998 236220 2011		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:		
Country:				MHSW Facility:		
<u>24</u>	1 of 2	NW/95.1	77.9 / 1.00	O'Brien Publishing In 176 Gloucester St Su Ottawa ON K2P 0A6		SCT
Established Plant Size (f Employmen	ft²):	01-AUG-82 5000				
<u>Details</u> Description: SIC/NAICS (Periodical Publish 511120	ers			
<u>24</u>	2 of 2	NW/95.1	77.9 / 1.00	176 Gloucester St Ottawa ON K2P0A6		EHS
Order No: Status: Report Type Date Receiv Previous Sit Lot/Building Additional In	e: red: te Name:	20170523032 C Standard Report 26-MAY-17 23-MAY-17 Fire Insur. Maps a	nd/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.698263 45.417922	
<u>25</u>	1 of 1	WNW/96.8	77.9 / 1.00	ON		wwis
Well ID: Constructio Primary Wat Sec. Water (Final Well S Water Type: Casing Mate Audit No: Tag: Constructio Elevation (n Elevation (n Elevation Re Depth to Be Well Depth: Overburden, Pump Rate: Static Waten Flow Rate: Clear/Cloud	ter Use: Use: Status: Prial: Method: n): eliability: Morock: Medrock: r Level: N):	1503876 Domestic 0 Water Supply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 3/20/1948 TRUE 3566 1 OTTAWA OTTAWA CITY	

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503876.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Additional D	etail(s) (Map)				
Well Comple Year Comple Depth (m): Latitude: Longitude: Path:		1948/02/12 1948 22.86 45.4175315702752 -75.6987318200623 150\1503876.pdf			
Bore Hole In	formation				
Improvemen	s: sc: teted: 12-Fe urce Date: t Location Source: t Location Method. sion Comment:	b-1948 00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445330.70 5029572.00 9 unknown UTM p9
Overburden Materials Inte					
Formation ID Layer: Color: General Colo Mat1: Most Commo	or:	930997780 1 06 SILT			

Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: 0.0 Formation End Depth: Formation End Depth UOM: 28.0 ft

Overburden and Bedrock Materials Interval

Formation ID:	930997781
Layer:	2
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	28.0
Formation End Depth:	75.0
Formation End Depth UOM:	ft

Method of Construction & Well

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Const	truction ID:	961503876			
Method Const Method Const	truction Code:	1 Cable Tool			
	Construction:	Cable 1001			
<u>Pipe Informati</u>	ion				
Pipe ID:		10574489			
Casing No:		1			
Comment: Alt Name:					
Alt Name:					
Construction	Record - Casing				
Casing ID:		930044586 2			
Layer: Material:		4			
Open Hole or Depth From:	Material:	OPEN HOLE			
Depth To:	1	75.0			
Casing Diame Casing Diame	ter: ter UOM:	4.0 inch			
Casing Depth		ft			
Construction	<u>Record - Casing</u>				
Casing ID:		930044585			
Layer: Material:		1			
Open Hole or	Material:	STEEL			
Depth From:		20.0			
Depth To: Casing Diame	ter:	30.0 4.0			
Casing Diame	ter UOM:	inch			
Casing Depth	UOM:	ft			
<u>Results of We</u>	II Yield Testing				
Pump Test ID:	:	991503876			
Pump Set At: Static Level:		8.0			
Final Level Af	ter Pumping:	12.0			
	d Pump Depth:	10.0			
Pumping Rate Flowing Rate:		10.0			
Recommende		10.0			
Levels UOM:		ft			
Rate UOM: Water State A	fter Test Code:	GPM 1			
Water State A		CLEAR			
Pumping Test		1			
Pumping Dura Pumping Dura	ation HR: ation MIN [.]	0 30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933456890			
Layer: Kind Codo:		1			
Kind Code:		1			

Kind: Water Found D Water Found D 26 1 Borehole ID: OGF ID: Status: Type: Use: Completion Da Static Water Le Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil Ne DEM Ground E Concession: Location D:		FRESH ft			
Water Found D 26 1 Borehole ID: OGF ID: Status: Type: Use: Completion Da Static Water Lee Primary Water Sec. Water Use Total Depth Ref: Depth Ref: Depth Ref: Depth Ref: Depth Ref: Diff Method: Drig Ground El Elev Reliabil No DEM Ground E Concession:		ft			
Borehole ID: OGF ID: Status: Type: Use: Completion Da Static Water Le Primary Water Primary Water Use Total Depth met Sec. Water Use Total Depth Ref: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:		it it			
OGF ID: Status: Type: Use: Completion Da Static Water Le Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:	1 of 1	WNW/96	.9 77.9/1.		BOR
OGF ID: Status: Type: Use: Completion Da Static Water Le Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:				ON	
Status: Type: Use: Completion Da Static Water Le Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil Ne DEM Ground E Concession:	-	13321		Inclin FLG:	No
Type: Use: Completion Da Static Water Le Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil Ne DEM Ground E Concession:	2	15514620		SP Status:	Initial Entry
Use: Completion Da Static Water Le Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:	в	orehole		Surv Elev: Piezometer:	No No
Completion Da Static Water Le Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil Ne DEM Ground E Concession:	D			Primary Name:	No
Primary Water Sec. Water Use Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:	nte: F	EB-1948		Municipality:	
Sec. Water Use Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:	e vel: 1	1.0		Lot:	
Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:				Township:	45 447500
Depth Ref: Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:		2.9		Latitude DD: Longitude DD:	45.417533 -75.698732
Depth Elev: Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:		2.9 Ground Surface		UTM Zone:	-75.090752
Drill Method: Orig Ground El Elev Reliabil No DEM Ground E Concession:	C C			Easting:	445331
Elev Reliabil No DEM Ground E Concession:				Northing:	5029572
DEM Ground E Concession:		7.1		Location Accuracy:	
Concession:		2.5		Accuracy:	Not Applicable
	:iev m: /	2.5			
Survey D:					
Comments:					
Geology Stratu Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material D	0 8 5 5	18394641 .5 silt		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Stratum Descri	•	SILT.			
Geology Stratu	ım ID: 2	18394642		Mat Consistency:	Loose
Top Depth:	8	.5		Material Moisture:	
Bottom Depth:		2.9		Material Texture:	
Material Color: Material 1:		Grey Shale		Non Geo Mat Type: Geologic Formation:	
Material 2:	0			Geologic Formation. Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material D	•				
Stratum Descri	iption:			tment have a truncated [Stratum]	/,STIFF. SAND. LOOSE, WATER **Note: Many Description] field.
Source					
Source Type:		ata Cumunu		Source Appl:	Spatial/Tabular
Source Orig:		Data Survey			
Source Date:	G	Geological Survey o	f Canada	Source Iden:	1
Confidence: Observatio:	G		f Canada	Scale or Res:	Varies
Source Name:	G	Geological Survey o	f Canada	Scale or Res: Horizontal:	Varies NAD27
Source Details	G 1:	Geological Survey o 956-1972		Scale or Res:	Varies

Confiden 1:

Source Originators:Geold271 of 1ENEOrder No: Status: Report Type: Previous Site Name: Lot/Building Size: Additional Info Ordered:20191216143 C Custom Report 22-JAN-20 16-DEC-19281 of 7WMIGenerator No: SIC Code: Obson No: Country:ON0897800 2839 OTHER PUBLIS 86,87,88,89,90Detail(s) Waste Class:123Waste Class: SIC Description: Approval Years: PO Box No: Country:123Detail(s) Maste Class Desc:ON0897800 2839 OTHER PUBLIS 86,87,88,89,90Detail(s) SIC Code: ON0897800 2839 OTHER PUBLIS 92,93,97,98ON0897800 2839 OTHER PUBLIS 92,93,97,98Detail(s) Waste Class:123Waste Class: PO Box No: Country:0N0897800 2839 OTHER PUBLIS 92,93,97,98Detail(s) Waste Class:010000 2839 210000 2839SIC Description: Approval Years: PO Box No: Country:010000 2839 210000 210000 210000 2100000 2100000Betail(s) Waste Class:123	rection/ stance (m)	Elev/Diff (m)	Site		DE
Source Type: Source Date: Source Name: Source Name: Source Originators:Data Survey 1956-1972 Varies 					
Order No:20191216143Status:CReport Type:Custom ReportReport Date:22-JAN-20Date Received:16-DEC-19Previous Site Name:16-DEC-19Lot/Building Size:Additional Info Ordered:281 of 7WMGenerator No:ON0897800SIC Code:2839SIC Description:ON0897800Approval Years:PO Box No:Country:123Detail(s)Waste Class:Xaste Class Desc:ALKA282 of 7Generator No:ON0897800SIC Description:ALKADetail(s)UNWaste Class Desc:123SIC Description:ON0897800SIC Code:28.39SIC Description:ON0897800SIC Description:ON0897800SIC Description:ON0897800SIC Description:ON0897800SIC Description:ON14ER PUBLISApproval Years:92,93,97,98PO Box No:OUTHER PUBLISDetail(s)92,93,97,98Waste Class:123	n Geology Aut igical Survey o		Horizontal Datum: Vertical Datum: Projection Name: ion System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator	
Status:CReport Type:Custom ReportReport Date:22-JAN-20Date Received:16-DEC-19Previous Site Name:16-DEC-19Lot/Building Size:Additional Info Ordered:281 of 7WMIGenerator No:ON0897800SIC Code:2839SIC Description:OTHER PUBLISApproval Years:86,87,88,89,90PO Box No:123Detail(s)Waste Class:Waste Class:123SIC Code:SagaPO Box No:ON0897800Country:123Detail(s)ON0897800SIC Code:92,93,97,98PO Box No:ON0897800Country:92,93,97,98Detail(s)92,93,97,98Waste Class:123	/98.2	76.9 / 0.00	Nepean Street Ottawa ON K2P 0B6		EHS
Generator No:ON0897800SIC Code:2839SIC Description:OTHER PUBLISApproval Years:86,87,88,89,90PO Box No:0Country:20Detail(s)123Waste Class:123Waste Class Desc:124282 of 7WNI2839SIC Code:2839SIC Code:2839SIC Code:92,93,97,98PO Box No:0THER PUBLISPO Box No:0THER PUBLISPO Box No:92,93,97,98Po Etail(s)123			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.69650595 45.4177047	
SIC Code:2839SIC Description:OTHER PUBLISApproval Years:86,87,88,89,90PO Box No:20Country:123Detail(s)123Waste Class:123Waste Class Desc:ALKA282 of 7Wind2839SIC Code:2839SIC Code:2839SIC Code:2839SIC Code:92,93,97,98PO Box No:OTHER PUBLISPo Box No:92,93,97,98Detail(s)123	W/99.0	77.9/1.00	OTTAWA MAGAZINE 192 BANK STREET OTTAWA ON K2P 1W	-	GEN
Waste Class: 123 Waste Class Desc: ALKA 28 2 of 7 WNI Generator No: ON0897800 SIC Code: 2839 SIC Description: OTHER PUBLIS Approval Years: 92,93,97,98 PO Box No: Country: Detail(s) Waste Class: 123	Shing Ind.		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Waste Class Desc:ALKA282 of 7WNIGenerator No:ON0897800SIC Code:2839SIC Description:OTHER PUBLISApproval Years:92,93,97,98PO Box No:Country:Detail(s)Uter Class:Waste Class:123					
Generator No:ON0897800SIC Code:2839SIC Description:OTHER PUBLISApproval Years:92,93,97,98PO Box No:Country:Detail(s)Uteral State Class:123	LINE PHOSP	PHATES			
SIC Code: 2839 SIC Description: OTHER PUBLIS Approval Years: 92,93,97,98 PO Box No: Country: Detail(s) 123	W/99.0	77.9/1.00	OTTAWA MAGAZINE 192 BANK STREET OTTAWA ON K2P 1W	-	GEN
Waste Class: 123	Shing Ind		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
	LINE PHOSP	PHATES			
28 3 of 7 WN	W/99.0	77.9 / 1.00	OTTAWA MAGAZINE 192 BANK STREET OTTAWA ON K2P 1W		GEN
Generator No: ON0897800			Status:		

erisinfo.com | Environmental Risk Information Services

SIC Code: SIC Description Approval Years PO Box No: Country:		2839			
		OTHER PUBLISHING IND 94,95,96		Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class De	esc:	123 ALKALINE PHOSP	HATES		
<u>28</u> 4	1 of 7	WNW/99.0	77.9 / 1.00	OTTAWA MAGAZINE INCORPORATED 192 BANK STREET OTTAWA ON K2P 1W8	GEN
Generator No: SIC Code: SIC Descriptior Approval Years PO Box No: Country:		ON0897800 2839 OTHER PUBLISHING IND. 99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class De	esc:	123 ALKALINE PHOSP	HATES		
<u>28</u> 5	5 of 7	WNW/99.0	77.9 / 1.00	OTTAWA(SEE&USE ON0897800 OTTAWA) 192 BANK STREET OTTAWA ON K2P 1W8	GEN
Generator No: SIC Code: SIC Descriptior Approval Years PO Box No: Country:		ON0923900 2839 OTHER PUBLISHING IND. 86,87,88,89,90		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class De	esc:	123 ALKALINE PHOSP	HATES		
<u>28</u> 6	6 of 7	WNW/99.0	77.9/1.00	OTTAWA(SEE&USE ON0897800 OTTAWA) 29- 290 192 BANK STREET OTTAWA ON K2P 1W8	GEN
Generator No: SIC Code: SIC Descriptior Approval Years PO Box No: Country:		ON0923900 2839 OTHER PUBLISHING IND 92,93,94,95,96,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>28</u> 7	7 of 7	WNW/99.0	77.9 / 1.00	Cdn Council Tobacco Control 192 Bank St Ottawa ON K2P 1W8	SCT
Established:		01-DEC-74			

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Plant Size (ft ² Employment:		5000				
<u>Details</u> Description: SIC/NAICS C	ode:	Other Membership 813990	Organizations			
Description: SIC/NAICS C	ode:	Social Advocacy Or 813310	ganizations			
<u>29</u>	1 of 3	ENE/99.6	76.9 / 0.00	KOFFMAN SIGNS 146 NEPEAN ST OTTAWA ON K2P 0B	36	SCT
Established:		1956				
Plant Size (ft ² Employment:		0 8				
<u>Details</u> Description: SIC/NAICS Co	ode:	Sign Manufacturing 339950				
<u>29</u>	2 of 3	ENE/99.6	76.9 / 0.00	Koffman Signs Ltd. 146 Nepean St Ottawa ON K2P 0B6		SCT
Established: Plant Size (ft ² Employment:		1956 2000				
<u>Details</u> Description: SIC/NAICS Co	ode:	Sign Manufacturing 339950				
<u>29</u>	3 of 3	ENE/99.6	76.9/0.00	Marilena Guerra 146 Nepean Street Ottawa ON		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON7033731 561210 FACILITIES SUPPORT SER\ 2013	/ICES	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class		145 PAINT/PIGMENT/C	OATING RESID	UES		
<u>30</u>	1 of 1	W/104.8	77.9 / 1.00	215 Nepean St Ottawa ON K2P2K5		EHS
Order No: Status:		20150731085 C Standard Report		Nearest Intersection: Municipality:		

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	10-AUG-15 31-JUL-15			Search Radius (km): X: Y:	.25 -75.698906 45.417178	
<u>31</u>	1 of 1		E/106.9	76.7/-0.21	287 Lisgar Street Ottawa ON		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	2015050613 C Standard R 13-MAY-15 06-MAY-15 C			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.696248 45.41748	
<u>32</u>	1 of 7		E/106.9	76.7/-0.21	Claridge Homes Corp 287 Lisgar Ottawa ON	oration	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON8802785 236110 2011	i I		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>32</u>	2 of 7		E/106.9	76.7/-0.21	CLARIDGE HOMES (0 287 LISGAR STREET OTTAWA ON	CENTRETOWN) INC.	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON5102371 531310 Real Estate 2012	Property Manage	ers	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>32</u>	3 of 7		E/106.9	76.7 / -0.21	Claridge Homes (287 287 Lisgar Street City OF OTTAWA ON	Lisgar) Inc. of Ottawa, Ontario CITY	PTTW
EBR Registry Ministry Ref Notice Type: Notice Stage Notice Date: Proposal Dat	No: :	012-4615 3167-9YDH Instrument\s November\s July\s14,\s2	sDecision 18,\s2015		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:		
Year: Instrument T Off Instrume Posted By: Company Na Site Address Location Oth	nt Name: me: ::	,	DWRA\ss.\s34)\s-' laridge\sHomes\s				
Proponent N Proponent A Comment Pe	ame: ddress:	2	10\sGladstone\sA	venue\s,\sSuite\s	2001,\sOttawa\sOntario,\sCa	nada\sK2P\s0Y6	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
	Necoras	Distance (III)	(111)		

URL:

Site Location Details:

287 Lisgar Street City of Ottawa, Ontario CITY OF OTTAWA

<u>32</u>	4 of 7	E/106.9	76.7 / -0.21	Claridge Homes Limit 287 Lisgar Street Ottawa ON K2P 0E1	ed Partnership	GEI
Generator SIC Code: SIC Descri Approval Y PO Box No Country:	iption: Years:	ON6723433 531310 REAL ESTATE PROPERTY N 2015 Canada	MANAGERS	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>						
Waste Clas Waste Clas		241 HALOGENATED SO	OLVENTS			
<u>32</u>	5 of 7	E/106.9	76.7 / -0.21	Claridge Homes 287 Lisgar Street Ottawa ON K2P 0E1		GEI
Generator SIC Code: SIC Descri Approval Y PO Box No Country:	iption: Years:	ON5558599 As of Dec 2017 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Detail(s)						
Waste Clas Waste Clas		221 L Light fuels				
<u>32</u>	6 of 7	E/106.9	76.7/-0.21	CLARIDGE HOMES (2 287 LISGAR STREET, Ottawa ON	87 LISGAR) INC. OTTAWA, ON K2P 0E1	RSG
RSC ID: RA No: RSC Type: Curr Prope Ministry Di Filing Date Date Ack: Date Retur Restoratio Soil Type: Criteria: CPU Issue	erty Use: istrict: e: rned: n Type:	225922 RA1491-15c Phase 1 and 2 RSC with RA Commercial Ottawa District Office 2019/07/17		Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	Residential PAUL HURST	
1686: Asmt Roll I Prop ID No	No: 5 (PIN): Iunicipal Ad Idress:	061404180121700 04115-0250 (LT) dress: 287 LISGAR STREI	ET, OTTAWA, O	N K2P 0E1		

Мар Кеу	Number Records		Elev/Diff) (m)	Site	DB
UTM Coordina	ates:				
Consultant:					
Legal Desc:					
Measurement					
Applicable St RSC PDF:	anuarus:	https://www.lrcsde	e lre gov on ca/BEl'	SWebPublic/pub/viewDocument.action?	
RJC PDF.				OWNFIELDS-E.pdf	
<u>Document(s)</u>	<u>Detail</u>				
Document He	ading:	Supporting Docur			
Document Na			sed July 3 2019.pdf		
Document Ty	•			lescription of the property	
Document Lir	nk:			SWebPublic/pub/viewDocument.action? iC+Letter+-+revised+July+3+2019.pdf	
Document He	ading:	Supporting Docur	nents		
Document Na	me:	CSM For RSC.pd			
Document Ty	•	Phase 2 Concept			
Document Lir	nk:		e.lrc.gov.on.ca/BFI 6020&fileName=CS	SWebPublic/pub/viewDocument.action? :M+For+RSC.pdf	
Document He	ading:	Supporting Docur	nents		
Document Na		PSS RA1491-15c			
Document Ty	•	Property Specific			
Document Lir	nk:			SWebPublic/pub/viewDocument.action? S+RA1491-15c.xls	
Document He	ading:	Supporting Docur			
Document Na			t_Use_Table_1529		
Document Ty	•		and Past Property l		
Document Lir	nk:			SWebPublic/pub/viewDocument.action? rrent_and_Past_Use_Table_1529796_rev.pdf	
Document He	•	Supporting Docur			
Document Na			mplate_with_disclai		
Document Ty	•		al Environmental C		
Document Lir	пк:	attachmentId=116	3.Irc.gov.on.ca/BFI 3023&fileName=AF	SWebPublic/pub/viewDocument.action? EC_Table_Template_with_disclaimer_1529796.pdf	
Document He		Supporting Docur			
Document Na			us - July 17 2019.p	df	
Document Ty		Certificate of Stat			
Document Lir	пк:			SWebPublic/pub/viewDocument.action? rtificate+of+Status+-+July+17+2019.pdf	
Document He	-	Supporting Docur	nents		
Document Na		Survey.pdf	0		
Document Ty	•	A Current plan of		2) Mah Duhlis (sub (view Desume set estise 2)	
Document Lir	п <i>К:</i>		e.irc.gov.on.ca/BFI 6082&fileName=Su	SWebPublic/pub/viewDocument.action? rvey.pdf	
Document He		Supporting Docur			
Document Na			ster - OC1842883.p		
Document Ty	•		l(s), transfer(s) or o		
Document Lir	nk:			SWebPublic/pub/viewDocument.action? ansfer+and+register+-+OC1842883.pdf	
32	7 of 7	E/106.9	76.7 / -0.21	Claridge Homes (Carson) Inc.	0.01
_				287 Lisgar Avenue Ottawa ON K2P 1K8	SPL
Ref No:		5656-BLBMXB		Discharger Report:	
Site No:		NA		Material Group:	
Incident Dt:		2020/01/30		Health/Env Conseq: 2 - Minor Environment	

Records	Distance (m)	(m)		
Year:			Client Type:	Corporation
Incident Cause:			Sector Type:	Miscellaneous Industrial
Incident Event:	Overflow/Surcharge		Agency Involved:	
Contaminant Code:	13		Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL		Site Address:	287 Lisgar Avenue
Contaminant Limit 1:			Site District Office:	Ottawa
Contam Limit Freq 1:	n/a		Site Postal Code:	K2P 1K8
Contaminant UN No 1:	1202		Site Region:	Eastern
Environment Impact:			Site Municipality:	Ottawa
Nature of Impact:			Site Lot:	
Receiving Medium:			Site Conc:	
Receiving Env:	Land		Northing:	
MOE Response:	No		Easting:	
Dt MOE Arvl on Scn:			Site Geo Ref Accu:	
MOE Reported Dt:	2020/01/30		Site Map Datum:	
Dt Document Closed:	2020/07/17		SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel
				Release/Spill
Incident Reason:	Operator/Human Error		Source Type:	Tank - Above Ground
Site Name:	Condo high rise <un< td=""><td>NOFFICIAL></td><td></td><td></td></un<>	NOFFICIAL>		
Site County/District:	C C			
Site Geo Ref Meth:				
Incident Summary:	TSSA FSB: 3L dies	el fuel to concret	e during re-fill	
Contaminant Qty:	3 L		-	
33 1 of 1	E/108.1	76.9 / 0.04	355 COOPER ST	
	2,100.1	10.07 0.04	OTTAWA ON	WWIS
Well ID:	7305580		Data Entry Status:	
Construction Date:	-		Data Src:	0/40/0040
Primary Water Use:	Test Hole		Date Received:	2/13/2018
Sec. Water Use:	Monitoring		Selected Flag:	TRUE
Final Well Status:	Observation Wells		Abandonment Rec:	
Water Type:			Contractor:	7241
Casing Material:			Form Version:	7
Audit No:	Z212307		Owner:	
Tag:	A182697		Street Name:	355 COOPER ST
Construction Method:			County:	OTTAWA
Elevation (m):			Municipality:	OTTAWA CITY
Elevation Reliability:			Site Info:	
Depth to Bedrock:			Lot:	
Well Depth:			Concession:	
Overburden/Bedrock:			Concession Name:	
Pump Rate:			Easting NAD83:	
Static Water Level:			Northing NAD83:	
Flowing (Y/N):			Zone:	
Flow Rate:			UTM Reliability:	
Clear/Cloudy:			o miriciability.	
PDF URL (Map):				
Additional Detail(s) (Map	2			
Well Completed Date:	2018/01/09			
Year Completed:	2018			
Depth (m):	7.62			
Latitude:	45.4169977753238	\$		
Longitude:	-75.6962291165246			
Path:				
Bore Hole Information				
Bore Hole ID:	1006985634		Elevation:	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Improvement	c: ed: 09-Jan-2 rce Date: Location Source: Location Method: ion Comment:	018 00:00:00		Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445526.00 5029511.00 UTM83 4 margin of error : 30 m - 100 m wwr	
<u>Overburden a</u> <u>Materials Inte</u>						
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	r: n Material: p Depth:	1007145607 2 6 BROWN 05 CLAY 06 SILT 85 SOFT 0.610000014305114 4.570000171661377 m				
<u>Overburden a</u> <u>Materials Inte</u>						
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	r: n Material: p Depth:	1007145606 1 6 BROWN 11 GRAVEL 77 LOOSE 0.0 0.610000014305114 m	17			
<u>Overburden a</u> <u>Materials Inte</u>						
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation To	r: n Material:	1007145608 3 2 GREY 05 CLAY 85 SOFT 4.570000171661377	,			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Er Formation Er	nd Depth: nd Depth UOM:	7.619999885559082 m			
<u>Annular Spaces Sealing Reco</u>	ce/Abandonment ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1007145617 2 0.310000002384185 3.960000038146972 m			
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	юм:	1007145618 3 3.960000038146972 7.619999885559082 m			
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	юм:	1007145616 1 0.0 0.3100000023841858 m	8		
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction Code:	1007145615 D Direct Push			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		1007145605 0			
<u>Construction</u>	Record - Casing				
Casing ID: Layer: Material: Open Hole or Depth From: Depth To: Casing Diam Casing Diam Casing Depth	eter: eter UOM:	1007145611 1 5 PLASTIC 0.0 4.570000171661377 4.03000020980835 cm m			
<u>Construction</u>	Record - Screen				
Screen ID:		1007145612			

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Layer: Slot: Screen Top L Screen End L Screen Mater Screen Deptf Screen Diame Screen Diame	Depth: rial: h UOM: eter UOM:	7.6 5 m cm	570000171661377 6199998855559082				
Water Details	5						
Water ID: Layer: Kind Code: Kind:		10	07145610				
Water Found Water Found		<i>l:</i> m					
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete		8.2 0.0) 619999885559082				
<u>34</u>	1 of 1	٨	N/111.1	76.8 / -0.03	Regional Group 152 Gloucester St Ottawa ON K2P 0A6		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON5614596 As of Dec 20 Canada			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>							
Waste Class: Waste Class			1 L ght fuels				
<u>35</u>	1 of 1	E	ENE/113.5	76.6 / -0.28	ENBRIDGE GAS INC 142 NEPEAN ST,,OTT. ON	AWA,ON,K2P 2N2,CA	PINC
Incident Id: Incident No: Incident Repo Type: Status Code: Tank Status: Task No: Spills Action Fuel Occurre Date of Occu Occurrence S Depth: Customer Ac	Centre: ence Tp: errence: Start Dt:		Incident nage Reason Est NBRIDGE GAS INC	2	Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:		

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Operation Ty Pipeline Type Regulator Typ Summary: Reported By Affiliation: Occurrence I Damage Rea Notes:	e: pe: : Desc:						
<u>36</u>	1 of 1		SW/113.5	77.9 / 1.00	Youth Services Burea 433 COOPER ST/366 I ON	u of Ottawa LISGAR STREET, OTTAWA,	RSC
RSC ID: RA No: RSC Type: Curr Property Ministry Dist Filing Date: Date Ack: Date Returne Restoration T Soil Type: Criteria: CPU Issued S 1686: Asmt Roll No Property Mu Mailing Addr Latitude & L UTM Coordin Consultant: Legal Desc: Measuremen Applicable S RSC PDF:	rict: Pd: Type: Sect Sect PIN): nicipal Add ess: atitude: nates: ht Method:	2091 Commer OTTAWA 14-Nov-0 No	0614.041.901.087 04114-0253 LT 433 COPER ST/ 1338 WELLINGT(45.41643500N 75 NAD83 18-445350 PT LT 31, PL1228 OTTAWA/NEPEA Interpolation from Full Depth Site Co	366 LISGAR STRI DN ST, OTTAWA, 0 .69847160W (conv)-5029450 1, S/S LISGAR ST N a map	ON, K1Y 3B7 verted from UTM) ; PT LT 31, PL 12281, N/S C with Nonpotable Ground Wa	19-Jul-05 No CPU Residential Wes Richardson Yes 11 to 20 meters 613-7290577 613-7291918 OOPER ST, ALL AS IN N379810; ter, Medium/Fine Textured Soil, for	
37	1 of 1		E/116.1	76.9 / 0.04	355 COOPER ST OTTAWA ON		wwis
Well ID: Construction Primary Wate Sec. Water U Final Well St. Water Type: Casing Matel Audit No: Tag: Construction Elevation Re Depth to Beo Well Depth: Overburden// Pump Rate: Static Water Flowing (Y/N Flow Rate:	er Use: Ise: atus: rial: n Method:): liability: Irock: Bedrock: Level:	7305582 Test Hole Monitorin Observat Z212306 A182722	g ion Wells		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	2/13/2018 TRUE 7241 7 355 COOPER ST OTTAWA OTTAWA CITY	

Clear/Cloudy:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2018/01/09
Year Completed:	2018
Depth (m):	3.96
Latitude:	45.4169893978879
Longitude:	-75.6961267659723
Path:	

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date Improvement Location Improvement Location Source Revision Com	n Source: n Method:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445534.00 5029510.00 UTM83 4 margin of error : 30 m - 100 m wwr
--	------------------------	---	--

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	1007145634
Layer:	1
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	
Mat2 Desc:	
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	0.0
Formation End Depth:	0.310000023841858
Formation End Depth UOM:	m

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: Layer:	1007145635 2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0.310000023841858

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation El Formation El	nd Depth: nd Depth UOM:	1.8300000429153442 m	2		
<u>Overburden a</u> Materials Inte	and Bedrock erval				
Formation ID Layer:):	1007145636 3			
Color: General Colo Mat1:	or:	2 GREY 05			
Most Commo Mat2:	on Material:	CLAY			
Mat2 Desc: Mat3: Mat3 Desc: Formation To Formation El Formation El		85 SOFT 1.8300000429153442 3.9600000381469727 m			
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ІОМ:	1007145644 1 0.0 0.3100000023841858 m	3		
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1007145645 2 0.3100000023841858 0.9100000262260437 m			
<u>Annular Spaces Sealing Reco</u>	ce/Abandonment ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1007145646 3 0.9100000262260437 3.9600000381469727 m			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction Code:	1007145643 D Direct Push			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		1007145633 0			

Construction Record - Casing

Casing ID:	1007145639
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	0.910000262260437
Casing Diameter:	3.450000047683716
Casing Diameter UOM:	cm
Casing Depth UOM:	m
Casing Depth COM.	111

Construction Record - Screen

Screen ID:	1007145640
Layer:	1
Slot:	10
Screen Top Depth:	0.910000262260437
Screen End Depth:	3.960000381469727
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	4.210000038146973

Water Details

1007145638
m

Hole Diameter

Hole ID:	1007145637
Diameter:	5.679999828338623
Depth From:	0.0
Depth To:	3.960000381469727
Hole Depth UOM:	m
Hole Diameter UOM:	cm

<u>38</u>	1 of 2	E/116.4	75.9 / -0.93	City of Ottawa		ECA
				Ottawa ON K2G 6	5J8	
Approval I Approval I Status: Record Ty, Link Sourd SWP Area Approval I Project Ty, Business I Address: Full Addre Full PDF L PDF Site L	Date: pe: ce: Name: Type: pe: Name: ss: ink:	•	Drinking Water Syste	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: ms	Ottawa -75.6961 45.4174	

38	Records	of Direction/ Distance (I	Elev/Diff m) (m)	Site		DB
—	2 of 2	E/116.4	75.9 / -0.93	City of Ottawa Laurier Avenue at the Ottawa ON K1P 1J1	e Rideau Canal	ECA
Approval No: Approval Date		3577-4ZUKD2 2001-08-24		MOE District: City:	Ottawa	
Status:	-	Approved		Longitude:	-75.6961	
Record Type:		ECA		Latitude:	45.4174	
Link Source:		IDS Dide and Valland		Geometry X:		
SWP Area Nar Approval Type		Rideau Valley FCA-Municipal	and Private Water Wo	Geometry Y: rks		
Project Type:			Private Water Works			
Business Nam	ne:	City of Ottawa				
Address: Full Address: Full PDF Link: PDF Site Loca		Laurier Avenue	at the Rideau Canal			
<u>39</u>	1 of 1	W/117.0	77.9 / 1.00	City of Ottawa Parks, Branch 210 Gloucester Ottawa ON K2P 2K4	Bldg & Grounds Services	GEN
Generator No:		ON7180209		Status:	Registered	
SIC Code:				Co Admin:		
SIC Descriptio		A		Choice of Contact:		
Approval Year PO Box No:	'S:	As of Nov 2021		Phone No Admin: Contam. Facility:		
Country:		Canada		MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class D	Desc:	251 L Waste oils/slud	ges (petroleum based)			
<u>40</u>	1 of 1	ESE/117.3	76.9 / 0.03	300 Lisgar St and 375 Ottawa ON	5 Cooper St	EHS
Order No: Status:		20060914012 C		Nearest Intersection: Municipality:	Lisgar Street and O'Connor Street	
Report Type:		Complete Report		Client Prov/State:	ON	
Report Date:		9/25/2006		Search Radius (km):	0.25	
Date Received Previous Site		9/14/2006		X: Y:	-75.696169 45.416845	
Lot/Building S Additional Info	ize:			1.	43.410043	
<u>41</u>	1 of 1	ESE/120.5	76.2 / -0.70	355 COOPER ST OTTAWA ON		wwis
Well ID:	Nato [.]	7305579		Data Entry Status: Data Src:		
Construction		Test Hole		Date Received:	2/13/2018	
Construction I Primary Water	e:	Monitoring		Selected Flag:	TRUE	
Primary Water Sec. Water Us	tus:	Test Hole		Abandonment Rec:	7044	
Primary Water Sec. Water Us Final Well Stat				Contractor:	7241	
Primary Water Sec. Water Us Final Well Stat Water Type:						
Primary Water Sec. Water Us Final Well Stat Water Type: Casing Materia		Z212304		Form Version:	7	
Primary Water Sec. Water Us Final Well Stat Water Type:		Z212304 A182713				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Elevation (m): Elevation Reli Depth to Bedr Well Depth: Overburden/E Pump Rate: Static Water L Flowing (Y/N). Flow Rate: Clear/Cloudy:	iability: rock: Bedrock: .evel: :			Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	OTTAWA CITY
PDF URL (Maj	p):				
Additional De	<u>tail(s) (Map)</u>				
Well Complete Year Complet Depth (m): Latitude: Longitude: Path:		2018/01/09 2018 7.62 45.4169356279409 -75.6960877624537			
Bore Hole Info	ormation				
Improvement	c: ed: 09-Jan rce Date: Location Source: Location Method: ion Comment: ment: <u>nd Bedrock</u>	-2018 00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445537.00 5029504.00 UTM83 4 margin of error : 30 m - 100 m wwr
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation To Formation En	r: n Material: p Depth:	1007145593 2 6 BROWN 05 CLAY 06 SILT 85 SOFT 0.610000014305114 4.570000171661377 m			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID: Layer:		1007145592 1			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6 RDOW(N			
General Color:	i	BROWN			
Mat1: Maat Common	Matarial	11 GRAVEL			
Most Common Mat2:	i Materiai:	28			
Mat2 Desc:		SAND			
Mat2 Desc. Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top	Depth:	0.0			
Formation End	Depth:	0.610000014305114	7		
Formation End		m			
Overburden ar Materials Inter					
Formation ID:		1007145594			
Layer:		3			
Color:		2			
General Color:	•	GREY			
Mat1:		05			
Most Common	Material:	CLAY			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top	Depth:	4.570000171661377			
Formation End		7.619999885559082			
Formation End	I Depth UOM:	m			
<u>Annular Space</u> Sealing Record	e/Abandonment d				
Plug ID:		1007145604			
Layer:		3			
Plug From:		3.96000038146972			
Plug To:		7.619999885559082			
Plug Depth UC	DM:	m			
<u>Annular Space</u> <u>Sealing Recore</u>	e/Abandonment d				
Plug ID:		1007145602			
Layer:		1			
Plug From:		0.0			
Plug To:		0.31000002384185	8		
Plug Depth UC	DM:	m			
<u>Annular Space</u> Sealing Record	e/Abandonment d				
Plug ID:		1007145603			
Layer:		2	^		
Plug From:		0.31000002384185			
Plug To: Plug Depth UC	DM:	3.960000038146972 m	1		
<u>Method of Con</u> Use	nstruction & Well				
 Method Consti	ruction ID:	1007145601			
Method Const		D			
Method Const		D Direct Push			
instrict constr					
		vironmental Risk Infor			Order No: 22042800477

Other Method Construction:

Pipe Information

Pipe ID:	1007145591
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

1007145597
1
5
PLASTIC
0.0
4.570000171661377
4.03000020980835
cm
m

Construction Record - Screen

Screen ID:	1007145598
Layer:	1
Slot:	10
Screen Top Depth:	4.570000171661377
Screen End Depth:	7.619999885559082
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	4.820000171661377

Water Details

Water ID:	1007145596
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1007145595
Diameter:	8.25
Depth From:	0.0
Depth To:	7.619999885559082
Hole Depth UOM:	m
Hole Diameter UOM:	cm

42 1 of 6	SE/121.6	76.9 / 0.00	251-259 Bank Street (Ottawa ON	(395-397 Cooper St)	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size:	20040428001 C Custom Report 5/6/04 4/28/04		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Bank St & Cooper St ON 0.25 -75.69682 45.416444	

Map Key	Number Records		Elev/Diff (m)	Site	D
Additional In	nfo Ordered				
<u>42</u>	2 of 6	SE/121.6	76.9 / 0.00	Capital Xtra - Div. of Pink 251 Bank St Unit 503 Ottawa ON K2P 1X3	SCT
Established: Plant Size (ft Employment	t²):	1994 1800 3			
<u>Details</u> Description: SIC/NAICS C		Newspaper Publish 511110	ers		
<u>42</u>	3 of 6	SE/121.6	76.9 / 0.00	McKenzie Publishing Inc. 251A Bank St Suite 500 Ottawa ON K2P 1X3	SCT
Established: Plant Size (ft Employment	t²):	01-JUL-96 1000			
<u>Details</u> Description: SIC/NAICS C		Periodical Publisher 511120	rs		
42 Established:	4 of 6	SE/121.6	76.9/0.00	Akiva Publishing Inc. 251 Bank St Suite 206 Ottawa ON K2P 1X3	SCT
Plant Size (ft Employment					
<u>Details</u> Description: SIC/NAICS C		Internet Publishing 519130	and Broadcasting	g and Web Search Portals	
Description: SIC/NAICS C		Book Publishers 511130			
Description: SIC/NAICS C		Periodical Publisher 511120	rs		
<u>42</u>	5 of 6	SE/121.6	76.9 / 0.00	251 Bank Street Ottawa ON	EHS
Order No: Status: Report Type Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20110609005 C Custom Report 6/15/2011 6/9/2011 8:51:43 AM			

Map Key Number of Records			Elev/Diff) (m)	Site		DB
<u>42</u>	6 of 6	SE/121.6	76.9 / 0.00	251 Bank St Ottawa ON K2P1X3		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sin Lot/Building Additional In	: ed: te Name: ı Size:	20170306014 C Standard Report 09-MAR-17 06-MAR-17		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.696806 45.416301	
<u>43</u>	1 of 7	SSW/122.4	77.9 / 1.00	REVENUE CANADA T CUSTOMS & EXCISE OTTAWA ON K2P 2E4	360 LISGAR STREET	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion:	ON0426519 8153 TAXATION ADMIN. 94,95,96,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		121 ALKALINE WAST	ES - HEAVY MET	ALS		
Waste Class Waste Class		264 PHOTOPROCES	SING WASTES			
<u>43</u>	2 of 7	SSW/122.4	77.9 / 1.00	REVENUE CANADA T 360 LISGAR STREET OTTAWA ON K1A 0LS		GEN
SIC Code: 8 SIC Description: 7		ON0426519 8153 TAXATION ADMIN. 99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		264 PHOTOPROCES	SING WASTES			
Waste Class Waste Class		121 ALKALINE WAST	ES - HEAVY MET	ALS		
<u>43</u>	3 of 7	SSW/122.4	77.9 / 1.00	URBANDALE CORPO 360 Lisgar Street Ottawa ON	PRATION	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No:	tion:	ON2940601 03,04,05		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:		

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Country:					MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class			122 ALKALINE WAST	ES - OTHER MET	ALS		
Waste Class: Waste Class			242 HALOGENATED	PESTICIDES			
Waste Class: Waste Class			252 WASTE OILS & L	UBRICANTS			
<u>43</u>	4 of 7		SSW/122.4	77.9 / 1.00	Bell Canada 360 Lisgar st Ottawa ON K2P 2E4		GEN
Generator No SIC Code: SIC Descripti		WIRED T CARRIEF TELECO	506 517210, 517510 ELECOMMUNICA RS, WIRELESS MMUNICATIONS (SATELLITE), 517	CARRIERS	Status: Co Admin: Choice of Contact:	Julie Labelle CO_ADMIN	
Approval Yea PO Box No: Country:	nrs:	2015 Canada	SATELETE), ST	310	Phone No Admin: Contam. Facility: MHSW Facility:	514-870-0688 Ext. No No	
<u>Detail(s)</u>							
Waste Class: Waste Class			251 OIL SKIMMINGS	& SLUDGES			
Waste Class: Waste Class			112 ACID WASTE - H	EAVY METALS			
Waste Class: Waste Class			121 ALKALINE WAST	ES - HEAVY MET	ALS		
Waste Class: Waste Class			331 WASTE COMPRE	SSED GASES			
<u>43</u>	5 of 7		SSW/122.4	77.9 / 1.00	Bell Canada 360 Lisgar st Ottawa ON K2P 2E4		GEN
Generator No SIC Code: SIC Descripti		WIRED T CARRIEF TELECO	517210, 517510 ELECOMMUNICA RS, WIRELESS MMUNICATIONS (CARRIERS	Status: Co Admin: Choice of Contact:	Chloé Labelle CO_ADMIN	
Approval Yea PO Box No: Country:	nrs:	(EXCEPT 2016 Canada	SATELLITE), 517	510	Phone No Admin: Contam. Facility: MHSW Facility:	514-391-1021 Ext. No No	
<u>Detail(s)</u>							
Waste Class: Waste Class			121 ALKALINE WAST	ES - HEAVY MET	ALS		
Waste Class: Waste Class			331 WASTE COMPRE				

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Waste Class Waste Class			112 ACID WASTE - H	EAVY METALS			
Waste Class Waste Class			251 OIL SKIMMINGS	& SLUDGES			
<u>43</u>	6 of 7		SSW/122.4	77.9 / 1.00	BELLCANADA 360 LISGAR STREET OTTAWA ON K2P 2E4		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:		214 AND COMMUNICA D STRUCTURES (Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u> Waste Class Waste Class			252 WASTE OILS & L	UBRICANTS			
<u>43</u>	7 of 7		SSW/122.4	77.9 / 1.00	Bell Canada 360 Lisgar st Ottawa ON K2P 2E4		GEN
Generator N SIC Code: SIC Descript SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON26016 As of Dec Canada			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>							
Waste Class Waste Class			112 C Acid solutions - co	ontaining heavy met	als		
Waste Class Waste Class			121 C Alkaline slutions -	containing heavy m	etals		
Waste Class Waste Class			146 T Other specified in	organic sludges, slu	rries or solids		
Waste Class Waste Class			251 L Waste oils/sludge	s (petroleum based)	1		
Waste Class Waste Class			331 I Waste compresse	d gases including c	ylinders		
<u>44</u>	1 of 6		ENE/124.5	76.6 / -0.28	GVT. OF CAN NATIO CRAD/DSIS-NATIONAI HEADQUARTERS 190 OTTAWA ON K1A 1G8	L DEFENCE O'CONNOR ST.	GEN
Generator N SIC Code: SIC Descrips Approval Ye PO Box No:	tion: ears:	ON00465 8111 DEFENC 86,87,88	E SERVICES		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:		

Map Key Number of Records			Elev/Diff (m)	Site	DB
Country:				MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class L	Desc:	264 PHOTOPROCESS	ING WASTES		
<u>44</u>	2 of 6	ENE/124.5	76.6 / -0.28	GVT. OF CAN NATIONAL DEFENCE 190 O'CONNOR STREET DIRECTORATE, SCIENTIFIC INFORMAT.SERVICE OTTAWA ON K1A 1G8	GEN
Generator No: SIC Code: SIC Descriptic Approval Year PO Box No: Country:	on:	ON0046540 8111 DEFENCE SERVICES 92,93,97		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class L	Desc:	264 PHOTOPROCESS	ING WASTES		
<u>44</u>	3 of 6	ENE/124.5	76.6 / -0.28	GVT. OF CAN NATIONAL DEFENCE 18-192 CRAD/DSIS-NATIONAL DEFENCE HEADQUARTERS 190 O'CONNOR ST. OTTAWA ON K1A 1G8	GEN
Generator No: SIC Code: SIC Descriptic Approval Year PO Box No: Country:	on:	ON0046540 8111 DEFENCE SERVICES 94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class L	Desc:	264 PHOTOPROCESS	ING WASTES		
<u>44</u>	4 of 6	ENE/124.5	76.6 / -0.28	DEPT. OF NATIONAL DEFENCE DEFENCE RESEARCH DEVELOPMENT BRANCH 190 O'CONNOR STREET OTTAWA ON K1A 0K2	GEN
Generator No: SIC Code: SIC Descriptic Approval Year PO Box No: Country:	on:	ON0046540 8111 DEFENCE SERVICES 98,99,00,01,04		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class L	Desc:	264 PHOTOPROCESS	ING WASTES		
Waste Class: Waste Class I	Desc:	145 PAINT/PIGMENT/C	COATING RESID	UES	

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Waste Class Waste Class		213 PETROLEUM DIST	TILLATES			
<u>44</u>	5 of 6	ENE/124.5	76.6 / -0.28	Canadian Council on 190 O'Connor St Suite Ottawa ON K2P 2R3		SCT
Established		1920				
Plant Size (f Employmen		13				
<u>Details</u> Description: SIC/NAICS (Periodical Publishe 511120	rs			
Description SIC/NAICS (Social Advocacy O 813310	rganizations			
Description SIC/NAICS (Civic and Social Or 813410	ganizations			
Description SIC/NAICS (Business Associatio 813910	ons			
<u>44</u>	6 of 6	ENE/124.5	76.6 / -0.28	190 O'connor St Ottawa ON K2P2R3		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional Ii	: ed: te Name:	20150123005 C Custom Report 28-JAN-15 23-JAN-15		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.69601 45.417916	
<u>45</u>	1 of 2	ESE/126.6	76.9 / 0.03	379 Cooper Street Ottawa ON K2P 0G8		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional II	: ed: te Name:	20180712164 C Standard Report 19-JUL-18 12-JUL-18 Fire Insur. Maps an	nd/or Site Plans; (Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory; Aerial Photos	Ottawa ON .25 -75.696233 45.416539	
<u>45</u>	2 of 2	ESE/126.6	76.9/0.03	379 Cooper Street Ottawa ON K2P 0G8		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building	: ed: te Name:	21051300364 C Site Report 14-MAY-21 13-MAY-21		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .001 -75.6962569 45.4165681	

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Additional In	fo Ordere	d:					
<u>46</u>	1 of 1		SE/131.1	76.9 / 0.00	ON		BORE
Borehole ID:		613297			Inclin FLG:	No	
OGF ID:		215514598	3		SP Status:	Initial Entry	
Status:					Surv Elev:	No	
Type:		Borehole			Piezometer:	No	
Use:					Primary Name:		
Completion L	Date:				Municipality:		
Static Water	Level:	11.9			Lot:		
Primary Wate	er Use:				Township:		
Sec. Water U	lse:				Latitude DD:	45.416378	
Total Depth r	m:	-999			Longitude DD:	-75.696417	
Depth Ref:		Ground Su	Irface		UTM Zone:	18	
Depth Elev:					Easting:	445511	
Drill Method:					Northing:	5029442	
Orig Ground Elev Reliabil		72.9			Location Accuracy: Accuracy:	Not Applicable	

Borehole Geology Stratum

DEM Ground Elev m:

Concession: Location D: Survey D: Comments: 72.7

Geology Stratum ID: 218394556 Mat Consistency: Firm Top Depth: Material Moisture: 0 Bottom Depth: 2.3 Material Texture: Material Color: Non Geo Mat Type: Geologic Formation: Material 1: Sand Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen: Gsc Material Description: SAND. FIRM. Stratum Description: Geology Stratum ID: 218394562 Mat Consistency: Top Depth: 9.1 Material Moisture: Bottom Depth: Material Texture: Material Color: Non Geo Mat Type: Material 1: Bedrock Geologic Formation: Material 2: Shale Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen: Gsc Material Description: BEDROCK. FOSSILIFEROUS, WATER STABLE AT 200.3 FEET.0050 043 00080 058 00115 062 00 **Note: Many Stratum Description: records provided by the department have a truncated [Stratum Description] field. Geology Stratum ID: Mat Consistency: 218394559 Firm Top Depth: 6.2 Material Moisture:

Bottom Depth: 7.3 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Clay Geologic Formation: Silt Geologic Group: Material 2: Material 3: Geologic Period: Material 4: **Depositional Gen:** Gsc Material Description: Stratum Description: CLAY. GREY, FIRM. Geology Stratum ID: 218394561 Compact Mat Consistency:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Top Depth: Bottom Depth: Material Color. Material 1: Material 2: Material 3: Material 4:				Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
Gsc Material D				Dopositional Com		
Stratum Descr	iption:	TILL. COMPACT.				
Geology Stratt Top Depth: Bottom Depth: Material Color. Material 1: Material 2: Material 3: Material 4: Gsc Material D	2.3 5 Clay Description:			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft	
Stratum Descr	iption:	CLAY. GREY,SOFT				
Geology Stratt Top Depth: Bottom Depth: Material Color. Material 1: Material 2: Material 3: Material 3: Gsc Material D Stratum Descr	5 6.2 Clay Silt	558 CLAY. SOFT.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft	
Geology Stratt Top Depth: Bottom Depth: Material Color. Material 1: Material 2: Material 3: Material 3: Gsc Material D Stratum Descr	7.3 8.8 Grey Clay Till	560 CLAY. GREY,FIRM.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm	
Source						
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details Confiden 1:	1956-19 H	cal Survey of Canada 172 Urban Geology Auto File: OTTAWA2.txt F	RecordID: 05805	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: on System (UGAIS) 50 NTS_Sheet: 31G05G complete description of mate	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level rial and properties.	
Source List						
Source Identifi Source Type: Source Date: Scale or Resol	Data Su 1956-19			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator	
Source Name: Source Origina		Urban Geology Auto Geological Survey o		on System (UGAIS)		

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number Records		Elev/Diff (m)	Site		DE
<u>47</u>	1 of 2	SSE/133.2	76.9 / 0.00	FOCUS CENTRE, THE 254 BANK STREET OTTAWA ON K2P 1X4		GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON1882400 6571 CAMERA/PHOTO. SUPPLY 94,95,96,97,98,99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class Waste Class		264 PHOTOPROCESS	SING WASTES			
<u>47</u>	2 of 2	SSE/133.2	76.9 / 0.00	Easy Drain Plumbing 254 Bank Str Ottawa ON		GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON4987732 812115 2013		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class Waste Class		262 DETERGENTS/SC	DAPS			
<u>48</u>	1 of 1	WNW/133.6	77.9 / 1.00	186 Bank St Ottawa ON K2P1W6		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20161128012 C Standard Report 01-DEC-16 28-NOV-16		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.698933 45.417958	
<u>49</u>	1 of 1	E/135.9	76.2 / -0.69	355 COOPER ST OTTAWA ON		ww
Well ID: Constructior Primary Wate Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Constructior Elevation (m Elevation Re Depth to Bec Well Depth:	er Use: Ise: atus: rial: n Method:): liability:	7305581 Test Hole Monitoring Observation Wells Z212305 A182694		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession:	2/13/2018 TRUE 7241 7 355 COOPER ST OTTAWA OTTAWA CITY	

	mber of cords	Direction/ Distance (m)	Elev/Diff (m)	Site	
Overburden/Bedro Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):					
Additional Detail(s	<u>) (Map)</u>				
Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path:	ite:	2018/01/09 2018 7.62 45.4170721165401 -75.6958466010876			
Bore Hole Informat	tion				
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source D Improvement Loca Improvement Loca Source Revision C Supplier Comment	ate: tion Source: tion Method: omment:	637 018 00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445556.00 5029519.00 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Be</u> <u>Materials Interval</u>	edrock_				
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat Mat2 Desc: Mat3 Desc: Formation Top Dep Formation End Dep Formation End Dep	oth: oth:	1007145621 2 6 BROWN 05 CLAY 06 SILT 85 SOFT 1.830000042915344 4.570000171661377 m			
<u>Overburden and Be</u> <u>Materials Interval</u>	edrock_				
Formation ID: Layer: Color: General Color: Mat1: Most Common Mat	erial:	1007145620 1 6 BROWN 01 FILL			

DB

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation To Formation En		0.0 1.830000042915344 m	2		
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	r: on Material: op Depth:	1007145622 3 2 GREY 06 SILT 05 CLAY 85 SOFT 4.570000171661377 7.619999885559082 m			
<u>Annular Spaces Sealing Reco</u>	ce/Abandonment rd				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1007145632 3 3.960000038146972 7.619999885559082 m			
<u>Annular Spaces Sealing Reco</u>	ce/Abandonment ard				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1007145631 2 0.310000002384185 3.960000038146972 m			
<u>Annular Spaces Sealing Reco</u>	ce/Abandonment ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1007145630 1 0.0 0.310000002384185 m	8		
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	truction Code:	1007145629 D Direct Push			
Pine Informa	tion				

Pipe Information

127

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Pipe ID: Casing No: Comment: Alt Name:			1007145619 0				
<u>Construction</u>	Record - C	asing					
Casing ID: Layer: Material: Open Hole of Depth From:			1007145625 1 5 PLASTIC 0.0				
Depth To: Casing Diam Casing Diam Casing Deptl	eter UOM:		4.5700001716613 4.0300002098083 cm m				
Construction	Record - S	<u>creen</u>					
Screen ID: Layer: Slot: Screen Top I Screen End I Screen Matei Screen Depti Screen Diam	Depth: rial: h UOM: eter UOM:		1007145626 1 19 457.0 7.6199998855590 5 m cm 4.8200001716613				
Water Details	2						
Water ID: Layer: Kind Code: Kind: Water Found	Depth:		1007145624				
Water Found		1:	m				
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM:		1007145623 8.25 0.0 7.6199998855590 m cm	82			
<u>50</u>	1 of 1		WSW/136.1	77.9 / 1.00	226 Nepean St Ottawa ON K2P0B8		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building	ed: e Name:	2018040 C Standard 10-APR- 04-APR-	l Report 18		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.699113 45.416671	
Additional In			Fire Insur. Maps a	nd/or Site Plans			

Мар Кеу	Number Record		Elev/Diff) (m)	Site		DB
<u>51</u>	1 of 14	NNE/143.9	76.9 / 0.00	SHELL CANADA PRO 154 O'CONNER STRE OTTAWA CITY ON	DDUCTS LTD. EET SERVICE STATION	SPL
Ref No:		105417		Discharger Report:		
Site No: Incident Dt:		9/20/1994		Material Group: Health/Env Conseq:		
Year: Incident Cau Incident Eve Contaminan	ent: t Code:	UNDERGROUND TANK LE	ĀK	Client Type: Sector Type: Agency Involved: Nearest Watercourse:		
Contaminan Contaminan Contam Lim Contaminan	t Limit 1: it Freq 1: t UN No 1:			Site Address: Site District Office: Site Postal Code: Site Region:		
Environmen Nature of Im Receiving M Receiving E MOE Respo	pact: ledium: nv:	POSSIBLE Soil contamination LAND		Site Municipality: Site Lot: Site Conc: Northing: Easting:	20101	
Dt MOE Arvl MOE Report Dt Documen	l on Scn: red Dt:	9/20/1994		Site Geo Ref Accu: Site Map Datum: SAC Action Class:		
Incident Rea Site Name: Site County/ Site Geo Rei Incident Sun Contaminan	/District: f Meth: nmary:	UNKNOWN SHELL-UKN QTY	Y WASTE OIL TO (Source Type: GROUND,UG TANK FAILED	PRESSURE TEST.	
<u>51</u>	2 of 14	NNE/143.9	76.9 / 0.00	SHELL CANADA PRO 154 O'CONNOR ST. S STATION SERVICE S OTTAWA CITY ON K2	HELL CANADA GAS TATION	SPL
Ref No:		93739		Discharger Report:		
Site No: Incident Dt: Year:		//		Material Group: Health/Env Conseq: Client Type:		
Incident Cause: Incident Event: Contaminant Code:		UNDERGROUND TANK LE	ĀK	Sector Type: Agency Involved: Nearest Watercourse:	Sector Type: Agency Involved:	
Contaminan Contaminan Contam Lim Contaminan	t Limit 1: it Freq 1:			Site Address: Site District Office: Site Postal Code:		
Environmen Nature of Im Receiving M	t Impact: pact:	CONFIRMED Soil contamination LAND		Site Region: Site Municipality: Site Lot: Site Conc:	20101	
Receiving El MOE Respoi	nv: nse:			Northing: Easting: Site Geo Ref Accu:		

11/23/1993

CORROSION

Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

Dt MOE Arvl on Scn:

Dt Document Closed:

MOE Reported Dt:

Incident Reason:

SHELL CANADA -1800L FURNACE OIL MISSING FROM UNDERGROUND STORAGE TANK.

Source Type:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>51</u>	3 of 14	NNE/143.9	76.9 / 0.00	BYTOWN TOWING & AUTOCARE LTD 154 O CONNOR ST AT GLOUCESTER OTTAWA ON	PRT
Location ID:		11026			
Type:		retail			
Expiry Date: Capacity (L):		1995-09-30 68100			
Licence #:		0026886001			
<u>51</u>	4 of 14	NNE/143.9	76.9 / 0.00	BYTOWN TOWING & AUTOCARE LTD 154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	FSTH
License Issue	Date:	9/6/2002			
Tank Status:	- Of	Pending Renewal			
Tank Status A Operation Typ		August 2007 Retail Fuel Outlet			
Facility Type:		Gasoline Station - F	full Serve		
Details					
Status:		Active			
Year of Install Corrosion Pro		1980			
Corrosion Pro	Diection:	22700			
Tank Fuel Typ	be:	Liquid Fuel Single V	Vall UST - Gasoline		
Status:		Active			
Year of Install		1980			
Corrosion Pro Capacity:	Diection:	22700			
Tank Fuel Typ	be:	Liquid Fuel Single V	Vall UST - Gasoline		
Status:		Active			
Year of Install Corrosion Pro		1980			
Capacity:		22700			
Tank Fuel Typ	De:	Liquid Fuel Single V	Vall UST - Gasoline		
<u>51</u>	5 of 14	NNE/143.9	76.9 / 0.00	BYTOWN TOWING & AUTOCARE LTD 154 O'CONNOR ST AT GLOUCESTER OTTAWA ON K2P 1T5	FSTH
License Issue	Date:	9/6/2002			
Tank Status:		Licensed			
Tank Status A Operation Typ		December 2008 Retail Fuel Outlet			
Facility Type:		Gasoline Station - F	full Serve		
Dotails					
<u>Details</u> Status:		Active			
Year of Install		1979			
Corrosion Pro Capacity:	otection:	22700			
Tank Fuel Typ	be:	Liquid Fuel Single V	Vall UST - Gasoline		
Status:		Active			
Year of Install		1979			
Corrosion Pro Capacity:	otection:	22700			
Tank Fuel Typ	be:	Liquid Fuel Single V	Vall UST - Gasoline		

umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
on: tion:	Active 1979 22700				
	Liquid Fuel Single	Nall UST - Gasoline			
on: tion:	Active 1980 22700 Liquid Fuel Single \	Nall UST - Gasoline			
f 14	NNE/143.9	76.9 / 0.00	154 O'Connor Street Ottawa ON K2P 1T5		EHS
C Standa 6/9/200 5/29/20 me:	rd Report 9 09 m X 30 m	id/or Sire Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	O'Connor Street & Gloucester Street Ottawa ON 0.25 -75.696715 45.418523	
f 14	NNE/143.9	76.9/0.00			DTNK
Fuel Safety					
EXPIRI 51358	ED		Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:		
	ecords on: tion: tion: f 14 200905 C Standa 6/9/200 5/29/20 me: tot: f 14 Fuel Safety f 14 Fuel Safety f 14 Fuel Safety 109051 EXPIRI 51358 FS Pipi Dt: f 14 Cuestion: f 14 Fuel Safety Institute State St	ecords Distance (m) Active 1979 Active 1979 stion: 22700 Liquid Fuel Single N pn: 1980 pn: 1980 pn: 1980 pn: 1980 pn: 1980 pn: 22700 Liquid Fuel Single N prime: 20090529016 C Standard Report 6/9/2009 5/29/2009 me: Lot: 30 m X 30 m rdered: Fire Insur. Maps an f 14 NNE/143.9 Fuel Safety 10905102 EXPIRED 51358 FS Piping Dt: pt: T: periodic Yn: Directives:	ecords Distance (m) (m) Active 1979 Liquid Fuel Single Wall UST - Gasoline Active 1980 Liquid Fuel Single Wall UST - Gasoline 22700 Liquid Fuel Single Wall UST - Gasoline f14 NNE/143.9 76.9 / 0.00 20090529016 C Standard Report 6/9/2009 20090529016 C Standard Report 6/9/2009 20090529016 C Standard Report 6/9/2009 f14 NNE/143.9 76.9 / 0.00 f14 NNE/143.9 76.9 / 0.00	ecords Distance (m) (m) Active Active Distance (m) (m) Active Active Discurption Active Active Discurption Active Active Discurption Active Discurption Active Active Discurption Active Active Distance (m) (m) Active Active Distance (m) (m) Active Active Distance (m) (m) Active Active Active Distance (m) (m) Active Active Act	ecords Distance (m) (m) Active 1979 22700 Liquid Fuel Single Wall UST - Gasoline Active 22700 Liquid Fuel Single Wall UST - Gasoline Active 1980 22700 Liquid Fuel Single Wall UST - Gasoline f14 NNE/143.9 76.9 / 0.00 154 O'Connor Street C G Standard Report 64/2009 5/29/200 5/29/200 5/20

131

Map Key Number Records			Elev/Diff) (m)	Site	DB
Record Date	:	Up to Mar 2012	Jp to Mar 2012		
<u>51</u>	8 of 14	NNE/143.9	76.9 / 0.00	BYTOWN TOWING & AUTOCARE LTD 154 O'CONNOR ST AT GLOUCESTER OTTAWA ON	DTNK
<u>Delisted Exp</u> Facilities	bired Fuel S	afety			
Instance No: Status: Instance ID: Instance Cre Instance Cre Instance Insi Item Descrip Manufacture Model: Serial No: ULC Standal Quantity: Unit of Meas Overfill Prot Creation Dat Next Periodi TSSA Base S TSSA Base S TSSA Risk E TSSA Risk E TSSA Recd I TSSA Progra Description: Original Sou Record Date	be: beation Dt: tall Dt: btion: btion: bt: te: te: te: te: te: te: te: te: te: t	1: dic Yn: ives: I:		Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	
<u>51</u>	9 of 14	NNE/143.9	76.9 / 0.00	Shell Canada Products 154 O+Connor Street Ottawa ON K2P 1T5	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON7522524 447190 Other Gasoline Stations 2009		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		221 LIGHT FUELS			
Waste Class Waste Class		251 OIL SKIMMINGS	& SLUDGES		
<u>51</u>	10 of 14	NNE/143.9	76.9 / 0.00	Shell Canada Products 154 O+Connor Street	GEN

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
SIC Code: 44 SIC Description: 01 Approval Years: 20 PO Box No: Country:		ON7522524 447190 Other Gasoline Stations 2010			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class Waste Class			251 OIL SKIMMINGS &	SLUDGES			
Waste Class Waste Class			221 LIGHT FUELS				
Waste Class Waste Class			252 WASTE OILS & LU	JBRICANTS			
<u>51</u>	11 of 14		NNE/143.9	76.9 / 0.00	BYTOWN TOWING & 154 O'CONNOR ST A OTTAWA ON K2P 1T	T GLOUCESTER	DTN
Instance No. Status: Instance ID: Instance Typ Instance Cre Instance Ins Item Descrip Manufacture Model: Serial No: ULC Standa Quantity: Unit of Meas Overfill Prot Creation Dat Next Periodi TSSA Base TSSA Risk E TSSA Risk E TSSA Period TSSA Recd TSSA Recd TSSA Progra	oe: eation Dt: stall Dt: otion: er: rd: sure: trype: te: ic Str DT: Sched Cyck azard Rank Based Perio ne of Directi dic Exempt: tory Interval Insp Interval Tolerance: am Area 2:	1: dic Yn: ves: :	y		Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	3/24/2013 15:03	
Description:			EVD				
	ırce:		EXP Up to May 2013				

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff) (m)	Site	D
Delisted Expir Facilities	red Fuel Sa	<u>fety</u>				
Instance No: Status: Instance ID:		10905061 EXPIRED			Expired Date: Max Hazard Rank: Facility Location:	NULL 154 O'CONNOR ST AT GLOUCESTER
Instance Type Instance Crea Instance Insta Item Descripti Manufacturer: Model: Serial No: ULC Standard Quantity: Unit of Measu Overfill Prot T Creation Date Next Periodic TSSA Base So TSSA Max Haz TSSA Resc Max TSSA Periodic TSSA Recd In TSSA Recd In TSSA Program Description: Original Sourco	ntion Dt: all Dt: ion: : : : : : : : : : : : : : : : : : :	5/15/2009 FS Liquid NULL NULL NULL 1 EA NULL 7/5/2009 NULL 2: ic Yn: res:	9 8:15:15 PM Fuel Tank 1:22:06 AM NULL NULL NULL NULL NULL NULL NULL NUL	; Veeder Root	Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	OTTAWA K2P 1T5 ON CA FS LIQUID FUEL TANK NULL NULL NULL NULL FS Liquid Fuel Tank
<u>51</u>	13 of 14		NNE/143.9	76.9 / 0.00	BYTOWN TOWING & 154 O'CONNOR ST A K2P 1T5 ON CA ON	AUTOCARE LTD T GLOUCESTER OTTAWA DTN
<u>Delisted Expir</u> Facilities	red Fuel Sa	,				
Instance No: Status: Instance ID:		10905079 EXPIRED			Expired Date: Max Hazard Rank: Facility Location:	NULL 154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA
Instance Type Instance Crea Instance Insta Item Descripti Manufacturer: Model: Serial No: ULC Standard Quantity: Unit of Measu Overfill Prot T	ntion Dt: all Dt: ion: : d: nre:	5/15/2009	98:15:15 PM Fuel Tank		Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground:	FS LIQUID FUEL TANK NULL NULL NULL NULL NULL
Creation Date Next Periodic TSSA Base So TSSAMax Haz TSSA Risk Ba	Str DT: ched Cycle zard Rank 1	NULL 2: :	1:22:07 AM NULL NULL NULL		Tank Underground: Source:	FS Liquid Fuel Tank

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
TSSA Volume of Directi TSSA Periodic Exempt: TSSA Statutory Interval TSSA Recd Insp Interva TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date:		es:	NULL NULL NULL NULL NULL NULL 2009VBS; 2008V; V EXP 31-JUL-2020	/eeder Root		
<u>51</u>	14 of 14		NNE/143.9	76.9 / 0.00	BYTOWN TOWING & A 154 O'CONNOR ST AT K2P 1T5 ON CA ON	UTOCARE LTD DTNK GLOUCESTER OTTAWA
<u>Delisted Exp</u> <u>Facilities</u>	ired Fuel Sa	fety				
Instance No: Status: Instance ID: Instance Cre Instance Cre Instance Inst Item Descrip Manufacture Model: Serial No: ULC Standar Quantity: Unit of Meass Overfill Prot Creation Date Next Period TSSA Base S TSSAMax Ha TSSA Risk B TSSA Volum TSSA Period TSSA Recd II TSSA Recd II TSSA Progra TSSA Progra Description: Original Sour	e: ation Dt: tall Dt: tion: r: d: ure: Type: e: c Str DT: Sched Cycle zard Rank 1 ased Period e of Directiv fic Exempt: ory Interval: nsp Interva: folerance: im Area: im Area 2: rce:	5/15/200 FS Liqui NULL NULL NULL EA NULL 7/5/2009 NULL 2: : ic Yn: es:	D 00 8:15:15 PM		Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:	NULL 154 O'CONNOR ST AT GLOUCESTER OTTAWA K2P 1T5 ON CA FS LIQUID FUEL TANK NULL NULL NULL NULL FS Liquid Fuel Tank
<u>52</u>	1 of 2		SSE/144.0	76.9 / 0.00	OTTAWA CITY COOPER ST./BANK ST OTTAWA CITY ON	- CA
Certificate #: Application N Issue Date: Approval Typ Status: Application N Client Name: Client Addres	Year: be: Type:		3-0942-90- 90 6/5/1990 Municipal sewage Approved			

Map Key	Numbe Record		Direction/ Distance (n	Elev/Diff n) (m)	Site		DI
Client City: Client Posta Project Deso Contaminan Emission Co	cription: ts:						
<u>52</u>	2 of 2		SSE/144.0	76.9 / 0.00	R.M. OF OTTAWA-CA COOPER ST./BANK S OTTAWA CITY ON		CA
Certificate # Application Issue Date: Approval Ty Status: Application Client Name Client Name Client Addre Client Addre Client City: Client Posta Project Deso Contaminan Emission Co	Year: pe: Type: : ess: l Code: cription: its:		7-0785-90- 90 6/5/1990 Municipal water Approved				
<u>53</u>	1 of 5		W/144.9	77.6 / 0.68	City of Ottawa 210 Gloucester Ottawa ON K2P 2K4		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON71802 913910 913910 2016 Canada	209		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>							
Waste Class Waste Class			251 OIL SKIMMING	S & SLUDGES			
<u>53</u>	2 of 5		W/144.9	77.6 / 0.68	City of Ottawa 210 Gloucester Ottawa ON K2P 2K4		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON71802 913910 913910 2015 Canada	209		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>							
Waste Class Waste Class			251 OIL SKIMMING	S & SLUDGES			
<u>53</u>	3 of 5		W/144.9	77.6 / 0.68	City of Ottawa 210 Gloucester		GEN

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON718020 913910 913910 2014 Canada	9		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>							
Waste Class: Waste Class			251 DIL SKIMMINGS &	SLUDGES			
<u>53</u>	4 of 5		W/144.9	77.6 / 0.68	City of Ottawa Parks, Branch 210 Gloucester Ottawa ON K2P 2K4	Bldg & Grounds Services	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON718020 As of Dec 2 Canada			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>							
Waste Class: Waste Class			251 L Vaste oils/sludges ((petroleum based)			
<u>53</u>	5 of 5		W/144.9	77.6 / 0.68	City of Ottawa Parks, Branch 210 Gloucester Ottawa ON K2P 2K4	Bldg & Grounds Services	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON718020 As of Jul 20 Canada	-		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>							
Waste Class: Waste Class Desc:		251 L Waste oils/sludges (petroleum based)					
<u>54</u>	1 of 2		ESE/145.1	76.2 / -0.70	OTTAWA HYDRO 375 COOPER STREET OTTAWA CITY ON K2		SPL
Ref No: Site No: Incident Dt: Year: Incident Cau: Incident Even Contaminant Contaminant Contaminant Contam Limi	nt: Code: Name: Limit 1:	117139 8/13/1995 COOLING	SYSTEM LEAK		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code:		

	Number Records		irection/ istance (m)	Elev/Diff (m)	Site		DI
Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response:		POSSIBLE Soil contamina LAND	tion		Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting:	20101	
<i>Dt MOE Arvl o</i> MOE Reporte Dt Document	ed Dt:	8/13/1995			Site Geo Ref Accu: Site Map Datum: SAC Action Class:		
Incident Reas Site Name: Site County/D	son: District:	UNKNOWN			Source Type:		
Site Geo Ref I Incident Sum Contaminant	mary:	OTT	AWA HYDRO-1	15 LITERS TRAN	ISFORMER OIL TO GRND, F	PCB TEST PENDING.	
<u>54</u>	2 of 2	ES	E/145.1	76.2 / -0.70	375 Cooper Street Ottawa ON K2P 0G8		EHS
Order No: Status:		20090506031 C			Nearest Intersection: Municipality:	Cooper Street and Bank Street	
Report Type:		Standard Repo	ort		Client Prov/State:	ON	
Report Date:		5/14/2009			Search Radius (km):	0.25	
Date Receive		5/6/2009			X:	-75.696198	
Previous Site					Y:	45.41659	
Lot/Building \$ Additional Inf							
<u>55</u>	1 of 1	NE	/147.3	76.0 / -0.85	172 O'Connor Ottawa ON K2P 1T5		EHS
Order No:		20080327001			Nearest Intersection:		
Status:		C			Municipality:		
Report Type:		Complete Repo	ort		Client Prov/State:	ON	
Report Date:		4/4/2008			Search Radius (km):	0.25	
Date Receive	d:	3/27/2008			Х:	-75.69635	
Previous Site	Name:				Y:	45.418209	
Lot/Building \$ Additional Inf		Fire	Insur. Maps An	d /or Site Plans			
<u>56</u>	1 of 1	ES	E/148.1	75.9/-1.00	315 COOPER ST Ottawa ON		www
Well ID: Construction	Date:	7312996			Data Entry Status: Data Src:		
Primary Wate		Monitoring			Date Received:	6/19/2018	
Sec. Water Us	se:	Test Hole			Selected Flag:	TRUE	
Final Well Sta	atus:	Test Hole			Abandonment Rec:		
Water Type:					Contractor:	7241	
Casing Mater	nal:	7077500			Form Version:	7	
Audit No: Tag:		Z277582 A215904			Owner: Street Name:	315 COOPER ST	
•	Method:	1 Z 10004			County:	OTTAWA	
Construction					Municipality:	OTTAWA CITY	
					Site Info:		
Elevation (m). Elevation Reli					Lot:		
Elevation (m).					200		
Elevation (m). Elevation Reli Depth to Bedi Well Depth:	rock:				Concession:		
Elevation (m). Elevation Reli Depth to Bedi	rock:						

	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:		
PDF URL (Map)):					
Additional Deta	<u>ail(s) (Map)</u>					
Well Completed		2018/03/02				
Year Completed Depth (m):	a:	2018 6.096				
Latitude:		45.4167302493654				
Longitude:		-75.6958168402749				
Path:		-73.0330100402743				
Bore Hole Infor	rmation					
Bore Hole ID:	10071	08673		Elevation:		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	18	
Code OB:				East83:	445558.00	
Code OB Desc:				North83:	5029481.00	
Open Hole:				Org CS:	UTM83	
Cluster Kind: Date Completed	d: 02 Ma	r-2018 00:00:00		UTMRC: UTMRC Desc:	4 margin of orror : 30 m 100 m	
Date Completed	u: 02-1018	1-2016 00.00.00		Location Method:	margin of error : 30 m - 100 m wwr	
Domarks:					00 001	
Elevrc Desc:	e Date:					
Elevrc Desc: Location Sourc Improvement Lo Improvement Lo Source Revisio	ocation Source: ocation Method on Comment:					
Elevrc Desc: Location Sourc Improvement Lu Improvement Lo Source Revisio Supplier Comm Overburden and	ocation Source: ocation Method n Comment: nent: <u>d Bedrock</u>					
Elevrc Desc: Location Sourc Improvement Lu Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID:	ocation Source: ocation Method n Comment: nent: <u>d Bedrock</u>	1007367776				
Elevrc Desc: Location Sourc Improvement Lu Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer:	ocation Source: ocation Method n Comment: nent: <u>d Bedrock</u>	: 1007367776 1				
Elevrc Desc: Location Sourc Improvement Lu Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8				
Elevrc Desc: Location Sourc Improvement Lo Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8 BLACK				
Elevrc Desc: Location Sourc Improvement Lo Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8 BLACK 02				
Elevrc Desc: Location Sourc Improvement Lo Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8 BLACK				
Elevrc Desc: Location Sourc Improvement Lo Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8 BLACK 02				
Elevrc Desc: Location Sourc Improvement Lo Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8 BLACK 02				
Elevrc Desc: Location Sourc Improvement Lo Improvement Lo Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3: Mat3 Desc:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u> Material:	1007367776 1 8 BLACK 02 TOPSOIL				
Elevrc Desc: Location Sourc Improvement Lu Improvement Lu Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3 Desc: Formation Top	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u> Material: Depth:	1007367776 1 8 BLACK 02 TOPSOIL 0.0				
Elevrc Desc: Location Sourc Improvement Lu Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat3 Desc: Formation Top Formation End	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>ral</u> Material: Depth: Depth:	1007367776 1 8 BLACK 02 TOPSOIL				
Elevrc Desc: Location Sourc Improvement Lo Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat3 Desc: Mat3 Desc: Formation Top Formation End Formation End	ocation Source: ocation Method on Comment: nent: d <u>Bedrock</u> <u>(al</u> Material: Depth: Depth: Depth: Depth UOM: d <u>Bedrock</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0				
Elevrc Desc: Location Sourc Improvement Lo Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3 Desc: Formation Top Formation End Formation End Formation End <u>Overburden and</u> <u>Materials Interv</u>	ocation Source: ocation Method on Comment: nent: d <u>Bedrock</u> <u>(al</u> Material: Depth: Depth: Depth: Depth UOM: d <u>Bedrock</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0				
Elevrc Desc: Location Sourc Improvement Lo Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3: Formation Top Formation End Formation End Formation End <u>Overburden and</u> <u>Materials Interv</u> Formation ID:	ocation Source: ocation Method on Comment: nent: d <u>Bedrock</u> <u>(al</u> Material: Depth: Depth: Depth: Depth UOM: d <u>Bedrock</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft				
Elevrc Desc: Location Sourc Improvement Lo Source Revisio Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3 Desc: Formation Top Formation End Formation End <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer:	ocation Source: ocation Method on Comment: nent: d <u>Bedrock</u> <u>(al</u> Material: Depth: Depth: Depth: Depth UOM: d <u>Bedrock</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft				
Elevrc Desc: Location Sourc Improvement Lu Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat3: Mat3 Desc: Formation End Formation End Formation End Formation End Formation ID: Layer: Color:	ocation Source: ocation Method on Comment: nent: d Bedrock <u>ral</u> Material: Depth: Depth: Depth: Depth UOM: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft 1007367778 3				
Elevrc Desc: Location Sourc Improvement Lu Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat3 Desc: Formation End Formation End Formation End Formation End Formation ID: Layer: Color: General Color: Color: General Color:	ocation Source: ocation Method on Comment: nent: d Bedrock <u>ral</u> Material: Depth: Depth: Depth: Depth UOM: <u>d Bedrock</u> <u>ral</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft 1007367778 3 2				
Elevrc Desc: Location Sourc Improvement Lu Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Desc: Mat3: Formation End Formation End Formation End Formation End Formation End Formation ID: Layer: Color: General Color: Mat1:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>(al</u> Material: Depth: Depth: Depth UOM: <u>d Bedrock</u> <u>(al</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft 1007367778 3 2 GREY				
Elevrc Desc: Location Sourc Improvement Lu Source Revision Supplier Comm <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2: Mat3 Desc: Formation End Formation End Formation End Formation End Formation End <u>Overburden and</u> <u>Materials Interv</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Mat2:	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>(al</u> Material: Depth: Depth: Depth UOM: <u>d Bedrock</u> <u>(al</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft 1007367778 3 2 GREY 05 CLAY 06				
	ocation Source: ocation Method on Comment: nent: <u>d Bedrock</u> <u>(al</u> Material: Depth: Depth: Depth UOM: <u>d Bedrock</u> <u>(al</u>	1007367776 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft 1007367778 3 2 GREY 05 CLAY				

	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	E
<i>Mat3 Desc: Formation Top Formation End Formation End</i>	Depth:	SOFT 10.0 20.0 ft			
<u>Overburden an</u> Materials Interv					
Formation ID: Layer: Color: General Color:		1007367777 2 6 BROWN			
Mat1: Most Common Mat2:	Material:	08 FINE SAND 11			
Mat2 Desc: Mat3: Mat3 Desc: Formation Top Formation End Formation End	Depth:	GRAVEL 06 SILT 1.0 10.0 ft			
<u>Annular Space</u> <u>Sealing Record</u>	/Abandonment 1				
Plug ID: Layer: Plug From: Plug To: Plug Depth UO	М:	1007367786 1 0.0 1.0 ft			
<u>Annular Space</u> Sealing Record	/Abandonment 1				
Plug ID: Layer: Plug From: Plug To: Plug Depth UO	M:	1007367788 3 9.0 20.0 ft			
<u>Annular Space</u> <u>Sealing Record</u>	/Abandonment 1				
Plug ID: Layer: Plug From: Plug To: Plug Depth UO	М:	1007367787 2 1.0 9.0 ft			
<u>Method of Con</u> <u>Use</u>	struction & Well				
Method Constr Method Constr Method Constr Other Method (uction Code: uction:	1007367785 D Direct Push			
<u>Pipe Informatic</u>	on				
Pipe ID: Casing No:		1007367775 0			

Comment: Alt Name:

Construction Record - Casing

Casing ID:	1007367781
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	10.0
Casing Diameter:	1.3799999952316284
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1007367782
Layer:	1
Slot:	10
Screen Top Depth:	10.0
Screen End Depth:	20.0
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.6799999475479126

Water Details

Water ID:	1007367780
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1007367779
Diameter:	2.375
Depth From:	0.0
Depth To:	20.0
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

<u>57</u>	1 of 1	E/151.3	75.9 / -1.00	355 Cooper St Ottawa ON K2P0G8		EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20170821056 C Standard Report 28-AUG-17 21-AUG-17 <i>t:</i> Fire Insur. Maps	and/or Site Plans; C	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: City Directory	ON .25 -75.695658 45.417026	
<u>58</u>	1 of 3	NE/153.3	76.9 / 0.00	BYTOWN TOWING & 154 O'CONNOR ST A K2P 1T5 ON CA	AUTOCARE LTD T GLOUCESTER OTTAWA	FST

	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		D
					ON		
Instance No: Status: Cont Name: Instance Type	ə:	10905079			Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure:		
Item: Item Descripti Tank Type: Install Date: Install Year: Years in Servi Model: Description: Capacity: Tank Material Corrosion Pro Overfill Proteo Facility Type: Parent Facility Facility Locati Device Installi Device Installi Liquid Fuel Ta Overfill Proteo Owner Accou Item:	ice: : otect: ct: y Type: ion: ed Location ank Details ction:	5/15/2009 1980 NULL 22700 Fiberglass Fiberglass riberglass Fiberglass	ll Horizontal AST (FRP) S Liquid Fuel Tank	& AUTOCARE I	Fuel Type: Fuel Type2: Fuel Type3: Piping Steel: Piping Galvanized: Tanks Single Wall St: Piping Underground: No Underground: Panam Related: Panam Venue:	Gasoline NULL NULL	
	2 of 3		NE/153.3	76.9 / 0.00	BYTOWN TOWING & 154 O'CONNOR ST A' K2P 1T5 ON CA ON	AUTOCARE LTD T GLOUCESTER OTTAWA	FSI
Instance No: Status: Cont Name: Instance Type Item Descripti Tank Type: Install Date: Install Year: Install Year: Years in Servi Model: Description: Capacity: Tank Material. Corrosion Proto Facility Type: Parent Facility Facility Locat. Device Install Device Install	ion: ice: : : otect: ct: y Type: ion: ed Location	5/15/2009 1980 NULL 22700 Fiberglass Fiberglass Fiberglass Fiberglass	ll Horizontal AST (FRP) S Liquid Fuel Tank	AT GLOUCEST	Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Fuel Type2: Fuel Type3: Piping Steel: Piping Galvanized: Tanks Single Wall St: Piping Underground: No Underground: Panam Related: Panam Venue:	Gasoline NULL NULL	

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		Di
<u>58</u>	3 of 3		NE/153.3	76.9 / 0.00	BYTOWN TOWING & 154 O'CONNOR ST A K2P 1T5 ON CA ON	AUTOCARE LTD T GLOUCESTER OTTAWA	FST
Instance No: Status: Cont Name: Instance Type Item: Item Descripti Tank Type: Install Date: Install Year: Years in Servi Model: Description: Capacity: Tank Material: Corrosion Proteo Secility Type: Parent Facility Facility Locati	ion: ice: : : tect: ct: y Type:	5/15/2009 1980 NULL 22700 Fiberglass (Fiberglass	Horizontal AST	S	Manufacturer: Serial No: Ulc Standard: Quantity: Unit of Measure: Fuel Type: Fuel Type3: Piping Steel: Piping Galvanized: Tanks Single Wall St: Piping Underground: No Underground: Panam Related: Panam Venue:	Gasoline NULL NULL	
<u>Liquid Fuel Ta</u> Overfill Protec Owner Accou Item:	ction:	B	YTOWN TOWING S LIQUID FUEL T		_TD		
<u>59</u>	1 of 1		E/155.1	75.9/-1.00	355 COOPER ST Ottawa ON		wwi
Well ID: Construction Primary Water Sec. Water Us Final Well Stat Water Type: Casing Materi Audit No: Tag: Construction Elevation (m): Elevation Reli Depth to Bedr Well Depth: Overburden/B Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Mag	r Use: se: tus: al: Method: ability: rock: Bedrock: .evel: :	7312995 Test Hole Monitoring Test Hole Z212308 A199385			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	6/19/2018 TRUE 7241 7 355 COOPER ST OTTAWA NEPEAN TOWNSHIP	
Additional De	tail(s) (Ma	<u>p)</u>					
Well Complete Year Complete Depth (m):			018/03/02 018 1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Latitude: Longitude: Path:		45.4173616927019 -75.6955945372303				
Bore Hole Infe	ormation					
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc:	s: c:	08655 r-2018 00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445576.00 5029551.00 UTM83 4 margin of error : 30 m - 100 m wwr	
mprovement	Location Source: Location Method: ion Comment:					
Overburden a Materials Inte						
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Mat2 Desc: Mat2 Desc: Mat3 Desc: Formation To Formation En	r: n Material: p Depth:	1007367755 3 2 GREY 05 CLAY 85 SOFT 3.0999999904632568 6.0999999904632568 m	4			
Overburden a Materials Inte						
Formation ID: Layer: Color: General Color Mat1: Most Common Mat2: Mat2 Desc: Mat3 Desc: Formation En Formation En Formation En	r: n Material: p Depth: d Depth: d Depth: d Depth UOM:	1007367753 1 6 BROWN 01 FILL 28 SAND 11 GRAVEL 0.0 1.220000028610229 m	5			
Materials Inte	<u>rval</u>	1007267754				
Formation ID: Layer: Color:		1007367754 2 6				
144	erisinfo.com Env	vironmental Risk Infor	mation Servic	295	Order No: 2204	280047

• •	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1: Most Common Ma	atoriali	05 CLAY			
Mat2:	ateriai:	28			
Mat2 Desc:		SAND			
Mat3:		85			
Mat3 Desc:		SOFT	-		
Formation Top De Formation End De	epth:	1.220000028610229 3.099999904632568			
Formation End D		m	-		
<u>Annular Space/Al</u> <u>Sealing Record</u>	<u>bandonment</u>				
Plug ID:		1007367765			
Layer:		3			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Al Sealing Record</u>	<u>bandonment</u>				
Plug ID:		1007367763			
Layer:		1			
Plug From:		0.0	•		
Plug To:		0.31000002384185	8		
Plug Depth UOM:		m			
<u>Annular Space/Al</u> <u>Sealing Record</u>	<u>bandonment</u>				
Plug ID:		1007367764			
Layer:		2			
Plug From:					
Plug To: Plug Depth UOM:	·	m			
<u>Method of Constr</u> <u>Use</u>	ruction & Well				
Method Construc	tion ID.	1007367762			
Method Construct		D			
Method Construc Other Method Co		Direct Push			
Pipe Information					
-		1007367752			
Pipe ID: Casing No:		0			
Comment:		Ū			
Alt Name:					
Construction Red	cord - Casing				
Casing ID:		1007367758			
Layer:		1			
Material:	torioli				
Open Hole or Mat Depth From:	eriai:	PLASTIC 0.0			
Depth To:		3.099999904632568	4		

Мар Кеу	Number Records		Elev/Diff (m)	Site	DB
Casing Diam Casing Diam Casing Dept	eter UOM:	4.070000171661377 cm m			
<u>Constructior</u>	n Record - S	<u>creen</u>			
Screen ID: Layer: Slot: Screen Top I Screen End I Screen Mate Screen Dept Screen Diam	Depth: rial: h UOM: neter UOM:	1007367759 1 10 3.0999999904632568 6.099999904632568 5 m cm 4.820000171661377	l		
Water Details	<u>s</u>				
Water ID: Layer: Kind Code: Kind: Water Found	l Denth:	1007367757			
Water Found		<i>1:</i> m			
Hole Diamete	<u>er</u>				
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	JOM:	1007367756 8.25 0.0 6.099999904632568 m cm			
<u>60</u>	1 of 1	ENE/157.6	75.9/-1.01	OTTAWA CITY - SOMERSET ST. O'CONNOR ST./NEPEAN ST. OTTAWA CITY ON	CA
Certificate #: Application Issue Date: Approval Typ Status: Application Client Name: Client Name: Client Addre Client City: Client Postal Project Desc Contaminant Emission Co	Year: pe: Type: ss: ss: l Code: cription: ts:	3-0495-92- 92 5/12/1992 Municipal sewage Approved			
<u>61</u>	1 of 19	N/158.2	77.9 / 1.07	HEALTH AND WELFARE CANADA HEALTH UNIT#28, 10TH FL., WEST TOWER 300 LAURIER AVE. WEST (TBC) OTTAWA ON K1A 0R5	GEN
Generator No SIC Code: SIC Descript Approval Yea	ion:	ON0095618 8635 PUB. HEALTH CLINICS 92,93,97		Status: Co Admin: Choice of Contact: Phone No Admin:	
146	erisinfo.co	m Environmental Risk Info	mation Servic	ces Order No: 22	2042800477

Map Key Numbe Record			(m)		
Country:				Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class De	sc:	312 PATHOLOGICAL	WASTES		
<u>61</u> 2	of 19	N/158.2	77.9/1.07	GVT OF CAN-HEALTH&WELFARE CAN.MED.16- 304 SER.BR,UNIT#28,10TH FL. W. TOWER 300 LAURIER AVE. WEST,C/O 301 ELGIN ST OTTAWA ON K1A 0L3	GEN
Generator No: SIC Code: SIC Description Approval Years: PO Box No: Country:		ON0095618 8635 PUB. HEALTH CLINICS 94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class De	sc:	312 PATHOLOGICAL	WASTES		
<u>61</u> 3	of 19	N/158.2	77.9 / 1.07	HEALTH AND WELFARE CANADA 300 LAURIER AVE. WEST (T.B.C) HEALTH UNIT #28, 10TH FLOOR WEST TOWER OTTAWA ON K1A 0R5	GEN
Generator No: SIC Code: SIC Description Approval Years: PO Box No: Country:		ON0095618 8635 PUB. HEALTH CLINICS 98,99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class De	sc:	312 PATHOLOGICAL	WASTES		
<u>61</u> 4	of 19	N/158.2	77.9/1.07	GVT. OF CANSUPPLY AND SERVICES OLYMPIA PRINTING PLANT,LEVEL P1,W. TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	GEN
Generator No: SIC Code: SIC Description Approval Years: PO Box No: Country:		ON0249609 2849 OTHER PRINTING IND. 86,87,88,89,90		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class De	sc:	264 PHOTOPROCESS	SING WASTES		

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
<u>61</u>	5 of 19	N/158.2	77.9 / 1.07	GVT. OF CAN.(OUT OF BUS) 18-208 OLYMPIA PRINTING PLANT,LEVEL P1,W. TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON0249609 2849 OTHER PRINTING IND. 92,93,94,95,96,97		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		213 PETROLEUM DIST	TILLATES		
Waste Class Waste Class		264 PHOTOPROCESS	ING WASTES		
<u>61</u>	6 of 19	N/158.2	77.9 / 1.07	GVT. OF CAN.(OUT OF BUSINESS) OLYMPIA PRINTING PLANT,LEVEL P1,W. TOWER L'ESPLANADE LAURIER,300 LAURIER AVE. W OTTAWA ON K1A 0M7	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON0249609 2849 OTHER PRINTING IND. 98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		213 PETROLEUM DIST	TILLATES		
Waste Class Waste Class		264 PHOTOPROCESS	ING WASTES		
<u>61</u>	7 of 19	N/158.2	77.9 / 1.07	Public Works and Government Services Canada 300 Laurier Ave Ottawa ON K0A 0S5	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON5652014 562990 All Other Waste Management 04,05,06,07,08	t Services	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		112 ACID WASTE - HE	AVY METALS		
Waste Class Waste Class		145 PAINT/PIGMENT/C	COATING RESID	LIES	

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		D
Waste Class: Waste Class			146 OTHER SPECIFIEI	DINORGANICS			
Waste Class: Waste Class			148 INORGANIC LABO	RATORY CHEM	ICALS		
Waste Class: Waste Class			212 ALIPHATIC SOLVE	INTS			
Waste Class: Waste Class			221 LIGHT FUELS				
Waste Class: Waste Class			243 PCB'S				
Waste Class: Waste Class			252 WASTE OILS & LU	BRICANTS			
Waste Class: Waste Class			331 WASTE COMPRES	SSED GASES			
<u>61</u>	8 of 19		N/158.2	77.9 / 1.07	in front of 300 Laurie Ottawa ON	r Avenue <unofficial></unofficial>	SPL
Ref No: Site No: Incident Dt:		2068-69E 2/8/2005	LAE		Discharger Report: Material Group: Health/Env Conseq:	0 Oil	
Year: Incident Cau Incident Eve Contaminant	nt: Code:				Client Type: Sector Type: Agency Involved: Nearest Watercourse:	Other Motor Vehicle	
Contaminant Contaminant Contam Limi	Limit 1: t Freq 1:	HYDRAU			Site Address: Site District Office: Site Postal Code:	Ottawa	
Contaminant Environment Nature of Imp	Impact: bact:	Possible			Site Region: Site Municipality: Site Lot:	Ottawa	
Receiving Me Receiving En MOE Respon	ıv: ise:	Water			Site Conc: Northing: Easting:		
Dt MOE Arvl MOE Reporte Dt Document	ed Dt: t Closed:	2/8/2005			Site Geo Ref Accu: Site Map Datum: SAC Action Class:		
ncident Rea Site Name: Site County/I	District:		in front of 300 Lauri	er Avenue <uno< td=""><td>Source Type: FFICIAL></td><td></td><td></td></uno<>	Source Type: FFICIAL>		
Site Geo Ref Incident Sum Contaminant	imary:		Waste Managemen	t-25 L Hydraulic	Oil to CB		

61 9 of 19 N/158.2 77.9/1.07 Public Works and Government Services Canada GEN 300 Laurier Ave Ottawa ON Generator No: ON5652014 Status: SIC Code: 911910 Co Admin: SIC Description: Other Federal Government Public Choice of Contact: Administration Approval Years: PO Box No: 2009 Phone No Admin: Contam. Facility: Country: MHSW Facility:

Map Key	Number Records		Elev/Diff) (m)	Site	DB
Detail(s)					
Waste Class: Waste Class		112 ACID WASTE - H	IEAVY METALS		
Waste Class: Waste Class		145 PAINT/PIGMENT	COATING RESID	UES	
Waste Class: Waste Class		146 OTHER SPECIF	ED INORGANICS		
Waste Class: Waste Class		148 INORGANIC LAE	BORATORY CHEM	ICALS	
Waste Class: Waste Class		212 ALIPHATIC SOL	VENTS		
Waste Class: Waste Class		221 LIGHT FUELS			
Waste Class: Waste Class		243 PCBS			
Waste Class: Waste Class		252 WASTE OILS & I	UBRICANTS		
Waste Class: Waste Class		331 WASTE COMPR	ESSED GASES		
<u>61</u>	10 of 19	N/158.2	77.9 / 1.07	Public Works and Government Services Canada 300 Laurier Ave Ottawa ON	GEN
Generator No SIC Code: SIC Descripti		ON5652014 911910 Other Federal Government	Public	Status: Co Admin: Choice of Contact:	
Approval Yea PO Box No: Country:	ars:	Administration 2010		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		112 ACID WASTE - H	EAVY METALS		
Waste Class: Waste Class		331 WASTE COMPR	ESSED GASES		
Waste Class: Waste Class		263 ORGANIC LABO	RATORY CHEMIC	ALS	
Waste Class: Waste Class		212 ALIPHATIC SOL	VENTS		
Waste Class: Waste Class		146 OTHER SPECIF	IED INORGANICS		
Waste Class: Waste Class		221 LIGHT FUELS			
Waste Class: Waste Class		312 PATHOLOGICAL			

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class			148 INORGANIC LABO	RATORY CHEM	ICALS	
Waste Class: Waste Class			252 WASTE OILS & LU	BRICANTS		
Waste Class: Waste Class			243 PCBS			
Waste Class: Waste Class			121 ALKALINE WASTE	S - HEAVY MET	ALS	
Waste Class: Waste Class			145 PAINT/PIGMENT/C	COATING RESID	UES	
<u>61</u>	11 of 19		N/158.2	77.9 / 1.07	Public Works and Government Services Canada 300 Laurier Ave Ottawa ON	GEN
Generator No SIC Code: SIC Descripti			ederal Government P	ublic	Status: Co Admin: Choice of Contact:	
Approval Yea PO Box No: Country:	ars:	Adminis 2011	tration		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>						
Waste Class: Waste Class			148 INORGANIC LABO	RATORY CHEM	ICALS	
Waste Class: Waste Class			312 PATHOLOGICAL V	VASTES		
Waste Class: Waste Class			146 OTHER SPECIFIEI	D INORGANICS		
Waste Class: Waste Class			121 ALKALINE WASTE	S - HEAVY MET	ALS	
Waste Class: Waste Class			221 LIGHT FUELS			
Waste Class: Waste Class			252 WASTE OILS & LU	BRICANTS		
Waste Class: Waste Class			331 WASTE COMPRES	SSED GASES		
Waste Class: Waste Class			212 ALIPHATIC SOLVE	ENTS		
Waste Class: Waste Class			263 ORGANIC LABOR/	ATORY CHEMIC	ALS	
Waste Class: Waste Class			112 ACID WASTE - HE	AVY METALS		
Waste Class: Waste Class			145 PAINT/PIGMENT/C	COATING RESID	UES	
Waste Class:	•		243			

Map Key	Number Record		Elev/Diff (m)	Site	DB
Waste Class	Desc:	PCBS			
<u>61</u>	12 of 19	N/158.2	77.9 / 1.07	Public Works and Government Services Canada 300 Laurier Ave Ottawa ON K0A 0S5	GEN
Generator N SIC Code: SIC Descript		ON5652014 911910 Other Federal Government I Administration	Public	Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:		2012		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class	-	112 ACID WASTE - HI	EAVY METALS		
Waste Class Waste Class		146 OTHER SPECIFIE	ED INORGANICS		
Waste Class Waste Class		212 ALIPHATIC SOLV	ENTS		
Waste Class Waste Class		252 WASTE OILS & L	UBRICANTS		
Waste Class Waste Class		148 INORGANIC LAB	ORATORY CHEM	ICALS	
Waste Class Waste Class		243 PCBS			
Waste Class Waste Class		312 PATHOLOGICAL	WASTES		
Waste Class Waste Class		145 PAINT/PIGMENT/	COATING RESID	UES	
Waste Class Waste Class		221 LIGHT FUELS			
Waste Class Waste Class		121 ALKALINE WAST	ES - HEAVY MET	ALS	
Waste Class Waste Class		263 ORGANIC LABOF	RATORY CHEMIC	ALS	
Waste Class Waste Class		331 WASTE COMPRE	SSED GASES		
<u>61</u>	13 of 19	N/158.2	77.9 / 1.07	Public Works and Government Services Canada 300 Laurier Ave Ottawa ON	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ars:	ON5652014 911910 2013		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	

Map Key	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>Detail(s)</u>							
Waste Class Waste Class			263 ORGANIC LABOR	ATORY CHEMICA	ALS		
Waste Class Waste Class			112 ACID WASTE - HE	EAVY METALS			
Waste Class Waste Class	-		221 LIGHT FUELS				
Waste Class Waste Class			146 OTHER SPECIFIE	D INORGANICS			
Waste Class Waste Class			148 INORGANIC LABO		CALS		
Waste Class Waste Class			145 PAINT/PIGMENT/0	COATING RESIDL	JES		
Waste Class Waste Class	-		252 WASTE OILS & LU	JBRICANTS			
Waste Class Waste Class	-		121 ALKALINE WASTE	ES - HEAVY META	LS		
Waste Class Waste Class			243 PCBS				
Waste Class Waste Class			212 ALIPHATIC SOLV	ENTS			
Waste Class Waste Class			331 WASTE COMPRE	SSED GASES			
Waste Class Waste Class			312 PATHOLOGICAL	WASTES			
<u>61</u>	14 of 19		N/158.2	77.9 / 1.07	Public Works and G 300 Laurier Ave Ottawa ON K0A0S5	overnment Services Canada	GEN
Generator No SIC Code: SIC Descript Approval Yes	ion:	ON56520 911910 911910 2016	014		Status: Co Admin: Choice of Contact: Phone No Admin:	Brian Stoneman CO_ADMIN 613-993-5639 Ext.	
PO Box No: Country:		Canada			Contam. Facility: MHSW Facility:	No No	
<u>Detail(s)</u>							
Waste Class Waste Class			145 PAINT/PIGMENT/0	COATING RESIDU	JES		
Waste Class Waste Class			148 INORGANIC LABO	DRATORY CHEMI	CALS		
Waste Class Waste Class			331 WASTE COMPRE	SSED GASES			
Waste Class Waste Class			221 LIGHT FUELS				
Waste Class	:		263				

Waste Class D Waste Class: Waste Class D Waste Class: Waste Class D)esc:		ORGANIC LABOR	ATORY CHEMICA	ALS		
Waste Class D Waste Class:			121				
)esc:		ALKALINE WASTE	ES - HEAVY META	ALS		
			243 PCBS				
Waste Class: Waste Class D)esc:		252 WASTE OILS & LU	JBRICANTS			
Waste Class: Waste Class D)esc:		312 PATHOLOGICAL	WASTES			
Waste Class: Waste Class D)esc:		146 OTHER SPECIFIE	D INORGANICS			
Waste Class: Waste Class D)esc:		112 ACID WASTE - HE	EAVY METALS			
Waste Class: Waste Class D)esc:		212 ALIPHATIC SOLV	ENTS			
<u>61</u>	15 of 19		N/158.2	77.9 / 1.07	Public Works and G 300 Laurier Ave Ottawa ON K0A0S5	overnment Services Canada	GEN
Generator No: SIC Code: SIC Description Approval Years PO Box No: Country:	on:	ON56520 911910 911910 2015 Canada)14		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Brian Stoneman CO_ADMIN 613-993-5639 Ext. No No	
<u>Detail(s)</u>							
Waste Class: Waste Class D)esc:		263 ORGANIC LABOR	ATORY CHEMICA	ALS		
Waste Class: Waste Class D	Desc:		146 OTHER SPECIFIE	D INORGANICS			
Waste Class: Waste Class D)esc:		243 PCBS				
Waste Class: Waste Class D)esc:		145 PAINT/PIGMENT/0	COATING RESIDU	JES		
Waste Class: Waste Class D	Desc:		252 WASTE OILS & LU	JBRICANTS			
Waste Class: Waste Class D)esc:		112 ACID WASTE - HE	AVY METALS			
Waste Class: Waste Class D)esc:		221 LIGHT FUELS				
Waste Class: Waste Class D)esc:		312 PATHOLOGICAL	WASTES			
Waste Class: Waste Class D)esc:		121 ALKALINE WASTE	ES - HEAVY META	ALS		
Waste Class:			148				

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Waste Class	Desc:		INORGANIC LAB	ORATORY CHEM	ICALS		
Waste Class Waste Class			331 WASTE COMPRE	SSED GASES			
Waste Class Waste Class			212 ALIPHATIC SOLV	ENTS			
<u>61</u>	16 of 19		N/158.2	77.9 / 1.07	Public Works and G 300 Laurier Ave Ottawa ON K0A0S5	overnment Services Canada	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON56520 911910 911910 2014 Canada	014		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Brian Stoneman CO_ADMIN 613-993-5639 Ext. No No	
<u>Detail(s)</u>							
Waste Class Waste Class	-		148 INORGANIC LAB	ORATORY CHEM	ICALS		
Waste Class Waste Class			145 PAINT/PIGMENT/	COATING RESID	UES		
Waste Class Waste Class			212 ALIPHATIC SOLV	ENTS			
Waste Class Waste Class			121 ALKALINE WAST	ES - HEAVY MET	ALS		
Waste Class Waste Class			331 WASTE COMPRE	SSED GASES			
Waste Class Waste Class	-		312 PATHOLOGICAL	WASTES			
Waste Class Waste Class			263 ORGANIC LABOF	RATORY CHEMIC	ALS		
Waste Class Waste Class	-		243 PCBS				
Waste Class Waste Class			221 LIGHT FUELS				
Waste Class Waste Class			252 WASTE OILS & L	UBRICANTS			
Waste Class Waste Class	-		112 ACID WASTE - HI	EAVY METALS			
Waste Class Waste Class			146 OTHER SPECIFIE	ED INORGANICS			
<u>61</u>	17 of 19		N/158.2	77.9 / 1.07	Public Services & Pi 300 Laurier Ave Ottawa ON K0A 0S5	rocurement Canada RPB	GEN
Generator N SIC Code:	o:	ON56520	014		Status: Co Admin:	Registered	

	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
SIC Description: Approval Years: PO Box No: Country:	As of De Canada	ec 2018		Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class Des	c:	112 C Acid solutions - cont	taining heavy me	tals		
Waste Class: Waste Class Des	c:	121 C Alkaline slutions - co	ontaining heavy n	netals		
Waste Class: Waste Class Des	c:	145 I Wastes from the use	e of pigments, co	atings and paints		
Waste Class: Waste Class Des	c:	145 L Wastes from the use	e of pigments, co	atings and paints		
Waste Class: Waste Class Des	c:	146 R Other specified inor	ganic sludges, slu	urries or solids		
Waste Class: Waste Class Des	c:	146 T Other specified inor	ganic sludges, slu	urries or solids		
Waste Class: Waste Class Des	c:	148 C Misc. wastes and in	organic chemical	S		
Waste Class: Waste Class Des	c:	212 L Aliphatic solvents ar	nd residues			
Waste Class: Waste Class Des	C:	221 I Light fuels				
Waste Class: Waste Class Dese	c:	243 D PCB				
Waste Class: Waste Class Dese	c:	252 L Waste crankcase oi	ls and lubricants			
Waste Class: Waste Class Dese	c:	263 I Misc. waste organic	chemicals			
Waste Class: Waste Class Dese	c:	312 P Pathological wastes				
Waste Class: Waste Class Dese	c:	331 I Waste compressed	gases including c	cylinders		
<u>61</u> 18 (of 19	N/158.2	77.9 / 1.07	Public Services & Pr 300 Laurier Ave Ottawa ON K0A 0S5	ocurement Canada RPB	GEN
Generator No: SIC Code:	ON5652	014		Status: Co Admin:	Registered	
SIC Description: Approval Years:	As of Ju	1 2020		Choice of Contact: Phone No Admin:		
PO Box No: Country:	Canada			Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class:		145 L				
156 eris	<u>info.com</u> Envi	ronmental Risk Info	rmation Service	9S	Order No:	22042800477

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		D
Naste Class	Desc:		Wastes from the use	e of pigments, coa	atings and paints		
Vaste Class:			148 C				
Vaste Class			Misc. wastes and in	organic chemicals	S		
Naste Class:			221				
Naste Class			Light fuels				
Naste Class:			121 C				
Vaste Class			Alkaline slutions - co	ontaining heavy m	netals		
Vaste Class:			146 R				
Vaste Class			Other specified inor	ganic sludges, slu	urries or solids		
Vaste Class:			212 L				
Vaste Class			Aliphatic solvents an	nd residues			
Naste Class:			252 L				
Vaste Class			Waste crankcase oi	Is and lubricants			
Vaste Class:			112 C				
Vaste Class			Acid solutions - con	taining heavy met	tals		
Vaste Class:			312 P				
Vaste Class			Pathological wastes	;			
Vaste Class:			243 D				
Vaste Class			PCB				
Vaste Class:			145 I				
Vaste Class			Wastes from the use	e of pigments, coa	atings and paints		
Vaste Class:			263 I				
Vaste Class	Desc:		Misc. waste organic	chemicals			
Vaste Class:			331 I				
Vaste Class	Desc:		Waste compressed	gases including c	cylinders		
Vaste Class:			146 T				
Vaste Class	Desc:		Other specified inor	ganic sludges, slu	urries or solids		
<u>61</u>	19 of 19		N/158.2	77.9 / 1.07	Public Services & Pr 300 Laurier Ave Ottawa ON K0A 0S5	ocurement Canada RPB	GEI
Generator No):	ON56520)14		Status:	Registered	
IC Code:	0.01				Co Admin: Chaica of Contact:		
IC Descripti		As of Nov	/ 2021		Choice of Contact: Phone No Admin:		
O Box No:		Canada			Contam. Facility:		
country:		Canada			MHSW Facility:		
<u>etail(s)</u>							
Vaste Class: Vaste Class			252 L Waste crankcase oi	Is and lubricants			
Vaste Class: Vaste Class			146 T Other specified inor	ganic sludges, slu	urries or solids		
Vaste Class: Vaste Class			145 L Wastes from the use	e of pigments, coa	atings and paints		
			312 P				

Мар Кеу	Number of Records	Direction/ Distance (mj	Elev/Diff) (m)	Site	DB
Waste Class	Desc:	Pathological wast	ies		
Waste Class:		263 I			
Waste Class	Desc:	Misc. waste organ	nic chemicals		
Waste Class:		243 D			
Waste Class	Desc:	PCB			
Waste Class:		146 R			
Waste Class	Desc:	Other specified in	organic sludges, sl	urries or solids	
Waste Class:		121 C			
Waste Class		Alkaline slutions -	containing heavy r	netals	
Waste Class:		331 I			
Waste Class	Desc:	Waste compresse	ed gases including	cylinders	
Waste Class:		221 I			
Waste Class	Desc:	Light fuels			
Waste Class:		112 C			
Waste Class	Desc:	Acid solutions - co	ontaining heavy me	tals	
Waste Class:		145 I			
Waste Class	Desc:	Wastes from the	use of pigments, co	atings and paints	
Waste Class:		212 L			
Waste Class	Desc:	Aliphatic solvents	and residues		
Waste Class:		148 C			
Waste Class	Desc:	Misc. wastes and	inorganic chemica	ls	
62	1 of 1	NE/161.6	76.9 / 0.00	154 O'CONNOR STREET	WWIS

<u>02</u>	1011	NE/101.0	70.970.00	Ottawa ON		WWIS
Well ID:		7130914		Data Entry Status:		
Constructi	ion Date:			Data Src:		
Primary W	ater Use:	Monitoring		Date Received:	10/1/2009	
Sec. Water		-		Selected Flag:	TRUE	
Final Well	Status:	Test Hole		Abandonment Rec:		
Water Typ	e:			Contractor:	1844	
Casing Ma	terial:			Form Version:	5	
Audit No:		M04512		Owner:		
Tag:		A074637		Street Name:	154 O'CONNOR STREET	
Constructi	ion Method:			County:	OTTAWA	
Elevation ((m):			Municipality:	OTTAWA CITY	
Elevation	Reliability:			Site Info:		
Depth to B	edrock:			Lot:		
Well Depth	n:			Concession:		
Overburde	n/Bedrock:			Concession Name:		
Pump Rate	ə:			Easting NAD83:		
Static Wat	er Level:			Northing NAD83:		
Flowing (Y	′/N):			Zone:		
Flow Rate:				UTM Reliability:		
Clear/Clou	dy:			-		

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7130914.pdf

Additional Detail(s) (Map)

Well Completed Date:	2009/07/25
Year Completed:	2009
Depth (m):	6.1
Latitude:	45.4183986736524

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
Longitude: Path:		-75.6967703654323 713\7130914.pdf			
PDF URL (Ma	ap):	https://d2khazk8e83	rdv.cloudfront.n	et/moe_mapping/downloads/2Water/Wells_pdfs/713\7130914.	odf
Additional D	<u>etail(s) (Map)</u>				
Well Comple Year Comple		2009/07/24 2009			
Depth (m): Latitude: Longitude: Path:		45.4182463650946 -75.696653461001 713\7130914.pdf			
PDF URL (Ma	ap):		rdv.cloudfront.ne	et/moe_mapping/downloads/2Water/Wells_pdfs/713\7130914.	odf
Additional D	etail(s) (Map)				
Well Comple Year Comple Depth (m):		2009/07/24 2009			
Latitude: Longitude: Path:		45.4183812181676 -75.6966806818897 713\7130914.pdf			
PDF URL (Ma	ap):	https://d2khazk8e83i	dv.cloudfront.ne	et/moe_mapping/downloads/2Water/Wells_pdfs/713\7130914.	odf
Additional D	etail(s) (Map)				
Well Comple Year Comple		2009/07/25 2009			
Depth (m): Latitude: Longitude: Path:		45.4184813159654 -75.6965029748894 713\7130914.pdf			
PDF URL (Ma	ap):	https://d2khazk8e83	dv.cloudfront.n	et/moe_mapping/downloads/2Water/Wells_pdfs/713\7130914.j	odf
Additional D	etail(s) (Map)				
Well Comple Year Comple		2009/07/25 2009			
Depth (m): Latitude: Longitude: Path:		45.4182748476945 -75.6964109677093 713\7130914.pdf			
PDF URL (Ma	ap):		rdv.cloudfront.ne	et/moe_mapping/downloads/2Water/Wells_pdfs/713\7130914.	odf
Additional D	etail(s) (Map)				
Well Comple Year Comple Depth (m):		2009/07/25 2009			
Latitude: Longitude: Path:		45.4181746720951 -75.6966014544894 713\7130914.pdf			
PDF URL (Ma	ap):	https://d2khazk8e83i	dv.cloudfront.n	et/moe_mapping/downloads/2Water/Wells_pdfs/713\7130914.	odf
Additional D	<u>etail(s) (Map)</u>				

Additional Detail(s) (Map)

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Well Complete Year Complete		2009/07/24 2009				
Depth (m):						
Latitude:		45.418490862067				
Longitude: Path:		-75.69641362323 713\7130914.pdf	83			
rau.		713/7130914.pu				
Bore Hole Info	ormation					
Bore Hole ID: DP2BR:	100	2730412		Elevation: Elevrc:		
DP2BR: Spatial Status				Zone:	18	
Code OB:				East83:	445485.00	
Code OB. Code OB Des	. .			North83:	5029667.00	
	No					
Open Hole:	INO			Org CS:	UTM83	
Cluster Kind:				UTMRC:	3	
Date Complet	ed: 25-0	Jul-2009 00:00:00		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:				Location Method:	wwr	
Elevrc Desc:						
Location Sou						
	Location Source					
	Location Metho	od:				
	ion Comment:					
Supplier Com	ment:					
<u>Overburden a</u> Materials Inte	<u>nd Bedrock</u> rval					
Formation ID:		1002832794				
Layer:		4				
Color:		6				
General Color	:	BROWN				
Mat1:		05				
Most Commo	n Material:	CLAY				
Mat2:		01				
Mat2 Desc:		FILL				
Mat2 Dese. Mat3:		81				
Mat3 Desc:		SANDY				
Formation To	n Donthi	0.5				
		1.5				
Formation En Formation En	d Depth: d Depth UOM:	n.5 m				
	•					
<u>Overburden a</u> Materials Intel						
Formation ID:		1002832792				
Layer:		2				
Color:		2				
General Color	:	GREY				
Mat1:		28				
Most Commo	n Material:	SAND				
Mat2:		11				
Mat2 Desc:		GRAVEL				
Mat3:		01				
Mat3 Desc:		FILL				
Formation To	p Depth:	0.1000000014901	1612			
Formation En		0.4000000059604				
	d Depth UOM:	m	-			
	-					
<u>Overburden a</u> Materials Inte						
materials lille	<u>, vai</u>					

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID	:	1002832795			
Layer:		5			
Color:		2			
General Colo	r:	GREY			
Mat1: Most Commo	n Matarial:	05 CLAY			
Mat2:	ni walenai.	84			
Mat2 Desc:		SILTY			
Mat3:		28			
Mat3 Desc:		SAND			
Formation To		1.5			
Formation Er Formation Er	nd Depth: nd Depth UOM:	4.800000190734863 m	3		
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID		1002832791			
Layer:	-	1			
Color:					
General Colo	r:				
Mat1:		27			
Most Commo Mat2:	on Material:	OTHER			
Mat2 Desc:					
Mat3:					
Mat3 Desc: Formation To	n Denth	0.0			
Formation Er	nd Depth:	0.100000001490116	612		
	nd Depth UOM:	m			
<u>Overburden a</u> Materials Inte					
		400000700			
Formation ID		1002832793 3			
Layer: Color:		6			
General Colo	r:	BROWN			
Mat1:		28			
Most Commo	on Material:	SAND			
Mat2:		01			
Mat2 Desc:		FILL			
Mat3: Mat3 Desc:					
Formation To	op Depth:	0.40000005960464	45		
Formation En	nd Depth:	0.5			
	nd Depth UOM:	m			
<u>Overburden a</u>					
Materials Inte					
Formation ID	:	1002832796			
Layer:		6			
Color: General Colo	r.	8 BLACK			
General Colo Mat1:		17			
Most Commo	on Material:	SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc: Formation To		4.800000190734863			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation El Formation El	nd Depth: nd Depth UOM:	6.099999904632568 m			
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ЮМ:	1002832799 1 0.100000001490116 2.400000095367431 m			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction Code:	1002832802 H Geoprobe			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		1002832789 0			
<u>Construction</u>	Record - Screen				
Screen ID: Layer: Slot: Screen Top I Screen End I Screen Matei Screen Depti Screen Diam	Depth: rial: h UOM:	1002832800 1 10 5 m cm			
Screen Diam	eter:	3.799999952316284			
<u>Results of W</u> Pump Test II	<u>ell Yield Testing</u>):	1002832790			
Pump Set At Static Level: Final Level A Recommend Pumping Rate Flowing Rate	: fter Pumping: ed Pump Depth: e: ::	6.800000190734863			
Levels UOM: Rate UOM:		m			
Water State / Water State / Pumping Tes Pumping Dur Pumping Dur Flowing:	at Method: ration HR:	0 0			
Hole Diamete	er				
Hole ID:		1002832798			

Hole ID:

1002832798

	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	Ľ
Diameter: Depth From: Depth To: Hole Depth UC Hole Diameter		10.0 4.800000190734863 6.0999999904632568 m cm			
<u>Hole Diameter</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UC Hole Diameter		1002832797 20.0 0.0 4.800000190734863 m cm			
Bore Hole Info	ormation				
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc Open Hole: Cluster Kind:	:	32735 a record from cluster log		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	18 445513.00 5029653.00 UTM83 3
Date Complete Remarks: Elevrc Desc:		-2009 00:00:00		UTMRC Desc: Location Method:	margin of error : 10 - 30 m wwr
	Location Source: Location Method: on Comment:				
Improvement I Improvement I Source Revisio Supplier Comi	Location Source: Location Method: on Comment: ment: e/Abandonment				
Improvement I Improvement I Source Revisio Supplier Comi Annular Space	Location Source: Location Method: on Comment: ment: <u>e/Abandonment</u> <u>d</u>				
Improvement I Improvement I Source Revisio Supplier Comi <u>Annular Space</u> Sealing Record Plug ID: Layer: Plug ID: Plug From: Plug To: Plug Depth UC <u>Method of Cor</u>	Location Source: Location Method: on Comment: ment: <u>e/Abandonment</u> <u>d</u>	1002832739			
Improvement I Improvement I Source Revisio Supplier Comi <u>Annular Space</u> Sealing Record Plug ID: Layer: Plug From: Plug To: Plug Depth UC <u>Method of Con</u> <u>Use</u> Method Consta Method Consta	Location Source: Location Method: on Comment: ment: <u>e/Abandonment</u> <u>d</u> DM: <u>nstruction & Well</u> ruction ID: ruction Code:	1002832739			
Improvement I Improvement I Source Revisio Supplier Comi <u>Annular Space</u> <u>Sealing Recor</u> Plug ID: Layer: Plug From: Plug To: Plug Depth UC <u>Method of Con</u> <u>Use</u> Method Consti Method Consti	Location Source: Location Method: on Comment: ment: <u>e/Abandonment</u> <u>d</u> DM: <u>nstruction & Well</u> ruction ID: ruction Code: ruction:	1002832739			
Improvement I Improvement I Source Revisio Supplier Comi Annular Space Sealing Record Plug ID: Layer: Plug From: Plug To: Plug Depth UC <u>Method of Consta</u> Method Consta Method Consta Other Method	Location Source: Location Method: on Comment: ment: <u>e/Abandonment</u> <u>d</u> DM: <u>nstruction & Well</u> ruction ID: ruction Code: ruction: Construction:	1002832739			
Improvement I Improvement I Source Revisio Supplier Com Annular Space Sealing Record Plug ID: Layer: Plug ID: Plug From: Plug To: Plug Depth UC	Location Source: Location Method: on Comment: ment: <u>e/Abandonment</u> <u>d</u> DM: <u>nstruction & Well</u> ruction ID: ruction Code: ruction: Construction:	1002832739			
Improvement I Improvement I Source Revision Supplier Commin Annular Space Sealing Recorn Plug ID: Layer: Plug From: Plug From: Plug To: Plug Depth UC Method of Const Method Const Comment: All Method Const Comment: All Method Const Comment: All Method Const Const Method Const Const Method Const Con	Location Source: Location Method: on Comment: ment: <u>e/Abandonment</u> <u>d</u> DM: <u>nstruction & Well</u> ruction ID: ruction Code: ruction: Construction:	1002832739 1002832738 GEOPROBE 1002832740			

Мар Кеу	Number o Records	f Direction/ Distance (m)	Elev/Diff (m)	Site		D
laterial:)pen Hole oi		5 PLASTIC				
Depth From: Depth To: Casing Diam		3.79999995231628	4			
Casing Diam Casing Diam Casing Dept	eter UOM:	m				
Construction	Record - Scr	<u>een</u>				
Screen ID: Layer: Slot:		1002832741				
Screen Top L Screen End L Screen Mater	Depth:	3.79999995231628 6.80000019073486				
Screen Depti Screen Diam Screen Diam	h UOM: eter UOM:	m				
Results of W	ell Yield Testi	ng				
Recommend Pumping Rat Flowing Rate Recommend Levels UOM: Rate UOM:	fter Pumping: ed Pump Dept e: ed Pump Rate After Test Cod After Test: st Method: ration HR:	th: ::				
Hole Diamete	<u>er</u>					
Hole ID: Diameter:		1002832737 20.0				
Depth From: Depth To:		6.80000019073486	3			
Hole Depth U Hole Diamete	IOM: er UOM:	m cm				
Bore Hole Inf	formation					
Bore Hole ID. DP2BR: Spatial Statu Code OB: Code OB Des	s:	002832753		Elevation: Elevrc: Zone: East83: North83:	18 445494.00 5029650.00	
Open Hole: Cluster Kind: Date Comple Remarks: Elevrc Desc: Location Sou	ted: 2	his is a record from cluster lo 4-Jul-2009 00:00:00	og sheet	Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 3 margin of error : 10 - 30 m wwr	
	t Location Sol	ırce:				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
	Location Method: ion Comment: nment:				
<u>Annular Spac</u> Sealing Reco	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1002832757			
<u>Method of Co Use</u>	onstruction & Well				
Method Cons Method Cons Method Cons	truction Code:	1002832756			
	Construction:	GEOPROBE			
<u>Pipe Informa</u>	tion				
Pipe ID: Casing No: Comment: Alt Name:		1002832758 0			
<u>Construction</u>	Record - Casing				
Casing ID: Layer:		1002832760			
Material: Open Hole or Depth From:	Material:	5 PLASTIC			
Depth To: Casing Diamo Casing Diamo		3.0			
Casing Depth	n UOM:	m			
<u>Construction</u>	Record - Screen				
Screen ID: Layer: Slot:		1002832759			
Screen Top E Screen End E Screen Mater	Depth:	3.0 6.099999904632568	8		
Screen Depth Screen Diame Screen Diame	n UOM: eter UOM:	m			
<u>Results of We</u>	ell Yield Testing				
Pump Test ID Pump Set At: Static Level: Final Level A		1002832761			

Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate:

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Levels UOM: Rate UOM:	After Test Code: After Test: St Method: ration HR:					
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM:	1002832755 20.0 6.0999999904632568 m cm	3			
Bore Hole In	formation					
Improvemen	s: sc: ted: This is ted: 24-Jul- urce Date: t Location Source: t Location Method: sion Comment:	2762 a record from cluster lo 2009 00:00:00	g sheet	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445492.00 5029665.00 UTM83 3 margin of error : 10 - 30 m wwr	
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord					
Plug ID: Layer: Plug From: Plug To: Plug Depth L	IOM:	1002832766				
<u>Method of Co</u> <u>Use</u>	onstruction & Well					
Method Cons	struction Code:	1002832765 GEOPROBE				
<u>Pipe Informa</u>	tion					
Pipe ID: Casing No: Comment: Alt Name:		1002832767 0				

Map Key	Number of Records	<i>Direction/</i> Distance (m)	Elev/Diff (m)	Site	DE
Construction	n Record - Cas	ing			
Casing ID:		1002832769			
Layer: Motoriali		F			
Material:	r Matariali	5 PLASTIC			
Open Hole or		PLASTIC			
Depth From: Depth To:		3.0			
Casing Diam	eter.	5.6			
Casing Diam					
Casing Depth		m			
Construction	n Record - Scre	<u>een</u>			
Screen ID:		1002832768			
Layer: Slot:					
Siot. Screen Top L	Donth:	3.0			
Screen End L		6.099999904632568	4		
Screen Mater	•	0.0000000000000000000000000000000000000			
Screen Depth		m			
Screen Diam					
Screen Diam	eter:				
Results of W	'ell Yield Testir	ng			
Pump Test ID		1002832770			
Pump Set At:					
Static Level:					
	fter Pumping:	_			
	ed Pump Dept	h:			
Pumping Rat					
Flowing Rate					
	ed Pump Rate				
Levels UOM:					
Rate UOM:					
	After Test Cod	e:			
Water State A					
Pumping Tes					
Pumping Dur					
Pumping Dur	ration MIN:				
Flowing:					
<u>Hole Diamete</u>	<u>er</u>				
Hole ID:		1002832764			
Diameter:		20.0			
Depth From:					
Depth To:		6.099999904632568	i		
Hole Depth U		m			
Hole Diamete	er UOM:	cm			
Bore Hole Inf	formation				
	: 10	02832744		Elevation:	
Bore Hole ID:				Elevrc:	10
Bore Hole ID: DP2BR:				Zone:	18
Bore Hole ID: DP2BR: Spatial Statu	is:			East83:	445513.00
Bore Hole ID: DP2BR: Spatial Statu: Code OB:					
Bore Hole ID: DP2BR: Spatial Statu: Code OB: Code OB Des				North83:	5029677.00
Bore Hole ID: DP2BR: Spatial Statu: Code OB: Code OB Des Open Hole:	sc:			North83: Org CS:	5029677.00 UTM83
Bore Hole ID: DP2BR:	sc: : Tł	nis is a record from cluster log 1-Jul-2009 00:00:00	g sheet	North83:	5029677.00

Map Key Numbe Record		Elev/Diff) (m)	Site		DB
Remarks: Elevrc Desc: Location Source Date: mprovement Location mprovement Location Source Revision Comm Supplier Comment:	Method:		Location Method:	wwr	
Annular Space/Abando Sealing Record	nment_				
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1002832748				
Method of Construction Jse	n & Well				
Method Construction IL Method Construction C Method Construction:					
Other Method Construc	ction: GEOPROBE				
Pipe Information					
Pipe ID: Casing No: Comment: Alt Name:	1002832749 0				
Construction Record -	Casing				
Casing ID: Layer:	1002832751				
<i>Material:</i> Open Hole or Material: Depth From:	5 PLASTIC				
Depth To: Casing Diameter: Casing Diameter UOM:	3.0				
Casing Depth UOM:	m				
Construction Record -	<u>Screen</u>				
Screen ID: Layer: Slot:	1002832750				
Screen Top Depth: Screen End Depth: Screen Material:	3.0 6.099999904632	568			
Screen Depth UOM: Screen Diameter UOM: Screen Diameter:	m				
Results of Well Yield Te	esting				
Pump Test ID: Pump Set At:	1002832752				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Pumping Rate Flowing Rate: Recommende Levels UOM: Rate UOM:	ed Pump Depth: e: ed Pump Rate: fter Test Code: fter Test: t Method: ation HR:					
Hole Diamete	<u>r</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diameter		1002832746 20.0 6.0999999904632568 m cm	3			
Bore Hole Infe	ormation					
Improvement Improvement	Status: B: B Desc: ole: Kind: This is a record from cluster log sheet ompleted: 25-Jul-2009 00:00:00 s: Desc: n Source Date: ement Location Source: ement Location Method: Revision Comment:		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445506.00 5029676.00 UTM83 3 margin of error : 10 - 30 m wwr		
<u>Annular Spac</u> Sealing Recol	e/Abandonment_ rd					
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ом:	1002832784				
<u>Method of Co</u> <u>Use</u>	nstruction & Well					
Method Cons	truction Code:	1002832783 GEOPROBE				
Pipe Informat	ion					
Pipe ID: Casing No:		1002832785 0				
169	erisinfo.com Env	ironmental Risk Info	rmation Servic	es	Order No: 22042	2800477

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment: Alt Name:					
<u>Construction</u>	n Record - Casing				
Casing ID: Layer:		1002832787			
Material:		5			
Open Hole o	r Material:	PLASTIC			
Depth From:					
Depth To:		3.700000047683716	i		
Casing Diam	eter:				
Casing Diam		m			
Casing Dept		m			
<u>Construction</u>	n Record - Screen				
Screen ID:		1002832786			
Layer:					
Slot:					
Screen Top I Screen End		3.700000047683716 6.699999809265137			
Screen End		0.099999009200137			
Screen Dept		m			
Screen Diam					
Screen Diam	eter:				
<u>Results of W</u>	lell Yield Testing				
Pump Test II	D.	1002832788			
Pump Set At		1002002100			
Static Level:					
	After Pumping:				
	led Pump Depth:				
Pumping Ra					
Flowing Rate	e: led Pump Rate:				
Levels UOM:					
Rate UOM:					
	After Test Code:				
Water State					
Pumping Te	st Method:				
Pumping Du	ration HR:				
Pumping Du Flowing:	ration win:				
Hole Diamet	<u>er</u>				
Hole ID:		1002832782			
Diameter:		20.0			
Depth From:					
Depth To:		6.699999809265137			
Hole Depth L	JOM:	m			
Hole Diamete	er UOM:	cm			
Bore Hole In	formation				
Bore Hole ID	. 10028	32771		Elevation:	

Bore Hole ID:	1002832771	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445498.00
Code OB Desc:		North83:	5029642.00

erisinfo.com | Environmental Risk Information Services

	record from cluster log	g sheet	Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 3 margin of error : 10 - 30 m wwr	
onment_					
	1002832775				
n & Well_					
D: Code: ction:	1002832774 GEOPROBE				
	1002832776 0				
Casing					
	1002832778				
	5 PLASTIC 3.0				
	m				
<u>Screen</u>					
	1002832777 3.0 5.900000095367432 m	2			
<u>S</u>	<u>creen</u>	1002832777 3.0 5.900000095367432	1002832777 3.0 5.90000095367432	1002832777 3.0 5.90000095367432	1002832777 3.0 5.90000095367432

Results of Well Yield Testing

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommende Pumping Rat Flowing Rate Recommende Levels UOM: Rate UOM:	fter Pumping: ed Pump Depth: e: :: ed Pump Rate: After Test Code: After Test: at Method: ration HR:	1002832779			
<u>Hole Diamete</u>	<u>er</u>				
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete		1002832773 20.0 5.900000095367432 m cm	2		
<u>63</u>	1 of 6	SE/161.7	76.9/0.00	The Ottawa Xpress 396 Cooper St Suite 204 Ottawa ON K2P 2H7	SCT
Established: Plant Size (ft ^a Employment:		1992 15			
<u>Details</u> Description: SIC/NAICS Co	ode:	Newspaper Publishe 511110	ers		
<u>63</u>	2 of 6	SE/161.7	76.9 / 0.00	The Ottawa X Press - Div. of Communications Voir Inc. 396 Cooper St Suite 204 Ottawa ON K2P 2H7	SCT
Established: Plant Size (ft ^a Employment:		1992 15			
<u>Details</u> Description: SIC/NAICS Co	ode:	Newspaper Publishe 511110	ers		
<u>63</u>	3 of 6	SE/161.7	76.9 / 0.00	Communications Voir Inc. 396 Cooper St Suite 204 Ottawa ON K2P 2H7	SCT
Established: Plant Size (ft ²	²);	1992			
Employment:		15			

Map Key	Numbe Record		Elev/Diff (m)	Site		DB
<u>Details</u> Description: SIC/NAICS C		Newspaper Publis 511110	hers			
<u>63</u>	4 of 6	SE/161.7	76.9 / 0.00	Communications Voir 396 Cooper St Suite 2 Ottawa ON K2P 2H7		SCT
Established: Plant Size (fi Employment	t²):	2000 15				
<u>Details</u> Description: SIC/NAICS C		Newspaper Publis 511110	hers			
<u>63</u>	5 of 6	SE/161.7	76.9 / 0.00	Ottawa X Press 396 Cooper St Suite 2 Ottawa ON K2P 2H7	204	SCT
Established: Plant Size (fi Employment	t²):	14				
<u>Details</u> Description: SIC/NAICS C		Periodical Publish 511120	ers			
<u>63</u>	6 of 6	SE/161.7	76.9 / 0.00	lmagnan Corp. 396 Cooper St Suite 2 Ottawa ON K2P 2H7	03	SCT
Established: Plant Size (fi Employment	t²):	1995 5				
<u>Details</u> Description: SIC/NAICS C		All Other Industria 333299	l Machinery Manuf	acturing		
<u>64</u>	1 of 1	WNW/162.1	77.6 / 0.69	Ambassador-Mondria 324 LAURIER AVE W, ON	n Inc. OTTAWA, ON, K1P 0A4	RSC
RSC ID: RA No: RSC Type: Curr Propert Ministry Dist Filing Date: Date Ack: Date Returne Restoration Soil Type: Criteria:	trict: ed:	40506 Commercial OTTAWA 14-Dec-07		Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	22-Nov-07 No CPU Residential Mr. Arthur Loeb Yes 11 to 20 meters 613-2331104 613-2336582 kamlo@bellnet.ca	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
CPU Issued	Sect No				
1686:					
Asmt Roll No	0:	0614041 - 8010830	C		
Prop ID No (PIN):	04114 - 0045 LT			
Property Mu	nicipal Address:	324 LAURIER AVE	W, OTTAWA, O	N, K1P 0A4	
Mailing Add	ress:	Suite 200, 185 SOM	IERSET ST W, C	TTAWA, ON, K2P 0J2	
Latitude & L	.atitude:	45.41888890N 75.6	9833330W		
UTM Coordii	nates:	NAD83 18-445363-	5029723 (conver	ted from Latitude & Longitude)	
Consultant:			,	Ç,	
Legal Desc:		,	,	· · ·	6, W/S of Bank Bank Street; Lot 33, Plan
		2996, N/S of Glouce	,	wa/Nepean.	
Measuremen	nt Method:	Digitized from a sate	ellite image		
Applicable S	Standards:	Full Depth Site Con Residential/Parkland	· · · · · · · · · · · · · · · · · · ·	with Nonpotable Ground Water, Co perty use	arse Textured Soil, for
RSC PDF					

RSC	PDF:

<u>65</u>	1 of 1		NNE/162.3	76.9/0.00	154 O'CONNOR ST Ottawa ON		wwis
Elevation (Elevation F Depth to B Well Depth	ater Use: Use: Status: e: terial: m): Reliability: edrock: : n/Bedrock: : r Level: /N):	7139448 Monitorin Test Hole M05547 A083149	0		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	2/2/2010 TRUE 1844 5 154 O'CONNOR ST OTTAWA OTTAWA CITY	
PDF URL (I	Map):		https://d2khazk8	3e83rdv.cloudfront.ne	t/moe_mapping/downloads/2	2Water/Wells_pdfs/713\7139448.pdf	
		<u>(a)</u>	2009/12/21 2009 45.4185959070 -75.6969006044 713\7139448.pc https://d2khazk6	l651 lf	t/moe_mapping/downloads//	2Water/Wells_pdfs/713\7139448.pdf	
<u>Additional</u> Well Comp Year Comp Depth (m): Latitude: Longitude: Path:	Detail(s) (Ma leted Date: leted:	<u>p)</u>	2009/12/16 2009 45.4187143962 -75.6966592166 713\7139448.pc	036 8827 If			
PDF URL (Мар):		https://d2khazk8	3e83rdv.cloudfront.ne	t/moe_mapping/downloads/2	2Water/Wells_pdfs/713\7139448.pdf	

Additional Detail(s) (Map)

Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:	2009/12/18 2009 45.4183822314461 -75.6965145379183 713\7139448.pdf
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7139448.pdf
Additional Detail(s) (Map)	
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:	2009/12/17 2009 11.3 45.4185977002246 -75.6966066563327 713\7139448.pdf
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7139448.pdf
Additional Detail(s) (Map)	
Well Completed Date: Year Completed:	2009/12/18 2009

Well Completed Date:
Year Completed:
Depth (m):
Latitude:
Longitude:
Path:

45.4184994730278 -75.6964776355485 713\7139448.pdf

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7139448.pdf

Additional Detail(s) (Map)

Well Completed Date:	2009/12/21
Year Completed:	2009
Depth (m):	
Latitude:	45.4185876082455
Longitude:	-75.696785470579
Path:	713\7139448.pdf

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location	n Source:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445494.00 5029702.00 UTM83 4 margin of error : 30 m - 100 m wwr
Improvement Location Improvement Location			

Source Revision Comment: Supplier Comment:

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Annular Space	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1003266325			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction Code: struction:	1003266324			
Other Metho	d Construction:	HSA			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		1003266326 0			
Construction	Record - Casing				
Casing ID: Layer:		1003266328			
Material: Open Hole of		5 PLASTIC			
Depth From: Depth To: Casing Diam		7.699999809265137	7		
Casing Diam Casing Dept	eter UOM:	m			
<u>Construction</u>	Record - Screen				
Screen ID: Layer:		1003266327			
Slot: Screen Top I Screen End I Screen Mate	Depth:	7.699999809265137 10.69999980926513			
Screen Depti Screen Diam Screen Diam	h UOM: eter UOM:	m			
<u>Results of W</u>	ell Yield Testing				
Recommend Pumping Rat Flowing Rate	: fter Pumping: ed Pump Depth: te: e:	1003266329			
Levels UOM: Rate UOM:	After Test Code:	m			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Pumping Test Pumping Dura Pumping Dura Flowing:	ation HR:					
Hole Diameter						
Hole ID: Diameter: Depth From: Depth To: Hole Depth UC Hole Diameter		1003266323 20.0 10.69999980926513 m cm	37			
Bore Hole Info	ormation					
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour Improvement Improvement Source Revisi Supplier Com	c: ed: 21-De ce Date: Location Source: Location Method: on Comment:	a record from cluster lo c-2009 00:00:00	og sheet	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445475.00 5029689.00 UTM83 4 margin of error : 30 m - 100 m wwr	
<u>Annular Space</u> Sealing Recor	e/Abandonment d					
Plug ID: Layer: Plug From: Plug To: Plug Depth U(1003266316				
<u>Method of Cor</u> <u>Use</u>	nstruction & Well					
Method Const Method Const Method Const Other Method	ruction Code:	1003266315 HSA				
Pipe Informati		104				
Pipe ID: Casing No: Comment: Alt Name:		1003266317 0				
Construction	Record - Casing					
Casing ID: Layer: Material:		1003266319 5				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Open Hole or Depth From:	Material:	PLASTIC			
Depth To: Casing Diam		7.699999809265137	,		
Casing Diam Casing Depth		m			
Construction	Record - Scree	<u>n</u>			
Screen ID: Layer: Slot:		1003266318			
Screen Top L Screen End L Screen Mater	Depth:	7.699999809265137 10.69999980926513			
Screen Depth Screen Diam Screen Diam	n UOM: eter UOM:	m			
Results of W	ell Yield Testing				
Pump Test ID Pump Set At:		1003266320			
Recommende Pumping Rat Flowing Rate	:	7.699999809265137	,		
Levels UOM: Rate UOM:	ed Pump Rate: After Test Code: After Test:	m			
Pumping Tes Pumping Dur Pumping Dur Flowing:	t Method: ation HR:				
Hole Diamete	<u>er</u>				
Hole ID: Diameter: Depth From:		1003266314 20.0			
Depth To: Depth To: Hole Depth U Hole Diamete		10.69999980926513 m cm	37		
Bore Hole Inf	ormation				
Bore Hole ID: DP2BR: Spatial Statu: Code OB: Code OB Des Open Hole:	s:	3266348		Elevation: Elevrc: Zone: East83: North83: Orc CS:	18 445484.00 5029688.00 UTM83
Cluster Kind: Date Comple Remarks: Elevrc Desc: Location Sou	ted: 21-[s is a record from cluster lo Dec-2009 00:00:00	g sheet	Org CS: UTMRC: UTMRC Desc: Location Method:	4 margin of error : 30 m - 100 m wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revis Supplier Con	sion Comment: nment:				
<u>Annular Spaces Sealing Recc</u>	ce/Abandonment ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1003266352			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction Code: struction:	1003266351			
Other Method	d Construction:	HSA			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		1003266353 0			
<u>Construction</u>	Record - Casing				
Casing ID: Layer: Material:		1003266355 5			
Open Hole of Depth From:	Material:	PLASTIC			
Depth To: Casing Diam Casing Diam	eter UOM:	7.699999809265137	7		
Casing Deptl	n UOM:	m			
Construction	Record - Screen				
Screen ID: Layer: Slot:		1003266354			
Screen Top L Screen End L Screen Mater	Depth:	7.699999809265137 10.69999980926513			
Screen Deptl Screen Diam Screen Diam	eter UOM:	m			
<u>Results of W</u>	ell Yield Testing				
Recommender Pumping Rate Flowing Rate	fter Pumping: ed Pump Depth: e:	1003266356			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur Pumping Dur Flowing:	After Test Code: After Test: After Method: ration HR:	m				
Hole Diamete	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM: er UOM:	1003266350 20.0 10.69999980926513 m cm	37			
Bore Hole Int	formation					
Improvement Source Revis Supplier Con	s: ted: This is ted: 18-De ted: 18-De totation Source: t Location Method sion Comment: nment: ce/Abandonment		ig sheet	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445508.00 5029678.00 UTM83 4 margin of error : 30 m - 100 m wwr	
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1003266334				
<u>Method of Co</u> <u>Use</u>	onstruction & Well	L				
Method Cons	struction Code:	1003266333 HSA				
<u>Pipe Informa</u>	tion					
Pipe ID: Casing No: Comment: Alt Name:		1003266335 0				

Construction Record - Casing

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: Layer: Material:		1003266337 5			
Open Hole or Depth From: Depth To:	Material:	PLASTIC 7.699999809265137			
Casing Diam Casing Diam Casing Depth	eter UOM:	m			
<u>Construction</u>	Record - Screen				
Screen ID: Layer:		1003266336			
Slot: Screen Top L Screen End L Screen Mater	Depth:	7.699999809265137 10.69999980926513			
Screen Depth Screen Diam Screen Diam	eter UOM:	m			
Results of W	ell Yield Testing				
Recommende Pumping Rat Flowing Rate	fter Pumping: ed Pump Depth: e: :	1003266338			
Levels UOM: Rate UOM:	t Method: ation HR:	m			
Hole Diamete	<u>er</u>				
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	IOM: er UOM:	1003266332 20.0 10.69999980926513 m cm	7		
Bore Hole Inf	ormation				
Bore Hole ID. DP2BR: Spatial Statu: Code OB: Code OB Des Open Hole: Cluster Kind: Date Comple Remarks:	s: sc: This i	266339 s a record from cluster log ec-2009 00:00:00	g sheet	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445505.00 5029665.00 UTM83 4 margin of error : 30 m - 100 m wwr

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvemen	urce Date: t Location Source: t Location Method: sion Comment:				
<u>Annular Spa</u> <u>Sealing Reco</u>	ce/Abandonment ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	JOM:	1003266343			
<u>Method of Co Use</u>	onstruction & Well				
Method Cons Method Cons Method Cons	struction Code:	1003266342			
	d Construction:	HSA			
<u>Pipe Informa</u>	<u>ntion</u>				
Pipe ID: Casing No: Comment: Alt Name:		1003266344 0			
<u>Construction</u>	n Record - Casing				
Casing ID: Layer: Material: Open Hole o	r Material:	1003266346 5 PLASTIC			
Depth From: Depth To: Casing Diam	eter:	7.69999980926513	7		
Casing Diam Casing Dept		m			
<u>Construction</u>	n Record - Screen				
Screen ID: Layer: Slot:		1003266345			
Screen Top I Screen End I Screen Mate	Depth: rial:	7.699999809265133 10.69999980926513			
Screen Dept Screen Diam Screen Diam	eter UOM:	m			
<u>Results of W</u>	lell Yield Testing				
Pump Test II Pump Set At Static Level: Final Level A	-	1003266347			

Recommended Pumping Rate: Flowing Rate: Recommended Levels UOM: Rate UOM: Nater State Aft Nater State Aft Pumping Test I Pumping Durat Flowing:	l Pump Rate: ter Test Code: ter Test: Method: tion HR:	m				
Hole Diameter						
Hole ID:		1003266341				
Diameter:		20.0				
Depth From:						
Depth To:		10.69999980926513	7			
Hole Depth UO	M:	m				
Hole Diameter	UOM:	cm				
Bore Hole Infor	rmation					
Bore Hole ID:	100293	4566		Elevation:		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	18	
Code OB:				East83:	445498.00	
Code OB Desc:				North83:	5029689.00	
Open Hole:	No			Org CS:	UTM83	
Cluster Kind:				UTMRC:	3	
Date Completed	d: 17-Dec	-2009 00:00:00		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:				Location Method:	wwr	
Elevrc Desc: Location Sourc	- Data					
	ocation Source:					
	ocation Method:					
Source Revisio						
Supplier Comm						
Overburden an Materials Interv						
Formation ID:		1003266358				
Layer:		1				
Color:		6				
General Color:		BROWN				
Mat1:		28				
Nost Common	Material:	SAND				
Mat2:		01				
Mat2 Desc:		FILL				
Mat3:						
<i>Mat3 Desc:</i> Formation Top	Donth:	0.0				
Formation End		0.60000023841857	٥			
Formation End		m	5			
Overburden an Materials Interv						
Formation ID:		1003266360				
Layer:		3				
		vironmental Risk Infor			Order No: 22042800	

N - 1 - 11				
Color:		6		
General Color:		BROWN		
Mat1:		05		
Most Common l	Material:	CLAY		
Mat2:		91		
Mat2 Desc:		WATER-BEARING		
Mat3:		84		
Mat3 Desc:	D	SILTY	,	
Formation Top I Formation End I		1.2000000476837158 3.0)	
Formation End		m.		
<u>Overburden and</u> Materials Interva				
		1003266362		
Formation ID: Layer:		5		
Color:		2		
General Color:		GREY		
Mat1:		06		
Most Common I	Material:	SILT		
<i>Mat2:</i> Mat2 Desc:				
Mat2 Desc. Mat3:		61		
Mat3 Desc:		CLAYEY		
Formation Top I	Depth:	4.300000190734863		
Formation End	Depth:	5.5		
Formation End		m		
Overburden and Materials Interva				
Formation ID:		1003266364		
Layer:		7		
Color:		6		
General Color:		BROWN		
Mat1:		17		
Most Common I	Material:	SHALE		
Mat2:				
<i>Mat2 Desc:</i> Mat3:		68		
Mat3 Desc:		DRY		
Formation Top I	Denth:	6.0		
Formation End		11.300000190734863	}	
Formation End		m		
Overburden and Materials Interva				
Formation ID:		1003266359		
Layer:		2		
Color:		6		
General Color:		BROWN		
Mat1:		28		
Most Common Mot2:	viaterial:	SAND		
<i>Mat2:</i> <i>Mat2 Desc:</i>		11 GRAVEL		
viatz Desc: Nat3:		ORAVEL 01		
Mat3 Desc:		FILL		
Formation Top I	Depth:	0.600000238418579)	
Formation End	Depth:	1.2000000476837158		
Formation End		m		
	-			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>Overburden a</u> <u>Materials Inte</u>						
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation Er	r: on Material: op Depth:	1003266361 4 2 GREY 05 CLAY 91 WATER-BEARING 3.0 4.300000190734863 m				
<u>Overburden a</u> <u>Materials Inte</u>						
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation Er Formation Er	r: on Material: op Depth:	1003266363 6 2 GREY 05 CLAY 81 SANDY 5.5 6.0 m				
<u>Annular Spac</u> Sealing Reco	ce/Abandonment					
Plug ID: Layer: Plug From: Plug To: Plug Depth U		1003266367 1 0.5 7.0 m				
<u>Method of Co</u> <u>Use</u>	onstruction & Well					
Method Cons	truction Code:	1003266371 5 Air Percussion HSA				
<u>Pipe Informat</u>	tion					
Pipe ID: Casing No: Comment: Alt Name:		1003266357 0				
Construction	Record - Casing					
Casing ID:		1003266368				

Мар Кеу	Numbei Record		Direction/ Distance (m	Elev/Diff n) (m)	Site		DB
Layer: Material: Open Hole of Depth From: Depth To: Casing Diam Casing Diam Casing Deptl	eter: eter UOM:		1 5 PLASTIC 0.0 8.300000190734 5.099999904632 cm m				
Construction	n Record - S	Screen					
Screen ID: Layer: Slot: Screen Top I Screen End I Screen Mate Screen Depti Screen Diam Screen Diam	Depth: rial: h UOM: peter UOM:		1003266369 1 10 5 m cm 5.800000190734	1863			
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth L Hole Diamete	JOM:		1003266366 10.0 6.0 11.30000019073 m cm	34863			
Hole Diamete	<u>er</u>						
Hole ID: Diameter: Depth From: Depth To: Hole Depth L Hole Diamete	JOM:		1003266365 20.0 0.0 6.0 m cm				
<u>66</u>	1 of 1		NE/166.2	76.9 / 0.00	154 O'CONNOR STR Ottawa ON	EET	WWIS
Well ID: Construction Primary Wate Sec. Water U Final Well St Water Type: Casing Matel Audit No: Tag: Construction Elevation (m, Elevation Re Depth to Beo Well Depth:	er Use: Ise: atus: rial: n Method:): liability:	7137421 Abandor M05531 A074637	ned Monitoring and	I Test Hole	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83:	1/7/2010 TRUE Yes 1844 5 154 O'CONNOR STREET OTTAWA OTTAWA CITY	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		D
PDF URL (Ma	p):	https://d2khazk8e83	rdv.cloudfront.ne	t/moe_mapping/download	ls/2Water/Wells_pdfs/713\7137421.pdf	
Additional De	etail(s) (Map)					
Well Complet Year Complet Depth (m):		2009/11/09 2009				
Latitude:		45.4184908620674				
ongitude:		-75.6964136232383				
Path:		713\7137421.pdf				
PDF URL (Ma	p):	https://d2khazk8e83	rdv.cloudfront.ne	t/moe_mapping/download	ls/2Water/Wells_pdfs/713\7137421.pdf	
Additional De	etail(s) (Map)					
Vell Complet Year Complet		2009/11/09 2009				
Depth (m):		45 4404400-00				
Latitude:		45.4184466508798				
Longitude: Path:		-75.7021646551423 713\7137421.pdf				
Bore Hole Inf	ormation					
Bore Hole ID:	100324	15068		Elevation:		
DP2BR:				Elevrc:		
Spatial Status	s:			Zone:	18	
Code OB:				East83:	445513.00	
Code OB Des	C:			North83:	5029677.00	
Open Hole: Cluster Kind:	This is	a record from cluster lo	a choot	Org CS: UTMRC:	UTM83 4	
Date Complet		-2009 00:00:00	y sheet	UTMRC Desc:	4 margin of error : 30 m - 100 m	
Remarks:	eu. 09-1100	-2003 00.00.00		Location Method:	wwr	
Elevrc Desc:				Loouton method.		
Location Sou mprovement mprovement	Location Source: Location Method: ion Comment:					
Annular Spac Sealing Reco	e/Abandonment_ rd					
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1003245072				
<u>Method of Co</u> Use	nstruction & Well					
Method Cons	truction Code:	1003245071				
Hole Diamete	<u>r</u>					
Tote Diamete						

Мар Кеу	Number Record		Direction/ Distance (n	Elev/Diff n) (m)	Site		D
Diameter:			20.0				
Depth From:							
Depth To:			6.099999904632	2568			
Hole Depth UC	DM:		m				
Hole Diameter			cm				
Bore Hole Info	<u>rmation</u>						
Bore Hole ID:		100291	5853		Elevation:		
DP2BR:		100201	0000		Elevrc:		
Spatial Status:					Zone:	18	
Code OB:					East83:	445063.00	
Code OB. Code OB Desc					North83:	5029676.00	
	•	No				UTM83	
Open Hole:		INO			Org CS:		
Cluster Kind:			0000 00 00 00		UTMRC:	4	
Date Complete	ed:	09-Nov	-2009 00:00:00		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:					Location Method:	wwr	
Elevrc Desc:							
Location Sour	ce Date:						
Improvement L	Location &	Source:					
Improvement L	Location I	Method:					
Source Revisio							
Supplier Comr	ment:						
Annular Space Sealing Record		nment_					
Plug ID:			1003245074				
			1				
Layer:							
Plug From:			0.0	F407			
Plug To:			6.69999980926	5137			
Plug Depth UC	DM:		m				
<u>Method of Con</u> <u>Use</u>	struction	& Well					
Method Consti Method Consti Method Consti Other Method	ruction Corruction:	ode:	1003245075				
Hole Diameter							
Hole ID:			1003245073				
Diameter:			20.0				
Depth From:			0.0				
			6.69999980926	5137			
Depth To:	N// ·			0107			
lole Depth UC			m				
lole Diameter	UOM:		cm				
<u>67</u>	1 of 4		S/167.3	76.9 / 0.00	GVT. OF CAN R.C OTTAWA A DIVISIO COOPER STREET OTTAWA ON K1A 0	N, DRUG SECTION 400	GEI
Generator No:		ON0283	3126		Status:		
SIC Code:		0007			Co Admin:		
SIC Descriptio	n·		R ACKNOWLEDG.		Choice of Contact:		
コマ レモるしけんれつ			8,89,90,92,93,97,9		Phone No Admin:		
		00,07,0	0,00,00,02,80,87,8	0,00,00,01			
Approval Year	0.				Contam Eacility		
					Contam. Facility: MHSW Facility:		

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
<u>Detail(s)</u>						
Waste Class: Waste Class		148 INORGANIC LABO	ORATORY CHEM	ICALS		
Waste Class: Waste Class		263 ORGANIC LABOR	ATORY CHEMIC	ALS		
<u>67</u>	2 of 4	S/167.3	76.9 / 0.00	GVT. OF CAN R.C.M OTTAWA A DIVISION COOPER STREET OTTAWA ON K1A OR	DRUG SECTION 400	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON0283126 8123 POLICE SERVICES 94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class		148 INORGANIC LABO	ORATORY CHEM	ICALS		
Waste Class: Waste Class		263 ORGANIC LABOR	ATORY CHEMIC	ALS		
<u>67</u>	3 of 4	S/167.3	76.9 / 0.00	400 Cooper Street Ottawa ON K2P 2H8		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional Int	d: Name: Size:	20050121005 C 1/31/2005 1/21/2005		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Cooper St & Bank St ON 0.25 -75.697694 45.415475	
<u>67</u>	4 of 4	S/167.3	76.9 / 0.00	400 Cooper Street, Ottawa ON K2P 2H8		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building S Additional Int	d: Name: Size:	20070201023 C CAN - Custom Report 2/7/2007 2/1/2007		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	0.25 -75.697734 45.415526	
<u>68</u>	1 of 1	S/167.4	76.9 / 0.00	400 Cooper Street Ottawa ON K2P 2N1		EHS
Order No: Status: Report Type: Report Date:		20190926204 C Standard Report 01-OCT-19		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	QC .25	

Мар Кеу	Number Records		Elev/Diff (m)	Site	DE
Date Receive Previous Site Lot/Building	e Name: Size:	26-SEP-19		X: -75.697355 Y: 45.415736	
Additional In	no Ordered:	Fire Insur. Maps ar		iny Directory	
<u>69</u>	1 of 16	SSE/167.6	76.9 / 0.00	DRAICCHIO'S TAILORING & CLEANING 272 BANK STREET OTTAWA ON K2P 1X6	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON1392900 9721 POWER LAUND./CLEANER 90,97,98,99,00,01,02,03,04,0		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		241 HALOGENATED S	OLVENTS		
<u>69</u>	2 of 16	SSE/167.6	76.9/0.00	DRAICCHIO'S TAILORING & CLEANING 12- 272 BANK STREET OTTAWA ON K2P 1X6	-549 GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON1392900 9721 POWER LAUND./CLEANER 92,93,94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class	-	241 HALOGENATED S	OLVENTS		
<u>69</u>	3 of 16	SSE/167.6	76.9 / 0.00	DRAICCHIO'S TAILORING & CLEANING 272 BANK STREET OTTAWA ON K2P 1X6	GEN
Generator N SIC Code: SIC Descript		ON1392900 812320 Dry Cleaning and Laundry Se Coin-Operated)	ervices (except	Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:	ars:	2009		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		241 HALOGENATED S	OLVENTS		
<u>69</u>	4 of 16	SSE/167.6	76.9 / 0.00	DRAICCHIO'S TAILORING & CLEANING 272 BANK STREET OTTAWA ON K2P 1X6	GEN
Generator N	.	ON1392900		Status:	

Map Key	Numbe Record		Elev/Diff (m)	Site	DB
SIC Code: SIC Descript Approval Ye PO Box No: Country:		812320 Dry Cleaning and Laundry S Coin-Operated) 2010	Services (except	Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class	-	241 HALOGENATED	SOLVENTS		
<u>69</u>	5 of 16	SSE/167.6	76.9 / 0.00	DRAICCHIO'S TAILORING & CLEANING 272 BANK STREET OTTAWA ON K2P 1X6	GEN
Generator N SIC Code: SIC Descript Approval Ye	tion:	ON1392900 812320 Dry Cleaning and Laundry S Coin-Operated) 2011	Services (except	Status: Co Admin: Choice of Contact: Phone No Admin:	
PO Box No: Country:				Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		241 HALOGENATED	SOLVENTS		
<u>69</u>	6 of 16	SSE/167.6	76.9 / 0.00	DRAICCHIO'S TAILORING & CLEANING 272 BANK STREET OTTAWA ON K2P 1X6	GEN
Generator N SIC Code: SIC Descript		ON1392900 812320 Dry Cleaning and Laundry S	Services (except	Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:	ars:	Coin-Operated) 2012		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		241 HALOGENATED	SOLVENTS		
<u>69</u>	7 of 16	SSE/167.6	76.9 / 0.00	7695713 canada inc. 272 BANK ST OTTAWA ON	GEN
Generator No SIC Code: SIC Descript		ON4418802 812320 Dry Cleaning and Laundry S Coin-Operated)	Services (except	Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:	ars:	2012		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>69</u>	8 of 16	SSE/167.6	76.9 / 0.00	7695713 canada inc. 272 BANK ST	GEN

Мар Кеу	Numbei Record		Elev/Diff (m)	Site		DB
				OTTAWA ON		
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON4418802 812320 DRY CLEANING AND LAUN (EXCEPT COIN-OPERATED 2013		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class		213 PETROLEUM DIS	TILLATES			
<u>69</u>	9 of 16	SSE/167.6	76.9 / 0.00	7695713 canada inc. 272 BANK ST OTTAWA ON K2P1X6		GEN
Generator No SIC Code: SIC Descripti	-	ON4418802 812320 DRY CLEANING AND LAUN (EXCEPT COIN-OPERATED		Status: Co Admin: Choice of Contact:	MANUEL ML LEBRON CO_ADMIN	
Approval Yea PO Box No: Country:	ars:	2016 Canada)	Phone No Admin: Contam. Facility: MHSW Facility:	6132332965 Ext. No No	
<u>Detail(s)</u>						
Waste Class: Waste Class		213 PETROLEUM DIS	TILLATES			
<u>69</u>	10 of 16	SSE/167.6	76.9 / 0.00	7695713 canada inc. 272 BANK ST OTTAWA ON K2P1X6		GEN
Generator No SIC Code: SIC Descripti		ON4418802 812320 DRY CLEANING AND LAUN (EXCEPT COIN-OPERATED		Status: Co Admin: Choice of Contact:	MANUEL ML LEBRON CO_ADMIN	
Approval Yea PO Box No: Country:	ars:	2015 Canada	,	Phone No Admin: Contam. Facility: MHSW Facility:	6132332965 Ext. No No	
<u>Detail(s)</u>						
Waste Class: Waste Class		213 PETROLEUM DIS	TILLATES			
<u>69</u>	11 of 16	SSE/167.6	76.9 / 0.00	7695713 canada inc. 272 BANK ST OTTAWA ON K2P1X6		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON4418802 812320 DRY CLEANING AND LAUN (EXCEPT COIN-OPERATED 2014 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	aida af flores de lebron CO_OFFICIAL 613-234-1284 Ext. No No	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class. Waste Class		213 PETROLEUM DIST	TILLATES		
<u>69</u>	12 of 16	SSE/167.6	76.9 / 0.00	7695713 canada inc. 272 BANK ST OTTAWA ON K2P1X6	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	418802 f Dec 2018 ada		Status:RegisteredCo Admin:Choice of Contact:Phone No Admin:Contam. Facility:MHSW Facility:	
<u>Detail(s)</u>					
Waste Class. Waste Class		213 L Petroleum distillate	S		
<u>69</u>	13 of 16	SSE/167.6	76.9 / 0.00	Draicchio's Tailoring&Cleaning 272 Bank St Ottawa ON K2P1X6	CDRY
Legal Name Region:	of Company:				
Waste Quant	<u>tity by Year</u>				
	PERC (kg): Water (kg): Water (L): e (kg): e (L): i):	2004 89.1 92 - 92 - 184 - No N/A			
<u>69</u>	14 of 16	SSE/167.6	76.9 / 0.00	Draicchio's Tailoring & Cleaning 272 Bank St Ottawa ON K2P1X6	CDRY
Legal Name Region:	of Company:	7695713 Canada Ir Ontario	nC.		
Waste Quant	<u>tity by Year</u>				
Reporting Ye Quantity of F Total Waste Total Waste Total Residu Total Residu Total Mix (k) Request for (PERC (kg): Water (kg): Water (L): e (kg): e (L): ı):	2019 176 0 0 0 0 64 0 no			

Мар Кеу	Numbe Record			Site		DE
Reason for (Confidentia	lity:				
<u>69</u>	15 of 16	SSE/167.6	76.9 / 0.00	7695713 canada inc. 272 BANK ST OTTAWA ON K2P1X6		GEN
Generator No SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON4418802 As of Jul 2020 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>						
Waste Class Waste Class		213 L Petroleum dis	stillates			
<u>69</u>	16 of 16	SSE/167.6	76.9 / 0.00	DOWNTOWN COBBLE 272 BANK ST OTTAWA ON k2p1x6	ER DOWNTOWN COBBLER	GEN
Generator No SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON4418802 As of Nov 2021 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u> Waste Class Waste Class		213 L Petroleum dis	tillates			
<u>70</u>	1 of 7	WNW/168.5	77.6 / 0.69	SHOPPERS DRUG MA 174 BANK ST OTTAWA ON K2P1W6		PES
Detail Licence Licence Nor Status: Approval Da Report Sourd Licence Type Licence Clas Licence Con Latitude: Longitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Loo	nte: rce: e Code: ss: htrol:	16739 Legacy Licenses (Exclu Limited Vendor 23 01	lding TS)	Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Operator Region: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	613 2325723	
<u>70</u>	2 of 7	WNW/168.5	5 77.6 / 0.69	B. Surani Drugs Ltd. (§ 174 BANK ST	910)	GEN

Map Key Numb Recor		Elev/Diff (m)	Site		DB
			OTTAWA ON K1P 5	N7	
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON6683154 446110 446110 2016 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Nastran Najafi-Fard CO_ADMIN 4164931220 Ext.3218 No No	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	261 PHARMACEUTIC	ALS			
Waste Class: Waste Class Desc:	312 PATHOLOGICAL	WASTES			
<u>70</u> 3 of 7	WNW/168.5	77.6 / 0.69	B. Surani Drugs Ltd. 174 BANK ST OTTAWA ON K1P 5I		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON6683154 446110 446110 2015 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Nastran Najafi-Fard CO_ADMIN 4164931220 Ext.3218 No No	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	261 PHARMACEUTIC	ALS			
Waste Class: Waste Class Desc:	312 PATHOLOGICAL	WASTES			
<u>70</u> 4 of 7	WNW/168.5	77.6 / 0.69	B. Surani Drugs Ltd. 174 BANK ST OTTAWA ON K1P 5I		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON6683154 As of Dec 2018 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	261 A Pharmaceuticals				
Waste Class: Waste Class Desc:	312 P Pathological wast	es			
70 5 of 7	WNW/168.5	77.6 / 0.69	SHOPPERS DRUG N 174 BANK ST OTTAWA ON K2P1V		PES
Detail Licence No:			Operator Box:		

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Licence No: Status: Approval Date Report Source Licence Type Licence Class Licence Contr Latitude: Longitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Loca	e: Code: :: ol:	12805 Legacy Licer Limited Venc 23 01	nses (Excluding TS lor	;)	Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Operator Lot: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	613 2325723	
<u>70</u>	6 of 7	V	VNW/168.5	77.6 / 0.69	B. Surani Drugs Ltd. (9 174 BANK ST OTTAWA ON K1P 5N7	10)	GEN
Generator No: SIC Code: SIC Descriptic Approval Year PO Box No: Country:	on:	ON6683154 As of Jul 202 Canada	0		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Detail(s)							
Waste Class: Waste Class D Waste Class:		Ph 31:	1 A armaceuticals 2 P				
Waste Class D	Desc:	Pa	thological wastes				
<u>70</u>	7 of 7	V	VNW/168.5	77.6 / 0.69	B. Surani Drugs Ltd. (9 174 BANK ST OTTAWA ON K1P 5N7	10)	GEN
Generator No: SIC Code: SIC Descriptic Approval Year PO Box No: Country:	on:	ON6683154 As of Nov 20 Canada	21		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Detail(s)							
Vaste Class: Vaste Class D	Desc:	-	1 A armaceuticals				
Naste Class: Naste Class D	Desc:		2 P thological wastes				
			INW/169.1	77.9 / 1.00	OLYMPIA & YORK DE	/ELOPMENTS LTD. ER; 171 BANK STREET	NP

Map Key Number of Records			Elev/Diff (m)	Site		DB
Company Coo Industry: Site Status:	de:	O0163C Other				
Transaction L Inspection Da		10/8/1993 7/21/1993				
<u>Details</u> Label: Serial No.: PCB Type/Co Location: Item/State: No. of Items: Manufacturer		Inerteen				
Status: Contents:		In-Use 1433.00 L				
<u>71</u>	2 of 11	NNW/169.1	77.9 / 1.00	ROSTRUST INVESTM 171 BANK STREET LI LEVEL II OTTAWA ON	IENTS INC. EVEL II BANK STREET	NPCB
Company Coo Industry: Site Status: Transaction L Inspection Da	Date:	O0163C				
<u>Details</u> Label: Serial No.: PCB Type/Co Location: Item/State: No. of Items: Manufacturer Status: Contents:		In-Use				
<u>71</u>	3 of 11	NNW/169.1	77.9 / 1.00	171 Bank St Ottawa ON K2P 1W5		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building S Additional Inf	d: Name: Size:	20000919004 C Complete Report 9/21/00 9/14/00		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Ottawa Carleton ON 0.30 -75.697803 45.418652	
<u>71</u>	4 of 11	NNW/169.1	77.9 / 1.00	CAMPBELL AND KEN M2-171 BANK ST. OTTAWA ON K2P 1W	INEDY ELECTRIC LTD.	GEN
Generator No SIC Code: SIC Descripti		ON0043400 0000 *** NOT DEFINED ***		Status: Co Admin: Choice of Contact:		

Approved Verse: 86,87,88,89,90,92,93,94 Phone No Admin: Contam. Facility: Country: 71 5 of 11 NNW/169,1 77.9/1.00 0.4 Y PROPERTIES INC. Contam. Facility: Cenerator No: ON0383905 Status: Co.Admin: Co.Admin: Contam. Facility: SIC Code: 7512 Status: Co.Admin: Co.Admin: Co.Admin: SIC Code: 7512 Status: Co.Admin: Co.Admin: Co.Admin: SIC Code: 7512 Status: Co.Admin: Co.Admin: Co.Admin: ON NA: ESE BLDG, OPER. Phone No.Admin: Contam. Facility: MiSW Facility: Contam. Facility: Wasto Class: 222 Wasto Class: 223 Wasto Class: Co.Admin: Contam. Facility: Contam. Facility: Masto Class: 711 NWW/169.1 77.9/1.00 O.4 Y PROPERTIES INC. LESPLANADE LAURER YT BANK STREET GEN SIC Code: 7512 Co.Admin: Co.Admin: <th>Map Key</th> <th>Numbe Record</th> <th></th> <th>Elev/Diff (m)</th> <th>Site</th> <th>DB</th>	Map Key	Numbe Record		Elev/Diff (m)	Site	DB
Cenerator No: SIC Code: SIC Code: SIC Code: SIC Description: Approval Years: Pol Dax No: Country: ON0353905 7512 Status: Co Admin: Contam: Phone No Admin: Contam: Polone No. Country: Cenerator No: Polone No. Country: ON0353905 94,95,95,97,95 Status: Co Admin: Contam: Polone No. Country: Cenerator No: Polone No. Country: 213 Waste Class Desc: PETROLEUM DISTILLATES Cenerator No: SIC Code: SIC C	PO Box No:		86,87,88,89,90,92,93,94		Contam. Facility:	
SiC Decerition: 7512 Co Admin: SiC Description: 4,957,98 Co Admin: Approval Years: 94,95,96,97,98 Co Admin: Pol Box No: 213 Co Admin: Country: MHSW Facility: MHSW Facility: Maste Class Desc: 213 Waste Class Desc: 213 Waste Class Desc: 213 Waste Class Desc: 245 1 6 of 11 NWW/169.1 77.9 / 1.00 O & Y PROPERTIES INC. L'ESPLANADE LAURIER 171 BANK STREET GEN SiC Description: 7512 Status: Co Admin: SiC Description: 0N0N-RES, BLDG. OPER, Phone No Admin: Status: Co Admin: Generator No: 0N0N-RES, BLDG. OPER, Phone No Admin: Sc Admin: Co Admin: Country: 99.0.01 Status: Co Admin: Co Admin: Po Box No: 90.0.01 PETROLEUM DISTILLATES Status: Co Admin: Co Admin: Country: POTAL NWW/169.1 77.9 / 1.00 ROSTRUST INVESTMENTS INC. Co Admin: Si C Description: Approval Years: 252 Status:	<u>71</u>	5 of 11	NNW/169.1	77.9 / 1.00	171 BANK STREET L'ESPLANADE LAURIER	GEN
Waste Class: 213 Waste Class: 252 Waste Class: 000000000000000000000000000000000000	SIC Code: SIC Descrip Approval Ye PO Box No:	tion: ears:	7512 NON-RES. BLDG. OPER.		Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	
Waste Class Desc: PETROLEUM DISTILLATES Waste Class: 252 WASTE OLLS & LUBRICANTS I 6 of 11 NNW/169.1 77.9 / 1.00 0 & Y PROPERTIES INC. L'ESPLANADE LAURIER 171 BANK STREET GEN Generator No: SIC Code: ON0383905 Status: 7512 Co Admini: Contrain Acity Containin: Co Admini: Country: ON0383905 Betail(S) Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES Waste Class Desc: 213 NNW/169.1 77.9 / 1.00 ROSTRUST INVESTMENTS INC. Ontain Facility: Generator No: Contain Facility: Ontainin: Contain Facility: Waste Class: 252 Waste Class Desc: 252 Waste Class Desc: 252 Waste Class LUBRICANTS Generator No: SIC Code: ON2079000 7512 Status: Co Admini: Contain Facility: Generator No: Contain Facility: ON2079000 T512 Status: Co Admini: Co Admini: Contain Facility: Status: Co Admini: Co Admini: MHSW Facility: Contain Facility: MHSW Facility: Detail(S) Waste Class: 121 Maste Class Desc: 121 Maste Class Desc: 121 Maste Class Desc: 121 Maste Class Desc: 148	<u>Detail(s)</u>					
Waste Class Desc: WASTE OILS & LUBRICANTS Image: Class Desc: ONUMATION Image: Class Desc: <t< td=""><td></td><td></td><td></td><td>STILLATES</td><td></td><td></td></t<>				STILLATES		
Image: Construction of the second				UBRICANTS		
SIC Code: 7512 Co Admin: SIC Description: NON-RES. BLDG. OPER. Choice of Contact: Approval Years: 99,00,01 Phone No Admin: Country: Sic Description: Sic Description: Detail(s) Petrol.EUM DISTILLATES Petrol.EUM DISTILLATES Waste Class: 252 Waste Class Desc: PETROLEUM DISTILLATES Vaste Class Desc: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Image: Trip Total Signal Sign	<u>71</u>	6 of 11	NNW/169.1	77.9 / 1.00	L'ESPLANADE LAURIER 171 BANK STREET	GEN
Waste Class: 213 PETROLEUM DISTILLATES Waste Class Desc: PETROLEUM DISTILLATES Waste Class: 252 Waste Class Desc: 252 WASTE OILS & LUBRICANTS 1 7 of 11 NNW/169.1 77.9/1.00 ROSTRUST INVESTMENTS INC. 171 BANK STREET (L'ESPLANADE LAURIER) GEN 6 ON2079000 Status: SIC Code: 7512 Co Admin: Co Admin: Co Admin: SIC Description: NON-RES. BLDG. OPER. 95,96,97,98,99,00,01,02,03,04 Phone No Admin: Contant. Facility: Contant. Facility: Detail(s) Waste Class: 121 Waste Class: 121 Maste Class: 121 Maste Class: Waste Class: 148	SIC Code: SIC Descrip Approval Ye PO Box No:	tion: ears:	7512 NON-RES. BLDG. OPER.		Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	
Waste Class Desc: PETROLEUM DISTILLATES Waste Class Desc: 252 WASTE OILS & LUBRICANTS 1 7 of 11 NNW/169.1 77.9 / 1.00 ROSTRUST INVESTMENTS INC. 171 BANK STREET (L'ESPLANADE LAURIER) OTTAWA ON K2P 1W5 GEN Generator No: SIC Code: ON2079000 7512 Status: Co Admin: SIC Code: ONN-RES. BLDG. OPER. 95,96,97,98,99,00,01,02,03,04 Status: Co Admin: Contam. Facility: Co Admini: Contam. Facility: Detail(s) Waste Class: 121 ALKALINE WASTES - HEAVY METALS Metal Leave Le	<u>Detail(s)</u>					
Waste Class Desc: WASTE OILS & LUBRICANTS 71 7 of 11 NNW/169.1 77.9 / 1.00 ROSTRUST INVESTMENTS INC. 171 BANK STREET (L'ESPLANADE LAURIER) OTTAWA ON K2P 1W5 GEN Generator No: SIC Code: ON2079000 7512 Status: Co Admin: NON-RES. BLDG. OPER. Approval Years: PO Box No: Country: ONO-RES. BLDG. OPER. 95.96.97,98,99,00,01,02,03,04 Phone No Admin: Contant: MHSW Facility: Detail(s) Waste Class: 121 ALKALINE WASTES - HEAVY METALS Waste Class: 148				STILLATES		
Generator No: ON2079000 Status: OTTAWA ON K2P 1W5 GEN SiC Code: 7512 Co Admin: Status: SiC Description: NON-RES. BLDG. OPER. Choice of Contact: Approval Years: 95,96,97,98,99,00,01,02,03,04 Phone No Admin: Contam. Facility: Contam. Facility: Detail(s) Waste Class: 121 Waste Class: 121 Waste Class: 148				UBRICANTS		
SIC Code: 7512 Co Admin: SIC Description: NON-RES. BLDG. OPER. Choice of Contact: Approval Years: 95,96,97,98,99,00,01,02,03,04 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Vaste Class: 121 Waste Class Desc: ALKALINE WASTES - HEAVY METALS Waste Class: 148	<u>71</u>	7 of 11	NNW/169.1	77.9 / 1.00	171 BANK STREET (L'ESPLANADE LAURIER)	GEN
Waste Class: 121 Waste Class Desc: ALKALINE WASTES - HEAVY METALS Waste Class: 148	SIC Code: SIC Descrip Approval Ye PO Box No:	tion: ears:	7512 NON-RES. BLDG. OPER.	,04	Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	
Waste Class Desc: ALKALINE WASTES - HEAVY METALS Waste Class: 148	<u>Detail(s)</u>					
				ES - HEAVY MET	ALS	
				ORATORY CHEM	ICALS	

	nber of ords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		212 ALIPHATIC SOLVE	ENTS		
Waste Class: Waste Class Desc:		213 PETROLEUM DIST	TILLATES		
Waste Class: Waste Class Desc:		243 PCB'S			
Waste Class: Waste Class Desc:		252 WASTE OILS & LU	BRICANTS		
Waste Class: Waste Class Desc:		263 ORGANIC LABOR/	ATORY CHEMIC	ALS	
71 8 of 1	11	NNW/169.1	77.9 / 1.00	BLACK PHOTO(OUT OF BUS.) 181 BANK STREET, UNITS 121-122 L'ESPLANADE OTTAWA ON K2P 1W5	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON13381 6571 CAMERA 97,98	55 /PHOTO. SUPPLY		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		264 PHOTOPROCESS	ING WASTES		
<u>71</u> 9 of 1	11	NNW/169.1	77.9 / 1.00	BLACK PHOTO CORPORATION 171-181 BANK STREET, UNITS 121-122 OTTAWA ON K2P 1W5	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON13381 6571 CAMERA 97,98,99,0	PHOTO. SUPPLY		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		264 PHOTOPROCESS	ING WASTES		
71 10 of	11	NNW/169.1	77.9 / 1.00	ROSTRUST INVESTMENTS INC. 171 BANK STREET LEVEL 2 L'Esplanade Laurier Ottawa ON K2P 1W5	NPCB
Company Code: Industry: Site Status: Transaction Date: Inspection Date:		O0163C Other In- Use 7/21/1993 7/21/1993			
<u>Details</u> Label: Serial No.:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PCB Type/Co Location: Item/State: No. of Items:	de:	Askarel/Askarel			
Manufacturer Status: Contents:		In-Use			
Label: Serial No.: PCB Type/Co Location: Item/State:	de:	Askarel/Inerteen Small Transformer V	Vault		
No. of Items: Manufacturer Status: Contents:	<u>.</u>	In-Use			
Label: Serial No.: PCB Type/Co Location:	de:	Askarel/Inerteen Trans. Vault/ P1 Lev	vel N. Side		
Item/State: No. of Items: Manufacturer Status: Contents:	<u>.</u>	In-Use			
<u>71</u>	11 of 11	NNW/169.1	77.9/1.00	ROSTRUST INVESTMENTS INC. L'ESPLANADE LAURIER 171 BANK STREET LEVEL II OTTAWA ON K2P 1W5	NPCB
Company Co Industry: Site Status: Transaction I Inspection Da	Date:	00163C OTHER INSPECTED SITES 10/6/1996 7/21/1993	(NON FEDERAL)		
<u>Details</u> Label: Serial No.:		OR21842			
PCB Type/Co Location: Item/State:	de:	ASKAREL/ASKARE TRANSFORMER/F			
No. of Items: Manufacturer Status: Contents:		1 IN-USE 3250 L			
Label: Serial No.: PCB Type/Co Location: Item/State: No. of Items: Manufacturen Status: Contents:		OR21836 C-31S-0783 ASKAREL/INERTEI TRANS. VAULTLP1 TRANSFORMER/F 1 WESTINGHOUSE IN-USE 1433 L	I LEVEL N. SIDE		
Label: Serial No.: PCB Type/Co	de:	OR21837 B-31S-0783 ASKAREL/INERTEI	EN		

Map Key	Numbo Record		Elev/Diff) (m)	Site	DB
Location:			P1 LEVEL N. SIDE		
Item/State:			R/FULL		
No. of Items: Manufacturer		1 WESTINGHOUS	F		
Status:	•	IN-USE	'		
Contents:		1433 L			
Label:		OR21838			
Serial No.:		C-31S-0782			
PCB Type/Co	de:	ASKAREL/INER			
Location:		TRANS. VAULTL TRANSFORMER	P1 LEVEL N. SIDE		
Item/State: No. of Items:			VFULL		
Manufacturer		WESTINGHOUS	E		
Status:		IN-USE	-		
Contents:		1433 L			
Label:		OR21839			
Serial No.:		A-31S-0782			
PCB Type/Co	de:	ASKAREL/INER			
Location: Item/State:		TRANS. VAULT	P1 LEVEL N. SIDE		
No. of Items:			VFULL		
Manufacturer	:	WESTINGHOUS	E		
Status:		IN-USE			
Contents:		1433 L			
Label:		OR21840			
Serial No.:		A-31S-0783			
PCB Type/Co	de:	ASKAREL/INER			
Location: Item/State:		SMALL TRANSF TRANSFORMER			
No. of Items:		1	UT OLL		
Manufacturer	:	WESTINGHOUS	E		
Status:		IN-USE			
Contents:		1433 L			
Label:		OR21841			
Serial No.:		B-31S-0782			
PCB Type/Co Location:	ae:	ASKAREL/INER SMALL TRANSF			
Item/State:		TRANSFORMER			
No. of Items:		1			
Manufacturer	:	WESTINGHOUS	E		
Status:		IN-USE			
Contents:		1433 L			
Label:		OR21843			
Serial No.: PCB Type/Co	de:	ASKAREL/ASKA	REL		
Location: Item/State:		TRANSFORMER	2/FULL		
No. of Items:		1	UT OLL		
Manufacturer	:				
Status:		IN-USE			
Contents:		3250 L			
<u>72</u>	1 of 1	SE/170.1	76.9 / 0.00	GLASER PHARMACY LTD. 267 BANK STREET	GEN
				OTTAWA ON K2P 1X3	
Generator No):	ON1565711		Status:	
SIC Code:		6031		Co Admin:	
SIC Descripti	on:	PHARMACIES		Choice of Contact:	

SIC Code: SIC Description:

201

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Approval Yea PO Box No: Country:	ors:	99,00,01			Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class I			261 PHARMACEUTICAL	S			
Waste Class: Waste Class I			312 PATHOLOGICAL W	ASTES			
<u>73</u>	1 of 2		SSE/176.6	76.9 / 0.00	COOPER PHARMACY COMPOUNDING PHAF 276 BANK ST OTTAWA ON K2P 1X6	RMACY	GEN
Generator No SIC Code:		ON90686	84		Status: Co Admin:	Registered	
SIC Description Approval Yea			As of Jul 2020		Choice of Contact: Phone No Admin:		
PO Box No: Country:		Canada			Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class I			312 P Pathological wastes				
Waste Class: Waste Class I			261 A Pharmaceuticals				
<u>73</u>	2 of 2		SSE/176.6	76.9 / 0.00	COOPER PHARMACY COMPOUNDING PHAF 276 BANK ST OTTAWA ON K2P 1X6	RMACY	GEN
Generator No SIC Code:	:	ON90686	84		Status: Co Admin:	Registered	
SIC Description Approval Yea		As of Nov	/ 2021		Choice of Contact: Phone No Admin:		
PO Box No: Country:		Canada			Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class I			261 A Pharmaceuticals				
Waste Class: Waste Class I			312 P Pathological wastes				
<u>74</u>	1 of 5		WSW/180.5	77.9 / 1.00	MCEVOY-SHIELDS FU 235 KENT STREET OTTAWA ON K2P 1Z9		GEN
Generator No SIC Code:		ONF0472 9731	200		Status: Co Admin:		
SIC Description Approval Year PO Box No:			L HOMES 00,01		Choice of Contact: Phone No Admin: Contam. Facility:		

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Country:					MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class			312 PATHOLOGICAL V	WASTES			
<u>74</u>	2 of 5		WSW/180.5	77.9 / 1.00	MCEVOY-SHIELDS FU 472 235 KENT STREET OTTAWA ON K2P 129	INERAL HOMES LTD. 44-	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ONF04720 9731 FUNERAL 92,93,94,9	-		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class			312 PATHOLOGICAL V	WASTES			
<u>74</u>	3 of 5		WSW/180.5	77.9 / 1.00	Service Corporation II 235 Kent Street Ottawa ON K2P 1Z9	nternational Canada	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON436585 812210 Funeral Ho 02,03,04			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class			312 PATHOLOGICAL V	WASTES			
<u>74</u>	4 of 5		WSW/180.5	77.9 / 1.00	Charlesfort Developm 235 and 245 Kent Stre 1Z9, ON	eent Corporation eet, Ottawa, Ontario, K2P	RSC
RSC ID: RA No: RSC Type: Curr Property Ministry Distr Filing Date: Date Ack: Date Returne Restoration 1 Soil Type: Criteria: CPU Issued S	rict: d: ſype:	45110 Commercia OTTAWA 2-Jun-08 No	al		Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	8-May-08 No CPU Residential Mr. Doug Casey Yes 11 to 20 meters 613-2330044 613-2330955	
CPO Issued S 1686: Asmt Roll No Prop ID No (F Property Mun	: PIN):	(04114-0378 (LT); (235 and 245 Kent				

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB			
Mailing Add Latitude & 1 UTM Coordi Consultant:	Latitude: inates:	2nd Floor, 787 BAN 45.41583330N 75.69 NAD83 18-445252-5	972220W	, ON, K1S 3V5 rted from Latitude & Longitude	э)				
Legal Desc:		being Part 1 on 4R-2 Ottawa; Part of Lot 2	Lots 27 and 28, Plan 2996, South Nepean Street and Lot 27 and Part of Lot 28, Plan 2996, North Lisgar Street, being Part 1 on 4R-22406, Ottawa; Part of Lot 29, Plan 2996, South Nepean Street being Part 2 on Plan 4R-22406 Ottawa; Part of Lot 29, Plan 2996 South Nepean Street being Part 3 on Plan 4R-22406, Ottawa						
Measureme Applicable \$		Digitized from a sate Full Depth Site Conc Residential/Parkland	litions Standard		ter, Coarse Textured Soil, for				
RSC PDF:									
<u>74</u>	5 of 5	WSW/180.5	77.9 / 1.00	Charlesfort Developm 235 Kent Street Ottawa ON K2P 1Z9	ent Corporation	GEN			
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	otion: ears:	ON8782981 236110 Residential Building Constructi 06	on	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:					
<u>Detail(s)</u>									
Waste Class Waste Class		145 PAINT/PIGMENT/CO	DATING RESID	UES					
Waste Class Waste Class		221 LIGHT FUELS							
Waste Class Waste Class		251 OIL SKIMMINGS & S	SLUDGES						
<u>75</u>	1 of 1	SE/185.2	76.9/0.02	275 Bank St Ottawa ON K2P2L6		EHS			
Order No: Status:		20160210002 C		Nearest Intersection: Municipality:					
Report Type		Custom Report		Client Prov/State:	ON				
Report Date Date Receiv Previous Si Lot/Building Additional I	ved: te Name:	16-FEB-16 10-FEB-16		Search Radius (km): X: Y:	.25 -75.696311 45.415823				
<u>76</u>	1 of 1	NW/185.3	77.9 / 1.00	Waste Management o Bank St and Laurier A Ottawa ON	f Canada Corporation Ave West	SPL			
Ref No:		2717-8X2Q23		Discharger Report:					
Site No: Incident Dt:		10-AUG-12		Material Group: Health/Env Conseq:					
Year: Incident Cal		Other Discharges		Client Type: Sector Type: Agoncy Involved:	Motor Vehicle				
Incident Eve Contaminar Contaminar Contaminar Contam Lim	nt Code: nt Name: nt Limit 1:	15 TRANSFORMER OIL (N.O.S.)		Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code:	Bank St and Laurier Ave West				
Contaminar Environmer		Not Anticipated		Site Region: Site Municipality:	Ottawa				

erisinfo.com | Environmental Risk Information Services

Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Nature of Impact: Receiving Medium: Receiving Env:					
	Response		Easting: Site Geo Ref Accu:		
d Dt: 10-AUG Closed:	i-12		Site Map Datum: SAC Action Class:	Land Spills	
		on of system	Source Type:	·	
District: Meth:	Intersection <unofi< td=""><td>FICIAL></td><td></td><td></td><td></td></unofi<>	FICIAL>			
mary: Qty:	Waste Management 9 L	t, Trans Oil 9 L to	o grnd cing		
	Records act: dium: v: se: No Field on Scn: d Dt: 10-AUG Closed: ron: Equipm compon District: Meth: mary:	Records Distance (m) act: dium: dium: v: se: No Field Response on Scn: d Dt: d Dt: 10-AUG-12 Closed: components intersection <unofi< td=""> District: Meth: mary: Waste Management</unofi<>	Records Distance (m) (m) act: dium: (m) dium: v: (m) se: No Field Response (m) on Scn: (m) (m) d Dt: 10-AUG-12 (m) Closed: (m) (m) ion: Equipment Failure - Malfunction of system components Intersection <unofficial> (m) Vistrict: Waste Management, Trans Oil 9 L to</unofficial>	Records Distance (m) (m) act: Site Lot: dium: Site Conc: v: No Field Response se: No Field Response on Scn: Site Geo Ref Accu: d Dt: 10-AUG-12 Closed: SAC Action Class: on: Equipment Failure - Malfunction of system components Intersection <unofficial> Nistrict: Waste Management, Trans Oil 9 L to grnd clng</unofficial>	Records Distance (m) (m) act: Site Lot: dium: Site Conc: v: Northing: se: No Field Response act: Site Conc: v: Northing: se: No Field Response act: Site Geo Ref Accu: act: Site Map Datum: closed: SAC Action Class: components Intersection Intersection <unofficial> Vistrict: Waste Management, Trans Oil 9 L to grnd clng</unofficial>

<u>77</u>	1 of 1		ENE/187.8	75.9 / -1.00	ON		BORE
Borehole ID: OGF ID: Status: Type: Use:		613333 2155146 Borehole	-		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name:	No Initial Entry No No	
Completion Da Static Water L Primary Water Sec. Water Us Total Defin	.evel: r Use: :e:	-999			Municipality: Lot: Township: Latitude DD: Longitude DD:	45.418272 -75.695674	
Depth Ref: Depth Elev: Drill Method: Orig Ground E		Ground	Sunace		UTM Zone: Easting: Northing: Location Accuracy:	18 445571 5029652	
Elev Reliabil N DEM Ground I Concession: Location D: Survey D: Comments:		72.3			Accuracy:	Not Applicable	
Borehole Geo	logy Strati	<u>um</u>					
Geology Strat Top Depth: Bottom Depth		2183946 0 1.5	66		Mat Consistency: Material Moisture: Material Texture:		
<i>Material Color Material 1: Material 2: Material 3:</i>	:	Brown Sand			Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:		
Material 4: Gsc Material L Stratum Desci		n:	SAND. BROWN.		Depositional Gen:		
Geology Strat Top Depth: Bottom Depth Material Color	:	2183946 3.7 Grey	68		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:	Loose	
Material 1: Material 2: Material 3: Material 4:		Clay			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
Gsc Material L Stratum Desci	•	n:				ATER STABLE AT 184.0 FEET.SAND	. COM

CLAY. GREY, FRACTURED. Y. GREY, STIFF. SAND. LOOSE, WATER STABLE AT 184.0 FEET. SAND. COM **Note: Many records provided by the department have a truncated [Stratum Description] field.

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Geology Strat Top Depth: Bottom Depth Material Color Material 1: Material 2: Material 3: Material 4: Gsc Material I Stratum Desc	n: r: Description	21839466 1.5 3.7 Brown Clay	67 CLAY. BROWN,F	RACTURED.	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
<u>Source</u>							
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name Source Detail Confiden 1:	÷	Data Sun Geologica 1956-197 M	al Survey of Canad 2 Urban Geology Au	utomated Informati t RecordID: 05841	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: on System (UGAIS) 0 NTS_Sheet: 31G05G	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level	
<u>Source List</u>							
Source Identii Source Type: Source Date: Scale or Resc Source Name Source Origin	olution: :	1 Data Survey 1956-1972 Varies Urban Geology Automated Informat Geological Survey of Canada		Horizontal Datum: Vertical Datum: Projection Name: on System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator		
<u>78</u>	1 of 1		WSW/188.9	77.9 / 1.00	ON		BORI
Borehole ID: OGF ID: Status: Type: Use: Completion D Static Water L Primary Wate Sec. Water Us Total Depth m Depth Ref: Depth Elev: Drill Method: Orig Ground I DEM Ground I DEM Ground I DEM Ground I Concession: Location D: Survey D: Comments:	Level: se: n: Elev m: Note: Elev m:	613293 21551459 Borehole JAN-1965 12.2 -999 Ground S 73.2 73.3	5		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 45.41609 -75.699353 18 445281 5029412 Not Applicable	
Borehole Geo	••						
Geology Strat Top Depth: Bottom Depth Material Color	ı:	21839454 2.1 5.2 Grey	41		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:	Firm	

Map Key	Number o Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Material 1: Material 2: Material 3:		Clay Silt			Geologic Formation: Geologic Group: Geologic Period:	
Material 4:	.				Depositional Gen:	
Gsc Material	•		CLAY. GREY, FIRM.			
Stratum Desc	inpuon:		CLAT. GRET, FIRM.			
Geology Stra		21839454	3		Mat Consistency:	
Top Depth: Bottom Depth		9.8 14.3			Material Moisture: Material Texture:	
Material Colo		Black			Non Geo Mat Type:	
Material 1:		Bedrock			Geologic Formation:	
Material 2:		Shale			Geologic Group:	
Material 3:		onaro			Geologic Period:	
Material 4:					Depositional Gen:	
Gsc Material	Description:					
Stratum Desc	ription:		BEDROCK. BLACK	FRACTURED.		
Geology Stra	tum ID: 2	21839454	2		Mat Consistency:	Compact
Top Depth:		5.2			Material Moisture:	
Bottom Depth		9.8			Material Texture:	
Material Colo		Grey			Non Geo Mat Type:	
Material 1:		Гill			Geologic Formation:	
Material 2:		Sand			Geologic Group:	
Material 3:	5	Silt			Geologic Period:	
Material 4:	Deserintion				Depositional Gen:	
Gsc Material I Stratum Desc	•		TILL. GREY,COMP	ACT.		
Geology Stra	tum ID· 2	21839454	A		Mat Consistency:	
Top Depth:		14.3	-		Material Moisture:	
Bottom Depth					Material Texture:	
Material Colo		Black			Non Geo Mat Type:	
Material 1:	E	Bedrock			Geologic Formation:	
Material 2:	L	imestone	e		Geologic Group:	
Material 3:					Geologic Period:	
Material 4:					Depositional Gen:	
Gsc Material	-					
Stratum Desc	ription:					ABLE AT 200.3 FEET.0050 043 00080 058 0 ed [Stratum Description] field.
Geology Stra	tum ID: 2	21839454	0		Mat Consistency:	Compact
Top Depth:	0				Material Moisture:	
Bottom Depth		2.1			Material Texture:	
Material Colo					Non Geo Mat Type:	
Material 1:		Sand			Geologic Formation:	
Material 2:		Silt			Geologic Group:	
Material 3:	G	Gravel			Geologic Period:	
Material 4:	Description				Depositional Gen:	
Gsc Material I Stratum Desc	•		SAND. COMPACT.			
Siralum Desc	приоп.		SAND. COMPACT.			
<u>Source</u>						
		Data Surv	,		Source Appl:	Spatial/Tabular
Source Type:	G	-	al Survey of Canada		Source Iden:	1
Source Orig:		1956-197	2		Scale or Res:	Varies
Source Orig: Source Date:	1	1930-197			••• • · · •	
Source Orig: Source Date: Confidence:	1	1990-197			Horizontal:	NAD27
Source Orig: Source Date: Confidence: Observatio:		1930-197		motod leferers - "	Verticalda:	NAD27 Mean Average Sea Level
Source Orig: Source Date: Confidence:		1900-197	Urban Geology Auto		Verticalda:	

Source List

Map Key	Number Records			Elev/Diff (m)	Site		DE
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:		1 Data Survey 1956-1972 Varies Urban Geology Autor		tomated Information	Horizontal Datum: Vertical Datum: Projection Name: on System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator	
79	1 of 1		W/190.7	76.9 / 0.00	230 Gloucester St		540
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building S Additional Inf	d: Name: Size:	20140428 C Custom R 02-MAY-1 28-APR-1	3057 Report 14	10.07 0.00	Ottawa ON K2P0A9 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.699994 45.417065	EHS
<u>80</u>	1 of 1		NNW/190.8	77.9 / 1.00	ON		BORE
Borehole ID: OGF ID: Status: Type: Use: Completion E Static Water I Primary Wate Sec. Water U Total Depth n Depth Ref: Depth Elev: Drill Method: Orig Ground Elev Reliabil DEM Ground Concession: Location D: Survey D: Comments: Borehole Ged	Level: er Use: se: n: Elev m: Note: Elev m:	613353 21551465 Borehole SEP-1970 6.6 10.5 Ground S 72.2 71.9)		Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 45.418886 -75.698238 18 445371 5029722 Not Applicable	
Geology Stra Top Depth: Bottom Deptl Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material Stratum Desc	h: r: Description	21839475 3 3.5 Till Sand Silt	56 TILL. LOOSE TO (COMPACT.	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Compact	
Geology Stra Top Depth: Bottom Deptl Material Colo Material 1:	h:	21839475 3.5 5.3 Unknown			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation:	Dense	

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Material 2:		Till			Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material L	Description	n:			-		
Stratum Desc	ription:		UNSPECIFIED. DEI	NSE.			
Geology Strat	tum ID:	2183947	59		Mat Consistency:		
Top Depth:		6.1			Material Moisture:		
Bottom Depth	n:	7.5			Material Texture:		
Material Color		-			Non Geo Mat Type:		
Material 1:		Bedrock			Geologic Formation:		
Material 2:		Shale			Geologic Group:		
Material 3:		Clay			Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material L	Description	n:					
Stratum Desc	ription:		BEDROCK.				
Geology Strat	tum ID:	2183947	55		Mat Consistency:	Hard	
Top Depth:		2.3			Material Moisture:		
Bottom Depth	n:	3			Material Texture:		
Material Color		Brown			Non Geo Mat Type:		
Material 1:		Clay			Geologic Formation:		
Material 2:		Silt			Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material L	Description	n:					
Stratum Desc	ription:		CLAY. BROWN,GR	EY,HARD,FISSL	IRED.		
Geology Strat	tum ID:	2183947	61		Mat Consistency:		
Top Depth:		9			Material Moisture:		
Bottom Depth		10.5			Material Texture:		
Material Color	r:				Non Geo Mat Type:		
Material 1:		Bedrock			Geologic Formation:		
Material 2:		Shale			Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material L Stratum Desc	•				0115 010 00175 008 00200 0 runcated [Stratum Description		**Note: Many records
Geology Strat	tum ID:	2183947	58		Mat Consistency:	Dense	
Top Depth:		5.3			Material Moisture:		
Bottom Depth		6.1			Material Texture:		
Material Color	r:				Non Geo Mat Type:		
Material 1:		Till			Geologic Formation:		
Material 2:		Shale			Geologic Group:		
Material 3:		Sand			Geologic Period:		
Material 4:	Decerintien				Depositional Gen:		
Gsc Material L Stratum Desc			TILL. DENSE TO VE	ERY DENSE.			
Geology Strat		2183947	54		Mat Consistency:		
Top Depth:	un ID.	2103947			Material Moisture:		
Bottom Depth		2.3			Material Texture:		
Material Color		2.0			Non Geo Mat Type:		
Material 1:	•				Geologic Formation:		
Material 2:		Bedrock			Geologic Group:		
Material 3:		Sand			Geologic Period:		
Material 4:		Wood Fra	agments		Depositional Gen:		
Gsc Material L	•	:					
Stratum Desc	יממזוממי		ARTIFICIAL.				
	npuon.						
Geology Strat	-	2183947			Mat Consistency:		
Geology Strat Top Depth:	tum ID:	7.5			Material Moisture:		
Geology Strat	tum ID:				•		

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Material 1: Material 2: Material 3: Material 4: Gsc Material Stratum Desc	•		BEDROCK. WATEF	R STABLE AT 21	Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: 5.4 FEET.		
<u>Source</u>							
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name Source Detai Confiden 1:	ə:	1956-1972 H	Survey of Canada 2 Urban Geology Auto File: OTTAWA2.txt I	RecordID: 05861	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: on System (UGAIS) 0 NTS_Sheet: 31G05G omplete description of materia	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level al and properties.	
<u>Source List</u> Source Identi		1			Horizontal Datum:	NAD27	
Source Type: Source Date: Scale or Reso Source Name Source Origin	olution: e:				Vertical Datum: Projection Name: on System (UGAIS)	Mean Average Sea Level Universal Transverse Mercator	
<u>81</u>	1 of 6		NNE/195.3	76.9 / 0.00	GVT. OF CAN FINAN PROPERTY & MATERI O'CONNOR STREET OTTAWA ON K1A 0G5	IAL MANAGEMENT 140	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON026930 8152 FINAC./E0 86,87,88,8	CONOM. ADM.		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class			264 PHOTOPROCESSI	NG WASTES			
<u>81</u>	2 of 6		NNE/195.3	76.9 / 0.00	FINANCE AND TREAS DEPT. 140 O'CONNOR STREI MATERIAL MANAGEN OTTAWA ON K1A 0G5	ET PROPERTY & IENT	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:		01 CONOM. ADM. 17,98,99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class			148 INORGANIC LABOI	RATORY CHEM	ICALS		
210	erisinfo.cc	om Enviro	nmental Risk Info	rmation Servic	es	Order No: 2204	2800477

Map Key	Numbe Recore		tion/ nce (m)	Elev/Diff (m)	Site	DE
Waste Class Waste Class		264 PHOTOPROCESSING WASTES		IG WASTES		
<u>81</u>	3 of 6	NNE/19	95.3	76.9 / 0.00	GVT. OF CAN FINANCE CANADA 18-149 PROPERTY & MATERIAL MANAGEMENT 140 O'CONNOR STREET OTTAWA ON K1A 0G5	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON0269301 8152 FINAC./ECONOM. 94,95	ADM.		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)						
Waste Class Waste Class		264 PHOTOF	ROCESSIN	IG WASTES		
<u>81</u>	4 of 6	NNE/19	5.3	76.9 / 0.00	DEPT. OF FINANCE/TREASURY BOARD OF CANADA 140 O'CONNOR STREET FACILITIES MANAGEMENT OTTAWA ON K1A 0G5	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON0269301 02,03,04,06,07,08			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)						
Waste Class Waste Class		121 ALKALIN	E WASTES	- HEAVY MET	ALS	
Waste Class Waste Class		122 ALKALIN	E WASTES	- OTHER MET	ALS	
Waste Class Waste Class		148 INORGA	NIC LABOR	ATORY CHEM	ICALS	
Waste Class Waste Class		264 PHOTOF	ROCESSIN	IG WASTES		
Waste Class Waste Class		146 OTHER S	SPECIFIED	INORGANICS		
Waste Class Waste Class		121 ALKALIN	E WASTES	- HEAVY MET	ALS	
<u>81</u>	5 of 6	NNE/19	5.3	76.9 / 0.00	DEPT. OF FINANCE/TREASURY BOARD OF CANADA 140 O'CONNOR STREET FACILITIES MANAGEMENT OTTAWA ON K2P 2H6	GEN
Generator N SIC Code:	o:	ON0269301 911910			Status: Co Admin:	

erisinfo.com | Environmental Risk Information Services

Map Key	Numbe Record		ion/ ice (m)	Elev/Diff (m)	Site	DB
SIC Descript	ion:	Other Federal Gover Administration	rnment Pu	ıblic	Choice of Contact:	
Approval Yea PO Box No: Country:	ars:	2009			Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)						
Waste Class: Waste Class		121 ALKALINE	WASTE	S - HEAVY META	LS	
Waste Class: Waste Class		146 OTHER SI	PECIFIED	INORGANICS		
<u>81</u>	6 of 6	NNE/195	5.3	76.9 / 0.00	Gannon Blackburn Electric Inc. 140 O'Connor Ottawa ON K1A 0R5	GEN
Generator No SIC Code: SIC Descripti		ON3963680			Status: Registere Co Admin: Choice of Contact:	t
Approval Yea PO Box No: Country:		As of Dec 2018 Canada			Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)		Canada				
Waste Class: Waste Class		146 T Other spec	cified inor	ganic sludges, slu	rries or solids	
<u>82</u>	1 of 18	WNW/19	97.9	76.9 / 0.00	QUADRELLE MANAGEMENT LTA 340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	D. CA
Certificate #: Application \ Issue Date: Approval Typ Status: Application 1 Client Name: Client Addres	Year: be: Type:	8-4113-98 98 8/27/1998 Industrial a Approved				
Client City: Client Postal Project Desc Contaminant Emission Co	ription: s:	350 KW E	MERGEN	CY GENERATO	2	
<u>82</u>	2 of 18	WNW/19	17.9	76.9 / 0.00	PRIVATE BUSINESS 340 LAURIER AVE (N.O.S.) OTTAWA CITY ON	SPL
Ref No:		243533			Discharger Report:	
Site No: Incident Dt:		10/29/2002			Material Group: Health/Env Conseq:	
Year: Incident Cau Incident Even Contaminant Contaminant Contaminant	nt: Code: Name:	PIPE/HOSE LEAK			Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office:	

Map Key	Number Records		Elev/Diff m) (m)	Site		DB
Contam Limit Contaminant Environment Nature of Imp Receiving Me Receiving Em MOE Respons Dt MOE Arvl of MOE Reported Dt Document Incident Reas Site Name: Site County/D Site Geo Ref I Incident Sum Contaminant	UN No 1: Impact: bact: edium: v: se: on Scn: ed Dt: Closed: son: District: Meth: mary:	POSSIBLE Multi Media Pollution LAND, WATER 10/29/2002 ERROR ONY ENTERPR	RISE: 1800 L ETHYL	Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: ENE GLYCOL TO PROPER	20107 RTY AND SEWER.	
<u>82</u>	3 of 18	WNW/197.9	76.9 / 0.00	JER OTTAWA ULC 340 LAURIER AVEN OTTAWA ON K1A 0		GEN
Generator No SIC Code: SIC Descriptio Approval Yea PO Box No: Country:	on:	ON0383914 9999 OTHER SERVICES 01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class I		148 INORGANIC LA	BORATORY CHEM	ICALS		
Waste Class: Waste Class I		212 ALIPHATIC SO	LVENTS			
Waste Class: Waste Class I		213 PETROLEUM I	DISTILLATES			
Waste Class: Waste Class I		222 HEAVY FUELS				
Waste Class: Waste Class I		242 HALOGENATE	D PESTICIDES			
Waste Class: Waste Class I		252 WASTE OILS &	LUBRICANTS			
Waste Class: Waste Class I		263 ORGANIC LAB	ORATORY CHEMIC	ALS		
Waste Class: Waste Class I		145 PAINT/PIGMEN	NT/COATING RESID	UES		
Waste Class: Waste Class I		264 Photoproce	ESSING WASTES			
Waste Class: Waste Class I		266 PHENOLIC WA	STES			
Waste Class: Waste Class I		331 WASTE COMP	RESSED GASES			

Map Key	Numbe Record		Elev/Diff) (m)	Site	DE
<u>82</u>	4 of 18	WNW/197.9	76.9 / 0.00	JER OTTAWA ULC 340 LAURIER AVENUE WEST SIR WILFRID LAURIER BUILDING OTTAWA ON K1A 0P9	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON0383914 02,03,04		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		145 PAINT/PIGMENT	COATING RESID	UES	
Waste Class Waste Class		148 INORGANIC LAB	ORATORY CHEM	ICALS	
Waste Class Waste Class		212 ALIPHATIC SOLV	/ENTS		
Waste Class Waste Class		213 PETROLEUM DIS	STILLATES		
Waste Class Waste Class		222 HEAVY FUELS			
Waste Class Waste Class		242 HALOGENATED	PESTICIDES		
Waste Class Waste Class		252 WASTE OILS & L	UBRICANTS		
Waste Class Waste Class		263 ORGANIC LABOI	RATORY CHEMIC	ALS	
Waste Class Waste Class		264 PHOTOPROCES	SING WASTES		
Waste Class Waste Class		266 PHENOLIC WAS	TES		
Waste Class Waste Class		331 WASTE COMPRI	ESSED GASES		
<u>82</u>	5 of 18	WNW/197.9	76.9 / 0.00	OTTAWA 340 LAURIER AVENUE WEST INC. 340 LAURIER AVENUE WEST OTTAWA ON K1A 0P9	GEN
SIC Code: SIC Description:		ON4067296 541611 Administrative Management Management Consulting Se	t and General	Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:		04,05		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class	s:	145			

Map Key Numbe Record		Elev/Diff (m)	Site		DB
Waste Class Desc:	PAINT/PIGMENT/CO	DATING RESID	UES		
Waste Class: Waste Class Desc:	212 ALIPHATIC SOLVEI	NTS			
Waste Class: Waste Class Desc:	213 PETROLEUM DISTI	LLATES			
Waste Class: Waste Class Desc:	252 WASTE OILS & LUE	BRICANTS			
Waste Class: Waste Class Desc:	263 ORGANIC LABORA	TORY CHEMIC	ALS		
Waste Class: Waste Class Desc:	331 WASTE COMPRES	SED GASES			
82 6 of 18	WNW/197.9	76.9 / 0.00	Public Works and Go 340 Laurier Street Ottawa ON K1P 5K3	vernment Services Canada	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON9217037 562990 All Other Waste Management 04,05,06	Services	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	112 ACID WASTE - HEA	VY METALS			
Waste Class: Waste Class Desc:	121 ALKALINE WASTES	S - HEAVY MET	ALS		
Waste Class: Waste Class Desc:	146 OTHER SPECIFIED	INORGANICS			
Waste Class: Waste Class Desc:	212 ALIPHATIC SOLVEI	NTS			
82 7 of 18	WNW/197.9	76.9 / 0.00	340 Laurier Avenue V Ottawa ON K1A 0P9	Vest	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered	20100713013 C Standard Report 7/21/2010 7/13/2010		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.699767 45.417867	
82 8 of 18	WNW/197.9	76.9 / 0.00	340 Laurier Avenue Ottawa ON		EHS
Order No: Status: Report Type: Report Date: Date Received:	20101012037 C Custom Report 10/19/2010 10/12/2010 3:43:56 PM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	ON 0.25 -75.699927	

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Previous Site Lot/Building Additional In	Size:			Υ:	45.418037	
<u>82</u>	9 of 18	WNW/197.9	76.9 / 0.00	Public Works and Go 340 Laurier Street Ottawa ON	overnment Services Canada	GEN
Generator No SIC Code: SIC Descripte Approval Yea PO Box No: Country:	ion:	ON9217037 562990 All Other Waste Management 2009	t Services	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class		121 ALKALINE WASTE	S - HEAVY MET	ALS		
Waste Class: Waste Class		146 OTHER SPECIFIEI	D INORGANICS			
Waste Class: Waste Class		212 ALIPHATIC SOLVE	INTS			
Waste Class: Waste Class		112 ACID WASTE - HE	AVY METALS			
<u>82</u>	10 of 18	WNW/197.9	76.9/0.00	OTTAWA - 340 LAUF 340 LAURIER AVEN OTTAWA ON K1N 0F	UE WEST	EASR
Approval No. Status: Date: Record Type Link Source: Project Type Full Address Approval Typ SWP Area Na	: : : ::	R-003-9302648588 REGISTERED 2013-01-30 EASR MOFA Heating System EASR-Heating System	tem	MOE District: Municipality: Latitude: Longitude: Geometry X: Geometry Y:	OTTAWA	
PDF URL: PDF Site Loc	ation:					
<u>82</u>	11 of 18	WNW/197.9	76.9/0.00	O&Y ENTERPRISE 340 LAURIER Avenu OTTAWA ON K1A0P		NPRI
NPRI ID: Other ID: No Other ID: Track ID: Report ID: Report Type:		8800001959		Org ID: Submit Date: Last Modified: Contact ID: Cont Type: Contact Title:	MED Mr.	
Rpt Type ID: Report Year: Not-Current I Yr of Last Fil Fac ID:	Rpt?:	2004		Cont First Name: Cont Last Name: Contact Position: Contact Fax: Contact Ph.:	DAVID CORDICK Property Manager	
Fac Name:		340 LAURIER AVE. WEST		Cont Area Code:	613	

	lumber of Records	Direction/ Distance (m	Elev/Diff) (m)	Site		D
Fac Address1:				Contact Tel.:	7830917	
Fac Address2:				Contact Ext.:		
Fac Postal Zip:				Cont Fax Area Cde:	613	
Facility Lat:				Contact Fax:	2346581	
Facility Long:				Contact Email:	dcordick@oyp.com	
DLS (Last Filed I	Rpt):			Latitude:		
Facility DLS:				Longitude:		
Datum:				UTM Zone:		
Facility Cmnts:				UTM Northing:		
URL:				UTM Easting:		
No of Empl.:	1			Waste Streams:		
Parent Co.:				No Streams:		
No Parent Co.:				Waste Off Sites:		
Pollut Prev Cmn	ts:			No Off Sites:		
Stacks:				Shutdown:		
No of Stacks:				No of Shutdown:		
Canadian SIC Co						
Canadian SIC Co						
SIC Code Descri						
American SIC Co		50				
NAICS Code (2 d		53 Deal Fatata and I				
NAICS 2 Descrip			Rental and Leasing			
NAICS Code (4 a		5311				
NAICS 4 Descrip		Lessors of Real E	state			
NAICS Code (6 d		531120	e state e d'al Destate e			
NAICS 6 Descrip	don.			s (except Mini-Warehouses)		
Substance Relea	<u>ise Report</u>					
CAS No:		11104-93-1				
Report ID:						
Rpt Period:		2004				
Subst Released:		Nitrogen oxides (expressed as NO2))		
Air:						
Water:						
Land:						
Total Releases:						
Units:		tonnes				
CAS No:		811-97-2				
Report ID:						
Rpt Period:		2004				
Subst Released:		HFC-134a Hydro	luorocarbon			
Air:						
Water:						
Land:						
Total Releases:						
Units:		tonnes				
CAS No:		7446-09-5				
Report ID:						
Rpt Period:		2004				
Subst Released:		Sulphur dioxide				
Air:						
Water:						
Land:						
Total Releases:						
Units:		tonnes				
<u>82</u> 12	of 18	WNW/197.9	76.9 / 0.00	OTTAWA - 340 LAUF		EAS
				340 LAURIER AVEN OTTAWA ON K1N 0F		LAS
	R-003	3-9302648588		MOE District:		
Approval No:						

Map Key	Number Records		irection/ istance (m)	Elev/Diff (m)	Site		DB
Status: Date: Record Type: Link Source: Project Type: Full Address: Approval Type SWP Area Nan PDF URL: PDF Site Loca	ne:	REGISTERED 2013-01-30 EASR MOFA Heating System EASI	n R-Heating Syste	em	Municipality: Latitude: Longitude: Geometry X: Geometry Y:	OTTAWA	
<u>82</u>	13 of 18	WN	IW/197.9	76.9 / 0.00	Starlight Investments 340 Laurier Ave West Ottawa ON K1A 0P9		GEN
Generator No: SIC Code: SIC Descriptio Approval Year PO Box No: Country:	on:	ON5301151 238220 PLUMBING, HI CONDITIONIN 2016 Canada			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>							
Waste Class: Waste Class D	Desc:	212 ALIP	HATIC SOLVE	NTS			
<u>82</u>	14 of 18	WA	IW/197.9	76.9 / 0.00	TNC 340 Laurier Ltd. 340 Laurier Ave West ottawa ON K1A 0P8		GEN
Generator No: SIC Code: SIC Descriptio Approval Year PO Box No: Country:	on:	ON8056777 531310 REAL ESTATE 2016 Canada	PROPERTY M	IANAGERS	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Shane Paulin CO_ADMIN 613 274 3742 Ext.224 No No	
<u>Detail(s)</u>							
Waste Class: Waste Class D	Desc:	251 OIL \$	SKIMMINGS &	SLUDGES			
<u>82</u>	15 of 18	WN	IW/197.9	76.9 / 0.00	TNC 340 Laurier Ltd 340 Laurier Ottawa ON K1A 0P9		GEN
Generator No: SIC Code: SIC Descriptio Approval Year PO Box No: Country:	on:	ON2961230 531310 REAL ESTATE 2014 Canada	PROPERTY M	IANAGERS	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Kevin Spirak CO_OFFICIAL 6132743742 Ext.224 No No	
<u>Detail(s)</u>							
Waste Class: Waste Class D	Desc:	148 INOF	RGANIC LABOR	RATORY CHEM	ICALS		

Map Key Numbe Record		Elev/Diff (m)	Site		DB
Waste Class: Waste Class Desc:	135 REACTIVE ANION	WASTES			
Waste Class: Waste Class Desc:	122 ALKALINE WASTES	S - OTHER MET	ALS		
Waste Class: Waste Class Desc:	221 LIGHT FUELS				
Waste Class: Waste Class Desc:	212 ALIPHATIC SOLVE	NTS			
Waste Class: Waste Class Desc:	211 AROMATIC SOLVE	NTS			
Waste Class: Waste Class Desc:	145 PAINT/PIGMENT/C	OATING RESID	UES		
82 16 of 18	WNW/197.9	76.9 / 0.00	Epic Realty Partners 340 Laurier Ave. Ottawa ON K1P 5K3		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON6191200 521310 521310 2014 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS &	SLUDGES			
82 17 of 18	WNW/197.9	76.9 / 0.00	Demo Core 340 Laurier Ave. Ottawa ON K1A 0P9		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON8037772 As of Nov 2021 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>	040 D				
Waste Class: Waste Class Desc:	243 D PCB				
Waste Class: Waste Class Desc:	212 L Aliphatic solvents ar	nd residues			
Waste Class: Waste Class Desc:	145 L Wastes from the use	e of pigments, co	patings and paints		
82 18 of 18	WNW/197.9	76.9 / 0.00	340 TNC Laurier Ltd. 340 Laurier Avenue Ottawa ON K1A 0P9		GEN
Generator No: SIC Code:	ON5707800		Status: Co Admin:	Registered	

erisinfo.com | Environmental Risk Information Services

Map Key	Number Records		Elev/Diff (m)	Site		DB
SIC Descript Approval Ye PO Box No: Country:		As of Nov 2021 Canada		Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		212 L Aliphatic solvents a	nd residues			
<u>83</u>	1 of 1	SE/198.7	76.9 / 0.00	275 Bank Street Ottawa ON K2P 2L6		EHS
Order No: Status: Report Type Report Date: Date Receive Previous Sit Lot/Building Additional In	: ed: e Name: Size:	20101027019 C Custom Report 11/2/2010 10/27/2010 11:39:28 AM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.696426 45.415638	
<u>84</u>	1 of 1	WNW/200.3	76.9/0.00	340 Laurier Ave W Ottawa ON K1P 5K3		EHS
Order No: Status: Report Type Report Date: Date Receive Previous Sit Lot/Building Additional In	: ed: e Name: v Size:	20191127033 C Standard Report 02-DEC-19 27-NOV-19		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.699898 45.417983	
<u>85</u>	1 of 1	NW/200.6	77.9 / 1.00	Grantium Inc. 279 Laurier Ave W Su Ottawa ON K1P 5J9	ite 200	SCT
Established: Plant Size (fi Employment	t²):	01-AUG-98 10000				
<u>Details</u> Description: SIC/NAICS C		Computer Systems 541510	Design and Rela	ted Services		
Description: SIC/NAICS C		Computer Systems 541510	Design and Rela	ted Services		
Description: SIC/NAICS C		Manufacturing and 334610	Reproducing Ma	gnetic and Optical Media		
Description: SIC/NAICS C		Computer, Comput 417310	er Peripheral and	Pre-Packaged Software Wh	olesaler-Distributors	
<u>86</u>	1 of 1	ENE/204.3	75.9 / -0.94	PE5197 - 108 Nepean Ottawa ON K2P	Street	EHS

Мар Кеу	Number Records		irection/ istance (m)	Elev/Diff (m)	Site		DB
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	21022200123 C Standard Repo 25-FEB-21 22-FEB-21	rt		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Ottawa ON .25 -75.6953769 45.4182342	
<u>87</u>	1 of 1	NW	//204.4	77.6 / 0.69	164 Bank St Ottawa ON K1P5N8		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20140307084 C Custom Report 13-MAR-14 07-MAR-14			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.699397 45.418549	
<u>88</u>	1 of 10	S/2	05.0	78.0 / 1.10	Centretown Commun 420 Cooper Street Ottawa ON K2P 2N6	ity Health Centre Inc.	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON9263707 621494 Community He 2010	alth Centres		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class		312 PATH	HOLOGICAL V	VASTES			
Waste Class: Waste Class		261 PHA	RMACEUTICA	LS			
<u>88</u>	2 of 10	S/2	05.0	78.0 / 1.10	Centretown Commun 420 Cooper Street Ottawa ON K2P 2N6	ity Health Centre Inc.	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON9263707 621494 Community He 2011	alth Centres		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class		261 PHA	RMACEUTICA	LS			
Waste Class: Waste Class		312	HOLOGICAL V				

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		D
<u>88</u>	3 of 10		S/205.0	78.0 / 1.10	Centretown Commun 420 Cooper Street Ottawa ON K2P 2N6	ity Health Centre Inc.	GEN
Generator SIC Code: SIC Descri Approval Y PO Box No Country:	ption: /ears:	ON92637 621494 Commun 2012	707 ity Health Centres		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)							
Waste Clas Waste Clas			312 PATHOLOGICAL	WASTES			
Waste Clas Waste Clas			261 PHARMACEUTIC	ALS			
<u>88</u>	4 of 10		S/205.0	78.0 / 1.10	Centretown Commun 420 Cooper Street Ottawa ON	ity Health Centre Inc.	GEI
Generator	No:	ON92637 621494	707		Status: Co Admin:		
SIC Code: SIC Descri _l					Choice of Contact:		
Approval Y PO Box No Country:		2013			Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Clas Waste Clas			261 PHARMACEUTIC	ALS			
Waste Clas Waste Clas			312 PATHOLOGICAL	WASTES			
<u>88</u>	5 of 10		S/205.0	78.0 / 1.10	Centretown Commun 420 Cooper Street Ottawa ON K2P 2N6	ity Health Centre Inc.	GE
Generator SIC Code: SIC Descri Approval Y PO Box No Country:	ption: /ears:	ON92633 621494 621494 2016 Canada	707		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Dan McNamara CO_ADMIN 613-233-4443 Ext.2173 No No	
Detail(s)							
Waste Clas Waste Clas			261 PHARMACEUTIC	ALS			
Waste Clas Waste Clas			312 PATHOLOGICAL	WASTES			
<u>88</u>	6 of 10		S/205.0	78.0 / 1.10	Centretown Commun 420 Cooper Street Ottawa ON K2P 2N6	ity Health Centre Inc.	GEI

Map Key Numbo Record		Elev/Diff (m)	Site		DB
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON9263707 621494 621494 2015 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Dan McNamara CO_ADMIN 613-233-4443 Ext.2173 No No	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL \	WASTES			
Waste Class: Waste Class Desc:	261 PHARMACEUTICA	ALS			
<u>88</u> 7 of 10	S/205.0	78.0 / 1.10	Centretown Commu 420 Cooper Street Ottawa ON K2P 2N6	nity Health Centre Inc.	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON9263707 621494 621494 2014 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Dan McNamara CO_ADMIN 613-233-4443 Ext.2173 No No	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	261 PHARMACEUTICA	ALS			
Waste Class: Waste Class Desc:	312 PATHOLOGICAL \	WASTES			
<u>88</u> 8 of 10	S/205.0	78.0 / 1.10	Centretown Commu 420 Cooper Street Ottawa ON K2P 2N6	nity Health Centre Inc.	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON9263707 As of Dec 2018 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	261 A Pharmaceuticals				
Waste Class: Waste Class Desc:	312 P Pathological waste	S			
<u>88</u> 9 of 10	S/205.0	78.0 / 1.10	Centretown Commu 420 Cooper Street Ottawa ON K2P 2N6	nity Health Centre Inc.	GEN
Generator No: SIC Code: SIC Description: Approval Years:	ON9263707 As of Jul 2020		Status: Co Admin: Choice of Contact: Phone No Admin:	Registered	

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
PO Box No: Country:		Canada			Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class		312 Pat	2 P thological wastes				
Waste Class: Waste Class		26 ⁷ Pha	I A armaceuticals				
<u>88</u>	10 of 10	S	/205.0	78.0 / 1.10	Centretown Communi 420 Cooper Street Ottawa ON K2P 2N6	ty Health Centre Inc.	GEN
Generator No SIC Code:): 	ON9263707			Status: Co Admin:	Registered	
SIC Descripti Approval Yea		As of Nov 20	21		Choice of Contact: Phone No Admin:		
PO Box No: Country:		Canada			Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class		26´ Pha	I A armaceuticals				
Waste Class: Waste Class		312 Pat	2 P hological wastes				
<u>89</u>	1 of 1	N	W/205.3	77.7 / 0.79	162/164 BANK ST & 30 OTTAWA ON	01 LAURIER AVE W	EHS
Order No:		2006101000	5		Nearest Intersection:		
Status: Report Type:		C Custom Repo	ort		Municipality: Client Prov/State:	ON	
Report Date: Date Receive	ed:	10/18/2006 10/10/2006			Search Radius (km): X:	0.25 -75.699312	
Previous Site Lot/Building Additional In	Size:	Fire	e Insur. Maps Anc	I /or Site Plans	Y:	45.418616	
<u>90</u>	1 of 4	N	W/206.3	77.9/1.00	SHOPPERS DRUG MA 161 BANK STREET OTTAWA ON K1P 5N7		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON2285286 6031 PHARMACIE 99,00,01	S		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class		26′ PH	I ARMACEUTICAL	S			
Waste Class: Waste Class		312 PA	2 THOLOGICAL W	ASTES			

Map Key	Numbe Record		Elev/Diff (m)	Site	DB
<u>90</u>	2 of 4	NW/206.3	77.9 / 1.00	SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA) 161 BANK ST OTTAWA ON K1P 5N7	PES
Detail Licen Licence No: Status: Approval Da Report Sour Licence Typ Licence Typ Licence Cor Latitude: Longitude: Longitude: Longitude: Concession Region: District: County: Trade Name PDF Link: PDF Site Loo	nte: rce: re Code: ss: ntrol:	Limited Vendor 23		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Operator Lot: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
<u>90</u>	3 of 4	NW/206.3	77.9 / 1.00	SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA) 161 BANK ST OTTAWA ON K1P 5N7	PES
Detail Licent Licence No: Status: Approval Da Report Sour Licence Typ Licence Cas Licence Cor Latitude: Longitude: Longitude: Lot: Concession Region: District: County: Trade Name PDF Link: PDF Site Lot	nte: rce: re Code: ss: ntrol:	Vendor		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Operator Lot: Operator Region: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	
<u>90</u>	4 of 4	NW/206.3	77.9 / 1.00	SHOPPERS DRUG MART #0988 (161 BANK ST. OTTAWA) 161 BANK ST OTTAWA ON K1P 5N7	PES
Detail Licen Licence No: Status: Approval Da Report Sour	nte:	23-01-12805-0		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code:	

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Licence Type Licence Type Licence Class Licence Cont Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: PDF Site Loce	e Code: s: trol:	LIMITED		Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:		
<u>91</u>	1 of 1	SE/206.8	76.9 / 0.02	Biz Point Inc. 273 Bank St Ottawa ON K2P 1X5		SCT
Established: Plant Size (ft ² Employment:		2004				
<u>Details</u> Description: SIC/NAICS Co	ode:	Digital Printing 323115				
<u>92</u>	1 of 4	NW/207.7	77.6 / 0.69	301 Laurier Ave. W Ottawa ON		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional Int	d: Name: Size:	20010501009 C Complete Report 5/8/01 5/1/01		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	at Bank St. ON 0.25 -81.195759 43.455833	
<u>92</u>	2 of 4	NW/207.7	77.6 / 0.69	R. E. Hein Constructio 301 LAURIER AVENUL OTTAWA ON		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON4268847 03,04		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>92</u>	3 of 4	NW/207.7	77.6 / 0.69	Communications, Ene of Canada 301 Laurier Ave W Ottawa ON K1P 6M6	rgy & Paperworkers Union	PAP
Company ID: Status: Type: Operation:		4582170953 Active		Year: Description: Website:	2009	

Мар Кеу	Number Records		Elev/Diff) (m)	Site		DB
Status Desc	:					
Effluent Poll	lution Contro	ol:				
Company Na	ame:					
Division:						
Company Ma						
Mailing Add		301 Laurier Ave	W, Ottawa ON K1P	6M6		
Mill Mailing A Mill Notes:	Address:			easurer: Gaétan Ménard Med		
		Ouimet, Executiv 9000. Ontario: Bo	e Vice President, 5 bb Huget, Vice Pres	d., Ste. 440, Moncton, N.B. E 65 Boul. Crémazie Est, Burea sident, 5915 Airport Road, Sui ice President, 1199 W. Pende	au 9100, Montreal, QC H te 510, Mississauga, Ot	I2M 2V6, Tel.: 514-384- N, L4V 1T1, Tel.: 905-
History:						
Company Hi	istory:					
<u>92</u>	4 of 4	NW/207.7	77.6 / 0.69	301 Laurier Avenue V Ottawa ON K1P 6M6	/est	EHS
Order No:		21062200228		Nearest Intersection:		
Status:		C		Municipality:		
Report Type	e:	Standard Report		Client Prov/State:	ON	
Demont Type					05	

Report Date: 25-JUN-21 Search Radius (km): .25 Date Received: 22-JUN-21 Х: -75.6994095 **Y**: 45.4185813 Previous Site Name: Lot/Building Size: Additional Info Ordered: Taggart Corporation Ltd. **93** 1 of 2 ENE/208.1 75.7/-1.16 257 Lisgar Street Otawa ON K2P 0C7 Generator No: ON7376374 Registered Status: SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Jan 2021 Phone No Admin: PO Box No: Contam. Facility: Canada MHSW Facility: Country:

Dotail(s)

<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	221 L Light fuels				
<u>93</u> 2 of 2	ENE/208.1	75.7 / -1.16	Taggart Group Ltd 257 Lisgar St Ottawa ON K2P1P0		GEN
Generator No: SIC Code: SIC Description:	ON2733971		Status: Co Admin: Choice of Contact:	Registered	
Approval Years: PO Box No:	As of Nov 2021		Phone No Admin: Contam. Facility:		
Country:	Canada		MHSW Facility:		
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	243 D PCB				

227

GEN

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site		DB
<u>94</u>	1 of 1	WSW/210.4	77.9 / 1.00	HUDSON PARK COND 245 KENT STREET OTTAWA ON K2P 0A5	os	GEN
Generator I SIC Code: SIC Descrip Approval Y PO Box No.	otion: ears:	ON7365454 531111 LESSORS OF RESIDENT AND DWELLINGS (EXCE HOUSING PROJECTS) 2015		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	CO_OFFICIAL No	
Country:		Canada		MHSW Facility:	No	
<u>Detail(s)</u>						
Waste Clas Waste Clas		212 ALIPHATIC SOL	VENTS			
<u>95</u>	1 of 1	SE/210.8	75.9 / -1.00	343 Somerset Street W Ottawa ON	lest	EHS
Order No: Status: Report Typ Report Date Date Receiv Previous St	e: ved:	20140905028 C Custom Report 10-SEP-14 05-SEP-14		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.69567 45.415889	
Lot/Building	g Size: Info Orderea	1:				
Lot/Building		t: S/212.7	78.0 / 1.10	OTTAWA COMMUNITY CORPORATION 395 SOMERSET STREI OTTAWA ON		GEN
Lot/Buildin Additional	nfo Ordered 1 of 2 No: otion: ears:		78.0 / 1.10	CORPORATION 395 SOMERSET STRE		GEN
Generator I SIC Code: SIC Descrip Approval Y PO Box No.	nfo Ordered 1 of 2 No: otion: ears:	S/212.7 ON3877609 531112	78.0 / 1.10 78.0 / 1.10	CORPORATION 395 SOMERSET STREI OTTAWA ON Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	ET	GEN
Lot/Building Additional I 96 Generator I SIC Code: SIC Descrip Approval Y PO Box No. Country:	Info Ordered 1 of 2 No: ption: ears: 2 of 2 No: ption: ears:	S/212.7 ON3877609 531112 2011		CORPORATION 395 SOMERSET STREM OTTAWA ON Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility: Black & McDonald Ltd. 395 Somerset	ET	
Lot/Building Additional I 96 Generator I SIC Code: SIC Descrip Approval Y PO Box No Country: <u>96</u> Generator I SIC Code: SIC Descrip Approval Y PO Box No	Info Ordered 1 of 2 No: ption: ears: 2 of 2 No: ption: ears:	<i>S/212.7</i> ON3877609 531112 2011 <i>S/212.7</i> ON5677772 As of Oct 2019		CORPORATION 395 SOMERSET STREM OTTAWA ON Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility: Black & McDonald Ltd. 395 Somerset Ottawa ON K2L 4X8 Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	ЕТ	

	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
<u>97</u>	1 of 1		NE/213.5	75.9 / -1.00	110 Gloucester St Ottawa ON K2P 0A2	E	EHS
Order No: Status:		200404130 C)14		Nearest Intersection: Municipality:	Gloucester Street and O'Connor Street	
Report Type:		Custom Re	eport		Client Prov/State:	ON	
Report Date:		4/22/04			Search Radius (km):	0.25	
Date Receive		4/13/04			X:	-75.695867	
Previous Site Lot/Building S Additional Inf	Size:				Υ:	45.41897	
<u>98</u>	1 of 1		NE/213.9	75.9 / -1.00	ON	В	BORE
		040040				N1-	
Borehole ID:		613348			Inclin FLG:	No	
OGF ID:		215514646)		SP Status:	Initial Entry	
Status:		Developed			Surv Elev:	No	
Type:		Borehole			Piezometer:	No	
Use:					Primary Name:		
Completion D Static Water I		SEP-1933			Municipality:		
Primary Water					Lot: Township:		
Sec. Water Us					Latitude DD:	45.418899	
Total Depth n		-999			Longitude DD:	-75.696193	
Depth Ref:		Ground Su	rface		UTM Zone:	18	
Depth Elev:					Easting:	445531	
Drill Method:					Northing:	5029722	
Orig Ground	Elev m:	71.3			Location Accuracy:		
Elev Reliabil	Note:				Accuracy:	Not Applicable	
DEM Ground Concession:		71.8			-		
Location D:							
Survey D: Comments:							
Comments:	ology Strati	<u>ım</u>					
Comments: <u>Borehole Geo</u>		<u>ım</u> 218394732	2		Mat Consistency:	Compact	
Comments: <u>Borehole Geo</u> Geology Stra			2		Mat Consistency: Material Moisture:	Compact	
Comments: <u>Borehole Geo</u> Geology Stra Top Depth:	tum ID:	218394732	2			Compact	
Comments: <u>Borehole Geo</u> Geology Stra Top Depth: Bottom Depth	ntum ID: h:	218394732	2		Material Moisture: Material Texture: Non Geo Mat Type:	Compact	
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo	ntum ID: h:	218394732 1.8 Gravel	2		Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation:	Compact	
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2:	ntum ID: h:	218394732 1.8	2		Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group:	Compact	
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3:	ntum ID: h:	218394732 1.8 Gravel	2		Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:	Compact	
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4:	htum ID: h: pr:	218394732 1.8 Gravel Sand	2		Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group:	Compact	
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material 4:	htum ID: h: pr: Descriptior	218394732 1.8 Gravel Sand		COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Compact	
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 3: Gsc Material Stratum Desc	htum ID: h: or: Description cription:	218394732 1.8 Gravel Sand	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 3: Gsc Material Stratum Desc Geology Stra	htum ID: h: or: Description cription:	218394732 1.8 Gravel Sand ::	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material 1 Stratum Desc Geology Stra Top Depth: Bottom Depth	ntum ID: h: pr: Descriptior cription: ntum ID: h:	218394732 1.8 Gravel Sand C 218394730	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Texture:		
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material 3: Stratum Desc Geology Stra Top Depth: Bottom Depth Material Colo	ntum ID: h: pr: Descriptior cription: ntum ID: h:	218394732 1.8 Gravel Sand 218394730 0 .6	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:		
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material 3: Stratum Desc Geology Stra Top Depth: Bottom Depth Material Colo Material 1:	ntum ID: h: pr: Descriptior cription: ntum ID: h:	218394732 1.8 Gravel Sand 218394730 0	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation:		
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 3: Gsc Material 4: Gsc Material 4: Gsc Material 4: Gsc Material 2: Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2:	ntum ID: h: pr: Descriptior cription: ntum ID: h:	218394732 1.8 Gravel Sand 218394730 0 .6	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group:		
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 2: Material 3: Material 4: Gsc Material 3: Material 4: Gsc Material 4: Gsc Material 4: Gsc Material 2: Material 2: Material 3:	ntum ID: h: pr: Descriptior cription: ntum ID: h:	218394732 1.8 Gravel Sand 218394730 0 .6	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:		
Comments: <u>Borehole Geo</u> Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material 4: Gsc Material 4: Gsc Material 4: Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 3: Material 4:	ntum ID: h: pr: Descriptior cription: ntum ID: h: pr:	218394732 1.8 Gravel Sand 218394730 0 .6 Sand	GRAVEL TILL. C	COMPACT. TILL. C	Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group:		
Comments: Borehole Geo Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 2: Material 3: Geology Stra Top Depth: Bottom Depth Material 1: Material 2: Material 3: Material 3: Material 3:	ntum ID: h: pr: Description cription: ntum ID: h: pr: Descriptior	218394732 1.8 Gravel Sand 218394730 0 .6 Sand	GRAVEL TILL. C	OMPACT. TILL. (Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:		
Comments: <u>Borehole Geo</u> Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 3: Geology Stra Top Depth: Bottom Depth Material Clo Material 1: Material 2: Material 3: Material 3: Material 4: Gsc Material 4: Gsc Material 4: Stratum Desc	ntum ID: h: or: Description: cription: ntum ID: h: or: Description:	218394732 1.8 Gravel Sand 218394730 0 .6 Sand	GRAVEL TILL. C) SAND.	COMPACT. TILL. (Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Formation: Geologic Period: Depositional Gen:		
Comments: <u>Borehole Geo</u> Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3: Material 4: Geology Stra Top Depth: Bottom Depth Material 1: Material 2: Material 2: Material 3: Material 3: Material 3: Material 4: Gsc Material 4: Gsc Material 4: Gsc Material 4:	ntum ID: h: or: Description: cription: ntum ID: h: or: Description:	218394732 1.8 Gravel Sand 218394730 0 .6 Sand Sand 218394730 0 .6 Sand	GRAVEL TILL. C) SAND.	COMPACT. TILL. (Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: COMPACT. SAND. COMPAC Mat Consistency: Material Moisture: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:	T. TILL. COMPACT. TILL. COMPACT.	

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Material Colo Material 1: Material 2: Material 3: Material 4: Gsc Material Stratum Des	Description	Clay n: CLAY. FIRM.		Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:		
<u>Source</u>						
Source Type Source Orig Source Date Confidence: Observatio: Source Nam Source Deta Confiden 1:	: : e:	File: OTTAWA2.tx	utomated Informatic tt RecordID: 058560	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: n System (UGAIS) NTS_Sheet: 31G05G mplete description of materi	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level ial and properties.	
<u>Source List</u>						
Source Iden Source Type Source Date Scale or Res Source Nam Source Orig	e: : solution: e:	1 Data Survey 1956-1972 Varies Urban Geology Au Geological Survey	utomated Informatic v of Canada	Horizontal Datum: Vertical Datum: Projection Name: n System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator	
<u>99</u>	1 of 1	ESE/217.3	75.9 / -1.00	ALLAN KWAI 331 SOMERSET ST. V OTTAWA CITY ON K2	•	СА
Certificate # Application Issue Date: Approval Ty Status: Application Client Name Client Addre Client Addre Client City: Client Posta Project Deso Contaminan Emission Co	Year: pe: Type: : sss: I Code: cription: ts:	3-1581-97- 97 10/28/1997 Municipal sewage Approved				
<u>100</u>	1 of 1	ENE/217.4	75.7 / -1.16	257 Lisgar Street Ottawa ON K2P 0C7		EHS
Order No: Status: Report Type Report Date. Date Receive Previous Sit Lot/Building Additional Ir	: ed: e Name: Size:	20120807057 C Standard Report 16-AUG-12 07-AUG-12		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.695015 45.418005	
<u>101</u>	1 of 12	S/217.4	76.9/0.00	Ontario Addiction Tre 401 Somerset Street,		GEN
230	erisinfo.co	om Environmental Risk In	formation Service	95	Order No: 220	42800477

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
				Ottawa ON K2P 0K1	
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON8183220 621110 Offices of Physicians 2010		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		312 PATHOLOGICAL	WASTES		
<u>101</u>	2 of 12	S/217.4	76.9 / 0.00	Dedicated National Pharmacy (In Receivership) 401 Somerset St West Ottawa ON K2P 0K1	GEN
Generator No SIC Code: SIC Descriptio Approval Yea PO Box No: Country:	on:	ON8383037 446110 Pharmacies and Drug Stores 2010	5	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class I		261 PHARMACEUTIC	ALS		
<u>101</u>	3 of 12	S/217.4	76.9/0.00	Dedicated National Pharmacy (In Receivership) 401 Somerset St West Ottawa ON K2P 0K1	GEN
Generator No SIC Code: SIC Description Approval Yea PO Box No: Country:	on:	ON8383037 446110 Pharmacies and Drug Stores 2011	5	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class I		261 PHARMACEUTIC	ALS		
<u>101</u>	4 of 12	S/217.4	76.9/0.00	Ontario Addiction Treatment Centres 401 Somerset Street, West Ottawa ON K2P 0K1	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON8183220 621110 Offices of Physicians 2011		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					

Map Key	Numbe Record		Elev/Diff (m)	Site		DB
Waste Class Waste Class		312 PATHOLOGICAL \	WASTES			
<u>101</u>	5 of 12	S/217.4	76.9 / 0.00	Ontario Addiction Tro 401 Somerset Street, Ottawa ON K2P 0K1		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON8183220 621110 Offices of Physicians 2012		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		312 PATHOLOGICAL \	WASTES			
<u>101</u>	6 of 12	S/217.4	76.9 / 0.00	Ontario Addiction Tr 401 Somerset Street, Ottawa ON		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion: ears:	ON8183220 621110 OFFICES OF PHYSICIANS 2013		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		312 PATHOLOGICAL \	WASTES			
<u>101</u>	7 of 12	S/217.4	76.9 / 0.00	Ontario Addiction Tr 401 Somerset Street, Ottawa ON K2P0K1		GEN
Generator N SIC Code: SIC Descrips Approval Ye PO Box No: Country:	tion: ears:	ON8183220 621110 OFFICES OF PHYSICIANS 2015 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Rhonda Daiter CO_OFFICIAL 4168166110 Ext. No No	
<u>Detail(s)</u>						
Waste Class Waste Class		312 PATHOLOGICAL \	WASTES			
<u>101</u>	8 of 12	S/217.4	76.9 / 0.00	Ontario Addiction Tr 401 Somerset Street, Ottawa ON K2P0K1		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No:	tion:	ON8183220 621110 OFFICES OF PHYSICIANS 2016		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	Rhonda Daiter CO_OFFICIAL 4168166110 Ext. No	

erisinfo.com | Environmental Risk Information Services

Map Key	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Country:		Canada			MHSW Facility:	No	
<u>Detail(s)</u>							
Waste Class Waste Class			312 PATHOLOGICAL W	/ASTES			
<u>101</u>	9 of 12		S/217.4	76.9 / 0.00	Ontario Addiction Tre 401 Somerset Street, Ottawa ON K2P0K1		GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON81832 621110 OFFICES 2014 Canada	20 OF PHYSICIANS		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Rhonda Daiter CO_OFFICIAL 4168166110 Ext. No No	
<u>Detail(s)</u>							
Waste Class Waste Class			312 PATHOLOGICAL W	/ASTES			
<u>101</u>	10 of 12		S/217.4	76.9 / 0.00	Canadian Addiction 1 401 Somerset Street, Ottawa ON K2P0K1		GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON81832 As of Dec Canada			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>							
Waste Class Waste Class			312 P Pathological wastes				
<u>101</u>	11 of 12		S/217.4	76.9 / 0.00	Canadian Addiction 1 401 Somerset Street, Ottawa ON K2P0K1		GEN
Generator N SIC Code: SIC Descrip		ON81832	20		Status: Co Admin: Choice of Contact:	Registered	
Approval Ye PO Box No:	ears:	As of Jul 2	2020		Phone No Admin: Contam. Facility:		
Country:		Canada			MHSW Facility:		
<u>Detail(s)</u>							
Waste Class Waste Class			312 P Pathological wastes				
<u>101</u>	12 of 12		S/217.4	76.9 / 0.00	Canadian Addiction 1 401 Somerset Street, Ottawa ON K2P0K1		GEN

		Elev/Diff (m)	Site	D
on: 'S:	ON8183220 As of Jan 2021 Canada		Status:RegisteredCo Admin:Choice of Contact:Phone No Admin:Contam. Facility:MHSW Facility:Contam. Facility:	
)esc:	312 P Pathological wast	es		
1 of 5	NE/218.7	75.9 / -1.00	DEPARTMENT OF(OUT OF BUSINESS) 17-714 DENTAL CLINIC LAB. 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	GEN
on: 's:	ON0046580 8689 OTHER HEALTH LAB. 92,93,95,96,97		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
)esc:	114 OTHER INORGA	NIC ACID WASTES	3	
)esc:	146 OTHER SPECIFII	ED INORGANICS		
)esc:	148 INORGANIC LAB	ORATORY CHEMI	CALS	
)esc:	211 AROMATIC SOLV	/ENTS		
)esc:	212 ALIPHATIC SOLV	/ENTS		
)esc:	262 DETERGENTS/S	OAPS		
)esc:	263 ORGANIC LABOI	RATORY CHEMIC	ALS	
)esc:	264 PHOTOPROCES	SING WASTES		
)esc:	266 PHENOLIC WAS	TES		
Desc:	312 PATHOLOGICAL	WASTES		
2 of 5	NE/218.7	75.9 / -1.00	DEPARTMENT OF NATIONAL DEFENCE 17-714 DENTAL CLINIC LAB. 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	GEN
	ON0046580 8689		Status: Co Admin:	
	Records	Records Distance (m) ON8183220 m: s: As of Jan 2021 Canada Desc: 312 P Pathological wast 1 of 5 NE/218.7 ON0046580 8689 or: 92,93,95,96,97 Desc: 114 OTHER HEALTH LAB. 92,93,95,96,97 Desc: 146 OTHER SPECIFIE Desc: 148 NORGANIC LAB Desc: 211 AROMATIC SOLV Desc: 262 DETERGENTS/S Desc: 263 ORGANIC LABOR Desc: 264 PHENOLIC WAS 212 Desc: 264 PHENOLIC WAS 265 Desc: 266 PHENOLIC WAS 212 ACTOPROCES 265 Desc: 266 Desc: 261 Desc: 263 ON0046580	Records Distance (m) (m) ON8183220 ON8183220 m::::::::::::::::::::::::::::::::::::	Records Distance (m) (m) Milester (Milester (

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DE
SIC Descripti Approval Yea PO Box No: Country:		OTHER HEALTH LAB. 94		Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		148 INORGANIC LAB	ORATORY CHEMI	CALS	
Waste Class: Waste Class		114 OTHER INORGAN	NIC ACID WASTES	5	
Waste Class: Waste Class		146 OTHER SPECIFIE	ED INORGANICS		
Waste Class: Waste Class		211 AROMATIC SOLV	/ENTS		
Waste Class: Waste Class		212 ALIPHATIC SOLV	ENTS		
Waste Class: Waste Class		262 DETERGENTS/S0	DAPS		
Waste Class: Waste Class		263 ORGANIC LABOF	RATORY CHEMIC	ALS	
Waste Class: Waste Class		264 PHOTOPROCESS	SING WASTES		
Waste Class: Waste Class		266 PHENOLIC WAST	TES		
Waste Class: Waste Class		312 PATHOLOGICAL	WASTES		
<u>102</u>	3 of 5	NE/218.7	75.9 / -1.00	DEPT. OF NATIONAL DEFENCE(OUT OF BUS.) DENTAL CLINIC LAB 100 GLOUCESTER STREET, SUITE 602 OTTAWA ON K2P 0A4	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	on:	ON0046580 8689 OTHER HEALTH LAB. 98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		114 OTHER INORGAN	NIC ACID WASTES	5	
Waste Class: Waste Class		146 OTHER SPECIFIE	ED INORGANICS		
Waste Class: Waste Class		148 INORGANIC LAB	ORATORY CHEMI	CALS	
Waste Class: Waste Class		211 AROMATIC SOLV			

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Waste Class: Waste Class		212 ALIPHATIC SOLV	'ENTS			
Waste Class: Waste Class	-	262 DETERGENTS/S0	DAPS			
Waste Class: Waste Class	-	263 ORGANIC LABOF	RATORY CHEMICA	LS		
Waste Class: Waste Class		264 PHOTOPROCES	SING WASTES			
Waste Class: Waste Class		266 PHENOLIC WAST	TES			
Waste Class: Waste Class		312 PATHOLOGICAL	WASTES			
<u>102</u>	4 of 5	NE/218.7	75.9 / -1.00	100 Gloucester Street Ottawa ON K2P 0A4		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20110404006 C Custom Report 4/8/2011 4/4/2011 9:22:13 AM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.695503 45.418922	
<u>102</u>	5 of 5	NE/218.7	75.9 / -1.00	100 Gloucester Street Ottawa ON K2P 0A2		EHS
Order No: Status:		20180515095		Nearest Intersection:		
Report Type: Report Date: Date Receive Previous Site Lot/Building	ed: e Name: Size:	C Standard Report 22-MAY-18 15-MAY-18		Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.695824 45.418863	
Report Type: Report Date: Date Receive Previous Site Lot/Building	ed: e Name: Size:	Standard Report 22-MAY-18 15-MAY-18	75.9/-1.00	Client Prov/State: Search Radius (km): X:	.25 -75.695824	EHS
Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In <u>103</u> Order No: Status: Report No: Status: Report Date: Date Receive Previous Site Lot/Building	ed: e Name: Size: fo Ordered: 1 of 1 1 of 1 ed: ed: eName: Size:	Standard Report 22-MAY-18 15-MAY-18 <i>E/220.0</i> 21041400015 C Standard Report 19-APR-21 14-APR-21		Client Prov/State: Search Radius (km): X: Y: Y: 335 Cooper Street	.25 -75.695824	EHS
Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size: fo Ordered: 1 of 1 1 of 1 ed: ed: eName: Size:	Standard Report 22-MAY-18 15-MAY-18 <i>E/220.0</i> 21041400015 C Standard Report 19-APR-21 14-APR-21		Client Prov/State: Search Radius (km): X: Y: 335 Cooper Street Ottawa ON K2P 0G5 Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	.25 -75.695824 45.418863 ON .25 -75.6947608 45.4171295	EHS

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number o Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Sec. Water U Final Well Sta		Observatior	n Wells		Selected Flag: Abandonment Rec:	TRUE	
Water Type:					Contractor:	1844	
Casing Mater	rial:				Form Version:	3	
Audit No:	Z	230507			Owner:		
Tag:	A	4020628			Street Name:	SOMERSET ROADWAY	
Construction	n Method:				County:	OTTAWA	
Elevation (m)):				Municipality:	OTTAWA CITY	
Elevation Re	liability:				Site Info:		
Depth to Bed	lrock:				Lot:		
Well Depth:					Concession:		
Overburden/	Bedrock:				Concession Name:		
Pump Rate:					Easting NAD83:		
Static Water	Level:				Northing NAD83:		
Flowing (Y/N) <i>:</i>				Zone:		
Flow Rate:					UTM Reliability:		
Clear/Cloudy	<i>'</i> :				-		
PDF URL (Ma	ap):	h	ttps://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads	/2Water/Wells_pdfs/153\1535586.pdf	

Additional Detail(s) (Map)

Well Completed Date:	2005/04/27
Year Completed:	2005
Depth (m):	6
Latitude:	45.4156771009064
Longitude:	-75.6958166864399
Path:	153\1535586.pdf

Bore Hole Information

Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445557.00 5029364.00 UTM83 4 margin of error : 30 m - 100 m wwr
	Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:

Overburden and Bedrock Materials Interval

237

Source Revision Comment: Supplier Comment:

Formation ID: Layer: Color: General Color:	932996683 3 2 GREY
Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	06 SILT
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	1.2000000476837158 6.0 m

<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932996682 2 6 BROWN 28 SAND
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	0.800000011920929 1.2000000476837158 m
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	932996681 1 2 GREY 11 GRAVEL
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	0.0 0.800000011920929 m
<u>Annular Space/Abandonment</u> <u>Sealing Record</u>	
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	933271640 1 0.0 2.5 m
<u>Method of Construction & Well</u> <u>Use</u>	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	961535586 B Other Method
Pipe Information	

Pipe ID:	11330980
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Мар Кеу	Number Records		Elev/Diff) (m)	Site	DB
Casing ID:		930855429			
Layer:		1			
Material:		5			
Open Hole or	Material:	PLASTIC			
Depth From:		0.0			
Depth To:	4	3.0			
Casing Diame		50.0			
Casing Diame Casing Depth		cm m			
Construction	Record - S	icreen			
Screen ID:		933413326			
Layer:		1			
Slot:		#10			
Screen Top D	epth:	3.0			
Screen End D		6.0			
Screen Mater		5			
Screen Depth		m			
Screen Diame		cm			
Screen Diame		6.5			
Hole Diamete	<u>r</u>				
Hole ID:		11533635			
Diameter:		20.0			
Depth From:		0.0			
Depth To:	~~~	6.0			
Hole Depth U Hole Diamete		m cm			
<u>105</u>	1 of 6	SW/220.9	77.9 / 1.00	SEALTEST DIVISION OF AULT FOODS; 453 COOPER STREET OTTAWA ON K2P 0H1	NPCB
Company Cod	de.	O0463			
Industry:		Food/Beverage/W	√ater		
Site Status:		10/20/4000			
Transaction Da Inspection Da		10/29/1990 11/26/1987			
inspection Da	ite:	11/20/1907			
<u>105</u>	2 of 6	SW/220.9	77.9 / 1.00	AULT FOODS 453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET	SPL
<u>105</u>	2 of 6	SW/220.9	77.9 / 1.00		SPL
	2 of 6	SW/220.9 8572	77.9 / 1.00	453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET	SPL
Ref No:	2 of 6		77.9 / 1.00	453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report:	SPL
Ref No: Site No: Incident Dt:		8572		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq:	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even	e: t:	8572 8/24/1988		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved:	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even Contaminant	e: t: Code:	8572 8/24/1988		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse:	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even Contaminant Contaminant	e: t: Code: Name:	8572 8/24/1988		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address:	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even Contaminant Contaminant Contaminant	e: t: Code: Name: Limit 1:	8572 8/24/1988		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site Address: Site District Office:	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even Contaminant Contaminant Contaminant	e: t: Code: Name: Limit 1: Freq 1:	8572 8/24/1988		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site Address: Site District Office: Site Postal Code:	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even Contaminant Contaminant Contaminant Contaminant	e: t: Code: Name: Limit 1: Freq 1: UN No 1:	8572 8/24/1988		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site Address: Site District Office: Site Postal Code: Site Region:	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even Contaminant Contaminant Contaminant Contaminant Contaminant Environment	e: t: Code: Name: Limit 1: Freq 1: UN No 1: Impact:	8572 8/24/1988 VALVE/FITTING LEAK OR		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20101	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Even Contaminant Contaminant Contaminant	e: t: Code: Name: Limit 1: Freq 1: UN No 1: Impact: act:	8572 8/24/1988		453 COOPER STREET OTTAWA WINCHESTER 490 GORDON STREET OTTAWA CITY ON K2P 0H1 Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site Address: Site District Office: Site Postal Code: Site Region:	SPL

Map Key Number Records		Elev/Diff (m)	Site	D
MOE Response:			Easting:	
Dt MOE Arvl on Scn:	- / /		Site Geo Ref Accu:	
MOE Reported Dt:	8/24/1988		Site Map Datum:	
Dt Document Closed: Incident Reason:	MATERIAL FAILURE		SAC Action Class: Source Type:	
Site Name:	MATERIAL PAILORE		Source Type.	
Site County/District:				
Site Geo Ref Meth:				
ncident Summary:	AULT FOODS- AM	IMONIA LEAK TO	ATMOSPHERE FROM VALVE IN COOLING SYSTEM	1
Contaminant Qty:				
105 3 of 6	SW/220.9	77.9/1.00	AULT FOODS	
			453 COOPER ST.AT KENT ST. OTTAWA	SF
			OTTAWA DAIRY	
			OTTAWA CITY ON K2P 0H1	
Def No.	40547		Discharger Departs	
Ref No: Site No:	42547		Discharger Report: Material Group:	
ncident Dt:	10/24/1990		Health/Env Conseg:	
Year:			Client Type:	
ncident Cause:	OTHER CAUSE (N.O.S.)		Sector Type:	
ncident Event:			Agency Involved:	
Contaminant Code:			Nearest Watercourse:	
Contaminant Name:			Site Address:	
Contaminant Limit 1:			Site District Office:	
Contam Limit Freq 1:			Site Postal Code:	
Contaminant UN No 1:			Site Region:	
Environment Impact: Nature of Impact:	NOT ANTICIPATED Other		Site Municipality: 20101 Site Lot:	
Receiving Medium:	LAND / WATER		Site Conc:	
Receiving Env:			Northing:	
MOE Response:			Easting:	
Dt MOE Arvl on Scn:			Site Geo Ref Accu:	
MOE Reported Dt:	10/24/1990		Site Map Datum:	
Dt Document Closed:			SAC Action Class:	
ncident Reason:	UNKNOWN		Source Type:	
Site Name:				
Site County/District:				
Site Geo Ref Meth:				
ncident Summary: Contaminant Qty:	AULT FOODS-130	OL. DIESEL :TO G	ROUND AND SEWERS.	
105 4 of 6	SW/220.9	77.9 / 1.00	AULT FOODS LIMITED	
			453 COOPER STREET OTTAWA ON K2P 0H1	GEI
Generator No:	ON0632408		Status:	
SIC Code:	1041		Co Admin:	
SIC Description:	FLUID MILK IND.		Choice of Contact:	
Approval Years:	88		Phone No Admin:	
PO Box No:			Contam. Facility:	
Country:			MHSW Facility:	
Detail(s)				
	213			
Waste Class:	PETROLEUM DIS	TILLATES		
Waste Class: Waste Class Desc:				
	252			
Waste Class Desc:	252 WASTE OILS & LU	JBRICANTS		

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>105</u>	5 of 6		SW/220.9	77.9 / 1.00	AULT FOODS LIMITI 453 COOPER STREE OTTAWA ON K2P 0H	ĒT	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON06324 1041 FLUID MI 89,90			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class Waste Class			122 ALKALINE WASTE	ES - OTHER MET	ALS		
Waste Class Waste Class			212 ALIPHATIC SOLV	ENTS			
Waste Class Waste Class			213 PETROLEUM DIS	TILLATES			
Waste Class Waste Class			252 WASTE OILS & LU	JBRICANTS			
<u>105</u>	6 of 6		SW/220.9	77.9 / 1.00	AULT FOODS LIMITI 453 COOPER STREE OTTAWA ON K2P 0F		GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON06324 1041 FLUID MI 92,93,94,			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class Waste Class			122 ALKALINE WASTE	ES - OTHER MET	ALS		
Waste Class Waste Class			148 INORGANIC LABO	DRATORY CHEM	ICALS		
Waste Class Waste Class			212 ALIPHATIC SOLV	ENTS			
Waste Class Waste Class			213 PETROLEUM DIS	TILLATES			
Waste Class Waste Class			252 WASTE OILS & LU	JBRICANTS			
Waste Class: Waste Class Desc:		263 ORGANIC LABORATORY CHEMICA			ALS		
<u>106</u>	1 of 1		SW/222.5	77.9 / 1.00	KENT ST Ottawa ON		WWIS
Well ID: Construction Primary Wat		7344656			Data Entry Status: Data Src: Date Received:	10/22/2019	

	lumber of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		I
Sec. Water Use:			()	Selected Flag:	TRUE	
Final Well Status	: Abandoi	ned-Other		Abandonment Rec: Contractor:	Yes 7543	
Water Type: Casing Material:				Form Version:	7543	
Audit No:	Z286433	3		Owner:	1	
Tag:	A19162			Street Name:	KENT ST	
Construction Me		0		County:	OTTAWA	
Elevation (m):	anou.			Municipality:	NEPEAN TOWNSHIP	
Elevation Reliabl	ility.			Site Info:		
Depth to Bedroc				Lot:		
Well Depth:				Concession:		
overburden/Bed	rock:			Concession Name:		
Pump Rate:				Easting NAD83:		
Static Water Lev	el:			Northing NAD83:		
Flowing (Y/N):				Zone:		
Flow Rate:				UTM Reliability:		
Clear/Cloudy:						
PDF URL (Map):		https://d2khazk8e83	rdv.cloudfront.n	et/moe_mapping/downloads	/2Water/Wells_pdfs/734\7344656.pdf	
Additional Detail	l <u>(s) (Map)</u>					
Well Completed Year Completed:		2019/09/19 2019				
	ī	2019				
Depth (m): Latitude:		45.41578047162				
Longitude:		-75.6995243523525				
Path:		734\7344656.pdf				
		704(7044000.pdf				
Bore Hole Inform	<u>nation</u>					
Bore Hole ID:	1007687	7167		Elevation:		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	18	
Code OB:				East83:	445267.00	
Code OB Desc:				North83:	5029378.00	
Open Hole:				Org CS:	UTM83	
Cluster Kind:	10.0	~~~~~~~~~		UTMRC:	4	
Date Completed:	19-Sep-	2019 00:00:00		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:				Location Method:	wwr	
Elevrc Desc: Location Source	Data					
Improvement Lo						
Improvement Lo						
Source Revision						
Supplier Comme						
Annular Space/A Sealing Record	bandonment					
-		4000007007				
Plug ID:		1008087391				
Layer:		2 0.5				
Plug From: Plug To:		0.5 115.0				
	1:	ft				
nug Depth OOM						
Plug Depth UOM <u>Annular Space/A</u> Sealing Record	bandonment					
Annular Space/A Sealing Record	<u>bandonment</u>	1008087390				
Annular Space/A	<u>bandonment</u>	1008087390 1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To: Plug Depth U	OM:	351.0 ft			
<u>Annular Spaces Sealing Reco</u>	ce/Abandonment ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1008087392 3 0.0 0.5 ft			
<u>Pipe Informa</u>	tion				
Pipe ID: Casing No: Comment: Alt Name:		1008084812 0			
<u>Results of We</u>	ell Yield Testing				
Recommende Pumping Rat Flowing Rate	fter Pumping: ed Pump Depth: e: :	1008090670			
Levels UOM: Rate UOM:	t Method: ation HR:	ft GPM 0			
Water Details	i				
Water ID: Layer: Kind Code: Kind: Water Found Water Found		1008090120 1 8 Untested 25.0 ft			
Hole Diamete	er				
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete		1008088008 2.0 6.0 35.0 ft Inch			
<u>107</u>	1 of 1	ESE/222.6	75.9/-1.00	327 Somerset St W Ottawa ON K2P0J8	EHS
Order No: Status:	201511 C	30011		Nearest Intersection: Municipality:	
243	erisinfo.com Env	vironmental Risk Info	rmation Service	25	Order No: 22042800477

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Report Type: Report Date: Date Received		Custom R 03-DEC-1 30-NOV-1	5		Client Prov/State: Search Radius (km): X:	ON .25 -75.695217	
Previous Site I Lot/Building Si Additional Info	ize:				Y:	45.416108	
<u>108</u>	1 of 1		NNW/224.9	77.9/1.00	269 Laurier Avenue V Ottawa ON K1A 0P8	Vest	EHS
Order No:		20200211	227		Nearest Intersection:		
Status:		С			Municipality:	Kemptville	
Report Type:		Standard I	Report		Client Prov/State:	ON	
Report Date:		14-FEB-20			Search Radius (km):	.25	
Date Received		11-FEB-20)		X:	-75.6984744	
Previous Site I Lot/Building Si Additional Info	ize:				Y:	45.4191565	
<u>109</u>	1 of 1		SSE/227.5	76.9/0.00	Ottawa Dairy Well		OOGW
					Nepean ON		
Licence No:		F019784			Well Compl:	31692	
Well ID:		32035			County:	Ottawa/Carleton	
Well Compl ID:	:	31692			Block:	NULL	
W Class ID:		2366			Lot:	D	
UWI Code:		F019784			Conc:	CBF	
Permit Date:		NULL			Surface Lat NAD83:	45.41535722	
Depth(m):		365.76			Surface Long NAD83:	-75.69641000	
Well Pool:		NULL			Bottom Lat NAD83:	45.41535722	
Completion Da		NULL NULL			Bottom Long NAD83:	-75.69641000	
Depth Reacheo Capped Date:	a:	NULL			Lot Sides (m): E/W (m):	NULL X NULL X	
Class ID:		NULL			L/W (III). Latitude Nad27:	NOELX	
DB Source:					Longitude Nad27:		
Status as of:		January 20	021		bottom lat27:		
Start Date:		NULL			bottom long27:		
SPUD Date:		NULL			Lateral:	No	
Class:		NFW			Accuracy:	500	
Grnd Elev:		72.60			Method:	Part Lot Centroid	
KB Elev:		NULL			Parent:	NULL	
TVD:		365.76			Prod Top:	NULL	
PBTD:		NULL			Prod Bot:	NULL	
TD Form:		March			PROPD Depth:	365.76	
Workover D:		NULL Unknown			Location Method: Location Accuracy:	Part Lot Centroid Within 500 metres	
Operator: Township:		Nepean			Dt Obtained:	2009-06-05 00:00:00	
Well Name:			Ottawa Dairy Well		Di Oblamed.	2003 00 03 00.00.00	
Target:			ORD				
Target Desc:			ORDOVICIAN				
Well Status Ty	pe:		Natural Gas Well				
Status Type De	esc:		A WELL PRESENT	LY OR FORMERI	_Y USED TO PRODUCE N/	ATURAL GAS FROM A RESERVOI	IR
Well Status Mo	ode:		No Well Found				
Status Mode D							
Classification:							
Classification	Desc:						
			NULL				
Cement Rec: Comments:			By J.Clark [OGSR] (

<u>Details</u>

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		
License No:		F019784			Source:	FORM 7	
Top (m):		145.76			Static Level (m):	n/a	
Elevation (m)	:	NULL			Geology/Water:	Geology	
Geology Form		Trenton Gr	auo		Elevation / Top (m):	NULL / 145.76	
Type of Wate		n/a					
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
License No:		F019784			Source:	FORM 7	
Top (m):		362.16			Static Level (m):	n/a	
Elevation (m)		NULL			Geology/Water:	Geology	
Geology Form		March			Elevation / Top (m):	NULL / 362.16	
Type of Wate	r:	n/a					
License No:		F019784			Source:	MNR	
Тор (т):		238.72			Static Level (m):	n/a	
Elevation (m)	:	NULL			Geology/Water:	Geology	
Geology Forn	nation:	Rockcliffe			Elevation / Top (m):	NULL / 238.72	
Type of Wate	r:	n/a			,		
License No:		F019784			Source:	MNR	
Top (m):		289.01			Static Level (m):	n/a	
Elevation (m)	-	NULL			Geology/Water:	Geology	
Geology Forn		Oxford			Elevation / Top (m):	NULL / 289.01	
Type of Wate		n/a				NOLL / 203.01	
					_		
License No:		F019784			Source:	FORM 7	
Top (m):		145.76			Static Level (m):	n/a	
Elevation (m)		NULL			Geology/Water:	Geology	
Geology Form		Lindsay			Elevation / Top (m):	NULL / 145.76	
Type of Wate	r:	n/a					
License No:		F019784			Source:	FORM 7	
Тор (т):		238.72			Static Level (m):	n/a	
Elevation (m)	:	NULL			Geology/Water:	Geology	
Geology Form		Rockcliffe			Elevation / Top (m):	NULL / 238.72	
Type of Wate	r:	n/a					
License No:		F019784			Source:	MNR	
Top (m):		289.01			Static Level (m):	n/a	
Elevation (m)	:	NULL			Geology/Water:	Geology	
Geology Forn		Beekmanto	own Group		Elevation / Top (m):	NULL / 289.01	
Type of Wate		n/a	·				
License No:		F019784			Source:	MNR	
Top (m):		145.76			Static Level (m):	n/a	
Elevation (m)	-	NULL			Geology/Water:	Geology	
Geology Forn		Trenton Gr	OUD		Elevation / Top (m):	NULL / 145.76	
Type of Wate		n/a	oup				
1		E010704			Courses		
License No:		F019784			Source:	MNR	
Top (m):	_	362.16			Static Level (m):	n/a Caala <i>mu</i>	
Elevation (m)		NULL			Geology/Water:	Geology	
Geology Form		March			Elevation / Top (m):	NULL / 362.16	
Type of Wate	r:	n/a					
License No:		F019784			Source:	FORM 7	
Тор (т):		289.01			Static Level (m):	n/a	
Elevation (m)		NULL			Geology/Water:	Geology	
Geology Form		Oxford			Elevation / Top (m):	NULL / 289.01	
Type of Wate	r:	n/a					
License No:		F019784			Source:	MNR	
Top (m):		145.76			Static Level (m):	n/a	
Elevation (m)	:	NULL			Geology/Water:	Geology	
Geology Form		Lindsay			Elevation / Top (m):	NULL / 145.76	
Type of Wate		n/a Ĵ			,		

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

DB

	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DE
License No: Top (m): Elevation (m): Geology Forn Type of Watei	nation:	F019784 289.01 NULL Beekmantow n/a	n Group		Source: Static Level (m): Geology/Water: Elevation / Top (m):	FORM 7 n/a Geology NULL / 289.01	
<u>110</u>	1 of 1	E	7/228.5	74.8 / -2.12	PIPELINE HIT 1" 331 COOPER ST,,OTT ON	AWA,ON,K2P 0G5,CA	PINC
Incident Id: Incident No: Incident Repo Type: Status Code: Tank Status: Task No: Spills Action Fuel Type: Fuel Occurren Date of Occur Occurrence S Depth: Customer Acc Incident Addr Operation Typ Pipeline Type Regulator Typ Summary: Reported By: Affiliation:	Centre: nce Tp: rrence: Start Dt: ct Name: ress: pe: pe: pe:	PIF	nage Reason Es PELINE HIT 1"	t OTTAWA,ON,K2I	Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:		
Occurrence D Damage Reas							
Occurrence D Damage Reas		E	/228.9	75.3 / -1.55	Tartan Land Corporat 331 Cooper Street, Su Ottawa ON K2P 0G5		СА
Occurrence D Damage Reas Notes: <u>111</u> Certificate #: Application Y Issue Date: Approval Typ Status: Application T Client Name: Client Addres Client City: Client Postal Project Descr Contaminants	1 of 7 /ear: we: Type: SS: Code: ription: S:	77/ 00 5/1 Mu Ap Ne So 42 Ott	03-4KFM9J 9/00 Inicipal & Private proved w Certificate of <i>J</i> uth Nepean Dev 7 Laurier Ave. W rawa	e sewage Approval elopment Corpora /., Unit 300	331 Cooper Street, Su Ottawa ON K2P 0G5	iite 400	СА
Occurrence D Damage Reas Notes:	1 of 7 /ear: we: Type: SS: Code: ription: S:	774 00 5/1 Mu Ap Ne So 42 Ott	03-4KFM9J 9/00 Inicipal & Private proved w Certificate of <i>J</i> uth Nepean Dev 7 Laurier Ave. W rawa	e sewage Approval elopment Corpora /., Unit 300	331 Cooper Street, Su Ottawa ON K2P 0G5	nite 400 n.	СА

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Approval Ty Status: Application Client Name Client Addre	Type: :	Municipal & Private Revoked and/or Re New Certificate of South Nepean Dev 427 Laurier Ave. W	eplaced Approval velopment Corpora	ation		
Client City: Client Postal Project Desc Contaminant Emission Co	ription: ts:	Ottawa Watermains to be o	constructed in the	City of Nepean		
<u>111</u>	3 of 7	E/228.9	75.3 / -1.55	Tartan Land Corp 331 Cooper Stree Ottawa ON K2P (et, Suite 400	СА
Certificate #: Application & Issue Date: Approval Tyj Status: Application & Client Name. Client Name. Client Addre Client City: Client Postal Project Desc Contaminant Emission Co	Year: pe: Type: : sss: I Code: cription: ts:	3735-4M5HET 00 7/13/00 Municipal & Private Approved Amended CofA South Nepean Dev 427 Laurier Ave. W Ottawa K1R 7Y2 Amend C/A to corr	relopment Corpora /., Unit 300			
<u>111</u>	4 of 7	E/228.9	75.3 / -1.55	South Nepean De 331 Cooper Stree Ottawa ON K1R 7	•	ECA
Approval No Approval Da Status: Record Type Link Source: SWP Area Ni Approval Typ Project Type Business Na Address: Full Address Full PDF Lini PDF Site Loo	te: : ame: pe: :: :: :: :: k:	3735-4M5HET 2000-07-13 Approved ECA IDS Rideau Valley ECA-Municipal and Municipal and Priv South Nepean Dev 331 Cooper Street	ate Water Works velopment Corpora		Ottawa -75.69465 45.417255	
<u>111</u>	5 of 7	E/228.9	75.3 / -1.55	South Nepean De 331 Cooper Stree Ottawa ON	evelopment Corporation et, Suite 400	ECA
Approval No Approval Da Status: Record Type Link Source: SWP Area Na Approval Typ Project Type Business Na	te: :: ame: pe: ::	7703-4KFM9J 2000-05-19 Approved ECA IDS Rideau Valley ECA-MUNICIPAL AND I South Nepean Dev	PRIVATE SEWAG	BE WORKS	Ottawa -75.69465 45.417255	

Map Key	Number Records		Elev/Diff (m)	Site		DB
Address: Full Address: Full PDF Link: PDF Site Loca		331 Cooper Street, https://www.access		.gov.on.ca/instruments/3341-	-4K9RJV-14.pdf	
<u>111</u>	6 of 7	E/228.9	75.3 / -1.55	South Nepean Develo 331 Cooper Street, Si Ottawa ON		ECA
Approval No: Approval Date Status: Record Type: Link Source: SWP Area Nan Approval Type: Project Type: Business Nam Address: Full Address: Full Address: Full PDF Link: PDF Site Loca	ne: 9: ne:	3476-4KFMVT 2000-07-13 Revoked and/or Replaced ECA IDS Rideau Valley ECA-Municipal and Municipal and Priva South Nepean Dev 331 Cooper Street,	ate Water Works elopment Corpora		Ottawa -75.69465 45.417255	
<u>111</u>	7 of 7	E/228.9	75.3 / -1.55	Enbridge Gas Distrib 331 Cooper St. Ottawa ON	ution Inc.	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause Incident Event Contaminant C Contaminant L Contaminant L Contaminant L Contaminant L Environment I Nature of Impa Receiving Env MOE Respons Dt MOE Reported Dt Document (Incident Reaso Site Name: Site County/Di Site Geo Ref M Incident Sumn Contaminant (t: Code: Name: Limit 1: Freq 1: JN No 1: mpact: act: dium: dium: r: e: n Scn: dium: r: e: n Scn: dium: fon: fon: fon: fon: fon: fon: fon: fon	2853-B52NE2 NA 2018/09/28 Leak/Break 35 NATURAL GAS (METHANE) 1075 Air No 2018/09/28 Operator/Human Error 1 Inch IP Plastic Se TSSA/FSB: 1" IP P 0 other - see incide	ervice Damage <l lastic Line Strike -</l 		0 - No Impact Corporation Miscellaneous Industrial 331 Cooper St. Ottawa Eastern Ottawa TSSA - Fuel Safety Branch - Hyd Release/Spill Valve/Fitting/Piping	rocarbon Fu
<u>112</u> Borehole ID:	1 of 1	E/229.3 613315	74.8 / -2.12	ON Inclin FLG:	No	BORE
OGF ID: Status:		215514614		SP Status: Surv Elev:	Initial Entry No	

erisinfo.com | Environmental Risk Information Services

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		L
Type: Use:		Borehole			Piezometer: Primary Name:	No	
Completion D					Municipality:		
Static Water I Primary Wate					Lot: Township:		
Sec. Water Us					Latitude DD:	45.417288	
Total Depth n		-999			Longitude DD:	-75.694639	
Depth Ref:		Ground Su	urface		UTM Zone:	18	
Depth Elev:					Easting:	445651	
Drill Method:					Northing:	5029542	
Orig Ground		71.2			Location Accuracy:		
Elev Reliabil		74 7			Accuracy:	Not Applicable	
DEM Ground Concession:	Elev m:	71.7					
Location D:							
Survey D:							
Comments:							
Borehole Geo	ology Strati	<u></u>					
Geology Stra Top Depth:	tum ID:	218394619 12.3	Э		Mat Consistency: Material Moisture:	Dense	
Bottom Depth	h:	12.0			Material Texture:		
Material Colo					Non Geo Mat Type:		
Material 1:		Bedrock			Geologic Formation:		
Material 2:		Shale			Geologic Group:		
Material 3:					Geologic Period:		
Material 4:	Description	_			Depositional Gen:		
Gsc Material Stratum Desc	•		BEDROCK. 0050 04	3 00080 058 001	15 062 0000006200050024	00226DENSE. BEDROCK.	
Geology Stra	tum ID:	218394613	3		Mat Consistency:	Hard	
Top Depth: Bottom Depth	h-	1.7 3			Material Moisture: Material Texture:		
Material Colo		Grey			Non Geo Mat Type:		
Material 1:		Clay			Geologic Formation:		
Material 2:					Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material Stratum Desc			CLAY. GREY,HARD).			
Geology Stra	tum ID:	218394618	В		Mat Consistency:	Compact	
Top Depth:		10.1			Material Moisture:		
Bottom Depti		12.3			Material Texture:		
Matorial Cal-	1.	Till			Non Geo Mat Type: Geologic Formation:		
Material Colo Material 1		1.111			Geologic Group:		
Material 1:					Geologic Period:		
Material Colo Material 1: Material 2: Material 3:							
Material 1: Material 2:					Depositional Gen:		
Material 1: Material 2: Material 3: Material 4: Gsc Material 1			TILL. COMPACT.		Depositional Gen:		
Material 1: Material 2: Material 3: Material 4: Gsc Material Stratum Desc	cription:				Depositional Gen: Mat Consistency:	Firm	
Material 1: Material 2: Material 3: Gsc Material 4: Stratum Desc Geology Stra Top Depth:	cription: tum ID:	218394615 6.1				Firm	
Material 1: Material 2: Material 3: Gsc Material 4: Stratum Desc Geology Stra Top Depth: Bottom Deptl	cription: tum ID: h:	218394615 6.1 7.6			Mat Consistency: Material Moisture: Material Texture:	Firm	
Material 1: Material 2: Material 3: Gsc Material 4: Stratum Desc Geology Stra Top Depth: Bottom Depth Material Colo	cription: tum ID: h:	218394615 6.1 7.6 Grey			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:	Firm	
Material 1: Material 2: Material 3: Gsc Material 4: Stratum Desc Geology Stra Top Depth: Bottom Depth Material Colo Material 1:	cription: tum ID: h:	218394615 6.1 7.6			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation:	Firm	
Material 1: Material 2: Material 3: Gsc Material 4: Stratum Desc Geology Stra Top Depth: Bottom Depth Material Colo Material 1: Material 2:	cription: tum ID: h:	218394615 6.1 7.6 Grey			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group:	Firm	
Material 1: Material 2: Material 3: Gsc Material 4: Gsc Material 4: Stratum Desc Geology Stra Geology Stra Geology Stra Geology Stra Gaterial Colo Material 1: Material 2: Material 3:	cription: tum ID: h:	218394615 6.1 7.6 Grey			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:	Firm	
Material 1: Material 2: Material 3: Gsc Material 4: Gsc Material 4: Stratum Desc Geology Stra Top Depth: Bottom Depth Bottom Depth Material 2: Material 2: Material 3: Material 4:	cription: tum ID: h: vr:	218394615 6.1 7.6 Grey Clay			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group:	Firm	
Material 1: Material 2: Material 3: Material 4: Gsc Material 4 Stratum Desc Geology Stra: Geology Stra: Gop Depth: Bottom Depth Material Colo Material 1: Material 2: Material 3:	cription: tum ID: h: r: Descriptior	218394615 6.1 7.6 Grey Clay			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:	Firm	

Мар Кеу	Number Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site		L
Top Depth:		0			Material Moisture:		
Bottom Depth	1:	1.5			Material Texture:		
Material Colo	r:				Non Geo Mat Type:		
Material 1:		Sand			Geologic Formation:		
Material 2:					Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material	Description						
Stratum Desc			SAND. LOOSE.				
Geology Strat	tum ID:	21839461	2		Mat Consistency:	Loose	
Top Depth:		1.5			Material Moisture:		
Bottom Depth	n:	1.7			Material Texture:		
Material Colo					Non Geo Mat Type:		
Material 1:		Sand			Geologic Formation:		
Material 2:		Pebbles			Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material	Description				Depositional Gen.		
Stratum Desc			SAND, PEBBLES. LO	DOSE.			
Geology Stra	tum ID:	21839461	4		Mat Consistency:	Soft	
Top Depth:		3			Material Moisture:		
Bottom Depth	ŋ.	6.1			Material Texture:		
Material Colo		Grey			Non Geo Mat Type:		
Material 1:		Clay			Geologic Formation:		
Material 2:		Shells			Geologic Group:		
Material 3:		Offens			Geologic Period:		
Material 4:	Decerintian				Depositional Gen:		
Gsc Material I Stratum Desc	•	•	CLAY. GREY,SOFT				
Geology Strat	tum ID:	21839461	7		Mat Consistency:	Firm	
Top Depth:		9.1			Material Moisture:		
Bottom Depth	n:	10.1			Material Texture:		
Material Colo	r:				Non Geo Mat Type:		
Material 1:		Till			Geologic Formation:		
Material 2:		Sand			Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material	Description						
Stratum Desc	•	-	TILL. FIRM.				
Geology Strat	tum ID:	21839461	6		Mat Consistency:	Loose	
Top Depth:		7.6			Material Moisture:		
Bottom Depth	n:	9.1			Material Texture:		
Material Colo					Non Geo Mat Type:		
Material 1:		Till			Geologic Formation:		
Material 2:					Geologic Group:		
Material 3:					Geologic Period:		
Material 4:					Depositional Gen:		
Gsc Material	Description				Septemental Com		
Stratum Desc		•	TILL. LOOSE.				
<u>Source</u>							
		Data Surv			Source Apple	Spatial/Tabular	
Source Type: Source Orig:			al Survey of Canada		Source Appl: Source Iden:		
Source Orig:		0					
Source Date:		1956-197 ц	۷		Scale or Res:	Varies	
Confidence:		Н			Horizontal:	NAD27	
Observatio:	_		Linhan Casta - A	motod lafe	Verticalda:	Mean Average Sea Level	
Source Name			Urban Geology Auto				
Source Detail Confiden 1:	s:				0 NTS_Sheet: 31G05G	del en d'anne est	
			Logged by professio	mai Evact and c	omploto accoription of motor		

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		D
Source List							
Source Identif Source Type: Source Date: Scale or Reso		1 Data Surv 1956-197 Varies			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator	
Source Name: Source Origin	:		Urban Geology Auto Geological Survey o		on System (UGAIS)		
<u>113</u>	1 of 1		E/229.6	74.8 / -2.12	331 Cooper St Ottawa ON		ww
Vell ID:		7334763			Data Entry Status:		
Construction Primary Water	r Use:	Monitoring	g and Test Hole		Data Src: Date Received:	3/8/2019	
Sec. Water Us Final Well Stat Nator Typo:		Monitoring	g and Test Hole		Selected Flag: Abandonment Rec: Contractor:	TRUE 7241	
Vater Type: Casing Materi Audit No:	al:	Z298238			Contractor: Form Version: Owner:	7	
Tag: Construction	Mothod:	A257375			Street Name: County:	331 Cooper St OTTAWA	
Elevation (m): Elevation Reli					Municipality: Site Info:	NEPEAN TOWNSHIP	
Depth to Bedr Vell Depth:					Lot: Concession:		
Dverburden/B Pump Rate:	edrock:				Concession Name: Easting NAD83:		
Static Water L Flowing (Y/N):					Northing NAD83: Zone:		
Flow Rate: Clear/Cloudy:					UTM Reliability:		
PDF URL (Maj	o):						
Additional De	tail(s) (Maµ	<u>2)</u>					
Vell Complete /ear Complete			2018/11/14 2018				
Depth (m):			5.4864				
.atitude:			45.4172325169397				
.ongitude: Path:			-75.6946343758173	5			
Bore Hole Info	ormation						
Bore Hole ID: DP2BR:		10074758	61		Elevation: Elevrc:		
Spatial Status	:				Zone:	18	
Code OB:	_				East83:	445651.00	
Code OB Desc Open Hole:	C:				North83: Org CS:	5029536.00 UTM83	
Cluster Kind:	od:	14. Nov 9	018 00:00:00		UTMRC:	4 margin of error : 30 m - 100 m	
Date Complete Remarks: Elevrc Desc:	eu:	14-1100-20	010 00.00.00		UTMRC Desc: Location Method:	wwr	
.ocation Sour		Source:					
mprovement mprovement		lethod:					

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden Materials Inte	and Bedrock erval				
Formation ID):	1007824506			
Layer:		3			
Color:		2			
General Cold	or:	GREY			
Mat1:		05			
Most Commo	on Material:	CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation To	op Depth:	6.0			
Formation E		18.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	and Bedrock erval				
Formation ID)-	1007824504			
Layer:	·•	1			
Color:		2			
General Cold	or-	GREY			
Mat1:		11			
Most Commo	on Material:	GRAVEL			
Mat2:		27			
Mat2 Desc:		OTHER			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation To	op Depth:	0.0			
Formation E		1.0			
	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	and Bedrock erval				
Formation ID);	1007824505			
Layer:		2			
Color:		6			
General Cold	or:	BROWN			
Mat1:		28			
Most Commo	on Material:	SAND			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation To		1.0			
Formation E	nd Depth:	6.0			
Formation E	nd Depth UOM:	ft			
<u>Annular Space</u> Sealing Reco	ce/Abandonment ord				
Plug ID:		1007826024			
Layer:		3			
Plug From:		7.0			
Plug To:		18.0			
Plug Depth L	IOM:	ft			
American Cras	oo/Abandonmant				

Annular Space/Abandonment Sealing Record

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1007826023			
Layer:		2			
Plug From:		1.0			
Plug To:		7.0			
Plug Depth L	JOM:	ft			
<u>Annular Spa</u> <u>Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID:		1007826022			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0 ft			
Plug Depth U	JOM:	π			
<u>Method of Counce</u>	onstruction & Well				
Method Con		1007827610			
	struction Code:	В			
Method Con		Other Method			
Other Metho	d Construction:	Direct Push			
<u>Pipe Informa</u>	ation				
Pipe ID:		1007822322			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction</u>	n Record - Casing				
Casing ID:		1007828288			
Layer:		1			
Material:	•• • • •	5			
Open Hole o		PLASTIC			
Depth From: Depth To:		0.0 8.0			
Casing Diam	neter:	1.379999995231628	34		
Casing Diam		Inch			
Casing Dept	h UOM:	ft			
<u>Construction</u>	n Record - Screen				
Screen ID:		1007828989			
Layer:		1			
Slot:		10			
Screen Top		8.0			
Screen End		18.0 5			
Screen Mate Screen Dept		5 ft			
Screen Dept		π inch			
Screen Diam		1.659999966621399	9		
<u>Results of W</u>	/ell Yield Testing				
Pump Test II	D:	1007829783			
Pump Set At	t:				
Static Level:					

Pump Set At: Static Level: Final Level After Pumping:

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Recommend Pumping Ra Flowing Rate Recommend Levels UOM: Rate UOM: Water State Water State Pumping Tes Pumping Du Pumping Du Flowing:	te: e: led Pump R After Test C After Test: st Method: ration HR:	ate: ft GPM				
Hole Diamet	<u>er</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete	JOM:	1007827265 2.375 0.0 18.0 ft Inch				
<u>114</u>	1 of 10	W/230.8	77.0 / 0.08	360 Laurier Ave West Ottawa ON K1P 1C8		EHS
Order No: Status: Report Type Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20001109006 C Complete Report 11/14/00 11/10/00 11 story 13 underground part	king	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Kent St. ON 0.25 -75.700168 45.41804	
<u>114</u>	2 of 10	W/230.8	77.0 / 0.08	HEALTH AND WELFA HEALTH UNIT#31, 2NI LAURIER AVE. WEST OTTAWA ON K1P 1C8	D FL., NORONO BLDG. 360 (HWC)	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON0095619 8635 PUB. HEALTH CLINICS 92,93,97		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		312 PATHOLOGICAL \	WASTES			
<u>114</u>	3 of 10	W/230.8	77.0/0.08	305		GEN
Generator N SIC Code: SIC Descript Approval Ye	tion:	ON0095619 8635 PUB. HEALTH CLINICS 94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin:		

erisinfo.com | Environmental Risk Information Services

	Number Records		Elev/Diff (m)	Site		DB
PO Box No: Country:				Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class Des	sc:	312 PATHOLOGICAL \	WASTES			
<u>114</u> 40	of 10	W/230.8	77.0 / 0.08	HEALTH AND WELFA 360 LAURIER AVE. W #31, 2ND FLOOR, NO OTTAWA ON K1P 5K:	'EST (HWC) HEALTH UNIT RONO BLDG.	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON0095619 8635 PUB. HEALTH CLINICS 98,99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class Des	sc:	312 PATHOLOGICAL \	WASTES			
<u>114</u> 5 d	of 10	W/230.8	77.0 / 0.08	360 Laurier Avenue W Ottawa ON K1P 1C8	lest	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Na Lot/Building Size Additional Info C	e:	20051122010 C Custom Report 11/25/2005 11/22/2005		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.700331 45.417995	
<u>114</u> 6 d	of 10	W/230.8	77.0/0.08	360 Laurier Avenue W 360 Laurier Avenue W OF OTTAWA ON	Vest Limited Vest Ottawa K1P 6E2 CITY	EBR
EBR Registry No Ministry Ref No: Notice Type: Notice Stage: Notice Date: Proposal Date: Year:		010-2243 5377-794PWB Instrument Decision March 13, 2008 December 03, 2007 2007		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:		
Instrument Type Off Instrument N Posted By: Company Name: Site Address: Location Other:	lame:	(EPA s. 9) - Approv 360 Laurier Avenue	-	nto the natural environment o	ther than water (i.e. Air)	
Proponent Name Proponent Addro Comment Period URL:	ess:	130 Slater Street, 0	Dttawa Ontario, C	anada K1P 6E2		

Site Location Details:

Мар Кеу	Number Record			Site	Site	
360 Laurier A	Avenue West	Ottawa K1P 6E2 CITY OF O	TTAWA			
<u>114</u>	7 of 10	W/230.8	77.0 / 0.08	360 Laurier Avenue V 360 Laurier Ave W Ottawa ON	Vest Limited	СА
Certificate # Application Issue Date: Approval Py Status: Application Client Name Client Addre Client City: Client Posta Project Dese Contaminan Emission Co	Year: ype: Type: : : : : : : : : : : : : :	0625-7CFSTA 2008 3/7/2008 Air Approved				
<u>114</u>	8 of 10	W/230.8	77.0 / 0.08	360 Laurier Avenue V 360 Laurier Ave W Ottawa ON K1P 6E2	Vest Limited	ECA
Approval No Approval Da Status: Record Type Link Source SWP Area N Approval Ty Project Type Business Na Address: Full Address Full PDF Lin	ate: e: lame: vpe: e: ame: s: s:	0625-7CFSTA 2008-03-07 Approved ECA IDS Rideau Valley ECA-AIR AIR 360 Laurier Avenu 360 Laurier Avenu	l	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa -75.70044 45.417706 -794PWB-13.pdf	
PDF Site Lo	cation:					
<u>114</u>	9 of 10	W/230.8	77.0 / 0.08	360 Laurier Avenue V Ottawa ON K1P 1C8	Vest	EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: te Name: y Size:	20180517212 C Standard Report 22-MAY-18 17-MAY-18		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.700467 45.417716	
<u>114</u>	10 of 10	W/230.8	77.0 / 0.08	360 Laurier Ave W Ottawa ON K1P1C8		EHS
Order No: Status: Report Type Report Date		20170601026 C Standard Report 06-JUN-17		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	ON .25	

erisinfo.com | Environmental Risk Information Services

Map Key	Number Records		<i>Direction/</i> Distance (m)	Elev/Diff (m)	Site		Di
Date Receive Previous Site Lot/Building Additional In	e Name: Size:	01-JUN-17			X: Y:	-75.700442 45.417707	
<u>115</u>	1 of 1		NNW/231.7	77.9 / 1.00	269 LAURIER AVE Ottawa ON		WWI
Well ID: Constructior	n Date:	7230965			Data Entry Status: Data Src:		
Primary Wate Sec. Water U Final Well St	lse:	Monitoring 0 Test Hole	and Test Hole		Date Received: Selected Flag: Abandonment Rec:	11/3/2014 TRUE	
Water Type: Casing Mate		restrible			Contractor: Form Version:	7241 7	
Audit No: Tag: Construction Elevation (m Elevation Re Depth to Bec Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy): Hiability: drock: /Bedrock: Level: I): /:	Z188406 A168775			Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	269 LAURIER AVE OTTAWA NEPEAN TOWNSHIP	
PDF URL (Ma	ар):	h	ittps://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads/	/2Water/Wells_pdfs/723\7230965.pdf	
Additional D Well Comple Year Comple Depth (m): Latitude: Longitude: Path:	eted Date:	2 2 1 4	014/10/02 014 2.45 5.4192533647714 75.6983146533283 23\7230965.pdf				
Bore Hole In	formation						
Bore Hole ID DP2BR: Spatial Statu Code OB: Code OB De: Open Hole: Cluster Kind Date Comple Remarks: Elevrc Desc: Location Sou Improvemen Improvemen	is: sc: eted: urce Date: t Location S				Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445365.00 5029763.00 UTM83 4 margin of error : 30 m - 100 m wwr	

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation IL Layer: Color: General Colo		1005410194 3 8 BLACK			
Mat1: Most Commo Mat2: Mat2	on Material:	17 SHALE 71			
<i>Mat2 Desc: Mat3: Mat3 Desc: Formation T</i> etation	on Denth	FRACTURED 73 HARD 4.269999980926514			
Formation E	nd Depth: nd Depth UOM:	12.449999809265137 m	7		
<u>Overburden</u> <u>Materials Int</u>	<u>and Bedrock</u> erval				
Formation IL Layer: Color:		1005410193 2 6			
General Colo Mat1: Most Commo		BROWN 28 SAND			
<i>Mat2: Mat2 Desc: Mat3: Mat3 Desc:</i>		13 BOULDERS 85 SOFT			
Formation To Formation E	op Depth: nd Depth: nd Depth UOM:	0.6100000143051147 4.269999980926514 m	7		
<u>Overburden</u> Materials Int	and Bedrock erval				
Formation IL Layer: Color:		1005410192 1 8			
General Cold Mat1: Most Commo Mat2:		BLACK 11 GRAVEL			
Mat2 Mat2 Desc: Mat3: Mat3 Desc:		85 SOFT			
Formation To Formation E		0.0 0.6100000143051147 m	7		
<u>Annular Spa</u> <u>Sealing Reco</u>	ce/Abandonment ord				
Plug ID: Layer:		1005410203 1			
Plug From: Plug To: Plug Depth U	JOM:	0.0 0.3100000023841858 m	3		
<u>Annular Spa</u> Sealing Reco	<u>ce/Abandonment</u> ord				
Plug ID: Layer:		1005410204 2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From: Plug To: Plug Depth U	IOM:	0.3100000023841858 7.6199998855559082 m	3		
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	1005410205 3 7.6199998855559082 12.449999809265137 m	7		
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction Code:	1005410202 D Direct Push			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID: Casing No: Comment: Alt Name:		1005410191 0			
<u>Construction</u>	Record - Casing				
Casing ID: Layer: Material: Open Hole of Depth From: Depth To: Casing Diam Casing Depth	eter: eter UOM:	1005410198 1 5 PLASTIC 0.0 7.929999828338623 3.450000047683716 cm m			
<u>Construction</u>	Record - Screen				
Screen ID: Layer: Slot: Screen Top I Screen End I Screen Matei Screen Depti Screen Diam Screen Diam	Depth: rial: n UOM: eter UOM:	1005410199 1 10 7.929999828338623 12.44999980926513 5 m cm 4.210000038146973	7		
Water Details	2				
Water ID: Layer: Kind Code: Kind:	Denth	1005410197			
Water Found Water Found		m			

· · · · · · · · · · · · · · · · · · ·	Number of Records	Direction/ Distance (m	Elev/Diff) (m)	Site		D
Hole Diameter						
Hole ID:		1005410195				
Diameter:		8.3000001907348	363			
Depth From:		0.0				
Depth To:		4.2699999809265	514			
Hole Depth UOI	И:	m				
Hole Diameter L	JOM:	cm				
<u>Hole Diameter</u>						
Hole ID:		1005410196				
Diameter:		5.699999809265	137			
Depth From:		4.2699999809265				
Depth To:		12.449999809265	5137			
Hole Depth UOI		m				
Hole Diameter L	JOM:	cm				
<u>116</u> 1	of 1	SSW/234.3	77.9 / 1.00	ON		BOR
Davahala ID.	61328	20		-	No	
Borehole ID: OGF ID:	21551			Inclin FLG: SP Status:	No Initial Entry	
Status:	21551	4301		SP Status. Surv Elev:	No	
Зіаниз. Туре:	Boreh	ole		Piezometer:	No	
Use:	Doron			Primary Name:		
Completion Dat	e:			Municipality:		
Static Water Le				Lot:		
Primary Water U	Jse:			Township:		
Sec. Water Use:	;			Latitude DD:	45.415283	
Total Depth m:	-999			Longitude DD:	-75.698704	
Depth Ref:	Grour	nd Surface		UTM Zone:	18	
Depth Elev:				Easting:	445331	
Drill Method: Orig Ground Ele	ev m: 73.2			Northing: Location Accuracy:	5029322	
Elev Reliabil No				Accuracy:	Not Applicable	
DEM Ground El				Accuracy.	Not Applicable	
Concession:						
Location D:						
Survey D:						
Comments:						
Borehole Geolo	<u>gy Stratum</u>					
Geology Stratu		94474		Mat Consistency:		
Top Depth: Bottom Depth:	0 18.3			Material Moisture: Material Texture:		
Material Color:	10.5			Non Geo Mat Type:		
Material 1:	Till			Geologic Formation:		
Material 2:				Geologic Group:		
Material 3:				Geologic Period:		
Material 4:				Depositional Gen:		
Gsc Material De						
Stratum Descrip	otion:	TILL.				
Geology Stratui	m ID: 21839	94475		Mat Consistency:	Dense	
Top Depth:	18.3			Material Moisture:		
Bottom Depth:				Material Texture:		
Material Color:	_			Non Geo Mat Type:		
Material 1:	Bedro	ck		Geologic Formation:		
Material 2: Material 3:				Geologic Group:		
				Geologic Period:		

Map Key	Number Records		Elev/Diff m) (m)	Site	Ľ
Material 4:				Depositional Gen:	
Gsc Material Stratum Desc	-		ATER STABLE AT 20	0.0 FEET. UNSPECIFIED.	DENSE. UNSPECIFIED. DENSE. UNSPECIFI
<u>Source</u>					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name Source Detai Confiden 1:	e:	File: OTTAWA2	Automated Informati 2.txt RecordID: 05788	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda: on System (UGAIS) 0 NTS_Sheet: 31G05G k of information. Doubtful te	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level erminology.
<u>Source List</u>					
Source Ident Source Type Source Date Scale or Res Source Name Source Origin	: olution: e:	1 Data Survey 1956-1972 Varies Urban Geology Geological Surv	Automated Informati /ey of Canada	Horizontal Datum: Vertical Datum: Projection Name: on System (UGAIS)	NAD27 Mean Average Sea Level Universal Transverse Mercator
<u>117</u>	1 of 2	NNE/235.0	75.9 / -1.00	Gillin Engineering a 234 Laurier Ave W Ottawa ON	and Construction Limited EC
Approval No: Approval Dat Status: Record Type. Link Source: SWP Area Na Approval Typ Project Type: Business Nai Address: Full Address. Full Address. Full PDF Link PDF Site Loc	te: : ame: : : : : : : : : :	7836-96LPLV 19-APR-13 Approved Air/Noise		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa
<u>117</u>	2 of 2	NNE/235.0	75.9 / -1.00	Gillin Engineering a 234 Laurier Ave W Ottawa ON K1P 5M8	and Construction Limited EC
Approval No: Approval Dat Status: Record Type. Link Source: SWP Area Na Approval Typ Project Type. Business Nai Address: Full Address. Full Address. Full PDF Link PDF Site Loc	te: : ame: oe: : me: : k:	234 Laurier Ave		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: Limited	17-8ZBQNM-14.pdf

Мар Кеу	Number Records		Elev/Diff) (m)	Site		DB
<u>118</u>	1 of 3	W/235.1	76.2 / -0.70	I C ASSALY CONSTR 199 KENT ST OTTAWA ON K2P2K8		PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		19565 retail 1993-01-31 1000 0076347020				
<u>118</u>	2 of 3	W/235.1	76.2 / -0.70	I C ASSALY CONSTR 199 KENT ST OTTAWA ON	UCTION	DTNK
<u>Delisted Expl Facilities</u>	ired Fuel Sa	<u>afety</u>				
Instance No: Status: Instance ID: Instance Typ Instance Creat Instance Inst Item Descript Manufacturen Model: Serial No: ULC Standard Quantity: Unit of Measu Overfill Prot Creation Date Next Periodid TSSA Base S TSSAMax Ha TSSA Volume TSSA Periodid TSSA Recd II TSSA Perogra TSSA Progra TSSA Progra Description: Original Soun Record Date:	ation Dt: all Dt: tion: r: d: Type: e: Str DT: Sched Cycle zard Rank ased Period e of Directi ic Exempt: ory Interval. nsp Interva olerance: m Area: m Area 2: rce:	1: dic Yn: /es:	l Cntr - Cylr Fill	Expired Date: Max Hazard Rank: Facility Location: Facility Type: Fuel Type 2: Fuel Type 3: Panam Related: Panam Venue Nm: External Identifier: Item: Piping Steel: Piping Galvanized: Tank Single Wall St: Piping Underground: Tank Underground: Source:		
<u>118</u>	3 of 3	W/235.1	76.2 / -0.70	Kent Towers <unoffi 199 Kent st Ottawa ON</unoffi 	ICIAL>	SPL
Ref No: Site No: Incident Dt: Year: Incident Caus Incident Ever Contaminant Contaminant Contaminant Contam Limi Contaminant	nt: Code: Name: Limit 1: t Freq 1:	0255-BPBMVU NA 2020/04/28 Leak/Break 13 DIESEL FUEL 1202		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:	2 - Minor Environment Miscellaneous Communal 199 Kent st Ottawa Eastern	

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

Мар Кеу	Numbe Record		Elev/Diff) (m)	Site		DB
Environment Nature of Im Receiving M Receiving En MOE Resport Dt MOE Arvl MOE Report Dt Document Incident Rea Site Name: Site County/ Site Geo Ref Incident Sun Contaminant	pact: edium: nv: on Scn: ed Dt: t Closed: son: District: Meth: nmary:	Land No 2020/05/05 2020/07/17 Equipment Failure Kent Towers <un TSSA FSB: smal 0 other - see incir</un 	l amount dsl drippe	Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: d inside to floor from tank	Ottawa 5029544 445168 Land Spills Tank - Indoors	
<u>119</u>	1 of 3	ENE/235.4	74.9 / -2.00	96 Nepean St Ottawa ON		EHS
Order No: Status: Report Type. Report Date: Date Receive Previous Situ Lot/Building Additional In	ed: e Name: Size:	20110830011 C Standard Report 8/31/2011 8/30/2011 9:38:26 AM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.69485 45.418498	
<u>119</u>	2 of 3	ENE/235.4	74.9 / -2.00	Claridge Homes Corp 96 Nepean Street Ottawa ON	poration	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON7528429 236110 2011		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>119</u>	3 of 3	ENE/235.4	74.9 / -2.00	96 Nepean St Ottawa ON K2P0B3		EHS
Order No: Status: Report Type. Report Date: Date Receive Previous Situ Lot/Building Additional In	ed: e Name: Size:	20140321051 C RSC Report (Urban) 24-MAR-14 21-MAR-14 0.32 ha		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Ottawa ON .25 -75.694977 45.418311	
<u>120</u>	1 of 1	NW/236.1	77.9/1.04	151 BANK ST Ottawa ON		WWIS
Well ID: Construction Primary Watt Sec. Water U Final Well St Water Type: Casing Mater	er Use: Ise: atus:	7313000 Test Hole Monitoring Test Hole		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version:	6/19/2018 TRUE 7241 7	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Audit No: Tag: Construction Elevation Re Depth to Beo Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy): liability: lrock: Bedrock: Level:):			Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	151 BANK ST OTTAWA NEPEAN TOWNSHIP
PDF URL (Ma	ap):	https://d2khazk8e83	Brdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/731\7313000.pdf

Additional Detail(s) (Map)

Well Completed Date:	2018/04/05
Year Completed:	2018
Depth (m):	3.048
Latitude:	45.4189773261581
Longitude:	-75.6992954182316
Path:	731\7313000.pdf

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:	1007109885	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:
Date Completed: Remarks: Elevrc Desc: Location Source Da Improvement Locati Improvement Locati Source Revision Co Supplier Comment:	on Source: on Method:	UTMRC Desc: Location Metho

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	1007367844 1 2 GREY 11 GRAVEL 73 HARD
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	0.0 1.0 ft

Overburden and Bedrock Materials Interval

18
445288.00
5029733.00
UTM83
4
margin of error : 30 m - 100 m
wwr

Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Coverburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Formation Top Depth: Formation End Depth Formation End Depth Formation End Depth Formation ID: Layer: Color: Formation End Depth Formation ID: Layer: Color: General Color: Mat3 Desc: Formation ID: Layer: Color: General Color: Mat2 Desc: Mat3 Mat3 Desc: Formation Top Depth: formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Mat3 Desc: Formation Top Depth: Formation Top Depth: Formation End Depth. Formation End Depth.	06 SILT 85 SOFT 7.0 10.0 UOM: ft 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation ID: Layer: Color: General Color: Mat3: Mat3 Desc: Formation End Depth Formation ID: Layer: Color: General Color: Mat3: Mat3 Desc: Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Mat3: Mat3 Desc: Formation Top Depth: Mat3: Mat3 Desc: Formation Top Depth: Mat3: Mat3 Desc: Formation Top Depth: Formation Top Depth: Mat3: Mat3 Desc: Formation Top Depth: Formation Top Depth:	2 GREY 05 CLAY 06 SILT 85 SOFT 7.0 10.0 UOM: ft DCK 1007367846 3 6 BROWN 05 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft DCK		
General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat3 Desc: Formation End Depth Formation End Depth Formation End Depth Formation ID: Layer: Color: General Color: Mat3: Formation ID: Layer: Color: General Color: Mat4: Formation ID: Layer: Color: General Color: Mat5: Mat5 Desc: Mat3: Mat3 Desc: Formation Top Depth: Mat5 Desc: Formation Top Depth: Formation Top Depth: Formation Top Depth: Formation Top Depth: Formation Top Depth: Formation Top Depth: Formation End Depth.	GREY 05 CLAY 06 SILT 85 SOFT 7.0 10.0 UOM: ft 05 05 05 BROWN 05 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft DOCK		
Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Formation Top Depth: Formation End Depth Formation End Depth Formation ID: Layer: Color: General Color: Mat3 Desc: Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth:	al: 05 CLAY 06 SILT 85 SOFT 7.0 10.0 UOM: 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: t DCK		
Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Desc: Formation End Depth Formation End Depth Formation ID: Layer: Color: General Color: Mat6 Desc: Formation ID: Layer: Color: General Color: Mat7 Desc: Mat7 Desc: Mat7 Desc: Mat7 Desc: Mat7 Desc: Mat7 Desc: Mat7 Desc: Mat7 Desc: Formation Top Depth: Formation Top Depth: Formation Top Depth: Formation Top Depth:	al: CLAY 06 SILT 85 SOFT 7.0 10.0 UOM: ft DCK 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft DCK		
Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Formation ID: Layer: Color: General Color: Mat6 Desc: Mat7 Desc: Formation Top Depth: Formation Top Depth: Formation Top Depth: Formation Top Depth:	06 SILT 85 SOFT 7.0 10.0 UOM: ft 007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft 06		
Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat3 Desc: Formation End Depth Formation End Depth Coverburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth:	SILT 85 SOFT 7.0 10.0 UOM: ft 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft DCK		
Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat2 Desc: Mat3 Desc: Formation End Depth Formation End Depth Formation End Depth Coverburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth:	85 SOFT 7.0 10.0 UOM: ft Dock 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft Dock		
Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Formation End Depth <u>Overburden and Bedr</u> <u>Materials Interval</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat3 Desc: Formation End Depth Formation End Depth <u>Overburden and Bedr</u> <u>Materials Interval</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat3 Desc: Mat3: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth:	SOFT 7.0 10.0 UOM: ft DCK al: 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft DCK		
Formation Top Depth: Formation End Depth Formation End Depth Formation End Depth Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Mat3 Desc: Formation Top Depth:	10.0 UOM: ft bock. 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft bock.		
Formation End Depth. Formation End Depth Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Desc: Formation End Depth. Formation End Depth. Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat3 Desc: Mat3: Mat3 Desc: Formation Top Depth.	10.0 UOM: ft bock. 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft bock.		
Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation Top Depth:	Dock 1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat3: Mat3: Mat3: Formation Top Depth: Formation End Depth Formation End Depth Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Materials Interval Formation End Depth Formation Materia Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat3: Mat3: Mat3: Mat3: Formation Top Depth: Formation Top Depth:	1007367846 3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat3 Desc: Formation Top Depth: Formation End Depth	3 6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth	6 BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	BROWN 05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth	05 CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	al: CLAY 11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth.	11 GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Mat2 Desc: Mat3: Formation Top Depth: Formation End Depth Formation End Depth Formation End Depth <u>Overburden and Bedr</u> <u>Materials Interval</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	GRAVEL 06 SILT 5.0 7.0 UOM: ft		
Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth.	06 SILT 5.0 7.0 <i>UOM:</i> ft		
Mat3 Desc: Formation Top Depth: Formation End Depth Formation End Depth <u>Overburden and Bedr</u> <u>Materials Interval</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Mat3 Desc: Formation Top Depth: Formation End Depth.	SILT 5.0 7.0 UOM: ft		
Formation Top Depth: Formation End Depth Formation End Depth Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth:	5.0 7.0 UOM: ft		
Formation End Depth. Formation End Depth <u>Overburden and Bedr</u> <u>Materials Interval</u> Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth.	7.0 <i>UOM:</i> ft		
Overburden and Bedr Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth:	<u>ock</u>		
Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Materia Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth:			
Layer: Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth.	1007367845		
Color: General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth:			
General Color: Mat1: Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth.	2		
Mat1: Most Common Materia Mat2: Desc: Mat2 Desc: Mat3 Desc: Formation Top Depth: Formation End Depth:	6		
Most Common Materia Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth:	BROWN		
Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth.	05 al: CLAY		
Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth.	11		
Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth.	GRAVEL		
Mat3 Desc: Formation Top Depth: Formation End Depth.	08		
Formation End Depth.	FINE SAND		
Formation End Depth. Formation End Depth	1.0		
Formation End Depth	5.0		
	<i>UOM:</i> ft		
<u>Annular Space/Aband</u> Sealing Record	<u>onment</u>		
Plug ID:	1007367856		
Layer:	2		
Plug From: Plug To:	1.0 4.0		
Plug Depth UOM:	ft		
Annular Space/Aband Sealing Record	onment_		
Plug ID:			
	1007367855		

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth U	ОМ:	ft			
Annular Space Sealing Recor	e/Abandonment rd				
Plug ID:		1007367857			
Layer:		3			
Plug From:		4.0			
Plug To:		10.0			
Plug Depth U	ОМ:	ft			
<u>Method of Cor</u> <u>Use</u>	nstruction & Well				
Method Const		1007367854			
	truction Code:	D			
Method Const Other Method	truction: Construction:	Direct Push			
Pipe Informati	ion				
Pipe ID:		1007367843			
Casing No:		0			
Comment:		0			
Alt Name:					
<u>Construction</u>	Record - Casing				
Casing ID:		1007367850			
Layer:		1			
Material:		5			
Open Hole or	Material:	PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diame		1.379999995231628	34		
Casing Diame		inch			
Casing Depth	UOM:	ft			
Construction	<u>Record - Screen</u>				
Screen ID:		1007367851			
Layer:		1			
Slot:		10			
Screen Top De		5.0			
Screen End De Screen Materie	eptn:	10.0 5			
Screen Materi Screen Depth		5 ft			
Screen Deptn Screen Diame		inch			
Screen Diame		1.659999966621399)		
<u>Water Details</u>					
Water ID:		1007367849			
Layer:					
Kind Code:					

Kind: Kind: Water Found Depth: Water Found Depth UOM:

ft

Image: Stabilished: 1972 Plant Size (ff): 1200 Established: 1972 Plant Size (ff): 1200 Employment: 3 -Details:- Description: Description: MISCELLANEOUS PUBLISHING SIC/NAICS Code: 2741 122 1 of 1 NNW/236.3 77.9 / 1.00 269 Laurier Ave W Ottawa ON EHS Order No: 20180130034 Nearest Intersection: Municipality: EHS Report Type: Standard Report Client Prov/State: ON Report Type: Standard Report Startus: -75.698401 Date Received: 30-JAN-18 X: -75.698401 Lot/Building Size: Additional Into Ordered: Y: 45.419279 Order No: 20180104175 Nearest Intersection: Municipality: Ottawa Order No: 20180104175 Nearest Intersection: Municipality: Ottawa Additional Into Ordered: Client Prov/State: ON N Previous Site Name: 24 1041 X: -75.699163 Previous Site Name: 292 sq	Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: 121 1 of 1 Established: Plant Size (ft ²): Employment: Details Description: SIC/NAICS Code: 122 1 of 1	2.375 0.0 10.0 ft inch <i>NW/236.1</i> 1972 1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	SC1 EHS
Diameter: 2.375 Depth From: 0.0 Tot: BANK ST FLOOR 2 Pain Size (FP): 1200 Established: 1972 Pain Size (FP): 1200 Employment: 3 -Details: Description: MINCCELLANEOUS PUBLISHING StCMARCS Code: 2741 1122 1 of 1 1122 1 of 1 NNW236.3 77.9 / 1.00 269 Laurier Ave W Description: MINSCELLANEOUS PUBLISHING Standard Report Client ProviState: ON Status: C GReport Type: Shandard Report Client ProviState: ON Status: C G FEB-18 Standard Report Otswa ON Status: C G G Glaen ProviState: ON Status:	Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: <u>121</u> 1 of 1 Established: Plant Size (ft ²): Employment: Details Description: SIC/NAICS Code: <u>122</u> 1 of 1	2.375 0.0 10.0 ft inch <i>NW/236.1</i> 1972 1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	
Diameter: 2,375 Diameter: 2,375 Depth From: 0,0 Depth	Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: <u>121</u> 1 of 1 Established: Plant Size (ft ²): Employment: Details Description: SIC/NAICS Code: <u>122</u> 1 of 1	2.375 0.0 10.0 ft inch <i>NW/236.1</i> 1972 1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	
Depth From: 0.0 Hole Depth To: 10.0 Hole Depth TC: 10.0 Hole Depth VDM: Inch 121 1 of 1 NW/236.1 77.9 / 1.00 ELL LITTLEJOHN & ASSOCIATES 15 BANK ST FLOOR 2 OTTAWA ON KIP SW7 SC Established: 1972 100 Bit Established: 1972 Plant Size (#H): 120 St Established: 1972 Plant Size (#H): 120 St Established: 127 Plant Size (#H): 120 St Established: 127 Plant Size (#H): 120 St Established: 128 Structure: 3 Ottawa ON EHS Description: MISCELLANEOUS PUBLISHING Starture: ON Structure: C Names Intersection: Municipality: ON Structure: C Starture: ON Starture: ON Structure: C Ottawa ON Names Intersection: Municipality: ON Structure: C Structure: St 45.419279	Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM: 121 1 of 1 Established: Plant Size (ft²): Employment: -Details Description: SIC/NAICS Code: 122 1 of 1	0.0 10.0 ft inch <i>NW/236.1</i> 1972 1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	
Dight To: 10.0 Hole Diameter UOM: It 121 1 of 1 NW236.1 77.9 / 1.00 EL: LITTLEJOHN & ASSOCIATES ISI BANK ST FLOOR 2 OTTAWA ON KIP SNT SC 121 1 of 1 NW236.1 77.9 / 1.00 EL: LITTLEJOHN & ASSOCIATES ISI BANK ST FLOOR 2 OTTAWA ON KIP SNT SC Pant Size (HP: 1972 Pant Size (HP: 1200 SC Stabilished: 1972 Pant Size (HP: SC OTTAWA ON KIP SNT Description: MISCELLANEOUS PUBLISHING SC/MARS Code: Z741 ENS Code Roc: Z0180130034 Nearest Intersection: Municipality: Client ProvState: ON Sauce Stie Mane: SS Search Redius (km): .25 .75 SS Search Redius (km): .25 .75 SS Search Redius (km): .25 .75 SS Search Redius (km): .25 .25 .26 SS Search Redius (km): .25 .26 SS Search Redius (km): .25 .25 .26 .26 .26 .27 .26 .26	Depth To: Hole Depth UOM: Hole Diameter UOM: 121 1 of 1 Established: Plant Size (ft ²): Employment: -Details Description: SIC/NAICS Code: 122 1 of 1	ft inch <i>NW/236.1</i> 1972 1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	
Line Inch 121 1 of 1 NW236.1 77.9 / 1.00 ELL LITTLEJOHN & ASSOCIATES 151 BANK ST FLOOR 2 OTTAWA ON K1P SW7 SC Established: 1972 100 OTTAWA ON K1P SW7 SC Stablished: 1972 120 ST SC Description: MISCELLANEOUS PUBLISHING ST ST SIGUNACS Code: 2741 EHS EHS 122 1 of 1 NWW236.3 77.9 / 1.00 269 Laurier Ave W Ottawa ON EHS Drder No: 20180130034 Mearest Intersection: Municipality: ON Sarch Radius (km): .25 Sarch Radius (km): .25 Status: C Sarch Radius (km): .25 ON Sarch Radius (km): .25 Sarch Radius (km):	121 1 of 1 121 1 of 1 Established: 1 Plant Size (ft²): 1 Employment: 1 Details 1 Description: 1 SIC/NAICS Code: 1 122 1 of 1	inch NW/236.1 1972 1200 3 MISCELLANEOU 2741 NNW/236.3 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	
121 1 of 1 NW236.1 77.9 / 1.00 ELL LITTLEJOHN & ASSOCIATES 151 BANK ST FLOOR 2 OTTAWA ON KIP SN7 SC Stabilished: 1 972 3 mission (FP: stabilished: 1 972 3 mission (FP: stabilished: 1 972 3 mission (FP: stabilished: SC SC SC -Details:	1211 of 1Established: Plant Size (ft²): Employment:-Details Description: SIC/NAICS Code:1221 of 1	<i>NW/236.1</i> 1972 1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	
151 BANK ST FLOOR 2 30 Established: 1972 Plant Size (ft): 1200 Employment: 3 -Details:	Established: Plant Size (ft ²): Employment: - <u>Details</u> Description: SIC/NAICS Code: <u>122</u> 1 of 1	1972 1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034	JS PUBLISHING	151 BANK ST FLOOR OTTAWA ON K1P 5N OTTAWA ON K1P 5N 269 Laurier Ave W Ottawa ON	2	
Plant Size (rtf): 1200 Employment: 3 -Details:- Description: MISCELLANEOUS PUBLISHING Socription: 2741 122 1 of 1 NNW236.3 77.9 / 1.00 269 Laurier Ave W Ottawa ON Drder No: 20180130034 Nearest Intersection: Status: C Report Type: Standard Report Report Date: 05-FEB-18 Search Radius (km): 25 Date Received: 30-JAN-18 X: -75.668401 Previous Site Mame: Y: 45.419279 20180104175 Nearest Intersection: Municipality: Ottawa Additional Info Ordered: 123 1 of 1 NW236.6 77.9 / 1.00 149 Bank St C Manage Status: C Report Type: Standard Report 123 1 of 1 NW236.6 77.9 / 1.00 149 Bank St C Manage Status: C Report Type: Standard Report 123 1 of 1 NW236.6 77.9 / 1.00 149 Bank St C Manage Status: C Report Date: 0	Plant Size (ft ²): Employment: - <u>-Details</u> Description: SIC/NAICS Code: <u>122</u> 1 of 1	1200 3 MISCELLANEOU 2741 <i>NNW/236.3</i> 20180130034		Ottawa ON		EHS
Employment: 3 Description: MISCELLANEOUS PUBLISHING SIC/NAICS Code: 2741 112 1 of 1 NNW236.3 77.9 / 1.00 269 Laurier Ave W EHS Order No: 20180130034 Nearest Intersection: Standard Report Chient Prov/State: ON Report Type: Standard Report Client Prov/State: ON 25 Date Received: 30-JAN-18 X: -75.698401 25 Date Received: 30-JAN-18 X: -75.698401 EHS 1123 1 of 1 NW236.6 77.9 / 1.00 149 Bank St Client Prov/State: ON Status: C 20180104175 Nearest Intersection: Otawa Otawa Otawa Order No: 20180104175 Nearest Intersection: Otawa Otawa Otawa ON Status: C 45.4198279 Standard Report Client Prov/State: ON Search Radius (km): -75.699163 25 Date Received: 04-JAN-18 X: -75.699163 Y: 45.419044 Additional Info Ordered: Fire Insur. Maps and/o	Employment: <u>Details</u> Description: SIC/NAICS Code: <u>122</u> 1 of 1	3 MISCELLANEOU 2741 NNW/236.3 20180130034		Ottawa ON		EHS
Details: Description: MISCELLANEOUS PUBLISHING 122 1 of 1 NNW236.3 77.9 / 1.00 269 Laurier Ave W EHS 122 1 of 1 NNW236.3 77.9 / 1.00 269 Laurier Ave W EHS Order No: 20180130034 Nearest Intersection: Municipality: ON Status: C Genome ON Search Radius (km): 25 Date Received: 30-JAN-18 X: -75.698401 Y: 45.419279 Date Received: 30-JAN-18 X: -75.698401 Y: 45.419279 Lot/Building Size: Y: 45.419279 Y: 45.419279 VBuilding Size: C NW236.6 77.9 / 1.00 149 Bank St Otawa T23 1 of 1 NW236.6 77.9 / 1.00 149 Bank St Otawa Otawa Status: C G Municipality: Otawa Otawa Otawa Previous Site Name: C G Municipality: Otawa Otawa Otawa Status: C Status: Y: 45.419044 At 45.419044	<u>Details</u> Description: SIC/NAICS Code: <u>122</u> 1 of 1	MISCELLANEOU 2741 NNW/236.3 20180130034		Ottawa ON		EHS
Description: MISCELLANEOUS PUBLISHING 112 1 of 1 NNW/236.3 77.9 / 1.00 269 Laurier Ave W EHS 112 1 of 1 NNW/236.3 77.9 / 1.00 269 Laurier Ave W EHS Order No: 20180130034 Nearest Intersection: Municipality: ON Status: C Client Prov/State: ON Previous Site Name: 05-FEB-18 Search Radius (km): .25 Date Received: 30-JAN-18 Y: 45.419279 Order No: 20180104175 Nearest Intersection: Municipality: Corbuilding Size: Additional Info Ordered: Otawa ON K1PSN7 EHS 1123 1 of 1 NW/236.6 77.9 / 1.00 149 Bank St Otawa Order No: 20180104175 Nearest Intersection: Municipality: Otawa Status: C Search Radius (km): .25 Search Radius (km): .25 Date Received: 04-JAN-18 X: .75.699163 Y: .45.419044 Lorburding Stre: 2892 Square feet Y: .45.419044 .25 Construction	Description: SIC/NAICS Code: <u>122</u> 1 of 1	2741 <i>NNW/236.3</i> 20180130034		Ottawa ON		EHS
SIC/NAICS Code: 2741 122 1 of 1 NNW/236.3 77.9 / 1.00 269 Laurier Ave W Ottawa ON EHS Order No: 20180130034 Nearest Intersection: Municipality: ON Status: C Sandard Report Client Prov/State: ON Report Date: 05-FEB-18 Search Radius (km): 25 Date Received: 30-JAN-18 Y: 45.419279 Previous Site Name: V: 45.419279 EHS 123 1 of 1 NW/236.6 77.9 / 1.00 149 Bank St Ottawa ON K1P5N7 Client Prov/State: 0rder No: 20180104175 Nearest Intersection: Municipality: ON Client Prov/State: ON Status: C Client Prov/State: ON ON EHS Drder No: 20180104175 Nearest Intersection: Municipality: ON EHS Date Received: 04-JAN-18 Search Radius (km): 25 Date Received: 04-JAN-18 Y: 45.419044 Lobbuilding Size: 2892 square feet X: Y: 45.419044 Lobbuilding Size: Fire Insur. Maps and/o	SIC/NAICS Code: <u>122</u> 1 of 1	2741 <i>NNW/236.3</i> 20180130034		Ottawa ON		EHS
Order No: 20180130034 Nearest Intersection: Municipality: Character Status: C Municipality: ON Report Type: Standard Report Client Prov/State: ON Bate Received: 05-FEB-18 Search Radius (km): .25 Date Received: 30-JAN-18 X: .75.698401 Previous Site Name: Y: .45.419279 Lot/Building Size: Additional Info Ordered: Y: .45.419279 Conder No: 20180104175 Nearest Intersection: Municipality: Ottawa ON K1P5N7 EHS Order No: 20180104175 Nearest Intersection: Ottawa Report Type: Standard Report Client Prov/State: ON Status: C Municipality: Ottawa Report Type: Standard Report Client Prov/State: ON Date Received: 04-JAN-18 X: .75.699163 Previous Site Name: Y: .45.419044 .25 Lot/Building Size: 2892 square feet Y: .45.419044 Lot/Building Size: 2892 square feet Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos						

erisinfo.com | Environmental Risk Information Services

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Construction Elevation (m Elevation Re Depth to Bee Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy): Iliability: drock: /Bedrock: Level: I):			County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	OTTAWA NEPEAN TOWNSHIP
PDF URL (M	ap):	https://d2khazk8e83	Brdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/731\7312999.pdf

Additional Detail(s) (Map)

Well Completed Date:	2018/04/05
Year Completed:	2018
Depth (m):	6.2484
Latitude:	45.4189772479103
Longitude:	-75.699308198664
Path:	731\7312999.pdf

Bore Hole Information

Bore Hole ID:	1007108777				
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:	05-Apr-2018 00:00:00				
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID:	1007367817
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	5.0
Formation End Depth:	7.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:

1007367819

Elevation: Elevrc: Zone: 18 East83: 445287.00 North83: Org CS: 5029733.00 UTM83 UTMRC: 4 UTMRC Desc: Location Method: wwr

margin of error : 30 m - 100 m

DB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DE
Layer:		5			
Color: General Colo		8 BLACK			
General Colol Mat1:	r:	17			
Most Commo	n Mətorial·	SHALE			
Mat2:	n material.	73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation To	p Depth:	10.0			
Formation En	d Depth:	20.5			
Formation En	d Depth UOM:	ft			
Overburden a Materials Inte					
Formation ID:	;	1007367816			
Layer:		2			
Color:		6 PROWN			
General Color Mat1:	r:	BROWN			
Mat1: Most Commo	n Material·	05 CLAY			
Mat2:	n material.	11			
Mat2 Desc:		GRAVEL			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation To	p Depth:	1.0			
Formation En	d Depth:	5.0			
Formation En	d Depth UOM:	ft			
Overburden a Materials Inte					
Formation ID:		1007367815			
Layer:		1			
Color:		2			
General Colo	r:	GREY			
Mat1:		11			
Most Commo	n Material:	GRAVEL			
Mat2:		73 HARD			
Mat2 Desc: Mat3:		ΠΑΚΟ			
Mats: Mat3 Desc:					
Formation To	n Denth:	0.0			
Formation En		1.0			
	d Depth UOM:	ft			
<u>Overburden a</u> Materials Inte					
Formation ID:		1007367818			
Layer:		4			
Color:		2			
General Colo	r:	GREY			
Mat1:		05			
Most Commo	n Material:	CLAY			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3: Mat3 Decor					
Mat3 Desc: Formation To	n Donth	7.0			
ruma(1011-10		10.0			
Eormation Fr					
Formation En	d Deptn: d Depth UOM:	ft			

Annular Space/Abandonment Sealing Record

Plug ID:	1007367829
Layer:	3
Plug From:	5.0
Plug To:	12.5
Plug Depth UOM:	ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	1007367830
Layer:	4
Plug From:	12.5
Plug To:	20.5
Plug Depth UOM:	ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	1007367827
Layer:	1
Plug From:	0.0
Plug To:	1.0
Plug Depth UOM:	ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	1007367828
Layer:	2
Plug From:	1.0
Plug To:	5.0
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1007367826
Method Construction Code:	D
Method Construction:	Direct Push
Other Method Construction:	

Pipe Information

Pipe ID:	1007367814
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

3

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diame Casing Diame Casing Depth	eter UOM:	1.37999999952316 inch ft	284		
Construction	Record - Screen				
Screen ID:		1007367824			
Layer:		1			
Slot: Screen Top D	onth.	10 13.5			
Screen End D	epui.)enth:	20.5			
Screen Mater		5			
Screen Depth		ft			
Screen Diame		inch			
Screen Diame	eter:	1.5499999523162	842		
Water Details					
Water ID:		1007367822			
Layer:					
Kind Code:					
Kind:					
Water Found		4			
Water Found	Depth UOM:	ft			
<u>Hole Diamete</u>	r				
Hole ID:		1007367820			
Diameter:		2.875			
Depth From:		0.0			
Depth To:		10.0			
Hole Depth U	ОМ:	ft			
Hole Diamete	r UOM:	inch			
Hole Diamete	<u>r</u>				
Hole ID:		1007367821			
Diameter:		2.375			
Depth From:		10.0			
Depth To:		20.5			
Hole Depth U		ft			
Hole Diamete	r UOM:	inch			
<u>125</u>	1 of 11	N/237.2	77.2 / 0.30	FOX PRINT & COPY LTD. 124 O'CONNOR ST OTTAWA ON K1P 5M9	SCT
Established:		1985			
Plant Size (ft ²):	1780			
Employment:		7			
Details					
Description:		Quick Printing			
SIC/NAICS Co	ode:	323114			
Description:		Digital Printing			
SIC/NAICS Co	ode:	323115			
Description: SIC/NAICS Co		Other Printing 323119			

Map Key	Numbe Record		Elev/Diff (m)	Site	DB
<u>125</u>	2 of 11	N/237.2	77.2 / 0.30	QUADRAPRINT (1996) 124 O'CONNOR ST OTTAWA ON K1P 5M9	SCT
Established: Plant Size (fi Employment	t²):	1985 1780 7			
<u>Details</u> Description: SIC/NAICS C		COMMERCIAL PF 2752	RINTING, LITHOG	RAPHIC	
<u>125</u>	3 of 11	N/237.2	77.2 / 0.30	ARTEXT ELECTRONIC PUBLISHING INC. 124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON0940700 2821 PLATEMAKING, ETC. 86,87,88		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		264 PHOTOPROCESS	SING WASTES		
<u>125</u>	4 of 11	N/237.2	77.2 / 0.30	ARTEXT ELECTRONICOUT OF BUSINESS 124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON0940700 2821 PLATEMAKING, ETC. 89,90		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		264 PHOTOPROCESS	SING WASTES		
<u>125</u>	5 of 11	N/237.2	77.2 / 0.30	ARTEXT ELECTRONIC (OUT OF BUS.) 03-293 124 O'CONNOR ST., SUITE 200 OTTAWA ON K1P 5M9	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON0940700 2821 PLATEMAKING, ETC. 92,93,94,95,96,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>125</u>	6 of 11	N/237.2	77.2 / 0.30	ARTEXT ELECTRONIC PUBLISHING INC. 124 O'CONNOR ST. SUITE 200	GEN

Map Key Numb Recor		Elev/Diff (m)	Site	DB
			OTTAWA ON K1P 5M9	
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON0940701 2821 PLATEMAKING, ETC. 89,90		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>				
Waste Class: Waste Class Desc:	264 PHOTOPROCESS	ING WASTES		
125 7 of 11	N/237.2	77.2 / 0.30	ARTEXT ELE(OUT OF BUSINESS)G INC. 03-388 124 O'CONNOR ST. SUITE 200 OTTAWA ON K1P 5M9	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON0940701 2821 PLATEMAKING, ETC. 92,93,94,95,96,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>				
Waste Class: Waste Class Desc:	264 PHOTOPROCESS	ING WASTES		
<u>125</u> 8 of 11	N/237.2	77.2 / 0.30	HUNT CLUB PRESS LTD (OUT OF BUSINESS) 263 LAURIER AVE. W. OTTAWA ON K1P 5J9	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON1642400 2819 OTHER COMM. PRINTING 92,93,96,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>				
Waste Class: Waste Class Desc:	264 PHOTOPROCESS	ING WASTES		
<u>125</u> 9 of 11	N/237.2	77.2 / 0.30	HUNT CLUB PRESS LTD. 19-736 263 LAURIER AVE. W. OTTAWA ON K1P 5J9	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: <u>Detail(s)</u>	ON1642400 2819 OTHER COMM. PRINTING 94,95		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
-				

Мар Кеу	Numbe Record		Elev/Diff) (m)	Site		DB
Waste Class Waste Class		264 PHOTOPROCES	SSING WASTES			
<u>125</u>	10 of 11	N/237.2	77.2 / 0.30	QUADRAPRESS INC. 263 LAURIER AVENUL OTTAWA ON K1P 5J9	E WEST	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON1937100 7796 DUPLICATING SERV. 94,95,96,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		264 PHOTOPROCES	SSING WASTES			
<u>125</u>	11 of 11	N/237.2	77.2 / 0.30	124 O'Connor Street Ottawa ON K1P 5M9		EHS
Order No: Status: Report Type Report Date: Date Receive Previous Sit Lot/Building Additional In	: ed: e Name: Size:	20060418005 C Complete Report 4/26/2006 4/18/2006	and/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.697505 45.41942	
<u>126</u>	1 of 2	E/238.2	74.8 / -2.12	Danosh construction 325 Cooper St ottawa ON K2P 0G5		GEN
Generator N SIC Code:	o:	ON4032240		Status: Co Admin:	Registered	
SIC Descript Approval Ye PO Box No:		As of Jul 2020 Canada		Choice of Contact: Phone No Admin: Contam. Facility:		
Country:		Callaua		MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		221 L Light fuels				
Waste Class Waste Class		221 I Light fuels				
<u>126</u>	2 of 2	E/238.2	74.8 / -2.12	Danosh construction 325 Cooper St ottawa ON K2P 0G5		GEN
Generator N SIC Code: SIC Descript Approval Ye	tion:	ON4032240 As of Jan 2021		Status: Co Admin: Choice of Contact: Phone No Admin:	Registered	
PO Box No: Country:		Canada		Contam. Facility: MHSW Facility:		

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
<u>Detail(s)</u>							
Waste Class Waste Class			221 L Light fuels				
Waste Class Waste Class			221 I Light fuels				
<u>127</u>	1 of 1		N/238.3	76.9 / 0.00	150 SLATER STREET Ottawa ON		WWIS
Well ID:		7121702			Data Entry Status:		
Construction		Monitoring			Data Src: Date Received:	4/8/2009	
Primary Wate Sec. Water U		Monitoning			Selected Flag:	TRUE	
Final Well St		Test Hole			Abandonment Rec:		
Water Type:					Contractor:	1844 F	
Casing Mate Audit No:	riai:	M02881			Form Version: Owner:	5	
Tag:		A074581			Street Name:	150 SLATER STREET	
Construction					County:	OTTAWA	
Elevation (m Elevation Re					Municipality: Site Info:	OTTAWA CITY	
Depth to Bec	•				Lot:		
Well Depth:	· · ···				Concession:		
Overburden/ Pump Rate:	Bedrock:				Concession Name: Easting NAD83:		
Static Water	Level:				Northing NAD83:		
Flowing (Y/N	I):				Zone:		
Flow Rate: Clear/Cloudy	/:				UTM Reliability:		
PDF URL (Ma			https://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads/2	Water/Wells_pdfs/712\7121702.pdf	
Additional D	etail(s) (Ma	1 <u>p)</u>					
Well Comple	ted Date:		2008/08/14				
Year Comple	eted:		2008				
Depth (m): Latitude:			45.4193594759444				
Longitude:			-75.6971528462926	i			
Path:			712\7121702.pdf				
PDF URL (Ma	ap):		https://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads/2	Water/Wells_pdfs/712\7121702.pdf	
Additional D	etail(s) (Ma	<u>(a)</u>					
Well Comple			2008/08/12				
Year Comple Depth (m):	eted:		2008				
Latitude:			45.421656558313				
Longitude:			-75.7027412890493	i			
Path:			712\7121702.pdf				
PDF URL (Ma	ар):		https://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads/2	Water/Wells_pdfs/712\7121702.pdf	
Additional D	etail(s) (Ma	<u>(a)</u>					
Well Comple			2008/08/12				
Year Comple Depth (m):	eted:		2008 30.76				
()			-				
275	erisinfo.co	om Envirc	nmental Risk Info	rmation Servic	es	Order No: 22042	2800477

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Latitude: Longitude: Path:		45.4203464979061 -75.6976634802682 712\7121702.pdf				
PDF URL (Maj	o):	https://d2khazk8e83r	dv.cloudfront.n	et/moe_mapping/downloa	ads/2Water/Wells_pdfs/712\7121702.pdf	
Additional De	<u>tail(s) (Map)</u>					
Well Complete Year Complete Depth (m): Latitude: Longitude: Path:		2008/08/11 2008 45.4198357273437 -75.6972865234137 712\7121702.pdf				
PDF URL (Maj	o):		dv.cloudfront.n	et/moe_mapping/downloa	nds/2Water/Wells_pdfs/712\7121702.pdf	
Additional De	tail(s) (Map)					
Well Complete Year Complete Depth (m): Latitude: Longitude:		2008/08/12 2008 45.4203464979061 -75.6976634802682				
Path: PDF URL (Maj	o):	712\7121702.pdf https://d2khazk8e83r	dv.cloudfront.n	et/moe_mapping/downloa	ds/2Water/Wells_pdfs/712\7121702.pdf	
Additional De	<u>tail(s) (Map)</u>					
Well Complete Year Complete Depth (m): Latitude: Longitude: Path:		2008/08/11 2008 45.4206186229911 -75.6973217240923 712\7121702.pdf				
Bore Hole Info	ormation					
Improvement	:: C: Ed: This is red: 12-Au rce Date: Location Source Location Method ion Comment:		g sheet	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445021.00 5030033.00 UTM83 3 margin of error : 10 - 30 m wwr	

Plug ID: Layer: Plug From: Plug To:

276

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth U	ОМ:				
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons Method Cons Method Cons	truction Code:	1002754499			
Other Method	l Construction:	HSA/DIA			
Pipe Informat	ion				
Pipe ID: Casing No: Comment: Alt Name:		1002754501 0			
<u>Construction</u>	<u> Record - Casing</u>				
Casing ID: Layer:		1002754503			
Material: Open Hole or Depth From:	Material:	5 PLASTIC			
Depth To: Casing Diame Casing Diame	eter: eter UOM:	11.30000019073486	63		
Casing Depth		m			
<u>Construction</u>	Record - Screen				
Screen ID: Layer: Slot:		1002754502			
Screen Top D Screen End D Screen Mater	epth:	11.30000019073486 12.30000019073486			
Screen Depth Screen Diame Screen Diame	eter UOM:	m			
Results of We	ell Yield Testing				
Pump Test ID Pump Set At:		1002754504			
Static Level: Final Level A	fter Pumping: ed Pump Depth:	7.0			
Flowing Rate	e. : ed Pump Rate:	m			
Rate UOM: Water State A Water State A Pumping Tes Pumping Dur	t Method:				
Pumping Dur Flowing:	ation MIN:				

Hole Diameter

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Hole ID: Diameter: Depth From: Depth To: Hole Depth U0 Hole Diamete	OM: r UOM:	1002754498 20.0 12.31999969482421 m cm	19			
Bore Hole Infe	ormation					
Improvement	c: This is red: 11-Aug rce Date: Location Source: Location Method:	i4469 a record from cluster lo -2008 00:00:00	g sheet	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445446.00 5029827.00 UTM83 3 margin of error : 10 - 30 m wwr	
Source Revisi Supplier Com	ion Comment: ment:					
<u>Annular Spac</u> Sealing Recol	e/Abandonment rd					
Plug ID: Layer: Plug From: Plug To: Plug Depth U	ОМ:	1002754473				
<u>Method of Co. Use</u>	nstruction & Well					
Method Cons Method Cons Method Cons	truction Code:	1002754472				
	l Construction:	HSA/DIA				
<u>Pipe Informat</u>	ion					
Pipe ID: Casing No: Comment: Alt Name:		1002754474 0				
<u>Construction</u>	<u>Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Depth From:	Material:	1002754476 5 PLASTIC				
Depth To: Depth To: Casing Diame Casing Diame Casing Depth	eter UOM:	11.0 m				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Construction	n Record - Scre	<u>een</u>				
Screen ID: Layer:		1002754475				
Slot:						
Screen Top L		11.0				
Screen End I	•	11.600000381469	727			
Screen Mate						
Screen Depti Screen Diam		m				
Screen Diam Screen Diam						
<u>Results of W</u>	ell Yield Testin	ng				
Pump Test IL Pump Set At		1002754477				
Static Level:		7.0				
	fter Pumping:					
	ed Pump Depti	h:				
Pumping Rate						
	ed Pump Rate:					
Levels UOM:		m				
Rate UOM:						
	After Test Code	e:				
Water State	After Test:					
Pumping Tes						
Pumping Du						
Pumping Du	ration MIN:					
Flowing:						
<u>Hole Diamete</u>	<u>er</u>					
Hole ID:		1002754471				
Diameter:		20.0				
Depth From:						
Depth To:		11.689999580383	3			
Hole Depth L		m				
Hole Diamete	er UOM:	cm				
Bore Hole In	formation					
Bore Hole ID	: 10	002754505		Elevation:		
DP2BR:	10			Elevrc:		
Spatial Statu	s:			Zone:	18	
Code OB:				East83:	445456.00	
Code OB Des	sc:			North83:	5029774.00	
Open Hole:				Org CS:	UTM83	
Cluster Kind		his is a record from cluster	og sheet	UTMRC:	3	
Date Comple	eted: 14	4-Aug-2008 00:00:00		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks: Elevrc Desc:				Location Method:	wwr	
Location Sol						
	t Location Sou	Irce:				
	t Location Met					
	sion Comment:					
Supplier Con						
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonme</u> ord	ent_				
-	<u></u>	4000754500				
Plug ID:		1002754509				

erisinfo.com | Environmental Risk Information Services

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Plug From:					
Plug To:	~~~				
Plug Depth U	ОМ:				
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons	truction ID:	1002754508			
	truction Code:	1002754500			
Method Cons					
	Construction:	HSA/DIA			
	oonstruction.				
<u>Pipe Informat</u>	tion				
Pipe ID:		1002754510			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction</u>	Record - Casing				
Casing ID:		1002754512			
Layer:					
Material:		5			
Open Hole or	Material:	PLASTIC			
Depth From:		<u> </u>			
Depth To:		6.0			
Casing Diame Casing Diame					
Casing Diame		m			
5 1					
<u>Construction</u>	Record - Screen				
Screen ID:		1002754511			
Layer:					
Slot:					
Screen Top D		6.0			
Screen End D		9.0			
Screen Mater		m			
Screen Depth Screen Diame		m			
Screen Diame					
Results of We	ell Yield Testing				
Pump Test ID	-	1002754513			
Pump Set At:		1002101010			
Static Level:		7.0			
Final Level A	fter Pumping:				
	ed Pump Depth:				
Pumping Rate	e:				
Flowing Rate					
	ed Pump Rate:				
Levels UOM:		m			
Rate UOM:	Han Tart Or				
	fter Test Code:				
Water State A					
Pumping Tes Pumping Dur					
Pumping Dur Pumping Dur					
I AMPING DUI					
Flowing:					

Hole Diameter

Hole ID:	1002754507		
Diameter:	20.0		
Depth From:			
Depth To:	12.1899995803833		
Hole Depth UOM:	m		
Hole Diameter UOM:	cm		

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location I Source Revision Commo Supplier Comment:	Method: ent:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445417.00 5029884.00 UTM83 4 margin of error : 30 m - 100 m wwr
Materials Interval	<u></u>		
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth U	05 CLAY 17 SHALE 5.940000057220459 7.320000171661377 <i>OM:</i> m		
<u>Overburden and Bedroc</u> <u>Materials Interval</u>	<u>×k</u>		
Formation ID: Layer: Color: General Color:	1002754515 1		
Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:	27 OTHER		
Formation Top Depth: Formation End Depth: Formation End Depth U	0.0 0.1500000596046448 <i>OM:</i> m		

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden a Materials Inte					
Formation ID:		1002754517			
Layer:	•	3			
Color:		2			
General Colo	r.	GREY			
Mat1:		05			
Most Commo	n Matorial:	CLAY			
Mat2:	in material.	84			
Mat2 Desc:		SILTY			
Mat2 Desc. Mat3:		OIETT			
Mat3 Desc:					
Formation To	n Denth	1.75			
Formation En	nd Denth	2.619999885559082			
	nd Depth UOM:	m			
<u>Overburden a</u>					
Materials Inte	erval				
Formation ID:	:	1002754518			
Layer:		4			
Color:		2			
General Colo	r:	GREY			
Mat1:		28			
Most Commo	n Material:	SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		84			
Mat3 Desc:		SILTY			
Formation To		2.619999885559082			
Formation En		5.940000057220459			
Formation En	nd Depth UOM:	m			
<u>Overburden a</u> Materials Inte					
Formation ID:	:	1002754516			
Layer:	-	2			
Color:		2			
General Colo	r:	GREY			
Mat1:		28			
Most Commo	n Material:	SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		84			
Mat3 Desc:		SILTY			
Formation To	p Depth:	0.150000005960464	48		
Formation En		1.75			
Formation En	nd Depth UOM:	m			
<u>Overburden a</u> Materials Inte					
Formation ID:	:	1002754520			
Layer:		6			
Color:		8			
00101.	r:	BLACK			
General Colo		17			
General Colo	n Material:	SHALE			
General Colo Mat1:	n Material:				
General Colo Mat1: Most Commo	on Material:	SHALE			

Map Key Num Reco	ber of ords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc: Formation Top Dept Formation End Dept Formation End Dept	h:	LIMESTONE 7.320000171661377 30.760000228881836 m	3		
<u>Annular Space/Abar</u> <u>Sealing Record</u>	ndonment_				
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		1002754523 1 0.0 30.399999618530273 m	3		
<u>Method of Construct</u>	tion & Well				
Method Construction Method Construction Method Construction Other Method Const	n Code: n:	1002754526 7 Diamond HSA			
Pipe Information					
Pipe ID: Casing No: Comment: Alt Name:		1002754514 0			
Construction Record	d - Screen				
Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UO Screen Diameter:	М:	1002754524 1 10 5 m cm 5.800000190734863			
<u>Hole Diameter</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1002754521 20.0 0.0 7.300000190734863 m cm			
Hole Diameter					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1002754522 10.0 7.300000190734863 30.700000762939453 m cm	3		
Bore Hole Information	<u>on</u>				

Map Key Numl Reco	ber of rds		ilev/Diff m)	Site		DE
Bore Hole ID: DP2BR: Spatial Status: Code OB:	100275	4478		Elevation: Elevrc: Zone: East83:	18 445444.00	
Code OB Desc: Open Hole:				North83: Org CS:	5029914.00 UTM83	
Cluster Kind: Date Completed: Remarks: Elevrc Desc:	Completed: 11-Aug-2008 00:00:00 arks:			UTMRC: UTMRC Desc: Location Method:	3 margin of error : 10 - 30 m wwr	
Location Source Date Improvement Locatio Improvement Locatio Source Revision Con Supplier Comment:	on Source: on Method:					
<u>Annular Space/Aban Sealing Record</u>	donment_					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		1002754482				
<u>Method of Constructi Use</u>	ion & Well					
Method Construction Method Construction Method Construction	Code:	1002754481				
Other Method Constr	uction:	HSA/DIA				
Pipe Information						
Pipe ID: Casing No: Comment: Alt Name:		1002754483 0				
Construction Record	- Casing					
Casing ID: Layer:		1002754485				
Material: Open Hole or Materia Depth From:	1:	5 PLASTIC				
Depth To: Casing Diameter:		10.5				
Casing Diameter UOI Casing Depth UOM:	VI:	m				
Construction Record	- Screen					
Screen ID: Layer: Slot:		1002754484				
Siot: Screen Top Depth: Screen End Depth: Screen Material:		10.5 12.289999961853027				
Screen Material: Screen Depth UOM:		m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	
Screen Diame Screen Diame					
<u>Results of We</u>	ell Yield Testing				
Pump Test ID Pump Set At:	:	1002754486			
Static Level:		6.0			
Final Level Af Recommende	ed Pump Depth:				
Pumping Rate	ə:				
Flowing Rate: Recommende	d Pump Rate:				
Levels UOM: Rate UOM:		m			
Water State A Water State A	fter Test Code:				
Pumping Tes					
Pumping Dura					
Pumping Dura Flowing:					
Hole Diamete	r				
Hole ID:		1002754480			
Diameter: Depth From:		20.0			
Depth To:		12.28999996185302	27		
Hole Depth U		m			
Hole Diamete	r UOM:	cm			
Bore Hole Infe	ormation				
Bore Hole ID: DP2BR:	100275	4487		Elevation: Elevrc:	
Spatial Status	82			Zone:	18
Code OB:	-			East83:	445417.00
Code OB Des Open Hole:	C:			North83: Org CS:	5029884.00 UTM83
Cluster Kind:		a record from cluster lo	og sheet	UTMRC:	3
Date Complet Remarks:	ed: 12-Aug	-2008 00:00:00		UTMRC Desc: Location Method:	margin of error : 10 - 30 m wwr
Elevrc Desc:				Location Methou.	*****
Location Sou					
	Location Source: Location Method:				
Source Revis	ion Comment:				
Supplier Com	ment:				
<u>Annular Spac</u> Sealing Reco	<u>e/Abandonment</u> r <u>d</u>				
Plug ID:		1002754491			
Layer: Plug From:					
Plug From: Plug To:					
Plug Depth U	ОМ:				
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons	truction ID:	1002754490			

Map Key	Number of Records	<i>Direction/ Distance (m)</i>	Elev/Diff (m)	Site	L
	truction Code:				
Method Cons		110.4			
Other Method	Construction:	HSA			
Pipe Informat	ion				
Pipe ID:		1002754492			
Casing No:		0			
Comment: Alt Name:					
	Record - Casing				
Casing ID: Layer:		1002754494			
Material:		5			
Open Hole or	Material:	PLASTIC			
Depth From: Depth To:		5.5			
Casing Diame	eter:	5.5			
Casing Diame					
Casing Depth		m			
Construction	Record - Screen				
Screen ID:		1002754493			
ayer:					
Slot: Saraan Tan D	anth.	5 5			
Screen Top D Screen End D		5.5 7.0			
Screen Mater		1.0			
Screen Depth		m			
Screen Diame					
Screen Diame	eter:				
Results of We	ell Yield Testing				
Pump Test ID		1002754495			
Pump Set At:					
Static Level: Final Level Ar	fter Pumping:				
Recommende	ed Pump Depth:				
Pumping Rate	e:				
Flowing Rate	:				
	ed Pump Rate:	~			
Levels UOM: Rate UOM:		m			
	fter Test Code:				
Nater State A					
Pumping Tes					
Pumping Dur	ation HR:				
Pumping Dur Flowing:	ation MIN:				
Holo Diamoto	~				
Hole Diamete	<u>ı</u>	4000			
Hole ID:		1002754489			
Diameter: Depth From:		20.0			
Depth From. Depth To:		7.03999996185302	7		
Hole Depth U	ОМ:	m			
Hole Diamete	r UOM:	cm			

	Numbe Record		Elev/Diff) (m)	Site		D
<u>128</u>	1 of 1	NNE/239.4	75.9 / -1.00	Financial Transactic Centre of Canada	ons and Reports Analysis	ECA
				Ottawa ON K1P 1H7	,	
Approval No Approval Da Status: Record Type	nte:	0702-5EZRM4 2002-11-01 Approved ECA		MOE District: City: Longitude: Latitude:	Ottawa -75.69633 45.419205	
ink Source SWP Area N Approval Ty Project Type	ame: pe:	IDS Rideau Valley ECA-AIR AIR		Geometry X: Geometry Y:		
Business Na Address: Full Address	s:			Analysis Centre of Canada		
Full PDF Lin PDF Site Loo		https://www.acce	ssenvironment.ene.	gov.on.ca/instruments/713	7-5A6JET-14.pdf	
<u>129</u>	1 of 20	NNW/240.6	77.9 / 1.00	The Great West Life 269 Laurier Avenue Ottawa ON K1P 5J9	Assurance Company West	GEN
Generator No:ON8478731SIC Code:523990SIC Description:All Other FinanciaApproval Years:07,08PO Box No:Country:		523990 All Other Financial Investm	ent Activities	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Naste Class Naste Class		251 OIL SKIMMINGS	& SLUDGES			
<u>129</u>	2 of 20	NNW/240.6	77.9 / 1.00	GWL Realty Advisor 269 Laurier Avenue Ottawa ON		СА
<u>129</u> Certificate # Application ssue Date: Approval Ty Status: Application Client Name	: Year: pe: Type: :		77.9 / 1.00	269 Laurier Avenue		CA
	: Year: 'pe: Type: : sss: l Code: cription: ts:	<i>NNW/240.6</i> 6108-6GEQA3 2005 9/22/2005 Air	77.9 / 1.00	269 Laurier Avenue		CA
<u>129</u> Certificate # Application Ssue Date: Approval Ty Status: Application Client Name Client Addre Client City: Client Posta Project Desc Contaminan	: Year: 'pe: Type: : sss: l Code: cription: ts:	<i>NNW/240.6</i> 6108-6GEQA3 2005 9/22/2005 Air	77.9 / 1.00	269 Laurier Avenue	Wes	CA

Map Key	Number Records		Elev/Diff (m)	Site		DB
Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	11/23/2010 11/12/2010 12:03:44 PM		Search Radius (km): X: Y:	0.25 -75.698328 45.418964	
<u>129</u>	4 of 20	NNW/240.6	77.9 / 1.00	The Great-West Life A 269 Laurier Avenue W Ottawa ON K1P 5J9		GEN
Generator No SIC Code: SIC Descript Approval Yes PO Box No: Country:	ion:	ON8478731 523990 All Other Financial Investme 2009	nt Activities	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		251 OIL SKIMMINGS	& SLUDGES			
<u>129</u>	5 of 20	NNW/240.6	77.9 / 1.00	269 Laurier Ave W Ottawa ON K1P 5J9		EHS
Order No: Status: Report Type. Report Date: Date Receive Previous Site Lot/Building Additional In	ed: e Name: Size:	20130503003 C Standard Report 08-MAY-13 03-MAY-13		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 0 0	
<u>129</u>	6 of 20	NNW/240.6	77.9 / 1.00	The Great-West Life A 269 Laurier Avenue W Ottawa ON K1P 5J9		GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON8478731 531310 2011		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class Waste Class		251 OIL SKIMMINGS	& SLUDGES			
<u>129</u>	7 of 20	NNW/240.6	77.9 / 1.00	GWL Realty Advisors 269 Laurier Avenue O OTTAWA ON	Inc. httawa K1P 5J9 CITY OF	EBR
EBR Registry Ministry Ref Notice Type: Notice Stage	No:	011-9796 4538-9A4Q98 Instrument Decision		Decision Posted: Exception Posted: Section: Act 1:		

	Numbe Record		ection/ tance (m)	Elev/Diff (m)	Site		DE
Notice Date: Proposal Dat Year:	te:	October 26, 2015 August 14, 2013 2013			Act 2: Site Location Map:		
nstrument T Off Instrume			art II.1-air) -	Environmental C	ompliance Approval (projec	t type: air)	
Posted By: Company Na Site Address Location Oth Proponent N	: ier:	GWL R	ealty Adviso	rs Inc.			
Proponent A Comment Pe JRL:	ddress:	255 Alb	oert Street , 5	02, Ottawa Onta	rio, Canada K1P 6A9		
Site Location		wa K1P 5J9 CITY C	F OTTAWA				
<u>129</u>	8 of 20	NNW,	/240.6	77.9 / 1.00	GWL Realty Advisor 269 Laurier Avenue Ottawa ON M5E 1G4	Wes	ECA
Approval No. Approval Dat Status: Record Type Link Source: SWP Area Na	te: :	6108-6GEQA3 2005-09-22 Approved ECA IDS Rideau Valley			MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa -75.69862 45.419273	
Approval Typ Project Type Business Na Address: Full Address	: me: :	ECA-AI AIR GWL R 269 Lat	ealty Adviso urier Avenue	Wes	gov.on.ca/instruments/1393	3-6EPNMJ-14.pdf	
Full PDF Linl PDF Site Loc <u>129</u>		NNW,	/240.6	77.9 / 1.00	The Great-West Life 269 Laurier Avenue Ottawa ON K1P 5J9	Assurance Company West	GEN
PDF Site Loc	eation: 9 of 20 D: ion:				269 Laurier Avenue		GEN
PDF Site Loc <u>129</u> Generator No SIC Code: SIC Descripti Approval Yea PO Box No:	eation: 9 of 20 D: ion:	ON8478731 531310 REAL ESTATE P 2016			269 Laurier Avenue Ottawa ON K1P 5J9 Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	West Michael Santostefano CO_OFFICIAL 613-235-9157 Ext. No	GEN
PDF Site Loc <u>129</u> Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	9 of 20 5: ion: ars:	NNW/ ON8478731 531310 REAL ESTATE P 2016 Canada 251		IANAGERS	269 Laurier Avenue Ottawa ON K1P 5J9 Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	West Michael Santostefano CO_OFFICIAL 613-235-9157 Ext. No	GEN
2DF Site Loc <u>129</u> Generator No SIC Code: SIC Descripti Approval Yea 20 Box No: Country: <u>Detail(s)</u> Waste Class:	9 of 20 5: ion: ars:	NNW/ ON8478731 531310 REAL ESTATE P 2016 Canada 251	ROPERTY N	IANAGERS	269 Laurier Avenue Ottawa ON K1P 5J9 Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	West Michael Santostefano CO_OFFICIAL 613-235-9157 Ext. No No No	GEN

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
PO Box No: Country:		Canada			Contam. Facility: MHSW Facility:	No No	
<u>Detail(s)</u>							
Waste Class: Waste Class			251 OIL SKIMMINGS &	SLUDGES			
<u>129</u>	11 of 20		NNW/240.6	77.9 / 1.00	PUBLIC SAFETY CAN 269 LAURIER WEST OTTAWA ON K1A0S5		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON39395 91110 911110 2016 Canada	22		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>							
Waste Class: Waste Class			252 WASTE OILS & LUE	BRICANTS			
Waste Class: Waste Class			212 ALIPHATIC SOLVE	NTS			
<u>129</u>	12 of 20		NNW/240.6	77.9 / 1.00	The Great-West Life A 269 Laurier Avenue V Ottawa ON K1P 5J9		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON84787 531310 REAL ES 2014 Canada	31 TATE PROPERTY N	<i>I</i> ANAGERS	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Michael Santostefano CO_OFFICIAL 613-235-9157 Ext. No No	
<u>Detail(s)</u>							
Waste Class: Waste Class			251 OIL SKIMMINGS &	SLUDGES			
<u>129</u>	13 of 20		NNW/240.6	77.9 / 1.00	The Great-West Life A 269 Laurier Avenue V Ottawa ON K1P 5J9		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON84787 As of Dec Canada			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>							
Waste Class: Waste Class			145 I Wastes from the use	e of pigments, co	atings and paints		
Waste Class:	,		212 L				
							<u> </u>

Map Key Numbe Record		Elev/Diff (m)	Site		DB
Waste Class Desc:	Aliphatic solvents a	nd residues			
Waste Class: Waste Class Desc:	251 L Waste oils/sludges	(petroleum based)		
Waste Class: Waste Class Desc:	252 L Waste crankcase oi	ls and lubricants			
Waste Class: Waste Class Desc:	331 I Waste compressed	gases including c	ylinders		
<u>129</u> 14 of 20	NNW/240.6	77.9 / 1.00	PUBLIC SAFETY CAN 269 LAURIER WEST OTTAWA ON K1A0S5		GEN
Generator No: SIC Code:	ON3939522		Status: Co Admin:	Registered	
SIC Description:			Choice of Contact:		
Approval Years: PO Box No:	As of Dec 2017		Phone No Admin: Contam. Facility:		
Country:	Canada		MHSW Facility:		
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	212 L Aliphatic solvents a	nd residues			
Waste Class: Waste Class Desc:	252 L Waste crankcase oi	ls and lubricants			
129 15 of 20	NNW/240.6	77.9 / 1.00	Public Services & Pro 269 Laurier W. OTTAWA ON K1A 0P8	curement Canada RPB	GEN
Generator No:	ON3939522		Status:	Registered	
SIC Code: SIC Description:			Co Admin: Choice of Contact:		
Approval Years: PO Box No:	As of Dec 2018		Phone No Admin: Contam. Facility:		
Country:	Canada		MHSW Facility:		
<u>Detail(s)</u>					
Waste Class:	212 L				
Waste Class Desc:	Aliphatic solvents a	nd residues			
Waste Class: Waste Class Desc:	252 L Waste crankcase oi	ls and lubricants			
Waste Class: Waste Class Desc:	263 I Misc. waste organic	chemicals			
<u>129</u> 16 of 20	NNW/240.6	77.9 / 1.00	The Great-West Life A 269 Laurier Avenue W Ottawa ON K1P 5J9		GEN
Generator No: SIC Code:	ON8478731		Status: Co Admin:	Registered	
SIC Description: Approval Years:	As of Jul 2020		Choice of Contact: Phone No Admin:		
PO Box No: Country:	Canada		Contam. Facility: MHSW Facility:		
-					

Order No: 22042800477

<u>Detall(S)</u>								
Waste Class: Waste Class Desc:	252 L Waste crankcase	oils and lubricants						
Waste Class: Waste Class Desc:	212 L Aliphatic solvents	and residues						
Waste Class: Waste Class Desc:	331 I Waste compresse	331 I Waste compressed gases including cylinders						
Waste Class: Waste Class Desc:	251 L Waste oils/sludge	251 L Waste oils/sludges (petroleum based)						
Waste Class: Waste Class Desc:	233 L Other polymeric v	vastes						
Waste Class: Waste Class Desc:	145 I Wastes from the	use of pigments, co	atings and paints					
129 17 of 20	NNW/240.6	77.9 / 1.00	Public Services & Pro 269 Laurier W. OTTAWA ON K1A 0P	ocurement Canada RPB 8	GEN			
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON3939522 As of Oct 2019 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered				
<u>Detail(s)</u>								
Waste Class: Waste Class Desc:	252 L Waste crankcase	oils and lubricants						
Waste Class: Waste Class Desc:	212 L Aliphatic solvents	and residues						
Waste Class: Waste Class Desc:	263 I Misc. waste orga	nic chemicals						
129 18 of 20	NNW/240.6	77.9 / 1.00	269 Laurier Avenue V Ottawa ON	Vest	SPL			
Ref No:	1878-BB5Q2J		Discharger Report:					
Site No:	NA		Material Group:	0 Minut Fusier and				
Incident Dt: Year:	4/10/2019		Health/Env Conseq: Client Type:	2 - Minor Environment				
Incident Cause:			Sector Type:	Miscellaneous Communal				
Incident Event: Contaminant Code:	Leak/Break 24		Agency Involved: Nearest Watercourse:					
Contaminant Code. Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:	GLYCOL/WATER SOLUTIO	NC	Site Address: Site District Office:	269 Laurier Avenue West Ottawa				
Contain Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium:	n/a		Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc:	Eastern Ottawa				
			Northing:	5029751.24				

Map Key	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Dt Document Incident Reas Site Name: Site County/I Site Geo Ref Incident Sum	MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:		9 269 Laurier Avenue 269 Laurier Avenue 100 gal-Imp		Site Map Datum: SAC Action Class: Source Type: CIAL>		
<u>129</u>	19 of 20		NNW/240.6	77.9 / 1.00	THE CANADA LIFE / 269 Laurier AV Ottawa ON K1P 5J9	ASSURANCE COMPANY	EASR
Approval No: Status: Date: Record Type Link Source: Project Type Full Address	: : :	R-010-61 REGISTE 2020-11- EASR MOFA Air Emiss	04		MOE District: Municipality: Latitude: Longitude: Geometry X: Geometry Y:	Ottawa Ottawa 45.41916667 -75.69861111	
Approval Typ SWP Area Na PDF URL: PDF Site Loc	ame:		Rideau Valley	S			
<u>129</u>	20 of 20		NNW/240.6	77.9/1.00	The Great-West Life 269 Laurier Avenue Ottawa ON K1P 5J9	Assurance Company West	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON84787 As of Nov Canada			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>							
Waste Class: Waste Class			212 L Aliphatic solvents a	nd residues			
Waste Class: Waste Class			252 L Waste crankcase o	ils and lubricants			
Waste Class: Waste Class			331 I Waste compressed	gases including	cylinders		
Waste Class: Waste Class	-		233 L Other polymeric wa	stes			
Waste Class: Waste Class			251 L Waste oils/sludges	(petroleum based	d)		
Waste Class: Waste Class			145 I Wastes from the us	e of pigments, co	patings and paints		
<u>130</u>	1 of 1		W/241.1	76.9 / 0.03	KENT ST Ottawa ON		WWIS
Well ID: Construction	n Date:	7344659			Data Entry Status: Data Src:		

Мар Кеу	Number o Records		Direction/ Distance (m)	Elev/Diff (m)	Site		Ľ
Primary Wate Sec. Water U Final Well Sta Water Type: Casing Mater Tag: Construction Elevation Rel Depth to Bed Well Depth: Dverburden/I Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy	lse: atus: rial: n Method:): liability: liability: lrock: Bedrock: Level:):	Abandoned-O Z286432 A157400	ther		Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/22/2019 TRUE Yes 7543 7 KENT ST OTTAWA NEPEAN TOWNSHIP	
PDF URL (Ma	ap):	http	s://d2khazk8e83r	dv.cloudfront.ne	t/moe_mapping/downloads	s/2Water/Wells_pdfs/734\7344659.pdf	
Additional De Vell Complet Year Complet Depth (m): .atitude: .ongitude: Path:		201 201 45.4 -75.	9/09/19 9 1169618920396 7006253201517 \7344659.pdf				
Bore Hole Inf	formation						
mprovement	s: sc: teted: urce Date: t Location So t Location Me sion Commer	ethod:	00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445182.00 5029510.00 UTM83 4 margin of error : 30 m - 100 m wwr	
Annular Spac Sealing Reco	ce/Abandonn ord	<u>nent</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth U	IOM:	100 1 0.0 0.5 ft	8087395				
Annular Spac Sealing Reco	ce/Abandonn ord	<u>nent</u>					

	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Plug From:			0.5				
Plug To:	~~		21.0				
Plug Depth U	OW:		ft				
<u>Annular Spac</u> Sealing Reco		<u>nment</u>					
Plug ID:			1008087394				
Layer:			3 21.0				
Plug From: Plug To:			21.0				
Plug Depth U	ОМ:	1	ft				
Pipe Informat	tion						
Pipe ID:			1008084813				
Casing No:			0				
Comment:							
Alt Name:							
Results of We	ell Yield Te	<u>sting</u>					
Pump Test ID):		1008090671				
Pump Set At:							
Static Level:							
Final Level An Recommende							
		epui.					
		-					
Pumping Rate	e:						
Pumping Rate	e: :	-					
Pumping Rate Flowing Rate Recommende Levels UOM:	e: :	ate:	ft				
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM:	e: : ed Pump R	ate:	ft GPM				
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A	e: : ed Pump Ra After Test C	ate:					
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A	e: : ed Pump R After Test C After Test:	ate: Code:	GPM				
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes	e: : ed Pump R After Test C After Test: t Method:	ate: Code:					
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur	e: : ed Pump Ra After Test C After Test: t Method: ation HR:	ate: Code:	GPM				
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur Pumping Dur	e: : ed Pump Ra After Test C After Test: t Method: ation HR:	ate: Code:	GPM				
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur Pumping Dur	e: : ed Pump Ra After Test C After Test: t Method: ation HR:	ate: Code:	GPM	75.3 / -1.55	170 METCALFE ST Ic Ottawa ON	ot D con C	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur Flowing: <u>131</u>	e: ded Pump Ra After Test C After Test: t Method: ation HR: ation MIN:	ate: Code:	GРМ 0	75.3 / -1.55	Ottawa ON	ot D con C	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID:	e: ed Pump R After Test C After Test: t Method: ation HR: ation MIN:	ate: Code:	GРМ 0	75.3 / -1.55	Ottawa ON Data Entry Status:	ot D con C	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date:	ate: Code:	GРМ 0	75.3 / -1.55	Ottawa ON	ot D con C 8/31/2018	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Pumping Dur Flowing: 131 Well ID: Construction Primary Wate Sec. Water Us	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: or Use: se:	ate: Code: 7318398 Test Hole Monitoring	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src:		
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: 131 Well ID: Construction Primary Wate Sec. Water Us Final Well Sta	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: or Use: se:	ate: Code: 7318398 Test Hole	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec:	8/31/2018 TRUE	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: 131 Well ID: Construction Primary Wate Sec. Water US Final Well Sta Water Type:	e: de Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus:	ate: Code: 7318398 Test Hole Monitoring	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor:	8/31/2018 TRUE 7241	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater	e: de Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus:	ate: Code: 7318398 Test Hole Monitoring Test Hole	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version:	8/31/2018 TRUE	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No:	e: de Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus:	ate: Code: 7318398 Test Hole Monitoring	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner:	8/31/2018 TRUE 7241 7	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag:	e: de Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version:	8/31/2018 TRUE 7241	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water Us	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality:	8/31/2018 TRUE 7241 7 170 METCALFE ST	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water Uye Final Well Sta Water Type: Casing Mater Casing Mater Casing Mater Tag: Construction (m) Elevation Rel	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method: : iability:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water US Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Rel Depth to Bed	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method: : iability:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D	
Pumping Rate Flowing Rate Recommende Levels UOM: Water State A Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation Rel Depth to Bed Well Depth:	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method: : iability: rock:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water US Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation Rel Depth to Bed Well Depth: Overburden/E	e: ed Pump Ra After Test C After Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method: : iability: rock:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation Rel Depth to Bed Well Depth: Overburden/E Pump Rate:	e: de Pump Ra fter Test C fter Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method: : iability: rock: Bedrock:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: 131 Well ID: Construction Primary Wate Sec. Water US Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction (m) Elevation (m) Elevation (m) Elevation Rel Depth to Bed. Well Depth: Overburden/E Pump Rate: Static Water I	e: de Pump Ra fter Test C fter Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method: : iability: rock: Bedrock: Level:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D	
Pumping Rate Flowing Rate Recommende Levels UOM: Rate UOM: Water State A Pumping Tes Pumping Dur Flowing: <u>131</u> Well ID: Construction Primary Wate Sec. Water US Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction	e: de Pump Ra fter Test C fter Test: t Method: ation HR: ation MIN: 1 of 1 Date: r Use: se: atus: ial: Method: : iability: rock: Bedrock: Level:	ate: Code: 7318398 Test Hole Monitoring Test Hole Z290606	GPM 0 NE/241.4	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D	

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2018/06/19
Year Completed:	2018
Depth (m):	6.096
Latitude:	45.4188028783922
Longitude:	-75.6954332943623
Path:	

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Improvement Location Source Revision Comm Supplier Comment:	n Source: n Method: ment:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	18 445590.00 5029711.00 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedro Materials Interval</u>	<u>DCK</u>		
Formation ID: Laver:	1007459070 3		

Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	8.0
Formation End Depth:	20.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	1007459068
Layer:	1
Color:	2
General Color:	GREY
Mat1:	27
Most Common Material:	OTHER
Mat2:	28
Mat2 Desc:	SAND
Mat3:	11
Mat3 Desc:	GRAVEL
Formation Top Depth:	0.0
Formation End Depth:	1.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Formation En	d Depth UOM:	ft			
<u>Overburden a</u> Materials Inte					
Formation ID:	;	1007459069			
Layer: Color:		2 2			
General Color	r:	GREY			
Mat1:	-	05			
Most Commo	n Material:	CLAY			
Mat2:		06 SILT			
<i>Mat2 Desc:</i> Mat3:		85			
Mat3 Desc:		SOFT			
Formation To	p Depth:	1.0			
Formation En		8.0			
ormation En	d Depth UOM:	ft			
Annular Spac Sealing Recol	e/Abandonment rd				
Plug ID:		1007459079			
Layer:		2			
Plug From: Plug To:		1.0 9.0			
Plug Depth U	ОМ:	ft			
Annular Spac Sealing Recol	e/Abandonment rd				
Plug ID:		1007459078			
Layer:		1			
Plug From: Plug To:		0.0 1.0			
Plug Depth U	ОМ:	ft			
<u>Annular Spac</u> Sealing Recol	e/Abandonment rd				
Plug ID:		1007459080			
Layer:		3			
Plug From:		9.0			
Plug To: Plug Depth U	ОМ:	20.0 ft			
Method of Co. Jse	nstruction & Well				
<u>Use</u> Method Cons	truction ID.	1007459077			
	truction Code:	D			
Method Cons		Direct Push			
Other Method	Construction:				
Pipe Informat	ion				
Pipe ID:		1007459067			
Casing No:		0			
Comment: Alt Name:					
ni Maine.					
	ericipfo.com En	vironmental Diak lafa	rmation Sonvice		Ordor No. 220/2200/7
297	<u>ensinio.com</u> En	vironmental Risk Info	mation Service	5	Order No: 2204280047

Construction Record - Casing

Casing ID:	1007459073
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	10.0
Casing Diameter:	1.3799999952316284
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1007459074
Layer:	1
Slot:	10
Screen Top Depth:	10.0
Screen End Depth:	20.0
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.659999966621399

Water Details

Water ID:	1007459072
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1007459071
Diameter:	2.375
Depth From:	0.0
Depth To:	20.0
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

<u>132</u> 1 o	f 1	NNE/241.4	75.9 / -1.00	Prime Mechanical 151 O'Connor Ottawa ON K2P 2M5		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON795 23822(2011			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>133</u> 1 o	f 2	SE/241.6	76.9 / 0.00	352/348/346 Somerse Ottawa ON	et & 349 MacLaren	EHS
Order No: Status: Report Type: Report Date: Date Received:	20001 ⁷ C Site Re 11/3/00 11/2/00))		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	Bank and Somerset ON 0.25 -75.695818	

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Previous Sit Lot/Building Additional II				Y:	45.415198	
<u>133</u>	2 of 2	SE/241.6	76.9 / 0.00	PE4776 - 352 Somers Ottawa ON K2P 0J9	et Street West	EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: te Name:	21120900110 C Standard Report 14-DEC-21 09-DEC-21		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.6961474 45.415304	
<u>134</u>	1 of 6	SSE/241.8	76.9 / 0.00	Parson Refrigeration 296 Bank St. Ottawa ON K2P 1X8	(1985) Ltd.	SPL
Ref No: Site No: Incident Dt: Year: Incident Cau Incident Cau Incident Cau Incident Cau Incident Cau Incident Cau Contaminan Contaminan Contaminan Contaminan Contaminan Environmen Nature of Im Receiving E MOE Respon Dt MOE Respon Dt MOE Respon Dt MOE Report Dt Documer Incident Rea Site Name: Site County, Site Geo Re Incident Sun Contaminan	ent: at Code: at Name: at Limit 1: at Impact: at Impact: apact: addium: arv: nse: I on Scn: ason: ason: /District: f Meth: mmary:	5430-849QV8 Valve / Fitting Leak Or Failure 38 REFRIGERANT GAS, N.O.S. Not Anticipated Air Pollution No Field Response 4/6/2010 Spill Hartman's Independ Parsons Ref: 235 lb	dant Grocer <un0< td=""><td>Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Region: Site Kegion: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: DFFICIAL></td><td>Other Air Spills - Gases and Vapours</td><td></td></un0<>	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Region: Site Kegion: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: DFFICIAL>	Other Air Spills - Gases and Vapours	
<u>134</u>	2 of 6	SSE/241.8	76.9 / 0.00	Parson Refrigeration 296 Bank St Ottawa ON	(1985) Ltd.	SPL
Ref No: Site No: Incident Dt: Year: Incident Cau Incident Eve Contaminan Contaminan Contaminan	ent: ht Code: ht Name: ht Limit 1:	7666-9ZVTFZ NA 8/30/2015 38 REFRIGERANT GAS, N.O.S.		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code:	Unknown / N/A 296 Bank St	

Map Key Numbe Record		Elev/Diff (m)	Site		DB
Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn:	No		Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu:	Ottawa	
MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	8/30/2015 10/1/2015 Equipment Failure Your Independent G Parson's Refrigerati 136 kg		Site Map Datum: SAC Action Class: Source Type: IAL>	Air Spills - Gases and Vapours	
<u>134</u> 3 of 6	SSE/241.8	76.9 / 0.00	Loblaw Companies Li 296 Bank St. Ottawa ON K2P 1X8	imited	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON9102901 445110 SUPERMARKETS AND OTH (EXCEPT CONVENIENCE) S 2016 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL W	/ASTES			
<u>134</u> 4 of 6	SSE/241.8	76.9 / 0.00	Loblaw Companies Li 296 Bank St. Ottawa ON K2P 1X8	imited	GEN
Generator No: SIC Code: SIC Description:	ON9102901 445110 SUPERMARKETS AND OTH (EXCEPT CONVENIENCE) S		Status: Co Admin: Choice of Contact:	CO_OFFICIAL	
Approval Years: PO Box No: Country:	2015 Canada		Phone No Admin: Contam. Facility: MHSW Facility:	No No	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	312 PATHOLOGICAL W	/ASTES			
<u>134</u> 5 of 6	SSE/241.8	76.9 / 0.00	LOBLAWS INC. 296 Bank St. Ottawa ON K2P 1X8		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:	ON9102901 As of Dec 2018 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	

Мар Кеу	Number Records		Elev/Diff (m)	Site		DI
Detail(s)						
Waste Class: Waste Class		212 I Aliphatic solvents	and residues			
Waste Class: Waste Class		261 A Pharmaceuticals				
Waste Class: Waste Class		312 P Pathological waste	es			
<u>134</u>	6 of 6	SSE/241.8	76.9/0.00	LOBLAWS INC. 296 Bank St. Ottawa ON K2P 1X8		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON9102901 As of Jul 2020 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Detail(s)						
Waste Class: Waste Class		261 A Pharmaceuticals				
Waste Class: Waste Class		312 P Pathological waste	es			
Waste Class: Waste Class		212 I Aliphatic solvents	and residues			
<u>135</u>	1 of 1	ESE/242.7	75.9/-1.00	234 O'connor St Ottawa ON K2P1T9		EHS
Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building S Additional Inf	ed: e Name: Size:	20150626030 C Standard Report 06-JUL-15 26-JUN-15		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.694742 45.416336	
<u>136</u>	1 of 4	WNW/245.1	76.9 / 0.03	Canada Revenue Age 333 Laurier Avenue Ottawa ON	ency	GEN
Generator No SIC Code: SIC Descripti		ON3602777 911910 Other Federal Government F Administration	Public	Status: Co Admin: Choice of Contact:		
Approval Yea PO Box No: Country:	ars:	06		Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class:	·	112				

Map Key	Number Record		Elev/Diff n) (m)	Site		DB
Naste Class	Desc:	ACID WASTE -	HEAVY METALS			
Waste Class:		146				
Waste Class	Desc:	OTHER SPECI	FIED INORGANICS			
<u>136</u>	2 of 4	WNW/245.1	76.9 / 0.03	Public Works and Go 333 Laurier Ave Ottawa ON	overnment Services Canada	GEN
Generator No):	ON6656977		Status:		
SIC Code:		911910		Co Admin:		
SIC Descripti	ion:	Other Federal Governmer	nt Public	Choice of Contact:		
Approval Yea PO Box No: Country:	ars:	Administration 2012		Phone No Admin: Contam. Facility: MHSW Facility:		
	2 - 6 4		70.0 / 0.02	· · · · · · · · · · · · · · · · · · ·		
<u>136</u>	3 of 4	WNW/245.1	76.9 / 0.03	<i>Telus Communicatio 1900- 333 Laurier Av Ottawa ON K1P 1C1</i>	1 2	SPL
Ref No:		7520-9WUKV5		Discharger Report:		
Site No:		NA		Material Group:		
Incident Dt:		5/25/2015		Health/Env Conseq:		
Year: Incident Caus	se:	Leak/Break		Client Type: Sector Type:		
Incident Ever				Agency Involved:		
Contaminant		24		Nearest Watercourse:		
Contaminant Contaminant		GLYCOL/WATER SOLUT	ION	Site Address: Site District Office:	1900- 333 Laurier Avenue	
Contaminant				Site Postal Code:	K1P 1C1	
Contaminant	UN No 1:			Site Region:		
Environment		Land Curfage Water		Site Municipality:	Ottawa	
Nature of Imp Receiving Me		Land; Surface Water		Site Lot: Site Conc:		
Receiving En				Northing:		
MOE Respon		Ν		Easting:		
Dt MOE Arvl MOE Reporte		5/25/2015		Site Geo Ref Accu: Site Map Datum:		
Dt Document		5/28/2015		SAC Action Class:	Land Spills	
Incident Reas		Equipment Failure		Source Type:		
Site Name: Site County/L	District:	Telus equipmen	t facility <unoffici< td=""><td>AL></td><td></td><td></td></unoffici<>	AL>		
Site Geo Ref						
Incident Sum Contaminant		Telus: 5L glycol 5 L	to roof, drainage sys	stem		
<u>136</u>	4 of 4	WNW/245.1	76.9 / 0.03	333 Laurier Ave	ocurement Canada ESD	GEN
				Ottawa ON K1P 1C1		
Generator No): 	ON6656977		Status:	Registered	
SIC Code:	ion:			Co Admin: Choice of Contact:		
SIC Descripti Approval Yea		As of Nov 2021		Choice of Contact: Phone No Admin:		
PO Box No: Country:		Canada		Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class:		221 I				
	Desc:	Light fuels				

Map Key	Number Records		Elev/Diff) (m)	Site		DB
Waste Class Waste Class		263 I Misc. waste orga	nic chemicals			
Waste Class Waste Class		212 L Aliphatic solvents	and residues			
Waste Class Waste Class		145 I Wastes from the	use of pigments, co	patings and paints		
Waste Class Waste Class		252 L Waste crankcase	oils and lubricants			
Waste Class Waste Class		331 I Waste compresse	ed gases including	cylinders		
<u>137</u>	1 of 1	ESE/245.6	75.9 / -1.00	311 Somerset Street Ottawa ON K2P 0J8	West	EHS
Order No: Status: Report Type Report Date: Date Receive Previous Sitt Lot/Building Additional In	: ed: e Name: v Size:	21011400150 C Custom Report 22-JAN-21 14-JAN-21 Fire Insur. Maps a	and/or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.6947834 45.4162153	
<u>138</u>	1 of 1	NW/247.1	77.2 / 0.31	132, 134, 136, 138, 14 Ottawa ON K1P 5N8	8 Bank Street	EHS
Order No: Status: Report Type Report Date: Date Receive Previous Site Lot/Building Additional In	: ed: e Name: v Size:	20060609010 C Site Report 6/12/2006 6/9/2006		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Kent Street/Albert Street Ottawa ON 0.25 -75.699585 45.418947	
<u>139</u>	1 of 1	SSW/247.2	77.9 / 1.00	281 kent st Ottawa ON		wwis
Well ID: Construction Primary Wat Sec. Water L Final Well St Water Type: Casing Mate Audit No: Tag: Construction Elevation (m Elevation Re Depth to Bed Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N	er Use: Jse: Jse: erial: erial: n): eliability: drock: /Bedrock: Level:	7354243 Test Hole Monitoring and Test Hole Z302715 A282350		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:	2/19/2020 TRUE 7241 7 281 kent st OTTAWA OTTAWA CITY	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Flow Rate: Clear/Cloudy	<i>V</i> :			UTM Reliability:		
PDF URL (Ma	ар):					
Additional D	etail(s) (Map)					
Well Comple Year Comple Depth (m): Latitude: Longitude: Path:		2020/01/24 2020 7.13 45.4151642801855 -75.6987243509288				
Bore Hole In	formation					
Bore Hole ID DP2BR: Spatial Statu Code OB:		73940		Elevation: Elevrc: Zone: East83:	18 445329.00	

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

5029309.00

margin of error : 30 m - 100 m

UTM83

4

wwr

Cluster Kind: Date Completed: 24-Jan-2020 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Code OB Desc:

Open Hole:

Formation ID:	1008251395
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	27
Mat2 Desc:	OTHER
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	0.0
Formation End Depth:	0.310000023841858
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1008251397
Layer:	3
Color:	2
General Color:	GREY
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Mat2 Desc:	SAND
Mat3:	85
Mat3 Desc:	SOFT

Formation Top Depth: 40 Formation End Depth; 7:130000114440918 Formation End Depth; 7:130000114440918 Overburden and Bedrock Materials Interval Materials Interval 0 Pormation End Depth; 7:03000114440918 Pormation D: 008251396 Layer: 2 Conservation Materials: 0.05 Matz: 05 Matz: 06 Matz: 05 Matz: 06 Matz: 05 Pormation End Depth; 0.03100000023841868 Pormation End Depth: 0.03100000023841868 Promation End Depth: 0.0 Pring Toc: 0.0 Anular: Space/Abandonment. Saaling Record Plag Dro: 1008252387 Layer: 3 Plag Dro: 0.0 Plag Dro: 0.0000023811858 Plag Dro: 0.1008252387 Saaling Record 0 Plag Dro: 0.1008252387 Plag Dro: 0.1008252386	Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Orarburds and Backock. 000251396 Layer: 0 Color: 6 Gonoral Color: 8 Browning Material: 01 Matz 06 Matz 07 Matz 08 Matz 08 Matz 08 Matz 08 Matz 07 Matz 08 Matz 00 Paramition End Depth UOM: m Annular Space/Abandomment 03 Pring From: 0.3 Di O00222841058 1002252067 Pring From: 3.7200002286102295 Pring From: 3.7200002286102295 Pring From: 0.3.100000023841058 Pring	Formation Er	d Depth:	7.130000114440918			
Materials Interval 1008251396 Formation ID: 2 Color: 6 General Color: 8 Matz 66 Matz: 86 Matz: 05 Formation End Depth 0.310000002841858 Formation End Depth/10: 4.0 Formation End Depth/10: 0.00 Tegle To: 1008252305 Layor: 1 Plug To: 0.00 Plug To: 0.00 Plug To: 0.310000023841858 Plug To: 0.30000023841858 Plug To: 0.30000023841858 Plug To: 7.30000114440918 Plug Porn: 3.7200000286102295 Plug To: 7.3000014440918 Plug Porn: 0.310000023841868 Plug Porn: 0.310000023841868						
Layer: 2 Color: 8 General Color: BROWN Matt: 05 Mast: CLAN Matt: 06 Matt: 08 Matt: 00 Formation End Depth: 0 Plug ID: 1008252365 Layer: 10 Plug Tom: 0 Plug Tom: 0 Plug Tom: 3 Plug Tom: 3 Plug Form: 7.13000014440318 Plug Form: 7.30000023841858 Plug Form: 0.310000023841828 Plug Form: 0.310000023841828 Plug Form: 0.310						
Color: 6 General Color: BRCWN Mat: 05 Mat: 05 Mat: 06 Mat: 07 Mat: 08100000023841858 Formation End Depth UOM: n Annular Space/Abandonment 0.0 Plug Forn: 0.0 Plug Deh 0.00 Plug Deh 008252367 Layor: 3 Plug To: 1008252367 Layor: 3 Plug To: 1008252367 Layor: 7.13000014440318 Plug To: 0.310000023641858 Plug To: 3.20000023641858 Plug To:		:				
Mati: 05 Most Common Material: 06 Matz: 06 Formation Top Depth: 0.310000023841858 Formation End Depth 0 Plug ID: 1008252365 Layer: 0 Plug Form: 0.3100000023841858 Plug Form: 0.3100000023841858 Plug Form: 0.3100000023841858 Plug Form: 0.3100000023841858 Plug Form: 3.7200002286102295 Plug Form: 3.7200000286102295 Plug Form: 0.3100000023841858 Plug Form: 3.7200000286102295 Plug Form: 3.7200000286102295 Plug Form: 3.7200000286102295 Plug Poth UOM: m Method of Construction & Well Dinoct Push <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Most Common Material: CLAY Matz 66 Matz Dess: SLIT Matz 66 Matz Dess: DENSE Formation Top Depth: 0.310000023841858 Formation End Depth: 4.0 Formation End Depth: 4.0 Formation End Depth: 0.0 Hug To: 1008252365 Layor: 0.0 Plug To: 0.030000023841858 Plug To: 0.0000023841858 Plug To: 0.030000023841858 Plug To: 0.030000023841858 Plug To: 0.030000023841858 Plug To: 0.0000023841858 Plug To: 1008252367 Layor: 3 Sealing Record 1008252367 Plug Forn: 3.7200000286102295 Plug To: 7.13000014444018 Plug To: 3.720000023841858 Layor: 2 Plug Forn: 0.310000023841858 Plug To: 3.72000023841858 Plug Forn: 3.72000023841858 <		r:				
Mat2 base: SILT Mat3 base: 66 Mat3 base: DENSE Formation Find Depth: 0.310000023841858 Formation End Depth: 4.0 Formation End Depth: 4.0 Anular: Space/Abandonment. Space/Abandonment. Space/Abandonment. U08252365 Layer: 1 Plug Forn: 0.0 Plug To: 0.310000023841858 Plug Forn: 0.0 Plug Forn: 0.0 Plug Forn: 0.0 Plug Forn: 0.1000023841858 Plug Forn: 3.720000286102295 Plug Forn: 7.13000114440918 Plug Porn: 3.720000286102295 Plug Porn: 0.310000023841858		n Material:				
Mat3 66 Mat3 Dess: DENSE Formation Top Depth: 0.310000023841858 Formation End Depth: 0.310000023841858 Formation End Depth: 0.0 Plug ID: 1002252385 Layor: 0. Plug Tor: 0. Plug Tor: 0. Plug Tor: 0. Plug Tor: 0.310000023841858 Plug Tor: 0.310000023841858 Plug Tor: 0.310000023841858 Plug Tor: 0.310000023841858 Plug Tor: 3 Annular Space/Abandonment Saaling Record Plug Tor: 3 Plug Tor: 3 Plug Tor: 3 Plug Tor: 3 Plug Tor: 3.71000001248102295 Plug Tor: 3.710000023841858 Plug Tor: 3.710000023841858 <						
Math Desc: DENSE Formation Depth: 0.310000023841858 Formation End Depth UOM: m Annular Space/Abandomment. Sacealing Record Plug ID: 1008252385 Layer: 1 Plug Form: 0.0 Plug Form: 0.310000023841858 Plug Form: 0.310000023841858 Plug Form: 0.310000023841858 Plug Form: 3.20000023841858 Plug Form: 3.7200000286102295 Plug Form: 3.7200000286102295 Plug Form: 7.13000114440918 Plug Porm: 0.310000023841858 Plug Form: 0.3100000286102295 Plug Porm: 3.7200000286102295 Plug Porm: 0.310000028841858 Plug Porm: 0.310000023841858 Plug Porm: 0.3100000286102295 Plug Porm: 0.3100000285103265 P						
Formation End Depth: 4.0 Formation End Depth: 4.0 Formation End Depth: m Annular Space/Abandonment. sealing Record Plug ID: 1008252385 Layer: 1 Plug Form: 0.0 Plug To: 0.310000023841858 Plug Port: 0.0 Plug Port: 0.008252367 Layer: 3.7200000286102295 Plug Port: 0.1000002384180 Plug Port: 0.3100000023841850 Plug Form: 0.3100000023841850 Plug Port: 0.008250333 Method Construction R. Well De <td>Mat3 Desc:</td> <td></td> <td>DENSE</td> <td></td> <td></td> <td></td>	Mat3 Desc:		DENSE			
Formation End Depth UOM: m Annular. Space/Abandonment. Sealing Record 1008252365 Plug ID: 1008252365 Layer: 0.0 Plug From: 0.310000023841858 Plug Deb: 0.0 Plug From: 0.310000023841858 Plug Deb: 1008252367 Sealing Record 1008252367 Plug To: 1008252367 Layer: 3 3.7200000286102295 Plug To: 7.130000114440918 Plug To: 7.13000014440918 Plug Depth UOM: m Annular Space/Abandonment. Sealing Record Plug For: 7.13000014440918 Plug To: 1008252366 Layer: 2 Plug For: 3.7200000286102295 Plug Port: 3.7200000286102295 Plug Port: 0.08252336 Layer: 2 Plug For: 3.7200000286102295 Plug Port: 0.08252333 Depthed Construction E. Depthed Construction: Depthed Construction:	Formation To	p Depth: d Depth:		3		
Seeling Record 1008252365 Layor: 1 Plug From: 0.0 Plug To: 0.3100000023841858 Plug Deth UOM: m Annular Space/Abandonment Seeling Record Plug Deth 1008252367 Layer: 3 Plug Deth 1008252367 Layer: 3 Plug Deth 1008252367 Layer: 7.130000114440918 Plug Deth 7.130000114440918 Plug Deth UOM: m Annular Space/Abandonment Seeling Record Plug Deth 1008252366 Layer: 2 Plug From: 0.310000023841858 Plug From: 0.310000023841858 Plug Forb UOM: m Method Construction & Well U08253333 Method Construction Code: D Direct Push Direct Push Other Method Construction: Direct Push Plug Deth UOM: Plug Form: 0 Seplu Dome: Direct Push						
Layer: 1 Plug From: 0.0 Plug To: 0.3100000023841858 Plug Do: 0.3100000023841858 Plug Do: 0.0 Annular Space/Abandonment. Space/Abandonment. Layer: 3 Plug To: 7.13000014440918 Plug Doth UOM: m Annular Space/Abandonment. Sealing Record Plug To: 0.3100000023841858 Plug To: 0.310000002384105295 Plug Doth UOM: m Method Construction A Well Jose253333 Method Construction Code: D Direct Push Jirect Push Other Method Construction: Direct Push Plp						
Plug From: 0.0 Plug To: 0.310000023841858 Plug Depth UOM: m Annular Space/Abandonment. s Sealing Record 008252367 Plug D: 1008252367 Layer: 3 7.7200000268102295 Plug From: 3.7200000268102295 Plug Depth UOM: m Annular Space/Abandonment. Sealing Record Plug Depth UOM: m Annular Space/Abandonment. Sealing Record Plug ID: 1008252366 Layer: 2 Plug Tom: 0.3100000023841858 Plug Tom: 0.3100000023841858 Plug Tom: 0.3100000023841858 Plug Tom: 0.3100000023841858 Plug Depth UOM: m Method Construction & Well Jose250333 Use Jose250333 Method Construction: D Direct Push Jose250036 Casing No: 0						
Plug To: 0.310000023841858 Plug Depth UOM: m Annular Space/Abandonment.						
Annular Space/Abandonment. Sealing Record Plug ID: 1008252367 Layer: 3 Plug From: 3.720000286102295 Plug To: 7.13000114440318 Plug Depth UOM: m Annular Space/Abandonment. Sealing Record Plug ID: 1008252366 Layer: 2 Plug From: 0.310000023841858 Plug To: 3.720000286102295 Plug To: 0.310000023841858 Plug To: 3.720000286102295 Plug Depth UOM: m Method Construction ID: 1008253333 Method Construction ID: 1008253333 Method Construction: D Direct Push Direct Push Other Method Construction: D Pipe ID: 100825036 Casing No: 0	Plug To:			3		
Sealing Record Plug ID: 1008252367 Layer: 3 Plug From: 3.720000286102295 Plug To: 7.130000114440918 Plug Depth UOM: m Annular Space/Abandonment Sealing Record 1008252366 Layer: 2 Plug From: 0.3100000023841858 Plug From: 0.310000023841858 Plug Do: 0.310000023841858 Plug Do: 0.310000023841858 Plug Do: 0.310000023841858 Plug Tom: 0.3100000286102295 Plug Do: 0.3100000286102295 Plug Do: Dimethod Construction & Well Use Use Plug Tom: 1008253333 Plug Tom Method Construction: D Direct Push Direct Push Other Method Construction: D Plipe ID: 100825036 Casing No: 0	Plug Depth U	ОМ:	m			
Layer: 3 Plug Trom: 3.720000286102295 Plug To: 7.130000114440918 Plug Depth UOM: m Annular Space/Abandonment.	<u>Annular Spac</u> <u>Sealing Reco</u>	ee/Abandonment_ rd				
Plug From: 3.7200000286102295 Plug To: 7.130000114440918 Plug Depth UOM: m Annular Space/Abandonment. sealing Record Plug ID: 1008252366 Layer: 2 Plug From: 0.310000023841858 Plug From: 0.310000023841858 Plug From: 0.310000023841858 Plug To: 3.7200000286102295 Plug Depth UOM: m Method of Construction & Well. use Use 1008253333 Method Construction Code: D Drect Push Direct Push Other Method Construction: Direct Push Pipe ID: 1008250036 Casing No: 0						
Plug To: 7.130000114440918 Plug Depth UOM: m Annular Space/Abandonment						
Plug Depth UOM: m Annular Space/Abandonment Sealing Record)		
Sealing Record 1008252366 Plug ID: 2 Plug From: 0.310000023841858 Plug To: 3.7200000286102295 Plug Depth UOM: m Method of Construction & Well Use Method Construction ID: 1008253333 Method Construction: D Method Construction: D Method Construction: D Method Construction: 0 Pipe Information 1008250036 Casing No: 0		ОМ:	m			
Layer: 2 Plug From: 0.310000023841858 Plug To: 3.7200000286102295 Plug Depth UOM: m Method of Construction & Well Use 1008253333 Method Construction Code: D Direct Push Direct Push Pipe Information 1008250036 Pipe ID: 1008250036 Casing No: 0						
Plug From: 0.310000023841858 Plug To: 3.7200000286102295 Plug Depth UOM: m Method of Construction & Well						
Plug To:3.7200000286102295Plug Depth UOM:mMethod of Construction & Well Use1008253333Method Construction ID:1008253333Method Construction Code:DDDirect PushOther Method Construction:Direct PushPipe Information1008250036Pipe ID:1008250036Casing No:0				2		
Method of Construction & Well Use Method Construction ID: 1008253333 Method Construction Code: D Method Construction: Direct Push Other Method Construction: Direct Push Pipe Information 1008250036 Casing No: 0	Plug To:					
Use Method Construction ID: 1008253333 Method Construction Code: D Method Construction: Direct Push Other Method Construction: Direct Push Pipe Information 1008250036 Casing No: 0	Plug Depth U	ОМ:	m			
Method Construction Code: D Method Construction: Direct Push Other Method Construction: Direct Push Pipe Information 1008250036 Casing No: 0		onstruction & Well				
Method Construction Code: D Method Construction: Direct Push Other Method Construction: Direct Push Pipe Information 1008250036 Casing No: 0	Method Cons	truction ID:	1008253333			
Other Method Construction: Pipe Information Pipe ID: 1008250036 Casing No: 0	Method Cons	truction Code:	D			
Pipe ID: 1008250036 Casing No: 0			Direct Push			
Casing No: 0	<u>Pipe Informat</u>	tion				
Casing No: 0			1008250036			
	Casing No:		0			

Alt Name:

Construction Record - Casing

Casing ID:	1008253675
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	4.03000020980835
Casing Diameter:	4.03000020980835
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1008254026
Layer:	1
Slot:	10
Screen Top Depth:	4.03000020980835
Screen End Depth:	7.130000114440918
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	4.820000171661377

Results of Well Yield Testing

Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate:	1008254369
Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:	m LPM 0

Hole Diameter

Hole ID: Diameter: Depth From: Depth To: Hole Depth U0 Hole Diameter		1008252992 8.300000190734 0.0 7.130000114440 m cm				
<u>140</u>	1 of 1	ESE/247.5	75.9 / -1.00	338 SOMERSET ST OTTAWA ON	REET WEST	WWIS
Well ID: Construction Primary Wate Sec. Water Us Final Well Sta	r Use: se:	7046637 Observation Wells		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec:	7/17/2007 TRUE	

306

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Water Type: Casing Materia Audit No: Tag: Construction I Elevation (m): Elevation Relia Depth to Bedra Well Depth: Overburden/B Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy:	Z74024 A061568 Method: ability: ock: edrock: evel:			Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	7241 3 338 SOMERSET STREET WEST OTTAWA OTTAWA CITY	
PDF URL (Map	o): I	https://d2khazk8e83	Brdv.cloudfront.n	et/moe_mapping/downloads	s/2Water/Wells_pdfs/704\7046637.pdf	

Additional Detail(s) (Map)

Well Completed Date:	2007/06/22
Year Completed:	2007
Depth (m):	8.23
Latitude:	45.4157256058949
Longitude:	-75.6952421522528
Path:	704\7046637.pdf

Bore Hole Information

Bore Hole ID: DP2BR:	23046637
Spatial Status:	
Code OB:	
Code OB Desc:	
Open Hole:	
Cluster Kind:	
Date Completed:	22-Jun-2007 00:00:00
Remarks:	
Elevrc Desc:	
Location Source Date:	
Improvement Location S	Source:
Improvement Location N	lethod:
Source Revision Comme	ent:
Supplier Comment:	

Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:

Elevation: Elevrc:

18 445602.00 5029369.00 UTM83 3 margin of error : 10 - 30 m wwr

Overburden and Bedrock Materials Interval

Formation ID:	30246637
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Mat2 Desc:	SAND
Mat3:	05
Mat3 Desc:	CLAY
Formation Top Depth:	0.910000262260437
Formation End Depth:	1.5
Formation End Depth UOM:	m

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden Materials Inte	and Bedrock erval				
Formation ID):	30346637			
Layer:		3			
Color:		6			
General Cold	or:	BROWN			
Mat1:		06			
Most Commo	on Material:	SILT			
Mat2:					
Mat2 Desc:		CLAY			
Mat3:		85 SOFT			
Mat3 Desc:	an Danth.	1.5			
Formation To Formation El		3.660000085830688	5		
	nd Depth UOM:	m	5		
<u>Overburden a</u> Materials Inte	and Bedrock				
		20146627			
Formation ID Layer:		30146637 1			
Color:		6			
General Cold	<i>\r</i>	BROWN			
Mat1:	<i>.</i>	02			
Most Commo	on Material:	TOPSOIL			
Mat2:	in material.	81			
Mat2 Desc:		SANDY			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation To	op Depth:	0.0			
Formation E		0.91000026226043	7		
Formation E	nd Depth UOM:	m			
Overburden Materials Inte	<u>and Bedrock</u> erval				
Formation ID):	30546637			
Layer:		5			
Color:		2			
General Cold	or:	GREY			
Mat1:		05			
Most Commo	on Material:	CLAY			
Mat2:		91			
Mat2 Desc:		WATER-BEARING			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation To	op Depth:	6.099999904632568			
Formation E		8.229999542236328			
Formation E	nd Depth UOM:	m			
<u>Overburden a</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID):	30446637			
Layer:		4			
Color:		2			
General Cold	or:	GREY			
Mat1:		05			
Most Commo	on Material:	CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc: Formation To Formation E Formation E	op Depth: nd Depth: nd Depth UOM:	SOFT 3.66000085830688 6.099999904632568 m	5		
<u>Annular Spa</u> <u>Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID:		44001302			
Layer: Plug From:		2 0.310000023841858	3		
Plug To: Plug Depth L	JOM:	m			
<u>Annular Spa</u> Sealing Reco	<u>ce/Abandonment</u> ord				
Plug ID:		44001303			
Layer: Plug From:		3			
Plug To:					
Plug Depth L	JOM:	m			
<u>Annular Spa</u> <u>Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID:		44001304			
Layer: Plug From:		1 0.0			
Plug To:		0.3100000023841858	3		
Plug Depth L	JOM:	m			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Con		25946637			
Method Cons Method Cons	struction Code: struction:	B Other Method			
	d Construction:				
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID:		29046637			
Casing No: Comment:		0			
Alt Name:					
<u>Constructior</u>	<u>n Record - Casing</u>				
Casing ID:		42146637			
Layer: Material:		1 5			
Open Hole o		PLASTIC			
Depth From: Depth To:		0.0 4.880000114440918			
Casing Diam		3.809999942779541			
Casing Diam	eter UOM:	cm			
Casing Dept	n UOM:	m			

Construction Record - Screen

	Number Records		Elev/Diff n) (m)	Site		DI
Screen ID: Layer: Slot: Screen Top De Screen End De Screen Materia Screen Depth Screen Diame Screen Diame	epth: ial: UOM: eter UOM:	43146637 1 10 4.880000114440 8.229999542236 5 m cm				
lole Diameter	r					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UC Hole Diameter		46000804 8.890000343322 0.0 8.229999542236 m cm				
<u>141</u>	1 of 1	E/247.6	74.9 / -2.00	325 Cooper Street Ottawa ON K2P 0G5		EHS
Order No: Status: Report Type: Report Date: Date Received Previous Site Lot/Building S	Name:	20200213021 C Standard Report 19-FEB-20 13-FEB-20		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.6944063 45.4173144	
Additional Info		NE/248.4	75.3 / -1.55	170 METCALFE ST Ic Ottawa ON	ot D con C	ww
Additional Info 142 Well ID: Construction I Primary Water Sec. Water Us Final Well Stat Water Type: Casing Materia Audit No: Fag: Construction I Elevation Relia Depth to Bedr Well Depth: Diverburden/B Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy:	o Ordered: 1 of 1 Date: r Use: se: tus: ial: Method: iability: rock: Bedrock: .evel:		75.3 / -1.55		bt D con C 8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D C	ww
142 Nell ID: Construction I Primary Water Sec. Water Us Final Well Stat Water Type: Casing Materia Audit No: Fag: Construction I Elevation Relia Depth to Bedr Vell Depth: Diverburden/B Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy:	o Ordered: 1 of 1 Date: r Use: se: tus: ial: Method: iability: rock: Bedrock: .evel:	NE/248.4 7318397 Test Hole Monitoring Test Hole Z290608	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D	ww
Additional Info	o Ordered: 1 of 1 Date: r Use: se: tus: ial: Method: : ability: rock: Bedrock: .evel: : p): tail(s) (Map	NE/248.4 7318397 Test Hole Monitoring Test Hole Z290608 A251720	75.3 / -1.55	Ottawa ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:	8/31/2018 TRUE 7241 7 170 METCALFE ST OTTAWA NEPEAN TOWNSHIP D	

	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Depth (m):		6.096				
Latitude:		45.4188125792676				
Longitude:		-75.6953183812021				
Path:						
Bore Hole Inform	ation					
Bore Hole ID:	100728	33727		Elevation:		
DP2BR:				Elevrc:		
Spatial Status:				Zone:	18	
Code OB:				East83:	445599.00	
Code OB Desc:				North83:	5029712.00	
Open Hole:				Org CS:	UTM83	
Cluster Kind:				UTMRC:	4	
Date Completed:	19-Jun	-2018 00:00:00		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:				Location Method:	wwr	
Elevrc Desc:						
Location Source	Date:					
Improvement Loc	ation Source:					
Improvement Loc						
Source Revision	Comment:					
Supplier Commer	nt:					
<u>Overburden and I</u> Materials Interval						
		4007450050				
Formation ID:		1007459056				
Layer:		2				
Color:		2				
General Color:		GREY				
Mat1:		05				
Most Common Ma	aterial:	CLAY				
Mat2:		06				
Mat2 Desc:		SILT				
Mat3:		85				
Mat3 Desc:		SOFT				
Formation Top De		7.0				
Formation End De		20.0				
Formation End De	epth UOM:	ft				
Overburden and I Materials Interval						
Formation ID:		1007459055				
Layer:		1				
Color:		6				
General Color:		BROWN				
Mat1:		10				
Most Common Ma	aterial:	COARSE SAND				
Mat2:		11				
Mat2 Desc:		GRAVEL				
Mat3:						
Mat3 Desc:						
Formation Top De	epth:	0.0				
Formation End De	epth:	7.0				
Formation End De	epth UOM:	ft				
Annular Space/Al Sealing Record	bandonment					
-		1007/50066				
Plug ID:		1007459066				
Layer:		3				
-						

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		9.0			
Plug To:		20.0			
Plug Depth L	JOM:	ft			
<u>Annular Spa</u> <u>Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID:		1007459065			
Layer: Plug From:		2 1.0			
Plug To:		9.0			
Plug Depth l	JOM:	ft			
<u>Annular Spa</u> Sealing Reco	<u>ce/Abandonment</u> ord				
Plug ID:		1007459064			
Layer:		1			
Plug From: Plug To:		0.0 1.0			
Plug Depth U	JOM:	ft			
<u>Method of Counce</u>	onstruction & Well				
Method Con		1007459063			
	struction Code:	D			
Method Cons Other Metho	struction: d Construction:	Direct Push			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID:		1007459054			
Casing No:		0			
Comment:					
Alt Name:					
Construction	n Record - Casing				
Casing ID:		1007459059			
Layer: Material:		1			
Open Hole o	r Material:	5 PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diam	eter:	1.37999999523162	84		
Casing Diam Casing Dept		inch ft			
<u>Construction</u>	<u>n Record - Screen</u>				
Screen ID:		1007459060			
Layer:		1			
Slot: Screen Top I	Denth:	10 10.0			
Screen Top I Screen End		20.0			
Screen Mate	rial:	5			
Screen Dept	h UOM:	ft			
Screen Diam		inch	0		
Screen Diam	leter:	1.65999996662139	3		

Screen Top Depui.	10.0
Screen End Depth:	20.0
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.659999966621399

Map Key	Number Records	of Direction/ Distance (m	Elev/Diff) (m)	Site		DB
Water Details						
Water ID: Layer:		1007459058				
Kind Code: Kind:						
Water Found Water Found	Depth: Depth UOM	: ft				
Hole Diameter	r					
Hole ID:		1007459057				
Diameter:		3.25				
Depth From:		0.0				
Depth To: Hole Depth U(о <i>м</i> -	20.0 ft				
Hole Diameter		inch				
<u>143</u>	1 of 2	WSW/249.0	76.9 / 0.00	PRIVATE OWNER 280 GLOUCESTER ST STORAGE TANK/BAR OTTAWA CITY ON K1		SPL
Ref No: Site No:		100318		Discharger Report: Material Group:		
Incident Dt:		5/25/1994		Health/Env Conseg:		
Year:		0/20/1001		Client Type:		
Incident Caus	e:	OTHER CONTAINER LEAP	κ	Sector Type:		
Incident Even				Agency Involved:		
Contaminant				Nearest Watercourse:		
Contaminant Contaminant				Site Address: Site District Office:		
Contam Limit				Site Postal Code:		
Contaminant				Site Region:		
Environment		POSSIBLE		Site Municipality:	20101	
Nature of Imp		Soil contamination		Site Lot:		
Receiving Me		LAND		Site Conc:		
Receiving Env MOE Respons				Northing: Easting:	DEWAN FUELS	
Dt MOE Arvi o				Site Geo Ref Accu:	DEWANTOELS	
MOE Reporte		5/25/1994		Site Map Datum:		
Dt Document				SAC Action Class:		
Incident Reas Site Name:		MATERIAL FAILURE		Source Type:		
Site County/D Site Geo Ref I Incident Sumi Contaminant	<i>Meth:</i> mary:	ST.PATRICK CH	URCH: UKN A-MC	UNT OF FURNACE OIL TO S	SOIL	
<u>143</u>	2 of 2	WSW/249.0	76.9 / 0.00	PRIVATE OWNER 220 KENT ST MOTOR FLUID) OTTAWA CITY ON	VEHICLE (OPERATING	SPL
Ref No:		150427		Discharger Report:		
Site No: Incident Dt: Year:		12/17/1997		Material Group: Health/Env Conseq: Client Type:		
Incident Caus Incident Even Contaminant	t:	OTHER CONTAINER LEAP	K	Sector Type: Agency Involved: Nearest Watercourse:		

Мар Кеу	Number o Records	of	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Contaminant Limit 1: Contam Limit Freq 1:			Site District Office: Site Postal Code:				
Contaminant UN No 1:			Site Region:				
Environment Impact: POSSIBLE			Site Municipality:	20101			
Nature of Impact: Multi Media Pollution			Site Lot:				
Receiving Me	Receiving Medium: LAND / WATER			Site Conc:			
Receiving En	ıv:				Northing:		
MOE Respon	ise:				Easting:	CITY WORKS/SEWER, FIRE DEPT.	
Dt MOE Arvl	on Scn:				Site Geo Ref Accu:		
MOE Reporte	ed Dt:	12/17/1997			Site Map Datum:		
Dt Document	t Closed:				SAC Action Class:		
Incident Rea	son:	UNKNOWN			Source Type:		
Site Name:							
Site County/	District:						
Site Geo Ref	Meth:						
Incident Sum	nt Summary: PRIVATE OWNER - 30 L GASOLINE			30 L GASOLIN	IE TO ROAD/CATCH BASIN	I. F/D, WORKS,SEWER.	
Contaminant	t Qty:						

Unplottable Summary

Total: 111 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
СА	Claridge Homes (Carson) Inc.		Ottawa ON	
СА	The Filmore Inc.	Nepean Street	Ottawa ON	
CA	Urbandale Corporation		Ottawa ON	
CA	Claridge Homes (Carson) Inc.		Ottawa ON	
CA	Urbandale Corporation		Ottawa ON	
CA	Claridge Homes (Trim Rd) Inc.	Part 1, RP 4R-22747	Ottawa ON	
CA	Claridge Homes (Church St.) Inc.		Ottawa ON	
CA	Claridge Homes (Cooper St) Inc.		Ottawa ON	
CA	Claridge Homes (Strandherd) Inc.		Ottawa ON	
CA	City of Ottawa	Bank St Bank Street from Somerset Street to Catherine Street	Ottawa ON	
СА	Urbandale Corporation		Ottawa ON	
СА	Urbandale Corporation		Ottawa ON	
СА	Claridge Homes (Trim Rd) Inc.	Part 1, RP 4R-22747	Ottawa ON	
CA	Tartan Land Corporation and 1503916 Ontario Limited		Ottawa ON	
CA	City of Ottawa	Bank St from Laurier Avenue to Somerest Street	Ottawa ON	
CA	Urbandale Corporation		Ottawa ON	
CA	Urbandale Corporation		Ottawa ON	
СА	Urbandale Corporation		Ottawa ON	

СА	Urbandale Corporation		Ottawa ON
СА	Urbandale Corporation		Ottawa ON
СА	Urbandale Corporation		Ottawa ON
СА	Urbandale Corporation		Ottawa ON
СА	Urbandale Corporation		Ottawa ON
CA	Financial Transactions and Reports Analysis Centre of Canada		Ottawa ON
СА	Nepean Street	Kent to Bank and Metcalfe to Elgin	Ottawa ON
СА	Nepean Street	Kent to Bank and Metcalfe to Elgin	Ottawa ON
СА		Laurier Avenue Bridge	Ottawa ON
CA	OTTAWA CITY, DESIGN & CONSTRUCTION DIV.	FRANK ST./BANK ST./O'CONNOR ST	OTTAWA CITY ON
CA	OTTAWA CITY	GLOUCESTER ST./NEPEAN ST.	OTTAWA CITY ON
CA	SOUTH KEYS SHOPPING CENTRES	PT.LOTS 3-5/CONC.3, BANK ST.	OTTAWA CITY ON
CA	R.M. OF OTTAWA-CARLETON - LISGAR STREET	LISGAR ST/KENT ST/BRONSON ST.	OTTAWA CITY ON
CA	CITY OF OTTAWA - GLOUCESTER ST.	GLOUCESTER/LYON/BANK STS.	OTTAWA CITY ON
CA	R.M. OF OTTAWA-CARLETON	GLOUCESTER ST.	OTTAWA CITY ON
CA	R.M. OF OTTAWA-CARLETON	SOMERSET STREET	OTTAWA CITY ON
CA	THE DOUGLAS MACDONALD DEV. CORP.	COMMERCIAL PLAZA BANK STREET	OTTAWA CITY ON
CA	OTTAWA CITY - D. DOUGHERTY - LISGAR ST.	LISGAR ST/KENT ST/BRONSON AVE.	OTTAWA CITY ON
CA	OTTAWA CITY - GLOUCESTER STREET	GLOUCESTER/BANK/LYON STS.	OTTAWA CITY ON
CA	OTTAWA CITY	COOPER ST.	OTTAWA CITY ON
СА	MACDONALD DEVELOPMENT CORP.	BANK ST.	OTTAWA CITY ON
CA	MACDONALD DEVELOPMENT CORPPLAZA	EASEMENT-BANK STREET	OTTAWA CITY ON

СА	OTTAWA CITY	GLOUCESTER STREET	OTTAWA CITY ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA	OTTAWA CITY	NEPEAN STREET	OTTAWA CITY ON	
СА	OSSORY CANADA INC.	PRIVATE BLDG. BANK ST.	OTTAWA CITY ON	
CONV	Loblaw Companies Limited		Ottawa ON	
CONV	Taggart Construction Limited	Bank Street	South Ottawa ON	
EBR	SNC-Lavalin Constructors (Pacific) Inc., Dragados-Canada Inc.,	EllisDon Corporation East Portal Rd allowance between Broken Front Conc C and D,Lot D	OTTAWA ON	
ECA	Claridge Homes (Rockcliffe Mews) Inc.		Ottawa ON	K2P 0Y6
ECA	Urbandale Corporation		Ottawa ON	K1G 2H5
ECA	Urbandale Corporation		Ottawa ON	K1G 2H5
ECA	Claridge Homes (Clarion Hills) Inc.		Ottawa ON	K2P 0Y6
ECA	City of Ottawa	Kent to Bank and Metcalfe to Elgin	Ottawa ON	K1P 1J1
ECA	Claridge Homes (River Road) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Conroy Rd) Inc.	Part 5, Ref Plan 4R-24919	Ottawa ON	K2P 0Y6
ECA	Claridge Homes (River Road) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Clarion Hills) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Rockcliffe Mews) Inc.		Ottawa ON	K2P 0Y6
ECA	City of Ottawa	Florence St (from Kent Street to Bank Street)	Ottawa ON	K2G 6J8
ECA	Claridge Homes (Carson) Inc.		Ottawa ON	K2P 0Y6
ECA	City of Ottawa	Bank St from Laurier Avenue to Somerest Street	Ottawa ON	K1P 1J1
ECA	Urbandale Corporation		Ottawa ON	K1G 2H5

ECA	City of Ottawa	Bank St from Laurier Avenue to Somerest Street	Ottawa ON	K1P 1J1
ECA	Claridge Homes (Cedarview) Inc.		Ottawa ON	K2P 0Y6
ECA	City of Ottawa	Kent to Bank and Metcalfe to Elgin	Ottawa ON	K1P 1J1
ECA	Urbandale Corporation		Ottawa ON	K1G 2H5
EHS		Bank St	Ottawa ON	
EHS		Bank St	Ottawa ON	
EHS		Between Bank & O'Connor, from Laurier to Slater	Ottawa ON	
GEN	Hydro Ottawa Ltd.	Bank St	Ottawa ON	
GEN	O.D.S MARINE	LAURIER AVE AND RIDEAU CANAL	OTTAWA ON	K4P 1A2
GEN	SPIC & SPAN-VALETOR-CASH CLEANERS	BILLINGS BRIDGE PLAZA, BANK STREET C/O 1764 WOODWARD DRIVE	OTTAWA ON	K2C 0P8
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG.	(SEE SCHEDULE "B") ON	K1P 6L9
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE NORTHERN REGION	(SEE SCHEDULE "B") ON	K1P 6L9
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE NORTHERN REGION	(SEE SCHEDULE "B") ON	K1P 6L9
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE NORTHERN REGION	(SEE SCHEDULE "B") ON	K1P 6L9
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG.	(SEE SCHEDULE "B") ON	
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG.	(SEE SCHEDULE "B") ON	K1P 6L9
GEN	Bell Canada	VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG.	(SEE SCHEDULE "B") ON	K1P 6L9
NPCB	OLYMPIA & YORK DEVELOPMENTS LTD.	SHELL CENTER	OTTAWA ON	
NPCB	OLYMPIA & YORK DEVELOPMENTS LTD.	SHELL CENTER	Ottawa ON	
NPCB	OLYMPIA & YORK DEVELOPMENTS LTD.	SHELL CENTER	OTTAWA ON	

OOGW	Ottawa Dairy Well		ON
PTTW	Claridge Homes (Bruyere) Inc.		ON
PTTW	Claridge Homes (Leitrim) Inc.		ON
RSC	CLARIDGE HOMES (CARSON) INC.	No Municipal Address	Ottawa ON
SPL		Kent Street near Bank Street	Ottawa ON
SPL	Bell Canada		Ottawa ON
SPL	OLRT Constructors	Road allowance between Broken Front Concessions C and D in front of Lot D geographic township of Nepean	Ottawa ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	OTTAWA AIRPORT TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	QUEENSWAY TANK LINES	CANADIAN TIRE GAS BAR BANK STREET TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	LOBLAWS		OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	SERVICE STATION	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	SHELL CANADA PRODUCTS LTD.	TANK TRUCK (CARGO)	OTTAWA CITY ON
SPL	TRANSPORT TRUCK	BANK ST. BRIDGE MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON
SPL	PIONEER PETROLEUMS LTD.	BANK STREET SOUTH PIONEER GAS	OTTAWA CITY ON

STATION. SERVICE STATION

SPL	ESSO PETROLEUM CANADA	BANK STREET SERVICE STATION	OTTAWA CITY ON	
SPL	OTTAWA-CARLETON, R.M. OF	KENT ST REGULATOR TO OTTAWA RIVER ON N.R.C. PROPERTY SANITARY SEWER SYSTEM	OTTAWA CITY ON	
SPL	OC TRANSPO	BANK ST. SOUTH MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON	
SPL	Shell Canada Products Limited	Shell Canada	Ottawa ON	
SPL	Loblaw Properties Limited	Loblaws	Ottawa ON	
SPL	City of Ottawa	between O'Connor St & Bank St	Ottawa ON	
WDS	Waste Management of Canada Corporation		Ottawa ON	K0A 1L0

Unplottable Report

Site: Claridge Homes (Carson) Inc. Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

9611-7PUSMB 2009 3/9/2009 Municipal and Private Sewage Works Approved

9532-62ULPC

2004 7/14/2004

Approved

The Filmore Inc. Site: Nepean Street Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: **Client Postal Code: Project Description:** Contaminants: **Emission Control:**

Site: Urbandale Corporation

Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: **Client Address:** Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

8787-5YQRUU 2004 5/10/2004 Municipal and Private Sewage Works Approved

Municipal and Private Sewage Works

Site: Claridge Homes (Carson) Inc. Ottawa ON

Certificate # Application	-	8697-6Z5TCD 2007	
201	erisinfo.com	Environmental Risk Information Services	Order No: 2204280047

Database: CA

Database: CA

Database: CA

Order No: 22042800477

Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 4/17/2007 Municipal and Private Sewage Works Approved

<u>Site:</u> Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 8145-7TYK8L 2009 7/17/2009 Municipal and Private Sewage Works Approved

<u>Site:</u> Claridge Homes (Trim Rd) Inc. Part 1, RP 4R-22747 Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7972-7ZQPXH 2010 1/18/2010 Municipal and Private Sewage Works Approved

<u>Site:</u> Claridge Homes (Church St.) Inc. Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7739-5NWLL5 2003 6/27/2003 Municipal and Private Sewage Works Approved Database: CA

Database: CA

<u>Site:</u> Claridge Homes (Cooper St) Inc. Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7666-5SKKLX 2003 10/23/2003 Municipal and Private Sewage Works Approved

<u>Site:</u> Claridge Homes (Strandherd) Inc. Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7488-6U9S5E 2006 10/6/2006 Municipal and Private Sewage Works Approved

<u>Site:</u>

City of Ottawa Bank St Bank Street from Somerset Street to Catherine Street Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7054-7L4LKY 2008 11/28/2008 Municipal and Private Sewage Works Approved

<u>Site:</u> Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: 6829-6Y7RQX 2007 2/19/2007 Municipal and Private Sewage Works Approved Database: CA

Database: CA

<u>Site:</u> Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 5942-6BWPUR 2005 5/3/2005 Municipal and Private Sewage Works Approved

<u>Site:</u> Claridge Homes (Trim Rd) Inc. Part 1, RP 4R-22747 Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 5372-835QP7 2010 4/15/2010 Municipal and Private Sewage Works Approved

<u>Site:</u> Tartan Land Corporation and 1503916 Ontario Limited Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 5203-6DCNQK 2005 6/16/2005 Municipal and Private Sewage Works Approved

<u>Site:</u> City of Ottawa Bank St from Laurier Avenue to Somerest Street Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: 4804-7DGNT6 2008 4/8/2008 Municipal and Private Sewage Works Approved Database: CA

Database: CA

Database: CA

Client Name: **Client Address: Client City: Client Postal Code:** Project Description: Contaminants: **Emission Control:**

Site: Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

3681-7QWNXY 2009 4/9/2009 Municipal and Private Sewage Works Approved

Urbandale Corporation <u>Site:</u> Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Site: Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: **Client City:** Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

2169-5WVM7Y 2004 3/12/2004 Municipal and Private Sewage Works Approved

Municipal and Private Sewage Works

Database: CA

Datah se:


	rbandale Corporation Ottawa ON	
Certificate	#:	2160-765JJX

2869-6KVTJC

2006

1/12/2006

Approved





υ	а	ta	ba	as
		C	4	

Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 2007 8/16/2007 Municipal and Private Sewage Works Approved

<u>Site:</u> Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 1998-6Y7KJ9 2007 2/12/2007 Municipal and Private Sewage Works Approved

<u>Site:</u> Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 1830-6H3P2S 2005 10/14/2005 Municipal and Private Sewage Works Approved

<u>Site:</u> Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 1712-6N6RR7 2006 3/27/2006 Municipal and Private Sewage Works Approved

Database:

CA

Database: CA

326

<u>Site:</u> Urbandale Corporation Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 1130-6BLHGE 2005 4/21/2005 Municipal and Private Sewage Works Approved

<u>Site:</u> Financial Transactions and Reports Analysis Centre of Canada Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site:

0702-5EZRM4 2002 11/1/2002 Air Approved

Nepean Street Kent to Bank and Metcalfe to Elgin Ottawa ON

Certificate #:	6059-5BPHX4
Application Year:	02
Issue Date:	7/8/02
Approval Type:	Municipal & Private sewage
Status:	Approved
Application Type:	New Certificate of Approval
Client Name:	The Corporation of the City of Ottawa
Client Address:	110 Laurier Avenue West
Client City:	Ottawa
Client Postal Code:	K1P 1J1
Project Description:	This application is for the construction of combined storm and sanitary sewers on Nepean Street from Kent Street to Bank Street, and from Metcalfe Street to Elgin Street.

Contaminants: Emission Control:

<u>Site:</u> Nepean Street Kent to Bank and Metcalfe to Elgin Ottawa ON

9810-5BPJ33 Certificate #: Application Year: 02 7/8/02 Issue Date: Approval Type: Municipal & Private water Status: Approved Application Type: New Certificate of Approval Client Name: The Corporation of the City of Ottawa **Client Address:** 110 Laurier Avenue West Client City: Ottawa

327

Database: CA

Database: CA

Client Postal Code: Project Description: K1P 1J1 This application is for the construction of watermains on Nepean Street from Kent Street to Bank Street and from Metcalfe Street to Elgin Street.

Contaminants: **Emission Control:**

Site:

Laurier Avenue Bridge Ottawa ON

Database: CA

Database:

СА

Certificate #:	9814-563QFZ
Application Year:	02
Issue Date:	1/7/02
Approval Type:	Municipal & Private sewage
Status:	Approved
Application Type:	New Certificate of Approval
Client Name:	The Corporation of the City of Ottawa
Client Address:	110 Laurier Avenue West
Client City:	Ottawa
Client Postal Code:	K1P 1J1
Project Description:	Storm sewers to be constructed on Laurier Avenue, Queen Elizabeth Driveway, Colonel By Drive and Nicholas Street
Contaminants: Emission Control:	

OTTAWA CITY, DESIGN & CONSTRUCTION DIV. <u>Site:</u> FRANK ST./BANK ST./O'CONNOR ST OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: **Client Address:** Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

3-0476-97-97 6/26/1997 Municipal sewage Approved

<u>Site:</u>	OTTAWA CITY	
	GLOUCESTER ST./NEPEAN ST.	OTTAWA CITY ON

Certificate #:
Application Year:
Issue Date:
Approval Type:
Status:
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

3-0550-94-94 5/27/1994 Municipal sewage Approved

<u>Site:</u>	SOUTH KEYS SHOPPING CENTRES PT.LOTS 3-5/CONC.3, BANK ST. OTTAWA CITY O		-
Certific	ate #:	3-0856	-95-

Application Year: Issue Date:	95 8/8/1995





Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: Municipal sewage Approved

<u>Site:</u> R.M. OF OTTAWA-CARLETON - LISGAR STREET LISGAR ST/KENT ST/BRONSON ST. OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7-0856-90-90 6/15/1990 Municipal water Approved

<u>Site:</u> CITY OF OTTAWA - GLOUCESTER ST. GLOUCESTER/LYON/BANK STS. OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7-0091-90-90 2/16/1990 Municipal water Approved

7-0911-88-

7/7/1988 Municipal water

Approved

88

<u>Site:</u> R.M. OF OTTAWA-CARLETON GLOUCESTER ST. OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: R.M. OF OTTAWA-CARLETON

329



Database: CA

Database: CA

CA Order No: 22042800477

Database:

SOMERSET STREET OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7-0096-88-88 2/10/1988 Municipal water Approved

<u>Site:</u> THE DOUGLAS MACDONALD DEV. CORP. COMMERCIAL PLAZA BANK STREET OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 7-1304-86-86 10/28/1986 Municipal water Approved

<u>Site:</u> OTTAWA CITY - D. DOUGHERTY - LISGAR ST. LISGAR ST/KENT ST/BRONSON AVE. OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-1048-90-90 6/15/1990 Municipal sewage Approved

<u>Site:</u> OTTAWA CITY - GLOUCESTER STREET GLOUCESTER/BANK/LYON STS. OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: 3-0118-90-90 2/16/1990 Municipal sewage Approved

330

Database:

Database:

Database: CA

Order No: 22042800477

<u>Site:</u> OTTAWA CITY COOPER ST. OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-1897-88-88 10/14/1988 Municipal sewage Approved

<u>Site:</u> MACDONALD DEVELOPMENT CORP. BANK ST. OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

3-1072-88-88 9/28/1988 Municipal sewage Approved

<u>Site:</u> MACDONALD DEVELOPMENT CORP.-PLAZA EASEMENT-BANK STREET OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-1864-86-86 12/19/1986 Municipal sewage Approved

<u>Site:</u> OTTAWA CITY GLOUCESTER STREET OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: 3-0827-86-86 7/2/1986 Municipal sewage Approved

erisinfo.com | Environmental Risk Information Services

Database:

Database: CA

Database:

Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> City of Ottawa Somerset St W Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 0195-8HMLH2 2011 6/15/2011 Municipal and Private Sewage Works Approved

<u>Site:</u> City of Ottawa Somerset St W Ottawa ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

2011 7/22/2011 Municipal and Private Sewage Works Approved

<u>Site:</u> OTTAWA CITY NEPEAN STREET OTTAWA CITY ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-0887-87-87 6/15/1987 Municipal sewage Approved

6180-8JKNNV

Site: OSSORY CANADA INC. PRIVATE BLDG. BANK ST. OTTAWA CITY ON Certificate #: 3-0515-87-

erisinfo.com | Environmental Risk Information Services

87

Database:

Database:

CA

Database:

Database: CA

332

Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

4/23/1987 Municipal sewage Approved

<u>Site:</u> Loblaw Compa Ottawa ON	nies Limited		Database: CONV
File No:	097267	Location:	
Crown Brief No:		Region:	
Court Location:		Ministry District:	
Publication City:			
Publication Title:			
Act:			
Act(s):			
First Matter:			
Second Matter:			
Investigation 1:			
Investigation 2:			
Penalty Imposed:			
Description:	On April 19, 2011, L	oblaw Companies Limited/Les Compagnies Loblaw Limitee pleaded gu	uilty to one violation
	into the natural envi company uses a ref work, a release of re exhaust fans to the ozone depleting sub	ental Protection Act for causing the discharge of a refrigerant into the a ronment. The Court heard that the company owns and operates a prop rigeration contractor to install, maintain and service the equipment at th afrigerant was reported to the ministry. The release was inside a buildin natural environment. The refrigerant contains hydrochlorofluorocarbon stance. The company was charged following an investigation by the mi ranch. The company was fined \$30,000 plus a victim fine surcharge and	erty in Ottawa. The is location. During suc g that was vented via and is considered an inistry's Investigations
Background: URL:			
Additional Details			
Publication Date:			
Count:	1		
Act:	EPA		
Regulation:			
Section:			
Act/Regulation/Section:	EPA		
Date of Offence:			
Date of Conviction:			
Date Charged:	April 19, 2011		
Charge Disposition:	fine, victim fine surc	harge	
Fine:	\$30,000		
Synopsis:			
<u>Site:</u> Taggart Constr Bank Street So	uction Limited outh Ottawa ON		Database: CONV
File No:	010503	Location:	
Crown Brief No:	-	Region:	
-			

Court Location: Publication City: Publication Title: Act: Act(s): First Matter: Second Matter: Investigation 1:

Ministry District:

333

Investigation 2: Penalty Imposed: Description:

Background: URL:

Additional Details

EBR Registry No:

Publication Date:	
Count:	1
Act:	Provincial Officer Order
Regulation:	
Section:	
Act/Regulation/Section:	Provincial Officer Order
Date of Offence:	
Date of Conviction:	
Date Charged:	December 3, 2009
Charge Disposition:	fine, victim fine surcharge
Fine:	\$5,000
Synopsis:	

011-9917

fine.

<u>Site:</u> SNC-Lavalin Constructors (Pacific) Inc., Dragados-Canada Inc., EllisDon Corporation East Portal Rd allowance between Broken Front Conc C and D,Lot D OTTAWA ON

EBR

Database:

5764-9AHPW2 Ministry Ref No: **Exception Posted:** Notice Type: Instrument Decision Section: Notice Stage: Act 1: Notice Date: Act 2: Proposal Date: August 28, 2013 Site Location Map: Year: 2013 Instrument Type: (OWRA s. 34) - Permit to take water Off Instrument Name: Posted By: Company Name: Site Address: Location Other: Proponent Name: Proponent Address: Ottawa, 1600 Carling Avenue, Ottawa Ontario, Canada K1Z 1G3 Comment Period: URL:

Site Location Details:

Ottawa Light Rail Transit ' East Portal Road allowance between Broken Front Concessions C and D, in front of Lot D, Geographic Township of Nepean, City of Ottawa CITY OF OTTAWA

On December 3, 2009, Taggart Construction Limited pleaded guilty to one violation under the Ontario Water

Decision Posted:

Resources Act for failing to comply with a Provincial Officer Order to submit weekly water taking records showing daily water taking volumes. The company was contracted to install municipal services for the Findlay Creek Subdivision located on Bank Street in South Ottawa. A ministry inspection of the construction site in the fall of 2007 revealed concerns with water taking activities and a Provincial Officer Order was issued. One of the requirements of the Order, related to keeping accurate water taking records and submitting them to the ministry, was not complied with. The company was charged following an investigation by the ministry's Investigations and Enforcement Branch and was fined \$5,000 plus victim fine surcharge. The company was given 30 days to pay the

<u>Site:</u> Claridge Ho Ottawa ON	Database: ECA		
Approval No:	5073-4VFQUZ	MOE District:	
Approval Date:	2001-04-03	City:	
Status:	Approved	Longitude:	
Record Type:	ECA	Latitude:	
Link Source:	IDS	Geometry X:	
SWP Area Name:		Geometry Y:	
Approval Type:	ECA-Municipal and Pr	ivate Water Works	
Project Type:	Municipal and Private	Water Works	
a vi a i a f	or LEnvironmental Dick Inform	ation Convisoo	Order No: 22042800477

Business Name: Address: Full Address: Full PDF Link: PDF Site Location:

Urbandale Corporation Site: Ottawa ON K1G 2H5

2004-05-10

Approved

ECA

IDS

Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: **Business Name:** Address: Full Address: Full PDF Link: PDF Site Location: 8787-5YQRUU **MOE** District: City: Longitude: Latitude: Geometry X: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Urbandale Corporation

https://www.accessenvironment.ene.gov.on.ca/instruments/3747-5YPLC8-14.pdf

<u>Site:</u> Urbandale Corporation Ottawa ON K1G 2H5

Approval No: 4781-4ZEKPM **MOE District:** 2001-08-21 City: Approval Date: Status: Approved Longitude: Latitude: Record Type: ECA Link Source: IDS Geometry X: SWP Area Name: Geometry Y: ECA-INDUSTRIAL SEWAGE WORKS Approval Type: Project Type: INDUSTRIAL SEWAGE WORKS **Urbandale Corporation Business Name:** Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1402-4Z2HBD-14.pdf PDF Site Location:

Claridge Homes (Clarion Hills) Inc. Site: Ottawa ON K2P 0Y6

Approval No:	1177-4Y4LGJ	MOE District:
Approval Date:	2001-07-05	City:
Status:	Approved	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEW	/AGE WORKS
Project Type:	MUNICIPAL AND PRIVATE SEWAGE	WORKS
Business Name:	Claridge Homes (Clarion Hills) Inc.	
Address:		
Full Address: Full PDF Link: PDF Site Location:	https://www.accessenvironment.ene.go	ov.on.ca/instruments/6213-4Y3PCG-14.pdf

Site: City of Ottawa

	Kent to Ban	k and Metcalfe to Elgin	Ottawa ON K1P 1J1	
Approv Approv Status:	al Date:	9810-5BPJ33 2002-07-08 Approved		MOE District: City: Longitude:

Database: ECA

Database:

ECA

Database:

ECA

Database:

ECA

erisinfo.com | Environmental Risk Information Services

Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full Address: Full PDF Link: PDF Site Location: ECA IDS Latitude: Geometry X: Geometry Y:

ECA-Municipal and Private Water Works Municipal and Private Water Works

Kent to Bank and Metcalfe to Elgin

City of Ottawa

<u>Site:</u> Claridge Homes (River Road) Inc. Ottawa ON K2P 0Y6 Database: ECA

Ottawa ON	1 K2P 0Y6		ECA
Approval No:	6213-AC9MCQ	MOE District:	
pproval Date:	2016-08-08	City:	
tatus:	Approved	Longitude:	
ecord Type:	ECA	Latitude:	
ink Source:	IDS	Geometry X:	
WP Area Name:		Geometry Y:	
pproval Type:	ECA-MUNICIPAL AND PF	RIVATE SEWAGE WORKS	
Project Type:	MUNICIPAL AND PRIVAT	E SEWAGE WORKS	
Business Name:	Claridge Homes (River Ro	bad) Inc.	
Address:			
-ull Address:			
Full PDF Link: PDF Site Location:	https://www.accessenviror	nment.ene.gov.on.ca/instruments/2437-AA4KMK-14.pdf	
	MUNICIPAL AND PRIVAT Claridge Homes (Conroy I Part 5, Ref Plan 4R-24919	Rd) Inc.	Database ECA
<u>Site:</u> Claridge Hor Ottawa ON	nes (River Road) Inc. I K2P 0Y6		Database ECA
Approval No:	2726-AACLFH	MOE District:	
Approval No. Approval Date:	2016-06-02	City:	
Status:	Approved	Longitude:	
Record Type:	ECA	Latitude:	
ink Source:	IDS	Geometry X:	
SWP Area Name:	120	Geometry Y:	
		RIVATE SEWAGE WORKS	
Approval Type: Project Type:			
Project Type:	MUNICIPAL AND PRIVAT		
Business Name:	Claridge Homes (River Ro	au) mc.	
Full Address:	• • • • • • • • • • • • • • • • • • •	amont and gov an actingtrumente/2677 AAAK ID 11 adf	
Address: Full Address: Full PDF Link:	https://www.accessenviro	nment.ene.gov.on.ca/instruments/3677-AA4KJR-14.pdf	
Full Address: Full PDF Link:	https://www.accessenviro	iment.ene.gov.on.ca/instruments/3677-AA4KJR-14.pdf	
Full Address:	https://www.accessenviro.	iment.ene.gov.on.ca/instruments/3677-AA4KJR-14.pdf	

ECA

Ottawa ON K2P 0Y6

Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: **Business Name:** Address: Full Address: Full PDF Link: PDF Site Location: 4038-4Y4LCL 2001-07-05 Approved ECA ECA-Municipal and Private Water Works

Municipal and Private Water Works

Claridge Homes (Clarion Hills) Inc.

City: Longitude: Latitude: Geometry X: Geometry Y:

MOE District:

Claridge Homes (Rockcliffe Mews) Inc. Site: Ottawa ON K2P 0Y6

ECA

IDS

IDS

Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: **Business Name:** Address: Full Address: Full PDF Link: PDF Site Location: 4048-4VFRHS **MOE** District: 2001-04-03 City: Approved Longitude: Latitude: Geometry X: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Claridge Homes (Rockcliffe Mews) Inc.

https://www.accessenvironment.ene.gov.on.ca/instruments/4768-4VEQD2-14.pdf

Site: City of Ottawa Florence St (from Kent Street to Bank Street) Ottawa ON K2G 6J8

Approval No: 7198-B76NXJ **MOE District:** Approval Date: 2018-12-13 City: Approved Longitude: Status: Record Type: ECA Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: Business Name: City of Ottawa Florence St (from Kent Street to Bank Street) Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6425-B6ZKDX-13.pdf PDF Site Location:

Claridge Homes (Carson) Inc. Site: Ottawa ON K2P 0Y6

Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address:	8741-AU3KP5 2017-12-20 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE MUNICIPAL AND PRIVATE SEW. Claridge Homes (Carson) Inc.	
Address: Full Address: Full PDF Link:	https://www.accessenvironment.er	ne.gov.on.ca/instruments/1645-ATXMXA-14.pdf

Database:

ECA

Database:

ECA

Database:

ECA

Site: City of Ottawa Bank St from Laurier Avenue to Somerest Street Ottawa ON K1P 1J1			
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full Address: Full PDF Link: PDF Site Location:	8654-7DGNMN 2008-04-08 Approved ECA IDS ECA-Municipal Drinking Water S Municipal Drinking Water S City of Ottawa Bank St from Laurier Avenu	ystems	
<u>ite:</u> Urbandale Co Ottawa ON			Database: ECA
pproval No:	0666-5YQRZ3	MOE District:	
Approval Date:	2004-05-10	City:	
Status:	Approved	Longitude:	
ecord Type:	ECA	Latitude:	
ink Source:	IDS	Geometry X:	
WP Area Name:		Geometry Y:	
pproval Type:	ECA-Municipal Drinking Wa		
Project Type:	Municipal Drinking Water S	ystems	
Business Name:	Urbandale Corporation		
Address:			
Address: Full Address: Full PDF Link: PDF Site Location:			
ull Address: Full PDF Link: PDF Site Location: Site: City of Ottawa	a Laurier Avenue to Somerest Street 0	ttawa ON K1P 1J1	Database: ECA
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from	Laurier Avenue to Somerest Street O		
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No:	Laurier Avenue to Somerest Street O 4804-7DGNT6	MOE District:	
Full Address: Full PDF Link: PDF Site Location: <u>Site:</u> City of Ottawa Bank St from Approval No: Approval Date:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08	MOE District: City:	
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved	MOE District: City: Longitude:	
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA	MOE District: City: Longitude: Latitude:	
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Link Source:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved	MOE District: City: Longitude: Latitude: Geometry X:	
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRI	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS	
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: SWP Area Name: Approval Type: Project Type:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS	
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRI MUNICIPAL AND PRIVATE	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS SEWAGE WORKS	
Full Address: Full PDF Link: PDF Site Location: <u>Site:</u> City of Ottawa	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRI MUNICIPAL AND PRIVATE City of Ottawa	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS SEWAGE WORKS	
Full Address: Full PDF Link: PDF Site Location: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Site Source: SWP Area Name: Approval Type: Project Type: Susiness Name: Address: Full Address: Full Address: Full PDF Link:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenue	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS SEWAGE WORKS	ECA
Eull Address: Eull PDF Link: PDF Site Location: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Sink Source: SWP Area Name: Approval Type: Project Type: Susiness Name: Address: Full Address: Full PDF Link: PDF Site Location:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS SEWAGE WORKS to Somerest Street	ECA
Eull Address: Eull PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Eull Address: Eull Address: Eull Address: Eull Address: Eull Address: Eull PDF Link: PDF Site Location: Site: Claridge Hom Ottawa ON I	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS SEWAGE WORKS to Somerest Street nent.ene.gov.on.ca/instruments/2768-7DDL4E-14.p	df Database:
Eull Address: Eull PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Eull Address: Eull Address: Eull Address: Eull Address: Eull PDF Link: PDF Site Location: Site: Claridge Hom Ottawa ON I	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS SEWAGE WORKS the to Somerest Street nent.ene.gov.on.ca/instruments/2768-7DDL4E-14.pd MOE District:	df Database:
Eull Address: Eull PDF Link: PDF Site Location: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Site Source: SWP Area Name: Approval Type: Project Type: SWP Area Name: Address: Full Address: Full Address:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr mes (Cedarview) Inc. K2P 0Y6 9183-974NHU 2013-04-30	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS SEWAGE WORKS the to Somerest Street ment.ene.gov.on.ca/instruments/2768-7DDL4E-14.pr MOE District: City:	df Database:
Full Address: Full PDF Link: PDF Site Location: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: .ink Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Sull Address: Sull Address: Sull PDF Link: PDF Site Location: Site: Claridge Hom Ottawa ON I Approval No: Approval No: Suproval No: Status:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS E SEWAGE WORKS the to Somerest Street nent.ene.gov.on.ca/instruments/2768-7DDL4E-14.pd MOE District: City: Longitude:	df Database:
Full Address: Full PDF Link: PDF Site Location: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: .ink Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Sull Address: Sull PDF Link: PDF Site Location: Site: Claridge Hom Ottawa ON I Approval No: Approval No: Status: Record Type: Status: Record Type:	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS E SEWAGE WORKS the to Somerest Street nent.ene.gov.on.ca/instruments/2768-7DDL4E-14.pu MOE District: City: Longitude: Latitude:	df Database:
Full Address: Full PDF Link: PDF Site Location: Site: City of Ottawa Bank St from Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Susiness Name: Address: Full Address: Full PDF Link: PDF Site Location: Site: Claridge Hom Ottawa ON I	Laurier Avenue to Somerest Street O 4804-7DGNT6 2008-04-08 Approved ECA IDS ECA-MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr MUNICIPAL AND PRIVATE City of Ottawa Bank St from Laurier Avenu https://www.accessenvironr	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: VATE SEWAGE WORKS E SEWAGE WORKS the to Somerest Street nent.ene.gov.on.ca/instruments/2768-7DDL4E-14.pd MOE District: City: Longitude:	df Database:

Order No: 22042800477

Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:

https://www.accessenvironment.ene.gov.on.ca/instruments/8046-967RNG-14.pdf

<u>Site:</u>	City of Ottawa Kent to Bank	n and Metcalfe to Elgin Ottawa ON K	1P 1J1		Database ECA
1		-			
Approv		6059-5BPHX4	MOE District:		
	al Date:	2002-07-08	City:		
Status:		Approved	Longitude:		
Record		ECA	Latitude:		
Link So		IDS	Geometry X:		
-	rea Name:		Geometry Y:		
	al Type:		PRIVATE SEWAGE WORKS		
Project		MUNICIPAL AND PRIVA	TE SEWAGE WORKS		
	ss Name:	City of Ottawa	fe te Eleie		
Addres		Kent to Bank and Metcal	re to Eigin		
Full Ade Full PD		https://www.accocconvir	onment.ene.gov.on.ca/instruments/6383	EDUDVE 14 ndf	
	te Location:	https://www.accesservirt	ninent.ene.gov.on.ca/instruments/0505	-561 IK IT - 14.pui	
Site:	Urbandale Co Ottawa ON I				Database ECA
Approv	al No:	1830-6H3P2S	MOE District:		
	al Date:	2005-10-14	City:		
Status:		Revoked and/or Replaced	Longitude:		
Record	Туре:	ECA	Latitude:		
Link So		IDS	Geometry X:		
SWP Aı	rea Name:		Geometry Y:		
Approv	al Type:	ECA-MUNICIPAL AND F	PRIVATE SEWAGE WORKS		
+p		MUNICIPAL AND PRIVA	TE SEWAGE WORKS		
Project					
	ss Name:	Urbandale Corporation			
	ss Name:	Urbandale Corporation			
Busines Addres	ss Name: s:	Urbandale Corporation			
Busines Address Full Add	ss Name: s: dress:		onment.ene.gov.on.ca/instruments/9122	-6F6R74-14.pdf	
Busines Address Full Add Full PD	ss Name: s: dress:		onment.ene.gov.on.ca/instruments/9122	-6F6R74-14.pdf	
Busines Address Full Add Full PD PDF Sit	ss Name: s: dress: dF Link: te Location:	https://www.accessenviro	onment.ene.gov.on.ca/instruments/9122	-6F6R74-14.pdf	Database
Busines Address Full Add Full PD PDF Sit	ss Name: s: dress: F Link: te Location: Bank St Otta	https://www.accessenviro			Database EHS
Busines Address Full Add Full PDI PDF Sit <u>Site:</u> Order N	ss Name: s: dress: F Link: te Location: Bank St Otta No:	https://www.accessenviro wa ON 20031121005	Nearest Intersection:	-6F6R74-14.pdf	
Busines Address Full Add Full PDF Site Site: Order N Status:	ss Name: s: dress: F Link: te Location: Bank St Otta No:	https://www.accessenviro wa ON 20031121005 C	Nearest Intersection: Municipality:	See Faxed Map	
Busines Address Full Add Full PDF PDF Sit <u>Site:</u> Order N Status: Report	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type:	https://www.accessenviro wa ON 20031121005 C Basic Report	Nearest Intersection: Municipality: Client Prov/State:	See Faxed Map ON	
Busines Address Full Add Full PDF Site: Site: Order N Status: Report Report	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	See Faxed Map ON 0.50	
Busines Address Full Add Full PDF Site: Site: Order N Status: Report Report Date Re	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived:	https://www.accessenviro wa ON 20031121005 C Basic Report	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	See Faxed Map ON 0.50 -75.654252	
Busines Address Full Add Full PDF Site: Order N Status: Report Report Date Re Previou	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived: us Site Name:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	See Faxed Map ON 0.50	
Busines Address Full Add Full PDF Site: Order N Status: Report Report Date Re Previou Lot/Buil	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	See Faxed Map ON 0.50 -75.654252	
Busines Address Full Add Full PDI PDF Sit <u>Site:</u> Order N Status: Report Report Report Date Re Previou Lot/Buil Addition	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived: us Site Name: ilding Size: nal Info Ordere	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d:	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	See Faxed Map ON 0.50 -75.654252	
Busines Address Full Add Full PDF Site: Drder N Status: Report Date Re Previou Lot/Buil Addition Site:	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived: Is Site Name: dding Size: nal Info Ordere Bank St Otta	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d: wa ON	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	See Faxed Map ON 0.50 -75.654252	EHS
Busines Address Full Add Full PDD PDF Sit Site: Order N Status: Report Report Report Date Re Previou Lot/Buil Addition Site: Order N	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eccived: is Site Name: iding Size: inal Info Ordere Bank St Otta No:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d: wa ON 20060427021	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: Y:	See Faxed Map ON 0.50 -75.654252	EHS
Busines Address Full Add Full PDD PDF Sit Site: Order N Status: Report Report Report Date Re Previou Lot/Buil Addition Site: Order N Status:	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: ecceived: Is Site Name: iding Size: mal Info Ordere Bank St Otta	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d: wa ON 20060427021 C	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: Y: Nearest Intersection: Municipality:	See Faxed Map ON 0.50 -75.654252 45.363635	EHS
Busines Address Full Add Full PDF Site Drder N Status: Report Date Re Previou Lot/Buil Addition Site: Order N Status: Report	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived: is Site Name: iding Size: nal Info Ordere Bank St Otta No: Type:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d: wa ON 20060427021 C Custom Report	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: Y: Nearest Intersection: Municipality: Client Prov/State:	See Faxed Map ON 0.50 -75.654252 45.363635	EHS
Busines Address Full Add Full PDF Site: Order N Status: Report Report Date Re Previou Lot/Buil Addition Site: Order N Status: Report Report Report Report	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived: is Site Name: iding Size: nal Info Ordere Bank St Otta No: Type: Date:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d: wa ON 20060427021 C Custom Report 5/5/2006	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: Y: Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	See Faxed Map ON 0.50 -75.654252 45.363635	EHS
Busines Address Full Add Full PDF Site: Order N Status: Report Report Date Re Previou Lot/Buil Addition Site: Order N Status: Report Report Report Report Report Report Report Report Report	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived: us Site Name: idding Size: nal Info Ordere Bank St Otta No: Type: Date: pate: pate: pate:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d: wa ON 20060427021 C Custom Report	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: Y: Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X:	See Faxed Map ON 0.50 -75.654252 45.363635 ON 0.25 -75.670288	EHS
Busines Address Full Add Full PDF Site PDF Sit Site: Order N Status: Report Report Addition Site: Order N Status: Report Addition Site: Corder N Status: Report Report Report Report Report Report Report Report Report Report Report	ss Name: s: dress: F Link: te Location: Bank St Otta No: Type: Date: eceived: is Site Name: iding Size: nal Info Ordere Bank St Otta No: Type: Date:	https://www.accessenviro wa ON 20031121005 C Basic Report 11/25/03 11/21/03 d: wa ON 20060427021 C Custom Report 5/5/2006	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: Y: Nearest Intersection: Municipality: Client Prov/State: Search Radius (km):	See Faxed Map ON 0.50 -75.654252 45.363635	EHS

Bet	tween Bank 8	O'Connor, from Laurier to Slater Otta	wa ON		Databas EHS
Order No:		20020404010	Nearest Intersection:		
Status:		С	Municipality:		
Report Type	e:	Complete Report	Client Prov/State:	QC	
Report Date	:	4/12/02	Search Radius (km):	0.30	
Date Receiv	red:	4/4/02	X:	-75.698287	
Previous Sit			Y:	45.419517	
Lot/Building		2 buildings, 41,806 m2			
Additional Ir	nfo Ordered:				
	dro Ottawa Li nk St Ottawa				Databas GEN
Generator N	lo:	ON8798860	Status:		
SIC Code:	ю.	010790000	Co Admin:		
SIC Code. SIC Descrip	tion		Choice of Contact:		
Approval Ye		03,04	Phone No Admin:		
PO Box No:		00,01	Contam. Facility:		
Country:			MHSW Facility:		
	D.S MARINE	ND RIDEAU CANAL OTTAWA ON K4F	2142		Databas GEN
Generator N	lo:	ON7795671	Status:		
SIC Code:			Co Admin:		
SIC Descrip			Choice of Contact:		
Approval Ye		02,03,04	Phone No Admin:		
PO Box No:			Contam. Facility:		
Country:			MHSW Facility:		
<u>Detail(s)</u>					
Waste Class Waste Class		222 HEAVY FUELS			
		ALETOR-CASH CLEANERS GE PLAZA, BANK STREET C/O 1764 WO	DODWARD DRIVE OTTAWA OI	N K2C 0P8	Databas GEN
BIL	LINGS BRID	GE PLAZA, BANK STREET C/O 1764 W		N K2C 0P8	
BIL Generator N	LINGS BRID	GE PLAZA, BANK STREET C/O 1764 W ON0573413	Status:	N K2C 0P8	
BIL Generator N SIC Code:	LINGS BRID lo:	GE PLAZA, BANK STREET C/O 1764 W(ON0573413 9721	Status: Co Admin:	N K2C 0P8	
BIL Generator N	LINGS BRID lo: tion:	GE PLAZA, BANK STREET C/O 1764 W ON0573413	Status:	N K2C 0P8	
BIL Generator N SIC Code: SIC Descript Approval Ye	LINGS BRID lo: tion: ears:	GE PLAZA, BANK STREET C/O 1764 W ON0573413 9721 POWER LAUND./CLEANERS	Status: Co Admin: Choice of Contact:	N K2C 0P8	
BIL Generator N SIC Code: SIC Descript Approval Ye PO Box No:	LINGS BRID lo: tion: ears:	GE PLAZA, BANK STREET C/O 1764 W ON0573413 9721 POWER LAUND./CLEANERS	Status: Co Admin: Choice of Contact: Phone No Admin:	N K2C 0P8	
BIL Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	LINGS BRID lo: tion: ears:	GE PLAZA, BANK STREET C/O 1764 W ON0573413 9721 POWER LAUND./CLEANERS	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	N K2C OP8	
BIL Generator N SIC Code: SIC Descript	LINGS BRID lo: tion: ears:	GE PLAZA, BANK STREET C/O 1764 W ON0573413 9721 POWER LAUND./CLEANERS 86,87,88 241	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	N K2C OP8	
BIL Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: <u>Detail(s)</u> Waste Class	LINGS BRID lo: tion: pars: 5:	GE PLAZA, BANK STREET C/O 1764 W ON0573413 9721 POWER LAUND./CLEANERS 86,87,88	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	N K2C OP8	
BIL Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: Detail(s) Waste Class Waste Class Waste Class Site: Bell VAI	LINGS BRID lo: tion: ears: s Desc: Il Canada RIOUS BELL	GE PLAZA, BANK STREET C/O 1764 W ON0573413 9721 POWER LAUND./CLEANERS 86,87,88 241	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		GEN
BIL Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: Detail(s) Waste Class Waste Class Waste Class Site: Bell VAI	LINGS BRID lo: tion: ears: s Desc: Il Canada RIOUS BELL HEDULE "B",	GE PLAZA, BANK STREET C/O 1764 WG ON0573413 9721 POWER LAUND./CLEANERS 86,87,88 241 HALOGENATED SOLVENTS CANADA MANHOLES AND ACCESS CA	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		GEN
BIL Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: Detail(s) Waste Class Waste Class Waste Class Site: Bell	LINGS BRID lo: tion: ears: s Desc: Il Canada RIOUS BELL HEDULE "B",	GE PLAZA, BANK STREET C/O 1764 WG ON0573413 9721 POWER LAUND./CLEANERS 86,87,88 241 HALOGENATED SOLVENTS CANADA MANHOLES AND ACCESS CA ON K1P 6L9 ONR000304	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility: MHSW Facility:	ASTERN REG. (SEE	GEN
BIL Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: Detail(s) Waste Class Waste Class Waste Class Site: Bell VAI SCH Generator N SIC Code:	LINGS BRID lo: tion: ears: s Desc: l Canada RIOUS BELL HEDULE "B", lo:	GE PLAZA, BANK STREET C/O 1764 WG ON0573413 9721 POWER LAUND./CLEANERS 86,87,88 241 HALOGENATED SOLVENTS CANADA MANHOLES AND ACCESS CA ON K1P 6L9	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility: HAMBERS WITHIN THE MOE EA	ASTERN REG. (SEE Julie Labelle	GEN
BIL Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: Detail(s) Waste Class Waste Class Waste Class Uaste Class Site: Bell SCH Generator N	LINGS BRID lo: tion: ears: s Desc: l Canada RIOUS BELL HEDULE "B", lo:	GE PLAZA, BANK STREET C/O 1764 WG ON0573413 9721 POWER LAUND./CLEANERS 86,87,88 241 HALOGENATED SOLVENTS CANADA MANHOLES AND ACCESS CI ON K1P 6L9 ONR000304 517110, 517210, 517510	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility: HAMBERS WITHIN THE MOE EA Status: Co Admin:	ASTERN REG. (SEE	GEN
BIL Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: Detail(s) Waste Class Waste Class Waste Class Site: Bell VAI SCH Generator N SIC Code:	LINGS BRID lo: tion: ears: s Desc: l Canada RIOUS BELL HEDULE "B", lo:	GE PLAZA, BANK STREET C/O 1764 WG ON0573413 9721 POWER LAUND./CLEANERS 86,87,88 241 HALOGENATED SOLVENTS CANADA MANHOLES AND ACCESS CI ON K1P 6L9 ONR000304 517110, 517210, 517510 WIRED TELECOMMUNICATIONS	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility: HAMBERS WITHIN THE MOE EA Status: Co Admin:	ASTERN REG. (SEE Julie Labelle	GEN

Approval Years: PO Box No: Country:	(EXCEPT SATELLITE), 517510 2014 Canada	Phone No Admin: Contam. Facility: MHSW Facility:	514-870-0688 Ext. No No	
<u>Detail(s)</u>				
Waste Class: Waste Class Desc:	253 EMULSIFIED OILS			
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	221 LIGHT FUELS			
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES			
Waste Class: Waste Class Desc:	150 INERT INORGANIC WASTES			
Waste Class: Waste Class Desc:	241 HALOGENATED SOLVENTS			

Site: Bell Canada

341

VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE NORTHERN REGION (SEE SCHEDULE "B") ON K1P 6L9 Database: GEN

Site: Bell Canada				Databas
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES			
Waste Class: Waste Class Desc:	253 EMULSIFIED OILS			
Waste Class: Waste Class Desc:	221 LIGHT FUELS			
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	150 INERT INORGANIC WASTES			
<u>Detail(s)</u>				
PO Box No: Country:	Canada	Contam. Facility: MHSW Facility:	No No	
Approval Years:	TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510 2014	Phone No Admin:	514-870-0688 Ext.	
Generator No: SIC Code: SIC Description:	ONR000306 517110, 517210, 517510 WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS	Status: Co Admin: Choice of Contact:	Julie Labelle CO_OFFICIAL	

SINE: Beil Canada VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE NORTHERN REGION (SEE SCHEDULE "B") ON K1P 6L9

Generator No:	ONR000306	Status:	
SIC Code:	517110, 517210, 517510	Co Admin:	Julie Labelle
SIC Description:	WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510	Choice of Contact:	CO_ADMIN
Approval Years:	2015	Phone No Admin:	514-870-0688 Ext.

PO Box No: Country:	Canada	Contam. Facility: MHSW Facility:	No No	
<u>Detail(s)</u>				
Waste Class: Waste Class Desc:	221 LIGHT FUELS			
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS			
Waste Class: Waste Class Desc:	253 EMULSIFIED OILS			
Waste Class: Waste Class Desc:	150 INERT INORGANIC WASTES			
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES			

Site: Bell Canada

VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE NORTHERN REGION (SEE SCHEDULE "B") ON K1P 6L9

ONR000306 Generator No: Status: SIC Code: 517110, 517210, 517510 Co Admin: Chloé Lamothe-Luneau SIC Description: WIRED TELECOMMUNICATIONS Choice of Contact: CO_ADMIN CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510 Phone No Admin: 514-391-1021 Ext. Approval Years: 2016 PO Box No: Contam. Facility: No Canada MHSW Facility: No Country: Detail(s) Waste Class: 253 EMULSIFIED OILS Waste Class Desc: Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 150 Waste Class Desc: INERT INORGANIC WASTES Waste Class: 251 Waste Class Desc: **OIL SKIMMINGS & SLUDGES** Waste Class: 221 Waste Class Desc: LIGHT FUELS

Site: Bell Canada

VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG. (SEE SCHEDULE "B") ON

Generator No: SIC Code: SIC Description:	ONR000304 517110, 517210, 517510 WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE)	Status: Co Admin: Choice of Contact:
Approval Years: PO Box No: Country:	2013	Phone No Admin: Contam. Facility: MHSW Facility:

<u>Detail(s)</u>

342

Database: GEN

Database: GEN

Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	150
Waste Class Desc:	INERT INORGANIC WASTES
Waste Class:	253
Waste Class Desc:	EMULSIFIED OILS
Waste Class:	221
Waste Class Desc:	LIGHT FUELS

Site: Bell Canada

VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG. (SEE SCHEDULE "B") ON K1P 6L9

Database: GEN

Generator No: SIC Code: SIC Description:	ONR000304 517110, 517210, 517510 WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510	Status: Co Admin: Choice of Contact:	Julie Labelle CO_ADMIN
Approval Years: PO Box No: Country:	2015 Canada	Phone No Admin: Contam. Facility: MHSW Facility:	514-870-0688 Ext. No No
<u>Detail(s)</u>			
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES		
Waste Class: Waste Class Desc:	253 EMULSIFIED OILS		
Waste Class: Waste Class Desc:	252 WASTE OILS & LUBRICANTS		
Waste Class: Waste Class Desc:	221 LIGHT FUELS		
Waste Class: Waste Class Desc:	241 HALOGENATED SOLVENTS		
Waste Class: Waste Class Desc:	150 INERT INORGANIC WASTES		

Site: Bell Canada

VARIOUS BELL CANADA MANHOLES AND ACCESS CHAMBERS WITHIN THE MOE EASTERN REG. (SEE SCHEDULE "B") ON K1P 6L9

Generator No: SIC Code:	ONR000304 517110, 517210, 517510	Status: Co Admin:	Chloé Lamothe-Luneau
SIC Description:	WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510	Choice of Contact:	CO_ADMIN
Approval Years:	2016	Phone No Admin:	514-391-1021 Ext.
PO Box No:		Contam. Facility:	No
Country:	Canada	MHSW Facility:	No
Detail(s)			

<u>Detail(s)</u>

Waste Class:

343

253

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

Database: GEN

Waste Class Desc:	EMULSIFIED OILS
Waste Class:	150
Waste Class Desc:	INERT INORGANIC WASTES
Waste Class:	221
Waste Class Desc:	LIGHT FUELS
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS
Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS
Waste Class:	251
Waste Class Desc:	OIL SKIMMINGS & SLUDGES

<u>Site:</u> OLYMPIA & YORK DEVELOPMENTS LTD. SHELL CENTER OTTAWA ON

Company Code:	O0163D
Industry:	OTHER
Site Status:	POTENTIAL FOR INSPECTION (TR)
Transaction Date:	7/10/1993
Inspection Date:	

<u>Details</u> Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:	OR21844 ASKAREL/ASKAREL TRANSFORMER/FULL 1 IN-USE 3333 L
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:	OR21846 ASKAREL/ASKAREL TRANSFORMER/FULL 1 IN-USE 3333 L
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:	OR21845 ASKAREL/ASKAREL TRANSFORMER/FULL 1 IN-USE 3333 L

<u>Site:</u> OLYMPIA & YORK DEVELOPMENTS LTD. SHELL CENTER Ottawa ON

Company Code: Industry: Site Status: Transaction Date: Inspection Date: O0163D Other In- Use 11/9/1989 Database: NPCB

Database: NPCB

--Details--Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: In-Use Status: Contents:

Askarel/Askarel

OLYMPIA & YORK DEVELOPMENTS LTD. Site: SHELL CENTER OTTAWA ON

Company Code: Industry:	O0163D Other
Site Status:	
Transaction Date:	10/7/1993
Inspection Date:	

Ottawa Dairy Well Site: ON

Database: OOGW

Database:

NPCB

Licence No:	N000085	5	Well Compl:	21017
Well ID:	21285		County:	Ottawa/Carleton
Well Compl ID:	21017		Block:	NULL
W Class ID:	NULL		Lot:	NULL
UWI Code:	N000085	5	Conc:	NULL
Permit Date:	NULL		Surface Lat NAD83:	NULL
Depth(m):	NULL		Surface Long NAD83:	NULL
Well Pool:	NULL		Bottom Lat NAD83:	NULL
Completion Date:	NULL		Bottom Long NAD83:	NULL
Depth Reached:	NULL		Lot Sides (m):	NULL X
Capped Date:	NULL		E/W (m):	NULL X
Class ID:			Latitude Nad27:	
DB Source:			Longitude Nad27:	
Status as of:	January	2021	bottom lat27:	
Start Date:	NULL		bottom long27:	
SPUD Date:	NULL		Lateral:	No
Class:	NULL		Accuracy:	NULL
Grnd Elev:	NULL		Method:	NULL
KB Elev:	NULL		Parent:	NULL
TVD:	NULL		Prod Top:	NULL
PBTD:	NULL		Prod Bot:	NULL
TD Form:	NULL		PROPD Depth:	NULL
Workover D:	NULL		Location Method:	NULL
Operator:	Unknowi	า	Location Accuracy:	Unknown
Township:	NULL		Dt Obtained:	NULL
Well Name:		Ottawa Dairy Well		
Target:		NULL		
Target Desc:				
Well Status Type:		Location		
Status Type Desc:		A LOCATION FOR WHICH NO STATUS INFORMATIO		WELL HAS BEEN DRILLED BUT FOR WHICH
Well Status Mode:		Unknown		
Status Mode Desc:				
Classification:				
Classification Desc:				
Cement Rec:		NULL		
Comments:		NULL		

Site: Claridge Homes (Bruyere) Inc. ON

EBR Registry No:	012-3353	Decision Posted:
Ministry Ref No:	0267-9SKPP8	Exception Posted:

345

Database:

PTTW

Notice Type: Notice Stage:	Instrument\sDecision	Section: Act 1:	
Notice Stage. Notice Date:	February\s03,\s2016	Act 2:	
Proposal Date:	January\s09,\s2015	Site Location Map:	
Year:	2015		
Instrument Type:	(OWRA\ss.\s34)\s-\sPermit\sto\sTake\s/	Nater	
Off Instrument Name:			
Posted By:			
Company Name:	Claridge\sHomes\s(Bruyere)\sInc.		
Site Address:			
Location Other:			
Proponent Name:			
Proponent Address:	210\sGladstone\savenue,\sSuite\s2001,\sOttawa\sOntario,\sCanada\sK2P\s0Y6		
Comment Period:			
URL:			
Site Location Details:			

316-334 Bruyere Street and 317-321 St. Andrew Street Address: 316-334 Bruyere St 316-334 Bruyere Street and 317-321 St. Andrew Street, Ottawa, City District Office: Ottawa GeoReference: Zone: 18, UTM Easting: 446210, UTM Northing: 5031528, , Site #: 0245-9B7NJV CITY OF OTTAWA

<u>Site:</u> Claridge Home ON	es (Leitrim) Inc.		Database: PTTW
EBR Registry No:	011-1598	Decision Posted:	
Ministry Ref No:	2138-8AUM2F	Exception Posted:	
Notice Type:	Instrument\sDecision	Section:	
Notice Stage:		Act 1:	
Notice Date:	December\s02,\s2014	Act 2:	
Proposal Date:	November\s05,\s2010	Site Location Map:	
Year:	2010	-	
Instrument Type:	(OWRA\ss.\s34)\s-\sPermit\sto\sTake	e\sWater	
Off Instrument Name:			
Posted By:			
Company Name:	Claridge\sHomes\s(Leitrim)\sInc.		
Site Address:			
Location Other:			
Proponent Name:			
Proponent Address:	2001\s210\sGladstone\savenue,\sOt	tawa\sOntario,\sCanada\sK2P\s0Y6	
Comment Period:			
URL:			

Site Location Details:

Part of Lot 19 Address: Lot: part of 19, Concession: V, Ottawa, City District Office: Ottawa + + + + Part of Lots 17, 18 and 19 Concession V Address: Lot: Part of 17, 18, 19 & 20, Concession: V, Ottawa, City District Office: Ottawa + + + + Part of Lots 17 and 18, Concession V Address: Lot: Part of Lots 17 and 18, Concession V Address: Lot: Part of Lots 17 and 18, Concession V, Ottawa, City District Office: Ottawa CITY OF OTTAWA

	OMES (CARSON) INC. Address Ottawa ON			Database: RSC
RSC ID: RA No: RSC Type: Curr Property Use: Ministry District: Filing Date: Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No:	223098 Phase 1 and 2 RSC Agricultural/Other Ottawa District Office 2017/03/24 061460021514215	Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	Residential ADRIAN MENYHART	
346 erisinfo.	com Environmental Risk Information	Services	Order No	: 2204280047

Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Latitude:	04352-2075 (LT), 04352-2076 (LT), 04352-2077 (LT) No Municipal Address	
UTM Coordinates: Consultant: Legal Desc: Measurement Method: Applicable Standards: RSC PDF:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=76631&fileName=BROWNFIELDS-E.pdf	
Document(s) Detail		
Document Heading:	Supporting Documents	
Document Name:	Plan of Survey - January 2017.pdf	
Document Type:	A Current plan of Survey	
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=76633&fileName=Plan+of+Survey+-+January+2017.pdf	
Document Heading:	Supporting Documents	
Document Name:	Transfer.pdf	
Document Type:	Copy of any deed(s), transfer(s) or other document(s)	
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=78674&fileName=Transfer.pdf	
Document Heading:	Supporting Documents	
Document Name:	Table of Current and Past Uses.pdf	
Document Type:	Table of Current and Past Property Use	
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=76636&fileName=Table+of+Current+and+Past+Uses.pdf	
Document Heading:	Supporting Documents	
Document Name:	certificatestatus.pdf	
Document Type:	Certificate of Status	
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=76632&fileName=certificatestatus.pdf	
Document Heading:	Supporting Documents	
Document Name:	Phase II CSM Feb 2017.pdf	
Document Type: Document Link:	Phase 2 Conceptual Site Model https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?	
Document Link.	attachmentId=76638&fileName=Phase+II+CSM+Feb+2017.pdf	
Document Heading:	Supporting Documents	
Document Name:	APECTable.pdf	
Document Type: Document Link:	Area(s) of Potential Environmental Concern https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?	
Document Link.	attachmentId=78676&fileName=APECTable.pdf	
Document Heading:	Supporting Documents	
Document Name:	LawyersLetter.pdf	
Document Type: Document Link:	Lawyer's letter consisting of a legal description of the property https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?	
Doodment Link.	attachmentId=78675&fileName=LawyersLetter.pdf	
Sito		Database:
<u>Site:</u> Kent Street near Bank	Street Ottawa ON	SPL

Kent Street near	Bank Street	Ottawa ON

Ref No: Site No:	5751-ABLQJZ NA	Discharger Report: Material Group:	
Incident Dt:	2016/07/06	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:		Sector Type:	Miscellaneous Communal
Incident Event:	Operator/Human error	Agency Involved:	
Contaminant Code:	99	Nearest Watercourse:	
Contaminant Name:	SAND/GRAVEL	Site Address:	Kent Street near Bank Street

347

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

Contam Contam Environ Nature c Receivir Receivir MOE Re Dt MOE MOE Re Dt Docu Incident Site Nam	esponse: Arvl on Scn: eported Dt: iment Closed: t Reason: me:	Surface Water No 2016/07/06 Maintenance CB in Roadway <unofficial></unofficial>	Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	Ottawa 5029483 445423 Land Spills	
	unty/District:				
	o Ref Meth: t Summary:	Ottawa: 45 kgs Aggregate to CB. Cn	td clad		
	inant Qty:	45 kg			
<u>Site:</u>	Bell Canada Ottawa ON				Database: SPL
Ref No:		8881-9J2J33	Discharger Report:		
Site No:		NA	Material Group:		
Incident		2014/04/10	Health/Env Conseq:		
Year:			Client Type:		
	t Cause:	Leak/Break	Sector Type:	Pipeline/Components	
Incident			Agency Involved:		
	inant Code:	38 EDEON D 22 (CEC)	Nearest Watercourse:		
	inant Name:	FREON R-22 (CFC)	Site Address: Site District Office:		
	inant Limit 1: Limit Freq 1:		Site Postal Code:		
	inant UN No 1:		Site Region:		
	ment Impact:	Confirmed	Site Municipality:	Ottawa	
Nature c	of Impact:	Air Pollution	Site Lot:		
	ng Medium:		Site Conc:		
Receivir			Northing:		
	esponse:	Referral to others	Easting:		
	Arvl on Scn: ported Dt:	2014/04/10	Site Geo Ref Accu: Site Map Datum:		
	iment Closed:	2014/11/04	SAC Action Class:	Air Spills - Gases and Vapours	
	t Reason:	Equipment Failure	Source Type:		
Site Nan	ne:	3212 Richmond Rd <unofficial></unofficial>			
	unty/District:				
	o Ref Meth:	Bell Canada: possible >100 kg freon	to otm		
	t Summary: inant Qty:	0 other - see incident description	to atm.		
<u>Site:</u>	OLRT Construc				Database:
	Road allowance Ottawa ON	e between Broken Front Concessions C and I	יווי ניסחז סז גסע geograpi	nic township of Nepean	OF L
Ref No:		2862-9XEKED	Discharger Report: Material Group:		

Ref NO:	2002-9AERED	Discharger Report:	
Site No:	0706-92ET4A	Material Group:	
Incident Dt:	6/12/2015	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Leak/Break	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	HYDRAULIC OIL	Site Address:	Road allowance between Broken Front Concessions C and D in front of Lot D geographic township of Nepean
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	NA
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	Ottawa
Nature of Impact:	Land	Site Lot:	
Receiving Medium:		Site Conc:	

348

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

Receiving Env: MOE Response:NDt MOE Arvl on Scn: MOE Reported Dt:6/12/2015Dt Document Closed: Incident Reason:6/12/2015Site Name: Site County/District:Equipment FailureSite Geo Ref Meth: Incident Summary: Contaminant Qty:1-10 metres eg. Good Quality GPS	Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	5030149 446343 GIS Software NAD83 Land Spills	
---	---	---	--

<u>Site:</u> SHELL CANADA PRODUCTS LTD. TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No: Site No: Incident Dt:	8471 8/22/1988	Discharger Report: Material Group: Health/Env Conseq:
Year:		Client Type:
Incident Cause:	ABOVE-GROUND TANK LEAK	Sector Type:
Incident Event:		Agency Involved:
Contaminant Code:		Nearest Watercourse:
Contaminant Name:		Site Address:
Contaminant Limit 1:		Site District Office:
Contam Limit Freq 1:		Site Postal Code:
Contaminant UN No 1:		Site Region:
Environment Impact:		Site Municipality: 20101
Nature of Impact:		Site Lot:
Receiving Medium:	LAND	Site Conc:
Receiving Env:		Northing:
MOE Response:		Easting:
Dt MOE Arvl on Scn:		Site Geo Ref Accu:
MOE Reported Dt:	8/22/1988	Site Map Datum:
Dt Document Closed:		SAC Action Class:
Incident Reason:	ERROR	Source Type:
Site Name:		
Site County/District:		
Site Geo Ref Meth:		

UPLANDS AIRPORT - 50 L OF JET FUEL TO PAVEMENT FROM TANK TRUCK.

<u>Site:</u> SHELL CANADA PRODUCTS LTD. TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No: Site No:	16382	Discharger Report: Material Group:
Incident Dt: Year:	3/27/1989	Health/Env Conseq: Client Type:
Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1:	VALVE/FITTING LEAK OR FAILURE	Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office:
Contam Limit Freq 1: Contaminant UN No 1:		Site Postal Code: Site Region:
Environment Impact: Nature of Impact:		Site Municipality: 20101 Site Lot:
Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn:	LAND	Site Conc: Northing: Easting: Site Geo Ref Accu:
MOE Reported Dt: Dt Document Closed:	3/27/1989	Site Map Datum: SAC Action Class:
Incident Reason: Site Name: Site County/District: Site Geo Ref Meth:	EQUIPMENT FAILURE	Source Type:

Incident Summary:

Contaminant Qty:

Databasa

Database: SPL

Database: <mark>SPL</mark> Incident Summary:

Contaminant Qty:

Site: SHELL CANADA PRODUCTS LTD. TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No:	21872	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	7/11/1989	Health/Env Conseg:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/11/1989	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	EQUIPMENT FAILURE	Source Type:	
Site Name:		222.30 1900	
Site County/District:			
Site Geo Ref Meth:			

SHELL REFUELING VEHICLE- 70 L AVIATION FUEL TO GROUND.

SHELL CANADA PRODUCTS LTD. Site: OTTAWA AIRPORT TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No:	22518	Discharger Report:	
Site No:		Material Group:	
ncident Dt:	7/23/1989	Health/Env Conseq:	
Year:		Client Type:	
ncident Cause:	CONTAINER OVERFLOW	Sector Type:	
ncident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:		Site Municipality: 20	0101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	7/23/1989	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
ncident Reason:	EQUIPMENT FAILURE	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
ncident Summary:	SHELL- 75-100 LTR OF JET A-	1 FUEL TO PAD AT OTTAWAAIRPO	RT
Contaminant Qty:			

SHELL CANADA PRODUCTS LTD. Site: TANK TRUCK (CARGO) OTTAWA CITY ON

Database:

SPL

Ref No:

23253

Discharger Report:

Order No: 22042800477

Database:

SPL

Database:

SPL

Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: **Dt Document Closed:** Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

 \parallel VALVE/FITTING LEAK OR FAILURE LAND

8/7/1989

EQUIPMENT FAILURE

Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20101 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:

SHELL- 4.5 LTR SPILL OF JET FUEL AT UPLANDS AIRPORT

Site: SHELL CANADA PRODUCTS LTD. TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No: 26231 Discharger Report: Site No: Material Group: Health/Env Conseq: Incident Dt: 10/5/1989 Client Type: Year: VALVE/FITTING LEAK OR FAILURE Sector Type: Incident Cause: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Environment Impact: NOT ANTICIPATED Site Municipality: 20101 Nature of Impact: Site Lot: Receiving Medium: Site Conc: LAND Receiving Env: Northing: Easting: DEPT OF TRANSPORT MOE Response: Dt MOE Arvl on Scn: Site Geo Ref Accu: 10/5/1989 MOE Reported Dt: Site Map Datum: SAC Action Class: **Dt Document Closed:** EQUIPMENT FAILURE Incident Reason: Source Type: Site Name: Site County/District: Site Geo Ref Meth: Incident Summarv: SHELL CANADA - 120L JET FUEL TO TERMINAL RAMP

SHELL CANADA PRODUCTS LTD. Site: TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No: 30521 **Discharger Report:** Material Group: Site No: Incident Dt: 2/2/1990 Health/Env Conseq: Year: Client Type: Incident Cause: VALVE/FITTING LEAK OR FAILURE Sector Type: Agency Involved: Incident Event: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code:

351

Contaminant Qty:

Database: SPL

Database: SPL

Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	LAND / AIR 2/2/1990 ERROR SHELL TANK TRUCK	Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: K-50 L AVIATION FUEL TO ASPHALT	20101
--	---	---	-------

<u>Site:</u> QUEENSWAY TANK LINES CANADIAN TIRE GAS BAR BANK STREET TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No: Site No:	41622	Discharger Report: Material Group:	
Incident Dt:	10/2/1990	Health/Env Conseq:	
Year: Incident Cause:	CONTAINER OVERFLOW	Client Type: Sector Type:	
Incident Event:	CONTAINER OVER LOW	Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	00404
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	MCCR
MOE Response: Dt MOE Arvl on Scn:		Easting: Site Geo Ref Accu:	NICCK
MOE Reported Dt:	10/2/1990	Site Map Datum:	
Dt Document Closed:	10/2/1000	SAC Action Class:	
Incident Reason:	ERROR	Source Type:	
Site Name:			
Site County/District: Site Geo Ref Meth:			
ene eee nor moun			

QUEENSWAY TANK LINES: 4 LGASOLINE SPILLED AT GAS BAR

Site:	LOBLAWS
	OTTAWA CITY ON

Incident Summary:

Contaminant Qty:

Ref No: Site No: Incident Dt:	49925 5/1/1991	Discharger Report: Material Group: Health/Env Conseq:	
Year: Incident Cause: Incident Event: Contaminant Code:	PIPE/HOSE LEAK	Client Type: Sector Type: Agency Involved: Nearest Watercourse:	
Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:		Site Address: Site District Office: Site Postal Code:	
Contaminant UN No 1: Environment Impact: Nature of Impact:	POSSIBLE Water course or lake	Site Region: Site Municipality: Site Lot:	20101
Receiving Medium: Receiving Env: MOE Response:	LAND	<i>Site Conc: Northing: Easting:</i>	
<i>Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed:</i>	5/1/1991	Site Geo Ref Accu: Site Map Datum: SAC Action Class:	

352

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

Database: SPL

Database:

SPL

Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

LOBLAWS - HYDRAULIC OIL TO GROUND AND CATCHBASIN FROM BROKEN HOSE

<u></u>	DA PRODUCTS LTD. TION OTTAWA CITY ON		Database: SPL
Ref No: Site No:	60160	Discharger Report:	
Incident Dt: Year:	11/24/1991	Material Group: Health/Env Conseq: Client Type:	
Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:	OTHER CONTAINER LEAK	Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:	
Environment Impact: Nature of Impact: Receiving Medium:	NOT ANTICIPATED	Site Municipality: Site Lot: Site Conc:	20101
Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt:	11/25/1991	Northing: Easting: Site Geo Ref Accu: Site Map Datum:	SHELL, FIRE DEPT. TRIANGLE PUMP
Dt Document Closed: Incident Reason:	CORROSION	SAC Action Class: Source Type:	
Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:		25 L. OF GASOLINE TO GROUNE	D FROM LEAKY CAR
Contaminant Qty:	SHELL SERVICE STATION - 2 DA PRODUCTS LTD.	25 L. OF GASOLINE TO GROUNE	D FROM LEAKY CAR

TANK TRUCK (CARGO) OTTAWA CITY ON				SPL
Ref No:	81836	Discharger Report:		
Site No:		Material Group:		
Incident Dt:	2/14/1993	Health/Env Conseq:		
Year:		Client Type:		
Incident Cause:	PIPE/HOSE LEAK	Sector Type:		
Incident Event:		Agency Involved:		
Contaminant Code:		Nearest Watercourse:		
Contaminant Name:		Site Address:		
Contaminant Limit 1:		Site District Office:		
Contam Limit Freq 1:		Site Postal Code:		
Contaminant UN No 1:		Site Region:		
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20101	
Nature of Impact:		Site Lot:		
Receiving Medium:	LAND	Site Conc:		
Receiving Env:		Northing:		
MOE Response:		Easting:		
Dt MOE Arvl on Scn:		Site Geo Ref Accu:		
MOE Reported Dt:	2/14/1993	Site Map Datum:		
Dt Document Closed:		SAC Action Class:		
Incident Reason:	ERROR	Source Type:		
Site Name:				
Site County/District:				
Site Geo Ref Meth:				
Incident Summary:	SHELL-25L OF JET A-1 FUELT	TO GROUND DURING FUELLING	GCONTAINED, CLEANED UP.	
Contaminant Qty:				
2				

353

SHELL CANADA PRODUCTS LTD. Site: TANK TRUCK (CARGO) OTTAWA CITY ON

	. ,	
Ref No:	81843	Discharger Report:
Site No:		Material Group:
Incident Dt:	2/14/1993	Health/Env Conseq:
Year:		Client Type:
Incident Cause:	VALVE/FITTING LEAK OR FAILURE	Sector Type:
Incident Event:		Agency Involved:
Contaminant Code:		Nearest Watercourse:
Contaminant Name:		Site Address:
Contaminant Limit 1:		Site District Office:
Contam Limit Freq 1:		Site Postal Code:
Contaminant UN No 1	:	Site Region:
Environment Impact:	NOT ANTICIPATED	Site Municipality: 20101
Nature of Impact:		Site Lot:
Receiving Medium:	LAND	Site Conc:
Receiving Env:		Northing:
MOE Response:		Easting:
Dt MOE Arvl on Scn:		Site Geo Ref Accu:
MOE Reported Dt:	2/14/1993	Site Map Datum:
Dt Document Closed:		SAC Action Class:
Incident Reason:	UNKNOWN	Source Type:
Site Name:		
Site County/District:		
Site Geo Ref Meth:		
Incident Summary:	SHELL CANADA - 20 L OF AV	IATION FUEL TO RAMP DUE TO TRUCK LEAK
Contaminant Qty:		

SHELL CANADA PRODUCTS LTD. Site: TANK TRUCK (CARGO) OTTAWA CITY ON

Ref No: Site No:	84404	Discharger Report: Material Group:
Incident Dt: Year:	4/21/1993	Health/Env Conseq: Client Type:
Incident Cause: Incident Event: Contaminant Code:	VALVE/FITTING LEAK OR FAILURE	Sector Type: Agency Involved: Nearest Watercourse:
Contaminant Name: Contaminant Limit 1:		Site Address: Site District Office:
Contam Limit Freq 1: Contaminant UN No 1:		Site Postal Code: Site Region:
Environment Impact: Nature of Impact:	NOT ANTICIPATED	Site Municipality: Site Lot:
Receiving Medium: Receiving Env: MOE Response:	LAND	Site Conc: Northing: Easting:
Dt MOE Arvl on Scn: MOE Reported Dt:	4/22/1993	Site Geo Ref Accu: Site Map Datum:
Dt Document Closed: Incident Reason:	ERROR	SAC Action Class: Source Type:
Site Name: Site County/District: Site Geo Ref Meth:		

SHELL CANADA - 40 L OF AVIATION FUEL AT GATE A DUE TO TRUCK LEAK

20101

Site: TRANSPORT TRUCK BANK ST. BRIDGE MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Ref No: Site No:	88427	Discharger Report: Material Group:
Incident Dt:	7/13/1993	Health/Env Conseq:
Year: Incident Cause:	PIPE/HOSE LEAK	Client Type: Sector Type:
Incident Event:		Agency Involved:

Database: SPL

354

Incident Summary:

Contaminant Qty:

erisinfo.com | Environmental Risk Information Services

Order No: 22042800477

Database: SPL

Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

POSSIBLE Soil contamination LAND

7/13/1993

CORROSION

Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 20101 Site Lot: Site Conc: Northing: Easting: FIRE DEPT Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:

HYDRAULIC OIL LEAK FROM UNIDENTIFIED TRANSPORT TRUCK TO BANK ST. BRIDGE

Site: PIONEER PETROLEUMS LTD. BANK STREET SOUTH PIONEER GAS STATION. SERVICE STATION OTTAWA CITY ON

Database: SPL

ESSO PETROLEUM CANADA Site: BANK STREET SERVICE STATION OTTAWA CITY ON

Ref No:	147934	Discharger Report:
Site No:		Material Group:
Incident Dt:	10/16/1997	Health/Env Conseq:
Year:		Client Type:
Incident Cause:	PIPE/HOSE LEAK	Sector Type:
Incident Event:		Agency Involved:
Contaminant Code:		Nearest Watercourse:
Contaminant Name:		Site Address:
Contaminant Limit 1:		Site District Office:
Contam Limit Freq 1:		Site Postal Code:
Contaminant UN No 1:		Site Region:
Environment Impact:	NOT ANTICIPATED	Site Municipality: 20101
Nature of Impact:		Site Lot:
Receiving Medium:	LAND	Site Conc:
Receiving Env:		Northing:

355

Database:

SPL

MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt:
Dt Document Closed:
Incident Reason:
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary:
Contaminant Qty:

10/16/1997

DAMAGE BY MOVING EQUIPMENT

Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:

ESSO SERVICE STATION: 40 L GASOLINE TO GROUND

<u>Site:</u> OTTAWA-CARLETON, R.M. OF KENT ST REGULATOR TO OTTAWA RIVER ON N.R.C. PROPERTY SANITARY SEWER SYSTEM OTTAWA CITY ON Database: SPL

Database:

SPL

Ref No:	153191	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	3/9/1998	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freg 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20101
Nature of Impact:	Soil contamination	Site Lot:	20101
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	3/10/1998		
Dt Document Closed:	3/10/1998	Site Map Datum: SAC Action Class:	
Incident Reason:	STORM/FLOOD/WIND		
Site Name:	STORIVI/FLOOD/WIND	Source Type:	
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	OTTAWA CARLETON R.M	I LEAK OF RAW UNCHLORINATED	SEWAGE, PIPE CRACKED.

<u>Site:</u> OC TRANSPO BANK ST. SOUTH MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Ref No:	223917	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	4/11/2002	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	PIPE/HOSE LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Code.		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20107
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/11/2002	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	SPILL OF DIESEL FUEL TO GRND,		
incluent Sullillary.	STILL OF DIEGELFUEL TO GRID,		

356

Contaminant Qty:

Contaminant Qty:

<u>Site:</u> Shell Canada Products Limited Shell Canada Ottawa ON

Ref No:	6267-5M2K7H	Discharger Report:	
Site No:		Material Group:	Oil
Incident Dt:	4/28/2003	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:		Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:	12	Nearest Watercourse:	
Contaminant Name:	GASOLINE	Site Address:	
Contaminant Limit 1:		Site District Office:	Ottawa
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Eastern
Environment Impact:	Possible	Site Municipality:	Ottawa
Nature of Impact:	Other Impact(s)	Site Lot:	
Receiving Medium:	Land	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/28/2003	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Spills
Incident Reason:		Source Type:	
Site Name:	LOADING RACK 1 <unofficial></unofficial>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Shell - 1L gasoline		
Contaminant Qty:	1 L		

Loblaw Properties Limited Loblaws Ottawa ON <u>Site:</u>

<u>Site:</u> Loblaw Properties Limited Do Loblaws Ottawa ON				Database: SPL
Ref No: Site No: Incident Dt: Year:	2287-7FNKE6	Discharger Report: Material Group: Health/Env Conseq: Client Type:		
Incident Cause: Incident Event: Contaminant Code: Contaminant Name:	Discharge or Emission to Air 38 FREON R-22 (CFC)	Sector Type: Agency Involved: Nearest Watercourse: Site Address:	Other	
Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:		Site District Office: Site Postal Code: Site Region:	Ottawa	
Environment Impact: Nature of Impact: Receiving Medium:	Not Anticipated Air Pollution	Site Municipality: Site Lot: Site Conc:	Ottawa	
Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt:	No Field Response 6/16/2008	Northing: Easting: Site Geo Ref Accu: Site Map Datum:	NA NA	
Dt Document Closed: Incident Reason:	9/8/2008 Equipment Failure - Malfunction of system components	SAC Action Class: Source Type:	Air Spills - Gases and Vapours	
Site Name: Site County/District: Site Geo Ref Meth:	Loblaws	4		
Incident Summary: Contaminant Qty:	Loblaws, 625 lb of R22 released to a 625 lb	limosphere.		

<u>Site:</u>	City of Ottawa between O'Connor St & Bank St	Ottawa ON	Database: SPL
Ref No:	8730-97QGQG	Discharger Report:	
357	erisinfo.com Environmen	tal Risk Information Services	Order No: 22042800477

Database: SPL

357

Site No: Incident Dt: Year:	15-MAY-13	Material Group: Health/Env Conseq: Client Type:	
Incident Cause: Incident Event:	Leak/Break	Sector Type: Agency Involved:	Motor Vehicle
Contaminant Code: Contaminant Name: Contaminant Limit 1:	27 COOLANT N.O.S.	Nearest Watercourse: Site Address: Site District Office:	between O'Connor St & Bank St
Contam Limit Freq 1: Contaminant UN No 1:		Site Postal Code: Site Region:	
Environment Impact: Nature of Impact: Receiving Medium:	Not Anticipated Surface Water Pollution	Site Municipality: Site Lot: Site Conc:	Ottawa
Receiving Env: MOE Response:	No Field Response	Northing: Easting:	
Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed:	15-MAY-13	Site Geo Ref Accu: Site Map Datum: SAC Action Class:	Watercourse Spills
Incident Reason: Site Name:	Equipment Failure Albert Street <unofficial></unofficial>	Source Type:	
Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	OC Transpo Bus, 20 L coolant to c/b 20 L		

Site: Waste Management of Canada Corporation Ottawa ON K0A 1L0

Approval No:	A461002
Mob Unit Cert No:	
EBR Registry No:	
Status:	Revoked
Facility Type:	
Record Type:	ECA
Link Source:	IDS
Project Type:	WASTE D
Application Status:	
Issue Date:	2010-08-0
Input Date:	
Date Received:	
Est Closure Date:	
Mobile Capacity:	
Mobile Units:	
Mobile Description:	
Prop City:	
Prop Postal:	
Prop Phone:	
Serial Link:	
Approval Type:	
Proponent:	
Prop Address:	
Proponent County/Distri	ct:
Full Address:	
Site Lot:	
Waste Class Code:	
Waste Class:	
Waste Type:	
Waste Type Other:	
Waste Description:	
Landfill Monitoring:	
Landfill Ctrl Type:	
Site Closing Description	:
Project Description:	
Municipalities Served:	
Approval Description:	
Other Approvals/Permits	:
PDF URL:	
PDF Site Location:	

oked and/or Replaced TE DISPOSAL SITES

-08-09

Total Area (ha): Landfill Cap (m³): Transfer Area (ha): Transfer Cap (m³): Transfer Cert No: Inciner. Area (ha): Inciner. Cap (t): Process Area (m³): Process Cap (m³/d): Process Vol (m³): Process Feed (m³): Site Concession: Site Region/County: SWP Area Name: MOE District: District Office: Latitude: Longitude: Geometry X: Geometry Y:

Mississippi Valley Ottawa

https://www.accessenvironment.ene.gov.on.ca/instruments/8579-86NJFE-14.pdf

358

ECA-WASTE DISPOSAL SITES

Database:

WDS

Order No: 22042800477

erisinfo.com | Environmental Risk Information Services

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory: AAGR The MAAP Program maintains a database of abandoned pits and guarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Provincial AGR The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Provincial Abandoned Mine Information System: AMIS The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Private Automobile Wrecking & Supplies: AUWR This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole: BORE A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

360

Government Publication Date: Sept 2002* Aggregate Inventory:

Government Publication Date: Up to Nov 2021

Private Anderson's Waste Disposal Sites: ANDR

from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water Government Publication Date: May 31, 2014

Provincial

Provincial

Provincial

AST

Certificates of Approval:

Dry Cleaning Facilities:

Commercial Fuel Oil Tanks:

listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information. Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or

3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the

or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA).

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Government Publication Date: 1985-Oct 30, 2011*

Government Publication Date: Jan 2004-Dec 2019

distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.). Government Publication Date: 1999-Jan 31, 2020

Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of

Chemical Register: This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations:

Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2021

Inventory of Coal Gasification Plants and Coal Tar Sites: This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing

Government Publication Date: Apr 1987 and Nov 1988*

have been found guilty of environmental offenses in Ontario courts of law.

Please refer to those individual databases for any information after Oct.31, 2011.

tetrachloroethylene to the environment from dry cleaning facilities.

Compliance and Convictions:

Government Publication Date: 1989-Jan 2022

Certificates of Property Use:

361

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) -Certificate of Property Use.

Government Publication Date: 1994 - Mar 31, 2022

Provincial

Federal

Provincial

CHM

Private

Private

Private

COAL

Provincial



CA

CDRY

CFOT

CHEM

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this

CNG

CONV

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at

Provincial

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here

CPU



erisinfo.com | Environmental Risk Information Services

362

ERIS Historical Searches:

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple

Provincial **FCA**

Government Publication Date: 1994 - Mar 31, 2022 Environmental Compliance Approval:

Government Publication Date: Oct 2011- Mar 31, 2022

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This

EHS ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2021

Government Publication Date: 1992-2007*

Environmental Issues Inventory System:

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan Government Publication Date: 1992-2001*

Environmental Registry:

regulatory agency under Access to Public Information. Government Publication Date: Feb 28, 2022

operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose Government Publication Date: Oct 2011- Mar 31, 2022

Provincial

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work". Government Publication Date: 1886 - Sep 2020

Provincial **Delisted Fuel Tanks:** DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted

Environmental Activity and Sector Registry: EASR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Environmental Effects Monitoring: EEM database provides information on the mill name, geographical location and sub-lethal toxicity data.

FIIS was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Federal

Provincial

Private

Provincial

DRI

FBR

Federal

Emergency Management Historical Event:

of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017. Government Publication Date: Dec 31, 2016

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many

Environmental Penalty Annual Report:

These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations. Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of Expired Fuels Safety Facilities:

outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions:

FCON Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty. Government Publication Date: 1988-Jun 2007*

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel

Federal Contaminated Sites on Federal Land: FCS The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2021

Fisheries & Oceans Fuel Tanks:

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and

Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

363

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

FMHF

EPAR This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change.

EXP

Provincial

Federal

Federal

Provincial

FST

FOFT

FRST



Provincial

Federal

Order No: 22042800477

Fuel Storage Tank - Historic:

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2021

Government Publication Date: 2013-Dec 2019

Greenhouse Gas Emissions from Large Facilities:

TSSA Historic Incidents:

dioxide equivalents (kt CO2 eq).

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here. Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks: IAFT The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

364

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database. Government Publication Date: 1998-2009*

Provincial

Provincial

FSTH

GEN

GHG

Federal List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon

Provincial

HINC

Federal

Provincial

Provincial

Private

MINE

INC

LIMO

Mineral Occurrences:

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released. Government Publication Date: 1974-1994*

Non-Compliance Reports: NCPL The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database. Government Publication Date: Up to May 2001*

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on

National Defense & Canadian Forces Spills:

under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered. Government Publication Date: Mar 1999-Apr 2018

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status. Government Publication Date: 2001-Apr 2007*

(NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal

National Energy Board Pipeline Incidents:

Government Publication Date: 2008-Jun 30, 2021

jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

National Defence & Canadian Forces Waste Disposal Sites:

National Energy Board Wells:

365

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of

Provincial

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified

Federal

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board

Provincial

MNR

NATE

Federal

Federal

Federal

NDSP

NDFT

NDWD

NFBI

NEBP

Federal

Federal

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. Government Publication Date: 1993-May 2017

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All

Government Publication Date: 1988-Feb 28, 2022

Ontario Oil and Gas Wells:

Oil and Gas Wells:

geology/stratigraphy table information, plus all water table information is also provide for each well record. Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites: OPCB The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures. Government Publication Date: 1994 - Feb 28, 2022

Canadian Pulp and Paper: PAP This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator. Government Publication Date: 1920-Jan 2005

erisinfo.com | Environmental Risk Information Services

NPRI

NPCB

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells

Provincial

Provincial

Private

Federal

NFFS

Federal

Federal

Private

Provincial

Federal

OGWF

OOGW

ORD

PCFT

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for

367

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Mar 31, 2022

Pipeline Incidents:

Permit to Take Water:

Pesticide Register:

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2021

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Private and Retail Fuel Storage Tanks:

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water. Government Publication Date: 1994 - Mar 31, 2022

Ontario Regulation 347 Waste Receivers Summary: Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data. Government Publication Date: 1986-1990, 1992-2019

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2022

Retail Fuel Storage Tanks:

Record of Site Condition:

or propane storage tanks. Government Publication Date: 1999-Sep 30, 2021

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products

Scott's Manufacturing Directory:

are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills: SPL List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Provincial

Provincial

Provincial

Provincial

Provincial

Private This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and /

Private

Provincial

Provincial

PES

PINC

PRT

PTTW

RSC

RST

SCT

REC

Order No: 22042800477

368

erisinfo.com | Environmental Risk Information Services

ERIS's Private Source Database section, by the CA number. Government Publication Date: Up to Oct 1990*

WWIS

Water Well Information System:

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table. Government Publication Date: Sep 30, 2021

Wastewater Discharger Registration Database:

Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2019

Anderson's Storage Tanks: TANK The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type. Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Provincial Waste Disposal Sites - MOE CA Inventory: WDS The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will

still be found in this database. Government Publication Date: Oct 2011- Mar 31, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under

Provincial

Provincial

SRDS Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the

TCFT

VAR

WDSH

Private

Provincial

Federal

Provincial

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'


<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.


Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Appendix E: Aerial Photographs












223 BANK STREET, OTTAWA, ON

FIG F-4

RAWN BY

AS



1991 AERIAL PHOTOGRAPH

223 BANK STREET, OTTAWA, ON

1:3,000

FIG F-5

СН

AS


RAWN BY

MM

TITLE:



223 BANK STREET, OTTAWA, ON





2015 AERIAL PHOTOGRAPH

223 BANK STREET, OTTAWA, ON

1:3,000

FIG F-8


СН

AS

RAWN BY

MM

TITLE:



223 BANK STREET, OTTAWA, ON

FIG F-9

Filename: E:\OTT\OTT-22010865-A0\60 Execution\65 Drawings\22010865-A0_Appendix.dwg Last Saved: May 17, 2022 10:03 AM Last Plotted: May 17, 2022 10:03 AM Plotted by: Sever

AS

Smart Living Properties Phase One Environmental Site Assessment 223-231 Bank Street, Ottawa, Ontario OTT-22020865-A0 July 13, 2022

Appendix F: Site Photographs



Smart Living Properties Phase I Environmental Site Assessment 231 Bank Street, Ottawa, Ontario OTT-22010865-A0 May 16, 2022



Photograph No. 1

View of the Site looking northeast.



Photograph No. 2 View of the site building, looking northwest.

Smart Living Properties Phase I Environmental Site Assessment 231 Bank Street, Ottawa, Ontario OTT-22010865-A0 May 16, 2022



Photograph No. 3 View of the adjacent property to the south.



Photograph No. 4


View of the adjacent properties to the west and Bank Street looking southwards.

Smart Living Properties Phase I Environmental Site Assessment 231 Bank Street, Ottawa, Ontario OTT-22010865-A0 May 16, 2022




Photograph No. 5

Natural gas metres and exhaust on south side of the building.



Photograph No. 6 Possible coal chute on south side of building.

Smart Living Properties Phase I Environmental Site Assessment 231 Bank Street, Ottawa, Ontario OTT-22010865-A0 May 16, 2022



Photograph No. 7

General view of main floor construction.



Photograph No. 8 General view of main floor construction.

Smart Living Properties Phase I Environmental Site Assessment 231 Bank Street, Ottawa, Ontario OTT-22010865-A0 May 16, 2022



Photograph No. 9 Example of a natural gas fired boiler in the basement.



Photograph No. 10 View of the air cooled transformers in the basement.