


Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawings - any errors or omissions shall be reported to Stantec without delay.  
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend



Notes

- SERVICE CONNECTION TO EXISTING WATERMAIN TO BE COMPLETE BY CITY FORCES. EXCAVATION, BACKFILL AND RE-INSTATEMENT BY CONTRACTOR.
- SITE PLAN PREPARED BY OPEN PLAN ARCHITECT, DATED NOV 1, 2022.
- SITE BENCHMARK: FIRE HYDRANT TOP OF SPINDLE ELEVATION ON THE CORNER OF ROCKHURST ROAD AND SCOTT STREET.
- WATERMAIN AND SEWER ELEVATIONS ON SCOTT STREET RETRIEVED FROM ASBULL'S INFORMATION TITLED "SCOTT STREET SEWER AND WATERMAIN REHABILITATION" BY PARSONS COOPERATION DATED MAY 01, 2022. CITY CONTRACT NO. CP-000362, DWG NO. 015, SHEET 15. CONTRACTOR TO CONFIRM WATERMAIN AND SEWER ELEVATIONS PRIOR TO CONSTRUCTION.

NO.	ISSUED FOR REVIEW	JP	AG	22.11.22
1	ISSUED FOR REVIEW	JP	AG	22.11.22

Revision

File Name:	160401438-08	JP	AG	JP	22.08.05
		Dwn.	Chkd.	Dgn.	YY.MM.DD


Permit-Seal

Client/Project  
2851944 Ontario Inc.  
14 Breadner Blvd.  
4 STOREY APARTMENT  
1806 SCOTT STREET  
OTTAWA, ONTARIO

Title  
SITE SERVICING PLAN

Project No.	Scale	
160401747	1:100	
Drawing No.	Sheet	Revision

SSP-1 2 of 6 1



CROSSING	STM INV.	STM OBV.	SAN INV.	SAN OBV.	WTR TOP	WTR BTM	NOTES
1	60.52	60.72		60.21	60.21	60.01	INSULATE BETWEEN WATERMAIN AND SEWER AS PER W22
2			60.52	60.67	60.22	60.02	INSULATE BETWEEN WATERMAIN AND SEWER AS PER W22
3	60.49	60.69	59.54	59.74			

DRAIN TYPE	TRIBUTARY AREA ID	# OF DRAINS	100YR Head [m]	100YR RELEASE RATE [L/s]	100YR PONDING VOLUME [m³]
WATTS ACCUFLOW (25% OPEN)	ROOF-1	2	0.14	1.83	8.59