

LEGEND

D1 DETAIL SHEET # NOVATECH OR CITY
EG. L1, L2, ETC. FOR CODE

PROPERTY LIMIT
TREE PROTECTION FENCE

PROPOSED CONCRETE

PROPOSED PAVERS

RIVER STONE

SOD

PERENNIALS

PROPOSED DECIDUOUS TREE

PROPOSED SHRUBS

EXISTING TREE TO REMAIN

PROPOSED CONIFEROUS TREE

EXISTING TREE TO REMOVE

BENCH

SPECIES
(SEE PLANT LIST)

##
OHANTITY

PRODUCT INFORMATION

Install products as per manufacturer specifications. Shop drawings

PAVERS

Edge of pavers to receive edge restraint.

• Industria Granitex by Techo-Bloc
Size: As shown
Pattern: As shown

Colour: Greyed Nickel, Onyx Black, and Shale Grey.
SITE FURNITURE

Fasten all site furnishing to surface with stainless steel anti-vandal anchors.

• 2300 Series - Iconic Bench by Maglin
Product Number: MBE-2300-00026

Product Number: MBE-2300-00026
Size: 70" Length
Frame colour: Gunmetal (Matte)
Slats: lpe

Options: Backless, Armless, Skate Deterrent 1-Side
2300 Series Iconic Bike Rack by Maglin Product Number: MBR-2300-00001 Finish: Gunmetal (Matte)

Bollard TBD.

 Commercial Wood Planter by DeepStream Designs 72" x 24" x 21.5":

72" x 24" x 21.5":

Product Number: MAR-722421
Finish: Driftwood Gray (RPL)
60" x 24" x 21.5":

Product Number: MAR-602421

Finish: Driftwood Gray (RPL)

GENERAL

- Read and interpret this drawing/ drawing set in conjunction with all the contract details and specifications, including related civil, utility, structural, architectural, mechanical, electrical, environmental, geotechnical, and survey information.
- 2. The Contractor is to determine the exact location, size, material, and elevation of all existing utilities prior to commencing construction. Protect and assume responsibility for all existing utilities regardless of being shown on the
- drawings.

 3. It is essential to use the plans and details in conjunction with the specifications and notes.
- 4. Do not scale drawings. Work to dimensions only.5. Protect all existing and retained vegetation for the duration of construction according to the contract details and specifications.
- 6. Reinstate all areas and items damaged or disturbed, beyond the Limit of Work, because of construction activities, including but not limited to construction staging areas, haul roads, stockpile areas, etc. to the satisfaction of the Consultant. Unless otherwise noted, Contractor is to reinstate all areas to pre-construction condition or better to the satisfaction of the Contract Administrator.

PLANTING

- Plant material to be No. 1 Grade and is to comply with Canadian Standards for Nursery Stock (latest edition) published by the Canadian Nursery Landscape Association.
 Use structurally sound plant material with strong fibrous root
- system free of disease, defects, and injuries. Use trees with straight trunks, well and characteristically branched for species. Obtain approval from consultant of plant material at source prior to digging. All trees and shrubs to be container grown, potted, W/B or B/B, as indicated on Plant List. Bare root plants are only acceptable for certain species and as approved by the Landscape Architect.

 3. Plant material substitutions are not be permitted without the
- written approval from the Consultant, with 48 hours notice, prior to shipping plant material.

 4. Plant locations are schematic / approximate only. Contractor
- Plant locations are schematic / approximate only. Contractor is to stake out locations on site for approval by the Landscape Architect prior to installation.
 The illustrated number of plants shown in the Planting Plan
- supersedes the estimated number in the Plant List.
 Contractor to report any discrepancies to the Landscape
 Architect prior to installation. Contractor will assume full
 responsibility if the Landscape Architect is not notified.
- 6. Ensure trees are thoroughly watered following planting.
 Monitor material and ensure adequate moisture until acceptance.
 7. In heavy clay or poorly drained soils, set root ball with root
- collar 75-100mm higher than finished grade.

 8. Approved topsoil depths are as follows:

 a. Plant Beds **450mm** continuous depth. Applies to
- a. Plant Beds 450mm continuous depth. Applications shrubs, perennials, vines, and groundcovers.
 b. Sod/ Seed Areas 100mm depth.
- Sod to be No. 1 Kentucky Bluegrass Sod grown from minimum mixture of 3 Kentucky Bluegrass cultivars. Quality and source are to comply with Canadian Standards for Nursery Stock, Section 17, (latest edition) published by the Canadian Nursery Landscape Nursery Landscape Association.
- 10. Apply the following mineral fertilizer unless soil tests show other requirements:
- a. Plant Beds (8-32-16), i.e. 8% Nitrogen, 32%
 Phosphorus, 16% Potash per manufacturer specifications.
 b. Sod Areas (8-32-16), i.e. 8% Nitrogen, 32%
 Phosphorus, 16% Potash at a rate of 350kg/ha.
- Where applicable, for any plant areas with a mix of species/ cultivars notes, Contractor is to cluster like plants in groups of 3-5 and evenly distribute these in the noted area.

PLANT LIST

KEY	QTY	BOTANICAL NAME	COMMON NAME	SIZE	COND	SPACING
Decidu	ous Sh	rubs				
AxI	11	Aronia x Low Scape Mound (UCONNAM165)	Low Scape Mound Chokeberry	40cm Ht	PT	As Shown
Cah	12	Clethra alnifolia 'Hummingbird'	Hummingbird Summersweet	50cm Ht	PT	As Shown
Poj	10	Physocarpus opulifolius 'JEFAM'	Amber Jubilee Ninebark	60cm Ht	PT	As Shown
Ground	lcovers					
nwl	71	Nepeta faassenii 'Walker's Low'	Walker's Low Catmint	9cm	PT	30cm O.C.
gms	73	Geranium macrorrhizum 'Spessart'	Spessart Cranesbill	1g	PT	40cm O.C.
Orname	ental G	asses				
ckf	61	Calamagrostis acutiflora 'Karl Foerster'	Karl Foerster Feather Reed Grass	1g	PT	As Shown
sht	76	Sporobolus heterolepsis 'Tara'	Tara Prairie Dropseed	1g	PT	As Shown

THE POSITION OF ALL POLE LINES, CONDUITS, WATERMAINS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

NOT FOR CONSTRUCTION

ı					SCALE		L
ı						MJT	
İ						CHECKED	1
ł					1:100	RGJ	ı
ł						DRAWN	1
ŀ						MJT	۱
ļ						CHECKED	1
I	2.	ISSUED FOR SITE PLAN APPLICATION	MAY 12/23	RGJ	1:100 0 1 2 3 4	RGJ	J
	1.	ISSUED FOR COORDINATION	APR 25/23	RGJ		APPROVED	┨
	No.	REVISION	DATE	BY		RGJ	ı



FOR REVIEW ONLY

Engineers, Planners & Landscape Architects
Suite 200, 240 Michael Cowpland Drive
Ottawa, Ontario, Canada K2M 1P6

Telephone

Facsimile

Website

(613) 254-9643

(613) 254-5867

www.novatech-eng.com

CITY of OTTAWA
40 FRANK NIGHBOR PLACE

DRAWING NAME

LOCATION

DRAWING NAME


LANDSCAPE PLAN


ENLARGEMENT


123002-L2


123002-00


REV # 2











THE POSITION OF ALL POLE LINES, CONDUITS, WATERMAINS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR

DAMAGE TO THEM.

NOT FOR CONSTRUCTION

				SCALE	DESIGN		
						MJT	
					CHECKED		
						RGJ	
					DRAWN		
						MJT	
					CHECKED		l
2.	ISSUED FOR SITE PLAN APPLICATION	MAY 12/23	RGJ			RGJ	
1.	ISSUED FOR COORDINATION	APR 25/23	RGJ		APPROVED	1100	
No.	REVISION	DATE	BY			RGJ	

FOR REVIEW ONLY

Suite 200, 240 Michael Cowpland Drive Ottawa, Ontario, Canada K2M 1P6

Telephone Facsimile

Website

(613) 254-9643

(613) 254-5867

www.novatech-eng.com

CITY of OTTAWA 40 FRANK NIGHBOR PLACE

DRAWING NAME LANDSCAPE - DETAILS

123002-00

123002-L4