

TOPOGRAPHICAL PLAN OF SURVEY OF

**PART OF BLOCK 3  
REGISTERED PLAN 50M-136  
CITY OF OTTAWA**

Surveyed by Annis, O'Sullivan, Vollebakk Ltd.

Scale 1 : 400



**Metric**

DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

**Surveyor's Certificate**

I CERTIFY THAT :

1. This survey and plan are correct and in accordance with the Surveys Act, the Surveyors Act and the regulations made under them.
2. The survey was completed on December 8, 2022.

Dec 14/22  
Date

*[Signature]*  
Mer J. Allison  
Ontario Land Surveyor

ASSOCIATION OF ONTARIO  
LAND SURVEYORS  
PLAN SUBMISSION FORM  
V-33900



THIS PLAN IS NOT VALID UNLESS  
IT IS AN EMBOSSED ORIGINAL  
COPY ISSUED BY THE SURVEYOR  
IN ACCORDANCE WITH  
REGULATION 1026, SECTION 29 (3)

**Notes & Legend**

Denotes	
	Survey Monument Planted
	Survey Monument Found
SIB	Standard Iron Bar
SSIB	Short Standard Iron Bar
IB	Iron Bar
(WIT)	Witness
Meas.	Measured
(P1)	Plan 4R-27830
(P2)	Plan 4R-32589
(P3)	Plan 50R-6694
(AOG)	Annis, O'Sullivan, Vollebakk Ltd.
-OH-	Overhead Wires
UP	Utility Pole
CSP	Corrugated Steel Pipe
Inv.	Invert
CLF	Chain Link Fence
TOS	Top of Slope
+65.00	Location of Elevations
C/L	Centreline

Bearings are grid, derived and are referred to the Central Meridian of MTM Zone 9 ( 76°30' West Longitude ) NAD-83 (original).

**ELEVATION NOTES**

1. Elevations shown are geodetic and are referred to the CGVD28 geodetic datum.
2. It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

**UTILITY NOTES**


1. This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
2. Only visible surface utilities were located.
3. A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

**ANNIS, O'SULLIVAN, VOLLEBEKK LTD.**  
165 Bay Street  
Embrun, Ont. K0A 1W1  
Phone: (613) 443-3364  
Email: Embrun@aovlltd.com

Ontario Land Surveyors Job No. E-2488-22

LOT 22 CONCESSION 11

PART 7 PLAN 4R-32589  
PART 1 PLAN 4R-27827  
PIN 14558 - 0408



BLOCK 9  
0.5 Reserve

BLOCK 3

PLAN

PIN 14558 - 0356  
PART 2

PIN 14558 - 0401  
PART 3

PIN 14558 - 0402  
PART 4

REGISTERED

SITE BENCHMARK  
Nail in Hydro Pole  
Elev=77.79

SUBJECT TO EASEMENT  
PER INST. OC:627867


PART 8 PLAN 4R-27830  
SUBJECT TO EASEMENT  
PER INST. OC:627866

PART 9 PLAN 4R-27830  
SUBJECT TO EASEMENT  
PER INST. OC:627866

PART 10 PLAN 4R-27830  
SUBJECT TO EASEMENT  
PER INST. OC:627868

PART 15  
PLAN 4R-27830


PIN 14558 - 0066





# PROPOSED | GROUND FLOOR LAYOUT

SCALE: 3/16" = 1'-0"





LEGEND



ANCHOR BOLT PLAN  
 NOTE: All Base Plates @ 100'-0" (U.N.)  
 Finished Floor @ 100'-0"

DRAWING IS NOT TO SCALE



65x99

65'-0" x 99'-0" x 26'-0"

DATE: 7/9/24 REVISION: 0

ENG: DWN: APPD:

F.O.41736-1-1

65x99

DRAWING STATUS

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ANY CHANGES TO THE DRAWINGS WILL BE ISSUED ON A REVISION ORDER THAT HAS BEEN PLACED AND DESIGNATED FOR FABRICATION.


REVISION HISTORY

REV.

DESCRIPTION

DATE

FRAME LINES: 2 3 4 5



**RIGID FRAME: BASIC COLUMN REACTIONS (k )**

Frame Line	Column Line	----Dead----	--Collateral--	----Live----	----Snow----	--Wind_Left1-	-Wind_Right1-
		Horz	Vert	Horz	Vert	Horz	Vert
2*	D	1.2	4.0	0.7	2.0	5.1	13.6
2*	A	-1.2	4.0	-0.7	2.0	-5.1	13.6
2*	D	-4.8	-2.5	0.7	1.4	-0.5	-12.3
2*	A	-0.7	1.4	4.8	-2.5	0.6	-10.7
2*	D	0.0	-8.1	9.0	27.7	8.9	19.5
2*	A	0.0	-8.1	-8.9	19.5	-9.0	27.7

Frame lines: 2 3 4 5

**RIGID FRAME: ANCHOR BOLTS & BASE PLATES**

Frm Line	Col Line	Anc_Bolt Qty	Bolt Dia	Base_Plate Width	Base_Plate Length	Thick	AFF/BFF (in)
2*	D	4	0.750	8.000	11.63	0.500	0.0
2*	A	4	0.750	8.000	11.63	0.500	0.0

2\* Frame lines: 2 3 4 5



65x89  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

65x89

**DRAWING STATUS**

REVISION HISTORY

REV.	DESCRIPTION	DATE

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ON A SEPARATE SHEET PER 146 BEEN PLACED AND DESIGNATED FOR FABRICATION.

**ENDWALL COLUMN: BASIC COLUMN REACTIONS (k)**

Frm Line	Col Line	Dead	Collat	Live	Snow	Wind_Left1	Wind_Right1	Wind_Left2	Wind_Right2	Wind Press				
Line	Line	Vert	Vert	Vert	Vert	Horz	Vert	Horz	Vert	Horz				
1	D	0.7	0.2	1.6	3.8	-2.0	-4.3	0.0	1.6	-2.0	-3.3	0.0	2.6	-1.7
1	C	1.5	0.7	5.2	12.1	0.0	-2.5	2.0	-6.0	0.0	0.5	2.0	-3.0	-3.7
1	B	1.5	0.7	5.2	12.1	0.0	-3.4	0.0	-5.1	0.0	-0.4	0.0	-2.1	-3.7
1	A	0.7	0.2	1.6	3.8	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	-0.7	-1.7

Frm Line	Col Line	Wind Suct	Wind_Long1	Wind_Long2	Seis_Left	Seis_Right	Seis Long	E1UNB_SL_L							
Line	Line	Horz	Horz	Vert	Horz	Vert	Horz	Vert							
1	D	1.3	0.0	-1.7	-0.1	-1.1	-3.3	-4.2	0.0	1.6	-2.0	-3.3	0.1	0.0	3.9
1	C	2.6	0.1	-5.2	0.0	-3.3	0.0	4.2	3.3	-4.3	0.2	0.0	0.0	0.0	11.6
1	B	2.6	0.0	-3.4	0.0	-5.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	6.5
1	A	1.3	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.8

Frm Line	Col Line	E1UNB_SL_R
Line	Line	Horz
1	D	0.0
1	C	0.0
1	B	0.0
1	A	0.0

Frm Line	Col Line	Dead	Collat	Live	Snow	Wind_Left1	Wind_Right1	Wind_Left2	Wind_Right2	Wind Press				
Line	Line	Vert	Vert	Vert	Vert	Horz	Vert	Horz	Vert	Horz				
6	A	0.7	0.2	1.6	3.8	-2.0	-4.3	0.0	1.6	-2.0	-3.3	0.0	2.6	-1.7
6	B	1.5	0.7	5.2	12.1	0.0	-2.5	2.0	-6.0	0.0	0.5	2.0	-3.0	-3.7
6	C	1.5	0.7	5.2	12.1	0.0	-3.4	0.0	-5.1	0.0	-0.4	0.0	-2.1	-3.7
6	D	0.7	0.2	1.6	3.8	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	-0.7	-1.7

Frm Line	Col Line	Wind Suct	Wind_Long1	Wind_Long2	Seis_Left	Seis_Right	Seis Long	E2UNB_SL_L							
Line	Line	Horz	Horz	Vert	Horz	Vert	Horz	Vert							
6	A	1.3	0.0	-1.7	-0.1	-1.1	-3.3	-4.2	0.0	1.6	-2.0	-3.3	0.1	0.0	3.9
6	B	2.6	0.1	-5.2	0.0	-3.3	0.0	4.2	3.3	-4.3	0.2	0.0	0.0	0.0	11.6
6	C	2.6	0.0	-3.4	0.0	-5.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	6.5
6	D	1.3	0.0	-1.0	0.0	-1.7	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.8

Frm Line	Col Line	E2UNB_SL_R
Line	Line	Horz
6	A	0.0
6	B	0.0
6	C	0.0
6	D	0.0

**ANCHOR BOLT SUMMARY**

Qty	Locate	Dia (in)	Type
32	Endwall	3/4"	
32	Frame	3/4"	

**BUILDING BRACING REACTIONS**

Reaction Type	Description
Collateral	Collateral Load
Snow	Uniform Roof Snow Load
Wind_Right1	Transverse Wind From Right With Internal Pressure
Wind_Left2	Transverse Wind From Left With Internal Suction
Wind_Right2	Transverse Wind From Right With Internal Suction
Wind_Long1	Longitudinal Wind From Left Endwall
Wind_Long2	Longitudinal Wind From Right Endwall
Wind_Press	Wind Pressure Applied Towards Endwall
Wind_Suct	Wind Suction Applied Away From Endwall
Seismic_Left	Seismic Load Applied From Left
Seismic_Right	Seismic Load Applied From Right
Seismic_Long	Seismic Load Applied Longitudinally
F# Unb_SL_L	Unbalanced Snow Load On Left
F# Unb_SL_R	Unbalanced Snow Load On Right
F# PAT_SL#	Pattern Snow Load
Drift	Snow Drift Load
Sliding	Sliding Snow Load
HorzOP	Horizontal Out of Plane Load


**ENDWALL COLUMN: ANCHOR BOLTS & BASE PLATES**

Frm Line	Col Line	Anc. Bolt Qty	Anc. Bolt Dia	Base Plate Width	Base Plate Length	Thick	AFF/BFF (in)
1	D	4	0.750	6.000	9.875	0.375	0.0
1	C	4	0.750	6.000	9.875	0.375	0.0
1	B	4	0.750	6.000	9.875	0.375	0.0
1	A	4	0.750	6.000	9.875	0.375	0.0
6	A	4	0.750	6.000	9.875	0.375	0.0
6	B	4	0.750	6.000	9.875	0.375	0.0
6	C	4	0.750	6.000	9.875	0.375	0.0
6	D	4	0.750	6.000	9.875	0.375	0.0

**DESIGN INFORMATION**

- All loading conditions are examined and only the maximum / minimum H or V and the corresponding H or V are reported.
- Positive reactions are shown in the sketch. Foundation loads are in opposite directions.
- Bracing reactions are in the plane of the brace with the H pointing away from the braced bay. The vertical reaction is downward.
- Building reactions are based on the following building data:

DESIGN CRITERIA	SEISMIC CRITERIA	DEFLECTION LIMITS
Width (ft) = 65	Seismic Importance = 1.00	ENDWALL COLUMN
Length (ft) = 99	Risk Category = II - Normal	L / 180
Eave Height (ft) = 26		ENDWALL RAFTER (Live)
Roof Slope (rise/12) = 0.25:12		L / 180
Building Code = NBC 15		ENDWALL RAFTER (Wind)
Local Code (State/Prov) = NBC 15		L / 180
Dead Load (psf) = 3.25	Mapped Spectral Response Accelerations	
Collateral Load (psf) = 3.01	Sa (0.2) = 0.4740	WALL GIRTS
Roof Live Load (psf) = 20.89	Sa (0.5) = 0.2520	L / 90
Frame Live Load (psf) = 20.89	Sa (1.0) = 0.1240	PURLIN (LIVE)
	Sa (2.0) = 0.0580	L / 180
	Sa (5.0) = 0.0150	PURLIN (WIND)
	Sa (10.0) = 0.0056	L / 180
	Site Class = D	WALL PANEL
		L / 90
Snow:		ROOF PANEL (Live)
Ground Snow Load (psf) = 50.16		L / 180
Snow Importance = 1.00000		ROOF PANEL (Wind)
Associated Rain Load (psf) = 8.36		L / 180
Wind Exposure Factor = 1.00	-----Base Shear-----	
Slippery Roof = N	Expanded Formula = S(Ta)*Mv*1e*W/(Rd*Ro)	
Roof Snow Load (psf) = 48.49	Longitudinal Base Shear (k) = 27.10	Main Frame (Horiz)
	Transverse Base Shear (k) = 27.38	H / 60
Wind:		Main Frame (Vert)
Wind (1/50) (psf) = 8.57		L / 180
Risk Category = II - Normal		WIND BRACING
Importance - Wind = 1.00	--Seismic Response Coefficients--	H / 60
Wind Exposure = O	FSW = 0.17	Main Frame (Crane)
Enclosure Classification = 2	BSW = 0.17	H / 100
		Main Frame (Seismic)
--Internal Pressure Coefficients--		H / 65
Pressure = 0.30	--Response Modification Factors--	SEISMIC BRACING
Suction = -0.45	Frame = 1.5	H / 65
	FSW = 1.5	PARTITION COLUMN
----Components & Cladding----	BSW = 1.5	L / 120
Design Pressure:		PARTITION GIRT
Pressure (psf) = 22.09		L / 90
Suction (psf) = -22.09		PARTITION PANEL
		L / 90
Equivalent Static Force Procedure.		



**65x99**  
65'-0" x 99'-0" x 26'-0"  
DATE: 7 / 9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1


REV.	DESCRIPTION	DATE

65x99


DRAWING STATUS

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN PLACED AND DESIGNATED FOR FABRICATION.

PAGE OF



ENDWALL FRAMING: FRAME LINE 1



ENDWALL SHEETING & TRIM: FRAME LINE 1

PANELS: 26 Ga. R - Charcoal Grey

BOLT TABLE				
FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
ER-1/ER-2	8	A325	1/2"	1 1/2"
Columns/Raf	2	A325	3/4"	1 3/4"

MEMBER TABLE				
FRAME LINE 1				
QUAN	MARK	PART	LENGTH	
1	EC-1	W10X12	24'-1 9/16"	
2	EC-2	W10X12	24'-6 1/4"	
1	EC-3	W10X12	24'-1 9/16"	
1	ER-1	W12X16	32'-6 1/16"	
1	ER-2	W12X16	32'-6 1/16"	
2	DJ-1	08X35C16	11'-11 3/4"	
1	DH-1	08X35C16	3'-4"	
12	G-1	08X25Z16	18'-5 1/2"	
2	G-2	08X25Z16	24'-7 1/2"	
1	G-3	C8X11.5	24'-7 1/2"	
3	G-4	08X25Z13	24'-7 1/2"	
2	CB-1	L303025	21'-7 9/16"	
1	CB-2	L303025	21'-10 3/8"	
1	CB-3	L303025	21'-8"	

FLANGE BRACE TABLE		
FRAME LINE 1		
ID	MARK	LENGTH
1	FB1B	1'-6"



65x89  
65'-0" x 98'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

REVISION HISTORY

DATE

DESCRIPTION

DRAWING STATUS

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN PLACED AND DESIGNATED FOR FABRICATION.


65x89

DRAWING IS NOT TO SCALE


TRIM COLORS	
EAVE TRIM = SP Black	CORNER TRIM = SP Black
BASE TRIM = SP Black	GUTTER = Black
DOOR TRIM = SP Black	DOWNSPOUTS = Black
RAKE TRIM = SP Black	
* LINER TRIM = Liner panel color	
* SOFFIT TRIM = Soffit panel color	
* ONLY APPLICABLE IF LINER TRIM OR SOFFIT PANEL IS INDICATED ON BUILDING ORDER.	

GENERAL NOTES:

1. Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.
2. See detail C7A for field coping of coldform endwall column flange braces.
3. All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).



ENDWALL FRAMING: FRAME LINE 6



ENDWALL SHEETING & TRIM: FRAME LINE 6

PANELS: 26 Ga. R - Charcoal Grey

BOLT TABLE				
FRAME LINE 6				
LOCATION	QUAN	TYPE	DIA	LENGTH
ER-1/ER-3	8	A325	1/2"	1 1/2"
Columns/Raf	2	A325	3/4"	1 3/4"

MEMBER TABLE				
FRAME LINE 6				
QUAN	MARK	PART	LENGTH	
1	EC-1	W10X12	24'-1 9/16"	
2	EC-2	W10X12	24'-6 1/4"	
1	EC-3	W10X12	24'-1 9/16"	
1	ER-1	W12X16	32'-6 1/16"	
1	ER-3	W12X16	32'-6 1/16"	
2	DJ-1	08X35C16	11'-11 3/4"	
2	DJ-2	08X35C13	19'-11 3/4"	
1	DH-1	08X35C16	3'-4"	
1	DH-2	08X35C16	16'-0"	
7	G-1	08X25Z16	18'-5 1/2"	
2	G-2	08X25Z16	24'-7 1/2"	
1	G-3	C8X11.5	24'-7 1/2"	
3	G-4	08X25Z13	24'-7 1/2"	
4	G-5	08X25Z16	6"	
1	G-6	08X25Z13	18'-5 1/2"	
4	G-7	08X25Z16	1'-4"	
2	CB-1	L303025	21'-7 9/16"	
1	CB-2	L303025	21'-10 3/8"	
1	CB-3	L303025	21'-8"	
2	JB-1	08X35C16	3'-11 1/2"	
1	JB-2	08X35C16	2 1/2"	

FLANGE BRACE TABLE		
FRAME LINE 6		
VID	MARK	LENGTH
1	FB1B	1'-6"

DRAWING IS NOT TO SCALE

TRIM COLORS			
EAVE TRIM	= SP Black	CORNER TRIM	= SP Black
BASE TRIM	= SP Black	GUTTER	= Black
DOOR TRIM	= SP Black	DOWNSPOUTS	= Black
RAKE TRIM	= SP Black		
* LINER TRIM	= Liner panel color		
* SOFFIT TRIM	= Soffit panel color		

**GENERAL NOTES:**

- Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.
- See detail C7A for field coping of coldform endwall column flange braces.
- All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).



65x89  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

REVISION HISTORY	
REV.	DESCRIPTION

**DRAWING STATUS**

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN RECEIVED AND DISPOSITIONED FOR FABRICATION.


65x99



SPLICE BOLT TABLE						
Mark	Qty		Int	Type	Dia	Length
	Top	Bot				
SP-1	4	4	2	A325	1.000	2.75

MEMBER TABLE						
Mark	Web Depth		Web Plate		Outside Flange W x Thk x Length	Inside Flange W x Thk x Length
	Start/End	Thick	Length	Thick		
RF1-1	11.0/37.0	0.188	242.2		6 x 1/4" x 301.4	6 x 3/8" x 120.7
	37.0/40.0	0.188	60.0		6 x 5/16" x 47.6	6 x 1/2" x 150.6
RF1-2	28.0/28.0	0.250	220.3		6 x 5/16" x 220.3	6 x 5/8" x 100.3
	28.0/28.0	0.188	120.0		6 x 3/8" x 120.0	6 x 3/8" x 120.0

FLANGE BRACES: Both Sides(U.N.)  
 FBxxB(1)  
 B - L20X1/4  
 A - L15X1/8



BUILDING CROSS SECTION: FRAME LINE 2 3 4 5

**GENERAL NOTES:**  
 1. See Detail Sheets for Connection Information.  
 2. See Shipping List for Flange Brace Lengths.

DRAWING IS NOT TO SCALE




65x99  
 65'-0" x 99'-0" x 26'-0"  
 DATE: 7/9/24 REVISION: 0  
 ENG: DWN: APPD:

F.O.41736-1-1

DRAWING STATUS	
REV.	DESCRIPTION

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ANY CHANGES TO THESE DRAWINGS WILL BE ISSUED ONLY AS A SUPPLEMENTAL DRAWING. THIS DRAWING IS NOT TO BE USED FOR FABRICATION.

65x99



MEMBER TABLE			
ROOF PLAN			
QUAN	MARK	PART	LENGTH
14	P-1	10X25Z13	22'-10 1/2"
28	P-2	10X25Z14	26'-0 1/2"
14	P-3	10X25Z14	26'-3 1/2"
14	P-4	10X25Z13	22'-10 1/2"
2	E-1	10XB5E14	19'-8 1/2"
4	E-2	10XB5E10	19'-8 1/2"
19'-9"	E-3	10XB5E13	19'-11 1/2"
2	E-4	10XB5E14	19'-8 1/2"
8	CB-6	L308025	25'-8 3/4"
8	CB-7	L308025	23'-10 1/8"

SPECIAL BOLTS					
ROOF PLAN					
ID	QUAN	TYPE	DIA	LENGTH	WASH
1	4	A325	1/2"	1 1/4"	0



65x89  
 65'-0" x 99'-0" x 26'-0"  
 DATE: 7/9/24 REVISION: 0  
 ENG: DWN: APPD:

F.O.41736-1-1

REV.	DATE	DESCRIPTION

**65x89**

**DRAWING STATUS**

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ALL DIMENSIONS WILL BE ISSUED ONLY ON THE FABRICATION DRAWINGS. ALL DIMENSIONS WILL BE ISSUED ONLY ON THE FABRICATION DRAWINGS.


**GENERAL NOTES:**

- Screw Down Roof: Use TEK5WW screws in place of SD150 panel screws at all 10 gage purlins, eave struts, or roof joists.
- Standing Seam Roof: Use FST#6 in place of FST#1 clip to purlin screws at all 10 gage purlins, eave struts, or at roof joists.

ROOF FRAMING PLAN


DRAWING IS NOT TO SCALE

MEMBER TABLE			
FRAME LINE D			
QUAN	MARK	PART	LENGTH
2	DJ-1	08X35C16	11'-11 3/4"
1	DH-1	08X35C16	3'-4"
6	G-8	08X25Z16	20'-10 1/2"
11	G-9	08X25Z16	22'-0 1/2"
6	G-10	08X25Z16	22'-3 1/2"
1	G-11	08X25Z14	22'-0 1/2"
5	G-12	08X25Z16	20'-10 1/2"
1	G-13	08X25Z13	20'-10 1/2"
4	CB-4	L303025	22'-5 3/8"
4	CB-5	L303025	22'-11 11/16"



GIRT LAPS 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4"

**SIDEWALL FRAMING: FRAME LINE D**



**SIDEWALL SHEETING & TRIM: FRAME LINE D**

PANELS: 26 Ga. R - Charcoal Grey

**DRAWING IS NOT TO SCALE**

TRIM COLORS	
EAVE TRIM = SP Black	CORNER TRIM = SP Black
BASE TRIM = SP Black	GUTTER = Black
DOOR TRIM = SP Black	DOWNSPOUTS = Black
RAKE TRIM = SP Black	
* LINER TRIM = Liner panel color	
* SOFFIT TRIM = Soffit panel color	
* ONLY APPLICABLE IF LINER TRIM OR SOFFIT PANEL IS INDICATED ON BUILDING ORDER.	

**GENERAL NOTES:**

1. Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.
2. All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).



65x89  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:

F.O.41736-1-1

**REVISION HISTORY**


REV.	DESCRIPTION	DATE

**DRAWING STATUS**

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN RECEIVED AND DESIGNATED FOR FABRICATION.


**65x89**

MEMBER TABLE			
FRAME LINE A			
QUAN	MARK	PART	LENGTH
2	DJ-1	08X35C16	11'-11 3/4"
1	DH-1	08X35C16	3'-4"
6	G-8	08X25Z16	20'-10 1/2"
11	G-9	08X25Z16	22'-0 1/2"
6	G-10	08X25Z16	22'-3 1/2"
1	G-11	08X25Z14	22'-0 1/2"
5	G-12	08X25Z16	20'-10 1/2"
1	G-13	08X25Z13	20'-10 1/2"
4	CB-4	L303025	22'-5 3/8"
4	CB-5	L303025	22'-11 11/16"



GIRT LAPS 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4" 1'-1 3/4"

**SIDEWALL FRAMING: FRAME LINE A**



**SIDEWALL SHEETING & TRIM: FRAME LINE A**  
PANELS: 26 Ga. R - Charcoal Grey

**DRAWING IS NOT TO SCALE**

TRIM COLORS	
EAVE TRIM = SP Black	CORNER TRIM = SP Black
BASE TRIM = SP Black	GUTTER = Black
DOOR TRIM = SP Black	DOWNSPOUTS = Black
RAKE TRIM = SP Black	
* LINER TRIM = Liner panel color	
* SOFFIT TRIM = Soffit panel color	
* ONLY APPLICABLE IF LINER TRIM OR SOFFIT PANEL IS INDICATED ON BUILDING ORDER.	

- GENERAL NOTES:**
1. Use TEK5WW screws in place of SD150 panel screws at all 10 gage members.
  2. All connections to door or window jambs where the clip is not designated in the clip table / drawing are made with JC# clips (#= Girt Depth).



65x99  
65'-0" x 99'-0" x 26'-0"  
DATE: 7/9/24 REVISION: 0  
ENG: DWN: APPD:


F.O.41736-1-1

REVISION HISTORY	
REV.	DESCRIPTION

**DRAWING STATUS**

THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. FINAL DRAWINGS WILL BE ISSUED ONLY AFTER ALL COMMENTS HAVE BEEN RECEIVED AND DESIGNATED FOR FABRICATION.

**65x99**



**GENERAL NOTES:**  
 Panel "Start" and "End" dimensions must be followed for the proper installation of the gable trim(s) provided.

**ROOF SHEETING PLAN**  
 PANELS: 24 Ga. L4 - Galvalume

DRAWING IS NOT TO SCALE



65x99  
 65'-0" x 99'-0" x 26'-0"  
 DATE: 7/9/24 REVISION: 0  
 ENG: DWN: APPD:

F.O.41736-1-1

65x99

DRAWING STATUS		REVISION HISTORY	
REV.	DATE	DESCRIPTION	DATE
THESE DRAWINGS HAVE BEEN GENERATED FOR VISUALIZATION PURPOSES ONLY. THEY ARE PRELIMINARY AND SHOULD NOT BE USED FOR CONSTRUCTION. ALL DRAWINGS WILL BE ISSUED ON A SEPARATE SHEET PER 146 BEEN PLACED AND DESIGNATED FOR FABRICATION.			