



# GEMTEC

[www.gemtec.ca](http://www.gemtec.ca)

**Phase One Environmental Site Assessment  
151 and 159 Wescar Lane  
Carp, Ontario**



# GEMTEC

[www.gemtec.ca](http://www.gemtec.ca)

Submitted to:

Sunbelt Rentals Inc. c/o Argue Construction Limited  
2489 Sheffield Rd  
Ottawa, ON  
K1B 3V6

## **Phase One Environmental Site Assessment 151 and 159 Wescar Lane Carp, Ontario**

October 25, 2024  
Project: 101676.001

GEMTEC Consulting Engineers and Scientists Limited  
32 Steacie Drive  
Ottawa, ON, Canada  
K2K 2A9

October 25, 2024

File: 101676.001

Sunbelt Rentals Inc. c/o Argue Construction Limited  
2489 Sheffield Rd  
Ottawa, ON  
K1B 3V6

Attention: Mr. Mark Watson

**Re: Phase One Environmental Site Assessment Update  
151 and 159 Wescar Lane,  
Carp, Ontario, K0A 1L0**

Enclosed is our Phase One Environmental Site Assessment Update for the above above-noted properties. The report presented herein is based on the email request to update the previously completed Phase I ESA. This report was prepared by Ester Wilson, B.Sc., GIT, with senior review completed by Mike Kosiw, B.Sc., EP, CESA<sub>II</sub>, A.Ag and QP<sub>ESA</sub> completed by Shaun Pelkey.

If you have any questions concerning this report or require further details, please do not hesitate to contact us.

Regards,



Mike Kosiw, B.Sc., EP, CESA<sub>II</sub>  
Senior Environmental Scientist



p.p  
Shaun Pelkey, M.Sc.E., P.Eng. QP<sub>ESA</sub>  
Principal, Environmental Engineer

MK/SP/DP/DE

## EXECUTIVE SUMMARY

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Sunbelt Rentals to carry out a Phase One Environmental Site Assessment (ESA) Update for the properties located at 151 and 159 Wescar Lane in Carp, Ontario (hereafter referred to as the “Site”). GEMTEC completed a previous Phase I ESA for the Site in April 2022 to Canadian Standards Association (CSA) standards for due diligence property financing purposes. It is understood that the Phase I ESA requires an update to meet the requirements of Ontario Regulation (O.Reg.) 153/04 made under the Environmental Protection Act, to support the current requirement for a Site Plan Control Application with the City of Ottawa.

The primary objective of this Phase One ESA was to identify any former or current potentially contaminating activities at the Site and within the vicinity to develop a preliminary determination of the likelihood of contamination in soil or groundwater, and to determine the need for a Phase Two ESA. The general objectives were met through the evaluation of the information gathered from the review of records and a site reconnaissance.

Based on the review of records, and Site reconnaissance, no APECs were identified at the Site at the time of this Phase One ESA. Seven PCAs were identified within the study area, but none resulted in APECs on the Site. No further environmental work is recommended at this time.



## TABLE OF CONTENTS

EXECUTIVE SUMMARY .....	III
1.0 INTRODUCTION.....	1
1.1 Phase One ESA Property Information.....	1
1.1.1 Phase One Study Area Determination .....	1
2.0 SCOPE OF THE INVESTIGATION.....	2
2.1 General Objectives .....	2
2.2 Records Review .....	2
2.3 Interview .....	3
2.4 Site Reconnaissance.....	3
3.0 RECORDS REVIEW .....	3
3.1 General.....	3
3.1.1 First Developed Use Determination .....	3
3.1.2 Fire Insurance Plans .....	3
3.1.3 Historical Reports .....	3
3.1.4 Environmental Source Records and Databases .....	4
3.2 Regulatory Information .....	8
3.2.1 Technical Standards and Safety Authority .....	8
3.2.2 Mapping of Federally Contaminated Sites .....	8
3.2.3 Ontario Inventory of PCB Storage Sites.....	9
3.2.4 Landfills .....	9
3.3 Physical Setting Sources.....	9
3.3.1 Aerial Photographs.....	9
3.3.2 Topography, Hydrology and Geology.....	10
3.3.3 Fill Materials .....	10
3.3.4 Water Bodies and Areas of Natural Significance .....	10
3.3.5 Well Records .....	10
4.0 INTERVIEWS.....	11
5.0 SITE RECONNAISSANCE .....	11
5.1 General Requirements .....	11
5.1.1 Site Photographs.....	11
5.1.2 On-Site Observations .....	12
5.2 Specific Observations within the Study Area.....	12
5.2.1 Services.....	12
5.2.2 Water Bodies and Areas of Natural Significance .....	12
5.2.3 Surrounding Properties .....	12
5.3 Unidentified Substances.....	13

5.4	Odours.....	13
5.5	Stained Materials and Stressed Vegetation .....	13
5.6	Watercourses, Ditches or Standing Water .....	13
6.0	REVIEW AND EVALUATION OF INFORMATION .....	13
6.1	Potentially Contaminating Activities.....	13
6.2	Areas of Potential Environmental Concern.....	14
6.2.1	Discussion of Uncertainty .....	15
7.0	CONCLUSIONS AND RECOMMENDATIONS.....	15
8.0	REFERENCES.....	16
9.0	LIMITATIONS OF LIABILITY .....	17
10.0	CLOSURE.....	18

**LIST OF TABLES**

Table 3.1:	ERIS Report Summary .....	5
Table 3.2:	Summary of Aerial Photograph Review .....	9
Table 5.1:	Summary of Site Photographs .....	11
Table 6.1:	Summary of Potentially Contaminating Activities.....	14

**LIST OF APPENDICES**

Appendix A	Figures
Appendix B	Qualification of Assessors
Appendix C	Chain of Title Abstract
Appendix D	ERIS Report
Appendix E	TSSA Search
Appendix F	City Directory
Appendix G	Site Photographs

## 1.0 INTRODUCTION

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Sunbelt Rentals Inc. to carry out a Phase One Environmental Site Assessment (ESA) Update for the properties located at 151 and 159 Wescar Lane in Carp, Ontario (hereafter referred to as the “Site”). GEMTEC completed a previous Phase I ESA for the Site in April 2022 to Canadian Standards Association (CSA) standards for due diligence property financing purposes. It is understood that the Phase I ESA requires an update to meet requirements for accordance to Ontario Regulation (O.Reg.) 153/04 made under the Environmental Protection Act, to support the current need for a Site Plan Control Application. The location of the Site and the extent of the Phase One ESA study area, including the 250 m radius buffer zone, are provided on Figure A.1, Appendix A. The Phase One ESA was conducted by GEMTEC staff members whose qualifications are provided in Appendix B.

The Site has municipal addresses of 151 and 159 Wescar Lane, Ottawa (Carp), Ontario. It is bound to the northeast by Wescar Lane, to the northwest by Cavanmore Road, to the southeast by undeveloped lands and commercial properties, and to the southwest by undeveloped land followed by agricultural fields.

### 1.1 Phase One ESA Property Information

The legal description for 151 and 159 Wescar Lane in Ottawa (Carp), Ontario are, respectively:

- PCL 31-6, SEC 4M-356; PT BLK 31, PL 4M-356, PTS 16 & 17, 4R10176; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0077; and
- PCL 31-1, SEC 4M-356; PT BLK 31, PL 4M-356, EXCEPT 4R7471 & 4R10176; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0078

The two properties comprising the Site are both presently owned by Auscan Development Inc. as of 2019. The contact person for the Site at the time of this reporting is Mr. Mark Watson.

#### 1.1.1 Phase One Study Area Determination

The Site has an area of approximately 4.6 hectares (11.5 acres) and is located at 151 and 159 Wescar Lane in Ottawa (Carp), Ontario. The Site has been historically undeveloped since sometime prior to 1976. A parking lot is present on the Site at 159 Wescar Lane in 2017.

Historical land use in the study area, within 250 meters (m) from the exterior property boundaries, was predominantly agricultural, with rural residential development followed by rural general industrial development beginning sometime between 1976 and 1999. Based on this information, a study area of 250 m surrounding the Site is deemed sufficient for the purpose of this Phase One ESA.

## **2.0 SCOPE OF THE INVESTIGATION**

### **2.1 General Objectives**

The Phase One ESA was conducted in general accordance with O.Reg. 153/04, and current industry standards. The general objectives of the Phase One ESA were:

- To develop a preliminary determination of the likelihood of contamination in soil or groundwater at the Site; and,
- To determine the need for a Phase Two ESA.

The general objectives were met through the evaluation of the information gathered from the review of records and available documents, an interview and a site reconnaissance. Specific objectives for these components and the tasks completed to achieve these objectives are described below.

### **2.2 Records Review**

In order to identify actual or potential sources of contamination within the study area, a review of information from the following sources was conducted:

- Bedrock and Overburden Geology Maps – Overburden and bedrock geology maps provided by Natural Resources Canada were reviewed in order to identify the underlying soil deposits and bedrock types.
- Title Abstract – A chain of title abstract for the Site was obtained through Environmental Risk Information Services Ltd. (ERIS), the land title search from the historical report was also reviewed and summarized as part of this report. A copy of the Title search is provided in Appendix C.
- ERIS Databases – The ERIS report searches 73 public and private information databases to identify potential environmental concerns. An ERIS report was obtained for the Site and a 250-metre-buffer surrounding the Site. A copy of the ERIS Report is provided in Appendix D.
- A records search was requested from the Technical Standards and Safety Authority (TSSA) in February 2022 for the Site and the adjacent. The TSSA search results are provided in Appendix E.
- GeoOttawa and Google Earth Aerial Photographs – Aerial photographs of the Site from the years 1976, 1999, 2002, 2011, and 2017 were obtained from GeoOttawa and 2021 from Google Earth. The aerial photographs were reviewed for the Site and study area. The photographs were reviewed to identify areas of potential environmental concern resulting from historical land uses on the Site and surrounding areas. Google Earth and GeoOttawa aeriels are not included as part of this report due to copyright limitations.
- Fire Insurance Maps and Reports – No fire insurance plans were available for the Site.
- City Directories – A City Directory Report was requested from LGI for the Site and surrounding properties within the study area for 1992-2011. Only some of the requested

addresses were in LGI's internal city directory library; therefore, not all properties within 250 metres of the Site's property boundaries could be included as part of the City Directory results due to restrictions related to the COVID pandemic and obtaining records. A copy of the City Directory Reports is provided in Appendix F.

- “*Mapping of Federally owned Contaminated Sites*” website prepared by Treasury Board of Canada Secretariat was reviewed.
- “*Ontario Inventory of PCB Storage Sites*” dated January 1992 and prepared by Ontario Ministry of the Environment (Waste Management Branch) was reviewed.
- “*Small Landfill Sites List*” and “*Large landfill sites map*” websites prepared by the Ontario Ministry of the Environment, Conservation, and Parks were reviewed.

## **2.3 Interview**

No interview was completed for this Phase One ESA as the Site is currently vacant and undeveloped.

## **2.4 Site Reconnaissance**

The Site was visually assessed to document current conditions and to evaluate the potential for environmental impacts to on-site soil and groundwater. The Site was also inspected to identify if any possible preferential pathways such as underground utilities exist on the Site that may affect the fate, transport and distribution of contaminants. Adjacent and neighbouring properties within the study area were assessed from publicly accessible boundaries to evaluate the potential for environmental impacts to the Site.

Photographs taken to support observations are provided in Appendix G.

## **3.0 RECORDS REVIEW**

### **3.1 General**

#### **3.1.1 First Developed Use Determination**

Based on the review of selected historical aerial photographs, the Site was undeveloped from at least 1976 to at least 2017. However, the neighbouring properties at 181 and 173 Wescar Lane exhibit the development of a large parking lot in the 2021 aerial photo.

#### **3.1.2 Fire Insurance Plans**

No fire insurance plans were available for the Site.

#### **3.1.3 Historical Reports**

As part of the request for proposal, Sunbelt Rentals Inc. and the property owner were asked to provide any additional reports previously completed for the Site; however, no reports were provided for GEMTEC's review.

### 3.1.4 Environmental Source Records and Databases

#### 3.1.4.1 Chain of Title

A chain of title abstract was obtained through ERIS, and is included in Appendix C. The legal description for 151 and 159 Wescar Lane in Ottawa (Carp), Ontario are respectively:

- PCL 31-6, SEC 4M-356; PT BLK 31, PL 4M-356, PTS 16 & 17, 4R10176 ; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0077; and
- PCL 31-1, SEC 4M-356; PT BLK 31, PL 4M-356, EXCEPT 4R7471 & 4R10176; S/T LT306284 WEST CARLETON/HUNTLEY. PIN: 04536-0078

The highlights of the chain of title search are described below:

- The Site (both properties) was held by the Corporation of the Township of West Carleton from at least 1982 until 2019;
- 151 Wescar Lane: Auscan Development Inc. purchased the Site from AllereX Laboratory Ltd. in July 2019; and
- 159 Wescar Lane: 1055733 Ontario Limited purchased this property from Pro-Tec Ltd in November 1999. AllereX Laboratory Ltd. sold the property to Auscan Development Inc. in July 2019, after which AllereX Laboratory Ltd. subsequently repurchased the property and is the current owner.

No potentially contaminating activities (PCAs) were identified from the review of the title search.

#### 3.1.4.2 ERIS Database Report

GEMTEC contracted ERIS to conduct a search of 73 public and private information databases for the Site and the study area. The search results included records of waste generators, permits to take water, historic fuel storage tanks, The complete ERIS report, including a list of databases searched, is provided in Appendix D. All listings were reviewed, and the highlights are provided in Table 3.1.

**Table 3.1: ERIIS Report Summary**

Address/Location	Distance from Site	PCA ID	Company/Name	Database	Description
162 Wescar Lane	51 m northeast	N/A	NU-TEK SIGNS INC	GEN	Registered hazardous waste generator of aromatic solvents from 1996 to 2001.
1- 144 Wescar Lane	58 m north-northeast	N/A	6920055 Canada Inc.	GEN	Registered hazardous waste generator of pathological wastes in 2007 to 2015, 2018, and 2019.
168 Wescar Lane	Approximately 90 m northeast	43. Plastics (including Fibreglass) Manufacturing and Processing	Kerr Design Ltd. & Competition Composites Inc.	SCT GEN	Two records list as manufacturer of all other plastic product manufacturing and engineering services, established in 2002. Registered as generator of aromatic solvents and petroleum distillates in 2014, 2015.
135 Cardevco Rd.	120 m east	N/A	Capital Dedicated Logistics Premier Bus Lines Inc. Carp	GEN	Registered generator of waste oils and lubricants in 2009, 2010 and 2011. Registered as a generator of waste crankcase oils and lubricants as of July 2020 and January 2021 and November 2021.
153 Cardevco Rd Unit 2	125 m east northeast	N/A	Thunderbolt Contracting	GEN	Registered generator of in 2014 and 2015 for waste oils and lubricants, petroleum distillates and aliphatic solvents.
135 Cardevco Rd	124 m east	58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Capital Dedicated Logistics Inc.	EASR	Registered waste management system storage yard in 2017 for commercial waste, non-hazardous solid industrial waste, contaminated soil and non-hazardous spill cleanup material.

Address/Location	Distance from Site	PCA ID	Company/Name	Database	Description
145 Cardevco Road	127.5 m northeast	40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	Thunderbolt Contracting Inc.	PES	Registered as a pesticide operator.
180 Wescar Lane	129.3 m northeast	N/A	Allerex Laboratory Ltd.	GEN	Registered as a generator of pathological wastes in 1999 to 2001.
180 Wescar Lane	135.4 m northeast	N/A	ServiceMaster Ottawa DR	GEN	Registered generator of pathological wastes as of November 2021.
117 Wescar Lane	135.4 m northeast	N/A	ServiceMaster Ottawa DR 1278439 Ontario Ltd.	GEN	Waste class 252–waste oils and lubricants approved in 2009, 2013, 2014,2015,2016 and 2018. Registered generator of waste oils and lubricants in 2009.
123 Cardevco Road	148.9 m east	10. Commercial Autobody Shops 58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Akman Construction Inc.	GEN EASR	Registered generator of waste oils and lubricants in 2013 to 2016, crankcase oils and lubricants as of December 2018, July 2020 and November 2021 from general automotive repair. Registered in August 2018 as a waste management storage yard for waste of domestic sources, leaf/yard waste, commercial waste, wood waste, non-hazardous solid industrial waste, contaminated soil and non-hazardous spill clean-up waste
139 Cardevco Road	167.6 m East	N/A	ONTRAC Equipment Services	GEN	Registered in 1998 to 1999 as a generator of aliphatic solvents, petroleum distillates, light fuels and waste oils and lubricants.
107 Wescar Lane	187.5 m southeast	N/A	Line X of Ottawa	GEN	Registered in 2014 to 2016 as a generator of polymeric resins and oil skimmings and sludges; and as of December 2018, July 2020 and November 2021 for generation of polymeric resins, petroleum-based waste oils and sludges and petroleum distillates.



Address/ Location	Distance from Site	PCA ID	Company/ Name	Database	Description
142 Cardevco Road	211.0 m northeast	43. Plastics (including Fibreglass) Manufacturing and Processing	Bytown Mouldings Inc.	SCT	Registered as a manufacturer of plastic products, metal window and door manufacturing and other millwork.
		28. Gasoline and Associated Products Storage in Fixed Tanks	WO Stinson & Son Ltd.	FSTH	Two double wall ASTs for gasoline, each with a capacity of 2270 L, were installed in 2002 at a private self-serve fuel outlet and were active in 2007 and 2008.
			2299663 Ontario Ltd	GEN	Registered in 2012,2013 2014,2015,2016,2018 and 2020 as a manufacturer of miscellaneous fabricated metal and a generator of waste including acid waste, aliphatic solvents, waste oils & lubricants and alkaline wastes-other metals.
171 Cardevco Rd	220.7 m northeast	34. Metal Fabrication	Harris Rebar - Div. of Harris	SCT	Registered in 1954 for ornamental and architectural metal product manufacturing, concrete reinforcing bar manufacturing and all other miscellaneous fabricated metal product manufacturing.
	220.7 m northeast			GEN	Registered in 2010, 2012, 2013,2014, 2015, 2016, 2018, 2019 and 2020 as a generator of waste class 252 –waste oils and lubricants, waste class 263- organic laboratory chemicals, waste crankcase oils and chemicals, mics. Waste organic chemicals, waste oils/sludges (petroleum bases), and petroleum distillates.
					Registered in November 2021 as a generator of waste compressed gases including cylinders, misc. waste organic chemicals, and waste crankcase oils and lubricants (252 L and 252 T).
132 Cardevco Rd	220 m east	10. Commercial Autobody Shops	G P Service Station Maintenance	GEN	Registered in 1988 to 1990, 1992 to 1998 as a generator of petroleum distillates and waste oils and lubricants, from 1999 to 2001 for generating petroleum distillates, light fuels, oil skimmings and sludges, and waste oils and lubricants; from 2004 to 2012 for generating light fuels; 2013 to 2016 for waste oils and lubricants and light fuels, 2018, for light fuels and waste crankcase oils and lubricants, and in 2021 for generating waste crankcase oils and lubricants.

Address/ Location	Distance from Site	PCA ID	Company/ Name	Database	Description
154 Cardevco Rd	227 m east northeast	58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Kris Jason Hodgins	GEN	Approved in July 2008 for a Waste Management provisional certificate of approval for domestic, commercial and non-hazardous solid industrial waste.
158 Cardevco Rd	248.4 m east northeast	Other: Spill	West Carleton Township ON	SPL	MOE reported spill in 1998 to the receiving medium of land and water. Contaminant cause, source and quantity were not reported.

**Notes:**

GEN – Ontario Regulation 347 Waste Generators Summary

FSTH – Fuel Storage Tank – Historic

SCT - Scott's Manufacturing Directory

PES - Pesticide Register

EASR - Environmental Activity and Sector Registry

**3.2 Regulatory Information**

**3.2.1 Technical Standards and Safety Authority**

The TSSA was contacted on April 17, 2023, to request available records for the Site (151 and 159 Wescar Lane, Carp, Ontario and adjacent properties including 117, 126, 131, 138, 141 and 200 Wescar Lane and 123 Cardevco Rd, Carp, ON.

The response from the TSSA indicated that no records were identified in their database of any fuel storage tanks at the subject addresses for any of the above-noted properties.

A copy of the search requests and the responses from the TSSA are provided in Appendix D.

**3.2.2 Mapping of Federally Contaminated Sites**

A Government of Canada, Treasury Board of Canada Secretariat, interactive map of contaminated sites was reviewed in April 2023. The database provides an inventory of over 4000 federally owned contaminated sites across the country. The database did not identify any federally owned contaminated sites within the study area.

### 3.2.3 Ontario Inventory of PCB Storage Sites

The Waste Management Branch of the Ontario Ministry of the Environment, Conservation and Parks (MECP) published an Ontario Inventory of PCB Storage Sites in October 1991. The publication includes information of PCB storage sites collected under O.Reg. 11/82 through MECP district and regional offices. The database did not identify any PCB storage sites within the study area.

### 3.2.4 Landfills

The Ontario Ministry of Environment, Conservation and Parks published maps entitled “*Small Landfill Sites List*” and “*Large landfill sites map*” published March 2014 – Updated October 2021. The publication includes information to identify old landfill sites for potential environmental considerations within the boundary of the province of Ontario. No landfills were identified within the study area.

#### 3.2.4.1 City Directories

A review of the city directories from 1992 to 2011 was completed for the Site and several adjacent properties. All listings were reviewed, and no relevant environmental concerns were identified. In general, the city directories indicated that the surrounding area has been historically occupied by commercial, light industrial and residential land uses since at least 2002. No historical operations of potential environmental concern were identified. A copy of the city directory records is provided in Appendix F.

## 3.3 Physical Setting Sources

### 3.3.1 Aerial Photographs

Aerial photographs were obtained at regular intervals from the GeoOttawa and GoogleEarth databases as publicly available and were selected considering suitable scale for analysis and coverage area. The earliest photograph obtained was from 1976. Observations made with respect to the selected aerial photographs are summarized in Table 3.2. The aerial photographs reviewed include the following years: 1976, 1999, 2002, 2011, 2017 GeoOttawa and 2021.

**Table 3.2: Summary of Aerial Photograph Review**

Date	Photograph Number	Observations
1976	GeoOttawa	<ul style="list-style-type: none"><li>The Site appears undeveloped with agricultural and undeveloped forested area along the north, east, south and west boundary of the Site.</li></ul>
1999 and 2002	GeoOttawa	<ul style="list-style-type: none"><li>The Site remains undeveloped, and more trees are present on 159 Wescar Lane.</li><li>The land on the opposing side of Wescar Lane to the northeast of the Site becomes commercially developed and the land southwest of the Site becomes residentially developed in the 1999 aerial photo.</li></ul>

Date	Photograph Number	Observations
2011	GeoOttawa	<ul style="list-style-type: none"> <li>Residential development is present southeast of the Site.</li> <li>No significant changes from the 2002 aerial photograph.</li> </ul>
2017	GeoOttawa	<ul style="list-style-type: none"> <li>A parking lot appears on the northeast portion 159 Wescar Lane with access from Wescar Lane.</li> </ul>
2021	GoogleEarth	<ul style="list-style-type: none"> <li>Neighboring properties 173 and 181 Wescar Lane become developed with a parking lot in the 2021 photograph. 151 Wescar Lane remains undeveloped and 159 Wescar Lane still has the parking lot from the 2017 aerial photo.</li> </ul>

Based on the aerial photograph review, no PCAs were identified on the Site.

### 3.3.2 Topography, Hydrology and Geology

The Site is at an elevation of approximately 120 metres above sea level. The surrounding topography is generally flat, sloping slightly downwards towards the northeast.

Surficial and bedrock geology maps of the area indicate that the overburden in the vicinity of the Site generally consists of coarse-textured glaciomarine deposits described as sand, gravel, minor silt and clay marine fine-grained deposits. The thickness of the overburden is approximately 5 m. The bedrock is mapped as limestone, dolostone, shale, arkose, sandstone of the Ottawa Group and Simcoe Group and the Shadow Lake Formation.

Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. The topography of the Site is generally flat but slopes gradually towards the northeast. It is expected that local groundwater flow direction is to the northeast.

### 3.3.3 Fill Materials

No fill material was identified on the Site.

### 3.3.4 Water Bodies and Areas of Natural Significance

An unevaluated wetland was identified on the Site (the majority of 151 Wescar Lane and the southeast side of the southern corner of 159 Wescar Lane) according to the Heritage Information Centre (NHIC). However, no areas of natural and scientific interest (ANSIs) were identified on the Site or within the study area. The NHIC has indicated butternut to have been present within 1 kilometre of the Site (MNR, 2014).

### 3.3.5 Well Records

Well records available through the Ministry of the Environment Conservation and Parks (MECP) for a 350-metre radius from the centre of the Site to try and capture the study area were reviewed as part of the Phase One ESA. A total of 14 wells were identified within the study area

250 metre radius in the ERIS report. The depth to water in the well records ranged from 2.4 meters below ground surface (mbgs) to 21.0 mbgs with an average of 9.0 mbgs.

The recorded stratigraphy in the well records indicated the overburden in the area generally consists of sand, sandy-clay and gravel. Limestone bedrock was encountered at depths ranging from 6.7 mbgs to 50.6 mbgs with an average of 36.0 mbgs.

#### 4.0 INTERVIEWS

No interview was conducted for this Phase One ESA as the Site is currently vacant and undeveloped.

#### 5.0 SITE RECONNAISSANCE

##### 5.1 General Requirements

A Site reconnaissance was carried out on April 11, 2023, from approximately 10:15 am to 11:00 am. The weather at the time of the Site reconnaissance was sunny with melting snow cover and approximately 10 degrees Celsius.

The Site reconnaissance was completed by Ms. Ester Wilson, B.Sc., GIT, of GEMTEC. The Site reconnaissance was carried out to determine if environmental concerns with the Site and/or surrounding property uses could be visually identified.

##### 5.1.1 Site Photographs

Photographs of the Site were taken during the site reconnaissance to document the general condition of the Site and any areas of potential environmental concern. The relevant photographs are presented in Appendix G. A discussion of the photographs is provided in Table 5.1 below.

**Table 5.1: Summary of Site Photographs**

Photo Number	Photograph Orientation	Description
1	southeast	Northeastern extent of the Site (151 Wescar Lane) and Wescar Lane
2	northwest	Northeastern extent of the Site Wescar Lane and neighbouring properties to the northwest (173 and 181 Wescar Lane)
3	southwest	Overview of western portion of 151 Wescar Lane
4	southeast	Overview of southern portion of 151 Wescar Lane
5	northwest	Overview of 159 Wescar Lane
6	N/A	Season spring melt standing water on 159 Wescar Lane
7	southeast	West portion of Site look southeast at 159 and 151 Wescar Lane with a berm on the West boundary of the Site
8	northeast	Northwest extent of 159 Wescar Lane looking northeast down Cavanmore Road

### 5.1.2 On-Site Observations

The following observations were made during the site reconnaissance:

- The Site was vacant and undeveloped; no buildings were present;
- The ground cover across the Site was entirely clear-cut ground with soil cover and no vegetation;
- A berm was present on the southwest extent of the Site; and
- A pond of standing water (likely from seasonal snow melt) was present on 159 Wescar Lane.

No PCAs were observed on the Site during the Site reconnaissance.

## 5.2 Specific Observations within the Study Area

### 5.2.1 Services

Adjacent properties and structures in the study area are serviced with natural gas and overhead hydro. Properties use water wells and septic systems for water and sanitary purposes. It should be noted that at the time of Site reconnaissance no water supply well was observed at the Site.

### 5.2.2 Water Bodies and Areas of Natural Significance

A local wetland was identified directly on the Site according to the NHIC. However, no areas of natural and scientific interest (ANSIs) were identified on the Site or within the study area. The NHIC has indicated butternut to have been present within 1 kilometre of the Site (MNR, 2014). No wetlands or standing water was observed at the time of the site reconnaissance.

### 5.2.3 Surrounding Properties

The following general observations were made for the properties surrounding the Site:

- A parking lot and the intersection of Wescar Lane and Cavanmore Road followed by what appears to be residential and agricultural lands present north of the Site;
- Industrial and commercial properties were present east of the Site; and,
- Commercial/light industrial and agricultural and vacant undeveloped land were present south of the Site,
- Residential properties were present to the west of the Site on the other side of Cavanmore Road as well as vacant undeveloped forested and agricultural land.

PCAs relating to these off-site industrial/commercial uses within the study area include:

- PCA # 55: Transformer Manufacturing, Processing and Use;
- PCA # 28. Gasoline and Associated Products Storage in Fixed Tanks;

- PCA # 58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners;
- PCA # 10. Commercial Autobody Shops;
- PCA # 43. Plastics (including Fibreglass) Manufacturing and Processing; and
- PCA #40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications

### **5.3 Unidentified Substances**

No unidentified substances were observed at the time of the Site reconnaissance.

### **5.4 Odours**

No odours were identified at the time of the Site reconnaissance.

### **5.5 Stained Materials and Stressed Vegetation**

No stained or stressed vegetation was observed during the Site reconnaissance; however, most of the vegetation on the Site had undergone clearcutting and no foliage was on the existing trees due to the winter season at the time of the Site reconnaissance.

### **5.6 Watercourses, Ditches or Standing Water**

Drainage ditches were identified along both sides of Wescar Lane and Cavanmore Road. A culvert was observed to be under Wescar Lane near the intersection of Wescar Lane and Cavanmore Road. Standing water in the form of a pond was observed on Site on 159 Wescar Lane.

## **6.0 REVIEW AND EVALUATION OF INFORMATION**

### **6.1 Potentially Contaminating Activities**

Six PCAs were identified within the Phase One ESA Study Area and are summarized in Table 6.1. The PCA locations are shown on Figure A.1, Appendix A.

**Table 6.1: Summary of Potentially Contaminating Activities**

Type of PCA	Address/ Location	Description	APEC Rationale
55. Transformer Manufacturing, Processing and Use at the Site	Along Cavanmore Road approximately 40 metres from the northwest of the Site	Pole mounted transformers were present on the opposing side of the street of the Site on the east side of Wescar Lane and north side of Cavanmore Road.	No Based on no observed evidence of staining and being off Site.
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Off-Site along multiple addresses in the Study Area	ERIS Report record of PCA present at near-by address(es) to the Site within the Stud Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
28. Gasoline and Associated Products Storage in Fixed Tanks	Off-Site along multiple addresses in the study-area	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
10. Commercial Autobody Shops	Off-Site at 132 and 123 Cardevco Rd and 123 Wescar Ln	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
43. Plastics (including Fibreglass) Manufacturing and Processing	Off-Site at 142 Cardevco Rd and 168 Wescar Ln	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.
40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large- Scale Applications	Off-Site at 145 Cardevco Rd	ERIS Report record of PCA present at near-by address(es) to the Site within the Study Area	No Based on being down gradient of the anticipated groundwater flow direction and/or distance from the Site.

**6.2 Areas of Potential Environmental Concern**

The available information was reviewed in a comprehensive manner starting with available historical information, followed by the results of the site reconnaissance. These two components were evaluated using professional experience, judgment, and available documentation to determine PCAs. Available historical records were cross-referenced with other records to verify



their accuracy. The observations from the site reconnaissance and information provided through the interview validated the available historical records for the Site, and vice versa. The PCAs were reviewed in order to identify APECs for the Site.

No APECs were identified on the Site at the time of this Phase One ESA.

### **6.2.1 Discussion of Uncertainty**

There is uncertainty with the Phase One ESA associated with using well record data, and topographic and geology maps from external sources. Information based on these sources may have changed since publishing due to construction, seasonal variations, or other factors.

## **7.0 CONCLUSIONS AND RECOMMENDATIONS**

Based on the review of records, and Site reconnaissance, no APECs were identified at the Site at the time of this Phase One ESA. Six PCAs were identified within the study area, but none resulted in APECs on the Site. No further environmental work is recommended at this time.

## 8.0 REFERENCES

Ontario Ministry of the Environment. January 1, 2014. Ontario Regulation 153/04, Made under the Environmental Protection Act, Part XV.1 – Records of Site Condition.

Environmental Systems Research Institute (ESRI). 2011. ArcGIS Desktop: Release 10. Redlands, CA: Environmental Systems Research Institute.

ERIS Database Report, March 8, 2022. 151 & 159 Wescar Lane, Carp Phase I ESA Ottawa ON, Quote- Custom-Build Your Own Report.

Ministry of Ontario. National Heritage Information Centre. March 2022.

Ontario Geological Survey, 2010. Surficial geology of southern Ontario; Ontario Geological Survey, Miscellaneous Release – Data 128 – Revised.

Ontario Ministry of the Environment (Waste Management Branch). January 1992. Ontario Inventory of PCB Storage Sites October 1991.

Ontario Ministry of the Environment (Waste Management Branch). January 1992. Ontario Inventory of PCB Storage Sites October 1991.

Ontario Ministry of the Environment Conservation and Parks. Small Landfill Sites List. Published: March 18, 2014. Updated: October 18, 2021.

Ontario Ministry of the Environment Conservation and Parks. Large Landfill Sites List. Published: March 12, 2014. Updated: October 18, 2021.

Radon Environmental Management Corporation (REMC). 2013. Radon Potential Map – Ontario.

Service Ontario, Land Registry Office. December 23, 2021. Parcel register (Abbreviated) for Property Identifier.

Treasury Board of Canada Secretariat (TBCS). Mapping of Federally Contaminated Sites.

## 9.0 LIMITATIONS OF LIABILITY

This Phase One ESA Update was carried out in general accordance with Ontario Regulation 153/04. The results of this Phase One ESA should in no way be construed as a warranty that the Site is free from any and all contaminants other than those noted in this report, nor that all compliance issues have been addressed.

This report was prepared for the exclusive use of Sunbelt Rentals Inc. and is based on data and information collected during the Phase One ESA of the Site conducted by GEMTEC Consulting Engineers and Scientists Ltd. This report may not be relied upon by any other person or entity without the express written consent of GEMTEC Consulting Engineers and Scientists Limited and Sunbelt Rentals Inc. In evaluating this site, GEMTEC Consulting Engineers and Scientists Limited has relied in good faith on information provided by others. We accept no responsibility for any deficiencies or inaccuracies in this report as a result of omissions, misinterpretations, or fraudulent acts of others.

The assessment of environmental conditions and possible site hazards presented has been made using the available historical and technical data collected and provided by others. The conclusions provided herein represent the best judgment of GEMTEC Consulting Engineers and Scientists Ltd. based on current environmental standards. Due to the nature of the investigation and the limited data available, we cannot warrant against undiscovered environmental liabilities.

The scope of the Phase One ESA is sufficient to identify existing and/or potential environmental liabilities that are obvious from visual examination of surface features and from available sources of information. This level of work is a method of risk reduction, not risk elimination. No building materials, water, liquid, gas, products or chemical sampling and/or testing on or in the vicinity of the Site was carried out as part of this assessment. The Phase One ESA does not include a program of intrusive observation/testing. These activities would be carried out as part of a Phase Two ESA. This environmental assessment included only a cursory overview of the neighbouring land uses from the public right of way and from the Site and does not constitute a complete assessment of the adjacent sites.

## 10.0 CLOSURE

We trust this report provides sufficient information for your present purposes. If you have any questions concerning this report, please do not hesitate to contact our office.

Sincerely,

Regards,



Mike Kosiw, B.Sc., EP, CESA<sub>II</sub>  
Senior Environmental Scientist



p.p  
Shaun Pelkey, M.Sc.E., P.Eng. QP<sub>ESA</sub>  
Principal, Environmental Engineer



Oct 25, 2024



MK/SP/DP/DE



## **APPENDIX A**

Figures






**LEGEND**

--- APPROXIMATE PROPERTY BOUNDARY

--- STUDY AREA  
(250m RADIUS FROM THE PROPERTY BOUNDARY)



32 Steacie Drive  
Ottawa, ON K2K 2A9  
Tel: (613) 836-1422  
www.gemtec.ca  
ottawa@gemtec.ca

**POTENTIALLY CONTAMINATING ACTIVITIES**

10	COMMERCIAL AUTOBODY SHOPS
28	GASOLINE AND ASSOCIATED PRODUCTS STORAGE IN FIXED TANKS
34	MINING, SMELTING AND REFINING; ORE PROCESSING; TAILINGS STORAGE
40	PESTICIDES (INCLUDING HERBICIDES, FUNGICIDES AND ANTI-FOULING AGENTS) MANUFACTURING, PROCESSING, BULK STORAGE AND LARGE-SCALE APPLICATIONS
43	PLASTICS (INCLUDING FIBREGLASS) MANUFACTURING AND PROCESSING
55	TRANSFORMER MANUFACTURING, PROCESSING AND USE AT THE SITE

Drawing

**STUDY AREA AND POTENTIALLY CONTAMINATING ACTIVITIES**

Client

**SUNBELT RENTALS INC.**

Project

101676.001

Drwn by S.L. Chkd by M.K.

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT  
151 AND 159 WESCAR LANE  
CARP, ONTARIO

Date

APRIL, 2023

Rev. 0

**FIGURE A.1**

N:\PROJECTS\101600\101676.001\DRAWINGS\1\DRAWINGS\101676.001\_ESA-PHL\_RO\_2022-03.DWG





## **APPENDIX B**

### Qualification of Assessors

## **QUALIFICATION OF ASSESSORS**

### **Ester Wilson, B.Sc., G.I.T., RESA. – Junior Environmental Scientist**

The primary assessor for this Phase One Environmental Site Assessment (ESA) was Ms. Ester Wilson, B.Sc. in Environmental Geoscience, registered geoscientist in training (G.I.T) and registered site assessor (RESA). Ms. Wilson has experience providing environmental services including Phase One and II Environmental Site Assessments, and Excess Soil Management Plans. Her formal education and experience working in environmental consulting have provided her with the knowledge and expertise to identify sources of environmental concern and evaluate their potential to cause adverse environmental impacts.

### **Mike Kosiw, B.Sc (Hons), EP, CESAII, A.Ag – Senior Environmental Scientist**

The Phase One ESA was carried out under the supervision of Mr. Mike Kosiw, B.Sc (Hons), EP, CESAII, A.Ag, Mr. Kosiw has over 12 years of experience in the completion of Phase One and Phase II Environmental Site Assessments (ESAs) in accordance with the CSA Group Standards and Phase One and Two ESAs completed in accordance with O.Reg. 153/04.

### **Shaun Pelkey, M.Sc., P. Eng. - Senior Engineer / Principal**

The QP<sub>ESA</sub> for this project was Mr. Shaun Pelkey. who has 31 years of applied consulting experience with both private and government clients. Mr. Pelkey is currently the Vice President at GEMTEC and the principal environmental engineer.





## **APPENDIX C**

### Chain of Title Abstract

PROPERTY DESCRIPTION: PCL 31-6, SEC 4M-356; PT BLK 31, PL 4M-356, PTS 16 & 17, 4R10176 ; S/T LT306284 WEST CARLETON/HUNTLEY

PROPERTY REMARKS:

ESTATE/QUALIFIER:  
FEE SIMPLE  
ABSOLUTE

RECENTLY:  
FIRST CONVERSION FROM BOOK


PIN CREATION DATE:  
1997/03/17

OWNERS' NAMES  
AUSCAN DEVELOPMENT INC.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p><b>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**</b></p> <p><b>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**</b></p> <p><b>** PRINTOUT INCLUDES ALL DOCUMENT TYPES (DELETED INSTRUMENTS NOT INCLUDED) **</b></p>						
LT305285	1982/12/10	NOTICE AGREEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
LT306283	1982/12/17	NOTICE AGREEMENT			THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON	C
LT306284	1982/12/17	TRANSFER EASEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
LT524049Z	1987/08/31	APL ANNEX REST COV				C
4R10176	1994/05/17	PLAN REFERENCE				C
OC2115722	2019/07/03	TRANSFER	\$1,750,000	ALLEREX LABORATORY LTD.	AUSCAN DEVELOPMENT INC.	C
OC2115723	2019/07/03	CHARGE	\$1,450,000	AUSCAN DEVELOPMENT INC.	ALLEREX LABORATORY LTD.	C

### SCALE



## PROPERTY INDEX MAP

OTTAWA-CARLETON(No. 04)

### LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

**THIS IS NOT A PLAN OF SURVEY**

### NOTES


**REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS**

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



LAND  
REGISTRY  
OFFICE #4

04536-0078 (LT)

PREPARED FOR EEGOOLAB  
ON 2022/03/06 AT 17:01:16

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: PCL 31-1, SEC 4M-356; PT BLK 31, PL 4M-356, EXCEPT 4R7471 & 4R10176 ; S/T LT306284 WEST CARLETON/HUNTLEY

PROPERTY REMARKS:

ESTATE/QUALIFIER:  
FEE SIMPLE  
ABSOLUTE

RECENTLY:  
FIRST CONVERSION FROM BOOK



PIN CREATION DATE:  
1997/03/17

OWNERS' NAMES  
AUSCAN DEVELOPMENT INC.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p><b>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1997/03/17 ON THIS PIN**</b></p> <p><b>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1997/03/17**</b></p> <p><b>** PRINTOUT INCLUDES ALL DOCUMENT TYPES (DELETED INSTRUMENTS NOT INCLUDED) **</b></p>						
LT305285	1982/12/10	NOTICE AGREEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
4R3951	1982/12/14	PLAN REFERENCE				C
LT306283	1982/12/17	NOTICE AGREEMENT			THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON	C
LT306284	1982/12/17	TRANSFER EASEMENT			THE CORPORATION OF THE TOWNSHIP OF WEST CARLETON	C
LT524049Z	1987/08/31	APL ANNEX REST COV				C
LT1247025	1999/11/25	TRANSFER	\$127,810	PRI-TEC LTD.	1055733 ONTARIO LIMITED	C
		REMARKS: PLANNING ACT STATEMENTS.				
OC2115722	2019/07/03	TRANSFER	\$1,750,000	ALLEREX LABORATORY LTD.	AUSCAN DEVELOPMENT INC.	C
OC2115723	2019/07/03	CHARGE	\$1,450,000	AUSCAN DEVELOPMENT INC.	ALLEREX LABORATORY LTD.	C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



**PROPERTY INDEX MAP**  
OTTAWA-CARLETON(No. 04)

**LEGEND**

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

**THIS IS NOT A PLAN OF SURVEY**

**NOTES**

**REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS**

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED





## **APPENDIX D**

### ERIS Report



---

# DATABASE REPORT

**Project Property:** *151&159 Wescar Lane Carp Phase I ESA  
151&159 Wescar Lane  
Ottawa ON*

**Project No:** *TBD*

**Report Type:** *Quote - Custom-Build Your Own Report*

**Order No:** *22022200416*

**Requested by:** *GEMTEC Consulting Engineers and  
Scientists Limited (Ontario)*

**Date Completed:** *March 8, 2022*

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	22
Map.....	41
Aerial.....	42
Topographic Map.....	43
Detail Report.....	44
Unplottable Summary.....	251
Unplottable Report.....	252
Appendix: Database Descriptions.....	253
Definitions.....	262

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.



# Executive Summary

## **Property Information:**

**Project Property:** 151&159 Wescar Lane Carp Phase I ESA  
151&159 Wescar Lane Ottawa ON

**Project No:** TBD

## **Order Information:**

**Order No:** 22022200416  
**Date Requested:** February 22, 2022  
**Requested by:** GEMTEC Consulting Engineers and Scientists Limited (Ontario)  
**Report Type:** Quote - Custom-Build Your Own Report

## **Historical/Products:**

## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	2	2
CA	<i>Certificates of Approval</i>	Y	0	8	8
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	2	2
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	2	10	12
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	27	27
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	2	2
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	80	80
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.25km</b>	<b>Total</b>
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	1	0	1
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	1	1
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	8	8
SPL	Ontario Spills	Y	0	1	1
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	40	40
<b>Total:</b>			<b>3</b>	<b>182</b>	<b>185</b>

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	MNR	HUNTLEY	ON	ESE/0.0	0.00	<a href="#">44</a>
<a href="#">2</a>	ECA	2198523 Ontario Inc.	Part 1 and 2, RP 4R-10176 Ottawa ON K0A 1L0	SE/0.0	-1.00	<a href="#">44</a>
<a href="#">2</a>	ECA	Carp & Cardevco Self-Storage Ltd.	Ottawa ON K2L 3R8	SE/0.0	-1.00	<a href="#">45</a>

## Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">3</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1532398	SE/0.7	-1.00	<a href="#">45</a>
<a href="#">4</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1531132	SE/2.6	-1.00	<a href="#">48</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1530340	SE/3.0	-1.00	<a href="#">53</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1530341	SE/3.0	-1.00	<a href="#">55</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1530342	SE/3.0	-1.00	<a href="#">57</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1530343	SE/3.0	-1.00	<a href="#">59</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1520138	SE/3.0	-1.00	<a href="#">61</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1520279	SE/3.0	-1.00	<a href="#">64</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1521169	SE/3.0	-1.00	<a href="#">67</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1522376	SE/3.0	-1.00	<a href="#">71</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1522596	SE/3.0	-1.00	<a href="#">74</a>
<a href="#">5</a>	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	<a href="#">78</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 1523221			
<a href="#"><u>5</u></a>	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	<a href="#"><u>82</u></a>
			<b>Well ID:</b> 1523820			
<a href="#"><u>5</u></a>	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	<a href="#"><u>85</u></a>
			<b>Well ID:</b> 1527799			
<a href="#"><u>5</u></a>	WWIS		lot 6 con 3 ON	SE/3.0	-1.00	<a href="#"><u>88</u></a>
			<b>Well ID:</b> 1529797			
<a href="#"><u>6</u></a>	CA	2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	ESE/18.4	0.00	<a href="#"><u>92</u></a>
<a href="#"><u>6</u></a>	ECA	2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	ESE/18.4	0.00	<a href="#"><u>93</u></a>
<a href="#"><u>7</u></a>	GEN	NU-TEK SIGNS INC.	162 WESCAR LANE CARP ON K0A 1L0	NE/50.9	0.00	<a href="#"><u>93</u></a>
<a href="#"><u>7</u></a>	EHS		162 Wescar Lane Carp ON K0A 1L0	NE/50.9	0.00	<a href="#"><u>93</u></a>
<a href="#"><u>7</u></a>	EHS		162 Wescar Lane Carp ON K0A 1L0	NE/50.9	0.00	<a href="#"><u>94</u></a>
<a href="#"><u>8</u></a>	WWIS		lot 7 con 3 ON	NNW/51.9	0.00	<a href="#"><u>94</u></a>
			<b>Well ID:</b> 1515158			
<a href="#"><u>9</u></a>	WWIS		WESCAR LANE lot 6 con 3 CARP ON	ESE/54.2	0.00	<a href="#"><u>97</u></a>
			<b>Well ID:</b> 1536478			
<a href="#"><u>10</u></a>	EHS		154 Wescar Lane Ottawa ON K0A1L0	ENE/55.0	0.00	<a href="#"><u>104</u></a>
<a href="#"><u>11</u></a>	EHS		173 and 181 Wescar Lane Carp ON K0A 1L0	N/55.7	0.00	<a href="#"><u>104</u></a>
<a href="#"><u>11</u></a>	EHS		173 and 181 Wescar Lane Carp ON K0A 1L0	N/55.7	0.00	<a href="#"><u>104</u></a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">104</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">105</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">105</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">105</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">105</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON	ENE/58.0	0.00	<a href="#">106</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">106</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">106</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">107</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">107</a>
<a href="#">12</a>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	ENE/58.0	0.00	<a href="#">107</a>
<a href="#">13</a>	CA	1649174 Ontario Inc.	132 Wescar Lane Ottawa ON	E/60.0	0.00	<a href="#">107</a>
<a href="#">13</a>	ECA	1649174 Ontario Inc.	132 Wescar Lane Ottawa ON K0A 1L0	E/60.0	0.00	<a href="#">108</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">14</a>	CA	Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	E/65.5	0.00	<a href="#">108</a>
<a href="#">14</a>	ECA	Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	E/65.5	0.00	<a href="#">108</a>
<a href="#">15</a>	WWIS		132 WESCAR LANE lot 6 con 3 CARP ON <b>Well ID:</b> 1536824	E/67.9	0.00	<a href="#">109</a>
<a href="#">16</a>	ECA	Marnick Holdings Ltd.	131 Wescar Lane Carp Ottawa ON	ESE/78.1	0.00	<a href="#">115</a>
<a href="#">17</a>	SCT	Kerr Design Ltd.	168 Wescar Lane RR 2 Carp ON K0A 1L0	NE/88.9	0.00	<a href="#">116</a>
<a href="#">17</a>	SCT	Competition Composites Inc.	168 Wescar Lane Unit 3 Carp ON K0A 1L0	NE/88.9	0.00	<a href="#">116</a>
<a href="#">17</a>	CA	Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON	NE/88.9	0.00	<a href="#">116</a>
<a href="#">17</a>	SCT	Competition Composites Inc.	3-168 Wescar Lane Carp ON K0A 1L0	NE/88.9	0.00	<a href="#">117</a>
<a href="#">17</a>	ECA	Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON K0A 1L0	NE/88.9	0.00	<a href="#">117</a>
<a href="#">17</a>	GEN	Competition Composites	168 Wescar Lane Carp ON K0A 1L0	NE/88.9	0.00	<a href="#">117</a>
<a href="#">17</a>	GEN	Competition Composites	168 Wescar Lane Carp ON K0A 1L0	NE/88.9	0.00	<a href="#">117</a>
<a href="#">18</a>	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	<a href="#">118</a>
<a href="#">18</a>	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	<a href="#">118</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">18</a>	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	<a href="#">118</a>
<a href="#">18</a>	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	<a href="#">118</a>
<a href="#">18</a>	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	<a href="#">119</a>
<a href="#">18</a>	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	<a href="#">119</a>
<a href="#">18</a>	EHS		126 Wescar Lane Carp ON K0A 1L0	E/91.6	0.00	<a href="#">119</a>
<a href="#">19</a>	WWIS		131 WESCAR lot 6 con 3 CARP ON <b>Well ID:</b> 7161391	ESE/96.6	0.00	<a href="#">119</a>
<a href="#">20</a>	WWIS		5630 OSGOODE MAIN STREET lot 6 con 3 OSGOODE ON <b>Well ID:</b> 7126803	NE/105.4	0.00	<a href="#">126</a>
<a href="#">20</a>	WWIS		153 CARDEVCO ROAD lot 6 con 3 CARP ON <b>Well ID:</b> 7127022	NE/105.4	0.00	<a href="#">133</a>
<a href="#">21</a>	EHS		172 & 180 Wescar Lane Ottawa ON	N/108.0	0.00	<a href="#">140</a>
<a href="#">22</a>	WWIS		135 CARDEVCO RD CARP ON <b>Well ID:</b> 7186867	E/108.7	0.00	<a href="#">140</a>
<a href="#">23</a>	BORE		ON	NNW/110.4	-0.31	<a href="#">147</a>
<a href="#">24</a>	WWIS		123 WESCAR lot 6 con 3 CARP ON <b>Well ID:</b> 7164958	ESE/117.3	-1.39	<a href="#">148</a>
<a href="#">25</a>	GEN	Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	E/120.9	0.00	<a href="#">155</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">25</a>	GEN	Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	E/120.9	0.00	<a href="#">155</a>
<a href="#">25</a>	GEN	Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	E/120.9	0.00	<a href="#">155</a>
<a href="#">25</a>	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	E/120.9	0.00	<a href="#">155</a>
<a href="#">25</a>	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	E/120.9	0.00	<a href="#">156</a>
<a href="#">25</a>	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	E/120.9	0.00	<a href="#">156</a>
<a href="#">26</a>	CA	Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	ENE/123.7	0.00	<a href="#">156</a>
<a href="#">26</a>	ECA	Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	ENE/123.7	0.00	<a href="#">156</a>
<a href="#">26</a>	GEN	Thunderbolt Contracting	153 Cardevco Road, Unit 2 Carp ON K0A 1L0	ENE/123.7	0.00	<a href="#">157</a>
<a href="#">26</a>	GEN	Thunderbolt Contracting	153 Cardevco Road RR#2 Carp ON K0A 1L0	ENE/123.7	0.00	<a href="#">157</a>
<a href="#">27</a>	EHS		135 Cardevco Road Carp ON K0A 1L0	E/124.4	0.00	<a href="#">157</a>
<a href="#">27</a>	EHS		135 Cardevco Road Ottawa ON	E/124.4	0.00	<a href="#">158</a>
<a href="#">27</a>	EHS		135 Cardevco Rd Ottawa ON K0A1L0	E/124.4	0.00	<a href="#">158</a>
<a href="#">27</a>	EHS		135 Cardevco Rd Ottawa ON K0A1L0	E/124.4	0.00	<a href="#">158</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">28</a>	EASR	CAPITAL DEDICATED LOGISTICS INC.	135 CARDEVCO RD CARP ON K0A 1L0	E/124.4	0.00	<a href="#">158</a>
<a href="#">29</a>	EHS		145 Cardevco Road Carp ON K0A 1L0	ENE/126.4	0.00	<a href="#">159</a>
<a href="#">30</a>	EHS		149 Cardevco Rd. Ottawa ON	ENE/127.5	0.00	<a href="#">159</a>
<a href="#">30</a>	PES	THUNDERBOLT CONTRACTING INC.	149 CARDEVLO RD CARP ON KOA1LO	ENE/127.5	0.00	<a href="#">159</a>
<a href="#">30</a>	SCT	City Plastering	2-149 Cardevco Rd Carp ON K0A 1L0	ENE/127.5	0.00	<a href="#">159</a>
<a href="#">31</a>	GEN	ALLEREX LABORATORY LTD.	180 WESCAR DRIVE CARP ON K0A 2N0	NNE/129.3	0.00	<a href="#">160</a>
<a href="#">32</a>	EHS		123 Wescar Lane Ottawa ON	ESE/134.1	-1.39	<a href="#">160</a>
<a href="#">32</a>	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	<a href="#">160</a>
<a href="#">32</a>	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	<a href="#">161</a>
<a href="#">32</a>	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	<a href="#">161</a>
<a href="#">32</a>	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	<a href="#">161</a>
<a href="#">32</a>	GEN	AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	ESE/134.1	-1.39	<a href="#">162</a>
<a href="#">33</a>	ECA	2350416 Ontario Inc.	123 Wescar Lane West Carleton Ottawa ON K2E 6T9	ESE/134.2	-1.39	<a href="#">162</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">34</a>	SCT	Prestige Fence	163 Cardevco Rd Carp ON K0A 1L0	NE/134.9	-0.31	<a href="#">162</a>
<a href="#">34</a>	EHS		163 Cardevco Road Carp ON K0A 1L0	NE/134.9	-0.31	<a href="#">163</a>
<a href="#">35</a>	GEN	ServiceMaster Ottawa DR	180 Wescar Lane Ottawa ON KOA1LO	NNE/135.4	0.00	<a href="#">163</a>
<a href="#">36</a>	WWIS		123 CARDEVCO ROAD lot 6 con 3 CARP ON <i>Well ID: 7210658</i>	E/136.7	0.00	<a href="#">163</a>
<a href="#">37</a>	WWIS		lot 6 con 3 ON <i>Well ID: 1532757</i>	ENE/139.4	-0.31	<a href="#">171</a>
<a href="#">38</a>	WWIS		117 WESCAR LN CARP ON <i>Well ID: 7144203</i>	ESE/148.4	0.00	<a href="#">174</a>
<a href="#">38</a>	CA	1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON	ESE/148.4	0.00	<a href="#">176</a>
<a href="#">38</a>	INC		117 WESCAR LANE, OTTAWA ON	ESE/148.4	0.00	<a href="#">177</a>
<a href="#">38</a>	GEN	1278439 Ontario Ltd.	117 Wescar Lane Stittsville ON	ESE/148.4	0.00	<a href="#">177</a>
<a href="#">39</a>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON	E/148.9	0.00	<a href="#">178</a>
<a href="#">39</a>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	<a href="#">178</a>
<a href="#">39</a>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	<a href="#">178</a>
<a href="#">39</a>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	<a href="#">178</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">39</a>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	<a href="#">179</a>
<a href="#">39</a>	EASR	AKMAN CONSTRUCTION INC	123 CARDEVCO RD CARP ON K0A 1L0	E/148.9	0.00	<a href="#">179</a>
<a href="#">39</a>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	<a href="#">179</a>
<a href="#">39</a>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	E/148.9	0.00	<a href="#">179</a>
<a href="#">40</a>	WWIS		117 WESCAR LN CARP ON <b>Well ID:</b> 7144200	ESE/154.8	-1.05	<a href="#">180</a>
<a href="#">41</a>	EHS		145 Cardevco Road Ottawa (Carp) ON K0A 1L0	ENE/155.0	-0.55	<a href="#">182</a>
<a href="#">42</a>	WWIS		117 WESCAR LN CARP ON <b>Well ID:</b> 7144202	ESE/161.3	-1.05	<a href="#">182</a>
<a href="#">43</a>	WWIS		104 HUNTLEY MANOR lot 7 con 3 CARP ON <b>Well ID:</b> 7287872	WNW/163.9	-1.00	<a href="#">184</a>
<a href="#">44</a>	WWIS		117 WESCAR LN CARP ON <b>Well ID:</b> 7144201	ESE/165.6	-1.05	<a href="#">191</a>
<a href="#">45</a>	GEN	ONTRAC EQUIPMENT SERVICES	139 CARDEVCO ROAD CARP ON K0A 1L0	E/167.6	-1.03	<a href="#">193</a>
<a href="#">46</a>	WWIS		117 WESCAR LANE CARP ON <b>Well ID:</b> 7140538	ESE/170.0	-1.05	<a href="#">193</a>
<a href="#">47</a>	WWIS		104 HUNTLEY MANOR lot 7 con 3 CARP ON <b>Well ID:</b> 7287897	WNW/176.4	-1.00	<a href="#">197</a>
<a href="#">48</a>	WWIS		117 WESCAR LANE CARP ON	ESE/177.4	-0.23	<a href="#">199</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7140541			
<a href="#">49</a>	WWIS		117 WESCAR LANE lot 6 con 3 CARP ON <b>Well ID:</b> 7140539	ESE/177.6	-0.23	<a href="#">202</a>
<a href="#">50</a>	WWIS		117 WESCAR LANE CARP ON <b>Well ID:</b> 7140540	ESE/180.9	-0.23	<a href="#">205</a>
<a href="#">51</a>	ECA	1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON K2C 1W2	ESE/181.2	-0.23	<a href="#">208</a>
<a href="#">52</a>	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	<a href="#">208</a>
<a href="#">52</a>	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	<a href="#">209</a>
<a href="#">52</a>	GEN	Line X of Ottawa	107 Wescar Lane Ottawa ON K0A 1L0	ESE/187.5	0.69	<a href="#">209</a>
<a href="#">52</a>	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	<a href="#">209</a>
<a href="#">52</a>	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	<a href="#">210</a>
<a href="#">52</a>	GEN	Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	ESE/187.5	0.69	<a href="#">210</a>
<a href="#">52</a>	EHS		107 Wescar Lane Carp ON K0A 1L0	ESE/187.5	0.69	<a href="#">210</a>
<a href="#">52</a>	EHS		107 Wescar Lane Carp ON K0A 1L0	ESE/187.5	0.69	<a href="#">211</a>
<a href="#">52</a>	EHS		107 Wescar Lane Carp ON K0A 1L0	ESE/187.5	0.69	<a href="#">211</a>
<a href="#">53</a>	WWIS		126 WESCAR LANE lot 10 con 24 OTTAWA ON	E/188.9	-0.97	<a href="#">211</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 1536876			
<a href="#">54</a>	SCT	Bytown Mouldings Inc.	142 Cardevco Rd Carp ON K0A 1L0	ENE/211.0	-1.00	<a href="#">217</a>
<a href="#">54</a>	FSTH	W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	ENE/211.0	-1.00	<a href="#">218</a>
<a href="#">54</a>	FSTH	W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	ENE/211.0	-1.00	<a href="#">218</a>
<a href="#">54</a>	CA	1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON	ENE/211.0	-1.00	<a href="#">218</a>
<a href="#">54</a>	EHS		142 Cardevco Rd Ottawa ON	ENE/211.0	-1.00	<a href="#">219</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	ENE/211.0	-1.00	<a href="#">219</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	ENE/211.0	-1.00	<a href="#">219</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON	ENE/211.0	-1.00	<a href="#">219</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	<a href="#">220</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	<a href="#">220</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	<a href="#">221</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	<a href="#">221</a>
<a href="#">54</a>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	ENE/211.0	-1.00	<a href="#">221</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">55</a>	WWIS		lot 6 con 3 ON <i>Well ID:</i> 1532402	ENE/215.4	-1.00	<a href="#">222</a>
<a href="#">56</a>	WWIS		171 CARDENCO lot 6 con 3 CARP ON <i>Well ID:</i> 7191739	NNE/216.0	0.00	<a href="#">225</a>
<a href="#">57</a>	WWIS		100 CARDEVCO RD CARP ON <i>Well ID:</i> 7335299	E/216.2	-2.03	<a href="#">232</a>
<a href="#">58</a>	SCT	Harris Rebar - Div. of Harris Steel Limited	171 Cardevco Rd Ottawa ON K1G 1L0	NE/220.7	-1.46	<a href="#">235</a>
<a href="#">58</a>	SCT	Harris Rebar - Div. of Harris	171 Cardevco Rd Carp ON K0A 1L0	NE/220.7	-1.46	<a href="#">236</a>
<a href="#">58</a>	ECA	Harris Steel ULC	171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	NE/220.7	-1.46	<a href="#">236</a>
<a href="#">58</a>	GEN	harrisrebar	171 Cardevco road carp ON K0A 1L0	NE/220.7	-1.46	<a href="#">236</a>
<a href="#">58</a>	GEN	harrisrebar	171 Cardevco road carp ON K0A 1L0	NE/220.7	-1.46	<a href="#">237</a>
<a href="#">58</a>	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON	NE/220.7	-1.46	<a href="#">237</a>
<a href="#">58</a>	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON	NE/220.7	-1.46	<a href="#">237</a>
<a href="#">58</a>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	<a href="#">237</a>
<a href="#">58</a>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	<a href="#">238</a>
<a href="#">58</a>	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	<a href="#">238</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">58</a>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	<a href="#">238</a>
<a href="#">58</a>	GEN	CQS Electric	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	<a href="#">239</a>
<a href="#">58</a>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/220.7	-1.46	<a href="#">239</a>
<a href="#">59</a>	GEN	G P SERVICE STATION MAINTENANCE	132 CARDEVCO OFF CARP ROAD C/O P. O. BOX 657 STITTSVILLE ON K0A 3G0	E/220.8	-2.00	<a href="#">239</a>
<a href="#">59</a>	GEN	G.P. SERVICE STATION MAINTENANCE	132 CARDEVCO ROAD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">240</a>
<a href="#">59</a>	GEN	G P SERVICE STATION MAINTENANCE 16-270	132 CARDEVCO OFF CARP ROAD C/O P. O. BOX 657 STITTSVILLE ON K2S 1A7	E/220.8	-2.00	<a href="#">240</a>
<a href="#">59</a>	GEN	G. P. SERVICE STATION MAINTENANCE	QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">240</a>
<a href="#">59</a>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">241</a>
<a href="#">59</a>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">241</a>
<a href="#">59</a>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">241</a>
<a href="#">59</a>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">241</a>
<a href="#">59</a>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">242</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">59</a>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON	E/220.8	-2.00	<a href="#">242</a>
<a href="#">59</a>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">242</a>
<a href="#">59</a>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">243</a>
<a href="#">59</a>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">243</a>
<a href="#">59</a>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	E/220.8	-2.00	<a href="#">243</a>
<a href="#">59</a>	GEN	Tarstone Canada Limited	132 Cardevco Road Carp ON K0A1L0	E/220.8	-2.00	<a href="#">244</a>
<a href="#">60</a>	BORE		ON	SE/222.1	0.51	<a href="#">244</a>
<a href="#">61</a>	WWIS		lot 6 con 3 ON <b>Well ID:</b> 1503338	SE/222.2	0.51	<a href="#">245</a>
<a href="#">62</a>	CA	Kris Jason Hodgins	154 Cardevco Dr Ottawa ON	ENE/225.7	-1.00	<a href="#">247</a>
<a href="#">63</a>	ECA	Kris Jason Hodgins	154 Cardevco Dr Ottawa ON K0A 1L0	ENE/227.4	-1.00	<a href="#">248</a>
<a href="#">64</a>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	NE/236.3	-2.00	<a href="#">248</a>
<a href="#">65</a>	EHS		158 Cardevco Rd Ottawa ON K0A1L0	ENE/237.0	-1.93	<a href="#">249</a>
<a href="#">66</a>	SPL		158 CARDEVCO RD \ WEST CARLETON TOWNSHIP ON	ENE/248.4	-1.93	<a href="#">249</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">66</a>	GEN	S L HODGINS	158 CARDEVCO CARP ON K0A 1L0	ENE/248.4	-1.93	<a href="#">249</a>
<a href="#">66</a>	GEN	S. L. HODGINS	158 CARDEVCO CARP ON	ENE/248.4	-1.93	<a href="#">249</a>

# Executive Summary: Summary By Data Source

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2018 has found that there are 2 BORE site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	110.4	<a href="#"><u>23</u></a>
	ON	222.1	<a href="#"><u>60</u></a>

## **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 8 CA site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	18.4	<a href="#"><u>6</u></a>
1649174 Ontario Inc.	132 Wescar Lane Ottawa ON	60.0	<a href="#"><u>13</u></a>
Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	65.5	<a href="#"><u>14</u></a>
Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON	88.9	<a href="#"><u>17</u></a>
Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	123.7	<a href="#"><u>26</u></a>
1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON	148.4	<a href="#"><u>38</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON	211.0	<a href="#">54</a>
Kris Jason Hodgins	154 Cardevco Dr Ottawa ON	225.7	<a href="#">62</a>

### **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011- Jan 31, 2021 has found that there are 2 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CAPITAL DEDICATED LOGISTICS INC.	135 CARDEVCO RD CARP ON K0A 1L0	124.4	<a href="#">28</a>
AKMAN CONSTRUCTION INC	123 CARDEVCO RD CARP ON K0A 1L0	148.9	<a href="#">39</a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011- Jan 31, 2021 has found that there are 12 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
2198523 Ontario Inc.	Part 1 and 2, RP 4R-10176 Ottawa ON K0A 1L0	0.0	<a href="#">2</a>
Carp & Cardevco Self-Storage Ltd.	Ottawa ON K2L 3R8	0.0	<a href="#">2</a>
2042303 Ontario Inc.	141 Wescar Lane Ottawa ON	18.4	<a href="#">6</a>
1649174 Ontario Inc.	132 Wescar Lane Ottawa ON K0A 1L0	60.0	<a href="#">13</a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	65.5	<a href="#"><u>14</u></a>
Marnick Holdings Ltd.	131 Wescar Lane Carp Ottawa ON	78.1	<a href="#"><u>16</u></a>
Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON K0A 1L0	88.9	<a href="#"><u>17</u></a>
Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	123.7	<a href="#"><u>26</u></a>
2350416 Ontario Inc.	123 Wescar Lane West Carleton Ottawa ON K2E 6T9	134.2	<a href="#"><u>33</u></a>
1278439 Ontario Ltd.	117 Wescar Lane-West Carleton Ottawa ON K2C 1W2	181.2	<a href="#"><u>51</u></a>
Harris Steel ULC	171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	220.7	<a href="#"><u>58</u></a>
Kris Jason Hodgins	154 Cardevco Dr Ottawa ON K0A 1L0	227.4	<a href="#"><u>63</u></a>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 27 EHS site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	162 Wescar Lane Carp ON K0A 1L0	50.9	<a href="#"><u>7</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	162 Wescar Lane Carp ON K0A 1L0	50.9	<a href="#"><u>7</u></a>
	154 Wescar Lane Ottawa ON K0A1L0	55.0	<a href="#"><u>10</u></a>
	173 and 181 Wescar Lane Carp ON K0A 1L0	55.7	<a href="#"><u>11</u></a>
	173 and 181 Wescar Lane Carp ON K0A 1L0	55.7	<a href="#"><u>11</u></a>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<a href="#"><u>18</u></a>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<a href="#"><u>18</u></a>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<a href="#"><u>18</u></a>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<a href="#"><u>18</u></a>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<a href="#"><u>18</u></a>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<a href="#"><u>18</u></a>
	126 Wescar Lane Carp ON K0A 1L0	91.6	<a href="#"><u>18</u></a>
	172 & 180 Wescar Lane Ottawa ON	108.0	<a href="#"><u>21</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	135 Cardevco Road Carp ON K0A 1L0	124.4	<a href="#"><u>27</u></a>
	135 Cardevco Road Ottawa ON	124.4	<a href="#"><u>27</u></a>
	135 Cardevco Rd Ottawa ON K0A1L0	124.4	<a href="#"><u>27</u></a>
	135 Cardevco Rd Ottawa ON K0A1L0	124.4	<a href="#"><u>27</u></a>
	145 Cardevco Road Carp ON K0A 1L0	126.4	<a href="#"><u>29</u></a>
	149 Cardevco Rd. Ottawa ON	127.5	<a href="#"><u>30</u></a>
	123 Wescar Lane Ottawa ON	134.1	<a href="#"><u>32</u></a>
	163 Cardevco Road Carp ON K0A 1L0	134.9	<a href="#"><u>34</u></a>
	145 Cardevco Road Ottawa (Carp) ON K0A 1L0	155.0	<a href="#"><u>41</u></a>
	107 Wescar Lane Carp ON K0A 1L0	187.5	<a href="#"><u>52</u></a>
	107 Wescar Lane Carp ON K0A 1L0	187.5	<a href="#"><u>52</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	107 Wescar Lane Carp ON K0A 1L0	187.5	<a href="#">52</a>
	142 Cardevco Rd Ottawa ON	211.0	<a href="#">54</a>
	158 Cardevco Rd Ottawa ON K0A1L0	237.0	<a href="#">65</a>

### **FSTH - Fuel Storage Tank - Historic**

A search of the FSTH database, dated Pre-Jan 2010\* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	211.0	<a href="#">54</a>
W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	211.0	<a href="#">54</a>

### **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 80 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
NU-TEK SIGNS INC.	162 WESCAR LANE CARP ON K0A 1L0	50.9	<a href="#">7</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	58.0	<a href="#">12</a>
Competition Composites	168 Wescar Lane Carp ON K0A 1L0	88.9	<a href="#">17</a>
Competition Composites	168 Wescar Lane Carp ON K0A 1L0	88.9	<a href="#">17</a>
Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	120.9	<a href="#">25</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	120.9	<a href="#"><u>25</u></a>
Capital Dedicated Logistics	135 Cardevco Carp ON K0A 1L0	120.9	<a href="#"><u>25</u></a>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	120.9	<a href="#"><u>25</u></a>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	120.9	<a href="#"><u>25</u></a>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	120.9	<a href="#"><u>25</u></a>
Thunderbolt Contracting	153 Cardevco Road, Unit 2 Carp ON K0A 1L0	123.7	<a href="#"><u>26</u></a>
Thunderbolt Contracting	153 Cardevco Road RR#2 Carp ON K0A 1L0	123.7	<a href="#"><u>26</u></a>
ALLEREX LABORATORY LTD.	180 WESCAR DRIVE CARP ON K0A 2N0	129.3	<a href="#"><u>31</u></a>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<a href="#"><u>32</u></a>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<a href="#"><u>32</u></a>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<a href="#"><u>32</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<a href="#"><u>32</u></a>
AMB LIFT INC.	123 WESCAR LANE CARP ON K0A 1L0	134.1	<a href="#"><u>32</u></a>
ServiceMaster Ottawa DR	180 Wescar Lane Ottawa ON KOA1L0	135.4	<a href="#"><u>35</u></a>
1278439 Ontario Ltd.	117 Wescar Lane Stittsville ON	148.4	<a href="#"><u>38</u></a>
Akman Construction Inc.	123 Cardevco Rd Carp ON	148.9	<a href="#"><u>39</u></a>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<a href="#"><u>39</u></a>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<a href="#"><u>39</u></a>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<a href="#"><u>39</u></a>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<a href="#"><u>39</u></a>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<a href="#"><u>39</u></a>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	148.9	<a href="#"><u>39</u></a>
ONTRAC EQUIPMENT SERVICES	139 CARDEVCO ROAD CARP ON K0A 1L0	167.6	<a href="#"><u>45</u></a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<a href="#"><u>52</u></a>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<a href="#"><u>52</u></a>
Line X of Ottawa	107 Wescar Lane Ottawa ON K0A 1L0	187.5	<a href="#"><u>52</u></a>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<a href="#"><u>52</u></a>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<a href="#"><u>52</u></a>
Line X of Ottawa	107 WESCAR LANE Ottawa ON K0A 1L0	187.5	<a href="#"><u>52</u></a>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	211.0	<a href="#"><u>54</u></a>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	211.0	<a href="#"><u>54</u></a>
2299663 Ontario Ltd	142 Cardevco Road Carp ON	211.0	<a href="#"><u>54</u></a>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	<a href="#"><u>54</u></a>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	<a href="#"><u>54</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	<a href="#"><u>54</u></a>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	<a href="#"><u>54</u></a>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	211.0	<a href="#"><u>54</u></a>
harrisrebar	171 Cardevco road carp ON K0A 1L0	220.7	<a href="#"><u>58</u></a>
harrisrebar	171 Cardevco road carp ON K0A 1L0	220.7	<a href="#"><u>58</u></a>
Harris Rebar Company	171 Cardevco Road Ottawa ON	220.7	<a href="#"><u>58</u></a>
Harris Rebar Company	171 Cardevco Road Ottawa ON	220.7	<a href="#"><u>58</u></a>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	<a href="#"><u>58</u></a>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	<a href="#"><u>58</u></a>
Harris Rebar Company	171 Cardevco Road Ottawa ON K0A 1L0	220.7	<a href="#"><u>58</u></a>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	<a href="#"><u>58</u></a>
CQS Electric	171 Cardevco Road Ottawa ON K0A 1L0	220.7	<a href="#"><u>58</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	220.7	<a href="#"><u>58</u></a>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON	220.8	<a href="#"><u>59</u></a>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
Tarstone Canada Limited	132 Cardevco Road Carp ON K0A1L0	220.8	<a href="#"><u>59</u></a>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
G P SERVICE STATION MAINTENANCE	132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K0A 3G0	220.8	<a href="#"><u>59</u></a>
G.P. SERVICE STATION MAINTENANCE	132 CARDEVCO ROAD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
G P SERVICE STATION MAINTENANCE 16-270	132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K2S 1A7	220.8	<a href="#"><u>59</u></a>
G. P. SERVICE STATION MAINTENANCE	QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	220.8	<a href="#"><u>59</u></a>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	236.3	<a href="#"><u>64</u></a>
S L HODGINS	158 CARDEVCO CARP ON K0A 1L0	248.4	<a href="#"><u>66</u></a>
S. L. HODGINS	158 CARDEVCO CARP ON	248.4	<a href="#"><u>66</u></a>

### **INC - Fuel Oil Spills and Leaks**

A search of the INC database, dated May 31, 2021 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	117 WESCAR LANE, OTTAWA ON	148.4	<a href="#"><u>38</u></a>

### **MNR - Mineral Occurrences**

A search of the MNR database, dated 1846-Dec 2020 has found that there are 1 MNR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HUNTLEY	ON	0.0	<a href="#">1</a>

### **PES - Pesticide Register**

A search of the PES database, dated Oct 2011- Jan 31, 2021 has found that there are 1 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
THUNDERBOLT CONTRACTING INC.	149 CARDEVLO RD CARP ON KOA1LO	127.5	<a href="#">30</a>

### **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 8 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Competition Composites Inc.	168 Wescar Lane Unit 3 Carp ON K0A 1L0	88.9	<a href="#">17</a>
Kerr Design Ltd.	168 Wescar Lane RR 2 Carp ON K0A 1L0	88.9	<a href="#">17</a>
Competition Composites Inc.	3-168 Wescar Lane Carp ON K0A 1L0	88.9	<a href="#">17</a>
City Plastering	2-149 Cardevco Rd Carp ON K0A 1L0	127.5	<a href="#">30</a>
Prestige Fence	163 Cardevco Rd Carp ON K0A 1L0	134.9	<a href="#">34</a>
Bytown Mouldings Inc.	142 Cardevco Rd Carp ON K0A 1L0	211.0	<a href="#">54</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Harris Rebar - Div. of Harris	171 Cardevco Rd Carp ON K0A 1L0	220.7	<a href="#">58</a>
Harris Rebar - Div. of Harris Steel Limited	171 Cardevco Rd Ottawa ON K1G 1L0	220.7	<a href="#">58</a>

### **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 1 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	158 CARDEVCO RD \\ WEST CARLETON TOWNSHIP ON	248.4	<a href="#">66</a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Sep 30, 2021 has found that there are 40 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 6 con 3 ON  <i>Well ID:</i> 1532398	0.7	<a href="#">3</a>
	lot 6 con 3 ON  <i>Well ID:</i> 1531132	2.6	<a href="#">4</a>
	lot 6 con 3 ON  <i>Well ID:</i> 1527799	3.0	<a href="#">5</a>
	lot 6 con 3 ON  <i>Well ID:</i> 1529797	3.0	<a href="#">5</a>
	lot 6 con 3 ON	3.0	<a href="#">5</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1523820		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1523221		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1522596		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1522376		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1521169		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1520279		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1520138		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530343		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530342		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530341		
	lot 6 con 3 ON	3.0	<u>5</u>
	<i>Well ID:</i> 1530340		
	lot 7 con 3 ON	51.9	<u>8</u>
	<i>Well ID:</i> 1515158		



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	WESCAR LANE lot 6 con 3 CARP ON  <i>Well ID:</i> 1536478	54.2	<a href="#"><u>9</u></a>
	132 WESCAR LANE lot 6 con 3 CARP ON  <i>Well ID:</i> 1536824	67.9	<a href="#"><u>15</u></a>
	131 WESCAR lot 6 con 3 CARP ON  <i>Well ID:</i> 7161391	96.6	<a href="#"><u>19</u></a>
	5630 OSGOODER MAIN STREET lot 6 con 3 OSGOODE ON  <i>Well ID:</i> 7126803	105.4	<a href="#"><u>20</u></a>
	153 CARDEVCO ROAD lot 6 con 3 CARP ON  <i>Well ID:</i> 7127022	105.4	<a href="#"><u>20</u></a>
	135 CARDEVCO RD CARP ON  <i>Well ID:</i> 7186867	108.7	<a href="#"><u>22</u></a>
	123 WESCAR lot 6 con 3 CARP ON  <i>Well ID:</i> 7164958	117.3	<a href="#"><u>24</u></a>
	123 CARDEVCO ROAD lot 6 con 3 CARP ON  <i>Well ID:</i> 7210658	136.7	<a href="#"><u>36</u></a>
	lot 6 con 3 ON  <i>Well ID:</i> 1532757	139.4	<a href="#"><u>37</u></a>
	117 WESCAR LN CARP ON  <i>Well ID:</i> 7144203	148.4	<a href="#"><u>38</u></a>
	117 WESCAR LN CARP ON  <i>Well ID:</i> 7144200	154.8	<a href="#"><u>40</u></a>
	117 WESCAR LN CARP ON	161.3	<a href="#"><u>42</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7144202</i>		
	104 HUNTLEY MANOR lot 7 con 3 CARP ON	163.9	<a href="#"><u>43</u></a>
	<i>Well ID: 7287872</i>		
	117 WESCAR LN CARP ON	165.6	<a href="#"><u>44</u></a>
	<i>Well ID: 7144201</i>		
	117 WESCAR LANE CARP ON	170.0	<a href="#"><u>46</u></a>
	<i>Well ID: 7140538</i>		
	104 HUNTLEY MANOR lot 7 con 3 CARP ON	176.4	<a href="#"><u>47</u></a>
	<i>Well ID: 7287897</i>		
	117 WESCAR LANE CARP ON	177.4	<a href="#"><u>48</u></a>
	<i>Well ID: 7140541</i>		
	117 WESCAR LANE lot 6 con 3 CARP ON	177.6	<a href="#"><u>49</u></a>
	<i>Well ID: 7140539</i>		
	117 WESCAR LANE CARP ON	180.9	<a href="#"><u>50</u></a>
	<i>Well ID: 7140540</i>		
	126 WESCAR LANE lot 10 con 24 OTTAWA ON	188.9	<a href="#"><u>53</u></a>
	<i>Well ID: 1536876</i>		
	lot 6 con 3 ON	215.4	<a href="#"><u>55</u></a>
	<i>Well ID: 1532402</i>		
	171 CARDENCO lot 6 con 3 CARP ON	216.0	<a href="#"><u>56</u></a>
	<i>Well ID: 7191739</i>		
	100 CARDEVCO RD CARP ON	216.2	<a href="#"><u>57</u></a>
	<i>Well ID: 7335299</i>		

**Site**

**Address**

**Distance (m)**


**Map Key**

lot 6 con 3  
ON

222.2

[61](#)

**Well ID:** 1503338




### Map: 0.25 Kilometer Radius

Order Number: 22022200416

Address: 151&159 Wescar Lane, Ottawa, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	Hospital



250 125 0 250 m

1:10000

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**Aerial** Year: 2020

Order Number: 22022200416

**Address: 151&159 Wescar Lane, Ottawa, ON**



Source: ESRI World Imagery

© ERIS Information Limited Partnership



76°0'W


75°58'30"W

45°18'N

45°18'N

45°16'30"N

45°16'30"N



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

# Topographic Map

**Address: 151&159 Wescar Lane, ON**

Source: ESRI World Topographic Map

Order Number: 22022200416



© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB																																																																
<a href="#">1</a>	1 of 1	ESE/0.0	119.9 / 0.00	HUNTLEY  ON	MNR																																																																
<table style="width: 100%; border: none;"> <tr> <td style="width: 20%;"><b>MDI No:</b></td> <td style="width: 30%;">MDI31G05SW00011</td> <td style="width: 20%;"><b>Twp Area:</b></td> <td style="width: 30%;">HUNTLEY</td> </tr> <tr> <td><b>OGF ID:</b></td> <td>205258559</td> <td><b>Dep Class:</b></td> <td></td> </tr> <tr> <td><b>Deposit Status:</b></td> <td>DISCRETIONARY OCCURRENCE</td> <td><b>Zone:</b></td> <td>18</td> </tr> <tr> <td><b>Claim Map:</b></td> <td>N/A</td> <td><b>Easting:</b></td> <td>423034.166</td> </tr> <tr> <td><b>Geological District:</b></td> <td>SOUTHEASTERN ONTARIO</td> <td><b>Northing:</b></td> <td>5015859.907</td> </tr> <tr> <td><b>Mining Division:</b></td> <td>SOUTHERN ONTARIO</td> <td><b>Effective Dt/time:</b></td> <td>24-May-2007</td> </tr> <tr> <td><b>Name:</b></td> <td>HUNTLEY</td> <td><b>Date Last Modified:</b></td> <td></td> </tr> <tr> <td><b>P Commod:</b></td> <td>FELDSPAR (NONMETALS)</td> <td><b>Geo Update Dt/time:</b></td> <td></td> </tr> <tr> <td><b>S Commod:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Class Sub Type No:</b></td> <td>2496</td> <td></td> <td></td> </tr> <tr> <td><b>Class Sub Type:</b></td> <td>Discretionary Mineral Occurrence</td> <td></td> <td></td> </tr> <tr> <td><b>Source Map:</b></td> <td>DEMR 1987, NTS 31G05 OTTAWA</td> <td></td> <td></td> </tr> <tr> <td><b>Detail:</b></td> <td colspan="3"><a href="http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html">http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html</a></td> </tr> <tr> <td><b>All Names:</b></td> <td>HUNTLEY</td> <td></td> <td></td> </tr> <tr> <td><b>Access Description:</b></td> <td>N/A</td> <td></td> <td></td> </tr> <tr> <td><b>Status:</b></td> <td>DISCRETIONARY OCCURRENCE</td> <td></td> <td></td> </tr> </table>						<b>MDI No:</b>	MDI31G05SW00011	<b>Twp Area:</b>	HUNTLEY	<b>OGF ID:</b>	205258559	<b>Dep Class:</b>		<b>Deposit Status:</b>	DISCRETIONARY OCCURRENCE	<b>Zone:</b>	18	<b>Claim Map:</b>	N/A	<b>Easting:</b>	423034.166	<b>Geological District:</b>	SOUTHEASTERN ONTARIO	<b>Northing:</b>	5015859.907	<b>Mining Division:</b>	SOUTHERN ONTARIO	<b>Effective Dt/time:</b>	24-May-2007	<b>Name:</b>	HUNTLEY	<b>Date Last Modified:</b>		<b>P Commod:</b>	FELDSPAR (NONMETALS)	<b>Geo Update Dt/time:</b>		<b>S Commod:</b>				<b>Class Sub Type No:</b>	2496			<b>Class Sub Type:</b>	Discretionary Mineral Occurrence			<b>Source Map:</b>	DEMR 1987, NTS 31G05 OTTAWA			<b>Detail:</b>	<a href="http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html">http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html</a>			<b>All Names:</b>	HUNTLEY			<b>Access Description:</b>	N/A			<b>Status:</b>	DISCRETIONARY OCCURRENCE		
<b>MDI No:</b>	MDI31G05SW00011	<b>Twp Area:</b>	HUNTLEY																																																																		
<b>OGF ID:</b>	205258559	<b>Dep Class:</b>																																																																			
<b>Deposit Status:</b>	DISCRETIONARY OCCURRENCE	<b>Zone:</b>	18																																																																		
<b>Claim Map:</b>	N/A	<b>Easting:</b>	423034.166																																																																		
<b>Geological District:</b>	SOUTHEASTERN ONTARIO	<b>Northing:</b>	5015859.907																																																																		
<b>Mining Division:</b>	SOUTHERN ONTARIO	<b>Effective Dt/time:</b>	24-May-2007																																																																		
<b>Name:</b>	HUNTLEY	<b>Date Last Modified:</b>																																																																			
<b>P Commod:</b>	FELDSPAR (NONMETALS)	<b>Geo Update Dt/time:</b>																																																																			
<b>S Commod:</b>																																																																					
<b>Class Sub Type No:</b>	2496																																																																				
<b>Class Sub Type:</b>	Discretionary Mineral Occurrence																																																																				
<b>Source Map:</b>	DEMR 1987, NTS 31G05 OTTAWA																																																																				
<b>Detail:</b>	<a href="http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html">http://www.geologyontario.mndm.gov.on.ca/mndmfiles/mdi/data/records/MDI31G05SW00011.html</a>																																																																				
<b>All Names:</b>	HUNTLEY																																																																				
<b>Access Description:</b>	N/A																																																																				
<b>Status:</b>	DISCRETIONARY OCCURRENCE																																																																				
<b><u>Deposit Details</u></b>																																																																					
<b>Deposit Year:</b> 1991																																																																					
<b>Deposit Character:</b>																																																																					
<b>Commodity Desc:</b> FELDSPAR (NONMETALS)																																																																					
<b>Ranking:</b> 1																																																																					
<b>Twp/Area:</b> HUNTLEY																																																																					
<b>Con/Lot/Sec:</b> LOT: 6 Con: 3																																																																					
<b>Legal Desc:</b>																																																																					
<b>Township Area Ranking:</b> 1																																																																					
<b>Mndm Township Area No:</b> 1173																																																																					
<b>Effective Date/Time:</b> 12/7/2005 12:32:36 PM																																																																					
<a href="#">2</a>	1 of 2	SE/0.0	118.9 / -1.00	2198523 Ontario Inc. Part 1 and 2, RP 4R-10176 Ottawa ON K0A 1L0	ECA																																																																
<table style="width: 100%; border: none;"> <tr> <td style="width: 20%;"><b>Approval No:</b></td> <td style="width: 30%;">4665-8AMNNQ</td> <td style="width: 20%;"><b>MOE District:</b></td> <td style="width: 30%;">Ottawa</td> </tr> <tr> <td><b>Approval Date:</b></td> <td>2010-10-29</td> <td><b>City:</b></td> <td></td> </tr> <tr> <td><b>Status:</b></td> <td>Approved</td> <td><b>Longitude:</b></td> <td>-75.9811</td> </tr> <tr> <td><b>Record Type:</b></td> <td>ECA</td> <td><b>Latitude:</b></td> <td>45.2912</td> </tr> <tr> <td><b>Link Source:</b></td> <td>IDS</td> <td><b>Geometry X:</b></td> <td></td> </tr> <tr> <td><b>SWP Area Name:</b></td> <td>Mississippi Valley</td> <td><b>Geometry Y:</b></td> <td></td> </tr> <tr> <td><b>Approval Type:</b></td> <td>ECA-INDUSTRIAL SEWAGE WORKS</td> <td></td> <td></td> </tr> <tr> <td><b>Project Type:</b></td> <td>INDUSTRIAL SEWAGE WORKS</td> <td></td> <td></td> </tr> <tr> <td><b>Business Name:</b></td> <td>2198523 Ontario Inc.</td> <td></td> <td></td> </tr> <tr> <td><b>Address:</b></td> <td>Part 1 and 2, RP 4R-10176</td> <td></td> <td></td> </tr> <tr> <td><b>Full Address:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Full PDF Link:</b></td> <td colspan="3"><a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf</a></td> </tr> <tr> <td><b>PDF Site Location:</b></td> <td></td> <td></td> <td></td> </tr> </table>						<b>Approval No:</b>	4665-8AMNNQ	<b>MOE District:</b>	Ottawa	<b>Approval Date:</b>	2010-10-29	<b>City:</b>		<b>Status:</b>	Approved	<b>Longitude:</b>	-75.9811	<b>Record Type:</b>	ECA	<b>Latitude:</b>	45.2912	<b>Link Source:</b>	IDS	<b>Geometry X:</b>		<b>SWP Area Name:</b>	Mississippi Valley	<b>Geometry Y:</b>		<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS			<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS			<b>Business Name:</b>	2198523 Ontario Inc.			<b>Address:</b>	Part 1 and 2, RP 4R-10176			<b>Full Address:</b>				<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf</a>			<b>PDF Site Location:</b>															
<b>Approval No:</b>	4665-8AMNNQ	<b>MOE District:</b>	Ottawa																																																																		
<b>Approval Date:</b>	2010-10-29	<b>City:</b>																																																																			
<b>Status:</b>	Approved	<b>Longitude:</b>	-75.9811																																																																		
<b>Record Type:</b>	ECA	<b>Latitude:</b>	45.2912																																																																		
<b>Link Source:</b>	IDS	<b>Geometry X:</b>																																																																			
<b>SWP Area Name:</b>	Mississippi Valley	<b>Geometry Y:</b>																																																																			
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS																																																																				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS																																																																				
<b>Business Name:</b>	2198523 Ontario Inc.																																																																				
<b>Address:</b>	Part 1 and 2, RP 4R-10176																																																																				
<b>Full Address:</b>																																																																					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3029-85NP5G-14.pdf</a>																																																																				
<b>PDF Site Location:</b>																																																																					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">2</a>	2 of 2	SE/0.0	118.9 / -1.00	Carp & Cardevco Self-Storage Ltd. Ottawa ON K2L 3R8	ECA
<b>Approval No:</b> 2640-6LFQ8U <b>Approval Date:</b> 2006-03-03 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Mississippi Valley <b>Approval Type:</b> ECA-INDUSTRIAL SEWAGE WORKS <b>Project Type:</b> INDUSTRIAL SEWAGE WORKS <b>Business Name:</b> Carp & Cardevco Self-Storage Ltd. <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3654-6J9P5G-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3654-6J9P5G-14.pdf</a> <b>PDF Site Location:</b>					

<a href="#">3</a>	1 of 1	SE/0.7	118.9 / -1.00	lot 6 con 3 ON	WWIS
<b>Well ID:</b> 1532398 <b>Construction Date:</b> <b>Primary Water Use:</b> Domestic <b>Sec. Water Use:</b> <b>Final Well Status:</b> Water Supply <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> 230271 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b> <b>Data Entry Status:</b> <b>Data Src:</b> 1 <b>Date Received:</b> 11/27/2001 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 1558 <b>Form Version:</b> 1 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA <b>Municipality:</b> HUNTLEY TOWNSHIP <b>Site Info:</b> <b>Lot:</b> 006 <b>Concession:</b> 03 <b>Concession Name:</b> CON <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b>PDF URL (Map):</b> <a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532398.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532398.pdf</a>					

**Additional Detail(s) (Map)**

**Well Completed Date:** 2001/10/01  
**Year Completed:** 2001  
**Depth (m):** 38.1  
**Latitude:** 45.2911728251918  
**Longitude:** -75.9811228528023  
**Path:** 153\1532398.pdf

**Bore Hole Information**

**Bore Hole ID:** 10516848  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**  
**Cluster Kind:**  
**Elevation:**  
**Elevrc:**  
**Zone:** 18  
**East83:** 423065.20  
**North83:** 5015765.00  
**Org CS:**  
**UTMRC:** 9



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Date Completed:</b>	01-Oct-2001 00:00:00			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	932832721				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	0.0				
<b>Formation End Depth:</b>	8.0				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	932832723				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	16.0				
<b>Formation End Depth:</b>	125.0				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	932832722				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	05				
<b>Most Common Material:</b>	CLAY				
<b>Mat2:</b>	81				
<b>Mat2 Desc:</b>	SANDY				
<b>Mat3:</b>	12				
<b>Mat3 Desc:</b>	STONES				
<b>Formation Top Depth:</b>	8.0				
<b>Formation End Depth:</b>	16.0				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		933219840			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		22.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961532398			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11065418			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930094740			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930094739			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991532398			
<b>Pump Set At:</b>					
<b>Static Level:</b>		28.0			
<b>Final Level After Pumping:</b>		60.0			
<b>Recommended Pump Depth:</b>		100.0			
<b>Pumping Rate:</b>		5.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934400959			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		75.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934660926			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		90.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934918367			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		115.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934116790			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		60.0			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934008584			
<b>Layer:</b>		2			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		117.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934008583			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		69.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>4</u></b>	<b>1 of 1</b>	<b>SE/2.6</b>	<b>118.9 / -1.00</b>	<b>lot 6 con 3 ON</b>	<b>WWIS</b>
<b>Well ID:</b>	1531132			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	6/20/2000
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>	208554			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1531132.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1531132.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2000/06/05  
**Year Completed:** 2000  
**Depth (m):** 22.86  
**Latitude:** 45.2911731428525  
**Longitude:** -75.981085875553  
**Path:** 153\1531132.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	10052666	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423068.10
<b>Code OB Desc:</b>		<b>North83:</b>	5015765.00
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	9
<b>Date Completed:</b>	05-Jun-2000 00:00:00	<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>		<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931077628  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 79  
**Mat2 Desc:** PACKED  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 3.0  
**Formation End Depth:** 15.0  
**Formation End Depth UOM:** ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931077632			
<b>Layer:</b>		6			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		73			
<b>Mat2 Desc:</b>		HARD			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		40.0			
<b>Formation End Depth:</b>		75.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931077631			
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		71			
<b>Mat2 Desc:</b>		FRACTURED			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		33.0			
<b>Formation End Depth:</b>		40.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931077630			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		73			
<b>Mat2 Desc:</b>		HARD			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		27.0			
<b>Formation End Depth:</b>		33.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931077627			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		81			
<b>Mat2 Desc:</b>		SANDY			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		3.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931077629			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		81			
<b>Mat2 Desc:</b>		SANDY			
<b>Mat3:</b>		12			
<b>Mat3 Desc:</b>		STONES			
<b>Formation Top Depth:</b>		15.0			
<b>Formation End Depth:</b>		27.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933116308			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		30.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961531132			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10601236			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930092070			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		75.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing ID:</b>		930092069			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		31.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991531132			
<b>Pump Set At:</b>					
<b>Static Level:</b>		15.0			
<b>Final Level After Pumping:</b>		25.0			
<b>Recommended Pump Depth:</b>		30.0			
<b>Pumping Rate:</b>		30.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934913378			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		50.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934121113			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		70.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934396524			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		70.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934665250			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		50.0			
<b>Test Level UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Details</b>					
Water ID:		933491498			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

<a href="#">5</a>	1 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
-------------------	---------	--------	---------------	-------------------	------

Well ID:	1530340	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	12/8/1998
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	1558
Casing Material:		Form Version:	1
Audit No:	194767	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1530340.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530340.pdf)

**Additional Detail(s) (Map)**

Well Completed Date:	1998/10/21
Year Completed:	1998
Depth (m):	3.6576
Latitude:	45.2911640879399
Longitude:	-75.9810920957567
Path:	153\1530340.pdf

**Bore Hole Information**

Bore Hole ID:	10051875	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	21-Oct-1998 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931075198			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		12.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933115474			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		12.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933115475			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961530340			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10600445			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930090431			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		12.0			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:	933326791				
Layer:	1				
Slot:					
Screen Top Depth:	5.0				
Screen End Depth:	12.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.0				

<u>5</u>	2 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1530341			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	12/8/1998
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:	194770			Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1530341.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530341.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 1998/10/21  
Year Completed: 1998  
Depth (m): 3.6576  
Latitude: 45.2911640879399  
Longitude: -75.9810920957567  
Path: 153\1530341.pdf

**Bore Hole Information**

Bore Hole ID:	10051876	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	21-Oct-1998 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931075199			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		12.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933115476			
<b>Layer:</b>		1			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		12.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933115477			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961530341			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10600446			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930090432			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		12.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933326792			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		5.0			
<b>Screen End Depth:</b>		12.0			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.0			

<a href="#">5</a>	3 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
<b>Well ID:</b>	1530342			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>				<b>Date Received:</b>	12/8/1998
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>	194768			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1530342.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530342.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 1998/10/21  
**Year Completed:** 1998  
**Depth (m):** 3.6576  
**Latitude:** 45.2911640879399  
**Longitude:** -75.9810920957567  
**Path:** 153\1530342.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	10051877	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423067.60
<b>Code OB Desc:</b>		<b>North83:</b>	5015764.00
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	9
<b>Date Completed:</b>	21-Oct-1998 00:00:00	<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>		<b>Location Method:</b>	lot

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931075200			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		12.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933115479			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933115478			
<b>Layer:</b>		1			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		12.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961530342			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10600447			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930090433			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		12.0			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933326793			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		5.0			
<b>Screen End Depth:</b>		12.0			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.0			

<a href="#">5</a>	4 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
<b>Well ID:</b>	1530343			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>				<b>Date Received:</b>	12/8/1998
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>	194769			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1530343.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530343.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 1998/10/21  
**Year Completed:** 1998  
**Depth (m):** 3.6576  
**Latitude:** 45.2911640879399  
**Longitude:** -75.9810920957567  
**Path:** 153\1530343.pdf

**Bore Hole Information**

**Bore Hole ID:** 10051878  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**

**Elevation:**  
**Elevrc:**  
**Zone:** 18  
**East83:** 423067.60  
**North83:** 5015764.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	9
<b>Date Completed:</b>	21-Oct-1998 00:00:00			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931075201			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		12.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933115481			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		3.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933115480			
<b>Layer:</b>		1			
<b>Plug From:</b>		3.0			
<b>Plug To:</b>		12.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961530343			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10600448			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:		930090434			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		12.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		933326794			
Layer:		1			
Slot:					
Screen Top Depth:		5.0			
Screen End Depth:		12.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			

<u>5</u>	5 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1520138			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	10/1/1985
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3142
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	006
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1520138.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1520138.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 1985/09/05  
Year Completed: 1985  
Depth (m): 7.3152  
Latitude: 45.2911640879399  
Longitude: -75.9810920957567  
Path: 152\1520138.pdf

**Bore Hole Information**

Bore Hole ID: 10041986      Elevation:



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	423067.60
<b>Code OB Desc:</b>				<b>North83:</b>	5015764.00
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	9
<b>Date Completed:</b>	05-Sep-1985 00:00:00			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931043843			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		16.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931043844			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		16.0			
<b>Formation End Depth:</b>		24.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961520138			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10590556			
<b>Casing No:</b>		1			
<b>Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930073300			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		24.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991520138			
<b>Pump Set At:</b>					
<b>Static Level:</b>		7.0			
<b>Final Level After Pumping:</b>		15.0			
<b>Recommended Pump Depth:</b>		15.0			
<b>Pumping Rate:</b>		6.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934376784			
<b>Test Type:</b>					
<b>Test Duration:</b>		30			
<b>Test Level:</b>		15.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934111383			
<b>Test Type:</b>					
<b>Test Duration:</b>		15			
<b>Test Level:</b>		15.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934655535			
<b>Test Type:</b>					
<b>Test Duration:</b>		45			
<b>Test Level:</b>		15.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934904924			
<b>Test Type:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Duration:</b>		60			
<b>Test Level:</b>		15.0			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933477315			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		22.0			
<b>Water Found Depth UOM:</b>		ft			

<u>5</u>	6 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
<b>Well ID:</b>		1520279		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b> 1	
<b>Primary Water Use:</b>		Domestic		<b>Date Received:</b> 1/21/1986	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Water Supply		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 1558	
<b>Casing Material:</b>				<b>Form Version:</b> 1	
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> HUNTLEY TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b> 006	
<b>Well Depth:</b>				<b>Concession:</b> 03	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b> CON	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1520279.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1520279.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 1985/10/16  
**Year Completed:** 1985  
**Depth (m):** 70.104  
**Latitude:** 45.2911640879399  
**Longitude:** -75.9810920957567  
**Path:** 152\1520279.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	10042122	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423067.60
<b>Code OB Desc:</b>		<b>North83:</b>	5015764.00
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	9
<b>Date Completed:</b>	16-Oct-1985 00:00:00	<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>		<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

**Overburden and Bedrock  
Materials Interval**

Formation ID: 931044265  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 28  
Most Common Material: SAND  
Mat2: 13  
Mat2 Desc: BOULDERS  
Mat3:  
Mat3 Desc:  
Formation Top Depth: 0.0  
Formation End Depth: 10.0  
Formation End Depth UOM: ft

**Overburden and Bedrock  
Materials Interval**

Formation ID: 931044267  
Layer: 3  
Color: 2  
General Color: GREY  
Mat1: 00  
Most Common Material: UNKNOWN TYPE  
Mat2:  
Mat2 Desc:  
Mat3:  
Mat3 Desc:  
Formation Top Depth: 200.0  
Formation End Depth: 230.0  
Formation End Depth UOM: ft

**Overburden and Bedrock  
Materials Interval**

Formation ID: 931044266  
Layer: 2  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2: 78  
Mat2 Desc: MEDIUM-GRAINED  
Mat3: 85  
Mat3 Desc: SOFT  
Formation Top Depth: 10.0  
Formation End Depth: 200.0  
Formation End Depth UOM: ft

**Method of Construction & Well  
Use**

Method Construction ID: 961520279  
Method Construction Code: 5  
Method Construction: Air Percussion  
Other Method Construction:

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Pipe Information**

**Pipe ID:** 10590692  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930073504  
**Layer:** 3  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 230.0  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930073503  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 200.0  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930073502  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 22.0  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991520279  
**Pump Set At:**  
**Static Level:** 8.0  
**Final Level After Pumping:** 150.0  
**Recommended Pump Depth:** 175.0  
**Pumping Rate:** 7.0  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.0  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934656075  
 Test Type: Draw Down  
 Test Duration: 45  
 Test Level: 150.0  
 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934110800  
 Test Type: Draw Down  
 Test Duration: 15  
 Test Level: 150.0  
 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934377321  
 Test Type: Draw Down  
 Test Duration: 30  
 Test Level: 150.0  
 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934905464  
 Test Type: Draw Down  
 Test Duration: 60  
 Test Level: 150.0  
 Test Level UOM: ft

Water Details

Water ID: 933477472  
 Layer: 1  
 Kind Code: 5  
 Kind: Not stated  
 Water Found Depth: 30.0  
 Water Found Depth UOM: ft

Water Details

Water ID: 933477473  
 Layer: 2  
 Kind Code: 5  
 Kind: Not stated  
 Water Found Depth: 220.0  
 Water Found Depth UOM: ft

5

7 of 13

SE/3.0

118.9 / -1.00

lot 6 con 3  
ON

WWIS

Well ID: 1521169  
 Construction Date:  
 Primary Water Use: Domestic  
 Sec. Water Use:  
 Final Well Status: Water Supply  
 Water Type:

Data Entry Status:  
 Data Src: 1  
 Date Received: 2/5/1987  
 Selected Flag: TRUE  
 Abandonment Rec:  
 Contractor: 1558

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>	04681			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1521169.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1521169.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 1986/12/11  
**Year Completed:** 1986  
**Depth (m):** 115.824  
**Latitude:** 45.2911640879399  
**Longitude:** -75.9810920957567  
**Path:** 152\1521169.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	10043005	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423067.60
<b>Code OB Desc:</b>		<b>North83:</b>	5015764.00
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	9
<b>Date Completed:</b>	11-Dec-1986 00:00:00	<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>		<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 931047076  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 74  
**Mat2 Desc:** LAYERED  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 8.0  
**Formation End Depth:** 15.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931047077			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		78			
<b>Mat2 Desc:</b>		MEDIUM-GRAINED			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		15.0			
<b>Formation End Depth:</b>		380.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931047075			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		13			
<b>Mat3 Desc:</b>		BOULDERS			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		8.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961521169			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10591575			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930075067			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		275.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing ID:</b>		930075068			
<b>Layer:</b>		3			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		380.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930075066			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		22.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991521169			
<b>Pump Set At:</b>					
<b>Static Level:</b>		8.0			
<b>Final Level After Pumping:</b>		175.0			
<b>Recommended Pump Depth:</b>		300.0			
<b>Pumping Rate:</b>		1.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		2			
<b>Pumping Duration HR:</b>		2			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934388990			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		175.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934651118			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		175.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934908347			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		175.0			
Test Level UOM:		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
Pump Test Detail ID:		934105871			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		150.0			
Test Level UOM:		ft			
<b><u>Water Details</u></b>					
Water ID:		933478651			
Layer:		1			
Kind Code:		3			
Kind:		SULPHUR			
Water Found Depth:		265.0			
Water Found Depth UOM:		ft			

<u>5</u>	8 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
Well ID:	1522376				
Construction Date:				Data Entry Status:	
Primary Water Use:	Domestic			Data Src:	1
Sec. Water Use:				Date Received:	6/13/1988
Final Well Status:	Water Supply			Selected Flag:	TRUE
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	3142
Audit No:	19436			Form Version:	1
Tag:				Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	OTTAWA
Elevation Reliability:				Municipality:	HUNTLEY TOWNSHIP
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	006
Overburden/Bedrock:				Concession:	03
Pump Rate:				Concession Name:	CON
Static Water Level:				Easting NAD83:	
Flowing (Y/N):				Northing NAD83:	
Flow Rate:				Zone:	
Clear/Cloudy:				UTM Reliability:	

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1522376.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1522376.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 1988/06/06  
Year Completed: 1988  
Depth (m): 45.72  
Latitude: 45.2911640879399  
Longitude: -75.9810920957567  
Path: 152\1522376.pdf

**Bore Hole Information**

Bore Hole ID: 10044188  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc:

Elevation:  
Elevrc:  
Zone: 18  
East83: 423067.60  
North83: 5015764.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	9
<b>Date Completed:</b>	06-Jun-1988 00:00:00			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931051181			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		9.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931051182			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		9.0			
<b>Formation End Depth:</b>		90.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931051183			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		90.0			
<b>Formation End Depth:</b>		150.0			
<b>Formation End Depth UOM:</b>		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961522376			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10592758			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930077276			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		22.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930077277			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		130.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991522376			
<b>Pump Set At:</b>					
<b>Static Level:</b>		8.0			
<b>Final Level After Pumping:</b>		80.0			
<b>Recommended Pump Depth:</b>		100.0			
<b>Pumping Rate:</b>		12.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		9.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		2			
<b>Pumping Duration HR:</b>		2			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934385183			
<b>Test Type:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Duration:</b>		30			
<b>Test Level:</b>		80.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934903954			
<b>Test Type:</b>					
<b>Test Duration:</b>		60			
<b>Test Level:</b>		80.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934655127			
<b>Test Type:</b>					
<b>Test Duration:</b>		45			
<b>Test Level:</b>		80.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934109897			
<b>Test Type:</b>					
<b>Test Duration:</b>		15			
<b>Test Level:</b>		80.0			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933480233			
<b>Layer:</b>		1			
<b>Kind Code:</b>		3			
<b>Kind:</b>		SULPHUR			
<b>Water Found Depth:</b>		128.0			
<b>Water Found Depth UOM:</b>		ft			

<a href="#">5</a>	9 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
<b>Well ID:</b>		1522596		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>		Domestic		<b>Date Received:</b>	9/1/1988
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>		Water Supply		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>		38189		<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1522596.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1522596.pdf)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Additional Detail(s) (Map)**

Well Completed Date: 1988/07/04  
Year Completed: 1988  
Depth (m): 38.1  
Latitude: 45.2911640879399  
Longitude: -75.9810920957567  
Path: 152\1522596.pdf

**Bore Hole Information**

Bore Hole ID:	10044408	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	04-Jul-1988 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 931051999  
Layer: 3  
Color: 2  
General Color: GREY  
Mat1: 05  
Most Common Material: CLAY  
Mat2: 28  
Mat2 Desc: SAND  
Mat3: 11  
Mat3 Desc: GRAVEL  
Formation Top Depth: 9.0  
Formation End Depth: 16.0  
Formation End Depth UOM: ft

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 931052000  
Layer: 4  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2: 74  
Mat2 Desc: LAYERED  
Mat3: 78  
Mat3 Desc: MEDIUM-GRAINED  
Formation Top Depth: 16.0  
Formation End Depth: 125.0  
Formation End Depth UOM: ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931051998			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		6.0			
<b>Formation End Depth:</b>		9.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931051997			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		79			
<b>Mat2 Desc:</b>		PACKED			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		6.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961522596			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10592978			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930077663			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		22.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing ID:</b>		930077664			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		125.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991522596			
<b>Pump Set At:</b>					
<b>Static Level:</b>		3.0			
<b>Final Level After Pumping:</b>		20.0			
<b>Recommended Pump Depth:</b>		60.0			
<b>Pumping Rate:</b>		20.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		2			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934110931			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934386356			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934904547			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934656150			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 933480555  
 Layer: 1  
 Kind Code: 3  
 Kind: SULPHUR  
 Water Found Depth: 92.0  
 Water Found Depth UOM: ft

Water Details

Water ID: 933480556  
 Layer: 2  
 Kind Code: 3  
 Kind: SULPHUR  
 Water Found Depth: 118.0  
 Water Found Depth UOM: ft

<a href="#">5</a>	10 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
-------------------	----------	--------	---------------	-------------------	------

Well ID:	1523221	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/9/1989
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	5222
Casing Material:		Form Version:	1
Audit No:	39003	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	006
Well Depth:		Concession:	03
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1523221.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1523221.pdf)

Additional Detail(s) (Map)

Well Completed Date: 1988/09/09  
 Year Completed: 1988  
 Depth (m): 13.716  
 Latitude: 45.2911640879399  
 Longitude: -75.9810920957567  
 Path: 152\1523221.pdf

Bore Hole Information

Bore Hole ID:	10045024	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Completed:</b>	09-Sep-1988 00:00:00			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					
<b>Formation ID:</b>	931053937				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	02				
<b>Most Common Material:</b>	TOPSOIL				
<b>Mat2:</b>	79				
<b>Mat2 Desc:</b>	PACKED				
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	0.0				
<b>Formation End Depth:</b>	1.0				
<b>Formation End Depth UOM:</b>	ft				
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					
<b>Formation ID:</b>	931053940				
<b>Layer:</b>	4				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>	46				
<b>Mat2 Desc:</b>	QUARTZ				
<b>Mat3:</b>	73				
<b>Mat3 Desc:</b>	HARD				
<b>Formation Top Depth:</b>	16.0				
<b>Formation End Depth:</b>	45.0				
<b>Formation End Depth UOM:</b>	ft				
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					
<b>Formation ID:</b>	931053939				
<b>Layer:</b>	3				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	13				
<b>Mat2 Desc:</b>	BOULDERS				
<b>Mat3:</b>	77				
<b>Mat3 Desc:</b>	LOOSE				
<b>Formation Top Depth:</b>	10.0				
<b>Formation End Depth:</b>	16.0				
<b>Formation End Depth UOM:</b>	ft				
<u><b>Overburden and Bedrock</b></u>					
<u><b>Materials Interval</b></u>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		931053938			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		08			
<b>Mat2 Desc:</b>		FINE SAND			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.0			
<b>Formation End Depth:</b>		10.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933110179			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		19.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961523221			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10593594			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930078753			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		45.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930078752			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		19.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991523221			
<b>Pump Set At:</b>					
<b>Static Level:</b>		10.0			
<b>Final Level After Pumping:</b>		20.0			
<b>Recommended Pump Depth:</b>		30.0			
<b>Pumping Rate:</b>		20.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		15.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		6			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934906798			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934388614			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934104382			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934649597			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933481407			
<b>Layer:</b>		2			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		41.0			
<b>Water Found Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

**Water ID:** 933481406  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 26.0  
**Water Found Depth UOM:** ft

[5](#)      11 of 13      **SE/3.0**      **118.9 / -1.00**      **lot 6 con 3 ON**      **WWIS**

<b>Well ID:</b>	1523820	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	9/12/1989
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1558
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>	50876	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	006
<b>Well Depth:</b>		<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1523820.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1523820.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 1989/08/11  
**Year Completed:** 1989  
**Depth (m):** 79.248  
**Latitude:** 45.2911640879399  
**Longitude:** -75.9810920957567  
**Path:** 152\1523820.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	10045593	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423067.60
<b>Code OB Desc:</b>		<b>North83:</b>	5015764.00
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	9
<b>Date Completed:</b>	11-Aug-1989 00:00:00	<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>		<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931055849			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		74			
<b>Mat2 Desc:</b>		LAYERED			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		20.0			
<b>Formation End Depth:</b>		260.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931055848			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		6.0			
<b>Formation End Depth:</b>		20.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931055847			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		6.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961523820			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10594163			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing No:</b>	1				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	930079808				
<b>Layer:</b>	1				
<b>Material:</b>	1				
<b>Open Hole or Material:</b>	STEEL				
<b>Depth From:</b>					
<b>Depth To:</b>	22.0				
<b>Casing Diameter:</b>	6.0				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	930079809				
<b>Layer:</b>	2				
<b>Material:</b>	4				
<b>Open Hole or Material:</b>	OPEN HOLE				
<b>Depth From:</b>					
<b>Depth To:</b>	260.0				
<b>Casing Diameter:</b>	6.0				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>	991523820				
<b>Pump Set At:</b>					
<b>Static Level:</b>	8.0				
<b>Final Level After Pumping:</b>	125.0				
<b>Recommended Pump Depth:</b>	250.0				
<b>Pumping Rate:</b>	2.0				
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>	2.0				
<b>Levels UOM:</b>	ft				
<b>Rate UOM:</b>	GPM				
<b>Water State After Test Code:</b>	2				
<b>Water State After Test:</b>	CLOUDY				
<b>Pumping Test Method:</b>	2				
<b>Pumping Duration HR:</b>	1				
<b>Pumping Duration MIN:</b>	0				
<b>Flowing:</b>	No				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934390822				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	30				
<b>Test Level:</b>	125.0				
<b>Test Level UOM:</b>	ft				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934909002				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	60				
<b>Test Level:</b>	125.0				
<b>Test Level UOM:</b>	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Draw Down & Recovery**

**Pump Test Detail ID:** 934651377  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 125.0  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934106592  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 120.0  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933482231  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 22.0  
**Water Found Depth UOM:** ft

**Water Details**

**Water ID:** 933482232  
**Layer:** 2  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 110.0  
**Water Found Depth UOM:** ft

<a href="#">5</a>	12 of 13	SE/3.0	118.9 / -1.00	lot 6 con 3 ON	WWIS
-------------------	----------	--------	---------------	-------------------	------

<b>Well ID:</b> 1527799	<b>Data Entry Status:</b>
<b>Construction Date:</b>	<b>Data Src:</b> 1
<b>Primary Water Use:</b> Domestic	<b>Date Received:</b> 4/5/1994
<b>Sec. Water Use:</b> Commerical	<b>Selected Flag:</b> TRUE
<b>Final Well Status:</b> Water Supply	<b>Abandonment Rec:</b>
<b>Water Type:</b>	<b>Contractor:</b> 5222
<b>Casing Material:</b>	<b>Form Version:</b> 1
<b>Audit No:</b> 110552	<b>Owner:</b>
<b>Tag:</b>	<b>Street Name:</b>
<b>Construction Method:</b>	<b>County:</b> OTTAWA
<b>Elevation (m):</b>	<b>Municipality:</b> HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>	<b>Site Info:</b>
<b>Depth to Bedrock:</b>	<b>Lot:</b> 006
<b>Well Depth:</b>	<b>Concession:</b> 03
<b>Overburden/Bedrock:</b>	<b>Concession Name:</b> CON
<b>Pump Rate:</b>	<b>Easting NAD83:</b>
<b>Static Water Level:</b>	<b>Northing NAD83:</b>
<b>Flowing (Y/N):</b>	<b>Zone:</b>
<b>Flow Rate:</b>	<b>UTM Reliability:</b>
<b>Clear/Cloudy:</b>	

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/152\1527799.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1527799.pdf)



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Additional Detail(s) (Map)**

Well Completed Date: 1992/10/29  
Year Completed: 1992  
Depth (m): 15.24  
Latitude: 45.2911640879399  
Longitude: -75.9810920957567  
Path: 152\1527799.pdf

**Bore Hole Information**

Bore Hole ID:	10049390	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423067.60
Code OB Desc:		North83:	5015764.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	29-Oct-1992 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 931067693  
Layer: 4  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2: 78  
Mat2 Desc: MEDIUM-GRAINED  
Mat3:  
Mat3 Desc:  
Formation Top Depth: 13.0  
Formation End Depth: 50.0  
Formation End Depth UOM: ft

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 931067690  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 01  
Most Common Material: FILL  
Mat2: 79  
Mat2 Desc: PACKED  
Mat3:  
Mat3 Desc:  
Formation Top Depth: 0.0  
Formation End Depth: 3.0  
Formation End Depth UOM: ft

**Overburden and Bedrock**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931067691			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		3.0			
<b>Formation End Depth:</b>		8.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931067692			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		8.0			
<b>Formation End Depth:</b>		13.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933112717			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		20.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961527799			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10597960			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930086276			
<b>Layer:</b>		1			
<b>Material:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		22.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930086277			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		50.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991527799			
<b>Pump Set At:</b>					
<b>Static Level:</b>		0.0			
<b>Final Level After Pumping:</b>		20.0			
<b>Recommended Pump Depth:</b>		20.0			
<b>Pumping Rate:</b>		15.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		10.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		2			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933487330			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		35.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933487331			
<b>Layer:</b>		2			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		42.0			
<b>Water Found Depth UOM:</b>		ft			
<b>5</b>	<b>13 of 13</b>	<b>SE/3.0</b>	<b>118.9 / -1.00</b>	<b>lot 6 con 3 ON</b>	<b>WWIS</b>
<b>Well ID:</b>		1529797		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b> 1	
<b>Primary Water Use:</b>		Domestic		<b>Date Received:</b> 1/8/1998	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>	182787			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1529797.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/152\1529797.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	1997/12/15				
<b>Year Completed:</b>	1997				
<b>Depth (m):</b>	22.86				
<b>Latitude:</b>	45.2911640879399				
<b>Longitude:</b>	-75.9810920957567				
<b>Path:</b>	152\1529797.pdf				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	10051332			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	423067.60
<b>Code OB Desc:</b>				<b>North83:</b>	5015764.00
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	9
<b>Date Completed:</b>	15-Dec-1997 00:00:00			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	lot
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	931073872				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	11				
<b>Mat2 Desc:</b>	GRAVEL				
<b>Mat3:</b>	91				
<b>Mat3 Desc:</b>	WATER-BEARING				
<b>Formation Top Depth:</b>	9.0				
<b>Formation End Depth:</b>	12.0				
<b>Formation End Depth UOM:</b>	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Overburden and Bedrock  
Materials Interval

Formation ID: 931073870  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 02  
 Most Common Material: TOPSOIL  
 Mat2: 12  
 Mat2 Desc: STONES  
 Mat3: 68  
 Mat3 Desc: DRY  
 Formation Top Depth: 0.0  
 Formation End Depth: 4.0  
 Formation End Depth UOM: ft

Overburden and Bedrock  
Materials Interval

Formation ID: 931073873  
 Layer: 4  
 Color: 2  
 General Color: GREY  
 Mat1: 15  
 Most Common Material: LIMESTONE  
 Mat2: 78  
 Mat2 Desc: MEDIUM-GRAINED  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 12.0  
 Formation End Depth: 75.0  
 Formation End Depth UOM: ft

Overburden and Bedrock  
Materials Interval

Formation ID: 931073871  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 05  
 Most Common Material: CLAY  
 Mat2: 81  
 Mat2 Desc: SANDY  
 Mat3: 91  
 Mat3 Desc: WATER-BEARING  
 Formation Top Depth: 4.0  
 Formation End Depth: 9.0  
 Formation End Depth UOM: ft

Annular Space/Abandonment  
Sealing Record

Plug ID: 933114864  
 Layer: 2  
 Plug From: 5.0  
 Plug To: 0.0  
 Plug Depth UOM: ft

Annular Space/Abandonment

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933114863			
<b>Layer:</b>		1			
<b>Plug From:</b>		20.0			
<b>Plug To:</b>		5.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961529797			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10599902			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930089620			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		75.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930089619			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		22.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991529797			
<b>Pump Set At:</b>					
<b>Static Level:</b>		4.0			
<b>Final Level After Pumping:</b>		30.0			
<b>Recommended Pump Depth:</b>		30.0			
<b>Pumping Rate:</b>		25.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934660870			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		4.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934909826			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		4.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934116734			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		5.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934391708			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		4.0			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933489859			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		24.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933489860			
<b>Layer:</b>		2			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		62.0			
<b>Water Found Depth UOM:</b>		ft			
<b>6</b>	<b>1 of 2</b>	<b>ESE/18.4</b>	<b>119.9 / 0.00</b>	<b>2042303 Ontario Inc. 141 Wescar Lane Ottawa ON</b>	<b>CA</b>
<b>Certificate #:</b>		7967-6VCM8K			
<b>Application Year:</b>		2006			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Issue Date:</b> 11/28/2006 <b>Approval Type:</b> Industrial Sewage Works <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">6</a>	2 of 2	ESE/18.4	119.9 / 0.00	2042303 Ontario Inc. 141 Wescar Lane Ottawa ON	ECA
<b>Approval No:</b> 7967-6VCM8K <b>Approval Date:</b> 2006-11-28 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-INDUSTRIAL SEWAGE WORKS <b>Project Type:</b> INDUSTRIAL SEWAGE WORKS <b>Business Name:</b> 2042303 Ontario Inc. <b>Address:</b> 141 Wescar Lane <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8119-6PFM87-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8119-6PFM87-14.pdf</a> <b>PDF Site Location:</b>				<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">7</a>	1 of 3	NE/50.9	119.9 / 0.00	NU-TEK SIGNS INC. 162 WESCAR LANE CARP ON K0A 1L0	GEN
<b>Generator No:</b> ON2137000 <b>SIC Code:</b> 3971 <b>SIC Description:</b> SIGN & DISPLAY IND. <b>Approval Years:</b> 96,97,98,99,00,01 <b>PO Box No:</b> <b>Country:</b>				<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b> 211 <b>Waste Class Desc:</b> AROMATIC SOLVENTS					
<a href="#">7</a>	2 of 3	NE/50.9	119.9 / 0.00	162 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b> 21041600030 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 21-APR-21 <b>Date Received:</b> 16-APR-21 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans				<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.9807573 <b>Y:</b> 45.2934901	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>7</u>	3 of 3	NE/50.9	119.9 / 0.00	162 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b>	21041600030			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-APR-21			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-APR-21			<b>X:</b>	-75.9807573
<b>Previous Site Name:</b>				<b>Y:</b>	45.2934901
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				

<u>8</u>	1 of 1	NNW/51.9	119.9 / 0.00	lot 7 con 3 ON	WWIS
<b>Well ID:</b>	1515158			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	1/15/1976
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	3644
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	007
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/151\1515158.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1515158.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 1975/10/20  
**Year Completed:** 1975  
**Depth (m):** 10.668  
**Latitude:** 45.2940485388135  
**Longitude:** -75.9827232446998  
**Path:** 151\1515158.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	10037119	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	422943.60
<b>Code OB Desc:</b>		<b>North83:</b>	5016086.00
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	20-Oct-1975 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931028382			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		24.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931028383			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		24.0			
<b>Formation End Depth:</b>		35.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961515158			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10585689			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930065587			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		26.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>	991515158				
<b>Pump Set At:</b>					
<b>Static Level:</b>	6.0				
<b>Final Level After Pumping:</b>	25.0				
<b>Recommended Pump Depth:</b>	25.0				
<b>Pumping Rate:</b>	10.0				
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>	5.0				
<b>Levels UOM:</b>	ft				
<b>Rate UOM:</b>	GPM				
<b>Water State After Test Code:</b>	2				
<b>Water State After Test:</b>	CLOUDY				
<b>Pumping Test Method:</b>	1				
<b>Pumping Duration HR:</b>	1				
<b>Pumping Duration MIN:</b>	0				
<b>Flowing:</b>	No				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934375899				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	30				
<b>Test Level:</b>	25.0				
<b>Test Level UOM:</b>	ft				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934099978				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	15				
<b>Test Level:</b>	25.0				
<b>Test Level UOM:</b>	ft				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934894906				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	60				
<b>Test Level:</b>	25.0				
<b>Test Level UOM:</b>	ft				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934645782				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	45				
<b>Test Level:</b>	25.0				
<b>Test Level UOM:</b>	ft				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	933471170				
<b>Layer:</b>	1				
<b>Kind Code:</b>	1				
<b>Kind:</b>	FRESH				
<b>Water Found Depth:</b>	34.0				
<b>Water Found Depth UOM:</b>	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">9</a>	1 of 1	ESE/54.2	119.9 / 0.00	WESCAR LANE lot 6 con 3 CARP ON	WWIS
<b>Well ID:</b> 1536478 <b>Construction Date:</b> <b>Primary Water Use:</b> Domestic <b>Sec. Water Use:</b> <b>Final Well Status:</b> Water Supply <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z46974 <b>Tag:</b> A035386 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 7/11/2006 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 1558 <b>Form Version:</b> 3 <b>Owner:</b> <b>Street Name:</b> WESCAR LANE <b>County:</b> OTTAWA <b>Municipality:</b> HUNTLEY TOWNSHIP <b>Site Info:</b> <b>Lot:</b> 006 <b>Concession:</b> 03 <b>Concession Name:</b> CON <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536478.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536478.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b> 2006/05/30 <b>Year Completed:</b> 2006 <b>Depth (m):</b> 19.81 <b>Latitude:</b> 45.2916191480085 <b>Longitude:</b> -75.9794624872377 <b>Path:</b> 153\1536478.pdf					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 11550544 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 30-May-2006 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 423196.00 <b>North83:</b> 5015813.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 3 <b>UTMRC Desc:</b> margin of error : 10 - 30 m <b>Location Method:</b> wwr			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 933058872 <b>Layer:</b> 1 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 28					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		SAND			
<b>Mat2 Desc:</b>		68			
<b>Mat3:</b>		DRY			
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.2100000381469727			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933058873			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		1.2100000381469727			
<b>Formation End Depth:</b>		1.8200000524520874			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933058875			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		9.140000343322754			
<b>Formation End Depth:</b>		10.65999984741211			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933058874			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		77			
<b>Mat2 Desc:</b>		LOOSE			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.8200000524520874			
<b>Formation End Depth:</b>		9.140000343322754			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		933058876			
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		10.65999984741211			
<b>Formation End Depth:</b>		19.809999465942383			
<b>Formation End Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961536478			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11560151			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930880671			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-0.4499998807907104			
<b>Depth To:</b>		11.270000457763672			
<b>Casing Diameter:</b>		15.859999656677246			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930880672			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		11.270000457763672			
<b>Depth To:</b>		19.809999465942383			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		11569528			
<b>Pump Set At:</b>		12.1899995803833			
<b>Static Level:</b>		0.9100000262260437			
<b>Final Level After Pumping:</b>		1.8700000047683716			
<b>Recommended Pump Depth:</b>		12.1899995803833			
<b>Pumping Rate:</b>		54.599998474121094			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		45.5			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		2			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631825			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		1.100000023841858			
<b>Test Level UOM:</b>		m			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632212			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		1.0299999713897705			
<b>Test Level UOM:</b>		m			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632216			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		0.9599999785423279			
<b>Test Level UOM:</b>		m			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631822			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		1.600000023841858			
<b>Test Level UOM:</b>		m			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632223			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		1.8799999952316284			
<b>Test Level UOM:</b>		m			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631817			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		1.3200000524520874			
<b>Test Level UOM:</b>		m			
 <b><u>Draw Down &amp; Recovery</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		11631821			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		1.2300000190734863			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632214			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		0.9700000286102295			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631815			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		1.350000023841858			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631820			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		1.559999942779541			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632215			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		1.840000033378601			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632217			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		1.8600000143051147			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632213			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		1.8200000524520874			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632220			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>			0.9300000071525574		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11632221		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			50		
<b>Test Level:</b>			1.8799999952316284		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11631814		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			1.3899999856948853		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11631816		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			2		
<b>Test Level:</b>			1.4600000381469727		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11631818		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			1.5199999809265137		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11632211		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			15		
<b>Test Level:</b>			1.7899999618530273		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11632219		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			40		
<b>Test Level:</b>			1.8600000143051147		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11632224		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			60		
<b>Test Level:</b>			0.9200000166893005		
<b>Test Level UOM:</b>			m		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631819			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		1.2200000286102295			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632222			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		0.9200000166893005			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631823			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		1.2000000476837158			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11631824			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		1.7000000476837158			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11632218			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		0.9399999976158142			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934077274			
<b>Layer:</b>		2			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		18.280000686645508			
<b>Water Found Depth UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934077273			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		13.710000038146973			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> <b>Hole Diameter UOM:</b>		11681269 22.75 0.0 11.270000457763672 m cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> <b>Hole Diameter UOM:</b>		11681270 15.390000343322754 11.270000457763672 19.809999465942383 m cm			
<a href="#">10</a>	1 of 1	<b>ENE/55.0</b>	<b>119.9 / 0.00</b>	<b>154 Wescar Lane Ottawa ON K0A1L0</b>	<b>EHS</b>
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		20180503108 C Standard Report 10-MAY-18 03-MAY-18  1.02 acres City Directory; Aerial Photos		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> <b>Search Radius (km):</b> <b>X:</b> <b>Y:</b>	
				Ottawa ON .25 -75.980212 45.293186	
<a href="#">11</a>	1 of 2	<b>N/55.7</b>	<b>119.9 / 0.00</b>	<b>173 and 181 Wescar Lane Carp ON K0A 1L0</b>	<b>EHS</b>
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		21041200041 C Standard Report 15-APR-21 12-APR-21    		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> <b>Search Radius (km):</b> <b>X:</b> <b>Y:</b>	
				Ottawa ON .25 -75.9818846 45.2935187	
<a href="#">11</a>	2 of 2	<b>N/55.7</b>	<b>119.9 / 0.00</b>	<b>173 and 181 Wescar Lane Carp ON K0A 1L0</b>	<b>EHS</b>
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		21041200041 C Standard Report 15-APR-21 12-APR-21    		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> <b>Search Radius (km):</b> <b>X:</b> <b>Y:</b>	
				Ottawa ON .25 -75.9818846 45.2935187	
<a href="#">12</a>	1 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b>		ON4708737 562910 Remediation Services		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> 07,08 <b>PO Box No:</b> <b>Country:</b>		<b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 <b>Waste Class Desc:</b> PATHOLOGICAL WASTES					
<a href="#">12</a>	2 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> ON4708737 <b>SIC Code:</b> 562910 <b>SIC Description:</b> Remediation Services <b>Approval Years:</b> 2009 <b>PO Box No:</b> <b>Country:</b>		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 <b>Waste Class Desc:</b> PATHOLOGICAL WASTES					
<a href="#">12</a>	3 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> ON4708737 <b>SIC Code:</b> 562910 <b>SIC Description:</b> Remediation Services <b>Approval Years:</b> 2010 <b>PO Box No:</b> <b>Country:</b>		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 <b>Waste Class Desc:</b> PATHOLOGICAL WASTES					
<a href="#">12</a>	4 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> ON4708737 <b>SIC Code:</b> 562910 <b>SIC Description:</b> Remediation Services <b>Approval Years:</b> 2011 <b>PO Box No:</b> <b>Country:</b>		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 <b>Waste Class Desc:</b> PATHOLOGICAL WASTES					
<a href="#">12</a>	5 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Carp ON KOA 1L0</b>					
<b>Generator No:</b>	ON4708737			<b>Status:</b>	
<b>SIC Code:</b>	562910			<b>Co Admin:</b>	
<b>SIC Description:</b>	Remediation Services			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2012			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">12</a>	6 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON4708737			<b>Status:</b>	
<b>SIC Code:</b>	562910			<b>Co Admin:</b>	
<b>SIC Description:</b>	REMEDICATION SERVICES			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2013			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">12</a>	7 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON KOA 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON4708737			<b>Status:</b>	
<b>SIC Code:</b>	562910			<b>Co Admin:</b>	Donna L Salim
<b>SIC Description:</b>	REMEDICATION SERVICES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	613-836-7669 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">12</a>	8 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON KOA 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON4708737			<b>Status:</b>	
<b>SIC Code:</b>	562910			<b>Co Admin:</b>	Donna L Salim
<b>SIC Description:</b>	REMEDICATION SERVICES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	613-836-7669 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">12</a>	9 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON4708737			<b>Status:</b>	
<b>SIC Code:</b>	562910			<b>Co Admin:</b>	Donna L Salim
<b>SIC Description:</b>	REMEDATION SERVICES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	613-836-7669 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">12</a>	10 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON4708737			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">12</a>	11 of 11	<b>ENE/58.0</b>	<b>119.9 / 0.00</b>	<b>6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON4708737			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Oct 2019			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">13</a>	1 of 2	<b>E/60.0</b>	<b>119.9 / 0.00</b>	<b>1649174 Ontario Inc. 132 Wescar Lane Ottawa ON</b>	<b>CA</b>
<b>Certificate #:</b>	1511-6S2KLS				
<b>Application Year:</b>	2006				
<b>Issue Date:</b>	7/28/2006				
<b>Approval Type:</b>	Municipal and Private Sewage Works				
<b>Status:</b>	Approved				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">13</a>	2 of 2	E/60.0	119.9 / 0.00	1649174 Ontario Inc. 132 Wescar Lane Ottawa ON K0A 1L0	ECA
<b>Approval No:</b> 1511-6S2KLS <b>Approval Date:</b> 2006-07-28 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Business Name:</b> 1649174 Ontario Inc. <b>Address:</b> 132 Wescar Lane <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8224-6PAQXM-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8224-6PAQXM-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">14</a>	1 of 2	E/65.5	119.9 / 0.00	Ralco Masonry & Construction 126 Wescar Lane Ottawa ON	CA
<b>Certificate #:</b> 9769-6JMRQA <b>Application Year:</b> 2006 <b>Issue Date:</b> 1/25/2006 <b>Approval Type:</b> Industrial Sewage Works <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">14</a>	2 of 2	E/65.5	119.9 / 0.00	Ralco Masonry & Construction 126 Wescar Lane Ottawa ON	ECA
<b>Approval No:</b> 9769-6JMRQA <b>Approval Date:</b> 2006-01-25 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Mississippi Valley <b>Approval Type:</b> ECA-INDUSTRIAL SEWAGE WORKS <b>Project Type:</b> INDUSTRIAL SEWAGE WORKS <b>Business Name:</b> Ralco Masonry & Construction <b>Address:</b> 126 Wescar Lane <b>Full Address:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7598-6HGRKZ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7598-6HGRKZ-14.pdf</a>			
<b>PDF Site Location:</b>					

<a href="#">15</a>	1 of 1	E/67.9	119.9 / 0.00	132 WESCAR LANE lot 6 con 3 CARP ON	WWIS
<b>Well ID:</b>		1536824		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Domestic		<b>Date Received:</b> 11/17/2006	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Water Supply		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 1558	
<b>Casing Material:</b>				<b>Form Version:</b> 3	
<b>Audit No:</b>		Z47066		<b>Owner:</b>	
<b>Tag:</b>		A041980		<b>Street Name:</b> 132 WESCAR LANE	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> HUNTLEY TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b> 006	
<b>Well Depth:</b>				<b>Concession:</b> 03	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b> CON	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1536824.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536824.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2006/08/30  
**Year Completed:** 2006  
**Depth (m):** 52.72  
**Latitude:** 45.2925925854696  
**Longitude:** -75.9793134556728  
**Path:** 153\1536824.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	11691918	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423209.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015921.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	30-Aug-2006 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 933071031  
**Layer:** 1



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		81			
<b>Mat2 Desc:</b>		SANDY			
<b>Mat3:</b>		12			
<b>Mat3 Desc:</b>		STONES			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		3.6500000953674316			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933071033			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		7.309999942779541			
<b>Formation End Depth:</b>		52.720001220703125			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933071032			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		81			
<b>Mat2 Desc:</b>		SANDY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		3.6500000953674316			
<b>Formation End Depth:</b>		7.309999942779541			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933286615			
<b>Layer:</b>		1			
<b>Plug From:</b>		8.220000267028809			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961536824			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 11696784  
 Casing No: 1  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 930873873  
 Layer: 2  
 Material: 4  
 Open Hole or Material: OPEN HOLE  
 Depth From: 8.220000267028809  
 Depth To: 52.720001220703125  
 Casing Diameter:  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Casing**

Casing ID: 930873872  
 Layer: 1  
 Material: 1  
 Open Hole or Material: STEEL  
 Depth From: -0.44999998807907104  
 Depth To: 8.220000267028809  
 Casing Diameter: 15.859999656677246  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Results of Well Yield Testing**

Pump Test ID: 11701494  
 Pump Set At: 45.709999084472656  
 Static Level: 4.489999771118164  
 Final Level After Pumping: 19.010000228881836  
 Recommended Pump Depth: 30.469999313354492  
 Pumping Rate: 40.95000076293945  
 Flowing Rate:  
 Recommended Pump Rate: 40.95000076293945  
 Levels UOM: m  
 Rate UOM: LPM  
 Water State After Test Code: 1  
 Water State After Test: CLEAR  
 Pumping Test Method:  
 Pumping Duration HR: 3  
 Pumping Duration MIN: 0  
 Flowing:

**Draw Down & Recovery**

Pump Test Detail ID: 11738008  
 Test Type: Recovery  
 Test Duration: 5  
 Test Level: 9.5600004196167  
 Test Level UOM: m

**Draw Down & Recovery**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		11738009			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		14.5			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738011			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		15.720000267028809			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738013			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		16.329999923706055			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738018			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		5.25			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738023			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		17.6299991607666			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738004			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		11.40999984741211			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738007			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		11.210000038146973			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738014			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		5.46999979019165			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>		11738020			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		40			
<i>Test Level:</i>		5.190000057220459			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>		11738022			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		50			
<i>Test Level:</i>		5.170000076293945			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>		11738015			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		16.56999969482422			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>		11738000			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		15.1899995803833			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>		11738002			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		2			
<i>Test Level:</i>		13.0600004196167			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>		11738010			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		10			
<i>Test Level:</i>		6.880000114440918			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>		11738012			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		15			
<i>Test Level:</i>		5.829999923706055			
<i>Test Level UOM:</i>		m			
<u><i>Draw Down &amp; Recovery</i></u>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		11738024			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		5.170000076293945			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738001			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		8.109999656677246			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738003			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		9.270000457763672			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738017			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		16.719999313354492			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11737999			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		6.690000057220459			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738005			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		10.300000190734863			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738006			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		10.369999885559082			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738016			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Level:</b>		5.340000	152587891		
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738019			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		16.879999	1607666		
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11738021			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		17.5			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934070908			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		50.590000	15258789		
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11755509			
<b>Diameter:</b>		22.75			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		8.220000	267028809		
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11755508			
<b>Diameter:</b>		15.229999	542236328		
<b>Depth From:</b>		8.220000	267028809		
<b>Depth To:</b>		52.720000	1220703125		
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">16</a>	1 of 1	<b>ESE/78.1</b>	<b>119.9 / 0.00</b>	<b>Marnick Holdings Ltd. 131 Wescar Lane Carp Ottawa ON</b>	<b>ECA</b>
<b>Approval No:</b>	5541-8TYHSK			<b>MOE District:</b>	
<b>Approval Date:</b>	2012-05-10			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS				
<b>Business Name:</b>	Marnick Holdings Ltd.				
<b>Address:</b>	131 Wescar Lane Carp				
<b>Full Address:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/0068-8N7JUP-14.pdf			
<b>PDF Site Location:</b>					
<a href="#">17</a>	1 of 7	NE/88.9	119.9 / 0.00	<b>Kerr Design Ltd. 168 Wescar Lane RR 2 Carp ON K0A 1L0</b>	<b>SCT</b>
<b>Established:</b>		01-JUN-90			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing			
<b>SIC/NAICS Code:</b>		337213			
<b>Description:</b>		Other Millwork			
<b>SIC/NAICS Code:</b>		321919			
<b>Description:</b>		Other Wood Household Furniture Manufacturing			
<b>SIC/NAICS Code:</b>		337123			
<b>Description:</b>		Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing			
<b>SIC/NAICS Code:</b>		337213			
<a href="#">17</a>	2 of 7	NE/88.9	119.9 / 0.00	<b>Competition Composites Inc. 168 Wescar Lane Unit 3 Carp ON K0A 1L0</b>	<b>SCT</b>
<b>Established:</b>		1/1/2002			
<b>Plant Size (ft²):</b>		1800			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		All Other Plastic Product Manufacturing			
<b>SIC/NAICS Code:</b>		326198			
<b>Description:</b>		Engineering Services			
<b>SIC/NAICS Code:</b>		541330			
<a href="#">17</a>	3 of 7	NE/88.9	119.9 / 0.00	<b>Competition Composites Inc. 168 Wescar Lane Carp Ottawa ON</b>	<b>CA</b>
<b>Certificate #:</b>		5353-8BBMUW			
<b>Application Year:</b>		2010			
<b>Issue Date:</b>		11/19/2010			
<b>Approval Type:</b>		Air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">17</a>	4 of 7	NE/88.9	119.9 / 0.00	Competition Composites Inc. 3-168 Wescar Lane Carp ON K0A 1L0	SCT
<b>Established:</b>		01-JAN-02			
<b>Plant Size (ft²):</b>		1800			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		All Other Plastic Product Manufacturing			
<b>SIC/NAICS Code:</b>		326198			
<b>Description:</b>		Engineering Services			
<b>SIC/NAICS Code:</b>		541330			
<a href="#">17</a>	5 of 7	NE/88.9	119.9 / 0.00	Competition Composites Inc. 168 Wescar Lane Carp Ottawa ON K0A 1L0	ECA
<b>Approval No:</b>		5353-8BBMUW		<b>MOE District:</b> Ottawa	
<b>Approval Date:</b>		2010-11-19		<b>City:</b>	
<b>Status:</b>		Revoked and/or Replaced		<b>Longitude:</b> -75.9808	
<b>Record Type:</b>		ECA		<b>Latitude:</b> 45.293774	
<b>Link Source:</b>		IDS		<b>Geometry X:</b>	
<b>SWP Area Name:</b>		Mississippi Valley		<b>Geometry Y:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Business Name:</b>		Competition Composites Inc.			
<b>Address:</b>		168 Wescar Lane Carp			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1325-82CS5P-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1325-82CS5P-14.pdf</a>			
<b>PDF Site Location:</b>					
<a href="#">17</a>	6 of 7	NE/88.9	119.9 / 0.00	Competition Composites 168 Wescar Lane Carp ON K0A 1L0	GEN
<b>Generator No:</b>		ON3677511		<b>Status:</b>	
<b>SIC Code:</b>		333310		<b>Co Admin:</b> Phillip Locker	
<b>SIC Description:</b>		COMMERCIAL AND SERVICE INDUSTRY MACHINERY MANUFACTURING		<b>Choice of Contact:</b> CO_OFFICIAL	
<b>Approval Years:</b>		2015		<b>Phone No Admin:</b> 613-599-6951 Ext.	
<b>PO Box No:</b>				<b>Contam. Facility:</b> No	
<b>Country:</b>		Canada		<b>MHSW Facility:</b> No	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<a href="#">17</a>	7 of 7	NE/88.9	119.9 / 0.00	Competition Composites 168 Wescar Lane Carp ON K0A 1L0	GEN
<b>Generator No:</b>		ON3677511		<b>Status:</b>	
<b>SIC Code:</b>		333310		<b>Co Admin:</b> Phillip Locker	
<b>SIC Description:</b>		COMMERCIAL AND SERVICE INDUSTRY		<b>Choice of Contact:</b> CO_OFFICIAL	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> 2014 <b>PO Box No:</b> <b>Country:</b> Canada		MACHINERY MANUFACTURING		<b>Phone No Admin:</b> 613-599-6951 Ext. <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No	
<b>Detail(s)</b>					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<b>Waste Class:</b> 211 <b>Waste Class Desc:</b> AROMATIC SOLVENTS					
<a href="#">18</a>	1 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b> 20200113331 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 16-JAN-20 <b>Date Received:</b> 13-JAN-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.9786751 <b>Y:</b> 45.2918693			
<a href="#">18</a>	2 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b> 20200113331 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 16-JAN-20 <b>Date Received:</b> 13-JAN-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.9786751 <b>Y:</b> 45.2918693			
<a href="#">18</a>	3 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b> 20200113331 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 16-JAN-20 <b>Date Received:</b> 13-JAN-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.9786751 <b>Y:</b> 45.2918693			
<a href="#">18</a>	4 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b> 20200113331 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 16-JAN-20 <b>Date Received:</b> 13-JAN-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.9786751 <b>Y:</b> 45.2918693			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans			
<a href="#">18</a>	5 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b>	20200113331			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	16-JAN-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	13-JAN-20			<b>X:</b>	-75.9786751
<b>Previous Site Name:</b>				<b>Y:</b>	45.2918693
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<a href="#">18</a>	6 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b>	20200113331			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	16-JAN-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	13-JAN-20			<b>X:</b>	-75.9786751
<b>Previous Site Name:</b>				<b>Y:</b>	45.2918693
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<a href="#">18</a>	7 of 7	E/91.6	119.9 / 0.00	126 Wescar Lane Carp ON K0A 1L0	EHS
<b>Order No:</b>	20200113331			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	16-JAN-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	13-JAN-20			<b>X:</b>	-75.9786751
<b>Previous Site Name:</b>				<b>Y:</b>	45.2918693
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<a href="#">19</a>	1 of 1	ESE/96.6	119.9 / 0.00	131 WESCAR lot 6 con 3 CARP ON	WWIS
<b>Well ID:</b>	7161391			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Commerical			<b>Date Received:</b>	4/5/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	4875
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z102951			<b>Owner:</b>	
<b>Tag:</b>	A104867			<b>Street Name:</b>	131 WESCAR
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	X
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7161391.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2011/02/23				
<b>Year Completed:</b>	2011				
<b>Depth (m):</b>	35.08				
<b>Latitude:</b>	45.2912338911129				
<b>Longitude:</b>	-75.9792518126352				
<b>Path:</b>	716\7161391.pdf				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003493676			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	423212.00
<b>Code OB Desc:</b>				<b>North83:</b>	5015770.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	23-Feb-2011 00:00:00			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1003831148				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	34				
<b>Most Common Material:</b>	TILL				
<b>Mat2:</b>	28				
<b>Mat2 Desc:</b>	SAND				
<b>Mat3:</b>	11				
<b>Mat3 Desc:</b>	GRAVEL				
<b>Formation Top Depth:</b>	4.610000133514404				
<b>Formation End Depth:</b>	7.320000171661377				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1003831147				
<b>Layer:</b>	1				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	05				
<b>Most Common Material:</b>	CLAY				
<b>Mat2:</b>	28				
<b>Mat2 Desc:</b>	SAND				
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		4.610000133514404			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003831149			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		17			
<b>Mat2 Desc:</b>		SHALE			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		7.320000171661377			
<b>Formation End Depth:</b>		35.08000183105469			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003831185			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		8.229999542236328			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003831183			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003831145			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003831154			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-0.6000000238418579			
<b>Depth To:</b>		8.229999542236328			
<b>Casing Diameter:</b>		15.880000114440918			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003831155			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Slot:</b>					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<b>Results of Well Yield Testing</b>					
Pump Test ID:					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b>Draw Down &amp; Recovery</b>					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
<b>Draw Down &amp; Recovery</b>					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
<b>Draw Down &amp; Recovery</b>					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
<b>Draw Down &amp; Recovery</b>					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					
<b>Draw Down &amp; Recovery</b>					
Pump Test Detail ID:					
Test Type:					
Test Duration:					
Test Level:					
Test Level UOM:					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		1003831161			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		2.5299999713897705			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831170			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		2.5899999141693115			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831174			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		2.630000114440918			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831156			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		2.450000047683716			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831159			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		2.569999933242798			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831176			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		2.640000104904175			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831181			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		2.4600000381469727			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831160			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		2.450000047683716			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003831167			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.4800000190734863			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003831173			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		2.4800000190734863			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003831175			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		30			
<i>Test Level:</i>		2.4800000190734863			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003831163			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		2.5			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003831165			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		5			
<i>Test Level:</i>		2.490000009536743			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003831157			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		2.609999895095825			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003831162			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		2.450000047683716			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		1003831164			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		2.450000047683716			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831168			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		2.5299999713897705			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831178			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		2.640000104904175			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831179			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		2.4700000286102295			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831169			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		2.4800000190734863			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831171			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		2.4800000190734863			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003831177			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		2.4700000286102295			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003831153			
<b>Layer:</b>		3			
<b>Kind Code:</b>		8			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		31.0			
<b>Water Found Depth UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003831152			
<b>Layer:</b>		2			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		28.899999618530273			
<b>Water Found Depth UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003831151			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		21.899999618530273			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003831150			
<b>Diameter:</b>		15.239999771118164			
<b>Depth From:</b>		8.229999542236328			
<b>Depth To:</b>		35.08000183105469			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<u>20</u>	1 of 2	NE/105.4	119.9 / 0.00	5630 OSGOODE MAIN STREET lot 6 con 3 OSGOODE ON	WWIS
<b>Well ID:</b>	7126803			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	8/6/2009
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1119
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z94712			<b>Owner:</b>	
<b>Tag:</b>	A082584			<b>Street Name:</b>	5630 OSGOODE MAIN STREET
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7126803.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7126803.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2009/07/06				
<b>Year Completed:</b>	2009				
<b>Depth (m):</b>	89.916				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.293720806574			
Longitude:		-75.9800087966641			
Path:		712\7126803.pdf			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002603458	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423156.00
<b>Code OB Desc:</b>		<b>North83:</b>	5016047.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	06-Jul-2009 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1002799108
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	32.0
<b>Formation End Depth:</b>	228.0
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1002799109
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	18
<b>Most Common Material:</b>	SANDSTONE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	228.0
<b>Formation End Depth:</b>	295.0
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1002799107
<b>Layer:</b>	1
<b>Color:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>					
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		13			
<b>Mat3 Desc:</b>		BOULDERS			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		32.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002799112			
<b>Layer:</b>		2			
<b>Plug From:</b>		32.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002799111			
<b>Layer:</b>		1			
<b>Plug From:</b>		42.0			
<b>Plug To:</b>		32.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002799146			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002799105			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002799116			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-2.0			
<b>Depth To:</b>		42.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002799117			
<b>Layer:</b>		2			
<b>Material:</b>		4			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		42.0			
<b>Depth To:</b>		295.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002799118			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002799106			
<b>Pump Set At:</b>		280.0			
<b>Static Level:</b>		18.579999923706055			
<b>Final Level After Pumping:</b>		169.5			
<b>Recommended Pump Depth:</b>		200.0			
<b>Pumping Rate:</b>		20.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		20.0			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799119			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		31.579999923706055			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799125			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		55.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799127			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		62.41999816894531			
<b>Test Level UOM:</b>		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799128		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			125.16999816894531		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799133		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			20		
<b>Test Level:</b>			132.1699981689453		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799144		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			60		
<b>Test Level:</b>			18.579999923706055		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799126		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			4		
<b>Test Level:</b>			131.5		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799130		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			10		
<b>Test Level:</b>			84.08000183105469		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799132		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			15		
<b>Test Level:</b>			64.16999816894531		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799137		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			30		
<b>Test Level:</b>			151.4199981689453		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799142		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		18.579999923706055			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799143			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		169.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799122			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		145.75			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799135			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		142.1699981689453			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799121			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		40.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799123			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		47.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799124			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		138.1699981689453			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002799136			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		30.329999923706055			
<b>Test Level UOM:</b>		ft			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799138		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			30		
<b>Test Level:</b>			24.75		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799129		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			10		
<b>Test Level:</b>			94.66999816894531		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799140		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			40		
<b>Test Level:</b>			21.170000076293945		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799120		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			154.0		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799141		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			50		
<b>Test Level:</b>			166.3300018310547		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799131		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			15		
<b>Test Level:</b>			121.5		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1002799134		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			20		
<b>Test Level:</b>			42.33000183105469		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b> 1002799139					
<b>Test Type:</b> Draw Down					
<b>Test Duration:</b> 40					
<b>Test Level:</b> 160.0800018310547					
<b>Test Level UOM:</b> ft					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1002799114					
<b>Layer:</b> 2					
<b>Kind Code:</b> 8					
<b>Kind:</b> Untested					
<b>Water Found Depth:</b> 231.0					
<b>Water Found Depth UOM:</b> ft					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1002799113					
<b>Layer:</b> 1					
<b>Kind Code:</b> 8					
<b>Kind:</b> Untested					
<b>Water Found Depth:</b> 155.0					
<b>Water Found Depth UOM:</b> ft					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1002799115					
<b>Layer:</b> 3					
<b>Kind Code:</b> 8					
<b>Kind:</b> Untested					
<b>Water Found Depth:</b> 263.0					
<b>Water Found Depth UOM:</b> ft					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1002799110					
<b>Diameter:</b> 6.0					
<b>Depth From:</b> 0.0					
<b>Depth To:</b> 295.0					
<b>Hole Depth UOM:</b> ft					
<b>Hole Diameter UOM:</b> inch					

<a href="#">20</a>	2 of 2	NE/105.4	119.9 / 0.00	153 CARDEVCO ROAD lot 6 con 3 CARP ON	WWIS
<b>Well ID:</b> 7127022				<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b> Domestic				<b>Date Received:</b> 8/6/2009	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b> Water Supply				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 1119	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b> Z94721				<b>Owner:</b>	
<b>Tag:</b> A082584				<b>Street Name:</b> 153 CARDEVCO ROAD	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> HUNTLEY TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b> BLOCK 9 & 12	
<b>Depth to Bedrock:</b>				<b>Lot:</b> 006	
<b>Well Depth:</b>				<b>Concession:</b> 03	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b> CON	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7127022.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2009/07/06			
<b>Year Completed:</b>		2009			
<b>Depth (m):</b>		18.288			
<b>Latitude:</b>		45.293720806574			
<b>Longitude:</b>		-75.9800087966641			
<b>Path:</b>		712\7127022.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1002626750		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 423156.00	
<b>Code OB Desc:</b>				<b>North83:</b> 5016047.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 3	
<b>Date Completed:</b>		06-Jul-2009 00:00:00		<b>UTMRC Desc:</b> margin of error : 10 - 30 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002876432			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		15.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002876433			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		15.0			
<b>Formation End Depth:</b>		60.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002876435			
<b>Layer:</b>		1			
<b>Plug From:</b>		19.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002876469			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002876430			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002876439			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-2.0			
<b>Depth To:</b>		19.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002876440			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		19.0			
<b>Depth To:</b>		60.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002876441			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Screen Depth UOM:</i>			ft		
<i>Screen Diameter UOM:</i>			inch		
<i>Screen Diameter:</i>					
 <b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>			1002876431		
<i>Pump Set At:</i>			50.0		
<i>Static Level:</i>			5.5		
<i>Final Level After Pumping:</i>			8.079999923706055		
<i>Recommended Pump Depth:</i>			50.0		
<i>Pumping Rate:</i>			20.0		
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>			20.0		
<i>Levels UOM:</i>			ft		
<i>Rate UOM:</i>			GPM		
<i>Water State After Test Code:</i>			0		
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>			0		
<i>Pumping Duration HR:</i>			1		
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>			No		
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>			1002876447		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			3		
<i>Test Level:</i>			6.329999923706055		
<i>Test Level UOM:</i>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>			1002876448		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			4		
<i>Test Level:</i>			6.75		
<i>Test Level UOM:</i>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>			1002876453		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			10		
<i>Test Level:</i>			5.670000076293945		
<i>Test Level UOM:</i>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>			1002876456		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			20		
<i>Test Level:</i>			7.5		
<i>Test Level UOM:</i>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>			1002876465		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			50		
<i>Test Level:</i>			5.5		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		ft			
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876445				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	2				
<i>Test Level:</i>	6.420000076293945				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876451				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	5				
<i>Test Level:</i>	6.170000076293945				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876454				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	15				
<i>Test Level:</i>	7.420000076293945				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876459				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	25				
<i>Test Level:</i>	5.5				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876466				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	60				
<i>Test Level:</i>	8.079999923706055				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876450				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	5				
<i>Test Level:</i>	7.0				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down &amp; Recovery</i></u>					
<i>Pump Test Detail ID:</i>	1002876444				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	2				
<i>Test Level:</i>	6.5				
<i>Test Level UOM:</i>	ft				
<u><i>Draw Down &amp; Recovery</i></u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Pump Test Detail ID:</b>		1002876442			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		6.329999923706055			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876443			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		6.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876446			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		6.670000076293945			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876452			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		7.25			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876457			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		5.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876460			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		7.579999923706055			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876461			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		5.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876463			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>		5.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876455			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		5.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876467			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		5.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876449			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		6.25			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876464			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		8.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876458			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		7.579999923706055			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1002876462			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		7.75			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1002876436			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		30.0			
<b>Water Found Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

**Water ID:** 1002876437  
**Layer:** 2  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 48.0  
**Water Found Depth UOM:** ft

**Water Details**

**Water ID:** 1002876438  
**Layer:** 3  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 51.0  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1002876434  
**Diameter:** 6.0  
**Depth From:** 0.0  
**Depth To:** 60.0  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

[21](#)    1 of 1    **N/108.0**    **119.9 / 0.00**    **172 & 180 Wescar Lane**  
**Ottawa ON**    **EHS**

<b>Order No:</b> 20070316030 <b>Status:</b> C <b>Report Type:</b> CAN - Site Report <b>Report Date:</b> 3/20/2007 <b>Date Received:</b> 3/16/2007 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> 3.1 acre <b>Additional Info Ordered:</b>	<b>Nearest Intersection:</b> Cavanmore Road & Wescar Lane <b>Municipality:</b> Ottawa <b>Client Prov/State:</b> <b>Search Radius (km):</b> 0.25 <b>X:</b> -75.981684 <b>Y:</b> 45.294059
--	---

[22](#)    1 of 1    **E/108.7**    **119.9 / 0.00**    **135 CARDEVCO RD**  
**CARP ON**    **WWIS**

<b>Well ID:</b> 7186867 <b>Construction Date:</b> <b>Primary Water Use:</b> Domestic <b>Sec. Water Use:</b> <b>Final Well Status:</b> Water Supply <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z154051 <b>Tag:</b> A134668 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 9/11/2012 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 2558 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 135 CARDEVCO RD <b>County:</b> OTTAWA <b>Municipality:</b> HUNTLEY TOWNSHIP <b>Site Info:</b> PART 7&10 <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>
--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/718\7186867.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186867.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2012/08/09  
 Year Completed: 2012  
 Depth (m): 30.48  
 Latitude: 45.2926785057057  
 Longitude: -75.9787410494549  
 Path: 718\7186867.pdf

**Bore Hole Information**

Bore Hole ID:	1004152215	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423254.00
Code OB Desc:		North83:	5015930.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	09-Aug-2012 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1004453816  
 Layer: 2  
 Color: 8  
 General Color: BLACK  
 Mat1: 15  
 Most Common Material: LIMESTONE  
 Mat2:  
 Mat2 Desc:  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 16.0  
 Formation End Depth: 100.0  
 Formation End Depth UOM: ft

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1004453815  
 Layer: 1  
 Color:  
 General Color:  
 Mat1: 05  
 Most Common Material: CLAY  
 Mat2: 28  
 Mat2 Desc: SAND  
 Mat3: 12  
 Mat3 Desc: STONES  
 Formation Top Depth: 0.0



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		16.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004453850			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		22.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004453849			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004453813			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004453820			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		22.0			
<b>Casing Diameter:</b>		6.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004453821			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1004453814			
<b>Pump Set At:</b>		75.0			
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>		11.0			
<b>Recommended Pump Depth:</b>		80.0			
<b>Pumping Rate:</b>		15.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		15.0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453823			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		45.099998474121094			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453825			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		35.20000076293945			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453844			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		67.4000015258789			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453846			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		67.4000015258789			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453822			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		20.799999237060547			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453831			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		19.700000762939453			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453830			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		35.400001525878906			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453839			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		11.649999618530273			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453842			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		67.4000015258789			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453836			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		56.099998474121094			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453824			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		25.899999618530273			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453826			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		29.799999237060547			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453828			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		32.900001525878906			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453847			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		11.050000190734863			
<b>Test Level UOM:</b>		ft			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453832			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		47.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453837			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		11.75			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453843			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		11.199999809265137			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453838			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		56.79999923706055			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453840			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		63.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453841			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		11.399999618530273			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453827			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		27.799999237060547			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		1004453829			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		22.899999618530273			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453833			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		13.699999809265137			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453834			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		53.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453835			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		12.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004453845			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		11.100000381469727			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004453819			
<b>Layer:</b>		2			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		82.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004453818			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		79.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004453817			
<b>Diameter:</b>		25.399999618530273			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0.0			
Depth To:		22.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">23</a>	1 of 1	NNW/110.4	119.6 / -0.31	ON	BORE
<b>Borehole ID:</b>	609649			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215511265			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>				<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.294556
<b>Total Depth m:</b>	-999			<b>Longitude DD:</b>	-75.982516
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	422961
<b>Drill Method:</b>				<b>Northing:</b>	5016142
<b>Orig Ground Elev m:</b>	121			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	119				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

#### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	218383724			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Gravel			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GRAVEL.				
<b>Geology Stratum ID:</b>	218383725			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Limestone			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BEDROCK,LIMESTONE. .0 FEET.GRAVEL. BEDROCK,LIMESTONE. . BEDROCK. SEISMIC VELOCITY = 1				
	**Note: Many records provided by the department have a truncated [Stratum Description] field.				

#### Source

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M	<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 021570 NTS_Sheet: 31G05D		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Confiden 1:</b>		Reliable information but incomplete.			
<b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				

<a href="#">24</a>	1 of 1	<b>ESE/117.3</b>	<b>118.5 / -1.39</b>	<b>123 WESCAR lot 6 con 3 CARP ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7164958			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Commerical			<b>Date Received:</b>	7/8/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	4875
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z132976			<b>Owner:</b>	
<b>Tag:</b>	A117442			<b>Street Name:</b>	123 WESCAR
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	006
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/716\7164958.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/716\7164958.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2011/06/02  
**Year Completed:** 2011  
**Depth (m):** 35.08  
**Latitude:** 45.2910822004417  
**Longitude:** -75.9790961703082  
**Path:** 716\7164958.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003529880	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423224.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015753.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	02-Jun-2011 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003841461			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		2.890000104904175			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003841463			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		17			
<b>Mat2 Desc:</b>		SHALE			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		7.019999980926514			
<b>Formation End Depth:</b>		35.08000183105469			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003841462			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		13			
<b>Mat3 Desc:</b>		BOULDERS			
<b>Formation Top Depth:</b>		2.890000104904175			
<b>Formation End Depth:</b>		7.019999980926514			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003841499			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		8.6899995803833			
<b>Plug Depth UOM:</b>		m			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003841497			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003841459			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003841468			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		0.46000000834465027			
<b>Depth To:</b>		8.6899995803833			
<b>Casing Diameter:</b>		15.880000114440918			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003841469			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003841460			
<b>Pump Set At:</b>		12.199999809265137			
<b>Static Level:</b>		1.7899999618530273			
<b>Final Level After Pumping:</b>		2.109999895095825			
<b>Recommended Pump Depth:</b>		12.199999809265137			
<b>Pumping Rate:</b>		451.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		451.0			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>		6			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841474			
<b>Test Type:</b>		Draw Down			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>		3			
<i>Test Level:</i>		1.9500000476837158			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003841475			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		3			
<i>Test Level:</i>		1.9500000476837158			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003841488			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		30			
<i>Test Level:</i>		2.0899999141693115			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003841493			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		50			
<i>Test Level:</i>		1.809999942779541			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003841471			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		2.0199999809265137			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003841476			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		1.9900000095367432			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003841480			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.0399999618530273			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1003841484			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		20			
<i>Test Level:</i>		2.0799999237060547			
<i>Test Level UOM:</i>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841485		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			20		
<b>Test Level:</b>			1.8300000429153442		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841492		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			50		
<b>Test Level:</b>			2.0999999046325684		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841473		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			2		
<b>Test Level:</b>			1.9800000190734863		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841482		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			15		
<b>Test Level:</b>			2.059999942779541		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841478		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			2.0		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841489		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			30		
<b>Test Level:</b>			1.809999942779541		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841490		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			40		
<b>Test Level:</b>			2.0950000286102295		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003841494		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		2.109999895095825			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841470			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		1.8799999952316284			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841472			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		1.9199999570846558			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841477			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		1.9249999523162842			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841479			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		1.909999966621399			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841481			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		1.8600000143051147			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841483			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		1.840000033378601			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841487			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		1.809999942779541			
<b>Test Level UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841491			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		1.809999942779541			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841486			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		2.0899999141693115			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003841495			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		1.809999942779541			
<b>Test Level UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003841466			
<b>Layer:</b>		2			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		29.0			
<b>Water Found Depth UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003841465			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		22.0			
<b>Water Found Depth UOM:</b>		m			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003841467			
<b>Layer:</b>		3			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		31.0			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003841464			
<b>Diameter:</b>		15.239999771118164			
<b>Depth From:</b>		8.6899995803833			
<b>Depth To:</b>		35.08000183105469			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">25</a>	1 of 6	E/120.9	119.9 / 0.00	Capital Dedicated Logistics 135 Cardevco Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON7253275			<b>Status:</b>	
<b>SIC Code:</b>	484110			<b>Co Admin:</b>	
<b>SIC Description:</b>	General Freight Trucking Local			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2009			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">25</a>	2 of 6	E/120.9	119.9 / 0.00	Capital Dedicated Logistics 135 Cardevco Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON7253275			<b>Status:</b>	
<b>SIC Code:</b>	484110			<b>Co Admin:</b>	
<b>SIC Description:</b>	General Freight Trucking Local			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2010			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">25</a>	3 of 6	E/120.9	119.9 / 0.00	Capital Dedicated Logistics 135 Cardevco Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON7253275			<b>Status:</b>	
<b>SIC Code:</b>	484110			<b>Co Admin:</b>	
<b>SIC Description:</b>	General Freight Trucking Local			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2011			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">25</a>	4 of 6	E/120.9	119.9 / 0.00	Premier Bus Lines Inc. Carp 135 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON7347589			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jul 2020			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#"><u>25</u></a>	5 of 6	E/120.9	119.9 / 0.00	Premier Bus Lines Inc. Carp 135 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON7347589			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jan 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#"><u>25</u></a>	6 of 6	E/120.9	119.9 / 0.00	Premier Bus Lines Inc. Carp 135 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON7347589			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Nov 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#"><u>26</u></a>	1 of 4	ENE/123.7	119.9 / 0.00	Andrew Ross McNeely 153 Cardevco Rd Ottawa ON	CA
<b>Certificate #:</b>	5389-78RKYC				
<b>Application Year:</b>	2007				
<b>Issue Date:</b>	11/14/2007				
<b>Approval Type:</b>	Industrial Sewage Works				
<b>Status:</b>	Approved				
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#"><u>26</u></a>	2 of 4	ENE/123.7	119.9 / 0.00	Andrew Ross McNeely 153 Cardevco Rd Ottawa ON	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b>	5389-78RKYC			<b>MOE District:</b> Ottawa	
<b>Approval Date:</b>	2007-11-14			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b> -75.97935	
<b>Record Type:</b>	ECA			<b>Latitude:</b> 45.29343	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Mississippi Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS				
<b>Business Name:</b>	Andrew Ross McNeely				
<b>Address:</b>	153 Cardevco Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	https://www.accessenvironment.ene.gov.on.ca/instruments/3313-75EUGY-14.pdf				
<b>PDF Site Location:</b>					

<a href="#">26</a>	3 of 4	<b>ENE/123.7</b>	<b>119.9 / 0.00</b>	<b>Thunderbolt Contracting</b> <b>153 Cardevco Road, Unit 2</b> <b>Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON9364148			<b>Status:</b>	
<b>SIC Code:</b>	561730			<b>Co Admin:</b>	
<b>SIC Description:</b>	LANDSCAPING SERVICES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b>Detail(s)</b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				

<a href="#">26</a>	4 of 4	<b>ENE/123.7</b>	<b>119.9 / 0.00</b>	<b>Thunderbolt Contracting</b> <b>153 Cardevco Road RR#2</b> <b>Carp ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON9364148			<b>Status:</b>	
<b>SIC Code:</b>	561730			<b>Co Admin:</b>	
<b>SIC Description:</b>	LANDSCAPING SERVICES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b>Detail(s)</b>					
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				

<a href="#">27</a>	1 of 4	<b>E/124.4</b>	<b>119.9 / 0.00</b>	<b>135 Cardevco Road</b> <b>Carp ON K0A 1L0</b>	<b>EHS</b>
--------------------	--------	----------------	---------------------	--	------------



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Order No:</b> 20081118034 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 11/27/2008 <b>Date Received:</b> 11/18/2008 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<a href="#">27</a>	2 of 4	E/124.4	119.9 / 0.00	135 Cardevco Road Ottawa ON	EHS
<b>Order No:</b> 20110812035 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 8/23/2011 <b>Date Received:</b> 8/12/2011 4:25:47 PM <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; City Directory					
<a href="#">27</a>	3 of 4	E/124.4	119.9 / 0.00	135 Cardevco Rd Ottawa ON K0A1L0	EHS
<b>Order No:</b> 20160316075 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 23-MAR-16 <b>Date Received:</b> 16-MAR-16 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> 2024 sq.m. <b>Additional Info Ordered:</b> City Directory					
<a href="#">27</a>	4 of 4	E/124.4	119.9 / 0.00	135 Cardevco Rd Ottawa ON K0A1L0	EHS
<b>Order No:</b> 20180202014 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 07-FEB-18 <b>Date Received:</b> 02-FEB-18 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<a href="#">28</a>	1 of 1	E/124.4	119.9 / 0.00	CAPITAL DEDICATED LOGISTICS INC. 135 CARDEVCO RD CARP ON K0A 1L0	EASR
<b>Approval No:</b> R-004-1110114179 <b>Status:</b> REGISTERED <b>Date:</b> 2017-04-06 <b>Record Type:</b> EASR <b>Link Source:</b> MOFA <b>Project Type:</b> Waste Management System <b>Full Address:</b> <b>Approval Type:</b> EASR-Waste Management System <b>Full PDF Link:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2033314">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2033314</a> <b>PDF URL:</b>					
<b>SWP Area Name:</b> Mississippi Valley <b>MOE District:</b> Ottawa <b>Municipality:</b> CARP <b>Latitude:</b> 45.29277778 <b>Longitude:</b> -75.97861111 <b>Geometry X:</b> <b>Geometry Y:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>PDF Site Location:</i>					
<a href="#">29</a>	1 of 1	ENE/126.4	119.9 / 0.00	145 Cardevco Road Carp ON KOA 1L0	EHS
<b>Order No:</b>	20190916176			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	19-SEP-19			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-SEP-19			<b>X:</b>	-75.978807
<b>Previous Site Name:</b>				<b>Y:</b>	45.292988
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<a href="#">30</a>	1 of 3	ENE/127.5	119.9 / 0.00	149 Cardevco Rd. Ottawa ON	EHS
<b>Order No:</b>	20040310001			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Complete Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	3/18/04			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	3/10/04			<b>X:</b>	-75.978993
<b>Previous Site Name:</b>				<b>Y:</b>	45.293726
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">30</a>	2 of 3	ENE/127.5	119.9 / 0.00	THUNDERBOLT CONTRACTING INC. 149 CARDEVLO RD CARP ON KOA1LO	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>				<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	Operator
<b>Report Source:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>				<b>Oper Phone No:</b>	
<b>Licence Type Code:</b>				<b>Operator Ext:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					
<b>PDF Site Location:</b>					
<a href="#">30</a>	3 of 3	ENE/127.5	119.9 / 0.00	City Plastering 2-149 Cardevco Rd Carp ON KOA 1L0	SCT
<b>Established:</b>	01-APR-82				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Gypsum Product Manufacturing			
<b>SIC/NAICS Code:</b>		327420			
<b>Description:</b>		All Other Non-Metallic Mineral Product Manufacturing			
<b>SIC/NAICS Code:</b>		327990			
<b>Description:</b>		Gypsum Product Manufacturing			
<b>SIC/NAICS Code:</b>		327420			
<b>Description:</b>		Other Millwork			
<b>SIC/NAICS Code:</b>		321919			
<a href="#">31</a>	1 of 1	NNE/129.3	119.9 / 0.00	ALLEREX LABORATORY LTD. 180 WESCAR DRIVE CARP ON K0A 2N0	GEN
<b>Generator No:</b>		ON2499700		<b>Status:</b>	
<b>SIC Code:</b>		8681		<b>Co Admin:</b>	
<b>SIC Description:</b>		MEDICAL LABORATORIES		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		99,00,01		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">32</a>	1 of 6	ESE/134.1	118.5 / -1.39	123 Wescar Lane Ottawa ON	EHS
<b>Order No:</b>		20121017002		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Custom Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		23-OCT-12		<b>Search Radius (km):</b> .25	
<b>Date Received:</b>		17-OCT-12		<b>X:</b> -75.978934	
<b>Previous Site Name:</b>				<b>Y:</b> 45.290982	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">32</a>	2 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
<b>Generator No:</b>		ON7377119		<b>Status:</b>	
<b>SIC Code:</b>		811310		<b>Co Admin:</b>	
<b>SIC Description:</b>		COMMERCIAL AND INDUSTRIAL MACHINERY AND EQUIPMENT (EXCEPT AUTOMOTIVE AND ELECTRONIC) REPAIR AND MAINTENANCE		<b>Choice of Contact:</b> CO_OFFICIAL	
<b>Approval Years:</b>		2016		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b> No	
<b>Country:</b>		Canada		<b>MHSW Facility:</b> No	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<a href="#">32</a>	3 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON7377119			<b>Status:</b>	
<b>SIC Code:</b>	488519			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER FREIGHT TRANSPORTATION ARRANGEMENT			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">32</a>	4 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON7377119			<b>Status:</b>	
<b>SIC Code:</b>	488519			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER FREIGHT TRANSPORTATION ARRANGEMENT			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<a href="#">32</a>	5 of 6	ESE/134.1	118.5 / -1.39	AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON7377119			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		251 L			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			

<a href="#">32</a>	6 of 6	<b>ESE/134.1</b>	<b>118.5 / -1.39</b>	<b>AMB LIFT INC. 123 WESCAR LANE CARP ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON7377119			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Oct 2019			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	

<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221 I			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		251 L			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			

<a href="#">33</a>	1 of 1	<b>ESE/134.2</b>	<b>118.5 / -1.39</b>	<b>2350416 Ontario Inc. 123 Wescar Lane West Carleton Ottawa ON K2E 6T9</b>	<b>ECA</b>
<b>Approval No:</b>	6112-99PK3T			<b>MOE District:</b>	
<b>Approval Date:</b>	2013-07-30			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS				
<b>Business Name:</b>	2350416 Ontario Inc.				
<b>Address:</b>	123 Wescar Lane West Carleton				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9403-984LQD-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9403-984LQD-14.pdf</a>				
<b>PDF Site Location:</b>					

<a href="#">34</a>	1 of 2	<b>NE/134.9</b>	<b>119.6 / -0.31</b>	<b>Prestige Fence 163 Cardevco Rd Carp ON K0A 1L0</b>	<b>SC</b>
<b>Established:</b>	01-AUG-86				
<b>Plant Size (ft²):</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Millwork			
<b>SIC/NAICS Code:</b>		321919			
<b>Description:</b>		Other Millwork			
<b>SIC/NAICS Code:</b>		321919			
<b>Description:</b>		All Other Miscellaneous Wood Product Manufacturing			
<b>SIC/NAICS Code:</b>		321999			
<a href="#">34</a>	2 of 2	NE/134.9	119.6 / -0.31	163 Cardevco Road Carp ON KOA 1L0	EHS
<b>Order No:</b>	20061107020			<b>Nearest Intersection:</b> Richardson Side Road	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Complete Report			<b>Client Prov/State:</b> ON	
<b>Report Date:</b>	11/13/2006			<b>Search Radius (km):</b> 0.25	
<b>Date Received:</b>	11/7/2006			<b>X:</b> -75.979292	
<b>Previous Site Name:</b>				<b>Y:</b> 45.294151	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans				
<a href="#">35</a>	1 of 1	NNE/135.4	119.9 / 0.00	ServiceMaster Ottawa DR 180 Wescar Lane Ottawa ON KOA1L0	GEN
<b>Generator No:</b>	ON6914720			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Nov 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b>	312 P				
<b>Waste Class Desc:</b>	Pathological wastes				
<a href="#">36</a>	1 of 1	E/136.7	119.9 / 0.00	123 CARDEVCO ROAD lot 6 con 3 CARP ON	WWIS
<b>Well ID:</b>	7210658			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b> 11/6/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 1119	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>	Z155253			<b>Owner:</b>	
<b>Tag:</b>	A135308			<b>Street Name:</b> 123 CARDEVCO ROAD	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> HUNTLEY TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b> 006	
<b>Well Depth:</b>				<b>Concession:</b> 03	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b> CON	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Zone:  
UTM Reliability:

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/721\7210658.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7210658.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2013/10/08  
Year Completed: 2013  
Depth (m): 30.48  
Latitude: 45.2927090022949  
Longitude: -75.9783334777821  
Path: 721\7210658.pdf

**Bore Hole Information**

Bore Hole ID:	1004623534	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423286.00
Code OB Desc:		North83:	5015933.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	08-Oct-2013 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1004869371  
Layer: 2  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2:  
Mat2 Desc:  
Mat3:  
Mat3 Desc:  
Formation Top Depth: 11.0  
Formation End Depth: 78.0  
Formation End Depth UOM: ft

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1004869373  
Layer: 4  
Color: 2  
General Color: GREY  
Mat1: 15  
Most Common Material: LIMESTONE  
Mat2:  
Mat2 Desc:  
Mat3:

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			93.0		
<b>Formation End Depth:</b>			100.0		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1004869372		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			15		
<b>Most Common Material:</b>			LIMESTONE		
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			78.0		
<b>Formation End Depth:</b>			93.0		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1004869370		
<b>Layer:</b>			1		
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			11		
<b>Mat2 Desc:</b>			GRAVEL		
<b>Mat3:</b>			13		
<b>Mat3 Desc:</b>			BOULDERS		
<b>Formation Top Depth:</b>			0.0		
<b>Formation End Depth:</b>			11.0		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1004869409		
<b>Layer:</b>			1		
<b>Plug From:</b>			20.0		
<b>Plug To:</b>			0.0		
<b>Plug Depth UOM:</b>			ft		
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>			1004869408		
<b>Method Construction Code:</b>			5		
<b>Method Construction:</b>			Air Percussion		
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			1004869368		
<b>Casing No:</b>			0		
<b>Comment:</b>					
<b>Alt Name:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1004869378		
<b>Layer:</b>			1		
<b>Material:</b>			1		
<b>Open Hole or Material:</b>			STEEL		
<b>Depth From:</b>			-2.0		
<b>Depth To:</b>			20.0		
<b>Casing Diameter:</b>			6.25		
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1004869379		
<b>Layer:</b>			2		
<b>Material:</b>			4		
<b>Open Hole or Material:</b>			OPEN HOLE		
<b>Depth From:</b>			20.0		
<b>Depth To:</b>			100.0		
<b>Casing Diameter:</b>			5.9375		
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>			1004869380		
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>			ft		
<b>Screen Diameter UOM:</b>			inch		
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>			1004869369		
<b>Pump Set At:</b>			90.0		
<b>Static Level:</b>			7.599999904632568		
<b>Final Level After Pumping:</b>			19.700000762939453		
<b>Recommended Pump Depth:</b>			90.0		
<b>Pumping Rate:</b>			20.0		
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>			20.0		
<b>Levels UOM:</b>			ft		
<b>Rate UOM:</b>			GPM		
<b>Water State After Test Code:</b>			0		
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>			0		
<b>Pumping Duration HR:</b>			1		
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869389		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			15.399999618530273		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869391			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		17.299999237060547			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869399			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		19.600000381469727			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869400			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869406			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869397			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		19.600000381469727			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869398			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869405			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		19.700000762939453			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		1004869385			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		14.800000190734863			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869388			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869402			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869392			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869393			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		18.399999618530273			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869395			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		19.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869401			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		19.700000762939453			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869382			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>			7.599999904632568		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869383		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			2		
<b>Test Level:</b>			14.199999809265137		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869384		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			2		
<b>Test Level:</b>			7.599999904632568		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869403		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			50		
<b>Test Level:</b>			19.700000762939453		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869381		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			13.699999809265137		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869387		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			4		
<b>Test Level:</b>			15.100000381469727		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869386		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			7.599999904632568		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004869390		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			7.599999904632568		
<b>Test Level UOM:</b>			ft		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869394			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869404			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004869396			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		7.599999904632568			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004869376			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		78.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004869377			
<b>Layer:</b>		2			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		93.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004869374			
<b>Diameter:</b>		9.75			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		20.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004869375			
<b>Diameter:</b>		5.9375			
<b>Depth From:</b>		20.0			
<b>Depth To:</b>		100.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">37</a>	1 of 1	ENE/139.4	119.6 / -0.31	lot 6 con 3 ON	WWIS

<b>Well ID:</b>	1532757	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	5/6/2002
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1558
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>	238136	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	006
<b>Well Depth:</b>		<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1532757.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532757.pdf)

#### Additional Detail(s) (Map)

**Well Completed Date:** 2002/04/29  
**Year Completed:** 2002  
**Depth (m):** 18.288  
**Latitude:** 45.2930660584471  
**Longitude:** -75.9786839507555  
**Path:** 153\1532757.pdf

#### Bore Hole Information

<b>Bore Hole ID:</b>	10523885	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423259.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015973.00
<b>Open Hole:</b>		<b>Org CS:</b>	N83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	29-Apr-2002 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

**Formation ID:** 932857631  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		16.0			
<b>Formation End Depth:</b>		60.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932857629			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		13.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932857630			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		13.0			
<b>Formation End Depth:</b>		16.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933225398			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		22.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961532757			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11072455			
<b>Casing No:</b>		1			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		930095516			
<i>Layer:</i>		2			
<i>Material:</i>		4			
<i>Open Hole or Material:</i>		OPEN HOLE			
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>		6.0			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		930095515			
<i>Layer:</i>		1			
<i>Material:</i>		1			
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>		5.0			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		991532757			
<i>Pump Set At:</i>					
<i>Static Level:</i>		4.0			
<i>Final Level After Pumping:</i>		25.0			
<i>Recommended Pump Depth:</i>		40.0			
<i>Pumping Rate:</i>		15.0			
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>		5.0			
<i>Levels UOM:</i>		ft			
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>		2			
<i>Water State After Test:</i>		CLOUDY			
<i>Pumping Test Method:</i>		1			
<i>Pumping Duration HR:</i>		1			
<i>Pumping Duration MIN:</i>		0			
<i>Flowing:</i>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		934117924			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		15			
<i>Test Level:</i>		25.0			
<i>Test Level UOM:</i>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		934918943			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		60			
<i>Test Level:</i>		55.0			
<i>Test Level UOM:</i>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Draw Down & Recovery**

**Pump Test Detail ID:** 934662059  
**Test Type:** Draw Down  
**Test Duration:** 45  
**Test Level:** 40.0  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934401536  
**Test Type:** Draw Down  
**Test Duration:** 30  
**Test Level:** 40.0  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 934016451  
**Layer:** 1  
**Kind Code:** 5  
**Kind:** Not stated  
**Water Found Depth:** 27.0  
**Water Found Depth UOM:** ft

**Water Details**

**Water ID:** 934016452  
**Layer:** 2  
**Kind Code:** 5  
**Kind:** Not stated  
**Water Found Depth:** 51.0  
**Water Found Depth UOM:** ft

---

<a href="#"><u>38</u></a>	1 of 4	ESE/148.4	119.9 / 0.00	117 WESCAR LN CARP ON	WWIS
---------------------------	--------	-----------	--------------	--------------------------	------

**Well ID:** 7144203  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Abandoned-Other  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z111783  
**Tag:** A093964  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 5/3/2010  
**Selected Flag:** TRUE  
**Abandonment Rec:** Yes  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 117 WESCAR LN  
**County:** OTTAWA  
**Municipality:** HUNTLEY TOWNSHIP  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7144203.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144203.pdf)

**Additional Detail(s) (Map)**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well Completed Date:</b>		2010/03/19			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>					
<b>Latitude:</b>		45.291141883747			
<b>Longitude:</b>		-75.9784340591171			
<b>Path:</b>		714\7144203.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002970219			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	423276.00
<b>Code OB Desc:</b>				<b>North83:</b>	5015759.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	19-Mar-2010 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003153801				
<b>Layer:</b>	2				
<b>Plug From:</b>	0.3100000023841858				
<b>Plug To:</b>	1.8300000429153442				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003153800				
<b>Layer:</b>	1				
<b>Plug From:</b>	0.0				
<b>Plug To:</b>	0.3100000023841858				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003153802				
<b>Layer:</b>	3				
<b>Plug From:</b>	1.8300000429153442				
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1003153808				
<b>Method Construction Code:</b>	0				
<b>Method Construction:</b>	Not Known				
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Pipe Information</u></b>					
Pipe ID:		1003153797			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1003153804			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1003153805			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<b><u>Water Details</u></b>					
Water ID:		1003153803			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003153799			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[38](#)

2 of 4

ESE/148.4

119.9 / 0.00

1278439 Ontario Ltd.  
117 Wescar Lane-West Carleton  
Ottawa ON

CA

Certificate #: 8652-6TVL7K  
Application Year: 2006  
Issue Date: 9/27/2006  
Approval Type: Industrial Sewage Works  
Status: Approved  
Application Type:  
Client Name:  
Client Address:  
Client City:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">38</a>	3 of 4	ESE/148.4	119.9 / 0.00	117 WESCAR LANE, OTTAWA ON	INC
<b>Incident No:</b> 248706 <b>Incident ID:</b> 2400066 <b>Instance No:</b> <b>Status Code:</b> Causal Analysis Complete <b>Attribute Category:</b> FS-Incident <b>Context:</b> <b>Date of Occurrence:</b> <b>Time of Occurrence:</b> <b>Incident Created On:</b> <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Occur Insp Start Date:</b> <b>Approx Quant Rel:</b> <b>Tank Capacity:</b> <b>Fuels Occur Type:</b> <b>Fuel Type Involved:</b> <b>Enforcement Policy:</b> <b>Prc Escalation Req:</b> <b>Tank Material Type:</b> <b>Tank Storage Type:</b> <b>Tank Location Type:</b> <b>Pump Flow Rate Cap:</b> <b>Task No:</b> <b>Notes:</b> <b>Drainage System:</b> <b>Sub Surface Contam.:</b> <b>Aff Prop Use Water:</b> <b>Contam. Migrated:</b> <b>Contact Natural Env:</b> <b>Incident Location:</b> 117 WESCAR LANE, OTTAWA - FIRE <b>Occurrence Narrative:</b> <b>Operation Type Involved:</b> <b>Item:</b> <b>Item Description:</b> <b>Device Installed Location:</b>		<b>Any Health Impact:</b> <b>Any Enviro Impact:</b> <b>Service Interrupted:</b> <b>Was Prop Damaged:</b> <b>Reside App. Type:</b> <b>Commer App. Type:</b> <b>Indus App. Type:</b> <b>Institut App. Type:</b> <b>Venting Type:</b> <b>Vent Conn Mater:</b> <b>Vent Chimney Mater:</b> <b>Pipeline Type:</b> <b>Pipeline Involved:</b> <b>Pipe Material:</b> <b>Depth Ground Cover:</b> <b>Regulator Location:</b> <b>Regulator Type:</b> <b>Operation Pressure:</b> <b>Liquid Prop Make:</b> <b>Liquid Prop Model:</b> <b>Liquid Prop Serial No:</b> <b>Liquid Prop Notes:</b> <b>Equipment Type:</b> <b>Equipment Model:</b> <b>Serial No:</b> <b>Cylinder Capacity:</b> <b>Cylinder Cap Units:</b> <b>Cylinder Mat Type:</b> <b>Near Body of Water:</b>			
<a href="#">38</a>	4 of 4	ESE/148.4	119.9 / 0.00	1278439 Ontario Ltd. 117 Wescar Lane Stittsville ON	GEN
<b>Generator No:</b> ON2647426 <b>SIC Code:</b> 237110, 236110 <b>SIC Description:</b> Water and Sewer Line and Related Structures Construction, Residential Building Construction <b>Approval Years:</b> 2009 <b>PO Box No:</b> <b>Country:</b>		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>			
<b>Detail(s)</b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">39</a>	1 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON	GEN
<b>Generator No:</b>	ON5186787			<b>Status:</b>	
<b>SIC Code:</b>	811111			<b>Co Admin:</b>	
<b>SIC Description:</b>	GENERAL AUTOMOTIVE REPAIR			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2013			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">39</a>	2 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON5186787			<b>Status:</b>	
<b>SIC Code:</b>	811111			<b>Co Admin:</b>	Tony Saikaly
<b>SIC Description:</b>	GENERAL AUTOMOTIVE REPAIR			<b>Choice of Contact:</b>	CO_ADMIN
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	613-836-6424 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">39</a>	3 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON5186787			<b>Status:</b>	
<b>SIC Code:</b>	811111			<b>Co Admin:</b>	Tony Saikaly
<b>SIC Description:</b>	GENERAL AUTOMOTIVE REPAIR			<b>Choice of Contact:</b>	CO_ADMIN
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	613-836-6424 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">39</a>	4 of 8	E/148.9	119.9 / 0.00	Akman Construction Inc. 123 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON5186787			<b>Status:</b>	
<b>SIC Code:</b>	811111			<b>Co Admin:</b>	
<b>SIC Description:</b>	GENERAL AUTOMOTIVE REPAIR			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">39</a>	5 of 8	E/148.9	119.9 / 0.00	<b>Akman Construction Inc.</b> 123 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON5186787			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">39</a>	6 of 8	E/148.9	119.9 / 0.00	<b>AKMAN CONSTRUCTION INC</b> 123 CARDEVCO RD CARP ON K0A 1L0	EASR
<b>Approval No:</b>	R-004-1110549484			<b>SWP Area Name:</b> Mississippi Valley	
<b>Status:</b>	REGISTERED			<b>MOE District:</b> Ottawa	
<b>Date:</b>	2018-08-16			<b>Municipality:</b> CARP	
<b>Record Type:</b>	EASR			<b>Latitude:</b> 45.29222222	
<b>Link Source:</b>	MOFA			<b>Longitude:</b> -75.97805556	
<b>Project Type:</b>	Waste Management System			<b>Geometry X:</b>	
<b>Full Address:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Waste Management System				
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2087507">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2087507</a>				
<b>PDF URL:</b>					
<b>PDF Site Location:</b>					
<a href="#">39</a>	7 of 8	E/148.9	119.9 / 0.00	<b>Akman Construction Inc.</b> 123 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON5186787			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jul 2020			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">39</a>	8 of 8	E/148.9	119.9 / 0.00	<b>Akman Construction Inc.</b> 123 Cardevco Rd Carp ON K0A 1L0	GEN
<b>Generator No:</b>	ON5186787			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Nov 2021			<b>Phone No Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country:	Canada			Contam. Facility: MHSW Facility:	
<b>Detail(s)</b>					
Waste Class: Waste Class Desc:	252 L Waste crankcase oils and lubricants				

<a href="#">40</a>	1 of 1	ESE/154.8	118.8 / -1.05	117 WESCAR LN CARP ON	WWIS
--------------------	--------	-----------	---------------	--------------------------	------

<b>Well ID:</b>	7144200	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	5/3/2010
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other	<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z111784	<b>Owner:</b>	
<b>Tag:</b>	A093972	<b>Street Name:</b>	117 WESCAR LN
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7144200.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144200.pdf)

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2010/01/19
<b>Year Completed:</b>	2010
<b>Depth (m):</b>	
<b>Latitude:</b>	45.2910973199368
<b>Longitude:</b>	-75.978382282246
<b>Path:</b>	714\7144200.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002970213	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423280.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015754.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	19-Jan-2010 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003153711			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.8300000429153442			
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003153709			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003153710			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.8300000429153442			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003153717			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003153706			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003153713			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003153714			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<b><u>Water Details</u></b>					
Water ID:		1003153712			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003153708			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">41</a>	1 of 1	<b>ENE/155.0</b>	<b>119.3 / -0.55</b>	<b>145 Cardevco Road Ottawa (Carp) ON K0A 1L0</b>	<b>EHS</b>
Order No:	20061103004			Nearest Intersection:	Wescar Lane
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	11/6/2006			Search Radius (km):	0.25
Date Received:	11/3/2006			X:	-75.978674
Previous Site Name:				Y:	45.293226
Lot/Building Size:	1800 square m lot				
Additional Info Ordered:					

<a href="#">42</a>	1 of 1	<b>ESE/161.3</b>	<b>118.8 / -1.05</b>	<b>117 WESCAR LN CARP ON</b>	<b>WWIS</b>
Well ID:	7144202			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	5/3/2010
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z111786			Owner:	
Tag:	A093965			Street Name:	117 WESCAR LN
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	HUNTLEY TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7144202.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144202.pdf)

**Additional Detail(s) (Map)**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well Completed Date:</b>		2010/03/19			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>					
<b>Latitude:</b>		45.2909980997954			
<b>Longitude:</b>		-75.9784060814162			
<b>Path:</b>		714\7144202.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002970217			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	423278.00
<b>Code OB Desc:</b>				<b>North83:</b>	5015743.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	19-Mar-2010 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003153789				
<b>Layer:</b>	1				
<b>Plug From:</b>	0.0				
<b>Plug To:</b>	0.3100000023841858				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003153790				
<b>Layer:</b>	2				
<b>Plug From:</b>	0.3100000023841858				
<b>Plug To:</b>	1.8300000429153442				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003153791				
<b>Layer:</b>	3				
<b>Plug From:</b>	1.8300000429153442				
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1003153795				
<b>Method Construction Code:</b>	0				
<b>Method Construction:</b>	Not Known				
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Pipe Information</u></b>					
Pipe ID:		1003153786			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1003153793			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1003153794			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<b><u>Water Details</u></b>					
Water ID:		1003153792			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003153788			
Diameter:		20.31999969482422			
Depth From:		0.0			
Depth To:		1.8300000429153442			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[43](#)

1 of 1

WNW/163.9

118.9 / -1.00

104 HUNTLEY MANOR lot 7 con 3  
CARP ON

WWIS

Well ID: 7287872  
 Construction Date:  
 Primary Water Use: Domestic  
 Sec. Water Use:  
 Final Well Status: Water Supply  
 Water Type:  
 Casing Material:  
 Audit No: Z237411  
 Tag: A207633  
 Construction Method:

Data Entry Status:  
 Data Src:  
 Date Received: 6/7/2017  
 Selected Flag: TRUE  
 Abandonment Rec:  
 Contractor: 1119  
 Form Version: 7  
 Owner:  
 Street Name: 104 HUNTLEY MANOR  
 County: OTTAWA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	S/L9
<b>Depth to Bedrock:</b>				<b>Lot:</b>	007
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/728\7287872.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287872.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2017/05/18  
**Year Completed:** 2017  
**Depth (m):** 91.44  
**Latitude:** 45.2938063150151  
**Longitude:** -75.9857619874331  
**Path:** 728\7287872.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006515364	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	422705.00
<b>Code OB Desc:</b>		<b>North83:</b>	5016062.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	18-May-2017 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1006745953  
**Layer:** 1  
**Color:**  
**General Color:**  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 05  
**Mat2 Desc:** CLAY  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 22.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1006745955  
**Layer:** 3

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		212.0			
<b>Formation End Depth:</b>		268.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006745954			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		22.0			
<b>Formation End Depth:</b>		212.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006745956			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		268.0			
<b>Formation End Depth:</b>		300.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006745986			
<b>Layer:</b>		2			
<b>Plug From:</b>		18.0			
<b>Plug To:</b>		0.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006745985			
<b>Layer:</b>		1			
<b>Plug From:</b>		28.0			
<b>Plug To:</b>		18.0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006745984			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006745951			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006745962			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		28.0			
<b>Depth To:</b>		300.0			
<b>Casing Diameter:</b>		6.125			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006745961			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-2.0			
<b>Depth To:</b>		28.0			
<b>Casing Diameter:</b>		6.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006745963			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1006745952			
<b>Pump Set At:</b>		250.0			
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>		21.25			
<b>Recommended Pump Depth:</b>		100.0			
<b>Pumping Rate:</b>		5.0			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Flowing Rate:</b>			1.0		
<b>Recommended Pump Rate:</b>			5.0		
<b>Levels UOM:</b>			ft		
<b>Rate UOM:</b>			GPM		
<b>Water State After Test Code:</b>			3		
<b>Water State After Test:</b>			OTHER		
<b>Pumping Test Method:</b>			0		
<b>Pumping Duration HR:</b>			1		
<b>Pumping Duration MIN:</b>			0		
<b>Flowing:</b>			Yes		
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1006745973		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			5.300000190734863		
<b>Test Level UOM:</b>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1006745978		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			25		
<b>Test Level:</b>			19.399999618530273		
<b>Test Level UOM:</b>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1006745965		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			15.199999809265137		
<b>Test Level UOM:</b>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1006745968		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			8.0		
<b>Test Level UOM:</b>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1006745970		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			4		
<b>Test Level:</b>			9.399999618530273		
<b>Test Level UOM:</b>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1006745977		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			20		
<b>Test Level:</b>			18.399999618530273		
<b>Test Level UOM:</b>			ft		
 <b><u>Draw Down &amp; Recovery</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Pump Test Detail ID:</b>		1006745982			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		21.25			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745966			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		6.699999809265137			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745969			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		11.199999809265137			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745980			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		20.799999237060547			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745981			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		21.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745964			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		4.800000190734863			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745971			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		9.600000381469727			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745976			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>		17.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745979			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		20.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745972			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		10.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745974			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		14.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745967			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		13.0			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1006745975			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		1.5			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006745960			
<b>Layer:</b>		2			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		268.0			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006745959			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		212.0			
<b>Water Found Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1006745958			
Diameter:		6.125			
Depth From:		28.0			
Depth To:		300.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006745957			
Diameter:		9.75			
Depth From:		0.0			
Depth To:		28.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">44</a>	1 of 1	ESE/165.6	118.8 / -1.05	117 WESCAR LN CARP ON	WWIS
<b>Well ID:</b>	7144201			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	5/3/2010
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z111785			<b>Owner:</b>	
<b>Tag:</b>	A093963			<b>Street Name:</b>	117 WESCAR LN
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7144201.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144201.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2010/03/19  
**Year Completed:** 2010  
**Depth (m):**  
**Latitude:** 45.2909623176578  
**Longitude:** -75.9783799609059  
**Path:** 714\7144201.pdf

**Bore Hole Information**

**Bore Hole ID:** 1002970215  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**

**Elevation:**  
**Elevrc:**  
**Zone:** 18  
**East83:** 423280.00  
**North83:** 5015739.00  
**Org CS:** UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	19-Mar-2010 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003153761			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.8300000429153442			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003153762			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.8300000429153442			
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003153760			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003153766			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003153757			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003153764			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>		3.450000047683716			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003153765			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.210000038146973			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003153763			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003153759			
<b>Diameter:</b>		20.31999969482422			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.8300000429153442			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<a href="#">45</a>	1 of 1	E/167.6	118.8 / -1.03	ONTRAC EQUIPMENT SERVICES 139 CARDEVCO ROAD CARP ON K0A 1L0	GEN
<b>Generator No:</b>		ON2158207		<b>Status:</b>	
<b>SIC Code:</b>		3192		<b>Co Admin:</b>	
<b>SIC Description:</b>		CONSTRUCTION EQUIP.		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		98,99		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">46</a>	1 of 1	ESE/170.0	118.8 / -1.05	117 WESCAR LANE CARP ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7140538			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	3/1/2010
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z100175			<b>Owner:</b>	
<b>Tag:</b>	A093965			<b>Street Name:</b>	117 WESCAR LANE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7140538.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140538.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2010/01/15  
**Year Completed:** 2010  
**Depth (m):** 5.79  
**Latitude:** 45.2909083167453  
**Longitude:** -75.978379032383  
**Path:** 714\7140538.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002942131	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423280.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015733.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	15-Jan-2010 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1003129792  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 06  
**Mat2 Desc:** SILT  
**Mat3:** 91  
**Mat3 Desc:** WATER-BEARING

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		2.440000057220459			
<b>Formation End Depth:</b>		5.789999961853027			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003129791			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		2.440000057220459			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003129790			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129796			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.9100000262260437			
<b>Plug To:</b>		3.7899999618530273			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129794			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.30000001192092896			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129795			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.30000001192092896			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		0.9100000262260437			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003129802			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003129789			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003129798			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.2200000286102295			
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003129799			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.2200000286102295			
<b>Screen End Depth:</b>		5.789999961853027			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.820000171661377			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003129797			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003129793			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.789999961853027			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">47</a>	1 of 1	WNW/176.4	118.9 / -1.00	104 HUNTLEY MANOR lot 7 con 3 CARP ON	WWIS

**Well ID:** 7287897  
**Construction Date:**  
**Primary Water Use:**  
**Sec. Water Use:**  
**Final Well Status:** 0  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z237401  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 6/7/2017  
**Selected Flag:** TRUE  
**Abandonment Rec:** Yes  
**Contractor:** 1119  
**Form Version:** 7  
**Owner:**  
**Street Name:** 104 HUNTLEY MANOR  
**County:** OTTAWA  
**Municipality:** HUNTLEY TOWNSHIP  
**Site Info:** S/L 9  
**Lot:** 007  
**Concession:** 03  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/728\7287897.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287897.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2017/05/23  
**Year Completed:** 2017  
**Depth (m):**  
**Latitude:** 45.2937953335214  
**Longitude:** -75.9859913557098  
**Path:** 728\7287897.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b> 1006522920	<b>Elevation:</b>
<b>DP2BR:</b>	<b>Elevrc:</b>
<b>Spatial Status:</b>	<b>Zone:</b> 18
<b>Code OB:</b>	<b>East83:</b> 422687.00
<b>Code OB Desc:</b>	<b>North83:</b> 5016061.00
<b>Open Hole:</b>	<b>Org CS:</b> UTM83
<b>Cluster Kind:</b>	<b>UTMRC:</b> 4
<b>Date Completed:</b> 23-May-2017 00:00:00	<b>UTMRC Desc:</b> margin of error : 30 m - 100 m
<b>Remarks:</b>	<b>Location Method:</b> wwr
<b>Elevrc Desc:</b>	
<b>Location Source Date:</b>	
<b>Improvement Location Source:</b>	
<b>Improvement Location Method:</b>	
<b>Source Revision Comment:</b>	
<b>Supplier Comment:</b>	

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1006747401  
**Layer:**  
**Color:**  
**General Color:**  
**Mat1:**  
**Most Common Material:**  
**Mat2:**



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1006747409		
<b>Layer:</b>			2		
<b>Plug From:</b>			6.0		
<b>Plug To:</b>			0.0		
<b>Plug Depth UOM:</b>			ft		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1006747408		
<b>Layer:</b>			1		
<b>Plug From:</b>			22.0		
<b>Plug To:</b>			6.0		
<b>Plug Depth UOM:</b>			ft		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1006747407		
<b>Layer:</b>			1		
<b>Plug From:</b>			0.0		
<b>Plug To:</b>			22.0		
<b>Plug Depth UOM:</b>			ft		
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>			1006747406		
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			1006747400		
<b>Casing No:</b>			0		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1006747404		
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>			inch		
<b>Casing Depth UOM:</b>			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

Screen ID: 1006747405  
 Layer:  
 Slot:  
 Screen Top Depth:  
 Screen End Depth:  
 Screen Material:  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter:

**Water Details**

Water ID: 1006747403  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006747402  
 Diameter:  
 Depth From:  
 Depth To:  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<a href="#">48</a>	1 of 1	ESE/177.4	119.6 / -0.23	117 WESCAR LANE CARP ON	WWIS
--------------------	--------	-----------	---------------	----------------------------	------

Well ID: 7140541  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Monitoring and Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z100178  
 Tag: A093972  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 3/1/2010  
 Selected Flag: TRUE  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 117 WESCAR LANE  
 County: OTTAWA  
 Municipality: HUNTLEY TOWNSHIP  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7140541.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140541.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2010/01/15  
 Year Completed: 2010  
 Depth (m): 5.79  
 Latitude: 45.2909641744243

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude: Path:			-75.9781631983358 714\7140541.pdf		
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1002942140			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	423297.00
Code OB Desc:				North83:	5015739.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	15-Jan-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003129881				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	1.2200000286102295				
Formation End Depth:	2.440000057220459				
Formation End Depth UOM:	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003129882				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	2.440000057220459				
Formation End Depth:	5.789999961853027				
Formation End Depth UOM:	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1003129880				
Layer:	1				
Color:	6				
General Color:	BROWN				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129885			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.30000001192092896			
<b>Plug To:</b>		0.9100000262260437			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129886			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.9100000262260437			
<b>Plug To:</b>		5.789999961853027			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129884			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.30000001192092896			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003129892			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003129879			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003129888			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.2200000286102295			
<b>Casing Diameter:</b>		4.03000020980835			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1003129889			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.2200000286102295			
Screen End Depth:		5.789999961853027			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<b><u>Water Details</u></b>					
Water ID:		1003129887			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003129883			
Diameter:		8.25			
Depth From:		0.0			
Depth To:		5.789999961853027			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">49</a>	1 of 1	ESE/177.6	119.6 / -0.23	117 WESCAR LANE lot 6 con 3 CARP ON	WWIS
Well ID:	7140539			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Monitoring and Test Hole			<b>Date Received:</b>	3/1/2010
Sec. Water Use:	0			<b>Selected Flag:</b>	TRUE
Final Well Status:	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	7241
Casing Material:				<b>Form Version:</b>	7
Audit No:	Z100177			<b>Owner:</b>	
Tag:	A093964			<b>Street Name:</b>	117 WESCAR LANE
Construction Method:				<b>County:</b>	OTTAWA
Elevation (m):				<b>Municipality:</b>	HUNTLEY TOWNSHIP
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	006
Well Depth:				<b>Concession:</b>	03
Overburden/Bedrock:				<b>Concession Name:</b>	CON
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					
PDF URL (Map):	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140539.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140539.pdf</a>				
<b><u>Additional Detail(s) (Map)</u></b>					
Well Completed Date:	2010/01/15				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>		5.4			
<b>Latitude:</b>		45.2908821901101			
<b>Longitude:</b>		-75.9782765623549			
<b>Path:</b>		714\7140539.pdf			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002942134	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423288.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015730.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	15-Jan-2010 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1003129838
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	06
<b>Mat2 Desc:</b>	SILT
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	2.440000057220459
<b>Formation End Depth:</b>	5.400000095367432
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1003129836
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	01
<b>Most Common Material:</b>	FILL
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	77
<b>Mat3 Desc:</b>	LOOSE
<b>Formation Top Depth:</b>	0.0
<b>Formation End Depth:</b>	1.2200000286102295
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1003129837
----------------------	------------

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		2.440000057220459			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129841			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.30000001192092896			
<b>Plug To:</b>		0.6100000143051147			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129840			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.30000001192092896			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129842			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.6100000143051147			
<b>Plug To:</b>		5.489999771118164			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003129848			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003129835			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003129844			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		0.9100000262260437			
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003129845			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		0.9100000262260437			
<b>Screen End Depth:</b>		5.489999771118164			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.820000171661377			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003129843			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003129839			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.489999771118164			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">50</a>	1 of 1	<b>ESE/180.9</b>	<b>119.6 / -0.23</b>	<b>117 WESCAR LANE CARP ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7140540		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 3/1/2010	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z100176		<b>Owner:</b>	
<b>Tag:</b>		A093962		<b>Street Name:</b> 117 WESCAR LANE	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> HUNTLEY TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140540.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7140540.pdf</a>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 2010/01/18  
 Year Completed: 2010  
 Depth (m): 2.13  
 Latitude: 45.2909373923823  
 Longitude: -75.9781372327087  
 Path: 714\7140540.pdf

Bore Hole Information

Bore Hole ID:	1002942137	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	423299.00
Code OB Desc:		North83:	5015736.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	18-Jan-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003129852  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 05  
 Most Common Material: CLAY  
 Mat2: 06  
 Mat2 Desc: SILT  
 Mat3: 66  
 Mat3 Desc: DENSE  
 Formation Top Depth: 1.2200000286102295  
 Formation End Depth: 1.5  
 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003129851  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 01  
 Most Common Material: FILL  
 Mat2: 11  
 Mat2 Desc: GRAVEL  
 Mat3: 79  
 Mat3 Desc: PACKED  
 Formation Top Depth: 0.0  
 Formation End Depth: 1.2200000286102295  
 Formation End Depth UOM: m

Overburden and Bedrock

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003129853			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.5			
<b>Formation End Depth:</b>		2.130000114440918			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129856			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.30000001192092896			
<b>Plug To:</b>		0.9100000262260437			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129857			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.9100000262260437			
<b>Plug To:</b>		2.130000114440918			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003129855			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.30000001192092896			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003129863			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003129850			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003129859			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Layer:</b> 1 <b>Material:</b> 5 <b>Open Hole or Material:</b> PLASTIC <b>Depth From:</b> 0.0 <b>Depth To:</b> 1.2200000286102295 <b>Casing Diameter:</b> 3.450000047683716 <b>Casing Diameter UOM:</b> cm <b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1003129860 <b>Layer:</b> 1 <b>Slot:</b> 10 <b>Screen Top Depth:</b> 1.2200000286102295 <b>Screen End Depth:</b> 2.130000114440918 <b>Screen Material:</b> 5 <b>Screen Depth UOM:</b> m <b>Screen Diameter UOM:</b> cm <b>Screen Diameter:</b> 4.210000038146973					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1003129858 <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1003129854 <b>Diameter:</b> 5.710000038146973 <b>Depth From:</b> 0.0 <b>Depth To:</b> 2.130000114440918 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">51</a>	1 of 1	<b>ESE/181.2</b>	<b>119.6 / -0.23</b>	<b>1278439 Ontario Ltd. 117 Wescar Lane-West Carleton Ottawa ON K2C 1W2</b>	<b>ECA</b>
<b>Approval No:</b> 8652-6TVL7K <b>Approval Date:</b> 2006-09-27 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Mississippi Valley <b>Approval Type:</b> ECA-INDUSTRIAL SEWAGE WORKS <b>Project Type:</b> INDUSTRIAL SEWAGE WORKS <b>Business Name:</b> 1278439 Ontario Ltd. <b>Address:</b> 117 Wescar Lane-West Carleton <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5088-6QBKR7-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5088-6QBKR7-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">52</a>	1 of 9	<b>ESE/187.5</b>	<b>120.6 / 0.69</b>	<b>Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON5925026			<b>Status:</b>	
<b>SIC Code:</b>	811199			<b>Co Admin:</b>	
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>52</b>	<b>2 of 9</b>	<b>ESE/187.5</b>	<b>120.6 / 0.69</b>	<b>Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON5925026			<b>Status:</b>	
<b>SIC Code:</b>	811199			<b>Co Admin:</b>	
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>52</b>	<b>3 of 9</b>	<b>ESE/187.5</b>	<b>120.6 / 0.69</b>	<b>Line X of Ottawa 107 Wescar Lane Ottawa ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON5925026			<b>Status:</b>	
<b>SIC Code:</b>	811199			<b>Co Admin:</b>	
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>52</b>	<b>4 of 9</b>	<b>ESE/187.5</b>	<b>120.6 / 0.69</b>	<b>Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON5925026			<b>Status:</b>	Registered

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Dec 2018 <b>PO Box No:</b> <b>Country:</b> Canada				<b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 232 L <b>Waste Class Desc:</b> Polymeric resins					
<b>Waste Class:</b> 251 L <b>Waste Class Desc:</b> Waste oils/sludges (petroleum based)					
<a href="#">52</a>	5 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0	GEN
<b>Generator No:</b> ON5925026 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Jul 2020 <b>PO Box No:</b> <b>Country:</b> Canada				<b>Status:</b> Registered <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 232 L <b>Waste Class Desc:</b> Polymeric resins					
<b>Waste Class:</b> 251 L <b>Waste Class Desc:</b> Waste oils/sludges (petroleum based)					
<a href="#">52</a>	6 of 9	ESE/187.5	120.6 / 0.69	Line X of Ottawa 107 WESCAR LANE Ottawa ON K0A 1L0	GEN
<b>Generator No:</b> ON5925026 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Nov 2021 <b>PO Box No:</b> <b>Country:</b> Canada				<b>Status:</b> Registered <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 213 I <b>Waste Class Desc:</b> Petroleum distillates					
<b>Waste Class:</b> 251 L <b>Waste Class Desc:</b> Waste oils/sludges (petroleum based)					
<b>Waste Class:</b> 232 R <b>Waste Class Desc:</b> Polymeric resins					
<b>Waste Class:</b> 232 L <b>Waste Class Desc:</b> Polymeric resins					
<a href="#">52</a>	7 of 9	ESE/187.5	120.6 / 0.69	107 Wescar Lane Carp ON K0A 1L0	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Order No:</b>	21012500401			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	28-JAN-21			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	25-JAN-21			<b>X:</b>	-75.9776677
<b>Previous Site Name:</b>				<b>Y:</b>	45.291311
<b>Lot/Building Size:</b>	0.38 hectares				
<b>Additional Info Ordered:</b>					
<b>52</b>	<b>8 of 9</b>	<b>ESE/187.5</b>	<b>120.6 / 0.69</b>	<b>107 Wescar Lane Carp ON KOA 1L0</b>	<b>EHS</b>
<b>Order No:</b>	21012500401			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	28-JAN-21			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	25-JAN-21			<b>X:</b>	-75.9776677
<b>Previous Site Name:</b>				<b>Y:</b>	45.291311
<b>Lot/Building Size:</b>	0.38 hectares				
<b>Additional Info Ordered:</b>					
<b>52</b>	<b>9 of 9</b>	<b>ESE/187.5</b>	<b>120.6 / 0.69</b>	<b>107 Wescar Lane Carp ON KOA 1L0</b>	<b>EHS</b>
<b>Order No:</b>	21012500401			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	28-JAN-21			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	25-JAN-21			<b>X:</b>	-75.9776677
<b>Previous Site Name:</b>				<b>Y:</b>	45.291311
<b>Lot/Building Size:</b>	0.38 hectares				
<b>Additional Info Ordered:</b>					
<b>53</b>	<b>1 of 1</b>	<b>E/188.9</b>	<b>118.9 / -0.97</b>	<b>126 WESCAR LANE lot 10 con 24 OTTAWA ON</b>	<b>WWIS</b>
<b>Well ID:</b>	1536876			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Commerical			<b>Date Received:</b>	12/18/2006
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6006
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z71634			<b>Owner:</b>	
<b>Tag:</b>	A053904			<b>Street Name:</b>	126 WESCAR LANE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	4M-356-4R-7616
<b>Depth to Bedrock:</b>				<b>Lot:</b>	010
<b>Well Depth:</b>				<b>Concession:</b>	24
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536876.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536876.pdf</a>				

**Additional Detail(s) (Map)**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Well Completed Date:** 2006/11/20  
**Year Completed:** 2006  
**Depth (m):** 22.72  
**Latitude:** 45.2923296384885  
**Longitude:** -75.9774342501015  
**Path:** 153\1536876.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	11691970	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423356.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015890.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	20-Nov-2006 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock Materials Interval**

**Formation ID:** 933071179  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 15  
**Most Common Material:** LIMESTONE  
**Mat2:** 73  
**Mat2 Desc:** HARD  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 11.510000228881836  
**Formation End Depth:** 22.719999313354492  
**Formation End Depth UOM:** m

**Overburden and Bedrock Materials Interval**

**Formation ID:** 933071178  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 77  
**Mat3 Desc:** LOOSE  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 11.510000228881836  
**Formation End Depth UOM:** m

**Annular Space/Abandonment Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		933286686			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		6.059999942779541			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961536876			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11696836			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930887026			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		11.510000228881836			
<b>Casing Diameter:</b>		15.550000190734863			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930887027			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		11.510000228881836			
<b>Depth To:</b>		22.719999313354492			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		11701532			
<b>Pump Set At:</b>		19.690000534057617			
<b>Static Level:</b>		3.4000000953674316			
<b>Final Level After Pumping:</b>		12.800000190734863			
<b>Recommended Pump Depth:</b>		19.690000534057617			
<b>Pumping Rate:</b>		58.5			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		45.5			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754592			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		7.28000020980835			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754594			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		8.270000457763672			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754599			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		3.4000000953674316			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754600			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		14.40999984741211			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754601			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		3.4000000953674316			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754591			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		9.260000228881836			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754596			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		10.15999984741211			
<b>Test Level UOM:</b>		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754561			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		14.100000381469727			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754595			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		6.239999771118164			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754598			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		12.3100004196167			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754603			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		3.4000000953674316			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754607			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		3.4000000953674316			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754608			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		17.799999237060547			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754562			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		6.539999961853027			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11754563			
<b>Test Type:</b>		Recovery			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>	2				
<i>Test Level:</i>			11.789999961853027		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11754605			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		30			
<i>Test Level:</i>			3.4000000953674316		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11754611			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		60			
<i>Test Level:</i>			3.4000000953674316		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11754560			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		1			
<i>Test Level:</i>			5.239999771118164		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11754564			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		3			
<i>Test Level:</i>			7.150000095367432		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11754602			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		25			
<i>Test Level:</i>			16.200000762939453		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11754609			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		50			
<i>Test Level:</i>			3.4000000953674316		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11754593			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		4			
<i>Test Level:</i>			7.559999942779541		
<i>Test Level UOM:</i>			m		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Draw Down & Recovery**

Pump Test Detail ID: 11754597  
 Test Type: Recovery  
 Test Duration: 10  
 Test Level: 4.070000171661377  
 Test Level UOM: m

**Draw Down & Recovery**

Pump Test Detail ID: 11754604  
 Test Type: Draw Down  
 Test Duration: 30  
 Test Level: 17.770000457763672  
 Test Level UOM: m

**Draw Down & Recovery**

Pump Test Detail ID: 11754606  
 Test Type: Draw Down  
 Test Duration: 40  
 Test Level: 17.790000915527344  
 Test Level UOM: m

**Draw Down & Recovery**

Pump Test Detail ID: 11754610  
 Test Type: Draw Down  
 Test Duration: 60  
 Test Level: 17.799999237060547  
 Test Level UOM: m

**Water Details**

Water ID: 934070963  
 Layer: 1  
 Kind Code: 1  
 Kind: FRESH  
 Water Found Depth: 10.600000381469727  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 11755566  
 Diameter: 20.31999969482422  
 Depth From: 0.0  
 Depth To: 6.059999942779541  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

---

<a href="#">54</a>	1 of 13	ENE/211.0	118.9 / -1.00	Bytown Mouldings Inc. 142 Cardevco Rd Carp ON K0A 1L0	SCT
--------------------	---------	-----------	---------------	---	-----

Established: 1994  
 Plant Size (ft²): 6400  
 Employment: 7

**--Details--**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Other Millwork			
<b>SIC/NAICS Code:</b>		321919			
<b>Description:</b>		All Other Plastic Product Manufacturing			
<b>SIC/NAICS Code:</b>		326198			
<b>Description:</b>		Metal Window and Door Manufacturing			
<b>SIC/NAICS Code:</b>		332321			
<a href="#">54</a>	2 of 13	<b>ENE/211.0</b>	<b>118.9 / -1.00</b>	<b>W O STINSON &amp; SON LTD 142 CARDEVCO CARP ON K0A 1L0</b>	<b>FSTH</b>
<b>License Issue Date:</b>		7/10/2002			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		August 2007			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		2002			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		2270			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall AST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		2002			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		2270			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall AST - Gasoline			
<a href="#">54</a>	3 of 13	<b>ENE/211.0</b>	<b>118.9 / -1.00</b>	<b>W O STINSON &amp; SON LTD 142 CARDEVCO CARP ON K0A 1L0</b>	<b>FSTH</b>
<b>License Issue Date:</b>		7/10/2002			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		December 2008			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		2002			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		2270			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall AST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		2002			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		2270			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall AST - Gasoline			
<a href="#">54</a>	4 of 13	<b>ENE/211.0</b>	<b>118.9 / -1.00</b>	<b>1043084 Ontario Inc. 142 Cardevco Road Carp Carleton Ottawa ON</b>	<b>CA</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		6674-8AGRUQ 2010 11/9/2010 Waste Management Systems Approved			
<a href="#">54</a>	5 of 13	ENE/211.0	118.9 / -1.00	142 Cardevco Rd Ottawa ON	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		20110617020 C Standard Report 6/28/2011 6/17/2011 2:53:25 PM		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> <b>Search Radius (km):</b> <b>X:</b> <b>Y:</b>	Carp Rd ON 0.25 -75.977749 45.293335
<b>Fire Insur. Maps and/or Site Plans; City Directory</b>					
<a href="#">54</a>	6 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A 1L0	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>		ON3825812 332999 2011		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<a href="#">54</a>	7 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A 1L0	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>		ON3825812 332999 All Other Miscellaneous Fabricated Metal Product Manufacturing 2012		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<a href="#">54</a>	8 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON	GEN
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>		ON3825812 332999 ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING 2013		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			

<a href="#">54</a>	9 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0	GEN
<b>Generator No:</b>	ON3825812			<b>Status:</b>	
<b>SIC Code:</b>	332999			<b>Co Admin:</b>	Ellen Gyenis
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING			<b>Choice of Contact:</b>	CO_ADMIN
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	6138361954 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No

<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			

<a href="#">54</a>	10 of 13	ENE/211.0	118.9 / -1.00	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0	GEN
<b>Generator No:</b>	ON3825812			<b>Status:</b>	
<b>SIC Code:</b>	332999			<b>Co Admin:</b>	Ellen Gyenis
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING			<b>Choice of Contact:</b>	CO_ADMIN
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	6138361954 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No

<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<a href="#">54</a>	11 of 13	<b>ENE/211.0</b>	<b>118.9 / -1.00</b>	<b>2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON3825812			<b>Status:</b>	
<b>SIC Code:</b>	332999			<b>Co Admin:</b>	Ellen Gyenis
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING			<b>Choice of Contact:</b>	CO_ADMIN
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	6138361954 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">54</a>	12 of 13	<b>ENE/211.0</b>	<b>118.9 / -1.00</b>	<b>2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0</b>	<b>GEN</b>
<b>Generator No:</b>	ON3825812			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		113 C			
<b>Waste Class Desc:</b>		Acid solutions - containing other metals and non-metals			
<b>Waste Class:</b>		122 L			
<b>Waste Class Desc:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">54</a>	13 of 13	<b>ENE/211.0</b>	<b>118.9 / -1.00</b>	<b>2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A1L0</b>	<b>GEN</b>



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Generator No:** ON3825812  
**SIC Code:**  
**SIC Description:**  
**Approval Years:** As of Jul 2020  
**PO Box No:**  
**Country:** Canada  
**Status:** Registered  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contam. Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 252 L  
**Waste Class Desc:** Waste crankcase oils and lubricants  
**Waste Class:** 212 L  
**Waste Class Desc:** Aliphatic solvents and residues  
**Waste Class:** 122 L  
**Waste Class Desc:** Alkaline slutions - containing other metals and non-metals (not cyanide)  
**Waste Class:** 113 C  
**Waste Class Desc:** Acid solutions - containing other metals and non-metals

[55](#)    1 of 1    **ENE/215.4**    **118.9 / -1.00**    **lot 6 con 3 ON**    **WWIS**

**Well ID:** 1532402  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 238005  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**  
**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 11/28/2001  
**Selected Flag:** TRUE  
**Abandonment Rec:**  
**Contractor:** 1558  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA  
**Municipality:** HUNTLEY TOWNSHIP  
**Site Info:**  
**Lot:** 006  
**Concession:** 03  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1532402.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532402.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2001/10/23  
**Year Completed:** 2001  
**Depth (m):** 22.86  
**Latitude:** 45.2938164574934  
**Longitude:** -75.9783015078213  
**Path:** 153\1532402.pdf

**Bore Hole Information**

**Bore Hole ID:** 10516852  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Elevation:**  
**Elevrc:**  
**Zone:** 18  
**East83:** 423290.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB Desc:</b>				<b>North83:</b>	5016056.00
<b>Open Hole:</b>				<b>Org CS:</b>	N83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	23-Oct-2001 00:00:00			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932832736			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		6.0			
<b>Formation End Depth:</b>		75.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		932832735			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		6.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933219844			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		21.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961532402			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Pipe Information**

**Pipe ID:** 11065422  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930094748  
**Layer:** 1  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930094749  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:**  
**Casing Diameter:** 6.0  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991532402  
**Pump Set At:**  
**Static Level:** 4.0  
**Final Level After Pumping:** 20.0  
**Recommended Pump Depth:** 50.0  
**Pumping Rate:** 25.0  
**Flowing Rate:**  
**Recommended Pump Rate:** 5.0  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** No

**Draw Down & Recovery**

**Pump Test Detail ID:** 934116794  
**Test Type:** Draw Down  
**Test Duration:** 15  
**Test Level:** 20.0  
**Test Level UOM:** ft

**Draw Down & Recovery**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Test Detail ID:</b> 934400963					
<b>Test Type:</b> Draw Down					
<b>Test Duration:</b> 30					
<b>Test Level:</b> 50.0					
<b>Test Level UOM:</b> ft					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b> 934660930					
<b>Test Type:</b> Draw Down					
<b>Test Duration:</b> 45					
<b>Test Level:</b> 50.0					
<b>Test Level UOM:</b> ft					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b> 934918371					
<b>Test Type:</b> Draw Down					
<b>Test Duration:</b> 60					
<b>Test Level:</b> 70.0					
<b>Test Level UOM:</b> ft					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 934008590					
<b>Layer:</b> 1					
<b>Kind Code:</b> 5					
<b>Kind:</b> Not stated					
<b>Water Found Depth:</b> 62.0					
<b>Water Found Depth UOM:</b> ft					

<a href="#">56</a>	1 of 1	NNE/216.0	119.9 / 0.00	171 CARDENCO lot 6 con 3 CARP ON	WWIS
<b>Well ID:</b> 7191739		<b>Data Entry Status:</b>			
<b>Construction Date:</b>		<b>Data Src:</b>			
<b>Primary Water Use:</b> Commerical		<b>Date Received:</b> 11/20/2012			
<b>Sec. Water Use:</b>		<b>Selected Flag:</b> TRUE			
<b>Final Well Status:</b> Water Supply		<b>Abandonment Rec:</b>			
<b>Water Type:</b>		<b>Contractor:</b> 4875			
<b>Casing Material:</b>		<b>Form Version:</b> 7			
<b>Audit No:</b> Z149101		<b>Owner:</b>			
<b>Tag:</b> A129749		<b>Street Name:</b> 171 CARDENCO			
<b>Construction Method:</b>		<b>County:</b> OTTAWA			
<b>Elevation (m):</b>		<b>Municipality:</b> HUNTLEY TOWNSHIP			
<b>Elevation Reliability:</b>		<b>Site Info:</b>			
<b>Depth to Bedrock:</b>		<b>Lot:</b> 006			
<b>Well Depth:</b>		<b>Concession:</b> 03			
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b> CON			
<b>Pump Rate:</b>		<b>Easting NAD83:</b>			
<b>Static Water Level:</b>		<b>Northing NAD83:</b>			
<b>Flowing (Y/N):</b>		<b>Zone:</b>			
<b>Flow Rate:</b>		<b>UTM Reliability:</b>			
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b> 2012/10/24					
<b>Year Completed:</b> 2012					
<b>Depth (m):</b> 27.45					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.2950004922099			
Longitude:		-75.9808853258624			
Path:					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004207214	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423089.00
<b>Code OB Desc:</b>		<b>North83:</b>	5016190.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	24-Oct-2012 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004533199
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	17
<b>Mat2 Desc:</b>	SHALE
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	5.179999828338623
<b>Formation End Depth:</b>	27.450000762939453
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004533197
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	13
<b>Mat2 Desc:</b>	BOULDERS
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0.9200000166893005
<b>Formation End Depth:</b>	2.440000057220459
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004533196
<b>Layer:</b>	1
<b>Color:</b>	6

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>		05			
<b>Mat3 Desc:</b>		CLAY			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.9200000166893005			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004533198			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		2.440000057220459			
<b>Formation End Depth:</b>		5.179999828338623			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004533235			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		6.400000095367432			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004533234			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004533194			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004533205			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-0.9200000166893005			
<b>Depth To:</b>		6.400000095367432			
<b>Casing Diameter:</b>		15.880000114440918			
<b>Casing Diameter UOM:</b>		cm			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004533206			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1004533195			
<b>Pump Set At:</b>		12.199999809265137			
<b>Static Level:</b>		2.490000009536743			
<b>Final Level After Pumping:</b>		2.559999942779541			
<b>Recommended Pump Depth:</b>		12.199999809265137			
<b>Pumping Rate:</b>		45.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		45.0			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		3			
<b>Water State After Test:</b>		OTHER			
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533208			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		2.5199999809265137			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533209			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		2.5399999618530273			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533216			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		2.5199999809265137			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533218			
<b>Test Type:</b>		Recovery			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.509999990463257			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1004533227			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		40			
<i>Test Level:</i>		2.559999942779541			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1004533207			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		2.5299999713897705			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1004533212			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		3			
<i>Test Level:</i>		2.5199999809265137			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1004533213			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		2.559999942779541			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1004533217			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		10			
<i>Test Level:</i>		2.5299999713897705			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1004533222			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		20			
<i>Test Level:</i>		2.5			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		1004533223			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		25			
<i>Test Level:</i>		2.5299999713897705			
<i>Test Level UOM:</i>		m			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533232		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			60		
<b>Test Level:</b>			2.490000009536743		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533211		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			2.549999952316284		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533228		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			40		
<b>Test Level:</b>			2.490000009536743		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533230		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			50		
<b>Test Level:</b>			2.490000009536743		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533215		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			2.5299999713897705		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533219		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			15		
<b>Test Level:</b>			2.5299999713897705		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533220		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			15		
<b>Test Level:</b>			2.509999990463257		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1004533224		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		2.5			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533226			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		2.490000009536743			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533231			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		2.559999942779541			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533210			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		2.5199999809265137			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533214			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		2.5199999809265137			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533221			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		2.5299999713897705			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533225			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		2.5299999713897705			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1004533229			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		2.559999942779541			
<b>Test Level UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

**Water ID:** 1004533203  
**Layer:** 2  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 18.899999618530273  
**Water Found Depth UOM:** m

**Water Details**

**Water ID:** 1004533204  
**Layer:** 3  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 24.100000381469727  
**Water Found Depth UOM:** m

**Water Details**

**Water ID:** 1004533202  
**Layer:** 1  
**Kind Code:** 3  
**Kind:** SULPHUR  
**Water Found Depth:** 12.5  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004533200  
**Diameter:** 22.860000610351562  
**Depth From:** 0.0  
**Depth To:** 5.400000095367432  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1004533201  
**Diameter:** 15.239999771118164  
**Depth From:** 6.400000095367432  
**Depth To:** 27.450000762939453  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">57</a>	1 of 1	E/216.2	117.8 / -2.03	100 CARDEVCO RD CARP ON	WWIS
<b>Well ID:</b>	7335299			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	3/8/2019
<b>Sec. Water Use:</b>	Monitoring			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z302863			<b>Owner:</b>	
<b>Tag:</b>	A261082			<b>Street Name:</b>	100 CARDEVCO RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	HUNTLEY TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):**

**Additional Detail(s) (Map)**

**Well Completed Date:** 2019/01/17  
**Year Completed:** 2019  
**Depth (m):** 3.35  
**Latitude:** 45.2926468261661  
**Longitude:** -75.9771846391588  
**Path:**

**Bore Hole Information**

<b>Bore Hole ID:</b>	1007485252	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	423376.00
<b>Code OB Desc:</b>		<b>North83:</b>	5015925.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	17-Jan-2019 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock Materials Interval**

**Formation ID:** 1007733591  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 02  
**Most Common Material:** TOPSOIL  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:** 66  
**Mat3 Desc:** DENSE  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 0.3100000023841858  
**Formation End Depth UOM:** m

**Overburden and Bedrock Materials Interval**

**Formation ID:** 1007733593  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		74			
<b>Mat3 Desc:</b>		LAYERED			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		3.3499999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1007733592			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0.3100000023841858			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007733602			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007733603			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.6799999475479126			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007733604			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.6200000047683716			
<b>Plug To:</b>		3.3499999046325684			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007733601			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1007733590  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1007733597  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0.0  
 Depth To: 1.8300000429153442  
 Casing Diameter: 5.199999809265137  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1007733598  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 1.8300000429153442  
 Screen End Depth: 3.3499999046325684  
 Screen Material: 5  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter: 6.03000020980835

**Water Details**

Water ID: 1007733596  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1007733595  
 Diameter: 7.619999885559082  
 Depth From: 2.130000114440918  
 Depth To: 3.3499999046325684  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Hole Diameter**

Hole ID: 1007733594  
 Diameter: 11.430000305175781  
 Depth From: 0.0  
 Depth To: 2.130000114440918  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

<a href="#">58</a>	1 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Div. of Harris Steel Limited 171 Cardevco Rd	SCT
--------------------	---------	----------	---------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Ottawa ON K1G 1L0

**Established:**  
**Plant Size (ft²):**  
**Employment:** 15

**--Details--**  
**Description:** Concrete Reinforcing Bar Manufacturing  
**SIC/NAICS Code:** 332314

**Description:** Other Ornamental and Architectural Metal Products Manufacturing  
**SIC/NAICS Code:** 332329

**Description:** All Other Miscellaneous Fabricated Metal Product Manufacturing  
**SIC/NAICS Code:** 332999

<a href="#">58</a>	2 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Div. of Harris 171 Cardevco Rd Carp ON K0A 1L0	SCT
--------------------	---------	----------	---------------	---	-----

**Established:** 01-JUN-54  
**Plant Size (ft²):**  
**Employment:**

**--Details--**  
**Description:** Other Ornamental and Architectural Metal Product Manufacturing  
**SIC/NAICS Code:** 332329

**Description:** Concrete Reinforcing Bar Manufacturing  
**SIC/NAICS Code:** 332314

**Description:** All Other Miscellaneous Fabricated Metal Product Manufacturing  
**SIC/NAICS Code:** 332999

<a href="#">58</a>	3 of 13	NE/220.7	118.4 / -1.46	Harris Steel ULC 171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	ECA
--------------------	---------	----------	---------------	--	-----

<b>Approval No:</b>	4207-8XUSZD	<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2012-09-07	<b>City:</b>	
<b>Status:</b>	Approved	<b>Longitude:</b>	-75.97978
<b>Record Type:</b>	ECA	<b>Latitude:</b>	45.294952
<b>Link Source:</b>	IDS	<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Mississippi Valley	<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS		
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS		
<b>Business Name:</b>	Harris Steel ULC		
<b>Address:</b>	171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838		
<b>Full Address:</b>			
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3162-8TAPLS-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3162-8TAPLS-14.pdf</a>		
<b>PDF Site Location:</b>			

<a href="#">58</a>	4 of 13	NE/220.7	118.4 / -1.46	harrisrebar 171 Cardevco road carp ON K0A 1L0	GEN
--------------------	---------	----------	---------------	---	-----

**Generator No:** ON7589486 **Status:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b> 332314 <b>SIC Description:</b> Concrete Reinforcing Bar Manufacturing <b>Approval Years:</b> 2010 <b>PO Box No:</b> <b>Country:</b>					
<b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<a href="#">58</a>	5 of 13	NE/220.7	118.4 / -1.46	harrisrebar 171 Cardevco road carp ON K0A 1L0	GEN
<b>Generator No:</b> ON7589486 <b>SIC Code:</b> 332314 <b>SIC Description:</b> Concrete Reinforcing Bar Manufacturing <b>Approval Years:</b> 2011 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<a href="#">58</a>	6 of 13	NE/220.7	118.4 / -1.46	Harris Rebar Company 171 Cardevco Road Ottawa ON	GEN
<b>Generator No:</b> ON7186651 <b>SIC Code:</b> 332314 <b>SIC Description:</b> Concrete Reinforcing Bar Manufacturing <b>Approval Years:</b> 2012 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<a href="#">58</a>	7 of 13	NE/220.7	118.4 / -1.46	Harris Rebar Company 171 Cardevco Road Ottawa ON	GEN
<b>Generator No:</b> ON7186651 <b>SIC Code:</b> 332314 <b>SIC Description:</b> CONCRETE REINFORCING BAR MANUFACTURING <b>Approval Years:</b> 2013 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<a href="#">58</a>	8 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0	GEN
<b>Generator No:</b> ON7186651 <b>Status:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b> <b>SIC Description:</b>	332314 CONCRETE REINFORCING BAR MANUFACTURING			<b>Co Admin:</b> <b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>	2016  Canada			<b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	No No No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>	263 ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b> <b>Waste Class Desc:</b>	252 WASTE OILS & LUBRICANTS				
<b><u>58</u></b>	<b>9 of 13</b>	<b>NE/220.7</b>	<b>118.4 / -1.46</b>	<b>Harris Rebar - Harris Steel ULC</b> <b>171 Cardevco Road</b> <b>Ottawa ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON7186651 332314 CONCRETE REINFORCING BAR MANUFACTURING			<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>	2015  Canada			<b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	No No No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>	252 WASTE OILS & LUBRICANTS				
<b><u>58</u></b>	<b>10 of 13</b>	<b>NE/220.7</b>	<b>118.4 / -1.46</b>	<b>Harris Rebar Company</b> <b>171 Cardevco Road</b> <b>Ottawa ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON7186651 332314 CONCRETE REINFORCING BAR MANUFACTURING			<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>	2014  Canada			<b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	No No No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>	252 WASTE OILS & LUBRICANTS				
<b><u>58</u></b>	<b>11 of 13</b>	<b>NE/220.7</b>	<b>118.4 / -1.46</b>	<b>Harris Rebar - Harris Steel ULC</b> <b>171 Cardevco Road</b> <b>Ottawa ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON7186651   			<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b>	Registered
<b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>	As of Dec 2018  Canada			<b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<a href="#">58</a>	12 of 13	NE/220.7	118.4 / -1.46	CQS Electric 171 Cardevco Road Ottawa ON K0A 1L0	GEN
<b>Generator No:</b>	ON9165915			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Oct 2019			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<u>Detail(s)</u>					
<b>Waste Class:</b>		251 L			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			
<a href="#">58</a>	13 of 13	NE/220.7	118.4 / -1.46	Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0	GEN
<b>Generator No:</b>	ON7186651			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jul 2020			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<u>Detail(s)</u>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<a href="#">59</a>	1 of 15	E/220.8	117.9 / -2.00	G P SERVICE STATION MAINTENANCE 132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K0A 3G0	GEN
<b>Generator No:</b>	ON1022601			<b>Status:</b>	
<b>SIC Code:</b>	0000			<b>Co Admin:</b>	
<b>SIC Description:</b>	*** NOT DEFINED ***			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	88,89,90			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<u>Detail(s)</u>					
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		252			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">59</a>	2 of 15	E/220.8	117.9 / -2.00	G.P. SERVICE STATION MAINTENANCE 132 CARDEVCO ROAD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON1022601			<b>Status:</b>	
<b>SIC Code:</b>	6351			<b>Co Admin:</b>	
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	92,93,97,98			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<a href="#">59</a>	3 of 15	E/220.8	117.9 / -2.00	G P SERVICE STATION MAINTENANCE 16-270 132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K2S 1A7	GEN
<b>Generator No:</b>	ON1022601			<b>Status:</b>	
<b>SIC Code:</b>	6351			<b>Co Admin:</b>	
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	94,95,96			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">59</a>	4 of 15	E/220.8	117.9 / -2.00	G. P. SERVICE STATION MAINTENANCE QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON1022601			<b>Status:</b>	
<b>SIC Code:</b>	6351			<b>Co Admin:</b>	
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	99,00,01			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	221				
<b>Waste Class Desc:</b>	LIGHT FUELS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">59</a>	5 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON8749071			<b>Status:</b>	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	04,05,06,07,08			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<a href="#">59</a>	6 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON8749071			<b>Status:</b>	
<b>SIC Code:</b>	232990			<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2009			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<a href="#">59</a>	7 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON8749071			<b>Status:</b>	
<b>SIC Code:</b>	232990			<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2010			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<a href="#">59</a>	8 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON8749071			<b>Status:</b>	
<b>SIC Code:</b>	232990			<b>Co Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b> <b>Approval Years:</b> 2011 <b>PO Box No:</b> <b>Country:</b>				<b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		221 LIGHT FUELS			
<a href="#">59</a>	9 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b> ON8749071 <b>SIC Code:</b> 232990 <b>SIC Description:</b> <b>Approval Years:</b> 2012 <b>PO Box No:</b> <b>Country:</b>				<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		221 LIGHT FUELS			
<a href="#">59</a>	10 of 15	E/220.8	117.9 / -2.00	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON	GEN
<b>Generator No:</b> ON8749071 <b>SIC Code:</b> 232990 <b>SIC Description:</b> ALL OTHER SPECIAL TRADE CONTRACTING <b>Approval Years:</b> 2013 <b>PO Box No:</b> <b>Country:</b>				<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b>  <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		252 WASTE OILS & LUBRICANTS			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		221 LIGHT FUELS			
<a href="#">59</a>	11 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b> ON8749071 <b>SIC Code:</b> 232990 <b>SIC Description:</b> ALL OTHER SPECIAL TRADE CONTRACTING <b>Approval Years:</b> 2016 <b>PO Box No:</b> <b>Country:</b> Canada				<b>Status:</b> <b>Co Admin:</b> Debbie Dodge <b>Choice of Contact:</b> CO_ADMIN  <b>Phone No Admin:</b> 613-831-1088 Ext.400 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No	
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<a href="#">59</a>	12 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON8749071	<b>Status:</b>			
<b>SIC Code:</b>	232990	<b>Co Admin:</b>	Debbie Dodge		
<b>SIC Description:</b>	ALL OTHER SPECIAL TRADE CONTRACTING	<b>Choice of Contact:</b>	CO_ADMIN		
<b>Approval Years:</b>	2015	<b>Phone No Admin:</b>	613-831-1088 Ext.400		
<b>PO Box No:</b>		<b>Contam. Facility:</b>	No		
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	No		
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">59</a>	13 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON8749071	<b>Status:</b>			
<b>SIC Code:</b>	232990	<b>Co Admin:</b>	Susan Grant		
<b>SIC Description:</b>	ALL OTHER SPECIAL TRADE CONTRACTING	<b>Choice of Contact:</b>	CO_ADMIN		
<b>Approval Years:</b>	2014	<b>Phone No Admin:</b>	613-831-1088 Ext.400		
<b>PO Box No:</b>		<b>Contam. Facility:</b>	No		
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	No		
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<a href="#">59</a>	14 of 15	E/220.8	117.9 / -2.00	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
<b>Generator No:</b>	ON8749071	<b>Status:</b>	Registered		
<b>SIC Code:</b>		<b>Co Admin:</b>			
<b>SIC Description:</b>		<b>Choice of Contact:</b>			
<b>Approval Years:</b>	As of Dec 2018	<b>Phone No Admin:</b>			
<b>PO Box No:</b>		<b>Contam. Facility:</b>			
<b>Country:</b>	Canada	<b>MHSW Facility:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221 I			
<b>Waste Class Desc:</b>		Light fuels			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		221 L			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">59</a>	15 of 15	E/220.8	117.9 / -2.00	Tarstone Canada Limited 132 Cardevco Road Carp ON K0A1L0	GEN
<b>Generator No:</b>	ON4183552			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Nov 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<a href="#">60</a>	1 of 1	SE/222.1	120.4 / 0.51	ON	BORE
<b>Borehole ID:</b>	609635			<b>Inclin FLG:</b> No	
<b>OGF ID:</b>	215511251			<b>SP Status:</b> Initial Entry	
<b>Status:</b>				<b>Surv Elev:</b> No	
<b>Type:</b>	Borehole			<b>Piezometer:</b> No	
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	JUN-1957			<b>Municipality:</b>	
<b>Static Water Level:</b>	-4.6			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b> 45.289769	
<b>Total Depth m:</b>	11.3			<b>Longitude DD:</b> -75.979117	
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b> 18	
<b>Depth Elev:</b>				<b>Easting:</b> 423221	
<b>Drill Method:</b>				<b>Northing:</b> 5015607	
<b>Orig Ground Elev m:</b>	121			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b> Not Applicable	
<b>DEM Ground Elev m:</b>	120				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218383686			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Gravel			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GRAVEL.				
<b>Geology Stratum ID:</b>	218383687			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	11.3			<b>Material Texture:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Limestone			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	LIMESTONE. GREY. 000370BLE AT 415.0 FEET.. LIMESTONE. GREY. 00111SEISMIC VELOCITY = 1 **Note: Many records provided by the department have a truncated [Stratum Description] field.				

**Source**

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>		<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 02143 NTS_Sheet:		
<b>Confiden 1:</b>			

**Source List**

<b>Source Identifier:</b>	1	<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey	<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972	<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies		
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Originators:</b>	Geological Survey of Canada		

<a href="#">61</a>	1 of 1	<b>SE/222.2</b>	<b>120.4 / 0.51</b>	<b>lot 6 con 3 ON</b>	<b>WWIS</b>
<b>Well ID:</b>	1503338	<b>Data Entry Status:</b>			
<b>Construction Date:</b>		<b>Data Src:</b>	1		
<b>Primary Water Use:</b>	Livestock	<b>Date Received:</b>	9/16/1957		
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	TRUE		
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>			
<b>Water Type:</b>		<b>Contractor:</b>	4824		
<b>Casing Material:</b>		<b>Form Version:</b>	1		
<b>Audit No:</b>		<b>Owner:</b>			
<b>Tag:</b>		<b>Street Name:</b>			
<b>Construction Method:</b>		<b>County:</b>	OTTAWA		
<b>Elevation (m):</b>		<b>Municipality:</b>	HUNTLEY TOWNSHIP		
<b>Elevation Reliability:</b>		<b>Site Info:</b>			
<b>Depth to Bedrock:</b>		<b>Lot:</b>	006		
<b>Well Depth:</b>		<b>Concession:</b>	03		
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON		
<b>Pump Rate:</b>		<b>Easting NAD83:</b>			
<b>Static Water Level:</b>		<b>Northing NAD83:</b>			
<b>Flowing (Y/N):</b>		<b>Zone:</b>			
<b>Flow Rate:</b>		<b>UTM Reliability:</b>			
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/150\1503338.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503338.pdf)

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	1957/06/26
<b>Year Completed:</b>	1957
<b>Depth (m):</b>	11.2776
<b>Latitude:</b>	45.2897678067372
<b>Longitude:</b>	-75.9791169119578



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Path:		150\1503338.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	10025381			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	423220.60
<b>Code OB Desc:</b>				<b>North83:</b>	5015607.00
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	9
<b>Date Completed:</b>	26-Jun-1957 00:00:00			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	p9
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	930996610				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>	11				
<b>Most Common Material:</b>	GRAVEL				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	0.0				
<b>Formation End Depth:</b>	17.0				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	930996611				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	17.0				
<b>Formation End Depth:</b>	37.0				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>	961503338				
<b>Method Construction Code:</b>	1				
<b>Method Construction:</b>	Cable Tool				
<b>Other Method Construction:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10573951			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043515			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		37.0			
<b>Casing Diameter:</b>		4.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043514			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		17.0			
<b>Casing Diameter:</b>		4.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991503338			
<b>Pump Set At:</b>					
<b>Static Level:</b>		15.0			
<b>Final Level After Pumping:</b>		20.0			
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>		4.0			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		0			
<b>Pumping Duration MIN:</b>		30			
<b>Flowing:</b>		No			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933456232			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		37.0			
<b>Water Found Depth UOM:</b>		ft			

62

1 of 1

ENE/225.7

118.9 / -1.00

Kris Jason Hodgins  
154 Cardevco Dr

CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON					
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		4377-7DRRP3 2008 7/11/2008 Waste Management Systems Approved			
<a href="#">63</a>	1 of 1	<b>ENE/227.4</b>	<b>118.9 / -1.00</b>	<b>Kris Jason Hodgins 154 Cardevco Dr Ottawa ON K0A 1L0</b>	<b>ECA</b>
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b> <b>PDF Site Location:</b>		4377-7DRRP3 2008-07-11 Approved ECA IDS ECA-WASTE MANAGEMENT SYSTEMS WASTE MANAGEMENT SYSTEMS Kris Jason Hodgins 154 Cardevco Dr https://www.accessenvironment.ene.gov.on.ca/instruments/7290-7DGHV7-14.pdf		<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">64</a>	1 of 1	<b>NE/236.3</b>	<b>117.9 / -2.00</b>	<b>Harris Rebar - Harris Steel ULC 171 Cardevco Road Ottawa ON K0A 1L0</b>	<b>GEN</b>
<b>Generator No:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> <b>PO Box No:</b> <b>Country:</b>		ON7186651 As of Nov 2021 Canada		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		331 I			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		252 T			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">65</a>	1 of 1	ENE/237.0	117.9 / -1.93	158 Cardevco Rd Ottawa ON K0A1L0	EHS
<b>Order No:</b> 20160725056 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 28-JUL-16 <b>Date Received:</b> 25-JUL-16 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.978541 <b>Y:</b> 45.294331			
<a href="#">66</a>	1 of 3	ENE/248.4	117.9 / -1.93	158 CARDEVCO RD \ WEST CARLETON TOWNSHIP ON	SPL
<b>Ref No:</b> 157790 <b>Site No:</b> <b>Incident Dt:</b> 7/3/1998 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND / WATER <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scrn:</b> <b>MOE Reported Dt:</b> 7/9/1998 <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>		<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 20613 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>			
<a href="#">66</a>	2 of 3	ENE/248.4	117.9 / -1.93	S L HODGINS 158 CARDEVCO CARP ON K0A 1L0	GEN
<b>Generator No:</b> ON2019300 <b>SIC Code:</b> 9919 <b>SIC Description:</b> OTHER MACH. RENTAL <b>Approval Years:</b> 95,96,97,98 <b>PO Box No:</b> <b>Country:</b>		<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<a href="#">66</a>	3 of 3	ENE/248.4	117.9 / -1.93	S. L. HODGINS 158 CARDEVCO CARP ON	GEN

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Generator No:</b>	ON2019300			<b>Status:</b>	
<b>SIC Code:</b>	9919			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER MACH. RENTAL			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	99,00,01			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

**Waste Class:** 252  
**Waste Class Desc:** WASTE OILS & LUBRICANTS

# Unplottable Summary

Total: 2 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	W. O. Stinson & Son Limited		Ottawa ON	
CA	Carp & Cardevco Self-Storage Ltd.		Ottawa ON	

# Unplottable Report

---

**Site:** *W. O. Stinson & Son Limited*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 7712-79VSZY  
**Application Year:** 2007  
**Issue Date:** 12/28/2007  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Carp & Cardevco Self-Storage Ltd.*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 2640-6LFQ8U  
**Application Year:** 2006  
**Issue Date:** 3/3/2006  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Nov 2021**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Oct 2018**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Aboveground Storage Tanks:**

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

**Government Publication Date: May 31, 2014**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Sep 30, 2021**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2018**



**Certificates of Approval:**

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Dry Cleaning Facilities:**

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2019**

**Commercial Fuel Oil Tanks:**

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2020**

**Chemical Register:**

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

**Government Publication Date: 1999-Sep 30, 2021**

**Compressed Natural Gas Stations:**

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 -Nov 2021**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Jul 2021**

**Certificates of Property Use:**

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994 - Jan 31, 2022**

**Drill Hole Database:**Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Sep 2020****Delisted Fuel Tanks:**Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

**Government Publication Date: May 31, 2021****Environmental Activity and Sector Registry:**Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011- Jan 31, 2021****Environmental Registry:**Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994 - Jan 31, 2022****Environmental Compliance Approval:**Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011- Jan 31, 2021****Environmental Effects Monitoring:**Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\*****ERIS Historical Searches:**Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Nov 30, 2021****Environmental Issues Inventory System:**Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***

**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016**

**Environmental Penalty Annual Report:**

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2020**

**List of Expired Fuels Safety Facilities:**

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2020**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

**Government Publication Date: Jun 2000-Nov 2021**

**Fisheries & Oceans Fuel Tanks:**

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2019**

**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

**Government Publication Date: May 31, 2018**

**Fuel Storage Tank:**

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Fuel Storage Tank - Historic:**

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-Nov 30, 2021**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO<sub>2</sub> eq).

**Government Publication Date: 2013-Dec 2019**

**TSSA Historic Incidents:**

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**Fuel Oil Spills and Leaks:**

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Landfill Inventory Management Ontario:**

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Feb 28, 2019**

**Canadian Mine Locations:**

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Dec 2020**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2020**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Jun 30, 2021**

**National Energy Board Wells:**

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-Nov 30, 2021**

**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Jan 2021**

**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994 - Jan 31, 2022**

**Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***



**Pesticide Register:**

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: Oct 2011- Jan 31, 2021**

**Pipeline Incidents:**

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Private and Retail Fuel Storage Tanks:**

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994 - Jan 31, 2022**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-1990, 1992-2019**

**Record of Site Condition:**

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date: 1997-Sept 2001, Oct 2004-Jan 2022**

**Retail Fuel Storage Tanks:**

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Sep 30, 2021**

**Scott's Manufacturing Directory:**

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

**Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021**

**Wastewater Discharger Registration Database:**

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2019**

**Anderson's Storage Tanks:**

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970 - Dec 2020**

**Variations for Abandonment of Underground Storage Tanks:**

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011- Jan 31, 2021**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Sep 30, 2021**



# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



## **APPENDIX E**

TSSA Search

**RE: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0**

Public Information Services &lt;publicinformationservices@tssa.org&gt;

Tue 2/22/2022 7:52 PM

To: Ester Wilson &lt;ester.wilson@gemtec.ca&gt;

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

**NO RECORD FOUND**

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses. For a further search in our archives please complete our release of public information form found at [https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid\\_=392](https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid_=392) and email the completed form to [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees

**Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)[www.tssa.org](http://www.tssa.org)

---

**From:** Ester Wilson <ester.wilson@gemtec.ca>**Sent:** February 22, 2022 2:19 PM**To:** Public Information Services <publicinformationservices@tssa.org>**Cc:** Brenda Thom <brenda.thom@gemtec.ca>**Subject:** Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello TSSA,

Can you please search for tanks and elevating devices at the following locations?

- 155 Wescar Ln #151, Carp, ON K0A 1L0
- 151 Wescar Ln #151, Carp, ON K0A 1L0
- 138 Wescar Lane, Carp, ON K0A 1L0
- 123 Cardevco Rd, Carp, ON K0A 1L0
- 141 Wescar Ln, Ottawa, ON K0A 1L0
- 131 Wescar Ln Unit 1, Ottawa, ON K0A 1L0
- 117 Wescar Ln, Carp, ON K0A 1L0

- 126 Wescar Ln, Carp, ON K0A 1L0
- 138 Wescar Ln, Carp, ON K0A 1L0
- 200 Wescar Ln, Carp, ON K0A 1L0

Thank you,

Ester

---

**Ester Wilson, BSc.**

Junior Environmental Scientist

Ottawa, ON

tel: 613.836.1422 / toll-free: 1.877.243.6832

mobile: 343.552.2547 / fax: 613.836.9731

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

**CAUTION:** This email is not from someone with an @gemtec.ca email address. Do not click links or open attachments that you do not trust.

**RE: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0**

Public Information Services &lt;publicinformationsservices@tssa.org&gt;

Wed 3/9/2022 12:31 PM

To: Ester Wilson &lt;ester.wilson@gemtec.ca&gt;

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

**RECORD FOUND**

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are records in our database of fuel storage tanks at the subject addresses:

INSTANCE NUMBER	ADDRESS	CITY	PROVINCE	POSTAL CODE	STATUS	FACILITY/DEVICE
10379978	142 CARDEVCO RD	CARP	ON	K0A 1L0	ACTIVE	FS PRIVATE FUEL OUTLET - SELF SERVE
11678342	142 CARDEVCO RD	CARP	ON	K0A 1L0	ACTIVE	FS LIQUID FUEL TANK
11678362	142 CARDEVCO RD	CARP	ON	K0A 1L0	ACTIVE	FS LIQUID FUEL TANK

For a further search in our archives please complete our release of public information form found at [https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?\\_mid\\_=392](https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392) and email the completed form to [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees

**Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org)[www.tssa.org](http://www.tssa.org)**From:** Ester Wilson <ester.wilson@gemtec.ca>**Sent:** March 9, 2022 11:41 AM**To:** Public Information Services <publicinformationsservices@tssa.org>**Subject:** Re: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello, Can you please also search for tanks at

- 142 Cardevco Rd, Carp, ON ?

Thank you,

Ester

**Ester Wilson, BSc.**

Junior Environmental Scientist

Ottawa, ON

tel: 613.836.1422 / toll-free: 1.877.243.6832

mobile: 343.552.2547 / fax: 613.836.9731

**From:** Public Information Services <publicinformationsservices@tssa.org>**Sent:** Tuesday, February 22, 2022 7:52 PM**To:** Ester Wilson <ester.wilson@gemtec.ca>**Subject:** RE: Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

**NO RECORD FOUND**

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees

**Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org)

[www.tssa.org](http://www.tssa.org)



**From:** Ester Wilson <ester.wilson@gemtec.ca>

**Sent:** February 22, 2022 2:19 PM

**To:** Public Information Services <publicinformationsservices@tssa.org>

**Cc:** Brenda Thom <brenda.thom@gemtec.ca>

**Subject:** Search Request for 155 Wescar Ln, Carp, ON K0A 1L0

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello TSSA,

Can you please search for tanks and elevating devices at the following locations?

- 155 Wescar Ln #151, Carp, ON K0A 1L0
- 151 Wescar Ln #151, Carp, ON K0A 1L0
- 138 Wescar Lane, Carp, ON K0A 1L0
- 123 Cardevco Rd, Carp, ON K0A 1L0
- 141 Wescar Ln, Ottawa, ON K0A 1L0
- 131 Wescar Ln Unit 1, Ottawa, ON K0A 1L0
- 117 Wescar Ln, Carp, ON K0A 1L0
- 126 Wescar Ln, Carp, ON K0A 1L0
- 138 Wescar Ln, Carp, ON K0A 1L0
- 200 Wescar Ln, Carp, ON K0A 1L0

Thank you,

Ester

**Ester Wilson, BSc.**

Junior Environmental Scientist

Ottawa, ON

tel: 613.836.1422 / toll-free: 1.877.243.6832

mobile: 343.552.2547 / fax: 613.836.9731

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

**CAUTION:** This email is not from someone with an @gemtec.ca email address. Do not click links or open attachments that you do not trust.

3/9/22, 2:15 PM

Mail - Ester Wilson - Outlook

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

**CAUTION:** This email is not from someone with an @gemtec.ca email address. Do not click links or open attachments that you do not trust.



## **APPENDIX F**

City Directory



**ERIS**  
ENVIRONMENTAL RISK INFORMATION SERVICES



---

**CITY  
DIRECTORY**

**Project Property:** *151 Wescar Lane, Carp, ON*  
**Report Type:** *City Directory*  
**Order No:** *22030300854*  
**Information Source:** *Vernon's Ottawa & Area, ON City Directory*  
**Date Completed:** *03/09/2022*

**\*\*See Addendum Regarding Document Results\*\***

**Environmental Risk Information Services** City Directory Information Source

A division of Glacier Media Inc.

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)

<b>PROJECT NUMBER:</b> 22030300854	
<b>Site Address:</b>	151 Wescar Lane, Carp, ON
<b>Year:</b> 2011	
<b>Site Listing:</b>	-Information Inaccessible
<b>Adjacent Properties:</b>	
<b>113 Wescar Lane</b>	-Information Inaccessible
<b>117 Wescar Lane</b>	-Information Inaccessible
<b>118 Wescar Lane</b>	-Information Inaccessible
<b>126 Wescar Lane</b>	-Address Not Listed
<b>131 Wescar Lane</b>	-Information Inaccessible
<b>132 Wescar Lane</b>	-Address Not Listed
<b>141 Wescar Lane</b>	-Information Inaccessible
<b>144 Wescar Lane</b>	-Air 1 Mechanical Services Inc -Advanced Air Quality Inc

	Mortgage Edge Fatima Santos -OneCall Services
<b>154 Wescar Lane</b>	-Address Not Listed
<b>159 Wescar Lane</b>	-Information Inaccessible
<b>162 Wescar Lane</b>	-Address Not Listed
<b>165 Wescar Lane</b>	-Information Inaccessible
<b>168 Wescar Lane</b>	-Competition Composites Inc -Maisons Laprise Inc -MacArtney Construction Company Ltd
<b>172 Wescar Lane</b>	-Information Inaccessible
<b>173 Wescar Lane</b>	-Information Inaccessible
<b>180 Wescar Lane</b>	-Information Inaccessible
<b>181 Wescar Lane</b>	-Information Inaccessible
<b>85 Cardevco Road</b>	-Information Inaccessible
<b>2625 Carp Road</b>	-Residential (2 Tenants)

<b>2299 Cavanmore Road</b>	-Information Inaccessible
<b>100 Huntley Manor Drive</b>	-Information Inaccessible
<b>102 Huntley Manor Drive</b>	-Information Inaccessible
<b>104 Huntley Manor Drive</b>	-Information Inaccessible
<b>106 Huntley Manor Drive</b>	-Information Inaccessible
<b>Richardson Side Road</b>	-No Civic Address
<b>2283 Richardson Side Road</b>	-Information Inaccessible
<b>2291 Richardson Side Road</b>	-Information Inaccessible
<b>2297 Richardson Side Road</b>	-Information Inaccessible
<b>2375 Richardson Side Road</b>	-Information Inaccessible
<b>2415 Richardson Side Road</b>	-Information Inaccessible

<b>PROJECT NUMBER:</b> 22030300854	
<b>Site Address:</b>	151 Wescar Lane, Carp, ON
<b>Year:</b> 2005-06 / 2006-07	

<b>Site Listing:</b>	-Information Inaccessible
<b>Adjacent Properties:</b>	
<b>113 Wescar Lane</b>	-Information Inaccessible
<b>117 Wescar Lane</b>	-Information Inaccessible
<b>118 Wescar Lane</b>	-Information Inaccessible
<b>126 Wescar Lane</b>	-Address Not Listed
<b>131 Wescar Lane</b>	-Information Inaccessible
<b>132 Wescar Lane</b>	-Address Not Listed
<b>141 Wescar Lane</b>	-Information Inaccessible
<b>144 Wescar Lane</b>	-Excel Plus Financial Group
<b>154 Wescar Lane</b>	-Address Not Listed
<b>159 Wescar Lane</b>	-Information Inaccessible
<b>162 Wescar Lane</b>	-Address Not Listed
<b>165 Wescar Lane</b>	-Information Inaccessible

<b>168 Wescar Lane</b>	-Kayser Ergonomics -Kerr Design
<b>172 Wescar Lane</b>	-Information Inaccessible
<b>173 Wescar Lane</b>	-Information Inaccessible
<b>180 Wescar Lane</b>	-Information Inaccessible
<b>181 Wescar Lane</b>	-Information Inaccessible
<b>85 Cardevco Road</b>	-Information Inaccessible
<b>2625 Carp Road</b>	-Residential (2 Tenants)
<b>2299 Cavanmore Road</b>	-Information Inaccessible
<b>100 Huntley Manor Drive</b>	-Information Inaccessible
<b>102 Huntley Manor Drive</b>	-Information Inaccessible
<b>104 Huntley Manor Drive</b>	-Information Inaccessible
<b>106 Huntley Manor Drive</b>	-Information Inaccessible
<b>Richardson Side Road</b>	-No Civic Address

<b>2283 Richardson Side Road</b>	-Information Inaccessible
<b>2291 Richardson Side Road</b>	-Information Inaccessible
<b>2297 Richardson Side Road</b>	-Information Inaccessible
<b>2375 Richardson Side Road</b>	-Information Inaccessible
<b>2415 Richardson Side Road</b>	-Information Inaccessible

<b>PROJECT NUMBER:</b> 22030300854	
<b>Site Address:</b>	151 Wescar Lane, Carp, ON
<b>Year:</b> 1999-2000 / 2001-02	
<b>Site Listing:</b>	-Information Inaccessible
<b>Adjacent Properties:</b>	
<b>113 Wescar Lane</b>	-Information Inaccessible
<b>117 Wescar Lane</b>	-Information Inaccessible
<b>118 Wescar Lane</b>	-Information Inaccessible
<b>126 Wescar Lane</b>	-Address Not Listed

<b>131 Wescar Lane</b>	-Information Inaccessible
<b>132 Wescar Lane</b>	-Address Not Listed
<b>141 Wescar Lane</b>	-Information Inaccessible
<b>144 Wescar Lane</b>	-Goodlooking Carpet -Carpet Cleaning Professionals
<b>154 Wescar Lane</b>	-Address Not Listed
<b>159 Wescar Lane</b>	-Information Inaccessible
<b>162 Wescar Lane</b>	-Address Not Listed
<b>165 Wescar Lane</b>	-Information Inaccessible
<b>168 Wescar Lane</b>	-Gold Haven Construction Ltd -Early Valley Frames & Reflections -Kerr Design
<b>172 Wescar Lane</b>	-Information Inaccessible
<b>173 Wescar Lane</b>	-Information Inaccessible
<b>180 Wescar Lane</b>	-Information Inaccessible



<b>181 Wescar Lane</b>	-Information Inaccessible
<b>85 Cardevco Road</b>	-Information Inaccessible
<b>2625 Carp Road</b>	-Residential (1 Tenant)
<b>2299 Cavanmore Road</b>	-Information Inaccessible
<b>100 Huntley Manor Drive</b>	-Information Inaccessible
<b>102 Huntley Manor Drive</b>	-Information Inaccessible
<b>104 Huntley Manor Drive</b>	-Information Inaccessible
<b>106 Huntley Manor Drive</b>	-Information Inaccessible
<b>Richardson Side Road</b>	-No Civic Address
<b>2283 Richardson Side Road</b>	-Information Inaccessible
<b>2291 Richardson Side Road</b>	-Information Inaccessible
<b>2297 Richardson Side Road</b>	-Information Inaccessible
<b>2375 Richardson Side Road</b>	-Information Inaccessible

<b>2415 Richardson Side Road</b>	-Information Inaccessible
----------------------------------	---------------------------

<b>PROJECT NUMBER: 22030300854</b>	
<b>Site Address:</b>	151 Wescar Lane, Carp, ON
<b>Year: 1995-96 / 1996-97</b>	
<b>Site Listing:</b>	-Information Inaccessible
<b>Adjacent Properties:</b>	
<b>113 Wescar Lane</b>	-Information Inaccessible
<b>117 Wescar Lane</b>	-Information Inaccessible
<b>118 Wescar Lane</b>	-Information Inaccessible
<b>126 Wescar Lane</b>	-Address Not Listed
<b>131 Wescar Lane</b>	-Information Inaccessible
<b>132 Wescar Lane</b>	-Address Not Listed
<b>141 Wescar Lane</b>	-Information Inaccessible
<b>144 Wescar Lane</b>	-Goodooking Carpet -Carpet Cleaning Professionals

<b>154 Wescar Lane</b>	-Address Not Listed
<b>159 Wescar Lane</b>	-Information Inaccessible
<b>162 Wescar Lane</b>	-Ottawa Valley Marine
<b>165 Wescar Lane</b>	-Information Inaccessible
<b>168 Wescar Lane</b>	-Gold Haven Construction Ltd -Kerr Design
<b>172 Wescar Lane</b>	-Information Inaccessible
<b>173 Wescar Lane</b>	-Information Inaccessible
<b>180 Wescar Lane</b>	-Information Inaccessible
<b>181 Wescar Lane</b>	-Information Inaccessible
<b>85 Cardevco Road</b>	-Information Inaccessible
<b>2625 Carp Road</b>	-Residential (1 Tenant)
<b>2299 Cavanmore Road</b>	-Information Inaccessible
<b>100 Huntley Manor Drive</b>	-Information Inaccessible

<b>102 Huntley Manor Drive</b>	-Information Inaccessible
<b>104 Huntley Manor Drive</b>	-Information Inaccessible
<b>106 Huntley Manor Drive</b>	-Information Inaccessible
<b>Richardson Side Road</b>	-No Civic Address
<b>2283 Richardson Side Road</b>	-Information Inaccessible
<b>2291 Richardson Side Road</b>	-Information Inaccessible
<b>2297 Richardson Side Road</b>	-Information Inaccessible
<b>2375 Richardson Side Road</b>	-Information Inaccessible
<b>2415 Richardson Side Road</b>	-Information Inaccessible

<b>PROJECT NUMBER:</b> 22030300854	
<b>Site Address:</b>	151 Wescar Lane, Carp, ON
<b>Year:</b> 1992	
<b>Site Listing:</b>	-Information Inaccessible
<b>Adjacent Properties:</b>	

<b>113 Wescar Lane</b>	-Information Inaccessible
<b>117 Wescar Lane</b>	-Information Inaccessible
<b>118 Wescar Lane</b>	-Information Inaccessible
<b>126 Wescar Lane</b>	-Address Not Listed
<b>131 Wescar Lane</b>	-Information Inaccessible
<b>132 Wescar Lane</b>	-Address Not Listed
<b>141 Wescar Lane</b>	-Information Inaccessible
<b>144 Wescar Lane</b>	-Address Not Listed
<b>154 Wescar Lane</b>	-Information Inaccessible
<b>159 Wescar Lane</b>	-Information Inaccessible
<b>162 Wescar Lane</b>	-Coffee Time Express
<b>165 Wescar Lane</b>	-Information Inaccessible
<b>168 Wescar Lane</b>	-Information Inaccessible

<b>172 Wescar Lane</b>	-Information Inaccessible
<b>173 Wescar Lane</b>	-Information Inaccessible
<b>180 Wescar Lane</b>	-Information Inaccessible
<b>181 Wescar Lane</b>	-Information Inaccessible
<b>85 Cardevco Road</b>	-Information Inaccessible
<b>2625 Carp Road</b>	-Residential (1 Tenant)
<b>2299 Cavanmore Road</b>	-Information Inaccessible
<b>100 Huntley Manor Drive</b>	-Information Inaccessible
<b>102 Huntley Manor Drive</b>	-Information Inaccessible
<b>104 Huntley Manor Drive</b>	-Information Inaccessible
<b>106 Huntley Manor Drive</b>	-Information Inaccessible
<b>Richardson Side Road</b>	-No Civic Address
<b>2283 Richardson Side Road</b>	-Information Inaccessible
<b>2291 Richardson Side Road</b>	-Information Inaccessible

<b>2297 Richardson Side Road</b>	-Information Inaccessible
<b>2375 Richardson Side Road</b>	-Information Inaccessible
<b>2415 Richardson Side Road</b>	-Information Inaccessible

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as “residential” with the number of tenants. The name of the residential tenant is not listed in the above city directory.

***\*\*Carp, ON is listed from 1992 to 2011 within the city directory archives. \*\****

***\*\*Due to unforeseen circumstances resulting from the Covid-19 pandemic of 2020, access to information sources has been prohibited. While all additional measures were undertaken in order to provide accurate information where possible, some project searches yielded no results. \*\****



## **APPENDIX G**

### Site Photographs





Photograph 1: Northeastern extent of the Site (151 Wescar Lane) and Wescar Lane (looking southeast)



Photograph 2: Northeastern extent of the Site Wescar Lane (looking northwest) and neighbouring properties to the northwest (173 and 181 Wescar Lane)





Photograph 3: Overview of 151 Wescar Lane (looking southwest)



Photograph 4: Overview of 151 Wescar (looking southeast)





Photograph 5: Overview of 159 Wescar Lane (looking northwest)



Photograph 6: Season spring melt standing water on 159 Wescar Lane






Photograph 7: West portion of the Site looking southeast at 159 and 151 Wescar Lane with a berm on the West boundary of the Site



Photograph 8: Northwest extent of 159 Wescar Lane looking northeast down Cavanmore Road.

experience • knowledge • integrity



civil  
geotechnical  
environmental  
field services  
materials testing

civil  
géotechnique  
environnementale  
surveillance de chantier  
service de laboratoire des matériaux

expérience • connaissance • intégrité

