



Statistics

Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
BUILDING PERIMETER	*	2.0 fc	6.1 fc	0.3 fc	20.3:1	6.7:1
PARKING	X	0.8 fc	1.4 fc	0.4 fc	3.5:1	2.0:1
PROPERTY LINE	■	0.0 fc	0.0 fc	0.0 fc	N/A	N/A
SITE CALC	+	0.1 fc	6.1 fc	0.0 fc	N/A	N/A

Schedule

Symbol	Label	QTY	Manufacturer	Catalog	Description	Filename	LLF	Total Output	Input Power	Distribution
	A	4	Lithonia Lighting	DSXW1 P7 40K 80CRI TFTM	10000 4000K 80CRI Forward Throw Medium	DSXW1_P7_40K_80C_R1_TFTM.ies	0.85	9391	72.52	TYPE IV, SHORT, BUG RATING: B2 - U0 - G3
	B	9	Lithonia Lighting	DSXW1 P7 40K 80CRI T4M	10000 4000K 80CRI Type 4 Medium	DSXW1_P7_40K_80C_R1_T4M.ies	0.85	9418	72.52	TYPE IV, MEDIUM, BUG RATING: B2 - U0 - G3

