



October 17, 2024
File: PE5845-LET.01

Richcraft Homes

2280 St. Laurent Boulevard, Suite 201
Ottawa, Ontario
K1G 4K1

Attention: **Ms. Fairouz Wahab**

Subject: **Phase I - Environmental Site Assessment Update**
640 Compass Street
Ottawa, Ontario

Consulting Engineers

9 Auriga Drive
Ottawa, Ontario
K2E 7T9
Tel: (613) 226-7381

Geotechnical Engineering
Environmental Engineering
Hydrogeology
Materials Testing
Building Science
Rural Development Design
Retaining Wall Design
Noise and Vibration Studies

patersongroup.ca

Dear Madame,

Paterson Group (Paterson) have prepared this letter to provide an update regarding the previous Phase I Environmental Site Assessment (ESA) for the aforementioned property. It should be noted that the site was previously part of 6371 Renaud Road.

The original Phase I Environmental Site Assessment (ESA) for the subject property was prepared by Paterson Group and was issued on September 7, 2022. Based on the 2022 Phase I ESA, the subject property was historically used as agricultural land since at least 1960. The subject property has never been developed. Neighbouring properties consisted primarily of agricultural land and residential properties. No potential environmental concerns were identified on the subject property or the surrounding properties.

At the time of the 2022 Phase I ESA, the site was found to be lightly vegetated vacant land. Small stockpiles of rebar and concrete were observed in the western portion of the project site. Although the stockpiled concrete and rebar were not considered to have the potential to impact the Phase I Property, it was recommended that they be removed. Based on the results from the Phase I, a Phase II ESA was not required.

Since the 2022 Phase I ESA is over 18 months old, Paterson has prepared this letter to provide an opinion on the validity of the conclusion of that Phase I ESA.





Historical and Records Review

Aerial Photographs

The latest aerial photograph reviewed as part of the 2022 Phase I ESA was dated 2021. An aerial photograph from 2022 was reviewed as part of the current Phase I ESA Update. No significant changes are apparent with respect to the Phase I Property. Asphalt roads were paved approximately 250m northeast of the project site. No other changes were observed to the surrounding properties. A copy of the 2022 aerial photograph has been appended to this report.

Ministry of the Environment, Conservation and Parks (MECP) Submissions

A request was submitted to the MECP Freedom of Information (FOI) office for information with respect to reports related to environmental conditions for the Phase I Property as part of the original Phase I ESA. At the time of issuing the 2022 Phase I report, a response from the MECP had not been received. As part of this Phase I ESA Update, the received MECP FOI report has been reviewed.

MECP Instruments

A request was submitted to the MECP FOI office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments. The 2022 MECP FOI response has been reviewed as part of this update. A record of a certificate of approval titled “Storm and Sanitary Sewers to Service Trails Edge Subdivision Phase 2” was issued November 28, 2014. A record for a permit to take water with fees for the duration of three years was issued January 3, 2014. Neither of these records are considered to pose a risk to the property.

MECP Waste Management Records

A request was submitted to the MECP FOI office for information with respect to waste management records. As part of this assessment the response from the 2022 MECP response has been reviewed. No waste management records were found for the subject property or surrounding area.

MECP Incident Reports

A request was submitted to the MECP FOI office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP. As part of this assessment the response from the





MECP has been reviewed. No records of prior incidents were found for the subject property or surrounding area.

City of Ottawa Historical Land Use Inventory (HLUI)

A search request for the City of Ottawa's Historical Land Use Inventory (HLUI) database was requested as part of the previous 2022 Phase I ESA report. At the time of issuing the 2022 Phase I report, a response from the HLUI had not been received. As part of this Phase I ESA Update, the received HLUI response has been reviewed. The HLUI response indicated that no activities were associated with the subject property or surrounding area.

Site Reconnaissance

A site visit was conducted on October 16, 2024, by Paterson personnel. Use of the subject property as well as the neighbouring properties within the surrounding area were assessed at the time of the site visit.

The subject property is currently undeveloped land. A pile of large stones was found along the west property border, with a second pile located further north consisting of rusted rebar and large stones. No concerns were identified with respect to the project site.

The neighbouring lands to the south and west consist of residential dwellings. To the north is Brian Coburn Boulevard, followed by vacant land. To the east is vacant land, followed by Fern Casey Street and residential dwellings. No significant changes were noted with respect to the surrounding properties since the previous Phase I ESA.

Based on a general review of more recent records and the site visit observations, no potential environmental concerns were noted on or surrounding the Phase I Property and as such, the conclusion of our 2022 Phase I ESA is considered to remain valid, a Phase II Environmental Site Assessment is not required.

Statement of Limitations

This report was prepared for the sole use of Richcraft Homes. Permission and notification from Richcraft Homes and Paterson Group will be required to release this report to any other party.





We trust that this submission satisfies your current requirements. Should you have any questions please contact the undersigned.

Sincerely,

Paterson Group Inc.

Mark D'Arcy, P.Eng., QP_{ESA}



Report Distribution:

- ☐ Richcraft Homes
- ☐ Paterson Group

Appendix:

- ☐ 2022 Aerial Photograph
- ☐ MECP FOI Report
- ☐ HLUI Response





AERIAL PHOTOGRAPH
2022

ENVIRONMENTAL COMPLIANCE APPROVALNUMBER 5391-9REPVA
Issue Date: January 14, 2015

Richcraft Homes Ltd.
2280 St. Laurent Boulevard, Suite 201
Ottawa, Ontario
K1G 4K1

Site Location: Trails Edge Subdivision - Phase 2
Part of Lots 3, 4 and 5, Concession 3 (Ottawa Front)
City of Ottawa, Ontario

You have applied under section 20.2 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

sanitary and storm sewers to be constructed to serve the Trails Edge Subdivision, Phase 2, in the City of Ottawa, as follows:

- sanitary sewers on Compass Street (from station 0+256.670 to station 0+687.448), Axis Way (from station 0+000.500 to station 0+336.760), stub within Block 136 (from station 0+000.250 to station 0+043.050), Rainrock Crescent (from station -0+014.000 to station 0+460.260 and from station 0+633.580 to station 0+718.390), Wild Calla Way (from station 0+000.000 to station 0+190.900), Dragon Walk (from station 0+000.060 to station 0+208.970), Featherfoil Way (from station 0+001.240 to station 0+119.690), Shinleaf Crescent (from station -0+000.500 to station 0+550.700) and Tournesois Court (from station 0+000.000 to station 0+105.350);
- storm sewers on Compass Street (from station 0+240.440 to station 0+685.180), Axis Way (from station -0+002.790 to station 0+336.780), stub within Block 136 (from station -0+002.250 to station 0+041.000), Rainrock Crescent (from station -0+014.000 to station 0+458.760 and from station 0+616.180 to station 0+720.65), Wild Calla Way (from station -0+002.00 to station 0+191.740), Dragon Walk (from station -0+002.00 to station 0+209.560), Featherfoil Way (from station -0+001.670 to station 0+082.060), Shinleaf Crescent (from station 0+002.800 to station 0+547.450), Tournesois Court (from station 0+002.00 to station 0+103.280), Block 105 (from station 0+002.700 to station 0+085.530, Creek Inlet #1 (from station 0+005.000 to station 0+026.110) and Creek Inlet #2 (from station 0+110.000 to station 0+007.370);

all in accordance with the application from Richcraft Homes Ltd., dated October 21, 2014 and received on October 27, 2014, including final plans and specifications prepared by David Schaeffer Engineering Ltd.

For the purpose of this environmental compliance approval, the following definitions apply:

1. "Approval" means this Environmental Compliance Approval and any Schedules to it, including the application and supporting documentation;
2. "Director" means any Ministry employee appointed by the Minister pursuant to section 5 of the Part II.1 of the Environmental Protection Act;
3. "District Manager" means the District Manager of the Ottawa District Office of the Ministry, where the Works are geographically located;;
4. "Ministry" means the Ontario Ministry of the Environment and Climate Change;
5. "Owner" means Richcraft Homes Ltd. and includes its successors and assignees;
6. "Water Supervisor" means the Water Supervisor of the Ottawa District Office of the Safe Drinking Water Branch of the Ministry, where the Works are geographically located; and
7. "Works" means the sewage works described in the Owner's application, this Approval and in the supporting documentation referred to herein, to the extent approved by this Approval.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. GENERAL PROVISIONS

- 1.1 The Owner shall ensure that any person authorized to carry out work on or operate any aspect of the Works is notified of this Approval and the conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
- 1.2 Except as otherwise provided by these Conditions, the Owner shall design, build, install, operate and maintain the Works in accordance with the description given in this Approval, the application for approval of the Works and the submitted supporting documents and plans and specifications as listed in this Approval.
- 1.3 Where there is a conflict between a provision of any submitted document referred to in this Approval and the Conditions of this Approval, the Conditions in this Approval shall take precedence, and where there is a conflict between the listed submitted documents, the document bearing the most recent date shall prevail.
- 1.4 Where there is a conflict between the listed submitted documents, and the application, the application shall take precedence unless it is clear that the purpose of the document was to amend the application.
- 1.5 The requirements of this Approval are severable. If any requirement of this Approval, or the application

of any requirement of this Approval to any circumstance, is held invalid or unenforceable, the application of such requirement to other circumstances and the remainder of this Approval shall not be affected thereby.

2. EXPIRY OF APPROVAL

The approval issued by this Approval will cease to apply to those parts of the Works which have not been constructed within five (5) years of the date of this Approval.

3. CHANGE OF OWNER

3.1 The Owner shall notify the District Manager and the Director, in writing, of any of the following changes within thirty (30) days of the change occurring:

- (a) change of Owner;
- (b) change of address of the Owner;
- (c) change of partners where the Owner is or at any time becomes a partnership, and a copy of the most recent declaration filed under the Business Names Act, R.S.O. 1990, c.B17 shall be included in the notification to the District Manager; and
- (d) change of name of the corporation where the Owner is or at any time becomes a corporation, and a copy of the most current information filed under the Corporations Information Act, R.S.O. 1990, c. C39 shall be included in the notification to the District Manager.

3.2 In the event of any change in ownership of the Works, other than a change to a successor municipality, the Owner shall notify in writing the succeeding owner of the existence of this Approval, and a copy of such notice shall be forwarded to the District Manager and the Director.

3.3 Notwithstanding any other requirements in this Approval, upon transfer of the ownership or assumption of the Works to a municipality if applicable, any reference to the District Manager shall be replaced with the Water Supervisor.

The reasons for the imposition of these terms and conditions are as follows:

- 1. Condition 1 is imposed to ensure that the Works are built and operated in the manner in which they were described for review and upon which Approval was granted. This Condition is also included to emphasize the precedence of Conditions in the Approval and the practice that the Approval is based on the most current document, if several conflicting documents are submitted for review. The Condition also advises the Owners their responsibility to notify any person they authorized to carry out work pursuant to this Approval of the existence of this Approval.
- 2. Condition 2 is included to ensure that, when the Works are constructed, the Works will meet the standards that apply at the time of construction to ensure the ongoing protection of the environment.
- 3. Condition 3 is included to ensure that the Ministry records are kept accurate and current with respect to approved Works and to ensure that subsequent owners of the Works are made aware of the Approval and continue to operate the Works in compliance with it.

In accordance with Section 139 of the Environmental Protection Act, you may by written Notice served upon me and the Environmental Review Tribunal within 15 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:

1. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The environmental compliance approval number;
6. The date of the environmental compliance approval;
7. The name of the Director, and;
8. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5


AND

The Director appointed for the purposes of
Part II.1 of the Environmental Protection Act
Ministry of the Environment and
Climate Change
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4V 1L5

*** Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 314-3717 or www.ert.gov.on.ca**

The above noted activity is approved under s.20.3 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 14th day of January, 2015



Katrina Chrzanowska, P.Eng.
Director
appointed for the purposes of Part II.1 of the
Environmental Protection Act

LW/
c: District Manager, MOECC Ottawa

Water Supervisor, Ottawa District Office, MOECC Safe Drinking Water Branch
Jacek Taracha, Senior Engineer, Development Review Process, City of Ottawa (D07-16-07-0018PH4)
Linda Carkner, Program Manager, Infrastructure Services, City of Ottawa
Jennifer Ailey, P. Eng., David Schaeffer Engineering Ltd.

Application for Certificate of Approval of Municipal and Private Sewage Works

Approved

☐ Client Information
☐ Site Information
☐ Project Technical Info Contact
☐ Project Information

☐ Instrument Information/Tracking
☐ Supporting Information Checklist
☐ Application Fees
☐ Fees Tracking

☐ EBR Requirements
☐ EBR Tracking
☐ EAA Requirements
☐ Signatures

☐ FA Document
☐ Approved Certificate
☐ Related Documents

APPLICATION SUMMARY

Work Unit: Registration/Application Assessment

Status	Approved	Assigned	
IDS Reference #	4234-9QBJ42	File #	1040
C of A #	5391-9REPVA		
Application Type	New Certificate of Approval		
Client Name	Richcraft Homes Ltd.	Client #	2706-4MTNQG
Client Aliases			
Site Name	6255, 6275, and 6371 Renaud Road	Site #	9138-9QBJ28
NAICS Code	-		
Project Name	ToR - Storm and Sanitary Sewers to service Trails Edge Subdivision Phase 2		
Technical Reviewer	Livia Wei		
Assigned	2014/11/28		
Last Action	Approved	By	Katrina Chrzanowska
Document Links and Comments:	Insert Comments Here		
Attachment Names:			
Information Requests	Please click button-->>>	Initiated by	Client
Supplementary Reviews	Please click button-->>>		
Age	79 days		



Generator Details

Registration/Notification Number

ON2987464

Legal Company Name

Primary Name: minto communities

Division Name: NA

Company Operating Name

Primary Name: minto communities

Division Name: NA

Mailing Address

Division Building: Trail edge sales office

Post Box Number: NA

Address Line 1: 6371 Renaud rd

Address Line 2: NA

Town/City: Ottawa

Postal Code / Zip Code: K4B 1H9

County: (if inside Ontario) OTTAWA CARLTON (RM)

Province/State (If inside Canada/US) ONTARIO

County: (if outside Ontario) NA

Province / State (If outside Canada / US) NA

Country: Canada

Site Location

This should be the street address of the site that is being registered. You are required to register each site that generates hazardous waste separately.

Division Building: Trail edge sales office

Post Box Number: NA

Address Line 1: 6371 Renaud rd

Address Line 2: NA

Town/City: Ottawa

Postal Code / Zip Code: K4B 1H9

County: (if inside Ontario) OTTAWA CARLTON (RM)

Province / State (If inside Canada / US) ONTARIO

County: (if outside Ontario) NA

Province / State (If outside Canada / US) NA

Country: Canada



Company Name: **minto communities**
Company Number: **ON2987464 (Generator)**

Inactive Waste Classes

Inactive Waste Class Listing

[Add New Waste Class](#) [Active waste classes](#)

Inactive Off-site Waste Classes

Waste Class	Physical State	Off-Site	Status	Activate	
148 - C	Liquid	Off-Site	Inactive		View Details



Company Name: **minto communities**
Company Number: **ON2987464 (Generator)**

Active Waste Classes

Active Waste Class Listing

[Add New Waste Class](#) | [Inactive waste classes](#)

Active On-site Waste Classes

Waste Class	View Details	Hazardous Waste Number (per waste stream)	Reg. 347 Schedules	Disposal Method	Part 2B required	Part 2B complete	Physical State	Off-Site	Status
265 - L	View Details	N/A					Liquid	Off-Site	Active

Back

hwin
Administration



Search

Go

Search Generators

Company Name	Generator#	Site Address	Company Status	Company History	Waste Classes	Site Details	Payment Details	User Details	Company Details
minto communities	ON2987464	6371 Renaud rd Ottawa - K4B 1H9 Canada	CLOSED (12/21/2009)	View	View	View	View	View	View

| 1 |

[back](#)

→ This indicates that this company has renewed their registration in 2022.

> This indicates that this company has registered in 2022.



Company Name: **minto communities**
Company Number: **ON2987464 (Generator)**

Active Waste Classes

Active Waste Class Listing

[Add New Waste Class](#) | [Inactive waste classes](#)

Active On-site Waste Classes

Waste Class	View Details	Hazardous Waste Number (per waste stream)	Reg. 347 Schedules	Disposal Method Part 2B required	Part 2B complete	Physical State	Off-Site	Status
265 - L	View Details	N/A				Liquid	Off-Site	Active

[Back](#)

Application for Certificate of Approval of Municipal and Private Sewage Works

Approved

Client Information
Site Information
Project Technical Info Contact
Project Information

Instrument Information/Tracking
Supporting Information Checklist
Application Fees
Fees Tracking

EBR Requirements
EBR Tracking
EAA Requirements
Signatures

FA Document
Approved Certificate
Related Documents

APPLICATION SUMMARY

Work Unit: Registration/Application Assessment

Status	Approved	Assigned
IDS Reference #	4234-9QBJ42	File # 1040
C of A #	5391-9REPVA	
Application Type	New Certificate of Approval	
Client Name	Richcraft Homes Ltd.	Client # 2706-4MTNQG
Client Aliases		
Site Name	6255, 6275, and 6371 Renaud Road	Site # 9138-9QBJ28
NAICS Code	-	
Project Name	ToR - Storm and Sanitary Sewers to service Trails Edge Subdivision Phase 2	
Technical Reviewer	Livia Wei	
Assigned	2014/11/28	
Last Action	Approved	By Katrina Chrzanowska
Document Links and Comments:	Insert Comments Here	
Attachment Names:		
Information Requests	Please click button-->	Initiated by Client
Supplementary Reviews	Please click button-->	
Age	79 days	



ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER 5391-9REPVA
Issue Date: January 14, 2015

Richcraft Homes Ltd.
2280 St. Laurent Boulevard, Suite 201
Ottawa, Ontario
K1G 4K1

Site Location: Trails Edge Subdivision - Phase 2
Part of Lots 3, 4 and 5, Concession 3 (Ottawa Front)
City of Ottawa, Ontario

*You have applied under section 20.2 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19
(Environmental Protection Act) for approval of:*

sanitary and storm sewers to be constructed to serve the Trails Edge Subdivision, Phase 2, in the City of Ottawa,
as follows:

- sanitary sewers on Compass Street (from station 0+256.670 to station 0+687.448), Axis Way (from station 0+000.500 to station 0+336.760), stub within Block 136 (from station 0+000.250 to station 0+043.050), Rainrock Crescent (from station -0+014.000 to station 0+460.260 and from station 0+633.580 to station 0+718.390), Wild Calla Way (from station 0+000.000 to station 0+190.900), Dragon Walk (from station 0+000.060 to station 0+208.970), Featherfoil Way (from station 0+001.240 to station 0+119.690), Shinleaf Crescent (from station -0+000.500 to station 0+550.700) and Tournesois Court (from station 0+000.000 to station 0+105.350);
- storm sewers on Compass Street (from station 0+240.440 to station 0+685.180), Axis Way (from station -0+002.790 to station 0+336.780), stub within Block 136 (from station -0+002.250 to station 0+041.000), Rainrock Crescent (from station -0+014.000 to station 0+458.760 and from station 0+616.180 to station 0+720.65), Wild Calla Way (from station -0+002.00 to station 0+191.740), Dragon Walk (from station -0+002.00 to station 0+209.560), Featherfoil Way (from station -0+001.670 to station 0+082.060), Shinleaf Crescent (from station 0+002.800 to station 0+547.450), Tournesois Court (from station 0+002.00 to station 0+103.280), Block 105 (from station 0+002.700 to station 0+085.530), Creek Inlet #1 (from station 0+005.000 to station 0+026.110) and Creek Inlet #2 (from station 0+110.000 to station 0+007.370);

all in accordance with the application from Richcraft Homes Ltd., dated October 21, 2014 and received on October 27, 2014, including final plans and specifications prepared by David Schaeffer Engineering Ltd.

For the purpose of this environmental compliance approval, the following definitions apply:

1. "Approval" means this Environmental Compliance Approval and any Schedules to it, including the application and supporting documentation;
2. "Director" means any Ministry employee appointed by the Minister pursuant to section 5 of the Part II.1 of the Environmental Protection Act;
3. "District Manager" means the District Manager of the Ottawa District Office of the Ministry, where the Works are geographically located;;
4. "Ministry" means the Ontario Ministry of the Environment and Climate Change;
5. "Owner" means Richcraft Homes Ltd. and includes its successors and assignees;
6. "Water Supervisor" means the Water Supervisor of the Ottawa District Office of the Safe Drinking Water Branch of the Ministry, where the Works are geographically located; and
7. "Works" means the sewage works described in the Owner's application, this Approval and in the supporting documentation referred to herein, to the extent approved by this Approval.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. GENERAL PROVISIONS

- 1.1 The Owner shall ensure that any person authorized to carry out work on or operate any aspect of the Works is notified of this Approval and the conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
- 1.2 Except as otherwise provided by these Conditions, the Owner shall design, build, install, operate and maintain the Works in accordance with the description given in this Approval, the application for approval of the Works and the submitted supporting documents and plans and specifications as listed in this Approval.
- 1.3 Where there is a conflict between a provision of any submitted document referred to in this Approval and the Conditions of this Approval, the Conditions in this Approval shall take precedence, and where there is a conflict between the listed submitted documents, the document bearing the most recent date shall prevail.

- 1.4 Where there is a conflict between the listed submitted documents, and the application, the application shall take precedence unless it is clear that the purpose of the document was to amend the application.
- 1.5 The requirements of this Approval are severable. If any requirement of this Approval, or the application of any requirement of this Approval to any circumstance, is held invalid or unenforceable, the application of such requirement to other circumstances and the remainder of this Approval shall not be affected thereby.

2. EXPIRY OF APPROVAL

The approval issued by this Approval will cease to apply to those parts of the Works which have not been constructed within five (5) years of the date of this Approval.

3. CHANGE OF OWNER

- 3.1 The Owner shall notify the District Manager and the Director, in writing, of any of the following changes within thirty (30) days of the change occurring:
 - (a) change of Owner;
 - (b) change of address of the Owner;
 - (c) change of partners where the Owner is or at any time becomes a partnership, and a copy of the most recent declaration filed under the Business Names Act, R.S.O. 1990, c.B17 shall be included in the notification to the District Manager; and
 - (d) change of name of the corporation where the Owner is or at any time becomes a corporation, and a copy of the most current information filed under the Corporations Information Act, R.S.O. 1990, c. C39 shall be included in the notification to the District Manager.
- 3.2 In the event of any change in ownership of the Works, other than a change to a successor municipality, the Owner shall notify in writing the succeeding owner of the existence of this Approval, and a copy of such notice shall be forwarded to the District Manager and the Director.
- 3.3 Notwithstanding any other requirements in this Approval, upon transfer of the ownership or assumption of the Works to a municipality if applicable, any reference to the District Manager shall be replaced with the Water Supervisor.

The reasons for the imposition of these terms and conditions are as follows:

1. Condition 1 is imposed to ensure that the Works are built and operated in the manner in which they were described for review and upon which Approval was granted. This Condition is also included to emphasize the precedence of Conditions in the Approval and the practice that the Approval is based on the most current document, if several conflicting documents are submitted for review. The Condition also advises the Owners their responsibility to notify any person they authorized to carry out work pursuant to this Approval of the existence of this Approval.

2. Condition 2 is included to ensure that, when the Works are constructed, the Works will meet the standards that apply at the time of construction to ensure the ongoing protection of the environment.
3. Condition 3 is included to ensure that the Ministry records are kept accurate and current with respect to approved Works and to ensure that subsequent owners of the Works are made aware of the Approval and continue to operate the Works in compliance with it.

In accordance with Section 139 of the Environmental Protection Act, you may by written Notice served upon me and the Environmental Review Tribunal within 15 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:

1. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The environmental compliance approval number;
6. The date of the environmental compliance approval;
7. The name of the Director, and;
8. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5


AND

The Director appointed for the purposes of
Part II.1 of the Environmental Protection Act
Ministry of the Environment and
Climate Change
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4V 1L5

*** Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 314-3717 or www.ert.gov.on.ca**

The above noted activity is approved under s.20.3 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 14th day of January, 2015



Katrina Chrzanowska, P.Eng.

Director

appointed for the purposes of Part II.1 of the
Environmental Protection Act

LW/

c: District Manager, MOECC Ottawa

Water Supervisor, Ottawa District Office, MOECC Safe Drinking Water Branch

Jacek Taracha, Senior Engineer, Development Review Process, City of Ottawa (D07-16-07-0018PH4)

Linda Carkner, Program Manager, Infrastructure Services, City of Ottawa

Jennifer Ailey, P. Eng., David Schaeffer Engineering Ltd.



PERMIT TO TAKE WATER

Reference No: 8538-9EZNF6

Site Region: Eastern

Reference Number:	8538-9EZNF6	File Storage Number:	
Module:	Permit To Take Water With Fees	Module Type:	Surface and Ground Water
Cross Reference:	(doc link)	Task Link:	5737-9HKPL2
Originating Document:		Created by:	Matthew Chisholm
Date Created:	2014/01/03	Date Completed:	2014/03/26
Bring Forward Date:		Bring Forward Reason:	
Status:	Withdrawn		
Program	Water - Ground & Surface	Activity:	Approvals - PTTW - Combined

Client(s)

Client Details

Minto Communities Inc.
Mailing Address: Suite 200 - 180 Kent St, Ottawa, Ontario, Canada, K1P 0B6
Physical Address: Suite 200 - 180 Kent St, Ottawa, City, Ontario, Canada, K1P 0B6
Telephone: (613)782-2342, FAX: (613)782-2416, email: jpeloquin@minto.com
Client #: 4619-7XEMK9, Client Type: Corporation, NAICS: 237210

Site(s)

Site Details

Renaud Road
Address: Road allowance between Concessions 3 and 4 on Ottawa River in front of Lots 3 and 4 geographic township of Gloucester, Ottawa, City
District Office: Ottawa
GeoReference: Map Datum: NAD83, Zone: 18, Accuracy Estimate: 10-30 metres eg. Medium Quality GPS, Method: GIS
Software, UTM Easting: 460327, UTM Northing: 5031267, UTM Location Description: Site Servicing Sump S1,

Site #: 9783-7NYQZR

+ + + +

Trails Edge Phase 2

Address: Lot: 3 and 4, Concession: 3 on Ottawa River Gloucester, Geographic Township: GLOUCESTER, Ottawa, City

District Office: Ottawa

GeoReference: Map Datum: NAD83, Zone: 18, Accuracy Estimate: 10-30 metres eg. Medium Quality GPS, Method: GIS

Software, UTM Easting: 460304, UTM Northing: 5031411, UTM Location Description: Site Servicing Sump S2,

LIO GeoReference: Zone: , UTM Easting: , UTM Northing: , Latitude: 45.4428, Longitude: -75.511

Site #: 6968-7ZTHK9

Application Related Documents / Information

Application Information

Application Type: New	Date Application Received: 2013/12/31		
Date Application Signed:	2013/12/18	Application Signed By:	Jocelyn Péloquin
Additional Information Attached to the Application:	Cover letter from Paterson Group Inc., dated 2013-12-10; Schedule 1; Articles of Amalgamation; letter from Richcraft Group of Companies, dated 2013-01-09; Hydrogeological Report in Support of a Category 3 Permit to Take Water – Proposed Residential Development – Trails Edge - Phase 2, 6371 Renaud Road, Ottawa, Ontario		
Issued Permit No:			

Project Technical Contact Information

Contact Name:	Michael Laflamme, G.I.T.		
Contact Company Name:	Paterson Group Inc.		
Address:	154 Colonnade Road		
Unit ID:			
Delivery Designator:	<input type="radio"/> Rural Route <input type="radio"/> Suburban Service <input type="radio"/> Mobile Route <input type="radio"/> General Delivery		
Delivery Identifier:			
Municipality:	Nepean	Province / State:	Ontario
Postal Code:	K2E 7J5	Country:	Canada
Phone Number:	(613)226-7381	Extension:	
Fax Number:	(613)226-6344	EMail Address:	mllaflamme@patersongroup.ca

Project Information

Project Name:	Construction dewatering
Description of Proposed Work:	<p>This proposal is for a new permit to take water. The water taking is for construction dewatering and the taking of water is to be as follows:</p> <p>Sources of Water: five (5) site servicing sumps, four (4) building excavation sumps, and two (2) Mud Creek diversion sumps</p> <p>Maximum number of hours of taking a day: 24</p> <p>Maximum number of days of taking in a year: 265 from each sump</p> <p>Source of Water: Site Servicing Sump S1 Maximum rate per minute (litres): 4,200 Maximum volume per day (litres): 6,000,000 Period of Water Taking: between July 1, 2014, and July 1, 2015</p> <p>Source of Water: Site Servicing Sump S2 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 250,000 Period of Water Taking: between July 1, 2014, and July 1, 2015</p> <p>Source of Water: Building Excavation Sump S3 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 250,000 Period of Water Taking: between July 1, 2014, and July 1, 2015</p> <p>Source of Water: Site Servicing Sump S4 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 250,000 Period of Water Taking: between July 1, 2015, and July 1, 2016</p> <p>Source of Water: Mud Creek Diversion Sump S5 Maximum rate per minute (litres): 120,000 Maximum volume per day (litres): 140,000,000 Period of Water Taking: between July 1, 2015, and July 1, 2016</p> <p>Source of Water: Building Excavation Sump S6 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 500,000 Period of Water Taking: between July 1, 2015, and July 1, 2016</p> <p>Source of Water: Site Servicing Sump S7 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 250,000 Period of Water Taking: between July 1, 2015, and July 1, 2016</p> <p>Source of Water: Mud Creek Diversion Sump S8 Maximum rate per minute (litres): 120,000 Maximum volume per day (litres): 140,000,000 Period of Water Taking: between July 1, 2015, and July 1, 2016</p>

Source of Water: Building Excavation Sump S9 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 500,000 Period of Water Taking: between July 1, 2015, and July 1, 2016 Source of Water: Site Servicing Sump S10 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 250,000 Period of Water Taking: between July 1, 2016, and July 1, 2017 Source of Water: Building Excavation Sump S11 Maximum rate per minute (litres): 2,800 Maximum volume per day (litres): 250,000 Period of Water Taking: between July 1, 2016, and July 1, 2017			
Is Fee Required ?	<input checked="" type="radio"/> Yes <input type="radio"/> No		
Classification:	Category 3 <-- Click here to Add/Modify		
Fee Required:	\$3000.00 <-- Click here to show Financial Summary		
Missing Info Checklist:	no missing information (complete application)		
GeoReference Map Datum: NAD83	GeoReferencing Method:	GeoReference Accuracy Estimate: 10-30 metres eg. Medium Quality GPS	
Construction Date:		Installation Date:	
Project Start Date:		Project End Date:	
WTRS Reporting Phase:			
Estimated start of taking:	2014/07/01	Period of Water Taking:	3 years
Is Proposal a Section 5.5 use, as defined in Regulation?			
a) Is water taking located in a summer low flow high use watershed?			
b) Is water taking located in a summer low flow medium use watershed?			
c) Is it located in an annual average high use watershed?			
d) Is it located in an annual average medium use watershed?			
Bulk Extraction:	No	Location of Water Bottling Plant:	
Seasonal Water Taking:	No		
Site Region:	Eastern	IDS Cross Reference:	
Is this Proposal in Oak Ridges Moraine:	No	Is this Proposal in Niagara Escarpment Development Area:	No
Is municipality and conservation authority notice required?	Yes		

Public Consultation / Notification

Classification Change History

Date	Person	Classification Changed From	Classification Changed To	Reason
------	--------	-----------------------------	---------------------------	--------

Table A

Source Information and Water Taking Amount Applied For

	Source Name / Description:	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max. Num. of Days Taken per Year:	Zone/ Easting/ Northing:
1.	Site Servicing Sump S1	Pond Dugout	Construction	Dewatering Construction	4200.00	24.00	600000.00	265.00	18 460327 5031267
2.	Site Servicing Sump S2	Pond Dugout	Construction	Dewatering Construction	2800.00	24.00	250000.00	265.00	18 460304 5031411
3.	Building Excavation Sump S3	Pond Dugout	Construction	Dewatering Construction	2800.00	24.00	250000.00	265.00	18 460304 5031411
4.	Site Servicing Sump S4	Pond Dugout	Construction	Dewatering Construction	2800.00	24.00	250000.00	265.00	18 460196 5031294
5.	Mud Creek Diversion Sump S5	Stream	Construction	Dewatering Construction	120000	24.00	14000000.00	265.00	18 460173 5031338
6.	Building Excavation	Pond	Construction	Dewatering Construction	2800	24.00	500000.00	265.00	18 460173

	Sump S6	Dugout							5031338
7.	Site Servicing Sump S7	Pond Dugout	Construction	Dewatering Construction	2800	24.00	250000.00	265.00	18 460385 5031466
8.	Mud Creek Diversion Sump S8	Stream	Construction	Dewatering Construction	120000	24.00	140000000.00	265.00	18 460335 5031549
9.	Building Excavation Sump S9	Pond Dugout	Construction	Dewatering Construction	2800	24.00	500000.00	265.00	18 460335 5031549
10.	Site Servicing Sump S10	Pond Dugout	Construction	Dewatering Construction	2800	24.00	250000.00	265.00	18 460279 5031585
11.	Building Excavation Sump S11	Pond Dugout	Construction	Dewatering Construction	2800	24.00	250000.00	265.00	18 460279 5031585
						Total Taking:	288500000.00		

Source Information and Water Taking Amount Approved

	Source Name / Desc.	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max. Num. of Days Taken per Year:	Zone/ Easting/ Northing:
1.									
						Total Taking:			

EBR Requirements

Is this a proposal for a Prescribed Instrument under EBR?	If "Yes", is it excepted from public participation?	
---	---	--

Yes	No
-----	----

Date Created:	2014/01/03	Appl Receive Date:	2013/12/31
Date Sent to Region:	2014/01/22	Date Signed:	
EAASIB Turnaround Time:	22.7	Region Turnaround Time:	62.9
Current Stage:	REGION		

Ministry of the Environment
Operations Division
Floor 12A
2 St Clair Ave W
Toronto ON M4V 1L5
Fax: (416)314-8452
Telephone: (416) 314-7150

Ministère de l'Environnement
Division des Opérations
Étage 12A
2 av St Clair O
Toronto ON M4V 1L5
Télécopieur : (416)314-8452
Téléphone : (416) 314-7150



April 2, 2014

J. Stirling/B. Strachan
Minto Communities Inc.
Suite 200 - 180 Kent Street
Ottawa, Ontario
K1P 0B6

Dear Sirs:

**Re: Application for Approval of Permit To Take Water
New ECA for Construction Dewatering
Ottawa City
MOE Reference Number 2611-9HRMPG**

We acknowledge receipt of your application for a Permit to Take Water for a New Permit and the fee in the amount of \$3000.00, received on April 1, 2014, for the taking of water from a source located at:

Site Location: 6211-6371 Renaud Road, Ottawa
6371 Renaud Road, Ottawa
6275 Renaud Road, Ottawa
6211-6275 Renaud Road, Ottawa
3828 Innes Road, Ottawa
6429 Renaud Road, Ottawa

The Ministry's reference number for your application is 2611-9HRMPG. Please quote this number in any correspondence or enquiries regarding this application.

In our screening of your application for completeness, we have noted that the following additional information/documentation is necessary for us to process your application:

1. A letter from the landowner authorizing access to the following water taking locations:
 - 6211-6371 Renaud Road
 - 6211-6275 Renaud Road
 - 3828 Innes Road

Please be advised that should we not receive the above information/documentation or a response with explanation within two weeks of the date of this letter, we will consider your application withdrawn, and close your file accordingly. The submitted fee would then be refunded.

If you have any questions regarding the technical information required for your Permit to Take Water Application please contact our Eastern Region Office at (613) 540-6868. Should you have any general questions regarding your application please feel free to contact me at the above telephone number. Information regarding Permits to Take Water is also available at www.ene.gov.on.ca.

Sincerely,

A handwritten signature in black ink, appearing to read 'V. Tsapas', is positioned above a horizontal line.

Vivian Tsapas
Application Assessment Officer
Environmental Assessment and Approvals Branch

c: Michael Laflamme, Paterson Group



File Number: D06-03-22-0129

October 4, 2022

S Berube
Paterson Group

Sent via email [sberube@patersongroup.ca]

Dear Mr. Berube,

**Re: Information Request
6371 Renaud Road, Ottawa, Ontario ("Subject Property")**

Internal Department Circulation:

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

- No information was returned on the Subject Property from Departmental circulation.
- **Environment and Health Protection:** The City's Environment and Health Protection Branch has found the following information pertaining to the subject property: **No response provided**

Documents Provided:

HLUI Summary Report and HLUI Map

The HLUI Summary Report Excel spreadsheet identifies HLUI area, point and line features within 250 metres of the Subject Property, as shown on the provided HLUI Map PDF. Within 500 metres of the Subject Property, landfills and Environmental Risk Management Area (ERMA) are also identified if applicable.

Additional information may be obtained by contacting:

Ontario's Environmental Registry

The Environmental Registry found at <https://ero.ontario.ca/> contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using key words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following

categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House
161 Elgin Street 4th Floor
Ottawa ON K2P 2K1
Tel: (613) 239-1230
Fax: (613) 239-1422

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an “as is” basis with no representation or warranty by the City with respect to the information’s accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact HLUI@ottawa.ca.

Sincerely,

Amya Martinov
Student Planner

Per:

Michael Boughton, MCIP, RPP
Senior Planner
Development Review East
Planning Services
Planning, Infrastructure and Economic Development Department

MB / AM

Enclosures: (2)

1. HLUI Map
2. HLUI Summary Report

cc: File no. D06-03-22-0129

HISTORIC LAND USE INVENTORY (HLUI) - REPORT REFERENCE MAP

