




| ICD TABLE     |                   |                |              |                |                |                  |
|---------------|-------------------|----------------|--------------|----------------|----------------|------------------|
| CATCHBASIN ID | TRIBUTARY AREA ID | ICD TYPE       | 2YR HEAD (m) | 100YR HEAD (m) | 2YR FLOW (L/s) | 100YR FLOW (L/s) |
| CB 103A       | L103A             | 130 mm ORIFICE | 1.38         | 1.66           | 42.1           | 46.2             |
| CB 103B       | L103B             | 83 mm ORIFICE  | 1.38         | 1.68           | 16.1           | 17.8             |
| CB 104A       | L104A             | 102 mm ORIFICE | 1.38         | 1.63           | 24.3           | 25.3             |
| CB 105A       | L105A             | 105 mm ORIFICE | 1.38         | 1.68           | 45.4           | 50.1             |
| CB 107A       | L107A             | 108 mm ORIFICE | 1.38         | 1.68           | 27.3           | 30.1             |
| CB 108A       | L108A             | 102 mm ORIFICE | 1.38         | 1.68           | 24.3           | 26.8             |



Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.

The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

- Legend**
- AREA ID
  - RUNOFF COEFFICIENT
  - STORM DRAINAGE AREA ha.
  - STORM DRAINAGE BOUNDARY
  - DIRECTION OF OVERLAND FLOW
  - PROPOSED STORM MH AND SEWER
  - PROPOSED CATCHBASIN MANHOLE
  - PROPOSED CATCHBASIN
  - EXISTING STORM MH AND SEWER
  - EXISTING CATCHBASIN
  - EXISTING COMBINED MH AND SEWER
  - THERMAL INSULATION ON STORM SEWER WHERE COVER IS LESS THAN 2.0m AS PER S35.
  - MAXIMUM STATIC PONDING LIMITS

**Notes**

|                            |                |      |       |          |          |
|----------------------------|----------------|------|-------|----------|----------|
| 0                          | ISSUED FOR SPA | MJS  | DT    | 24.11.11 |          |
| Revision                   |                | By   | Appd. | YY.MM.DD |          |
| File Name:160402058 DB.dwg |                | MJS  | DT    | MJS      | 24.10.16 |
|                            |                | Dwn. | Chkd. | Dsgn.    | YY.MM.DD |



Client/Project  
RICH CRAFT HOMES

RIVERSIDE SOUTH BLOCK 167  
955 BORBRIDGE AVENUE  
OTTAWA, ON

Title  
STORM DRAINAGE PLAN